

Haley Griffith (adpce.ad)

Subject: RE: First Half 2023 Groundwater Monitoring Report, Eco-Vista Class 1 Landfill, Solid Waste Permit No. 0290-S1-R3

AFIN: 72-00144
PMT#: 0290-S1-R3
Received By Haley Griffith at 11:35 am, Jun 15, 2023
DOC ID#: 84226
TO: BS>FILE <HG

From: Travis Doll <travis.doll@jettenviro.com>

Sent: Wednesday, June 14, 2023 11:42 AM

To: gwreports <gwreports@adeq.state.ar.us>

Cc: Reynolds, Jodi <jreyno10@wm.com>; Steve Jett P.G. <steve.jett@jettenviro.com>; Ciara Childers Beavers <ciara.childers.beavers@jettenviro.com>

Subject: First Half 2023 Groundwater Monitoring Report, Eco-Vista Class 1 Landfill, Solid Waste Permit No. 0290-S1-R3

On behalf of Eco-Vista, LLC, Jett Environmental Consulting is submitting the First Half 2023 Groundwater Monitoring Report for the Class 1 Landfill. Please access the link below to download the report.

https://drive.google.com/file/d/1Nbj3tc26OLVCWslsP7vKb9af02-oi1B_/view?usp=sharing

If you have any questions or comments regarding this submittal, please do not hesitate to contact us.

Sincerely,

Travis Doll, P.G.
Senior Geologist
Jett Environmental Consulting
18 Lexington Oaks Court
Foristell, MO 63348
573-418-5488
travis.doll@jettenviro.com
www.jettenviro.com



June 14, 2023

Submitted via Electronic Mail

Mr. Tyler Wright, Geologist
Arkansas Department of Energy and Environment
Division of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

**Re: First Half 2023 Groundwater Monitoring Report
Eco-Vista, LLC, Class 1 Landfill
AFIN: 72-00144, Permit No.: 0290-S1-R3**

Dear Mr. Wright:

Jett Environmental Consulting is pleased to submit the First Half 2023 Groundwater Monitoring Report. In addition, on behalf of Eco-Vista, LLC, Jett Environmental Consulting is submitting this letter to satisfy the notification requirements of Arkansas Pollution Control and Ecology Commission Regulation No. 22.1204(c)(1). This notice has been placed in the facility operating record and as identified and discussed in the enclosed Report, summarizes the confirmed statistically significant increases on **Table A**. The Report also identified the following confirmed statistically significant levels above a groundwater protection standard: cobalt at LGW-6, LGW-10, and MW-21; and cadmium at LGW-9, MW-3N, and MW-8N.

Professional Geologist Certification

I certify that I am a qualified groundwater scientist who has received a baccalaureate or post-graduate degree in the natural sciences and am registered in the State of Arkansas. I have sufficient training and experience in geology, geohydrology, and groundwater hydrology that enable me to make sound professional judgments regarding groundwater monitoring, contaminant fate and transport, and corrective action.

I further certify that this summary report was prepared by me or by a subordinate working under my direction. Sampling was conducted by Promus Engineering, LLC, laboratory analytical testing was performed by Pace Analytical National, and statistical analyses were completed by Otter Creek Environmental Services, LLC.

If you have any questions or comments, please contact me at steve.jett@jettenviro.com or 314-496-4654.

Sincerely,



Steve Jett, P.G. No. 1826
Owner

A handwritten signature in blue ink that reads "Travis Doll".

Travis Doll
Senior Geologist

Attachments: *First Half 2023 Groundwater Monitoring Report*

cc: *Jodi Reynolds – WM (PDF via Email)*
Robyn Reed – Boston Mountain Solid Waste District (PDF via Email)

Table A – Summary of Confirmed Statistically Significant Increases

Well	Parameter
LGW-4	Manganese
	Nickel
	TDS
	Zinc
LGW-5	Barium
	Cobalt
	Iron
	Manganese
	Nickel
	TDS
	TOC
	Zinc
LGW-6	Barium
	Cadmium
	Cobalt
	Iron
	Manganese
	Nickel
	Selenium
	TDS
	Zinc
LGW-7	TDS
LGW-8R	Barium
	Manganese
	TDS
LGW-9	TDS
LGW-14R	TDS
	Zinc
MW-2N	Barium
	TDS
	Zinc
MW-3N	Cadmium
	Sulfate
	Zinc
MW-7N	Sulfate
MW-8N	TOC
MW-15	Sulfate
	TOC
MW-17	Sulfate
MW-21	Cadmium

TDS: Total Dissolved Solids

TOC: Total Organic Carbon

**FIRST HALF 2023
GROUNDWATER MONITORING REPORT**

**Eco-Vista Landfill
Eco-Vista, LLC
2210 Waste Management Drive
Springdale, Arkansas 72762**

**Permit Number: 0290-S1-R3
AFIN: 72-00144**

June 2023

Prepared by:



*18 Lexington Oaks Court
Foristell, MO 63348*

*314-496-4654
www.jettenviro.com*

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SITE LOCATION.....	1
3.0	SITE BACKGROUND AND MONITORING NETWORK	1
4.0	FIRST HALF 2023 SAMPLING EVENTS	2
4.1	Groundwater Elevation, Flow Direction, & Flow Rate.....	2
4.2	Groundwater Results.....	3
5.0	STATISTICAL EVALUATION.....	4
5.1	Detection Monitoring Statistical Evaluation Results	4
5.2	Assessment Monitoring Statistical Evaluation Results	4
6.0	CORRECTIVE ACTION MONITORING.....	5
7.0	CONCLUSIONS.....	6

TABLES

Table 1	Groundwater Monitoring Program
Table 2	Field Measurements, First Quarter 2023 Event
Table 3	Field Measurements, Second Quarter 2023 Event
Table 4	Volatile Organic Compound Detections, First Quarter 2023 Event
Table 5	Volatile Organic Compound Detections, Second Quarter 2023 Event
Table 6	Inorganic Groundwater Quality Results, First Quarter 2023 Event
Table 7	Inorganic Groundwater Quality Results, Second Quarter 2023 Event
Table 8	Groundwater Protection Standards (GWPS)

APPENDICES

Appendix A	Figures
Appendix B	Laboratory Analytical Results & Field Forms, First Quarter 2023 Event
Appendix C	Laboratory Analytical Results & Field Forms, Second Quarter 2023 Event
Appendix D	Historical Groundwater Quality Results
Appendix E	Statistical Evaluation

1.0 INTRODUCTION

Eco-Vista, LLC operates the Eco-Vista Class 1 Municipal Solid Waste Landfill under Solid Waste Permit Number 290-S1-R3 (Permit) issued in September 2014. This report was prepared in accordance with the Permit and the Arkansas Department of Energy and Environment, Division of Environmental Quality (DEQ) approved Groundwater Sampling and Analysis Plan (GWSAP, Document 70560, dated November 2016).

The Eco-Vista Landfill is currently in a groundwater assessment/corrective action monitoring program pursuant to DEQ Regulation 22.1205. All procedures detailed in this document are designed to provide an accurate representation of groundwater quality at groundwater wells installed at the site and to be protective of human health and the environment.

This report covers the results of the two First Half 2023 groundwater sampling events, which were conducted in first quarter (January 2023) and second quarter (April 2023). This report includes all field measurements, analytical data, statistical evaluation, and the associated potentiometric surface maps for the First Half 2023. Sampling was conducted by Promus Engineering, LLC (Promus), laboratory analytical testing was performed by Pace Analytical National (Pace), and statistical analyses were completed by Otter Creek Environmental Services, LLC (Otter Creek).

2.0 SITE LOCATION

The facility is located at 2210 Waste Management Drive, approximately 2.5 miles south of Tontitown, primarily within Section 23, Township 17 North, Range 31 West, Washington County, Arkansas. **Figure 1** (See **Appendix A**) presents the location of the Eco-Vista Landfill.

3.0 SITE BACKGROUND AND MONITORING NETWORK

The current groundwater monitoring system consists of twenty-three wells designated as MW-1N, MW-2N, MW-3N, MW-7N, MW-8N, MW-10N, MW-11N, MW-15, MW-16, MW-17, MW-19, MW-20, MW-21, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-9, LGW-10, and LGW-14R (See **Figures 2** and **3** in **Appendix A**). The original seven "N" wells were installed in September 1997 by Anderson Engineering Consultants, Inc. (AECI) and Flippin Brothers, Inc., under the supervision of Genesis Environmental Consulting, Inc. (GEC). Ten LGW wells were installed by AECI under the supervision of Terracon Consultants, Inc. (Terracon) in September 2005. Monitoring wells LGW-8R and LGW-14R were installed in August 2008 by AECI and supervised by Terracon as replacement wells for LGW-8 and LGW-14. LGW-3 was damaged during site construction activities and was replaced with LGW-3R in June 2015 by AECI under the supervision of Chimney Rock Consulting (CRC). Monitoring wells MW-15, MW-16, MW-17, MW-19, MW-20, and MW-21 were installed in May 2015 by AECI and supervised by CRC in accordance with the site's Permit.

During the Third Quarter 2019 event, wells NE-10 and NE-11 were not able to be sampled. Well NE-10 was dry, while well NE-11 was damaged. Well NE-11 was repaired in August 2019 with DEQ approval (Document 76629) and redeveloped prior to sampling in Fourth Quarter 2019. NE-10 was abandoned with DEQ approval (Document 76443) and replacement well NE-10D was installed in July 2019. Well NE-10D was first sampled in the Fourth Quarter 2019.

In addition, several Nature and Extent wells (NE-suffix) have been installed over the years ranging from September 2001 through July 2019. The Nature and Extent wells and Corrective Action Monitoring Program (CAMP) are discussed in detail in **Section 6.0**.

4.0 FIRST HALF 2023 SAMPLING EVENTS

According to Promus, the groundwater monitoring system was sampled in accordance with the Landfill Permit and the DEQ-approved GWSAP (Document 70560).

The First Half 2023 sampling events were conducted in first quarter (January 2023) and second quarter (April 2023). The procedures for obtaining groundwater samples, parameters analyzed, and sample preservation and handling are discussed in the DEQ-approved GWSAP. Field measurements were recorded on Field Information Forms and are presented in **Appendices B** and **C**. A summary of the field measurements for the First Half 2023 sampling events is presented on **Tables 2** and **3**. QA/QC samples were collected and submitted along with the groundwater samples to Pace. Laboratory analytical results and copies of the Chain-of-Custody forms are included in **Appendices B** and **C**.

During the First Quarter 2023 event, the wells on **Table 1** were sampled for the full Assessment Monitoring Constituent (AMC) list. During the Second Quarter 2023 event, only the wells with Groundwater Protection Standard (GWPS) exceedances from the First Quarter 2023 event were sampled for the AMC list. In addition, any well-parameter pairs with unverified statistical exceedances during the First Quarter 2023 event were resampled in Second Quarter 2023. The results of the First Quarter 2023 and Second Quarter 2023 sampling events are discussed in **Section 4.2**.

During the First Quarter 2023 sampling event, well NE-13 was dry and not able to be sampled. Wells MW-3N, NE-8, and NE-13 were not sampled during the Second Quarter 2023 sampling event due to the wells being inaccessible from expansion/construction activities of stormwater collection basins. Also, during the First Quarter 2023 and Second Quarter 2023 sampling events, well NE-15S was dry and not able to be sampled.

4.1 Groundwater Elevation, Flow Direction, & Flow Rate

Figures 2 and **3** in **Appendix A** present the groundwater potentiometric surface maps based on depth to water data measured in First Quarter 2023 and Second Quarter 2023. **Tables 2** and **3** include the groundwater elevation data for the groundwater monitoring wells. During the First Quarter 2023 and Second Quarter 2023 events, groundwater flow direction was generally to the southeast, consistent with past events.

To assist in calculating the average linear groundwater velocity, the hydraulic gradient of the bedrock system was measured from the figures. The groundwater velocities are then calculated from the following equation:

$$v = Ki/n$$

where:

v = groundwater flow velocity (feet/year)

K = hydraulic conductivity (feet/second)

i = hydraulic gradient (feet/feet)

n = effective porosity (dimensionless)

[with 31,536,000 feet/second to feet/year conversion factor]

Based on Chimney Rock Consulting's October 2013 "Hydrogeologic and Geotechnical Investigation Report, Major Permit Modification, Lateral Expansion Area, Eco-Vista Landfill" (Document 63689), slug tests were performed on the overburden, overburden/bedrock contact, and competent bedrock. Table 4.7 of the above document summarized the calculated hydraulic conductivities from the slug tests of the overburden/epikarst and the bedrock. For the overburden/epikarst, hydraulic conductivities ranged from 1.925×10^{-7} ft/sec to 8.927×10^{-5} ft/sec. For the competent bedrock, hydraulic conductivities ranged from 6.675×10^{-9} ft/sec to 3.037×10^{-5} ft/sec.

Effective porosities were estimated as 20% for the overburden and overburden/bedrock contact and 3% for the competent bedrock.

Due to the wide range of hydraulic conductivities determined from the aquifer slug tests, a geometric mean calculation would be more representative for calculation of the groundwater flow rate. The geometric mean of the hydraulic conductivity was 7.57276×10^{-6} ft/sec for the overburden/epikarst and 2.31578×10^{-7} ft/sec for the bedrock. A hydraulic gradient of 0.016 feet/foot was calculated across the site for the Second Quarter 2023 event (see **Figure 3**). Therefore, the geometric mean of the groundwater flow rates would be approximately 19 ft/year for the overburden/epikarst and 4 ft/year for the bedrock.

The groundwater flow rates fall within the range consistent with past events. Groundwater at the site as a whole generally exists in a dual-porosity system and the flow rates provided above are estimates. The higher hydraulic conductivities and pore space in the epikarst would result in groundwater moving more laterally along the overburden/weathered bedrock interface rather than downward into the competent bedrock. In various discrete zones or preferential pathways, larger than average volumes of groundwater are possible in localized areas, as documented in previous site investigations.

4.2 Groundwater Results

During the First Quarter 2023 event, the wells on **Table 1** were sampled for the full AMC list, with the exception of NE-13 and NE-15S that were dry. During the Second Quarter 2023 event, the wells with GWPS exceedances from the First Quarter 2023 event were sampled for the AMC list. In addition, well-parameter pairs with initial statistical exceedances identified during the First Quarter 2023 event were resampled in Second Quarter 2023. As shown on **Tables 4** through **7**, the following results exceeded a GWPS during the First Quarter 2023 event, and therefore; these wells were sampled for the AMC list in Second Quarter 2023: cadmium at MW-8N, LGW-9, NE-5E, NE-6D, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E. Well MW-3N was unable to be sampled in Second Quarter 2023 to verify the cadmium GWPS exceedance due to the well being inaccessible from expansion/construction activities of a stormwater basin. DEQ requested that the GWPS for cobalt be changed from 0.011 mg/L to 0.006 mg/L in a letter dated November 21, 2019 (Document 77318).

The full DEQ Regulation 22 Appendix 2 list is sampled annually (typically in third quarter) at the wells with GWPS exceedances during the previous calendar year. The site is required to sample each well on a triennial basis (i.e., 2024, 2027, 2030, etc.) for the full ADEQ Regulation 22 Appendix 2 list. Each well will be sampled for the full ADEQ Regulation 22 Appendix 2 list during the Third Quarter 2024 event, with the exception of the Nature & Extent wells, which are sampled for the AMC list.

The data presented in **Appendix D** represents the historical inorganic groundwater analytical results compiled since the monitoring system was first sampled at the site in October 1997. Attachment B within **Appendix E** provides the historical organic groundwater detections since October 1997. A comparison to applicable GWPSs and a summarization of the groundwater quality at all monitoring points for the First Half 2023 sampling events are presented on **Tables 4** through **7**.

As shown on **Tables 4** through **7**, the following results exceeded a GWPS during the Second Quarter 2023 event: cadmium at MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E. Results were generally consistent with past events.

During the First Quarter 2023 and Second Quarter 2023 events, volatile organic compounds (VOCs) were detected above the laboratory practical quantitation limits (PQLs) at quantified concentrations at LGW-10 (1,4-dichlorobenzene, 1,1-dichloroethane, benzene, and cis-1,2-dichloroethene) (see **Table 4** and **5**). The VOC detections at LGW-10 were consistent with previous events. None of the First Quarter 2023 or Second Quarter 2023 VOC detections exceeded a

GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

The analytical results for monitoring wells MW-7N and NE-15D and their corresponding field duplicate sample were consistent for the First Quarter 2023 event. The analytical results for monitoring wells LGW-6 and NE-2 and their corresponding field duplicate sample were consistent for the Second Quarter 2023 events, with the exception of the relative percent difference (RPD) for manganese (RPD=21%) at NE-2/DUP-1. However, the DUP-1 result for manganese was consistent with historical results at well NE-2. Laboratory QA/QC analytical results and copies of the Chain-of-Custody forms are included in **Appendices B and C**.

5.0 STATISTICAL EVALUATION

The statistical evaluation was generated with the statistical analysis program DUMPStat™ and performed by Otter Creek. The statistical program was used to identify outliers, statistically significant trends; and to determine if statistically significant increases (or decreases in the case of pH) in parameter concentrations have occurred above background. The statistical evaluation was also utilized to determine whether parameter concentrations statistically exceed established GWPSs. A detailed explanation of the statistical methods applied, and results are summarized within **Appendix E** for the First Half 2023.

5.1 Detection Monitoring Statistical Evaluation Results

Statistically derived intra-well statistical limits were calculated for wells MW-2N, MW-3N, MW-7N, MW-8N, MW-10N, MW-15, MW-17, MW-21, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-9, and LGW-14R to determine if statistically significant increases have occurred above background.

Chloride and ammonia are not statistically evaluated during the quarterly events, but rather addressed in the Monthly Reports that are submitted per Permit 0290-S1-R3, Condition 38(a).

The Detection Monitoring statistical evaluation on all well-parameter pairs are provided in **Appendix E**. Multiple verified exceedances were identified based on the First Quarter 2023 data. Verification sampling of the ten initial exceedances noted in First Quarter 2023 was completed in Second Quarter 2023. Statistical evaluation of the Second Quarter 2023 resampling results indicated five of the ten initial exceedances exhibited verified exceedances: cadmium at MW-21; nickel at LGW-4; total dissolved solids (TDS) at LGW-4; and total organic carbon (TOC) at LGW-5 and MW-15.

As stated in **Section 4.2**, during the First Quarter 2023 and Second Quarter 2023 events, VOCs were detected above the laboratory PQLs at quantified concentrations at LGW-10 (1,4-dichlorobenzene, 1,1-dichloroethane, benzene, and cis-1,2-dichloroethene) (see **Tables 4 and 5**). The VOC detections at LGW-10 were consistent with previous events. None of the First Quarter 2023 or Second Quarter 2023 VOC detections exceeded a GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

5.2 Assessment Monitoring Statistical Evaluation Results

Well-parameter pairs with verified statistical exceedances, verified GWPS exceedances, or verified VOC detections were evaluated against the GWPSs using confidence limits (**Appendix E**). The 95% lower confidence limit (LCL) for the mean of the data was used to evaluate whether the regulated unit was in compliance with the DEQ-approved GWPSs (e.g., whether the verified constituent is detected at a statistically significant level above the GWPS). An exceedance is verified if the LCL is above the GWPS.

The calculated LCLs for historically detected VOCs were below the respective GWPS for the First Quarter 2023 event.

For the First Quarter 2023 event, the LCL exceeded the GWPS for cobalt at LGW-6, LGW-10, and MW-21; and cadmium at LGW-9, MW-3N, and MW-8N. The cobalt and cadmium exceedances were consistent with recent events. Review of the cadmium and cobalt data for the above GWPS exceedances indicates concentrations have been reported at either stable concentrations or decreasing during recent events at each well.

The site is currently undergoing a corrective action program for cadmium and cobalt, as discussed in **Section 6.0** below.

Regarding cobalt, as reported in the USGS 2013 Document “*Geochemical and Mineralogical Data for Soils of the Conterminous United States*”, Appendix 4a, cobalt was detected in native Arkansas soils ranging from 1.8 to 20.2 mg/kg in “C” (deeper) horizon from more than 60 samples collected. According to the Agency for Toxic Substances and Disease Registry (ATSDR) *Public Health Statement for Cobalt* (dated April 2004), cobalt is a naturally-occurring element with small amounts found naturally in most rocks, soil, water, plants, and animals. For most people, food is the largest source for the intake of cobalt (the non-radioactive isotope form). A biochemically important cobalt compound is vitamin B12, which is essential for good health in animals and humans. Metals in soil and bedrock can easily leach into the groundwater, especially if the groundwater is acidic (pH < 7.0 SU). Cobalt is considered somewhat mobile in acidic soils but less mobile as pH reaches neutrality. The pH of a majority of the groundwater samples from the site during the First Quarter 2023 event were below 7.0 SU, and the pH of the samples from LGW-10 and NE-5, which had the highest cobalt concentrations, were 6.46 and 6.62 SU, respectively. The occurrence and levels of cobalt at the site has no indication of being related to a release from the waste unit.

6.0 CORRECTIVE ACTION MONITORING

On November 27, 2000, the site notified the DEQ that the Third Quarter 2000 sampling results from the Eco-Vista (formerly Tontitown) Landfill groundwater monitoring system had exceeded the approved GWPS for vinyl chloride (MW-1N and MW-7N) and cadmium (MW-7N and MW-8N).

The site implemented a corrective measures program under Reg.22.1208. This program was implemented in an effort to improve groundwater quality prior to the water leaving the site boundaries. This program included the installation of in-refuse and out-of-refuse gas extraction wells. The operation of this active source removal system (initiated in April 2001) included the extraction and treatment of gases and the collection of data needed to optimize future gas extraction system components.

The site has been monitoring the effectiveness of the corrective action utilizing monitoring wells NE-1, NE-4, and NE-5 as monitoring points since 2001. In August 2011, the site submitted a “Status of Groundwater Corrective Action” (Document 60765) to DEQ. In March 2014, DEQ provided comments on the “Status of Groundwater Corrective Action” and requested a work plan for the installation of additional wells and information regarding the site’s gas extraction system (Document 65639).

Three of the Nature and Extent wells (NE-1, NE-4, and NE-5) are monitored in accordance with the Corrective Action Monitoring Program (CAMP) for the site, which was approved by the DEQ in a letter dated December 16, 2004 (Document 25189). Well NE-3 is damaged and monitored for water elevation purposes only.

On June 12, 2014, a letter detailing the ongoing gas extraction efforts at the facility was submitted to DEQ (Document 66045). Document 69516 “Approval of Plan for Modification to the Gas Extraction System at the Eco-Vista Landfill” was received on May 5, 2016.

DEQ approved the final nature and extent work plan (Documents 70569 and 70585) and well installation began in December 2016. The installation of the eight new nature and extent wells (NE-6 through NE-13) at the site was completed in December 2016 and a field activity report was submitted to DEQ (Document 71488). Quarterly monitoring was conducted in 2017 and a report that discussed the findings of the nature and extent investigation was submitted to DEQ on January 19, 2018 (Document 73049). As stated in the January 2018 report, current corrective action at the site is based on impacts to groundwater from landfill gas. Beginning with the First Quarter 2019 event, wells NE-6 through NE-13 have been sampled semi-annually (per Document 74217).

In correspondence dated July 18, 2018, DEQ issued comments (Document 74217) on the Nature and Extent Report (Document 73049). In correspondence dated September 12, 2018, FTN Associates, Ltd. (FTN) issued a response (Document 74554) to the DEQ comments. In correspondence dated September 28, 2018, DEQ issued a response (Document 74635) to FTN's comments. The site submitted a Nature and Extent Investigation (NEI) Phase 3 Work Plan (Document 75678) in February 2019 to address the DEQ comments. The Work Plan was approved by DEQ in a letter dated July 3, 2019 (Document 76443). NEI Phase 3 field activities were conducted in January 2021 in accordance with the conditionally approved NEI work plan and addendum to the work plan (Documents 75678, 76443, 76636, and 76645). Monitoring wells NE-5E, NE-5W, NE-6D, NE-10D, NE-14D, NE-14S, NE-15D, and NE-15S were completed by Walker-Hill Environmental, Inc and supervised by FTN. Monitoring well NE-10 was abandoned during these field activities per the NEI work plan and DEQ approval (Documents 75678 and 76443). The new monitoring wells were developed in August 2019. A groundwater monitoring well installation and abandonment report was submitted to DEQ on October 11, 2019 (Document 77170).

During the Third Quarter 2019 event, wells NE-10 and NE-11 were not able to be sampled. Well NE-10 was dry, while well NE-11 was damaged. Well NE-11 was repaired in August 2019 with DEQ approval (Document 76629) and redeveloped prior to sampling in Fourth Quarter 2019. NE-10 was abandoned with DEQ approval (Document 76443) and replacement well NE-10D was installed in July 2019. Well NE-10D was first sampled in the Fourth Quarter 2019.

The new monitoring wells, along with existing passive gas extraction wells EW-15 and EW-16, were initially sampled in Fourth Quarter 2019 and were sampled quarterly thereafter for a period of one year (Fourth Quarter 2019, First Quarter 2020, Second Quarter 2020, and Third Quarter 2020). Samples were analyzed for the landfill's AMC list. Data from these events were submitted directly to DEQ from the laboratory and were presented in the landfill's semi-annual groundwater monitoring reports.

On May 18, 2022, a Groundwater Corrective Action Status Update was submitted to DEQ.

7.0 CONCLUSIONS

The following conclusions are based on the results of the First Half 2023 groundwater sampling events and analytical testing:

- The water level data for the First Quarter 2023 and Second Quarter 2023 sampling events indicated that the groundwater flow direction within the uppermost aquifer was generally to the southeast across the site, consistent with past events. Due to the wide range of hydraulic conductivities determined from past aquifer slug tests, a geometric mean calculation would be more representative for calculation of the groundwater flow rate. A hydraulic gradient of 0.016 feet/foot was calculated across the site for the Second Quarter 2023 event. The geometric mean of the groundwater flow rates were calculated to be approximately 19 ft/year for the overburden/epikarst and 4 ft/year for the bedrock.
- The groundwater flow rates fall within the range consistent with past events. Groundwater at the site as a whole generally exists in a dual-porosity system and the flow rates provided

above are estimates. The higher hydraulic conductivities and pore space in the epikarst would result in groundwater moving more laterally along the overburden/weathered bedrock interface rather than downward into the competent bedrock. In various discrete zones or preferential pathways, larger than average volumes of groundwater are possible in localized areas, as documented in previous site investigations.

- The following inorganic results exceeded a GWPS during the First Quarter 2023 event: cadmium at MW-3N, MW-8N, LGW-9, NE-5E, NE-6D, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E. The following results exceeded a GWPS during the Second Quarter 2023 event: cadmium at MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E.
- During the First Quarter 2023 and Second Quarter 2023 events, VOCs were detected above the laboratory PQLs at quantified concentrations at LGW-10 (1,4-dichlorobenzene, 1,1-dichloroethane, benzene, and cis-1,2-dichloroethene). The VOC detections at LGW-10 were consistent with previous events. None of the First Quarter 2023 or Second Quarter 2023 VOC detections exceeded a GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

Statistical Evaluation

- The Detection Monitoring statistical evaluation on all well-parameter pairs are provided in **Appendix E**. The trace metals and inorganic indicator data were statistically compared to background using control charts/prediction limits. Multiple verified exceedances were identified based on the First Quarter 2023 data. Verification sampling of the ten initial exceedances noted in First Quarter 2023 was completed in Second Quarter 2023. Statistical evaluation of the Second Quarter 2023 resampling results indicated five of the ten initial exceedances exhibited verified exceedances: cadmium at MW-21; nickel at LGW-4; TDS at LGW-4; and TOC at LGW-5 and MW-15.
- Due to verified statistical limit exceedances, GWPS exceedances, or confirmed VOCs, select wells and parameters were evaluated using assessment statistics. The calculated LCLs for historically detected VOCs were below the respective GWPS for the First Quarter 2023 event. For the First Quarter 2023 event, the LCL exceeded the GWPS for cobalt at LGW-6, LGW-10, and MW-21; and cadmium at LGW-9, MW-3N, and MW-8N.
- Review of the cadmium and cobalt data for the above GWPS exceedances indicates concentrations have been reported at either stable concentrations or decreasing during recent events at each well.

Corrective Action

- A summary of the statistical evaluation for corrective action is found in Appendix E. Attachment C presents the 95% LCL for volatiles and Attachment E presents the 95% LCL for metals and other inorganics.
- Corrective action is currently on-going at the site. The site is closely monitoring the carbon dioxide levels and adjustments to the entire gas extraction system are routinely made to optimize the removal of carbon dioxide.
- A report discussing the findings of the most recent nature and extent investigation was submitted to DEQ on September 9, 2021 (Document 80807). As stated in the September 2021 report, current corrective action at the site is based on impacts to groundwater from landfill gas.

- On May 18, 2022, a Groundwater Corrective Action Status Update was submitted to DEQ.

Monthly Indicator Monitoring

- In accordance with the Eco-Vista Landfill Permit Number 0290-S1-R3 Condition 38(a), the Landfill is required to conduct monthly sampling for the indicator parameters pH, specific conductance, ammonia, and chloride.
- The monthly indicator monitoring program during the first half of 2023 determined no "significant finding" with regard to groundwater quality data. As such, no further actions were required by the landfill and routine monthly monitoring and reporting will continue for this program.
- In accordance with Permit Conditions 31 and 40.a.v., the Landfill began recording daily volume and rate data from the leak detection system (LDS) and leachate collection system (LCS) since construction of the first cell in the lateral expansion area was completed. In addition, in accordance with the site's Action Leakage Rate Contingency Plan (Document 18104, dated August 22, 2002), a table of daily volume and rate data is included in each monthly report that is submitted to DEQ.
- In accordance with Permit Condition 32, water quality monitoring of the LDS and LCS is also conducted during the monthly sampling events and results are included in the monthly reports.

Upcoming Monitoring

The next quarterly monitoring event (third quarter) is scheduled to be conducted in July 2023.

TABLES

**TABLE 1
GROUNDWATER MONITORING PROGRAM
ECO-VISTA LANDFILL**

Well #	Well Type	Constituents		
		¹ AMC List	² Ammonia, Chloride, pH, Conductance	³ Appendix 2 List
MW-1N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-2N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-3N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-7N	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-8N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-10N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-11N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-15	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-16	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-17	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-19	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-20	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-21	Detection	Semi-Annually/Quarterly*		Triennially/Annually
LGW-2	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-3R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-4	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-5	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-6	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-7	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-8R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-9	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-10	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-14R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
NE 1	Corrective Action	Quarterly ⁴		
NE 2	Corrective Action	Quarterly ⁴		
NE 3	Corrective Action	Water Level Only (Damaged, Not Required To Be Sampled)		
NE 4	Corrective Action	Quarterly ⁴		
NE 5	Corrective Action	Quarterly ⁴		
NE-5E	Nature & Extent Investigation	Quarterly ⁴		
NE-5W	Nature & Extent Investigation	Quarterly ⁴		
NE-6	Corrective Action	Semi-Annually ⁵		
NE-6D	Nature & Extent Investigation	Quarterly ⁴		
NE-7	Corrective Action	Semi-Annually ⁵		
NE-8	Corrective Action	Semi-Annually ⁵		
NE-9	Corrective Action	Semi-Annually ⁵		
NE-10D	Nature & Extent Investigation	Quarterly ⁴		
NE-11	Corrective Action	Semi-Annually ⁵		
NE-12	Corrective Action	Semi-Annually ⁵		
NE-13	Corrective Action	Semi-Annually ⁵		
NE-14D	Nature & Extent Investigation	Quarterly ⁴		
NE-14S	Nature & Extent Investigation	Quarterly ⁴		
NE-15D	Nature & Extent Investigation	Quarterly ⁴		
NE-15S	Nature & Extent Investigation	Quarterly ⁴		
	<i>* Per Permit Condition 38(b), semi-annual sampling for the AMC list during the 1st and 3rd Quarter and any well/parameter that exceeds a GWPS during the prior quarter is sampled during the 2nd and 4th Quarter, respectively.</i>			
Notes: 1	<i>AMC – Parameter list consists of Regulation 22 Appendix 1 parameters, Regulation 22.1204(d) parameters, and those parameters detected from the full Appendix 2 Sampling Event that are not already on the Appendix 1 parameter list (none to date).</i>			
2	<i>Ammonia, chloride, pH, and specific conductance required per Permit 0290-S1-R3 Condition 38(a).</i>			
3	<i>Per Permit Condition 38(c), full Appendix 2 sampling at all the wells will be completed on a Triennial basis beginning in 2015 (e.g., 2015, 2018, 2021, etc.). The full list of Appendix 2 parameters will also be sampled annually at the wells with parameters which had an exceedance of the GWPS the previous calendar year. Typically in July.</i>			
4	<i>Quarterly sampling of the AMC list at NE-1, NE-2, NE-4, and NE-5 governed by the GWSAP and CAMP, with the remaining NE-wells governed by the Phase 3 NEI Work Plan.</i>			
5	<i>Semi-annual sampling during the 1st and 3rd Quarter per the Phase 3 NEI Work Plan.</i>			

**TABLE 2
FIELD MEASUREMENTS
FIRST QUARTER 2023 EVENT
ECO-VISTA LANDFILL**

Well	Date	Dissolved Oxygen (mg/L)	pH (SU)	Redox Potential (millivolts)	Specific Conductance (umhos/cm)	Temperature (Degrees C)	Turbidity (NTU)
MW-1N	01/11/23	1.8	7.36	106	394	16.4	10.4
MW-2N	01/11/23	3.1	7.15	116	472	15.2	9.1
MW-3N	01/11/23	0.5	6.67	134	547	15.1	8.4
MW-7N	01/10/23	3.2	6.70	165	576	15.3	2.3
MW-8N	01/11/23	0.3	6.53	147	477	15.5	3.7
MW-10N	01/11/23	0.2	7.35	97.4	454	14.8	9.1
MW-11N	01/10/23	6.9	7.19	132	343	15.8	2.7
MW-15	01/10/23	5.5	6.56	163	532	15.6	2.8
MW-16	01/10/23	6.8	7.35	140	344	16.2	2.7
MW-17	01/10/23	8.5	6.87	160	272	15.6	23.8
MW-19	01/11/23	7.9	7.79	99.1	288	17.9	7.3
MW-20	01/11/23	3.1	6.45	140	461	15.3	8.6
MW-21	01/11/23	0.5	5.85	163	266	17.1	20.1
LGW-2	01/10/23	5.9	6.94	149	575	17.0	2.8
LGW-3R	01/10/23	5.6	5.45	200	109	16.1	9.1
LGW-4	01/10/23	1.3	6.73	158	679	15.8	5.0
LGW-5	01/10/23	1.1	6.35	161	720	16.4	2.7
LGW-6	01/10/23	0.5	6.43	151	645	16.1	2.9
LGW-7	01/11/23	3.2	7.05	122	513	16.6	8.1
LGW-8R	01/11/23	0.3	6.75	130	667	15.7	3.4
LGW-9	01/11/23	0.4	6.52	134	716	15.6	3.8
LGW-10	01/11/23	0.3	6.46	132	919	16.2	5.8
LGW-14R	01/10/23	5.3	6.98	135	507	14.7	2.7
NE-1	01/05/22	7.3	7.19	135	541	14.2	4.9
NE-2	01/05/23	5.9	6.43	166	675	13.1	3.7
NE-4	01/05/23	8.2	7.03	138	635	13.6	9.2
NE-5	01/05/23	1.0	6.62	161	728	13.8	8.7
NE-5E	01/05/23	1.8	6.67	155	742	12.9	9.7
NE-5W	01/05/23	1.3	6.71	162	758	12.0	9.5
NE-6	01/05/23	0.4	6.82	150	721	14.6	4.6
NE-6D	01/05/23	0.6	6.78	147	718	14.5	3.8
NE-7	01/05/23	3.8	6.19	165	438	13.9	8.9
NE-8	01/06/23	0.4	6.55	160	578	14.2	9.2
NE-9	01/06/23	0.4	6.06	155	632	14.9	4.4
NE-10D	01/06/23	8.4	6.74	128	239	13.8	20.5
NE-11	01/06/23	2.5	6.34	138	517	14.0	3.3
NE-12	01/06/23	4.5	6.73	128	521	14.3	4.9
NE-13	Dry						
NE-14D	01/06/23	1.3	6.54	151	593	13.8	2.5
NE-14S	01/06/23	3.4	6.39	155	526	13.3	5.8
NE-15D	01/06/23	0.6	6.58	138	580	14.0	2.6
NE-15S	Dry						

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

**TABLE 3
FIELD MEASUREMENTS
SECOND QUARTER 2023 EVENT
ECO-VISTA LANDFILL**

Well	Date	Dissolved Oxygen (mg/L)	pH (SU)	Redox Potential (millivolts)	Specific Conductance (umhos/cm)	Temperature (Degrees C)	Turbidity (NTU)
MW-1N	NM	NM	NM	NM	NM	NM	NM
MW-2N	04/08/23	2.7	6.91	150.9	542	14.7	9.3
MW-3N	NS	NS	NS	NS	NS	NS	NS
MW-7N	04/05/23	3.8	6.46	184.9	564	14.8	8.9
MW-8N	04/08/23	0.3	6.30	163.4	517	15.3	2.6
MW-10N	04/08/23	0.2	7.11	135.6	497	14.7	3.8
MW-11N	NM	NM	NM	NM	NM	NM	NM
MW-15	04/05/23	6.1	6.16	178.2	519	14.6	7.0
MW-16	04/05/23	6.4	6.80	151.2	341	14.0	7.2
MW-17	04/05/23	7.4	6.23	184.0	436	16.2	17.6
MW-19	04/06/23	6.2	7.38	130.2	364	16.9	9.7
MW-20	NM	NM	NM	NM	NM	NM	NM
MW-21	04/08/23	0.3	5.74	195.9	321	15.8	10.1
LGW-2	04/06/23	4.2	6.71	156.5	684	13.7	9.1
LGW-3R	04/06/23	7.4	5.44	201.1	139	15.1	7.9
LGW-4	04/06/23	1.3	6.43	161.8	858	15.8	8.1
LGW-5	04/06/23	0.7	6.10	174.0	834	16.4	5.3
LGW-6	04/06/23	0.3	6.25	161.2	780	16.3	10.1
LGW-7	04/06/23	1.6	6.47	155.9	706	16.5	3.4
LGW-8R	04/06/23	0.3	6.53	148.6	784	14.6	3.6
LGW-9	04/05/23	0.6	6.06	192.6	690	15.5	8.6
LGW-10	04/05/23	0.3	5.93	191.3	919	15.0	8.4
LGW-14R	04/05/23	5.0	6.48	167.6	524	13.8	9.4
NE-1	04/07/23	8.4	7.11	151.7	474	14.9	5.3
NE-2	04/05/23	2.9	5.62	202.1	540	11.5	4.1
NE-4	04/06/23	8.2	6.99	135.9	640	15.4	9.7
NE-5	04/07/23	0.4	6.50	169.5	747	15.0	10.2
NE-5E	04/07/23	1.3	6.58	167.8	744	15.1	9.6
NE-5W	04/07/23	1.9	6.69	163.9	740	14.8	10.3
NE-6	NM	NM	NM	NM	NM	NM	NM
NE-6D	04/07/23	0.6	6.70	164.7	709	14.4	3.7
NE-7	NM	NM	NM	NM	NM	NM	NM
NE-8	NS	NS	NS	NS	NS	NS	NS
NE-9	04/08/23	0.4	6.24	164.9	689	15.0	2.8
NE-10D	04/06/23	7.5	6.48	177.3	273	16.6	10.7
NE-11	NM	NM	NM	NM	NM	NM	NM
NE-12	NM	NM	NM	NM	NM	NM	NM
NE-13	NS	NS	NS	NS	NS	NS	NS
NE-14D	04/06/23	2.1	6.70	153.8	679	14.1	7.8
NE-14S	04/06/23	4.5	6.13	172.6	407	12.9	6.5
NE-15D	04/06/23	0.9	6.64	149.3	669	14.1	3.5
NE-15S				Dry			

NM: Not Measured, not required this event.

NS: Wells MW-3N and NE-13 were Not Sampled during the 2Q23 event, noted as inaccessible due to the ongoing expansion of the West Stormwater Basin. Well NE-8 was Not Sampled during the 2Q23 event, noted as inaccessible due to the ongoing expansion of the South Stormwater Basin.

The following wells were sampled in 2Q23 to confirm / verify initial 1Q23 GWPS exceedances: LGW-5, LGW-9, LGW-10, MW-8N, MW-21, NE-5, NE-5E, NE-5W, and NE-6D. Well MW-3N was unable to be sampled in 2Q23 to verify the 1Q23 cadmium GWPS exceedance (see note above).

The following wells were sampled in 2Q23 to confirm / verify initial 1Q23 statistical exceedances: LGW-4, LGW-5, MW-2N, MW-10N, MW-15, MW-17, and MW-21.

The following wells were sampled in 2Q23 for the April Monthly parameters (See Table 1, Note 2: ammonia, chloride, field pH, and field specific conductance): MW-7N, MW-15, MW-16, MW-17, MW-19, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-10, and LGW-14R.

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

**TABLE 4
VOLATILE ORGANIC COMPOUND (VOC) DETECTIONS
FIRST QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL**

Well	Date	1,4-Dichlorobenzene (ug/L)	1,1-Dichloroethane (ug/L)	Benzene (ug/L)	cis-1,2-Dichloroethylene (ug/L)
GWPS		75	2.4	5	70
MW-1N	01/11/23	<1	<1	<1	<1
MW-2N	01/11/23	<1	<1	<1	<1
MW-3N	01/11/23	<1	<1	<1	<1
MW-7N	01/10/23	<1	<1	<1	<1
MW-8N	01/11/23	<1	<1	<1	<1
MW-10N	01/11/23	<1	<1	<1	<1
MW-11N	01/10/23	<1	<1	<1	<1
MW-15	01/10/23	<1	<1	<1	<1
MW-16	01/10/23	<1	<1	<1	<1
MW-17	01/10/23	<1	<1	<1	<1
MW-19	01/11/23	<1	<1	<1	<1
MW-20	01/11/23	<1	<1	<1	<1
MW-21	01/11/23	<1	<1	<1	<1
LGW-2	01/10/23	<1	<1	<1	<1
LGW-3R	01/10/23	<1	<1	<1	<1
LGW-4	01/10/23	<1	<1	<1	<1
LGW-5	01/10/23	<1	<1	<1	<1
LGW-6	01/10/23	<1	<1	<1	<1
LGW-7	01/11/23	<1	<1	<1	<1
LGW-8R	01/11/23	<1	<1	<1	<1
LGW-9	01/11/23	<1	<1	<1	<1
LGW-10	01/11/23	2.13	1.40	1.98	1.38
LGW-14R	01/10/23	<1	<1	<1	<1
NE-1	01/05/22	<1	<1	<1	<1
NE-2	01/05/23	<1	<1	<1	<1
NE-4	01/05/23	<1	<1	<1	<1
NE-5	01/05/23	<1	<1	<1	<1
NE-5E	01/05/23	<1	<1	<1	<1
NE-5W	01/05/23	<1	<1	<1	<1
NE-6	01/05/23	<1	<1	<1	<1
NE-6D	01/05/23	<1	<1	<1	<1
NE-7	01/05/23	<1	<1	<1	<1
NE-8	01/06/23	<1	<1	<1	<1
NE-9	01/06/23	<1	<1	<1	<1
NE-10D	01/06/23	<1	<1	<1	<1
NE-11	01/06/23	<1	<1	<1	<1
NE-12	01/06/23	<1	<1	<1	<1
NE-13		Dry			
NE-14D	01/06/23	<1	<1	<1	<1
NE-14S	01/06/23	<1	<1	<1	<1
NE-15D	01/06/23	<1	<1	<1	<1
NE-15S		Dry			
Trip Blank	NA	NA	NA	NA	NA
Duplicate at MW-7N (DUP)	01/10/23	<1	<1	<1	<1
Duplicate at NE-15D (DUP-02)	01/06/23	<1	<1	<1	<1
Field Blank	01/06/23	<1	<1	<1	<1
Method Blanks	1Q23	<1	<1	0.108	<1

Only the VOCs reported above a PQL in one or more wells this event are summarized on the table.

Denotes a GWPS exceedance:

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

NA: Not Applicable.

**TABLE 5
VOLATILE ORGANIC COMPOUND (VOC) DETECTIONS
SECOND QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL**

Well	Date	1,4-Dichlorobenzene (ug/L)	1,1-Dichloroethane (ug/L)	Benzene (ug/L)	cis-1,2-Dichloroethylene (ug/L)
GWPS		75	2.4	5	70
MW-1N	NM	NM	NM	NM	NM
MW-2N	NM	NM	NM	NM	NM
MW-3N	NM	NM	NM	NM	NM
MW-7N	NM	NM	NM	NM	NM
MW-8N	NM	NM	NM	NM	NM
MW-10N	NM	NM	NM	NM	NM
MW-11N	NM	NM	NM	NM	NM
MW-15	NM	NM	NM	NM	NM
MW-16	NM	NM	NM	NM	NM
MW-17	NM	NM	NM	NM	NM
MW-19	NM	NM	NM	NM	NM
MW-20	NM	NM	NM	NM	NM
MW-21	NM	NM	NM	NM	NM
LGW-2	NM	NM	NM	NM	NM
LGW-3R	NM	NM	NM	NM	NM
LGW-4	NM	NM	NM	NM	NM
LGW-5	NM	NM	NM	NM	NM
LGW-6	04/06/23	<1	<1	<1	<1
LGW-7	NM	NM	NM	NM	NM
LGW-8R	NM	NM	NM	NM	NM
LGW-9	04/05/23	<1	<1	<1	<1
LGW-10	04/05/23	1.87	1.15	1.71	1.19
LGW-14R	NM	NM	NM	NM	NM
NE-1	04/07/23	<1	<1	<1	<1
NE-2	04/05/23	<1	<1	<1	<1
NE-4	04/06/23	<1	<1	<1	<1
NE-5	04/07/23	<1	<1	<1	<1
NE-5E	04/07/23	<1	<1	<1	<1
NE-5W	04/07/23	<1	<1	<1	<1
NE-6	NM	NM	NM	NM	NM
NE-6D	04/07/23	<1	<1	<1	<1
NE-7	NM	NM	NM	NM	NM
NE-8	NM	NM	NM	NM	NM
NE-9	NM	NM	NM	NM	NM
NE-10D	04/06/23	<1	<1	<1	<1
NE-11	NM	NM	NM	NM	NM
NE-12	NM	NM	NM	NM	NM
NE-13	NM	NM	NM	NM	NM
NE-14D	04/06/23	<1	<1	<1	<1
NE-14S	04/06/23	<1	<1	<1	<1
NE-15D	04/06/23	<1	<1	<1	<1
NE-15S		Dry			
Trip Blank	04/08/23	<1	<1	<1	<1
Duplicate at NE-2 (DUP-1)	04/05/23	<1	<1	<1	<1
Duplicate at LGW-6 (DUP-2)	04/06/23	<1	<1	<1	<1
Field Blank	04/05/23	<1	<1	<1	<1
Method Blanks	2Q23	<1	<1	<1	<1

NM: Not Measured, not required this event.

Only the VOCs reported above a PQL in one or more wells this event are summarized on the table.

Denotes a GWPS exceedance:

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

2-Butanone (MEK) and Toluene reported above the PQL in the Field Blank sample.

**TABLE 6
INORGANIC GROUNDWATER QUALITY RESULTS
FIRST QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL**

Well	Date	Ammonia (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Cadmium (mg/L)	Chloride (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sulfate (mg/L)	Thallium (mg/L)	TOC (mg/L)	TDS (mg/L)	Vanadium (mg/L)	Zinc (mg/L)
GWPS		NE	0.006	0.01	2	0.004	0.005	NE	0.1	0.006	1.3	NE	0.015	NE	0.3	0.05	NE	NE	0.002	NE	NE	0.063	4.7
MW-7N	01/11/23	<0.1	<0.002	<0.005	0.0817	<0.001	<0.001	3.31	<0.003	<0.003	<0.004	0.0881 J	<0.005	0.00176	0.00809	<0.01	<0.05	<5	<0.001	<1	210	<0.003	0.0546
MW-2N	01/11/23	<0.1	<0.002	<0.005	0.0387	<0.001	<0.001	6.88	0.00652	<0.003	<0.004	0.0625 J	<0.005	0.00398 J	0.00431	<0.01	<0.05	<5	<0.001	<1	268	<0.003	0.0264
MW-3N	01/10/23	<0.1	<0.002	<0.005	0.0861	<0.001	0.0498	5.95	<0.003	<0.003	<0.004	0.0700 J	<0.005	0.0774	0.0490	<0.01	<0.05	13.4	<0.001	1.00	309	<0.003	0.186
MW-8N	01/10/23	<0.1	<0.002	<0.005	0.129	<0.001	<0.001	33.3	<0.003	<0.003	<0.004	<0.06	<0.005	0.0109	0.00400	<0.01	<0.05	20.1	<0.001	1.68	315	<0.003	0.00743 J
MW-10N	01/11/23	0.156	<0.002	<0.005	0.139	<0.001	0.00716	28.6	<0.003	<0.003	<0.004	<0.06	<0.005	2.53	0.0193	<0.01	<0.05	19.3	<0.001	1.66	263	<0.003	0.0137 J
MW-11N	01/10/23	<0.1	<0.002	<0.005	0.0399	<0.001	<0.001	4.62	<0.003	<0.003	<0.004	0.962	<0.005	0.101	<0.004	<0.01	<0.05	<5	<0.001	4.81	246	<0.003	<0.005
MW-11N	01/10/23	<0.1	<0.002	<0.005	0.0509	<0.001	<0.001	6.3	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	184	<0.003	0.0222 J
MW-15	01/10/23	<0.1	<0.002	<0.005	0.0233	<0.001	<0.001	40.5	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	12.3	<0.001	1.25	300	<0.003	0.000525 J
MW-16	01/10/23	<0.1	<0.002	<0.005	0.0313	<0.001	<0.001	4.59	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	184	<0.003	0.00573 J
MW-17	01/10/23	<0.1	<0.002	<0.005	0.0435	<0.001	<0.001	11.0	<0.003	<0.003	<0.004	0.159	<0.005	0.0772	<0.004	<0.01	<0.05	14.4	<0.001	3.54	187	<0.003	0.0166 J
MW-19	01/11/23	<0.1	<0.002	<0.005	0.0252	<0.001	<0.001	9.07	<0.003	<0.003	<0.004	<0.06	<0.005	0.00899 J	<0.004	<0.01	<0.05	7.37	<0.001	<1	158	<0.003	<0.005
MW-20	01/11/23	<0.1	<0.002	<0.005	0.102	<0.001	<0.001	4.57	<0.003	<0.003	<0.004	<0.06	<0.005	0.0273	<0.004	<0.01	<0.05	<5	<0.001	<1	247	<0.003	<0.005
MW-21	01/11/23	<0.1	<0.002	<0.005	0.201	<0.001	0.00497	17.7	<0.003	0.0127	<0.004	1.15	<0.005	7.82	0.0354	<0.01	<0.05	8.74	<0.001	1.60	149	<0.003	0.00586 J
LGW-2	01/10/23	<0.1	<0.002	<0.005	0.0774	<0.001	<0.001	9.86	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	325	<0.003	0.00643 J
LGW-3R	01/10/23	<0.1	<0.002	<0.005	0.0570	<0.001	<0.001	5.40	<0.003	<0.003	<0.004	0.127	<0.005	0.0284	<0.004	<0.01	<0.05	<5	<0.001	<1	70	<0.003	<0.005
LGW-4	01/10/23	<0.1	<0.002	<0.005	0.0683	<0.001	<0.001	18.9	<0.003	<0.003	<0.004	<0.06	<0.005	0.179	0.00799	<0.01	<0.05	<5	<0.001	<1	399	<0.003	0.0379
LGW-5	01/10/23	0.100	<0.002	<0.005	0.109	<0.001	<0.001	33.2	<0.003	0.0041	<0.004	0.392	<0.005	10.9	0.0772	<0.01	<0.05	6.30	<0.001	1.55	396	<0.003	0.0220 J
LGW-6	01/10/23	<0.1	<0.002	<0.005	0.189	<0.001	0.00227	13.5	<0.003	0.0211	<0.004	0.897	<0.005	34.5	0.157	0.0140	<0.05	<5	<0.001	<1	377	<0.003	0.140
LGW-7	01/11/23	<0.1	<0.002	<0.005	0.0453	<0.001	<0.001	13.1	<0.003	<0.003	<0.004	<0.06	<0.005	0.00583 J	<0.004	<0.01	<0.05	<5	<0.001	<1	285	<0.003	0.00867 J
LGW-8R	01/11/23	<0.1	<0.002	<0.005	0.0833	<0.001	<0.001	16.7	<0.003	<0.003	<0.004	<0.06	<0.005	0.0263	<0.004	<0.01	<0.05	<5	<0.001	<1	372	<0.003	0.0172 J
LGW-9	01/11/23	<0.1	<0.002	<0.005	0.147	<0.001	0.0140	32.2	<0.003	<0.003	<0.004	<0.06	<0.005	4.25	0.0247	<0.01	<0.05	7.70	<0.001	2.61	392	<0.003	0.0604
LGW-10	01/11/23	0.225	<0.002	<0.005	0.0874	<0.001	<0.001	21.1	<0.003	0.0625	<0.004	7.44	<0.005	7.72	0.150	<0.01	<0.05	<5	<0.001	2.04	500	<0.003	0.141
LGW-14R	01/10/23	<0.1	<0.002	<0.005	0.0442	<0.001	<0.001	4.88	<0.003	<0.003	<0.004	<0.06	<0.005	0.0183 B	<0.004	<0.01	<0.05	<5	<0.001	<1	300	<0.003	0.00739 J
NE-1	01/05/22	0.229	<0.002	<0.005	0.118	<0.001	<0.001	49.9	<0.003	<0.003	<0.004	<0.06	<0.005	0.0117	<0.004	<0.01	<0.05	18.3	<0.001	4.27	346	<0.003	<0.005
NE-2	01/05/23	0.141	<0.002	<0.005	0.118	<0.001	<0.001	4.97	<0.003	<0.003	<0.004	<0.06	<0.005	0.0216	0.0137	<0.01	<0.05	6.24	<0.001	<1	271	<0.003	0.0105 J
NE-4	01/05/23	0.166	<0.002	<0.005	0.0334	<0.001	<0.001	4.97	<0.003	<0.003	<0.004	<0.06	<0.005	0.0216	0.0137	<0.01	<0.05	6.24	<0.001	<1	271	<0.003	0.0105 J
NE-5	01/05/23	0.127	<0.002	<0.005	0.0436	<0.001	<0.001	8.10	<0.003	0.0387	<0.004	10.4	<0.005	1.53	0.125	<0.01	<0.05	<5	<0.001	<1	356	<0.003	0.0604
NE-5E	01/05/23	0.114	<0.002	<0.005	0.0475	<0.001	0.0150	26.0	<0.003	0.0119	<0.004	1.95	<0.005	0.121	0.0233	<0.01	<0.05	8.88	<0.001	1.02	349	<0.003	0.0312
NE-5W	01/05/23	0.100	<0.002	<0.005	0.0394	<0.001	<0.001	10.5	<0.003	0.00486	<0.004	0.391	<0.005	0.0925	0.0227	<0.01	<0.05	<5	<0.001	<1	359	<0.003	0.0110 J
NE-6	01/05/23	<0.1	<0.002	<0.005	0.0758	<0.001	<0.001	22.0	<0.003	<0.003	<0.004	<0.06	<0.005	0.134	<0.004	<0.01	<0.05	18.9	<0.001	<1	334	<0.003	0.00631 J
NE-6D	01/05/23	<0.1	<0.002	<0.005	0.136	<0.001	0.06522	30.5	<0.003	<0.003	<0.004	<0.06	<0.005	2.57	0.0177	<0.01	<0.05	19.8	<0.001	1.59	325	<0.003	0.0194 J
NE-7	01/05/23	<0.1	<0.002	<0.005	0.0928	<0.001	<0.001	21.9	<0.003	<0.003	<0.004	<0.06	<0.005	0.0193	<0.004	<0.01	<0.05	7.36	<0.001	<1	198	<0.003	<0.005
NE-8	01/06/23	<0.1	<0.002	<0.005	0.0692	<0.001	0.00252	14.9	<0.003	<0.003	<0.004	<0.06	<0.005	1.25	0.0461	<0.01	<0.05	10.9	<0.001	<1	318	<0.003	0.0921
NE-9	01/06/23	<0.1	<0.002	<0.005	0.0854	<0.001	0.0103	24.0	<0.003	<0.003	<0.004	<0.06	<0.005	2.16	0.0409	<0.01	<0.05	<5	<0.001	<1	370	<0.003	0.0614
NE-10D	01/06/23	<0.1	<0.002	<0.005	0.0233	<0.001	<0.001	3.62	<0.003	<0.003	<0.004	0.651	<0.005	0.0972	0.00502	<0.01	<0.05	<5	<0.001	5.35	129	<0.003	0.0239 J
NE-11	01/06/23	<0.1	<0.002	<0.005	0.0537	<0.001	<0.001	20.8	<0.003	<0.003	<0.004	<0.06	<0.005	0.0953	<0.004	<0.01	<0.05	<5	<0.001	<1	280	<0.003	<0.005
NE-12	01/06/23	<0.1	<0.002	<0.005	0.0385	<0.001	<0.001	14.5	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	7.80	<0.001	<1	305	<0.003	<0.005
NE-13	01/06/23	<0.1	<0.002	<0.005	0.0661	<0.001	<0.001	14.3	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	340	<0.003	0.0169 J
NE-14D	01/06/23	<0.1	<0.002	<0.005	0.0697	<0.001	<0.001	8.56	<0.003	<0.003	<0.004	<0.06	<0.005	0.00328 J	<0.004	<0.01	<0.05	<5	<0.001	<1	243	<0.003	0.00874 J
NE-15D	01/06/23	<0.1	<0.002	<0.005	0.0562	<0.001	<0.001	13.5	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	336	<0.003	0.00900 J
NE-15S</																							

**TABLE 7
INORGANIC GROUNDWATER QUALITY RESULTS
SECOND QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL**

Well	Date	Ammonia (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Cadmium (mg/L)	Chloride (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Sulfate (mg/L)	Thallium (mg/L)	TOC (mg/L)	TDS (mg/L)	Vanadium (mg/L)	Zinc (mg/L)
GWPS		NE	0.006	0.01	2	0.004	0.005	NE	0.1	0.006	1.3	NE	0.015	NE	0.3	0.05	NE	NE	0.002	NE	NE	0.063	4.7
MW-1N		NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-2N	04/08/23	NM	NM	NM	NM	NM	NM	NM	<0.003	NM	NM	NM	NM	NM	<0.004	NM	NM	NM	NM	NM	NM	NM	NM
MW-3N	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-7N	04/05/23	<0.1	NM	NM	NM	NM	NM	31.7	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-8N	04/08/23	NM	<0.002	<0.005	0.142	<0.001	0.00779	29.9	<0.003	<0.003	<0.004	<0.06	<0.005	2.75	0.0213	0.0111	<0.05	18.0	<0.001	1.77	259	<0.003	0.0127 J
MW-10N	04/08/23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.0490	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-11N	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-15	04/05/23	<0.1	NM	NM	NM	NM	NM	37.3	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1.26	NM	NM	NM
MW-16	04/05/23	<0.1	NM	NM	NM	NM	NM	3.80	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
MW-17	04/05/23	<0.1	NM	NM	NM	NM	NM	25.1	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	<1	NM	NM	NM
MW-19	04/06/23	<0.1	NM	NM	NM	NM	NM	7.8	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	<1	NM	NM	NM
MW-20	04/06/23	<0.1	<0.002	<0.005	0.204	<0.001	0.00188	14.1	<0.003	0.0250	<0.004	1.41	<0.005	38.4	0.163	<0.01	<0.05	<5	<0.001	<1	391	<0.003	0.155
MW-21	04/08/23	NM	<0.002	<0.005	0.170	<0.001	0.02865	16.0	<0.003	0.03745	<0.004	0.893	<0.005	5.71	0.0258	<0.01	<0.05	15.1	<0.001	1.68	162	<0.003	0.0412
LGW-2	04/06/23	<0.1	NM	NM	NM	NM	NM	9.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LGW-3R	04/06/23	<0.1	NM	NM	NM	NM	NM	4.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LGW-4	04/06/23	<0.1	NM	NM	NM	NM	NM	21.5	NM	NM	NM	NM	NM	NM	0.0151	NM	NM	NM	NM	NM	NM	NM	NM
LGW-5	04/06/23	0.162	NM	NM	NM	NM	NM	35.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	<1	NM	NM	0.00730 J
LGW-6	04/06/23	<0.1	<0.002	<0.005	0.204	<0.001	0.00188	14.1	<0.003	0.0250	<0.004	1.41	<0.005	38.4	0.163	<0.01	<0.05	<5	<0.001	<1	391	<0.003	0.155
LGW-7	04/06/23	<0.1	NM	NM	NM	NM	NM	17.0	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LGW-8R	04/06/23	<0.1	NM	NM	NM	NM	NM	17.1	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LGW-9	04/05/23	<0.1	<0.002	<0.005	0.137	<0.001	0.0172	31.0	<0.003	<0.003	<0.004	<0.06	<0.005	3.00	0.0205	<0.01	<0.05	8.25	<0.001	1.39	406	<0.003	0.0586
LGW-10	04/05/23	0.267	<0.002	<0.005	0.108	<0.001	<0.001	21.7	<0.003	0.0708	<0.004	12.40	<0.005	11.0	0.171	<0.01	<0.05	<5	<0.001	1.22	545	<0.003	0.152
LGW-14R	04/05/23	<0.1	NM	NM	NM	NM	NM	4.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
NE-1	04/05/23	NM	<0.002	<0.005	0.195	<0.001	<0.001	33.3	<0.003	<0.003	<0.004	<0.06	<0.005	0.00756 J	<0.004	<0.01	<0.05	14.4	<0.001	1.19	227	<0.003	<0.005
NE-2	04/05/23	NM	<0.002	<0.005	0.137	<0.001	<0.001	17.9	<0.003	<0.003	<0.004	<0.06	<0.005	0.0143	<0.004	<0.01	<0.05	12.2	<0.001	3.84	329	<0.003	<0.005
NE-4	04/06/23	NM	<0.002	<0.005	0.0400	<0.001	<0.001	4.70	<0.003	<0.003	<0.004	0.0854 J	<0.005	0.0114	<0.01	<0.05	7.12	<0.001	<1	174	<0.003	0.0106 J	
NE-5	04/07/23	NM	<0.002	<0.005	0.0444	<0.001	<0.001	8.03	<0.003	0.0455	<0.004	23.30	<0.005	1.88	0.173	<0.01	<0.05	<5	<0.001	<1	352	<0.003	0.18
NE-5E	04/07/23	NM	<0.002	<0.005	0.0464	<0.001	0.0158	17.8	<0.003	0.0158	<0.004	3.21	<0.005	0.124	0.0249	<0.01	<0.05	7.74	<0.001	1.18	367	<0.003	0.0289
NE-5W	04/07/23	NM	<0.002	<0.005	0.0416	<0.001	<0.001	11.2	<0.003	0.00316	<0.004	4.91	<0.005	0.0340	0.0145	<0.01	<0.05	<5	<0.001	<1	366	<0.003	0.0106 J
NE-6	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
NE-6D	04/07/23	NM	<0.002	<0.005	0.138	<0.001	0.00461	28.7	<0.003	<0.003	<0.004	<0.06	<0.005	2.46	0.0185	<0.01	<0.05	19.7	<0.001	1.61	334	<0.003	0.0191 J
NE-7	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
NE-8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
NE-9	04/08/23	NM	<0.002	<0.005	0.0888	<0.001	0.0164	23.6	<0.003	<0.003	<0.004	<0.06	<0.005	2.23	0.0406	<0.01	<0.05	<5	<0.001	1.08	361	<0.003	0.0625
NE-10D	04/06/23	NM	<0.002	<0.005	0.0236	<0.001	<0.001	4.53	<0.003	<0.003	<0.004	0.187	<0.005	0.0403	<0.004	<0.01	<0.05	<5	<0.001	<1	149	<0.003	0.0110 J
NE-11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
NE-12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
NE-13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
NE-14D	04/06/23	NM	<0.002	<0.005	0.0641	<0.001	<0.001	13.0	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	345	<0.003	0.0223 J
NE-14S	04/06/23	NM	<0.002	<0.005	0.0860	<0.001	<0.001	5.40	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	198	<0.003	<0.005
NE-15D	04/06/23	NM	<0.002	<0.005	0.0554	<0.001	<0.001	13.0	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	332	<0.003	0.00684 J
NE-15S																							
Duplicate at NE-2 (DUP-1)	04/05/23	<0.1	<0.002	<0.005	0.135	<0.001	<0.001	33.5	<0.003	<0.003	<0.004	<0.06	<0.005	0.0116	<0.004	<0.01	<0.05	12.4	<0.001	3.99	311	<0.003	<0.005
Duplicate at LGW-6 (DUP-2)	04/06/23	<0.1	<0.002	<0.005	0.210	<0.001	0.00188	14.0	<0.003	0.0243	<0.004	1.50	<0.005	39.5	0.159	0.0208	<0.05	<5	<0.001	<1	395	<0.003	0.154
Field Blank	04/05/23	<0.1	<0.002	<0.005	<0.005	<0.001	<0.001	<3	<0.003	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	<5	<0.001	<1	<10	<0.003	<0.005
Method Blanks	2023	0.058	<0.002	<0.005	<0.005	<0.001	<0.001	0.112	0.00321	<0.003	<0.004	<0.06	<0.005	<0.003	<0.004	<0.01	<0.05	0.708	<0.001	0.546	5.0	0.00291	0.00448

Dry

J. Denotes sample result above the MDL but below the PQL; estimated value; value may not be accurate.
 NE. Denotes Not Established. Only Appendix 2 constituents are required to have GWPSs established.
 NM. Not Measured, not required this event.
 NS. Wells MW-3N and NE-13 were Not Sampled during the 2023 event, noted as inaccessible due to the ongoing expansion of the West Stormwater Basin. Well NE-8 was Not Sampled during the 2023 event, noted as inaccessible due to ongoing expansion of the South Stormwater Basin.
 Denotes a GWPSs exceedance.
 DEC requested the GWPS for cobalt be changed from 0.011 mg/L to 0.006 mg/L on November 21, 2019 (Document 17318).
 Appendix 2 inorganics (cyanide, mercury, sulfide, and tin) were not sampled, as the constituents are part of the site wide Triennial event (scheduled for July 2024) and/or Annual Appendix 2 in 30 for wells with GWPS exceedances during the previous year.
 The following wells were sampled in 2023 to confirm / verify initial 1023 GWPS exceedances: LGW-5, LGW-10, MW-8N, MW-21, NE-5E, NE-5W, and NE-6D. Well MW-3N was unable to be sampled in 2023 to verify the 1023 cadmium GWPS exceedance (see note above).
 The following wells were sampled in 2023 to confirm / verify initial 1023 statistical exceedances: LGW-4, LGW-5, MW-2N, MW-10N, MW-15, MW-17, and MW-21.
 The following wells were sampled in 2023 for the April Monthly parameters (See Table 1, Note 2, ammonia, chloride, field pH, and field specific conductance): MW-7N, MW-16, MW-17, MW-19, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-9R, LGW-10, and LGW-14R.
 Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.
 Wells NE-5E, NE-5W, NE-6D, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

**TABLE 8
GROUNDWATER PROTECTION STANDARDS
ECO-VISTA LANDFILL**

COMPOUND	GWPS (ug/L)
Antimony	6
Arsenic	10
Barium	2000
Beryllium	4
Cadmium	5
Chromium	100
Cobalt	6
Copper	1300
Lead	15
Nickel	300
Selenium	50
Thallium	2
Vanadium	63
Zinc	4700
1,1-Dichloroethane	2.4
1,2-Dichloroethane	5
1,2-Dichloropropane	5
1,4-Dichlorobenzene	75
Acetone	12000
Benzene	5
Bis(2-ethylexyl)phthalate	6
Carbon Disulfide	720
Chlorobenzene	100
Chloroethane (Ethyl Chloride)	21000
Chloroform	80
cis-1,2-Dichloroethene (-ethylene)	70
Dichlorodifluoromethane	190
Ethyl benzene	700
Methylene Chloride	5
Methyl Ethyl Ketone	4900
Tetrachloroethene (-ethylene)	5
Toluene	1000
Trichloroethene (-ethylene)	5
Trichlorofluoromethane	1100
Vinyl Chloride	2
Xylenes (Total)	10000

Note: Groundwater Protection Standards (GWPSs) proposed by the site in Document 65838 and approved by ADEQ in Document 65893.

APPENDIX A


Figures

NOTES:
 1. Topography Maps are 7.5-Minute Series of the
 2. Springdale, Fayetteville, Robinson, & Wheeler, AR Quadrangles

LEGEND

 Property Boundary (Approximate)

0 500 2000
 Scale in Feet



18 Lexington Oaks Court
 Foristell, MO 63348
 314-496-4654
 www.jettenviro.com

Eco-Vista Landfill
 Springdale, Arkansas

Figure 1
 Site Location Map




Figure 2
 Potentiometric Surface Map, First Quarter 2023 Event
 Eco-Vista Landfill, Springdale, Arkansas




Figure 3
 Potentiometric Surface Map, Second Quarter 2023 Event
 Eco-Vista Landfill, Springdale, Arkansas

**Groundwater Elevation Summary Table
Eco-Vista Landfill**

Well	Top of PVC Casing Elevation (fmsl) ¹	Depth to Water (ft) ²	Groundwater Elevation (fmsl)
Groundwater Monitoring System Wells			
MW-1N	1298.59	79.53	1219.06
MW-2N	1289.53	68.20	1221.33
MW-3N	1222.04	45.45	1176.59
MW-7N	1250.84	86.75	1164.09
MW-8N	1191.76	29.00	1162.76
MW-10N	1193.60	30.10	1163.50
MW-11N	1284.52	58.52	1226.00
MW-15	1291.46	58.35	1233.11
MW-16	1289.70	73.85	1215.85
MW-17	1288.93	60.05	1228.88
MW-19	1293.90	67.85	1226.05
MW-20	1289.48	NM	NM
MW-21	1188.83	23.35	1165.48
LGW-2	1302.14	71.85	1230.29
LGW-3R	1289.20	55.45	1233.75
LGW-4	1267.79	60.15	1207.64
LGW-5	1271.91	70.75	1201.16
LGW-6	1244.79	51.05	1193.74
LGW-7	1220.60	43.20	1177.40
LGW-8R	1186.24	10.60	1175.64
LGW-9	1237.47	53.20	1184.27
LGW-10	1240.61	59.20	1181.41
LGW-14R	1250.93	56.50	1194.43
Nature and Extent Investigation Wells			
NE-1	1201.43	46.38	1155.05
NE-2	1176.55	20.85	1155.70
NE-3	1231.53	73.25	1158.28
NE-4	1293.06	NM	NM
NE-5	1227.03	69.89	1157.14
NE-5E	1224.32	67.15	1157.17
NE-5W	1228.62	71.22	1157.40
NE-6	1192.28	29.14	1163.14
NE-6D	1192.90	32.02	1160.88
NE-7	1217.89	60.69	1157.20
NE-8	1174.45	12.95	1161.50
NE-9	1181.97	9.58	1172.39
NE-10D	1261.10	102.10	1159.00
NE-11	1204.03	49.72	1154.31
NE-12	1213.88	58.57	1155.31
NE-13	1220.17	DRY	DRY
NE-14D	1198.76	17.27	1181.49
NE-14S	1199.25	19.45	1179.80
NE-15D	1215.73	47.08	1168.65
NE-15S	1215.29	DRY	DRY

Note 1: Top of PVC Casing Elevations from Second Half 2017 Event Groundwater Monitoring Report by SCS Engineers dated January 8, 2018; with the exception of NE-6 through NE-7, which were provided on January 9, 2017 and NE-5E, NE-5W, NE-6D, NE-10D, NE-11 (resurveyed), and NE-14D through NE-15S, which were provided on August 9, 2019 by Mason Surveying & Consulting, Inc.

Note 2: Depth to water collected by Promus Engineering on January 7, 2023.

Note 3: Depth to water was Not Measured (NM) due to being below the top of the dedicated bladder pump.

**Groundwater Elevation Summary Table
Eco-Vista Landfill**

Well	Top of PVC Casing Elevation (fmsl) ¹	Depth to Water (ft) ²	Groundwater Elevation (fmsl)
Groundwater Monitoring System Wells			
MW-1N	1298.59	78.15	1220.44
MW-2N	1289.53	65.07	1224.46
MW-3N	1222.04	40.30	1181.74
MW-7N	1250.84	84.17	1166.67
MW-8N	1191.76	26.74	1165.02
MW-10N	1193.60	27.72	1165.88
MW-11N	1284.52	56.02	1228.50
MW-15	1291.46	57.92	1233.54
MW-16	1289.70	65.53	1224.17
MW-17	1288.93	58.17	1230.76
MW-19	1293.90	67.35	1226.55
MW-20	1289.48	63.41	1226.07
MW-21	1188.83	20.45	1168.38
LGW-2	1302.14	70.15	1231.99
LGW-3R	1289.20	53.08	1236.12
LGW-4	1267.79	58.18	1209.61
LGW-5	1271.91	69.41	1202.50
LGW-6	1244.79	49.68	1195.11
LGW-7	1220.60	51.05	1169.55
LGW-8R	1186.24	9.32	1176.92
LGW-9	1237.47	51.40	1186.07
LGW-10	1240.61	58.83	1181.78
LGW-14R	1250.93	55.50	1195.43
Nature and Extent Investigation Wells			
NE-1	1201.43	44.89	1156.54
NE-2	1176.55	19.84	1156.71
NE-3	1231.53	72.04	1159.49
NE-4	1293.06	NM	NM
NE-5	1227.03	68.18	1158.85
NE-5E	1224.32	65.51	1158.81
NE-5W	1228.62	69.56	1159.06
NE-6	1192.28	28.62	1163.66
NE-6D	1192.90	29.93	1162.97
NE-7	1217.89	57.76	1160.13
NE-8	1174.45	NA	NA
NE-9	1181.97	9.02	1172.95
NE-10D	1261.10	100.25	1160.85
NE-11	1204.03	49.02	1155.01
NE-12	1213.88	54.77	1159.11
NE-13	1220.17	38.32	1181.85
NE-14D	1198.76	15.69	1183.07
NE-14S	1199.25	17.91	1181.34
NE-15D	1215.73	44.90	1170.83
NE-15S	1215.29	DRY	DRY

Note 1: Top of PVC Casing Elevations from Second Half 2017 Event Groundwater Monitoring Report by SCS Engineers dated January 8, 2018; with the exception of NE-6 through NE-7, which were provided on January 9, 2017 and NE-5E, NE-5W, NE-6D, NE-10D, NE-11 (resurveyed), and NE-14D through NE-15S, which were provided on August 9, 2019 by Mason Surveying & Consulting, Inc.

Note 2: Depth to water collected by Promus Engineering on April 3, 2023.

Note 3: Depth to water was Not Measured (NM) due to being below the top of the dedicated bladder pump or well was Not Accessible (NA).

APPENDIX B

**Laboratory Analytical Results & Field Forms
First Quarter 2023 Event**

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1575932
Samples Received: 01/13/2023
Project Number: 200
Description: Eco-Vista (Tontitown)LF- GW Jan
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:



Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	11
Sr: Sample Results	13
DUP L1575932-01	13
LGW-2 L1575932-02	16
LGW-3R L1575932-03	19
LGW-4 L1575932-04	22
LGW-5 L1575932-05	25
LGW-6 L1575932-06	28
LGW-7 L1575932-07	31
LGW-8R L1575932-08	34
LGW-9 L1575932-09	37
LGW-10 L1575932-10	40
LGW-14R L1575932-11	43
MW-1N L1575932-12	46
MW-2N L1575932-13	49
MW-3N L1575932-14	52
MW-7N L1575932-15	55
MW-8N L1575932-16	58
MW-10N L1575932-17	61
MW-11N L1575932-18	64
MW-15 L1575932-19	67
MW-16 L1575932-20	70
MW-17 L1575932-21	73
MW-19 L1575932-22	76
MW-20 L1575932-23	79
MW-21 L1575932-24	82
Qc: Quality Control Summary	85
Gravimetric Analysis by Method 2540 C-2011	85
Wet Chemistry by Method 2320 B-2011	88
Wet Chemistry by Method 350.1	94
Wet Chemistry by Method 353.2	96
Wet Chemistry by Method 9056A	99
Wet Chemistry by Method 9060A	105
Metals (ICP) by Method 6010B	107
Metals (ICPMS) by Method 6020	111
Volatile Organic Compounds (GC/MS) by Method 8260B	115
Gl: Glossary of Terms	126

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

AI: Accreditations & Locations

127

Sc: Sample Chain of Custody

128

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al


⁹Sc

SAMPLE SUMMARY

DUP L1575932-01 GW

Collected by: Chris F. Collected date/time: 01/10/23 07:00 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990373	1	01/18/23 13:45	01/18/23 13:45	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:13	01/17/23 15:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	5	01/18/23 14:42	01/18/23 14:42	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/13/23 23:11	01/13/23 23:11	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 14:39	01/15/23 14:39	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:08	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 18:55	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 13:35	01/14/23 13:35	ACG	Mt. Juliet, TN



LGW-2 L1575932-02 GW

Collected by: Chris F. Collected date/time: 01/10/23 14:30 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990373	1	01/18/23 14:36	01/18/23 14:36	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:15	01/17/23 15:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:43	01/18/23 14:43	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 00:58	01/14/23 00:58	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 14:56	01/15/23 14:56	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:11	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 18:58	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 13:55	01/14/23 13:55	ACG	Mt. Juliet, TN

LGW-3R L1575932-03 GW

Collected by: Chris F. Collected date/time: 01/10/23 15:10 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 15:59	01/18/23 15:59	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:21	01/17/23 15:21	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:48	01/18/23 14:48	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 01:16	01/14/23 01:16	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 15:15	01/15/23 15:15	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:14	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:01	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 14:15	01/14/23 14:15	ACG	Mt. Juliet, TN

LGW-4 L1575932-04 GW

Collected by: Chris F. Collected date/time: 01/10/23 16:45 Received date/time: 01/13/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:03	01/18/23 16:03	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:22	01/17/23 15:22	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:50	01/18/23 14:50	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 01:34	01/14/23 01:34	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 15:31	01/15/23 15:31	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:16	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:04	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 18:23	01/14/23 18:23	ACG	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-5 L1575932-05 GW

Collected by: Chris F. Collected date/time: 01/10/23 17:30 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:08	01/18/23 16:08	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:24	01/17/23 15:24	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:51	01/18/23 14:51	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 01:52	01/14/23 01:52	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 15:44	01/15/23 15:44	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:19	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	10	01/17/23 09:16	01/17/23 22:11	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:08	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 18:44	01/14/23 18:44	ACG	Mt. Juliet, TN



LGW-6 L1575932-06 GW

Collected by: Chris F. Collected date/time: 01/10/23 18:45 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:12	01/18/23 16:12	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:25	01/17/23 15:25	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:52	01/18/23 14:52	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 02:10	01/14/23 02:10	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 16:01	01/15/23 16:01	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:23	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	20	01/17/23 09:16	01/17/23 22:14	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:11	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 19:04	01/14/23 19:04	ACG	Mt. Juliet, TN

LGW-7 L1575932-07 GW

Collected by: Chris F. Collected date/time: 01/11/23 16:35 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:28	01/18/23 16:28	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:27	01/17/23 15:27	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:53	01/18/23 14:53	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 02:28	01/14/23 02:28	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 16:18	01/15/23 16:18	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:25	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:14	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 19:24	01/14/23 19:24	ACG	Mt. Juliet, TN

LGW-8R L1575932-08 GW

Collected by: Chris F. Collected date/time: 01/11/23 17:05 Received date/time: 01/13/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:33	01/18/23 16:33	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:28	01/17/23 15:28	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:55	01/18/23 14:55	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 02:46	01/14/23 02:46	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988937	1	01/15/23 16:34	01/15/23 16:34	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:28	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:18	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 19:45	01/14/23 19:45	ACG	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-9 L1575932-09 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 17:40
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1990333	1	01/18/23 06:51	01/18/23 11:50	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:37	01/18/23 16:37	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:30	01/17/23 15:30	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:56	01/18/23 14:56	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 03:04	01/14/23 03:04	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 08:41	01/15/23 08:41	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989337	1	01/17/23 09:16	01/17/23 13:37	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:21	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988727	1	01/14/23 20:05	01/14/23 20:05	ACG	Mt. Juliet, TN



LGW-10 L1575932-10 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 18:20
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1990333	1	01/18/23 06:51	01/18/23 11:50	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:41	01/18/23 16:41	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:31	01/17/23 15:31	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:57	01/18/23 14:57	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 03:21	01/14/23 03:21	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 09:43	01/15/23 09:43	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:06	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989349	1	01/16/23 16:08	01/16/23 19:31	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 13:24	01/15/23 13:24	ACG	Mt. Juliet, TN

LGW-14R L1575932-11 GW

Collected by: Chris F.
 Collected date/time: 01/10/23 18:10
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:45	01/18/23 16:45	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:33	01/17/23 15:33	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 14:58	01/18/23 14:58	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 03:39	01/14/23 03:39	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 10:09	01/15/23 10:09	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:18	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:10	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 13:44	01/15/23 13:44	ACG	Mt. Juliet, TN

MW-1N L1575932-12 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 14:20
 Received date/time: 01/13/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:50	01/18/23 16:50	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:35	01/17/23 15:35	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:00	01/18/23 15:00	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 04:33	01/14/23 04:33	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988864	1	01/14/23 20:16	01/14/23 20:16	GBE	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 10:22	01/15/23 10:22	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:21	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:23	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 14:05	01/15/23 14:05	ACG	Mt. Juliet, TN

SAMPLE SUMMARY

MW-2N L1575932-13 GW

Collected by: Chris F. Collected date/time: 01/11/23 11:00 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 16:55	01/18/23 16:55	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:41	01/17/23 15:41	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:05	01/18/23 15:05	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 04:51	01/14/23 04:51	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 20:48	01/14/23 20:48	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 10:34	01/15/23 10:34	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:24	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:26	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 14:25	01/15/23 14:25	ACG	Mt. Juliet, TN



MW-3N L1575932-14 GW

Collected by: Chris F. Collected date/time: 01/11/23 11:40 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:00	01/18/23 17:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:42	01/17/23 15:42	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:06	01/18/23 15:06	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 05:09	01/14/23 05:09	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 21:04	01/14/23 21:04	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 10:46	01/15/23 10:46	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:27	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:30	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 14:46	01/15/23 14:46	ACG	Mt. Juliet, TN

MW-7N L1575932-15 GW

Collected by: Chris F. Collected date/time: 01/10/23 10:40 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988368	1	01/13/23 12:52	01/16/23 09:11	TDW	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:05	01/18/23 17:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:44	01/17/23 15:44	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:10	01/18/23 15:10	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 05:27	01/14/23 05:27	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 21:52	01/14/23 21:52	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 11:40	01/15/23 11:40	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:35	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:33	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 15:06	01/15/23 15:06	ACG	Mt. Juliet, TN

MW-8N L1575932-16 GW

Collected by: Chris F. Collected date/time: 01/11/23 15:55 Received date/time: 01/13/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:21	01/18/23 17:21	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:45	01/17/23 15:45	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:11	01/18/23 15:11	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 05:45	01/14/23 05:45	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 22:08	01/14/23 22:08	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 11:54	01/15/23 11:54	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:38	ZSA	Mt. Juliet, TN

SAMPLE SUMMARY

MW-8N L1575932-16 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 15:55
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:43	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 15:26	01/15/23 15:26	ACG	Mt. Juliet, TN



MW-10N L1575932-17 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 13:30
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:26	01/18/23 17:26	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1989765	1	01/17/23 15:48	01/17/23 15:48	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:13	01/18/23 15:13	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 06:03	01/14/23 06:03	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 22:24	01/14/23 22:24	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 12:12	01/15/23 12:12	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:41	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:46	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 15:47	01/15/23 15:47	ACG	Mt. Juliet, TN

MW-11N L1575932-18 GW

Collected by: Chris F.
 Collected date/time: 01/10/23 16:00
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:31	01/18/23 17:31	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:08	01/18/23 10:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989491	1	01/18/23 15:14	01/18/23 15:14	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988475	1	01/14/23 06:21	01/14/23 06:21	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988864	1	01/14/23 22:39	01/14/23 22:39	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 12:24	01/15/23 12:24	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:44	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:49	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 16:07	01/15/23 16:07	ACG	Mt. Juliet, TN

MW-15 L1575932-19 GW

Collected by: Chris F.
 Collected date/time: 01/10/23 13:40
 Received date/time: 01/13/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990374	1	01/18/23 17:37	01/18/23 17:37	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:11	01/18/23 10:11	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989487	1	01/19/23 08:43	01/19/23 08:43	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/13/23 23:14	01/13/23 23:14	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 12:37	01/15/23 12:37	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:47	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:53	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1989023	1	01/15/23 16:28	01/15/23 16:28	ACG	Mt. Juliet, TN

SAMPLE SUMMARY

MW-16 L1575932-20 GW

Collected by: Chris F. Collected date/time: 01/10/23 13:05 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990886	1	01/20/23 09:09	01/20/23 09:09	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:13	01/18/23 10:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989487	1	01/19/23 08:44	01/19/23 08:44	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/14/23 00:04	01/14/23 00:04	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 12:49	01/15/23 12:49	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:50	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:56	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988740	1	01/14/23 15:58	01/14/23 15:58	JAH	Mt. Juliet, TN



MW-17 L1575932-21 GW

Collected by: Chris F. Collected date/time: 01/10/23 12:15 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990886	1	01/20/23 09:14	01/20/23 09:14	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:14	01/18/23 10:14	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989487	1	01/19/23 08:45	01/19/23 08:45	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/14/23 00:17	01/14/23 00:17	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 13:08	01/15/23 13:08	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:53	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 16:59	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988740	1	01/14/23 16:20	01/14/23 16:20	JAH	Mt. Juliet, TN

MW-19 L1575932-22 GW

Collected by: Chris F. Collected date/time: 01/11/23 15:20 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990886	1	01/20/23 09:31	01/20/23 09:31	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:16	01/18/23 10:16	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989492	1	01/19/23 09:26	01/19/23 09:26	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/14/23 00:30	01/14/23 00:30	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 13:21	01/15/23 13:21	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:56	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 17:03	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988740	1	01/14/23 16:41	01/14/23 16:41	JAH	Mt. Juliet, TN

MW-20 L1575932-23 GW

Collected by: Chris F. Collected date/time: 01/11/23 09:55 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990886	1	01/20/23 09:36	01/20/23 09:36	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:17	01/18/23 10:17	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989492	1	01/19/23 09:27	01/19/23 09:27	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/14/23 01:08	01/14/23 01:08	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 13:36	01/15/23 13:36	NCJ	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 15:59	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 17:06	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988740	1	01/14/23 17:03	01/14/23 17:03	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

MW-21 L1575932-24 GW

Collected by: Chris F.
 Collected date/time: 01/11/23 12:45
 Received date/time: 01/13/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1988673	1	01/14/23 08:17	01/14/23 10:11	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1990886	1	01/20/23 09:41	01/20/23 09:41	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1990176	1	01/18/23 10:19	01/18/23 10:19	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1989492	1	01/19/23 09:29	01/19/23 09:29	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1988557	1	01/14/23 01:21	01/14/23 01:21	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1988938	1	01/15/23 14:32	01/15/23 14:32	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1989340	1	01/17/23 10:45	01/17/23 16:02	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1989350	1	01/17/23 14:17	01/17/23 17:09	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1988740	1	01/14/23 17:25	01/14/23 17:25	JAH	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al


⁹ Sc

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG1988368	(DUP) R3881965-3	Dissolved Solids

Wet Chemistry by Method 9056A

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG1988864	(MS) R3881113-3, (MSD) R3881113-4	Sulfate

Wet Chemistry by Method 9060A

RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Batch	Lab Sample ID	Analytes
WG1988937	(DUP) R3881143-8	TOC (Total Organic Carbon)
WG1988938	(DUP) R3881142-5, L1575932-10	TOC and TOC (Total Organic Carbon)

Metals (ICP) by Method 6010B

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG1989337	(MS) R3881848-4, (MSD) R3881848-5	Calcium, Iron, Magnesium, Manganese and Sodium
WG1989340	(MS) R3881850-4, (MSD) R3881850-5, L1575932-10	Calcium, Calcium, Total Recoverable, Manganese and Manganese, Total Recoverable

CASE NARRATIVE

Metals (ICP) by Method 6010B

The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.

Batch	Lab Sample ID	Analytes
WG1989340	L1575932-10	Barium, Total Recoverable, Calcium, Total Recoverable, Iron, Total Recoverable, Magnesium, Total Recoverable, Manganese, Total Recoverable and Sodium, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG1988740	(LCSD) R3881270-2, L1575932-20, 21, 22, 23, 24	Bromochloromethane
WG1989023	(LCSD) R3881405-2, L1575932-10, 11, 12, 13, 14, 15, 16, 17, 18, 19	1,1,2,2-Tetrachloroethane, Chloroform and trans-1,4-Dichloro-2-butene

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG1988740	(LCSD) R3881270-2, L1575932-20, 21, 22, 23, 24	Chloromethane and Iodomethane
WG1989023	(LCSD) R3881405-2, L1575932-10, 11, 12, 13, 14, 15, 16, 17, 18, 19	1,1,2,2-Tetrachloroethane, trans-1,4-Dichloro-2-butene and Vinyl acetate

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	314		10.0	1	01/16/2023 09:11	WG1988368

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	206		10.0	1	01/18/2023 13:45	WG1990373
Alkalinity,Bicarbonate	206		10.0	1	01/18/2023 13:45	WG1990373
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 13:45	WG1990373

Sample Narrative:

L1575932-01 WG1990373: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:13	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	4.79		0.100	5	01/18/2023 14:42	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	34.9		3.00	1	01/13/2023 23:11	WG1988475
Sulfate	20.2		5.00	1	01/13/2023 23:11	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.64		1.00	1	01/15/2023 14:39	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:08	WG1989337
Barium,Total Recoverable	0.129		0.00500	1	01/17/2023 13:08	WG1989337
Calcium, Total Recoverable	71.2		0.200	1	01/17/2023 13:08	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:08	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:08	WG1989337
Magnesium, Total Recoverable	4.56		0.200	1	01/17/2023 13:08	WG1989337
Manganese,Total Recoverable	0.0118		0.00300	1	01/17/2023 13:08	WG1989337
Sodium,Total Recoverable	35.0		5.00	1	01/17/2023 13:08	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:08	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:08	WG1989337

Metals (ICPMS) by Method 6020

Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 18:55	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 18:55	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 18:55	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 18:55	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 18:55	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 18:55	WG1989349
Nickel, Total Recoverable	ND		0.00400	1	01/16/2023 18:55	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 18:55	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 18:55	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 18:55	WG1989349
Zinc, Total Recoverable	0.00730	J	0.00500	1	01/16/2023 18:55	WG1989349

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 13:35	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 13:35	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 13:35	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 13:35	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 13:35	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 13:35	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 13:35	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 13:35	WG1988727
Acetone	ND		10.0	1	01/14/2023 13:35	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 13:35	WG1988727
Benzene	ND		1.00	1	01/14/2023 13:35	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Bromoform	ND		1.00	1	01/14/2023 13:35	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 13:35	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 13:35	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 13:35	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Chloroform	ND		1.00	1	01/14/2023 13:35	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Ethylbenzene	ND		1.00	1	01/14/2023 13:35	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 13:35	WG1988727
Styrene	ND		1.00	1	01/14/2023 13:35	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 13:35	WG1988727
Toluene	ND		1.00	1	01/14/2023 13:35	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 13:35	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 13:35	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 13:35	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 13:35	WG1988727


Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	ND		1.00	1	01/14/2023 13:35	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 13:35	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 13:35	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 13:35	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 13:35	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 13:35	WG1988727
(S) 1,2-Dichloroethane-d4	116			70.0-130	01/14/2023 13:35	WG1988727
(S) 4-Bromofluorobenzene	84.6			77.0-126	01/14/2023 13:35	WG1988727
(S) Toluene-d8	86.8			80.0-120	01/14/2023 13:35	WG1988727

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.94	su
Specific Conductance (on site)	575	umhos/cm
Temperature (on-site)	17	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	5.9	mg/l
eH/ORP (On Site)	148.7	mV
Depth to water (DTW) (FROM TOC)	71.84	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	325		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	301		10.0	1	01/18/2023 14:36	WG1990373
Alkalinity,Bicarbonate	301		10.0	1	01/18/2023 14:36	WG1990373
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 14:36	WG1990373

Sample Narrative:

L1575932-02 WG1990373: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:15	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.31		0.100	1	01/18/2023 14:43	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	9.88		3.00	1	01/14/2023 00:58	WG1988475
Sulfate	ND		5.00	1	01/14/2023 00:58	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 14:56	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:11	WG1989337
Barium, Total Recoverable	0.0774		0.00500	1	01/17/2023 13:11	WG1989337
Calcium, Total Recoverable	110		0.200	1	01/17/2023 13:11	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:11	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:11	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	0.994	J	0.200	1	01/17/2023 13:11	WG1989337
Manganese, Total Recoverable	ND		0.00300	1	01/17/2023 13:11	WG1989337
Sodium, Total Recoverable	11.3		5.00	1	01/17/2023 13:11	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:11	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:11	WG1989337



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 18:58	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 18:58	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 18:58	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 18:58	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 18:58	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 18:58	WG1989349
Nickel, Total Recoverable	ND		0.00400	1	01/16/2023 18:58	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 18:58	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 18:58	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 18:58	WG1989349
Zinc, Total Recoverable	0.00643	J	0.00500	1	01/16/2023 18:58	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 13:55	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 13:55	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 13:55	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 13:55	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 13:55	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 13:55	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 13:55	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 13:55	WG1988727
Acetone	ND		10.0	1	01/14/2023 13:55	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 13:55	WG1988727
Benzene	ND		1.00	1	01/14/2023 13:55	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Bromoform	ND		1.00	1	01/14/2023 13:55	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 13:55	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 13:55	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 13:55	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Chloroform	ND		1.00	1	01/14/2023 13:55	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 13:55	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 13:55	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 13:55	WG1988727
Styrene	ND		1.00	1	01/14/2023 13:55	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 13:55	WG1988727
Toluene	ND		1.00	1	01/14/2023 13:55	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 13:55	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 13:55	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 13:55	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 13:55	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 13:55	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 13:55	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 13:55	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 13:55	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 13:55	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 13:55	WG1988727
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/14/2023 13:55	WG1988727
(S) 4-Bromofluorobenzene	86.1			77.0-126	01/14/2023 13:55	WG1988727
(S) Toluene-d8	88.4			80.0-120	01/14/2023 13:55	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.45	su
Specific Conductance (on site)	109	umhos/cm
Temperature (on-site)	16.1	Deg. C
Turbidity (on-site)	9.1	NTU
Dissolved Oxygen (on-site)	5.6	mg/l
eH/ORP (On Site)	199.7	mV
Depth to water (DTW) (FROM TOC)	55.45	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	70.0		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	37.7		10.0	1	01/18/2023 15:59	WG1990374
Alkalinity,Bicarbonate	37.7		10.0	1	01/18/2023 15:59	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 15:59	WG1990374

Sample Narrative:

L1575932-03 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:21	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.86		0.100	1	01/18/2023 14:48	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.40		3.00	1	01/14/2023 01:16	WG1988475
Sulfate	ND		5.00	1	01/14/2023 01:16	WG1988475

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 15:15	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:14	WG1989337
Barium,Total Recoverable	0.0570		0.00500	1	01/17/2023 13:14	WG1989337
Calcium, Total Recoverable	13.9		0.200	1	01/17/2023 13:14	WG1989337
Iron, Total Recoverable	0.127		0.0600	1	01/17/2023 13:14	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:14	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.07		0.200	1	01/17/2023 13:14	WG1989337
Manganese, Total Recoverable	0.0264		0.00300	1	01/17/2023 13:14	WG1989337
Sodium, Total Recoverable	ND		5.00	1	01/17/2023 13:14	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:14	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:14	WG1989337



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:01	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:01	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:01	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 19:01	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:01	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:01	WG1989349
Nickel, Total Recoverable	ND		0.00400	1	01/16/2023 19:01	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:01	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:01	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:01	WG1989349
Zinc, Total Recoverable	ND		0.00500	1	01/16/2023 19:01	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 14:15	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 14:15	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 14:15	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 14:15	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 14:15	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 14:15	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 14:15	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 14:15	WG1988727
Acetone	ND		10.0	1	01/14/2023 14:15	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 14:15	WG1988727
Benzene	ND		1.00	1	01/14/2023 14:15	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Bromoform	ND		1.00	1	01/14/2023 14:15	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 14:15	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 14:15	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 14:15	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Chloroform	ND		1.00	1	01/14/2023 14:15	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 14:15	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 14:15	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 14:15	WG1988727
Styrene	ND		1.00	1	01/14/2023 14:15	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 14:15	WG1988727
Toluene	ND		1.00	1	01/14/2023 14:15	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 14:15	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 14:15	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 14:15	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 14:15	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 14:15	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 14:15	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 14:15	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 14:15	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 14:15	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 14:15	WG1988727
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/14/2023 14:15	WG1988727
(S) 4-Bromofluorobenzene	82.6			77.0-126	01/14/2023 14:15	WG1988727
(S) Toluene-d8	86.3			80.0-120	01/14/2023 14:15	WG1988727

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.73	su
Specific Conductance (on site)	679	umhos/cm
Temperature (on-site)	15.8	Deg. C
Turbidity (on-site)	5	NTU
Dissolved Oxygen (on-site)	1.3	mg/l
eH/ORP (On Site)	157.7	mV
Depth to water (DTW) (FROM TOC)	60.15	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	399		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	362		10.0	1	01/18/2023 16:03	WG1990374
Alkalinity,Bicarbonate	362		10.0	1	01/18/2023 16:03	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:03	WG1990374

Sample Narrative:

L1575932-04 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:22	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.35		0.100	1	01/18/2023 14:50	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	18.9		3.00	1	01/14/2023 01:34	WG1988475
Sulfate	ND		5.00	1	01/14/2023 01:34	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 15:31	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:16	WG1989337
Barium,Total Recoverable	0.0683		0.00500	1	01/17/2023 13:16	WG1989337
Calcium, Total Recoverable	137		0.200	1	01/17/2023 13:16	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:16	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:16	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.28		0.200	1	01/17/2023 13:16	WG1989337
Manganese, Total Recoverable	0.179		0.00300	1	01/17/2023 13:16	WG1989337
Sodium, Total Recoverable	11.3		5.00	1	01/17/2023 13:16	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:16	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:16	WG1989337

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:04	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:04	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:04	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 19:04	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:04	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:04	WG1989349
Nickel, Total Recoverable	0.00799		0.00400	1	01/16/2023 19:04	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:04	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:04	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:04	WG1989349
Zinc, Total Recoverable	0.0379		0.00500	1	01/16/2023 19:04	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 18:23	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 18:23	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 18:23	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 18:23	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 18:23	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 18:23	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 18:23	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 18:23	WG1988727
Acetone	ND		10.0	1	01/14/2023 18:23	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 18:23	WG1988727
Benzene	ND		1.00	1	01/14/2023 18:23	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Bromoform	ND		1.00	1	01/14/2023 18:23	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 18:23	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 18:23	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 18:23	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Chloroform	ND		1.00	1	01/14/2023 18:23	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 18:23	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 18:23	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 18:23	WG1988727
Styrene	ND		1.00	1	01/14/2023 18:23	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 18:23	WG1988727
Toluene	ND		1.00	1	01/14/2023 18:23	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 18:23	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 18:23	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 18:23	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 18:23	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 18:23	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 18:23	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 18:23	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 18:23	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 18:23	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 18:23	WG1988727
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/14/2023 18:23	WG1988727
(S) 4-Bromofluorobenzene	88.4			77.0-126	01/14/2023 18:23	WG1988727
(S) Toluene-d8	87.4			80.0-120	01/14/2023 18:23	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.35	su
Specific Conductance (on site)	720	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	2.7	NTU
Dissolved Oxygen (on-site)	1.1	mg/l
eH/ORP (On Site)	160.8	mV
Depth to water (DTW) (FROM TOC)	70.72	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	396		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	338		10.0	1	01/18/2023 16:08	WG1990374
Alkalinity,Bicarbonate	338		10.0	1	01/18/2023 16:08	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:08	WG1990374

Sample Narrative:

L1575932-05 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.100		0.100	1	01/17/2023 15:24	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/18/2023 14:51	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	33.2		3.00	1	01/14/2023 01:52	WG1988475
Sulfate	6.30		5.00	1	01/14/2023 01:52	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.55		1.00	1	01/15/2023 15:44	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:19	WG1989337
Barium, Total Recoverable	0.109		0.00500	1	01/17/2023 13:19	WG1989337
Calcium, Total Recoverable	117		0.200	1	01/17/2023 13:19	WG1989337
Iron, Total Recoverable	0.392		0.0600	1	01/17/2023 13:19	WG1989337
Potassium, Total Recoverable	3.08		3.00	1	01/17/2023 13:19	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.18		0.200	1	01/17/2023 13:19	WG1989337
Manganese, Total Recoverable	10.9		0.0120	10	01/17/2023 22:11	WG1989337
Sodium, Total Recoverable	17.2		5.00	1	01/17/2023 13:19	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:19	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:19	WG1989337

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:08	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:08	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:08	WG1989349
Cobalt, Total Recoverable	0.00410		0.00300	1	01/16/2023 19:08	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:08	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:08	WG1989349
Nickel, Total Recoverable	0.0772		0.00400	1	01/16/2023 19:08	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:08	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:08	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:08	WG1989349
Zinc, Total Recoverable	0.0220	J	0.00500	1	01/16/2023 19:08	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 18:44	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 18:44	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 18:44	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 18:44	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 18:44	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 18:44	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 18:44	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 18:44	WG1988727
Acetone	ND		10.0	1	01/14/2023 18:44	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 18:44	WG1988727
Benzene	ND		1.00	1	01/14/2023 18:44	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Bromoform	ND		1.00	1	01/14/2023 18:44	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 18:44	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 18:44	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 18:44	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Chloroform	ND		1.00	1	01/14/2023 18:44	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 18:44	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 18:44	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 18:44	WG1988727
Styrene	ND		1.00	1	01/14/2023 18:44	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 18:44	WG1988727
Toluene	ND		1.00	1	01/14/2023 18:44	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 18:44	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 18:44	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 18:44	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 18:44	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 18:44	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 18:44	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 18:44	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 18:44	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 18:44	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 18:44	WG1988727
(S) 1,2-Dichloroethane-d4	116			70.0-130	01/14/2023 18:44	WG1988727
(S) 4-Bromofluorobenzene	84.8			77.0-126	01/14/2023 18:44	WG1988727
(S) Toluene-d8	86.2			80.0-120	01/14/2023 18:44	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.43	su
Specific Conductance (on site)	645	umhos/cm
Temperature (on-site)	16.1	Deg. C
Turbidity (on-site)	2.9	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	151.4	mV
Depth to water (DTW) (FROM TOC)	51.08	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	377		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	367		10.0	1	01/18/2023 16:12	WG1990374
Alkalinity,Bicarbonate	367		10.0	1	01/18/2023 16:12	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:12	WG1990374

Sample Narrative:

L1575932-06 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:25	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/18/2023 14:52	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.5		3.00	1	01/14/2023 02:10	WG1988475
Sulfate	ND		5.00	1	01/14/2023 02:10	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 16:01	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:23	WG1989337
Barium, Total Recoverable	0.189		0.00500	1	01/17/2023 13:23	WG1989337
Calcium, Total Recoverable	104		0.200	1	01/17/2023 13:23	WG1989337
Iron, Total Recoverable	0.897		0.0600	1	01/17/2023 13:23	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:23	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.46		0.200	1	01/17/2023 13:23	WG1989337
Manganese, Total Recoverable	34.5		0.0240	20	01/17/2023 22:14	WG1989337
Sodium, Total Recoverable	9.25		5.00	1	01/17/2023 13:23	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:23	WG1989337
Selenium, Total Recoverable	0.0140		0.0100	1	01/17/2023 13:23	WG1989337

1 Cp
2 Tc
3 Ss
4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:11	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:11	WG1989349
Cadmium, Total Recoverable	0.00227		0.00100	1	01/16/2023 19:11	WG1989349
Cobalt, Total Recoverable	0.0211		0.00300	1	01/16/2023 19:11	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:11	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:11	WG1989349
Nickel, Total Recoverable	0.157		0.00400	1	01/16/2023 19:11	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:11	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:11	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:11	WG1989349
Zinc, Total Recoverable	0.140		0.00500	1	01/16/2023 19:11	WG1989349

5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 19:04	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 19:04	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 19:04	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 19:04	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 19:04	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 19:04	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 19:04	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 19:04	WG1988727
Acetone	ND		10.0	1	01/14/2023 19:04	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 19:04	WG1988727
Benzene	ND		1.00	1	01/14/2023 19:04	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Bromoform	ND		1.00	1	01/14/2023 19:04	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 19:04	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 19:04	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 19:04	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Chloroform	ND		1.00	1	01/14/2023 19:04	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 19:04	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 19:04	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 19:04	WG1988727
Styrene	ND		1.00	1	01/14/2023 19:04	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 19:04	WG1988727
Toluene	ND		1.00	1	01/14/2023 19:04	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 19:04	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 19:04	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 19:04	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 19:04	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 19:04	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:04	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:04	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:04	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:04	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 19:04	WG1988727
(S) 1,2-Dichloroethane-d4	114			70.0-130	01/14/2023 19:04	WG1988727
(S) 4-Bromofluorobenzene	85.6			77.0-126	01/14/2023 19:04	WG1988727
(S) Toluene-d8	86.6			80.0-120	01/14/2023 19:04	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.05	su
Specific Conductance (on site)	513	umhos/cm
Temperature (on-site)	16.6	Deg. C
Turbidity (on-site)	8.1	NTU
Dissolved Oxygen (on-site)	3.2	mg/l
eH/ORP (On Site)	121.8	mV
Depth to water (DTW) (FROM TOC)	43.2	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	285		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	274		10.0	1	01/18/2023 16:28	WG1990374
Alkalinity,Bicarbonate	274		10.0	1	01/18/2023 16:28	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:28	WG1990374

Sample Narrative:

L1575932-07 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:27	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	3.13		0.100	1	01/18/2023 14:53	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.1		3.00	1	01/14/2023 02:28	WG1988475
Sulfate	ND		5.00	1	01/14/2023 02:28	WG1988475

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 16:18	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:25	WG1989337
Barium, Total Recoverable	0.0453		0.00500	1	01/17/2023 13:25	WG1989337
Calcium, Total Recoverable	101		0.200	1	01/17/2023 13:25	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:25	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:25	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.64		0.200	1	01/17/2023 13:25	WG1989337
Manganese, Total Recoverable	0.00583	J	0.00300	1	01/17/2023 13:25	WG1989337
Sodium, Total Recoverable	5.48		5.00	1	01/17/2023 13:25	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:25	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:25	WG1989337



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:14	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:14	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:14	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 19:14	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:14	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:14	WG1989349
Nickel, Total Recoverable	ND		0.00400	1	01/16/2023 19:14	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:14	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:14	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:14	WG1989349
Zinc, Total Recoverable	0.00887	J	0.00500	1	01/16/2023 19:14	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 19:24	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 19:24	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 19:24	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 19:24	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 19:24	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 19:24	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 19:24	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 19:24	WG1988727
Acetone	ND		10.0	1	01/14/2023 19:24	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 19:24	WG1988727
Benzene	ND		1.00	1	01/14/2023 19:24	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Bromoform	ND		1.00	1	01/14/2023 19:24	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 19:24	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 19:24	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 19:24	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Chloroform	ND		1.00	1	01/14/2023 19:24	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 19:24	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 19:24	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 19:24	WG1988727
Styrene	ND		1.00	1	01/14/2023 19:24	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 19:24	WG1988727
Toluene	ND		1.00	1	01/14/2023 19:24	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 19:24	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 19:24	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 19:24	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 19:24	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 19:24	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:24	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:24	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:24	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:24	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 19:24	WG1988727
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/14/2023 19:24	WG1988727
(S) 4-Bromofluorobenzene	83.3			77.0-126	01/14/2023 19:24	WG1988727
(S) Toluene-d8	86.7			80.0-120	01/14/2023 19:24	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.75	su
Specific Conductance (on site)	667	umhos/cm
Temperature (on-site)	15.7	Deg. C
Turbidity (on-site)	3.4	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	129.8	mV
Depth to water (DTW) (FROM TOC)	10.6	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	372		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	354		10.0	1	01/18/2023 16:33	WG1990374
Alkalinity,Bicarbonate	354		10.0	1	01/18/2023 16:33	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:33	WG1990374

Sample Narrative:

L1575932-08 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:28	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.784		0.100	1	01/18/2023 14:55	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	16.7		3.00	1	01/14/2023 02:46	WG1988475
Sulfate	ND		5.00	1	01/14/2023 02:46	WG1988475

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 16:34	WG1988937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:28	WG1989337
Barium,Total Recoverable	0.0833		0.00500	1	01/17/2023 13:28	WG1989337
Calcium, Total Recoverable	130		0.200	1	01/17/2023 13:28	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:28	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:28	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.10		0.200	1	01/17/2023 13:28	WG1989337
Manganese, Total Recoverable	0.0263		0.00300	1	01/17/2023 13:28	WG1989337
Sodium, Total Recoverable	9.40		5.00	1	01/17/2023 13:28	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:28	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:28	WG1989337



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:18	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:18	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:18	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 19:18	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:18	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:18	WG1989349
Nickel, Total Recoverable	ND		0.00400	1	01/16/2023 19:18	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:18	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:18	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:18	WG1989349
Zinc, Total Recoverable	0.0172	J	0.00500	1	01/16/2023 19:18	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 19:45	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 19:45	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 19:45	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 19:45	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 19:45	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 19:45	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 19:45	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 19:45	WG1988727
Acetone	ND		10.0	1	01/14/2023 19:45	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 19:45	WG1988727
Benzene	ND		1.00	1	01/14/2023 19:45	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Bromoform	ND		1.00	1	01/14/2023 19:45	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 19:45	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 19:45	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 19:45	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Chloroform	ND		1.00	1	01/14/2023 19:45	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 19:45	WG1988727


Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 19:45	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 19:45	WG1988727
Styrene	ND		1.00	1	01/14/2023 19:45	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 19:45	WG1988727
Toluene	ND		1.00	1	01/14/2023 19:45	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 19:45	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 19:45	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 19:45	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 19:45	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 19:45	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:45	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:45	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 19:45	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 19:45	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 19:45	WG1988727
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/14/2023 19:45	WG1988727
(S) 4-Bromofluorobenzene	83.7			77.0-126	01/14/2023 19:45	WG1988727
(S) Toluene-d8	86.8			80.0-120	01/14/2023 19:45	WG1988727

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.52	su
Specific Conductance (on site)	716	umhos/cm
Temperature (on-site)	15.6	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	134.4	mV
Depth to water (DTW) (FROM TOC)	53.2	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	392		10.0	1	01/18/2023 11:50	WG1990333

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	327		10.0	1	01/18/2023 16:37	WG1990374
Alkalinity,Bicarbonate	327		10.0	1	01/18/2023 16:37	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:37	WG1990374

Sample Narrative:

L1575932-09 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:30	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.25		0.100	1	01/18/2023 14:56	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	32.2		3.00	1	01/14/2023 03:04	WG1988475
Sulfate	7.70		5.00	1	01/14/2023 03:04	WG1988475

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.61		1.00	1	01/15/2023 08:41	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 13:37	WG1989337
Barium, Total Recoverable	0.147		0.00500	1	01/17/2023 13:37	WG1989337
Calcium, Total Recoverable	111		0.200	1	01/17/2023 13:37	WG1989337
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 13:37	WG1989337
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 13:37	WG1989337

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	7.45		0.200	1	01/17/2023 13:37	WG1989337
Manganese, Total Recoverable	4.25		0.00300	1	01/17/2023 13:37	WG1989337
Sodium, Total Recoverable	21.9		5.00	1	01/17/2023 13:37	WG1989337
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 13:37	WG1989337
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 13:37	WG1989337



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:21	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:21	WG1989349
Cadmium, Total Recoverable	0.0140		0.00100	1	01/16/2023 19:21	WG1989349
Cobalt, Total Recoverable	ND		0.00300	1	01/16/2023 19:21	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:21	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:21	WG1989349
Nickel, Total Recoverable	0.0247		0.00400	1	01/16/2023 19:21	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:21	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:21	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:21	WG1989349
Zinc, Total Recoverable	0.0804		0.00500	1	01/16/2023 19:21	WG1989349

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,1-Dichloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,1-Dichloroethene	ND		1.00	1	01/14/2023 20:05	WG1988727
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 20:05	WG1988727
1,2-Dibromoethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 20:05	WG1988727
1,2-Dichloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,2-Dichloropropane	ND		1.00	1	01/14/2023 20:05	WG1988727
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 20:05	WG1988727
2-Butanone (MEK)	ND		5.00	1	01/14/2023 20:05	WG1988727
2-Hexanone	ND		5.00	1	01/14/2023 20:05	WG1988727
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 20:05	WG1988727
Acetone	ND		10.0	1	01/14/2023 20:05	WG1988727
Acrylonitrile	ND		20.0	1	01/14/2023 20:05	WG1988727
Benzene	ND		1.00	1	01/14/2023 20:05	WG1988727
Bromochloromethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Bromodichloromethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Bromoform	ND		1.00	1	01/14/2023 20:05	WG1988727
Bromomethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Carbon disulfide	ND		1.00	1	01/14/2023 20:05	WG1988727
Carbon tetrachloride	ND		1.00	1	01/14/2023 20:05	WG1988727
Chlorobenzene	ND		1.00	1	01/14/2023 20:05	WG1988727
Chloroethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Chloroform	ND		1.00	1	01/14/2023 20:05	WG1988727
Chloromethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Dibromochloromethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Dibromomethane	ND		1.00	1	01/14/2023 20:05	WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 20:05	WG1988727
Iodomethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Methylene Chloride	ND		1.07	1	01/14/2023 20:05	WG1988727
Styrene	ND		1.00	1	01/14/2023 20:05	WG1988727
Tetrachloroethene	ND		1.00	1	01/14/2023 20:05	WG1988727
Toluene	ND		1.00	1	01/14/2023 20:05	WG1988727
Trichloroethene	ND		1.00	1	01/14/2023 20:05	WG1988727
Trichlorofluoromethane	ND		1.00	1	01/14/2023 20:05	WG1988727
Vinyl acetate	ND		5.00	1	01/14/2023 20:05	WG1988727
Vinyl chloride	ND		1.00	1	01/14/2023 20:05	WG1988727
Xylenes, Total	ND		1.00	1	01/14/2023 20:05	WG1988727
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 20:05	WG1988727
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 20:05	WG1988727
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 20:05	WG1988727
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 20:05	WG1988727
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 20:05	WG1988727
(S) 1,2-Dichloroethane-d4	118			70.0-130	01/14/2023 20:05	WG1988727
(S) 4-Bromofluorobenzene	83.4			77.0-126	01/14/2023 20:05	WG1988727
(S) Toluene-d8	86.7			80.0-120	01/14/2023 20:05	WG1988727

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.46	su
Specific Conductance (on site)	919	umhos/cm
Temperature (on-site)	16.2	Deg. C
Turbidity (on-site)	5.8	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	132.1	mV
Depth to water (DTW) (FROM TOC)	59.2	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	500		10.0	1	01/18/2023 11:50	WG1990333

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	478		10.0	1	01/18/2023 16:41	WG1990374
Alkalinity,Bicarbonate	478		10.0	1	01/18/2023 16:41	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:41	WG1990374

Sample Narrative:

L1575932-10 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.225		0.100	1	01/17/2023 15:31	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/18/2023 14:57	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.1		3.00	1	01/14/2023 03:21	WG1988475
Sulfate	ND		5.00	1	01/14/2023 03:21	WG1988475

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.04	P1	1.00	1	01/15/2023 09:43	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:06	WG1989340
Barium, Total Recoverable	0.0874	O1	0.00500	1	01/17/2023 15:06	WG1989340
Calcium, Total Recoverable	171	O1 V	0.200	1	01/17/2023 15:06	WG1989340
Iron, Total Recoverable	7.44	O1	0.0600	1	01/17/2023 15:06	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:06	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.60	O1	0.200	1	01/17/2023 15:06	WG1989340
Manganese, Total Recoverable	7.72	O1 V	0.00300	1	01/17/2023 15:06	WG1989340
Sodium, Total Recoverable	9.82	O1	5.00	1	01/17/2023 15:06	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:06	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:06	WG1989340

1 Cp
2 Tc
3 Ss
4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/16/2023 19:31	WG1989349
Beryllium, Total Recoverable	ND		0.00100	1	01/16/2023 19:31	WG1989349
Cadmium, Total Recoverable	ND		0.00100	1	01/16/2023 19:31	WG1989349
Cobalt, Total Recoverable	0.0625		0.00300	1	01/16/2023 19:31	WG1989349
Chromium, Total Recoverable	ND		0.00300	1	01/16/2023 19:31	WG1989349
Copper, Total Recoverable	ND		0.00400	1	01/16/2023 19:31	WG1989349
Nickel, Total Recoverable	0.150		0.00400	1	01/16/2023 19:31	WG1989349
Antimony, Total Recoverable	ND		0.00200	1	01/16/2023 19:31	WG1989349
Thallium, Total Recoverable	ND		0.00100	1	01/16/2023 19:31	WG1989349
Vanadium, Total Recoverable	ND		0.00300	1	01/16/2023 19:31	WG1989349
Zinc, Total Recoverable	0.141		0.00500	1	01/16/2023 19:31	WG1989349

5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 13:24	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,1-Dichloroethane	1.40		1.00	1	01/15/2023 13:24	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 13:24	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 13:24	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 13:24	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 13:24	WG1989023
1,4-Dichlorobenzene	2.13		1.00	1	01/15/2023 13:24	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 13:24	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 13:24	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 13:24	WG1989023
Acetone	ND		10.0	1	01/15/2023 13:24	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 13:24	WG1989023
Benzene	1.98		1.00	1	01/15/2023 13:24	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Bromoform	ND		1.00	1	01/15/2023 13:24	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 13:24	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 13:24	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 13:24	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 13:24	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 13:24	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 13:24	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 13:24	WG1989023
Styrene	ND		1.00	1	01/15/2023 13:24	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 13:24	WG1989023
Toluene	ND		1.00	1	01/15/2023 13:24	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 13:24	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 13:24	WG1989023
Vinyl acetate	ND	<u>J3</u>	5.00	1	01/15/2023 13:24	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 13:24	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 13:24	WG1989023
cis-1,2-Dichloroethene	1.38		1.00	1	01/15/2023 13:24	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 13:24	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 13:24	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 13:24	WG1989023
trans-1,4-Dichloro-2-butene	ND	<u>J3 J4</u>	1.00	1	01/15/2023 13:24	WG1989023
(S) 1,2-Dichloroethane-d4	116			70.0-130	01/15/2023 13:24	WG1989023
(S) 4-Bromofluorobenzene	84.3			77.0-126	01/15/2023 13:24	WG1989023
(S) Toluene-d8	87.1			80.0-120	01/15/2023 13:24	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.98	su
Specific Conductance (on site)	507	umhos/cm
Temperature (on-site)	14.7	Deg. C
Turbidity (on-site)	2.7	NTU
Dissolved Oxygen (on-site)	5.3	mg/l
eH/ORP (On Site)	135	mV
Depth to water (DTW) (FROM TOC)	56.51	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	300		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	278		10.0	1	01/18/2023 16:45	WG1990374
Alkalinity,Bicarbonate	278		10.0	1	01/18/2023 16:45	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:45	WG1990374

Sample Narrative:

L1575932-11 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:33	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.78		0.100	1	01/18/2023 14:58	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.88		3.00	1	01/14/2023 03:39	WG1988475
Sulfate	ND		5.00	1	01/14/2023 03:39	WG1988475

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 10:09	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:18	WG1989340
Barium,Total Recoverable	0.0442		0.00500	1	01/17/2023 15:18	WG1989340
Calcium, Total Recoverable	103		0.200	1	01/17/2023 15:18	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:18	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:18	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.33		0.200	1	01/17/2023 15:18	WG1989340
Manganese, Total Recoverable	ND		0.00300	1	01/17/2023 15:18	WG1989340
Sodium, Total Recoverable	5.30		5.00	1	01/17/2023 15:18	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:18	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:18	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:10	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:10	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:10	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:10	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:10	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:10	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:10	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:10	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:10	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:10	WG1989350
Zinc, Total Recoverable	0.00739	J	0.00500	1	01/17/2023 16:10	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 13:44	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 13:44	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 13:44	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 13:44	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 13:44	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 13:44	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 13:44	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 13:44	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 13:44	WG1989023
Acetone	ND		10.0	1	01/15/2023 13:44	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 13:44	WG1989023
Benzene	ND		1.00	1	01/15/2023 13:44	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Bromoform	ND		1.00	1	01/15/2023 13:44	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 13:44	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 13:44	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 13:44	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 13:44	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 13:44	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 13:44	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 13:44	WG1989023
Styrene	ND		1.00	1	01/15/2023 13:44	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 13:44	WG1989023
Toluene	ND		1.00	1	01/15/2023 13:44	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 13:44	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 13:44	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 13:44	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 13:44	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 13:44	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 13:44	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 13:44	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 13:44	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 13:44	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 13:44	WG1989023
(S) 1,2-Dichloroethane-d4	118			70.0-130	01/15/2023 13:44	WG1989023
(S) 4-Bromofluorobenzene	83.8			77.0-126	01/15/2023 13:44	WG1989023
(S) Toluene-d8	86.2			80.0-120	01/15/2023 13:44	WG1989023

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.36	su
Specific Conductance (on site)	394	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	10.4	NTU
Dissolved Oxygen (on-site)	1.8	mg/l
eH/ORP (On Site)	105.9	mV
Depth to water (DTW) (FROM TOC)	79.53	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	210		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	204		10.0	1	01/18/2023 16:50	WG1990374
Alkalinity,Bicarbonate	204		10.0	1	01/18/2023 16:50	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:50	WG1990374

Sample Narrative:

L1575932-12 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:35	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/18/2023 15:00	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	3.31		3.00	1	01/14/2023 04:33	WG1988475
Sulfate	ND		5.00	1	01/14/2023 20:16	WG1988864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 10:22	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:21	WG1989340
Barium, Total Recoverable	0.0397		0.00500	1	01/17/2023 15:21	WG1989340
Calcium, Total Recoverable	69.4		0.200	1	01/17/2023 15:21	WG1989340
Iron, Total Recoverable	0.0881	J	0.0600	1	01/17/2023 15:21	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:21	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.23		0.200	1	01/17/2023 15:21	WG1989340
Manganese, Total Recoverable	0.0176		0.00300	1	01/17/2023 15:21	WG1989340
Sodium, Total Recoverable	7.05		5.00	1	01/17/2023 15:21	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:21	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:21	WG1989340

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:23	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:23	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:23	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:23	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:23	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:23	WG1989350
Nickel, Total Recoverable	0.00809		0.00400	1	01/17/2023 16:23	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:23	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:23	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:23	WG1989350
Zinc, Total Recoverable	0.0546		0.00500	1	01/17/2023 16:23	WG1989350

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 14:05	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 14:05	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 14:05	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 14:05	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 14:05	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 14:05	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 14:05	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 14:05	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 14:05	WG1989023
Acetone	ND		10.0	1	01/15/2023 14:05	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 14:05	WG1989023
Benzene	ND		1.00	1	01/15/2023 14:05	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Bromoform	ND		1.00	1	01/15/2023 14:05	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 14:05	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 14:05	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 14:05	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 14:05	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 14:05	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 14:05	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 14:05	WG1989023
Styrene	ND		1.00	1	01/15/2023 14:05	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 14:05	WG1989023
Toluene	ND		1.00	1	01/15/2023 14:05	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 14:05	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 14:05	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 14:05	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 14:05	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 14:05	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:05	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:05	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:05	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:05	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 14:05	WG1989023
(S) 1,2-Dichloroethane-d4	116			70.0-130	01/15/2023 14:05	WG1989023
(S) 4-Bromofluorobenzene	85.4			77.0-126	01/15/2023 14:05	WG1989023
(S) Toluene-d8	89.7			80.0-120	01/15/2023 14:05	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.15	su
Specific Conductance (on site)	472	umhos/cm
Temperature (on-site)	15.2	Deg. C
Turbidity (on-site)	9.1	NTU
Dissolved Oxygen (on-site)	3.1	mg/l
eH/ORP (On Site)	115.9	mV
Depth to water (DTW) (FROM TOC)	68.2	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	268		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	240		10.0	1	01/18/2023 16:55	WG1990374
Alkalinity,Bicarbonate	240		10.0	1	01/18/2023 16:55	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 16:55	WG1990374

Sample Narrative:

L1575932-13 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:41	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.77		0.100	1	01/18/2023 15:05	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	6.88		3.00	1	01/14/2023 04:51	WG1988475
Sulfate	ND		5.00	1	01/14/2023 20:48	WG1988864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 10:34	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:24	WG1989340
Barium, Total Recoverable	0.0818		0.00500	1	01/17/2023 15:24	WG1989340
Calcium, Total Recoverable	85.5		0.200	1	01/17/2023 15:24	WG1989340
Iron, Total Recoverable	0.0625	<u>J</u>	0.0600	1	01/17/2023 15:24	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:24	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.37		0.200	1	01/17/2023 15:24	WG1989340
Manganese, Total Recoverable	0.00398	J	0.00300	1	01/17/2023 15:24	WG1989340
Sodium, Total Recoverable	12.1		5.00	1	01/17/2023 15:24	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:24	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:24	WG1989340

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:26	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:26	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:26	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:26	WG1989350
Chromium, Total Recoverable	0.00652		0.00300	1	01/17/2023 16:26	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:26	WG1989350
Nickel, Total Recoverable	0.00431		0.00400	1	01/17/2023 16:26	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:26	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:26	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:26	WG1989350
Zinc, Total Recoverable	0.0264		0.00500	1	01/17/2023 16:26	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 14:25	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 14:25	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 14:25	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 14:25	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 14:25	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 14:25	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 14:25	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 14:25	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 14:25	WG1989023
Acetone	ND		10.0	1	01/15/2023 14:25	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 14:25	WG1989023
Benzene	ND		1.00	1	01/15/2023 14:25	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Bromoform	ND		1.00	1	01/15/2023 14:25	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 14:25	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 14:25	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 14:25	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 14:25	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 14:25	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 14:25	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 14:25	WG1989023
Styrene	ND		1.00	1	01/15/2023 14:25	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 14:25	WG1989023
Toluene	ND		1.00	1	01/15/2023 14:25	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 14:25	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 14:25	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 14:25	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 14:25	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 14:25	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:25	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:25	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:25	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:25	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 14:25	WG1989023
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/15/2023 14:25	WG1989023
(S) 4-Bromofluorobenzene	82.6			77.0-126	01/15/2023 14:25	WG1989023
(S) Toluene-d8	87.4			80.0-120	01/15/2023 14:25	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.67	su
Specific Conductance (on site)	547	umhos/cm
Temperature (on-site)	15.1	Deg. C
Turbidity (on-site)	8.4	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	134.4	mV
Depth to water (DTW) (FROM TOC)	45.46	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	309		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	291		10.0	1	01/18/2023 17:00	WG1990374
Alkalinity,Bicarbonate	291		10.0	1	01/18/2023 17:00	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:00	WG1990374

Sample Narrative:

L1575932-14 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:42	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.594		0.100	1	01/18/2023 15:06	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.95		3.00	1	01/14/2023 05:09	WG1988475
Sulfate	13.4		5.00	1	01/14/2023 21:04	WG1988864

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.00		1.00	1	01/15/2023 10:46	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:27	WG1989340
Barium,Total Recoverable	0.0861		0.00500	1	01/17/2023 15:27	WG1989340
Calcium, Total Recoverable	108		0.200	1	01/17/2023 15:27	WG1989340
Iron, Total Recoverable	0.0700	J	0.0600	1	01/17/2023 15:27	WG1989340
Potassium, Total Recoverable	3.11		3.00	1	01/17/2023 15:27	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.65		0.200	1	01/17/2023 15:27	WG1989340
Manganese, Total Recoverable	0.774		0.00300	1	01/17/2023 15:27	WG1989340
Sodium, Total Recoverable	ND		5.00	1	01/17/2023 15:27	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:27	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:27	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:30	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:30	WG1989350
Cadmium, Total Recoverable	0.0496		0.00100	1	01/17/2023 16:30	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:30	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:30	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:30	WG1989350
Nickel, Total Recoverable	0.0490		0.00400	1	01/17/2023 16:30	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:30	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:30	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:30	WG1989350
Zinc, Total Recoverable	0.186		0.00500	1	01/17/2023 16:30	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 14:46	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 14:46	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 14:46	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 14:46	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 14:46	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 14:46	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 14:46	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 14:46	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 14:46	WG1989023
Acetone	ND		10.0	1	01/15/2023 14:46	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 14:46	WG1989023
Benzene	ND		1.00	1	01/15/2023 14:46	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Bromoform	ND		1.00	1	01/15/2023 14:46	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 14:46	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 14:46	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 14:46	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 14:46	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 14:46	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 14:46	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 14:46	WG1989023
Styrene	ND		1.00	1	01/15/2023 14:46	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 14:46	WG1989023
Toluene	ND		1.00	1	01/15/2023 14:46	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 14:46	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 14:46	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 14:46	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 14:46	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 14:46	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:46	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:46	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 14:46	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 14:46	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 14:46	WG1989023
(S) 1,2-Dichloroethane-d4	115			70.0-130	01/15/2023 14:46	WG1989023
(S) 4-Bromofluorobenzene	83.0			77.0-126	01/15/2023 14:46	WG1989023
(S) Toluene-d8	88.9			80.0-120	01/15/2023 14:46	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.7	su
Specific Conductance (on site)	576	umhos/cm
Temperature (on-site)	15.3	Deg. C
Turbidity (on-site)	2.3	NTU
Dissolved Oxygen (on-site)	3.2	mg/l
eH/ORP (On Site)	165.2	mV
Depth to water (DTW) (FROM TOC)	86.76	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	315		10.0	1	01/16/2023 09:11	WG1988368

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	207		10.0	1	01/18/2023 17:05	WG1990374
Alkalinity,Bicarbonate	207		10.0	1	01/18/2023 17:05	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:05	WG1990374

Sample Narrative:

L1575932-15 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:44	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	4.54		0.100	1	01/18/2023 15:10	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	33.3		3.00	1	01/14/2023 05:27	WG1988475
Sulfate	20.1		5.00	1	01/14/2023 21:52	WG1988864

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.68		1.00	1	01/15/2023 11:40	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:35	WG1989340
Barium, Total Recoverable	0.129		0.00500	1	01/17/2023 15:35	WG1989340
Calcium, Total Recoverable	71.6		0.200	1	01/17/2023 15:35	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:35	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:35	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.54		0.200	1	01/17/2023 15:35	WG1989340
Manganese, Total Recoverable	0.0109		0.00300	1	01/17/2023 15:35	WG1989340
Sodium, Total Recoverable	35.0		5.00	1	01/17/2023 15:35	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:35	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:35	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:33	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:33	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:33	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:33	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:33	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:33	WG1989350
Nickel, Total Recoverable	0.00400		0.00400	1	01/17/2023 16:33	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:33	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:33	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:33	WG1989350
Zinc, Total Recoverable	0.00743	J	0.00500	1	01/17/2023 16:33	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 15:06	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 15:06	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 15:06	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 15:06	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 15:06	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 15:06	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 15:06	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 15:06	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 15:06	WG1989023
Acetone	ND		10.0	1	01/15/2023 15:06	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 15:06	WG1989023
Benzene	ND		1.00	1	01/15/2023 15:06	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Bromoform	ND		1.00	1	01/15/2023 15:06	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 15:06	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 15:06	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 15:06	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 15:06	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 15:06	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 15:06	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 15:06	WG1989023
Styrene	ND		1.00	1	01/15/2023 15:06	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 15:06	WG1989023
Toluene	ND		1.00	1	01/15/2023 15:06	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 15:06	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 15:06	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 15:06	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 15:06	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 15:06	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:06	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:06	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:06	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:06	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 15:06	WG1989023
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/15/2023 15:06	WG1989023
(S) 4-Bromofluorobenzene	83.6			77.0-126	01/15/2023 15:06	WG1989023
(S) Toluene-d8	88.6			80.0-120	01/15/2023 15:06	WG1989023

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.53	su
Specific Conductance (on site)	477	umhos/cm
Temperature (on-site)	15.5	Deg. C
Turbidity (on-site)	3.7	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	146.9	mV
Depth to water (DTW) (FROM TOC)	29	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	263		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	177		10.0	1	01/18/2023 17:21	WG1990374
Alkalinity,Bicarbonate	177		10.0	1	01/18/2023 17:21	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:21	WG1990374

Sample Narrative:

L1575932-16 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/17/2023 15:45	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.83		0.100	1	01/18/2023 15:11	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	28.6		3.00	1	01/14/2023 05:45	WG1988475
Sulfate	19.3		5.00	1	01/14/2023 22:08	WG1988864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.66		1.00	1	01/15/2023 11:54	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:38	WG1989340
Barium, Total Recoverable	0.139		0.00500	1	01/17/2023 15:38	WG1989340
Calcium, Total Recoverable	52.0		0.200	1	01/17/2023 15:38	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:38	WG1989340
Potassium, Total Recoverable	4.26		3.00	1	01/17/2023 15:38	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	8.36		0.200	1	01/17/2023 15:38	WG1989340
Manganese, Total Recoverable	2.53		0.00300	1	01/17/2023 15:38	WG1989340
Sodium, Total Recoverable	25.7		5.00	1	01/17/2023 15:38	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:38	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:38	WG1989340

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:43	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:43	WG1989350
Cadmium, Total Recoverable	0.00716		0.00100	1	01/17/2023 16:43	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:43	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:43	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:43	WG1989350
Nickel, Total Recoverable	0.0193		0.00400	1	01/17/2023 16:43	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:43	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:43	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:43	WG1989350
Zinc, Total Recoverable	0.0131	J	0.00500	1	01/17/2023 16:43	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 15:26	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 15:26	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 15:26	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 15:26	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 15:26	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 15:26	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 15:26	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 15:26	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 15:26	WG1989023
Acetone	ND		10.0	1	01/15/2023 15:26	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 15:26	WG1989023
Benzene	ND		1.00	1	01/15/2023 15:26	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Bromoform	ND		1.00	1	01/15/2023 15:26	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 15:26	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 15:26	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 15:26	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 15:26	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 15:26	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 15:26	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 15:26	WG1989023
Styrene	ND		1.00	1	01/15/2023 15:26	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 15:26	WG1989023
Toluene	ND		1.00	1	01/15/2023 15:26	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 15:26	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 15:26	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 15:26	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 15:26	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 15:26	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:26	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:26	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:26	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:26	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 15:26	WG1989023
(S) 1,2-Dichloroethane-d4	111			70.0-130	01/15/2023 15:26	WG1989023
(S) 4-Bromofluorobenzene	81.1			77.0-126	01/15/2023 15:26	WG1989023
(S) Toluene-d8	86.2			80.0-120	01/15/2023 15:26	WG1989023

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.35	su
Specific Conductance (on site)	454	umhos/cm
Temperature (on-site)	14.8	Deg. C
Turbidity (on-site)	9.1	NTU
Dissolved Oxygen (on-site)	0.2	mg/l
eH/ORP (On Site)	97.4	mV
Depth to water (DTW) (FROM TOC)	30.1	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	246		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	250		10.0	1	01/18/2023 17:26	WG1990374
Alkalinity,Bicarbonate	250		10.0	1	01/18/2023 17:26	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:26	WG1990374

Sample Narrative:

L1575932-17 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.156		0.100	1	01/17/2023 15:48	WG1989765

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/18/2023 15:13	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.62		3.00	1	01/14/2023 06:03	WG1988475
Sulfate	ND		5.00	1	01/14/2023 22:24	WG1988864

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	4.81		1.00	1	01/15/2023 12:12	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:41	WG1989340
Barium,Total Recoverable	0.0399		0.00500	1	01/17/2023 15:41	WG1989340
Calcium, Total Recoverable	31.4		0.200	1	01/17/2023 15:41	WG1989340
Iron, Total Recoverable	0.992		0.0600	1	01/17/2023 15:41	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:41	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	10.3		0.200	1	01/17/2023 15:41	WG1989340
Manganese, Total Recoverable	0.101		0.00300	1	01/17/2023 15:41	WG1989340
Sodium, Total Recoverable	52.5		5.00	1	01/17/2023 15:41	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:41	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:41	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:46	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:46	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:46	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:46	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:46	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:46	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:46	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:46	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:46	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:46	WG1989350
Zinc, Total Recoverable	ND		0.00500	1	01/17/2023 16:46	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 15:47	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 15:47	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 15:47	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 15:47	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 15:47	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 15:47	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 15:47	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 15:47	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 15:47	WG1989023
Acetone	ND		10.0	1	01/15/2023 15:47	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 15:47	WG1989023
Benzene	ND		1.00	1	01/15/2023 15:47	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Bromoform	ND		1.00	1	01/15/2023 15:47	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 15:47	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 15:47	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 15:47	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 15:47	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 15:47	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 15:47	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 15:47	WG1989023
Styrene	ND		1.00	1	01/15/2023 15:47	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 15:47	WG1989023
Toluene	ND		1.00	1	01/15/2023 15:47	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 15:47	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 15:47	WG1989023
Vinyl acetate	ND	<u>J3</u>	5.00	1	01/15/2023 15:47	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 15:47	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 15:47	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:47	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:47	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 15:47	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 15:47	WG1989023
trans-1,4-Dichloro-2-butene	ND	<u>J3 J4</u>	1.00	1	01/15/2023 15:47	WG1989023
(S) 1,2-Dichloroethane-d4	114			70.0-130	01/15/2023 15:47	WG1989023
(S) 4-Bromofluorobenzene	83.4			77.0-126	01/15/2023 15:47	WG1989023
(S) Toluene-d8	87.6			80.0-120	01/15/2023 15:47	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.19	su
Specific Conductance (on site)	343	umhos/cm
Temperature (on-site)	15.8	Deg. C
Turbidity (on-site)	2.7	NTU
Dissolved Oxygen (on-site)	6.9	mg/l
eH/ORP (On Site)	132.4	mV
Depth to water (DTW) (FROM TOC)	58.5	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	184		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	184		10.0	1	01/18/2023 17:31	WG1990374
Alkalinity,Bicarbonate	184		10.0	1	01/18/2023 17:31	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:31	WG1990374

Sample Narrative:

L1575932-18 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:08	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.407		0.100	1	01/18/2023 15:14	WG1989491

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	ND		3.00	1	01/14/2023 06:21	WG1988475
Sulfate	ND		5.00	1	01/14/2023 22:39	WG1988864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 12:24	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:44	WG1989340
Barium,Total Recoverable	0.0509		0.00500	1	01/17/2023 15:44	WG1989340
Calcium, Total Recoverable	66.3		0.200	1	01/17/2023 15:44	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:44	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:44	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	0.604	J	0.200	1	01/17/2023 15:44	WG1989340
Manganese, Total Recoverable	ND		0.00300	1	01/17/2023 15:44	WG1989340
Sodium, Total Recoverable	ND		5.00	1	01/17/2023 15:44	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:44	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:44	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:49	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:49	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:49	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:49	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:49	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:49	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:49	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:49	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:49	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:49	WG1989350
Zinc, Total Recoverable	0.0222	J	0.00500	1	01/17/2023 16:49	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 16:07	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 16:07	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 16:07	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 16:07	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 16:07	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 16:07	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 16:07	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 16:07	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 16:07	WG1989023
Acetone	ND		10.0	1	01/15/2023 16:07	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 16:07	WG1989023
Benzene	ND		1.00	1	01/15/2023 16:07	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Bromoform	ND		1.00	1	01/15/2023 16:07	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 16:07	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 16:07	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 16:07	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 16:07	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 16:07	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 16:07	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 16:07	WG1989023
Styrene	ND		1.00	1	01/15/2023 16:07	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 16:07	WG1989023
Toluene	ND		1.00	1	01/15/2023 16:07	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 16:07	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 16:07	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 16:07	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 16:07	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 16:07	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 16:07	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 16:07	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 16:07	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 16:07	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 16:07	WG1989023
(S) 1,2-Dichloroethane-d4	113			70.0-130	01/15/2023 16:07	WG1989023
(S) 4-Bromofluorobenzene	81.4			77.0-126	01/15/2023 16:07	WG1989023
(S) Toluene-d8	87.3			80.0-120	01/15/2023 16:07	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.56	su
Specific Conductance (on site)	532	umhos/cm
Temperature (on-site)	15.6	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	5.5	mg/l
eH/ORP (On Site)	163	mV
Depth to water (DTW) (FROM TOC)	58.35	ft

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	300		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	206		10.0	1	01/18/2023 17:37	WG1990374
Alkalinity,Bicarbonate	206		10.0	1	01/18/2023 17:37	WG1990374
Alkalinity,Carbonate	ND		10.0	1	01/18/2023 17:37	WG1990374

Sample Narrative:

L1575932-19 WG1990374: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:11	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.99		0.100	1	01/19/2023 08:43	WG1989487

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	40.5		3.00	1	01/13/2023 23:14	WG1988557
Sulfate	12.3		5.00	1	01/13/2023 23:14	WG1988557

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.25		1.00	1	01/15/2023 12:37	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:47	WG1989340
Barium,Total Recoverable	0.0233		0.00500	1	01/17/2023 15:47	WG1989340
Calcium, Total Recoverable	74.6		0.200	1	01/17/2023 15:47	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:47	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:47	WG1989340



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.24		0.200	1	01/17/2023 15:47	WG1989340
Manganese, Total Recoverable	ND		0.00300	1	01/17/2023 15:47	WG1989340
Sodium, Total Recoverable	26.7		5.00	1	01/17/2023 15:47	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:47	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:47	WG1989340

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:53	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:53	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:53	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:53	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:53	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:53	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:53	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:53	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:53	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:53	WG1989350
Zinc, Total Recoverable	0.00525	J	0.00500	1	01/17/2023 16:53	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,1,1-Trichloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,1,2,2-Tetrachloroethane	ND	J3 J4	1.00	1	01/15/2023 16:28	WG1989023
1,1,2-Trichloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,1-Dichloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,1-Dichloroethene	ND		1.00	1	01/15/2023 16:28	WG1989023
1,2,3-Trichloropropane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/15/2023 16:28	WG1989023
1,2-Dibromoethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,2-Dichlorobenzene	ND		1.00	1	01/15/2023 16:28	WG1989023
1,2-Dichloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,2-Dichloropropane	ND		1.00	1	01/15/2023 16:28	WG1989023
1,4-Dichlorobenzene	ND		1.00	1	01/15/2023 16:28	WG1989023
2-Butanone (MEK)	ND		5.00	1	01/15/2023 16:28	WG1989023
2-Hexanone	ND		5.00	1	01/15/2023 16:28	WG1989023
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/15/2023 16:28	WG1989023
Acetone	ND		10.0	1	01/15/2023 16:28	WG1989023
Acrylonitrile	ND		20.0	1	01/15/2023 16:28	WG1989023
Benzene	ND		1.00	1	01/15/2023 16:28	WG1989023
Bromochloromethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Bromodichloromethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Bromoform	ND		1.00	1	01/15/2023 16:28	WG1989023
Bromomethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Carbon disulfide	ND		1.00	1	01/15/2023 16:28	WG1989023
Carbon tetrachloride	ND		1.00	1	01/15/2023 16:28	WG1989023
Chlorobenzene	ND		1.00	1	01/15/2023 16:28	WG1989023
Chloroethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Chloroform	ND	J4	1.00	1	01/15/2023 16:28	WG1989023
Chloromethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Dibromochloromethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Dibromomethane	ND		1.00	1	01/15/2023 16:28	WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/15/2023 16:28	WG1989023
Iodomethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Methylene Chloride	ND		1.07	1	01/15/2023 16:28	WG1989023
Styrene	ND		1.00	1	01/15/2023 16:28	WG1989023
Tetrachloroethene	ND		1.00	1	01/15/2023 16:28	WG1989023
Toluene	ND		1.00	1	01/15/2023 16:28	WG1989023
Trichloroethene	ND		1.00	1	01/15/2023 16:28	WG1989023
Trichlorofluoromethane	ND		1.00	1	01/15/2023 16:28	WG1989023
Vinyl acetate	ND	J3	5.00	1	01/15/2023 16:28	WG1989023
Vinyl chloride	ND		1.00	1	01/15/2023 16:28	WG1989023
Xylenes, Total	ND		1.00	1	01/15/2023 16:28	WG1989023
cis-1,2-Dichloroethene	ND		1.00	1	01/15/2023 16:28	WG1989023
cis-1,3-Dichloropropene	ND		1.00	1	01/15/2023 16:28	WG1989023
trans-1,2-Dichloroethene	ND		1.00	1	01/15/2023 16:28	WG1989023
trans-1,3-Dichloropropene	ND		1.00	1	01/15/2023 16:28	WG1989023
trans-1,4-Dichloro-2-butene	ND	J3 J4	1.00	1	01/15/2023 16:28	WG1989023
(S) 1,2-Dichloroethane-d4	117			70.0-130	01/15/2023 16:28	WG1989023
(S) 4-Bromofluorobenzene	83.8			77.0-126	01/15/2023 16:28	WG1989023
(S) Toluene-d8	88.2			80.0-120	01/15/2023 16:28	WG1989023

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.35	su
Specific Conductance (on site)	344	umhos/cm
Temperature (on-site)	16.2	Deg. C
Turbidity (on-site)	2.7	NTU
Dissolved Oxygen (on-site)	6.8	mg/l
eH/ORP (On Site)	140.1	mV
Depth to water (DTW) (FROM TOC)	73.85	ft

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	184		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	173		10.0	1	01/20/2023 09:09	WG1990886
Alkalinity,Bicarbonate	173		10.0	1	01/20/2023 09:09	WG1990886
Alkalinity,Carbonate	ND		10.0	1	01/20/2023 09:09	WG1990886

Sample Narrative:

L1575932-20 WG1990886: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:13	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.226		0.100	1	01/19/2023 08:44	WG1989487

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.59		3.00	1	01/14/2023 00:04	WG1988557
Sulfate	ND		5.00	1	01/14/2023 00:04	WG1988557

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 12:49	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:50	WG1989340
Barium,Total Recoverable	0.0313		0.00500	1	01/17/2023 15:50	WG1989340
Calcium, Total Recoverable	63.7		0.200	1	01/17/2023 15:50	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:50	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:50	WG1989340

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.13		0.200	1	01/17/2023 15:50	WG1989340
Manganese, Total Recoverable	ND		0.00300	1	01/17/2023 15:50	WG1989340
Sodium, Total Recoverable	ND		5.00	1	01/17/2023 15:50	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:50	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:50	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:56	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:56	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:56	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:56	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:56	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:56	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:56	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:56	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:56	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:56	WG1989350
Zinc, Total Recoverable	0.00573	J	0.00500	1	01/17/2023 16:56	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,1-Dichloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,1-Dichloroethene	ND		1.00	1	01/14/2023 15:58	WG1988740
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 15:58	WG1988740
1,2-Dibromoethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 15:58	WG1988740
1,2-Dichloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,2-Dichloropropane	ND		1.00	1	01/14/2023 15:58	WG1988740
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 15:58	WG1988740
2-Butanone (MEK)	ND		5.00	1	01/14/2023 15:58	WG1988740
2-Hexanone	ND		5.00	1	01/14/2023 15:58	WG1988740
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 15:58	WG1988740
Acetone	ND		10.0	1	01/14/2023 15:58	WG1988740
Acrylonitrile	ND		20.0	1	01/14/2023 15:58	WG1988740
Benzene	ND		1.00	1	01/14/2023 15:58	WG1988740
Bromochloromethane	ND	J4	1.00	1	01/14/2023 15:58	WG1988740
Bromodichloromethane	ND		1.00	1	01/14/2023 15:58	WG1988740
Bromoform	ND		1.00	1	01/14/2023 15:58	WG1988740
Bromomethane	ND		1.00	1	01/14/2023 15:58	WG1988740
Carbon disulfide	ND		1.00	1	01/14/2023 15:58	WG1988740
Carbon tetrachloride	ND		1.00	1	01/14/2023 15:58	WG1988740
Chlorobenzene	ND		1.00	1	01/14/2023 15:58	WG1988740
Chloroethane	ND		1.00	1	01/14/2023 15:58	WG1988740
Chloroform	ND		1.00	1	01/14/2023 15:58	WG1988740
Chloromethane	ND	J3	1.00	1	01/14/2023 15:58	WG1988740
Dibromochloromethane	ND		1.00	1	01/14/2023 15:58	WG1988740
Dibromomethane	ND		1.00	1	01/14/2023 15:58	WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 15:58	WG1988740
Iodomethane	ND	<u>J3</u>	1.00	1	01/14/2023 15:58	WG1988740
Methylene Chloride	ND		1.07	1	01/14/2023 15:58	WG1988740
Styrene	ND		1.00	1	01/14/2023 15:58	WG1988740
Tetrachloroethene	ND		1.00	1	01/14/2023 15:58	WG1988740
Toluene	ND		1.00	1	01/14/2023 15:58	WG1988740
Trichloroethene	ND		1.00	1	01/14/2023 15:58	WG1988740
Trichlorofluoromethane	ND		1.00	1	01/14/2023 15:58	WG1988740
Vinyl acetate	ND		5.00	1	01/14/2023 15:58	WG1988740
Vinyl chloride	ND		1.00	1	01/14/2023 15:58	WG1988740
Xylenes, Total	ND		1.00	1	01/14/2023 15:58	WG1988740
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 15:58	WG1988740
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 15:58	WG1988740
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 15:58	WG1988740
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 15:58	WG1988740
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 15:58	WG1988740
(S) 1,2-Dichloroethane-d4	101			70.0-130	01/14/2023 15:58	WG1988740
(S) 4-Bromofluorobenzene	94.6			77.0-126	01/14/2023 15:58	WG1988740
(S) Toluene-d8	105			80.0-120	01/14/2023 15:58	WG1988740

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.87	su
Specific Conductance (on site)	272	umhos/cm
Temperature (on-site)	15.6	Deg. C
Turbidity (on-site)	23.8	NTU
Dissolved Oxygen (on-site)	8.5	mg/l
eH/ORP (On Site)	160.4	mV
Depth to water (DTW) (FROM TOC)	60.05	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	187		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	143		10.0	1	01/20/2023 09:14	WG1990886
Alkalinity,Bicarbonate	143		10.0	1	01/20/2023 09:14	WG1990886
Alkalinity,Carbonate	ND		10.0	1	01/20/2023 09:14	WG1990886

Sample Narrative:

L1575932-21 WG1990886: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:14	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.50		0.100	1	01/19/2023 08:45	WG1989487

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	11.0		3.00	1	01/14/2023 00:17	WG1988557
Sulfate	14.4		5.00	1	01/14/2023 00:17	WG1988557

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	3.54		1.00	1	01/15/2023 13:08	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:53	WG1989340
Barium, Total Recoverable	0.0435		0.00500	1	01/17/2023 15:53	WG1989340
Calcium, Total Recoverable	45.6		0.200	1	01/17/2023 15:53	WG1989340
Iron, Total Recoverable	0.159		0.0600	1	01/17/2023 15:53	WG1989340
Potassium, Total Recoverable	3.14		3.00	1	01/17/2023 15:53	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.05		0.200	1	01/17/2023 15:53	WG1989340
Manganese, Total Recoverable	0.0772		0.00300	1	01/17/2023 15:53	WG1989340
Sodium, Total Recoverable	12.1		5.00	1	01/17/2023 15:53	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:53	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:53	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 16:59	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 16:59	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 16:59	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 16:59	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 16:59	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 16:59	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 16:59	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 16:59	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 16:59	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 16:59	WG1989350
Zinc, Total Recoverable	0.0166	J	0.00500	1	01/17/2023 16:59	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,1-Dichloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,1-Dichloroethene	ND		1.00	1	01/14/2023 16:20	WG1988740
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 16:20	WG1988740
1,2-Dibromoethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 16:20	WG1988740
1,2-Dichloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,2-Dichloropropane	ND		1.00	1	01/14/2023 16:20	WG1988740
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 16:20	WG1988740
2-Butanone (MEK)	ND		5.00	1	01/14/2023 16:20	WG1988740
2-Hexanone	ND		5.00	1	01/14/2023 16:20	WG1988740
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 16:20	WG1988740
Acetone	ND		10.0	1	01/14/2023 16:20	WG1988740
Acrylonitrile	ND		20.0	1	01/14/2023 16:20	WG1988740
Benzene	ND		1.00	1	01/14/2023 16:20	WG1988740
Bromochloromethane	ND	J4	1.00	1	01/14/2023 16:20	WG1988740
Bromodichloromethane	ND		1.00	1	01/14/2023 16:20	WG1988740
Bromoform	ND		1.00	1	01/14/2023 16:20	WG1988740
Bromomethane	ND		1.00	1	01/14/2023 16:20	WG1988740
Carbon disulfide	ND		1.00	1	01/14/2023 16:20	WG1988740
Carbon tetrachloride	ND		1.00	1	01/14/2023 16:20	WG1988740
Chlorobenzene	ND		1.00	1	01/14/2023 16:20	WG1988740
Chloroethane	ND		1.00	1	01/14/2023 16:20	WG1988740
Chloroform	ND		1.00	1	01/14/2023 16:20	WG1988740
Chloromethane	ND	J3	1.00	1	01/14/2023 16:20	WG1988740
Dibromochloromethane	ND		1.00	1	01/14/2023 16:20	WG1988740
Dibromomethane	ND		1.00	1	01/14/2023 16:20	WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 16:20	WG1988740
Iodomethane	ND	<u>J3</u>	1.00	1	01/14/2023 16:20	WG1988740
Methylene Chloride	ND		1.07	1	01/14/2023 16:20	WG1988740
Styrene	ND		1.00	1	01/14/2023 16:20	WG1988740
Tetrachloroethene	ND		1.00	1	01/14/2023 16:20	WG1988740
Toluene	ND		1.00	1	01/14/2023 16:20	WG1988740
Trichloroethene	ND		1.00	1	01/14/2023 16:20	WG1988740
Trichlorofluoromethane	ND		1.00	1	01/14/2023 16:20	WG1988740
Vinyl acetate	ND		5.00	1	01/14/2023 16:20	WG1988740
Vinyl chloride	ND		1.00	1	01/14/2023 16:20	WG1988740
Xylenes, Total	ND		1.00	1	01/14/2023 16:20	WG1988740
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 16:20	WG1988740
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 16:20	WG1988740
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 16:20	WG1988740
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 16:20	WG1988740
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 16:20	WG1988740
(S) 1,2-Dichloroethane-d4	99.8			70.0-130	01/14/2023 16:20	WG1988740
(S) 4-Bromofluorobenzene	90.4			77.0-126	01/14/2023 16:20	WG1988740
(S) Toluene-d8	106			80.0-120	01/14/2023 16:20	WG1988740

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.79	su
Specific Conductance (on site)	288	umhos/cm
Temperature (on-site)	17.9	Deg. C
Turbidity (on-site)	7.3	NTU
Dissolved Oxygen (on-site)	7.9	mg/l
eH/ORP (On Site)	99.1	mV
Depth to water (DTW) (FROM TOC)	67.85	ft

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	158		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	101		10.0	1	01/20/2023 09:31	WG1990886
Alkalinity,Bicarbonate	101		10.0	1	01/20/2023 09:31	WG1990886
Alkalinity,Carbonate	ND		10.0	1	01/20/2023 09:31	WG1990886

Sample Narrative:

L1575932-22 WG1990886: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:16	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	4.38		0.100	1	01/19/2023 09:26	WG1989492

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	9.07		3.00	1	01/14/2023 00:30	WG1988557
Sulfate	7.37		5.00	1	01/14/2023 00:30	WG1988557

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 13:21	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:56	WG1989340
Barium,Total Recoverable	0.0252		0.00500	1	01/17/2023 15:56	WG1989340
Calcium, Total Recoverable	43.3		0.200	1	01/17/2023 15:56	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:56	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:56	WG1989340



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.69		0.200	1	01/17/2023 15:56	WG1989340
Manganese, Total Recoverable	0.00899	J	0.00300	1	01/17/2023 15:56	WG1989340
Sodium, Total Recoverable	6.69		5.00	1	01/17/2023 15:56	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:56	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:56	WG1989340

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 17:03	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 17:03	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 17:03	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 17:03	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 17:03	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 17:03	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 17:03	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 17:03	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 17:03	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 17:03	WG1989350
Zinc, Total Recoverable	ND		0.00500	1	01/17/2023 17:03	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,1-Dichloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,1-Dichloroethene	ND		1.00	1	01/14/2023 16:41	WG1988740
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 16:41	WG1988740
1,2-Dibromoethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 16:41	WG1988740
1,2-Dichloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,2-Dichloropropane	ND		1.00	1	01/14/2023 16:41	WG1988740
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 16:41	WG1988740
2-Butanone (MEK)	ND		5.00	1	01/14/2023 16:41	WG1988740
2-Hexanone	ND		5.00	1	01/14/2023 16:41	WG1988740
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 16:41	WG1988740
Acetone	ND		10.0	1	01/14/2023 16:41	WG1988740
Acrylonitrile	ND		20.0	1	01/14/2023 16:41	WG1988740
Benzene	ND		1.00	1	01/14/2023 16:41	WG1988740
Bromochloromethane	ND	J4	1.00	1	01/14/2023 16:41	WG1988740
Bromodichloromethane	ND		1.00	1	01/14/2023 16:41	WG1988740
Bromoform	ND		1.00	1	01/14/2023 16:41	WG1988740
Bromomethane	ND		1.00	1	01/14/2023 16:41	WG1988740
Carbon disulfide	ND		1.00	1	01/14/2023 16:41	WG1988740
Carbon tetrachloride	ND		1.00	1	01/14/2023 16:41	WG1988740
Chlorobenzene	ND		1.00	1	01/14/2023 16:41	WG1988740
Chloroethane	ND		1.00	1	01/14/2023 16:41	WG1988740
Chloroform	ND		1.00	1	01/14/2023 16:41	WG1988740
Chloromethane	ND	J3	1.00	1	01/14/2023 16:41	WG1988740
Dibromochloromethane	ND		1.00	1	01/14/2023 16:41	WG1988740
Dibromomethane	ND		1.00	1	01/14/2023 16:41	WG1988740


Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 16:41	WG1988740
Iodomethane	ND	<u>J3</u>	1.00	1	01/14/2023 16:41	WG1988740
Methylene Chloride	ND		1.07	1	01/14/2023 16:41	WG1988740
Styrene	ND		1.00	1	01/14/2023 16:41	WG1988740
Tetrachloroethene	ND		1.00	1	01/14/2023 16:41	WG1988740
Toluene	ND		1.00	1	01/14/2023 16:41	WG1988740
Trichloroethene	ND		1.00	1	01/14/2023 16:41	WG1988740
Trichlorofluoromethane	ND		1.00	1	01/14/2023 16:41	WG1988740
Vinyl acetate	ND		5.00	1	01/14/2023 16:41	WG1988740
Vinyl chloride	ND		1.00	1	01/14/2023 16:41	WG1988740
Xylenes, Total	ND		1.00	1	01/14/2023 16:41	WG1988740
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 16:41	WG1988740
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 16:41	WG1988740
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 16:41	WG1988740
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 16:41	WG1988740
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 16:41	WG1988740
(S) 1,2-Dichloroethane-d4	103			70.0-130	01/14/2023 16:41	WG1988740
(S) 4-Bromofluorobenzene	90.9			77.0-126	01/14/2023 16:41	WG1988740
(S) Toluene-d8	106			80.0-120	01/14/2023 16:41	WG1988740

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.45	su
Specific Conductance (on site)	461	umhos/cm
Temperature (on-site)	15.3	Deg. C
Turbidity (on-site)	8.6	NTU
Dissolved Oxygen (on-site)	3.1	mg/l
eH/ORP (On Site)	139.5	mV
Depth to water (DTW) (FROM TOC)	65.7	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	247		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	247		10.0	1	01/20/2023 09:36	WG1990886
Alkalinity,Bicarbonate	247		10.0	1	01/20/2023 09:36	WG1990886
Alkalinity,Carbonate	ND		10.0	1	01/20/2023 09:36	WG1990886

Sample Narrative:

L1575932-23 WG1990886: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:17	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.610		0.100	1	01/19/2023 09:27	WG1989492

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.57		3.00	1	01/14/2023 01:08	WG1988557
Sulfate	ND		5.00	1	01/14/2023 01:08	WG1988557

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/15/2023 13:36	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 15:59	WG1989340
Barium,Total Recoverable	0.102		0.00500	1	01/17/2023 15:59	WG1989340
Calcium, Total Recoverable	80.2		0.200	1	01/17/2023 15:59	WG1989340
Iron, Total Recoverable	ND		0.0600	1	01/17/2023 15:59	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 15:59	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.69		0.200	1	01/17/2023 15:59	WG1989340
Manganese, Total Recoverable	0.0273		0.00300	1	01/17/2023 15:59	WG1989340
Sodium, Total Recoverable	13.6		5.00	1	01/17/2023 15:59	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 15:59	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 15:59	WG1989340

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 17:06	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 17:06	WG1989350
Cadmium, Total Recoverable	ND		0.00100	1	01/17/2023 17:06	WG1989350
Cobalt, Total Recoverable	ND		0.00300	1	01/17/2023 17:06	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 17:06	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 17:06	WG1989350
Nickel, Total Recoverable	ND		0.00400	1	01/17/2023 17:06	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 17:06	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 17:06	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 17:06	WG1989350
Zinc, Total Recoverable	ND		0.00500	1	01/17/2023 17:06	WG1989350

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,1-Dichloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,1-Dichloroethene	ND		1.00	1	01/14/2023 17:03	WG1988740
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 17:03	WG1988740
1,2-Dibromoethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 17:03	WG1988740
1,2-Dichloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,2-Dichloropropane	ND		1.00	1	01/14/2023 17:03	WG1988740
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 17:03	WG1988740
2-Butanone (MEK)	ND		5.00	1	01/14/2023 17:03	WG1988740
2-Hexanone	ND		5.00	1	01/14/2023 17:03	WG1988740
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 17:03	WG1988740
Acetone	ND		10.0	1	01/14/2023 17:03	WG1988740
Acrylonitrile	ND		20.0	1	01/14/2023 17:03	WG1988740
Benzene	ND		1.00	1	01/14/2023 17:03	WG1988740
Bromochloromethane	ND	J4	1.00	1	01/14/2023 17:03	WG1988740
Bromodichloromethane	ND		1.00	1	01/14/2023 17:03	WG1988740
Bromoform	ND		1.00	1	01/14/2023 17:03	WG1988740
Bromomethane	ND		1.00	1	01/14/2023 17:03	WG1988740
Carbon disulfide	ND		1.00	1	01/14/2023 17:03	WG1988740
Carbon tetrachloride	ND		1.00	1	01/14/2023 17:03	WG1988740
Chlorobenzene	ND		1.00	1	01/14/2023 17:03	WG1988740
Chloroethane	ND		1.00	1	01/14/2023 17:03	WG1988740
Chloroform	ND		1.00	1	01/14/2023 17:03	WG1988740
Chloromethane	ND	J3	1.00	1	01/14/2023 17:03	WG1988740
Dibromochloromethane	ND		1.00	1	01/14/2023 17:03	WG1988740
Dibromomethane	ND		1.00	1	01/14/2023 17:03	WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 17:03	WG1988740
Iodomethane	ND	<u>J3</u>	1.00	1	01/14/2023 17:03	WG1988740
Methylene Chloride	ND		1.07	1	01/14/2023 17:03	WG1988740
Styrene	ND		1.00	1	01/14/2023 17:03	WG1988740
Tetrachloroethene	ND		1.00	1	01/14/2023 17:03	WG1988740
Toluene	ND		1.00	1	01/14/2023 17:03	WG1988740
Trichloroethene	ND		1.00	1	01/14/2023 17:03	WG1988740
Trichlorofluoromethane	ND		1.00	1	01/14/2023 17:03	WG1988740
Vinyl acetate	ND		5.00	1	01/14/2023 17:03	WG1988740
Vinyl chloride	ND		1.00	1	01/14/2023 17:03	WG1988740
Xylenes, Total	ND		1.00	1	01/14/2023 17:03	WG1988740
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 17:03	WG1988740
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 17:03	WG1988740
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 17:03	WG1988740
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 17:03	WG1988740
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 17:03	WG1988740
(S) 1,2-Dichloroethane-d4	103			70.0-130	01/14/2023 17:03	WG1988740
(S) 4-Bromofluorobenzene	93.4			77.0-126	01/14/2023 17:03	WG1988740
(S) Toluene-d8	108			80.0-120	01/14/2023 17:03	WG1988740

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.85	su
Specific Conductance (on site)	266	umhos/cm
Temperature (on-site)	17.1	Deg. C
Turbidity (on-site)	20.1	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	163.3	mV
Depth to water (DTW) (FROM TOC)	23.35	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	149		10.0	1	01/14/2023 10:11	WG1988673

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	86.1		10.0	1	01/20/2023 09:41	WG1990886
Alkalinity,Bicarbonate	86.1		10.0	1	01/20/2023 09:41	WG1990886
Alkalinity,Carbonate	ND		10.0	1	01/20/2023 09:41	WG1990886

Sample Narrative:

L1575932-24 WG1990886: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/18/2023 10:19	WG1990176

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.32		0.100	1	01/19/2023 09:29	WG1989492

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.7		3.00	1	01/14/2023 01:21	WG1988557
Sulfate	8.74		5.00	1	01/14/2023 01:21	WG1988557

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.60		1.00	1	01/15/2023 14:32	WG1988938

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/17/2023 16:02	WG1989340
Barium, Total Recoverable	0.201		0.00500	1	01/17/2023 16:02	WG1989340
Calcium, Total Recoverable	23.5		0.200	1	01/17/2023 16:02	WG1989340
Iron, Total Recoverable	1.15		0.0600	1	01/17/2023 16:02	WG1989340
Potassium, Total Recoverable	ND		3.00	1	01/17/2023 16:02	WG1989340

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	5.69		0.200	1	01/17/2023 16:02	WG1989340
Manganese, Total Recoverable	7.82		0.00300	1	01/17/2023 16:02	WG1989340
Sodium, Total Recoverable	9.61		5.00	1	01/17/2023 16:02	WG1989340
Lead, Total Recoverable	ND		0.00500	1	01/17/2023 16:02	WG1989340
Selenium, Total Recoverable	ND		0.0100	1	01/17/2023 16:02	WG1989340



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/17/2023 17:09	WG1989350
Beryllium, Total Recoverable	ND		0.00100	1	01/17/2023 17:09	WG1989350
Cadmium, Total Recoverable	0.00497		0.00100	1	01/17/2023 17:09	WG1989350
Cobalt, Total Recoverable	0.0127		0.00300	1	01/17/2023 17:09	WG1989350
Chromium, Total Recoverable	ND		0.00300	1	01/17/2023 17:09	WG1989350
Copper, Total Recoverable	ND		0.00400	1	01/17/2023 17:09	WG1989350
Nickel, Total Recoverable	0.0354		0.00400	1	01/17/2023 17:09	WG1989350
Antimony, Total Recoverable	ND		0.00200	1	01/17/2023 17:09	WG1989350
Thallium, Total Recoverable	ND		0.00100	1	01/17/2023 17:09	WG1989350
Vanadium, Total Recoverable	ND		0.00300	1	01/17/2023 17:09	WG1989350
Zinc, Total Recoverable	0.0586		0.00500	1	01/17/2023 17:09	WG1989350

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,1,1-Trichloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,1,2-Trichloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,1-Dichloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,1-Dichloroethene	ND		1.00	1	01/14/2023 17:25	WG1988740
1,2,3-Trichloropropane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/14/2023 17:25	WG1988740
1,2-Dibromoethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,2-Dichlorobenzene	ND		1.00	1	01/14/2023 17:25	WG1988740
1,2-Dichloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,2-Dichloropropane	ND		1.00	1	01/14/2023 17:25	WG1988740
1,4-Dichlorobenzene	ND		1.00	1	01/14/2023 17:25	WG1988740
2-Butanone (MEK)	ND		5.00	1	01/14/2023 17:25	WG1988740
2-Hexanone	ND		5.00	1	01/14/2023 17:25	WG1988740
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/14/2023 17:25	WG1988740
Acetone	ND		10.0	1	01/14/2023 17:25	WG1988740
Acrylonitrile	ND		20.0	1	01/14/2023 17:25	WG1988740
Benzene	ND		1.00	1	01/14/2023 17:25	WG1988740
Bromochloromethane	ND	J4	1.00	1	01/14/2023 17:25	WG1988740
Bromodichloromethane	ND		1.00	1	01/14/2023 17:25	WG1988740
Bromoform	ND		1.00	1	01/14/2023 17:25	WG1988740
Bromomethane	ND		1.00	1	01/14/2023 17:25	WG1988740
Carbon disulfide	ND		1.00	1	01/14/2023 17:25	WG1988740
Carbon tetrachloride	ND		1.00	1	01/14/2023 17:25	WG1988740
Chlorobenzene	ND		1.00	1	01/14/2023 17:25	WG1988740
Chloroethane	ND		1.00	1	01/14/2023 17:25	WG1988740
Chloroform	ND		1.00	1	01/14/2023 17:25	WG1988740
Chloromethane	ND	J3	1.00	1	01/14/2023 17:25	WG1988740
Dibromochloromethane	ND		1.00	1	01/14/2023 17:25	WG1988740
Dibromomethane	ND		1.00	1	01/14/2023 17:25	WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/14/2023 17:25	WG1988740
Iodomethane	ND	<u>J3</u>	1.00	1	01/14/2023 17:25	WG1988740
Methylene Chloride	ND		1.07	1	01/14/2023 17:25	WG1988740
Styrene	ND		1.00	1	01/14/2023 17:25	WG1988740
Tetrachloroethene	ND		1.00	1	01/14/2023 17:25	WG1988740
Toluene	ND		1.00	1	01/14/2023 17:25	WG1988740
Trichloroethene	ND		1.00	1	01/14/2023 17:25	WG1988740
Trichlorofluoromethane	ND		1.00	1	01/14/2023 17:25	WG1988740
Vinyl acetate	ND		5.00	1	01/14/2023 17:25	WG1988740
Vinyl chloride	ND		1.00	1	01/14/2023 17:25	WG1988740
Xylenes, Total	ND		1.00	1	01/14/2023 17:25	WG1988740
cis-1,2-Dichloroethene	ND		1.00	1	01/14/2023 17:25	WG1988740
cis-1,3-Dichloropropene	ND		1.00	1	01/14/2023 17:25	WG1988740
trans-1,2-Dichloroethene	ND		1.00	1	01/14/2023 17:25	WG1988740
trans-1,3-Dichloropropene	ND		1.00	1	01/14/2023 17:25	WG1988740
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/14/2023 17:25	WG1988740
(S) 1,2-Dichloroethane-d4	105			70.0-130	01/14/2023 17:25	WG1988740
(S) 4-Bromofluorobenzene	89.3			77.0-126	01/14/2023 17:25	WG1988740
(S) Toluene-d8	104			80.0-120	01/14/2023 17:25	WG1988740

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881965-1 01/16/23 09:11

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND		2.82	10.0

L1575611-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575611-01 01/16/23 09:11 • (DUP) R3881965-3 01/16/23 09:11

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	134	174	1	26.0	J3	5

L1575932-15 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-15 01/16/23 09:11 • (DUP) R3881965-4 01/16/23 09:11

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	315	311	1	1.28		5

Laboratory Control Sample (LCS)

(LCS) R3881965-2 01/16/23 09:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	7640	86.8	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881536-1 01/14/23 10:11

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND	2.82	10.0	10.0

L1575703-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575703-01 01/14/23 10:11 • (DUP) R3881536-3 01/16/23 10:00

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Dissolved Solids	415	434	1	4.48		5

Laboratory Control Sample (LCS)

(LCS) R3881536-2 01/14/23 10:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Dissolved Solids	8800	7800	88.6	77.3-123	

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3882758-1 01/18/23 11:50

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	5.00	↓	2.82	10.0

L1575932-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-09 01/18/23 11:50 • (DUP) R3882758-4 01/18/23 11:50

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Dissolved Solids	392	407	1	3.75		5

Laboratory Control Sample (LCS)

(LCS) R3882758-2 01/18/23 11:50

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Dissolved Solids	8800	7810	88.8	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3882223-2 01/18/23 11:54

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1573351-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1573351-04 01/18/23 12:29 • (DUP) R3882223-3 01/18/23 12:34

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	440	439	1	0.208		20
Alkalinity,Bicarbonate	440	439	1	0.208		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1574934-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1574934-01 01/18/23 13:55 • (DUP) R3882223-4 01/18/23 13:59

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	112	112	1	0.159		20
Alkalinity,Bicarbonate	112	112	1	0.159		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3882223-1 01/18/23 11:45

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	102	102	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3882433-2 01/18/23 15:31

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1575784-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575784-01 01/18/23 15:41 • (DUP) R3882433-4 01/18/23 15:47

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	177	178	1	0.561		20
Alkalinity,Bicarbonate	173	174	1	0.459		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1575932-19 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-19 01/18/23 17:37 • (DUP) R3882433-6 01/18/23 17:42

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	206	207	1	0.132		20
Alkalinity,Bicarbonate	206	207	1	0.132		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3882433-1 01/18/23 14:59

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	101	101	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3882902-2 01/20/23 08:33

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1573351-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1573351-08 01/20/23 08:43 • (DUP) R3882902-3 01/20/23 08:48

Analyte	Original Result		DUP Result		Dilution	DUP RPD %	DUP RPD Limits %
	mg/l	DUP Result mg/l	DUP Result mg/l	DUP RPD %			
Alkalinity	377	372	372	1	1.18	20	20
Alkalinity,Bicarbonate	377	372	372	1	1.18	20	20
Alkalinity,Carbonate	ND	ND	ND	1	0.000	20	20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1575991-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575991-01 01/20/23 09:46 • (DUP) R3882902-4 01/20/23 09:50

Analyte	Original Result		DUP Result		Dilution	DUP RPD %	DUP RPD Limits %
	mg/l	DUP Result mg/l	DUP Result mg/l	DUP RPD %			
Alkalinity	214	212	212	1	1.05	20	20
Alkalinity,Bicarbonate	214	212	212	1	1.05	20	20
Alkalinity,Carbonate	ND	ND	ND	1	0.000	20	20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3882902-1 01/20/23 08:22

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Alkalinity	100	103	103	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881835-1 01/17/23 15:01

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	0.0510	0.0317	0.0317	0.100

L1575801-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1575801-04 01/17/23 15:10 • (DUP) R3881835-5 01/17/23 15:12

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000		10

L1575932-17 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-17 01/17/23 15:48 • (DUP) R3881835-7 01/17/23 15:50

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	0.156	0.159	1	1.90		10

Laboratory Control Sample (LCS)

(LCS) R3881835-2 01/17/23 15:03

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Ammonia Nitrogen	7.50	7.07	94.3	90.0-110	

L1575801-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575801-03 01/17/23 15:06 • (MS) R3881835-3 01/17/23 15:07 • (MSD) R3881835-4 01/17/23 15:09

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	MSD Qualifier	RPD %	RPD Limits %
Ammonia Nitrogen	5.00	0.227	4.80	4.89	1	90.0-110	91.5	93.2	1.82	10	

L1575932-16 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575932-16 01/17/23 15:45 • (MS) R3881835-6 01/17/23 15:47

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.86	97.2	1	90.0-110	

Method Blank (MB)

(MB) R3882134-1 01/18/23 09:41

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	ND	0.0317	0.100	0.100

L1575932-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-18 01/18/23 10:08 • (DUP) R3882134-4 01/18/23 10:10

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000	10	10

L1575991-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1575991-02 01/18/23 10:29 • (DUP) R3882134-7 01/18/23 10:31

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	0.512	0.512	1	0.000	10	10

Laboratory Control Sample (LCS)

(LCS) R3882134-2 01/18/23 09:42

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Ammonia Nitrogen	7.50	7.71	103	90.0-110	

L1575759-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575759-01 01/18/23 10:00 • (MS) R3882134-3 01/18/23 10:02

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %
Ammonia Nitrogen	5.00	ND	5.13	103	1	90.0-110	

L1575991-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575991-01 01/18/23 10:20 • (MS) R3882134-5 01/18/23 10:22 • (MSD) R3882134-6 01/18/23 10:28

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD Limits %
Ammonia Nitrogen	5.00	ND	5.03	5.08	101	1	90.0-110	1.01	1.01	10

Method Blank (MB)

(MB) R3882410-1 01/19/23 08:04

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Nitrate-Nitrite	ND	0.0197	0.100	0.100

L1575435-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575435-01 01/19/23 08:07 • (DUP) R3882410-3 01/19/23 08:08

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.595		20

L1575435-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1575435-08 01/19/23 08:24 • (DUP) R3882410-6 01/19/23 08:25

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3882410-2 01/19/23 08:06

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Nitrate-Nitrite	2.50	2.55	102	90.0-110	

L1575435-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575435-01 01/19/23 08:07 • (MS) R3882410-4 01/19/23 08:10 • (MSD) R3882410-5 01/19/23 08:11

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	RPD %	<u>MSD Qualifier</u> %	RPD Limits %
Nitrate-Nitrite	2.50	ND	2.67	2.59	105	1	90.0-110	3.04	20	3.04	20

L1575435-08 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575435-08 01/19/23 08:24 • (MS) R3882410-7 01/19/23 08:26

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %
Nitrate-Nitrite	2.50	ND	2.52	101	1	90.0-110	

Method Blank (MB)

(MB) R3882215-1 01/18/23 14:33

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Nitrate-Nitrite	ND	0.0197	0.100	0.100

L1575784-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575784-01 01/18/23 14:37 • (DUP) R3882215-3 01/18/23 14:38

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.000		20

L1575932-14 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-14 01/18/23 15:06 • (DUP) R3882215-6 01/18/23 15:07

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	0.594	0.600	1	1.01		20

Laboratory Control Sample (LCS)

(LCS) R3882215-2 01/18/23 14:34

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Nitrate-Nitrite	2.50	2.54	102	90.0-110	

L1575784-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575784-01 01/18/23 14:37 • (MS) R3882215-4 01/18/23 14:39 • (MSD) R3882215-5 01/18/23 14:41

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MSD Qualifier	RPD	RPD Limits %
Nitrate-Nitrite	2.50	ND	2.47	2.48	1	90.0-110	98.8	99.2	1	90.0-110	0.404		20

L1575932-14 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575932-14 01/18/23 15:06 • (MS) R3882215-7 01/18/23 15:09

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Nitrate-Nitrite	2.50	0.594	3.01	96.6	1	90.0-110	

Method Blank (MB)

(MB) R3882455-1 01/19/23 09:23

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Nitrate-Nitrite	ND	0.0197	0.100	0.100

L1576129-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1576129-01 01/19/23 09:46 • (DUP) R3882455-9 01/19/23 09:48

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.000		20

L1575991-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575991-01 01/19/23 10:06 • (DUP) R3882455-11 01/19/23 10:07

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	0.994	0.992	1	0.201		20

Laboratory Control Sample (LCS)

(LCS) R3882455-2 01/19/23 09:25

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Nitrate-Nitrite	2.50	2.54	102	90.0-110	

L1576129-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1576129-01 01/19/23 09:46 • (MS) R3882455-10 01/19/23 09:49

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Nitrate-Nitrite	2.50	ND	2.54	102	1	90.0-110	

L1575991-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575991-01 01/19/23 10:06 • (MS) R3882455-12 01/19/23 10:12 • (MSD) R3882455-13 01/19/23 10:13

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Nitrate-Nitrite	2.50	0.994	3.50	100	3.54	102	1	90.0-110		1.14	1.14	20

Method Blank (MB)

(MB) R3881048-1 01/13/23 20:43

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	0.524	J	0.0519	1.00
Sulfate	ND		0.0774	5.00

L1575932-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-01 01/13/23 23:11 • (DUP) R3881048-3 01/13/23 23:29

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	34.9	34.8	1	0.239		15
Sulfate	20.2	20.5	1	1.47		15

L1575932-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-18 01/14/23 06:21 • (DUP) R3881048-6 01/14/23 06:38

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	ND	ND	1	1.39		15
Sulfate	ND	ND	1	7.60		15

Laboratory Control Sample (LCS)

(LCS) R3881048-2 01/13/23 21:00

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	40.1	100	80.0-120	
Sulfate	40.0	42.3	106	80.0-120	

L1575932-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-01 01/13/23 23:11 • (MS) R3881048-4 01/13/23 23:46 • (MSD) R3881048-5 01/14/23 00:04

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	34.9	82.0	82.5	1	80.0-120	94.3	95.4			0.636	15
Sulfate	50.0	20.2	70.1	70.0	1	80.0-120	99.9	99.6			0.228	15

L1575932-18 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575932-18 01/14/23 06:21 • (MS) R3881048-7 01/14/23 06:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	ND	49.1	94.2	1	80.0-120	
Sulfate	50.0	ND	46.2	90.3	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881088-1 01/13/23 18:31

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Chloride	0.386	J	0.0519	1.00
Sulfate	0.579		0.0774	5.00

L1575932-19 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-19 01/13/23 23:14 • (DUP) R3881088-3 01/13/23 23:26

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Chloride	40.5	40.1	1	1.18		15
Sulfate	12.3	12.2	1	1.18		15

L1575932-24 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-24 01/14/23 01:21 • (DUP) R3881088-6 01/14/23 01:34

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Chloride	17.7	17.1	1	3.14		15
Sulfate	8.74	8.46	1	3.32		15

Laboratory Control Sample (LCS)

(LCS) R3881088-2 01/13/23 18:44

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Chloride	40.0	41.6	104	80.0-120	
Sulfate	40.0	41.2	103	80.0-120	

L1575932-19 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-19 01/13/23 23:14 • (MS) R3881088-4 01/13/23 23:39 • (MSD) R3881088-5 01/13/23 23:52

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
Chloride	50.0	40.5	91.3	90.0	1	80.0-120	102	98.9	1.46	15
Sulfate	50.0	12.3	62.9	61.9	1	80.0-120	101	99.1	1.55	15

L1575932-24 Original Sample (OS) • Matrix Spike (MS)

(OS) L1575932-24 01/14/23 01:21 • (MS) R3881088-7 01/14/23 01:46

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	17.7	68.5	102	1	80.0-120	
Sulfate	50.0	8.74	58.9	100	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R388113-1 01/14/23 18:37

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Sulfate	ND	0.0774	5.00	

L1575932-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-12 01/14/23 20:16 • (DUP) R388113-5 01/14/23 20:32

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Sulfate	ND	ND	1	0.836		15

L1576036-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1576036-02 01/14/23 22:55 • (DUP) R388113-6 01/14/23 23:11

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Sulfate	67.7	67.7	1	0.0657		15

Laboratory Control Sample (LCS)

(LCS) R388113-2 01/14/23 18:53

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Sulfate	40.0	39.5	98.8	80.0-120	

L1575421-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575421-01 01/14/23 19:13 • (MS) R388113-3 01/14/23 19:29 • (MSD) R388113-4 01/14/23 19:44

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MSD Rec. %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sulfate	50.0	5050	4940	4930	100	80.0-120	0.000	V	V	0.111	15

Sample Narrative:

OS: Dilution due to matrix.

L1576036-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576036-02 01/14/23 22:55 • (MS) R388113-7 01/14/23 23:27 • (MSD) R388113-8 01/14/23 23:43

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sulfate	50.0	67.7	116	116	95.7	97.1	1	80.0-120			0.609	15

L1576036-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576036-06 01/14/23 23:59 • (MS) R388113-9 01/15/23 00:15 • (MSD) R388113-10 01/15/23 01:03

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sulfate	50.0	35.8	84.9	84.6	98.2	97.6	1	80.0-120			0.351	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881143-2 01/15/23 07:05

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.487	<u>J</u>	0.102	1.00

L1575532-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1575532-02 01/15/23 08:57 • (DUP) R3881143-5 01/15/23 09:13

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC (Total Organic Carbon)	2.11	1.82	1	14.5		20

L1575801-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1575801-04 01/15/23 13:33 • (DUP) R3881143-8 01/15/23 13:45

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC (Total Organic Carbon)	ND	ND	1	26.7	<u>P1</u>	20

Laboratory Control Sample (LCS)

(LCS) R3881143-1 01/15/23 06:52

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
TOC (Total Organic Carbon)	75.0	80.6	108	85.0-115	

L1575532-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575532-01 01/15/23 07:55 • (MS) R3881143-3 01/15/23 08:20 • (MSD) R3881143-4 01/15/23 08:43

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC (Total Organic Carbon)	50.0	67.8	121	119	1	80.0-120	<u>E</u>	<u>E</u>	2.00	20

L1575801-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575801-03 01/15/23 12:17 • (MS) R3881143-6 01/15/23 12:41 • (MSD) R3881143-7 01/15/23 13:17

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC (Total Organic Carbon)	50.0	ND	51.5	51.6	1	80.0-120			0.136	20

Method Blank (MB)

(MB) R3881142-2 01/15/23 06:49

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.342	J	0.102	1.00

L1575932-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1575932-10 01/15/23 09:43 • (DUP) R3881142-5 01/15/23 09:56

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC (Total Organic Carbon)	2.04	1.49	1	31.0	P1	20

L1576041-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1576041-02 01/15/23 16:03 • (DUP) R3881142-8 01/15/23 16:24

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC (Total Organic Carbon)	7.86	7.91	1	0.596		20

Laboratory Control Sample (LCS)

(LCS) R3881142-1 01/15/23 06:24

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TOC (Total Organic Carbon)	75.0	78.8	105	85.0-115	

L1575932-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-09 01/15/23 08:41 • (MS) R3881142-3 01/15/23 09:07 • (MSD) R3881142-4 01/15/23 09:29

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC (Total Organic Carbon)	50.0	2.61	52.3	52.3	1	80.0-120	99.3	99.4	0.0956	20

L1576041-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576041-01 01/15/23 14:55 • (MS) R3881142-6 01/15/23 15:19 • (MSD) R3881142-7 01/15/23 15:42

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC (Total Organic Carbon)	50.0	8.98	64.9	64.8	1	80.0-120	112	112	0.231	20

Method Blank (MB)

(MB) R3881848-1 01/17/23 12:27

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver	ND		0.00280	0.00500
Barium	ND		0.00170	0.00500
Calcium	ND		0.0463	1.00
Iron	ND		0.0141	0.100
Potassium	0.255		0.102	1.00
Magnesium	0.0117		0.0111	1.00
Manganese	ND		0.00120	0.0100
Sodium	0.212		0.0111	1.00
Lead	ND		0.00190	0.00500
Selenium	ND		0.00740	0.0100

Laboratory Control Sample (LCS)

(LCS) R3881848-2 01/17/23 12:29

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver	0.200	0.185	92.7	80.0-120	
Barium	1.00	0.996	99.6	80.0-120	
Calcium	10.0	9.30	93.0	80.0-120	
Iron	10.0	9.78	97.8	80.0-120	
Potassium	10.0	9.04	90.4	80.0-120	
Magnesium	10.0	9.24	92.4	80.0-120	
Manganese	1.00	0.876	87.6	80.0-120	
Sodium	10.0	9.80	98.0	80.0-120	
Lead	1.00	0.931	93.1	80.0-120	
Selenium	1.00	0.913	91.3	80.0-120	

L1575620-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575620-09 01/17/23 12:33 • (MS) R3881848-4 01/17/23 12:39 • (MSD) R3881848-5 01/17/23 12:42

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver	0.200	ND	0.180	0.178	90.1	88.9	1	75.0-125			1.34	20
Barium	1.00	0.619	1.48	1.48	86.5	86.0	1	75.0-125			0.306	20
Calcium	10.0	249	251	250	19.3	11.5	1	75.0-125	V	V	0.314	20
Iron	10.0	534	568	593	333	589	1	75.0-125	E	E	4.42	20
Potassium	10.0	125	134	136	88.2	106	1	75.0-125			1.29	20
Magnesium	10.0	52.8	63.9	66.5	111	137	1	75.0-125	V	V	3.87	20
Manganese	1.00	10.7	11.6	11.9	97.7	127	1	75.0-125	E	E	2.52	20

L1575620-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575620-09 01/17/23 12:39 • (MS) R3881848-4 01/17/23 12:39 • (MSD) R3881848-5 01/17/23 12:42

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
Sodium	10.0	162	167	166	52.7	42.9	1	75.0-125	✓	✓	0.586	20
Lead	1.00	0.162	1.06	1.06	89.4	90.2	1	75.0-125	✓	✓	0.754	20
Selenium	1.00	0.0153	0.931	0.915	91.6	89.9	1	75.0-125			1.77	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG1989340

Metals (ICP) by Method 6010B

QUALITY CONTROL SUMMARY

L1575932-10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

Method Blank (MB)

(MB) R3881850-1 01/17/23 15:01

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver	ND	0.00280	0.00280	0.00500
Barium	ND	0.00170	0.00170	0.00500
Calcium	ND	0.0463	0.0463	1.00
Iron	ND	0.0141	0.0141	0.100
Potassium	0.224	0.102	0.102	1.00
Magnesium	ND	0.0111	0.0111	1.00
Manganese	ND	0.00120	0.00120	0.0100
Sodium	0.142	0.0111	0.0111	1.00
Lead	0.00201	0.00190	0.00190	0.00500
Selenium	ND	0.00740	0.00740	0.0100

Laboratory Control Sample (LCS)

(LCS) R3881850-2 01/17/23 15:03

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver	0.200	0.181	90.7	80.0-120	
Barium	1.00	0.981	98.1	80.0-120	
Calcium	10.0	9.44	94.4	80.0-120	
Iron	10.0	9.56	95.6	80.0-120	
Potassium	10.0	9.49	94.9	80.0-120	
Magnesium	10.0	9.05	90.5	80.0-120	
Manganese	1.00	0.882	88.2	80.0-120	
Sodium	10.0	9.66	96.6	80.0-120	
Lead	1.00	0.925	92.5	80.0-120	
Selenium	1.00	0.925	92.5	80.0-120	

L1575932-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-10 01/17/23 15:06 • (MS) R3881850-4 01/17/23 15:12 • (MSD) R3881850-5 01/17/23 15:15

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver	0.200	ND	0.185	0.185	1	75.0-125	92.6	92.4	0.201	20
Barium	1.00	0.0874	1.05	1.05	1	75.0-125	96.2	96.4	0.237	20
Calcium	10.0	171	176	176	1	75.0-125	50.8	50.8	0.00353	20
Iron	10.0	7.44	16.7	16.7	1	75.0-125	92.9	92.6	0.196	20
Potassium	10.0	ND	10.9	11.0	1	75.0-125	97.4	98.5	0.994	20
Magnesium	10.0	3.60	12.4	12.4	1	75.0-125	88.0	87.9	0.0948	20
Manganese	1.00	7.72	8.38	8.35	1	75.0-125	65.8	63.3	0.304	20

L1575932-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-10 01/17/23 15:06 • (MS) R3881850-4 01/17/23 15:12 • (MSD) R3881850-5 01/17/23 15:15

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	9.82	19.6	19.6	98.1	98.1	1	75.0-125			0.00815	20
Lead	1.00	ND	0.919	0.925	91.9	92.5	1	75.0-125			0.680	20
Selenium	1.00	ND	0.951	0.959	95.1	95.9	1	75.0-125			0.768	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3881476-1 01/16/23 18:09

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	0.000278		0.000180	0.00500
Zinc	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3881476-2 01/16/23 18:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0468	93.5	80.0-120	
Beryllium	0.0500	0.0470	93.9	80.0-120	
Cadmium	0.0500	0.0515	103	80.0-120	
Cobalt	0.0500	0.0504	101	80.0-120	
Chromium	0.0500	0.0499	99.8	80.0-120	
Copper	0.0500	0.0456	91.1	80.0-120	
Nickel	0.0500	0.0492	98.3	80.0-120	
Antimony	0.0500	0.0452	90.4	80.0-120	
Thallium	0.0500	0.0448	89.6	80.0-120	
Vanadium	0.0500	0.0501	100	80.0-120	
Zinc	0.0500	0.0467	93.4	80.0-120	

L1576315-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576315-09 01/16/23 18:15 • (MS) R3881476-4 01/16/23 18:22 • (MSD) R3881476-5 01/16/23 18:25

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0474	94.3	0.0470	93.5	1	75.0-125			0.936	20
Beryllium	0.0500	ND	0.0469	93.7	0.0456	91.2	1	75.0-125			2.66	20
Cadmium	0.0500	ND	0.0520	104	0.0521	104	1	75.0-125			0.294	20
Cobalt	0.0500	ND	0.0510	101	0.0507	101	1	75.0-125			0.608	20
Chromium	0.0500	ND	0.0503	101	0.0502	100	1	75.0-125			0.193	20

L1576315-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576315-09 01/16/23 18:15 • (MS) R3881476-4 01/16/23 18:22 • (MSD) R3881476-5 01/16/23 18:25

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	ND	0.0473	0.0476	94.6	95.1	1	75.0-125			0.521	20
Nickel	0.0500	ND	0.0501	0.0499	100	99.8	1	75.0-125			0.450	20
Antimony	0.0500	ND	0.0466	0.0461	93.3	92.1	1	75.0-125			1.22	20
Thallium	0.0500	ND	0.0469	0.0454	93.8	90.8	1	75.0-125			3.29	20
Vanadium	0.0500	ND	0.0512	0.0513	99.7	100	1	75.0-125			0.298	20
Zinc	0.0500	ND	0.0499	0.0482	99.8	96.4	1	75.0-125			3.41	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG1989350

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

L1575932-11,12,13,14,15,16,17,18,19,20,21,22,23,24

Method Blank (MB)

(MB) R3881843-1 01/17/23 16:03

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	0.000229		0.000180	0.00500
Zinc	ND		0.00256	0.0250

Laboratory Control Sample (LCS)

(LCS) R3881843-2 01/17/23 16:06

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0469	93.7	80.0-120	
Beryllium	0.0500	0.0466	93.2	80.0-120	
Cadmium	0.0500	0.0510	102	80.0-120	
Cobalt	0.0500	0.0502	100	80.0-120	
Chromium	0.0500	0.0497	99.5	80.0-120	
Copper	0.0500	0.0474	94.7	80.0-120	
Nickel	0.0500	0.0495	99.0	80.0-120	
Antimony	0.0500	0.0445	89.0	80.0-120	
Thallium	0.0500	0.0460	91.9	80.0-120	
Vanadium	0.0500	0.0495	99.1	80.0-120	
Zinc	0.0500	0.0464	92.8	80.0-120	

L1575932-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-11 01/17/23 16:10 • (MS) R3881843-4 01/17/23 16:16 • (MSD) R3881843-5 01/17/23 16:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0471	94.2	0.0462	92.5	1	75.0-125			1.86	20
Beryllium	0.0500	ND	0.0472	94.4	0.0464	92.8	1	75.0-125			1.70	20
Cadmium	0.0500	ND	0.0511	102	0.0499	99.8	1	75.0-125			2.47	20
Cobalt	0.0500	ND	0.0493	98.7	0.0488	97.7	1	75.0-125			1.05	20
Chromium	0.0500	ND	0.0504	101	0.0499	99.8	1	75.0-125			1.07	20

L1575932-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1575932-11 01/17/23 16:10 • (MS) R3881843-4 01/17/23 16:16 • (MSD) R3881843-5 01/17/23 16:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	ND	0.0464	0.0459	92.8	91.7	1	75.0-125			1.22	20
Nickel	0.0500	ND	0.0488	0.0485	97.6	97.0	1	75.0-125			0.592	20
Antimony	0.0500	ND	0.0452	0.0450	90.4	90.0	1	75.0-125			0.454	20
Thallium	0.0500	ND	0.0475	0.0452	95.0	90.4	1	75.0-125			4.94	20
Vanadium	0.0500	ND	0.0496	0.0495	99.1	99.1	1	75.0-125			0.0402	20
Zinc	0.0500	0.00739	0.0534	0.0530	92.1	91.3	1	75.0-125			0.722	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1988727

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1575932-01.02.03.04.05.06.07.08.09

Method Blank (MB)

(MB) R388114-3 01/14/23 09:57

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Method Blank (MB)

(MB) R388114-3 01/14/23 09:57

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND	0.118	0.118	0.500
Xylenes, Total	ND	0.316	0.316	1.50
cis-1,2-Dichloroethene	ND	0.0933	0.0933	0.500
cis-1,3-Dichloropropene	ND	0.0976	0.0976	0.500
trans-1,2-Dichloroethene	ND	0.152	0.152	0.500
trans-1,3-Dichloropropene	ND	0.222	0.222	0.500
trans-1,4-Dichloro-2-butene	ND	0.257	0.257	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	118			70.0-130
<i>(S)</i> 4-Bromofluorobenzene	84.7			77.0-126
<i>(S)</i> Toluene-d8	87.4			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R388114-1 01/14/23 08:56 • (LCSD) R388114-2 01/14/23 09:16

Analyte	Spike Amount ug/l	LCS Result		LCSD Result		LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier		LCSD Qualifier		RPD Limits %
		ug/l	ug/l	ug/l	ug/l				RPD %	RPD %			
1,1,1,2-Tetrachloroethane	5.00	4.05	3.95	81.0	79.0	75.0-125	2.50	20					
1,1,1-Trichloroethane	5.00	5.96	5.65	119	113	73.0-124	5.34	20					
1,1,2,2-Tetrachloroethane	5.00	6.50	6.46	130	129	65.0-130	0.617	20					
1,1,2-Trichloroethane	5.00	4.73	4.57	94.6	91.4	80.0-120	3.44	20					
1,1-Dichloroethane	5.00	5.62	5.55	112	111	70.0-126	1.25	20					
1,1-Dichloroethene	5.00	5.91	5.39	118	108	71.0-124	9.20	20					
1,2,3-Trichloropropane	5.00	5.82	6.05	116	121	73.0-130	3.88	20					
1,2-Dibromo-3-Chloropropane	5.00	4.23	4.60	84.6	92.0	58.0-134	8.38	20					
1,2-Dibromoethane	5.00	4.60	4.60	92.0	92.0	80.0-122	0.000	20					
1,2-Dichlorobenzene	5.00	5.04	5.09	101	102	79.0-121	0.987	20					
1,2-Dichloroethane	5.00	5.81	5.77	116	115	70.0-128	0.691	20					
1,2-Dichloropropane	5.00	5.47	5.52	109	110	77.0-125	0.910	20					
1,4-Dichlorobenzene	5.00	5.08	5.22	102	104	79.0-120	2.72	20					
2-Butanone (MEK)	25.0	28.9	29.6	116	118	44.0-160	2.39	20					
2-Hexanone	25.0	23.0	24.3	92.0	97.2	67.0-149	5.50	20					
4-Methyl-2-pentanone (MIBK)	25.0	25.8	26.4	103	106	68.0-142	2.30	20					
Acetone	25.0	27.9	26.6	112	106	19.0-160	4.77	27					
Acrylonitrile	25.0	27.9	30.7	112	123	55.0-149	9.56	20					
Benzene	5.00	5.73	5.64	115	113	70.0-123	1.58	20					
Bromochloromethane	5.00	4.79	4.78	95.8	95.6	76.0-122	0.209	20					
Bromodichloromethane	5.00	5.88	5.85	118	117	75.0-120	0.512	20					
Bromoform	5.00	3.68	3.82	73.6	76.4	68.0-132	3.73	20					
Bromomethane	5.00	5.87	5.84	117	117	10.0-160	0.512	25					

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R388114-1 01/14/23 08:56 • (LCSD) R388114-2 01/14/23 09:16

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
				%	%	%	%	%	%	%
Carbon disulfide	5.00	6.33	6.18	127	124	610-128	2.40	2.40	2.40	20
Carbon tetrachloride	5.00	4.85	4.69	97.0	93.8	68.0-126	3.35	3.35	3.35	20
Chlorobenzene	5.00	4.33	4.16	86.6	83.2	80.0-121	4.00	4.00	4.00	20
Chloroethane	5.00	6.75	6.32	135	126	47.0-150	6.58	6.58	6.58	20
Chloroform	5.00	5.91	5.94	118	119	73.0-120	0.506	0.506	0.506	20
Chloromethane	5.00	5.75	5.60	115	112	41.0-142	2.64	2.64	2.64	20
Chlorodibromomethane	5.00	4.32	4.10	86.4	82.0	77.0-125	5.23	5.23	5.23	20
Dibromomethane	5.00	5.68	5.41	114	108	80.0-120	4.87	4.87	4.87	20
Ethylbenzene	5.00	4.57	4.51	91.4	90.2	79.0-123	1.32	1.32	1.32	20
Iodomethane	25.0	23.7	23.2	94.8	92.8	33.0-147	2.13	2.13	2.13	26
Methylene Chloride	5.00	5.92	5.74	118	115	67.0-120	3.09	3.09	3.09	20
Styrene	5.00	4.22	4.19	84.4	83.8	73.0-130	0.713	0.713	0.713	20
Tetrachloroethene	5.00	4.19	4.05	83.8	81.0	72.0-132	3.40	3.40	3.40	20
Toluene	5.00	4.78	4.77	95.6	95.4	79.0-120	0.209	0.209	0.209	20
Trichloroethene	5.00	4.38	4.29	87.6	85.8	78.0-124	2.08	2.08	2.08	20
Trichlorofluoromethane	5.00	6.29	5.84	126	117	59.0-147	7.42	7.42	7.42	20
Vinyl acetate	25.0	35.3	35.5	141	142	11.0-160	0.565	0.565	0.565	20
Vinyl chloride	5.00	5.97	5.70	119	114	67.0-131	4.63	4.63	4.63	20
Xylenes, Total	15.0	13.5	13.3	90.0	88.7	79.0-123	1.49	1.49	1.49	20
cis-1,2-Dichloroethene	5.00	5.33	5.36	107	107	73.0-120	0.561	0.561	0.561	20
cis-1,3-Dichloropropene	5.00	5.77	5.72	115	114	80.0-123	0.870	0.870	0.870	20
trans-1,2-Dichloroethene	5.00	5.33	5.33	107	107	73.0-120	0.000	0.000	0.000	20
trans-1,3-Dichloropropene	5.00	5.14	5.14	103	103	78.0-124	0.000	0.000	0.000	20
trans-1,4-Dichloro-2-butene	5.00	6.25	6.32	125	126	33.0-144	1.11	1.11	1.11	20
(S) 1,2-Dichloroethane-d4				115	117	70.0-130				
(S) 4-Bromofluorobenzene				86.2	86.2	77.0-126				
(S) Toluene-d8				88.3	86.9	80.0-120				

WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1575932-20.21.22.23.24

Method Blank (MB)

(MB) R3881Z70-4 01/14/23 11:15

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

WG1988740

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1575932-20.21.22.23.24](#)

Method Blank (MB)

(MB) R3881270-4 01/14/23 11:15

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	99.4			70.0-130
<i>(S)</i> 4-Bromofluorobenzene	91.3			77.0-126
<i>(S)</i> Toluene-d8	110			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3881270-1 01/14/23 09:24 • (LCSD) R3881270-2 01/14/23 09:47

Analyte	Spike Amount ug/l	LCS Result		LCSD Result		LCS Rec.		LCSD Rec.		Rec. Limits		LCS Qualifier		LCSD Qualifier		RPD Limits	
		ug/l	%	ug/l	%	ug/l	%	%	%	%	%	%	%	%	%	%	
1,1,1,2-Tetrachloroethane	5.00	5.35	107	5.55	107	111	75.0-125	3.67	20								
1,1,1-Trichloroethane	5.00	5.08	102	5.57	102	111	73.0-124	9.20	20								
1,1,2,2-Tetrachloroethane	5.00	4.56	91.2	4.83	96.6	96.6	65.0-130	5.75	20								
1,1,2-Trichloroethane	5.00	5.00	100	5.70	100	114	80.0-120	13.1	20								
1,1-Dichloroethane	5.00	4.87	97.4	5.58	112	112	70.0-126	13.6	20								
1,1-Dichloroethene	5.00	4.79	95.8	5.66	113	113	71.0-124	16.7	20								
1,2,3-Trichloropropane	5.00	4.73	94.6	5.48	110	110	73.0-130	14.7	20								
1,2-Dibromo-3-Chloropropane	5.00	4.70	94.0	5.05	101	101	58.0-134	7.18	20								
1,2-Dibromoethane	5.00	5.13	103	5.62	112	112	80.0-122	9.12	20								
1,2-Dichlorobenzene	5.00	4.50	90.0	4.90	98.0	98.0	79.0-121	8.51	20								
1,2-Dichloroethane	5.00	4.63	92.6	5.09	102	102	70.0-128	9.47	20								
1,2-Dichloropropane	5.00	4.89	97.8	5.51	110	110	77.0-125	11.9	20								
1,4-Dichlorobenzene	5.00	4.47	89.4	5.04	101	101	79.0-120	12.0	20								
2-Butanone (MEK)	25.0	29.3	117	31.2	125	125	44.0-160	6.28	20								
2-Hexanone	25.0	25.1	100	27.9	112	112	67.0-149	10.6	20								
4-Methyl-2-pentanone (MIBK)	25.0	28.1	112	31.3	125	125	68.0-142	10.8	20								
Acetone	25.0	27.5	110	31.5	126	126	19.0-160	13.6	27								
Acrylonitrile	25.0	27.7	111	31.3	125	125	55.0-149	12.2	20								
Benzene	5.00	4.81	96.2	5.56	111	111	70.0-123	14.5	20								
Bromochloromethane	5.00	5.53	111	6.40	128	128	76.0-122	14.6	20								
Bromodichloromethane	5.00	4.76	95.2	5.39	108	108	75.0-120	12.4	20								
Bromoform	5.00	4.47	89.4	5.14	103	103	68.0-132	13.9	20								
Bromomethane	5.00	2.36	47.2	2.07	41.4	41.4	10.0-160	13.1	25								

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3881270-1 01/14/23 09:24 • (LCSD) R3881270-2 01/14/23 09:47

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Carbon disulfide	5.00	5.21	5.81	104	116	61.0-128			10.9	20
Carbon tetrachloride	5.00	4.52	5.15	90.4	103	68.0-126			13.0	20
Chlorobenzene	5.00	4.94	5.52	98.8	110	80.0-121			11.1	20
Chloroethane	5.00	4.00	4.59	80.0	91.8	47.0-150			13.7	20
Chloroform	5.00	4.98	5.60	99.6	112	73.0-120			11.7	20
Chloromethane	5.00	3.49	4.34	69.8	86.8	41.0-142	J3		21.7	20
Chlorodibromomethane	5.00	4.98	5.34	99.6	107	77.0-125			6.98	20
Dibromomethane	5.00	4.99	5.59	99.8	112	80.0-120			11.3	20
Ethylbenzene	5.00	4.67	5.13	93.4	103	79.0-123			9.39	20
Iodomethane	25.0	13.9	19.5	55.6	78.0	33.0-147	J3		33.5	26
Methylene Chloride	5.00	4.97	5.39	99.4	108	67.0-120			8.11	20
Styrene	5.00	4.10	4.65	82.0	93.0	73.0-130			12.6	20
Tetrachloroethene	5.00	5.74	6.30	115	126	72.0-132			9.30	20
Toluene	5.00	5.04	5.58	101	112	79.0-120			10.2	20
Trichloroethene	5.00	5.18	6.09	104	122	78.0-124			16.1	20
Trichlorofluoromethane	5.00	4.44	5.01	88.8	100	59.0-147			12.1	20
Vinyl acetate	25.0	22.6	21.8	90.4	87.2	11.0-160			3.60	20
Vinyl chloride	5.00	4.67	5.26	93.4	105	67.0-131			11.9	20
Xylenes, Total	15.0	13.2	15.0	88.0	100	79.0-123			12.8	20
cis-1,2-Dichloroethene	5.00	4.52	5.17	90.4	103	73.0-120			13.4	20
cis-1,3-Dichloropropene	5.00	4.75	5.50	95.0	110	80.0-123			14.6	20
trans-1,2-Dichloroethene	5.00	4.81	5.48	96.2	110	73.0-120			13.0	20
trans-1,3-Dichloropropene	5.00	4.79	5.43	95.8	109	78.0-124			12.5	20
trans-1,4-Dichloro-2-butene	5.00	3.93	4.03	78.6	80.6	33.0-144			2.51	20
(S) 1,2-Dichloroethane-d4				97.3	97.2	70.0-130				
(S) 4-Bromofluorobenzene				87.8	85.2	77.0-126				
(S) Toluene-d8				108	107	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1575932-10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#)

Method Blank (MB)

(MB) R3881405-3 01/15/23 12:21

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1575932-10.11.12.13.14.15.16.17.18.19](#)

Method Blank (MB)

(MB) R3881405-3 01/15/23 12:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND	0.118	0.500	0.500
Xylenes, Total	ND	0.316	1.50	1.50
cis-1,2-Dichloroethene	ND	0.0933	0.500	0.500
cis-1,3-Dichloropropene	ND	0.0976	0.500	0.500
trans-1,2-Dichloroethene	ND	0.152	0.500	0.500
trans-1,3-Dichloropropene	ND	0.222	0.500	0.500
trans-1,4-Dichloro-2-butene	ND	0.257	5.00	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	113		70.0-130	70.0-130
<i>(S)</i> 4-Bromofluorobenzene	83.4		77.0-126	77.0-126
<i>(S)</i> Toluene-d8	88.4		80.0-120	80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3881405-1 01/15/23 11:20 • (LCSD) R3881405-2 01/15/23 11:41

Analyte	Spike Amount		LCS Result		LCSD Result		LCS Rec.		LCSD Rec.		Rec. Limits		LCS Qualifier		LCSD Qualifier		RPD Limits		
	ug/l	%	ug/l	%	ug/l	%	%	%	%	%	%	%	%	%	%	%	%	%	
1,1,1,2-Tetrachloroethane	5.00		3.76	75.2	4.05	81.0	75.0-125	7.43	20	7.43	20	75.0-125	7.43	20	7.43	20	75.0-125	7.43	20
1,1,1-Trichloroethane	5.00		5.39	108	5.56	111	73.0-124	3.11	20	3.11	20	73.0-124	3.11	20	3.11	20	73.0-124	3.11	20
1,1,2,2-Tetrachloroethane	5.00		4.78	95.6	6.76	135	65.0-130	34.3	20	34.3	20	65.0-130	34.3	20	34.3	20	65.0-130	34.3	20
1,1,2-Trichloroethane	5.00		4.71	94.2	4.98	99.6	80.0-120	5.57	20	5.57	20	80.0-120	5.57	20	5.57	20	80.0-120	5.57	20
1,1-Dichloroethane	5.00		5.50	110	5.56	111	70.0-126	1.08	20	1.08	20	70.0-126	1.08	20	1.08	20	70.0-126	1.08	20
1,1-Dichloroethene	5.00		5.30	106	5.28	106	71.0-124	0.378	20	0.378	20	71.0-124	0.378	20	0.378	20	71.0-124	0.378	20
1,2,3-Trichloropropane	5.00		5.80	116	6.17	123	73.0-130	6.18	20	6.18	20	73.0-130	6.18	20	6.18	20	73.0-130	6.18	20
1,2-Dibromo-3-Chloropropane	5.00		4.27	85.4	4.38	87.6	58.0-134	2.54	20	2.54	20	58.0-134	2.54	20	2.54	20	58.0-134	2.54	20
1,2-Dibromoethane	5.00		4.52	90.4	4.65	93.0	80.0-122	2.84	20	2.84	20	80.0-122	2.84	20	2.84	20	80.0-122	2.84	20
1,2-Dichlorobenzene	5.00		5.00	100	5.23	105	79.0-121	4.50	20	4.50	20	79.0-121	4.50	20	4.50	20	79.0-121	4.50	20
1,2-Dichloroethane	5.00		5.82	116	5.98	120	70.0-128	2.71	20	2.71	20	70.0-128	2.71	20	2.71	20	70.0-128	2.71	20
1,2-Dichloropropane	5.00		5.33	107	5.36	107	77.0-125	0.561	20	0.561	20	77.0-125	0.561	20	0.561	20	77.0-125	0.561	20
1,4-Dichlorobenzene	5.00		4.93	98.6	5.28	106	79.0-120	6.86	20	6.86	20	79.0-120	6.86	20	6.86	20	79.0-120	6.86	20
2-Butanone (MEK)	25.0		28.3	113	28.6	114	44.0-160	1.05	20	1.05	20	44.0-160	1.05	20	1.05	20	44.0-160	1.05	20
2-Hexanone	25.0		23.2	92.8	24.2	96.8	67.0-149	4.22	20	4.22	20	67.0-149	4.22	20	4.22	20	67.0-149	4.22	20
4-Methyl-2-pentanone (MIBK)	25.0		25.9	104	27.2	109	68.0-142	4.90	20	4.90	20	68.0-142	4.90	20	4.90	20	68.0-142	4.90	20
Acetone	25.0		20.5	82.0	18.7	74.8	19.0-160	9.18	27	9.18	27	19.0-160	9.18	27	9.18	27	19.0-160	9.18	27
Acrylonitrile	25.0		28.0	112	27.8	111	55.0-149	0.777	20	0.777	20	55.0-149	0.777	20	0.777	20	55.0-149	0.777	20
Benzene	5.00		5.58	112	5.57	111	70.0-123	0.179	20	0.179	20	70.0-123	0.179	20	0.179	20	70.0-123	0.179	20
Bromochloromethane	5.00		4.80	96.0	4.82	96.4	76.0-122	0.416	20	0.416	20	76.0-122	0.416	20	0.416	20	76.0-122	0.416	20
Bromodichloromethane	5.00		5.81	116	5.94	119	75.0-120	2.21	20	2.21	20	75.0-120	2.21	20	2.21	20	75.0-120	2.21	20
Bromoform	5.00		3.66	73.2	3.79	75.8	68.0-132	3.49	20	3.49	20	68.0-132	3.49	20	3.49	20	68.0-132	3.49	20
Bromomethane	5.00		5.62	112	5.81	116	10.0-160	3.32	25	3.32	25	10.0-160	3.32	25	3.32	25	10.0-160	3.32	25

WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1575932-10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3881405-1 01/15/23 11:20 • (LCSD) R3881405-2 01/15/23 11:41

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec.		LCSD Rec.		Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
				%	%	%	%					
Carbon disulfide	5.00	5.68	5.55	114	111	61.0-128	2.32	20				
Carbon tetrachloride	5.00	4.76	4.79	95.2	95.8	68.0-126	0.628	20				
Chlorobenzene	5.00	4.14	4.21	82.8	84.2	80.0-121	1.68	20				
Chloroethane	5.00	6.06	5.97	121	119	47.0-150	1.50	20				
Chloroform	5.00	5.71	6.03	114	121	73.0-120	5.45	20				
Chloromethane	5.00	5.72	5.56	114	111	41.0-142	2.84	20				
Chlorodibromomethane	5.00	4.10	4.35	82.0	87.0	77.0-125	5.92	20				
Dibromomethane	5.00	5.59	5.57	112	111	80.0-120	0.358	20				
Ethylbenzene	5.00	4.29	4.28	85.8	85.6	79.0-123	0.233	20				
Iodomethane	25.0	22.5	22.4	90.0	89.6	33.0-147	0.445	26				
Methylene Chloride	5.00	5.56	5.59	111	112	67.0-120	0.538	20				
Styrene	5.00	4.06	4.13	81.2	82.6	73.0-130	1.71	20				
Tetrachloroethene	5.00	3.74	4.01	74.8	80.2	72.0-132	6.97	20				
Toluene	5.00	4.54	4.71	90.8	94.2	79.0-120	3.68	20				
Trichloroethene	5.00	5.17	4.25	103	85.0	78.0-124	19.5	20				
Trichlorofluoromethane	5.00	6.00	5.85	120	117	59.0-147	2.53	20				
Vinyl acetate	25.0	6.62	30.4	26.5	122	11.0-160	128	20				
Vinyl chloride	5.00	5.50	5.26	110	105	67.0-131	4.46	20				
Xylenes, Total	15.0	12.5	13.1	83.3	87.3	79.0-123	4.69	20				
cis-1,2-Dichloroethene	5.00	5.16	5.24	103	105	73.0-120	1.54	20				
cis-1,3-Dichloropropene	5.00	5.34	5.67	107	113	80.0-123	5.99	20				
trans-1,2-Dichloroethene	5.00	5.09	5.00	102	100	73.0-120	1.78	20				
trans-1,3-Dichloropropene	5.00	4.66	5.29	93.2	106	78.0-124	12.7	20				
trans-1,4-Dichloro-2-butene	5.00	5.65	7.38	113	148	33.0-144	26.6	20				
(S) 1,2-Dichloroethane-d4				117	115	70.0-130						
(S) 4-Bromofluorobenzene				84.8	85.1	77.0-126						
(S) Toluene-d8				86.8	88.5	80.0-120						

L1576019-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576019-04 01/15/23 17:52 • (MS) R3881405-4 01/15/23 20:15 • (MSD) R3881405-5 01/15/23 20:36

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec.		MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
					%	%							
1,1,1,2-Tetrachloroethane	5.00	ND	3.94	3.98	78.8	79.6	79.6	1	36.0-151	1.01	1.01	29	29
1,1,1-Trichloroethane	5.00	ND	6.09	6.26	122	125	125	1	23.0-160	2.75	2.75	28	28
1,1,2,2-Tetrachloroethane	5.00	ND	6.57	6.58	131	132	132	1	33.0-150	0.152	0.152	28	28
1,1,2-Trichloroethane	5.00	ND	4.75	4.63	95.0	92.6	92.6	1	35.0-147	2.56	2.56	27	27
1,1-Dichloroethane	5.00	ND	5.79	5.83	116	117	117	1	25.0-158	0.688	0.688	27	27
1,1-Dichloroethene	5.00	ND	5.36	5.39	107	108	108	1	11.0-160	0.558	0.558	29	29

WG1989023

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1575932-10.11.12.13.14.15.16.17.18.19](#)

L1576019-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576019-04 01/15/23 17:52 • (MS) R3881405-4 01/15/23 20:15 • (MSD) R3881405-5 01/15/23 20:36

Analyte	Spike Amount		Original Result		MS Result		MSD Result		MS Rec.		Dilution		Rec. Limits		MS Qualifier		MSD Qualifier		RPD		RPD Limits	
	ug/l	ug/l	ug/l	ug/l	ug/l	%	ug/l	ug/l	%	%		%	%	%	%	%	%	%	%	%	%	%
1,2,3-Trichloropropane	5.00	ND	5.70	5.70	5.77	114	114	115	1	34.0-151	1	34.0-151	1.22	1.22	29	29						
1,2-Dibromo-3-Chloropropane	5.00	ND	4.36	4.36	4.43	87.2	87.2	88.6	1	22.0-151	1	22.0-151	1.59	1.59	34	34						
1,2-Dibromoethane	5.00	ND	4.19	4.19	4.38	83.8	83.8	87.6	1	34.0-147	1	34.0-147	4.43	4.43	27	27						
1,2-Dichlorobenzene	5.00	ND	4.88	4.88	5.09	97.6	97.6	102	1	34.0-149	1	34.0-149	4.21	4.21	28	28						
1,2-Dichloroethane	5.00	ND	5.98	5.98	5.96	120	119	119	1	29.0-151	1	29.0-151	0.335	0.335	27	27						
1,2-Dichloropropane	5.00	ND	5.42	5.42	5.54	108	111	103	1	30.0-156	1	30.0-156	2.19	2.19	27	27						
1,4-Dichlorobenzene	5.00	ND	4.98	4.98	5.16	99.6	103	103	1	35.0-142	1	35.0-142	3.55	3.55	27	27						
2-Butanone (MEK)	25.0	ND	28.2	28.2	27.7	113	111	111	1	10.0-160	1	10.0-160	1.79	1.79	32	32						
2-Hexanone	25.0	ND	23.6	23.6	23.5	94.4	94.0	94.0	1	21.0-160	1	21.0-160	0.425	0.425	29	29						
4-Methyl-2-pentanone (MIBK)	25.0	ND	26.3	26.3	25.8	105	103	103	1	29.0-160	1	29.0-160	1.92	1.92	29	29						
Acetone	25.0	ND	16.4	16.4	16.2	65.6	64.8	64.8	1	10.0-160	1	10.0-160	1.23	1.23	35	35						
Acrylonitrile	25.0	ND	27.1	27.1	27.6	108	110	110	1	21.0-160	1	21.0-160	1.83	1.83	32	32						
Benzene	5.00	ND	5.70	5.70	5.71	114	114	114	1	17.0-158	1	17.0-158	0.175	0.175	27	27						
Bromochloromethane	5.00	ND	4.51	4.51	4.71	90.2	94.2	94.2	1	38.0-142	1	38.0-142	4.34	4.34	26	26						
Bromodichloromethane	5.00	ND	5.98	5.98	5.94	120	119	119	1	31.0-150	1	31.0-150	0.671	0.671	27	27						
Bromoform	5.00	ND	3.52	3.52	3.66	70.4	73.2	73.2	1	29.0-150	1	29.0-150	3.90	3.90	29	29						
Bromomethane	5.00	ND	5.58	5.58	5.65	112	113	113	1	10.0-160	1	10.0-160	1.25	1.25	38	38						
Carbon disulfide	5.00	1.12	5.91	5.91	6.08	95.8	99.2	99.2	1	10.0-156	1	10.0-156	2.84	2.84	28	28						
Carbon tetrachloride	5.00	ND	5.29	5.29	5.27	106	105	105	1	23.0-159	1	23.0-159	0.379	0.379	28	28						
Chlorobenzene	5.00	ND	4.15	4.15	4.22	83.0	84.4	84.4	1	33.0-152	1	33.0-152	1.67	1.67	27	27						
Chloroethane	5.00	ND	6.53	6.53	6.52	131	130	130	1	10.0-160	1	10.0-160	0.153	0.153	30	30						
Chloroform	5.00	ND	6.02	6.02	6.19	120	124	124	1	29.0-154	1	29.0-154	2.78	2.78	28	28						
Chloromethane	5.00	ND	5.58	5.58	5.62	112	112	112	1	10.0-160	1	10.0-160	0.714	0.714	29	29						
Chlorodibromomethane	5.00	ND	4.12	4.12	3.99	82.4	79.8	79.8	1	37.0-149	1	37.0-149	3.21	3.21	27	27						
Dibromomethane	5.00	ND	5.41	5.41	5.56	108	111	111	1	30.0-151	1	30.0-151	2.73	2.73	27	27						
Ethylbenzene	5.00	ND	4.43	4.43	4.53	88.6	90.6	90.6	1	30.0-155	1	30.0-155	2.23	2.23	27	27						
Iodomethane	25.0	ND	22.3	22.3	22.1	89.2	88.4	88.4	1	10.0-160	1	10.0-160	0.901	0.901	40	40						
Methylene Chloride	5.00	ND	5.52	5.52	5.43	110	109	109	1	23.0-144	1	23.0-144	1.64	1.64	28	28						
Styrene	5.00	ND	4.01	4.01	4.02	80.2	80.4	80.4	1	33.0-155	1	33.0-155	0.249	0.249	28	28						
Tetrachloroethene	5.00	ND	3.95	3.95	3.92	79.0	78.4	78.4	1	10.0-160	1	10.0-160	0.762	0.762	27	27						
Toluene	5.00	ND	4.68	4.68	4.71	93.6	94.2	94.2	1	26.0-154	1	26.0-154	0.639	0.639	28	28						
Trichloroethene	5.00	ND	4.41	4.41	4.48	88.2	89.6	89.6	1	10.0-160	1	10.0-160	1.57	1.57	25	25						
Trichlorofluoromethane	5.00	ND	6.55	6.55	6.54	131	131	131	1	17.0-160	1	17.0-160	0.153	0.153	31	31						
Vinyl acetate	25.0	ND	33.4	33.4	32.9	134	132	132	1	12.0-160	1	12.0-160	1.51	1.51	31	31						
Vinyl chloride	5.00	ND	5.88	5.88	5.96	118	119	119	1	10.0-160	1	10.0-160	1.35	1.35	27	27						
Xylenes, Total	15.0	ND	13.3	13.3	13.4	88.7	89.3	89.3	1	29.0-154	1	29.0-154	0.749	0.749	28	28						
cis-1,2-Dichloroethene	5.00	ND	5.36	5.36	5.43	107	109	109	1	10.0-160	1	10.0-160	1.30	1.30	27	27						
cis-1,3-Dichloropropene	5.00	ND	5.47	5.47	5.56	109	111	111	1	34.0-149	1	34.0-149	1.63	1.63	28	28						
trans-1,2-Dichloroethene	5.00	ND	5.23	5.23	5.27	105	105	105	1	17.0-153	1	17.0-153	0.762	0.762	27	27						
trans-1,3-Dichloropropene	5.00	ND	5.00	5.00	4.99	100	99.8	99.8	1	32.0-149	1	32.0-149	0.200	0.200	28	28						

L1576019-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1576019-04 01/15/23 17:52 • (MS) R3881405-4 01/15/23 20:15 • (MSD) R3881405-5 01/15/23 20:36

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
trans-1,4-Dichloro-2-butene	5.00	ND	6.37	6.51	127	130	1	10.0-157			2.17	37
(S) 1,2-Dichloroethane-d4					116	116		70.0-130				
(S) 4-Bromofluorobenzene					83.1	82.9		77.0-126				
(S) Toluene-d8					85.7	85.1		80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report to:
Jodi Reynolds

Project Description:
 Eco-Vista (Tontitown)LF- GW Jan

Phone: 501-993-8966

City/State Collected:
 Tontitown, AR

Client Project #
 200

Site/Facility ID #
 AR03

Lab Project #
 WMECOVISAR-00021

P.O. #

Quote #

Date Results Needed

No. of Cntrs

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Email To:
 jeffholm@sbglobal.net; jreyno10@wm.com

Please Cycle:
 PT MT WT

Collected by (print):
 Chris Fisher

Collected by (signature):
 [Signature]

Immediate

Packed on ice N Y X

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs
LCS-8		GW				8
LCS-10		GW				8
LCS-11		GW				8
LCS-12		GW				8
DUP						
DUP						
LEACHATE-COMPOSITE						
LGW-2	Grab	GW	77.77	1.10.23	0700	8
LGW-3R	Grab	GW	75.60	1.10.23	1430	8
LGW-4	↓	GW	56.10	↓	1510	8
		GW	60.35	↓	1645	8

Remarks:

* Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Samples returned via:
 UPS FedEx Courier

Relinquished by: (Signature) [Signature] Date: 1.12.23 Time: 1230

Relinquished by: (Signature) [Signature] Date: [] Time: []

Relinquished by: (Signature) [Signature] Date: [] Time: []

Chain of Custody Page 1 of 3

Pace
 PEOPLE ADVANCING SCIENCE

MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody
 constitutes acknowledgment and acceptance of the
 Pace Terms and Conditions found at:
 https://info.pacelabs.com/hub/qa-standards-
 terms.pdf

SDG # **E178**

U15759330

Account: WMECOVISAR
 Template: T221696
 Prelogin: P970670
 PM: 616 - Stacy Kennedy
 PB:

Shipped Via: FedEX Ground

Remarks

Sample # (lab only)

Analysis / Container / Preservative	Pres Chk
Metals 250mlHDPE-HNO3	X
NH3 250mlHDPE-H2SO4	X
NH3, NO2NO3 250mlHDPE-H2SO4	X
TDS 1L-HDPE NoPres	X
TOC 250mlAmb-HCl	X
V8260LL 40mlAmb-HCl	X
V8260LL-TB 40mlAmb-HCl-BIK	X

Sample Receipt Checklist

COC Seal Present/Intact: NP Y N

COC Signed/Accurate: Y N

Bottles arrive intact: Y N

Correct bottles used: Y N

Sufficient volume sent: Y N

If Applicable

VOA Zero Headspace: Y N

Preservation Correct/Checked: Y N

RAD Screen <0.5 mR/hr: Y N

if preservation required by Login: Date/Time

Hold: []

Condition: NCF / OK

Analysis / Container / Preservative	Pres Chk	Temp	Flow	Other	Date	Time
Metals 250mlHDPE-HNO3	X					
NH3 250mlHDPE-H2SO4	X					
NH3, NO2NO3 250mlHDPE-H2SO4	X					
TDS 1L-HDPE NoPres	X					
TOC 250mlAmb-HCl	X					
V8260LL 40mlAmb-HCl	X					
V8260LL-TB 40mlAmb-HCl-BIK	X					

Received by: (Signature) [Signature] Date: 1-13-23 Time: 0915

Received for lab by: (Signature) [Signature] Date: [] Time: []

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF- GW Jan
 Phone: 501-993-8966

City/State Collected:
 Client Project #
 Site/Facility ID #
 Lab Project #
 WMECOVISAR-00021

City/State Collected:
 Please Circle:
 PT MT GT ET

Quote #
 Date Results Needed

Comp/Grab Matrix * Depth Date Time

Collected by (print):
Chris Fisher
 Collected by (signature):
[Signature]
 Immediately
 Packed on Ice N Y X

Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day

No. of Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
LGW-5	Grab	GW	70.75	1.10.23	1730	8
LGW-6		GW	51.10	1.10.23	1845	8
LGW-7		GW	43.85	1.11.23	1635	8
LGW-8R		GW	10.75		1705	8
LGW-9		GW	54.19		1740	8
LGW-10		GW	60.45		1820	8
LGW-14R		GW	59.00	1.10.23	1810	8
MW-1N		GW	81.75	1.11.23	1420	8
MW-2N		GW	69.85		1100	8
MW-3N		GW	46.00		1140	8

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Samples returned via:
 ___ UPS ___ FedEx ___ Courier

Relinquished by: (Signature) *[Signature]* Date: 1.12.23 Time: 1230
 Relinquished by: (Signature) *[Signature]* Date: 1.12.23 Time: 1230
 Relinquished by: (Signature) *[Signature]* Date: Time:

Tracking #
 Received by: (Signature) *[Signature]* Time: 192
 Received by: (Signature) *[Signature]* Time: 192
 Received for lab by: (Signature) *[Signature]* Date: 1-13-23 Time: 0915

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF-GW Jan

Client Project # **200**
 Site/Facility ID # **AR03**
 Lab Project # **WMECOVISAR-00021**
 P.O. #

Collected by (print): *Chris Fowler*
 Collected by (signature): *[Signature]*
 Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day
 Packed on Ice N ___ Y *A*

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW-7N	Grab	GW	87.0	1.10.23	1040	8
MW-8N		GW	29.35	1.11.23	1555	8
MW-10N		GW	34.35	1.11.23	1330	8
MW-11N		GW	63.45	1.10.23	1600	8
MW-15		GW	58.50		1340	8
MW-16		GW	75.20		1305	8
MW-17		GW	60.15		1215	8
MW-19		GW	68.25	1.11.23	1520	8
MW-20		GW	65.70		0955	8
MW-21		GW	23.50		1245	8


Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Samples returned via:
 ___ UPS ___ FedEx ___ Courier

Relinquished by: (Signature) *[Signature]* Date: 1.12.23 Time: 1230
 Relinquished by: (Signature) Date: Time:
 Relinquished by: (Signature) Date: Time:

Tracking #
 Received by: (Signature) Date: Time:
 Received by: (Signature) Date: Time:
 Received for lab by: (Signature) *[Signature]* Date: 1-13-23 Time: 0915

Temp: °C Bottles Received: 192
 Trip Blank Received: (Yes/No) (HCl) MeOH TBR



MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody
 constitutes acknowledgment and acceptance of the
 Pace Terms and Conditions found at:
 https://info.pacelabs.com/hubfs/pas-standard-
 terms.pdf

SDG # *U1575033*
 Table #
 Actnum: WMECOVISAR
 Template: T221696
 Prelogin: P970670
 PM: 616 - Stacy Kennedy
 PB:
 Shipped Via: FedEx Ground

Analysis / Container / Preservative	Pres Chk
Metals 250mlHDPE-HNO3	X
NH3 250mlHDPE-H2SO4	X
NH3,NO2NO3 250mlHDPE-H2SO4	X
TDS 1L-HDPE NoPres	X
TOC 250mlAmb-HCl	X
V8260LL 40mlAmb-HCl	X
V8260LL-TB 40mlAmb-HCl-BLK	X

Remarks: *-15*
-10
-17
-16
-19
-20
-21
-22
-23

Sample Receipt Checklist
 COC Seal Present/Intact: NP N
 COC Signed/Accurate: N
 Bottles arrive intact: N
 Correct bottles used: N
 Sufficient volume sent: N
 If Applicable
 VOA Zero Headspace: N
 Preservation Correct/Checked: N
 RAD Screen <0.5 mB/hr: N

If preservation required by Login: Date/Time
 Hold: Condition: NCF OK

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-2
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 011023 PURGE TIME (2400 Hr Clock): 14:00 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 77.84 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>14:05</u>	<u>200</u>	<u>6.93</u>	<u>582</u>	<u>17.1</u>	<u>5.5</u>	<u>6.0</u>	<u>144.2</u>
	<u>14:10</u>	<u>200</u>	<u>6.93</u>	<u>581</u>	<u>17.0</u>	<u>6.6</u>	<u>5.7</u>	<u>145.7</u>	<u>74.25</u>
	<u>14:15</u>	<u>200</u>	<u>6.94</u>	<u>579</u>	<u>17.0</u>	<u>3.7</u>	<u>5.6</u>	<u>146.8</u>	<u>74.65</u>
	<u>14:20</u>	<u>200</u>	<u>6.93</u>	<u>577</u>	<u>17.0</u>	<u>3.3</u>	<u>5.8</u>	<u>148.2</u>	<u>75.15</u>
	<u>14:25</u>	<u>200</u>	<u>6.94</u>	<u>576</u>	<u>17.0</u>	<u>3.0</u>	<u>6.0</u>	<u>148.3</u>	<u>75.50</u>
	<u>14:30</u>	<u>200</u>	<u>6.94</u>	<u>575</u>	<u>17.0</u>	<u>2.8</u>	<u>5.9</u>	<u>148.7</u>	<u>75.60</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011023 pH (std): 6.94 CONDUCTANCE (umhos/cm @ 25°C): 575 TEMP. (°C): 17.0 TURBIDITY (ntu): 2.8 DO (mg/L-ppm): 5.9 eH/ORP (mV): 148.7 Other: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1.10.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-3R
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 01/10/23 PURGE TIME: 14:45 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/msl)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 5545 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>14:50</u>	<u>200</u> 1 st	<u>5.89</u> 1 st	<u>1109</u>	<u>16.3</u>	<u>5.2</u>	<u>6.3</u>	<u>181.8</u>
	<u>14:55</u>	<u>200</u> 2 nd	<u>5.43</u> 2 nd	<u>197</u>	<u>16.1</u>	<u>7.8</u>	<u>5.6</u>	<u>203.1</u>	<u>55.95</u>
	<u>15:00</u>	<u>200</u> 3 rd	<u>5.42</u> 3 rd	<u>1101</u>	<u>16.0</u>	<u>110.9</u>	<u>5.6</u>	<u>202.3</u>	<u>56.00</u>
	<u>15:05</u>	<u>200</u> 4 th	<u>5.43</u> 4 th	<u>1106</u>	<u>16.0</u>	<u>110.8</u>	<u>5.6</u>	<u>201.3</u>	<u>56.05</u>
	<u>15:10</u>	<u>200</u>	<u>5.45</u>	<u>1109</u>	<u>16.1</u>	<u>9.1</u>	<u>5.6</u>	<u>199.7</u>	<u>56.10</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
<u>01/10/23</u>	<u>5.45</u>	<u>109</u>	<u>16.1</u>	<u>9.1</u>	<u>5.6</u>	<u>199.7</u>	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/10/23 C. Finckel [Signature] Pronus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-4
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 01/10/23 (MM DD YY)
 PURGE TIME: 16:20 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle

Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____
 Sample Tube Type: D
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl)
 Depth to Water (DTW) (from TOC): 60.15 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft)
 Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:25	200 1 st	7.42	552	16.7	5.8	8.7	144.2	60.25
16:30	200 2 nd	6.83	677	16.0	4.2	2.8	157.8	60.35
16:35	200 3 rd	6.76	680	15.9	4.9	1.7	157.9	60.35
16:40	200 4 th	6.74	679	15.9	5.0	1.5	157.8	60.35
16:45	200	6.73	679	15.8	5.0	1.3	157.7	60.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
01/10/23	6.73	679	15.8	5.0	1.3	157.7	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/10/23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: 26M-5
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 011023
 PURGE TIME (2400 Hr Clock): 17:05
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED (ft/msl):

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other: _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 70.72 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
17:10	200 1 st	6.71	719	15.8	7.8	2.5	147.0	70.75
17:15	200 2 nd	6.38	721	16.4	3.2	2.0	158.4	70.75
17:20	200 3 rd	6.36	721	16.5	2.8	1.4	159.9	70.75
17:25	200 4 th	6.35	721	16.5	2.8	1.2	160.5	70.75
17:30	200	6.35	720	16.4	2.7	1.1	160.8	70.75

Suggested range for 3 consec. readings or note Permit/State requirements: pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____
011023	6.35	720	16.4	2.7	1.1	160.8	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required): _____

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1, 10, 23 C. Fincher [Signature] Promus
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-6
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 01/10/23 PURGE TIME (2400 Hr Clock): 18:25 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 51.08 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>18:30</u>	<u>200</u> 1 st	<u>6.35</u> 1 st	<u>605</u>	<u>16.0</u>	<u>3.3</u>	<u>2.4</u>	<u>150.6</u>
	<u>18:35</u>	<u>200</u> 2 nd	<u>6.38</u> 2 nd	<u>629</u>	<u>16.1</u>	<u>3.0</u>	<u>1.3</u>	<u>151.8</u>	<u>51.1</u>
	<u>18:40</u>	<u>200</u> 3 rd	<u>6.42</u> 3 rd	<u>642</u>	<u>16.1</u>	<u>2.8</u>	<u>0.7</u>	<u>151.6</u>	<u>51.1</u>
	<u>18:45</u>	<u>200</u> 4 th	<u>6.43</u> 4 th	<u>645</u>	<u>16.1</u>	<u>2.9</u>	<u>0.5</u>	<u>151.4</u>	<u>51.1</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
<u>01/10/23</u>	<u>6.43</u>	<u>645</u>	<u>16.1</u>	<u>2.9</u>	<u>0.5</u>	<u>151.4</u>	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/10/23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-7
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 011123 PURGE TIME (2400 Hr Clock): 16:10 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or
 Purging Device: A- Submersible Pump D-Bailer
 Sampling Device: B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 43.20 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:15	200 1 st	6.77	538	16.8	29.4	5.2	116.8	43.75
16:20	200 2 nd	7.08	476	16.7	11.7	4.4	112.3	43.85
16:25	200 3 rd	7.06	499	16.6	10.7	3.5	117.8	43.85
16:30	200 4 th	7.05	507	16.6	7.6	3.3	119.5	43.85
16:35	200	7.05	513	16.6	8.1	3.2	121.8	43.85

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011123 pH (std): 7.05 CONDUCTANCE (umhos/cm @ 25°C): 513 TEMP. (°C): 16.6 TURBIDITY (ntu): 8.1 DO (mg/L-ppm): 3.2 eH/ORP (mV): 121.8 Other: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
11/23 C. Fincher _____ Promis
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: ELLF
 Site No.: Sample Point: LGW-9
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 17:15 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 53.20 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>17:20</u>	<u>200</u>	<u>7.02</u>	<u>686</u>	<u>15.4</u>	<u>59</u>	<u>7.5</u>	<u>1202</u>
	<u>17:25</u>	<u>200</u>	<u>6.57</u>	<u>707</u>	<u>15.6</u>	<u>40</u>	<u>20</u>	<u>1302</u>	<u>54.00</u>
	<u>17:30</u>	<u>200</u>	<u>6.51</u>	<u>718</u>	<u>15.6</u>	<u>36</u>	<u>0.7</u>	<u>1337</u>	<u>54.10</u>
	<u>17:35</u>	<u>200</u>	<u>6.52</u>	<u>717</u>	<u>15.6</u>	<u>38</u>	<u>0.5</u>	<u>1341</u>	<u>54.15</u>
	<u>17:40</u>	<u>200</u>	<u>6.52</u>	<u>716</u>	<u>15.6</u>	<u>38</u>	<u>0.4</u>	<u>1344</u>	<u>54.15</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 6.52 CONDUCTANCE (umhos/cm @ 25°C): 716 TEMP. (°C): 15.6 TURBIDITY (ntu): 38 DO (mg/L-ppm): 0.4 eH/ORP (mV): 1344 Other: _____
 Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required): _____

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Fincher [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-10
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 011123 PURGE TIME (2400 Hr Clock): 17:55 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 59.20 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:00	200 1 st	6.69	790	15.2	19.7	1.6	116.4	59.85
18:05	200 2 nd	6.44	902	16.2	8.6	0.9	129.5	60.15
18:10	200 3 rd	6.45	913	16.2	5.6	0.5	131.4	60.25
18:15	200 4 th	6.45	916	16.2	5.9	0.4	131.8	60.35
18:20	200	6.46	919	16.2	5.8	0.3	132.1	60.45

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011123 pH (std): 6.46 CONDUCTANCE (μ mhos/cm @ 25°C): 919 TEMP. (°C): 16.2 TURBIDITY (ntu): 5.8 DO (mg/L-ppm): 0.3 eH/ORP (mV): 132.1 Other:
 Units:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1, 11, 23 C. Fincher [Signature] Pinnus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: nw-11N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 13:50 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 79.53 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		13:55	200 1 st	7.96	231	17.0	161.7	12.5	66.7
	14:00	200 2 nd	7.77	259	16.7	35.1	13.5	79.6	810.80
	14:05	200 3 rd	7.43	395	16.4	18.7	4.7	98.5	811.25
	14:10	200 4 th	7.40	395	16.4	20.1	2.1	102.9	811.45
	14:15	200	7.38	394	16.4	115.2	1.9	104.5	811.65
	14:20	200	7.36	394	16.4	110.4	1.8	105.9	811.75

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 7.36 CONDUCTANCE (umhos/cm @ 25°C): 394 TEMP. (°C): 16.4 TURBIDITY (ntu): 110.4 DO (mg/L-ppm): 1.8 eH/ORP (mV): 105.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: mw-2w
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 10:20 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 68.20 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:25	200 1 st	6.73	416	16.1	12.4	2.9	128.1	69.25
10:30	200 2 nd	6.79	419	16.3	11.7	3.9	127.7	69.25
10:35	200 3 rd	6.88	420	16.2	11.3	5.6	125.3	69.35
10:40	200 4 th	7.07	424	15.5	28.6	6.2	122.2	69.45
10:45	200	7.14	444	15.5	46.7	6.0	117.5	69.55
10:50	200	7.15	471	15.2	40.1	3.6	115.3	69.65
10:55	200	7.15	471	15.3	14.6	3.4	115.5	69.75
11:00	200	7.15	472	15.2	9.1	3.1	115.9	69.85

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 7.15 CONDUCTANCE (umhos/cm @ 25°C): 472 TEMP. (°C): 15.2 TURBIDITY (ntu): 9.1 DO (mg/L-ppm): 3.1 eH/ORP (mV): 115.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1.11.23 C. Fincher [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLFF
 Site No.: Sample Point: MW-7N
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 011023 PURGE TIME (2400 Hr Clock): 10:00 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____ B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 8676 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:05	200 1 st	6.14	564	14.1	116	9.9	167.4	87.0
10:10	200 2 nd	6.57	575	14.6	36	8.4	159.6	87.0
10:15	200 3 rd	6.62	581	15.1	24	4.6	161.1	87.0
10:20	200 4 th	6.63	581	15.2	24	3.8	162.3	87.0
10:25	200	6.62	578	15.5	29	3.5	164.0	87.0
10:30	200	6.69	578	15.1	23	3.4	163.8	87.0
10:35	200	6.70	576	15.3	23	3.3	164.2	87.0
10:40	200	6.70	576	15.3	23	3.2	165.2	87.0

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011023 pH (std): 6.70 CONDUCTANCE (umhos/cm @ 25°C): 576 TEMP. (°C): 15.3 TURBIDITY (ntu): 23 DO (mg/L-ppm): 3.2 eH/ORP (mV): 165.2 Other: _____
 Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): Sunny Direction/Speed: SE 5-10 mph Outlook: 60's Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS
Dup e 0700 + 7.77'

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1.10.23 L. Finkler [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVVF
 Site No.: Sample Point: MW-8N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 15:35 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 29.00 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		15:40	200	6.92	469	15.6	6.4	1.2	143.3
	15:45	200	6.57	478	15.4	4.4	1.4	147.4	29.35
	15:50	200	6.55	477	15.4	3.6	1.4	147.2	29.35
	15:55	200	6.53	477	15.5	3.7	1.0	146.9	29.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 6.53 CONDUCTANCE (umhos/cm @ 25°C): 477 TEMP. (°C): 15.5 TURBIDITY (ntu): 3.7 DO (mg/L-ppm): 0.3 eH/ORP (mV): 146.9 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Finckel
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-10N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 011123
 PURGE TIME (2400 Hr Clock): 13:00
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 301 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		13:05	200 1 st	7.07	446	14.8	76.5	0.5	118.5
	13:10	200 2 nd	7.17	453	14.9	25.6	0.4	111.5	32.85
	13:15	200 3 rd	7.26	455	14.9	14.7	0.3	104.5	33.55
	13:20	200 4 th	7.29	456	14.9	13.3	0.3	102.3	34.15
	13:25	200	7.32	455	14.9	11.6	0.3	100.1	34.25
	13:30	200	7.35	454	14.8	9.1	0.2	97.4	34.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011123 pH (std): 7.35 CONDUCTANCE (umhos/cm @ 25°C): 454 TEMP. (°C): 14.8 TURBIDITY (ntu): 9.1 DO (mg/L-ppm): 0.2 eH/ORP (mV): 97.4 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: NONE Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1, 11, 23 C. Fischer [Signature] Praxis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-11N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/10/23
 PURGE TIME (2400 Hr Clock): 15:25
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 58.50 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2(in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
15:30	200 1 st	6.33	326	15.9	3.9	5.2	153.3	62.25
15:35	200 2 nd	6.87	343	15.7	4.0	6.5	135.7	62.45
15:40	200 3 rd	7.00	344	15.7	3.0	6.7	133.0	62.85
15:45	200 4 th	7.08	344	15.9	2.9	6.8	131.7	62.85
15:50	200	7.15	344	15.8	2.7	6.8	131.1	63.05
15:55	200	7.17	344	15.7	2.7	6.8	131.3	63.25
16:00	200	7.19	343	15.8	2.7	6.9	132.4	63.45

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/10/23 pH (std): 7.19 CONDUCTANCE (umhos/cm @ 25°C): 343 TEMP. (°C): 15.8 TURBIDITY (ntu): 2.7 DO (mg/L-ppm): 6.9 eH/ORP (mV): 132.4 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/10/23 C. Finkler [Signature] Provus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-15
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers: (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 01/10/23 PURGE TIME (2400 Hr Clock): 13:15 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 5835 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>13:20</u>	<u>200</u>	<u>6.916</u>	<u>547</u>	<u>15.7</u>	<u>3.0</u>	<u>7.0</u>	<u>157.4</u>
	<u>13:25</u>	<u>200</u>	<u>6.66</u>	<u>536</u>	<u>15.6</u>	<u>2.7</u>	<u>5.5</u>	<u>161.3</u>	<u>58.5</u>
	<u>13:30</u>	<u>200</u>	<u>6.59</u>	<u>533</u>	<u>15.6</u>	<u>2.6</u>	<u>5.5</u>	<u>162.5</u>	<u>58.5</u>
	<u>13:35</u>	<u>200</u>	<u>6.57</u>	<u>533</u>	<u>15.6</u>	<u>2.8</u>	<u>5.5</u>	<u>162.8</u>	<u>58.5</u>
	<u>13:40</u>	<u>200</u>	<u>6.56</u>	<u>532</u>	<u>15.6</u>	<u>2.8</u>	<u>5.5</u>	<u>163.0</u>	<u>58.5</u>
	13:45								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/10/23 pH (std): 6.56 CONDUCTANCE (umhos/cm @ 25°C): 532 TEMP. (°C): 15.6 TURBIDITY (ntu): 2.8 DO (mg/L-ppm): 5.5 eH/ORP (mV): 163.0 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/10/23 C. Fincher [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: mw-16
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 011023 PURGE TIME (2400 Hr Clock): 12:30 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLs PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 7385 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:35	200 1 st	7.07	345	16.1	4.1	8.3	133.8	74.1
12:40	200 2 nd	7.15	345	16.4	3.1	6.8	136.5	74.45
12:45	200 3 rd	7.27	344	16.4	2.7	6.7	137.7	74.60
12:50	200 4 th	7.34	345	16.2	2.9	6.8	138.4	74.80
12:55	200	7.35	346	16.1	2.7	6.8	138.9	74.95
13:00	200	7.36	345	16.0	2.7	6.9	139.0	75.10
13:05	200	7.35	344	16.2	2.7	6.8	140.1	75.20
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____
011023	7.35	344	16.2	2.7	6.8	140.1	Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1,10,23 C. Finder [Signature] [Signature]
 Date Name Signature Company
 DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-17
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 011023 PURGE TIME (2400 Hr Clock): 11:15 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): 32 ACTUAL VOL PURGED (Gallons): 144 WELL VOLS PURGED: 45

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or X
 Purging Device: D A- Submersible Pump D-Bailer
 Sampling Device: D B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 6005 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) 7960 (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		11:20	1 st	6.97	268	15.7	265	8.3	132.3
	11:25	2 vol.	6.92	283	15.9	85	8.4	148.0	
	11:30	3 rd	6.87	282	15.7	337.7	8.6	152.1	
	11:40	2 vol.	6.84	281	15.6	684.1	9.4	153.5	
	11:50		6.90	292	15.7	780.1	8.5	152.0	
	11:55	3 vol.	6.85	280	15.6	821.6	8.5	155.1	
	12:00		6.85	267	15.6	1160.5	8.5	156.7	
	12:05	4 vol.	6.88	267	15.7	1076.1	8.6	158.5	
	12:10		6.87	271	15.7	202.4	8.5	159.6	
	12:15		6.87	272	15.6	238	8.5	160.4	

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 011023 pH (std): 6.87 CONDUCTANCE (umhos/cm @ 25°C): 272 TEMP. (°C): 15.6 TURBIDITY (ntu): 238 DO (mg/L-ppm): 8.5 eH/ORP (mV): 160.4 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1.10.23 C. Funder [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-19
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 14:40 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 67.85 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		14:45	200 1 st	7.38	352	17.3	8.3	6.3	106.4
	14:50	200 2 nd	7.41	339	17.8	8.8	6.9	106.4	68.18
	14:55	200 3 rd	7.53	328	18.0	9.1	5.2	105.8	68.25
	15:00	200 4 th	7.62	312	17.9	6.4	6.3	102.0	68.25
	15:05	200	7.70	299	17.9	6.4	7.3	100.0	68.25
	15:10	200	7.74	295	17.9	6.7	7.6	99.8	68.25
	15:15	200	7.76	290	17.9	7.3	7.8	99.6	68.25
	15:20	200	7.79	288	17.9	7.3	7.9	99.1	68.25

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 7.79 CONDUCTANCE (umhos/cm @ 25°C): 288 TEMP. (°C): 17.9 TURBIDITY (ntu): 7.3 DO (mg/L-ppm): 7.9 eH/ORP (mV): 99.1 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Fincher
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-20
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 01/11/23 (MM DD YY)
 PURGE TIME: 09:30 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: _____
 Filter Type: _____
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other: _____
 Sample Tube Type: 0 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 65.70 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:35	200	6.36	527	14.7	110.2	3.2	136.0	65.7
09:40	200	6.41	488	15.2	16.8	3.2	137.5	T+0+P
09:45	200	6.44	467	15.2	18.5	3.2	138.1	
09:50	200	6.45	463	15.3	18.2	3.2	138.4	
09:55	200	6.45	461	15.3	18.6	3.1	139.5	
10:00	200							

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/11/23 pH (std): 6.45 CONDUCTANCE (μmhos/cm @ 25 °C): 461 TEMP. (°C): 15.3 TURBIDITY (ntu): 86 DO (mg/L-ppm): 3.1 eH/ORP (mV): 139.5 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS
65.70' = Top of Pump

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Fincher [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-21
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 01/11/23 PURGE TIME (2400 Hr Clock): 12:00 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 23.35 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:05	200 1 st	5.98	290	16.9	74.4	1.3	158.2	23.5
12:10	200 2 nd	5.88	266	17.1	102.4	0.3	163.6	23.5
12:15	200 3 rd	5.84	265	17.1	101.9	0.3	165.1	23.5
12:20	200 4 th	5.86	264	17.0	81.8	0.3	164.2	23.5
12:25	200	5.86	265	17.1	57.5	0.3	163.6	23.5
12:30	200	5.87	266	17.0	35.4	0.4	163.4	23.5
12:35	200	5.87	266	17.0	20.7	0.4	163.1	23.5
12:40	200	5.86	266	17.1	29.4	0.4	162.9	23.5
12:45	200	5.85	266	17.1	20.1	0.5	163.3	23.5

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____
01/11/23	5.85	266	17.1	20.1	0.5	163.3	Units _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/11/23 C. Fincher [Signature] Prognosis
 Date Name Signature Company

Temperature		Tracking Numbers	
6.0	↑	6193 3528 3043	↑
1.6		3054	
1.0		3021	
0.7		3032	
1.7		3032	

L15T5Q32

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1573792
Samples Received: 01/07/2023
Project Number: 200
Description: Eco-Vista (Tontitown)LF- GW Jan
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:




Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	8
Sr: Sample Results	10
NE-1 L1573792-01	10
NE-2 L1573792-02	13
NE-4 L1573792-03	16
NE-5 L1573792-04	19
NE-5E L1573792-05	22
NE-5W L1573792-06	25
NE-6 L1573792-07	28
NE-6D L1573792-08	31
NE-7 L1573792-09	34
NE-8 L1573792-10	37
NE-9 L1573792-11	40
NE-10D L1573792-12	43
NE-11 L1573792-13	46
NE-12 L1573792-14	49
NE-14D L1573792-15	52
NE-14S L1573792-16	55
NE-15D L1573792-17	58
FB L1573792-18	61
DUP-02 L1573792-19	64
Qc: Quality Control Summary	67
Gravimetric Analysis by Method 2540 C-2011	67
Wet Chemistry by Method 2320 B-2011	68
Wet Chemistry by Method 350.1	72
Wet Chemistry by Method 353.2	76
Wet Chemistry by Method 9056A	78
Wet Chemistry by Method 9060A	82
Metals (ICP) by Method 6010B	85
Metals (ICPMS) by Method 6020	91
Volatile Organic Compounds (GC/MS) by Method 8260B	95
Gl: Glossary of Terms	101
Al: Accreditations & Locations	102
Sc: Sample Chain of Custody	103



SAMPLE SUMMARY

NE-1 L1573792-01 GW

Collected by: Chris Fincher
 Collected date/time: 01/05/23 12:45
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:03	01/13/23 11:03	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:45	01/09/23 15:45	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	1	01/09/23 11:38	01/09/23 11:38	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 02:04	01/08/23 02:04	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984960	1	01/10/23 22:11	01/10/23 22:11	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985726	1	01/10/23 10:31	01/10/23 17:45	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985268	1	01/09/23 16:24	01/10/23 00:20	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 12:06	01/08/23 12:06	JHH	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

NE-2 L1573792-02 GW

Collected by: Chris Fincher
 Collected date/time: 01/05/23 11:50
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:21	01/13/23 11:21	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:46	01/09/23 15:46	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	10	01/09/23 11:46	01/09/23 11:46	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 02:55	01/08/23 02:55	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984960	1	01/10/23 22:36	01/10/23 22:36	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:43	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985268	1	01/09/23 19:13	01/10/23 00:23	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 12:25	01/08/23 12:25	JHH	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

NE-4 L1573792-03 GW

Collected by: Chris Fincher
 Collected date/time: 01/05/23 13:50
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:25	01/13/23 11:25	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:51	01/09/23 15:51	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	10	01/09/23 11:47	01/09/23 11:47	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 03:08	01/08/23 03:08	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/09/23 20:35	01/09/23 20:35	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:46	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985268	1	01/09/23 19:13	01/10/23 00:27	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 12:45	01/08/23 12:45	JHH	Mt. Juliet, TN

NE-5 L1573792-04 GW

Collected by: Chris Fincher
 Collected date/time: 01/05/23 10:00
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:30	01/13/23 11:30	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:54	01/09/23 15:54	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	1	01/09/23 11:48	01/09/23 11:48	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 03:21	01/08/23 03:21	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/09/23 22:42	01/09/23 22:42	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:49	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985268	1	01/09/23 19:13	01/10/23 00:30	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 13:04	01/08/23 13:04	JHH	Mt. Juliet, TN

SAMPLE SUMMARY

NE-5E L1573792-05 GW

Collected by
Chris Fincher

Collected date/time
01/05/23 11:05

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:34	01/13/23 11:34	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:55	01/09/23 15:55	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	1	01/09/23 11:50	01/09/23 11:50	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 03:33	01/08/23 03:33	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/09/23 23:23	01/09/23 23:23	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:51	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:03	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 13:23	01/08/23 13:23	JHH	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

NE-5W L1573792-06 GW

Collected by
Chris Fincher

Collected date/time
01/05/23 09:10

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:38	01/13/23 11:38	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:57	01/09/23 15:57	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	1	01/09/23 11:51	01/09/23 11:51	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 03:46	01/08/23 03:46	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 00:41	01/10/23 00:41	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:54	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:06	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 13:42	01/08/23 13:42	JHH	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

NE-6 L1573792-07 GW

Collected by
Chris Fincher

Collected date/time
01/05/23 14:50

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:43	01/13/23 11:43	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 15:58	01/09/23 15:58	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985243	1	01/09/23 11:52	01/09/23 11:52	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 03:59	01/08/23 03:59	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 01:02	01/10/23 01:02	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:57	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:09	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 14:01	01/08/23 14:01	JHH	Mt. Juliet, TN

NE-6D L1573792-08 GW

Collected by
Chris Fincher

Collected date/time
01/05/23 15:35

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:48	01/13/23 11:48	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 16:04	01/09/23 16:04	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:09	01/09/23 12:09	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984849	1	01/08/23 04:37	01/08/23 04:37	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 01:23	01/10/23 01:23	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 18:59	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/09/23 23:50	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 14:20	01/08/23 14:20	JHH	Mt. Juliet, TN

SAMPLE SUMMARY

NE-7 L1573792-09 GW

Collected by
Chris Fincher

Collected date/time
01/05/23 16:20

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:53	01/13/23 11:53	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 16:06	01/09/23 16:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:11	01/09/23 12:11	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 20:35	01/07/23 20:35	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 01:44	01/10/23 01:44	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 19:02	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:13	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 14:39	01/08/23 14:39	JHH	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

NE-8 L1573792-10 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 09:05

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 11:57	01/13/23 11:57	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 16:07	01/09/23 16:07	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:12	01/09/23 12:12	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 21:30	01/07/23 21:30	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 02:52	01/10/23 02:52	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 19:05	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:23	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 14:59	01/08/23 14:59	JHH	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

NE-9 L1573792-11 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 12:50

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 12:14	01/13/23 12:14	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 16:09	01/09/23 16:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:13	01/09/23 12:13	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 21:43	01/07/23 21:43	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 03:13	01/10/23 03:13	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 19:13	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:26	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 15:18	01/08/23 15:18	JHH	Mt. Juliet, TN

NE-10D L1573792-12 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 16:45

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 12:19	01/13/23 12:19	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985110	1	01/09/23 16:12	01/09/23 16:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:22	01/09/23 12:22	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 21:57	01/07/23 21:57	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 03:37	01/10/23 03:37	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985726	1	01/10/23 10:31	01/10/23 17:31	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:29	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 15:37	01/08/23 15:37	JHH	Mt. Juliet, TN

SAMPLE SUMMARY

NE-11 L1573792-13 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 15:20

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988079	1	01/13/23 12:23	01/13/23 12:23	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 10:59	01/09/23 10:59	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:23	01/09/23 12:23	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 22:11	01/07/23 22:11	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 03:56	01/10/23 03:56	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985264	1	01/09/23 14:19	01/09/23 19:15	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:32	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 15:57	01/08/23 15:57	JHH	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

NE-12 L1573792-14 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 14:30

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:18	01/16/23 14:18	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 11:05	01/09/23 11:05	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	5	01/09/23 12:25	01/09/23 12:25	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 22:24	01/07/23 22:24	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 04:16	01/10/23 04:16	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:26	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:36	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 16:15	01/08/23 16:15	JHH	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

NE-14D L1573792-15 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 10:30

Received date/time
01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:23	01/16/23 14:23	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 11:06	01/09/23 11:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:26	01/09/23 12:26	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 22:38	01/07/23 22:38	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 04:34	01/10/23 04:34	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:15	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:39	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 16:35	01/08/23 16:35	JHH	Mt. Juliet, TN

NE-14S L1573792-16 GW

Collected by
Chris Fincher

Collected date/time
01/06/23 09:50

Received date/time
01/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:28	01/16/23 14:28	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 11:08	01/09/23 11:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:27	01/09/23 12:27	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/07/23 23:19	01/07/23 23:19	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1984961	1	01/10/23 04:53	01/10/23 04:53	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:29	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:42	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 16:54	01/08/23 16:54	JHH	Mt. Juliet, TN

SAMPLE SUMMARY

NE-15D L1573792-17 GW

Collected by: Chris Fincher
 Collected date/time: 01/06/23 12:10
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:32	01/16/23 14:32	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 11:09	01/09/23 11:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:29	01/09/23 12:29	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/08/23 00:00	01/08/23 00:00	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1985832	1	01/11/23 00:38	01/11/23 00:38	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:32	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:46	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985025	1	01/08/23 17:13	01/08/23 17:13	JHH	Mt. Juliet, TN



FB L1573792-18 GW

Collected by: Chris Fincher
 Collected date/time: 01/06/23 09:40
 Received date/time: 01/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:37	01/16/23 14:37	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1985240	1	01/09/23 11:12	01/09/23 11:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:30	01/09/23 12:30	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/08/23 00:14	01/08/23 00:14	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1985832	1	01/11/23 01:41	01/11/23 01:41	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:35	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:49	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985424	1	01/09/23 16:47	01/09/23 16:47	DWR	Mt. Juliet, TN

DUP-02 L1573792-19 GW

Collected by: Chris Fincher
 Collected date/time: 01/06/23 07:00
 Received date/time: 01/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1985452	1	01/09/23 14:08	01/10/23 07:22	AS	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG1988085	1	01/16/23 14:40	01/16/23 14:40	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG1986379	1	01/11/23 13:52	01/11/23 13:52	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG1985245	1	01/09/23 12:34	01/09/23 12:34	JCS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1984851	1	01/08/23 00:28	01/08/23 00:28	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG1985832	1	01/11/23 02:41	01/11/23 02:41	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1985265	1	01/09/23 19:26	01/09/23 22:44	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1985269	1	01/09/23 20:54	01/10/23 00:52	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1985424	1	01/09/23 17:06	01/09/23 17:06	DWR	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG1985452	(DUP) R3880238-3, (DUP) R3880238-4, L1573792-01	Dissolved Solids

Wet Chemistry by Method 350.1

RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Batch	Lab Sample ID	Analytes
WG1985110	(DUP) R3879296-5, L1573792-03	Ammonia Nitrogen

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG1985110	(MS) R3879296-3, (MS) R3879296-6, (MSD) R3879296-4, L1573792-02, 11	Ammonia Nitrogen
WG1986379	(MSD) R3880130-6	Ammonia Nitrogen

Metals (ICP) by Method 6010B

The same analyte is found in the associated blank.

Batch	Analyte	Lab Sample ID
WG1985726	Manganese, Total Recoverable	L1573792-01

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG1985264	(MS) R3879335-4	Calcium and Sodium
WG1985265	(MS) R3879362-4, (MSD) R3879362-5, L1573792-15	Calcium and Calcium, Total Recoverable

CASE NARRATIVE

Metals (ICP) by Method 6010B

The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.

Batch	Lab Sample ID	Analytes
WG1985265	L1573792-15	Sodium, Total Recoverable
WG1985726	L1573792-01	Calcium, Total Recoverable, Magnesium, Total Recoverable and Sodium, Total Recoverable

Metals (ICPMS) by Method 6020

The sample matrix interfered with the ability to make any accurate determination; spike value is high.

Batch	Lab Sample ID	Analytes
WG1985269	(MSD) R3879448-5, L1573792-08	Zinc and Zinc, Total Recoverable

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG1985269	(MSD) R3879448-5, L1573792-08	Zinc and Zinc, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG1985025	(LCS) R3879098-1, L1573792-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17	1,1,1,2-Tetrachloroethane and Trichloroethene

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.19	su
Specific Conductance (on site)	541	umhos/cm
Temperature (on-site)	14.2	Deg. C
Turbidity (on-site)	4.9	NTU
Dissolved Oxygen (on-site)	7.3	mg/l
eH/ORP (On Site)	134.8	mV
Depth to water (DTW) (FROM TOC)	46.38	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	214	<u>J3</u>	10.0	1	01/10/2023 07:22	<u>WG1985452</u>

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	186		10.0	1	01/13/2023 11:03	<u>WG1988079</u>
Alkalinity,Bicarbonate	186		10.0	1	01/13/2023 11:03	<u>WG1988079</u>
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:03	<u>WG1988079</u>

Sample Narrative:

L1573792-01 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.229		0.100	1	01/09/2023 15:45	<u>WG1985110</u>

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.24		0.100	1	01/09/2023 11:38	<u>WG1985243</u>

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.1		3.00	1	01/08/2023 02:04	<u>WG1984849</u>
Sulfate	17.0		5.00	1	01/08/2023 02:04	<u>WG1984849</u>

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.60		1.00	1	01/10/2023 22:11	<u>WG1984960</u>

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/10/2023 17:45	<u>WG1985726</u>
Barium,Total Recoverable	0.0223		0.00500	1	01/10/2023 17:45	<u>WG1985726</u>
Calcium, Total Recoverable	62.4	<u>O1</u>	0.200	1	01/10/2023 17:45	<u>WG1985726</u>
Iron, Total Recoverable	ND		0.0600	1	01/10/2023 17:45	<u>WG1985726</u>
Potassium, Total Recoverable	4.98		3.00	1	01/10/2023 17:45	<u>WG1985726</u>

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	5.51	<u>O1</u>	0.200	1	01/10/2023 17:45	WG1985726
Manganese, Total Recoverable	0.0183	<u>B</u>	0.00300	1	01/10/2023 17:45	WG1985726
Sodium, Total Recoverable	22.1	<u>O1</u>	5.00	1	01/10/2023 17:45	WG1985726
Lead, Total Recoverable	ND		0.00500	1	01/10/2023 17:45	WG1985726
Selenium, Total Recoverable	ND		0.0100	1	01/10/2023 17:45	WG1985726

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:20	WG1985268
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:20	WG1985268
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:20	WG1985268
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:20	WG1985268
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:20	WG1985268
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:20	WG1985268
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:20	WG1985268
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:20	WG1985268
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:20	WG1985268
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:20	WG1985268
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:20	WG1985268

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	<u>J4</u>	1.00	1	01/08/2023 12:06	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 12:06	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 12:06	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 12:06	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 12:06	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 12:06	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 12:06	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 12:06	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 12:06	WG1985025
Acetone	ND		10.0	1	01/08/2023 12:06	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 12:06	WG1985025
Benzene	ND		1.00	1	01/08/2023 12:06	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Bromoform	ND		1.00	1	01/08/2023 12:06	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 12:06	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 12:06	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 12:06	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Chloroform	ND		1.00	1	01/08/2023 12:06	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 12:06	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 12:06	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 12:06	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 12:06	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 12:06	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 12:06	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 12:06	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 12:06	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 12:06	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 12:06	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 12:06	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 12:06	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 12:06	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:06	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:06	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:06	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:06	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 12:06	WG1985025	
(S) 1,2-Dichloroethane-d4	89.1			70.0-130	01/08/2023 12:06	WG1985025	
(S) 4-Bromofluorobenzene	107			77.0-126	01/08/2023 12:06	WG1985025	
(S) Toluene-d8	118			80.0-120	01/08/2023 12:06	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.43	su
Specific Conductance (on site)	675	umhos/cm
Temperature (on-site)	13.1	Deg. C
Turbidity (on-site)	3.7	NTU
Dissolved Oxygen (on-site)	5.9	mg/l
eH/ORP (On Site)	166.1	mV
Depth to water (DTW) (FROM TOC)	20.85	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	346		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	130		10.0	1	01/13/2023 11:21	WG1988079
Alkalinity,Bicarbonate	130		10.0	1	01/13/2023 11:21	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:21	WG1988079

Sample Narrative:

L1573792-02 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.141	J6	0.100	1	01/09/2023 15:46	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	16.9		0.197	10	01/09/2023 11:46	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	49.9		3.00	1	01/08/2023 02:55	WG1984849
Sulfate	18.3		5.00	1	01/08/2023 02:55	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	4.27		1.00	1	01/10/2023 22:36	WG1984960

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:43	WG1985264
Barium,Total Recoverable	0.118		0.00500	1	01/09/2023 18:43	WG1985264
Calcium, Total Recoverable	50.2		0.200	1	01/09/2023 18:43	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 18:43	WG1985264
Potassium, Total Recoverable	11.8		3.00	1	01/09/2023 18:43	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	6.20		0.200	1	01/09/2023 18:43	WG1985264
Manganese, Total Recoverable	0.0117		0.00300	1	01/09/2023 18:43	WG1985264
Sodium, Total Recoverable	44.2		5.00	1	01/09/2023 18:43	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:43	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:43	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:23	WG1985268
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:23	WG1985268
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:23	WG1985268
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985268
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985268
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:23	WG1985268
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:23	WG1985268
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:23	WG1985268
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:23	WG1985268
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985268
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:23	WG1985268

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 12:25	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 12:25	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 12:25	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 12:25	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 12:25	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 12:25	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 12:25	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 12:25	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 12:25	WG1985025
Acetone	ND		10.0	1	01/08/2023 12:25	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 12:25	WG1985025
Benzene	ND		1.00	1	01/08/2023 12:25	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Bromoform	ND		1.00	1	01/08/2023 12:25	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 12:25	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 12:25	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 12:25	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Chloroform	ND		1.00	1	01/08/2023 12:25	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 12:25	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 12:25	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 12:25	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 12:25	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 12:25	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 12:25	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 12:25	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 12:25	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 12:25	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 12:25	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 12:25	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 12:25	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 12:25	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:25	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:25	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:25	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:25	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 12:25	WG1985025	
(S) 1,2-Dichloroethane-d4	93.3			70.0-130	01/08/2023 12:25	WG1985025	
(S) 4-Bromofluorobenzene	107			77.0-126	01/08/2023 12:25	WG1985025	
(S) Toluene-d8	120			80.0-120	01/08/2023 12:25	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.03	su
Specific Conductance (on site)	635	umhos/cm
Temperature (on-site)	13.6	Deg. C
Turbidity (on-site)	9.2	NTU
Dissolved Oxygen (on-site)	8.2	mg/l
eH/ORP (On Site)	138.1	mV
Depth to water (DTW) (FROM TOC)	64.75	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	271		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	248		10.0	1	01/13/2023 11:25	WG1988079
Alkalinity,Bicarbonate	248		10.0	1	01/13/2023 11:25	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:25	WG1988079

Sample Narrative:

L1573792-03 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.166	P1	0.100	1	01/09/2023 15:51	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	10.1		0.197	10	01/09/2023 11:47	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.97		3.00	1	01/08/2023 03:08	WG1984849
Sulfate	6.24		5.00	1	01/08/2023 03:08	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/09/2023 20:35	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:46	WG1985264
Barium, Total Recoverable	0.0334		0.00500	1	01/09/2023 18:46	WG1985264
Calcium, Total Recoverable	86.7		0.200	1	01/09/2023 18:46	WG1985264
Iron, Total Recoverable	0.0787	J	0.0600	1	01/09/2023 18:46	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 18:46	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.61		0.200	1	01/09/2023 18:46	WG1985264
Manganese, Total Recoverable	0.0216		0.00300	1	01/09/2023 18:46	WG1985264
Sodium, Total Recoverable	19.2		5.00	1	01/09/2023 18:46	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:46	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:46	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:27	WG1985268
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:27	WG1985268
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:27	WG1985268
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:27	WG1985268
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:27	WG1985268
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:27	WG1985268
Nickel, Total Recoverable	0.0137		0.00400	1	01/10/2023 00:27	WG1985268
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:27	WG1985268
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:27	WG1985268
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:27	WG1985268
Zinc, Total Recoverable	0.0105	J	0.00500	1	01/10/2023 00:27	WG1985268

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 12:45	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 12:45	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 12:45	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 12:45	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 12:45	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 12:45	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 12:45	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 12:45	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 12:45	WG1985025
Acetone	ND		10.0	1	01/08/2023 12:45	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 12:45	WG1985025
Benzene	ND		1.00	1	01/08/2023 12:45	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Bromoform	ND		1.00	1	01/08/2023 12:45	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 12:45	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 12:45	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 12:45	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Chloroform	ND		1.00	1	01/08/2023 12:45	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 12:45	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 12:45	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 12:45	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 12:45	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 12:45	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 12:45	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 12:45	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 12:45	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 12:45	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 12:45	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 12:45	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 12:45	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 12:45	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:45	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:45	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 12:45	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 12:45	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 12:45	WG1985025	
(S) 1,2-Dichloroethane-d4	93.3			70.0-130	01/08/2023 12:45	WG1985025	
(S) 4-Bromofluorobenzene	103			77.0-126	01/08/2023 12:45	WG1985025	
(S) Toluene-d8	116			80.0-120	01/08/2023 12:45	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.62	su
Specific Conductance (on site)	728	umhos/cm
Temperature (on-site)	13.8	Deg. C
Turbidity (on-site)	8.7	NTU
Dissolved Oxygen (on-site)	1	mg/l
eH/ORP (On Site)	161.1	mV
Depth to water (DTW) (FROM TOC)	69.89	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	356		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	342		10.0	1	01/13/2023 11:30	WG1988079
Alkalinity,Bicarbonate	342		10.0	1	01/13/2023 11:30	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:30	WG1988079

Sample Narrative:

L1573792-04 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.127		0.100	1	01/09/2023 15:54	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/09/2023 11:48	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	8.10		3.00	1	01/08/2023 03:21	WG1984849
Sulfate	ND		5.00	1	01/08/2023 03:21	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/09/2023 22:42	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:49	WG1985264
Barium,Total Recoverable	0.0436		0.00500	1	01/09/2023 18:49	WG1985264
Calcium, Total Recoverable	119		0.200	1	01/09/2023 18:49	WG1985264
Iron, Total Recoverable	10.4		0.0600	1	01/09/2023 18:49	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 18:49	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.52		0.200	1	01/09/2023 18:49	WG1985264
Manganese, Total Recoverable	1.53		0.00300	1	01/09/2023 18:49	WG1985264
Sodium, Total Recoverable	7.47		5.00	1	01/09/2023 18:49	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:49	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:49	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	0.00501		0.00500	1	01/10/2023 00:30	WG1985268
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:30	WG1985268
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:30	WG1985268
Cobalt, Total Recoverable	0.0397		0.00300	1	01/10/2023 00:30	WG1985268
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:30	WG1985268
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:30	WG1985268
Nickel, Total Recoverable	0.125		0.00400	1	01/10/2023 00:30	WG1985268
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:30	WG1985268
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:30	WG1985268
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:30	WG1985268
Zinc, Total Recoverable	0.0604		0.00500	1	01/10/2023 00:30	WG1985268

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 13:04	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 13:04	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 13:04	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 13:04	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 13:04	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 13:04	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 13:04	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 13:04	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 13:04	WG1985025
Acetone	ND		10.0	1	01/08/2023 13:04	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 13:04	WG1985025
Benzene	ND		1.00	1	01/08/2023 13:04	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Bromoform	ND		1.00	1	01/08/2023 13:04	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 13:04	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 13:04	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 13:04	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Chloroform	ND		1.00	1	01/08/2023 13:04	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 13:04	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 13:04	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 13:04	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 13:04	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 13:04	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 13:04	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 13:04	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 13:04	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 13:04	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 13:04	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 13:04	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 13:04	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 13:04	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:04	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:04	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:04	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:04	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 13:04	WG1985025	
(S) 1,2-Dichloroethane-d4	97.1			70.0-130	01/08/2023 13:04	WG1985025	
(S) 4-Bromofluorobenzene	112			77.0-126	01/08/2023 13:04	WG1985025	
(S) Toluene-d8	115			80.0-120	01/08/2023 13:04	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.67	su
Specific Conductance (on site)	742	umhos/cm
Temperature (on-site)	12.9	Deg. C
Turbidity (on-site)	9.7	NTU
Dissolved Oxygen (on-site)	1.8	mg/l
eH/ORP (On Site)	155.2	mV
Depth to water (DTW) (FROM TOC)	67.15	ft

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	349		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	325		10.0	1	01/13/2023 11:34	WG1988079
Alkalinity,Bicarbonate	325		10.0	1	01/13/2023 11:34	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:34	WG1988079

Sample Narrative:

L1573792-05 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.114		0.100	1	01/09/2023 15:55	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.503		0.100	1	01/09/2023 11:50	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	26.0		3.00	1	01/08/2023 03:33	WG1984849
Sulfate	8.88		5.00	1	01/08/2023 03:33	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.02		1.00	1	01/09/2023 23:23	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:51	WG1985264
Barium,Total Recoverable	0.0475		0.00500	1	01/09/2023 18:51	WG1985264
Calcium, Total Recoverable	116		0.200	1	01/09/2023 18:51	WG1985264
Iron, Total Recoverable	1.95		0.0600	1	01/09/2023 18:51	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 18:51	WG1985264



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.63		0.200	1	01/09/2023 18:51	WG1985264
Manganese, Total Recoverable	0.121		0.00300	1	01/09/2023 18:51	WG1985264
Sodium, Total Recoverable	16.3		5.00	1	01/09/2023 18:51	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:51	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:51	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:03	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:03	WG1985269
Cadmium, Total Recoverable	0.0150		0.00100	1	01/10/2023 00:03	WG1985269
Cobalt, Total Recoverable	0.0119		0.00300	1	01/10/2023 00:03	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:03	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:03	WG1985269
Nickel, Total Recoverable	0.0233		0.00400	1	01/10/2023 00:03	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:03	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:03	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:03	WG1985269
Zinc, Total Recoverable	0.0312		0.00500	1	01/10/2023 00:03	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 13:23	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 13:23	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 13:23	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 13:23	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 13:23	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 13:23	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 13:23	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 13:23	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 13:23	WG1985025
Acetone	ND		10.0	1	01/08/2023 13:23	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 13:23	WG1985025
Benzene	ND		1.00	1	01/08/2023 13:23	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Bromoform	ND		1.00	1	01/08/2023 13:23	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 13:23	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 13:23	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 13:23	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Chloroform	ND		1.00	1	01/08/2023 13:23	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 13:23	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 13:23	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 13:23	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 13:23	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 13:23	WG1985025	
Styrene	ND		1.00	1	01/08/2023 13:23	WG1985025	³ Ss
Tetrachloroethene	ND		1.00	1	01/08/2023 13:23	WG1985025	
Toluene	ND		1.00	1	01/08/2023 13:23	WG1985025	⁴ Cn
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 13:23	WG1985025	
Trichlorofluoromethane	ND		1.00	1	01/08/2023 13:23	WG1985025	⁵ Sr
Vinyl acetate	ND		5.00	1	01/08/2023 13:23	WG1985025	
Vinyl chloride	ND		1.00	1	01/08/2023 13:23	WG1985025	⁶ Qc
Xylenes, Total	ND		1.00	1	01/08/2023 13:23	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:23	WG1985025	⁷ Gl
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:23	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:23	WG1985025	⁸ Al
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:23	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 13:23	WG1985025	⁹ Sc
(S) 1,2-Dichloroethane-d4	96.5			70.0-130	01/08/2023 13:23	WG1985025	
(S) 4-Bromofluorobenzene	106			77.0-126	01/08/2023 13:23	WG1985025	
(S) Toluene-d8	119			80.0-120	01/08/2023 13:23	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.71	su
Specific Conductance (on site)	758	umhos/cm
Temperature (on-site)	12	Deg. C
Turbidity (on-site)	9.5	NTU
Dissolved Oxygen (on-site)	1.3	mg/l
eH/ORP (On Site)	161.6	mV
Depth to water (DTW) (FROM TOC)	71.22	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	359		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	358		10.0	1	01/13/2023 11:38	WG1988079
Alkalinity,Bicarbonate	358		10.0	1	01/13/2023 11:38	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:38	WG1988079

Sample Narrative:

L1573792-06 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.100		0.100	1	01/09/2023 15:57	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/09/2023 11:51	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	10.5		3.00	1	01/08/2023 03:46	WG1984849
Sulfate	ND		5.00	1	01/08/2023 03:46	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 00:41	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:54	WG1985264
Barium, Total Recoverable	0.0394		0.00500	1	01/09/2023 18:54	WG1985264
Calcium, Total Recoverable	129		0.200	1	01/09/2023 18:54	WG1985264
Iron, Total Recoverable	0.391		0.0600	1	01/09/2023 18:54	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 18:54	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.78		0.200	1	01/09/2023 18:54	WG1985264
Manganese, Total Recoverable	0.0925		0.00300	1	01/09/2023 18:54	WG1985264
Sodium, Total Recoverable	6.51		5.00	1	01/09/2023 18:54	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:54	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:54	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:06	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:06	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:06	WG1985269
Cobalt, Total Recoverable	0.00486		0.00300	1	01/10/2023 00:06	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:06	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:06	WG1985269
Nickel, Total Recoverable	0.0227		0.00400	1	01/10/2023 00:06	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:06	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:06	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:06	WG1985269
Zinc, Total Recoverable	0.0110	J	0.00500	1	01/10/2023 00:06	WG1985269

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 13:42	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 13:42	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 13:42	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 13:42	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 13:42	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 13:42	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 13:42	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 13:42	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 13:42	WG1985025
Acetone	ND		10.0	1	01/08/2023 13:42	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 13:42	WG1985025
Benzene	ND		1.00	1	01/08/2023 13:42	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Bromoform	ND		1.00	1	01/08/2023 13:42	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 13:42	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 13:42	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 13:42	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Chloroform	ND		1.00	1	01/08/2023 13:42	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 13:42	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 13:42	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 13:42	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 13:42	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 13:42	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 13:42	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 13:42	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 13:42	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 13:42	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 13:42	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 13:42	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 13:42	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 13:42	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:42	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:42	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 13:42	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 13:42	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 13:42	WG1985025	
(S) 1,2-Dichloroethane-d4	96.9			70.0-130	01/08/2023 13:42	WG1985025	
(S) 4-Bromofluorobenzene	104			77.0-126	01/08/2023 13:42	WG1985025	
(S) Toluene-d8	117			80.0-120	01/08/2023 13:42	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.82	su
Specific Conductance (on site)	721	umhos/cm
Temperature (on-site)	14.6	Deg. C
Turbidity (on-site)	4.6	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	150.4	mV
Depth to water (DTW) (FROM TOC)	29.14	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	334		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	291		10.0	1	01/13/2023 11:43	WG1988079
Alkalinity,Bicarbonate	291		10.0	1	01/13/2023 11:43	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:43	WG1988079

Sample Narrative:

L1573792-07 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 15:58	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	01/09/2023 11:52	WG1985243

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	22.0		3.00	1	01/08/2023 03:59	WG1984849
Sulfate	18.9		5.00	1	01/08/2023 03:59	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 01:02	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:57	WG1985264
Barium, Total Recoverable	0.0758		0.00500	1	01/09/2023 18:57	WG1985264
Calcium, Total Recoverable	113		0.200	1	01/09/2023 18:57	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 18:57	WG1985264
Potassium, Total Recoverable	3.34		3.00	1	01/09/2023 18:57	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.00		0.200	1	01/09/2023 18:57	WG1985264
Manganese, Total Recoverable	0.134		0.00300	1	01/09/2023 18:57	WG1985264
Sodium, Total Recoverable	8.67		5.00	1	01/09/2023 18:57	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:57	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:57	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:09	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:09	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:09	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:09	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:09	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:09	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:09	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:09	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:09	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:09	WG1985269
Zinc, Total Recoverable	0.00631	J	0.00500	1	01/10/2023 00:09	WG1985269

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 14:01	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 14:01	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 14:01	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 14:01	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 14:01	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 14:01	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 14:01	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 14:01	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 14:01	WG1985025
Acetone	ND		10.0	1	01/08/2023 14:01	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 14:01	WG1985025
Benzene	ND		1.00	1	01/08/2023 14:01	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Bromoform	ND		1.00	1	01/08/2023 14:01	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 14:01	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 14:01	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 14:01	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Chloroform	ND		1.00	1	01/08/2023 14:01	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 14:01	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 14:01	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 14:01	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 14:01	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 14:01	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 14:01	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 14:01	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 14:01	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 14:01	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 14:01	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 14:01	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 14:01	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 14:01	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:01	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:01	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:01	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:01	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 14:01	WG1985025	
(S) 1,2-Dichloroethane-d4	97.2			70.0-130	01/08/2023 14:01	WG1985025	
(S) 4-Bromofluorobenzene	102			77.0-126	01/08/2023 14:01	WG1985025	
(S) Toluene-d8	113			80.0-120	01/08/2023 14:01	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.78	su
Specific Conductance (on site)	718	umhos/cm
Temperature (on-site)	14.5	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	0.6	mg/l
eH/ORP (On Site)	146.8	mV
Depth to water (DTW) (FROM TOC)	32.02	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	325		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	271		10.0	1	01/13/2023 11:48	WG1988079
Alkalinity,Bicarbonate	271		10.0	1	01/13/2023 11:48	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:48	WG1988079

Sample Narrative:

L1573792-08 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 16:04	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.58		0.100	1	01/09/2023 12:09	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	30.5		3.00	1	01/08/2023 04:37	WG1984849
Sulfate	19.8		5.00	1	01/08/2023 04:37	WG1984849

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.59		1.00	1	01/10/2023 01:23	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 18:59	WG1985264
Barium,Total Recoverable	0.136		0.00500	1	01/09/2023 18:59	WG1985264
Calcium, Total Recoverable	84.8		0.200	1	01/09/2023 18:59	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 18:59	WG1985264
Potassium, Total Recoverable	3.90		3.00	1	01/09/2023 18:59	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	8.34		0.200	1	01/09/2023 18:59	WG1985264
Manganese, Total Recoverable	2.57		0.00300	1	01/09/2023 18:59	WG1985264
Sodium, Total Recoverable	26.6		5.00	1	01/09/2023 18:59	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 18:59	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 18:59	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/09/2023 23:50	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/09/2023 23:50	WG1985269
Cadmium, Total Recoverable	0.00522		0.00100	1	01/09/2023 23:50	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/09/2023 23:50	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/09/2023 23:50	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/09/2023 23:50	WG1985269
Nickel, Total Recoverable	0.0177		0.00400	1	01/09/2023 23:50	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/09/2023 23:50	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/09/2023 23:50	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/09/2023 23:50	WG1985269
Zinc, Total Recoverable	0.0194	JJ3 J5	0.00500	1	01/09/2023 23:50	WG1985269

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 14:20	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 14:20	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 14:20	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 14:20	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 14:20	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 14:20	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 14:20	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 14:20	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 14:20	WG1985025
Acetone	ND		10.0	1	01/08/2023 14:20	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 14:20	WG1985025
Benzene	ND		1.00	1	01/08/2023 14:20	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Bromoform	ND		1.00	1	01/08/2023 14:20	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 14:20	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 14:20	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 14:20	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Chloroform	ND		1.00	1	01/08/2023 14:20	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 14:20	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 14:20	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 14:20	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 14:20	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 14:20	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 14:20	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 14:20	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 14:20	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 14:20	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 14:20	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 14:20	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 14:20	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 14:20	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:20	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:20	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:20	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:20	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 14:20	WG1985025	
(S) 1,2-Dichloroethane-d4	101			70.0-130	01/08/2023 14:20	WG1985025	
(S) 4-Bromofluorobenzene	108			77.0-126	01/08/2023 14:20	WG1985025	
(S) Toluene-d8	116			80.0-120	01/08/2023 14:20	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.19	su
Specific Conductance (on site)	438	umhos/cm
Temperature (on-site)	13.9	Deg. C
Turbidity (on-site)	8.9	NTU
Dissolved Oxygen (on-site)	3.8	mg/l
eH/ORP (On Site)	164.6	mV
Depth to water (DTW) (FROM TOC)	60.69	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	198		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	139		10.0	1	01/13/2023 11:53	WG1988079
Alkalinity,Bicarbonate	139		10.0	1	01/13/2023 11:53	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:53	WG1988079

Sample Narrative:

L1573792-09 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 16:06	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.61		0.100	1	01/09/2023 12:11	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.9		3.00	1	01/07/2023 20:35	WG1984851
Sulfate	7.36		5.00	1	01/07/2023 20:35	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 01:44	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 19:02	WG1985264
Barium,Total Recoverable	0.0928		0.00500	1	01/09/2023 19:02	WG1985264
Calcium, Total Recoverable	52.1		0.200	1	01/09/2023 19:02	WG1985264
Iron, Total Recoverable	0.0997	J	0.0600	1	01/09/2023 19:02	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 19:02	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.87		0.200	1	01/09/2023 19:02	WG1985264
Manganese, Total Recoverable	0.0193		0.00300	1	01/09/2023 19:02	WG1985264
Sodium, Total Recoverable	12.6		5.00	1	01/09/2023 19:02	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 19:02	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 19:02	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:13	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:13	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:13	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:13	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:13	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:13	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:13	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:13	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:13	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:13	WG1985269
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:13	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 14:39	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 14:39	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 14:39	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 14:39	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 14:39	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 14:39	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 14:39	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 14:39	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 14:39	WG1985025
Acetone	ND		10.0	1	01/08/2023 14:39	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 14:39	WG1985025
Benzene	ND		1.00	1	01/08/2023 14:39	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Bromoform	ND		1.00	1	01/08/2023 14:39	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 14:39	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 14:39	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 14:39	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Chloroform	ND		1.00	1	01/08/2023 14:39	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 14:39	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 14:39	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 14:39	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 14:39	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 14:39	WG1985025	
Styrene	ND		1.00	1	01/08/2023 14:39	WG1985025	³ Ss
Tetrachloroethene	ND		1.00	1	01/08/2023 14:39	WG1985025	
Toluene	ND		1.00	1	01/08/2023 14:39	WG1985025	⁴ Cn
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 14:39	WG1985025	
Trichlorofluoromethane	ND		1.00	1	01/08/2023 14:39	WG1985025	⁵ Sr
Vinyl acetate	ND		5.00	1	01/08/2023 14:39	WG1985025	
Vinyl chloride	ND		1.00	1	01/08/2023 14:39	WG1985025	⁶ Qc
Xylenes, Total	ND		1.00	1	01/08/2023 14:39	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:39	WG1985025	⁷ Gl
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:39	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:39	WG1985025	⁸ Al
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:39	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 14:39	WG1985025	⁹ Sc
(S) 1,2-Dichloroethane-d4	96.7			70.0-130	01/08/2023 14:39	WG1985025	
(S) 4-Bromofluorobenzene	105			77.0-126	01/08/2023 14:39	WG1985025	
(S) Toluene-d8	115			80.0-120	01/08/2023 14:39	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.55	su
Specific Conductance (on site)	578	umhos/cm
Temperature (on-site)	14.2	Deg. C
Turbidity (on-site)	9.2	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	160.4	mV
Depth to water (DTW) (FROM TOC)	12.95	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	318		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	281		10.0	1	01/13/2023 11:57	WG1988079
Alkalinity,Bicarbonate	281		10.0	1	01/13/2023 11:57	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 11:57	WG1988079

Sample Narrative:

L1573792-10 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 16:07	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.38		0.100	1	01/09/2023 12:12	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	14.9		3.00	1	01/07/2023 21:30	WG1984851
Sulfate	10.9		5.00	1	01/07/2023 21:30	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 02:52	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 19:05	WG1985264
Barium, Total Recoverable	0.0692		0.00500	1	01/09/2023 19:05	WG1985264
Calcium, Total Recoverable	101		0.200	1	01/09/2023 19:05	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 19:05	WG1985264
Potassium, Total Recoverable	3.01		3.00	1	01/09/2023 19:05	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.04		0.200	1	01/09/2023 19:05	WG1985264
Manganese, Total Recoverable	1.25		0.00300	1	01/09/2023 19:05	WG1985264
Sodium, Total Recoverable	10.9		5.00	1	01/09/2023 19:05	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 19:05	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 19:05	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:23	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:23	WG1985269
Cadmium, Total Recoverable	0.00252		0.00100	1	01/10/2023 00:23	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:23	WG1985269
Nickel, Total Recoverable	0.0461		0.00400	1	01/10/2023 00:23	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:23	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:23	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:23	WG1985269
Zinc, Total Recoverable	0.0921		0.00500	1	01/10/2023 00:23	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 14:59	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 14:59	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 14:59	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 14:59	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 14:59	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 14:59	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 14:59	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 14:59	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 14:59	WG1985025
Acetone	ND		10.0	1	01/08/2023 14:59	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 14:59	WG1985025
Benzene	ND		1.00	1	01/08/2023 14:59	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Bromoform	ND		1.00	1	01/08/2023 14:59	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 14:59	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 14:59	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 14:59	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Chloroform	ND		1.00	1	01/08/2023 14:59	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 14:59	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 14:59	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 14:59	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 14:59	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 14:59	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 14:59	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 14:59	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 14:59	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 14:59	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 14:59	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 14:59	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 14:59	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 14:59	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:59	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:59	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 14:59	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 14:59	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 14:59	WG1985025	
(S) 1,2-Dichloroethane-d4	99.2			70.0-130	01/08/2023 14:59	WG1985025	
(S) 4-Bromofluorobenzene	106			77.0-126	01/08/2023 14:59	WG1985025	
(S) Toluene-d8	114			80.0-120	01/08/2023 14:59	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.06	su
Specific Conductance (on site)	632	umhos/cm
Temperature (on-site)	14.9	Deg. C
Turbidity (on-site)	4.4	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	154.5	mV
Depth to water (DTW) (FROM TOC)	9.58	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	370		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	325		10.0	1	01/13/2023 12:14	WG1988079
Alkalinity,Bicarbonate	325		10.0	1	01/13/2023 12:14	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 12:14	WG1988079

Sample Narrative:

L1573792-11 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND	J6	0.100	1	01/09/2023 16:09	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.434		0.100	1	01/09/2023 12:13	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	24.0		3.00	1	01/07/2023 21:43	WG1984851
Sulfate	ND		5.00	1	01/07/2023 21:43	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 03:13	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 19:13	WG1985264
Barium, Total Recoverable	0.0854		0.00500	1	01/09/2023 19:13	WG1985264
Calcium, Total Recoverable	116		0.200	1	01/09/2023 19:13	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 19:13	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 19:13	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.82		0.200	1	01/09/2023 19:13	WG1985264
Manganese, Total Recoverable	2.16		0.00300	1	01/09/2023 19:13	WG1985264
Sodium, Total Recoverable	9.61		5.00	1	01/09/2023 19:13	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 19:13	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 19:13	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:26	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:26	WG1985269
Cadmium, Total Recoverable	0.0103		0.00100	1	01/10/2023 00:26	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:26	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:26	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:26	WG1985269
Nickel, Total Recoverable	0.0409		0.00400	1	01/10/2023 00:26	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:26	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:26	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:26	WG1985269
Zinc, Total Recoverable	0.0614		0.00500	1	01/10/2023 00:26	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 15:18	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 15:18	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 15:18	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 15:18	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 15:18	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 15:18	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 15:18	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 15:18	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 15:18	WG1985025
Acetone	ND		10.0	1	01/08/2023 15:18	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 15:18	WG1985025
Benzene	ND		1.00	1	01/08/2023 15:18	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Bromoform	ND		1.00	1	01/08/2023 15:18	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 15:18	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 15:18	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 15:18	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Chloroform	ND		1.00	1	01/08/2023 15:18	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 15:18	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 15:18	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 15:18	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 15:18	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 15:18	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 15:18	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 15:18	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 15:18	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 15:18	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 15:18	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 15:18	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 15:18	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 15:18	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:18	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:18	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:18	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:18	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 15:18	WG1985025	
(S) 1,2-Dichloroethane-d4	98.9			70.0-130	01/08/2023 15:18	WG1985025	
(S) 4-Bromofluorobenzene	108			77.0-126	01/08/2023 15:18	WG1985025	
(S) Toluene-d8	119			80.0-120	01/08/2023 15:18	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.74	su
Specific Conductance (on site)	239	umhos/cm
Temperature (on-site)	13.8	Deg. C
Turbidity (on-site)	20.5	NTU
Dissolved Oxygen (on-site)	8.4	mg/l
eH/ORP (On Site)	128	mV
Depth to water (DTW) (FROM TOC)	102.1	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	129		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	109		10.0	1	01/13/2023 12:19	WG1988079
Alkalinity,Bicarbonate	109		10.0	1	01/13/2023 12:19	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 12:19	WG1988079

Sample Narrative:

L1573792-12 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 16:12	WG1985110

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.744		0.100	1	01/09/2023 12:22	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	3.62		3.00	1	01/07/2023 21:57	WG1984851
Sulfate	ND		5.00	1	01/07/2023 21:57	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	5.35		1.00	1	01/10/2023 03:37	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/10/2023 17:31	WG1985726
Barium,Total Recoverable	0.0233		0.00500	1	01/10/2023 17:31	WG1985726
Calcium, Total Recoverable	41.9		0.200	1	01/10/2023 17:31	WG1985726
Iron, Total Recoverable	0.651		0.0600	1	01/10/2023 17:31	WG1985726
Potassium, Total Recoverable	ND		3.00	1	01/10/2023 17:31	WG1985726

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.08		0.200	1	01/10/2023 17:31	WG1985726
Manganese, Total Recoverable	0.0972		0.00300	1	01/10/2023 17:31	WG1985726
Sodium, Total Recoverable	ND		5.00	1	01/10/2023 17:31	WG1985726
Lead, Total Recoverable	ND		0.00500	1	01/10/2023 17:31	WG1985726
Selenium, Total Recoverable	ND		0.0100	1	01/10/2023 17:31	WG1985726

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:29	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:29	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:29	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:29	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:29	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:29	WG1985269
Nickel, Total Recoverable	0.00502		0.00400	1	01/10/2023 00:29	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:29	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:29	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:29	WG1985269
Zinc, Total Recoverable	0.0239	J	0.00500	1	01/10/2023 00:29	WG1985269

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 15:37	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 15:37	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 15:37	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 15:37	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 15:37	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 15:37	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 15:37	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 15:37	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 15:37	WG1985025
Acetone	ND		10.0	1	01/08/2023 15:37	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 15:37	WG1985025
Benzene	ND		1.00	1	01/08/2023 15:37	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Bromoform	ND		1.00	1	01/08/2023 15:37	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 15:37	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 15:37	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 15:37	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Chloroform	ND		1.00	1	01/08/2023 15:37	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 15:37	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/08/2023 15:37	WG1985025
Iodomethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Methylene Chloride	ND		1.07	1	01/08/2023 15:37	WG1985025
Styrene	ND		1.00	1	01/08/2023 15:37	WG1985025
Tetrachloroethene	ND		1.00	1	01/08/2023 15:37	WG1985025
Toluene	ND		1.00	1	01/08/2023 15:37	WG1985025
Trichloroethene	ND	J4	1.00	1	01/08/2023 15:37	WG1985025
Trichlorofluoromethane	ND		1.00	1	01/08/2023 15:37	WG1985025
Vinyl acetate	ND		5.00	1	01/08/2023 15:37	WG1985025
Vinyl chloride	ND		1.00	1	01/08/2023 15:37	WG1985025
Xylenes, Total	ND		1.00	1	01/08/2023 15:37	WG1985025
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:37	WG1985025
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:37	WG1985025
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:37	WG1985025
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:37	WG1985025
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 15:37	WG1985025
(S) 1,2-Dichloroethane-d4	89.4			70.0-130	01/08/2023 15:37	WG1985025
(S) 4-Bromofluorobenzene	106			77.0-126	01/08/2023 15:37	WG1985025
(S) Toluene-d8	116			80.0-120	01/08/2023 15:37	WG1985025

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.34	su
Specific Conductance (on site)	517	umhos/cm
Temperature (on-site)	14	Deg. C
Turbidity (on-site)	3.3	NTU
Dissolved Oxygen (on-site)	2.5	mg/l
eH/ORP (On Site)	138.3	mV
Depth to water (DTW) (FROM TOC)	49.72	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	280		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	238		10.0	1	01/13/2023 12:23	WG1988079
Alkalinity,Bicarbonate	238		10.0	1	01/13/2023 12:23	WG1988079
Alkalinity,Carbonate	ND		10.0	1	01/13/2023 12:23	WG1988079

Sample Narrative:

L1573792-13 WG1988079: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 10:59	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.09		0.100	1	01/09/2023 12:23	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	20.8		3.00	1	01/07/2023 22:11	WG1984851
Sulfate	ND		5.00	1	01/07/2023 22:11	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 03:56	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 19:15	WG1985264
Barium,Total Recoverable	0.0557		0.00500	1	01/09/2023 19:15	WG1985264
Calcium, Total Recoverable	91.0		0.200	1	01/09/2023 19:15	WG1985264
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 19:15	WG1985264
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 19:15	WG1985264

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.71		0.200	1	01/09/2023 19:15	WG1985264
Manganese, Total Recoverable	0.0953		0.00300	1	01/09/2023 19:15	WG1985264
Sodium, Total Recoverable	7.97		5.00	1	01/09/2023 19:15	WG1985264
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 19:15	WG1985264
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 19:15	WG1985264

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:32	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:32	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:32	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:32	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:32	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:32	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:32	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:32	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:32	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:32	WG1985269
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:32	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 15:57	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 15:57	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 15:57	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 15:57	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 15:57	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 15:57	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 15:57	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 15:57	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 15:57	WG1985025
Acetone	ND		10.0	1	01/08/2023 15:57	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 15:57	WG1985025
Benzene	ND		1.00	1	01/08/2023 15:57	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Bromoform	ND		1.00	1	01/08/2023 15:57	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 15:57	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 15:57	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 15:57	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Chloroform	ND		1.00	1	01/08/2023 15:57	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 15:57	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 15:57	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 15:57	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 15:57	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 15:57	WG1985025	
Styrene	ND		1.00	1	01/08/2023 15:57	WG1985025	³ Ss
Tetrachloroethene	ND		1.00	1	01/08/2023 15:57	WG1985025	
Toluene	ND		1.00	1	01/08/2023 15:57	WG1985025	⁴ Cn
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 15:57	WG1985025	
Trichlorofluoromethane	ND		1.00	1	01/08/2023 15:57	WG1985025	⁵ Sr
Vinyl acetate	ND		5.00	1	01/08/2023 15:57	WG1985025	
Vinyl chloride	ND		1.00	1	01/08/2023 15:57	WG1985025	⁶ Qc
Xylenes, Total	ND		1.00	1	01/08/2023 15:57	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:57	WG1985025	⁷ Gl
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:57	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 15:57	WG1985025	⁸ Al
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 15:57	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 15:57	WG1985025	⁹ Sc
(S) 1,2-Dichloroethane-d4	100			70.0-130	01/08/2023 15:57	WG1985025	
(S) 4-Bromofluorobenzene	108			77.0-126	01/08/2023 15:57	WG1985025	
(S) Toluene-d8	116			80.0-120	01/08/2023 15:57	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.73	su
Specific Conductance (on site)	521	umhos/cm
Temperature (on-site)	14.3	Deg. C
Turbidity (on-site)	4.9	NTU
Dissolved Oxygen (on-site)	4.5	mg/l
eH/ORP (On Site)	128.3	mV
Depth to water (DTW) (FROM TOC)	58.57	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	305		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	230		10.0	1	01/16/2023 14:18	WG1988085
Alkalinity,Bicarbonate	230		10.0	1	01/16/2023 14:18	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:18	WG1988085

Sample Narrative:

L1573792-14 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 11:05	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	4.59		0.100	5	01/09/2023 12:25	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	14.5		3.00	1	01/07/2023 22:24	WG1984851
Sulfate	7.80		5.00	1	01/07/2023 22:24	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 04:16	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 22:26	WG1985265
Barium, Total Recoverable	0.0395		0.00500	1	01/09/2023 22:26	WG1985265
Calcium, Total Recoverable	88.9		0.200	1	01/09/2023 22:26	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:26	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:26	WG1985265

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.34		0.200	1	01/09/2023 22:26	WG1985265
Manganese, Total Recoverable	ND		0.00300	1	01/09/2023 22:26	WG1985265
Sodium, Total Recoverable	12.8		5.00	1	01/09/2023 22:26	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:26	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:26	WG1985265

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:36	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:36	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:36	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:36	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:36	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:36	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:36	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:36	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:36	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:36	WG1985269
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:36	WG1985269

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 16:15	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 16:15	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 16:15	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 16:15	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 16:15	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 16:15	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 16:15	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 16:15	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 16:15	WG1985025
Acetone	ND		10.0	1	01/08/2023 16:15	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 16:15	WG1985025
Benzene	ND		1.00	1	01/08/2023 16:15	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Bromoform	ND		1.00	1	01/08/2023 16:15	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 16:15	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 16:15	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 16:15	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Chloroform	ND		1.00	1	01/08/2023 16:15	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 16:15	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/08/2023 16:15	WG1985025
Iodomethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Methylene Chloride	ND		1.07	1	01/08/2023 16:15	WG1985025
Styrene	ND		1.00	1	01/08/2023 16:15	WG1985025
Tetrachloroethene	ND		1.00	1	01/08/2023 16:15	WG1985025
Toluene	ND		1.00	1	01/08/2023 16:15	WG1985025
Trichloroethene	ND	J4	1.00	1	01/08/2023 16:15	WG1985025
Trichlorofluoromethane	ND		1.00	1	01/08/2023 16:15	WG1985025
Vinyl acetate	ND		5.00	1	01/08/2023 16:15	WG1985025
Vinyl chloride	ND		1.00	1	01/08/2023 16:15	WG1985025
Xylenes, Total	ND		1.00	1	01/08/2023 16:15	WG1985025
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:15	WG1985025
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:15	WG1985025
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:15	WG1985025
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:15	WG1985025
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 16:15	WG1985025
(S) 1,2-Dichloroethane-d4	97.7			70.0-130	01/08/2023 16:15	WG1985025
(S) 4-Bromofluorobenzene	110			77.0-126	01/08/2023 16:15	WG1985025
(S) Toluene-d8	119			80.0-120	01/08/2023 16:15	WG1985025

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.54	su
Specific Conductance (on site)	593	umhos/cm
Temperature (on-site)	13.8	Deg. C
Turbidity (on-site)	2.5	NTU
Dissolved Oxygen (on-site)	1.3	mg/l
eH/ORP (On Site)	150.7	mV
Depth to water (DTW) (FROM TOC)	17.27	ft

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	340		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	301		10.0	1	01/16/2023 14:23	WG1988085
Alkalinity,Bicarbonate	301		10.0	1	01/16/2023 14:23	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:23	WG1988085

Sample Narrative:

L1573792-15 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 11:06	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.34		0.100	1	01/09/2023 12:26	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	14.3		3.00	1	01/07/2023 22:38	WG1984851
Sulfate	ND		5.00	1	01/07/2023 22:38	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 04:34	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 22:15	WG1985265
Barium, Total Recoverable	0.0661		0.00500	1	01/09/2023 22:15	WG1985265
Calcium, Total Recoverable	116	V	0.200	1	01/09/2023 22:15	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:15	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:15	WG1985265

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.03		0.200	1	01/09/2023 22:15	WG1985265
Manganese, Total Recoverable	ND		0.00300	1	01/09/2023 22:15	WG1985265
Sodium, Total Recoverable	8.25	<u>O1</u>	5.00	1	01/09/2023 22:15	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:15	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:15	WG1985265

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:39	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:39	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:39	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:39	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:39	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:39	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:39	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:39	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:39	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:39	WG1985269
Zinc, Total Recoverable	0.0169	<u>J</u>	0.00500	1	01/10/2023 00:39	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	<u>J4</u>	1.00	1	01/08/2023 16:35	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 16:35	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 16:35	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 16:35	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 16:35	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 16:35	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 16:35	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 16:35	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 16:35	WG1985025
Acetone	ND		10.0	1	01/08/2023 16:35	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 16:35	WG1985025
Benzene	ND		1.00	1	01/08/2023 16:35	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Bromoform	ND		1.00	1	01/08/2023 16:35	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 16:35	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 16:35	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 16:35	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Chloroform	ND		1.00	1	01/08/2023 16:35	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 16:35	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 16:35	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 16:35	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 16:35	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 16:35	WG1985025	
Styrene	ND		1.00	1	01/08/2023 16:35	WG1985025	³ Ss
Tetrachloroethene	ND		1.00	1	01/08/2023 16:35	WG1985025	
Toluene	ND		1.00	1	01/08/2023 16:35	WG1985025	⁴ Cn
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 16:35	WG1985025	
Trichlorofluoromethane	ND		1.00	1	01/08/2023 16:35	WG1985025	⁵ Sr
Vinyl acetate	ND		5.00	1	01/08/2023 16:35	WG1985025	
Vinyl chloride	ND		1.00	1	01/08/2023 16:35	WG1985025	⁶ Qc
Xylenes, Total	ND		1.00	1	01/08/2023 16:35	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:35	WG1985025	⁷ Gl
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:35	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:35	WG1985025	⁸ Al
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:35	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 16:35	WG1985025	⁹ Sc
(S) 1,2-Dichloroethane-d4	103			70.0-130	01/08/2023 16:35	WG1985025	
(S) 4-Bromofluorobenzene	107			77.0-126	01/08/2023 16:35	WG1985025	
(S) Toluene-d8	114			80.0-120	01/08/2023 16:35	WG1985025	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.39	su
Specific Conductance (on site)	526	umhos/cm
Temperature (on-site)	13.3	Deg. C
Turbidity (on-site)	5.8	NTU
Dissolved Oxygen (on-site)	3.4	mg/l
eH/ORP (On Site)	154.8	mV
Depth to water (DTW) (FROM TOC)	19.45	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	243		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	259		10.0	1	01/16/2023 14:28	WG1988085
Alkalinity,Bicarbonate	259		10.0	1	01/16/2023 14:28	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:28	WG1988085

Sample Narrative:

L1573792-16 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 11:08	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.85		0.100	1	01/09/2023 12:27	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	8.58		3.00	1	01/07/2023 23:19	WG1984851
Sulfate	ND		5.00	1	01/07/2023 23:19	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/10/2023 04:53	WG1984961

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 22:29	WG1985265
Barium, Total Recoverable	0.0697		0.00500	1	01/09/2023 22:29	WG1985265
Calcium, Total Recoverable	97.9		0.200	1	01/09/2023 22:29	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:29	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:29	WG1985265

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.75		0.200	1	01/09/2023 22:29	WG1985265
Manganese, Total Recoverable	0.00328	J	0.00300	1	01/09/2023 22:29	WG1985265
Sodium, Total Recoverable	ND		5.00	1	01/09/2023 22:29	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:29	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:29	WG1985265

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:42	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:42	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:42	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:42	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:42	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:42	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:42	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:42	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:42	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:42	WG1985269
Zinc, Total Recoverable	0.00874	J	0.00500	1	01/10/2023 00:42	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 16:54	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 16:54	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 16:54	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 16:54	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 16:54	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 16:54	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 16:54	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 16:54	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 16:54	WG1985025
Acetone	ND		10.0	1	01/08/2023 16:54	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 16:54	WG1985025
Benzene	ND		1.00	1	01/08/2023 16:54	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Bromoform	ND		1.00	1	01/08/2023 16:54	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 16:54	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 16:54	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 16:54	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Chloroform	ND		1.00	1	01/08/2023 16:54	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 16:54	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	01/08/2023 16:54	WG1985025
Iodomethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Methylene Chloride	ND		1.07	1	01/08/2023 16:54	WG1985025
Styrene	ND		1.00	1	01/08/2023 16:54	WG1985025
Tetrachloroethene	ND		1.00	1	01/08/2023 16:54	WG1985025
Toluene	ND		1.00	1	01/08/2023 16:54	WG1985025
Trichloroethene	ND	J4	1.00	1	01/08/2023 16:54	WG1985025
Trichlorofluoromethane	ND		1.00	1	01/08/2023 16:54	WG1985025
Vinyl acetate	ND		5.00	1	01/08/2023 16:54	WG1985025
Vinyl chloride	ND		1.00	1	01/08/2023 16:54	WG1985025
Xylenes, Total	ND		1.00	1	01/08/2023 16:54	WG1985025
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:54	WG1985025
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:54	WG1985025
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 16:54	WG1985025
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 16:54	WG1985025
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 16:54	WG1985025
(S) 1,2-Dichloroethane-d4	102			70.0-130	01/08/2023 16:54	WG1985025
(S) 4-Bromofluorobenzene	105			77.0-126	01/08/2023 16:54	WG1985025
(S) Toluene-d8	113			80.0-120	01/08/2023 16:54	WG1985025

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.58	su
Specific Conductance (on site)	580	umhos/cm
Temperature (on-site)	14	Deg. C
Turbidity (on-site)	2.6	NTU
Dissolved Oxygen (on-site)	0.6	mg/l
eH/ORP (On Site)	138.3	mV
Depth to water (DTW) (FROM TOC)	47.08	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	336		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	296		10.0	1	01/16/2023 14:32	WG1988085
Alkalinity,Bicarbonate	296		10.0	1	01/16/2023 14:32	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:32	WG1988085

Sample Narrative:

L1573792-17 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	01/09/2023 11:09	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.28		0.100	1	01/09/2023 12:29	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.5		3.00	1	01/08/2023 00:00	WG1984851
Sulfate	ND		5.00	1	01/08/2023 00:00	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	01/11/2023 00:38	WG1985832

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 22:32	WG1985265
Barium, Total Recoverable	0.0562		0.00500	1	01/09/2023 22:32	WG1985265
Calcium, Total Recoverable	115		0.200	1	01/09/2023 22:32	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:32	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:32	WG1985265

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.02		0.200	1	01/09/2023 22:32	WG1985265
Manganese, Total Recoverable	ND		0.00300	1	01/09/2023 22:32	WG1985265
Sodium, Total Recoverable	6.29		5.00	1	01/09/2023 22:32	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:32	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:32	WG1985265

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:46	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:46	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:46	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:46	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:46	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:46	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:46	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:46	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:46	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:46	WG1985269
Zinc, Total Recoverable	0.00900	J	0.00500	1	01/10/2023 00:46	WG1985269

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND	J4	1.00	1	01/08/2023 17:13	WG1985025
1,1,1-Trichloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,1,2-Trichloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,1-Dichloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,1-Dichloroethene	ND		1.00	1	01/08/2023 17:13	WG1985025
1,2,3-Trichloropropane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/08/2023 17:13	WG1985025
1,2-Dibromoethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,2-Dichlorobenzene	ND		1.00	1	01/08/2023 17:13	WG1985025
1,2-Dichloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,2-Dichloropropane	ND		1.00	1	01/08/2023 17:13	WG1985025
1,4-Dichlorobenzene	ND		1.00	1	01/08/2023 17:13	WG1985025
2-Butanone (MEK)	ND		5.00	1	01/08/2023 17:13	WG1985025
2-Hexanone	ND		5.00	1	01/08/2023 17:13	WG1985025
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/08/2023 17:13	WG1985025
Acetone	ND		10.0	1	01/08/2023 17:13	WG1985025
Acrylonitrile	ND		20.0	1	01/08/2023 17:13	WG1985025
Benzene	ND		1.00	1	01/08/2023 17:13	WG1985025
Bromochloromethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Bromodichloromethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Bromoform	ND		1.00	1	01/08/2023 17:13	WG1985025
Bromomethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Carbon disulfide	ND		1.00	1	01/08/2023 17:13	WG1985025
Carbon tetrachloride	ND		1.00	1	01/08/2023 17:13	WG1985025
Chlorobenzene	ND		1.00	1	01/08/2023 17:13	WG1985025
Chloroethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Chloroform	ND		1.00	1	01/08/2023 17:13	WG1985025
Chloromethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Dibromochloromethane	ND		1.00	1	01/08/2023 17:13	WG1985025
Dibromomethane	ND		1.00	1	01/08/2023 17:13	WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	01/08/2023 17:13	WG1985025	¹ Cp
Iodomethane	ND		1.00	1	01/08/2023 17:13	WG1985025	² Tc
Methylene Chloride	ND		1.07	1	01/08/2023 17:13	WG1985025	³ Ss
Styrene	ND		1.00	1	01/08/2023 17:13	WG1985025	⁴ Cn
Tetrachloroethene	ND		1.00	1	01/08/2023 17:13	WG1985025	⁵ Sr
Toluene	ND		1.00	1	01/08/2023 17:13	WG1985025	⁶ Qc
Trichloroethene	ND	<u>J4</u>	1.00	1	01/08/2023 17:13	WG1985025	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	01/08/2023 17:13	WG1985025	⁸ Al
Vinyl acetate	ND		5.00	1	01/08/2023 17:13	WG1985025	⁹ Sc
Vinyl chloride	ND		1.00	1	01/08/2023 17:13	WG1985025	
Xylenes, Total	ND		1.00	1	01/08/2023 17:13	WG1985025	
cis-1,2-Dichloroethene	ND		1.00	1	01/08/2023 17:13	WG1985025	
cis-1,3-Dichloropropene	ND		1.00	1	01/08/2023 17:13	WG1985025	
trans-1,2-Dichloroethene	ND		1.00	1	01/08/2023 17:13	WG1985025	
trans-1,3-Dichloropropene	ND		1.00	1	01/08/2023 17:13	WG1985025	
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/08/2023 17:13	WG1985025	
(S) 1,2-Dichloroethane-d4	100			70.0-130	01/08/2023 17:13	WG1985025	
(S) 4-Bromofluorobenzene	104			77.0-126	01/08/2023 17:13	WG1985025	
(S) Toluene-d8	112			80.0-120	01/08/2023 17:13	WG1985025	

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	mg/l		mg/l		date / time	
	ND		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	mg/l		mg/l		date / time	
Alkalinity,Bicarbonate	ND		10.0	1	01/16/2023 14:37	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:37	WG1988085

Sample Narrative:

L1573792-18 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	mg/l		mg/l		date / time	
	ND		0.100	1	01/09/2023 11:12	WG1985240

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	mg/l		mg/l		date / time	
	ND		0.100	1	01/09/2023 12:30	WG1985245

Wet Chemistry by Method 9056A


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	mg/l		mg/l		date / time	
	ND		3.00	1	01/08/2023 00:14	WG1984851
Sulfate	ND		5.00	1	01/08/2023 00:14	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	mg/l		mg/l		date / time	
	ND		1.00	1	01/11/2023 01:41	WG1985832

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0500	1	01/09/2023 22:35	WG1985265
Barium,Total Recoverable	ND		0.00500	1	01/09/2023 22:35	WG1985265
Calcium, Total Recoverable	ND		0.200	1	01/09/2023 22:35	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:35	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:35	WG1985265
Magnesium, Total Recoverable	ND		0.200	1	01/09/2023 22:35	WG1985265
Manganese,Total Recoverable	ND		0.00300	1	01/09/2023 22:35	WG1985265
Sodium,Total Recoverable	ND		5.00	1	01/09/2023 22:35	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:35	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:35	WG1985265



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:49	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:49	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:49	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:49	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:49	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:49	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:49	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:49	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:49	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:49	WG1985269
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:49	WG1985269

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,1,1-Trichloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,1,2-Trichloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,1-Dichloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,1-Dichloroethene	ND		1.00	1	01/09/2023 16:47	WG1985424
1,2,3-Trichloropropane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/09/2023 16:47	WG1985424
1,2-Dibromoethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,2-Dichlorobenzene	ND		1.00	1	01/09/2023 16:47	WG1985424
1,2-Dichloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,2-Dichloropropane	ND		1.00	1	01/09/2023 16:47	WG1985424
1,4-Dichlorobenzene	ND		1.00	1	01/09/2023 16:47	WG1985424
2-Butanone (MEK)	ND		5.00	1	01/09/2023 16:47	WG1985424
2-Hexanone	ND		5.00	1	01/09/2023 16:47	WG1985424
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/09/2023 16:47	WG1985424
Acetone	ND		10.0	1	01/09/2023 16:47	WG1985424
Acrylonitrile	ND		20.0	1	01/09/2023 16:47	WG1985424
Benzene	ND		1.00	1	01/09/2023 16:47	WG1985424
Bromochloromethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Bromodichloromethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Bromoform	ND		1.00	1	01/09/2023 16:47	WG1985424
Bromomethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Carbon disulfide	ND		1.00	1	01/09/2023 16:47	WG1985424
Carbon tetrachloride	ND		1.00	1	01/09/2023 16:47	WG1985424
Chlorobenzene	ND		1.00	1	01/09/2023 16:47	WG1985424
Chloroethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Chloroform	ND		1.00	1	01/09/2023 16:47	WG1985424
Chloromethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Dibromochloromethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Dibromomethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Ethylbenzene	ND		1.00	1	01/09/2023 16:47	WG1985424
Iodomethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Methylene Chloride	ND		1.07	1	01/09/2023 16:47	WG1985424
Styrene	ND		1.00	1	01/09/2023 16:47	WG1985424
Tetrachloroethene	ND		1.00	1	01/09/2023 16:47	WG1985424
Toluene	ND		1.00	1	01/09/2023 16:47	WG1985424
Trichloroethene	ND		1.00	1	01/09/2023 16:47	WG1985424
Trichlorofluoromethane	ND		1.00	1	01/09/2023 16:47	WG1985424
Vinyl acetate	ND		5.00	1	01/09/2023 16:47	WG1985424
Vinyl chloride	ND		1.00	1	01/09/2023 16:47	WG1985424

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	ND		1.00	1	01/09/2023 16:47	WG1985424
cis-1,2-Dichloroethene	ND		1.00	1	01/09/2023 16:47	WG1985424
cis-1,3-Dichloropropene	ND		1.00	1	01/09/2023 16:47	WG1985424
trans-1,2-Dichloroethene	ND		1.00	1	01/09/2023 16:47	WG1985424
trans-1,3-Dichloropropene	ND		1.00	1	01/09/2023 16:47	WG1985424
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/09/2023 16:47	WG1985424
(S) 1,2-Dichloroethane-d4	99.0			70.0-130	01/09/2023 16:47	WG1985424
(S) 4-Bromofluorobenzene	106			77.0-126	01/09/2023 16:47	WG1985424
(S) Toluene-d8	114			80.0-120	01/09/2023 16:47	WG1985424

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	359		10.0	1	01/10/2023 07:22	WG1985452

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	290		10.0	1	01/16/2023 14:40	WG1988085
Alkalinity,Bicarbonate	290		10.0	1	01/16/2023 14:40	WG1988085
Alkalinity,Carbonate	ND		10.0	1	01/16/2023 14:40	WG1988085

Sample Narrative:

L1573792-19 WG1988085: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	01/11/2023 13:52	WG1986379

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	2.25		0.100	1	01/09/2023 12:34	WG1985245

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	14.4		3.00	1	01/08/2023 00:28	WG1984851
Sulfate	ND		5.00	1	01/08/2023 00:28	WG1984851

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	01/11/2023 02:41	WG1985832

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	01/09/2023 22:44	WG1985265
Barium,Total Recoverable	0.0559		0.00500	1	01/09/2023 22:44	WG1985265
Calcium, Total Recoverable	115		0.200	1	01/09/2023 22:44	WG1985265
Iron, Total Recoverable	ND		0.0600	1	01/09/2023 22:44	WG1985265
Potassium, Total Recoverable	ND		3.00	1	01/09/2023 22:44	WG1985265
Magnesium, Total Recoverable	1.97		0.200	1	01/09/2023 22:44	WG1985265
Manganese,Total Recoverable	ND		0.00300	1	01/09/2023 22:44	WG1985265
Sodium,Total Recoverable	6.28		5.00	1	01/09/2023 22:44	WG1985265
Lead, Total Recoverable	ND		0.00500	1	01/09/2023 22:44	WG1985265
Selenium, Total Recoverable	ND		0.0100	1	01/09/2023 22:44	WG1985265



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	01/10/2023 00:52	WG1985269
Beryllium, Total Recoverable	ND		0.00100	1	01/10/2023 00:52	WG1985269
Cadmium, Total Recoverable	ND		0.00100	1	01/10/2023 00:52	WG1985269
Cobalt, Total Recoverable	ND		0.00300	1	01/10/2023 00:52	WG1985269
Chromium, Total Recoverable	ND		0.00300	1	01/10/2023 00:52	WG1985269
Copper, Total Recoverable	ND		0.00400	1	01/10/2023 00:52	WG1985269
Nickel, Total Recoverable	ND		0.00400	1	01/10/2023 00:52	WG1985269
Antimony, Total Recoverable	ND		0.00200	1	01/10/2023 00:52	WG1985269
Thallium, Total Recoverable	ND		0.00100	1	01/10/2023 00:52	WG1985269
Vanadium, Total Recoverable	ND		0.00300	1	01/10/2023 00:52	WG1985269
Zinc, Total Recoverable	ND		0.00500	1	01/10/2023 00:52	WG1985269

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,1,1-Trichloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,1,2,2-Tetrachloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,1,2-Trichloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,1-Dichloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,1-Dichloroethene	ND		1.00	1	01/09/2023 17:06	WG1985424
1,2,3-Trichloropropane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,2-Dibromo-3-Chloropropane	ND		2.00	1	01/09/2023 17:06	WG1985424
1,2-Dibromoethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,2-Dichlorobenzene	ND		1.00	1	01/09/2023 17:06	WG1985424
1,2-Dichloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,2-Dichloropropane	ND		1.00	1	01/09/2023 17:06	WG1985424
1,4-Dichlorobenzene	ND		1.00	1	01/09/2023 17:06	WG1985424
2-Butanone (MEK)	ND		5.00	1	01/09/2023 17:06	WG1985424
2-Hexanone	ND		5.00	1	01/09/2023 17:06	WG1985424
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	01/09/2023 17:06	WG1985424
Acetone	ND		10.0	1	01/09/2023 17:06	WG1985424
Acrylonitrile	ND		20.0	1	01/09/2023 17:06	WG1985424
Benzene	ND		1.00	1	01/09/2023 17:06	WG1985424
Bromochloromethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Bromodichloromethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Bromoform	ND		1.00	1	01/09/2023 17:06	WG1985424
Bromomethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Carbon disulfide	ND		1.00	1	01/09/2023 17:06	WG1985424
Carbon tetrachloride	ND		1.00	1	01/09/2023 17:06	WG1985424
Chlorobenzene	ND		1.00	1	01/09/2023 17:06	WG1985424
Chloroethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Chloroform	ND		1.00	1	01/09/2023 17:06	WG1985424
Chloromethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Dibromochloromethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Dibromomethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Ethylbenzene	ND		1.00	1	01/09/2023 17:06	WG1985424
Iodomethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Methylene Chloride	ND		1.07	1	01/09/2023 17:06	WG1985424
Styrene	ND		1.00	1	01/09/2023 17:06	WG1985424
Tetrachloroethene	ND		1.00	1	01/09/2023 17:06	WG1985424
Toluene	ND		1.00	1	01/09/2023 17:06	WG1985424
Trichloroethene	ND		1.00	1	01/09/2023 17:06	WG1985424
Trichlorofluoromethane	ND		1.00	1	01/09/2023 17:06	WG1985424
Vinyl acetate	ND		5.00	1	01/09/2023 17:06	WG1985424
Vinyl chloride	ND		1.00	1	01/09/2023 17:06	WG1985424

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	ND		1.00	1	01/09/2023 17:06	WG1985424
cis-1,2-Dichloroethene	ND		1.00	1	01/09/2023 17:06	WG1985424
cis-1,3-Dichloropropene	ND		1.00	1	01/09/2023 17:06	WG1985424
trans-1,2-Dichloroethene	ND		1.00	1	01/09/2023 17:06	WG1985424
trans-1,3-Dichloropropene	ND		1.00	1	01/09/2023 17:06	WG1985424
trans-1,4-Dichloro-2-butene	ND		1.00	1	01/09/2023 17:06	WG1985424
(S) 1,2-Dichloroethane-d4	97.4			70.0-130	01/09/2023 17:06	WG1985424
(S) 4-Bromofluorobenzene	106			77.0-126	01/09/2023 17:06	WG1985424
(S) Toluene-d8	115			80.0-120	01/09/2023 17:06	WG1985424

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3880238-1 01/10/23 07:22

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND		2.82	10.0

L1572966-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1572966-01 01/10/23 07:22 • (DUP) R3880238-3 01/10/23 07:22

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	170	200	1	16.2	J3	5

L1573792-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-01 01/10/23 07:22 • (DUP) R3880238-4 01/10/23 07:22

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	214	256	1	17.9	J3	5

Laboratory Control Sample (LCS)

(LCS) R3880238-2 01/10/23 07:22

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	7550	85.8	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3880799-2 01/13/23 10:20

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	3.95		2.71	20.0
Alkalinity,Bicarbonate	3.95		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1573334-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1573334-01 01/13/23 10:33 • (DUP) R3880799-3 01/13/23 10:37

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	611	619	1	1.32		20
Alkalinity,Bicarbonate	611	619	1	1.32		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1574274-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1574274-01 01/13/23 12:27 • (DUP) R3880799-4 01/13/23 12:31

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	206	206	1	0.0459		20
Alkalinity,Bicarbonate	206	206	1	0.0459		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3880799-1 01/13/23 10:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	102	102	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Method Blank (MB)

(MB) R3881411-2 01/16/23 14:08

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1574277-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1574277-01 01/16/23 14:44 • (DUP) R3881411-3 01/16/23 14:49

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	385	386	1	0.172		20
Alkalinity,Bicarbonate	385	386	1	0.172		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1574723-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1574723-01 01/16/23 15:36 • (DUP) R3881411-4 01/16/23 15:41

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	62.8	63.5	1	1.02		20
Alkalinity,Bicarbonate	62.8	63.5	1	1.02		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3881411-1 01/16/23 14:01

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	103	103	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3879296-1 01/09/23 15:25

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	ND	0.0317	0.100	0.100

L1573792-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-03 01/09/23 15:51 • (DUP) R3879296-5 01/09/23 15:52

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	0.166	0.116	1	200	P1	10

L1573792-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-12 01/09/23 16:12 • (DUP) R3879296-7 01/09/23 16:13

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3879296-2 01/09/23 15:27

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Ammonia Nitrogen	7.50	6.92	92.2	90.0-110	

L1573792-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-02 01/09/23 15:46 • (MS) R3879296-3 01/09/23 15:48 • (MSD) R3879296-4 01/09/23 15:49

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Ammonia Nitrogen	5.00	0.141	4.54	4.55	1	90.0-110	87.9	88.2	J6	J6	0.374	10

Sample Narrative:

MS: Matrix spike failure due to matrix.
MSD: Matrix spike failure due to matrix.

L1573792-11 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-11 01/09/23 16:09 • (MS) R3879296-6 01/09/23 16:10

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.25	84.9	1	90.0-110	<u>J6</u>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3879200-1 01/09/23 10:19

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	ND	0.0317	0.100	0.100

L1573792-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-18 01/09/23 11:12 • (DUP) R3879200-8 01/09/23 11:14

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000	10	10

L1569477-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1569477-04 01/09/23 11:24 • (DUP) R3879200-9 01/09/23 11:26

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000	10	10

Laboratory Control Sample (LCS)

(LCS) R3879200-2 01/09/23 10:21

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Ammonia Nitrogen	7.50	7.39	98.6	90.0-110	

L1569477-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1569477-03 01/09/23 10:33 • (MS) R3879200-3 01/09/23 10:35 • (MSD) R3879200-4 01/09/23 10:36

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution %	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD Limits %
Ammonia Nitrogen	5.00	ND	4.69	4.79	93.9	95.9	1	90.0-110	2.11	2.11	10

L1573792-17 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-17 01/09/23 11:09 • (MS) R3879200-7 01/09/23 11:11

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution %	Rec. Limits %	<u>MS Qualifier</u> %
Ammonia Nitrogen	5.00	ND	4.77	95.3	1	90.0-110	

Method Blank (MB)

(MB) R3880130-1 01/11/23 13:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	ND	0.0317	0.100	0.100

L1572474-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1572474-01 01/11/23 13:20 • (DUP) R3880130-7 01/11/23 13:22

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000		10

L1573792-19 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-19 01/11/23 13:52 • (DUP) R3880130-9 01/11/23 13:53

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3880130-2 01/11/23 13:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Ammonia Nitrogen	7.50	7.36	98.1	90.0-110	

L1572473-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1572473-01 01/11/23 13:16 • (MS) R3880130-5 01/11/23 13:17 • (MSD) R3880130-6 01/11/23 13:19

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Ammonia Nitrogen	5.00	ND	4.55	4.45	90.9	89.0	1	90.0-110	J6	2.11	10	

L1573261-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573261-01 01/11/23 13:49 • (MS) R3880130-8 01/11/23 13:50

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.64	92.7	1	90.0-110	

Method Blank (MB)

(MB) R3879170-1 01/09/23 11:11

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Nitrate-Nitrite	ND		0.0197	0.100

L1573334-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1573334-02 01/09/23 11:18 • (DUP) R3879170-3 01/09/23 11:19

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.000		20

L1573792-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-01 01/09/23 11:38 • (DUP) R3879170-6 01/09/23 11:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Nitrate-Nitrite	1.24	1.24	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3879170-2 01/09/23 11:13

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Nitrate-Nitrite	2.50	2.51	100	90.0-110	

L1573334-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573334-02 01/09/23 11:18 • (MS) R3879170-4 01/09/23 11:20 • (MSD) R3879170-5 01/09/23 11:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MSD Rec. %	MSD Qualifier	RPD %	RPD Limits %
Nitrate-Nitrite	2.50	ND	2.51	2.51	100	1	90.0-110	100	0.000	20	

L1573792-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-01 01/09/23 11:38 • (MS) R3879170-7 01/09/23 11:45

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Nitrate-Nitrite	2.50	1.24	3.62	95.2	1	90.0-110	

Method Blank (MB)

(MB) R3879193-1 01/09/23 12:07

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Nitrate-Nitrite	ND	0.0197	0.100	0.100

L1573792-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-11 01/09/23 12:13 • (DUP) R3879193-3 01/09/23 12:14

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Nitrate-Nitrite	0.434	0.429	1	1.16		20

L1573792-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-18 01/09/23 12:30 • (DUP) R3879193-6 01/09/23 12:31

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Nitrate-Nitrite	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3879193-2 01/09/23 12:08

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Nitrate-Nitrite	2.50	2.46	98.4	90.0-110	

L1573792-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-11 01/09/23 12:13 • (MS) R3879193-4 01/09/23 12:16 • (MSD) R3879193-5 01/09/23 12:17

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
Nitrate-Nitrite	2.50	0.434	2.84	2.88	1	90.0-110	96.2	97.8	1	90.0-110	1.40	1.40	20	20

L1573792-18 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-18 01/09/23 12:30 • (MS) R3879193-7 01/09/23 12:32

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %
Nitrate-Nitrite	2.50	ND	2.38	95.2	1	90.0-110	

Method Blank (MB)

(MB) R3879013-1 01/07/23 20:57

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	0.440	J	0.0519	1.00
Sulfate	0.530		0.0774	5.00

L1573792-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-01 01/08/23 02:04 • (DUP) R3879013-3 01/08/23 02:17

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	21.1	21.5	1	1.72		15
Sulfate	17.0	17.5	1	2.71		15

L1573792-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-08 01/08/23 04:37 • (DUP) R3879013-6 01/08/23 04:50

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	30.5	31.2	1	2.35		15
Sulfate	19.8	20.6	1	3.97		15

Laboratory Control Sample (LCS)

(LCS) R3879013-2 01/07/23 21:10

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	40.8	102	80.0-120	
Sulfate	40.0	39.9	99.8	80.0-120	

L1573792-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-01 01/08/23 02:04 • (MS) R3879013-4 01/08/23 02:30 • (MSD) R3879013-5 01/08/23 02:42

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Rec. %	MSD Rec. %	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	21.1	71.6	71.8	1	80.0-120	101	101	0.210	0.210	15
Sulfate	50.0	17.0	66.4	66.4	1	80.0-120	98.6	98.7	0.0350	0.0350	15

L1573792-08 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-08 01/08/23 04:37 • (MS) R3879013-7 01/08/23 05:02

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	30.5	80.3	99.7	1	80.0-120	
Sulfate	50.0	19.8	68.7	97.8	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3878993-1 01/07/23 10:51

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	ND	0.0519	1.00	1.00
Sulfate	ND	0.0774	5.00	5.00

L1573792-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-09 01/07/23 20:35 • (DUP) R3878993-3 01/07/23 20:48

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	21.9	22.9	1	4.64		15
Sulfate	7.36	7.84	1	6.24		15

L1573792-16 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-16 01/07/23 23:19 • (DUP) R3878993-6 01/07/23 23:33

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	8.58	8.67	1	1.07		15
Sulfate	ND	ND	1	0.279		15

Laboratory Control Sample (LCS)

(LCS) R3878993-2 01/07/23 13:48

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	42.1	105	80.0-120	
Sulfate	40.0	42.7	107	80.0-120	

L1573792-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-09 01/07/23 20:35 • (MS) R3878993-4 01/07/23 21:02 • (MSD) R3878993-5 01/07/23 21:16

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
Chloride	50.0	21.9	73.5	73.4	1	80.0-120	103	103	0.148	15
Sulfate	50.0	7.36	58.0	57.7	1	80.0-120	101	101	0.449	15

L1573792-16 Original Sample (OS) • Matrix Spike (MS)

(OS) L1573792-16 01/07/23 23:19 • (MS) R3878993-7 01/07/23 23:47

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	8.58	61.1	105	1	80.0-120	
Sulfate	50.0	ND	53.0	101	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3879766-2 01/10/23 08:14

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.191	↓	0.102	1.00

L1573068-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1573068-01 01/10/23 15:49 • (DUP) R3879766-6 01/10/23 16:15

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC (Total Organic Carbon)	10.4	10.6	1	1.81		20

Laboratory Control Sample (LCS)

(LCS) R3879766-1 01/10/23 07:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
TOC (Total Organic Carbon)	75.0	77.8	104	85.0-115	

L1573005-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573005-01 01/10/23 13:19 • (MS) R3879766-4 01/10/23 14:43 • (MSD) R3879766-5 01/10/23 15:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC (Total Organic Carbon)	100	2.25	105	106	103	103	2	80.0-120	0.380	0.380	20	20

L1573176-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573176-01 01/10/23 16:41 • (MS) R3879766-7 01/10/23 17:09 • (MSD) R3879766-8 01/10/23 17:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC (Total Organic Carbon)	50.0	ND	52.7	53.1	104	105	1	80.0-120	0.643	0.643	20	20

Method Blank (MB)

(MB) R3879765-2 01/09/23 15:48

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.305	J	0.102	1.00

L1573792-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-04 01/09/23 22:42 • (DUP) R3879765-5 01/09/23 23:02

Analyte	Original Result mg/l	DUP Result mg/l	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC	ND	ND	12.0		20

L1573792-16 Original Sample (OS) • Duplicate (DUP)

(OS) L1573792-16 01/10/23 04:53 • (DUP) R3879765-8 01/10/23 05:12

Analyte	Original Result mg/l	DUP Result mg/l	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC	ND	ND	6.37		20

Laboratory Control Sample (LCS)

(LCS) R3879765-1 01/09/23 15:29

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TOC	75.0	73.8	98.4	85.0-115	

L1573792-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-03 01/09/23 20:35 • (MS) R3879765-3 01/09/23 21:04 • (MSD) R3879765-4 01/09/23 21:32

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	ND	48.8	50.0	96.4	98.7	1	80.0-120		2.29	20	

L1573792-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-05 01/09/23 23:23 • (MS) R3879765-6 01/09/23 23:51 • (MSD) R3879765-7 01/10/23 00:18

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	1.02	49.6	50.9	97.2	99.8	1	80.0-120		2.53	20	

Method Blank (MB)

(MB) R3879776-2 01/10/23 23:37

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.340	<u>J</u>	0.102	1.00

L1574169-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1574169-02 01/11/23 04:21 • (DUP) R3879776-8 01/11/23 04:36

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC	4.11	3.58	1	13.7		20

Laboratory Control Sample (LCS)

(LCS) R3879776-1 01/10/23 23:22

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
TOC	75.0	74.6	99.4	85.0-115	

L1573792-17 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-17 01/11/23 00:38 • (MS) R3879776-3 01/11/23 01:02 • (MSD) R3879776-4 01/11/23 01:21

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC	50.0	ND	48.0	47.2	95.3	93.6	1	80.0-120	1.72		20	

L1573792-18 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-18 01/11/23 01:41 • (MS) R3879776-5 01/11/23 02:03 • (MSD) R3879776-6 01/11/23 02:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
TOC	50.0	ND	49.5	52.2	98.3	104	1	80.0-120	5.25		20	

Method Blank (MB)

(MB) R3879335-1 01/09/23 18:08

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver	ND		0.00280	0.00500
Barium	ND		0.00170	0.00500
Calcium	ND		0.0463	1.00
Iron	ND		0.0141	0.100
Potassium	1.27	J	0.102	1.00
Magnesium	0.0245		0.0111	1.00
Manganese	ND		0.00120	0.0100
Sodium	0.518	J	0.0111	1.00
Lead	ND		0.00190	0.00500
Selenium	ND		0.00740	0.0100

Laboratory Control Sample (LCS)

(LCS) R3879335-2 01/09/23 18:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver	0.200	0.176	87.8	80.0-120	
Barium	1.00	0.945	94.5	80.0-120	
Calcium	10.0	9.41	94.1	80.0-120	
Iron	10.0	9.40	94.0	80.0-120	
Potassium	10.0	9.81	98.1	80.0-120	
Magnesium	10.0	9.26	92.6	80.0-120	
Manganese	1.00	0.885	88.5	80.0-120	
Sodium	10.0	9.52	95.2	80.0-120	
Lead	1.00	0.941	94.1	80.0-120	
Selenium	1.00	0.952	95.2	80.0-120	

L1573650-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573650-09 01/09/23 18:14 • (MS) R3879335-4 01/09/23 18:19 • (MSD) R3879335-5 01/09/23 18:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver	0.200	ND	0.186	0.182	92.9	91.0	1	75.0-125			2.04	2.0
Barium	1.00	0.0552	0.993	0.986	93.8	93.1	1	75.0-125			0.703	2.0
Calcium	10.0	219	226	228	67.6	89.6	1	75.0-125	V		0.970	2.0
Iron	10.0	2.77	12.0	12.1	92.6	93.2	1	75.0-125			0.514	2.0
Potassium	10.0	7.14	16.8	17.0	96.8	98.7	1	75.0-125			1.11	2.0
Magnesium	10.0	74.5	82.4	82.6	78.8	80.9	1	75.0-125			0.248	2.0
Manganese	1.00	0.328	1.20	1.20	87.2	87.3	1	75.0-125			0.0647	2.0

L1573650-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573650-09 01/09/23 18:14 • (MS) R3879335-4 01/09/23 18:19 • (MSD) R3879335-5 01/09/23 18:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	463	468	475	51.5	113	1	75.0-125	V		1.31	20
Lead	1.00	0.0169	0.976	0.960	96.0	94.3	1	75.0-125			1.75	20
Selenium	1.00	ND	1.03	1.02	103	102	1	75.0-125			1.30	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3879362-1 01/09/23 22:09

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver	ND		0.00280	0.00500
Barium	ND		0.00170	0.00500
Calcium	ND		0.0463	1.00
Iron	ND		0.0141	0.100
Potassium	0.281	J	0.102	1.00
Magnesium	ND		0.0111	1.00
Manganese	ND		0.00120	0.0100
Sodium	0.124		0.0111	1.00
Lead	ND		0.00190	0.00500
Selenium	ND		0.00740	0.0100

Laboratory Control Sample (LCS)

(LCS) R3879362-2 01/09/23 22:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver	0.200	0.168	84.1	80.0-120	
Barium	1.00	0.976	97.6	80.0-120	
Calcium	10.0	9.30	93.0	80.0-120	
Iron	10.0	9.56	95.6	80.0-120	
Potassium	10.0	9.60	96.0	80.0-120	
Magnesium	10.0	9.28	92.8	80.0-120	
Manganese	1.00	0.941	94.1	80.0-120	
Sodium	10.0	9.23	92.3	80.0-120	
Lead	1.00	0.941	94.1	80.0-120	
Selenium	1.00	0.963	96.3	80.0-120	

L1573792-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-15 01/09/23 22:15 • (MS) R3879362-4 01/09/23 22:21 • (MSD) R3879362-5 01/09/23 22:23

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver	0.200	ND	0.172	0.172	86.2	86.0	1	75.0-125			0.260	20
Barium	1.00	0.0661	1.05	1.03	98.3	96.8	1	75.0-125			1.50	20
Calcium	10.0	116	121	122	52.0	55.3	1	75.0-125	V	V	0.277	20
Iron	10.0	ND	9.59	9.30	95.9	93.0	1	75.0-125			3.08	20
Potassium	10.0	ND	11.6	11.4	91.2	88.6	1	75.0-125			2.28	20
Magnesium	10.0	2.03	10.9	10.8	88.3	87.9	1	75.0-125			0.351	20
Manganese	1.00	ND	0.958	0.943	95.8	94.3	1	75.0-125			1.57	20

L1573792-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-15 01/09/23 22:15 • (MS) R3879362-4 01/09/23 22:21 • (MSD) R3879362-5 01/09/23 22:23

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	8.25	17.0	16.8	87.7	85.3	1	75.0-125			1.41	20
Lead	1.00	ND	0.933	0.925	93.3	92.5	1	75.0-125			0.877	20
Selenium	1.00	ND	0.978	0.962	97.8	96.2	1	75.0-125			1.68	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG1985726

Metals (ICP) by Method 6010B

QUALITY CONTROL SUMMARY

[L1573792-01.12](#)

Method Blank (MB)

(MB) R3879735-1 01/10/23 17:40

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Silver	ND	0.00280	0.00500	0.00500
Barium	ND	0.00170	0.00500	0.00500
Calcium	ND	0.0463	1.00	
Iron	0.0173	0.0141	0.100	0.100
Potassium	ND	0.102	1.00	
Magnesium	ND	0.0111	1.00	
Manganese	0.00346	↓ 0.00120	0.0100	0.0100
Sodium	0.0682	0.0111	1.00	
Lead	ND	0.00190	0.00500	
Selenium	ND	0.00740	0.0100	

Laboratory Control Sample (LCS)

(LCS) R3879735-2 01/10/23 17:42

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Silver	0.200	0.180	90.1	80.0-120	
Barium	1.00	1.01	101	80.0-120	
Calcium	10.0	9.90	99.0	80.0-120	
Iron	10.0	9.95	99.5	80.0-120	
Potassium	10.0	9.72	97.2	80.0-120	
Magnesium	10.0	9.60	96.0	80.0-120	
Manganese	1.00	0.920	92.0	80.0-120	
Sodium	10.0	9.80	98.0	80.0-120	
Lead	1.00	0.948	94.8	80.0-120	
Selenium	1.00	0.974	97.4	80.0-120	

L1573792-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-01 01/10/23 17:45 • (MS) R3879735-4 01/10/23 17:51 • (MSD) R3879735-5 01/10/23 17:53

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	<u>MS Qualifier</u>	RPD %	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Silver	0.200	ND	0.183	0.182	1	75.0-125	91.5	0.649	90.9	0.649	20
Barium	1.00	0.0223	1.03	1.03	1	75.0-125	101	0.191	101	0.191	20
Calcium	10.0	62.4	70.2	70.4	1	75.0-125	77.1	0.345	79.5	0.345	20
Iron	10.0	ND	9.99	9.99	1	75.0-125	99.6	0.0786	99.5	0.0786	20
Potassium	10.0	4.98	15.6	15.5	1	75.0-125	106	0.710	105	0.710	20
Magnesium	10.0	5.51	14.7	14.7	1	75.0-125	92.3	0.00373	92.3	0.00373	20
Manganese	1.00	0.0183	0.917	0.912	1	75.0-125	89.8	0.499	89.4	0.499	20

L1573792-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-01 01/10/23 17:45 • (MS) R3879735-4 01/10/23 17:51 • (MSD) R3879735-5 01/10/23 17:53

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	22.1	30.7	30.7	86.1	85.8	1	75.0-125			0.104	20
Lead	1.00	ND	0.958	0.955	95.8	95.5	1	75.0-125			0.295	20
Selenium	1.00	ND	1.03	1.02	103	102	1	75.0-125			1.01	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1985268

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

[L1573792-01_02_03_04](#)

Method Blank (MB)

(MB) R3879342-1 01/09/23 22:39

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	ND		0.000180	0.00500
Zinc	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3879342-2 01/09/23 22:42

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0480	96.0	80.0-120	
Beryllium	0.0500	0.0478	95.6	80.0-120	
Cadmium	0.0500	0.0507	101	80.0-120	
Cobalt	0.0500	0.0499	99.8	80.0-120	
Chromium	0.0500	0.0495	99.0	80.0-120	
Copper	0.0500	0.0472	94.5	80.0-120	
Nickel	0.0500	0.0498	99.6	80.0-120	
Antimony	0.0500	0.0446	89.1	80.0-120	
Thallium	0.0500	0.0485	97.0	80.0-120	
Vanadium	0.0500	0.0491	98.1	80.0-120	
Zinc	0.0500	0.0464	92.9	80.0-120	

L1573726-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573726-05 01/09/23 22:46 • (MS) R3879342-4 01/09/23 22:52 • (MSD) R3879342-5 01/09/23 22:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0496	0.0478	92.0	88.5	1	75.0-125			3.59	2.0
Beryllium	0.0500	ND	0.0476	0.0476	95.3	95.3	1	75.0-125			0.00454	2.0
Cadmium	0.0500	ND	0.0514	0.0509	103	102	1	75.0-125			0.970	2.0
Cobalt	0.0500	ND	0.0473	0.0459	94.0	91.1	1	75.0-125			3.17	2.0
Chromium	0.0500	ND	0.0463	0.0448	92.6	89.7	1	75.0-125			3.18	2.0

L1573726-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573726-05 01/09/23 22:46 • (MS) R3879342-4 01/09/23 22:52 • (MSD) R3879342-5 01/09/23 22:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	ND	0.0443	0.0434	88.6	86.8	1	75.0-125			2.09	20
Nickel	0.0500	ND	0.0469	0.0446	93.7	89.1	1	75.0-125			5.01	20
Antimony	0.0500	ND	0.0465	0.0464	92.9	92.8	1	75.0-125			0.132	20
Thallium	0.0500	ND	0.0499	0.0482	99.8	96.4	1	75.0-125			3.47	20
Vanadium	0.0500	ND	0.0480	0.0465	94.4	91.4	1	75.0-125			3.13	20
Zinc	0.0500	ND	0.0454	0.0427	90.7	85.4	1	75.0-125			6.05	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG1985269

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

[L1573792-05](#), [06](#), [07](#), [08](#), [09](#), [10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#)

Method Blank (MB)

(MB) R3879448-1 01/09/23 23:43

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	0.000405		0.000180	0.00500
Zinc	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3879448-2 01/09/23 23:46

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0453	90.7	80.0-120	
Beryllium	0.0500	0.0466	93.2	80.0-120	
Cadmium	0.0500	0.0489	97.7	80.0-120	
Cobalt	0.0500	0.0476	95.2	80.0-120	
Chromium	0.0500	0.0475	95.0	80.0-120	
Copper	0.0500	0.0455	91.0	80.0-120	
Nickel	0.0500	0.0470	94.0	80.0-120	
Antimony	0.0500	0.0452	90.5	80.0-120	
Thallium	0.0500	0.0450	90.0	80.0-120	
Vanadium	0.0500	0.0479	95.8	80.0-120	
Zinc	0.0500	0.0446	89.1	80.0-120	

L1573792-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-08 01/09/23 23:50 • (MS) R3879448-4 01/09/23 23:56 • (MSD) R3879448-5 01/09/23 23:59

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0474	94.8	0.0473	94.6	1	75.0-125			0.150	20
Beryllium	0.0500	ND	0.0468	93.7	0.0467	93.4	1	75.0-125			0.244	20
Cadmium	0.0500	0.00522	0.0541	97.7	0.0550	99.6	1	75.0-125			1.74	20
Cobalt	0.0500	ND	0.0488	96.5	0.0485	95.9	1	75.0-125			0.618	20
Chromium	0.0500	ND	0.0482	96.4	0.0484	96.9	1	75.0-125			0.465	20

L1573792-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1573792-08 01/09/23 23:50 • (MS) R3879448-4 01/09/23 23:56 • (MSD) R3879448-5 01/09/23 23:59

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	ND	0.0452	0.0464	90.5	92.7	1	75.0-125			2.44	20
Nickel	0.0500	0.0177	0.0650	0.0655	94.5	95.5	1	75.0-125			0.755	20
Antimony	0.0500	ND	0.0464	0.0471	92.8	94.1	1	75.0-125			1.38	20
Thallium	0.0500	ND	0.0481	0.0468	95.7	93.0	1	75.0-125			2.84	20
Vanadium	0.0500	ND	0.0491	0.0493	98.2	98.5	1	75.0-125			0.272	20
Zinc	0.0500	0.0194	0.0646	0.0913	90.3	144	1	75.0-125	J3 J5		34.3	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1573792-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Method Blank (MB)

(MB) R3879098-2 01/08/23 06:45

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

WG1985025

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1573792-01.02.03.04.05.06.07.08.09.10.11.12.13.14.15.16.17

Method Blank (MB)

(MB) R3879098-2 01/08/23 06:45

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	96.0			70.0-130
(S) 4-Bromofluorobenzene	107			77.0-126
(S) Toluene-d8	120			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3879098-1 01/08/23 06:06

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,1,1,2-Tetrachloroethane	5.00	6.34	127	75.0-125	J4
1,1,1-Trichloroethane	5.00	5.06	101	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.31	86.2	65.0-130	
1,1,2-Trichloroethane	5.00	5.79	116	80.0-120	
1,1-Dichloroethane	5.00	4.51	90.2	70.0-126	
1,1-Dichloroethene	5.00	5.21	104	71.0-124	
1,2,3-Trichloropropane	5.00	4.47	89.4	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	5.01	100	58.0-134	
1,2-Dibromoethane	5.00	6.07	121	80.0-122	
1,2-Dichlorobenzene	5.00	5.19	104	79.0-121	
1,2-Dichloroethane	5.00	4.62	92.4	70.0-128	
1,2-Dichloropropane	5.00	4.18	83.6	77.0-125	
1,4-Dichlorobenzene	5.00	5.14	103	79.0-120	
2-Butanone (MEK)	25.0	22.9	91.6	44.0-160	
2-Hexanone	25.0	23.0	92.0	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	22.2	88.8	68.0-142	
Acetone	25.0	37.9	152	19.0-160	
Acrylonitrile	25.0	24.0	96.0	55.0-149	
Benzene	5.00	4.82	96.4	70.0-123	
Bromochloromethane	5.00	5.82	116	76.0-122	
Bromodichloromethane	5.00	4.56	91.2	75.0-120	
Bromoform	5.00	6.43	129	68.0-132	
Bromomethane	5.00	4.73	94.6	10.0-160	

Laboratory Control Sample (LCS)

(LCS) R3879098-1 01/08/23 06:06

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Carbon disulfide	5.00	4.68	93.6	61.0-128	
Carbon tetrachloride	5.00	5.64	113	68.0-126	
Chlorobenzene	5.00	5.79	116	80.0-121	
Chloroethane	5.00	4.73	94.6	47.0-150	
Chloroform	5.00	4.75	95.0	73.0-120	
Chloromethane	5.00	3.31	66.2	41.0-142	
Chlorodibromomethane	5.00	5.97	119	77.0-125	
Dibromomethane	5.00	5.16	103	80.0-120	
Ethylbenzene	5.00	5.66	113	79.0-123	
Iodomethane	25.0	30.1	120	33.0-147	
Methylene Chloride	5.00	4.47	89.4	67.0-120	
Styrene	5.00	5.50	110	73.0-130	
Tetrachloroethene	5.00	6.38	128	72.0-132	
Toluene	5.00	5.35	107	79.0-120	
Trichloroethene	5.00	6.40	128	78.0-124	J4
Trichlorofluoromethane	5.00	5.46	109	59.0-147	
Vinyl acetate	25.0	13.4	53.6	11.0-160	
Vinyl chloride	5.00	4.14	82.8	67.0-131	
Xylenes, Total	15.0	17.1	114	79.0-123	
cis-1,2-Dichloroethene	5.00	5.21	104	73.0-120	
cis-1,3-Dichloropropene	5.00	4.54	90.8	80.0-123	
trans-1,2-Dichloroethene	5.00	4.88	97.6	73.0-120	
trans-1,3-Dichloropropene	5.00	5.01	100	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	2.03	40.6	33.0-144	
(S) 1,2-Dichloroethane-d4			97.9	70.0-130	
(S) 4-Bromofluorobenzene			106	77.0-126	
(S) Toluene-d8			112	80.0-120	

WG1985424

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1573792-18.19](#)

Method Blank (MB)

(MB) R3880507-2 01/09/23 13:11

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	0.108	J	0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	0.104	J	0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

WG1985424

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

[L1573792-18.19](#)

Method Blank (MB)

(MB) R3880507-2 01/09/23 13:11

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	100			70.0-130
<i>(S)</i> 4-Bromofluorobenzene	110			77.0-126
<i>(S)</i> Toluene-d8	117			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3880507-1 01/09/23 10:51

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
1,1,1,2-Tetrachloroethane	5.00	6.25	125	75.0-125	
1,1,1-Trichloroethane	5.00	5.03	101	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.28	85.6	65.0-130	
1,1,2-Trichloroethane	5.00	5.60	112	80.0-120	
1,1-Dichloroethane	5.00	4.39	87.8	70.0-126	
1,1-Dichloroethene	5.00	5.11	102	71.0-124	
1,2,3-Trichloropropane	5.00	4.42	88.4	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	4.80	96.0	58.0-134	
1,2-Dibromoethane	5.00	5.92	118	80.0-122	
1,2-Dichlorobenzene	5.00	4.98	99.6	79.0-121	
1,2-Dichloroethane	5.00	4.34	86.8	70.0-128	
1,2-Dichloropropane	5.00	4.01	80.2	77.0-125	
1,4-Dichlorobenzene	5.00	5.04	101	79.0-120	
2-Butanone (MEK)	25.0	20.7	82.8	44.0-160	
2-Hexanone	25.0	21.1	84.4	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	20.4	81.6	68.0-142	
Acetone	25.0	36.4	146	19.0-160	
Acrylonitrile	25.0	24.3	97.2	55.0-149	
Benzene	5.00	4.67	93.4	70.0-123	
Bromochloromethane	5.00	5.99	120	76.0-122	
Bromodichloromethane	5.00	4.56	91.2	75.0-120	
Bromoform	5.00	6.45	129	68.0-132	
Bromomethane	5.00	4.67	93.4	10.0-160	

Laboratory Control Sample (LCS)

(LCS) R3880507-1 01/09/23 10:51

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Carbon disulfide	5.00	4.92	98.4	61.0-128	
Carbon tetrachloride	5.00	5.56	111	68.0-126	
Chlorobenzene	5.00	5.83	117	80.0-121	
Chloroethane	5.00	4.50	90.0	47.0-150	
Chloroform	5.00	4.70	94.0	73.0-120	
Chloromethane	5.00	3.33	66.6	41.0-142	
Chlorodibromomethane	5.00	5.68	114	77.0-125	
Dibromomethane	5.00	5.12	102	80.0-120	
Ethylbenzene	5.00	5.56	111	79.0-123	
Iodomethane	25.0	31.4	126	33.0-147	
Methylene Chloride	5.00	4.86	97.2	67.0-120	
Styrene	5.00	5.19	104	73.0-130	
Tetrachloroethene	5.00	6.51	130	72.0-132	
Toluene	5.00	5.56	111	79.0-120	
Trichloroethene	5.00	5.46	109	78.0-124	
Trichlorofluoromethane	5.00	5.47	109	59.0-147	
Vinyl acetate	25.0	17.7	70.8	11.0-160	
Vinyl chloride	5.00	4.09	81.8	67.0-131	
Xylenes, Total	15.0	17.0	113	79.0-123	
cis-1,2-Dichloroethene	5.00	5.23	105	73.0-120	
cis-1,3-Dichloropropene	5.00	4.26	85.2	80.0-123	
trans-1,2-Dichloroethene	5.00	5.24	105	73.0-120	
trans-1,3-Dichloropropene	5.00	5.01	100	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	2.36	47.2	33.0-144	
(S) 1,2-Dichloroethane-d4			98.3	70.0-130	
(S) 4-Bromofluorobenzene			108	77.0-126	
(S) Toluene-d8			117	80.0-120	

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745
 Email To:
 jeffholm@sbcbglobal.net; jreyno10@wm.com
 Please Circle: PT MT CT ET

Chain of Custody Page 1 of 3
Pace
 PEOPLE ADVANCING SCIENCE
 MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubli/pas-standard-terms.pdf>
 SDG # **L1573792**
M190
 Acctnum: **WMECOVISAR**
 Template: **T221696**
 Prelog/in: **P970670**
 PM: **616 - Stacy Kennedy**
 PB:
 Shipped Via: **FedEX Ground**
 Remarks: Sample # (lab only)

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Analyses / Container / Preservative													
							ALK, CHLORIDE, SULFATE 250mIHDP-NOPres	CHLORIDE, SULFATE 125mIHDP-NOPres	Metals 250mIHDP-HNO3	NH3 250mIHDP-H2SO4	NH3, NO2NO3 250mIHDP-H2SO4	TDS 1L-HDPE NOPres	TOC 250mIamb-HCl	V8260LL 40mIamb-HCl	V8260LL-TB 40mIamb-HCl-BIK					
NE-1	Grab	GW	49.40	1.5.23	1245	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-2		GW	21.75		1150	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-4		GW	64.75		1350	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-5		GW	73.35		1000	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-5E		GW	69.80		1105	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-5W		GW	73.75		0910	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-6		GW	33.80		1450	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-6D		GW	34.20		1535	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-7		GW	61.40		1620	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NE-8		GW	13.25	1.6.23	0905	8	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Samples returned via: UPS FedEx Courier

Relinquished by: (Signature) *[Signature]* Date: **1.6.23** Time: **1730**
 Relinquished by: (Signature) _____ Date: _____ Time: _____
 Relinquished by: (Signature) _____ Date: _____ Time: _____

Tracking # _____
 Received by: (Signature) _____ Date: _____ Time: _____
 Received by: (Signature) _____ Date: _____ Time: _____
 Received for lab by: (Signature) *[Signature]* Date: **1/17/23** Time: **9:00**

Temp: _____ °C Bottles Received: **150**
 Trip Blank Received: **3** Yes/No HCL / MeOH TBR
 pH _____ Temp _____
 Flow _____ Other _____

Sample Receipt Checklist
 VOC Seal Present/Intact: Y N
 VOC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 IF Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N
 RAD Screen <0.5 mR/hr: Y N

If preservation required by Login: Date/Time
 Hold: _____ Condition: **NCF / OK**

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Sample ID	Matrix *	Depth	Date	Time	Cntrs
NE-9	Grab	GW	10.40	1.6.23	1250
NE-100	GW	GW	104.5	1645	8
NE-11	GW	GW	49.75	1520	8
NE-12	GW	GW	58.60	1430	8
NE-13	GW	GW	17.75	1030	8
NE-140	GW	GW	19.45	0950	8
NE-150	GW	GW	48.60	1210	8
NE-155	GW	GW	N/A	0940	8
FB					

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

Analysis / Container / Preservative

Analysis / Container / Preservative	Pres Chk
Metals 250mlHDP-ENO3	X
NH3 250mlHDP-H2SO4	X
NH3,NO2NO3 250mlHDP-H2SO4	X
TDS 1L-HDPE NoPres	X
TOC 250mlAmb-HCl	X
V8260LL 40mlAmb-HCl	X
V8260LL-TB 40mlAmb-HCl-BIK	X

Shipping Via: FedEX Ground
 Remarks: Sample # (lab only)
 -11
 -12
 -13
 -14
 -15
 -16
 -17
 -18

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Report To:
Jodi Reynolds
 Project Description:
 Eco-Vista (Tontitown)LF - GW Jan

City/State Collected:
 Client Project #
 200
 Site/Facility ID #
 AR03
Quote #
 WMECOVISAR-00021
 P.O. #
Lab Project #
 WMECOVISAR-00021

Sample ID
 Sample ID Matrix * Depth Date Time Cntrs
 NE-9 Grab GW 10.40 1.6.23 1250 8
 NE-100 GW 104.5 1645 8
 NE-11 GW 49.75 1520 8
 NE-12 GW 58.60 1430 8
 NE-13 GW 17.75 1030 8
 NE-140 GW 19.45 0950 8
 NE-150 GW 48.60 1210 8
 NE-155 GW N/A 0940 8
 FB

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Relinquished by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Tracking #
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received by: (Signature) *[Signature]* Date: 1.6.23 Time: 1730
 Received for lab by: (Signature) *[Signature]* Date: 11/7/23 Time: 9:00

Temp: °C Bottles Received: 152
Date: 11/7/23 Time: 9:00

FIELD INFORMATION FORM



Site Name: EWLF
 Site No.: ME-7
 Sample Point: ME-7
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 01/05/23
 PURGE TIME (2400 Hr Clock): 1545
 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: _____
 Filter Type: _____
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl)
 Depth to Water (DTW) (from TOC): 60.69 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft)
 Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>15:50</u>	<u>200</u> 1 st	<u>7.14</u> 1 st	<u>432</u>	<u>12.7</u>	<u>17.4</u>	<u>7.5</u>	<u>118.6</u>
	<u>15:55</u>	<u>200</u> 2 nd	<u>6.33</u> 2 nd	<u>454</u>	<u>13.9</u>	<u>6.0</u>	<u>4.5</u>	<u>153.3</u>	<u>61.35</u>
	<u>16:00</u>	<u>200</u> 3 rd	<u>6.25</u> 3 rd	<u>453</u>	<u>13.9</u>	<u>30.6</u>	<u>4.0</u>	<u>159.3</u>	<u>61.35</u>
	<u>16:05</u>	<u>200</u> 4 th	<u>6.21</u> 4 th	<u>446</u>	<u>14.0</u>	<u>46.5</u>	<u>3.9</u>	<u>162.5</u>	<u>61.4</u>
	<u>16:10</u>	<u>200</u>	<u>6.21</u>	<u>443</u>	<u>13.9</u>	<u>39.4</u>	<u>3.8</u>	<u>163.4</u>	<u>61.4</u>
	<u>16:15</u>	<u>200</u>	<u>6.21</u>	<u>441</u>	<u>13.9</u>	<u>21.5</u>	<u>3.8</u>	<u>163.8</u>	<u>61.4</u>
	<u>16:20</u>	<u>200</u>	<u>6.19</u>	<u>438</u>	<u>13.9</u>	<u>8.9</u>	<u>3.8</u>	<u>164.6</u>	<u>61.4</u>
	<u> : </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> : </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> : </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/05/23
 pH (std): 6.19
 CONDUCTANCE (μmhos/cm @ 25°C): 438
 TEMP. (°C): 13.9
 TURBIDITY (ntu): 8.9
 DO (mg/L-ppm): 3.8
 eH/ORP (mV): 164.6
 Other: _____
 Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/5/23 C. Fincher _____ _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-4
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 010523
 PURGE TIME (2400 Hr Clock): 13:15
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOL PURGED (ft):

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 6475 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
13:20	200 1 st	6.97	620	13.7	21.9	6.4	133.1	64.75
13:25	200 2 nd	6.98	635	13.8	18.5	7.3	134.6	
13:30	200 3 rd	7.01	633	13.8	17.8	7.7	135.4	
13:35	200 4 th	6.99	634	13.7	16.1	7.9	137.3	
13:40	200	7.02	634	13.7	14.9	8.1	137.3	
13:45	200	7.03	635	13.6	12.6	8.2	137.7	
13:50	200	7.03	635	13.6	9.2	8.2	138.1	
13:55	200							

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 0123 pH (std): 7.03 CONDUCTANCE (μmhos/cm @ 25°C): 635 TEMP. (°C): 13.6 TURBIDITY (ntu): 9.2 DO (mg/L-ppm): 8.2 eH/ORP (mV): 138.1 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
64.75 = Top Of Pump

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
11/23 C. Finley
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-2
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 010523
 PURGE TIME (2400 Hr Clock): 11:20
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOL PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or
 Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 A-Teflon C-PVC X-Other:
 X-Other: Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 20.85 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
11:25	200 1 st	6.48	672	12.9	4.4	5.2	169.6	21.25
11:30	200 2 nd	6.45	674	13.2	4.0	5.7	167.6	20.25
11:35	200 3 rd	6.45	674	13.2	3.6	5.8	166.5	21.25
11:40	200 4 th	6.44	674	13.2	3.6	5.9	166.1	21.25
11:45	200	6.44	674	13.2	3.3	5.9	166.1	21.25
11:50	200	6.43	675	13.1	3.7	5.9	166.1	21.25
	200							

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 010523
 pH (std): 6.43
 CONDUCTANCE (umhos/cm @ 25°C): 675
 TEMP. (°C): 13.1
 TURBIDITY (ntu): 3.7
 DO (mg/L-ppm): 5.9
 eH/ORP (mV): 166.1
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: SE 15mph Outlook: Sunny, 50's Precipitation: Y or X

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1.5.23 C. Finde [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-5
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 01/05/23
 PURGE TIME (2400 Hr Clock): 09:20
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 6989 (ft)
 Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:25	200 1 st	6.81	573	13.2	462	8.0	1526	71.05
09:30	200 2 nd	6.47	735	13.7	278	1.6	1595	72.05
09:35	200 3 rd	6.62	731	13.7	204	0.6	1604	72.85
09:40	200 4 th	6.63	720	13.8	183	0.8	1603	73.05
09:45	200	6.63	720	14.0	151	1.1	1602	73.35
09:50	200	6.63	719	13.8	148	1.2	1606	73.35
09:55	200	6.62	725	13.8	111	1.1	1609	73.35
10:00	200	6.62	728	13.8	87	1.0	1611	73.35

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2 +/- 3% - - +/- 10% +/- 25 mV Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/05/23
 pH (std): 6.62
 CONDUCTANCE (umhos/cm @ 25°C): 728
 TEMP. (°C): 13.8
 TURBIDITY (ntu): 87
 DO (mg/L-ppm): 1.0
 eH/ORP (mV): 1611
 Other: _____
 Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: NONE Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/4/23 C. Funder [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-12
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 01/06/23 (MM DD YY)
 PURGE TIME: 14:05 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 58.57 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L-ppm)	eH/ORP (mV)	DTW (ft)
14:10	200 1 st	6.51	422	12.9	5.9	6.3	130.2	58.6
14:15	200 2 nd	6.68	520	14.3	12.0	4.7	130.3	58.6
14:20	200 3 rd	6.69	522	14.3	8.7	4.6	129.1	58.6
14:25	200 4 th	6.71	523	14.4	6.8	4.5	128.5	58.6
14:30	200	6.73	521	14.3	4.9	4.5	128.3	58.6

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2
 Conductance: +/- 3%
 Temp: -
 Turbidity: -
 D.O.: +/- 10%
 eH/ORP: +/- 25 mV
 DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/06/23
 pH (std): 6.73
 CONDUCTANCE (umhos/cm @ 25°C): 521
 TEMP. (°C): 14.3
 TURBIDITY (ntu): 4.9
 DO (mg/L-ppm): 4.5
 eH/ORP (mV): 128.3
 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/6/23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

Site No.: _____ Sample Point: ME-9
Sample ID

PURGE INFO

PURGE DATE (MM DD YY)	PURGE TIME (2400 Hr Clock)	ELAPSED HRS (hrs:min)	WATER VOL IN CASING (Gallons)	ACTUAL VOL PURGED (Gallons)	WELL VOLs PURGED
010623	1230	:	:	:	:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGES/SAMPLE EQUIPMENT

Purging and Sampling Equipment ... Dedicated: or N

Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)

Purging Device: C A- Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle

Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____

X-Other: _____ Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA

Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 958 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)

Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:35	200 1 st	5.99	622	15.0	59.7	0.8	152.1	10.45
12:40	200 2 nd	6.07	633	15.0	118.3	0.4	153.6	10.40
12:45	200 3 rd	6.07	633	14.8	5.9	0.4	154.3	10.40
12:50	200 4 th	6.06	632	14.9	4.4	0.4	154.5	10.40

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2 +/- 3% -- -- +/- 10% +/- 25 mV Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____
010623	6.06	632	14.9	4.4	0.4	154.5	Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____

Weather Conditions (required daily, or as conditions change): Sunny Direction/Speed: SE @ 5 mph Outlook: Mostly Sunny 50s Precipitation: Y or X

Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

1/6/23 C. Fincher _____ _____

Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-1410
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 010623 PURGE TIME: 1105 ELAPSED HRS:
 (MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
 (Gallons) (Gallons)

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Filter Type:
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 17.27 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:10	200 1 st	6.511	587	13.4	27	27	1523	17.73
10:15	200 2 nd	6.53	590	13.3	28	17	1512	17.73
10:20	200 3 rd	6.53	592	13.6	25	14	1507	17.75
10:25	200 4 th	6.53	593	13.7	27	13	1509	17.75
10:30	200	6.54	593	13.8	25	13	1507	17.75

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 010623 pH (std): 6.54 CONDUCTANCE (umhos/cm @ 25°C): 593 TEMP. (°C): 13.8 TURBIDITY (ntu): 25 DO (mg/L-ppm): 13 eH/ORP (mV): 1507 Other:
 (MM DD YY) (std) (umhos/cm @ 25°C) (°C) (ntu) (mg/L-ppm) (mV) Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).
 Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1, 6, 23 C. Fincher [Signature] Proamus
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLFF
 Site No.: ME-8
 Sample Point: ME-8
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 01/06/23 (MM DD YY)
 PURGE TIME: 08:30 (2400 Hr Clock)
 ELAPSED HRS: _____ (hrs:min)
 WATER VOL IN CASING: _____ (Gallons)
 ACTUAL VOL PURGED: _____ (Gallons)
 WELL VOLS PURGED: _____

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N | 0.45 μ or _____ μ (circle or fill in)
 Purging Device: B A-Submersible Pump D-Bailer
 Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: B B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl)
 Depth to Water (DTW) (from TOC): 112.95 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft)
 Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:35	200 1 st	6.618	571	13.0	48.8	2.4	151.5	13.31
08:40	200 2 nd	6.57	578	13.8	25.7	0.7	160.2	13.25
08:45	200 3 rd	6.56	578	13.9	28.8	0.5	160.7	13.25
08:50	200 4 th	6.52	579	14.0	45.6	0.5	161.9	13.25
08:55	200	6.56	578	14.1	32.7	0.5	160.4	13.25
09:00	200	6.54	578	14.1	14.6	0.5	161.2	13.25
09:05	200	6.55	578	14.2	9.2	0.4	160.4	13.25
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 | Conductance: +/- 3% | Temp: - | Turbidity: - | D.O.: +/- 10% | eH/ORP: +/- 25 mV | DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 01/06/23 (MM DD YY)
 pH: 6.55 (std)
 CONDUCTANCE: 578 (μmhos/cm @ 25°C)
 TEMP.: 14.2 (°C)
 TURBIDITY: 9.2 (ntu)
 DO: 0.4 (mg/L-ppm)
 eH/ORP: 160.4 (mV)
 Other: _____ Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): Cloudy Direction/Speed: Calm Outlook: 50's Precipitation: Y or X

Specific Comments (including purge/well volume calculations if required):
Dedicated Bladder pump inoperable... Peristaltic pump used with Bladder pump remaining installed within the well.
29.65' = Top of Pump

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1/6/23 C. Fincher [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-100
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 01/06/23 PURGE TIME: 13:25 ELAPSED HRS: 1600 WATER VOL IN CASING: 32 ACTUAL VOL PURGED: 125 WELL VOL PURGED:
 (MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or X Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: D A-Submersible Pump D-Boiler A-In-line Disposable C-Vacuum
 Sampling Device: D B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 10210 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): 12140 (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:10	1 st	6.78	246.5	13.9	37.5	8.6	126.9	104.5
16:15	1 vol 2 nd	6.79	245	13.8	33.2	8.1	128.9	
16:20	3 rd	6.76	243	14.0	42.5	8.3	129.8	
16:25	2 vol 4 th	6.77	242	14.0	34.9	8.0	128.9	
16:30		6.76	248	14.0	25.6	8.2	131.7	
16:35	3 vol	6.77	243	13.9	15.8	8.4	129.1	
16:40		6.76	245	13.9	18.6	8.3	128.9	
16:45	4 vol	6.74	239	13.8	20.5	8.4	128.0	

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 01/06/23 pH (std): 6.74 CONDUCTANCE (umhos/cm @ 25°C): 239 TEMP. (°C): 13.8 TURBIDITY (ntu): 20.5 DO (mg/L-ppm): 8.4 eH/ORP (mV): 128.0 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: slightly turbid Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Pump Broken / Boiler Traditional Purse Method

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
1, 6, 23 C. Funder [Signature] Pronms
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

<u>Tracking Numbers</u>		<u>Temperature</u>
6193 3528 3282		1.7H=1.7
6193 3528 3308		U.5H=U.5
6193 3528 3293		U.5H=U.5
6193 3528 3288		U.5H=U.5
6193 3528 3319		U.6H=U.6

APPENDIX C

**Laboratory Analytical Results & Field Forms
Second Quarter 2023 Event**

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1603505
Samples Received: 04/08/2023
Project Number: 200
Description: Eco-Vista LF-GW-Apr & Oct
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:




Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	10
Sr: Sample Results	11
LGW-6 L1603505-02	11
LGW-7 L1603505-03	13
LGW-8R L1603505-04	14
LGW-9 L1603505-05	15
FB L1603505-06	17
LGW-14R L1603505-07	19
MW-7N L1603505-08	20
MW-15 L1603505-09	21
MW-16 L1603505-10	22
MW-17 L1603505-11	23
MW-19 L1603505-12	24
NE-1 L1603505-13	25
NE-15D L1603505-14	27
NE-4 L1603505-15	29
NE-5 L1603505-16	31
NE-5E L1603505-17	33
NE-5W L1603505-18	35
NE-6D L1603505-19	37
NE-14S L1603505-20	39
NE-14D L1603505-21	41
TRIPBLANK L1603505-22	43
NE-2 L1603505-23	44
NE-10D L1603505-24	46
LGW-2 L1603505-25	48
LGW-3R L1603505-26	49
LGW-4 L1603505-27	50
LGW-5 L1603505-28	51
LGW-10 L1603505-29	52
DUP-1 L1603505-30	54
DUP-2 L1603505-31	56
Qc: Quality Control Summary	58
Gravimetric Analysis by Method 2540 C-2011	58
Wet Chemistry by Method 350.1	61
Wet Chemistry by Method 9056A	63
Wet Chemistry by Method 9060A	67



Metals (ICP) by Method 6010B	70
Metals (ICPMS) by Method 6020	72
Volatile Organic Compounds (GC/MS) by Method 8260B	77
GI: Glossary of Terms	83
AI: Accreditations & Locations	84
Sc: Sample Chain of Custody	85

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al


⁹ Sc

SAMPLE SUMMARY

LGW-6 L1603505-02 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 13:05
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 12:51	04/12/23 12:51	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/12/23 21:45	04/12/23 21:45	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 05:22	04/12/23 05:22	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:08	ABL	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	5	04/12/23 11:02	04/13/23 16:10	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 20:31	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 03:54	04/11/23 03:54	JAH	Mt. Juliet, TN



LGW-7 L1603505-03 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 13:55
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 12:53	04/12/23 12:53	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/12/23 23:20	04/12/23 23:20	GEB	Mt. Juliet, TN

LGW-8R L1603505-04 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 14:35
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 12:57	04/12/23 12:57	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/12/23 23:36	04/12/23 23:36	GEB	Mt. Juliet, TN

LGW-9 L1603505-05 GW

Collected by: Chris Fincher
 Collected date/time: 04/05/23 15:15
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2039715	1	04/11/23 17:15	04/12/23 01:05	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:00	04/12/23 13:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/12/23 23:52	04/12/23 23:52	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 06:51	04/12/23 06:51	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:11	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:16	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 04:15	04/11/23 04:15	JAH	Mt. Juliet, TN

FB L1603505-06 GW

Collected by: Chris Fincher
 Collected date/time: 04/05/23 08:35
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2039715	1	04/11/23 17:15	04/12/23 01:05	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:06	04/12/23 13:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 00:08	04/13/23 00:08	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 07:08	04/12/23 07:08	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:14	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:19	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 02:50	04/11/23 02:50	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-14R L1603505-07 GW

Collected by Chris Fincher Collected date/time 04/05/23 16:55 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:08	04/12/23 13:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 00:24	04/13/23 00:24	GEB	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

MW-7N L1603505-08 GW

Collected by Chris Fincher Collected date/time 04/05/23 14:35 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:09	04/12/23 13:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 00:40	04/13/23 00:40	GEB	Mt. Juliet, TN

4 Cn

5 Sr

6 Qc

MW-15 L1603505-09 GW

Collected by Chris Fincher Collected date/time 04/05/23 17:40 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:11	04/12/23 13:11	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 00:56	04/13/23 00:56	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 07:34	04/12/23 07:34	LOH	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

MW-16 L1603505-10 GW

Collected by Chris Fincher Collected date/time 04/05/23 18:20 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:12	04/12/23 13:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 01:12	04/13/23 01:12	GEB	Mt. Juliet, TN

MW-17 L1603505-11 GW

Collected by Chris Fincher Collected date/time 04/05/23 10:55 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:14	04/12/23 13:14	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 01:28	04/13/23 01:28	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 07:51	04/12/23 07:51	LOH	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:23	LD	Mt. Juliet, TN

MW-19 L1603505-12 GW

Collected by Chris Fincher Collected date/time 04/06/23 16:15 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:15	04/12/23 13:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040877	1	04/13/23 02:15	04/13/23 02:15	GEB	Mt. Juliet, TN

NE-1 L1603505-13 GW

Collected by Chris Fincher Collected date/time 04/07/23 09:45 Received date/time 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/13/23 22:36	04/13/23 22:36	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 08:09	04/12/23 08:09	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:17	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:26	LD	Mt. Juliet, TN

SAMPLE SUMMARY

NE-1 L1603505-13 GW

Collected by: Chris Fincher
 Collected date/time: 04/07/23 09:45
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 04:36	04/11/23 04:36	JAH	Mt. Juliet, TN

NE-15D L1603505-14 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 18:10
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/13/23 23:39	04/13/23 23:39	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 08:27	04/12/23 08:27	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:19	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:29	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 04:57	04/11/23 04:57	JAH	Mt. Juliet, TN

NE-4 L1603505-15 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 15:25
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/13/23 23:55	04/13/23 23:55	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 08:51	04/12/23 08:51	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:27	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:33	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 05:18	04/11/23 05:18	JAH	Mt. Juliet, TN

NE-5 L1603505-16 GW


Collected by: Chris Fincher
 Collected date/time: 04/07/23 11:50
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 00:43	04/14/23 00:43	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2039584	1	04/12/23 09:16	04/12/23 09:16	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:30	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:36	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 05:40	04/11/23 05:40	JAH	Mt. Juliet, TN

NE-5E L1603505-17 GW

Collected by: Chris Fincher
 Collected date/time: 04/07/23 12:50
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 00:59	04/14/23 00:59	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 17:25	04/12/23 17:25	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:33	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:39	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 06:01	04/11/23 06:01	JAH	Mt. Juliet, TN



SAMPLE SUMMARY


NE-5W L1603505-18 GW

Collected by
Chris Fincher

Collected date/time
04/07/23 11:10

Received date/time
04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 01:15	04/14/23 01:15	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 18:38	04/12/23 18:38	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:35	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 21:43	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 06:22	04/11/23 06:22	JAH	Mt. Juliet, TN



NE-6D L1603505-19 GW

Collected by
Chris Fincher

Collected date/time
04/07/23 10:25

Received date/time
04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040629	1	04/13/23 21:55	04/14/23 05:35	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 01:31	04/14/23 01:31	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 19:18	04/12/23 19:18	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039058	1	04/12/23 11:02	04/13/23 02:38	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 22:02	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 06:43	04/11/23 06:43	JAH	Mt. Juliet, TN

NE-14S L1603505-20 GW

Collected by
Chris Fincher

Collected date/time
04/06/23 17:30

Received date/time
04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 01:47	04/14/23 01:47	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 19:36	04/12/23 19:36	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:16	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 22:06	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 07:05	04/11/23 07:05	JAH	Mt. Juliet, TN

NE-14D L1603505-21 GW

Collected by
Chris Fincher

Collected date/time
04/06/23 16:50

Received date/time
04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 02:02	04/14/23 02:02	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 19:54	04/12/23 19:54	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:19	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 22:09	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 07:26	04/11/23 07:26	JAH	Mt. Juliet, TN

TRIPBLANK L1603505-22 GW

Collected by
Chris Fincher

Collected date/time
04/05/23 00:00

Received date/time
04/08/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2041307	1	04/13/23 11:37	04/13/23 11:37	ADM	Mt. Juliet, TN

SAMPLE SUMMARY

NE-2 L1603505-23 GW

Collected by: Chris Fincher
 Collected date/time: 04/05/23 09:00
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2039715	1	04/11/23 17:15	04/12/23 01:05	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 02:18	04/14/23 02:18	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 20:16	04/12/23 20:16	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:22	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 22:12	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 07:46	04/11/23 07:46	JAH	Mt. Juliet, TN



NE-10D L1603505-24 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 12:30
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 02:34	04/14/23 02:34	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 21:20	04/12/23 21:20	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:25	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039065	1	04/11/23 17:31	04/11/23 22:16	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 08:08	04/11/23 08:08	JAH	Mt. Juliet, TN

LGW-2 L1603505-25 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 10:00
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:17	04/12/23 13:17	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 02:50	04/14/23 02:50	LBR	Mt. Juliet, TN

LGW-3R L1603505-26 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 10:50
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2042825	1	04/16/23 10:56	04/16/23 10:56	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 03:06	04/14/23 03:06	LBR	Mt. Juliet, TN

LGW-4 L1603505-27 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 11:35
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2042825	1	04/16/23 11:00	04/16/23 11:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 03:54	04/14/23 03:54	LBR	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2042205	1	04/16/23 14:38	04/16/23 17:39	LD	Mt. Juliet, TN

LGW-5 L1603505-28 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 12:20
 Received date/time: 04/08/23 09:15


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:18	04/12/23 13:18	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 04:10	04/14/23 04:10	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 21:40	04/12/23 21:40	LOH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-10 L1603505-29 GW

Collected by: Chris Fincher
 Collected date/time: 04/05/23 16:10
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2039715	1	04/11/23 17:15	04/12/23 01:05	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:26	04/12/23 13:26	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 04:26	04/14/23 04:26	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 22:00	04/12/23 22:00	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:45	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039068	1	04/14/23 07:30	04/14/23 12:50	JPD	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2042205	1	04/16/23 14:38	04/16/23 17:43	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 08:29	04/11/23 08:29	JAH	Mt. Juliet, TN



DUP-1 L1603505-30 GW

Collected by: Chris Fincher
 Collected date/time: 04/05/23 07:00
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:29	04/12/23 13:29	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 04:42	04/14/23 04:42	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 22:22	04/12/23 22:22	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:48	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039068	1	04/14/23 07:30	04/14/23 13:00	JPD	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2042205	1	04/16/23 14:38	04/16/23 17:46	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 08:50	04/11/23 08:50	JAH	Mt. Juliet, TN

DUP-2 L1603505-31 GW

Collected by: Chris Fincher
 Collected date/time: 04/06/23 07:00
 Received date/time: 04/08/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2040432	1	04/12/23 13:31	04/12/23 13:31	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2040981	1	04/14/23 04:58	04/14/23 04:58	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2040229	1	04/12/23 22:41	04/12/23 22:41	LOH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	1	04/12/23 17:03	04/13/23 02:51	ABL	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2039061	5	04/12/23 17:03	04/13/23 16:07	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2039068	1	04/14/23 07:30	04/14/23 13:04	JPD	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2042205	1	04/16/23 14:38	04/16/23 17:57	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2039419	1	04/11/23 09:11	04/11/23 09:11	JAH	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager


Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Sample Delivery Group (SDG) Narrative

The laboratory analysis was performed from an unpreserved, insufficiently or inadequately preserved sample.

Batch	Method	Lab Sample ID
WG2040229	9060A	L1603505-31



Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.25	su
Specific Conductance (on site)	780	umhos/cm
Temperature (on-site)	16.3	Deg. C
Turbidity (on-site)	10.1	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	161.2	mV
Depth to water (DTW) (FROM TOC)	49.68	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	391		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 12:51	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	14.1		3.00	1	04/12/2023 21:45	WG2040877
Sulfate	ND		5.00	1	04/12/2023 21:45	WG2040877

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 05:22	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:08	WG2039058
Barium, Total Recoverable	0.204		0.00500	1	04/13/2023 02:08	WG2039058
Iron, Total Recoverable	1.41		0.0600	1	04/13/2023 02:08	WG2039058
Manganese, Total Recoverable	38.4		0.00600	5	04/13/2023 16:10	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:08	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:08	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 20:31	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 20:31	WG2039065
Cadmium, Total Recoverable	0.00188		0.00100	1	04/11/2023 20:31	WG2039065
Cobalt, Total Recoverable	0.0250		0.00300	1	04/11/2023 20:31	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 20:31	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 20:31	WG2039065
Nickel, Total Recoverable	0.163		0.00400	1	04/11/2023 20:31	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 20:31	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 20:31	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 20:31	WG2039065
Zinc, Total Recoverable	0.155		0.00500	1	04/11/2023 20:31	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 03:54	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 03:54	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 03:54	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 03:54	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 03:54	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 03:54	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 03:54	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 03:54	WG2039419
Acetone	ND		10.0	1	04/11/2023 03:54	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 03:54	WG2039419
Benzene	ND		1.00	1	04/11/2023 03:54	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Bromoform	ND		1.00	1	04/11/2023 03:54	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 03:54	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 03:54	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 03:54	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Chloroform	ND		1.00	1	04/11/2023 03:54	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 03:54	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 03:54	WG2039419
Styrene	ND		1.00	1	04/11/2023 03:54	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 03:54	WG2039419
Toluene	ND		1.00	1	04/11/2023 03:54	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 03:54	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 03:54	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 03:54	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 03:54	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 03:54	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 03:54	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 03:54	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 03:54	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 03:54	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 03:54	WG2039419
(S) 1,2-Dichloroethane-d4	106			70.0-130	04/11/2023 03:54	WG2039419
(S) 4-Bromofluorobenzene	88.7			77.0-126	04/11/2023 03:54	WG2039419
(S) Toluene-d8	99.6			80.0-120	04/11/2023 03:54	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.47	su
Specific Conductance (on site)	706	umhos/cm
Temperature (on-site)	16.5	Deg. C
Turbidity (on-site)	3.4	NTU
Dissolved Oxygen (on-site)	1.6	mg/l
eH/ORP (On Site)	155.9	mV
Depth to water (DTW) (FROM TOC)	41.05	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 12:53	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.0		3.00	1	04/12/2023 23:20	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.53	su
Specific Conductance (on site)	784	umhos/cm
Temperature (on-site)	14.6	Deg. C
Turbidity (on-site)	3.6	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	148.6	mV
Depth to water (DTW) (FROM TOC)	9.32	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 12:57	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.1		3.00	1	04/12/2023 23:36	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.06	su
Specific Conductance (on site)	690	umhos/cm
Temperature (on-site)	15.5	Deg. C
Turbidity (on-site)	8.6	NTU
Dissolved Oxygen (on-site)	0.6	mg/l
eH/ORP (On Site)	192.6	mV
Depth to water (DTW) (FROM TOC)	51.4	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	406		10.0	1	04/12/2023 01:05	WG2039715

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:00	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	31.0		3.00	1	04/12/2023 23:52	WG2040877
Sulfate	8.25		5.00	1	04/12/2023 23:52	WG2040877

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.39		1.00	1	04/12/2023 06:51	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:11	WG2039058
Barium, Total Recoverable	0.137		0.00500	1	04/13/2023 02:11	WG2039058
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:11	WG2039058
Manganese, Total Recoverable	3.00		0.00300	1	04/13/2023 02:11	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:11	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:11	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:16	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:16	WG2039065
Cadmium, Total Recoverable	0.0112		0.00100	1	04/11/2023 21:16	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 21:16	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:16	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:16	WG2039065
Nickel, Total Recoverable	0.0205		0.00400	1	04/11/2023 21:16	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:16	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:16	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:16	WG2039065
Zinc, Total Recoverable	0.0585		0.00500	1	04/11/2023 21:16	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 04:15	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 04:15	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 04:15	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 04:15	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 04:15	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 04:15	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 04:15	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 04:15	WG2039419
Acetone	ND		10.0	1	04/11/2023 04:15	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 04:15	WG2039419
Benzene	ND		1.00	1	04/11/2023 04:15	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Bromoform	ND		1.00	1	04/11/2023 04:15	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 04:15	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 04:15	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 04:15	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Chloroform	ND		1.00	1	04/11/2023 04:15	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 04:15	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 04:15	WG2039419
Styrene	ND		1.00	1	04/11/2023 04:15	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 04:15	WG2039419
Toluene	ND		1.00	1	04/11/2023 04:15	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 04:15	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 04:15	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 04:15	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 04:15	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 04:15	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:15	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:15	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:15	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:15	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 04:15	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 04:15	WG2039419
(S) 4-Bromofluorobenzene	91.8			77.0-126	04/11/2023 04:15	WG2039419
(S) Toluene-d8	103			80.0-120	04/11/2023 04:15	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	mg/l		mg/l		date / time	
	ND		10.0	1	04/12/2023 01:05	WG2039715

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	mg/l		mg/l		date / time	
	ND		0.100	1	04/12/2023 13:06	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	mg/l		mg/l		date / time	
	ND		3.00	1	04/13/2023 00:08	WG2040877
Sulfate	mg/l		mg/l		date / time	
	ND		5.00	1	04/13/2023 00:08	WG2040877

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	mg/l		mg/l		date / time	
	ND		1.00	1	04/12/2023 07:08	WG2039584

Metals (ICP) by Method 6010B


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0500	1	04/13/2023 02:14	WG2039058
Barium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	04/13/2023 02:14	WG2039058
Iron, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0600	1	04/13/2023 02:14	WG2039058
Manganese, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	04/13/2023 02:14	WG2039058
Lead, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	04/13/2023 02:14	WG2039058
Selenium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0100	1	04/13/2023 02:14	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	04/11/2023 21:19	WG2039065
Beryllium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	04/11/2023 21:19	WG2039065
Cadmium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	04/11/2023 21:19	WG2039065
Cobalt, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	04/11/2023 21:19	WG2039065
Chromium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	04/11/2023 21:19	WG2039065
Copper, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00400	1	04/11/2023 21:19	WG2039065
Nickel, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00400	1	04/11/2023 21:19	WG2039065
Antimony, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00200	1	04/11/2023 21:19	WG2039065
Thallium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	04/11/2023 21:19	WG2039065
Vanadium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	04/11/2023 21:19	WG2039065
Zinc, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	04/11/2023 21:19	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,1,1-Trichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,1,2,2-Tetrachloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,1,2-Trichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,1-Dichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,1-Dichloroethene	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419
1,2,3-Trichloropropane	ug/l		ug/l		date / time	
	ND		1.00	1	04/11/2023 02:50	WG2039419



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 02:50	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 02:50	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 02:50	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 02:50	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 02:50	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 02:50	WG2039419
2-Butanone (MEK)	5.09		5.00	1	04/11/2023 02:50	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 02:50	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 02:50	WG2039419
Acetone	ND		10.0	1	04/11/2023 02:50	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 02:50	WG2039419
Benzene	ND		1.00	1	04/11/2023 02:50	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Bromoform	ND		1.00	1	04/11/2023 02:50	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 02:50	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 02:50	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 02:50	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Chloroform	ND		1.00	1	04/11/2023 02:50	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 02:50	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 02:50	WG2039419
Styrene	ND		1.00	1	04/11/2023 02:50	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 02:50	WG2039419
Toluene	1.28		1.00	1	04/11/2023 02:50	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 02:50	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 02:50	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 02:50	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 02:50	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 02:50	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 02:50	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 02:50	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 02:50	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 02:50	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 02:50	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 02:50	WG2039419
(S) 4-Bromofluorobenzene	91.5			77.0-126	04/11/2023 02:50	WG2039419
(S) Toluene-d8	103			80.0-120	04/11/2023 02:50	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.48	su
Specific Conductance (on site)	524	umhos/cm
Temperature (on-site)	13.8	Deg. C
Turbidity (on-site)	9.4	NTU
Dissolved Oxygen (on-site)	5	mg/l
eH/ORP (On Site)	167.6	mV
Depth to water (DTW) (FROM TOC)	55.5	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:08	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.90		3.00	1	04/13/2023 00:24	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.46	su
Specific Conductance (on site)	564	umhos/cm
Temperature (on-site)	14.8	Deg. C
Turbidity (on-site)	8.9	NTU
Dissolved Oxygen (on-site)	3.8	mg/l
eH/ORP (On Site)	184.9	mV
Depth to water (DTW) (FROM TOC)	84.17	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:09	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	31.7		3.00	1	04/13/2023 00:40	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.16	su
Specific Conductance (on site)	519	umhos/cm
Temperature (on-site)	14.6	Deg. C
Turbidity (on-site)	7	NTU
Dissolved Oxygen (on-site)	6.1	mg/l
eH/ORP (On Site)	178.2	mV
Depth to water (DTW) (FROM TOC)	57.92	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:11	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	37.3		3.00	1	04/13/2023 00:56	WG2040877

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.26		1.00	1	04/12/2023 07:34	WG2039584

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.8	su
Specific Conductance (on site)	341	umhos/cm
Temperature (on-site)	14	Deg. C
Turbidity (on-site)	7.2	NTU
Dissolved Oxygen (on-site)	6.4	mg/l
eH/ORP (On Site)	151.2	mV
Depth to water (DTW) (FROM TOC)	65.53	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:12	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	3.80		3.00	1	04/13/2023 01:12	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.23	su
Specific Conductance (on site)	436	umhos/cm
Temperature (on-site)	16.2	Deg. C
Turbidity (on-site)	17.6	NTU
Dissolved Oxygen (on-site)	7.4	mg/l
eH/ORP (On Site)	184	mV
Depth to water (DTW) (FROM TOC)	58.17	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:14	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	25.1		3.00	1	04/13/2023 01:28	WG2040877

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 07:51	WG2039584

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Zinc, Total Recoverable	0.00730	J	0.00500	1	04/11/2023 21:23	WG2039065

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.38	su
Specific Conductance (on site)	364	umhos/cm
Temperature (on-site)	16.9	Deg. C
Turbidity (on-site)	9.7	NTU
Dissolved Oxygen (on-site)	6.2	mg/l
eH/ORP (On Site)	130.2	mV
Depth to water (DTW) (FROM TOC)	67.35	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:15	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	7.83		3.00	1	04/13/2023 02:15	WG2040877

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.11	su
Specific Conductance (on site)	474	umhos/cm
Temperature (on-site)	14.9	Deg. C
Turbidity (on-site)	5.3	NTU
Dissolved Oxygen (on-site)	8.4	mg/l
eH/ORP (On Site)	151.7	mV
Depth to water (DTW) (FROM TOC)	44.89	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	227		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.9		3.00	1	04/13/2023 22:36	WG2040981
Sulfate	14.4		5.00	1	04/13/2023 22:36	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.19		1.00	1	04/12/2023 08:09	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:17	WG2039058
Barium, Total Recoverable	0.0195		0.00500	1	04/13/2023 02:17	WG2039058
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:17	WG2039058
Manganese, Total Recoverable	0.00756	J	0.00300	1	04/13/2023 02:17	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:17	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:17	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:26	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:26	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 21:26	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 21:26	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:26	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:26	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 21:26	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:26	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:26	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:26	WG2039065
Zinc, Total Recoverable	ND		0.00500	1	04/11/2023 21:26	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 04:36	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 04:36	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 04:36	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 04:36	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 04:36	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 04:36	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 04:36	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 04:36	WG2039419
Acetone	ND		10.0	1	04/11/2023 04:36	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 04:36	WG2039419
Benzene	ND		1.00	1	04/11/2023 04:36	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Bromoform	ND		1.00	1	04/11/2023 04:36	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 04:36	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 04:36	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 04:36	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Chloroform	ND		1.00	1	04/11/2023 04:36	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 04:36	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 04:36	WG2039419
Styrene	ND		1.00	1	04/11/2023 04:36	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 04:36	WG2039419
Toluene	ND		1.00	1	04/11/2023 04:36	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 04:36	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 04:36	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 04:36	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 04:36	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 04:36	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:36	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:36	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:36	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:36	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 04:36	WG2039419
(S) 1,2-Dichloroethane-d4	107			70.0-130	04/11/2023 04:36	WG2039419
(S) 4-Bromofluorobenzene	92.8			77.0-126	04/11/2023 04:36	WG2039419
(S) Toluene-d8	102			80.0-120	04/11/2023 04:36	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.64	su
Specific Conductance (on site)	669	umhos/cm
Temperature (on-site)	14.1	Deg. C
Turbidity (on-site)	3.5	NTU
Dissolved Oxygen (on-site)	0.9	mg/l
eH/ORP (On Site)	149.3	mV
Depth to water (DTW) (FROM TOC)	44.9	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	332		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.0		3.00	1	04/13/2023 23:39	WG2040981
Sulfate	ND		5.00	1	04/13/2023 23:39	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 08:27	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:19	WG2039058
Barium, Total Recoverable	0.0554		0.00500	1	04/13/2023 02:19	WG2039058
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:19	WG2039058
Manganese, Total Recoverable	ND		0.00300	1	04/13/2023 02:19	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:19	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:19	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:29	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:29	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 21:29	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 21:29	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:29	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:29	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 21:29	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:29	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:29	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:29	WG2039065
Zinc, Total Recoverable	0.00684	J	0.00500	1	04/11/2023 21:29	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 04:57	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 04:57	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 04:57	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 04:57	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 04:57	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 04:57	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 04:57	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 04:57	WG2039419
Acetone	ND		10.0	1	04/11/2023 04:57	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 04:57	WG2039419
Benzene	ND		1.00	1	04/11/2023 04:57	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Bromoform	ND		1.00	1	04/11/2023 04:57	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 04:57	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 04:57	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 04:57	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Chloroform	ND		1.00	1	04/11/2023 04:57	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 04:57	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 04:57	WG2039419
Styrene	ND		1.00	1	04/11/2023 04:57	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 04:57	WG2039419
Toluene	ND		1.00	1	04/11/2023 04:57	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 04:57	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 04:57	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 04:57	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 04:57	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 04:57	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:57	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:57	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 04:57	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 04:57	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 04:57	WG2039419
(S) 1,2-Dichloroethane-d4	104			70.0-130	04/11/2023 04:57	WG2039419
(S) 4-Bromofluorobenzene	89.1			77.0-126	04/11/2023 04:57	WG2039419
(S) Toluene-d8	102			80.0-120	04/11/2023 04:57	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.99	su
Specific Conductance (on site)	640	umhos/cm
Temperature (on-site)	15.4	Deg. C
Turbidity (on-site)	9.7	NTU
Dissolved Oxygen (on-site)	8.2	mg/l
eH/ORP (On Site)	135.9	mV
Depth to water (DTW) (FROM TOC)	64.7	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	174		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	4.70		3.00	1	04/13/2023 23:55	WG2040981
Sulfate	7.12		5.00	1	04/13/2023 23:55	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	04/12/2023 08:51	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:27	WG2039058
Barium, Total Recoverable	0.0400		0.00500	1	04/13/2023 02:27	WG2039058
Iron, Total Recoverable	0.0984	J	0.0600	1	04/13/2023 02:27	WG2039058
Manganese, Total Recoverable	0.0114		0.00300	1	04/13/2023 02:27	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:27	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:27	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:33	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:33	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 21:33	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 21:33	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:33	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:33	WG2039065
Nickel, Total Recoverable	0.0173		0.00400	1	04/11/2023 21:33	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:33	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:33	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:33	WG2039065
Zinc, Total Recoverable	0.0106	J	0.00500	1	04/11/2023 21:33	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 05:18	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 05:18	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 05:18	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 05:18	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 05:18	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 05:18	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 05:18	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 05:18	WG2039419
Acetone	ND		10.0	1	04/11/2023 05:18	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 05:18	WG2039419
Benzene	ND		1.00	1	04/11/2023 05:18	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Bromoform	ND		1.00	1	04/11/2023 05:18	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 05:18	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 05:18	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 05:18	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Chloroform	ND		1.00	1	04/11/2023 05:18	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 05:18	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 05:18	WG2039419
Styrene	ND		1.00	1	04/11/2023 05:18	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 05:18	WG2039419
Toluene	ND		1.00	1	04/11/2023 05:18	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 05:18	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 05:18	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 05:18	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 05:18	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 05:18	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 05:18	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 05:18	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 05:18	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 05:18	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 05:18	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 05:18	WG2039419
(S) 4-Bromofluorobenzene	90.6			77.0-126	04/11/2023 05:18	WG2039419
(S) Toluene-d8	103			80.0-120	04/11/2023 05:18	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.5	su
Specific Conductance (on site)	747	umhos/cm
Temperature (on-site)	15	Deg. C
Turbidity (on-site)	10.2	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	169.5	mV
Depth to water (DTW) (FROM TOC)	68.18	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	352		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	8.03		3.00	1	04/14/2023 00:43	WG2040981
Sulfate	ND		5.00	1	04/14/2023 00:43	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 09:16	WG2039584

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:30	WG2039058
Barium, Total Recoverable	0.0444		0.00500	1	04/13/2023 02:30	WG2039058
Iron, Total Recoverable	12.3		0.0600	1	04/13/2023 02:30	WG2039058
Manganese, Total Recoverable	1.68		0.00300	1	04/13/2023 02:30	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:30	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:30	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:36	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:36	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 21:36	WG2039065
Cobalt, Total Recoverable	0.0455		0.00300	1	04/11/2023 21:36	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:36	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:36	WG2039065
Nickel, Total Recoverable	0.139		0.00400	1	04/11/2023 21:36	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:36	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:36	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:36	WG2039065
Zinc, Total Recoverable	0.180		0.00500	1	04/11/2023 21:36	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 05:40	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 05:40	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 05:40	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 05:40	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 05:40	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 05:40	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 05:40	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 05:40	WG2039419
Acetone	ND		10.0	1	04/11/2023 05:40	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 05:40	WG2039419
Benzene	ND		1.00	1	04/11/2023 05:40	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Bromoform	ND		1.00	1	04/11/2023 05:40	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 05:40	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 05:40	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 05:40	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Chloroform	ND		1.00	1	04/11/2023 05:40	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 05:40	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 05:40	WG2039419
Styrene	ND		1.00	1	04/11/2023 05:40	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 05:40	WG2039419
Toluene	ND		1.00	1	04/11/2023 05:40	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 05:40	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 05:40	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 05:40	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 05:40	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 05:40	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 05:40	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 05:40	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 05:40	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 05:40	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 05:40	WG2039419
(S) 1,2-Dichloroethane-d4	109			70.0-130	04/11/2023 05:40	WG2039419
(S) 4-Bromofluorobenzene	90.8			77.0-126	04/11/2023 05:40	WG2039419
(S) Toluene-d8	102			80.0-120	04/11/2023 05:40	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.58	su
Specific Conductance (on site)	744	umhos/cm
Temperature (on-site)	15.1	Deg. C
Turbidity (on-site)	9.6	NTU
Dissolved Oxygen (on-site)	1.3	mg/l
eH/ORP (On Site)	167.8	mV
Depth to water (DTW) (FROM TOC)	65.51	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	367		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.8		3.00	1	04/14/2023 00:59	WG2040981
Sulfate	7.74		5.00	1	04/14/2023 00:59	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.18		1.00	1	04/12/2023 17:25	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:33	WG2039058
Barium, Total Recoverable	0.0464		0.00500	1	04/13/2023 02:33	WG2039058
Iron, Total Recoverable	3.21		0.0600	1	04/13/2023 02:33	WG2039058
Manganese, Total Recoverable	0.124		0.00300	1	04/13/2023 02:33	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:33	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:33	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:39	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:39	WG2039065
Cadmium, Total Recoverable	0.0138		0.00100	1	04/11/2023 21:39	WG2039065
Cobalt, Total Recoverable	0.0156		0.00300	1	04/11/2023 21:39	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:39	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:39	WG2039065
Nickel, Total Recoverable	0.0249		0.00400	1	04/11/2023 21:39	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:39	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:39	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:39	WG2039065
Zinc, Total Recoverable	0.0299		0.00500	1	04/11/2023 21:39	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 06:01	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 06:01	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 06:01	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 06:01	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 06:01	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 06:01	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 06:01	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 06:01	WG2039419
Acetone	ND		10.0	1	04/11/2023 06:01	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 06:01	WG2039419
Benzene	ND		1.00	1	04/11/2023 06:01	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Bromoform	ND		1.00	1	04/11/2023 06:01	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 06:01	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 06:01	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 06:01	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Chloroform	ND		1.00	1	04/11/2023 06:01	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 06:01	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 06:01	WG2039419
Styrene	ND		1.00	1	04/11/2023 06:01	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 06:01	WG2039419
Toluene	ND		1.00	1	04/11/2023 06:01	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 06:01	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 06:01	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 06:01	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 06:01	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 06:01	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:01	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:01	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:01	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:01	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 06:01	WG2039419
(S) 1,2-Dichloroethane-d4	104			70.0-130	04/11/2023 06:01	WG2039419
(S) 4-Bromofluorobenzene	90.0			77.0-126	04/11/2023 06:01	WG2039419
(S) Toluene-d8	102			80.0-120	04/11/2023 06:01	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.69	su
Specific Conductance (on site)	740	umhos/cm
Temperature (on-site)	14.8	Deg. C
Turbidity (on-site)	10.3	NTU
Dissolved Oxygen (on-site)	1.9	mg/l
eH/ORP (On Site)	163.9	mV
Depth to water (DTW) (FROM TOC)	69.56	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	366		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	11.2		3.00	1	04/14/2023 01:15	WG2040981
Sulfate	ND		5.00	1	04/14/2023 01:15	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 18:38	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:35	WG2039058
Barium, Total Recoverable	0.0416		0.00500	1	04/13/2023 02:35	WG2039058
Iron, Total Recoverable	0.491		0.0600	1	04/13/2023 02:35	WG2039058
Manganese, Total Recoverable	0.0340		0.00300	1	04/13/2023 02:35	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:35	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:35	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 21:43	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 21:43	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 21:43	WG2039065
Cobalt, Total Recoverable	0.00316		0.00300	1	04/11/2023 21:43	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 21:43	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 21:43	WG2039065
Nickel, Total Recoverable	0.0145		0.00400	1	04/11/2023 21:43	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 21:43	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 21:43	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 21:43	WG2039065
Zinc, Total Recoverable	0.0106	J	0.00500	1	04/11/2023 21:43	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 06:22	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 06:22	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 06:22	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 06:22	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 06:22	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 06:22	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 06:22	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 06:22	WG2039419
Acetone	ND		10.0	1	04/11/2023 06:22	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 06:22	WG2039419
Benzene	ND		1.00	1	04/11/2023 06:22	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Bromoform	ND		1.00	1	04/11/2023 06:22	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 06:22	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 06:22	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 06:22	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Chloroform	ND		1.00	1	04/11/2023 06:22	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 06:22	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 06:22	WG2039419
Styrene	ND		1.00	1	04/11/2023 06:22	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 06:22	WG2039419
Toluene	ND		1.00	1	04/11/2023 06:22	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 06:22	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 06:22	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 06:22	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 06:22	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 06:22	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:22	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:22	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:22	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:22	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 06:22	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 06:22	WG2039419
(S) 4-Bromofluorobenzene	89.8			77.0-126	04/11/2023 06:22	WG2039419
(S) Toluene-d8	101			80.0-120	04/11/2023 06:22	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.7	su
Specific Conductance (on site)	709	umhos/cm
Temperature (on-site)	14.4	Deg. C
Turbidity (on-site)	3.7	NTU
Dissolved Oxygen (on-site)	0.6	mg/l
eH/ORP (On Site)	164.7	mV
Depth to water (DTW) (FROM TOC)	29.93	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	334		10.0	1	04/14/2023 05:35	WG2040629

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	28.7		3.00	1	04/14/2023 01:31	WG2040981
Sulfate	19.7		5.00	1	04/14/2023 01:31	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.61		1.00	1	04/12/2023 19:18	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:38	WG2039058
Barium, Total Recoverable	0.138		0.00500	1	04/13/2023 02:38	WG2039058
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:38	WG2039058
Manganese, Total Recoverable	2.46		0.00300	1	04/13/2023 02:38	WG2039058
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:38	WG2039058
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:38	WG2039058

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 22:02	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 22:02	WG2039065
Cadmium, Total Recoverable	0.00461		0.00100	1	04/11/2023 22:02	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 22:02	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 22:02	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 22:02	WG2039065
Nickel, Total Recoverable	0.0185		0.00400	1	04/11/2023 22:02	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 22:02	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 22:02	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 22:02	WG2039065
Zinc, Total Recoverable	0.0191	J	0.00500	1	04/11/2023 22:02	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 06:43	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 06:43	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 06:43	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 06:43	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 06:43	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 06:43	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 06:43	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 06:43	WG2039419
Acetone	ND		10.0	1	04/11/2023 06:43	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 06:43	WG2039419
Benzene	ND		1.00	1	04/11/2023 06:43	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Bromoform	ND		1.00	1	04/11/2023 06:43	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 06:43	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 06:43	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 06:43	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Chloroform	ND		1.00	1	04/11/2023 06:43	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 06:43	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 06:43	WG2039419
Styrene	ND		1.00	1	04/11/2023 06:43	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 06:43	WG2039419
Toluene	ND		1.00	1	04/11/2023 06:43	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 06:43	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 06:43	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 06:43	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 06:43	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 06:43	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:43	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:43	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 06:43	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 06:43	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 06:43	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 06:43	WG2039419
(S) 4-Bromofluorobenzene	90.1			77.0-126	04/11/2023 06:43	WG2039419
(S) Toluene-d8	101			80.0-120	04/11/2023 06:43	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.13	su
Specific Conductance (on site)	407	umhos/cm
Temperature (on-site)	12.9	Deg. C
Turbidity (on-site)	6.5	NTU
Dissolved Oxygen (on-site)	4.5	mg/l
eH/ORP (On Site)	172.6	mV
Depth to water (DTW) (FROM TOC)	17.91	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	198		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.40		3.00	1	04/14/2023 01:47	WG2040981
Sulfate	ND		5.00	1	04/14/2023 01:47	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 19:36	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:16	WG2039061
Barium, Total Recoverable	0.0860		0.00500	1	04/13/2023 02:16	WG2039061
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:16	WG2039061
Manganese, Total Recoverable	ND		0.00300	1	04/13/2023 02:16	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:16	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:16	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 22:06	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 22:06	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 22:06	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 22:06	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 22:06	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 22:06	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 22:06	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 22:06	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 22:06	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 22:06	WG2039065
Zinc, Total Recoverable	ND		0.00500	1	04/11/2023 22:06	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 07:05	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 07:05	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 07:05	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 07:05	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 07:05	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 07:05	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 07:05	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 07:05	WG2039419
Acetone	ND		10.0	1	04/11/2023 07:05	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 07:05	WG2039419
Benzene	ND		1.00	1	04/11/2023 07:05	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Bromoform	ND		1.00	1	04/11/2023 07:05	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 07:05	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 07:05	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 07:05	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Chloroform	ND		1.00	1	04/11/2023 07:05	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 07:05	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 07:05	WG2039419
Styrene	ND		1.00	1	04/11/2023 07:05	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 07:05	WG2039419
Toluene	ND		1.00	1	04/11/2023 07:05	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 07:05	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 07:05	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 07:05	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 07:05	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 07:05	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:05	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:05	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:05	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:05	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 07:05	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 07:05	WG2039419
(S) 4-Bromofluorobenzene	89.3			77.0-126	04/11/2023 07:05	WG2039419
(S) Toluene-d8	103			80.0-120	04/11/2023 07:05	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.7	su
Specific Conductance (on site)	679	umhos/cm
Temperature (on-site)	14.1	Deg. C
Turbidity (on-site)	7.8	NTU
Dissolved Oxygen (on-site)	2.1	mg/l
eH/ORP (On Site)	153.8	mV
Depth to water (DTW) (FROM TOC)	15.69	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	345		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.0		3.00	1	04/14/2023 02:02	WG2040981
Sulfate	ND		5.00	1	04/14/2023 02:02	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 19:54	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:19	WG2039061
Barium, Total Recoverable	0.0641		0.00500	1	04/13/2023 02:19	WG2039061
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:19	WG2039061
Manganese, Total Recoverable	ND		0.00300	1	04/13/2023 02:19	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:19	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:19	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 22:09	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 22:09	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 22:09	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 22:09	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 22:09	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 22:09	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 22:09	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 22:09	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 22:09	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 22:09	WG2039065
Zinc, Total Recoverable	0.0223	J	0.00500	1	04/11/2023 22:09	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 07:26	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 07:26	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 07:26	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 07:26	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 07:26	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 07:26	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 07:26	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 07:26	WG2039419
Acetone	ND		10.0	1	04/11/2023 07:26	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 07:26	WG2039419
Benzene	ND		1.00	1	04/11/2023 07:26	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Bromoform	ND		1.00	1	04/11/2023 07:26	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 07:26	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 07:26	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 07:26	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Chloroform	ND		1.00	1	04/11/2023 07:26	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 07:26	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 07:26	WG2039419
Styrene	ND		1.00	1	04/11/2023 07:26	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 07:26	WG2039419
Toluene	ND		1.00	1	04/11/2023 07:26	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 07:26	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 07:26	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 07:26	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 07:26	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 07:26	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:26	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:26	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:26	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:26	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 07:26	WG2039419
(S) 1,2-Dichloroethane-d4	106			70.0-130	04/11/2023 07:26	WG2039419
(S) 4-Bromofluorobenzene	89.6			77.0-126	04/11/2023 07:26	WG2039419
(S) Toluene-d8	102			80.0-120	04/11/2023 07:26	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,1,1-Trichloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,1,2-Trichloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,1-Dichloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,1-Dichloroethene	ND		1.00	1	04/13/2023 11:37	WG2041307
1,2,3-Trichloropropane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/13/2023 11:37	WG2041307
1,2-Dibromoethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,2-Dichlorobenzene	ND		1.00	1	04/13/2023 11:37	WG2041307
1,2-Dichloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,2-Dichloropropane	ND		1.00	1	04/13/2023 11:37	WG2041307
1,4-Dichlorobenzene	ND		1.00	1	04/13/2023 11:37	WG2041307
2-Butanone (MEK)	ND		5.00	1	04/13/2023 11:37	WG2041307
2-Hexanone	ND		5.00	1	04/13/2023 11:37	WG2041307
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/13/2023 11:37	WG2041307
Acetone	ND		10.0	1	04/13/2023 11:37	WG2041307
Acrylonitrile	ND		20.0	1	04/13/2023 11:37	WG2041307
Benzene	ND		1.00	1	04/13/2023 11:37	WG2041307
Bromochloromethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Bromodichloromethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Bromoform	ND		1.00	1	04/13/2023 11:37	WG2041307
Bromomethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Carbon disulfide	ND		1.00	1	04/13/2023 11:37	WG2041307
Carbon tetrachloride	ND		1.00	1	04/13/2023 11:37	WG2041307
Chlorobenzene	ND		1.00	1	04/13/2023 11:37	WG2041307
Chloroethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Chloroform	ND		1.00	1	04/13/2023 11:37	WG2041307
Chloromethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Dibromochloromethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Dibromomethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Ethylbenzene	ND		1.00	1	04/13/2023 11:37	WG2041307
Iodomethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Methylene Chloride	ND		1.07	1	04/13/2023 11:37	WG2041307
Styrene	ND		1.00	1	04/13/2023 11:37	WG2041307
Tetrachloroethene	ND		1.00	1	04/13/2023 11:37	WG2041307
Toluene	ND		1.00	1	04/13/2023 11:37	WG2041307
Trichloroethene	ND		1.00	1	04/13/2023 11:37	WG2041307
Trichlorofluoromethane	ND		1.00	1	04/13/2023 11:37	WG2041307
Vinyl acetate	ND		5.00	1	04/13/2023 11:37	WG2041307
Vinyl chloride	ND		1.00	1	04/13/2023 11:37	WG2041307
Xylenes, Total	ND		1.00	1	04/13/2023 11:37	WG2041307
cis-1,2-Dichloroethene	ND		1.00	1	04/13/2023 11:37	WG2041307
cis-1,3-Dichloropropene	ND		1.00	1	04/13/2023 11:37	WG2041307
trans-1,2-Dichloroethene	ND		1.00	1	04/13/2023 11:37	WG2041307
trans-1,3-Dichloropropene	ND		1.00	1	04/13/2023 11:37	WG2041307
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/13/2023 11:37	WG2041307
(S) 1,2-Dichloroethane-d4	109			70.0-130	04/13/2023 11:37	WG2041307
(S) 4-Bromofluorobenzene	97.2			77.0-126	04/13/2023 11:37	WG2041307
(S) Toluene-d8	103			80.0-120	04/13/2023 11:37	WG2041307

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.62	su
Specific Conductance (on site)	540	umhos/cm
Temperature (on-site)	11.5	Deg. C
Turbidity (on-site)	4.1	NTU
Dissolved Oxygen (on-site)	2.9	mg/l
eH/ORP (On Site)	202.1	mV
Depth to water (DTW) (FROM TOC)	19.84	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	329		10.0	1	04/12/2023 01:05	WG2039715

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	33.3		3.00	1	04/14/2023 02:18	WG2040981
Sulfate	12.2		5.00	1	04/14/2023 02:18	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	3.84		1.00	1	04/12/2023 20:16	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:22	WG2039061
Barium, Total Recoverable	0.137		0.00500	1	04/13/2023 02:22	WG2039061
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:22	WG2039061
Manganese, Total Recoverable	0.0143		0.00300	1	04/13/2023 02:22	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:22	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:22	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 22:12	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 22:12	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 22:12	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 22:12	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 22:12	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 22:12	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 22:12	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 22:12	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 22:12	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 22:12	WG2039065
Zinc, Total Recoverable	ND		0.00500	1	04/11/2023 22:12	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 07:46	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 07:46	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 07:46	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 07:46	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 07:46	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 07:46	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 07:46	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 07:46	WG2039419
Acetone	ND		10.0	1	04/11/2023 07:46	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 07:46	WG2039419
Benzene	ND		1.00	1	04/11/2023 07:46	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Bromoform	ND		1.00	1	04/11/2023 07:46	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 07:46	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 07:46	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 07:46	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Chloroform	ND		1.00	1	04/11/2023 07:46	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 07:46	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 07:46	WG2039419
Styrene	ND		1.00	1	04/11/2023 07:46	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 07:46	WG2039419
Toluene	ND		1.00	1	04/11/2023 07:46	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 07:46	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 07:46	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 07:46	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 07:46	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 07:46	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:46	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:46	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 07:46	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 07:46	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 07:46	WG2039419
(S) 1,2-Dichloroethane-d4	104			70.0-130	04/11/2023 07:46	WG2039419
(S) 4-Bromofluorobenzene	82.3			77.0-126	04/11/2023 07:46	WG2039419
(S) Toluene-d8	97.6			80.0-120	04/11/2023 07:46	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.48	su
Specific Conductance (on site)	273	umhos/cm
Temperature (on-site)	16.6	Deg. C
Turbidity (on-site)	10.7	NTU
Dissolved Oxygen (on-site)	7.5	mg/l
eH/ORP (On Site)	177.3	mV
Depth to water (DTW) (FROM TOC)	100.25	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	149		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.53		3.00	1	04/14/2023 02:34	WG2040981
Sulfate	ND		5.00	1	04/14/2023 02:34	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	04/12/2023 21:20	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:25	WG2039061
Barium, Total Recoverable	0.0236		0.00500	1	04/13/2023 02:25	WG2039061
Iron, Total Recoverable	0.187		0.0600	1	04/13/2023 02:25	WG2039061
Manganese, Total Recoverable	0.0403		0.00300	1	04/13/2023 02:25	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:25	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:25	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/11/2023 22:16	WG2039065
Beryllium, Total Recoverable	ND		0.00100	1	04/11/2023 22:16	WG2039065
Cadmium, Total Recoverable	ND		0.00100	1	04/11/2023 22:16	WG2039065
Cobalt, Total Recoverable	ND		0.00300	1	04/11/2023 22:16	WG2039065
Chromium, Total Recoverable	ND		0.00300	1	04/11/2023 22:16	WG2039065
Copper, Total Recoverable	ND		0.00400	1	04/11/2023 22:16	WG2039065
Nickel, Total Recoverable	ND		0.00400	1	04/11/2023 22:16	WG2039065
Antimony, Total Recoverable	ND		0.00200	1	04/11/2023 22:16	WG2039065
Thallium, Total Recoverable	ND		0.00100	1	04/11/2023 22:16	WG2039065
Vanadium, Total Recoverable	ND		0.00300	1	04/11/2023 22:16	WG2039065
Zinc, Total Recoverable	0.0110	J	0.00500	1	04/11/2023 22:16	WG2039065

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 08:08	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 08:08	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 08:08	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 08:08	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 08:08	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 08:08	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 08:08	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 08:08	WG2039419
Acetone	ND		10.0	1	04/11/2023 08:08	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 08:08	WG2039419
Benzene	ND		1.00	1	04/11/2023 08:08	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Bromoform	ND		1.00	1	04/11/2023 08:08	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 08:08	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 08:08	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 08:08	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Chloroform	ND		1.00	1	04/11/2023 08:08	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 08:08	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 08:08	WG2039419
Styrene	ND		1.00	1	04/11/2023 08:08	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 08:08	WG2039419
Toluene	ND		1.00	1	04/11/2023 08:08	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 08:08	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 08:08	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 08:08	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 08:08	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 08:08	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 08:08	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:08	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 08:08	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:08	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 08:08	WG2039419
(S) 1,2-Dichloroethane-d4	105			70.0-130	04/11/2023 08:08	WG2039419
(S) 4-Bromofluorobenzene	90.9			77.0-126	04/11/2023 08:08	WG2039419
(S) Toluene-d8	100			80.0-120	04/11/2023 08:08	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.71	su
Specific Conductance (on site)	684	umhos/cm
Temperature (on-site)	13.7	Deg. C
Turbidity (on-site)	9.1	NTU
Dissolved Oxygen (on-site)	4.2	mg/l
eH/ORP (On Site)	156.5	mV
Depth to water (DTW) (FROM TOC)	70.15	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:17	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	9.82		3.00	1	04/14/2023 02:50	WG2040981

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.44	su
Specific Conductance (on site)	139	umhos/cm
Temperature (on-site)	15.1	Deg. C
Turbidity (on-site)	7.9	NTU
Dissolved Oxygen (on-site)	7.4	mg/l
eH/ORP (On Site)	201.1	mV
Depth to water (DTW) (FROM TOC)	53.08	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/16/2023 10:56	WG2042825

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.75		3.00	1	04/14/2023 03:06	WG2040981

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.43	su
Specific Conductance (on site)	858	umhos/cm
Temperature (on-site)	15.8	Deg. C
Turbidity (on-site)	8.1	NTU
Dissolved Oxygen (on-site)	1.3	mg/l
eH/ORP (On Site)	161.8	mV
Depth to water (DTW) (FROM TOC)	58.18	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	429		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	04/16/2023 11:00	WG2042825

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.5		3.00	1	04/14/2023 03:54	WG2040981

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nickel, Total Recoverable	0.0151		0.00400	1	04/16/2023 17:39	WG2042205

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.1	su
Specific Conductance (on site)	834	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	5.3	NTU
Dissolved Oxygen (on-site)	0.7	mg/l
eH/ORP (On Site)	174	mV
Depth to water (DTW) (FROM TOC)	69.41	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.162		0.100	1	04/12/2023 13:18	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	35.5		3.00	1	04/14/2023 04:10	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.48		1.00	1	04/12/2023 21:40	WG2040229

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.93	su
Specific Conductance (on site)	919	umhos/cm
Temperature (on-site)	15	Deg. C
Turbidity (on-site)	8.4	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	191.3	mV
Depth to water (DTW) (FROM TOC)	58.83	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	545		10.0	1	04/12/2023 01:05	WG2039715

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.267		0.100	1	04/12/2023 13:26	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.7		3.00	1	04/14/2023 04:26	WG2040981
Sulfate	ND		5.00	1	04/14/2023 04:26	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.22		1.00	1	04/12/2023 22:00	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:45	WG2039061
Barium, Total Recoverable	0.108		0.00500	1	04/13/2023 02:45	WG2039061
Iron, Total Recoverable	12.4		0.0600	1	04/13/2023 02:45	WG2039061
Manganese, Total Recoverable	11.0		0.00300	1	04/13/2023 02:45	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:45	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:45	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/14/2023 12:50	WG2039068
Beryllium, Total Recoverable	ND		0.00100	1	04/14/2023 12:50	WG2039068
Cadmium, Total Recoverable	ND		0.00100	1	04/14/2023 12:50	WG2039068
Cobalt, Total Recoverable	0.0706		0.00300	1	04/14/2023 12:50	WG2039068
Chromium, Total Recoverable	ND		0.00300	1	04/14/2023 12:50	WG2039068
Copper, Total Recoverable	ND		0.00400	1	04/14/2023 12:50	WG2039068
Nickel, Total Recoverable	0.171		0.00400	1	04/16/2023 17:43	WG2042205
Antimony, Total Recoverable	ND		0.00200	1	04/14/2023 12:50	WG2039068
Thallium, Total Recoverable	ND		0.00100	1	04/14/2023 12:50	WG2039068
Vanadium, Total Recoverable	ND		0.00300	1	04/14/2023 12:50	WG2039068
Zinc, Total Recoverable	0.152		0.00500	1	04/14/2023 12:50	WG2039068

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,1-Dichloroethane	1.15		1.00	1	04/11/2023 08:29	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 08:29	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 08:29	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 08:29	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 08:29	WG2039419
1,4-Dichlorobenzene	1.87		1.00	1	04/11/2023 08:29	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 08:29	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 08:29	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 08:29	WG2039419
Acetone	ND		10.0	1	04/11/2023 08:29	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 08:29	WG2039419
Benzene	1.71		1.00	1	04/11/2023 08:29	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Bromoform	ND		1.00	1	04/11/2023 08:29	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 08:29	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 08:29	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 08:29	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Chloroform	ND		1.00	1	04/11/2023 08:29	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 08:29	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 08:29	WG2039419
Styrene	ND		1.00	1	04/11/2023 08:29	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 08:29	WG2039419
Toluene	ND		1.00	1	04/11/2023 08:29	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 08:29	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 08:29	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 08:29	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 08:29	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 08:29	WG2039419
cis-1,2-Dichloroethene	1.19		1.00	1	04/11/2023 08:29	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:29	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 08:29	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:29	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 08:29	WG2039419
(S) 1,2-Dichloroethane-d4	103			70.0-130	04/11/2023 08:29	WG2039419
(S) 4-Bromofluorobenzene	88.2			77.0-126	04/11/2023 08:29	WG2039419
(S) Toluene-d8	101			80.0-120	04/11/2023 08:29	WG2039419

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	311		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:29	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	33.5		3.00	1	04/14/2023 04:42	WG2040981
Sulfate	12.4		5.00	1	04/14/2023 04:42	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	3.99		1.00	1	04/12/2023 22:22	WG2040229

Metals (ICP) by Method 6010B


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:48	WG2039061
Barium, Total Recoverable	0.135		0.00500	1	04/13/2023 02:48	WG2039061
Iron, Total Recoverable	ND		0.0600	1	04/13/2023 02:48	WG2039061
Manganese, Total Recoverable	0.0116		0.00300	1	04/13/2023 02:48	WG2039061
Lead, Total Recoverable	ND		0.00500	1	04/13/2023 02:48	WG2039061
Selenium, Total Recoverable	ND		0.0100	1	04/13/2023 02:48	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/14/2023 13:00	WG2039068
Beryllium, Total Recoverable	ND		0.00100	1	04/14/2023 13:00	WG2039068
Cadmium, Total Recoverable	ND		0.00100	1	04/14/2023 13:00	WG2039068
Cobalt, Total Recoverable	ND		0.00300	1	04/14/2023 13:00	WG2039068
Chromium, Total Recoverable	ND		0.00300	1	04/14/2023 13:00	WG2039068
Copper, Total Recoverable	ND		0.00400	1	04/14/2023 13:00	WG2039068
Nickel, Total Recoverable	ND		0.00400	1	04/16/2023 17:46	WG2042205
Antimony, Total Recoverable	ND		0.00200	1	04/14/2023 13:00	WG2039068
Thallium, Total Recoverable	ND		0.00100	1	04/14/2023 13:00	WG2039068
Vanadium, Total Recoverable	ND		0.00300	1	04/14/2023 13:00	WG2039068
Zinc, Total Recoverable	ND		0.00500	1	04/14/2023 13:00	WG2039068

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 08:50	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 08:50	WG2039419



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 08:50	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 08:50	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 08:50	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 08:50	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 08:50	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 08:50	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 08:50	WG2039419
Acetone	ND		10.0	1	04/11/2023 08:50	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 08:50	WG2039419
Benzene	ND		1.00	1	04/11/2023 08:50	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Bromoform	ND		1.00	1	04/11/2023 08:50	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 08:50	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 08:50	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 08:50	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Chloroform	ND		1.00	1	04/11/2023 08:50	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 08:50	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 08:50	WG2039419
Styrene	ND		1.00	1	04/11/2023 08:50	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 08:50	WG2039419
Toluene	ND		1.00	1	04/11/2023 08:50	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 08:50	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 08:50	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 08:50	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 08:50	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 08:50	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 08:50	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:50	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 08:50	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 08:50	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 08:50	WG2039419
(S) 1,2-Dichloroethane-d4	108			70.0-130	04/11/2023 08:50	WG2039419
(S) 4-Bromofluorobenzene	87.3			77.0-126	04/11/2023 08:50	WG2039419
(S) Toluene-d8	99.8			80.0-120	04/11/2023 08:50	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	395		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	04/12/2023 13:31	WG2040432

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	14.0		3.00	1	04/14/2023 04:58	WG2040981
Sulfate	ND		5.00	1	04/14/2023 04:58	WG2040981

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	04/12/2023 22:41	WG2040229

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	04/13/2023 02:51	WG2039061
Barium, Total Recoverable	0.210		0.00500	1	04/13/2023 02:51	WG2039061
Iron, Total Recoverable	1.50		0.0600	1	04/13/2023 02:51	WG2039061
Manganese, Total Recoverable	39.5		0.00600	5	04/13/2023 16:07	WG2039061
Lead, Total Recoverable	0.00555		0.00500	1	04/13/2023 02:51	WG2039061
Selenium, Total Recoverable	0.0208		0.0100	1	04/13/2023 02:51	WG2039061

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/14/2023 13:04	WG2039068
Beryllium, Total Recoverable	ND		0.00100	1	04/14/2023 13:04	WG2039068
Cadmium, Total Recoverable	0.00188		0.00100	1	04/14/2023 13:04	WG2039068
Cobalt, Total Recoverable	0.0243		0.00300	1	04/14/2023 13:04	WG2039068
Chromium, Total Recoverable	ND		0.00300	1	04/14/2023 13:04	WG2039068
Copper, Total Recoverable	ND		0.00400	1	04/14/2023 13:04	WG2039068
Nickel, Total Recoverable	0.159		0.00400	1	04/16/2023 17:57	WG2042205
Antimony, Total Recoverable	ND		0.00200	1	04/14/2023 13:04	WG2039068
Thallium, Total Recoverable	ND		0.00100	1	04/14/2023 13:04	WG2039068
Vanadium, Total Recoverable	ND		0.00300	1	04/14/2023 13:04	WG2039068
Zinc, Total Recoverable	0.154		0.00500	1	04/14/2023 13:04	WG2039068

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,1,1-Trichloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,1,2-Trichloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,1-Dichloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,1-Dichloroethene	ND		1.00	1	04/11/2023 09:11	WG2039419
1,2,3-Trichloropropane	ND		1.00	1	04/11/2023 09:11	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/11/2023 09:11	WG2039419
1,2-Dibromoethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,2-Dichlorobenzene	ND		1.00	1	04/11/2023 09:11	WG2039419
1,2-Dichloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,2-Dichloropropane	ND		1.00	1	04/11/2023 09:11	WG2039419
1,4-Dichlorobenzene	ND		1.00	1	04/11/2023 09:11	WG2039419
2-Butanone (MEK)	ND		5.00	1	04/11/2023 09:11	WG2039419
2-Hexanone	ND		5.00	1	04/11/2023 09:11	WG2039419
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/11/2023 09:11	WG2039419
Acetone	ND		10.0	1	04/11/2023 09:11	WG2039419
Acrylonitrile	ND		20.0	1	04/11/2023 09:11	WG2039419
Benzene	ND		1.00	1	04/11/2023 09:11	WG2039419
Bromochloromethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Bromodichloromethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Bromoform	ND		1.00	1	04/11/2023 09:11	WG2039419
Bromomethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Carbon disulfide	ND		1.00	1	04/11/2023 09:11	WG2039419
Carbon tetrachloride	ND		1.00	1	04/11/2023 09:11	WG2039419
Chlorobenzene	ND		1.00	1	04/11/2023 09:11	WG2039419
Chloroethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Chloroform	ND		1.00	1	04/11/2023 09:11	WG2039419
Chloromethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Dibromochloromethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Dibromomethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Ethylbenzene	ND		1.00	1	04/11/2023 09:11	WG2039419
Iodomethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Methylene Chloride	ND		1.07	1	04/11/2023 09:11	WG2039419
Styrene	ND		1.00	1	04/11/2023 09:11	WG2039419
Tetrachloroethene	ND		1.00	1	04/11/2023 09:11	WG2039419
Toluene	ND		1.00	1	04/11/2023 09:11	WG2039419
Trichloroethene	ND		1.00	1	04/11/2023 09:11	WG2039419
Trichlorofluoromethane	ND		1.00	1	04/11/2023 09:11	WG2039419
Vinyl acetate	ND		5.00	1	04/11/2023 09:11	WG2039419
Vinyl chloride	ND		1.00	1	04/11/2023 09:11	WG2039419
Xylenes, Total	ND		1.00	1	04/11/2023 09:11	WG2039419
cis-1,2-Dichloroethene	ND		1.00	1	04/11/2023 09:11	WG2039419
cis-1,3-Dichloropropene	ND		1.00	1	04/11/2023 09:11	WG2039419
trans-1,2-Dichloroethene	ND		1.00	1	04/11/2023 09:11	WG2039419
trans-1,3-Dichloropropene	ND		1.00	1	04/11/2023 09:11	WG2039419
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/11/2023 09:11	WG2039419
(S) 1,2-Dichloroethane-d4	104			70.0-130	04/11/2023 09:11	WG2039419
(S) 4-Bromofluorobenzene	92.6			77.0-126	04/11/2023 09:11	WG2039419
(S) Toluene-d8	103			80.0-120	04/11/2023 09:11	WG2039419

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913152-1 04/12/23 01:05

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND	2.82	10.0	10.0

L1602986-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1602986-01 04/12/23 01:05 • (DUP) R3913152-3 04/12/23 01:05

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Dissolved Solids	1050	1010	1	4.07		5

L1603041-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1603041-01 04/12/23 01:05 • (DUP) R3913152-4 04/12/23 01:05

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Dissolved Solids	314	316	1	0.635		5

Laboratory Control Sample (LCS)

(LCS) R3913152-2 04/12/23 01:05

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Dissolved Solids	8800	8270	94.0	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913608-1 04/14/23 05:35

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND		2.82	10.0

L1603493-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1603493-02 04/14/23 05:35 • (DUP) R3913608-3 04/14/23 05:35

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	592	610	1	3.00		5

L1603505-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-02 04/14/23 05:35 • (DUP) R3913608-4 04/14/23 05:35

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	391	400	1	2.28		5

Laboratory Control Sample (LCS)

(LCS) R3913608-2 04/14/23 05:35

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	7710	87.6	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913609-1 04/14/23 01:43

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND	2.82	10.0	10.0

L1603505-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-13 04/14/23 01:43 • (DUP) R3913609-3 04/14/23 01:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Dissolved Solids	227	235	1	3.46		5

L1603813-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1603813-01 04/14/23 01:43 • (DUP) R3913609-4 04/14/23 01:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Dissolved Solids	460	459	1	0.218		5

Laboratory Control Sample (LCS)

(LCS) R3913609-2 04/14/23 01:43

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Dissolved Solids	8800	8300	94.3	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3912379-1 04/12/23 12:42

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	0.0580	0.0317	0.100	0.100

L1603505-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-04 04/12/23 12:57 • (DUP) R3912379-5 04/12/23 12:59

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000		10

L1603505-29 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-29 04/12/23 13:26 • (DUP) R3912379-7 04/12/23 13:28

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Ammonia Nitrogen	0.267	0.269	1	0.746		10

Laboratory Control Sample (LCS)

(LCS) R3912379-2 04/12/23 12:44

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Ammonia Nitrogen	7.50	7.70	103	90.0-110	

L1603505-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-03 04/12/23 12:53 • (MS) R3912379-3 04/12/23 12:54 • (MSD) R3912379-4 04/12/23 12:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MSD Rec. %	MSD Qualifier	RPD %	RPD Limits %
Ammonia Nitrogen	5.00	ND	4.87	5.01	97.4	1	90.0-110	100	2.73	10	

L1603505-28 Original Sample (OS) • Matrix Spike (MS)

(OS) L1603505-28 04/12/23 13:18 • (MS) R3912379-6 04/12/23 13:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Ammonia Nitrogen	5.00	0.162	5.06	98.0	1	90.0-110	

Method Blank (MB)

(MB) R3913696-1 04/16/23 10:47

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Ammonia Nitrogen	ND	0.0317	0.100	0.100

L1603505-27 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-27 04/16/23 11:00 • (DUP) R3913696-5 04/16/23 11:02

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000	10	10

L1604765-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1604765-03 04/16/23 11:38 • (DUP) R3913696-7 04/16/23 11:39

Analyte	Original Result mg/l	DUP Result mg/l	Dilution %	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Ammonia Nitrogen	ND	ND	1	0.000	10	10

Laboratory Control Sample (LCS)

(LCS) R3913696-2 04/16/23 10:48

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %
Ammonia Nitrogen	7.50	7.72	103	90.0-110	

L1603505-26 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-26 04/16/23 10:56 • (MS) R3913696-3 04/16/23 10:57 • (MSD) R3913696-4 04/16/23 10:59

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	RPD	<u>MSD Qualifier</u> %	RPD Limits %
Ammonia Nitrogen	5.00	ND	4.92	5.10	98.4	102	1	90.0-110	3.56	10	3.56	10

L1604765-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1604765-02 04/16/23 11:35 • (MS) R3913696-6 04/16/23 11:36

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %
Ammonia Nitrogen	5.00	ND	4.90	97.9	1	90.0-110	

Method Blank (MB)

(MB) R3912912-1 04/12/23 12:01

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	ND		0.0519	1.00
Sulfate	0.708	J	0.0774	5.00

L1603505-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-02 04/12/23 21:45 • (DUP) R3912912-3 04/12/23 22:01

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	14.1	14.1	1	0.179		15
Sulfate	ND	ND	1	0.671		15

L1603505-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-12 04/13/23 02:15 • (DUP) R3912912-6 04/13/23 02:31

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	7.83	7.83	1	0.0294		15
Sulfate	7.06	7.06	1	0.0807		15

Laboratory Control Sample (LCS)

(LCS) R3912912-2 04/12/23 12:17

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	38.1	95.1	80.0-120	
Sulfate	40.0	37.1	92.7	80.0-120	

L1603505-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-02 04/12/23 21:45 • (MS) R3912912-4 04/12/23 22:17 • (MSD) R3912912-5 04/12/23 23:04

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MSD Rec. %	MS Rec. %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	14.1	61.3	60.8	1	80.0-120	93.5	94.3			0.724	15
Sulfate	50.0	ND	48.3	47.9	1	80.0-120	92.3	93.2			0.937	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1603505-12 Original Sample (OS) • Matrix Spike (MS)

(OS) L1603505-12 04/13/23 02:15 • (MS) R3912912-7 04/13/23 02:47

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	7.83	56.7	97.7	1	80.0-120	
Sulfate	50.0	7.06	55.5	96.8	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913591-1 04/13/23 21:07

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	ND	0.0519	1.00	1.00
Sulfate	ND	0.0774	5.00	5.00

L1603505-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-13 04/13/23 22:36 • (DUP) R3913591-4 04/13/23 22:51

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	17.9	18.1	1	0.984		15
Sulfate	14.4	14.5	1	0.528		15

L1603505-31 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-31 04/14/23 04:58 • (DUP) R3913591-7 04/14/23 05:13

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	14.0	14.3	1	2.03		15
Sulfate	ND	ND	1	8.51		15

Laboratory Control Sample (LCS)

(LCS) R3913591-3 04/13/23 22:20

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	40.3	101	80.0-120	
Sulfate	40.0	39.6	99.0	80.0-120	

L1603505-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-13 04/13/23 22:36 • (MS) R3913591-5 04/13/23 23:07 • (MSD) R3913591-6 04/13/23 23:23

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MSD Rec. %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
Chloride	50.0	17.9	64.9	64.4	1	80.0-120	92.9	93.9	64.4	0.754	15
Sulfate	50.0	14.4	60.7	60.3	1	80.0-120	91.7	92.5	60.3	0.695	15

L1603505-31 Original Sample (OS) • Matrix Spike (MS)

(OS) L1603505-31 04/14/23 04:58 • (MS) R3913591-8 04/14/23 05:29

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	14.0	62.9	97.8	1	80.0-120	
Sulfate	50.0	ND	49.4	93.4	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3912181-2 04/11/23 07:58

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.294	J	0.102	1.00

Method Blank (MB)

(MB) R3912181-6 04/12/23 02:29

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.332	J	0.102	1.00

L1603285-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1603285-02 04/12/23 02:49 • (DUP) R3912181-7 04/12/23 03:09

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC	3.86	3.80	1	1.51		20

L1603505-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-02 04/12/23 05:22 • (DUP) R3912181-10 04/12/23 05:42

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
TOC	ND	ND	1	6.97		20

Laboratory Control Sample (LCS)

(LCS) R3912181-1 04/11/23 07:37

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TOC	75.0	72.6	96.9	85.0-115	

Laboratory Control Sample (LCS)

(LCS) R3912181-5 04/12/23 01:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TOC	75.0	68.2	90.9	85.0-115	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1602354-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1602354-01 04/11/23 11:56 • (MS) R3912181-3 04/11/23 12:22 • (MSD) R3912181-4 04/11/23 12:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	2.01	49.6	48.5	95.3	92.9	1	80.0-120		2.39	2.39	20

L1603285-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603285-03 04/12/23 03:30 • (MS) R3912181-8 04/12/23 03:56 • (MSD) R3912181-9 04/12/23 04:21

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	3.48	51.0	51.6	95.1	96.2	1	80.0-120		1.05	1.05	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3912614-2 04/12/23 15:18

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.378	J	0.102	1.00

L1603505-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-18 04/12/23 18:38 • (DUP) R3912614-5 04/12/23 18:57

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC (Total Organic Carbon)	ND	ND	1	4.56		20

L1603813-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1603813-04 04/13/23 03:46 • (DUP) R3912614-8 04/13/23 04:05

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC (Total Organic Carbon)	ND	1.19	1	18.6		20

Laboratory Control Sample (LCS)

(LCS) R3912614-1 04/12/23 15:00

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits	LCS Qualifier
TOC (Total Organic Carbon)	75.0	79.8	106	85.0-115	

L1603505-17 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-17 04/12/23 17:25 • (MS) R3912614-3 04/12/23 17:53 • (MSD) R3912614-4 04/12/23 18:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
TOC (Total Organic Carbon)	50.0	1.18	55.5	55.6	1	80.0-120	109	109	0.162	20

L1603791-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603791-01 04/12/23 23:07 • (MS) R3912614-6 04/12/23 23:35 • (MSD) R3912614-7 04/13/23 00:03

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
TOC (Total Organic Carbon)	50.0	11.5	65.3	64.3	1	80.0-120	108	106	1.54	20

WG2039058

Metals (ICP) by Method 6010B

QUALITY CONTROL SUMMARY

L1603505-02.05.06.13.14.15.16.17.18.19

Method Blank (MB)

(MB) R3912679-1 04/13/23 01:23

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Silver	ND	0.00280	0.00280	0.00500
Barium	ND	0.00170	0.00170	0.00500
Iron	ND	0.0141	0.0141	0.100
Manganese	ND	0.00120	0.00120	0.0100
Lead	ND	0.00190	0.00190	0.00500
Selenium	ND	0.00740	0.00740	0.0100

Laboratory Control Sample (LCS)

(LCS) R3912679-2 04/13/23 01:25

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Silver	0.200	0.174	87.2	80.0-120	
Barium	1.00	0.994	99.4	80.0-120	
Iron	10.0	10.2	102	80.0-120	
Manganese	1.00	0.933	93.3	80.0-120	
Lead	1.00	1.01	101	80.0-120	
Selenium	1.00	0.937	93.7	80.0-120	

L1603493-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603493-15 04/13/23 01:28 • (MS) R3912679-4 04/13/23 01:33 • (MSD) R3912679-5 04/13/23 01:36

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	RPD %	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Silver	0.200	ND	0.173	86.6	0.172	86.1	1	75.0-125	0.500	0.500	2.0	2.0	
Barium	1.00	0.0166	0.994	97.8	0.992	97.5	1	75.0-125	0.287	0.287	2.0	2.0	
Iron	10.0	ND	10.1	101	10.1	101	1	75.0-125	0.0963	0.0963	2.0	2.0	
Manganese	1.00	ND	0.923	91.8	0.917	91.2	1	75.0-125	0.580	0.580	2.0	2.0	
Lead	1.00	ND	0.993	99.3	0.993	99.3	1	75.0-125	0.0358	0.0358	2.0	2.0	
Selenium	1.00	ND	0.943	94.3	0.940	94.0	1	75.0-125	0.289	0.289	2.0	2.0	

Method Blank (MB)

(MB) R3912659-1 04/13/23 02:00

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Silver	ND	0.00280	0.00500	0.00500
Barium	ND	0.00170	0.00500	0.00500
Iron	ND	0.0141	0.100	0.100
Manganese	ND	0.00120	0.0100	0.0100
Lead	ND	0.00190	0.00500	0.00500
Selenium	ND	0.00740	0.0100	0.0100

Laboratory Control Sample (LCS)

(LCS) R3912659-2 04/13/23 02:03

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Silver	0.200	0.190	95.1	80.0-120	
Barium	1.00	1.02	102	80.0-120	
Iron	10.0	9.85	98.5	80.0-120	
Manganese	1.00	0.923	92.3	80.0-120	
Lead	1.00	0.979	97.9	80.0-120	
Selenium	1.00	0.925	92.5	80.0-120	

L1603522-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603522-03 04/13/23 02:06 • (MS) R3912659-4 04/13/23 02:11 • (MSD) R3912659-5 04/13/23 02:14

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	RPD %	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Silver	0.200	ND	0.189	0.192	94.6	96.2	1	75.0-125	1.66	1.66	2.0	2.0	2.0
Barium	1.00	0.0481	1.07	1.09	103	104	1	75.0-125	1.28	1.28	2.0	2.0	2.0
Iron	10.0	1.44	11.0	11.2	95.6	97.2	1	75.0-125	1.46	1.46	2.0	2.0	2.0
Manganese	1.00	6.14	6.93	6.94	79.3	80.0	1	75.0-125	0.104	0.104	2.0	2.0	2.0
Lead	1.00	0.00579	0.973	0.986	96.7	98.0	1	75.0-125	1.36	1.36	2.0	2.0	2.0
Selenium	1.00	ND	0.940	0.957	94.0	95.7	1	75.0-125	1.77	1.77	2.0	2.0	2.0

WG2039065

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

[L1603505-02](#), [05](#), [06](#), [11](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#), [20](#), [21](#), [23](#), [24](#)

Method Blank (MB)

(MB) R3912042-1 04/11/23 20:25

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	0.000291		0.000180	0.00500
Zinc	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3912042-2 04/11/23 20:28

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0487	97.5	80.0-120	
Beryllium	0.0500	0.0463	92.7	80.0-120	
Cadmium	0.0500	0.0498	99.6	80.0-120	
Cobalt	0.0500	0.0502	100	80.0-120	
Chromium	0.0500	0.0487	97.5	80.0-120	
Copper	0.0500	0.0441	88.3	80.0-120	
Nickel	0.0500	0.0503	101	80.0-120	
Antimony	0.0500	0.0486	97.1	80.0-120	
Thallium	0.0500	0.0473	94.6	80.0-120	
Vanadium	0.0500	0.0487	97.3	80.0-120	
Zinc	0.0500	0.0475	95.0	80.0-120	

L1603505-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-02 04/11/23 20:31 • (MS) R3912042-4 04/11/23 20:38 • (MSD) R3912042-5 04/11/23 20:41

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0505	0.0510	99.6	101	1	75.0-125			1.04	2.0
Beryllium	0.0500	ND	0.0484	0.0474	96.1	94.2	1	75.0-125			1.97	2.0
Cadmium	0.0500	0.00188	0.0523	0.0524	101	101	1	75.0-125			0.300	2.0
Cobalt	0.0500	0.0250	0.0755	0.0758	101	102	1	75.0-125			0.355	2.0
Chromium	0.0500	ND	0.0507	0.0509	101	102	1	75.0-125			0.320	2.0

WG2039065

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

L1603505-02,05,06,11,13,14,15,16,17,18,19,20,21,23,24

L1603505-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603505-02 04/11/23 20:31 • (MS) R3912042-4 04/11/23 20:38 • (MSD) R3912042-5 04/11/23 20:41

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	ND	0.0452	0.0467	90.3	93.4	1	75.0-125			3.30	20
Nickel	0.0500	0.163	0.211	0.213	96.0	99.5	1	75.0-125			0.836	20
Antimony	0.0500	ND	0.0500	0.0502	100	100	1	75.0-125			0.426	20
Thallium	0.0500	ND	0.0470	0.0480	93.8	95.8	1	75.0-125			2.05	20
Vanadium	0.0500	ND	0.0503	0.0516	101	103	1	75.0-125			2.54	20
Zinc	0.0500	0.155	0.205	0.202	99.5	95.4	1	75.0-125			1.01	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2039068

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

[L1603505-29.30.31](#)

Method Blank (MB)

(MB) R3913318-1 04/14/23 12:21

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Arsenic	ND	0.000250	0.000250	0.00200
Beryllium	ND	0.000120	0.000120	0.00200
Cadmium	ND	0.000160	0.000160	0.00100
Cobalt	ND	0.000260	0.000260	0.00200
Chromium	0.00321	0.000540	0.000540	0.00200
Copper	ND	0.000520	0.000520	0.00500
Antimony	ND	0.000754	0.000754	0.00200
Thallium	ND	0.000190	0.000190	0.00200
Vanadium	0.000262	0.000180	0.000180	0.00500
Zinc	0.00448	0.00256	0.00256	0.0250

Laboratory Control Sample (LCS)

(LCS) R3913318-2 04/14/23 12:24

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Arsenic	0.0500	0.0479	95.7	80.0-120	
Beryllium	0.0500	0.0477	95.3	80.0-120	
Cadmium	0.0500	0.0511	102	80.0-120	
Cobalt	0.0500	0.0505	101	80.0-120	
Chromium	0.0500	0.0510	102	80.0-120	
Copper	0.0500	0.0475	95.0	80.0-120	
Antimony	0.0500	0.0491	98.2	80.0-120	
Thallium	0.0500	0.0489	97.8	80.0-120	
Vanadium	0.0500	0.0500	100	80.0-120	
Zinc	0.0500	0.0517	103	80.0-120	

L1603559-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603559-01 04/14/23 12:28 • (MS) R3913318-4 04/14/23 12:34 • (MSD) R3913318-5 04/14/23 12:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	RPD %	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0471	0.0483	93.5	95.8	1	75.0-125	0.0471	2.40	0.0483	2.40	2.0
Beryllium	0.0500	ND	0.0459	0.0464	91.8	92.7	1	75.0-125	0.0459	1.01	0.0464	1.01	2.0
Cadmium	0.0500	ND	0.0506	0.0516	101	103	1	75.0-125	0.0506	1.91	0.0516	1.91	2.0
Cobalt	0.0500	ND	0.0500	0.0516	96.7	99.8	1	75.0-125	0.0500	3.11	0.0516	3.11	2.0
Chromium	0.0500	ND	0.0494	0.0507	98.8	101	1	75.0-125	0.0494	2.56	0.0507	2.56	2.0
Copper	0.0500	ND	0.0477	0.0488	93.0	95.2	1	75.0-125	0.0477	2.31	0.0488	2.31	2.0
Antimony	0.0500	ND	0.0477	0.0476	95.4	95.2	1	75.0-125	0.0477	0.121	0.0476	0.121	2.0

L1603559-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603559-01 04/14/23 12:28 • (MS) R3913318-4 04/14/23 12:34 • (MSD) R3913318-5 04/14/23 12:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution %	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Thallium	0.0500	ND	0.0475	0.0509	95.0	102	1	75.0-125			6.89	20
Vanadium	0.0500	0.00432	0.0527	0.0539	96.8	99.1	1	75.0-125			2.13	20
Zinc	0.0500	ND	0.0495	0.0522	99.1	104	1	75.0-125			5.12	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913737-1 04/16/23 17:19

Analyte	MB Result mg/l	<u>MB Qualifier</u> mg/l	MB MDL mg/l	MB RDL mg/l
Nickel	ND	0.000350	0.000350	0.00200

Laboratory Control Sample (LCS)

(LCS) R3913737-2 04/16/23 17:23

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Nickel	0.0500	0.0527	105	80.0-120	

L1605230-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1605230-10 04/16/23 17:26 • (MS) R3913737-4 04/16/23 17:33 • (MSD) R3913737-5 04/16/23 17:36

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
Nickel	0.0500	0.0502	0.0502	100	0.0502	100	1	75.0-125	0.0622	0.0622	2.0	2.0

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2039419

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-02,05,06,13,14,15,16,17,18,19,20,21,23,24,29,30,31

Method Blank (MB)

(MB) R3912457-2 04/11/23 01:46

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2039419

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-02,05,06,13,14,15,16,17,18,19,20,21,23,24,29,30,31

Method Blank (MB)

(MB) R3912457-2 04/11/23 01:46

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	106			70.0-130
<i>(S)</i> 4-Bromofluorobenzene	87.3			77.0-126
<i>(S)</i> Toluene-d8	99.3			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3912457-1 04/11/23 01:04

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
1,1,1,2-Tetrachloroethane	5.00	5.18	104	75.0-125	
1,1,1-Trichloroethane	5.00	5.66	113	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.37	87.4	65.0-130	
1,1,2-Trichloroethane	5.00	5.22	104	80.0-120	
1,1-Dichloroethane	5.00	5.49	110	70.0-126	
1,1-Dichloroethene	5.00	5.24	105	71.0-124	
1,2,3-Trichloropropane	5.00	4.82	96.4	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	4.67	93.4	58.0-134	
1,2-Dibromoethane	5.00	5.35	107	80.0-122	
1,2-Dichlorobenzene	5.00	4.85	97.0	79.0-121	
1,2-Dichloroethane	5.00	5.74	115	70.0-128	
1,2-Dichloropropane	5.00	5.70	114	77.0-125	
1,4-Dichlorobenzene	5.00	4.82	96.4	79.0-120	
2-Butanone (MEK)	25.0	36.1	144	44.0-160	
2-Hexanone	25.0	25.5	102	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	29.2	117	68.0-142	
Acetone	25.0	37.1	148	19.0-160	
Acrylonitrile	25.0	32.3	129	55.0-149	
Benzene	5.00	5.81	116	70.0-123	
Bromochloromethane	5.00	5.71	114	76.0-122	
Bromodichloromethane	5.00	5.45	109	75.0-120	
Bromoform	5.00	4.23	84.6	68.0-132	
Bromomethane	5.00	4.03	80.6	10.0-160	

WG2039419

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-02,05,06,13,14,15,16,17,18,19,20,21,23,24,29,30,31

Laboratory Control Sample (LCS)

(LCS) R3912457-1 04/11/23 01:04

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Carbon disulfide	5.00	5.68	114	61.0-128	
Carbon tetrachloride	5.00	5.48	110	68.0-126	
Chlorobenzene	5.00	4.94	98.8	80.0-121	
Chloroethane	5.00	4.34	86.8	47.0-150	
Chloroform	5.00	5.66	113	73.0-120	
Chloromethane	5.00	6.09	122	41.0-142	
Chlorodibromomethane	5.00	5.01	100	77.0-125	
Dibromomethane	5.00	5.58	112	80.0-120	
Ethylbenzene	5.00	4.86	97.2	79.0-123	
Iodomethane	25.0	26.7	107	33.0-147	
Methylene Chloride	5.00	5.56	111	67.0-120	
Styrene	5.00	4.40	88.0	73.0-130	
Tetrachloroethene	5.00	5.11	102	72.0-132	
Toluene	5.00	5.03	101	79.0-120	
Trichloroethene	5.00	6.22	124	78.0-124	
Trichlorofluoromethane	5.00	4.08	81.6	59.0-147	
Vinyl acetate	25.0	18.9	75.6	11.0-160	
Vinyl chloride	5.00	4.46	89.2	67.0-131	
Xylenes, Total	15.0	14.3	95.3	79.0-123	
cis-1,2-Dichloroethene	5.00	5.03	101	73.0-120	
cis-1,3-Dichloropropene	5.00	5.43	109	80.0-123	
trans-1,2-Dichloroethene	5.00	5.53	111	73.0-120	
trans-1,3-Dichloropropene	5.00	4.62	92.4	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	3.84	76.8	33.0-144	
(S) 1,2-Dichloroethane-d4			102	70.0-130	
(S) 4-Bromofluorobenzene			92.7	77.0-126	
(S) Toluene-d8			97.8	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2041307

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-22

Method Blank (MB)

(MB) R3913226-3 04/13/23 10:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	0.391	J	0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

WG2041307

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-22

Method Blank (MB)

(MB) R3913226-3 04/13/23 10:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	107			70.0-130
(S) 4-Bromofluorobenzene	94.6			77.0-126
(S) Toluene-d8	105			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3913226-1 04/13/23 09:20 • (LCSD) R3913226-2 04/13/23 09:40

Analyte	Spike Amount ug/l	LCS Result		LCSD Result		LCS Rec.		LCSD Rec.		Rec. Limits		LCS Qualifier		LCSD Qualifier		RPD Limits	
		ug/l	%	ug/l	%	ug/l	%	%	%	%	%	%	%	%	%	%	
1,1,1,2-Tetrachloroethane	5.00	4.38	87.6	4.48	89.6	75.0-125	2.26	20									
1,1,1-Trichloroethane	5.00	4.53	90.6	4.59	91.8	73.0-124	1.32	20									
1,1,2,2-Tetrachloroethane	5.00	5.45	109	5.28	106	65.0-130	3.17	20									
1,1,2-Trichloroethane	5.00	4.56	91.2	4.70	94.0	80.0-120	3.02	20									
1,1-Dichloroethane	5.00	4.94	98.8	4.97	99.4	70.0-126	0.605	20									
1,1-Dichloroethene	5.00	4.28	85.6	4.31	86.2	71.0-124	0.698	20									
1,2,3-Trichloropropane	5.00	5.22	104	5.30	106	73.0-130	1.52	20									
1,2-Dibromo-3-Chloropropane	5.00	4.14	82.8	4.41	88.2	58.0-134	6.32	20									
1,2-Dibromoethane	5.00	4.73	94.6	4.80	96.0	80.0-122	1.47	20									
1,2-Dichlorobenzene	5.00	4.39	87.8	4.38	87.6	79.0-121	0.228	20									
1,2-Dichloroethane	5.00	4.97	99.4	4.95	99.0	70.0-128	0.403	20									
1,2-Dichloropropane	5.00	5.13	103	4.94	98.8	77.0-125	3.77	20									
1,4-Dichlorobenzene	5.00	4.30	86.0	4.40	88.0	79.0-120	2.30	20									
2-Butanone (MEK)	25.0	27.1	108	26.4	106	44.0-160	2.62	20									
2-Hexanone	25.0	25.6	102	25.5	102	67.0-149	0.391	20									
4-Methyl-2-pentanone (MIBK)	25.0	25.2	101	25.2	101	68.0-142	0.000	20									
Acetone	25.0	26.8	107	26.4	106	19.0-160	1.50	27									
Acrylonitrile	25.0	26.1	104	26.1	104	55.0-149	0.000	20									
Benzene	5.00	4.65	93.0	4.67	93.4	70.0-123	0.429	20									
Bromochloromethane	5.00	4.66	93.2	4.61	92.2	76.0-122	1.08	20									
Bromodichloromethane	5.00	4.75	95.0	4.81	96.2	75.0-120	1.26	20									
Bromoform	5.00	4.10	82.0	4.09	81.8	68.0-132	0.244	20									
Bromomethane	5.00	3.61	72.2	3.75	75.0	10.0-160	3.80	25									

WG2041307

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1603505-22

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3913226-1 04/13/23 09:20 • (LCSD) R3913226-2 04/13/23 09:40

Analyte	Spike Amount ug/l	LCS Result		LCSD Result		LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
		ug/l	ug/l	ug/l	ug/l							
Carbon disulfide	5.00	4.38	4.38	4.38	4.38	87.6	87.6	61.0-128	0.000	0.000	0.000	20
Carbon tetrachloride	5.00	4.31	4.28	4.28	4.28	86.2	85.6	68.0-126	0.698	0.698	0.698	20
Chlorobenzene	5.00	4.52	4.57	4.57	4.57	90.4	91.4	80.0-121	1.10	1.10	1.10	20
Chloroethane	5.00	4.29	4.30	4.30	4.30	85.8	86.0	47.0-150	0.233	0.233	0.233	20
Chloroform	5.00	4.74	4.64	4.64	4.64	94.8	92.8	73.0-120	2.13	2.13	2.13	20
Chloromethane	5.00	3.87	3.81	3.81	3.81	77.4	76.2	41.0-142	1.56	1.56	1.56	20
Chlorodibromomethane	5.00	4.39	4.34	4.34	4.34	87.8	86.8	77.0-125	1.15	1.15	1.15	20
Dibromomethane	5.00	4.78	4.66	4.66	4.66	95.6	93.2	80.0-120	2.54	2.54	2.54	20
Ethylbenzene	5.00	4.34	4.38	4.38	4.38	86.8	87.6	79.0-123	0.917	0.917	0.917	20
Iodomethane	25.0	14.1	15.8	15.8	15.8	56.4	63.2	33.0-147	11.4	11.4	11.4	26
Methylene Chloride	5.00	5.03	5.00	5.00	5.00	101	100	67.0-120	0.598	0.598	0.598	20
Styrene	5.00	4.22	4.32	4.32	4.32	84.4	86.4	73.0-130	2.34	2.34	2.34	20
Tetrachloroethene	5.00	4.32	4.35	4.35	4.35	86.4	87.0	72.0-132	0.692	0.692	0.692	20
Toluene	5.00	4.48	4.58	4.58	4.58	89.6	91.6	79.0-120	2.21	2.21	2.21	20
Trichloroethene	5.00	4.60	4.59	4.59	4.59	92.0	91.8	78.0-124	0.218	0.218	0.218	20
Trichlorofluoromethane	5.00	4.31	4.29	4.29	4.29	86.2	85.8	59.0-147	0.465	0.465	0.465	20
Vinyl acetate	25.0	36.9	35.1	35.1	35.1	148	140	11.0-160	5.00	5.00	5.00	20
Vinyl chloride	5.00	4.47	4.58	4.58	4.58	89.4	91.6	67.0-131	2.43	2.43	2.43	20
Xylenes, Total	15.0	12.9	13.3	13.3	13.3	86.0	88.7	79.0-123	3.05	3.05	3.05	20
cis-1,2-Dichloroethene	5.00	4.60	4.61	4.61	4.61	92.0	92.2	73.0-120	0.217	0.217	0.217	20
cis-1,3-Dichloropropene	5.00	4.75	4.73	4.73	4.73	95.0	94.6	80.0-123	0.422	0.422	0.422	20
trans-1,2-Dichloroethene	5.00	4.58	4.63	4.63	4.63	91.6	92.6	73.0-120	1.09	1.09	1.09	20
trans-1,3-Dichloropropene	5.00	4.59	4.62	4.62	4.62	91.8	92.4	78.0-124	0.651	0.651	0.651	20
trans-1,4-Dichloro-2-butene	5.00	5.61	5.20	5.20	5.20	112	104	33.0-144	7.59	7.59	7.59	20
(S) 1,2-Dichloroethane-d4						110	109	70.0-130				
(S) 4-Bromofluorobenzene						94.7	96.1	77.0-126				
(S) Toluene-d8						102	103	80.0-120				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J The identification of the analyte is acceptable; the reported value is an estimate.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn


⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



PEOPLE ADVANCING SCIENCE
 MT JULIET, TN
 12065 Lebanon Rd. Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacehhs.com/hubfs/pas-standard-terms.pdf>

SDG # L1003505
 Table #
 Acctnum: WMECOVISAR
 Template: T225843
 Prelogin: P986151
 PM: 616 - Stacy Kennedy
 PB: TSF 3/14/23
 Shipped Via: FedEx Ground
 Remarks | Sample # (lab only)

Analysis / Container / Preservation	Pres Chk
CHLORIDE 125mIHDP-NOPres	
CHLORIDE,SULFATE 125mIHDP-NOPres	
Metals 250mIHDP-HNO3	
NH3 250mIHDP-H2SO4	
TDS 1L-HDPE NOPres	
TOC 250mIAMB-HCl	
V8260LL 40mIAMB-HCl	
V8260LL 40mIAMB-HCl-BIK	

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs	Date Results Needed	
							No. of	Cntrs
LGW-6	Grab	GW	49.70	4.6.23	1305	8		
LGW-7		GW	41.70	4.6.23	1355	2		
LGW-8R		GW	9.45	4.6.23	1435	2		
LGW-9		GW	52.35	4.5.23	1515	8		
LGW-10 FB		GW	N/A	4.5.23	0835	8		
LGW-14R		GW	58.15	4.5.23	1655	2		
MW-7N		GW	84.55	4.5.23	1435	2		
MW-15		GW	57.95	4.5.23	5745	63		
MW-16		GW	67.45	4.5.23	1820	2		
MW-17		GW	58.20	4.5.23	1655	4		

Billing Information:
 jreyne10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Email To:
 jeffholmigren@sbcglobal.net; jreyne10@wm.com

City/State Collected:
 Please Circle: PT MT CT ET

Client Project # 200
 Site/Facility ID # AR03
 Lab Project # WMECOVISAR-00020
 P.O. #
 Quote #

Collected by (print): Chris Funder
 Collected by (signature):
 Immediately
 Packed on Ice N Y X

Rush? (Lab MUST Be Notified)
 Same Day ___ Five Day ___
 Next Day ___ 5 Day (Rad Only) ___
 Two Day ___ 10 Day (Rad Only) ___
 Three Day ___

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Samples returned via:
 ___ UPS ___ FedEx ___ Courier

Relinquished by: (Signature) Date: 4-7-23 Time: 1400
 Relinquished by: (Signature) Date: Time:
 Relinquished by: (Signature) Date: Time:

Sample Seal Present/Intact: ___ Np ___ Y ___ N
 COC Signed/Accurate: ___ Y ___ N
 Bottles arrive intact: ___ Y ___ N
 Correct bottles used: ___ Y ___ N
 Sufficient volume sent: ___ Y ___ N
 If Applicable
 VOA Zero Headspace: ___ Y ___ N
 Preservation Correct/Checked: ___ Y ___ N
 RAD Screen <0.5 mR/hr: ___ Y ___ N


pH ___ Temp ___
 Flow ___ Other ___

Trip Blank Received: Yes No
 HCL MeOH
 TBR

Temp: °C Bottles Received: 155
 Date: 4/8/23 Time: 915

Tracking #
 Received by: (Signature) Time:
 Received by: (Signature) Time:
 Received for lab by: (Signature) Time:

Condition: NCF / OK



MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubdy/pace-standard-terms.pdf>

SDG # 41603505
 Table #
 Actnum: **WMECOVISAR**
 Template: **T225843**
 Prelogin: **P986151**
 PM: **616 - Stacy Kennedy**
 PB: **Bf 3/14/23**
 Shipped Via: **FedEX Ground**

Remarks	Sample # (lab only)
	-12
	-13
	-14
	-15
	-16
	-17
	-18
	-19
	-20
	-21

Analysis / Container / Preservative	Pres Chk
CHLORIDE, SULFATE 125mHDPF-NOPres	
CHLORIDE 125mHDPF-NOPres	
Metals 250mHDPF-HNO3	
NH3 250mHDPF-H2SO4	
TDS 1L-HDPE NOPres	
TOC 250mLAMB-HCl	
V8260LL 40mLAMB-HCl	
V8260LL 40mLAMB-HCl-BIK	

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to:
Jodi Reynolds
 Eco-Vista LF-GW-Apr & Oct

Project Description:
 Eco-Vista LF-GW-Apr & Oct

Phone: 501-993-8966

City/State Collected:

Client Project #
 200

Site/Facility ID #
 AR03

Lab Project #
 WMECOVISAR-00020

P.O. #

Quote #

Date Results Needed

No. of Cntrs

Comp/Grab

Matrix *

Depth

Date

Time

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW-19	Grab	GW	67.55	4.6.23	1615	2
NE-1		GW	48.65	4.7.23	0945	7
NE-4		GW	46.85	4.6.23	1810	7
NE-5		GW	64.70	4.6.23	1525	7
NE-5E		GW	71.55	4.7.23	1150	7
NE-5W		GW	68.65	4.7.23	1250	7
NE-6D		GW	71.80	4.7.23	1110	7
NE-100		GW	32.05	4.7.23	1025	7
NE-14D		GW	17.95	4.6.23	1730	7
		GW	15.95	4.6.23	1650	7

Sample Receipt Checklist	Temp	Flow	Other
COC Seal Present/Intact: <input checked="" type="checkbox"/> NP			
COC Signed/Accurate: <input checked="" type="checkbox"/> N			
Bottles arrive intact: <input checked="" type="checkbox"/> N			
Correct bottles used: <input checked="" type="checkbox"/> N			
Sufficient volume sent: <input checked="" type="checkbox"/> N			
If Applicable			
VOA Zero Headspace: <input checked="" type="checkbox"/> N			
Preservation Correct/Checked: <input checked="" type="checkbox"/> N			
RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> N			

Remarks:

* Matrix: **SS - Soil** AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Temp: °C **Bottles Received:** 155
Date: 4/8/23 **Time:** 915

Received by: (Signature) **Time:** 1400

Received by: (Signature) **Time:**

Received for lab by: (Signature) **Time:**

Tracking #

Samples returned via: UPS FedEx Courier

Date: 4.7.23

Date:

Date:

Condition: NCF / OK

Hold:

If preservation required by LogIn: Date/Time

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to: **Jodi Reynolds**
 Project Description: **Eco-Vista LF-GW-Apr & Oct**
 Phone: **501-993-8966**

Client Project # **200**
 Site/Facility ID # **AR03**
 Lab Project # **WMCOVISAR-00020**
 P.O. #

Collected by (print): *Chris Finley*
 Collected by (signature): *[Signature]*
 Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	Cntrs	No. of
TRIP BLANK						3	
NE-2	Grab	GW	19.92	4.5.23	0900	7	
NE-10D		GW	101.95	4.5.23	1230	7	
LGW-2			72.85	4.6.23	1000	2	
LGW-3R			53.20	4.6.23	1050	2	
LGW-4			58.35	4.6.23	1135	4	
LGW-5			69.45	4.6.23	1220	3	
LGW-6 LGW-10			60.10	4.5.23	1610	8	
Dup.1			77.77	4.5.23	0700	8	
Dup.2			77.77	4.6.23	0700	8	

Remarks:
 * Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other


Samples returned via:
 UPS FedEx Courier

Relinquished by: (Signature) *[Signature]* Date: 4.7.23 Time: 1400
 Relinquished by: (Signature) *[Signature]* Date: 4.7.23 Time: 1400
 Relinquished by: (Signature) *[Signature]* Date: 4.7.23 Time: 1400

Tracking # _____
 Received by: (Signature) _____
 Received by: (Signature) _____
 Received for lab by: (Signature) *[Signature]* Date: 4/18/23 Time: 915

Temp: _____ °C
 Bottles Received: _____
 TBR _____

Trip Blank Received: Yes/No
 HCl MeOH
 TBR



MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody
 constitutes acknowledgment and acceptance of the
 Pace Terms and Conditions found at:
 https://info.pacelab.com/hubfs/pas-standard-
 terms.pdf

SDG # **L1603505**
D175
 Acctnum: **WMCOVISAR**
 Template: **T225843**
 Prelogin: **P986151**
 PM: **616 - Stacy Kennedy**
 PB: **Bf 3/14/23**
 Shipped Via: **FedEX Ground**

Analysis / Container / Preservative	Pres Chk
CHLORIDE 125mIHDP-NOPres	
CHLORIDE,SULFATE 125mIHDP-NOPres	
Metals 250mIHDP-HNO3	
NH3 250mIHDP-H2SO4	
TDS 1L-HDPE NOPres	
TOC 250mIamb-HCl	
V8260LL 40mIamb-HCl	
V8260LL 40mIamb-HCl-BIK	

Sample Receipt Checklist
 COC Seal Present/Intact: NP Y N
 COC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 If Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N
 RAD Screen <0.5 mR/hr: Y N

If preservation required by Login: Date/Time
 Hold:
 Condition: NCF / OK

1603505

<u>Tracking Numbers</u>	<u>Temperature</u>
G337 2231 7700	GIBAG $0.7+0=0.7$
G337 2231 7788	GIBAG $3.7+0=3.7$
G337 2231 7711	GIBAG $0.3+0=0.3$
G337 2231 7766	GIBAG $0.7+0=0.7$
G337 2231 7777	GIBAG $0.3+0=0.3$

FIELD INFORMATION FORM



Site Name: EWLF
 Site No.: Sample Point: LGW-6
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MMDDYY): 040623 PURGE TIME (2400 Hr Clock): 12:40 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 49.68 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:45	200 1"	6.06 1"	723	16.2	434	2.5	158.2	49.70
12:50	200 2"	6.20 2"	768	16.2	527	0.8	161.3	49.7
12:55	200 3"	6.25 3"	777	16.1	246	0.4	160.9	49.7
13:00	200 4"	6.24 4"	779	16.2	151	0.4	160.9	49.7
13:05	200	6.25	780	16.3	101	0.3	161.2	49.7

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form

FIELD DATA
 SAMPLE DATE (MM DD YY): 040623 pH (std): 6.25 CONDUCTANCE (umhos/cm @ 25°C): 780 TEMP. (°C): 16.3 TURBIDITY (ntu): 101 DO (mg/L-ppm): 0.3 eH/ORP (mV): 161.2 Other: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: Floating Specs.
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS
* Dup 2 @ 0700

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4, 6, 23 C. Fincher [Signature] Proton S
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-8R
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 04/06/23 PURGE TIME (2400 Hr Clock): 14:10 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other: _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 9.32 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:15	200 1 st	6.55	767	14.6	3.9	1.4	150.3	9.45
14:20	200 2 nd	6.55	780	14.7	3.8	0.7	149.0	9.45
14:25	200 3 rd	6.54	784	14.6	3.8	0.3	148.4	9.45
14:30	200 4 th	6.53	783	14.7	3.6	0.3	148.6	9.45
14:35	200	6.53	784	14.6	3.6	0.3	148.6	9.45

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/06/23 pH (std): 6.53 CONDUCTANCE (umhos/cm @ 25°C): 784 TEMP. (°C): 14.6 TURBIDITY (ntu): 3.6 DO (mg/L-ppm): 0.3 eH/ORP (mV): 148.6 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.6.23 C. Fincher _____ Provas
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-9
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 04/05/23 PURGE TIME: 14:50 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:

Purging and Sampling Equipment ... Dedicated: or
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 51.40 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:55	200 1 st	6.33	647	15.0	12.5	8.1	176.1	52.15
15:00	200 2 nd	6.04	685	15.5	8.7	1.6	190.8	52.25
15:05	200 3 rd	6.06	690	15.5	9.8	0.9	192.1	52.35
15:10	200 4 th	6.07	690	15.4	8.7	10.7	192.5	52.35
15:15	200	6.06	690	15.5	8.6	10.6	192.6	52.35

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 04/05/23 pH (std): 6.06 CONDUCTANCE (umhos/cm @ 25°C): 690 TEMP. (°C): 15.5 TURBIDITY (ntu): 8.6 DO (mg/L-ppm): 0.6 eH/ORP (mV): 192.6 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: none Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4/5/23 C. Guder
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW14R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 04/05/23 (MM DD YY)
 PURGE TIME: 16:30 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 55.50 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:35	200 1 st	6.34	490	12.6	8.4	7.3	161.8	56.75
16:40	200 2 nd	6.44	519	13.6	10.5	5.7	164.3	57.15
16:45	200 3 rd	6.47	524	13.8	8.8	5.1	167.0	58.05
16:50	200 4 th	6.48	523	13.8	9.7	5.1	167.6	58.10
16:55	200	6.48	524	13.8	9.4	5.0	167.6	58.15

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/05/23 pH (std): 6.48 CONDUCTANCE (μ mhos/cm @ 25°C): 524 TEMP. (°C): 13.8 TURBIDITY (ntu): 9.4 DO (mg/L-ppm): 5.0 eH/ORP (mV): 167.6 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.5.23 C. Fincher [Signature] Promins
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-7N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040523 PURGE TIME (2400 Hr Clock): 14:00 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLs PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 8417 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:05	200 1 st	7.63	547	14.9	1107.4	9.1	178.1	84.55
14:10	200 2 nd	7.30	551	14.9	131.3	8.4	176.8	84.55
14:15	200 3 rd	6.90	557	14.9	112.6	6.4	179.6	84.55
14:20	200 4 th	6.65	561	14.8	110.1	4.7	182.8	84.55
14:25	200	6.50	563	14.8	9.9	4.0	184.8	84.55
14:30	200	6.48	564	14.8	9.0	3.9	184.9	84.55
14:35	200	6.46	564	14.8	8.9	3.8	184.9	84.55

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040523 pH (std): 6.46 CONDUCTANCE (umhos/cm @ 25°C): 564 TEMP. (°C): 14.8 TURBIDITY (ntu): 8.9 DO (mg/L-ppm): 3.8 eH/ORP (mV): 184.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4, 5, 23 C. Fischer [Signature] Pratt S
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-115
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 04/05/23 PURGE TIME (2400 Hr Clock): 17:15 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 57.92 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		17:20	200 1 st	6.38	513	13.6	12.3	6.8	176.1
	17:25	200 2 nd	6.25	552	14.4	7.4	6.5	174.4	57.95
	17:30	200 3 rd	6.19	527	14.6	6.7	6.2	176.8	57.95
	17:35	200 4 th	6.17	521	14.6	6.7	6.2	177.8	57.95
	17:40	200	6.16	519	14.6	7.0	6.1	178.2	57.95

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/05/23 pH (std): 6.16 CONDUCTANCE (umhos/cm @ 25°C): 519 TEMP. (°C): 14.6 TURBIDITY (ntu): 7.0 DO (mg/L-ppm): 6.1 eH/ORP (mV): 178.2 Other: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.5.23 C. Fischer [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-16
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 04/05/23
 PURGE TIME (2400 Hr Clock): 17:55
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: A Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 65.53 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:00	200 1 st	6.08	490	13.0	115	6.8	1616	66.00
18:05	200 2 nd	6.65	1344	13.8	7.5	7.8	1479	66.70
18:10	200 3 rd	6.70	1342	13.9	7.0	6.4	1503	67.15
18:15	200 4 th	6.76	1340	14.0	7.1	6.4	1508	67.30
18:20	200	6.80	1341	14.0	7.2	6.4	1512	67.45

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/05/23
 pH (std): 6.80
 CONDUCTANCE (umhos/cm @ 25°C): 1341
 TEMP. (°C): 14.0
 TURBIDITY (ntu): 7.2
 DO (mg/L-ppm): 6.4
 eH/ORP (mV): 1512
 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
04/05/23 C. Fischer [Signature] Praxis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-19
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040623
 PURGE TIME (2400 Hr Clock): 1545
 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 67.35 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
15:50	200	7.36	480	15.6	6.7	8.4	126.9	67.55
15:55	200	7.20	392	16.8	9.0	7.1	133.0	67.55
16:00	200	7.30	392	17.0	12.6	5.9	131.2	67.55
16:05	200	7.36	380	16.9	10.5	6.0	129.8	67.55
16:10	200	7.38	373	16.8	9.7	6.0	129.2	67.55
16:15	200	7.38	364	16.9	9.7	6.2	130.2	67.55
:								
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040623 pH (std): 7.38 CONDUCTANCE (umhos/cm @ 25°C): 364 TEMP. (°C): 16.9 TURBIDITY (ntu): 9.7 DO (mg/L-ppm): 6.2 eH/ORP (mV): 130.2 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4, 6, 23 L. Fincher [Signature] [Signature]
 Date: / / Name: Signature: Company:

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-1
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040723
 PURGE TIME (2400 Hr Clock): 09:15
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 4489 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		09:20	200 1 st	6.66	478	14.7	5.2	8.1	156.8
	09:25	200 2 nd	6.90	472	14.9	3.8	8.3	154.2	48.00
	09:30	200 3 rd	7.03	470	14.8	4.1	8.3	152.9	48.25
	09:35	200 4 th	7.07	471	14.9	3.5	8.3	152.4	48.45
	09:40	200	7.09	472	14.9	3.9	8.4	152.0	48.55
	09:45	200	7.11	474	14.9	5.3	8.4	151.7	48.65

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA	SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
	040723	7.11	474	14.9	5.3	8.4	151.7	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: NW @ 10-15 mph Outlook: Cloudy, 40s Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.7.23 C. Fischer [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-4
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 04|06|23 PURGE TIME (2400 Hr Clock): 15:00 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other:
 X-Other: B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 64.70 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L-ppm)	eH/ORP (mV)	DTW (ft)
15:05	200 1"	6.71	668	15.4	9.2	6.3	140.0	64.7
15:10	200 2"	7.00	621	15.4	11.3	8.1	131.8	
15:15	200 3"	6.98	628	15.4	11.2	8.2	134.3	
15:20	200 4"	7.00	634	15.4	9.9	8.2	134.9	
15:25	200	6.99	640	15.4	9.7	8.2	135.9	

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04|06|23 pH (std): 6.99 CONDUCTANCE (umhos/cm @ 25°C): 640 TEMP. (°C): 15.4 TURBIDITY (ntu): 9.7 DO (mg/L-ppm): 8.2 eH/ORP (mV): 135.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
64.70' = Top of Pump

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.6.23 C. Fisher [Signature] [Signature] Promis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: ME-5
 Sample Point: ME-5
 Sample ID: _____

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 04/07/23
 PURGE TIME (2400 Hr Clock): 11:25
 ELAPSED HRS (hrs:min): _____
 WATER VOL IN CASING (Gallons): _____
 ACTUAL VOL PURGED (Gallons): _____
 WELL VOLS PURGED: _____

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 6818 (ft)
 Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>11:30</u>	<u>200</u>	<u>69.8</u>	<u>463</u>	<u>13.2</u>	<u>36.8</u>	<u>5.7</u>	<u>150.8</u>
	<u>11:35</u>	<u>200</u>	<u>64.1</u>	<u>735</u>	<u>14.9</u>	<u>23.6</u>	<u>1.1</u>	<u>169.7</u>	<u>70.50</u>
	<u>11:40</u>	<u>200</u>	<u>64.7</u>	<u>742</u>	<u>15.0</u>	<u>26.1</u>	<u>0.5</u>	<u>169.6</u>	<u>71.15</u>
	<u>11:45</u>	<u>200</u>	<u>64.8</u>	<u>745</u>	<u>15.0</u>	<u>14.5</u>	<u>0.4</u>	<u>169.8</u>	<u>71.35</u>
	<u>11:50</u>	<u>200</u>	<u>65.0</u>	<u>747</u>	<u>15.0</u>	<u>10.2</u>	<u>0.4</u>	<u>169.5</u>	<u>71.55</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/07/23
 pH (std): 650
 CONDUCTANCE (umhos/cm @ 25°C): 747
 TEMP. (°C): 15.0
 TURBIDITY (ntu): 10.2
 DO (mg/L-ppm): 0.4
 eH/ORP (mV): 169.5
 Other: _____ Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.7.23 C. Fischer _____ Branus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-5E
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 04/07/23 (MM DD YY)
 PURGE TIME: 12:15 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle

Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 6551 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:20	200 1 st	6.89	1647	14.8	1143.1	6.2	155.9	67.60
12:25	200 2 nd	6.68	1739	15.0	409.6	12.4	162.6	68.00
12:30	200 3 rd	6.68	1727	15.0	170.6	12.4	165.1	68.45
12:35	200 4 th	6.61	1734	15.0	48.7	11.5	167.1	68.55
12:40	200	6.61	1737	15.0	126.1	11.4	167.0	68.60
12:45	200	6.60	1741	15.0	114.7	11.3	167.1	68.60
12:50	200	6.58	1744	15.1	9.6	11.3	167.8	68.65

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/07/23
 pH (std): 6.58
 CONDUCTANCE (umhos/cm @ 25°C): 744
 TEMP. (°C): 15.1
 TURBIDITY (ntu): 9.6
 DO (mg/L-ppm): 1.3
 eH/ORP (mV): 167.8
 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other: Floating globules
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Large Amount of Floating orange/red globules.

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.7.23 C. Findeber [Signature] Praxis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-SW
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 04/07/23
 PURGE TIME (2400 Hr Clock): 10:40
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 69.56 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:45	200 1 st	7.01	518	13.1	327	4.1	140.0	70.25
10:50	200 2 nd	6.98	519	14.2	126	7.8	144.0	70.95
10:55	200 3 rd	6.75	650	14.5	215	5.2	157.2	70.85
11:00	200 4 th	6.67	736	14.8	136	2.2	163.7	71.45
11:05	200	6.68	739	14.7	125	2.0	163.5	71.70
11:10	200	6.69	740	14.8	103	1.9	163.9	71.80

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize
Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/07/23 pH (std): 6.69 CONDUCTANCE (umhos/cm @ 25°C): 740 TEMP. (°C): 14.8 TURBIDITY (ntu): 103 DO (mg/L-ppm): 1.9 eH/ORP (mV): 163.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.7.23 C. Archer
 Date Name Signature Company
 DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: ME-60
 Sample Point: ME-60
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 04/07/23 (MM DD YY)
 PURGE TIME: 10:00 (2400 Hr Clock)
 ELAPSED HRS: _____ (hrs:min)
 WATER VOL IN CASING: _____ (Gallons)
 ACTUAL VOL PURGED: _____ (Gallons)
 WELL VOLs PURGED: _____

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl)
 Depth to Water (DTW) (from TOC): 29.93 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft)
 Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:05	200 1 st	6.74	683	13.3	4.3	4.0	156.4	30.85
10:10	200 2 nd	6.70	706	14.4	3.8	1.5	161.7	31.65
10:15	200 3 rd	6.70	709	14.4	3.8	0.9	163.6	31.85
10:20	200 4 th	6.70	710	14.5	3.8	0.7	164.3	31.95
10:25	200	6.70	709	14.4	3.7	0.6	164.7	32.05

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/07/23
 pH (std): 6.70
 CONDUCTANCE (umhos/cm @ 25°C): 709
 TEMP. (°C): 14.4
 TURBIDITY (ntu): 3.7
 DO (mg/L-ppm): 0.6
 eH/ORP (mV): 164.7
 Other: _____ Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
M. J. 23 C. Finley [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-145
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 04/06/23 PURGE TIME: 17:00 ELAPSED HRS:
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment... Dedicated: or N
 Filter Device: Y or N | 0.45 μ or μ (circle or fill in)
 Purging Device: B A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: B C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 179 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		17:05	200	6.74	653	13.8	303	2.6	115.13
	17:10	200	6.71	595	13.4	62	3.6	115.40	17.95
	17:15	200	6.25	421	13.0	57	4.5	76.84	17.95
	17:20	200	6.17	410	12.9	6.9	4.5	117.16	17.95
	17:25	200	6.15	408	12.9	6.1	4.5	117.21	17.95
	17:30	200	6.13	407	12.9	6.5	4.5	117.26	17.95

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (μmhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
04/06/23	6.13	407	12.9	6.5	4.5	172.6	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.6.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: ME-2
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040523 PURGE TIME (2400 Hr Clock): 08:30 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: B A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: B B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 19.84 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		08:35	200 1 st	5.64 1 st	538	11.8	5.7	4.1	191.5
	08:40	200 2 nd	5.64 2 nd	539	11.7	4.4	3.4	197.7	19.92
	08:45	200 3 rd	5.63 3 rd	540	11.6	4.6	3.3	199.6	19.92
	08:50	200 4 th	5.62 4 th	539	11.5	4.5	3.0	200.6	19.92
	08:55	200	5.62	540	11.5	4.2	3.0	201.3	19.92
	09:00	200	5.62	540	11.5	4.1	2.9	202.1	19.92

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040523 pH (std): 5.62 CONDUCTANCE (umhos/cm @ 25°C): 540 TEMP. (°C): 11.5 TURBIDITY (ntu): 4.1 DO (mg/L-ppm): 2.9 eH/ORP (mV): 202.1 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: West @ 15-20 mph Outlook: Cloudy, 40's Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
* Dup 1 - 0700
FB @ 0835

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4/5/23 C. Finch [Signature] Praxis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-100
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040523
 PURGE TIME (2400 Hr Clock): 1200
 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or X
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: A A-Submersible Pump D-Bailer
 Sampling Device: A B-Peristaltic Pump E-Piston Pump
 C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 X-Other: Sample Tube Type: 0 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 10025 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
1205	350 1 st	6.93	1236	14.9	108.5	6.2	161.3	101.25
1210	350 2 nd	6.56	1267	15.4	178.1	7.3	174.1	101.25
1215	350 3 rd	6.52	1270	15.7	153.4	7.5	175.5	101.25
1220	350 4 th	6.51	1273	16.1	36.0	7.5	176.5	101.25
1225	350	6.49	1272	16.5	120.4	7.5	171.5	101.25
1230	350	6.48	1273	16.6	110.7	7.5	177.3	101.25
:								
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040523 pH (std): 6.48 CONDUCTANCE (umhos/cm @ 25°C): 273 TEMP. (°C): 16.6 TURBIDITY (ntu): 107 DO (mg/L-ppm): 7.5 eH/ORP (mV): 177.3 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.5 C. Finley [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-2
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 04/06/23 PURGE TIME (2400 Hr Clock): 09:30 ELAPSED HRS (hrs-min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment... Dedicated: or
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 20.15 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>09:35</u>	<u>200</u> 1 st	<u>6.59</u> 1 st	<u>540</u>	<u>11.6</u>	<u>67.3</u>	<u>8.2</u>	<u>154.6</u>
	<u>09:40</u>	<u>200</u> 2 nd	<u>6.71</u> 2 nd	<u>677</u>	<u>13.1</u>	<u>24.1</u>	<u>7.9</u>	<u>150.5</u>	<u>71.50</u>
	<u>09:45</u>	<u>200</u> 3 rd	<u>6.71</u> 3 rd	<u>688</u>	<u>13.3</u>	<u>20.5</u>	<u>6.2</u>	<u>152.6</u>	<u>72.00</u>
	<u>09:50</u>	<u>200</u> 4 th	<u>6.75</u> 4 th	<u>686</u>	<u>13.2</u>	<u>11.6</u>	<u>4.5</u>	<u>154.3</u>	<u>72.65</u>
	<u>09:55</u>	<u>200</u>	<u>6.73</u>	<u>684</u>	<u>13.5</u>	<u>9.7</u>	<u>4.3</u>	<u>155.3</u>	<u>72.75</u>
	<u>10:00</u>	<u>200</u>	<u>6.71</u>	<u>684</u>	<u>13.7</u>	<u>9.1</u>	<u>4.2</u>	<u>156.5</u>	<u>72.85</u>
	↓								
	↓								
	↓								
	↓								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/06/23 pH (std): 6.71 CONDUCTANCE (umhos/cm @ 25°C): 684 TEMP. (°C): 13.7 TURBIDITY (ntu): 9.1 DO (mg/L-ppm): 4.2 eH/ORP (mV): 156.5 Other: _____
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: NE 10-15 mph Outlook: cloudy, 50s Precipitation: Y or
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.6.23 C. Funder [Signature] Premis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-3R
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 04 06 23
 PURGE TIME (2400 Hr Clock): 10:15
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 53.08 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:20	200 1 st	6.18	155	14.5	182.1	17.9	168.7	53.20
10:25	200 2 nd	5.64	147	14.6	184	17.4	193.6	53.2
10:30	200 3 rd	5.48	141	14.8	164	17.4	200.1	53.2
10:35	200 4 th	5.45	140	14.9	20.2	17.4	202.4	53.2
10:40	200	5.43	141	14.9	47.2	17.4	202.0	53.2
10:45	200	5.44	139	14.9	19.6	17.4	201.5	53.2
10:50	200	5.44	139	15.1	7.9	17.4	201.1	53.2

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04 06 23 pH (std): 5.44 CONDUCTANCE (μmhos/cm @ 25°C): 139 TEMP. (°C): 15.1 TURBIDITY (ntu): 7.9 DO (mg/L-ppm): 7.4 eH/ORP (mV): 201.1 Other: _____
 Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4, 6, 23 C. Fincher _____ _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-4
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 04/06/23 PURGE TIME (2400 Hr Clock): 11:05 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 58.18 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
11:10	200 1 st	5.39	479	13.7	117.3	8.3	184.1	58.35
11:15	200 2 nd	6.46	827	15.4	11.9	5.3	158.3	58.35
11:20	200 3 rd	6.42	852	15.5	8.2	2.3	160.0	58.35
11:25	200 4 th	6.43	855	15.6	7.8	1.7	160.4	58.35
11:30	200	6.44	855	15.7	8.5	1.5	160.7	58.35
11:35	200	6.43	858	15.8	8.1	1.3	161.8	58.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/06/23 pH (std): 6.43 CONDUCTANCE (umhos/cm @ 25°C): 858 TEMP. (°C): 15.8 TURBIDITY (ntu): 8.1 DO (mg/L-ppm): 1.3 eH/ORP (mV): 161.8 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign).
4.6.23 C. Fincher [Signature] Provus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: L6W-5
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 04|06|23 PURGE TIME (2400 Hr Clock): 11:50 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 69|41 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
11:55	200 1 st	6.45	835	16.6	15.2	2.8	156.8	69.45
12:00	200 2 nd	6.26	779	15.8	8.3	3.5	169.3	69.45
12:05	200 3 rd	6.13	812	16.3	5.4	1.8	172.3	69.45
12:10	200 4 th	6.11	832	16.5	5.0	0.9	173.0	69.45
12:15	200	6.11	835	16.5	5.2	0.8	173.4	69.45
12:20	200	6.10	834	16.4	5.3	0.7	174.0	69.45
:								
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04|06|23 pH (std): 6.10 CONDUCTANCE (umhos/cm @ 25°C): 834 TEMP. (°C): 16.4 TURBIDITY (ntu): 5.3 DO (mg/L-ppm): 0.7 eH/ORP (mV): 174.0 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.6.23 C. Fischer [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-10
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 040523
 PURGE TIME (2400 Hr Clock): 1545
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOL PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 B-Pressure X-Other
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 5883 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
15:50	200 1 st	6.13	1824	13.4	19.7	0.4	181.3	59.40
15:55	200 2 nd	5.85	1890	15.8	10.3	0.5	190.2	59.85
16:00	200 3 rd	5.91	1913	15.3	7.6	0.3	191.0	60.00
16:05	200 4 th	5.93	1916	15.1	8.2	0.3	191.1	60.05
16:10	200	5.93	1919	15.0	8.4	0.3	191.3	60.10

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040523 pH (std): 5.93 CONDUCTANCE (umhos/cm @ 25°C): 919 TEMP. (°C): 15.0 TURBIDITY (ntu): 8.4 DO (mg/L-ppm): 0.3 eH/ORP (mV): 191.3 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.5.23 C. Fincher [Signature] Promis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

SK Stacy Kennedy

Members

Time estimate: oh
Time spent: oh


-27 LGW-4 delete metals except NiG, delete sulfate, add NH3

-26 LGW-3R add NH3

L1603505 should be logged per T225843. Client hand marked some wells and these changes are needed:

L1603505 *WMECOVISAR* Change tests

R5



Eco-Vista (Tontitown)LF


Sample Delivery Group: L1604063
Samples Received: 04/11/2023
Project Number: 200
Description: Eco-Vista LF-GW-Apr & Oct
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:



Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.




Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
MW-2N L1604063-01	5
MW-8N L1604063-02	6
MW-10N L1604063-03	8
MW-21 L1604063-04	9
NE-9 L1604063-05	11
TRIP BLANK L1604063-06	13
Qc: Quality Control Summary	14
Gravimetric Analysis by Method 2540 C-2011	14
Wet Chemistry by Method 9056A	15
Wet Chemistry by Method 9060A	17
Metals (ICP) by Method 6010B	18
Metals (ICPMS) by Method 6020	19
Volatile Organic Compounds (GC/MS) by Method 8260B	21
Gl: Glossary of Terms	24
Al: Accreditations & Locations	25
Sc: Sample Chain of Custody	26



SAMPLE SUMMARY

MW-2N L1604063-01 GW

Collected by Chris Fincher Collected date/time 04/08/23 09:25 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020	WG2041092	1	04/13/23 08:03	04/13/23 12:01	JPD	Mt. Juliet, TN

MW-8N L1604063-02 GW

Collected by Chris Fincher Collected date/time 04/08/23 12:00 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2041452	1	04/14/23 00:02	04/14/23 00:02	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2041069	1	04/14/23 12:07	04/14/23 12:07	RCD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2040640	1	04/15/23 14:37	04/16/23 21:43	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2041092	1	04/13/23 08:03	04/13/23 12:05	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2041307	1	04/13/23 15:44	04/13/23 15:44	ADM	Mt. Juliet, TN

MW-10N L1604063-03 GW

Collected by Chris Fincher Collected date/time 04/08/23 11:20 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010B	WG2040640	1	04/15/23 14:37	04/16/23 21:46	ABL	Mt. Juliet, TN

MW-21 L1604063-04 GW

Collected by Chris Fincher Collected date/time 04/08/23 10:35 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2041452	1	04/14/23 03:29	04/14/23 03:29	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2041069	1	04/14/23 12:21	04/14/23 12:21	RCD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2040640	1	04/15/23 14:37	04/16/23 21:49	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2041092	1	04/13/23 08:03	04/13/23 12:08	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2041307	1	04/13/23 16:05	04/13/23 16:05	ADM	Mt. Juliet, TN

NE-9 L1604063-05 GW


Collected by Chris Fincher Collected date/time 04/08/23 12:35 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2040637	1	04/13/23 11:04	04/14/23 01:43	AS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2041452	1	04/14/23 03:42	04/14/23 03:42	LBR	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2041069	1	04/14/23 12:35	04/14/23 12:35	RCD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2040640	1	04/15/23 14:37	04/16/23 21:52	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2041092	1	04/13/23 08:03	04/13/23 12:11	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2041307	1	04/13/23 16:25	04/13/23 16:25	ADM	Mt. Juliet, TN

TRIP BLANK L1604063-06 GW

Collected by Chris Fincher Collected date/time 04/08/23 00:00 Received date/time 04/11/23 09:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2041307	1	04/13/23 11:58	04/13/23 11:58	ADM	Mt. Juliet, TN



CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager


Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Wet Chemistry by Method 9056A

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2041452	(MS) R3913524-11	Chloride and Sulfate



Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.91	su
Specific Conductance (on site)	542	umhos/cm
Temperature (on-site)	14.7	Deg. C
Turbidity (on-site)	9.3	NTU
Dissolved Oxygen (on-site)	2.7	mg/l
eH/ORP (On Site)	150.9	mV
Depth to water (DTW) (FROM TOC)	65.07	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chromium, Total Recoverable	ND		0.00300	1	04/13/2023 12:01	WG2041092
Nickel, Total Recoverable	ND		0.00400	1	04/13/2023 12:01	WG2041092

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.3	su
Specific Conductance (on site)	517	umhos/cm
Temperature (on-site)	15.3	Deg. C
Turbidity (on-site)	2.6	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	163.4	mV
Depth to water (DTW) (FROM TOC)	26.74	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	259		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	29.9		3.00	1	04/14/2023 00:02	WG2041452
Sulfate	18.0		5.00	1	04/14/2023 00:02	WG2041452

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.77		1.00	1	04/14/2023 12:07	WG2041069

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/16/2023 21:43	WG2040640
Barium, Total Recoverable	0.142		0.00500	1	04/16/2023 21:43	WG2040640
Iron, Total Recoverable	ND		0.0600	1	04/16/2023 21:43	WG2040640
Manganese, Total Recoverable	2.75		0.00300	1	04/16/2023 21:43	WG2040640
Lead, Total Recoverable	ND		0.00500	1	04/16/2023 21:43	WG2040640
Selenium, Total Recoverable	0.0111		0.0100	1	04/16/2023 21:43	WG2040640

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/13/2023 12:05	WG2041092
Beryllium, Total Recoverable	ND		0.00100	1	04/13/2023 12:05	WG2041092
Cadmium, Total Recoverable	0.00779		0.00100	1	04/13/2023 12:05	WG2041092
Cobalt, Total Recoverable	ND		0.00300	1	04/13/2023 12:05	WG2041092
Chromium, Total Recoverable	ND		0.00300	1	04/13/2023 12:05	WG2041092
Copper, Total Recoverable	ND		0.00400	1	04/13/2023 12:05	WG2041092
Nickel, Total Recoverable	0.0213		0.00400	1	04/13/2023 12:05	WG2041092
Antimony, Total Recoverable	ND		0.00200	1	04/13/2023 12:05	WG2041092
Thallium, Total Recoverable	ND		0.00100	1	04/13/2023 12:05	WG2041092
Vanadium, Total Recoverable	ND		0.00300	1	04/13/2023 12:05	WG2041092
Zinc, Total Recoverable	0.0127	J	0.00500	1	04/13/2023 12:05	WG2041092

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,1,1-Trichloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,1,2-Trichloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,1-Dichloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,1-Dichloroethene	ND		1.00	1	04/13/2023 15:44	WG2041307
1,2,3-Trichloropropane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/13/2023 15:44	WG2041307
1,2-Dibromoethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,2-Dichlorobenzene	ND		1.00	1	04/13/2023 15:44	WG2041307
1,2-Dichloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,2-Dichloropropane	ND		1.00	1	04/13/2023 15:44	WG2041307
1,4-Dichlorobenzene	ND		1.00	1	04/13/2023 15:44	WG2041307
2-Butanone (MEK)	ND		5.00	1	04/13/2023 15:44	WG2041307
2-Hexanone	ND		5.00	1	04/13/2023 15:44	WG2041307
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/13/2023 15:44	WG2041307
Acetone	ND		10.0	1	04/13/2023 15:44	WG2041307
Acrylonitrile	ND		20.0	1	04/13/2023 15:44	WG2041307
Benzene	ND		1.00	1	04/13/2023 15:44	WG2041307
Bromochloromethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Bromodichloromethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Bromoform	ND		1.00	1	04/13/2023 15:44	WG2041307
Bromomethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Carbon disulfide	ND		1.00	1	04/13/2023 15:44	WG2041307
Carbon tetrachloride	ND		1.00	1	04/13/2023 15:44	WG2041307
Chlorobenzene	ND		1.00	1	04/13/2023 15:44	WG2041307
Chloroethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Chloroform	ND		1.00	1	04/13/2023 15:44	WG2041307
Chloromethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Dibromochloromethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Dibromomethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Ethylbenzene	ND		1.00	1	04/13/2023 15:44	WG2041307
Iodomethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Methylene Chloride	ND		1.07	1	04/13/2023 15:44	WG2041307
Styrene	ND		1.00	1	04/13/2023 15:44	WG2041307
Tetrachloroethene	ND		1.00	1	04/13/2023 15:44	WG2041307
Toluene	ND		1.00	1	04/13/2023 15:44	WG2041307
Trichloroethene	ND		1.00	1	04/13/2023 15:44	WG2041307
Trichlorofluoromethane	ND		1.00	1	04/13/2023 15:44	WG2041307
Vinyl acetate	ND		5.00	1	04/13/2023 15:44	WG2041307
Vinyl chloride	ND		1.00	1	04/13/2023 15:44	WG2041307
Xylenes, Total	ND		1.00	1	04/13/2023 15:44	WG2041307
cis-1,2-Dichloroethene	ND		1.00	1	04/13/2023 15:44	WG2041307
cis-1,3-Dichloropropene	ND		1.00	1	04/13/2023 15:44	WG2041307
trans-1,2-Dichloroethene	ND		1.00	1	04/13/2023 15:44	WG2041307
trans-1,3-Dichloropropene	ND		1.00	1	04/13/2023 15:44	WG2041307
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/13/2023 15:44	WG2041307
(S) 1,2-Dichloroethane-d4	108			70.0-130	04/13/2023 15:44	WG2041307
(S) 4-Bromofluorobenzene	93.5			77.0-126	04/13/2023 15:44	WG2041307
(S) Toluene-d8	105			80.0-120	04/13/2023 15:44	WG2041307

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.11	su
Specific Conductance (on site)	497	umhos/cm
Temperature (on-site)	14.7	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	0.2	mg/l
eH/ORP (On Site)	135.6	mV
Depth to water (DTW) (FROM TOC)	27.72	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Manganese, Total Recoverable	0.0490		0.00300	1	04/16/2023 21:46	WG2040640

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.74	su
Specific Conductance (on site)	321	umhos/cm
Temperature (on-site)	15.8	Deg. C
Turbidity (on-site)	10.1	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	195.9	mV
Depth to water (DTW) (FROM TOC)	20.45	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	162		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	16.0		3.00	1	04/14/2023 03:29	WG2041452
Sulfate	15.1		5.00	1	04/14/2023 03:29	WG2041452

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.68		1.00	1	04/14/2023 12:21	WG2041069

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/16/2023 21:49	WG2040640
Barium, Total Recoverable	0.170		0.00500	1	04/16/2023 21:49	WG2040640
Iron, Total Recoverable	0.893		0.0600	1	04/16/2023 21:49	WG2040640
Manganese, Total Recoverable	5.71		0.00300	1	04/16/2023 21:49	WG2040640
Lead, Total Recoverable	ND		0.00500	1	04/16/2023 21:49	WG2040640
Selenium, Total Recoverable	ND		0.0100	1	04/16/2023 21:49	WG2040640

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/13/2023 12:08	WG2041092
Beryllium, Total Recoverable	ND		0.00100	1	04/13/2023 12:08	WG2041092
Cadmium, Total Recoverable	0.00265		0.00100	1	04/13/2023 12:08	WG2041092
Cobalt, Total Recoverable	0.00745		0.00300	1	04/13/2023 12:08	WG2041092
Chromium, Total Recoverable	ND		0.00300	1	04/13/2023 12:08	WG2041092
Copper, Total Recoverable	ND		0.00400	1	04/13/2023 12:08	WG2041092
Nickel, Total Recoverable	0.0258		0.00400	1	04/13/2023 12:08	WG2041092
Antimony, Total Recoverable	ND		0.00200	1	04/13/2023 12:08	WG2041092
Thallium, Total Recoverable	ND		0.00100	1	04/13/2023 12:08	WG2041092
Vanadium, Total Recoverable	ND		0.00300	1	04/13/2023 12:08	WG2041092
Zinc, Total Recoverable	0.0412		0.00500	1	04/13/2023 12:08	WG2041092

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,1,1-Trichloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,1,2-Trichloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,1-Dichloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,1-Dichloroethene	ND		1.00	1	04/13/2023 16:05	WG2041307
1,2,3-Trichloropropane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/13/2023 16:05	WG2041307
1,2-Dibromoethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,2-Dichlorobenzene	ND		1.00	1	04/13/2023 16:05	WG2041307
1,2-Dichloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,2-Dichloropropane	ND		1.00	1	04/13/2023 16:05	WG2041307
1,4-Dichlorobenzene	ND		1.00	1	04/13/2023 16:05	WG2041307
2-Butanone (MEK)	ND		5.00	1	04/13/2023 16:05	WG2041307
2-Hexanone	ND		5.00	1	04/13/2023 16:05	WG2041307
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/13/2023 16:05	WG2041307
Acetone	ND		10.0	1	04/13/2023 16:05	WG2041307
Acrylonitrile	ND		20.0	1	04/13/2023 16:05	WG2041307
Benzene	ND		1.00	1	04/13/2023 16:05	WG2041307
Bromochloromethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Bromodichloromethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Bromoform	ND		1.00	1	04/13/2023 16:05	WG2041307
Bromomethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Carbon disulfide	ND		1.00	1	04/13/2023 16:05	WG2041307
Carbon tetrachloride	ND		1.00	1	04/13/2023 16:05	WG2041307
Chlorobenzene	ND		1.00	1	04/13/2023 16:05	WG2041307
Chloroethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Chloroform	ND		1.00	1	04/13/2023 16:05	WG2041307
Chloromethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Dibromochloromethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Dibromomethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Ethylbenzene	ND		1.00	1	04/13/2023 16:05	WG2041307
Iodomethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Methylene Chloride	ND		1.07	1	04/13/2023 16:05	WG2041307
Styrene	ND		1.00	1	04/13/2023 16:05	WG2041307
Tetrachloroethene	ND		1.00	1	04/13/2023 16:05	WG2041307
Toluene	ND		1.00	1	04/13/2023 16:05	WG2041307
Trichloroethene	ND		1.00	1	04/13/2023 16:05	WG2041307
Trichlorofluoromethane	ND		1.00	1	04/13/2023 16:05	WG2041307
Vinyl acetate	ND		5.00	1	04/13/2023 16:05	WG2041307
Vinyl chloride	ND		1.00	1	04/13/2023 16:05	WG2041307
Xylenes, Total	ND		1.00	1	04/13/2023 16:05	WG2041307
cis-1,2-Dichloroethene	ND		1.00	1	04/13/2023 16:05	WG2041307
cis-1,3-Dichloropropene	ND		1.00	1	04/13/2023 16:05	WG2041307
trans-1,2-Dichloroethene	ND		1.00	1	04/13/2023 16:05	WG2041307
trans-1,3-Dichloropropene	ND		1.00	1	04/13/2023 16:05	WG2041307
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/13/2023 16:05	WG2041307
(S) 1,2-Dichloroethane-d4	108			70.0-130	04/13/2023 16:05	WG2041307
(S) 4-Bromofluorobenzene	94.4			77.0-126	04/13/2023 16:05	WG2041307
(S) Toluene-d8	105			80.0-120	04/13/2023 16:05	WG2041307

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.24	su
Specific Conductance (on site)	689	umhos/cm
Temperature (on-site)	15	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	164.9	mV
Depth to water (DTW) (FROM TOC)	9.02	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	361		10.0	1	04/14/2023 01:43	WG2040637

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	23.6		3.00	1	04/14/2023 03:42	WG2041452
Sulfate	ND		5.00	1	04/14/2023 03:42	WG2041452

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.08		1.00	1	04/14/2023 12:35	WG2041069

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	04/16/2023 21:52	WG2040640
Barium, Total Recoverable	0.0888		0.00500	1	04/16/2023 21:52	WG2040640
Iron, Total Recoverable	ND		0.0600	1	04/16/2023 21:52	WG2040640
Manganese, Total Recoverable	2.23		0.00300	1	04/16/2023 21:52	WG2040640
Lead, Total Recoverable	ND		0.00500	1	04/16/2023 21:52	WG2040640
Selenium, Total Recoverable	ND		0.0100	1	04/16/2023 21:52	WG2040640

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	04/13/2023 12:11	WG2041092
Beryllium, Total Recoverable	ND		0.00100	1	04/13/2023 12:11	WG2041092
Cadmium, Total Recoverable	0.0104		0.00100	1	04/13/2023 12:11	WG2041092
Cobalt, Total Recoverable	ND		0.00300	1	04/13/2023 12:11	WG2041092
Chromium, Total Recoverable	ND		0.00300	1	04/13/2023 12:11	WG2041092
Copper, Total Recoverable	ND		0.00400	1	04/13/2023 12:11	WG2041092
Nickel, Total Recoverable	0.0406		0.00400	1	04/13/2023 12:11	WG2041092
Antimony, Total Recoverable	ND		0.00200	1	04/13/2023 12:11	WG2041092
Thallium, Total Recoverable	ND		0.00100	1	04/13/2023 12:11	WG2041092
Vanadium, Total Recoverable	ND		0.00300	1	04/13/2023 12:11	WG2041092
Zinc, Total Recoverable	0.0625		0.00500	1	04/13/2023 12:11	WG2041092

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,1,1-Trichloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,1,2-Trichloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,1-Dichloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,1-Dichloroethene	ND		1.00	1	04/13/2023 16:25	WG2041307
1,2,3-Trichloropropane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/13/2023 16:25	WG2041307
1,2-Dibromoethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,2-Dichlorobenzene	ND		1.00	1	04/13/2023 16:25	WG2041307
1,2-Dichloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,2-Dichloropropane	ND		1.00	1	04/13/2023 16:25	WG2041307
1,4-Dichlorobenzene	ND		1.00	1	04/13/2023 16:25	WG2041307
2-Butanone (MEK)	ND		5.00	1	04/13/2023 16:25	WG2041307
2-Hexanone	ND		5.00	1	04/13/2023 16:25	WG2041307
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/13/2023 16:25	WG2041307
Acetone	ND		10.0	1	04/13/2023 16:25	WG2041307
Acrylonitrile	ND		20.0	1	04/13/2023 16:25	WG2041307
Benzene	ND		1.00	1	04/13/2023 16:25	WG2041307
Bromochloromethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Bromodichloromethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Bromoform	ND		1.00	1	04/13/2023 16:25	WG2041307
Bromomethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Carbon disulfide	ND		1.00	1	04/13/2023 16:25	WG2041307
Carbon tetrachloride	ND		1.00	1	04/13/2023 16:25	WG2041307
Chlorobenzene	ND		1.00	1	04/13/2023 16:25	WG2041307
Chloroethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Chloroform	ND		1.00	1	04/13/2023 16:25	WG2041307
Chloromethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Dibromochloromethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Dibromomethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Ethylbenzene	ND		1.00	1	04/13/2023 16:25	WG2041307
Iodomethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Methylene Chloride	ND		1.07	1	04/13/2023 16:25	WG2041307
Styrene	ND		1.00	1	04/13/2023 16:25	WG2041307
Tetrachloroethene	ND		1.00	1	04/13/2023 16:25	WG2041307
Toluene	ND		1.00	1	04/13/2023 16:25	WG2041307
Trichloroethene	ND		1.00	1	04/13/2023 16:25	WG2041307
Trichlorofluoromethane	ND		1.00	1	04/13/2023 16:25	WG2041307
Vinyl acetate	ND		5.00	1	04/13/2023 16:25	WG2041307
Vinyl chloride	ND		1.00	1	04/13/2023 16:25	WG2041307
Xylenes, Total	ND		1.00	1	04/13/2023 16:25	WG2041307
cis-1,2-Dichloroethene	ND		1.00	1	04/13/2023 16:25	WG2041307
cis-1,3-Dichloropropene	ND		1.00	1	04/13/2023 16:25	WG2041307
trans-1,2-Dichloroethene	ND		1.00	1	04/13/2023 16:25	WG2041307
trans-1,3-Dichloropropene	ND		1.00	1	04/13/2023 16:25	WG2041307
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/13/2023 16:25	WG2041307
(S) 1,2-Dichloroethane-d4	107			70.0-130	04/13/2023 16:25	WG2041307
(S) 4-Bromofluorobenzene	96.6			77.0-126	04/13/2023 16:25	WG2041307
(S) Toluene-d8	106			80.0-120	04/13/2023 16:25	WG2041307

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,1,1-Trichloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,1,2,2-Tetrachloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,1,2-Trichloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,1-Dichloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,1-Dichloroethene	ND		1.00	1	04/13/2023 11:58	WG2041307
1,2,3-Trichloropropane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,2-Dibromo-3-Chloropropane	ND		2.00	1	04/13/2023 11:58	WG2041307
1,2-Dibromoethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,2-Dichlorobenzene	ND		1.00	1	04/13/2023 11:58	WG2041307
1,2-Dichloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,2-Dichloropropane	ND		1.00	1	04/13/2023 11:58	WG2041307
1,4-Dichlorobenzene	ND		1.00	1	04/13/2023 11:58	WG2041307
2-Butanone (MEK)	ND		5.00	1	04/13/2023 11:58	WG2041307
2-Hexanone	ND		5.00	1	04/13/2023 11:58	WG2041307
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	04/13/2023 11:58	WG2041307
Acetone	ND		10.0	1	04/13/2023 11:58	WG2041307
Acrylonitrile	ND		20.0	1	04/13/2023 11:58	WG2041307
Benzene	ND		1.00	1	04/13/2023 11:58	WG2041307
Bromochloromethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Bromodichloromethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Bromoform	ND		1.00	1	04/13/2023 11:58	WG2041307
Bromomethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Carbon disulfide	ND		1.00	1	04/13/2023 11:58	WG2041307
Carbon tetrachloride	ND		1.00	1	04/13/2023 11:58	WG2041307
Chlorobenzene	ND		1.00	1	04/13/2023 11:58	WG2041307
Chloroethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Chloroform	ND		1.00	1	04/13/2023 11:58	WG2041307
Chloromethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Dibromochloromethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Dibromomethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Ethylbenzene	ND		1.00	1	04/13/2023 11:58	WG2041307
Iodomethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Methylene Chloride	ND		1.07	1	04/13/2023 11:58	WG2041307
Styrene	ND		1.00	1	04/13/2023 11:58	WG2041307
Tetrachloroethene	ND		1.00	1	04/13/2023 11:58	WG2041307
Toluene	ND		1.00	1	04/13/2023 11:58	WG2041307
Trichloroethene	ND		1.00	1	04/13/2023 11:58	WG2041307
Trichlorofluoromethane	ND		1.00	1	04/13/2023 11:58	WG2041307
Vinyl acetate	ND		5.00	1	04/13/2023 11:58	WG2041307
Vinyl chloride	ND		1.00	1	04/13/2023 11:58	WG2041307
Xylenes, Total	ND		1.00	1	04/13/2023 11:58	WG2041307
cis-1,2-Dichloroethene	ND		1.00	1	04/13/2023 11:58	WG2041307
cis-1,3-Dichloropropene	ND		1.00	1	04/13/2023 11:58	WG2041307
trans-1,2-Dichloroethene	ND		1.00	1	04/13/2023 11:58	WG2041307
trans-1,3-Dichloropropene	ND		1.00	1	04/13/2023 11:58	WG2041307
trans-1,4-Dichloro-2-butene	ND		1.00	1	04/13/2023 11:58	WG2041307
(S) 1,2-Dichloroethane-d4	108			70.0-130	04/13/2023 11:58	WG2041307
(S) 4-Bromofluorobenzene	96.6			77.0-126	04/13/2023 11:58	WG2041307
(S) Toluene-d8	106			80.0-120	04/13/2023 11:58	WG2041307

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Method Blank (MB)

(MB) R3913609-1 04/14/23 01:43

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	ND	2.82	10.0	

L1603505-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1603505-13 04/14/23 01:43 • (DUP) R3913609-3 04/14/23 01:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	227	235	1	3.46		5

L1603813-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1603813-01 04/14/23 01:43 • (DUP) R3913609-4 04/14/23 01:43

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	460	459	1	0.218		5

Laboratory Control Sample (LCS)

(LCS) R3913609-2 04/14/23 01:43

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	8300	94.3	77.3-123	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913524-1 04/13/23 23:35

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	0.112	0.0519	1.00	
Sulfate	0.103	0.0774	5.00	

L1604726-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1604726-02 04/14/23 06:27 • (DUP) R3913524-9 04/14/23 06:41

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	325	327	1	0.577	E	15
Sulfate	338	340	1	0.771	E	15

L1604063-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1604063-02 04/14/23 00:02 • (DUP) R3913524-6 04/14/23 00:16

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	29.9	29.9	1	0.0613		15
Sulfate	18.0	18.0	1	0.0884		15

Laboratory Control Sample (LCS)

(LCS) R3913524-2 04/13/23 23:49

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	38.6	96.6	80.0-120	
Sulfate	40.0	38.3	95.7	80.0-120	

L1604063-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1604063-02 04/14/23 00:02 • (MS) R3913524-7 04/14/23 00:30 • (MSD) R3913524-8 04/14/23 00:44

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MSD Rec. %	MSD Rec. %	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	29.9	77.0	77.2	1	80.0-120	94.3	94.7	0.297	0.297	15
Sulfate	50.0	18.0	63.7	64.1	1	80.0-120	91.5	92.2	0.553	0.553	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

L1604726-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1604726-02 04/14/23 06:27 • (MS) R3913524-11 04/14/23 06:54

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	325	358	64.3	1	80.0-120	EV
Sulfate	50.0	338	376	76.4	1	80.0-120	EV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3913543-2 04/14/23 11:17

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TOC (Total Organic Carbon)	0.546	J	0.102	1.00

L1604117-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1604117-01 04/14/23 13:45 • (DUP) R3913543-5 04/14/23 14:09

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC	17.7	18.3	1	3.50		20

L1604484-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1604484-01 04/14/23 18:53 • (DUP) R3913543-6 04/14/23 19:13

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
TOC	2.42	2.26	1	6.96		20

Laboratory Control Sample (LCS)

(LCS) R3913543-1 04/14/23 11:05

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TOC	75.0	73.9	98.5	85.0-115	

L1604063-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1604063-05 04/14/23 12:35 • (MS) R3913543-3 04/14/23 13:00 • (MSD) R3913543-4 04/14/23 13:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	1.08	51.2	51.2	1	80.0-120	100	100	0.0586	20

L1604484-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1604484-07 04/14/23 20:55 • (MS) R3913543-7 04/14/23 22:48 • (MSD) R3913543-8 04/14/23 23:13

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TOC	50.0	7.73	59.0	57.8	1	80.0-120	100	103	2.07	20

Method Blank (MB)

(MB) R3913776-1 04/16/23 20:58

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver	ND	0.00280	0.00500	0.00500
Barium	ND	0.00170	0.00500	0.00500
Iron	ND	0.0141	0.100	0.100
Manganese	ND	0.00120	0.0100	0.0100
Lead	ND	0.00190	0.00500	0.00500
Selenium	ND	0.00740	0.0100	0.0100

Laboratory Control Sample (LCS)

(LCS) R3913776-2 04/16/23 21:01

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver	0.200	0.174	86.8	80.0-120	
Barium	1.00	0.978	97.8	80.0-120	
Iron	10.0	9.55	95.5	80.0-120	
Manganese	1.00	0.873	87.3	80.0-120	
Lead	1.00	0.947	94.7	80.0-120	
Selenium	1.00	0.946	94.6	80.0-120	

L1603995-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603995-22 04/16/23 21:04 • (MS) R3913776-4 04/16/23 21:09 • (MSD) R3913776-5 04/16/23 21:12

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver	0.200	ND	0.177	0.177	88.4	88.4	1	75.0-125	0.0481	0.0481	0.0481	2.0
Barium	1.00	0.0181	1.02	1.04	99.8	102	1	75.0-125	2.17	2.17	2.17	2.0
Iron	10.0	0.724	10.4	10.4	96.9	97.1	1	75.0-125	0.244	0.244	0.244	2.0
Manganese	1.00	0.140	1.03	1.03	89.3	88.7	1	75.0-125	0.656	0.656	0.656	2.0
Lead	1.00	ND	0.957	0.981	95.7	98.1	1	75.0-125	2.56	2.56	2.56	2.0
Selenium	1.00	ND	0.974	0.995	97.4	99.5	1	75.0-125	2.22	2.22	2.22	2.0

WG2041092

Metals (ICPMS) by Method 6020

QUALITY CONTROL SUMMARY

L1604063-01_02_04_05

Method Blank (MB)

(MB) R3912789-1 04/13/23 11:05

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	ND		0.000250	0.00200
Beryllium	ND		0.000120	0.00200
Cadmium	ND		0.000160	0.00100
Cobalt	ND		0.000260	0.00200
Chromium	ND		0.000540	0.00200
Copper	ND		0.000520	0.00500
Nickel	ND		0.000350	0.00200
Antimony	ND		0.000754	0.00200
Thallium	ND		0.000190	0.00200
Vanadium	ND		0.000180	0.00500
Zinc	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3912789-2 04/13/23 11:09

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	0.0500	0.0480	96.0	80.0-120	
Beryllium	0.0500	0.0503	101	80.0-120	
Cadmium	0.0500	0.0522	104	80.0-120	
Cobalt	0.0500	0.0504	101	80.0-120	
Chromium	0.0500	0.0503	101	80.0-120	
Copper	0.0500	0.0474	94.7	80.0-120	
Nickel	0.0500	0.0507	101	80.0-120	
Antimony	0.0500	0.0457	91.4	80.0-120	
Thallium	0.0500	0.0493	98.6	80.0-120	
Vanadium	0.0500	0.0504	101	80.0-120	
Zinc	0.0500	0.0474	94.8	80.0-120	

L1603493-33 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603493-33 04/13/23 11:12 • (MS) R3912789-4 04/13/23 11:19 • (MSD) R3912789-5 04/13/23 11:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	0.0500	ND	0.0481	95.7	0.0488	97.2	1	75.0-125			1.48	2.0
Beryllium	0.0500	ND	0.0499	99.8	0.0490	98.1	1	75.0-125			1.73	2.0
Cadmium	0.0500	0.0512	0.0512	102	0.0515	103	1	75.0-125			0.468	2.0
Cobalt	0.0500	0.0490	0.0490	97.7	0.0503	100	1	75.0-125			2.60	2.0
Chromium	0.0500	0.0493	0.0493	98.5	0.0505	101	1	75.0-125			2.56	2.0

L1603493-33 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1603493-33 04/13/23 11:12 • (MS) R3912789-4 04/13/23 11:19 • (MSD) R3912789-5 04/13/23 11:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper	0.0500	0.0462	0.0479	0.0479	92.4	95.7	1	75.0-125			3.49	20
Nickel	0.0500	ND	0.0496	0.0501	99.2	100	1	75.0-125			1.06	20
Antimony	0.0500	ND	0.0495	0.0484	99.0	96.8	1	75.0-125			2.32	20
Thallium	0.0500	ND	0.0476	0.0504	95.1	101	1	75.0-125			5.84	20
Vanadium	0.0500	0.0508	0.0514	0.0514	102	103	1	75.0-125			1.21	20
Zinc	0.0500	0.0481	0.0527	0.0527	96.3	105	1	75.0-125			8.99	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WG2041307

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1604063-02.04.05.06

Method Blank (MB)

(MB) R3913226-3 04/13/23 10:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chlorodibromomethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	0.391	J	0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2041307

Volatile Organic Compounds (GC/MS) by Method 8260B

QUALITY CONTROL SUMMARY

L1604063-02.04.05.06

Method Blank (MB)

(MB) R3913226-3 04/13/23 10:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
<i>(S)</i> 1,2-Dichloroethane-d4	107			70.0-130
<i>(S)</i> 4-Bromofluorobenzene	94.6			77.0-126
<i>(S)</i> Toluene-d8	105			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3913226-1 04/13/23 09:20 • (LCSD) R3913226-2 04/13/23 09:40

Analyte	Spike Amount ug/l	LCS Result		LCSD Result		LCS Rec.		LCSD Rec.		Rec. Limits		LCS Qualifier		LCSD Qualifier		RPD Limits	
		ug/l	%	ug/l	%	ug/l	%	ug/l	%	ug/l	%	ug/l	%	ug/l	%	ug/l	%
1,1,1,2-Tetrachloroethane	5.00	4.38	87.6	4.48	89.6	75.0-125	2.26	20									
1,1,1-Trichloroethane	5.00	4.53	90.6	4.59	91.8	73.0-124	1.32	20									
1,1,2,2-Tetrachloroethane	5.00	5.45	109	5.28	106	65.0-130	3.17	20									
1,1,2-Trichloroethane	5.00	4.56	91.2	4.70	94.0	80.0-120	3.02	20									
1,1-Dichloroethane	5.00	4.94	98.8	4.97	99.4	70.0-126	0.605	20									
1,1-Dichloroethene	5.00	4.28	85.6	4.31	86.2	71.0-124	0.698	20									
1,2,3-Trichloropropane	5.00	5.22	104	5.30	106	73.0-130	1.52	20									
1,2-Dibromo-3-Chloropropane	5.00	4.14	82.8	4.41	88.2	58.0-134	6.32	20									
1,2-Dibromoethane	5.00	4.73	94.6	4.80	96.0	80.0-122	1.47	20									
1,2-Dichlorobenzene	5.00	4.39	87.8	4.38	87.6	79.0-121	0.228	20									
1,2-Dichloroethane	5.00	4.97	99.4	4.95	99.0	70.0-128	0.403	20									
1,2-Dichloropropane	5.00	5.13	103	4.94	98.8	77.0-125	3.77	20									
1,4-Dichlorobenzene	5.00	4.30	86.0	4.40	88.0	79.0-120	2.30	20									
2-Butanone (MEK)	25.0	27.1	108	26.4	106	44.0-160	2.62	20									
2-Hexanone	25.0	25.6	102	25.5	102	67.0-149	0.391	20									
4-Methyl-2-pentanone (MIBK)	25.0	25.2	101	25.2	101	68.0-142	0.000	20									
Acetone	25.0	26.8	107	26.4	106	19.0-160	1.50	27									
Acrylonitrile	25.0	26.1	104	26.1	104	55.0-149	0.000	20									
Benzene	5.00	4.65	93.0	4.67	93.4	70.0-123	0.429	20									
Bromochloromethane	5.00	4.66	93.2	4.61	92.2	76.0-122	1.08	20									
Bromodichloromethane	5.00	4.75	95.0	4.81	96.2	75.0-120	1.26	20									
Bromoform	5.00	4.10	82.0	4.09	81.8	68.0-132	0.244	20									
Bromomethane	5.00	3.61	72.2	3.75	75.0	10.0-160	3.80	25									

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3913226-1 04/13/23 09:20 • (LCSD) R3913226-2 04/13/23 09:40

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec.		LCSD Rec.		Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD		RPD Limits %
				%	%	%	%				%	%	
Carbon disulfide	5.00	4.38	4.38	87.6	87.6	87.6	87.6	61.0-128		0.000	0.000	20	
Carbon tetrachloride	5.00	4.31	4.28	86.2	86.2	85.6	85.6	68.0-126		0.698	0.698	20	
Chlorobenzene	5.00	4.52	4.57	90.4	90.4	91.4	91.4	80.0-121		1.10	1.10	20	
Chloroethane	5.00	4.29	4.30	85.8	85.8	86.0	86.0	47.0-150		0.233	0.233	20	
Chloroform	5.00	4.74	4.64	94.8	94.8	92.8	92.8	73.0-120		2.13	2.13	20	
Chloromethane	5.00	3.87	3.81	77.4	77.4	76.2	76.2	41.0-142		1.56	1.56	20	
Chlorodibromomethane	5.00	4.39	4.34	87.8	87.8	86.8	86.8	77.0-125		1.15	1.15	20	
Dibromomethane	5.00	4.78	4.66	95.6	95.6	93.2	93.2	80.0-120		2.54	2.54	20	
Ethylbenzene	5.00	4.34	4.38	86.8	86.8	87.6	87.6	79.0-123		0.917	0.917	20	
Iodomethane	25.0	14.1	15.8	56.4	56.4	63.2	63.2	33.0-147		11.4	11.4	26	
Methylene Chloride	5.00	5.03	5.00	101	101	100	100	67.0-120		0.598	0.598	20	
Styrene	5.00	4.22	4.32	84.4	84.4	86.4	86.4	73.0-130		2.34	2.34	20	
Tetrachloroethene	5.00	4.32	4.35	86.4	86.4	87.0	87.0	72.0-132		0.692	0.692	20	
Toluene	5.00	4.48	4.58	89.6	89.6	91.6	91.6	79.0-120		2.21	2.21	20	
Trichloroethene	5.00	4.60	4.59	92.0	92.0	91.8	91.8	78.0-124		0.218	0.218	20	
Trichlorofluoromethane	5.00	4.31	4.29	86.2	86.2	85.8	85.8	59.0-147		0.465	0.465	20	
Vinyl acetate	25.0	36.9	35.1	148	148	140	140	11.0-160		5.00	5.00	20	
Vinyl chloride	5.00	4.47	4.58	89.4	89.4	91.6	91.6	67.0-131		2.43	2.43	20	
Xylenes, Total	15.0	12.9	13.3	86.0	86.0	88.7	88.7	79.0-123		3.05	3.05	20	
cis-1,2-Dichloroethene	5.00	4.60	4.61	92.0	92.0	92.2	92.2	73.0-120		0.217	0.217	20	
cis-1,3-Dichloropropene	5.00	4.75	4.73	95.0	95.0	94.6	94.6	80.0-123		0.422	0.422	20	
trans-1,2-Dichloroethene	5.00	4.58	4.63	91.6	91.6	92.6	92.6	73.0-120		1.09	1.09	20	
trans-1,3-Dichloropropene	5.00	4.59	4.62	91.8	91.8	92.4	92.4	78.0-124		0.651	0.651	20	
trans-1,4-Dichloro-2-butene	5.00	5.61	5.20	112	112	104	104	33.0-144		7.59	7.59	20	
(S) 1,2-Dichloroethane-d4				110	110	109	109	70.0-130					
(S) 4-Bromofluorobenzene				94.7	94.7	96.1	96.1	77.0-126					
(S) Toluene-d8				102	102	103	103	80.0-120					

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122


Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.





12065 Lebanon Rd. Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/health/standard-terms.pdf>

SDG # **1604063**
 G111

Acctnum: **WMCOVISAR**
 Template: **T225843**
 Prelogin: **P986151**
 PM: **616 - Stacy Kennedy**
 PB: **Bf 3/14/23**

Shipped Via: **FedEX Ground**

Remarks: Sample # (lab only)

Sample Receipt Checklist
 CCC Seal Present/Intact: Y N
 CCC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 if Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N
 RAD Screen <0.5 mR/hr: Y N

Analysis / Container / Preservation	Pres Chk
CHLORIDE 125mIHDP-NOPres	
CHLORIDE,SULFATE 125mIHDP-NOPres	
Metals 250mIHDP-HNO3	
NH3 250mIHDP-H2SO4	
TDS 1L-HDPE NOPres	
TOC 250mIAMB-HCl	
V8260LL 40mIAMB-HCl	
V8260LL 40mIAMB-HCl-BIK	

If preservation required by Login: Date/Time
 Hold:
 Condition: NCF / OK

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Email To:
 jeffholm@sbglobal.net; jreyno10@wm.com

Client Project # **200**
 Lab Project # **WMCOVISAR-00020**
 Site/Facility ID # **AR03**
 Quote #
 Date Results Needed

Pres Chk

City/State Collected:
 Please Circle: PT MT CT ET

Comp/Grab Matrix* Depth Date Time

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs
NE-145	GW	GW	67.85	4.8.23	0925	7
NE-150	GW	GW	27.15	4.8.23	1200	7
NE-155	GW	GW	32.25	↓	1120	1
MW-2N	Grab	GW	20.55	↓	1035	7
MW-3N	Grab	GW	10.00	↓	1235	7
MW-8N	Grab	GW				8
MW-10N						
MW-21						
NE-9						

Remarks:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Waste Water
 DW - Drinking Water
 OT - Other

Tracking # **6387 2237 7630**
 Received by: (Signature) **[Signature]**
 Received by: (Signature) **[Signature]**
 Received for lab by: (Signature) **[Signature]**

Temp: **15.1°C** Bottles Received: **23**
 Date: **4/11/23** Time: **9:15**

Relinquished by: (Signature) **[Signature]**
 Relinquished by: (Signature) **[Signature]**
 Relinquished by: (Signature) **[Signature]**

Relinquished by: (Signature) **[Signature]**

FIELD INFORMATION FORM



Site Name: EWLF
 Site No.:
 Sample Point: MW-2N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/ Lab ID:
1609063

PURGE INFO
 PURGE DATE: 04/08/23 PURGE TIME: 09:00 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 µ or µ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 65.07 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. 4.33 (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>09:05</u>	<u>200</u> 1"	<u>6.74</u> 1"	<u>583</u> 1"	<u>13.7</u>	<u>38.1</u>	<u>3.81</u>	<u>115.30</u>
	<u>09:10</u>	<u>200</u> 2"	<u>6.84</u> 2"	<u>542</u> 2"	<u>14.5</u>	<u>118.3</u>	<u>3.9</u>	<u>114.96</u>	<u>66.95</u>
	<u>09:15</u>	<u>200</u> 3"	<u>6.93</u> 3"	<u>542</u> 3"	<u>14.5</u>	<u>176</u>	<u>3.0</u>	<u>114.88</u>	<u>67.65</u>
	<u>09:20</u>	<u>200</u> 4"	<u>6.92</u> 4"	<u>541</u>	<u>14.4</u>	<u>182</u>	<u>2.8</u>	<u>114.95</u>	<u>67.75</u>
	<u>09:25</u>	<u>200</u>	<u>6.91</u>	<u>542</u>	<u>14.7</u>	<u>193</u>	<u>2.7</u>	<u>115.09</u>	<u>67.85</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

FIELD DATA
 SAMPLE DATE: 04/08/23 pH (std): 6.91 CONDUCTANCE (µmhos/cm @ 25°C): 542 TEMP. (°C): 14.7 TURBIDITY (ntu): 93 DO (mg/L - ppm): 2.7 eH/ORP (mV): 115.09 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: SE @ 10-15 mph Outlook: Clear, 50% Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4/8/23 C. Fischer [Signature] Promus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVUF
 Site No.:
 Sample Point: MW-8N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: L1604063

PURGE INFO
 PURGE DATE (MM DD YY): 040823
 PURGE TIME (2400 Hr Clock): 11:35
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 2674 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>6:40</u>	<u>200</u>	<u>6.71</u>	<u>510</u>	<u>15.3</u>	<u>4.0</u>	<u>1.2</u>	<u>129.7</u>
	<u>11:45</u>	<u>200</u>	<u>6.45</u>	<u>522</u>	<u>15.1</u>	<u>3.0</u>	<u>0.5</u>	<u>147.9</u>	<u>27.15</u>
	<u>11:50</u>	<u>200</u>	<u>6.33</u>	<u>519</u>	<u>15.2</u>	<u>2.8</u>	<u>0.3</u>	<u>159.7</u>	<u>27.15</u>
	<u>11:55</u>	<u>200</u>	<u>6.32</u>	<u>518</u>	<u>15.2</u>	<u>2.6</u>	<u>0.3</u>	<u>161.9</u>	<u>27.15</u>
	<u>12:00</u>	<u>200</u>	<u>6.30</u>	<u>517</u>	<u>15.3</u>	<u>2.6</u>	<u>0.3</u>	<u>163.4</u>	<u>27.15</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040823
 pH (std): 6.30
 CONDUCTANCE (umhos/cm @ 25°C): 517
 TEMP. (°C): 15.3
 TURBIDITY (ntu): 2.6
 DO (mg/L-ppm): 0.3
 eH/ORP (mV): 163.4
 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.9.23 C. Finole
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-10N
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only Lab ID: 11609063

PURGE INFO
 PURGE DATE: 040823 PURGE TIME: 10:55 ELAPSED HRS:
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 277.2 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: Pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>11:00</u>	<u>200</u> 1"	<u>6.52</u> 1"	<u>475</u>	<u>14.5</u>	<u>6.9</u>	<u>0.7</u>	<u>170.0</u>
	<u>11:05</u>	<u>200</u> 2"	<u>6.85</u> 2"	<u>498</u>	<u>14.6</u>	<u>4.0</u>	<u>0.3</u>	<u>152.4</u>	<u>30.10</u>
	<u>11:10</u>	<u>200</u> 3"	<u>7.03</u> 3"	<u>499</u>	<u>14.7</u>	<u>3.6</u>	<u>0.2</u>	<u>140.6</u>	<u>31.65</u>
	<u>11:15</u>	<u>200</u> 4"	<u>7.08</u> 4"	<u>498</u>	<u>14.7</u>	<u>3.6</u>	<u>0.2</u>	<u>136.9</u>	<u>31.95</u>
	<u>11:20</u>	<u>200</u>	<u>7.11</u>	<u>497</u>	<u>14.7</u>	<u>3.8</u>	<u>0.2</u>	<u>135.6</u>	<u>32.25</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity +, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize
Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 040823 pH (std): 7.11 CONDUCTANCE (μmhos/cm @ 25°C): 497 TEMP. (°C): 14.7 TURBIDITY (ntu): 5.8 DO (mg/L-ppm): 0.2 eH/ORP (mV): 135.6 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: none Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
 I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
04.8.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NW-21
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: L1604063

PURGE INFO
 PURGE DATE (MM DD YY): 04/08/23 PURGE TIME (2400 Hr Clock): 09:55 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 20.45 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 3 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:00	200 1 st	6.15	315	15.5	76.9	2.9	180.0	20.55
10:05	200 2 nd	5.87	324	15.8	110.9	0.7	195.0	20.55
10:10	200 3 rd	5.79	326	15.8	58.5	0.4	196.5	20.55
10:15	200 4 th	5.76	325	15.8	51.5	0.4	198.0	20.55
10:20	200	5.76	324	15.8	42.8	0.4	197.1	20.55
10:25	200	5.75	323	15.9	34.2	0.4	196.9	20.55
10:30	200	5.74	322	15.9	20.6	0.3	196.4	20.55
10:35	200	5.74	321	15.8	10.1	0.3	195.9	20.55

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 04/08/23 pH (std): 5.74 CONDUCTANCE (umhos/cm @ 25°C): 321 TEMP. (°C): 15.8 TURBIDITY (ntu): 10.1 DO (mg/L-ppm): 0.3 eH/ORP (mV): 195.9 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

 I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
4.8.23 C. Fincher [Signature] [Signature]
 Date Name Signature

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

APPENDIX D

Historical Groundwater Quality Results

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	LGW-10	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	10/6/2016	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	10/9/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/16/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	10/27/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/17/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	2/13/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	2/13/2015	65	65	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/12/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/8/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	2/10/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/11/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/6/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/11/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	2/10/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/12/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	2/5/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	2/10/2015	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/17/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/10/2019	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/12/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/10/2019	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	LGW-8R	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/13/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/13/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/10/2019	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	2/13/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	2/10/2015	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/17/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/6/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-15	7/10/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	MW-15	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-16	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-16	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-17	7/10/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-17	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-19	7/13/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-19	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	10/14/1998	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	2/5/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	2/10/2015	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/10/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/6/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-20	7/12/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-20	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	10/5/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	10/6/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/8/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/12/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	MW-3N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/11/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	2/12/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	10/9/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/13/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/7/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/15/1998	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	2/12/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/5/2017	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/13/2018	52	52	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	1/24/2008	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/10/2011	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/11/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/2/2013	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/8/2014	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/6/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/16/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	2/7/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	7/10/2012	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	7/18/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-2	7/10/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	2/7/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	7/10/2012	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	2/13/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	7/12/2018	52	52	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/17/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/9/2019	50	50	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/28/1998	11	11	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/15/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/21/1998	5.7	5.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-11N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/15/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/16/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/20/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/14/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/15/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/23/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/24/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	8/18/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	9/17/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/15/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	11/9/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/13/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/12/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	10/9/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/3/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	9/30/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/28/1998	6	6	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/15/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/18/2017	0.32	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/23/2018	0.22	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/20/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/28/1998	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-1N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/14/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/15/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/24/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/29/2002	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/21/1998	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-7N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	8/18/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	9/17/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/15/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	11/9/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/13/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/12/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	8/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/28/1998	4.4	4.4	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/15/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/20/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/14/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/15/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/8/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	8/4/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/21/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/24/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/21/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	8/18/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	9/17/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/15/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	11/9/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/13/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/14/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/21/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/12/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/29/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-8N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/28/1998	2.4	2.4	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/15/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/22/1997	1.2	1.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-11N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/20/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/14/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/15/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/24/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	8/18/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	9/17/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/15/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	11/9/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/13/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/12/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	9/4/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	1/26/2006	1.8	1		ug/L
1,1-dichloroethane	LGW-10	8/1/2006	2.4	1		ug/L
1,1-dichloroethane	LGW-10	8/1/2006	2.4	1		ug/L
1,1-dichloroethane	LGW-10	10/26/2006	1.3	1		ug/L
1,1-dichloroethane	LGW-10	1/25/2007	1.8	1		ug/L
1,1-dichloroethane	LGW-10	4/26/2007	1.3	1		ug/L
1,1-dichloroethane	LGW-10	7/12/2007	1.1	1		ug/L
1,1-dichloroethane	LGW-10	1/23/2008	1.5	1		ug/L
1,1-dichloroethane	LGW-10	7/22/2008	1.6	1		ug/L
1,1-dichloroethane	LGW-10	7/29/2009	1.4	1		ug/L
1,1-dichloroethane	LGW-10	2/3/2010	1.2	1		ug/L
1,1-dichloroethane	LGW-10	2/3/2010	1.2	1		ug/L
1,1-dichloroethane	LGW-10	7/16/2010	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/19/2011	1.2	1		ug/L
1,1-dichloroethane	LGW-10	7/12/2011	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/5/2012	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2012	1.7	1		ug/L
1,1-dichloroethane	LGW-10	5/1/2013	2	1		ug/L
1,1-dichloroethane	LGW-10	1/30/2014	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2014	1.8	1		ug/L
1,1-dichloroethane	LGW-10	2/12/2015	1.9	1		ug/L
1,1-dichloroethane	LGW-10	7/13/2015	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/5/2016	2.1	1		ug/L
1,1-dichloroethane	LGW-10	2/10/2016	1.8	1		ug/L
1,1-dichloroethane	LGW-10	4/6/2016	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/21/2016	2.1	1		ug/L
1,1-dichloroethane	LGW-10	10/6/2016	2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-10	1/11/2017	1.3	1		ug/L
1,1-dichloroethane	LGW-10	4/4/2017	2.1	1		ug/L
1,1-dichloroethane	LGW-10	7/19/2017	2.2	1		ug/L
1,1-dichloroethane	LGW-10	10/9/2017	2.1	1		ug/L
1,1-dichloroethane	LGW-10	1/24/2018	1.2	1		ug/L
1,1-dichloroethane	LGW-10	4/11/2018	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/16/2018	1.6	1		ug/L
1,1-dichloroethane	LGW-10	10/4/2018	1.6	1		ug/L
1,1-dichloroethane	LGW-10	1/4/2019	1.5	1		ug/L
1,1-dichloroethane	LGW-10	4/3/2019	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	10/2/2019	1.7	1		ug/L
1,1-dichloroethane	LGW-10	1/15/2020	2	1		ug/L
1,1-dichloroethane	LGW-10	4/2/2020	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2020	1.8	1		ug/L
1,1-dichloroethane	LGW-10	10/7/2020	1.24	1		ug/L
1,1-dichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	4/6/2021	1.44	1		ug/L
1,1-dichloroethane	LGW-10	7/7/2021	1.55	1		ug/L
1,1-dichloroethane	LGW-10	10/5/2021	1.07	1		ug/L
1,1-dichloroethane	LGW-10	1/13/2022	1.28	1		ug/L
1,1-dichloroethane	LGW-10	4/4/2022	1.49	1		ug/L
1,1-dichloroethane	LGW-10	7/11/2022	1.52	1		ug/L
1,1-dichloroethane	LGW-10	10/7/2022	1.28	1		ug/L
1,1-dichloroethane	LGW-10	1/11/2023	1.4	1		ug/L
1,1-dichloroethane	LGW-10	4/5/2023	1.15	1		ug/L
1,1-dichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/12/2010	0.27	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/13/2011	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/4/2012	0.31	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/9/2012	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/30/2013	0.38	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/15/2013	0.24	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/30/2014	0.25	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2014	0.29	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2015	0.25	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/5/2016	0.26	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/19/2016	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/18/2017	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/23/2018	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	2/4/2009	0.5	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/14/2010	0.7	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/20/2011	0.65	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/12/2011	0.69	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/5/2012	0.49	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2012	0.41	1	ND	ug/L
1,1-dichloroethane	LGW-9	5/1/2013	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/15/2013	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/23/2014	0.22	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/8/2014	0.23	1	ND	ug/L
1,1-dichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/6/2016	0.22	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/11/2017	0.27	1	ND	ug/L
1,1-dichloroethane	LGW-9	5/5/2017	0.29	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/11/2018	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/13/2018	0.4	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/2/2018	0.37	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/7/2019	0.47	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/3/2019	0.55	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2019	0.37	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/17/2021	1.58	1		ug/L
1,1-dichloroethane	LGW-9	4/6/2021	1.13	1		ug/L
1,1-dichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/7/2022	1.01	1		ug/L
1,1-dichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/28/1998	5	5	ND	ug/L
1,1-dichloroethane	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	10/22/1997	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/13/1999	2.7	2.5		ug/L
1,1-dichloroethane	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/12/2000	2.1	1		ug/L
1,1-dichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	4/12/2001	3.2	1		ug/L
1,1-dichloroethane	MW-1N	5/29/2002	2.6	1		ug/L
1,1-dichloroethane	MW-1N	5/29/2002	2.6	2.5		ug/L
1,1-dichloroethane	MW-1N	7/9/2002	2.8	1		ug/L
1,1-dichloroethane	MW-1N	10/3/2002	2.8	1		ug/L
1,1-dichloroethane	MW-1N	1/22/2003	1.6	1		ug/L
1,1-dichloroethane	MW-1N	4/15/2003	1.6	1		ug/L
1,1-dichloroethane	MW-1N	7/8/2003	1	1		ug/L
1,1-dichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	9/2/2015	0.23	1	ND	ug/L
1,1-dichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-21	6/5/2015	0.35	1	ND	ug/L
1,1-dichloroethane	MW-21	7/14/2015	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	8/4/2015	0.27	1	ND	ug/L
1,1-dichloroethane	MW-21	9/2/2015	0.3	1	ND	ug/L
1,1-dichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/5/2016	0.26	1	ND	ug/L
1,1-dichloroethane	MW-21	7/20/2016	0.22	1	ND	ug/L
1,1-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/10/2017	0.22	1	ND	ug/L
1,1-dichloroethane	MW-21	4/5/2017	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	7/19/2017	0.29	1	ND	ug/L
1,1-dichloroethane	MW-21	10/6/2017	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/11/2018	0.42	1	ND	ug/L
1,1-dichloroethane	MW-21	7/11/2018	0.25	1	ND	ug/L
1,1-dichloroethane	MW-21	10/4/2018	0.23	1	ND	ug/L
1,1-dichloroethane	MW-21	1/3/2019	0.32	1	ND	ug/L
1,1-dichloroethane	MW-21	4/3/2019	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/2/2019	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	4/28/1998	0.78	2.5		ug/L
1,1-dichloroethane	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	10/20/1999	0.97	2.5		ug/L
1,1-dichloroethane	MW-3N	1/14/2000	0.86	2.5		ug/L
1,1-dichloroethane	MW-3N	4/24/2000	1.6	2.5		ug/L
1,1-dichloroethane	MW-3N	7/11/2000	0.84	1		ug/L
1,1-dichloroethane	MW-3N	10/17/2000	0.93	1		ug/L
1,1-dichloroethane	MW-3N	1/23/2001	1.1	1		ug/L
1,1-dichloroethane	MW-3N	4/11/2001	0.96	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-3N	5/29/2002	2.6	1		ug/L
1,1-dichloroethane	MW-3N	5/29/2002	2.6	2.5		ug/L
1,1-dichloroethane	MW-3N	7/9/2002	2.2	1		ug/L
1,1-dichloroethane	MW-3N	10/2/2002	2.7	1		ug/L
1,1-dichloroethane	MW-3N	1/22/2003	2	1		ug/L
1,1-dichloroethane	MW-3N	4/14/2003	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/7/2003	2.9	1		ug/L
1,1-dichloroethane	MW-3N	1/28/2004	2.7	1		ug/L
1,1-dichloroethane	MW-3N	7/27/2004	2.9	1		ug/L
1,1-dichloroethane	MW-3N	1/12/2005	2.1	1		ug/L
1,1-dichloroethane	MW-3N	7/20/2005	2.7	1		ug/L
1,1-dichloroethane	MW-3N	1/18/2006	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/19/2006	2.8	1		ug/L
1,1-dichloroethane	MW-3N	7/19/2006	2.8	1		ug/L
1,1-dichloroethane	MW-3N	10/25/2006	2.3	1		ug/L
1,1-dichloroethane	MW-3N	1/26/2007	2.4	1		ug/L
1,1-dichloroethane	MW-3N	7/11/2007	2.1	1		ug/L
1,1-dichloroethane	MW-3N	1/24/2008	2.8	1		ug/L
1,1-dichloroethane	MW-3N	7/22/2008	2.3	1		ug/L
1,1-dichloroethane	MW-3N	2/4/2009	2	1		ug/L
1,1-dichloroethane	MW-3N	7/31/2009	2	1		ug/L
1,1-dichloroethane	MW-3N	1/26/2010	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/13/2010	2.1	1		ug/L
1,1-dichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/14/2011	1.9	1		ug/L
1,1-dichloroethane	MW-3N	1/5/2012	1.5	1		ug/L
1,1-dichloroethane	MW-3N	7/11/2012	1.5	1		ug/L
1,1-dichloroethane	MW-3N	5/1/2013	1.2	1		ug/L
1,1-dichloroethane	MW-3N	6/4/2013	0.99	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/16/2013	0.92	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/24/2014	1	1		ug/L
1,1-dichloroethane	MW-3N	7/9/2014	1.3	1		ug/L
1,1-dichloroethane	MW-3N	2/12/2015	0.97	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/1/2015	1.1	1		ug/L
1,1-dichloroethane	MW-3N	7/14/2015	0.79	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/5/2015	1	1		ug/L
1,1-dichloroethane	MW-3N	1/6/2016	0.92	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/6/2016	0.76	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/21/2016	0.94	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/6/2016	0.74	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/11/2017	0.61	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/4/2017	0.64	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/19/2017	0.77	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/9/2017	0.79	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/24/2018	0.31	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/10/2018	0.77	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/13/2018	0.69	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/3/2018	0.66	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/7/2019	0.44	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/3/2019	0.63	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/11/2019	0.65	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/2/2019	0.6	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-7N	7/22/1998	5.4	2.5		ug/L
1,1-dichloroethane	MW-7N	8/18/1998	4.7	2.5		ug/L
1,1-dichloroethane	MW-7N	9/17/1998	4.4	2.5		ug/L
1,1-dichloroethane	MW-7N	10/15/1998	3.6	2.5		ug/L
1,1-dichloroethane	MW-7N	11/9/1998	5	2.5		ug/L
1,1-dichloroethane	MW-7N	1/14/1999	3.5	2.5		ug/L
1,1-dichloroethane	MW-7N	4/14/1999	6	2.5		ug/L
1,1-dichloroethane	MW-7N	7/14/1999	5.6	2.5		ug/L
1,1-dichloroethane	MW-7N	10/19/1999	5.6	2.5		ug/L
1,1-dichloroethane	MW-7N	1/13/2000	4.8	2.5		ug/L
1,1-dichloroethane	MW-7N	4/25/2000	8.4	2.5		ug/L
1,1-dichloroethane	MW-7N	10/17/2000	5.5	1		ug/L
1,1-dichloroethane	MW-7N	1/23/2001	5.7	1		ug/L
1,1-dichloroethane	MW-7N	4/10/2001	6.1	1		ug/L
1,1-dichloroethane	MW-7N	5/29/2002	7.9	1		ug/L
1,1-dichloroethane	MW-7N	5/29/2002	7.9	2.5		ug/L
1,1-dichloroethane	MW-7N	7/9/2002	5.1	1		ug/L
1,1-dichloroethane	MW-7N	10/2/2002	4.7	1		ug/L
1,1-dichloroethane	MW-7N	1/23/2003	3.6	1		ug/L
1,1-dichloroethane	MW-7N	4/14/2003	4.3	1		ug/L
1,1-dichloroethane	MW-7N	7/7/2003	5	1		ug/L
1,1-dichloroethane	MW-7N	1/27/2004	4.5	1		ug/L
1,1-dichloroethane	MW-7N	4/8/2004	4.1	1		ug/L
1,1-dichloroethane	MW-7N	7/26/2004	3.6	1		ug/L
1,1-dichloroethane	MW-7N	1/12/2005	3.3	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2005	3.8	1		ug/L
1,1-dichloroethane	MW-7N	1/19/2006	3.1	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2006	3.4	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2006	3.4	1		ug/L
1,1-dichloroethane	MW-7N	10/24/2006	3.2	1		ug/L
1,1-dichloroethane	MW-7N	1/26/2007	1.9	1		ug/L
1,1-dichloroethane	MW-7N	7/10/2007	1	1		ug/L
1,1-dichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	2/6/2009	1	1		ug/L
1,1-dichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/14/2010	0.92	1	ND	ug/L
1,1-dichloroethane	MW-7N	9/2/2010	0.58	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/20/2011	0.79	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/12/2011	0.7	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/5/2012	0.64	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/10/2012	0.66	1	ND	ug/L
1,1-dichloroethane	MW-7N	5/1/2013	1.2	1		ug/L
1,1-dichloroethane	MW-7N	6/4/2013	0.73	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/15/2013	0.54	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/30/2014	0.46	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/9/2014	0.49	1	ND	ug/L
1,1-dichloroethane	MW-7N	2/12/2015	0.52	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/13/2015	0.36	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/5/2016	0.34	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/21/2016	0.27	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/11/2017	0.66	1	ND	ug/L
1,1-dichloroethane	MW-7N	4/4/2017	0.7	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/19/2017	0.61	1	ND	ug/L
1,1-dichloroethane	MW-7N	10/5/2017	0.27	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/25/2018	0.3	1	ND	ug/L
1,1-dichloroethane	MW-7N	4/11/2018	0.29	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/4/2019	0.24	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-1	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-11	3/1/2017	0.26	1	ND	ug/L
1,1-dichloroethane	NE-11	4/6/2017	0.23	1	ND	ug/L
1,1-dichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2002	1.2	1		ug/L
1,1-dichloroethane	NE-2	8/6/2002	0.26	1		ug/L
1,1-dichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-3	7/9/2002	7.1	1		ug/L
1,1-dichloroethane	NE-3	8/6/2002	5.3	1		ug/L
1,1-dichloroethane	NE-3	9/4/2002	5.1	1		ug/L
1,1-dichloroethane	NE-3	10/2/2002	5.2	1		ug/L
1,1-dichloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/10/2002	2.4	1		ug/L
1,1-dichloroethane	NE-4	8/6/2002	2.9	1		ug/L
1,1-dichloroethane	NE-4	9/4/2002	2.6	1		ug/L
1,1-dichloroethane	NE-4	10/3/2002	2.7	1		ug/L
1,1-dichloroethane	NE-4	4/15/2003	1.6	1		ug/L
1,1-dichloroethane	NE-4	7/8/2003	1.5	1		ug/L
1,1-dichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/9/2002	1.9	1		ug/L
1,1-dichloroethane	NE-5	8/6/2002	3	1		ug/L
1,1-dichloroethane	NE-5	9/4/2002	2.5	1		ug/L
1,1-dichloroethane	NE-5	10/2/2002	2.5	1		ug/L
1,1-dichloroethane	NE-5	4/15/2003	2.4	1		ug/L
1,1-dichloroethane	NE-5	7/8/2003	3.2	1		ug/L
1,1-dichloroethane	NE-5	1/27/2004	2.3	1		ug/L
1,1-dichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/19/2006	2.4	1		ug/L
1,1-dichloroethane	NE-5	7/19/2006	2.4	1		ug/L
1,1-dichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/24/2007	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/12/2007	1.3	1		ug/L
1,1-dichloroethane	NE-5	7/22/2008	1.6	1		ug/L
1,1-dichloroethane	NE-5	2/6/2009	1.6	1		ug/L
1,1-dichloroethane	NE-5	7/31/2009	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/26/2010	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/16/2010	1.3	1		ug/L
1,1-dichloroethane	NE-5	9/2/2010	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/19/2011	1.5	1		ug/L
1,1-dichloroethane	NE-5	7/13/2011	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/5/2012	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/10/2012	1.4	1		ug/L
1,1-dichloroethane	NE-5	4/30/2013	1.1	1		ug/L
1,1-dichloroethane	NE-5	7/16/2013	1.1	1		ug/L
1,1-dichloroethane	NE-5	1/23/2014	1	1		ug/L
1,1-dichloroethane	NE-5	7/9/2014	1.1	1		ug/L
1,1-dichloroethane	NE-5	2/11/2015	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/14/2015	0.81	1	ND	ug/L
1,1-dichloroethane	NE-5	1/6/2016	1.1	1		ug/L
1,1-dichloroethane	NE-5	2/11/2016	1.3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-5	7/20/2016	0.84	1	ND	ug/L
1,1-dichloroethane	NE-5	1/11/2017	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/19/2017	0.89	1	ND	ug/L
1,1-dichloroethane	NE-5	1/25/2018	0.98	1	ND	ug/L
1,1-dichloroethane	NE-5	4/10/2018	1	1		ug/L
1,1-dichloroethane	NE-5	7/17/2018	1.1	1		ug/L
1,1-dichloroethane	NE-5	10/3/2018	1.1	1		ug/L
1,1-dichloroethane	NE-5	1/4/2019	1.4	1		ug/L
1,1-dichloroethane	NE-5	4/2/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	4/2/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.1	1		ug/L
1,1-dichloroethane	NE-5	10/3/2019	0.9	1	ND	ug/L
1,1-dichloroethane	NE-5	1/16/2020	1.16	1		ug/L
1,1-dichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/9/2021	1.31	1		ug/L
1,1-dichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	9/30/2019	0.53	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	9/30/2019	0.71	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/2/2020	1.03	1		ug/L
1,1-dichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/6/2022	1.05	1		ug/L
1,1-dichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/8/2014	0.23	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/10/2015	1	1		ug/L
1,1-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/17/2018	0.37	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/25/2018	0.31	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/28/1998	9.8	9.8	ND	ug/L
1,1-dichloroethene	MW-10N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	7/15/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/20/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	10/14/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	5/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/15/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/12/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/3/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	7/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/24/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-3N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	7/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	8/18/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	9/17/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/15/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	11/9/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	4/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/13/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	1/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	1/12/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-3	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-3	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-3	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-3	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-3	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-3	3/21/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/3/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-5	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-5	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	10/14/1998	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-3N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	10/15/1998	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-7N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-3	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-3	3/21/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/16/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/4/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/26/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/13/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/14/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/28/1998	8.2	8.2	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/15/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/10/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/15/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/8/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/15/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-17	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/20/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/14/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/15/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/23/2020	1.23	1.23	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/26/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-21	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/4/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/24/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	8/18/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	9/17/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/15/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	11/9/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/13/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/12/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/3/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	8/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/13/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	2/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/1/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-2	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-3	3/21/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/3/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/13/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/26/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/1/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/13/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/5/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-5	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	2/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	8/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-7	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	2/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	8/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	2/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	8/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	2/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	4/8/2023	1	1	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/8/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/24/2018	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/16/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/4/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	8/2/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	8/2/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	10/27/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	4/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	8/1/2006	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/26/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/30/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/13/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/26/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/22/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/10/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/8/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/26/2007	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/5/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/22/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	5/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/11/2018	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/22/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/27/2010	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	5/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/28/1998	18	18	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/15/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	2/13/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	8/10/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/13/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/23/2008	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/15/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	8/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	8/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/8/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/18/2017	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/15/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	8/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/20/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/14/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/15/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/25/2000	9.1	9.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	2/5/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/23/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/26/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/11/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/4/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	3/27/2007	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/23/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/24/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	2/4/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/1/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	8/18/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	9/17/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/15/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	11/9/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/13/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/12/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/29/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/10/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/6/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/11/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/3/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/3/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/1/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/5/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	2/7/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/18/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/5/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	11/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	4/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	4/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	8/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/13/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	2/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/6/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15S	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/1/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-3	3/21/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	2/7/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	2/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/26/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/1/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/13/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/5/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/6/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/16/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	2/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	8/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	4/6/2017	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	2/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	8/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	2/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	8/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	2/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	4/8/2023	2	2	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-10	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/4/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/28/1998	4.8	4.8	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/23/1998	2.4	2.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-10N	1/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/15/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/13/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/10/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/20/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/14/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/15/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/20/1999	2.4	2.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-2N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/24/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/11/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/22/1998	2.4	2.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-7N	8/18/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	9/17/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/15/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	11/9/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/13/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/12/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	8/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-3	3/21/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/16/2010	0.15	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/5/2012	0.15	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	5/1/2013	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2014	0.18	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/12/2015	0.17	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/13/2015	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/5/2016	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/6/2016	0.17	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/21/2016	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/6/2016	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/4/2017	0.17	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/19/2017	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/9/2017	0.21	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/4/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/28/1998	6.6	6.6	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/15/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/20/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/15/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	6/5/2015	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/14/2015	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	8/4/2015	0.18	1	ND	ug/L
1,2-dichlorobenzene	MW-21	9/2/2015	0.21	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/19/2017	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/11/2018	0.26	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/11/2018	0.15	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/3/2019	0.22	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/3/2019	0.17	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/11/2019	0.17	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/2/2019	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/24/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	8/18/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	9/17/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2-dichlorobenzene	MW-7N	11/9/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/13/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/12/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-3	3/21/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/12/2011	0.32	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-10	5/1/2013	0.44	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2014	0.45	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/5/2016	0.54	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/21/2016	0.56	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/11/2017	0.31	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/4/2017	0.49	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/4/2018	0.25	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/3/2019	0.36	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/2/2019	0.39	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/2/2018	0.16	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/3/2019	0.18	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/28/1998	5.6	5.6	ND	ug/L
1,2-dichloroethane	MW-10N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	7/15/1999	2.8	2.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-10N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/20/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	10/14/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	5/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/15/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/21/1998	2.8	2.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-2N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/13/1999	2.8	2.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-3N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	4/24/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	8/18/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	9/17/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/15/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	11/9/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	4/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/13/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/2/2002	0.29	1		ug/L
1,2-dichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/12/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-1	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-3	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-3	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-3	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-3	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-3	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-3	3/21/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/16/2010	0.63	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/19/2011	0.41	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/12/2011	0.53	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/5/2012	0.57	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2012	0.69	1	ND	ug/L
1,2-dichloropropane	LGW-10	5/1/2013	0.7	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/30/2014	0.65	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2014	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/12/2015	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/13/2015	0.84	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/5/2016	0.8	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/6/2016	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/21/2016	0.92	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/6/2016	0.87	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/11/2017	0.63	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/4/2017	0.92	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/19/2017	0.93	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/9/2017	0.88	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/24/2018	0.66	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/11/2018	0.68	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/16/2018	0.74	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/4/2018	0.77	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/4/2019	0.65	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/3/2019	0.74	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/11/2019	0.7	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-10	10/2/2019	1.1	1		ug/L
1,2-dichloropropane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/26/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloropropane	MW-10N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	7/15/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/20/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	10/14/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	5/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/15/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	10/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/25/2000	1.4	1.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/24/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	8/18/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	9/17/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	10/15/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	11/9/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	1/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	4/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	10/19/1999	0.97	1.4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-7N	1/13/2000	0.65	1.4		ug/L
1,2-dichloropropane	MW-7N	4/25/2000	0.85	1.4		ug/L
1,2-dichloropropane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/23/2001	0.87	1		ug/L
1,2-dichloropropane	MW-7N	4/10/2001	0.6	1		ug/L
1,2-dichloropropane	MW-7N	5/29/2002	1.4	1		ug/L
1,2-dichloropropane	MW-7N	5/29/2002	1.4	1.4		ug/L
1,2-dichloropropane	MW-7N	7/9/2002	1.1	1		ug/L
1,2-dichloropropane	MW-7N	10/2/2002	0.96	1		ug/L
1,2-dichloropropane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	5/1/2013	0.18	1	ND	ug/L
1,2-dichloropropane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/11/2017	0.25	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/28/1998	1.4	1.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-8N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/12/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	10/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2002	0.24	1		ug/L
1,2-dichloropropane	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-3	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-3	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-3	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-3	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-3	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-3	3/21/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	4/8/2023	1	1	ND	ug/L
1,3,5-Trinitrobenzene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-10	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-6	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-15	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-16	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-17	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-19	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-20	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-21	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-3N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
1,3-dichlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/9/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/16/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/6/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/11/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,3-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/9/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/16/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	10/14/1998	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-20	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	10/15/1998	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-1	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,3-Dinitrobenzene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-Dinitrobenzene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-15	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-16	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-17	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-19	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-20	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-21	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
1,4-dichlorobenzene	LGW-10	1/26/2006	2.2	1		ug/L
1,4-dichlorobenzene	LGW-10	8/1/2006	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	8/1/2006	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	10/26/2006	3	1		ug/L
1,4-dichlorobenzene	LGW-10	1/25/2007	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	4/26/2007	4	1		ug/L
1,4-dichlorobenzene	LGW-10	7/12/2007	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	1/23/2008	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/22/2008	2.8	1		ug/L
1,4-dichlorobenzene	LGW-10	7/29/2009	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	2/3/2010	3.9	1		ug/L
1,4-dichlorobenzene	LGW-10	2/3/2010	3.9	1		ug/L
1,4-dichlorobenzene	LGW-10	7/16/2010	5.4	1		ug/L
1,4-dichlorobenzene	LGW-10	1/19/2011	4.6	1		ug/L
1,4-dichlorobenzene	LGW-10	7/12/2011	6.6	1		ug/L
1,4-dichlorobenzene	LGW-10	1/5/2012	5.3	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2012	5.1	1		ug/L
1,4-dichlorobenzene	LGW-10	5/1/2013	6.5	1		ug/L
1,4-dichlorobenzene	LGW-10	1/30/2014	6.4	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2014	6.1	1		ug/L
1,4-dichlorobenzene	LGW-10	2/12/2015	7.2	1		ug/L
1,4-dichlorobenzene	LGW-10	7/13/2015	7.6	1		ug/L
1,4-dichlorobenzene	LGW-10	1/5/2016	6.9	1		ug/L
1,4-dichlorobenzene	LGW-10	2/10/2016	6.5	1		ug/L
1,4-dichlorobenzene	LGW-10	4/6/2016	6.3	1		ug/L
1,4-dichlorobenzene	LGW-10	7/21/2016	7.4	1		ug/L
1,4-dichlorobenzene	LGW-10	10/6/2016	6.9	1		ug/L
1,4-dichlorobenzene	LGW-10	1/11/2017	5.6	1		ug/L
1,4-dichlorobenzene	LGW-10	4/4/2017	7.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/19/2017	7.1	1		ug/L
1,4-dichlorobenzene	LGW-10	10/9/2017	7	1		ug/L
1,4-dichlorobenzene	LGW-10	1/24/2018	2	1		ug/L
1,4-dichlorobenzene	LGW-10	4/11/2018	2.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/16/2018	3.7	1		ug/L
1,4-dichlorobenzene	LGW-10	10/4/2018	1.9	1		ug/L
1,4-dichlorobenzene	LGW-10	1/4/2019	2.2	1		ug/L
1,4-dichlorobenzene	LGW-10	4/3/2019	3.2	1		ug/L
1,4-dichlorobenzene	LGW-10	7/11/2019	4.8	1		ug/L
1,4-dichlorobenzene	LGW-10	10/2/2019	3.2	1		ug/L
1,4-dichlorobenzene	LGW-10	1/15/2020	5.26	1		ug/L
1,4-dichlorobenzene	LGW-10	4/2/2020	4.83	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2020	5.15	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-10	10/7/2020	2.1	1		ug/L
1,4-dichlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-10	7/7/2021	4.05	1		ug/L
1,4-dichlorobenzene	LGW-10	10/5/2021	2.48	1		ug/L
1,4-dichlorobenzene	LGW-10	1/13/2022	2.51	1		ug/L
1,4-dichlorobenzene	LGW-10	4/4/2022	2.62	1		ug/L
1,4-dichlorobenzene	LGW-10	7/11/2022	4.06	1		ug/L
1,4-dichlorobenzene	LGW-10	10/7/2022	2.48	1		ug/L
1,4-dichlorobenzene	LGW-10	1/11/2023	2.13	1		ug/L
1,4-dichlorobenzene	LGW-10	4/5/2023	1.87	1		ug/L
1,4-dichlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/9/2019	0.19	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-6	10/2/2018	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/10/2019	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/14/2010	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/20/2011	0.34	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/12/2011	0.38	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/5/2012	0.31	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	5/1/2013	0.23	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	2/11/2015	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/6/2016	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/11/2017	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	5/5/2017	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/18/2017	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/11/2018	0.19	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/13/2018	0.23	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/2/2018	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/7/2019	0.27	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/3/2019	0.32	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2019	0.25	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/3/2019	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/17/2021	4.33	1		ug/L
1,4-dichlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/28/1998	8.6	8.6	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/15/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	6/5/2015	0.33	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/16/2015	0.41	1	ND	ug/L
1,4-dichlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/18/2017	0.16	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/20/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/15/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/12/2000	0.95	1		ug/L
1,4-dichlorobenzene	MW-1N	10/18/2000	0.5	1		ug/L
1,4-dichlorobenzene	MW-1N	1/24/2001	0.26	1		ug/L
1,4-dichlorobenzene	MW-1N	4/12/2001	2.5	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/9/2002	0.57	1		ug/L
1,4-dichlorobenzene	MW-1N	10/3/2002	0.62	1		ug/L
1,4-dichlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	6/5/2015	1.4	1		ug/L
1,4-dichlorobenzene	MW-21	7/14/2015	1.2	1		ug/L
1,4-dichlorobenzene	MW-21	8/4/2015	1.5	1		ug/L
1,4-dichlorobenzene	MW-21	9/2/2015	1	1		ug/L
1,4-dichlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/5/2016	1.2	1		ug/L
1,4-dichlorobenzene	MW-21	7/20/2016	0.85	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/5/2016	0.38	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/5/2016	0.38	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/10/2017	0.6	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/5/2017	0.96	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/19/2017	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	10/6/2017	1.4	1		ug/L
1,4-dichlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/11/2018	2.3	1		ug/L
1,4-dichlorobenzene	MW-21	7/11/2018	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	10/4/2018	0.89	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/3/2019	1.8	1		ug/L
1,4-dichlorobenzene	MW-21	4/3/2019	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	7/11/2019	1.2	1		ug/L
1,4-dichlorobenzene	MW-21	10/2/2019	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	1/16/2020	1.03	1		ug/L
1,4-dichlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/24/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/9/2002	0.37	1		ug/L
1,4-dichlorobenzene	MW-3N	10/2/2002	0.46	1		ug/L
1,4-dichlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2008	1	1		ug/L
1,4-dichlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	2/4/2009	0.95	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/26/2010	1	1		ug/L
1,4-dichlorobenzene	MW-3N	7/13/2010	0.67	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/2011	0.9	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/5/2012	0.77	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2012	0.88	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/1/2013	0.58	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	6/4/2013	0.52	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/16/2013	0.56	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2014	0.54	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/9/2014	0.62	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	2/12/2015	0.48	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/1/2015	0.54	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/2015	0.45	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/5/2015	0.49	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/6/2016	0.45	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/6/2016	0.34	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/21/2016	0.47	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/6/2016	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2017	0.34	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/9/2017	0.36	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/10/2018	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/13/2018	0.27	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/3/2018	0.3	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/3/2019	0.19	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2019	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/2/2019	0.16	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	8/18/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	9/17/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,4-dichlorobenzene	MW-7N	11/9/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	4/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/19/1999	1.9	4.3		ug/L
1,4-dichlorobenzene	MW-7N	1/13/2000	1.8	4.3		ug/L
1,4-dichlorobenzene	MW-7N	4/25/2000	1.5	4.3		ug/L
1,4-dichlorobenzene	MW-7N	10/17/2000	2.3	1		ug/L
1,4-dichlorobenzene	MW-7N	1/23/2001	1.9	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-7N	4/10/2001	2.3	1		ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002	2.8	1		ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/9/2002	2.2	1		ug/L
1,4-dichlorobenzene	MW-7N	10/2/2002	2.2	1		ug/L
1,4-dichlorobenzene	MW-7N	1/23/2003	1.8	1		ug/L
1,4-dichlorobenzene	MW-7N	4/14/2003	1.9	1		ug/L
1,4-dichlorobenzene	MW-7N	7/7/2003	1.8	1		ug/L
1,4-dichlorobenzene	MW-7N	1/27/2004	1.7	1		ug/L
1,4-dichlorobenzene	MW-7N	4/8/2004	2.3	1		ug/L
1,4-dichlorobenzene	MW-7N	7/26/2004	3.1	1		ug/L
1,4-dichlorobenzene	MW-7N	1/12/2005	3.6	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2005	4.8	1		ug/L
1,4-dichlorobenzene	MW-7N	1/19/2006	3.6	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/24/2006	3.9	1		ug/L
1,4-dichlorobenzene	MW-7N	1/26/2007	2.5	1		ug/L
1,4-dichlorobenzene	MW-7N	7/10/2007	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/21/2008	1.1	1		ug/L
1,4-dichlorobenzene	MW-7N	2/6/2009	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2010	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/14/2010	1.1	1		ug/L
1,4-dichlorobenzene	MW-7N	9/2/2010	0.77	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/20/2011	0.96	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/12/2011	0.52	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/5/2012	0.57	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2012	0.6	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	5/1/2013	2.7	1		ug/L
1,4-dichlorobenzene	MW-7N	6/4/2013	1.3	1		ug/L
1,4-dichlorobenzene	MW-7N	7/15/2013	0.69	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/30/2014	0.51	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/9/2014	0.32	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	2/12/2015	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/21/2016	0.35	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/11/2017	2.1	1		ug/L
1,4-dichlorobenzene	MW-7N	4/4/2017	1.7	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2017	1.3	1		ug/L
1,4-dichlorobenzene	MW-7N	10/5/2017	0.71	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	4/11/2018	0.63	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/13/2018	0.18	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/4/2019	0.57	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/12/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/1999	4.3	4.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-8N	10/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2002	0.51	1		ug/L
1,4-dichlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	9/2/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-3	3/21/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/10/2002	0.5	1		ug/L
1,4-dichlorobenzene	NE-4	8/6/2002	0.69	1		ug/L
1,4-dichlorobenzene	NE-4	9/4/2002	0.54	1		ug/L
1,4-dichlorobenzene	NE-4	10/3/2002	0.53	1		ug/L
1,4-dichlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	LGW-10	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-10	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	10/6/2016	47	47	ND	ug/L
1,4-naphthoquinone	LGW-10	10/9/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	7/16/2018	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	10/27/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-14R	2/11/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-14R	7/17/2018	51	51	ND	ug/L
1,4-naphthoquinone	LGW-14R	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	2/13/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-2	2/13/2015	65	65	ND	ug/L
1,4-naphthoquinone	LGW-2	7/12/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-2	7/8/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-3R	2/10/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/11/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/6/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-4	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-4	7/11/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-5	2/10/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-5	7/12/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	2/5/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-6	2/10/2015	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-6	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-6	7/17/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-6	7/10/2019	49	49	ND	ug/L
1,4-naphthoquinone	LGW-6	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-7	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	7/12/2018	51	51	ND	ug/L
1,4-naphthoquinone	LGW-7	7/10/2019	49	49	ND	ug/L
1,4-naphthoquinone	LGW-7	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-8R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	LGW-8R	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-8R	2/11/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/13/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-9	2/11/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-9	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-9	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-9	7/13/2018	47	47	ND	ug/L
1,4-naphthoquinone	LGW-9	7/10/2019	51	51	ND	ug/L
1,4-naphthoquinone	LGW-9	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	2/13/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-10N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-10N	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-10N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-11N	2/10/2015	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/17/2018	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/6/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-15	7/10/2018	51	51	ND	ug/L
1,4-naphthoquinone	MW-15	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-16	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-16	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-17	7/10/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-17	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-19	7/13/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-19	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	10/14/1998	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	2/5/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-1N	2/10/2015	47	47	ND	ug/L
1,4-naphthoquinone	MW-1N	7/10/2018	49	49	ND	ug/L
1,4-naphthoquinone	MW-1N	7/6/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-20	7/12/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-20	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	10/5/2016	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	10/6/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	7/8/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-2N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-2N	7/12/2018	51	51	ND	ug/L
1,4-naphthoquinone	MW-2N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	MW-3N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/11/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-3N	2/12/2015	49	49	ND	ug/L
1,4-naphthoquinone	MW-3N	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	MW-3N	10/9/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-3N	7/13/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-3N	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/7/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	10/15/1998	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-7N	2/12/2015	49	49	ND	ug/L
1,4-naphthoquinone	MW-7N	10/5/2017	49	49	ND	ug/L
1,4-naphthoquinone	MW-7N	7/13/2018	52	52	ND	ug/L
1,4-naphthoquinone	MW-7N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-8N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	1/24/2008	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	5/10/2011	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	7/11/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-8N	10/2/2013	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/8/2014	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/6/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	7/16/2018	49	49	ND	ug/L
1,4-naphthoquinone	MW-8N	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	2/7/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	7/10/2012	48	48	ND	ug/L
1,4-naphthoquinone	NE-1	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-1	7/18/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-2	7/10/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-4	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-4	2/7/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-4	7/10/2012	49	49	ND	ug/L
1,4-naphthoquinone	NE-4	2/13/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-4	7/12/2018	52	52	ND	ug/L
1,4-naphthoquinone	NE-5	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-5	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-5	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	NE-5	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-5	7/17/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-5	7/9/2019	50	50	ND	ug/L
1-naphthylamine	LGW-10	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-10	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	LGW-10	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
1-naphthylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
1-naphthylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
1-naphthylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-2	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-2	2/13/2009	10	10	ND	ug/L
1-naphthylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-2	2/13/2015	13	13	ND	ug/L
1-naphthylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-2	7/8/2020	10	10	ND	ug/L
1-naphthylamine	LGW-2	7/4/2021	10	10	ND	ug/L
1-naphthylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
1-naphthylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
1-naphthylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
1-naphthylamine	LGW-4	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-4	2/3/2009	10	10	ND	ug/L
1-naphthylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-4	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-5	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-5	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-5	7/12/2018	10	10	ND	ug/L
1-naphthylamine	LGW-5	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-6	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-6	2/5/2009	10	10	ND	ug/L
1-naphthylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-6	2/10/2015	10	10	ND	ug/L
1-naphthylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-6	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-6	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-7	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-7	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	7/12/2018	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-7	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-9	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-9	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-9	7/10/2019	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/7/2021	10	10	ND	ug/L
1-naphthylamine	MW-10N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-10N	2/13/2009	10	10	ND	ug/L
1-naphthylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1-naphthylamine	MW-10N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-11N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-11N	2/3/2009	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-11N	2/10/2015	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/17/2018	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/6/2021	10	10	ND	ug/L
1-naphthylamine	MW-15	7/10/2018	10	10	ND	ug/L
1-naphthylamine	MW-15	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-16	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-17	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1-naphthylamine	MW-19	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-1N	10/14/1998	10	10	ND	ug/L
1-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-1N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-1N	2/5/2009	10	10	ND	ug/L
1-naphthylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1-naphthylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1-naphthylamine	MW-1N	7/6/2020	10	10	ND	ug/L
1-naphthylamine	MW-1N	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-20	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1-naphthylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-21	7/11/2019	10	10	ND	ug/L
1-naphthylamine	MW-21	7/8/2020	10	10	ND	ug/L
1-naphthylamine	MW-21	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-2N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-2N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1-naphthylamine	MW-2N	7/12/2018	10	10	ND	ug/L
1-naphthylamine	MW-2N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-3N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-3N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1-naphthylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1-naphthylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
1-naphthylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-3N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	MW-3N	7/7/2020	10	10	ND	ug/L
1-naphthylamine	MW-3N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-7N	10/15/1998	10	10	ND	ug/L
1-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-7N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-7N	2/6/2009	10	10	ND	ug/L
1-naphthylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1-naphthylamine	MW-7N	7/13/2018	10	10	ND	ug/L
1-naphthylamine	MW-7N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-8N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-8N	1/24/2008	10	10	ND	ug/L
1-naphthylamine	MW-8N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1-naphthylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1-naphthylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1-naphthylamine	MW-8N	7/11/2019	10	10	ND	ug/L
1-naphthylamine	MW-8N	7/9/2020	10	10	ND	ug/L
1-naphthylamine	MW-8N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	NE-1	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-1	2/7/2009	10	10	ND	ug/L
1-naphthylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1-naphthylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1-naphthylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1-naphthylamine	NE-4	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-4	2/7/2009	10	10	ND	ug/L
1-naphthylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1-naphthylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1-naphthylamine	NE-4	7/12/2018	10	10	ND	ug/L
1-naphthylamine	NE-5	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-5	2/6/2009	10	10	ND	ug/L
1-naphthylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1-naphthylamine	NE-5	7/9/2019	10	10	ND	ug/L
2,2-dichloropropane	LGW-10	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/9/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/16/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-10	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	10/27/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	7/17/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	LGW-14R	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	2/13/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-2	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/6/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	2/5/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-6	10/6/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-7	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/6/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	LGW-9	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-9	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	2/13/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-15	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-15	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-16	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-16	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-17	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-17	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-19	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-19	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	10/14/1998	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-1N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-1N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	2/5/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-1N	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-20	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-20	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/5/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/6/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-21	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-3N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-3N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/11/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/9/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	MW-3N	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-3N	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	10/15/1998	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-7N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-7N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-8N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	1/24/2008	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	5/10/2011	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/11/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/2/2013	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/8/2014	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/16/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	NE-1	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-1	2/7/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-1	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-1	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-1	7/18/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-2	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-4	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-4	2/7/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-4	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-4	2/13/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-4	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-5	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-5	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-5	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/9/2019	5	5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	10/27/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	LGW-14R	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/17/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	2/13/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	2/13/2015	13	13	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/8/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/11/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/6/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	2/5/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	2/10/2015	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/10/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	2/13/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	2/10/2015	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/17/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/6/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-15	7/10/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-15	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-16	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-17	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-19	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	10/14/1998	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	2/5/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/6/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-20	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/8/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/7/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	MW-7N	10/15/1998	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/13/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	1/24/2008	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	2/7/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	2/7/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/9/2019	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/6/2016	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/9/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/16/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	2/13/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/9/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	LGW-2	2/13/2015	65	65	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/12/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/11/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	2/10/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/12/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	2/5/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	2/10/2015	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/17/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/10/2019	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/12/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/10/2019	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/13/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/10/2019	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	2/13/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	MW-10N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	2/10/2015	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/17/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/6/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-15	7/10/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-15	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-16	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-16	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-17	7/10/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-17	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-19	7/13/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-19	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	2/5/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	2/10/2015	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/10/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-20	7/12/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-20	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	10/5/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	10/6/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/12/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/11/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	2/12/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/9/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/13/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	2/12/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/5/2017	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	MW-7N	7/13/2018	52	52	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	1/24/2008	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	5/10/2011	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/11/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/2/2013	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/8/2014	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/6/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/16/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	2/7/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	7/10/2012	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	7/18/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-2	7/10/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	2/7/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	7/10/2012	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	2/13/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	7/12/2018	52	52	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/17/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/9/2019	50	50	ND	ug/L
2,4,5-t	LGW-10	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-10	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	10/6/2016	0.95	0.95	ND	ug/L
2,4,5-t	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	7/11/2019	1.1	1.1	ND	ug/L
2,4,5-t	LGW-10	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-10	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-14R	10/27/2006	1	1	ND	ug/L
2,4,5-t	LGW-14R	2/6/2009	1	1	ND	ug/L
2,4,5-t	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-14R	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-t	LGW-14R	7/17/2018	1	1	ND	ug/L
2,4,5-t	LGW-14R	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-2	11/3/2006	1	1	ND	ug/L
2,4,5-t	LGW-2	2/13/2009	1	1	ND	ug/L
2,4,5-t	LGW-2	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-2	7/12/2018	1.1	1.1	ND	ug/L
2,4,5-t	LGW-2	7/8/2020	2	2	ND	ug/L
2,4,5-t	LGW-2	7/4/2021	1	1	ND	ug/L
2,4,5-t	LGW-3R	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-3R	2/3/2009	1	1	ND	ug/L
2,4,5-t	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-3R	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-t	LGW-3R	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	LGW-3R	7/6/2021	1	1	ND	ug/L
2,4,5-t	LGW-4	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-4	2/3/2009	1	1	ND	ug/L
2,4,5-t	LGW-4	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-4	2/11/2015	0.99	0.99	ND	ug/L
2,4,5-t	LGW-4	7/11/2018	0.98	0.98	ND	ug/L
2,4,5-t	LGW-4	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-5	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-5	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-5	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-t	LGW-5	7/12/2018	1	1	ND	ug/L
2,4,5-t	LGW-5	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-6	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-6	2/5/2009	1	1	ND	ug/L
2,4,5-t	LGW-6	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-6	2/10/2015	1	1	ND	ug/L
2,4,5-t	LGW-6	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-t	LGW-6	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-t	LGW-6	7/17/2018	1	1	ND	ug/L
2,4,5-t	LGW-6	7/10/2019	0.95	0.95	ND	ug/L
2,4,5-t	LGW-6	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-6	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-7	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-7	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-t	LGW-7	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	LGW-7	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	7/12/2018	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	7/10/2019	0.97	0.97	ND	ug/L
2,4,5-t	LGW-7	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-7	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-8R	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-8R	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-8R	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-t	LGW-8R	7/13/2018	0.98	0.98	ND	ug/L
2,4,5-t	LGW-8R	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-9	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-9	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-9	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-t	LGW-9	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
2,4,5-t	LGW-9	7/13/2018	0.96	0.96	ND	ug/L
2,4,5-t	LGW-9	7/10/2019	1	1	ND	ug/L
2,4,5-t	LGW-9	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-9	7/7/2021	1	1	ND	ug/L
2,4,5-t	MW-10N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-10N	2/13/2009	1	1	ND	ug/L
2,4,5-t	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-10N	2/12/2015	0.97	0.97	ND	ug/L
2,4,5-t	MW-10N	7/11/2018	1	1	ND	ug/L
2,4,5-t	MW-10N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-11N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-11N	2/3/2009	1	1	ND	ug/L
2,4,5-t	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
2,4,5-t	MW-11N	7/17/2018	1	1	ND	ug/L
2,4,5-t	MW-11N	7/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	MW-15	7/10/2018	1	1	ND	ug/L
2,4,5-t	MW-15	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-16	7/11/2018	1	1	ND	ug/L
2,4,5-t	MW-16	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-17	7/10/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-17	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-19	7/13/2018	1	1	ND	ug/L
2,4,5-t	MW-19	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-1N	10/14/1998	1	1	ND	ug/L
2,4,5-t	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-1N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-1N	2/5/2009	1	1	ND	ug/L
2,4,5-t	MW-1N	7/10/2012	0.96	0.96	ND	ug/L
2,4,5-t	MW-1N	2/10/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-1N	7/10/2018	0.97	0.97	ND	ug/L
2,4,5-t	MW-1N	7/6/2020	2	2	ND	ug/L
2,4,5-t	MW-1N	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-20	7/12/2018	0.96	0.96	ND	ug/L
2,4,5-t	MW-20	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-21	10/5/2016	0.96	0.96	ND	ug/L
2,4,5-t	MW-21	10/6/2017	0.96	0.96	ND	ug/L
2,4,5-t	MW-21	7/11/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-21	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-21	7/8/2020	2	2	ND	ug/L
2,4,5-t	MW-21	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-2N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-2N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-2N	7/10/2012	1	1	ND	ug/L
2,4,5-t	MW-2N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	MW-2N	7/12/2018	1	1	ND	ug/L
2,4,5-t	MW-2N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-3N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-3N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-t	MW-3N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	MW-3N	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-t	MW-3N	10/9/2017	0.97	0.97	ND	ug/L
2,4,5-t	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-3N	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-3N	7/7/2020	2	2	ND	ug/L
2,4,5-t	MW-3N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-7N	10/15/1998	1	1	ND	ug/L
2,4,5-t	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-7N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-7N	2/6/2009	1	1	ND	ug/L
2,4,5-t	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-7N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-7N	10/5/2017	0.96	0.96	ND	ug/L
2,4,5-t	MW-7N	7/13/2018	1	1	ND	ug/L
2,4,5-t	MW-7N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-8N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-8N	1/24/2008	1	1	ND	ug/L
2,4,5-t	MW-8N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	7/11/2012	4.7	4.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	MW-8N	10/2/2013	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-8N	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	MW-8N	10/6/2017	0.98	0.98	ND	ug/L
2,4,5-t	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-8N	7/9/2020	2	2	ND	ug/L
2,4,5-t	MW-8N	7/5/2021	1	1	ND	ug/L
2,4,5-t	NE-1	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-1	2/7/2009	1	1	ND	ug/L
2,4,5-t	NE-1	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	NE-1	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-t	NE-1	7/18/2018	0.95	0.95	ND	ug/L
2,4,5-t	NE-2	7/10/2018	1	1	ND	ug/L
2,4,5-t	NE-4	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-4	2/7/2009	1	1	ND	ug/L
2,4,5-t	NE-4	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	NE-4	2/13/2015	4.8	4.8	ND	ug/L
2,4,5-t	NE-4	7/12/2018	1	1	ND	ug/L
2,4,5-t	NE-5	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-5	2/6/2009	1	1	ND	ug/L
2,4,5-t	NE-5	7/10/2012	0.94	0.94	ND	ug/L
2,4,5-t	NE-5	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-t	NE-5	7/17/2018	0.99	0.99	ND	ug/L
2,4,5-t	NE-5	7/9/2019	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-10	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/6/2016	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/11/2019	1.1	1.1	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	10/27/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	2/6/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	11/3/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	2/13/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/12/2018	1.1	1.1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/8/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	2/3/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	7/6/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	2/3/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-4	2/11/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/11/2018	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-5	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-5	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	2/5/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-6	2/10/2015	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/10/2019	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/12/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/10/2019	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/13/2018	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-9	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/13/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/10/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	2/13/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-10N	2/12/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	2/3/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/6/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-15	7/10/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-15	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-16	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-16	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-17	7/10/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-17	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-19	7/13/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-19	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	10/14/1998	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-1N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	2/5/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/10/2012	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-1N	2/10/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/10/2018	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/6/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-20	7/12/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-20	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-21	10/5/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-21	10/6/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/11/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/8/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/10/2012	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-tp (silvex)	MW-3N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/9/2017	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/7/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/15/1998	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	2/6/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-7N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/5/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-7N	7/13/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	1/24/2008	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/2/2013	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/6/2017	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	NE-1	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-1	2/7/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-1	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-1	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	NE-1	7/18/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-2	7/10/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	2/7/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-4	2/13/2015	4.8	4.8	ND	ug/L
2,4,5-tp (silvex)	NE-4	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	2/6/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/10/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	NE-5	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/17/2018	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/9/2019	0.98	0.98	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	10/14/1998	25	25	ND	ug/L
2,4,5-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/15/1998	25	25	ND	ug/L
2,4,5-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-d	LGW-10	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-10	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-10	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-10	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-10	10/9/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-10	7/16/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-10	7/11/2019	4.3	4.3	ND	ug/L
2,4-d	LGW-10	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-10	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-14R	10/27/2006	4	4	ND	ug/L
2,4-d	LGW-14R	2/6/2009	4	4	ND	ug/L
2,4-d	LGW-14R	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-14R	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-14R	7/17/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-14R	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-2	11/3/2006	4	4	ND	ug/L
2,4-d	LGW-2	2/13/2009	4	4	ND	ug/L
2,4-d	LGW-2	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-2	7/12/2018	4.4	4.4	ND	ug/L
2,4-d	LGW-2	7/8/2020	2	2	ND	ug/L
2,4-d	LGW-2	7/4/2021	4	4	ND	ug/L
2,4-d	LGW-3R	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-3R	2/3/2009	4	4	ND	ug/L
2,4-d	LGW-3R	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-3R	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-3R	7/11/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-3R	7/6/2021	4	4	ND	ug/L
2,4-d	LGW-4	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-4	2/3/2009	4	4	ND	ug/L
2,4-d	LGW-4	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-4	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-4	7/11/2018	3.9	3.9	ND	ug/L
2,4-d	LGW-4	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-5	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-5	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-5	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-5	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-5	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-5	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-6	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-6	2/5/2009	4	4	ND	ug/L
2,4-d	LGW-6	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-6	2/10/2015	4	4	ND	ug/L
2,4-d	LGW-6	10/6/2016	3.9	3.9	ND	ug/L
2,4-d	LGW-6	10/5/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-6	7/17/2018	4	4	ND	ug/L
2,4-d	LGW-6	7/10/2019	3.8	3.8	ND	ug/L
2,4-d	LGW-6	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-6	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-7	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-7	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-7	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-7	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-7	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-7	10/5/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-7	7/12/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-7	7/10/2019	3.9	3.9	ND	ug/L
2,4-d	LGW-7	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-7	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-8R	10/26/2006	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-d	LGW-8R	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-8R	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-8R	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-8R	7/13/2018	3.9	3.9	ND	ug/L
2,4-d	LGW-8R	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-9	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-9	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-9	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-9	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-9	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-9	10/5/2017	3.9	3.9	ND	ug/L
2,4-d	LGW-9	7/13/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-9	7/10/2019	4	4	ND	ug/L
2,4-d	LGW-9	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-9	7/7/2021	4	4	ND	ug/L
2,4-d	MW-10N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-10N	2/13/2009	4	4	ND	ug/L
2,4-d	MW-10N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-10N	2/12/2015	3.9	3.9	ND	ug/L
2,4-d	MW-10N	7/11/2018	4	4	ND	ug/L
2,4-d	MW-10N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-11N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-11N	2/3/2009	4	4	ND	ug/L
2,4-d	MW-11N	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	MW-11N	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	MW-11N	7/17/2018	4	4	ND	ug/L
2,4-d	MW-11N	7/6/2021	4	4	ND	ug/L
2,4-d	MW-15	7/10/2018	4.1	4.1	ND	ug/L
2,4-d	MW-15	7/4/2021	4	4	ND	ug/L
2,4-d	MW-16	7/11/2018	4.2	4.2	ND	ug/L
2,4-d	MW-16	7/4/2021	4	4	ND	ug/L
2,4-d	MW-17	7/10/2018	3.8	3.8	ND	ug/L
2,4-d	MW-17	7/4/2021	4	4	ND	ug/L
2,4-d	MW-19	7/13/2018	4.1	4.1	ND	ug/L
2,4-d	MW-19	7/4/2021	4	4	ND	ug/L
2,4-d	MW-1N	10/14/1998	1	1	ND	ug/L
2,4-d	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-1N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-1N	2/5/2009	4	4	ND	ug/L
2,4-d	MW-1N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-1N	2/10/2015	4	4	ND	ug/L
2,4-d	MW-1N	7/10/2018	3.9	3.9	ND	ug/L
2,4-d	MW-1N	7/6/2020	2	2	ND	ug/L
2,4-d	MW-1N	7/4/2021	4	4	ND	ug/L
2,4-d	MW-20	7/12/2018	3.8	3.8	ND	ug/L
2,4-d	MW-20	7/4/2021	4	4	ND	ug/L
2,4-d	MW-21	10/5/2016	3.8	3.8	ND	ug/L
2,4-d	MW-21	10/6/2017	3.8	3.8	ND	ug/L
2,4-d	MW-21	7/11/2018	3.8	3.8	ND	ug/L
2,4-d	MW-21	7/11/2019	4	4	ND	ug/L
2,4-d	MW-21	7/8/2020	2	2	ND	ug/L
2,4-d	MW-21	7/5/2021	4	4	ND	ug/L
2,4-d	MW-2N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-2N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-2N	7/10/2012	4	4	ND	ug/L
2,4-d	MW-2N	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	MW-2N	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	MW-2N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-3N	5/29/2002	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-d	MW-3N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-3N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-3N	7/11/2012	19	19	ND	ug/L
2,4-d	MW-3N	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	MW-3N	10/6/2016	3.9	3.9	ND	ug/L
2,4-d	MW-3N	10/9/2017	3.9	3.9	ND	ug/L
2,4-d	MW-3N	7/13/2018	3.8	3.8	ND	ug/L
2,4-d	MW-3N	7/11/2019	4	4	ND	ug/L
2,4-d	MW-3N	7/7/2020	2	2	ND	ug/L
2,4-d	MW-3N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-7N	10/15/1998	1	1	ND	ug/L
2,4-d	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-7N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-7N	2/6/2009	4	4	ND	ug/L
2,4-d	MW-7N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-7N	2/12/2015	4	4	ND	ug/L
2,4-d	MW-7N	10/5/2017	3.9	3.9	ND	ug/L
2,4-d	MW-7N	7/13/2018	4.1	4.1	ND	ug/L
2,4-d	MW-7N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-8N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-8N	1/24/2008	4	4	ND	ug/L
2,4-d	MW-8N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-8N	5/10/2011	3.8	3.8	ND	ug/L
2,4-d	MW-8N	7/11/2012	19	19	ND	ug/L
2,4-d	MW-8N	10/2/2013	3.8	3.8	ND	ug/L
2,4-d	MW-8N	10/8/2014	3.8	3.8	ND	ug/L
2,4-d	MW-8N	2/12/2015	3.9	3.9	ND	ug/L
2,4-d	MW-8N	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	MW-8N	10/6/2017	3.9	3.9	ND	ug/L
2,4-d	MW-8N	7/16/2018	3.8	3.8	ND	ug/L
2,4-d	MW-8N	7/11/2019	4.2	4.2	ND	ug/L
2,4-d	MW-8N	7/9/2020	2	2	ND	ug/L
2,4-d	MW-8N	7/5/2021	4	4	ND	ug/L
2,4-d	NE-1	10/25/2006	4	4	ND	ug/L
2,4-d	NE-1	2/7/2009	4	4	ND	ug/L
2,4-d	NE-1	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-1	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	NE-1	7/18/2018	3.8	3.8	ND	ug/L
2,4-d	NE-2	7/10/2018	4	4	ND	ug/L
2,4-d	NE-4	10/25/2006	4	4	ND	ug/L
2,4-d	NE-4	2/7/2009	4	4	ND	ug/L
2,4-d	NE-4	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-4	2/13/2015	19	19	ND	ug/L
2,4-d	NE-4	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	NE-5	10/25/2006	4	4	ND	ug/L
2,4-d	NE-5	2/6/2009	4	4	ND	ug/L
2,4-d	NE-5	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-5	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	NE-5	7/17/2018	4	4	ND	ug/L
2,4-d	NE-5	7/9/2019	3.9	3.9	ND	ug/L
2,4-dichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4-dichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dimethylphenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-10N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	10/14/1998	4	4	ND	ug/L
2,4-dimethylphenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	10/15/1998	4	4	ND	ug/L
2,4-dimethylphenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dimethylphenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dimethylphenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dimethylphenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-dinitrophenol	LGW-10	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-10	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-10	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	10/6/2016	47	47	ND	ug/L
2,4-dinitrophenol	LGW-10	10/9/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	7/16/2018	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-10	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	2/13/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-2	2/13/2015	65	65	ND	ug/L
2,4-dinitrophenol	LGW-2	7/12/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-2	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	2/3/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-4	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-4	7/11/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-5	2/10/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-5	7/12/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	2/5/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-6	2/10/2015	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-6	10/5/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-6	7/17/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-6	7/10/2019	49	49	ND	ug/L
2,4-dinitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-6	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-7	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	10/5/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	7/12/2018	51	51	ND	ug/L
2,4-dinitrophenol	LGW-7	7/10/2019	49	49	ND	ug/L
2,4-dinitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-7	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-9	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-9	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-9	10/5/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-9	7/13/2018	47	47	ND	ug/L
2,4-dinitrophenol	LGW-9	7/10/2019	51	51	ND	ug/L
2,4-dinitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-9	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	2/13/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-10N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-10N	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-10N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	2/3/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/9/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	MW-11N	2/10/2015	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/17/2018	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/6/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-15	7/10/2018	51	51	ND	ug/L
2,4-dinitrophenol	MW-15	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-16	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-16	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-17	7/10/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-17	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-19	7/13/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-19	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	10/14/1998	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	2/5/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-1N	2/10/2015	47	47	ND	ug/L
2,4-dinitrophenol	MW-1N	7/10/2018	49	49	ND	ug/L
2,4-dinitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-1N	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-20	7/12/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-20	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-21	10/5/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	10/6/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-21	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-2N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-2N	7/12/2018	51	51	ND	ug/L
2,4-dinitrophenol	MW-2N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	7/11/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-3N	2/12/2015	49	49	ND	ug/L
2,4-dinitrophenol	MW-3N	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-3N	10/9/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-3N	7/13/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-3N	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-3N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	10/15/1998	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-7N	2/12/2015	49	49	ND	ug/L
2,4-dinitrophenol	MW-7N	10/5/2017	49	49	ND	ug/L
2,4-dinitrophenol	MW-7N	7/13/2018	52	52	ND	ug/L
2,4-dinitrophenol	MW-7N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	1/24/2008	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	MW-8N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/10/2011	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	7/11/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-8N	10/2/2013	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/8/2014	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/6/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	7/16/2018	49	49	ND	ug/L
2,4-dinitrophenol	MW-8N	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-8N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	NE-1	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	NE-1	2/7/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-1	7/10/2012	48	48	ND	ug/L
2,4-dinitrophenol	NE-1	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-1	7/18/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-2	7/10/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-4	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	NE-4	2/7/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-4	7/10/2012	49	49	ND	ug/L
2,4-dinitrophenol	NE-4	2/13/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-4	7/12/2018	52	52	ND	ug/L
2,4-dinitrophenol	NE-5	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	NE-5	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-5	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	NE-5	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-5	7/17/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-5	7/9/2019	50	50	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-17	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-19	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	10/14/1998	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-20	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/15/1998	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-4	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-5	7/9/2019	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,6-dichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,6-dichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,6-dichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,6-dichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	10/27/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/17/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	2/13/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-2	2/13/2015	13	13	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/8/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	2/3/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/11/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/6/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-4	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-4	2/3/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	2/5/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-6	2/10/2015	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	LGW-6	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/10/2019	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	2/13/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	2/3/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-11N	2/10/2015	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	7/17/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	7/6/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-15	7/10/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-15	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-16	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-17	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-19	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	10/14/1998	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	2/5/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/6/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-20	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	10/5/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-21	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	7/8/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/7/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/15/1998	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/13/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	1/24/2008	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	2/7/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-4	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	NE-4	2/7/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-4	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	NE-5	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	NE-5	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-5	7/9/2019	10	10	ND	ug/L
2-acetylaminofluorene	LGW-10	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-10	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	2/12/2015	96	96	ND	ug/L
2-acetylaminofluorene	LGW-10	10/6/2016	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	10/9/2017	96	96	ND	ug/L
2-acetylaminofluorene	LGW-10	7/16/2018	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	7/11/2019	99	99	ND	ug/L
2-acetylaminofluorene	LGW-10	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-10	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	10/27/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-14R	2/11/2015	99	99	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/17/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	2/13/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-2	2/13/2015	130	130	ND	ug/L
2-acetylaminofluorene	LGW-2	7/12/2018	97	97	ND	ug/L
2-acetylaminofluorene	LGW-2	7/8/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-2	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-3R	2/10/2015	97	97	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/11/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/6/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-4	2/11/2015	97	97	ND	ug/L
2-acetylaminofluorene	LGW-4	7/11/2018	99	99	ND	ug/L
2-acetylaminofluorene	LGW-4	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-5	2/10/2015	95	95	ND	ug/L
2-acetylaminofluorene	LGW-5	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	2/5/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-6	2/10/2015	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	10/6/2016	97	97	ND	ug/L
2-acetylaminofluorene	LGW-6	10/5/2017	95	95	ND	ug/L
2-acetylaminofluorene	LGW-6	7/17/2018	99	99	ND	ug/L
2-acetylaminofluorene	LGW-6	7/10/2019	99	99	ND	ug/L
2-acetylaminofluorene	LGW-6	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-6	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-7	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	LGW-7	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	LGW-7	10/5/2017	96	96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-acetylaminofluorene	LGW-7	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	7/10/2019	98	98	ND	ug/L
2-acetylaminofluorene	LGW-7	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-7	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-8R	2/11/2015	98	98	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/13/2018	98	98	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	2/11/2015	98	98	ND	ug/L
2-acetylaminofluorene	LGW-9	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	LGW-9	10/5/2017	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	7/13/2018	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	7/10/2019	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-9	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-10N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-10N	2/13/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-10N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-10N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-10N	7/11/2018	97	97	ND	ug/L
2-acetylaminofluorene	MW-10N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-11N	2/10/2015	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/17/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/6/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-15	7/10/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-15	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-16	7/11/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-16	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-17	7/10/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-17	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-19	7/13/2018	96	96	ND	ug/L
2-acetylaminofluorene	MW-19	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	10/14/1998	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	10/24/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	2/5/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-1N	2/10/2015	95	95	ND	ug/L
2-acetylaminofluorene	MW-1N	7/10/2018	99	99	ND	ug/L
2-acetylaminofluorene	MW-1N	7/6/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-20	7/12/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-20	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-21	10/5/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-21	10/6/2017	96	96	ND	ug/L
2-acetylaminofluorene	MW-21	7/11/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-21	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-21	7/8/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-21	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	7/10/2012	95	95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-acetylaminofluorene	MW-2N	2/12/2015	96	96	ND	ug/L
2-acetylaminofluorene	MW-2N	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	7/11/2012	94	94	ND	ug/L
2-acetylaminofluorene	MW-3N	2/12/2015	98	98	ND	ug/L
2-acetylaminofluorene	MW-3N	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-3N	10/9/2017	95	95	ND	ug/L
2-acetylaminofluorene	MW-3N	7/13/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-3N	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	7/7/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	10/15/1998	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	10/24/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-7N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-7N	10/5/2017	99	99	ND	ug/L
2-acetylaminofluorene	MW-7N	7/13/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	10/24/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	1/24/2008	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	5/10/2011	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	7/11/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-8N	10/2/2013	95	95	ND	ug/L
2-acetylaminofluorene	MW-8N	10/8/2014	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-8N	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	10/6/2017	97	97	ND	ug/L
2-acetylaminofluorene	MW-8N	7/16/2018	98	98	ND	ug/L
2-acetylaminofluorene	MW-8N	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	2/7/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	7/10/2012	96	96	ND	ug/L
2-acetylaminofluorene	NE-1	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	NE-1	7/18/2018	96	96	ND	ug/L
2-acetylaminofluorene	NE-2	7/10/2018	95	95	ND	ug/L
2-acetylaminofluorene	NE-4	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-4	2/7/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-4	7/10/2012	98	98	ND	ug/L
2-acetylaminofluorene	NE-4	2/13/2015	95	95	ND	ug/L
2-acetylaminofluorene	NE-4	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	NE-5	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	NE-5	7/17/2018	96	96	ND	ug/L
2-acetylaminofluorene	NE-5	7/9/2019	100	100	ND	ug/L
2-chloronaphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-2	2/13/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
2-chloronaphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-5	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/17/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-15	7/10/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-15	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-16	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-17	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-19	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-20	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-21	7/11/2019	10	10	ND	ug/L
2-chloronaphthalene	MW-21	7/8/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-21	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-chloronaphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-3N	7/11/2019	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-chloronaphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-chloronaphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	NE-1	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-1	2/7/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-4	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-4	2/7/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-chloronaphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-4	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	NE-5	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-5	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-5	7/9/2019	10	10	ND	ug/L
2-chlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2-chlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2-chlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2-chlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2-chlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2-chlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2-chlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2-chlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2-chlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2-chlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2-chlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2-chlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2-chlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2-chlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2-chlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2-chlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-chlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2-chlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2-chlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-chlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-chlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2-chlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-chlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-chlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2-chlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-chlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2-chlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2-chlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-chlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2-chlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2-chlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-chlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-chlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-chlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2-chlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2-chlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-chlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2-chlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2-chlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-chlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-chlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-chlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2-chlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2-chlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-chlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-chlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-chlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2-chlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-chlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-chlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2-chlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2-chlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-chlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2-hexanone	LGW-10	1/26/2006	5	5	ND	ug/L
2-hexanone	LGW-10	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-10	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-10	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-10	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-10	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-10	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-10	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-10	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-10	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-10	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-10	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-10	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-10	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-10	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-10	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-10	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-10	5/1/2013	5	5	ND	ug/L
2-hexanone	LGW-10	1/30/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-10	7/9/2014	5	5	ND	ug/L
2-hexanone	LGW-10	2/12/2015	5	5	ND	ug/L
2-hexanone	LGW-10	7/13/2015	5	5	ND	ug/L
2-hexanone	LGW-10	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-10	4/6/2016	5	5	ND	ug/L
2-hexanone	LGW-10	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-10	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-10	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-10	4/4/2017	5	5	ND	ug/L
2-hexanone	LGW-10	7/19/2017	5	5	ND	ug/L
2-hexanone	LGW-10	10/9/2017	5	5	ND	ug/L
2-hexanone	LGW-10	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-10	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-10	7/16/2018	5	5	ND	ug/L
2-hexanone	LGW-10	10/4/2018	5	5	ND	ug/L
2-hexanone	LGW-10	1/4/2019	5	5	ND	ug/L
2-hexanone	LGW-10	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-10	7/11/2019	5	5	ND	ug/L
2-hexanone	LGW-10	10/2/2019	5	5	ND	ug/L
2-hexanone	LGW-10	1/15/2020	5	5	ND	ug/L
2-hexanone	LGW-10	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-10	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-10	10/7/2020	5	5	ND	ug/L
2-hexanone	LGW-10	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-10	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-10	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-10	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-10	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-10	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-10	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-10	10/7/2022	5	5	ND	ug/L
2-hexanone	LGW-10	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-10	4/5/2023	5	5	ND	ug/L
2-hexanone	LGW-14R	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	8/2/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	8/2/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	10/27/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	4/24/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-14R	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-14R	2/6/2009	5	5	ND	ug/L
2-hexanone	LGW-14R	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-14R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-14R	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-14R	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-14R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-14R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-14R	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-14R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-14R	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-14R	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-14R	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-14R	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-14R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-14R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-14R	1/25/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-14R	7/17/2018	5	5	ND	ug/L
2-hexanone	LGW-14R	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-14R	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-14R	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-14R	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-14R	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-14R	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-14R	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-14R	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-14R	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-2	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-2	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-2	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-2	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-2	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-2	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-2	7/10/2007	5	5	ND	ug/L
2-hexanone	LGW-2	1/26/2008	5	5	ND	ug/L
2-hexanone	LGW-2	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-2	2/6/2009	5	5	ND	ug/L
2-hexanone	LGW-2	7/30/2009	5	5	ND	ug/L
2-hexanone	LGW-2	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-2	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-2	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-2	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-2	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-2	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-2	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-2	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-2	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-2	1/30/2014	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-2	2/13/2015	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2015	5	5	ND	ug/L
2-hexanone	LGW-2	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-2	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-2	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-2	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-2	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-2	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-2	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-2	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-2	1/13/2020	5	5	ND	ug/L
2-hexanone	LGW-2	4/1/2020	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2020	5	5	ND	ug/L
2-hexanone	LGW-2	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-2	7/4/2021	5	5	ND	ug/L
2-hexanone	LGW-2	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-2	7/10/2022	5	5	ND	ug/L
2-hexanone	LGW-2	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-3R	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	1/26/2008	5	5	ND	ug/L
2-hexanone	LGW-3R	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-3R	2/3/2009	5	5	ND	ug/L
2-hexanone	LGW-3R	7/31/2009	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-3R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-3R	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-3R	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-3R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-3R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-3R	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-3R	1/22/2014	5	5	ND	ug/L
2-hexanone	LGW-3R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-3R	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-3R	7/16/2015	5	5	ND	ug/L
2-hexanone	LGW-3R	1/8/2016	5	5	ND	ug/L
2-hexanone	LGW-3R	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-3R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-3R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-3R	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-3R	7/11/2018	5	5	ND	ug/L
2-hexanone	LGW-3R	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-3R	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-3R	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-3R	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-3R	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-3R	7/6/2021	5	5	ND	ug/L
2-hexanone	LGW-3R	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-3R	7/10/2022	5	5	ND	ug/L
2-hexanone	LGW-3R	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-4	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-4	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-4	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-4	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-4	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-4	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-4	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-4	1/22/2008	5	5	ND	ug/L
2-hexanone	LGW-4	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2009	5	5	ND	ug/L
2-hexanone	LGW-4	7/31/2009	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-4	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-4	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-4	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-4	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-4	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-4	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-4	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-4	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-4	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-4	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-4	7/8/2015	5	5	ND	ug/L
2-hexanone	LGW-4	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-4	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-4	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-4	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-4	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-4	7/11/2018	5	5	ND	ug/L
2-hexanone	LGW-4	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-4	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-4	1/14/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-4	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-4	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-4	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-4	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-4	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-4	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-5	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-5	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-5	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-5	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-5	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-5	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-5	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-5	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-5	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-5	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-5	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-5	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-5	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-5	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-5	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-5	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-5	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-5	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-5	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-5	7/8/2015	5	5	ND	ug/L
2-hexanone	LGW-5	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-5	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-5	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-5	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-5	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-5	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-5	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-5	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-5	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-5	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-5	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-5	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-5	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-5	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-5	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-5	10/6/2022	5	5	ND	ug/L
2-hexanone	LGW-5	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-6	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-6	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-6	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-6	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-6	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-6	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-6	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-6	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-6	2/5/2009	5	5	ND	ug/L
2-hexanone	LGW-6	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-6	2/3/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-6	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-6	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-6	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-6	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-6	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-6	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-6	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-6	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-6	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-6	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-6	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-6	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-6	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-6	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-6	5/5/2017	5	5	ND	ug/L
2-hexanone	LGW-6	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-6	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-6	4/10/2018	5	5	ND	ug/L
2-hexanone	LGW-6	7/17/2018	5	5	ND	ug/L
2-hexanone	LGW-6	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-6	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-6	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-6	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-6	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-6	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-6	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-6	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2020	5	5	ND	ug/L
2-hexanone	LGW-6	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-6	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-6	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-6	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-6	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-6	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-6	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2022	5	5	ND	ug/L
2-hexanone	LGW-6	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-6	4/6/2023	5	5	ND	ug/L
2-hexanone	LGW-7	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-7	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-7	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-7	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-7	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-7	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-7	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-7	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-7	7/31/2009	5	5	ND	ug/L
2-hexanone	LGW-7	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-7	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-7	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-7	7/10/2012	5	5	ND	ug/L
2-hexanone	LGW-7	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-7	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-7	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-7	7/8/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-7	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-7	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-7	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-7	4/6/2016	5	5	ND	ug/L
2-hexanone	LGW-7	7/20/2016	5	5	ND	ug/L
2-hexanone	LGW-7	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-7	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-7	4/4/2017	5	5	ND	ug/L
2-hexanone	LGW-7	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-7	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-7	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-7	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-7	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-7	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-7	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-7	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-7	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-7	1/15/2020	5	5	ND	ug/L
2-hexanone	LGW-7	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-7	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-7	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-7	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-7	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-7	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-7	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-8R	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	4/25/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-8R	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-8R	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-8R	7/14/2010	5	5	ND	ug/L
2-hexanone	LGW-8R	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-8R	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-8R	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-8R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-8R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-8R	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-8R	1/22/2014	5	5	ND	ug/L
2-hexanone	LGW-8R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-8R	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-8R	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-8R	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2016	5	5	ND	ug/L
2-hexanone	LGW-8R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-8R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-8R	1/25/2018	5	5	ND	ug/L
2-hexanone	LGW-8R	7/13/2018	5	5	ND	ug/L
2-hexanone	LGW-8R	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-8R	7/8/2019	5	5	ND	ug/L
2-hexanone	LGW-8R	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-8R	7/7/2020	5	5	ND	ug/L
2-hexanone	LGW-8R	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-8R	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-8R	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-8R	7/11/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-8R	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-9	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-9	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-9	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-9	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-9	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-9	4/25/2007	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2007	5	5	ND	ug/L
2-hexanone	LGW-9	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-9	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-9	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-9	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-9	7/14/2010	5	5	ND	ug/L
2-hexanone	LGW-9	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-9	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-9	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2012	5	5	ND	ug/L
2-hexanone	LGW-9	5/1/2013	5	5	ND	ug/L
2-hexanone	LGW-9	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-9	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-9	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-9	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-9	7/13/2015	5	5	ND	ug/L
2-hexanone	LGW-9	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-9	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-9	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-9	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-9	5/5/2017	5	5	ND	ug/L
2-hexanone	LGW-9	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-9	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-9	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-9	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-9	7/13/2018	5	5	ND	ug/L
2-hexanone	LGW-9	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-9	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-9	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-9	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-9	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-9	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-9	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-9	10/7/2020	5	5	ND	ug/L
2-hexanone	LGW-9	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-9	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-9	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-9	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-9	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-9	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-9	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-9	10/7/2022	5	5	ND	ug/L
2-hexanone	LGW-9	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-9	4/5/2023	5	5	ND	ug/L
2-hexanone	MW-10N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-10N	1/22/1998	34	34	ND	ug/L
2-hexanone	MW-10N	4/28/1998	69	69	ND	ug/L
2-hexanone	MW-10N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-10N	1/14/1999	34	34	ND	ug/L
2-hexanone	MW-10N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-10N	7/15/1999	34	34	ND	ug/L
2-hexanone	MW-10N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-10N	1/14/2000	34	34	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-10N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-10N	7/11/2000	5	5	ND	ug/L
2-hexanone	MW-10N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-10N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2002	5	5	ND	ug/L
2-hexanone	MW-10N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-10N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-10N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-10N	7/8/2003	5	5	ND	ug/L
2-hexanone	MW-10N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-10N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-10N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-10N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-10N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-10N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-10N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2007	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-10N	1/23/2008	5	5	ND	ug/L
2-hexanone	MW-10N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-10N	2/13/2009	5	5	ND	ug/L
2-hexanone	MW-10N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-10N	1/27/2010	5	5	ND	ug/L
2-hexanone	MW-10N	8/10/2010	5	5	ND	ug/L
2-hexanone	MW-10N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-10N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-10N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-10N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-10N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-10N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-10N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-10N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-10N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-10N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-10N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-10N	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-10N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-10N	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-10N	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-10N	7/8/2020	5	5	ND	ug/L
2-hexanone	MW-10N	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-10N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-10N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-11N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-11N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-11N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-11N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-11N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-11N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-11N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-11N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-11N	1/13/2000	34	34	ND	ug/L
2-hexanone	MW-11N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-11N	7/10/2000	5	5	ND	ug/L
2-hexanone	MW-11N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-11N	1/24/2001	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-11N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-11N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-11N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-11N	7/8/2003	5	5	ND	ug/L
2-hexanone	MW-11N	1/29/2004	5	5	ND	ug/L
2-hexanone	MW-11N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-11N	1/13/2005	5	5	ND	ug/L
2-hexanone	MW-11N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-11N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-11N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-11N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-11N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-11N	1/24/2007	5	5	ND	ug/L
2-hexanone	MW-11N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-11N	1/22/2008	5	5	ND	ug/L
2-hexanone	MW-11N	7/23/2008	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2009	5	5	ND	ug/L
2-hexanone	MW-11N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2010	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2010	5	5	ND	ug/L
2-hexanone	MW-11N	7/16/2010	5	5	ND	ug/L
2-hexanone	MW-11N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-11N	1/4/2012	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2012	5	5	ND	ug/L
2-hexanone	MW-11N	4/30/2013	5	5	ND	ug/L
2-hexanone	MW-11N	7/15/2013	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2014	5	5	ND	ug/L
2-hexanone	MW-11N	7/8/2014	5	5	ND	ug/L
2-hexanone	MW-11N	2/10/2015	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2015	5	5	ND	ug/L
2-hexanone	MW-11N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-11N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-11N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-11N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-11N	7/17/2018	5	5	ND	ug/L
2-hexanone	MW-11N	1/2/2019	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-11N	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-11N	7/6/2020	5	5	ND	ug/L
2-hexanone	MW-11N	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-11N	7/6/2021	5	5	ND	ug/L
2-hexanone	MW-11N	1/18/2022	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2022	5	5	ND	ug/L
2-hexanone	MW-11N	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-15	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-15	7/15/2015	5	5	ND	ug/L
2-hexanone	MW-15	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-15	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-15	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-15	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-15	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-15	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-15	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-15	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-15	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-15	7/10/2018	5	5	ND	ug/L
2-hexanone	MW-15	1/3/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-15	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-15	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-15	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-15	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-15	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-15	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-15	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-15	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-16	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-16	7/16/2015	5	5	ND	ug/L
2-hexanone	MW-16	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-16	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-16	1/8/2016	5	5	ND	ug/L
2-hexanone	MW-16	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-16	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-16	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-16	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-16	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-16	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-16	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-16	1/2/2019	5	5	ND	ug/L
2-hexanone	MW-16	7/10/2019	5	5	ND	ug/L
2-hexanone	MW-16	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-16	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-16	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-16	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-16	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-16	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-16	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-17	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-17	7/15/2015	5	5	ND	ug/L
2-hexanone	MW-17	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-17	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-17	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-17	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-17	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-17	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-17	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-17	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-17	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-17	7/10/2018	5	5	ND	ug/L
2-hexanone	MW-17	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-17	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-17	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-17	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-17	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-17	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-17	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-19	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-19	7/16/2015	5	5	ND	ug/L
2-hexanone	MW-19	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-19	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-19	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-19	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-19	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-19	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-19	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-19	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-19	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-19	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-19	1/7/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-19	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-19	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-19	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-19	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-19	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-19	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-1N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-1N	1/20/1998	34	34	ND	ug/L
2-hexanone	MW-1N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-1N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-1N	10/14/1998	34	34	ND	ug/L
2-hexanone	MW-1N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-1N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-1N	5/19/1999	34	34	ND	ug/L
2-hexanone	MW-1N	7/15/1999	34	34	ND	ug/L
2-hexanone	MW-1N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-1N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-1N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-1N	7/12/2000	5	5	ND	ug/L
2-hexanone	MW-1N	10/18/2000	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-1N	4/12/2001	5	5	ND	ug/L
2-hexanone	MW-1N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-1N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-1N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-1N	10/3/2002	5	5	ND	ug/L
2-hexanone	MW-1N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-1N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-1N	7/8/2003	5	5	ND	ug/L
2-hexanone	MW-1N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-1N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-1N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-1N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-1N	1/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-1N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-1N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-1N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-1N	2/5/2009	5	5	ND	ug/L
2-hexanone	MW-1N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-1N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-1N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-1N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-1N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-1N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-1N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-1N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-1N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-1N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-1N	2/10/2015	5	5	ND	ug/L
2-hexanone	MW-1N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-1N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-1N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-1N	1/12/2017	5	5	ND	ug/L
2-hexanone	MW-1N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-1N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-1N	7/10/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-1N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-1N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-1N	1/23/2020	5	5	ND	ug/L
2-hexanone	MW-1N	4/2/2020	5	5	ND	ug/L
2-hexanone	MW-1N	7/6/2020	5	5	ND	ug/L
2-hexanone	MW-1N	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-1N	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-1N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-20	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-20	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-20	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-20	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-20	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-20	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-20	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-20	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-20	1/12/2017	5	5	ND	ug/L
2-hexanone	MW-20	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-20	1/26/2018	5	5	ND	ug/L
2-hexanone	MW-20	7/12/2018	5	5	ND	ug/L
2-hexanone	MW-20	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-20	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-20	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-20	1/17/2021	5	5	ND	ug/L
2-hexanone	MW-20	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-20	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-21	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-21	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-21	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-21	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-21	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-21	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-21	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-21	4/5/2017	5	5	ND	ug/L
2-hexanone	MW-21	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-21	10/6/2017	5	5	ND	ug/L
2-hexanone	MW-21	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-21	4/11/2018	5	5	ND	ug/L
2-hexanone	MW-21	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-21	10/4/2018	5	5	ND	ug/L
2-hexanone	MW-21	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-21	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-21	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-21	10/2/2019	5	5	ND	ug/L
2-hexanone	MW-21	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-21	4/2/2020	5	5	ND	ug/L
2-hexanone	MW-21	7/8/2020	5	5	ND	ug/L
2-hexanone	MW-21	10/7/2020	5	5	ND	ug/L
2-hexanone	MW-21	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-21	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-21	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-21	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-21	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-21	4/8/2023	5	5	ND	ug/L
2-hexanone	MW-2N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-2N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-2N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-2N	7/22/1998	34	34	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-2N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-2N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-2N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-2N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-2N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-2N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-2N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-2N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-2N	7/10/2002	5	5	ND	ug/L
2-hexanone	MW-2N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-2N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-2N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-2N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-2N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-2N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-2N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-2N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-2N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-2N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-2N	3/27/2007	5	5	ND	ug/L
2-hexanone	MW-2N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-2N	7/22/2008	5	5	ND	ug/L
2-hexanone	MW-2N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-2N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-2N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-2N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-2N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-2N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-2N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-2N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-2N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-2N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-2N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-2N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-2N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-2N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-2N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-2N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-2N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-2N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-2N	7/12/2018	5	5	ND	ug/L
2-hexanone	MW-2N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-2N	8/7/2019	5	5	ND	ug/L
2-hexanone	MW-2N	1/23/2020	5	5	ND	ug/L
2-hexanone	MW-2N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-2N	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-2N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-2N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-3N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-3N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-3N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-3N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-3N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-3N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-3N	7/14/1999	34	34	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-3N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-3N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-3N	4/24/2000	34	34	ND	ug/L
2-hexanone	MW-3N	7/11/2000	5	5	ND	ug/L
2-hexanone	MW-3N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-3N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-3N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-3N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-3N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-3N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-3N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-3N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-3N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-3N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-3N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-3N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-3N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-3N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-3N	1/18/2006	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-3N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-3N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-3N	7/22/2008	5	5	ND	ug/L
2-hexanone	MW-3N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-3N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-3N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-3N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-3N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-3N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-3N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2012	5	5	ND	ug/L
2-hexanone	MW-3N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-3N	6/4/2013	5	5	ND	ug/L
2-hexanone	MW-3N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-3N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-3N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-3N	4/1/2015	5	5	ND	ug/L
2-hexanone	MW-3N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-3N	10/5/2015	5	5	ND	ug/L
2-hexanone	MW-3N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	4/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-3N	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-3N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-3N	10/9/2017	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-3N	4/10/2018	5	5	ND	ug/L
2-hexanone	MW-3N	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-3N	10/3/2018	5	5	ND	ug/L
2-hexanone	MW-3N	1/7/2019	5	5	ND	ug/L
2-hexanone	MW-3N	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-3N	10/2/2019	5	5	ND	ug/L
2-hexanone	MW-3N	1/15/2020	5	5	ND	ug/L
2-hexanone	MW-3N	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-3N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-3N	10/7/2020	5	5	ND	ug/L
2-hexanone	MW-3N	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-3N	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-3N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-3N	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-3N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-7N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-7N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-7N	7/22/1998	34	34	ND	ug/L
2-hexanone	MW-7N	8/18/1998	34	34	ND	ug/L
2-hexanone	MW-7N	9/17/1998	34	34	ND	ug/L
2-hexanone	MW-7N	10/15/1998	34	34	ND	ug/L
2-hexanone	MW-7N	11/9/1998	34	34	ND	ug/L
2-hexanone	MW-7N	1/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	4/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-7N	1/13/2000	34	34	ND	ug/L
2-hexanone	MW-7N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-7N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-7N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-7N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-7N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-7N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-7N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-7N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-7N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-7N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-7N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-7N	1/27/2004	5	5	ND	ug/L
2-hexanone	MW-7N	4/8/2004	5	5	ND	ug/L
2-hexanone	MW-7N	7/26/2004	5	5	ND	ug/L
2-hexanone	MW-7N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2005	5	5	ND	ug/L
2-hexanone	MW-7N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-7N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-7N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-7N	2/6/2009	5	5	ND	ug/L
2-hexanone	MW-7N	7/29/2009	5	5	ND	ug/L
2-hexanone	MW-7N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-7N	7/14/2010	5	5	ND	ug/L
2-hexanone	MW-7N	9/2/2010	5	5	ND	ug/L
2-hexanone	MW-7N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-7N	7/12/2011	5	5	ND	ug/L
2-hexanone	MW-7N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-7N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-7N	6/4/2013	5	5	ND	ug/L
2-hexanone	MW-7N	7/15/2013	5	5	ND	ug/L
2-hexanone	MW-7N	1/30/2014	5	5	ND	ug/L
2-hexanone	MW-7N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-7N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-7N	7/13/2015	5	5	ND	ug/L
2-hexanone	MW-7N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-7N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-7N	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-7N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-7N	10/5/2017	5	5	ND	ug/L
2-hexanone	MW-7N	1/25/2018	5	5	ND	ug/L
2-hexanone	MW-7N	4/11/2018	5	5	ND	ug/L
2-hexanone	MW-7N	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-7N	1/4/2019	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2019	5	5	ND	ug/L
2-hexanone	MW-7N	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-7N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-7N	1/16/2021	5	5	ND	ug/L
2-hexanone	MW-7N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-7N	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-7N	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-8N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-8N	1/22/1998	34	34	ND	ug/L
2-hexanone	MW-8N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-8N	7/22/1998	34	34	ND	ug/L
2-hexanone	MW-8N	1/12/1999	34	34	ND	ug/L
2-hexanone	MW-8N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-8N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-8N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-8N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-8N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-8N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-8N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-8N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-8N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-8N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-8N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-8N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-8N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-8N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-8N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-8N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-8N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-8N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-8N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-8N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-8N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-8N	4/25/2007	5	5	ND	ug/L
2-hexanone	MW-8N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-8N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-8N	7/23/2008	5	5	ND	ug/L
2-hexanone	MW-8N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-8N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-8N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-8N	7/16/2010	5	5	ND	ug/L
2-hexanone	MW-8N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-8N	5/10/2011	5	5	ND	ug/L
2-hexanone	MW-8N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-8N	1/6/2012	5	5	ND	ug/L
2-hexanone	MW-8N	4/5/2012	5	5	ND	ug/L
2-hexanone	MW-8N	7/11/2012	5	5	ND	ug/L
2-hexanone	MW-8N	10/3/2012	5	5	ND	ug/L
2-hexanone	MW-8N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-8N	6/4/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-8N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-8N	10/2/2013	5	5	ND	ug/L
2-hexanone	MW-8N	1/30/2014	5	5	ND	ug/L
2-hexanone	MW-8N	4/3/2014	5	5	ND	ug/L
2-hexanone	MW-8N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-8N	10/8/2014	5	5	ND	ug/L
2-hexanone	MW-8N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-8N	4/1/2015	5	5	ND	ug/L
2-hexanone	MW-8N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-8N	10/5/2015	5	5	ND	ug/L
2-hexanone	MW-8N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-8N	4/6/2016	5	5	ND	ug/L
2-hexanone	MW-8N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-8N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-8N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2017	5	5	ND	ug/L
2-hexanone	MW-8N	1/25/2018	5	5	ND	ug/L
2-hexanone	MW-8N	4/10/2018	5	5	ND	ug/L
2-hexanone	MW-8N	7/16/2018	5	5	ND	ug/L
2-hexanone	MW-8N	10/2/2018	5	5	ND	ug/L
2-hexanone	MW-8N	1/7/2019	5	5	ND	ug/L
2-hexanone	MW-8N	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-8N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-8N	10/3/2019	5	5	ND	ug/L
2-hexanone	MW-8N	1/15/2020	5	5	ND	ug/L
2-hexanone	MW-8N	4/2/2020	5	5	ND	ug/L
2-hexanone	MW-8N	7/9/2020	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2020	5	5	ND	ug/L
2-hexanone	MW-8N	1/15/2021	5	5	ND	ug/L
2-hexanone	MW-8N	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-8N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-8N	1/18/2022	5	5	ND	ug/L
2-hexanone	MW-8N	4/4/2022	5	5	ND	ug/L
2-hexanone	MW-8N	7/12/2022	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2022	5	5	ND	ug/L
2-hexanone	MW-8N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-8N	4/8/2023	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2002	5	5	ND	ug/L
2-hexanone	NE-1	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-1	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-1	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-1	1/27/2004	5	5	ND	ug/L
2-hexanone	NE-1	1/12/2005	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-1	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2007	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2008	5	5	ND	ug/L
2-hexanone	NE-1	7/21/2008	5	5	ND	ug/L
2-hexanone	NE-1	2/7/2009	5	5	ND	ug/L
2-hexanone	NE-1	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-1	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-1	7/14/2010	5	5	ND	ug/L
2-hexanone	NE-1	9/2/2010	5	5	ND	ug/L
2-hexanone	NE-1	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-1	7/13/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-1	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-1	4/30/2013	5	5	ND	ug/L
2-hexanone	NE-1	7/16/2013	5	5	ND	ug/L
2-hexanone	NE-1	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-1	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-1	2/11/2015	5	5	ND	ug/L
2-hexanone	NE-1	7/8/2015	5	5	ND	ug/L
2-hexanone	NE-1	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-1	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-1	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2018	5	5	ND	ug/L
2-hexanone	NE-1	4/11/2018	5	5	ND	ug/L
2-hexanone	NE-1	7/18/2018	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2018	5	5	ND	ug/L
2-hexanone	NE-1	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-1	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2019	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2019	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-1	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-1	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-1	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-1	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-1	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-1	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-1	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-1	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-1	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-1	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-1	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-1	10/6/2022	5	5	ND	ug/L
2-hexanone	NE-1	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-1	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-10D	11/6/2019	5	5	ND	ug/L
2-hexanone	NE-10D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-10D	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-10D	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-10D	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-10D	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-10D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-10D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-10D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-10D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-10D	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-11	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-11	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-11	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-11	10/9/2017	5	5	ND	ug/L
2-hexanone	NE-11	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-11	1/14/2020	5	5	ND	ug/L
2-hexanone	NE-11	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-11	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-11	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-11	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-11	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-11	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-11	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-11	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-11	1/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-12	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-12	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-12	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-12	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-12	8/5/2019	5	5	ND	ug/L
2-hexanone	NE-12	1/13/2020	5	5	ND	ug/L
2-hexanone	NE-12	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-12	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-12	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-12	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-12	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-12	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-12	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-12	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-12	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-13	2/5/2019	5	5	ND	ug/L
2-hexanone	NE-13	8/7/2019	5	5	ND	ug/L
2-hexanone	NE-13	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-13	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-13	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-13	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-13	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-13	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-14D	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-14D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-14D	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-14D	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-14D	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-14D	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-14D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-14D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-14D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-14D	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-14D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-14D	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-14D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-14D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-14D	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-14S	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-14S	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-14S	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-14S	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-14S	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-14S	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-14S	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-14S	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-14S	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-14S	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-14S	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-14S	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-14S	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-14S	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-14S	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-15D	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-15D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-15D	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-15D	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-15D	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-15D	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-15D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-15D	7/2/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-15D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-15D	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-15D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-15D	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-15D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-15D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-15D	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-15S	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2002	5	5	ND	ug/L
2-hexanone	NE-2	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-2	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-2	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-2	10/1/2013	5	5	ND	ug/L
2-hexanone	NE-2	10/8/2014	5	5	ND	ug/L
2-hexanone	NE-2	10/5/2015	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2016	5	5	ND	ug/L
2-hexanone	NE-2	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-2	1/25/2018	5	5	ND	ug/L
2-hexanone	NE-2	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-2	7/10/2018	5	5	ND	ug/L
2-hexanone	NE-2	10/1/2018	5	5	ND	ug/L
2-hexanone	NE-2	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-2	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-2	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-2	1/14/2020	5	5	ND	ug/L
2-hexanone	NE-2	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-2	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-2	1/14/2021	5	5	ND	ug/L
2-hexanone	NE-2	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-2	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-2	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-2	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-2	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-2	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-2	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-2	4/5/2023	5	5	ND	ug/L
2-hexanone	NE-3	7/9/2002	5	5	ND	ug/L
2-hexanone	NE-3	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-3	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-3	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-3	9/2/2010	5	5	ND	ug/L
2-hexanone	NE-3	3/21/2018	5	5	ND	ug/L
2-hexanone	NE-4	7/10/2002	5	5	ND	ug/L
2-hexanone	NE-4	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-4	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-4	10/3/2002	5	5	ND	ug/L
2-hexanone	NE-4	4/15/2003	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-4	1/28/2004	5	5	ND	ug/L
2-hexanone	NE-4	1/13/2005	5	5	ND	ug/L
2-hexanone	NE-4	8/1/2006	5	5	ND	ug/L
2-hexanone	NE-4	8/1/2006	5	5	ND	ug/L
2-hexanone	NE-4	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-4	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-4	7/12/2007	5	5	ND	ug/L
2-hexanone	NE-4	1/24/2008	5	5	ND	ug/L
2-hexanone	NE-4	7/21/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-4	2/7/2009	5	5	ND	ug/L
2-hexanone	NE-4	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-4	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-4	7/14/2010	5	5	ND	ug/L
2-hexanone	NE-4	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-4	7/13/2011	5	5	ND	ug/L
2-hexanone	NE-4	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-4	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-4	4/30/2013	5	5	ND	ug/L
2-hexanone	NE-4	7/16/2013	5	5	ND	ug/L
2-hexanone	NE-4	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-4	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-4	2/13/2015	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2015	5	5	ND	ug/L
2-hexanone	NE-4	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-4	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-4	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-4	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-4	1/26/2018	5	5	ND	ug/L
2-hexanone	NE-4	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-4	7/12/2018	5	5	ND	ug/L
2-hexanone	NE-4	10/3/2018	5	5	ND	ug/L
2-hexanone	NE-4	1/7/2019	5	5	ND	ug/L
2-hexanone	NE-4	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2019	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2019	5	5	ND	ug/L
2-hexanone	NE-4	10/1/2019	5	5	ND	ug/L
2-hexanone	NE-4	1/13/2020	5	5	ND	ug/L
2-hexanone	NE-4	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-4	7/6/2020	5	5	ND	ug/L
2-hexanone	NE-4	10/5/2020	5	5	ND	ug/L
2-hexanone	NE-4	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-4	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-4	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-4	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-4	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-4	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2002	5	5	ND	ug/L
2-hexanone	NE-5	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-5	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-5	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-5	4/15/2003	5	5	ND	ug/L
2-hexanone	NE-5	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-5	1/27/2004	5	5	ND	ug/L
2-hexanone	NE-5	1/12/2005	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-5	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-5	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-5	7/12/2007	5	5	ND	ug/L
2-hexanone	NE-5	7/22/2008	5	5	ND	ug/L
2-hexanone	NE-5	2/6/2009	5	5	ND	ug/L
2-hexanone	NE-5	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-5	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-5	7/16/2010	5	5	ND	ug/L
2-hexanone	NE-5	9/2/2010	5	5	ND	ug/L
2-hexanone	NE-5	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-5	7/13/2011	5	5	ND	ug/L
2-hexanone	NE-5	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-5	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-5	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-5	7/16/2013	5	5	ND	ug/L
2-hexanone	NE-5	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-5	2/11/2015	5	5	ND	ug/L
2-hexanone	NE-5	7/14/2015	5	5	ND	ug/L
2-hexanone	NE-5	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-5	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-5	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-5	1/25/2018	5	5	ND	ug/L
2-hexanone	NE-5	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-5	7/17/2018	5	5	ND	ug/L
2-hexanone	NE-5	10/3/2018	5	5	ND	ug/L
2-hexanone	NE-5	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	10/3/2019	5	5	ND	ug/L
2-hexanone	NE-5	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-5	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-5	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-5	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-5E	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-5E	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5E	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-5E	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5E	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5E	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-5E	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5E	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5E	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5E	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5E	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5E	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-5E	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5E	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5E	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-5W	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-5W	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5W	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-5W	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5W	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5W	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-5W	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5W	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5W	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5W	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5W	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5W	7/13/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-5W	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5W	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5W	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-6	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-6	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-6	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-6	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-6	2/4/2019	5	5	ND	ug/L
2-hexanone	NE-6	8/6/2019	5	5	ND	ug/L
2-hexanone	NE-6	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-6	7/9/2020	5	5	ND	ug/L
2-hexanone	NE-6	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-6	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-6	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-6	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-6	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-6	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-6D	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-6D	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-6D	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-6D	7/9/2020	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-6D	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-6D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-6D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-6D	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-6D	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-6D	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-6D	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-7	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-7	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-7	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-7	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-7	2/6/2019	5	5	ND	ug/L
2-hexanone	NE-7	8/6/2019	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-7	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-7	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-7	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-7	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-7	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-7	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-7	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-8	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-8	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-8	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-8	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-8	2/4/2019	5	5	ND	ug/L
2-hexanone	NE-8	8/5/2019	5	5	ND	ug/L
2-hexanone	NE-8	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-8	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-8	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-8	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-8	4/9/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-8	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-9	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-9	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-9	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-9	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-9	2/5/2019	5	5	ND	ug/L
2-hexanone	NE-9	8/7/2019	5	5	ND	ug/L
2-hexanone	NE-9	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-9	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-9	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-9	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-9	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-9	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-9	4/8/2023	5	5	ND	ug/L
2-methylnaphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-2	2/13/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
2-methylnaphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-5	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/17/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-15	7/10/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-15	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-16	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-17	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-19	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-20	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-21	7/11/2019	10	10	ND	ug/L
2-methylnaphthalene	MW-21	7/8/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-21	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-3N	7/11/2019	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-methylnaphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	10/24/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-methylnaphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	NE-1	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-1	2/7/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-4	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-4	2/7/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-methylnaphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-4	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	NE-5	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-5	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-5	7/9/2019	10	10	ND	ug/L
2-Methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
2-naphthylamine	LGW-10	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-10	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-10	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
2-naphthylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
2-naphthylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
2-naphthylamine	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	LGW-2	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-2	2/13/2009	10	10	ND	ug/L
2-naphthylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-2	2/13/2015	13	13	ND	ug/L
2-naphthylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-2	7/8/2020	10	10	ND	ug/L
2-naphthylamine	LGW-2	7/4/2021	10	10	ND	ug/L
2-naphthylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
2-naphthylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
2-naphthylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
2-naphthylamine	LGW-4	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-4	2/3/2009	10	10	ND	ug/L
2-naphthylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-4	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-5	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-5	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-5	7/12/2018	10	10	ND	ug/L
2-naphthylamine	LGW-5	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-6	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-6	2/5/2009	10	10	ND	ug/L
2-naphthylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-6	2/10/2015	10	10	ND	ug/L
2-naphthylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-6	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-6	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-7	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-7	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	7/12/2018	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-7	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-9	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-9	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	7/10/2019	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	MW-10N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-10N	2/13/2009	10	10	ND	ug/L
2-naphthylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-naphthylamine	MW-10N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-11N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-11N	2/3/2009	10	10	ND	ug/L
2-naphthylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-11N	2/10/2015	10	10	ND	ug/L
2-naphthylamine	MW-11N	7/17/2018	10	10	ND	ug/L
2-naphthylamine	MW-11N	7/6/2021	10	10	ND	ug/L
2-naphthylamine	MW-15	7/10/2018	10	10	ND	ug/L
2-naphthylamine	MW-15	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-16	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-17	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-naphthylamine	MW-19	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-1N	10/14/1998	10	10	ND	ug/L
2-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-1N	10/24/2006	10	10	ND	ug/L
2-naphthylamine	MW-1N	2/5/2009	10	10	ND	ug/L
2-naphthylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-naphthylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-naphthylamine	MW-1N	7/6/2020	10	10	ND	ug/L
2-naphthylamine	MW-1N	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-20	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-naphthylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-21	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-21	7/8/2020	10	10	ND	ug/L
2-naphthylamine	MW-21	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-2N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-2N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-naphthylamine	MW-2N	7/12/2018	10	10	ND	ug/L
2-naphthylamine	MW-2N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-3N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-3N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-naphthylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-naphthylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-naphthylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-3N	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/7/2020	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-7N	10/15/1998	10	10	ND	ug/L
2-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-7N	10/24/2006	10	10	ND	ug/L
2-naphthylamine	MW-7N	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-naphthylamine	MW-7N	7/13/2018	10	10	ND	ug/L
2-naphthylamine	MW-7N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-8N	10/24/2006	10	10	ND	ug/L
2-naphthylamine	MW-8N	1/24/2008	10	10	ND	ug/L
2-naphthylamine	MW-8N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-naphthylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-naphthylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-naphthylamine	MW-8N	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-8N	7/9/2020	10	10	ND	ug/L
2-naphthylamine	MW-8N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	NE-1	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-1	2/7/2009	10	10	ND	ug/L
2-naphthylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-naphthylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-naphthylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-naphthylamine	NE-4	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-4	2/7/2009	10	10	ND	ug/L
2-naphthylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-naphthylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-naphthylamine	NE-4	7/12/2018	10	10	ND	ug/L
2-naphthylamine	NE-5	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-5	2/6/2009	10	10	ND	ug/L
2-naphthylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-naphthylamine	NE-5	7/9/2019	10	10	ND	ug/L
2-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
2-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
2-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
2-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
2-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
2-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
2-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
2-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
2-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
2-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
2-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
2-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
2-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
2-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
2-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L
2-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
2-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
2-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
2-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
2-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
2-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L
2-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
2-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
2-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
2-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
2-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
2-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
2-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
2-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
2-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L
2-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
2-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
2-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
2-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
2-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
2-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
2-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L
2-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
2-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
2-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
2-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
2-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
2-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
2-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L
2-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
2-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
2-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
2-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
2-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
2-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
2-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
2-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
2-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
2-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
2-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
2-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
2-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L
2-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
2-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
2-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
2-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
2-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
2-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
2-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
2-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
2-nitroaniline	MW-7N	2/6/2009	50	50	ND	ug/L
2-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L
2-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
2-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
2-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
2-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
2-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
2-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L
2-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
2-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
2-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
2-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
2-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
2-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
2-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
2-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
2-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
2-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
2-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
2-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
2-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
2-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
2-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
2-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
2-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
2-nitrophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2-nitrophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2-nitrophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2-nitrophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2-nitrophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2-nitrophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2-nitrophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2-nitrophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2-nitrophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2-nitrophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2-nitrophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2-nitrophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2-nitrophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2-nitrophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2-nitrophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2-nitrophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2-nitrophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-nitrophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2-nitrophenol	MW-15	7/10/2018	10	10	ND	ug/L
2-nitrophenol	MW-15	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-16	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-17	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-nitrophenol	MW-19	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-nitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2-nitrophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-nitrophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-nitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2-nitrophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-20	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-nitrophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-nitrophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-21	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
2-nitrophenol	MW-21	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-nitrophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2-nitrophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-nitrophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-nitrophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-nitrophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2-nitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2-nitrophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-nitrophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2-nitrophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2-nitrophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-nitrophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-nitrophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-nitrophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-nitrophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-nitrophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2-nitrophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	NE-1	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-1	2/7/2009	10	10	ND	ug/L
2-nitrophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-nitrophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-nitrophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-nitrophenol	NE-4	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-4	2/7/2009	10	10	ND	ug/L
2-nitrophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-nitrophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-nitrophenol	NE-4	7/12/2018	10	10	ND	ug/L
2-nitrophenol	NE-5	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-5	2/6/2009	10	10	ND	ug/L
2-nitrophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-nitrophenol	NE-5	7/9/2019	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
3&4-Methyl Phenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3&4-Methyl Phenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
3,3'-dichlorobenzidine	LGW-10	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	10/6/2016	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	10/9/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/16/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	10/27/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/17/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	2/13/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	2/13/2015	65	65	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/12/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/8/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	2/10/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/11/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/6/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/11/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	2/10/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/12/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	2/5/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	2/10/2015	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/17/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/10/2019	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/12/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/10/2019	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dichlorobenzidine	LGW-7	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/13/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/13/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/10/2019	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	2/13/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	2/10/2015	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/17/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/6/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-15	7/10/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	MW-15	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-16	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-16	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-17	7/10/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-17	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-19	7/13/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-19	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	10/14/1998	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	2/5/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	2/10/2015	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/10/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/6/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-20	7/12/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-20	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-21	10/5/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	10/6/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/8/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	7/12/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dichlorobenzidine	MW-2N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/11/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	2/12/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/9/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/13/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/7/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/15/1998	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	2/12/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/5/2017	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/13/2018	52	52	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	1/24/2008	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/10/2011	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/11/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/2/2013	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/8/2014	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/6/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/16/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	2/7/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	7/10/2012	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-1	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-1	7/18/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-2	7/10/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-4	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-4	2/7/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-4	7/10/2012	49	49	ND	ug/L
3,3'-dichlorobenzidine	NE-4	2/13/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-4	7/12/2018	52	52	ND	ug/L
3,3'-dichlorobenzidine	NE-5	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-5	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	NE-5	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/17/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/9/2019	50	50	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/9/2017	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	LGW-10	7/16/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	10/27/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	2/13/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	2/13/2015	26	26	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/12/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/8/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/11/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/6/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/11/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	2/5/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	2/10/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/13/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/7/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	LGW-9	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	2/13/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	2/10/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/6/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-15	7/10/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-15	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-16	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-16	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-17	7/10/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-17	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-19	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-19	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	10/14/1998	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	2/5/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/10/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/6/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-20	7/12/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-20	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-21	10/5/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	10/6/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/8/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/11/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	2/12/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	10/6/2016	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	MW-3N	10/9/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/7/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	10/15/1998	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	10/5/2017	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/13/2018	21	21	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	1/24/2008	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/10/2011	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/11/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/2/2013	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/8/2014	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/6/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/16/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	2/7/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-1	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-1	7/18/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-2	7/10/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-4	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	2/7/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	7/10/2012	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	2/13/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-4	7/12/2018	21	21	ND	ug/L
3,3'-dimethylbenzidine	NE-5	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-5	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/17/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/9/2019	20	20	ND	ug/L
3-chloropropene	LGW-10	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-10	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-10	2/12/2015	10	10	ND	ug/L
3-chloropropene	LGW-10	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-10	10/9/2017	10	10	ND	ug/L
3-chloropropene	LGW-10	7/16/2018	10	10	ND	ug/L
3-chloropropene	LGW-10	7/11/2019	10	10	ND	ug/L
3-chloropropene	LGW-14R	10/27/2006	10	10	ND	ug/L
3-chloropropene	LGW-14R	2/6/2009	10	10	ND	ug/L
3-chloropropene	LGW-14R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-14R	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-14R	7/17/2018	10	10	ND	ug/L
3-chloropropene	LGW-2	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	LGW-2	2/6/2009	10	10	ND	ug/L
3-chloropropene	LGW-2	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-2	2/13/2015	10	10	ND	ug/L
3-chloropropene	LGW-2	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-3R	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-3R	2/3/2009	10	10	ND	ug/L
3-chloropropene	LGW-3R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-3R	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-3R	7/11/2018	10	10	ND	ug/L
3-chloropropene	LGW-4	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-4	2/3/2009	10	10	ND	ug/L
3-chloropropene	LGW-4	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-4	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-4	7/11/2018	10	10	ND	ug/L
3-chloropropene	LGW-5	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-5	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-5	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-5	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-5	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-6	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-6	2/5/2009	10	10	ND	ug/L
3-chloropropene	LGW-6	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-6	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-6	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-6	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-6	7/17/2018	10	10	ND	ug/L
3-chloropropene	LGW-6	7/10/2019	10	10	ND	ug/L
3-chloropropene	LGW-7	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-7	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-7	7/10/2012	10	10	ND	ug/L
3-chloropropene	LGW-7	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-7	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-7	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-7	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-7	7/10/2019	10	10	ND	ug/L
3-chloropropene	LGW-8R	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-8R	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-8R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-8R	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-8R	7/13/2018	10	10	ND	ug/L
3-chloropropene	LGW-9	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-9	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-9	7/10/2012	10	10	ND	ug/L
3-chloropropene	LGW-9	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-9	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-9	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-9	7/13/2018	10	10	ND	ug/L
3-chloropropene	LGW-9	7/10/2019	10	10	ND	ug/L
3-chloropropene	MW-10N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-10N	2/13/2009	10	10	ND	ug/L
3-chloropropene	MW-10N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-10N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-10N	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-11N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-11N	2/3/2009	10	10	ND	ug/L
3-chloropropene	MW-11N	7/9/2012	10	10	ND	ug/L
3-chloropropene	MW-11N	2/10/2015	10	10	ND	ug/L
3-chloropropene	MW-11N	7/17/2018	10	10	ND	ug/L
3-chloropropene	MW-15	7/10/2018	10	10	ND	ug/L
3-chloropropene	MW-16	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-17	7/10/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	MW-19	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-1N	10/14/1998	5	5	ND	ug/L
3-chloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-1N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-1N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-1N	2/5/2009	10	10	ND	ug/L
3-chloropropene	MW-1N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-1N	2/10/2015	10	10	ND	ug/L
3-chloropropene	MW-1N	7/10/2018	10	10	ND	ug/L
3-chloropropene	MW-20	7/12/2018	10	10	ND	ug/L
3-chloropropene	MW-21	10/5/2016	10	10	ND	ug/L
3-chloropropene	MW-21	10/6/2017	10	10	ND	ug/L
3-chloropropene	MW-21	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-21	7/11/2019	10	10	ND	ug/L
3-chloropropene	MW-2N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-2N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-2N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-2N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-2N	7/12/2018	10	10	ND	ug/L
3-chloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-3N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-3N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-3N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-3N	7/11/2012	10	10	ND	ug/L
3-chloropropene	MW-3N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-3N	10/6/2016	10	10	ND	ug/L
3-chloropropene	MW-3N	10/9/2017	10	10	ND	ug/L
3-chloropropene	MW-3N	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-3N	7/11/2019	10	10	ND	ug/L
3-chloropropene	MW-7N	10/15/1998	5	5	ND	ug/L
3-chloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-7N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-7N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-7N	2/6/2009	10	10	ND	ug/L
3-chloropropene	MW-7N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-7N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-7N	10/5/2017	10	10	ND	ug/L
3-chloropropene	MW-7N	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-8N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-8N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-8N	1/24/2008	10	10	ND	ug/L
3-chloropropene	MW-8N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-8N	5/10/2011	10	10	ND	ug/L
3-chloropropene	MW-8N	7/11/2012	10	10	ND	ug/L
3-chloropropene	MW-8N	10/2/2013	10	10	ND	ug/L
3-chloropropene	MW-8N	10/8/2014	10	10	ND	ug/L
3-chloropropene	MW-8N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-8N	10/6/2016	10	10	ND	ug/L
3-chloropropene	MW-8N	10/6/2017	10	10	ND	ug/L
3-chloropropene	MW-8N	7/16/2018	10	10	ND	ug/L
3-chloropropene	MW-8N	7/11/2019	10	10	ND	ug/L
3-chloropropene	NE-1	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-1	2/7/2009	10	10	ND	ug/L
3-chloropropene	NE-1	7/10/2012	10	10	ND	ug/L
3-chloropropene	NE-1	2/11/2015	10	10	ND	ug/L
3-chloropropene	NE-1	7/18/2018	10	10	ND	ug/L
3-chloropropene	NE-2	7/10/2018	10	10	ND	ug/L
3-chloropropene	NE-4	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-4	2/7/2009	10	10	ND	ug/L
3-chloropropene	NE-4	7/10/2012	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	NE-4	2/13/2015	10	10	ND	ug/L
3-chloropropene	NE-4	7/12/2018	10	10	ND	ug/L
3-chloropropene	NE-5	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-5	2/6/2009	10	10	ND	ug/L
3-chloropropene	NE-5	7/10/2012	10	10	ND	ug/L
3-chloropropene	NE-5	2/11/2015	10	10	ND	ug/L
3-chloropropene	NE-5	7/17/2018	10	10	ND	ug/L
3-chloropropene	NE-5	7/9/2019	10	10	ND	ug/L
3-methylcholanthrene	LGW-10	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-10	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	10/9/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	7/16/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-10	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-10	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	10/27/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-14R	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	2/13/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-2	2/13/2015	26	26	ND	ug/L
3-methylcholanthrene	LGW-2	7/12/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-2	7/8/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-2	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-3R	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-3R	7/11/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	7/6/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-4	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-4	7/11/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-5	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-5	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	2/5/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-6	2/10/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-6	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-6	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-6	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/10/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-methylcholanthrene	LGW-7	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-7	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-8R	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/13/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-9	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	2/13/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-11N	2/10/2015	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/6/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-15	7/10/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-15	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-16	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-16	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-17	7/10/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-17	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-19	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-19	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	10/14/1998	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	2/5/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-1N	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-1N	7/10/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	7/6/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-20	7/12/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-20	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-21	10/5/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-21	10/6/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-21	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-21	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-21	7/8/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-21	7/5/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-methylcholanthrene	MW-2N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-2N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-2N	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	7/11/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	2/12/2015	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	10/9/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	7/7/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	10/15/1998	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-7N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-7N	10/5/2017	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	7/13/2018	21	21	ND	ug/L
3-methylcholanthrene	MW-7N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-8N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	1/24/2008	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	5/10/2011	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	7/11/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/2/2013	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/8/2014	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/6/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	7/16/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-8N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	NE-1	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-1	2/7/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-1	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	NE-1	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-1	7/18/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-2	7/10/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-4	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-4	2/7/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-4	7/10/2012	20	20	ND	ug/L
3-methylcholanthrene	NE-4	2/13/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-4	7/12/2018	21	21	ND	ug/L
3-methylcholanthrene	NE-5	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-5	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-5	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	NE-5	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-5	7/17/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-5	7/9/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
3-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
3-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
3-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
3-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
3-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
3-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
3-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
3-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
3-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
3-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
3-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
3-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
3-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
3-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L
3-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
3-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
3-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
3-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
3-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
3-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L
3-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
3-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
3-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
3-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
3-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
3-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
3-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
3-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
3-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L
3-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
3-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
3-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
3-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
3-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
3-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
3-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
3-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
3-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
3-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L
3-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
3-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
3-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
3-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
3-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
3-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
3-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
3-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
3-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
3-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
3-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L
3-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
3-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
3-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
3-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
3-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
3-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
3-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
3-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-7N	2/6/2009	50	50	ND	ug/L
3-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L
3-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
3-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
3-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
3-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
3-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
3-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L
3-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
3-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
3-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
3-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
3-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
3-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
3-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
3-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
3-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
3-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
3-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
3-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
3-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
3-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
3-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
3-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
3-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
4,4'-ddd	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-10	7/9/2020	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-ddd	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-ddd	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/10/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
4,4'-ddd	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-ddd	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-ddd	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddd	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-ddd	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-3N	7/13/2018	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-ddd	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-ddd	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-ddd	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-ddd	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-ddd	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-ddd	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-ddd	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-dde	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-dde	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-dde	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-dde	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-dde	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-dde	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-dde	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-dde	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-dde	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-dde	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
4,4'-dde	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/7/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
4,4'-dde	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-dde	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-dde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-dde	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-dde	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
4,4'-dde	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-dde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/24/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-dde	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-dde	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-dde	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-dde	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-dde	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-dde	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-ddt	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/4/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-ddt	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-ddt	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-ddt	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
4,4'-ddt	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-10N	7/5/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
4,4'-ddt	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-ddt	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-ddt	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddt	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-ddt	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
4,4'-ddt	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddt	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-ddt	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	5/29/2002	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddt	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-ddt	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-ddt	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-ddt	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-ddt	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-ddt	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-ddt	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,6-Dinitro-2-methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-10	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-6	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-15	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-16	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-17	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-19	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-20	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-21	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-3N	7/5/2021	0.05	0.05	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,6-Dinitro-2-methylphenol	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
4-aminobiphenyl	LGW-10	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-10	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-10	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	10/6/2016	47	47	ND	ug/L
4-aminobiphenyl	LGW-10	10/9/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	7/16/2018	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	LGW-10	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-10	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-14R	10/27/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-14R	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-14R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-14R	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-14R	7/17/2018	51	51	ND	ug/L
4-aminobiphenyl	LGW-14R	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	2/13/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-2	2/13/2015	65	65	ND	ug/L
4-aminobiphenyl	LGW-2	7/12/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-2	7/8/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-2	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-3R	2/10/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-3R	7/11/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	7/6/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-4	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-4	7/11/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-5	2/10/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-5	7/12/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	2/5/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-6	2/10/2015	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-6	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-6	7/17/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-6	7/10/2019	49	49	ND	ug/L
4-aminobiphenyl	LGW-6	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-6	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-7	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-7	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-7	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-7	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	7/12/2018	51	51	ND	ug/L
4-aminobiphenyl	LGW-7	7/10/2019	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-aminobiphenyl	LGW-7	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-7	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-8R	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-8R	7/13/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-8R	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-9	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-9	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-9	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-9	7/13/2018	47	47	ND	ug/L
4-aminobiphenyl	LGW-9	7/10/2019	51	51	ND	ug/L
4-aminobiphenyl	LGW-9	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-9	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-10N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-10N	2/13/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-10N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-10N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-10N	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-10N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-11N	2/10/2015	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	7/17/2018	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	7/6/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-15	7/10/2018	51	51	ND	ug/L
4-aminobiphenyl	MW-15	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-16	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-16	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-17	7/10/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-17	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-19	7/13/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-19	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	10/14/1998	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	10/24/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	2/5/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-1N	2/10/2015	47	47	ND	ug/L
4-aminobiphenyl	MW-1N	7/10/2018	49	49	ND	ug/L
4-aminobiphenyl	MW-1N	7/6/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-20	7/12/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-20	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-21	10/5/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-21	10/6/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-21	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-21	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-21	7/8/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-21	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-2N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-2N	7/12/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-aminobiphenyl	MW-2N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	7/11/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-3N	2/12/2015	49	49	ND	ug/L
4-aminobiphenyl	MW-3N	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-3N	10/9/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-3N	7/13/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-3N	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	7/7/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	10/15/1998	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	10/24/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-7N	2/12/2015	49	49	ND	ug/L
4-aminobiphenyl	MW-7N	10/5/2017	49	49	ND	ug/L
4-aminobiphenyl	MW-7N	7/13/2018	52	52	ND	ug/L
4-aminobiphenyl	MW-7N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	10/24/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	1/24/2008	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	5/10/2011	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	7/11/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-8N	10/2/2013	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/8/2014	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/6/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	7/16/2018	49	49	ND	ug/L
4-aminobiphenyl	MW-8N	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	NE-1	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-1	2/7/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-1	7/10/2012	48	48	ND	ug/L
4-aminobiphenyl	NE-1	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-1	7/18/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-2	7/10/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-4	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-4	2/7/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-4	7/10/2012	49	49	ND	ug/L
4-aminobiphenyl	NE-4	2/13/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-4	7/12/2018	52	52	ND	ug/L
4-aminobiphenyl	NE-5	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-5	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-5	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	NE-5	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-5	7/17/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-5	7/9/2019	50	50	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	10/27/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/17/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	2/13/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	2/13/2015	13	13	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/8/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	7/11/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	7/6/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	2/5/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	2/10/2015	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	LGW-9	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/10/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	2/13/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	2/10/2015	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/17/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/6/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-15	7/10/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-15	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-16	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-17	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-19	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	10/14/1998	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	2/5/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/6/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-20	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/8/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/7/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	10/15/1998	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/13/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	1/24/2008	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-1	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-1	2/7/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-4	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-4	2/7/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-4	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/9/2019	10	10	ND	ug/L
4-Chloro-3-methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-Chloro-3-methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
4-chloroaniline	LGW-10	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-10	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-14R	10/27/2006	10	10	ND	ug/L
4-chloroaniline	LGW-14R	2/6/2009	10	10	ND	ug/L
4-chloroaniline	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-14R	7/17/2018	10	10	ND	ug/L
4-chloroaniline	LGW-14R	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-2	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-2	2/13/2009	10	10	ND	ug/L
4-chloroaniline	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-2	2/13/2015	13	13	ND	ug/L
4-chloroaniline	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
4-chloroaniline	LGW-2	7/4/2021	10	10	ND	ug/L
4-chloroaniline	LGW-3R	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-3R	2/3/2009	10	10	ND	ug/L
4-chloroaniline	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-3R	7/11/2018	10	10	ND	ug/L
4-chloroaniline	LGW-3R	7/6/2021	10	10	ND	ug/L
4-chloroaniline	LGW-4	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-4	2/3/2009	10	10	ND	ug/L
4-chloroaniline	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-4	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-5	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-5	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-5	7/12/2018	10	10	ND	ug/L
4-chloroaniline	LGW-5	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-6	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-6	2/5/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-6	2/10/2015	10	10	ND	ug/L
4-chloroaniline	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-6	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-7	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-7	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	7/12/2018	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-8R	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-8R	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-8R	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-9	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-9	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	7/10/2019	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/7/2021	10	10	ND	ug/L
4-chloroaniline	MW-10N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-10N	2/13/2009	10	10	ND	ug/L
4-chloroaniline	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
4-chloroaniline	MW-10N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-11N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-11N	2/3/2009	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-11N	2/10/2015	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/17/2018	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/6/2021	10	10	ND	ug/L
4-chloroaniline	MW-15	7/10/2018	10	10	ND	ug/L
4-chloroaniline	MW-15	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-16	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-17	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-chloroaniline	MW-19	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-1N	10/14/1998	10	10	ND	ug/L
4-chloroaniline	MW-1N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-1N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-1N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-1N	2/5/2009	10	10	ND	ug/L
4-chloroaniline	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-1N	2/10/2015	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-chloroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
4-chloroaniline	MW-1N	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-20	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-chloroaniline	MW-21	7/11/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-21	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-21	7/8/2020	10	10	ND	ug/L
4-chloroaniline	MW-21	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-2N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-2N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-chloroaniline	MW-2N	7/12/2018	10	10	ND	ug/L
4-chloroaniline	MW-2N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-3N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-3N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-3N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-3N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-chloroaniline	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-chloroaniline	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-chloroaniline	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-3N	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-7N	10/15/1998	10	10	ND	ug/L
4-chloroaniline	MW-7N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-7N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-7N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-7N	2/6/2009	10	10	ND	ug/L
4-chloroaniline	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-chloroaniline	MW-7N	7/13/2018	10	10	ND	ug/L
4-chloroaniline	MW-7N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-8N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-8N	1/24/2008	10	10	ND	ug/L
4-chloroaniline	MW-8N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-chloroaniline	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
4-chloroaniline	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-chloroaniline	MW-8N	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
4-chloroaniline	MW-8N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	NE-1	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-1	2/7/2009	10	10	ND	ug/L
4-chloroaniline	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-chloroaniline	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-chloroaniline	NE-2	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	NE-4	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-4	2/7/2009	10	10	ND	ug/L
4-chloroaniline	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-chloroaniline	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-chloroaniline	NE-4	7/12/2018	10	10	ND	ug/L
4-chloroaniline	NE-5	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-5	2/6/2009	10	10	ND	ug/L
4-chloroaniline	NE-5	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-chloroaniline	NE-5	7/9/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	10/27/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/17/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	2/13/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	2/13/2015	13	13	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/8/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/11/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/6/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	2/5/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	2/10/2015	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	LGW-7	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/10/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	2/13/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	2/10/2015	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/17/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/6/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-15	7/10/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-15	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-16	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-17	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-19	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	10/14/1998	4	4	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	2/5/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/6/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-20	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	MW-21	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/8/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/7/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/15/1998	4	4	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/13/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	1/24/2008	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	2/7/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	2/7/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/9/2019	10	10	ND	ug/L
4-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
4-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
4-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
4-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
4-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
4-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
4-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
4-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
4-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
4-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
4-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
4-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
4-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
4-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
4-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L
4-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
4-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
4-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
4-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
4-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
4-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L
4-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
4-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
4-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
4-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
4-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
4-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
4-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
4-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
4-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
4-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
4-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
4-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
4-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
4-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
4-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L
4-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
4-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
4-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
4-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
4-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
4-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L
4-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
4-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
4-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
4-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
4-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
4-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
4-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
4-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
4-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
4-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
4-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
4-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
4-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
4-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
4-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
4-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
4-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
4-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-7N	2/6/2009	6.4	50	ND	ug/L
4-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L
4-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
4-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
4-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
4-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
4-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
4-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L
4-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
4-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
4-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
4-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
4-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
4-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
4-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
4-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
4-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
4-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
4-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
4-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
4-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
4-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
4-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
4-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
4-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
4-nitrophenol	LGW-10	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-10	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-10	2/12/2015	48	48	ND	ug/L
4-nitrophenol	LGW-10	10/6/2016	47	47	ND	ug/L
4-nitrophenol	LGW-10	10/9/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	LGW-10	7/16/2018	48	48	ND	ug/L
4-nitrophenol	LGW-10	7/11/2019	50	50	ND	ug/L
4-nitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-10	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
4-nitrophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
4-nitrophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
4-nitrophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-2	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-2	2/13/2009	50	50	ND	ug/L
4-nitrophenol	LGW-2	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-2	2/13/2015	65	65	ND	ug/L
4-nitrophenol	LGW-2	7/12/2018	49	49	ND	ug/L
4-nitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
4-nitrophenol	LGW-2	7/4/2021	50	50	ND	ug/L
4-nitrophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
4-nitrophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
4-nitrophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
4-nitrophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
4-nitrophenol	LGW-4	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-4	2/3/2009	50	50	ND	ug/L
4-nitrophenol	LGW-4	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-4	2/11/2015	48	48	ND	ug/L
4-nitrophenol	LGW-4	7/11/2018	50	50	ND	ug/L
4-nitrophenol	LGW-4	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-5	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-5	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-5	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-5	2/10/2015	48	48	ND	ug/L
4-nitrophenol	LGW-5	7/12/2018	50	50	ND	ug/L
4-nitrophenol	LGW-5	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-6	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-6	2/5/2009	50	50	ND	ug/L
4-nitrophenol	LGW-6	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-6	2/10/2015	50	50	ND	ug/L
4-nitrophenol	LGW-6	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-6	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-6	7/17/2018	49	49	ND	ug/L
4-nitrophenol	LGW-6	7/10/2019	49	49	ND	ug/L
4-nitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-6	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-7	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-7	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-7	7/10/2012	47	47	ND	ug/L
4-nitrophenol	LGW-7	2/11/2015	48	48	ND	ug/L
4-nitrophenol	LGW-7	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-7	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-7	7/12/2018	51	51	ND	ug/L
4-nitrophenol	LGW-7	7/10/2019	49	49	ND	ug/L
4-nitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-7	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
4-nitrophenol	LGW-8R	7/7/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	LGW-9	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-9	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-9	7/10/2012	47	47	ND	ug/L
4-nitrophenol	LGW-9	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-9	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-9	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-9	7/13/2018	47	47	ND	ug/L
4-nitrophenol	LGW-9	7/10/2019	51	51	ND	ug/L
4-nitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-9	7/7/2021	50	50	ND	ug/L
4-nitrophenol	MW-10N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-10N	2/13/2009	50	50	ND	ug/L
4-nitrophenol	MW-10N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-10N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-10N	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-10N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-11N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-11N	2/3/2009	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/9/2012	47	47	ND	ug/L
4-nitrophenol	MW-11N	2/10/2015	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/17/2018	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/6/2021	50	50	ND	ug/L
4-nitrophenol	MW-15	7/10/2018	51	51	ND	ug/L
4-nitrophenol	MW-15	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-16	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-16	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-17	7/10/2018	47	47	ND	ug/L
4-nitrophenol	MW-17	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-19	7/13/2018	48	48	ND	ug/L
4-nitrophenol	MW-19	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-1N	10/14/1998	50	50	ND	ug/L
4-nitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-1N	10/24/2006	50	50	ND	ug/L
4-nitrophenol	MW-1N	2/5/2009	50	50	ND	ug/L
4-nitrophenol	MW-1N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-1N	2/10/2015	47	47	ND	ug/L
4-nitrophenol	MW-1N	7/10/2018	49	49	ND	ug/L
4-nitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
4-nitrophenol	MW-1N	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-20	7/12/2018	47	47	ND	ug/L
4-nitrophenol	MW-20	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-21	10/5/2016	48	48	ND	ug/L
4-nitrophenol	MW-21	10/6/2017	48	48	ND	ug/L
4-nitrophenol	MW-21	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-21	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
4-nitrophenol	MW-21	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-2N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-2N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-2N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-2N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-2N	7/12/2018	51	51	ND	ug/L
4-nitrophenol	MW-2N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-3N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-3N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-3N	7/11/2012	47	47	ND	ug/L
4-nitrophenol	MW-3N	2/12/2015	49	49	ND	ug/L
4-nitrophenol	MW-3N	10/6/2016	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	MW-3N	10/9/2017	48	48	ND	ug/L
4-nitrophenol	MW-3N	7/13/2018	47	47	ND	ug/L
4-nitrophenol	MW-3N	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
4-nitrophenol	MW-3N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-7N	10/15/1998	50	50	ND	ug/L
4-nitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-7N	10/24/2006	50	50	ND	ug/L
4-nitrophenol	MW-7N	2/6/2009	5.2	50	ND	ug/L
4-nitrophenol	MW-7N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-7N	2/12/2015	49	49	ND	ug/L
4-nitrophenol	MW-7N	10/5/2017	49	49	ND	ug/L
4-nitrophenol	MW-7N	7/13/2018	52	52	ND	ug/L
4-nitrophenol	MW-7N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-8N	10/24/2006	50	50	ND	ug/L
4-nitrophenol	MW-8N	1/24/2008	50	50	ND	ug/L
4-nitrophenol	MW-8N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/10/2011	48	48	ND	ug/L
4-nitrophenol	MW-8N	7/11/2012	47	47	ND	ug/L
4-nitrophenol	MW-8N	10/2/2013	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/8/2014	48	48	ND	ug/L
4-nitrophenol	MW-8N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/6/2016	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/6/2017	48	48	ND	ug/L
4-nitrophenol	MW-8N	7/16/2018	49	49	ND	ug/L
4-nitrophenol	MW-8N	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
4-nitrophenol	MW-8N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	NE-1	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-1	2/7/2009	50	50	ND	ug/L
4-nitrophenol	NE-1	7/10/2012	48	48	ND	ug/L
4-nitrophenol	NE-1	2/11/2015	48	48	ND	ug/L
4-nitrophenol	NE-1	7/18/2018	48	48	ND	ug/L
4-nitrophenol	NE-2	7/10/2018	48	48	ND	ug/L
4-nitrophenol	NE-4	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-4	2/7/2009	50	50	ND	ug/L
4-nitrophenol	NE-4	7/10/2012	49	49	ND	ug/L
4-nitrophenol	NE-4	2/13/2015	48	48	ND	ug/L
4-nitrophenol	NE-4	7/12/2018	52	52	ND	ug/L
4-nitrophenol	NE-5	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-5	2/6/2009	50	50	ND	ug/L
4-nitrophenol	NE-5	7/10/2012	47	47	ND	ug/L
4-nitrophenol	NE-5	2/11/2015	48	48	ND	ug/L
4-nitrophenol	NE-5	7/17/2018	48	48	ND	ug/L
4-nitrophenol	NE-5	7/9/2019	50	50	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/9/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/16/2018	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	10/27/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-14R	2/11/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	LGW-14R	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-2	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-2	2/13/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-2	2/13/2015	26	26	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/12/2018	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/8/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-3R	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/11/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/6/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-4	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/11/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-5	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	2/5/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	2/10/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/10/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/10/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-8R	2/11/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/13/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	2/11/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/13/2018	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/10/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	LGW-9	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	2/13/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-11N	2/10/2015	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/6/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-15	7/10/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-15	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-16	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-16	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-17	7/10/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-17	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-19	7/13/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-19	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	10/14/1998	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	2/5/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-1N	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/10/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/6/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-20	7/12/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-20	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-21	10/5/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	10/6/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	MW-21	7/8/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-21	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-2N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/11/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	2/12/2015	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/9/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/13/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/7/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	10/15/1998	10	10	ND	ug/L
5-nitro-o-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	MW-7N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-7N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-7N	10/5/2017	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/13/2018	21	21	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	1/24/2008	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/10/2011	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/11/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/2/2013	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/8/2014	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/6/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/16/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	2/7/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	NE-1	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-1	7/18/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-2	7/10/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-4	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	2/7/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	7/10/2012	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	2/13/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-4	7/12/2018	21	21	ND	ug/L
5-nitro-o-toluidine	NE-5	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-5	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-5	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	7/17/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	7/9/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/9/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/16/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	10/27/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	7/17/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	2/13/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	2/13/2015	26	26	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	7/12/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	2/10/2015	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
7,12-dimethylbenz(a)anthracene	LGW-3R	7/11/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	7/11/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	2/10/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	2/5/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	2/10/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/17/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	7/13/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	2/13/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	2/10/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	7/17/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-15	7/10/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-16	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-17	7/10/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-19	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	2/5/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	2/10/2015	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
7,12-dimethylbenz(a)anthracene	MW-1N	7/10/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-20	7/12/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	10/5/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	10/6/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/11/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	2/12/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/9/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/5/2017	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	7/13/2018	21	21	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	1/24/2008	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/10/2011	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/11/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/2/2013	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/8/2014	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/6/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/16/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	2/7/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	7/18/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-2	7/10/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	2/7/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	7/10/2012	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	2/13/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	7/12/2018	21	21	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/17/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/9/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	LGW-10	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acenaphthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acenaphthene	LGW-10	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-10	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Acenaphthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Acenaphthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acenaphthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Acenaphthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-2	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-2	2/13/2009	10	10	ND	ug/L
Acenaphthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-2	2/13/2015	13	13	ND	ug/L
Acenaphthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acenaphthene	LGW-2	7/8/2020	1	1	ND	ug/L
Acenaphthene	LGW-2	7/4/2021	10	10	ND	ug/L
Acenaphthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-3R	2/3/2009	10	10	ND	ug/L
Acenaphthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acenaphthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Acenaphthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Acenaphthene	LGW-4	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-4	2/3/2009	10	10	ND	ug/L
Acenaphthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acenaphthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acenaphthene	LGW-4	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-5	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-5	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthene	LGW-5	7/12/2018	10	10	ND	ug/L
Acenaphthene	LGW-5	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-6	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-6	2/5/2009	10	10	ND	ug/L
Acenaphthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-6	2/10/2015	10	10	ND	ug/L
Acenaphthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acenaphthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acenaphthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acenaphthene	LGW-6	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-6	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-7	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-7	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	7/12/2018	10	10	ND	ug/L
Acenaphthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acenaphthene	LGW-7	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-7	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-8R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acenaphthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-9	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-9	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	7/10/2019	10	10	ND	ug/L
Acenaphthene	LGW-9	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-9	7/7/2021	10	10	ND	ug/L
Acenaphthene	MW-10N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-10N	2/13/2009	10	10	ND	ug/L
Acenaphthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acenaphthene	MW-10N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-11N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-11N	2/3/2009	10	10	ND	ug/L
Acenaphthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-11N	2/10/2015	10	10	ND	ug/L
Acenaphthene	MW-11N	7/17/2018	10	10	ND	ug/L
Acenaphthene	MW-11N	7/6/2021	10	10	ND	ug/L
Acenaphthene	MW-15	7/10/2018	10	10	ND	ug/L
Acenaphthene	MW-15	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-16	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-17	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acenaphthene	MW-19	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-1N	10/14/1998	10	10	ND	ug/L
Acenaphthene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-1N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-1N	2/5/2009	10	10	ND	ug/L
Acenaphthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acenaphthene	MW-1N	7/6/2020	1	1	ND	ug/L
Acenaphthene	MW-1N	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-20	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acenaphthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-21	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-21	7/8/2020	1	1	ND	ug/L
Acenaphthene	MW-21	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-2N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-2N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthene	MW-2N	7/12/2018	10	10	ND	ug/L
Acenaphthene	MW-2N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	MW-3N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-3N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acenaphthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acenaphthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acenaphthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-3N	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-3N	7/7/2020	1	1	ND	ug/L
Acenaphthene	MW-3N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-7N	10/15/1998	10	10	ND	ug/L
Acenaphthene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-7N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-7N	2/6/2009	10	10	ND	ug/L
Acenaphthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acenaphthene	MW-7N	7/13/2018	10	10	ND	ug/L
Acenaphthene	MW-7N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-8N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-8N	1/24/2008	10	10	ND	ug/L
Acenaphthene	MW-8N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acenaphthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acenaphthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Acenaphthene	MW-8N	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-8N	7/9/2020	1	1	ND	ug/L
Acenaphthene	MW-8N	7/5/2021	10	10	ND	ug/L
Acenaphthene	NE-1	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-1	2/7/2009	10	10	ND	ug/L
Acenaphthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acenaphthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acenaphthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthene	NE-4	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-4	2/7/2009	10	10	ND	ug/L
Acenaphthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acenaphthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acenaphthene	NE-4	7/12/2018	10	10	ND	ug/L
Acenaphthene	NE-5	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-5	2/6/2009	10	10	ND	ug/L
Acenaphthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acenaphthene	NE-5	7/9/2019	10	10	ND	ug/L
Acenaphthylene	LGW-10	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-10	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	LGW-10	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-14R	10/27/2006	10	10	ND	ug/L
Acenaphthylene	LGW-14R	2/6/2009	10	10	ND	ug/L
Acenaphthylene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-14R	7/17/2018	10	10	ND	ug/L
Acenaphthylene	LGW-14R	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-2	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-2	2/13/2009	10	10	ND	ug/L
Acenaphthylene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-2	2/13/2015	13	13	ND	ug/L
Acenaphthylene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-2	7/8/2020	1	1	ND	ug/L
Acenaphthylene	LGW-2	7/4/2021	10	10	ND	ug/L
Acenaphthylene	LGW-3R	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-3R	2/3/2009	10	10	ND	ug/L
Acenaphthylene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-3R	7/11/2018	10	10	ND	ug/L
Acenaphthylene	LGW-3R	7/6/2021	10	10	ND	ug/L
Acenaphthylene	LGW-4	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-4	2/3/2009	10	10	ND	ug/L
Acenaphthylene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-4	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-5	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-5	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-5	7/12/2018	10	10	ND	ug/L
Acenaphthylene	LGW-5	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-6	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-6	2/5/2009	10	10	ND	ug/L
Acenaphthylene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-6	2/10/2015	10	10	ND	ug/L
Acenaphthylene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-6	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-6	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-7	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-7	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	7/12/2018	10	10	ND	ug/L
Acenaphthylene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-7	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-7	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-8R	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-8R	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-8R	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-9	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-9	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-9	7/10/2019	10	10	ND	ug/L
Acenaphthylene	LGW-9	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-9	7/7/2021	10	10	ND	ug/L
Acenaphthylene	MW-10N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-10N	2/13/2009	10	10	ND	ug/L
Acenaphthylene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acenaphthylene	MW-10N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-11N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-11N	2/3/2009	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-11N	2/10/2015	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/17/2018	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/6/2021	10	10	ND	ug/L
Acenaphthylene	MW-15	7/10/2018	10	10	ND	ug/L
Acenaphthylene	MW-15	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-16	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-17	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acenaphthylene	MW-19	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-1N	10/14/1998	10	10	ND	ug/L
Acenaphthylene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-1N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-1N	2/5/2009	10	10	ND	ug/L
Acenaphthylene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthylene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acenaphthylene	MW-1N	7/6/2020	1	1	ND	ug/L
Acenaphthylene	MW-1N	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-20	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acenaphthylene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-21	7/11/2019	10	10	ND	ug/L
Acenaphthylene	MW-21	7/8/2020	1	1	ND	ug/L
Acenaphthylene	MW-21	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-2N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-2N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthylene	MW-2N	7/12/2018	10	10	ND	ug/L
Acenaphthylene	MW-2N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-3N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-3N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acenaphthylene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acenaphthylene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acenaphthylene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-3N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	MW-3N	7/7/2020	1	1	ND	ug/L
Acenaphthylene	MW-3N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-7N	10/15/1998	10	10	ND	ug/L
Acenaphthylene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-7N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-7N	2/6/2009	10	10	ND	ug/L
Acenaphthylene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acenaphthylene	MW-7N	7/13/2018	10	10	ND	ug/L
Acenaphthylene	MW-7N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-8N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-8N	1/24/2008	10	10	ND	ug/L
Acenaphthylene	MW-8N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acenaphthylene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acenaphthylene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Acenaphthylene	MW-8N	7/11/2019	10	10	ND	ug/L
Acenaphthylene	MW-8N	7/9/2020	1	1	ND	ug/L
Acenaphthylene	MW-8N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	NE-1	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-1	2/7/2009	10	10	ND	ug/L
Acenaphthylene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acenaphthylene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acenaphthylene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthylene	NE-4	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-4	2/7/2009	10	10	ND	ug/L
Acenaphthylene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acenaphthylene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acenaphthylene	NE-4	7/12/2018	10	10	ND	ug/L
Acenaphthylene	NE-5	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-5	2/6/2009	10	10	ND	ug/L
Acenaphthylene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acenaphthylene	NE-5	7/9/2019	10	10	ND	ug/L
Acetone	LGW-10	1/26/2006	5	5	ND	ug/L
Acetone	LGW-10	8/1/2006	5	5	ND	ug/L
Acetone	LGW-10	8/1/2006	5	5	ND	ug/L
Acetone	LGW-10	10/26/2006	5	5	ND	ug/L
Acetone	LGW-10	1/25/2007	5	5	ND	ug/L
Acetone	LGW-10	4/26/2007	5	5	ND	ug/L
Acetone	LGW-10	7/12/2007	5	5	ND	ug/L
Acetone	LGW-10	1/23/2008	5	5	ND	ug/L
Acetone	LGW-10	7/22/2008	5	5	ND	ug/L
Acetone	LGW-10	7/29/2009	5	5	ND	ug/L
Acetone	LGW-10	2/3/2010	5	5	ND	ug/L
Acetone	LGW-10	2/3/2010	5	5	ND	ug/L
Acetone	LGW-10	7/16/2010	5	5	ND	ug/L
Acetone	LGW-10	1/19/2011	5	5	ND	ug/L
Acetone	LGW-10	7/12/2011	5	5	ND	ug/L
Acetone	LGW-10	1/5/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-10	7/9/2012	5	5	ND	ug/L
Acetone	LGW-10	5/1/2013	5	5	ND	ug/L
Acetone	LGW-10	1/30/2014	7.5	5		ug/L
Acetone	LGW-10	7/9/2014	6.3	5		ug/L
Acetone	LGW-10	2/12/2015	5	5	ND	ug/L
Acetone	LGW-10	7/13/2015	5.4	5		ug/L
Acetone	LGW-10	1/5/2016	4.7	5	ND	ug/L
Acetone	LGW-10	4/6/2016	5	5	ND	ug/L
Acetone	LGW-10	7/21/2016	9.8	5		ug/L
Acetone	LGW-10	10/6/2016	3.9	5	ND	ug/L
Acetone	LGW-10	1/11/2017	5.3	5		ug/L
Acetone	LGW-10	4/4/2017	8	5		ug/L
Acetone	LGW-10	7/19/2017	4	5	ND	ug/L
Acetone	LGW-10	10/9/2017	5.1	5		ug/L
Acetone	LGW-10	1/24/2018	9.2	5		ug/L
Acetone	LGW-10	4/11/2018	28	5		ug/L
Acetone	LGW-10	7/16/2018	6.9	5		ug/L
Acetone	LGW-10	10/4/2018	11	10		ug/L
Acetone	LGW-10	1/4/2019	10	10	ND	ug/L
Acetone	LGW-10	4/3/2019	10	10	ND	ug/L
Acetone	LGW-10	7/11/2019	10	10	ND	ug/L
Acetone	LGW-10	10/2/2019	4.1	10	ND	ug/L
Acetone	LGW-10	1/15/2020	10	10	ND	ug/L
Acetone	LGW-10	4/2/2020	10	10	ND	ug/L
Acetone	LGW-10	7/9/2020	5	5	ND	ug/L
Acetone	LGW-10	10/7/2020	11.3	11.3	ND	ug/L
Acetone	LGW-10	1/17/2021	10	10	ND	ug/L
Acetone	LGW-10	4/6/2021	10	10	ND	ug/L
Acetone	LGW-10	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-10	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-10	1/13/2022	10	10	ND	ug/L
Acetone	LGW-10	4/4/2022	10	10	ND	ug/L
Acetone	LGW-10	7/11/2022	10	10	ND	ug/L
Acetone	LGW-10	10/7/2022	10	10	ND	ug/L
Acetone	LGW-10	1/11/2023	10	10	ND	ug/L
Acetone	LGW-10	4/5/2023	10	10	ND	ug/L
Acetone	LGW-14R	1/25/2006	5	5	ND	ug/L
Acetone	LGW-14R	8/2/2006	5.5	5		ug/L
Acetone	LGW-14R	8/2/2006	5.5	5		ug/L
Acetone	LGW-14R	10/27/2006	5	5	ND	ug/L
Acetone	LGW-14R	1/24/2007	5	5	ND	ug/L
Acetone	LGW-14R	4/24/2007	5	5	ND	ug/L
Acetone	LGW-14R	7/11/2007	5.8	5		ug/L
Acetone	LGW-14R	1/23/2008	5	5	ND	ug/L
Acetone	LGW-14R	7/22/2008	5	5	ND	ug/L
Acetone	LGW-14R	2/6/2009	2.6	5	ND	ug/L
Acetone	LGW-14R	7/29/2009	5	5	ND	ug/L
Acetone	LGW-14R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-14R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-14R	7/12/2010	5	5	ND	ug/L
Acetone	LGW-14R	1/19/2011	5	5	ND	ug/L
Acetone	LGW-14R	7/12/2011	5	5	ND	ug/L
Acetone	LGW-14R	1/5/2012	5	5	ND	ug/L
Acetone	LGW-14R	7/9/2012	5.1	5		ug/L
Acetone	LGW-14R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-14R	1/23/2014	5	5	ND	ug/L
Acetone	LGW-14R	7/8/2014	3.1	5	ND	ug/L
Acetone	LGW-14R	2/11/2015	5	5	ND	ug/L
Acetone	LGW-14R	7/22/2015	5	5	ND	ug/L
Acetone	LGW-14R	1/5/2016	5	5	ND	ug/L
Acetone	LGW-14R	7/19/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-14R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-14R	7/18/2017	3.1	5	ND	ug/L
Acetone	LGW-14R	1/25/2018	8.4	5		ug/L
Acetone	LGW-14R	6/21/2018	15	5		ug/L
Acetone	LGW-14R	7/17/2018	29	5		ug/L
Acetone	LGW-14R	1/3/2019	10	10	ND	ug/L
Acetone	LGW-14R	7/10/2019	10	10	ND	ug/L
Acetone	LGW-14R	1/16/2020	10	10	ND	ug/L
Acetone	LGW-14R	7/9/2020	10	10	ND	ug/L
Acetone	LGW-14R	1/18/2021	10	10	ND	ug/L
Acetone	LGW-14R	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-14R	1/12/2022	10	10	ND	ug/L
Acetone	LGW-14R	7/11/2022	10	10	ND	ug/L
Acetone	LGW-14R	1/10/2023	10	10	ND	ug/L
Acetone	LGW-2	1/25/2006	5	5	ND	ug/L
Acetone	LGW-2	8/1/2006	5	5	ND	ug/L
Acetone	LGW-2	8/1/2006	5	5	ND	ug/L
Acetone	LGW-2	10/26/2006	5	5	ND	ug/L
Acetone	LGW-2	1/25/2007	5	5	ND	ug/L
Acetone	LGW-2	4/26/2007	5	5	ND	ug/L
Acetone	LGW-2	7/10/2007	5	5	ND	ug/L
Acetone	LGW-2	1/26/2008	5	5	ND	ug/L
Acetone	LGW-2	7/23/2008	5	5	ND	ug/L
Acetone	LGW-2	2/6/2009	2.4	5	ND	ug/L
Acetone	LGW-2	7/30/2009	6.9	5		ug/L
Acetone	LGW-2	2/3/2010	5	5	ND	ug/L
Acetone	LGW-2	2/3/2010	5	5	ND	ug/L
Acetone	LGW-2	7/12/2010	5	5	ND	ug/L
Acetone	LGW-2	1/19/2011	5	5	ND	ug/L
Acetone	LGW-2	7/13/2011	5	5	ND	ug/L
Acetone	LGW-2	1/4/2012	5	5	ND	ug/L
Acetone	LGW-2	7/9/2012	5	5	ND	ug/L
Acetone	LGW-2	4/30/2013	5	5	ND	ug/L
Acetone	LGW-2	7/15/2013	5	5	ND	ug/L
Acetone	LGW-2	1/30/2014	2.8	5	ND	ug/L
Acetone	LGW-2	7/8/2014	5	5	ND	ug/L
Acetone	LGW-2	2/13/2015	4.3	5	ND	ug/L
Acetone	LGW-2	7/8/2015	5	5	ND	ug/L
Acetone	LGW-2	1/5/2016	5	5	ND	ug/L
Acetone	LGW-2	7/19/2016	5	5	ND	ug/L
Acetone	LGW-2	1/11/2017	5	5	ND	ug/L
Acetone	LGW-2	7/18/2017	21	5		ug/L
Acetone	LGW-2	1/23/2018	5	5	ND	ug/L
Acetone	LGW-2	7/12/2018	17	5		ug/L
Acetone	LGW-2	1/3/2019	10	10	ND	ug/L
Acetone	LGW-2	7/9/2019	6.4	10	ND	ug/L
Acetone	LGW-2	1/13/2020	13.1	10		ug/L
Acetone	LGW-2	4/1/2020	11.3	10		ug/L
Acetone	LGW-2	7/8/2020	6.44	5		ug/L
Acetone	LGW-2	1/18/2021	10	10	ND	ug/L
Acetone	LGW-2	7/4/2021	11.3	11.3	ND	ug/L
Acetone	LGW-2	1/12/2022	10	10	ND	ug/L
Acetone	LGW-2	7/10/2022	11	10		ug/L
Acetone	LGW-2	1/10/2023	10	10	ND	ug/L
Acetone	LGW-3R	1/24/2006	5	5	ND	ug/L
Acetone	LGW-3R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-3R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-3R	10/26/2006	5	5	ND	ug/L
Acetone	LGW-3R	1/25/2007	5	5	ND	ug/L
Acetone	LGW-3R	4/26/2007	5	5	ND	ug/L
Acetone	LGW-3R	7/11/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-3R	1/26/2008	5	5	ND	ug/L
Acetone	LGW-3R	7/23/2008	5	5	ND	ug/L
Acetone	LGW-3R	2/3/2009	5	5	ND	ug/L
Acetone	LGW-3R	7/31/2009	5	5	ND	ug/L
Acetone	LGW-3R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-3R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-3R	7/16/2010	5	5	ND	ug/L
Acetone	LGW-3R	1/19/2011	5	5	ND	ug/L
Acetone	LGW-3R	7/13/2011	5	5	ND	ug/L
Acetone	LGW-3R	1/4/2012	5	5	ND	ug/L
Acetone	LGW-3R	7/9/2012	5.7	5	ND	ug/L
Acetone	LGW-3R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-3R	7/15/2013	5	5	ND	ug/L
Acetone	LGW-3R	1/22/2014	5	5	ND	ug/L
Acetone	LGW-3R	7/8/2014	7.8	5	ND	ug/L
Acetone	LGW-3R	2/10/2015	5	5	ND	ug/L
Acetone	LGW-3R	7/16/2015	7	5		ug/L
Acetone	LGW-3R	1/8/2016	5	5	ND	ug/L
Acetone	LGW-3R	7/21/2016	5	5	ND	ug/L
Acetone	LGW-3R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-3R	7/18/2017	5	5	ND	ug/L
Acetone	LGW-3R	1/23/2018	5	5	ND	ug/L
Acetone	LGW-3R	7/11/2018	6.2	5		ug/L
Acetone	LGW-3R	1/3/2019	10	10	ND	ug/L
Acetone	LGW-3R	7/9/2019	10	10	ND	ug/L
Acetone	LGW-3R	1/14/2020	10	10	ND	ug/L
Acetone	LGW-3R	7/6/2020	10	10	ND	ug/L
Acetone	LGW-3R	1/18/2021	10	10	ND	ug/L
Acetone	LGW-3R	7/6/2021	11.3	11.3	ND	ug/L
Acetone	LGW-3R	1/12/2022	10	10	ND	ug/L
Acetone	LGW-3R	7/10/2022	10	10	ND	ug/L
Acetone	LGW-3R	1/10/2023	10	10	ND	ug/L
Acetone	LGW-4	1/24/2006	5	5	ND	ug/L
Acetone	LGW-4	7/20/2006	5	5	ND	ug/L
Acetone	LGW-4	7/20/2006	5	5	ND	ug/L
Acetone	LGW-4	10/26/2006	5	5	ND	ug/L
Acetone	LGW-4	1/25/2007	5	5	ND	ug/L
Acetone	LGW-4	4/26/2007	5	5	ND	ug/L
Acetone	LGW-4	7/11/2007	5	5	ND	ug/L
Acetone	LGW-4	1/22/2008	5	5	ND	ug/L
Acetone	LGW-4	7/23/2008	5	5	ND	ug/L
Acetone	LGW-4	2/3/2009	5	5	ND	ug/L
Acetone	LGW-4	7/31/2009	5	5	ND	ug/L
Acetone	LGW-4	2/3/2010	5	5	ND	ug/L
Acetone	LGW-4	2/3/2010	5	5	ND	ug/L
Acetone	LGW-4	7/16/2010	5	5	ND	ug/L
Acetone	LGW-4	1/19/2011	5	5	ND	ug/L
Acetone	LGW-4	7/13/2011	5	5	ND	ug/L
Acetone	LGW-4	1/4/2012	5	5	ND	ug/L
Acetone	LGW-4	7/9/2012	4.5	5	ND	ug/L
Acetone	LGW-4	4/30/2013	5	5	ND	ug/L
Acetone	LGW-4	7/15/2013	5	5	ND	ug/L
Acetone	LGW-4	1/23/2014	5	5	ND	ug/L
Acetone	LGW-4	7/8/2014	5	5	ND	ug/L
Acetone	LGW-4	2/11/2015	5	5	ND	ug/L
Acetone	LGW-4	7/8/2015	5	5	ND	ug/L
Acetone	LGW-4	1/5/2016	5	5	ND	ug/L
Acetone	LGW-4	7/19/2016	5	5	ND	ug/L
Acetone	LGW-4	1/11/2017	5	5	ND	ug/L
Acetone	LGW-4	7/18/2017	5	5	ND	ug/L
Acetone	LGW-4	1/23/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-4	7/11/2018	3.8	5	ND	ug/L
Acetone	LGW-4	1/3/2019	10	10	ND	ug/L
Acetone	LGW-4	7/9/2019	10	10	ND	ug/L
Acetone	LGW-4	1/14/2020	10	10	ND	ug/L
Acetone	LGW-4	7/6/2020	10	10	ND	ug/L
Acetone	LGW-4	1/18/2021	10	10	ND	ug/L
Acetone	LGW-4	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-4	1/12/2022	10	10	ND	ug/L
Acetone	LGW-4	7/11/2022	10	10	ND	ug/L
Acetone	LGW-4	1/10/2023	10	10	ND	ug/L
Acetone	LGW-5	1/25/2006	5	5	ND	ug/L
Acetone	LGW-5	8/1/2006	5	5	ND	ug/L
Acetone	LGW-5	8/1/2006	5	5	ND	ug/L
Acetone	LGW-5	10/26/2006	5	5	ND	ug/L
Acetone	LGW-5	1/25/2007	5	5	ND	ug/L
Acetone	LGW-5	4/26/2007	5	5	ND	ug/L
Acetone	LGW-5	7/11/2007	5	5	ND	ug/L
Acetone	LGW-5	1/23/2008	5	5	ND	ug/L
Acetone	LGW-5	7/23/2008	5	5	ND	ug/L
Acetone	LGW-5	2/4/2009	5	5	ND	ug/L
Acetone	LGW-5	7/29/2009	5	5	ND	ug/L
Acetone	LGW-5	2/3/2010	5	5	ND	ug/L
Acetone	LGW-5	2/3/2010	5	5	ND	ug/L
Acetone	LGW-5	7/12/2010	5	5	ND	ug/L
Acetone	LGW-5	1/19/2011	1.9	5	ND	ug/L
Acetone	LGW-5	7/12/2011	5	5	ND	ug/L
Acetone	LGW-5	1/5/2012	5	5	ND	ug/L
Acetone	LGW-5	7/9/2012	5	5	ND	ug/L
Acetone	LGW-5	4/30/2013	5	5	ND	ug/L
Acetone	LGW-5	7/15/2013	5	5	ND	ug/L
Acetone	LGW-5	1/23/2014	5	5	ND	ug/L
Acetone	LGW-5	7/8/2014	4.5	5	ND	ug/L
Acetone	LGW-5	2/10/2015	5	5	ND	ug/L
Acetone	LGW-5	7/8/2015	5	5	ND	ug/L
Acetone	LGW-5	1/5/2016	5	5	ND	ug/L
Acetone	LGW-5	7/19/2016	5	5	ND	ug/L
Acetone	LGW-5	1/11/2017	5	5	ND	ug/L
Acetone	LGW-5	7/18/2017	4.8	5	ND	ug/L
Acetone	LGW-5	1/23/2018	5	5	ND	ug/L
Acetone	LGW-5	7/12/2018	2	5	ND	ug/L
Acetone	LGW-5	1/3/2019	10	10	ND	ug/L
Acetone	LGW-5	7/9/2019	10	10	ND	ug/L
Acetone	LGW-5	1/14/2020	10	10	ND	ug/L
Acetone	LGW-5	7/6/2020	10	10	ND	ug/L
Acetone	LGW-5	1/18/2021	10	10	ND	ug/L
Acetone	LGW-5	4/6/2021	10	10	ND	ug/L
Acetone	LGW-5	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-5	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-5	1/12/2022	10	10	ND	ug/L
Acetone	LGW-5	4/4/2022	10	10	ND	ug/L
Acetone	LGW-5	7/11/2022	10	10	ND	ug/L
Acetone	LGW-5	10/6/2022	10	10	ND	ug/L
Acetone	LGW-5	1/10/2023	10	10	ND	ug/L
Acetone	LGW-6	1/24/2006	5	5	ND	ug/L
Acetone	LGW-6	7/20/2006	5	5	ND	ug/L
Acetone	LGW-6	7/20/2006	5	5	ND	ug/L
Acetone	LGW-6	10/26/2006	5	5	ND	ug/L
Acetone	LGW-6	1/24/2007	5	5	ND	ug/L
Acetone	LGW-6	4/26/2007	5	5	ND	ug/L
Acetone	LGW-6	7/11/2007	5	5	ND	ug/L
Acetone	LGW-6	1/23/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-6	7/23/2008	5	5	ND	ug/L
Acetone	LGW-6	2/5/2009	5	5	ND	ug/L
Acetone	LGW-6	7/29/2009	5	5	ND	ug/L
Acetone	LGW-6	2/3/2010	5	5	ND	ug/L
Acetone	LGW-6	2/3/2010	5	5	ND	ug/L
Acetone	LGW-6	7/12/2010	5	5	ND	ug/L
Acetone	LGW-6	1/19/2011	5	5	ND	ug/L
Acetone	LGW-6	7/12/2011	5	5	ND	ug/L
Acetone	LGW-6	1/5/2012	5	5	ND	ug/L
Acetone	LGW-6	7/9/2012	5.1	5		ug/L
Acetone	LGW-6	4/30/2013	5	5	ND	ug/L
Acetone	LGW-6	7/15/2013	5	5	ND	ug/L
Acetone	LGW-6	1/23/2014	5	5	ND	ug/L
Acetone	LGW-6	7/8/2014	3.1	5	ND	ug/L
Acetone	LGW-6	2/10/2015	5	5	ND	ug/L
Acetone	LGW-6	7/22/2015	5	5	ND	ug/L
Acetone	LGW-6	1/5/2016	5	5	ND	ug/L
Acetone	LGW-6	7/19/2016	5	5	ND	ug/L
Acetone	LGW-6	10/6/2016	2.1	5	ND	ug/L
Acetone	LGW-6	1/11/2017	5	5	ND	ug/L
Acetone	LGW-6	5/5/2017	5	5	ND	ug/L
Acetone	LGW-6	7/18/2017	5	5	ND	ug/L
Acetone	LGW-6	10/5/2017	5	5	ND	ug/L
Acetone	LGW-6	1/23/2018	5	5	ND	ug/L
Acetone	LGW-6	4/10/2018	5	5	ND	ug/L
Acetone	LGW-6	7/17/2018	5	5	ND	ug/L
Acetone	LGW-6	10/2/2018	4.7	10	ND	ug/L
Acetone	LGW-6	1/7/2019	10	10	ND	ug/L
Acetone	LGW-6	4/3/2019	10	10	ND	ug/L
Acetone	LGW-6	7/10/2019	10	10	ND	ug/L
Acetone	LGW-6	10/3/2019	10	10	ND	ug/L
Acetone	LGW-6	1/16/2020	10	10	ND	ug/L
Acetone	LGW-6	4/2/2020	10	10	ND	ug/L
Acetone	LGW-6	7/9/2020	5	5	ND	ug/L
Acetone	LGW-6	10/6/2020	11.3	11.3	ND	ug/L
Acetone	LGW-6	1/18/2021	10	10	ND	ug/L
Acetone	LGW-6	4/6/2021	10	10	ND	ug/L
Acetone	LGW-6	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-6	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-6	1/12/2022	10	10	ND	ug/L
Acetone	LGW-6	4/4/2022	10	10	ND	ug/L
Acetone	LGW-6	7/11/2022	10	10	ND	ug/L
Acetone	LGW-6	10/6/2022	10	10	ND	ug/L
Acetone	LGW-6	1/10/2023	10	10	ND	ug/L
Acetone	LGW-6	4/6/2023	10	10	ND	ug/L
Acetone	LGW-7	1/25/2006	5	5	ND	ug/L
Acetone	LGW-7	8/1/2006	5	5	ND	ug/L
Acetone	LGW-7	8/1/2006	5	5	ND	ug/L
Acetone	LGW-7	10/26/2006	5	5	ND	ug/L
Acetone	LGW-7	1/24/2007	5	5	ND	ug/L
Acetone	LGW-7	4/26/2007	5	5	ND	ug/L
Acetone	LGW-7	7/12/2007	5	5	ND	ug/L
Acetone	LGW-7	7/22/2008	5	5	ND	ug/L
Acetone	LGW-7	2/4/2009	5	5	ND	ug/L
Acetone	LGW-7	7/31/2009	5	5	ND	ug/L
Acetone	LGW-7	1/27/2010	5	5	ND	ug/L
Acetone	LGW-7	7/12/2010	5	5	ND	ug/L
Acetone	LGW-7	1/20/2011	5	5	ND	ug/L
Acetone	LGW-7	7/12/2011	5	5	ND	ug/L
Acetone	LGW-7	1/5/2012	5	5	ND	ug/L
Acetone	LGW-7	7/10/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-7	4/30/2013	5	5	ND	ug/L
Acetone	LGW-7	7/15/2013	5	5	ND	ug/L
Acetone	LGW-7	1/23/2014	5	5	ND	ug/L
Acetone	LGW-7	7/8/2014	5	5	ND	ug/L
Acetone	LGW-7	2/11/2015	5	5	ND	ug/L
Acetone	LGW-7	7/22/2015	5	5	ND	ug/L
Acetone	LGW-7	1/5/2016	5	5	ND	ug/L
Acetone	LGW-7	4/6/2016	5	5	ND	ug/L
Acetone	LGW-7	7/20/2016	5	5	ND	ug/L
Acetone	LGW-7	10/6/2016	3.7	5	ND	ug/L
Acetone	LGW-7	1/11/2017	5	5	ND	ug/L
Acetone	LGW-7	4/4/2017	3.2	5	ND	ug/L
Acetone	LGW-7	7/18/2017	5	5	ND	ug/L
Acetone	LGW-7	10/5/2017	5	5	ND	ug/L
Acetone	LGW-7	1/24/2018	5	5	ND	ug/L
Acetone	LGW-7	4/11/2018	1.9	5	ND	ug/L
Acetone	LGW-7	7/12/2018	7.6	5		ug/L
Acetone	LGW-7	10/2/2018	11	10		ug/L
Acetone	LGW-7	1/7/2019	10	10	ND	ug/L
Acetone	LGW-7	4/3/2019	5.5	10	ND	ug/L
Acetone	LGW-7	7/10/2019	10	10	ND	ug/L
Acetone	LGW-7	10/3/2019	4.6	10	ND	ug/L
Acetone	LGW-7	1/15/2020	10	10	ND	ug/L
Acetone	LGW-7	7/9/2020	5	5	ND	ug/L
Acetone	LGW-7	1/18/2021	10	10	ND	ug/L
Acetone	LGW-7	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-7	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-7	1/13/2022	10	10	ND	ug/L
Acetone	LGW-7	7/11/2022	11	10		ug/L
Acetone	LGW-7	1/11/2023	10	10	ND	ug/L
Acetone	LGW-8R	1/24/2006	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-8R	10/26/2006	5	5	ND	ug/L
Acetone	LGW-8R	1/24/2007	5	5	ND	ug/L
Acetone	LGW-8R	4/25/2007	5	5	ND	ug/L
Acetone	LGW-8R	7/12/2007	5	5	ND	ug/L
Acetone	LGW-8R	2/4/2009	5	5	ND	ug/L
Acetone	LGW-8R	7/29/2009	5	5	ND	ug/L
Acetone	LGW-8R	1/27/2010	5	5	ND	ug/L
Acetone	LGW-8R	7/14/2010	5	5	ND	ug/L
Acetone	LGW-8R	1/20/2011	5	5	ND	ug/L
Acetone	LGW-8R	7/12/2011	5	5	ND	ug/L
Acetone	LGW-8R	1/5/2012	5	5	ND	ug/L
Acetone	LGW-8R	7/9/2012	4.5	5	ND	ug/L
Acetone	LGW-8R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-8R	7/15/2013	5	5	ND	ug/L
Acetone	LGW-8R	1/22/2014	5	5	ND	ug/L
Acetone	LGW-8R	7/8/2014	5	5	ND	ug/L
Acetone	LGW-8R	2/11/2015	5	5	ND	ug/L
Acetone	LGW-8R	7/22/2015	5	5	ND	ug/L
Acetone	LGW-8R	1/5/2016	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2016	5	5	ND	ug/L
Acetone	LGW-8R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-8R	7/18/2017	7.2	5		ug/L
Acetone	LGW-8R	1/25/2018	6.9	5		ug/L
Acetone	LGW-8R	7/13/2018	6	5		ug/L
Acetone	LGW-8R	1/7/2019	10	10	ND	ug/L
Acetone	LGW-8R	7/8/2019	10	10	ND	ug/L
Acetone	LGW-8R	1/14/2020	10	10	ND	ug/L
Acetone	LGW-8R	7/7/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-8R	1/17/2021	10	10	ND	ug/L
Acetone	LGW-8R	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-8R	1/13/2022	10	10	ND	ug/L
Acetone	LGW-8R	7/11/2022	10	10	ND	ug/L
Acetone	LGW-8R	1/11/2023	10	10	ND	ug/L
Acetone	LGW-9	1/25/2006	5	5	ND	ug/L
Acetone	LGW-9	7/20/2006	5	5	ND	ug/L
Acetone	LGW-9	7/20/2006	5	5	ND	ug/L
Acetone	LGW-9	10/26/2006	5	5	ND	ug/L
Acetone	LGW-9	1/25/2007	5	5	ND	ug/L
Acetone	LGW-9	4/25/2007	5	5	ND	ug/L
Acetone	LGW-9	7/10/2007	5	5	ND	ug/L
Acetone	LGW-9	7/22/2008	5	5	ND	ug/L
Acetone	LGW-9	2/4/2009	5	5	ND	ug/L
Acetone	LGW-9	7/29/2009	5	5	ND	ug/L
Acetone	LGW-9	1/27/2010	5	5	ND	ug/L
Acetone	LGW-9	7/14/2010	5	5	ND	ug/L
Acetone	LGW-9	1/20/2011	5	5	ND	ug/L
Acetone	LGW-9	7/12/2011	5	5	ND	ug/L
Acetone	LGW-9	1/5/2012	5	5	ND	ug/L
Acetone	LGW-9	7/10/2012	5	5	ND	ug/L
Acetone	LGW-9	5/1/2013	5	5	ND	ug/L
Acetone	LGW-9	7/15/2013	5	5	ND	ug/L
Acetone	LGW-9	1/23/2014	5	5	ND	ug/L
Acetone	LGW-9	7/8/2014	5	5	ND	ug/L
Acetone	LGW-9	2/11/2015	5	5	ND	ug/L
Acetone	LGW-9	7/13/2015	5	5	ND	ug/L
Acetone	LGW-9	1/5/2016	5	5	ND	ug/L
Acetone	LGW-9	7/21/2016	4.4	5	ND	ug/L
Acetone	LGW-9	10/6/2016	2	5	ND	ug/L
Acetone	LGW-9	1/11/2017	5	5	ND	ug/L
Acetone	LGW-9	5/5/2017	5	5	ND	ug/L
Acetone	LGW-9	7/18/2017	5	5		ug/L
Acetone	LGW-9	10/5/2017	4.5	5	ND	ug/L
Acetone	LGW-9	1/24/2018	5	5	ND	ug/L
Acetone	LGW-9	4/11/2018	12	5		ug/L
Acetone	LGW-9	7/13/2018	7.7	5		ug/L
Acetone	LGW-9	10/2/2018	14	10		ug/L
Acetone	LGW-9	1/7/2019	10	10	ND	ug/L
Acetone	LGW-9	4/3/2019	10	10	ND	ug/L
Acetone	LGW-9	7/10/2019	10	10	ND	ug/L
Acetone	LGW-9	10/3/2019	10	10	ND	ug/L
Acetone	LGW-9	1/16/2020	10	10	ND	ug/L
Acetone	LGW-9	4/2/2020	10	10	ND	ug/L
Acetone	LGW-9	7/9/2020	5	5	ND	ug/L
Acetone	LGW-9	10/7/2020	11.3	11.3	ND	ug/L
Acetone	LGW-9	1/17/2021	10	10	ND	ug/L
Acetone	LGW-9	4/6/2021	10	10	ND	ug/L
Acetone	LGW-9	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-9	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-9	1/13/2022	10	10	ND	ug/L
Acetone	LGW-9	4/4/2022	10	10	ND	ug/L
Acetone	LGW-9	7/11/2022	10	10	ND	ug/L
Acetone	LGW-9	10/7/2022	10	10	ND	ug/L
Acetone	LGW-9	1/11/2023	10	10	ND	ug/L
Acetone	LGW-9	4/5/2023	10	10	ND	ug/L
Acetone	MW-10N	10/22/1997	19	19	ND	ug/L
Acetone	MW-10N	1/22/1998	32	19		ug/L
Acetone	MW-10N	4/28/1998	38	38	ND	ug/L
Acetone	MW-10N	7/23/1998	19	19	ND	ug/L
Acetone	MW-10N	1/14/1999	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-10N	4/13/1999	19	19	ND	ug/L
Acetone	MW-10N	7/15/1999	19	19	ND	ug/L
Acetone	MW-10N	10/20/1999	19	19	ND	ug/L
Acetone	MW-10N	1/14/2000	19	19	ND	ug/L
Acetone	MW-10N	4/25/2000	19	19	ND	ug/L
Acetone	MW-10N	7/11/2000	5	5	ND	ug/L
Acetone	MW-10N	10/17/2000	5	5	ND	ug/L
Acetone	MW-10N	1/24/2001	5	5	ND	ug/L
Acetone	MW-10N	4/10/2001	5	5	ND	ug/L
Acetone	MW-10N	7/10/2002	5	5	ND	ug/L
Acetone	MW-10N	10/2/2002	5	5	ND	ug/L
Acetone	MW-10N	1/22/2003	5	5	ND	ug/L
Acetone	MW-10N	4/15/2003	5	5	ND	ug/L
Acetone	MW-10N	7/8/2003	9.9	5		ug/L
Acetone	MW-10N	1/28/2004	5	5	ND	ug/L
Acetone	MW-10N	7/27/2004	5	5	ND	ug/L
Acetone	MW-10N	1/12/2005	5	5	ND	ug/L
Acetone	MW-10N	7/20/2005	5	5	ND	ug/L
Acetone	MW-10N	1/19/2006	5	5	ND	ug/L
Acetone	MW-10N	7/19/2006	5	5	ND	ug/L
Acetone	MW-10N	7/19/2006	5	5	ND	ug/L
Acetone	MW-10N	10/25/2006	5	5	ND	ug/L
Acetone	MW-10N	1/24/2007	5.5	5		ug/L
Acetone	MW-10N	7/10/2007	5	5	ND	ug/L
Acetone	MW-10N	1/23/2008	5	5	ND	ug/L
Acetone	MW-10N	7/21/2008	5	5	ND	ug/L
Acetone	MW-10N	2/13/2009	5	5	ND	ug/L
Acetone	MW-10N	7/31/2009	5	5	ND	ug/L
Acetone	MW-10N	1/27/2010	5	5	ND	ug/L
Acetone	MW-10N	8/10/2010	5	5	ND	ug/L
Acetone	MW-10N	1/19/2011	5	5	ND	ug/L
Acetone	MW-10N	7/14/2011	5	5	ND	ug/L
Acetone	MW-10N	1/5/2012	5	5	ND	ug/L
Acetone	MW-10N	7/10/2012	5	5	ND	ug/L
Acetone	MW-10N	5/1/2013	4.9	5	ND	ug/L
Acetone	MW-10N	1/24/2014	5	5	ND	ug/L
Acetone	MW-10N	7/9/2014	2.5	5	ND	ug/L
Acetone	MW-10N	2/12/2015	5	5	ND	ug/L
Acetone	MW-10N	7/14/2015	5	5	ND	ug/L
Acetone	MW-10N	1/6/2016	5	5	ND	ug/L
Acetone	MW-10N	7/21/2016	5	5	ND	ug/L
Acetone	MW-10N	1/11/2017	5	5	ND	ug/L
Acetone	MW-10N	7/19/2017	2.8	5	ND	ug/L
Acetone	MW-10N	1/24/2018	5	5	ND	ug/L
Acetone	MW-10N	7/11/2018	5.6	5		ug/L
Acetone	MW-10N	1/3/2019	10	10	ND	ug/L
Acetone	MW-10N	7/9/2019	10	10	ND	ug/L
Acetone	MW-10N	1/16/2020	10	10	ND	ug/L
Acetone	MW-10N	7/8/2020	10	10	ND	ug/L
Acetone	MW-10N	1/13/2021	10	10	ND	ug/L
Acetone	MW-10N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-10N	1/11/2023	10	10	ND	ug/L
Acetone	MW-11N	10/22/1997	19	19	ND	ug/L
Acetone	MW-11N	1/21/1998	19	19	ND	ug/L
Acetone	MW-11N	4/28/1998	19	19	ND	ug/L
Acetone	MW-11N	7/23/1998	19	19	ND	ug/L
Acetone	MW-11N	1/13/1999	19	19	ND	ug/L
Acetone	MW-11N	4/13/1999	19	19	ND	ug/L
Acetone	MW-11N	7/14/1999	19	19	ND	ug/L
Acetone	MW-11N	10/20/1999	19	19	ND	ug/L
Acetone	MW-11N	1/13/2000	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-11N	4/25/2000	19	19	ND	ug/L
Acetone	MW-11N	7/10/2000	5	5	ND	ug/L
Acetone	MW-11N	10/17/2000	5	5	ND	ug/L
Acetone	MW-11N	1/24/2001	5	5	ND	ug/L
Acetone	MW-11N	4/10/2001	5	5	ND	ug/L
Acetone	MW-11N	7/9/2002	5	5	ND	ug/L
Acetone	MW-11N	10/2/2002	5	5	ND	ug/L
Acetone	MW-11N	1/23/2003	5	5	ND	ug/L
Acetone	MW-11N	4/15/2003	5	5	ND	ug/L
Acetone	MW-11N	7/8/2003	5	5	ND	ug/L
Acetone	MW-11N	1/29/2004	5	5	ND	ug/L
Acetone	MW-11N	7/27/2004	5	5	ND	ug/L
Acetone	MW-11N	1/13/2005	5	5	ND	ug/L
Acetone	MW-11N	7/20/2005	5	5	ND	ug/L
Acetone	MW-11N	1/19/2006	5	5	ND	ug/L
Acetone	MW-11N	7/18/2006	5	5	ND	ug/L
Acetone	MW-11N	7/18/2006	5	5	ND	ug/L
Acetone	MW-11N	10/25/2006	5	5	ND	ug/L
Acetone	MW-11N	1/24/2007	5	5	ND	ug/L
Acetone	MW-11N	7/10/2007	5	5	ND	ug/L
Acetone	MW-11N	1/22/2008	5	5	ND	ug/L
Acetone	MW-11N	7/23/2008	5	5	ND	ug/L
Acetone	MW-11N	2/3/2009	5	5	ND	ug/L
Acetone	MW-11N	7/31/2009	5	5	ND	ug/L
Acetone	MW-11N	2/3/2010	5	5	ND	ug/L
Acetone	MW-11N	2/3/2010	5	5	ND	ug/L
Acetone	MW-11N	7/16/2010	5	5	ND	ug/L
Acetone	MW-11N	1/19/2011	5	5	ND	ug/L
Acetone	MW-11N	7/13/2011	5	5	ND	ug/L
Acetone	MW-11N	1/4/2012	5	5	ND	ug/L
Acetone	MW-11N	7/9/2012	2.8	5	ND	ug/L
Acetone	MW-11N	4/30/2013	5	5	ND	ug/L
Acetone	MW-11N	7/15/2013	5	5	ND	ug/L
Acetone	MW-11N	1/23/2014	5	5	ND	ug/L
Acetone	MW-11N	7/8/2014	2.8	5	ND	ug/L
Acetone	MW-11N	2/10/2015	5	5	ND	ug/L
Acetone	MW-11N	7/13/2015	5	5	ND	ug/L
Acetone	MW-11N	1/5/2016	5	5	ND	ug/L
Acetone	MW-11N	7/21/2016	5	5	ND	ug/L
Acetone	MW-11N	1/11/2017	5	5	ND	ug/L
Acetone	MW-11N	7/19/2017	4.6	5	ND	ug/L
Acetone	MW-11N	1/23/2018	5	5	ND	ug/L
Acetone	MW-11N	7/17/2018	8.9	5		ug/L
Acetone	MW-11N	1/2/2019	10	10	ND	ug/L
Acetone	MW-11N	7/9/2019	10	10	ND	ug/L
Acetone	MW-11N	1/14/2020	10	10	ND	ug/L
Acetone	MW-11N	7/6/2020	10	10	ND	ug/L
Acetone	MW-11N	1/18/2021	10	10	ND	ug/L
Acetone	MW-11N	7/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-11N	1/18/2022	10	10	ND	ug/L
Acetone	MW-11N	7/13/2022	10	10	ND	ug/L
Acetone	MW-11N	1/10/2023	10	10	ND	ug/L
Acetone	MW-15	6/5/2015	8.5	5		ug/L
Acetone	MW-15	7/15/2015	7.1	5		ug/L
Acetone	MW-15	8/5/2015	5	5	ND	ug/L
Acetone	MW-15	9/3/2015	5	5	ND	ug/L
Acetone	MW-15	1/7/2016	5	5	ND	ug/L
Acetone	MW-15	4/5/2016	5	5	ND	ug/L
Acetone	MW-15	7/20/2016	2	5	ND	ug/L
Acetone	MW-15	10/6/2016	5	5	ND	ug/L
Acetone	MW-15	1/10/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-15	7/18/2017	5.6	5		ug/L
Acetone	MW-15	1/23/2018	5	5	ND	ug/L
Acetone	MW-15	7/10/2018	5	5	ND	ug/L
Acetone	MW-15	1/3/2019	10	10	ND	ug/L
Acetone	MW-15	7/9/2019	10	10	ND	ug/L
Acetone	MW-15	1/14/2020	10	10	ND	ug/L
Acetone	MW-15	8/3/2020	5	5	ND	ug/L
Acetone	MW-15	1/18/2021	10	10	ND	ug/L
Acetone	MW-15	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-15	1/12/2022	10	10	ND	ug/L
Acetone	MW-15	7/10/2022	10	10	ND	ug/L
Acetone	MW-15	1/10/2023	10	10	ND	ug/L
Acetone	MW-16	6/5/2015	13	5		ug/L
Acetone	MW-16	7/16/2015	2.2	5	ND	ug/L
Acetone	MW-16	8/5/2015	5	5	ND	ug/L
Acetone	MW-16	9/3/2015	5	5	ND	ug/L
Acetone	MW-16	1/8/2016	5	5	ND	ug/L
Acetone	MW-16	4/5/2016	5	5	ND	ug/L
Acetone	MW-16	7/21/2016	3.3	5	ND	ug/L
Acetone	MW-16	10/5/2016	5	5	ND	ug/L
Acetone	MW-16	1/10/2017	5	5	ND	ug/L
Acetone	MW-16	7/18/2017	6.8	5		ug/L
Acetone	MW-16	1/23/2018	5	5	ND	ug/L
Acetone	MW-16	7/11/2018	4.4	5	ND	ug/L
Acetone	MW-16	1/2/2019	3.7	10	ND	ug/L
Acetone	MW-16	7/10/2019	10	10	ND	ug/L
Acetone	MW-16	1/14/2020	10	10	ND	ug/L
Acetone	MW-16	8/3/2020	5	5	ND	ug/L
Acetone	MW-16	1/18/2021	10	10	ND	ug/L
Acetone	MW-16	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-16	1/12/2022	10	10	ND	ug/L
Acetone	MW-16	7/10/2022	10	10	ND	ug/L
Acetone	MW-16	1/10/2023	10	10	ND	ug/L
Acetone	MW-17	6/5/2015	6.5	5		ug/L
Acetone	MW-17	7/15/2015	4.2	5	ND	ug/L
Acetone	MW-17	8/4/2015	5	5	ND	ug/L
Acetone	MW-17	9/2/2015	5	5	ND	ug/L
Acetone	MW-17	1/7/2016	5	5	ND	ug/L
Acetone	MW-17	4/5/2016	5	5	ND	ug/L
Acetone	MW-17	7/20/2016	5	5	ND	ug/L
Acetone	MW-17	10/6/2016	2.7	5	ND	ug/L
Acetone	MW-17	1/10/2017	5	5	ND	ug/L
Acetone	MW-17	7/18/2017	4.3	5	ND	ug/L
Acetone	MW-17	1/23/2018	5	5	ND	ug/L
Acetone	MW-17	7/10/2018	5	5	ND	ug/L
Acetone	MW-17	1/3/2019	5.5	10	ND	ug/L
Acetone	MW-17	7/11/2019	10	10	ND	ug/L
Acetone	MW-17	1/14/2020	10	10	ND	ug/L
Acetone	MW-17	8/3/2020	5	5	ND	ug/L
Acetone	MW-17	1/14/2021	10	10	ND	ug/L
Acetone	MW-17	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-17	1/10/2023	10	10	ND	ug/L
Acetone	MW-19	6/5/2015	5	5	ND	ug/L
Acetone	MW-19	7/16/2015	5.9	5		ug/L
Acetone	MW-19	8/5/2015	5	5	ND	ug/L
Acetone	MW-19	9/3/2015	5	5	ND	ug/L
Acetone	MW-19	1/7/2016	5	5	ND	ug/L
Acetone	MW-19	4/5/2016	5	5	ND	ug/L
Acetone	MW-19	7/21/2016	2.6	5	ND	ug/L
Acetone	MW-19	10/5/2016	2.9	5	ND	ug/L
Acetone	MW-19	1/10/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-19	7/18/2017	6.7	5		ug/L
Acetone	MW-19	1/23/2018	2.3	5	ND	ug/L
Acetone	MW-19	7/13/2018	4.8	5	ND	ug/L
Acetone	MW-19	1/7/2019	10	10	ND	ug/L
Acetone	MW-19	7/11/2019	10	10	ND	ug/L
Acetone	MW-19	1/14/2020	10	10	ND	ug/L
Acetone	MW-19	8/3/2020	5	5	ND	ug/L
Acetone	MW-19	1/14/2021	10	10	ND	ug/L
Acetone	MW-19	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-19	1/11/2023	10	10	ND	ug/L
Acetone	MW-1N	10/22/1997	19	19	ND	ug/L
Acetone	MW-1N	1/20/1998	19	19	ND	ug/L
Acetone	MW-1N	4/28/1998	7.4	19		ug/L
Acetone	MW-1N	7/23/1998	19	19	ND	ug/L
Acetone	MW-1N	10/14/1998	18	18	ND	ug/L
Acetone	MW-1N	1/13/1999	19	19	ND	ug/L
Acetone	MW-1N	4/13/1999	19	19	ND	ug/L
Acetone	MW-1N	5/19/1999	19	19	ND	ug/L
Acetone	MW-1N	7/15/1999	19	19	ND	ug/L
Acetone	MW-1N	10/19/1999	19	19	ND	ug/L
Acetone	MW-1N	1/14/2000	19	19	ND	ug/L
Acetone	MW-1N	4/25/2000	19	19	ND	ug/L
Acetone	MW-1N	7/12/2000	5	5	ND	ug/L
Acetone	MW-1N	10/18/2000	5	5	ND	ug/L
Acetone	MW-1N	1/24/2001	5	5	ND	ug/L
Acetone	MW-1N	4/12/2001	5	5	ND	ug/L
Acetone	MW-1N	5/29/2002	18	18	ND	ug/L
Acetone	MW-1N	5/29/2002	5	5	ND	ug/L
Acetone	MW-1N	7/9/2002	5	5	ND	ug/L
Acetone	MW-1N	10/3/2002	5	5	ND	ug/L
Acetone	MW-1N	1/22/2003	5	5	ND	ug/L
Acetone	MW-1N	4/15/2003	5	5	ND	ug/L
Acetone	MW-1N	7/8/2003	5	5	ND	ug/L
Acetone	MW-1N	1/28/2004	5	5	ND	ug/L
Acetone	MW-1N	7/27/2004	5	5	ND	ug/L
Acetone	MW-1N	1/12/2005	5	5	ND	ug/L
Acetone	MW-1N	7/20/2005	5	5	ND	ug/L
Acetone	MW-1N	1/18/2006	5	5	ND	ug/L
Acetone	MW-1N	7/18/2006	5	5	ND	ug/L
Acetone	MW-1N	7/18/2006	5	5	ND	ug/L
Acetone	MW-1N	10/24/2006	5	5	ND	ug/L
Acetone	MW-1N	1/26/2007	5	5	ND	ug/L
Acetone	MW-1N	7/11/2007	5	5	ND	ug/L
Acetone	MW-1N	1/24/2008	5	5	ND	ug/L
Acetone	MW-1N	7/21/2008	5	5	ND	ug/L
Acetone	MW-1N	2/5/2009	5	5	ND	ug/L
Acetone	MW-1N	7/31/2009	5	5	ND	ug/L
Acetone	MW-1N	1/26/2010	5	5	ND	ug/L
Acetone	MW-1N	7/13/2010	5	5	ND	ug/L
Acetone	MW-1N	1/20/2011	5	5	ND	ug/L
Acetone	MW-1N	7/13/2011	5	5	ND	ug/L
Acetone	MW-1N	1/5/2012	5	5	ND	ug/L
Acetone	MW-1N	7/10/2012	5	5	ND	ug/L
Acetone	MW-1N	5/1/2013	5	5	ND	ug/L
Acetone	MW-1N	7/16/2013	5	5	ND	ug/L
Acetone	MW-1N	1/24/2014	5	5	ND	ug/L
Acetone	MW-1N	7/9/2014	10	5		ug/L
Acetone	MW-1N	2/10/2015	5	5	ND	ug/L
Acetone	MW-1N	7/14/2015	5	5	ND	ug/L
Acetone	MW-1N	1/6/2016	5	5	ND	ug/L
Acetone	MW-1N	7/21/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-1N	1/12/2017	5	5	ND	ug/L
Acetone	MW-1N	7/19/2017	2.8	5	ND	ug/L
Acetone	MW-1N	1/23/2018	5	5	ND	ug/L
Acetone	MW-1N	7/10/2018	26	5		ug/L
Acetone	MW-1N	1/3/2019	10	10	ND	ug/L
Acetone	MW-1N	7/11/2019	4.2	10	ND	ug/L
Acetone	MW-1N	1/23/2020	29.1	10		ug/L
Acetone	MW-1N	4/2/2020	10	10	ND	ug/L
Acetone	MW-1N	7/6/2020	5	5	ND	ug/L
Acetone	MW-1N	1/14/2021	10	10	ND	ug/L
Acetone	MW-1N	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-1N	1/11/2023	10	10	ND	ug/L
Acetone	MW-20	6/5/2015	2.1	5	ND	ug/L
Acetone	MW-20	7/14/2015	5	5	ND	ug/L
Acetone	MW-20	8/4/2015	5	5	ND	ug/L
Acetone	MW-20	9/2/2015	5	5	ND	ug/L
Acetone	MW-20	1/7/2016	5	5	ND	ug/L
Acetone	MW-20	4/5/2016	5	5	ND	ug/L
Acetone	MW-20	7/20/2016	5	5	ND	ug/L
Acetone	MW-20	10/5/2016	5	5	ND	ug/L
Acetone	MW-20	1/12/2017	9.9	5		ug/L
Acetone	MW-20	7/18/2017	5	5	ND	ug/L
Acetone	MW-20	1/26/2018	5	5	ND	ug/L
Acetone	MW-20	7/12/2018	2	5	ND	ug/L
Acetone	MW-20	7/11/2019	10	10	ND	ug/L
Acetone	MW-20	1/14/2020	10	10	ND	ug/L
Acetone	MW-20	7/7/2020	10	10	ND	ug/L
Acetone	MW-20	1/17/2021	10	10	ND	ug/L
Acetone	MW-20	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-20	1/11/2023	10	10	ND	ug/L
Acetone	MW-21	6/5/2015	2.5	5	ND	ug/L
Acetone	MW-21	7/14/2015	5	5	ND	ug/L
Acetone	MW-21	8/4/2015	5	5	ND	ug/L
Acetone	MW-21	9/2/2015	5	5	ND	ug/L
Acetone	MW-21	1/7/2016	5	5	ND	ug/L
Acetone	MW-21	4/5/2016	5	5	ND	ug/L
Acetone	MW-21	7/20/2016	5	5	ND	ug/L
Acetone	MW-21	10/5/2016	2.2	5	ND	ug/L
Acetone	MW-21	10/5/2016	3.3	5	ND	ug/L
Acetone	MW-21	1/10/2017	5	5	ND	ug/L
Acetone	MW-21	4/5/2017	3.9	5	ND	ug/L
Acetone	MW-21	7/19/2017	5	5	ND	ug/L
Acetone	MW-21	10/6/2017	5.1	5		ug/L
Acetone	MW-21	1/24/2018	5	5	ND	ug/L
Acetone	MW-21	4/11/2018	5	5	ND	ug/L
Acetone	MW-21	7/11/2018	24	5		ug/L
Acetone	MW-21	10/4/2018	7.7	10	ND	ug/L
Acetone	MW-21	1/3/2019	2.6	10	ND	ug/L
Acetone	MW-21	4/3/2019	10	10	ND	ug/L
Acetone	MW-21	7/11/2019	10	10	ND	ug/L
Acetone	MW-21	10/2/2019	10	10	ND	ug/L
Acetone	MW-21	1/16/2020	10	10	ND	ug/L
Acetone	MW-21	4/2/2020	10	10	ND	ug/L
Acetone	MW-21	7/8/2020	5	5	ND	ug/L
Acetone	MW-21	10/7/2020	11.3	11.3	ND	ug/L
Acetone	MW-21	1/13/2021	10	10	ND	ug/L
Acetone	MW-21	4/6/2021	10	10	ND	ug/L
Acetone	MW-21	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-21	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-21	1/11/2023	10	10	ND	ug/L
Acetone	MW-21	4/8/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-2N	10/22/1997	19	19	ND	ug/L
Acetone	MW-2N	1/21/1998	19	19	ND	ug/L
Acetone	MW-2N	4/28/1998	19	19	ND	ug/L
Acetone	MW-2N	7/22/1998	19	19	ND	ug/L
Acetone	MW-2N	1/13/1999	19	19	ND	ug/L
Acetone	MW-2N	4/13/1999	19	19	ND	ug/L
Acetone	MW-2N	7/14/1999	19	19	ND	ug/L
Acetone	MW-2N	10/20/1999	19	19	ND	ug/L
Acetone	MW-2N	1/14/2000	19	19	ND	ug/L
Acetone	MW-2N	4/25/2000	19	19	ND	ug/L
Acetone	MW-2N	10/17/2000	5	5	ND	ug/L
Acetone	MW-2N	1/24/2001	5	5	ND	ug/L
Acetone	MW-2N	4/11/2001	5	5	ND	ug/L
Acetone	MW-2N	7/10/2002	5	5	ND	ug/L
Acetone	MW-2N	10/2/2002	5	5	ND	ug/L
Acetone	MW-2N	1/22/2003	5	5	ND	ug/L
Acetone	MW-2N	4/14/2003	5	5	ND	ug/L
Acetone	MW-2N	7/7/2003	5	5	ND	ug/L
Acetone	MW-2N	1/28/2004	5	5	ND	ug/L
Acetone	MW-2N	7/27/2004	5	5	ND	ug/L
Acetone	MW-2N	1/12/2005	5	5	ND	ug/L
Acetone	MW-2N	7/20/2005	5	5	ND	ug/L
Acetone	MW-2N	1/19/2006	5	5	ND	ug/L
Acetone	MW-2N	7/19/2006	5	5	ND	ug/L
Acetone	MW-2N	7/19/2006	5	5	ND	ug/L
Acetone	MW-2N	10/25/2006	5	5	ND	ug/L
Acetone	MW-2N	1/26/2007	5	5	ND	ug/L
Acetone	MW-2N	3/27/2007	5	5	ND	ug/L
Acetone	MW-2N	7/11/2007	6.7	5		ug/L
Acetone	MW-2N	1/24/2008	5	5	ND	ug/L
Acetone	MW-2N	7/22/2008	5	5	ND	ug/L
Acetone	MW-2N	2/4/2009	5	5	ND	ug/L
Acetone	MW-2N	7/31/2009	5	5	ND	ug/L
Acetone	MW-2N	1/26/2010	5	5	ND	ug/L
Acetone	MW-2N	7/13/2010	5	5	ND	ug/L
Acetone	MW-2N	1/20/2011	5	5	ND	ug/L
Acetone	MW-2N	7/13/2011	5	5	ND	ug/L
Acetone	MW-2N	1/5/2012	5	5	ND	ug/L
Acetone	MW-2N	7/10/2012	5	5	ND	ug/L
Acetone	MW-2N	5/1/2013	5	5	ND	ug/L
Acetone	MW-2N	7/16/2013	5	5	ND	ug/L
Acetone	MW-2N	1/24/2014	5	5	ND	ug/L
Acetone	MW-2N	7/9/2014	3.8	5	ND	ug/L
Acetone	MW-2N	2/12/2015	4.8	5	ND	ug/L
Acetone	MW-2N	7/14/2015	5	5	ND	ug/L
Acetone	MW-2N	1/6/2016	5	5	ND	ug/L
Acetone	MW-2N	7/21/2016	3.4	5	ND	ug/L
Acetone	MW-2N	1/11/2017	5	5	ND	ug/L
Acetone	MW-2N	7/19/2017	8.5	5		ug/L
Acetone	MW-2N	1/23/2018	3.4	5	ND	ug/L
Acetone	MW-2N	7/12/2018	39	5		ug/L
Acetone	MW-2N	1/3/2019	10	10	ND	ug/L
Acetone	MW-2N	8/7/2019	10	10	ND	ug/L
Acetone	MW-2N	1/23/2020	10	10	ND	ug/L
Acetone	MW-2N	7/7/2020	10	10	ND	ug/L
Acetone	MW-2N	1/14/2021	10	10	ND	ug/L
Acetone	MW-2N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-2N	1/11/2023	10	10	ND	ug/L
Acetone	MW-3N	10/21/1997	19	19	ND	ug/L
Acetone	MW-3N	1/21/1998	19	19	ND	ug/L
Acetone	MW-3N	4/28/1998	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-3N	7/23/1998	19	19	ND	ug/L
Acetone	MW-3N	1/13/1999	19	19	ND	ug/L
Acetone	MW-3N	4/13/1999	19	19	ND	ug/L
Acetone	MW-3N	7/14/1999	19	19	ND	ug/L
Acetone	MW-3N	10/20/1999	19	19	ND	ug/L
Acetone	MW-3N	1/14/2000	19	19	ND	ug/L
Acetone	MW-3N	4/24/2000	19	19	ND	ug/L
Acetone	MW-3N	7/11/2000	5	5	ND	ug/L
Acetone	MW-3N	10/17/2000	5	5	ND	ug/L
Acetone	MW-3N	1/23/2001	5	5	ND	ug/L
Acetone	MW-3N	4/11/2001	5	5	ND	ug/L
Acetone	MW-3N	5/29/2002	18	18	ND	ug/L
Acetone	MW-3N	5/29/2002	5	5	ND	ug/L
Acetone	MW-3N	7/9/2002	5	5	ND	ug/L
Acetone	MW-3N	10/2/2002	5	5	ND	ug/L
Acetone	MW-3N	1/22/2003	5	5	ND	ug/L
Acetone	MW-3N	4/14/2003	5	5	ND	ug/L
Acetone	MW-3N	7/7/2003	5	5	ND	ug/L
Acetone	MW-3N	1/28/2004	5	5	ND	ug/L
Acetone	MW-3N	7/27/2004	5	5	ND	ug/L
Acetone	MW-3N	1/12/2005	5	5	ND	ug/L
Acetone	MW-3N	7/20/2005	5	5	ND	ug/L
Acetone	MW-3N	1/18/2006	5	5	ND	ug/L
Acetone	MW-3N	7/19/2006	5	5	ND	ug/L
Acetone	MW-3N	7/19/2006	5	5	ND	ug/L
Acetone	MW-3N	10/25/2006	5	5	ND	ug/L
Acetone	MW-3N	1/26/2007	5	5	ND	ug/L
Acetone	MW-3N	7/11/2007	5	5	ND	ug/L
Acetone	MW-3N	1/24/2008	5	5	ND	ug/L
Acetone	MW-3N	7/22/2008	5	5	ND	ug/L
Acetone	MW-3N	2/4/2009	5	5	ND	ug/L
Acetone	MW-3N	7/31/2009	5	5	ND	ug/L
Acetone	MW-3N	1/26/2010	5	5	ND	ug/L
Acetone	MW-3N	7/13/2010	5	5	ND	ug/L
Acetone	MW-3N	1/20/2011	5	5	ND	ug/L
Acetone	MW-3N	7/14/2011	5	5	ND	ug/L
Acetone	MW-3N	1/5/2012	5	5	ND	ug/L
Acetone	MW-3N	7/11/2012	5	5	ND	ug/L
Acetone	MW-3N	5/1/2013	5	5	ND	ug/L
Acetone	MW-3N	6/4/2013	5	5	ND	ug/L
Acetone	MW-3N	7/16/2013	5	5	ND	ug/L
Acetone	MW-3N	1/24/2014	5	5	ND	ug/L
Acetone	MW-3N	7/9/2014	5	5	ND	ug/L
Acetone	MW-3N	2/12/2015	5	5	ND	ug/L
Acetone	MW-3N	4/1/2015	5	5	ND	ug/L
Acetone	MW-3N	7/14/2015	5	5	ND	ug/L
Acetone	MW-3N	10/5/2015	5	5	ND	ug/L
Acetone	MW-3N	1/6/2016	5	5	ND	ug/L
Acetone	MW-3N	4/6/2016	5	5	ND	ug/L
Acetone	MW-3N	7/21/2016	5	5	ND	ug/L
Acetone	MW-3N	10/6/2016	2.5	5	ND	ug/L
Acetone	MW-3N	1/11/2017	5	5	ND	ug/L
Acetone	MW-3N	4/4/2017	4.1	5	ND	ug/L
Acetone	MW-3N	7/19/2017	5	5	ND	ug/L
Acetone	MW-3N	10/9/2017	5.6	5		ug/L
Acetone	MW-3N	1/24/2018	5	5	ND	ug/L
Acetone	MW-3N	4/10/2018	5	5	ND	ug/L
Acetone	MW-3N	7/13/2018	5	5	ND	ug/L
Acetone	MW-3N	10/3/2018	2.8	10	ND	ug/L
Acetone	MW-3N	1/7/2019	10	10	ND	ug/L
Acetone	MW-3N	4/3/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-3N	7/11/2019	10	10	ND	ug/L
Acetone	MW-3N	10/2/2019	10	10	ND	ug/L
Acetone	MW-3N	1/15/2020	10	10	ND	ug/L
Acetone	MW-3N	4/2/2020	10	10	ND	ug/L
Acetone	MW-3N	7/7/2020	5	5	ND	ug/L
Acetone	MW-3N	10/7/2020	11.3	11.3	ND	ug/L
Acetone	MW-3N	1/13/2021	10	10	ND	ug/L
Acetone	MW-3N	4/6/2021	10	10	ND	ug/L
Acetone	MW-3N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-3N	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-3N	1/11/2023	10	10	ND	ug/L
Acetone	MW-7N	10/21/1997	19	19	ND	ug/L
Acetone	MW-7N	1/21/1998	50	19		ug/L
Acetone	MW-7N	7/22/1998	19	19	ND	ug/L
Acetone	MW-7N	8/18/1998	19	19	ND	ug/L
Acetone	MW-7N	9/17/1998	19	19	ND	ug/L
Acetone	MW-7N	10/15/1998	18	18	ND	ug/L
Acetone	MW-7N	11/9/1998	19	19	ND	ug/L
Acetone	MW-7N	1/14/1999	19	19	ND	ug/L
Acetone	MW-7N	4/14/1999	19	19	ND	ug/L
Acetone	MW-7N	7/14/1999	19	19	ND	ug/L
Acetone	MW-7N	10/19/1999	19	19	ND	ug/L
Acetone	MW-7N	1/13/2000	19	19	ND	ug/L
Acetone	MW-7N	4/25/2000	19	19	ND	ug/L
Acetone	MW-7N	10/17/2000	5	5	ND	ug/L
Acetone	MW-7N	1/23/2001	5	5	ND	ug/L
Acetone	MW-7N	4/10/2001	5	5	ND	ug/L
Acetone	MW-7N	5/29/2002	5	5	ND	ug/L
Acetone	MW-7N	5/29/2002	18	18	ND	ug/L
Acetone	MW-7N	7/9/2002	5	5	ND	ug/L
Acetone	MW-7N	10/2/2002	5	5	ND	ug/L
Acetone	MW-7N	1/23/2003	5	5	ND	ug/L
Acetone	MW-7N	4/14/2003	5	5	ND	ug/L
Acetone	MW-7N	7/7/2003	5	5	ND	ug/L
Acetone	MW-7N	1/27/2004	5	5	ND	ug/L
Acetone	MW-7N	4/8/2004	5	5	ND	ug/L
Acetone	MW-7N	7/26/2004	5	5	ND	ug/L
Acetone	MW-7N	1/12/2005	5	5	ND	ug/L
Acetone	MW-7N	7/19/2005	5	5	ND	ug/L
Acetone	MW-7N	1/19/2006	5	5	ND	ug/L
Acetone	MW-7N	7/19/2006	5	5	ND	ug/L
Acetone	MW-7N	7/19/2006	5	5	ND	ug/L
Acetone	MW-7N	10/24/2006	5	5	ND	ug/L
Acetone	MW-7N	1/26/2007	5	5	ND	ug/L
Acetone	MW-7N	7/10/2007	5	5	ND	ug/L
Acetone	MW-7N	7/21/2008	5	5	ND	ug/L
Acetone	MW-7N	2/6/2009	2.2	5	ND	ug/L
Acetone	MW-7N	7/29/2009	5	5	ND	ug/L
Acetone	MW-7N	1/26/2010	5	5	ND	ug/L
Acetone	MW-7N	7/14/2010	5	5	ND	ug/L
Acetone	MW-7N	9/2/2010	5	5	ND	ug/L
Acetone	MW-7N	1/20/2011	5	5	ND	ug/L
Acetone	MW-7N	7/12/2011	5	5	ND	ug/L
Acetone	MW-7N	1/5/2012	5	5	ND	ug/L
Acetone	MW-7N	7/10/2012	5	5	ND	ug/L
Acetone	MW-7N	5/1/2013	5	5	ND	ug/L
Acetone	MW-7N	6/4/2013	5	5	ND	ug/L
Acetone	MW-7N	7/15/2013	5	5	ND	ug/L
Acetone	MW-7N	1/30/2014	3	5	ND	ug/L
Acetone	MW-7N	7/9/2014	2.9	5	ND	ug/L
Acetone	MW-7N	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-7N	7/13/2015	3.6	5	ND	ug/L
Acetone	MW-7N	1/5/2016	5	5	ND	ug/L
Acetone	MW-7N	7/21/2016	5	5	ND	ug/L
Acetone	MW-7N	1/11/2017	5	5	ND	ug/L
Acetone	MW-7N	4/4/2017	6.3	5		ug/L
Acetone	MW-7N	7/19/2017	5	5	ND	ug/L
Acetone	MW-7N	10/5/2017	5	5	ND	ug/L
Acetone	MW-7N	1/25/2018	5	5	ND	ug/L
Acetone	MW-7N	4/11/2018	5	5	ND	ug/L
Acetone	MW-7N	7/13/2018	7.3	5		ug/L
Acetone	MW-7N	1/4/2019	3.5	10	ND	ug/L
Acetone	MW-7N	7/10/2019	10	10	ND	ug/L
Acetone	MW-7N	1/16/2020	10	10	ND	ug/L
Acetone	MW-7N	7/7/2020	10	10	ND	ug/L
Acetone	MW-7N	1/16/2021	10	10	ND	ug/L
Acetone	MW-7N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-7N	1/12/2022	10	10	ND	ug/L
Acetone	MW-7N	7/10/2022	10	10	ND	ug/L
Acetone	MW-7N	1/10/2023	10	10	ND	ug/L
Acetone	MW-8N	10/21/1997	19	19	ND	ug/L
Acetone	MW-8N	1/22/1998	19	19	ND	ug/L
Acetone	MW-8N	4/28/1998	19	19	ND	ug/L
Acetone	MW-8N	7/22/1998	19	19	ND	ug/L
Acetone	MW-8N	1/12/1999	19	19	ND	ug/L
Acetone	MW-8N	4/13/1999	19	19	ND	ug/L
Acetone	MW-8N	7/14/1999	19	19	ND	ug/L
Acetone	MW-8N	10/19/1999	19	19	ND	ug/L
Acetone	MW-8N	1/14/2000	19	19	ND	ug/L
Acetone	MW-8N	4/25/2000	19	19	ND	ug/L
Acetone	MW-8N	10/17/2000	5	5	ND	ug/L
Acetone	MW-8N	1/23/2001	5	5	ND	ug/L
Acetone	MW-8N	4/11/2001	5	5	ND	ug/L
Acetone	MW-8N	5/29/2002	5	5	ND	ug/L
Acetone	MW-8N	5/29/2002	18	18	ND	ug/L
Acetone	MW-8N	7/9/2002	5	5	ND	ug/L
Acetone	MW-8N	10/2/2002	5	5	ND	ug/L
Acetone	MW-8N	1/23/2003	5	5	ND	ug/L
Acetone	MW-8N	4/14/2003	5	5	ND	ug/L
Acetone	MW-8N	7/7/2003	5	5	ND	ug/L
Acetone	MW-8N	1/28/2004	5	5	ND	ug/L
Acetone	MW-8N	7/27/2004	5	5	ND	ug/L
Acetone	MW-8N	1/12/2005	5	5	ND	ug/L
Acetone	MW-8N	7/20/2005	5	5	ND	ug/L
Acetone	MW-8N	1/19/2006	5	5	ND	ug/L
Acetone	MW-8N	7/19/2006	5	5	ND	ug/L
Acetone	MW-8N	7/19/2006	5	5	ND	ug/L
Acetone	MW-8N	10/24/2006	5	5	ND	ug/L
Acetone	MW-8N	1/26/2007	5	5	ND	ug/L
Acetone	MW-8N	4/25/2007	5	5	ND	ug/L
Acetone	MW-8N	7/10/2007	5	5	ND	ug/L
Acetone	MW-8N	1/24/2008	5	5	ND	ug/L
Acetone	MW-8N	7/23/2008	5	5	ND	ug/L
Acetone	MW-8N	2/4/2009	5	5	ND	ug/L
Acetone	MW-8N	7/31/2009	5	5	ND	ug/L
Acetone	MW-8N	1/26/2010	5	5	ND	ug/L
Acetone	MW-8N	7/16/2010	5	5	ND	ug/L
Acetone	MW-8N	1/19/2011	5	5	ND	ug/L
Acetone	MW-8N	5/10/2011	5	5	ND	ug/L
Acetone	MW-8N	7/14/2011	5	5	ND	ug/L
Acetone	MW-8N	1/6/2012	5	5	ND	ug/L
Acetone	MW-8N	4/5/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-8N	7/11/2012	5	5	ND	ug/L
Acetone	MW-8N	10/3/2012	5	5	ND	ug/L
Acetone	MW-8N	5/1/2013	5	5	ND	ug/L
Acetone	MW-8N	6/4/2013	5	5	ND	ug/L
Acetone	MW-8N	7/16/2013	5	5	ND	ug/L
Acetone	MW-8N	10/2/2013	5	5	ND	ug/L
Acetone	MW-8N	1/30/2014	2.3	5	ND	ug/L
Acetone	MW-8N	4/3/2014	5	5	ND	ug/L
Acetone	MW-8N	7/9/2014	2.8	5	ND	ug/L
Acetone	MW-8N	10/8/2014	5	5	ND	ug/L
Acetone	MW-8N	2/12/2015	2.4	5	ND	ug/L
Acetone	MW-8N	4/1/2015	5	5	ND	ug/L
Acetone	MW-8N	7/14/2015	5	5	ND	ug/L
Acetone	MW-8N	10/5/2015	5	5	ND	ug/L
Acetone	MW-8N	1/5/2016	5	5	ND	ug/L
Acetone	MW-8N	4/6/2016	5	5	ND	ug/L
Acetone	MW-8N	7/21/2016	5	5	ND	ug/L
Acetone	MW-8N	10/6/2016	3.2	5	ND	ug/L
Acetone	MW-8N	1/11/2017	5	5	ND	ug/L
Acetone	MW-8N	4/4/2017	5	5	ND	ug/L
Acetone	MW-8N	7/19/2017	5	5	ND	ug/L
Acetone	MW-8N	10/6/2017	5.2	5		ug/L
Acetone	MW-8N	1/25/2018	5	5	ND	ug/L
Acetone	MW-8N	4/10/2018	5	5	ND	ug/L
Acetone	MW-8N	7/16/2018	6.8	5		ug/L
Acetone	MW-8N	10/2/2018	12	10		ug/L
Acetone	MW-8N	1/7/2019	10	10	ND	ug/L
Acetone	MW-8N	4/3/2019	10	10	ND	ug/L
Acetone	MW-8N	7/11/2019	10	10	ND	ug/L
Acetone	MW-8N	10/3/2019	10	10	ND	ug/L
Acetone	MW-8N	1/15/2020	10	10	ND	ug/L
Acetone	MW-8N	4/2/2020	10	10	ND	ug/L
Acetone	MW-8N	7/9/2020	5	5	ND	ug/L
Acetone	MW-8N	10/6/2020	11.3	11.3	ND	ug/L
Acetone	MW-8N	1/15/2021	10	10	ND	ug/L
Acetone	MW-8N	4/6/2021	10	10	ND	ug/L
Acetone	MW-8N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-8N	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-8N	1/18/2022	10	10	ND	ug/L
Acetone	MW-8N	4/4/2022	10	10	ND	ug/L
Acetone	MW-8N	7/12/2022	10	10	ND	ug/L
Acetone	MW-8N	10/6/2022	10	10	ND	ug/L
Acetone	MW-8N	1/11/2023	10	10	ND	ug/L
Acetone	MW-8N	4/8/2023	10	10	ND	ug/L
Acetone	NE-1	7/10/2002	5	5	ND	ug/L
Acetone	NE-1	8/6/2002	5	5	ND	ug/L
Acetone	NE-1	9/4/2002	5	5	ND	ug/L
Acetone	NE-1	10/2/2002	5	5	ND	ug/L
Acetone	NE-1	7/8/2003	5	5	ND	ug/L
Acetone	NE-1	1/27/2004	5	5	ND	ug/L
Acetone	NE-1	1/12/2005	5	5	ND	ug/L
Acetone	NE-1	7/19/2006	5	5	ND	ug/L
Acetone	NE-1	7/19/2006	5	5	ND	ug/L
Acetone	NE-1	10/25/2006	5	5	ND	ug/L
Acetone	NE-1	1/24/2007	5	5	ND	ug/L
Acetone	NE-1	7/10/2007	5	5	ND	ug/L
Acetone	NE-1	1/24/2008	5	5	ND	ug/L
Acetone	NE-1	7/21/2008	5	5	ND	ug/L
Acetone	NE-1	2/7/2009	5	5	ND	ug/L
Acetone	NE-1	7/31/2009	5	5	ND	ug/L
Acetone	NE-1	1/26/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-1	7/14/2010	5	5	ND	ug/L
Acetone	NE-1	9/2/2010	5	5	ND	ug/L
Acetone	NE-1	1/19/2011	5	5	ND	ug/L
Acetone	NE-1	7/13/2011	5	5	ND	ug/L
Acetone	NE-1	1/5/2012	5	5	ND	ug/L
Acetone	NE-1	7/10/2012	5	5	ND	ug/L
Acetone	NE-1	4/30/2013	5	5	ND	ug/L
Acetone	NE-1	7/16/2013	5	5	ND	ug/L
Acetone	NE-1	1/23/2014	5	5	ND	ug/L
Acetone	NE-1	7/9/2014	8	5		ug/L
Acetone	NE-1	2/11/2015	5	5	ND	ug/L
Acetone	NE-1	7/8/2015	5	5	ND	ug/L
Acetone	NE-1	1/6/2016	5	5	ND	ug/L
Acetone	NE-1	7/20/2016	5	5	ND	ug/L
Acetone	NE-1	1/11/2017	5	5	ND	ug/L
Acetone	NE-1	7/19/2017	5	5	ND	ug/L
Acetone	NE-1	1/24/2018	5	5	ND	ug/L
Acetone	NE-1	4/11/2018	5	5	ND	ug/L
Acetone	NE-1	7/18/2018	4.8	5	ND	ug/L
Acetone	NE-1	10/2/2018	17	10		ug/L
Acetone	NE-1	1/4/2019	2.1	10	ND	ug/L
Acetone	NE-1	4/2/2019	10	10	ND	ug/L
Acetone	NE-1	7/10/2019	10	10	ND	ug/L
Acetone	NE-1	7/10/2019	10	10	ND	ug/L
Acetone	NE-1	10/2/2019	10	10	ND	ug/L
Acetone	NE-1	1/15/2020	10	10	ND	ug/L
Acetone	NE-1	4/2/2020	10	10	ND	ug/L
Acetone	NE-1	7/8/2020	10	10	ND	ug/L
Acetone	NE-1	10/7/2020	10	10	ND	ug/L
Acetone	NE-1	1/13/2021	10	10	ND	ug/L
Acetone	NE-1	4/9/2021	10	10	ND	ug/L
Acetone	NE-1	7/2/2021	10	10	ND	ug/L
Acetone	NE-1	10/6/2021	10	10	ND	ug/L
Acetone	NE-1	1/17/2022	10	10	ND	ug/L
Acetone	NE-1	4/6/2022	10	10	ND	ug/L
Acetone	NE-1	7/13/2022	30	10		ug/L
Acetone	NE-1	10/6/2022	10	10	ND	ug/L
Acetone	NE-1	1/5/2023	10	10	ND	ug/L
Acetone	NE-1	4/7/2023	10	10	ND	ug/L
Acetone	NE-10D	11/6/2019	10	10	ND	ug/L
Acetone	NE-10D	1/16/2020	10	10	ND	ug/L
Acetone	NE-10D	4/2/2020	10	10	ND	ug/L
Acetone	NE-10D	7/8/2020	10	10	ND	ug/L
Acetone	NE-10D	10/7/2020	10	10	ND	ug/L
Acetone	NE-10D	1/13/2021	10	10	ND	ug/L
Acetone	NE-10D	4/9/2021	10	10	ND	ug/L
Acetone	NE-10D	7/2/2021	10	10	ND	ug/L
Acetone	NE-10D	10/7/2021	10	10	ND	ug/L
Acetone	NE-10D	1/6/2023	10	10	ND	ug/L
Acetone	NE-10D	4/6/2023	10	10	ND	ug/L
Acetone	NE-11	3/1/2017	5	5	ND	ug/L
Acetone	NE-11	4/6/2017	5	5	ND	ug/L
Acetone	NE-11	7/20/2017	5	5	ND	ug/L
Acetone	NE-11	10/9/2017	5	5	ND	ug/L
Acetone	NE-11	9/30/2019	10	10	ND	ug/L
Acetone	NE-11	1/14/2020	10	10	ND	ug/L
Acetone	NE-11	7/7/2020	10	10	ND	ug/L
Acetone	NE-11	1/16/2021	10	10	ND	ug/L
Acetone	NE-11	1/16/2021	10	10	ND	ug/L
Acetone	NE-11	7/1/2021	10	10	ND	ug/L
Acetone	NE-11	7/1/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-11	1/17/2022	10	10	ND	ug/L
Acetone	NE-11	1/17/2022	10	10	ND	ug/L
Acetone	NE-11	7/12/2022	10	10	ND	ug/L
Acetone	NE-11	1/6/2023	10	10	ND	ug/L
Acetone	NE-12	3/1/2017	5	5	ND	ug/L
Acetone	NE-12	4/6/2017	5	5	ND	ug/L
Acetone	NE-12	7/20/2017	5	5	ND	ug/L
Acetone	NE-12	10/6/2017	12	5		ug/L
Acetone	NE-12	8/5/2019	3.2	10	ND	ug/L
Acetone	NE-12	1/13/2020	10	10	ND	ug/L
Acetone	NE-12	7/7/2020	10	10	ND	ug/L
Acetone	NE-12	1/15/2021	10	10	ND	ug/L
Acetone	NE-12	1/15/2021	10	10	ND	ug/L
Acetone	NE-12	7/1/2021	10	10	ND	ug/L
Acetone	NE-12	7/1/2021	10	10	ND	ug/L
Acetone	NE-12	1/17/2022	10	10	ND	ug/L
Acetone	NE-12	1/17/2022	10	10	ND	ug/L
Acetone	NE-12	7/12/2022	10	10	ND	ug/L
Acetone	NE-12	1/6/2023	10	10	ND	ug/L
Acetone	NE-13	2/5/2019	4.1	10	ND	ug/L
Acetone	NE-13	8/7/2019	10	10	ND	ug/L
Acetone	NE-13	1/15/2020	10	10	ND	ug/L
Acetone	NE-13	7/8/2020	10	10	ND	ug/L
Acetone	NE-13	1/17/2021	10	10	ND	ug/L
Acetone	NE-13	1/17/2021	10	10	ND	ug/L
Acetone	NE-13	7/1/2021	10	10	ND	ug/L
Acetone	NE-13	7/1/2021	10	10	ND	ug/L
Acetone	NE-14D	10/2/2019	10	10	ND	ug/L
Acetone	NE-14D	1/16/2020	10	10	ND	ug/L
Acetone	NE-14D	4/3/2020	10	10	ND	ug/L
Acetone	NE-14D	7/7/2020	10	10	ND	ug/L
Acetone	NE-14D	10/6/2020	10	10	ND	ug/L
Acetone	NE-14D	1/17/2021	10	10	ND	ug/L
Acetone	NE-14D	4/9/2021	10	10	ND	ug/L
Acetone	NE-14D	7/2/2021	10	10	ND	ug/L
Acetone	NE-14D	10/7/2021	10	10	ND	ug/L
Acetone	NE-14D	1/18/2022	10	10	ND	ug/L
Acetone	NE-14D	4/6/2022	10	10	ND	ug/L
Acetone	NE-14D	7/13/2022	10	10	ND	ug/L
Acetone	NE-14D	10/7/2022	10	10	ND	ug/L
Acetone	NE-14D	1/6/2023	10	10	ND	ug/L
Acetone	NE-14D	4/6/2023	10	10	ND	ug/L
Acetone	NE-14S	10/2/2019	10	10	ND	ug/L
Acetone	NE-14S	1/16/2020	10	10	ND	ug/L
Acetone	NE-14S	4/3/2020	10	10	ND	ug/L
Acetone	NE-14S	7/7/2020	10	10	ND	ug/L
Acetone	NE-14S	10/6/2020	10	10	ND	ug/L
Acetone	NE-14S	1/17/2021	10	10	ND	ug/L
Acetone	NE-14S	4/9/2021	10	10	ND	ug/L
Acetone	NE-14S	7/2/2021	10	10	ND	ug/L
Acetone	NE-14S	10/7/2021	10	10	ND	ug/L
Acetone	NE-14S	1/18/2022	10	10	ND	ug/L
Acetone	NE-14S	4/6/2022	10	10	ND	ug/L
Acetone	NE-14S	7/13/2022	10	10	ND	ug/L
Acetone	NE-14S	10/7/2022	10	10	ND	ug/L
Acetone	NE-14S	1/6/2023	10	10	ND	ug/L
Acetone	NE-14S	4/6/2023	10	10	ND	ug/L
Acetone	NE-15D	9/30/2019	10	10	ND	ug/L
Acetone	NE-15D	1/16/2020	10	10	ND	ug/L
Acetone	NE-15D	4/3/2020	10	10	ND	ug/L
Acetone	NE-15D	7/7/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-15D	10/6/2020	10	10	ND	ug/L
Acetone	NE-15D	1/17/2021	10	10	ND	ug/L
Acetone	NE-15D	4/9/2021	10	10	ND	ug/L
Acetone	NE-15D	7/2/2021	10	10	ND	ug/L
Acetone	NE-15D	10/7/2021	10	10	ND	ug/L
Acetone	NE-15D	1/17/2022	10	10	ND	ug/L
Acetone	NE-15D	4/6/2022	10	10	ND	ug/L
Acetone	NE-15D	7/13/2022	10	10	ND	ug/L
Acetone	NE-15D	10/7/2022	10	10	ND	ug/L
Acetone	NE-15D	1/6/2023	10	10	ND	ug/L
Acetone	NE-15D	4/6/2023	10	10	ND	ug/L
Acetone	NE-15S	4/3/2020	10	10	ND	ug/L
Acetone	NE-2	7/9/2002	5	5	ND	ug/L
Acetone	NE-2	8/6/2002	5	5	ND	ug/L
Acetone	NE-2	9/4/2002	5	5	ND	ug/L
Acetone	NE-2	10/2/2002	5	5	ND	ug/L
Acetone	NE-2	10/1/2013	5	5	ND	ug/L
Acetone	NE-2	10/8/2014	5	5	ND	ug/L
Acetone	NE-2	10/5/2015	5	5	ND	ug/L
Acetone	NE-2	10/6/2016	5	5	ND	ug/L
Acetone	NE-2	10/5/2017	5	5	ND	ug/L
Acetone	NE-2	1/25/2018	5	5	ND	ug/L
Acetone	NE-2	4/10/2018	9.3	5		ug/L
Acetone	NE-2	7/10/2018	6.3	5		ug/L
Acetone	NE-2	10/1/2018	21	10		ug/L
Acetone	NE-2	1/4/2019	2.9	10	ND	ug/L
Acetone	NE-2	4/2/2019	10	10	ND	ug/L
Acetone	NE-2	7/9/2019	10	10	ND	ug/L
Acetone	NE-2	7/9/2019	10	10	ND	ug/L
Acetone	NE-2	10/2/2019	2	10	ND	ug/L
Acetone	NE-2	1/14/2020	10	10	ND	ug/L
Acetone	NE-2	4/1/2020	10	10	ND	ug/L
Acetone	NE-2	7/7/2020	10	10	ND	ug/L
Acetone	NE-2	10/6/2020	10	10	ND	ug/L
Acetone	NE-2	1/14/2021	10	10	ND	ug/L
Acetone	NE-2	4/9/2021	10	10	ND	ug/L
Acetone	NE-2	7/2/2021	10	10	ND	ug/L
Acetone	NE-2	10/6/2021	10	10	ND	ug/L
Acetone	NE-2	1/18/2022	10	10	ND	ug/L
Acetone	NE-2	4/6/2022	10	10	ND	ug/L
Acetone	NE-2	7/13/2022	10	10	ND	ug/L
Acetone	NE-2	10/7/2022	10	10	ND	ug/L
Acetone	NE-2	1/5/2023	10	10	ND	ug/L
Acetone	NE-2	4/5/2023	10	10	ND	ug/L
Acetone	NE-3	7/9/2002	13	5		ug/L
Acetone	NE-3	8/6/2002	4.9	5		ug/L
Acetone	NE-3	9/4/2002	5	5	ND	ug/L
Acetone	NE-3	10/2/2002	5	5	ND	ug/L
Acetone	NE-3	9/2/2010	5	5	ND	ug/L
Acetone	NE-3	3/21/2018	5	5	ND	ug/L
Acetone	NE-4	7/10/2002	5	5	ND	ug/L
Acetone	NE-4	8/6/2002	5	5	ND	ug/L
Acetone	NE-4	9/4/2002	5	5	ND	ug/L
Acetone	NE-4	10/3/2002	5	5	ND	ug/L
Acetone	NE-4	4/15/2003	5	5	ND	ug/L
Acetone	NE-4	7/8/2003	5	5	ND	ug/L
Acetone	NE-4	1/28/2004	5	5	ND	ug/L
Acetone	NE-4	1/13/2005	5	5	ND	ug/L
Acetone	NE-4	8/1/2006	5	5	ND	ug/L
Acetone	NE-4	8/1/2006	5	5	ND	ug/L
Acetone	NE-4	10/25/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-4	1/24/2007	5	5	ND	ug/L
Acetone	NE-4	7/12/2007	5	5	ND	ug/L
Acetone	NE-4	1/24/2008	5	5	ND	ug/L
Acetone	NE-4	7/21/2008	5	5	ND	ug/L
Acetone	NE-4	2/7/2009	5	5	ND	ug/L
Acetone	NE-4	7/31/2009	5	5	ND	ug/L
Acetone	NE-4	1/26/2010	5	5	ND	ug/L
Acetone	NE-4	7/14/2010	5	5	ND	ug/L
Acetone	NE-4	1/19/2011	5	5	ND	ug/L
Acetone	NE-4	7/13/2011	5	5	ND	ug/L
Acetone	NE-4	1/5/2012	5	5	ND	ug/L
Acetone	NE-4	7/10/2012	5	5	ND	ug/L
Acetone	NE-4	4/30/2013	5	5	ND	ug/L
Acetone	NE-4	7/16/2013	5	5	ND	ug/L
Acetone	NE-4	1/23/2014	5	5	ND	ug/L
Acetone	NE-4	7/9/2014	6.9	5		ug/L
Acetone	NE-4	2/13/2015	2.2	5	ND	ug/L
Acetone	NE-4	7/8/2015	5	5	ND	ug/L
Acetone	NE-4	1/6/2016	5	5	ND	ug/L
Acetone	NE-4	7/20/2016	5	5	ND	ug/L
Acetone	NE-4	1/11/2017	5	5	ND	ug/L
Acetone	NE-4	7/19/2017	5	5	ND	ug/L
Acetone	NE-4	1/26/2018	6.8	5		ug/L
Acetone	NE-4	4/10/2018	5	5	ND	ug/L
Acetone	NE-4	7/12/2018	5	5	ND	ug/L
Acetone	NE-4	10/3/2018	25	10		ug/L
Acetone	NE-4	1/7/2019	10	10	ND	ug/L
Acetone	NE-4	4/2/2019	10	10	ND	ug/L
Acetone	NE-4	7/8/2019	10	10	ND	ug/L
Acetone	NE-4	7/8/2019	10	10	ND	ug/L
Acetone	NE-4	10/1/2019	10	10	ND	ug/L
Acetone	NE-4	1/13/2020	10	10	ND	ug/L
Acetone	NE-4	4/1/2020	10	10	ND	ug/L
Acetone	NE-4	7/6/2020	10	10	ND	ug/L
Acetone	NE-4	10/5/2020	10	10	ND	ug/L
Acetone	NE-4	1/15/2021	10	10	ND	ug/L
Acetone	NE-4	4/9/2021	10	10	ND	ug/L
Acetone	NE-4	7/2/2021	10	10	ND	ug/L
Acetone	NE-4	10/6/2021	10	10	ND	ug/L
Acetone	NE-4	1/5/2023	10	10	ND	ug/L
Acetone	NE-4	4/6/2023	10	10	ND	ug/L
Acetone	NE-5	7/9/2002	4.1	5		ug/L
Acetone	NE-5	8/6/2002	3.1	5		ug/L
Acetone	NE-5	9/4/2002	5	5	ND	ug/L
Acetone	NE-5	10/2/2002	5	5	ND	ug/L
Acetone	NE-5	4/15/2003	5	5	ND	ug/L
Acetone	NE-5	7/8/2003	5	5	ND	ug/L
Acetone	NE-5	1/27/2004	5	5	ND	ug/L
Acetone	NE-5	1/12/2005	5	5	ND	ug/L
Acetone	NE-5	7/19/2006	5	5	ND	ug/L
Acetone	NE-5	7/19/2006	5	5	ND	ug/L
Acetone	NE-5	10/25/2006	5	5	ND	ug/L
Acetone	NE-5	1/24/2007	5	5	ND	ug/L
Acetone	NE-5	7/12/2007	5	5	ND	ug/L
Acetone	NE-5	7/22/2008	6.7	5		ug/L
Acetone	NE-5	2/6/2009	3.5	5	ND	ug/L
Acetone	NE-5	7/31/2009	5	5	ND	ug/L
Acetone	NE-5	1/26/2010	5	5	ND	ug/L
Acetone	NE-5	7/16/2010	4.7	5	ND	ug/L
Acetone	NE-5	9/2/2010	5	5	ND	ug/L
Acetone	NE-5	1/19/2011	2.5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-5	7/13/2011	5	5	ND	ug/L
Acetone	NE-5	1/5/2012	5	5	ND	ug/L
Acetone	NE-5	7/10/2012	5	5	ND	ug/L
Acetone	NE-5	4/30/2013	5	5	ND	ug/L
Acetone	NE-5	7/16/2013	5	5	ND	ug/L
Acetone	NE-5	1/23/2014	2.1	5	ND	ug/L
Acetone	NE-5	7/9/2014	4.6	5	ND	ug/L
Acetone	NE-5	2/11/2015	5	5	ND	ug/L
Acetone	NE-5	7/14/2015	5	5	ND	ug/L
Acetone	NE-5	1/6/2016	5	5	ND	ug/L
Acetone	NE-5	7/20/2016	5	5	ND	ug/L
Acetone	NE-5	1/11/2017	12	5		ug/L
Acetone	NE-5	7/19/2017	5	5	ND	ug/L
Acetone	NE-5	1/25/2018	11	5		ug/L
Acetone	NE-5	4/10/2018	5	5	ND	ug/L
Acetone	NE-5	7/17/2018	17	5		ug/L
Acetone	NE-5	10/3/2018	21	10		ug/L
Acetone	NE-5	1/4/2019	10	10	ND	ug/L
Acetone	NE-5	4/2/2019	10	10	ND	ug/L
Acetone	NE-5	4/2/2019	10	10	ND	ug/L
Acetone	NE-5	7/9/2019	6.2	10	ND	ug/L
Acetone	NE-5	7/9/2019	6.2	10	ND	ug/L
Acetone	NE-5	7/9/2019	10	10	ND	ug/L
Acetone	NE-5	10/3/2019	10	10	ND	ug/L
Acetone	NE-5	1/16/2020	10	10	ND	ug/L
Acetone	NE-5	4/2/2020	10	10	ND	ug/L
Acetone	NE-5	7/8/2020	10	10	ND	ug/L
Acetone	NE-5	10/6/2020	10	10	ND	ug/L
Acetone	NE-5	1/15/2021	10	10	ND	ug/L
Acetone	NE-5	4/9/2021	10	10	ND	ug/L
Acetone	NE-5	7/2/2021	10	10	ND	ug/L
Acetone	NE-5	10/6/2021	10	10	ND	ug/L
Acetone	NE-5	1/18/2022	10	10	ND	ug/L
Acetone	NE-5	4/6/2022	10	10	ND	ug/L
Acetone	NE-5	7/13/2022	13.8	10		ug/L
Acetone	NE-5	10/7/2022	10	10	ND	ug/L
Acetone	NE-5	1/5/2023	10	10	ND	ug/L
Acetone	NE-5	4/7/2023	10	10	ND	ug/L
Acetone	NE-5E	9/30/2019	10	10	ND	ug/L
Acetone	NE-5E	1/16/2020	10	10	ND	ug/L
Acetone	NE-5E	4/1/2020	10	10	ND	ug/L
Acetone	NE-5E	7/8/2020	10	10	ND	ug/L
Acetone	NE-5E	10/6/2020	10	10	ND	ug/L
Acetone	NE-5E	1/15/2021	10	10	ND	ug/L
Acetone	NE-5E	4/9/2021	10	10	ND	ug/L
Acetone	NE-5E	7/2/2021	10	10	ND	ug/L
Acetone	NE-5E	10/6/2021	10	10	ND	ug/L
Acetone	NE-5E	1/18/2022	10	10	ND	ug/L
Acetone	NE-5E	4/6/2022	10	10	ND	ug/L
Acetone	NE-5E	7/13/2022	11.5	10		ug/L
Acetone	NE-5E	10/7/2022	10	10	ND	ug/L
Acetone	NE-5E	1/5/2023	10	10	ND	ug/L
Acetone	NE-5E	4/7/2023	10	10	ND	ug/L
Acetone	NE-5W	9/30/2019	2.6	10	ND	ug/L
Acetone	NE-5W	1/16/2020	10	10	ND	ug/L
Acetone	NE-5W	4/2/2020	10	10	ND	ug/L
Acetone	NE-5W	7/8/2020	10	10	ND	ug/L
Acetone	NE-5W	10/6/2020	10	10	ND	ug/L
Acetone	NE-5W	1/15/2021	10	10	ND	ug/L
Acetone	NE-5W	4/9/2021	10	10	ND	ug/L
Acetone	NE-5W	7/2/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-5W	10/6/2021	10	10	ND	ug/L
Acetone	NE-5W	1/18/2022	10	10	ND	ug/L
Acetone	NE-5W	4/6/2022	10	10	ND	ug/L
Acetone	NE-5W	7/13/2022	10	10	ND	ug/L
Acetone	NE-5W	10/7/2022	10	10	ND	ug/L
Acetone	NE-5W	1/5/2023	10	10	ND	ug/L
Acetone	NE-5W	4/7/2023	10	10	ND	ug/L
Acetone	NE-6	1/12/2017	5	5	ND	ug/L
Acetone	NE-6	4/5/2017	4.6	5	ND	ug/L
Acetone	NE-6	7/19/2017	3.3	5	ND	ug/L
Acetone	NE-6	10/6/2017	5	5	ND	ug/L
Acetone	NE-6	2/4/2019	10	10	ND	ug/L
Acetone	NE-6	8/6/2019	10	10	ND	ug/L
Acetone	NE-6	1/15/2020	10	10	ND	ug/L
Acetone	NE-6	7/9/2020	10	10	ND	ug/L
Acetone	NE-6	1/16/2021	10	10	ND	ug/L
Acetone	NE-6	1/16/2021	10	10	ND	ug/L
Acetone	NE-6	7/1/2021	10	10	ND	ug/L
Acetone	NE-6	7/1/2021	10	10	ND	ug/L
Acetone	NE-6	1/17/2022	10	10	ND	ug/L
Acetone	NE-6	1/17/2022	10	10	ND	ug/L
Acetone	NE-6	7/12/2022	10	10	ND	ug/L
Acetone	NE-6	1/5/2023	10	10	ND	ug/L
Acetone	NE-6D	10/2/2019	2.6	10	ND	ug/L
Acetone	NE-6D	1/15/2020	10	10	ND	ug/L
Acetone	NE-6D	4/2/2020	10	10	ND	ug/L
Acetone	NE-6D	7/9/2020	10	10	ND	ug/L
Acetone	NE-6D	10/7/2020	10	10	ND	ug/L
Acetone	NE-6D	1/15/2021	10	10	ND	ug/L
Acetone	NE-6D	4/9/2021	10	10	ND	ug/L
Acetone	NE-6D	7/2/2021	10	10	ND	ug/L
Acetone	NE-6D	10/7/2021	10	10	ND	ug/L
Acetone	NE-6D	1/17/2022	10	10	ND	ug/L
Acetone	NE-6D	4/6/2022	10	10	ND	ug/L
Acetone	NE-6D	7/12/2022	10	10	ND	ug/L
Acetone	NE-6D	10/7/2022	10	10	ND	ug/L
Acetone	NE-6D	1/5/2023	10	10	ND	ug/L
Acetone	NE-6D	4/7/2023	10	10	ND	ug/L
Acetone	NE-7	3/1/2017	5	5	ND	ug/L
Acetone	NE-7	4/6/2017	3.3	5	ND	ug/L
Acetone	NE-7	7/20/2017	5	5	ND	ug/L
Acetone	NE-7	10/5/2017	5	5	ND	ug/L
Acetone	NE-7	2/6/2019	6.4	10	ND	ug/L
Acetone	NE-7	8/6/2019	3.3	10	ND	ug/L
Acetone	NE-7	1/16/2020	10	10	ND	ug/L
Acetone	NE-7	7/7/2020	10	10	ND	ug/L
Acetone	NE-7	1/16/2021	10	10	ND	ug/L
Acetone	NE-7	1/16/2021	10	10	ND	ug/L
Acetone	NE-7	7/1/2021	10	10	ND	ug/L
Acetone	NE-7	7/1/2021	10	10	ND	ug/L
Acetone	NE-7	1/17/2022	10	10	ND	ug/L
Acetone	NE-7	1/17/2022	10	10	ND	ug/L
Acetone	NE-7	7/12/2022	10	10	ND	ug/L
Acetone	NE-7	1/5/2023	10	10	ND	ug/L
Acetone	NE-8	1/12/2017	5	5	ND	ug/L
Acetone	NE-8	4/5/2017	4.2	5	ND	ug/L
Acetone	NE-8	7/20/2017	5	5	ND	ug/L
Acetone	NE-8	10/6/2017	5	5	ND	ug/L
Acetone	NE-8	2/4/2019	5.9	10	ND	ug/L
Acetone	NE-8	8/5/2019	10	10	ND	ug/L
Acetone	NE-8	1/15/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-8	7/8/2020	10	10	ND	ug/L
Acetone	NE-8	1/13/2021	10	10	ND	ug/L
Acetone	NE-8	1/13/2021	10	10	ND	ug/L
Acetone	NE-8	4/9/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	10/7/2021	10	10	ND	ug/L
Acetone	NE-8	1/6/2023	10	10	ND	ug/L
Acetone	NE-9	1/12/2017	5	5	ND	ug/L
Acetone	NE-9	4/5/2017	5	5	ND	ug/L
Acetone	NE-9	7/20/2017	5	5	ND	ug/L
Acetone	NE-9	10/5/2017	5	5	ND	ug/L
Acetone	NE-9	2/5/2019	3.7	10	ND	ug/L
Acetone	NE-9	8/7/2019	10	10	ND	ug/L
Acetone	NE-9	1/15/2020	10	10	ND	ug/L
Acetone	NE-9	7/7/2020	10	10	ND	ug/L
Acetone	NE-9	1/17/2021	10	10	ND	ug/L
Acetone	NE-9	1/17/2021	10	10	ND	ug/L
Acetone	NE-9	7/1/2021	10	10	ND	ug/L
Acetone	NE-9	7/1/2021	10	10	ND	ug/L
Acetone	NE-9	1/17/2022	10	10	ND	ug/L
Acetone	NE-9	1/17/2022	10	10	ND	ug/L
Acetone	NE-9	7/13/2022	10	10	ND	ug/L
Acetone	NE-9	1/6/2023	10	10	ND	ug/L
Acetone	NE-9	4/8/2023	10	10	ND	ug/L
Acetonitrile	LGW-10	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-10	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-10	2/12/2015	30	30	ND	ug/L
Acetonitrile	LGW-10	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-10	10/9/2017	30	30	ND	ug/L
Acetonitrile	LGW-10	7/16/2018	30	30	ND	ug/L
Acetonitrile	LGW-10	7/11/2019	30	30	ND	ug/L
Acetonitrile	LGW-10	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-10	10/7/2020	30	30	ND	ug/L
Acetonitrile	LGW-10	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-10	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-14R	10/27/2006	30	30	ND	ug/L
Acetonitrile	LGW-14R	2/6/2009	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-14R	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/17/2018	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-2	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-2	2/6/2009	30	30	ND	ug/L
Acetonitrile	LGW-2	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-2	2/13/2015	30	30	ND	ug/L
Acetonitrile	LGW-2	7/12/2018	30	30	ND	ug/L
Acetonitrile	LGW-2	7/8/2020	15	15	ND	ug/L
Acetonitrile	LGW-2	7/4/2021	30	30	ND	ug/L
Acetonitrile	LGW-3R	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-3R	2/3/2009	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-3R	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/11/2018	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/6/2021	30	30	ND	ug/L
Acetonitrile	LGW-4	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-4	2/3/2009	30	30	ND	ug/L
Acetonitrile	LGW-4	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-4	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-4	7/11/2018	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	LGW-4	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-5	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-5	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-5	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-5	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-5	7/12/2018	30	30	ND	ug/L
Acetonitrile	LGW-5	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-5	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-6	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-6	2/5/2009	30	30	ND	ug/L
Acetonitrile	LGW-6	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-6	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-6	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-6	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-6	7/17/2018	30	30	ND	ug/L
Acetonitrile	LGW-6	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-6	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-6	10/6/2020	30	30	ND	ug/L
Acetonitrile	LGW-6	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-6	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-7	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-7	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-7	7/10/2012	30	30	ND	ug/L
Acetonitrile	LGW-7	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-7	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-7	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-7	7/12/2018	30	30	ND	ug/L
Acetonitrile	LGW-7	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-7	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-7	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-7	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-8R	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-8R	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-8R	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/13/2018	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-9	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-9	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-9	7/10/2012	30	30	ND	ug/L
Acetonitrile	LGW-9	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-9	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-9	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-9	7/13/2018	30	30	ND	ug/L
Acetonitrile	LGW-9	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-9	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-9	10/7/2020	30	30	ND	ug/L
Acetonitrile	LGW-9	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-9	10/5/2021	30	30	ND	ug/L
Acetonitrile	MW-10N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-10N	2/13/2009	30	30	ND	ug/L
Acetonitrile	MW-10N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-10N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-10N	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-10N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-11N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-11N	2/3/2009	30	30	ND	ug/L
Acetonitrile	MW-11N	7/9/2012	30	30	ND	ug/L
Acetonitrile	MW-11N	2/10/2015	30	30	ND	ug/L
Acetonitrile	MW-11N	7/17/2018	30	30	ND	ug/L
Acetonitrile	MW-11N	7/6/2021	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	MW-15	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-15	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-16	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-16	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-17	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-17	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-19	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-19	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-1N	10/14/1998	70	70	ND	ug/L
Acetonitrile	MW-1N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-1N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-1N	10/24/2006	30	30	ND	ug/L
Acetonitrile	MW-1N	2/5/2009	30	30	ND	ug/L
Acetonitrile	MW-1N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-1N	2/10/2015	30	30	ND	ug/L
Acetonitrile	MW-1N	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-1N	7/6/2020	15	15	ND	ug/L
Acetonitrile	MW-1N	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-20	7/12/2018	30	30	ND	ug/L
Acetonitrile	MW-20	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-21	10/5/2016	30	30	ND	ug/L
Acetonitrile	MW-21	10/6/2017	30	30	ND	ug/L
Acetonitrile	MW-21	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-21	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-21	7/8/2020	15	15	ND	ug/L
Acetonitrile	MW-21	10/7/2020	30	30	ND	ug/L
Acetonitrile	MW-21	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-21	10/6/2021	30	30	ND	ug/L
Acetonitrile	MW-2N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-2N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-2N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-2N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-2N	7/12/2018	30	30	ND	ug/L
Acetonitrile	MW-2N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-3N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-3N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-3N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-3N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-3N	7/11/2012	30	30	ND	ug/L
Acetonitrile	MW-3N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-3N	10/6/2016	30	30	ND	ug/L
Acetonitrile	MW-3N	10/9/2017	30	30	ND	ug/L
Acetonitrile	MW-3N	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-3N	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-3N	7/7/2020	15	15	ND	ug/L
Acetonitrile	MW-3N	10/7/2020	30	30	ND	ug/L
Acetonitrile	MW-3N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-3N	10/6/2021	30	30	ND	ug/L
Acetonitrile	MW-7N	10/15/1998	70	70	ND	ug/L
Acetonitrile	MW-7N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-7N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-7N	10/24/2006	30	30	ND	ug/L
Acetonitrile	MW-7N	2/6/2009	30	30	ND	ug/L
Acetonitrile	MW-7N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-7N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-7N	10/5/2017	30	30	ND	ug/L
Acetonitrile	MW-7N	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-7N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-8N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-8N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-8N	10/24/2006	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	MW-8N	1/24/2008	30	30	ND	ug/L
Acetonitrile	MW-8N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-8N	5/10/2011	30	30	ND	ug/L
Acetonitrile	MW-8N	7/11/2012	30	30	ND	ug/L
Acetonitrile	MW-8N	10/2/2013	30	30	ND	ug/L
Acetonitrile	MW-8N	10/8/2014	30	30	ND	ug/L
Acetonitrile	MW-8N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2016	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2017	30	30	ND	ug/L
Acetonitrile	MW-8N	7/16/2018	30	30	ND	ug/L
Acetonitrile	MW-8N	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-8N	7/9/2020	15	15	ND	ug/L
Acetonitrile	MW-8N	10/6/2020	30	30	ND	ug/L
Acetonitrile	MW-8N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2021	30	30	ND	ug/L
Acetonitrile	NE-1	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-1	2/7/2009	30	30	ND	ug/L
Acetonitrile	NE-1	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-1	2/11/2015	30	30	ND	ug/L
Acetonitrile	NE-1	7/18/2018	30	30	ND	ug/L
Acetonitrile	NE-2	7/10/2018	30	30	ND	ug/L
Acetonitrile	NE-4	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-4	2/7/2009	30	30	ND	ug/L
Acetonitrile	NE-4	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-4	2/13/2015	30	30	ND	ug/L
Acetonitrile	NE-4	7/12/2018	30	30	ND	ug/L
Acetonitrile	NE-5	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-5	2/6/2009	30	30	ND	ug/L
Acetonitrile	NE-5	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-5	2/11/2015	30	30	ND	ug/L
Acetonitrile	NE-5	7/17/2018	30	30	ND	ug/L
Acetonitrile	NE-5	7/9/2019	30	30	ND	ug/L
Acetophenone	LGW-10	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acetophenone	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acetophenone	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acetophenone	LGW-10	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-10	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-14R	10/27/2006	10	10	ND	ug/L
Acetophenone	LGW-14R	2/6/2009	10	10	ND	ug/L
Acetophenone	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acetophenone	LGW-14R	7/17/2018	10	10	ND	ug/L
Acetophenone	LGW-14R	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-2	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-2	2/13/2009	10	10	ND	ug/L
Acetophenone	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-2	2/13/2015	13	13	ND	ug/L
Acetophenone	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acetophenone	LGW-2	7/8/2020	10	10	ND	ug/L
Acetophenone	LGW-2	7/4/2021	10	10	ND	ug/L
Acetophenone	LGW-3R	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-3R	2/3/2009	10	10	ND	ug/L
Acetophenone	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acetophenone	LGW-3R	7/11/2018	10	10	ND	ug/L
Acetophenone	LGW-3R	7/6/2021	10	10	ND	ug/L
Acetophenone	LGW-4	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	LGW-4	2/3/2009	10	10	ND	ug/L
Acetophenone	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acetophenone	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acetophenone	LGW-4	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-5	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-5	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acetophenone	LGW-5	7/12/2018	10	10	ND	ug/L
Acetophenone	LGW-5	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-6	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-6	2/5/2009	10	10	ND	ug/L
Acetophenone	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-6	2/10/2015	10	10	ND	ug/L
Acetophenone	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acetophenone	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acetophenone	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acetophenone	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acetophenone	LGW-6	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-6	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-7	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-7	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	7/12/2018	10	10	ND	ug/L
Acetophenone	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acetophenone	LGW-7	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-7	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-8R	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-8R	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acetophenone	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acetophenone	LGW-8R	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-9	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-9	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acetophenone	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	7/10/2019	10	10	ND	ug/L
Acetophenone	LGW-9	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-9	7/7/2021	10	10	ND	ug/L
Acetophenone	MW-10N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-10N	2/13/2009	10	10	ND	ug/L
Acetophenone	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acetophenone	MW-10N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-11N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-11N	2/3/2009	10	10	ND	ug/L
Acetophenone	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-11N	2/10/2015	10	10	ND	ug/L
Acetophenone	MW-11N	7/17/2018	10	10	ND	ug/L
Acetophenone	MW-11N	7/6/2021	10	10	ND	ug/L
Acetophenone	MW-15	7/10/2018	10	10	ND	ug/L
Acetophenone	MW-15	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-16	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-17	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acetophenone	MW-19	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-1N	10/14/1998	10	10	ND	ug/L
Acetophenone	MW-1N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-1N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-1N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-1N	2/5/2009	10	10	ND	ug/L
Acetophenone	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acetophenone	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acetophenone	MW-1N	7/6/2020	10	10	ND	ug/L
Acetophenone	MW-1N	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-20	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acetophenone	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-21	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-21	7/8/2020	10	10	ND	ug/L
Acetophenone	MW-21	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-2N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-2N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acetophenone	MW-2N	7/12/2018	10	10	ND	ug/L
Acetophenone	MW-2N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-3N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-3N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-3N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-3N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acetophenone	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acetophenone	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acetophenone	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-3N	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-3N	7/7/2020	10	10	ND	ug/L
Acetophenone	MW-3N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-7N	10/15/1998	10	10	ND	ug/L
Acetophenone	MW-7N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-7N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-7N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-7N	2/6/2009	10	10	ND	ug/L
Acetophenone	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acetophenone	MW-7N	7/13/2018	10	10	ND	ug/L
Acetophenone	MW-7N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-8N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-8N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-8N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-8N	1/24/2008	10	10	ND	ug/L
Acetophenone	MW-8N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acetophenone	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acetophenone	MW-8N	10/8/2014	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acetophenone	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Acetophenone	MW-8N	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-8N	7/9/2020	10	10	ND	ug/L
Acetophenone	MW-8N	7/5/2021	10	10	ND	ug/L
Acetophenone	NE-1	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-1	2/7/2009	10	10	ND	ug/L
Acetophenone	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acetophenone	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acetophenone	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acetophenone	NE-4	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-4	2/7/2009	10	10	ND	ug/L
Acetophenone	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acetophenone	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acetophenone	NE-4	7/12/2018	10	10	ND	ug/L
Acetophenone	NE-5	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-5	2/6/2009	10	10	ND	ug/L
Acetophenone	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acetophenone	NE-5	7/9/2019	10	10	ND	ug/L
Acrolein	LGW-10	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-10	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-10	2/12/2015	20	20	ND	ug/L
Acrolein	LGW-10	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-10	10/9/2017	20	20	ND	ug/L
Acrolein	LGW-10	7/16/2018	20	20	ND	ug/L
Acrolein	LGW-10	7/11/2019	20	20	ND	ug/L
Acrolein	LGW-10	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-10	10/7/2020	20	20	ND	ug/L
Acrolein	LGW-10	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-10	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-14R	10/27/2006	20	20	ND	ug/L
Acrolein	LGW-14R	2/6/2009	20	20	ND	ug/L
Acrolein	LGW-14R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-14R	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-14R	7/17/2018	20	20	ND	ug/L
Acrolein	LGW-14R	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-2	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-2	2/6/2009	20	20	ND	ug/L
Acrolein	LGW-2	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-2	2/13/2015	20	20	ND	ug/L
Acrolein	LGW-2	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-2	7/8/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-2	7/4/2021	20	20	ND	ug/L
Acrolein	LGW-3R	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-3R	2/3/2009	20	20	ND	ug/L
Acrolein	LGW-3R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-3R	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-3R	7/11/2018	20	20	ND	ug/L
Acrolein	LGW-3R	7/6/2021	20	20	ND	ug/L
Acrolein	LGW-4	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-4	2/3/2009	20	20	ND	ug/L
Acrolein	LGW-4	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-4	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-4	7/11/2018	20	20	ND	ug/L
Acrolein	LGW-4	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-5	10/26/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	LGW-5	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-5	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-5	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-5	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-5	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-5	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-6	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-6	2/5/2009	20	20	ND	ug/L
Acrolein	LGW-6	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-6	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-6	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-6	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-6	7/17/2018	20	20	ND	ug/L
Acrolein	LGW-6	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-6	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-6	10/6/2020	20	20	ND	ug/L
Acrolein	LGW-6	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-6	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-7	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-7	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-7	7/10/2012	20	20	ND	ug/L
Acrolein	LGW-7	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-7	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-7	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-7	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-7	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-7	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-7	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-7	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-8R	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-8R	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-8R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-8R	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-8R	7/13/2018	20	20	ND	ug/L
Acrolein	LGW-8R	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-9	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-9	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-9	7/10/2012	20	20	ND	ug/L
Acrolein	LGW-9	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-9	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-9	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-9	7/13/2018	20	20	ND	ug/L
Acrolein	LGW-9	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-9	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-9	10/7/2020	20	20	ND	ug/L
Acrolein	LGW-9	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-9	10/5/2021	20	20	ND	ug/L
Acrolein	MW-10N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-10N	2/13/2009	20	20	ND	ug/L
Acrolein	MW-10N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-10N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-10N	7/11/2018	20	20	ND	ug/L
Acrolein	MW-10N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-11N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-11N	2/3/2009	20	20	ND	ug/L
Acrolein	MW-11N	7/9/2012	20	20	ND	ug/L
Acrolein	MW-11N	2/10/2015	20	20	ND	ug/L
Acrolein	MW-11N	7/17/2018	20	20	ND	ug/L
Acrolein	MW-11N	7/6/2021	20	20	ND	ug/L
Acrolein	MW-15	7/10/2018	20	20	ND	ug/L
Acrolein	MW-15	7/4/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	MW-16	7/11/2018	20	20	ND	ug/L
Acrolein	MW-16	7/4/2021	20	20	ND	ug/L
Acrolein	MW-17	7/10/2018	20	20	ND	ug/L
Acrolein	MW-17	7/4/2021	20	20	ND	ug/L
Acrolein	MW-19	7/13/2018	20	20	ND	ug/L
Acrolein	MW-19	7/4/2021	20	20	ND	ug/L
Acrolein	MW-1N	10/14/1998	313	313	ND	ug/L
Acrolein	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-1N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-1N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-1N	2/5/2009	20	20	ND	ug/L
Acrolein	MW-1N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-1N	2/10/2015	20	20	ND	ug/L
Acrolein	MW-1N	7/10/2018	20	20	ND	ug/L
Acrolein	MW-1N	7/6/2020	8.87	8.87	ND	ug/L
Acrolein	MW-1N	7/4/2021	20	20	ND	ug/L
Acrolein	MW-20	7/12/2018	20	20	ND	ug/L
Acrolein	MW-20	7/4/2021	20	20	ND	ug/L
Acrolein	MW-21	10/5/2016	20	20	ND	ug/L
Acrolein	MW-21	10/6/2017	20	20	ND	ug/L
Acrolein	MW-21	7/11/2018	20	20	ND	ug/L
Acrolein	MW-21	7/11/2019	20	20	ND	ug/L
Acrolein	MW-21	7/8/2020	8.87	8.87	ND	ug/L
Acrolein	MW-21	10/7/2020	20	20	ND	ug/L
Acrolein	MW-21	7/5/2021	20	20	ND	ug/L
Acrolein	MW-21	10/6/2021	20	20	ND	ug/L
Acrolein	MW-2N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-2N	2/4/2009	20	20	ND	ug/L
Acrolein	MW-2N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-2N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-2N	7/12/2018	20	20	ND	ug/L
Acrolein	MW-2N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-3N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-3N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-3N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-3N	2/4/2009	20	20	ND	ug/L
Acrolein	MW-3N	7/11/2012	20	20	ND	ug/L
Acrolein	MW-3N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-3N	10/6/2016	20	20	ND	ug/L
Acrolein	MW-3N	10/9/2017	20	20	ND	ug/L
Acrolein	MW-3N	7/13/2018	20	20	ND	ug/L
Acrolein	MW-3N	7/11/2019	20	20	ND	ug/L
Acrolein	MW-3N	7/7/2020	8.87	8.87	ND	ug/L
Acrolein	MW-3N	10/7/2020	20	20	ND	ug/L
Acrolein	MW-3N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-3N	10/6/2021	20	20	ND	ug/L
Acrolein	MW-7N	10/15/1998	313	313	ND	ug/L
Acrolein	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-7N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-7N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-7N	2/6/2009	20	20	ND	ug/L
Acrolein	MW-7N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-7N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-7N	10/5/2017	20	20	ND	ug/L
Acrolein	MW-7N	7/13/2018	20	20	ND	ug/L
Acrolein	MW-7N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-8N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-8N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-8N	1/24/2008	20	20	ND	ug/L
Acrolein	MW-8N	2/4/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	MW-8N	5/10/2011	20	20	ND	ug/L
Acrolein	MW-8N	7/11/2012	20	20	ND	ug/L
Acrolein	MW-8N	10/2/2013	20	20	ND	ug/L
Acrolein	MW-8N	10/8/2014	20	20	ND	ug/L
Acrolein	MW-8N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2016	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2017	20	20	ND	ug/L
Acrolein	MW-8N	7/16/2018	20	20	ND	ug/L
Acrolein	MW-8N	7/11/2019	20	20	ND	ug/L
Acrolein	MW-8N	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	MW-8N	10/6/2020	20	20	ND	ug/L
Acrolein	MW-8N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2021	20	20	ND	ug/L
Acrolein	NE-1	10/25/2006	20	20	ND	ug/L
Acrolein	NE-1	2/7/2009	20	20	ND	ug/L
Acrolein	NE-1	7/10/2012	20	20	ND	ug/L
Acrolein	NE-1	2/11/2015	20	20	ND	ug/L
Acrolein	NE-1	7/18/2018	20	20	ND	ug/L
Acrolein	NE-2	7/10/2018	20	20	ND	ug/L
Acrolein	NE-4	10/25/2006	20	20	ND	ug/L
Acrolein	NE-4	2/7/2009	20	20	ND	ug/L
Acrolein	NE-4	7/10/2012	20	20	ND	ug/L
Acrolein	NE-4	2/13/2015	20	20	ND	ug/L
Acrolein	NE-4	7/12/2018	20	20	ND	ug/L
Acrolein	NE-5	10/25/2006	20	20	ND	ug/L
Acrolein	NE-5	2/6/2009	20	20	ND	ug/L
Acrolein	NE-5	7/10/2012	20	20	ND	ug/L
Acrolein	NE-5	2/11/2015	20	20	ND	ug/L
Acrolein	NE-5	7/17/2018	20	20	ND	ug/L
Acrolein	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-10	5/1/2013	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/30/2014	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2014	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/12/2015	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/4/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/19/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/9/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/24/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-10	4/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/16/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/4/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/4/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/11/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/2/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/15/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/7/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/5/2023	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	8/2/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	8/2/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	10/27/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	4/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/6/2009	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-14R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/25/2018	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/17/2018	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	8/1/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-2	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/10/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/26/2008	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/6/2009	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/30/2009	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/30/2014	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/13/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/1/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/4/2021	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/10/2022	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/26/2008	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2009	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-3R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/22/2014	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/10/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-3R	7/16/2015	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/8/2016	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/10/2022	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2009	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-4	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/26/2007	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-5	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/10/2015	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/6/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/5/2009	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/10/2015	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/22/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-6	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	5/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/10/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/17/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/6/2023	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-7	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/27/2010	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/10/2012	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-7	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/20/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/4/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/24/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/11/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-7	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/15/2020	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	4/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/27/2010	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/14/2010	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-8R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/22/2014	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-8R	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2016	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/25/2018	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/13/2018	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/8/2019	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-9	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/27/2010	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-9	7/14/2010	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2012	20	20	ND	ug/L
Acrylonitrile	LGW-9	5/1/2013	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-9	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	5/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/24/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/13/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/7/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/5/2023	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-10N	4/28/1998	140	140	ND	ug/L
Acrylonitrile	MW-10N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	7/15/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-10N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-10N	7/11/2000	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-10N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2002	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/27/2004	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-10N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-10N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2007	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-10N	2/13/2009	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/27/2010	20	20	ND	ug/L
Acrylonitrile	MW-10N	8/10/2010	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-10N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-10N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/8/2020	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/13/2000	70	70	ND	ug/L
Acrylonitrile	MW-11N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/10/2000	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/29/2004	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/13/2005	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-11N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/18/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-11N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/24/2007	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2009	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/16/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/4/2012	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2012	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/30/2013	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/15/2013	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2014	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/8/2014	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/10/2015	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2015	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/17/2018	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/18/2022	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2022	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-15	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	7/15/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	9/3/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-15	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-15	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-15	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-15	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-15	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-15	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-15	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-15	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-15	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-15	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-15	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-15	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-16	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	7/16/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	9/3/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-16	1/8/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-16	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-16	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-16	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-16	1/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-16	7/10/2019	20	20	ND	ug/L
Acrylonitrile	MW-16	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-16	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-16	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-16	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-16	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-16	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-16	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-17	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	7/15/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	9/2/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-17	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-17	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-17	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-17	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-17	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-17	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-17	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-17	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-17	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-17	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-19	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	7/16/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	9/3/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-19	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-19	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-19	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-19	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-19	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-19	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-19	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-19	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-19	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-19	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/20/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	10/14/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/13/1999	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-1N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	5/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/15/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-1N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/12/2000	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/18/2000	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/12/2001	20	20	ND	ug/L
Acrylonitrile	MW-1N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-1N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/3/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-1N	1/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-1N	2/5/2009	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/13/2010	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-1N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-1N	2/10/2015	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/12/2017	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/23/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-20	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	9/2/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-20	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	1/12/2017	20	20	ND	ug/L
Acrylonitrile	MW-20	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-20	1/26/2018	20	20	ND	ug/L
Acrylonitrile	MW-20	7/12/2018	20	20	ND	ug/L
Acrylonitrile	MW-20	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-20	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-20	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-20	1/17/2021	20	20	ND	ug/L
Acrylonitrile	MW-20	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-20	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	9/2/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	4/5/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	10/6/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	4/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	10/4/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	10/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	7/8/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	10/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	4/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-2N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-2N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/10/2002	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/22/2003	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-2N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-2N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	3/27/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-2N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/13/2010	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-2N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-2N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/12/2018	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-2N	8/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/23/2020	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/24/2000	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/11/2000	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/22/2003	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-3N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-3N	1/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-3N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/13/2010	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2012	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-3N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/1/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/9/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/3/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/15/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	8/18/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	9/17/1998	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-7N	10/15/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	11/9/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	4/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/13/2000	70	70	ND	ug/L
Acrylonitrile	MW-7N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-7N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-7N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-7N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/8/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/26/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2005	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-7N	2/6/2009	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/29/2009	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/14/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	9/2/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/12/2011	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-7N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/15/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/30/2014	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-7N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/13/2015	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/5/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/25/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/4/2019	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2019	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/16/2021	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/5/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-7N	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/12/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-8N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-8N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-8N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/25/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-8N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2010	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/10/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/6/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/11/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/3/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/30/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/3/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/8/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/1/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/6/2016	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-8N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/25/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/15/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/9/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/15/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/18/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/4/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/8/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-1	1/27/2004	20	20	ND	ug/L
Acrylonitrile	NE-1	1/12/2005	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	10/25/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2007	20	20	ND	ug/L
Acrylonitrile	NE-1	1/24/2008	20	20	ND	ug/L
Acrylonitrile	NE-1	7/21/2008	20	20	ND	ug/L
Acrylonitrile	NE-1	2/7/2009	20	20	ND	ug/L
Acrylonitrile	NE-1	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-1	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	7/14/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	9/2/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-1	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-1	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-1	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-1	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-1	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-1	7/9/2014	20	20	ND	ug/L
Acrylonitrile	NE-1	2/11/2015	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2015	20	20	ND	ug/L
Acrylonitrile	NE-1	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-1	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-1	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-1	1/24/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	4/11/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	7/18/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	10/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	11/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-11	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	10/9/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-11	1/14/2020	20	20	ND	ug/L
Acrylonitrile	NE-11	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-11	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-12	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	8/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-12	1/13/2020	20	20	ND	ug/L
Acrylonitrile	NE-12	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-12	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	1/17/2022	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-12	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-12	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-12	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-13	2/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-13	8/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-13	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-13	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-13	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15S	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	10/2/2002	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-2	10/1/2013	20	20	ND	ug/L
Acrylonitrile	NE-2	10/8/2014	20	20	ND	ug/L
Acrylonitrile	NE-2	10/5/2015	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-2	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-2	1/25/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	7/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	10/1/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	1/14/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	1/14/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-2	4/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-3	7/9/2002	20	20	ND	ug/L
Acrylonitrile	NE-3	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-3	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-3	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-3	9/2/2010	20	20	ND	ug/L
Acrylonitrile	NE-3	3/21/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	7/10/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	10/3/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	4/15/2003	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-4	1/28/2004	20	20	ND	ug/L
Acrylonitrile	NE-4	1/13/2005	20	20	ND	ug/L
Acrylonitrile	NE-4	8/1/2006	20	20	ND	ug/L
Acrylonitrile	NE-4	8/1/2006	20	20	ND	ug/L
Acrylonitrile	NE-4	10/25/2006	20	20	ND	ug/L
Acrylonitrile	NE-4	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-4	7/12/2007	20	20	ND	ug/L
Acrylonitrile	NE-4	1/24/2008	20	20	ND	ug/L
Acrylonitrile	NE-4	7/21/2008	20	20	ND	ug/L
Acrylonitrile	NE-4	2/7/2009	20	20	ND	ug/L
Acrylonitrile	NE-4	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-4	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-4	7/14/2010	20	20	ND	ug/L
Acrylonitrile	NE-4	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-4	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-4	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-4	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-4	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-4	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-4	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-4	7/9/2014	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-4	2/13/2015	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2015	20	20	ND	ug/L
Acrylonitrile	NE-4	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-4	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-4	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-4	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-4	1/26/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	7/12/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	10/3/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	1/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	10/1/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	1/13/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	7/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	10/5/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-4	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	4/15/2003	20	20	ND	ug/L
Acrylonitrile	NE-5	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-5	1/27/2004	20	20	ND	ug/L
Acrylonitrile	NE-5	1/12/2005	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	10/25/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-5	7/12/2007	20	20	ND	ug/L
Acrylonitrile	NE-5	7/22/2008	20	20	ND	ug/L
Acrylonitrile	NE-5	2/6/2009	20	20	ND	ug/L
Acrylonitrile	NE-5	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-5	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	7/16/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	9/2/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-5	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-5	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-5	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-5	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-5	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-5	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2014	20	20	ND	ug/L
Acrylonitrile	NE-5	2/11/2015	20	20	ND	ug/L
Acrylonitrile	NE-5	7/14/2015	20	20	ND	ug/L
Acrylonitrile	NE-5	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-5	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-5	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-5	1/25/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	7/17/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-5	10/3/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	10/3/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-6	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	2/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-6	8/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-6	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-6	7/9/2020	20	20	ND	ug/L
Acrylonitrile	NE-6	1/16/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-6	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/9/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-7	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	2/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-7	8/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-7	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-8	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	2/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-8	8/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-8	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-8	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-8	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	2/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-9	8/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-9	1/15/2020	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-9	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	4/8/2023	20	20	ND	ug/L
Aldrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Aldrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Aldrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Aldrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Aldrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Aldrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Aldrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Aldrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Aldrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Aldrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Aldrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Aldrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Aldrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Aldrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Aldrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Aldrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Aldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Aldrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Aldrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Aldrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Aldrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Aldrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Aldrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Aldrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Aldrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Aldrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Aldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Aldrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Aldrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Aldrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Aldrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Aldrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Aldrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Aldrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Aldrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Aldrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Aldrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Aldrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Aldrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Aldrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Aldrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Aldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Aldrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Aldrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Aldrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/11/2012	0.021	0.047	ND	ug/L
Aldrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Aldrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Aldrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Aldrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Aldrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Aldrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Aldrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Aldrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Aldrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Aldrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Aldrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Aldrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/26/2006	412	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	8/1/2006	550	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	8/1/2006	550	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	8/1/2006	550	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	8/1/2006	550	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/25/2007	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/25/2007	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/26/2007	450	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/26/2007	450	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/12/2007	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/12/2007	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/23/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/23/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/22/2008	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/22/2008	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/29/2009	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/29/2009	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/3/2010	430	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/3/2010	430	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/3/2010	430	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/3/2010	430	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/16/2010	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/16/2010	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/19/2011	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/19/2011	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/12/2011	580	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/12/2011	580	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/5/2012	540	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/5/2012	540	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/9/2012	510	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/9/2012	510	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	5/1/2013	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	5/1/2013	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/30/2014	510	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/30/2014	510	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/9/2014	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/9/2014	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/12/2015	490	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	2/12/2015	490	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/13/2015	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/13/2015	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/5/2016	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/5/2016	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/6/2016	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/6/2016	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/21/2016	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/21/2016	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/6/2016	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/6/2016	500	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/11/2017	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/11/2017	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/4/2017	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/4/2017	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/19/2017	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/19/2017	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/9/2017	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/9/2017	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/24/2018	440	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/11/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/11/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/19/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/19/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/11/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/11/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/18/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/18/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/25/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/17/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/17/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/3/2019	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/10/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/10/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/16/2020	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/9/2020	223	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/18/2021	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/18/2021	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/7/2021	245	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/7/2021	241	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/12/2022	248	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/11/2022	218	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/10/2023	278	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2006	246	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2007	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2007	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/26/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/26/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2007	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2007	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/26/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/26/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/23/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/23/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/6/2009	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/6/2009	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/30/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/30/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2010	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2010	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/19/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/19/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/13/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/13/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/4/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/4/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2012	310	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/30/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/30/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/15/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/15/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/30/2014	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/30/2014	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2014	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2014	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/13/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/13/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/5/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/5/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/19/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/19/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/11/2017	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/11/2017	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/18/2017	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/18/2017	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/23/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2018	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2018	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/3/2019	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/13/2020	325	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2020	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/18/2021	309	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/18/2021	309	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/4/2021	315	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/4/2021	329	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/12/2022	306	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2022	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/10/2023	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/24/2006	244	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/25/2007	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/25/2007	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/26/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/26/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/23/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/23/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/31/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/31/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/19/2011	190	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/19/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/13/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/13/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/4/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/4/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/30/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/30/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/22/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/22/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/8/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/8/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/8/2016	65	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/8/2016	65	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/21/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/21/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/18/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/18/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/23/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/3/2019	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/14/2020	127	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2020	235	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2021	92.1	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2021	77.5	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/12/2022	66.9	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/10/2022	92.7	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/10/2023	37.7	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/24/2006	220	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/25/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/25/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/22/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/22/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/23/2008	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/23/2008	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/31/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/31/2009	160	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/13/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/13/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/4/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/4/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/30/2013	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/30/2013	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/15/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/15/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/11/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/11/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/19/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/19/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/11/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/11/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/18/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/18/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2018	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2018	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/3/2019	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/14/2020	193	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/6/2020	189	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/18/2021	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/18/2021	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/7/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/7/2021	314	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/12/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/10/2023	362	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2006	194	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2008	190	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/23/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/23/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/4/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/4/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/30/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/30/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2014	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2014	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/10/2015	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/10/2015	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/19/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/19/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/3/2019	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/14/2020	297	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/6/2020	329	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/18/2021	332	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/18/2021	332	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/7/2021	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/7/2021	362	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/12/2022	339	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2022	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/10/2023	338	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/24/2006	192	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/3/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/3/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/3/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/3/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/16/2020	340	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/9/2020	367	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/18/2021	372	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/7/2021	386	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/7/2021	396	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/12/2022	380	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/11/2022	357	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/10/2023	367	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/25/2006	149	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/4/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/4/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/31/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/31/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/27/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/27/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2010	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2010	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/20/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/20/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2011	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2011	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/30/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/30/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/15/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/15/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/23/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/23/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/8/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/8/2014	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/11/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/11/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/5/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/5/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/6/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/6/2016	270	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/20/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/20/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/6/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/6/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/4/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/4/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/5/2017	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/5/2017	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/24/2018	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/2/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/2/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/7/2019	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/3/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/3/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/3/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	10/3/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/15/2020	252	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/9/2020	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/18/2021	228	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/7/2021	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/7/2021	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/13/2022	256	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/11/2022	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/11/2023	274	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2006	179	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/25/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/25/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/4/2009	220	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/4/2009	220	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/29/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/29/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/27/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/27/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/14/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/14/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/20/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/20/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2011	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2011	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2012	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2012	230	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/9/2012	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/9/2012	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/30/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/30/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/15/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/15/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/22/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/22/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2014	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/11/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/11/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/22/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/22/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/25/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/13/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/13/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/7/2019	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/14/2020	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2020	289	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/17/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2021	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2021	343	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/13/2022	334	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/11/2022	333	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2023	354	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2006	243	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/25/2007	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/25/2007	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/22/2008	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/22/2008	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/4/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/4/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/29/2009	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/29/2009	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/14/2010	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/14/2010	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/20/2011	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/20/2011	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/12/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/12/2011	320	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/1/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/1/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/15/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/15/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/23/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/23/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/8/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/8/2014	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/11/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/11/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/21/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/21/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2017	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2017	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/5/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/5/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/24/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/11/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/11/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/2/2018	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/2/2018	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/7/2019	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/3/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/3/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/3/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/3/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/16/2020	282	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/9/2020	295	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/17/2021	483	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/7/2021	379	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/7/2021	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/13/2022	316	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/11/2022	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2023	327	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/22/1997	223	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/22/1997	223	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/22/1998	242	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/22/1998	242	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/28/1998	246	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/28/1998	246	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/23/1998	229	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/23/1998	229	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2002	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2002	280	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/2/2002	295	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/2/2002	295	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/15/2003	271	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/8/2003	297	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/12/2005	288	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/20/2005	301	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2006	290	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2007	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2007	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/23/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/23/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2008	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2008	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/13/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/13/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/31/2009	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/31/2009	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	8/10/2010	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	8/10/2010	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2011	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2011	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2011	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2011	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/5/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/5/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	5/1/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	5/1/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2014	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2014	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/12/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/12/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/6/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/6/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/11/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/11/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/3/2019	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2019	260	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/16/2020	236	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/8/2020	247	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/13/2021	236	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/5/2021	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/5/2021	258	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2023	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/22/1997	211	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/22/1997	211	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/21/1998	207	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/21/1998	207	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/28/1998	209	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/28/1998	209	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/1998	196	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/1998	196	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2002	231	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2002	231	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/2/2002	244	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/2/2002	244	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/15/2003	210	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2003	230	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/13/2005	191	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/20/2005	176	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2006	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/2008	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/2008	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2009	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2009	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/31/2009	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/31/2009	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/16/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/16/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/4/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/4/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/30/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/30/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/15/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/15/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2014	170	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2014	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/11/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/11/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/17/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/17/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/2/2019	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/14/2020	172	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2020	186	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2022	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2022	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/10/2023	184	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/15/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/15/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/7/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/7/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	4/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	4/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/20/2016	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/20/2016	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/18/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/18/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/3/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/9/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/9/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/14/2020	172	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/7/2020	205	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/18/2021	159	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/18/2021	159	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/4/2021	147	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/4/2021	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/12/2022	187	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2022	153	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2023	206	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	6/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	6/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/16/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/16/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/8/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/8/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	4/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	4/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	10/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	10/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/18/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/18/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/11/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/11/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/2/2019	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/14/2020	169	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/7/2020	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/18/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/18/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/4/2021	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/4/2021	185	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/12/2022	169	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2022	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2023	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	6/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	6/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/15/2015	92	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/15/2015	92	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	8/4/2015	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	8/4/2015	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	9/2/2015	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	9/2/2015	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/7/2016	45	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/7/2016	45	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	4/5/2016	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	4/5/2016	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/20/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/20/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	10/6/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	10/6/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/18/2017	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/18/2017	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/23/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/10/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/10/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/3/2019	180	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-17	7/11/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/11/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/14/2020	123	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/6/2020	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/14/2021	137	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/4/2021	155	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/4/2021	163	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2023	143	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	6/5/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	6/5/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/16/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/16/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	8/5/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	8/5/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	9/3/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	9/3/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	4/5/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	4/5/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/21/2016	99	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/21/2016	99	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	10/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	10/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/10/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/10/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/18/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/18/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/23/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/13/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/13/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2019	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/11/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/11/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/14/2020	221	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/6/2020	184	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/14/2021	146	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/4/2021	152	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/4/2021	148	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/11/2023	101	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/22/1997	185	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/22/1997	185	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/1998	234	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/1998	234	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/28/1998	221	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/28/1998	221	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/23/1998	216	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/23/1998	216	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/14/1998	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/14/1998	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2002	411	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2002	411	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/3/2002	401	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/3/2002	401	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/15/2003	353	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/8/2003	268	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2005	220	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/20/2005	208	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/18/2006	193	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/5/2009	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/5/2009	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/31/2009	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/31/2009	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/2011	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/2011	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/5/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/5/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2012	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2012	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	5/1/2013	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	5/1/2013	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/16/2013	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/16/2013	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/10/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/10/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/6/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/6/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/19/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/19/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/23/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/3/2019	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/23/2020	281	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/6/2020	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/14/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/4/2021	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/4/2021	211	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/11/2023	204	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	6/5/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	6/5/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/14/2015	270	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-20	7/14/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	8/4/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	8/4/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	9/2/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	9/2/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/7/2016	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/7/2016	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	4/5/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	4/5/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/20/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/20/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	10/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	10/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/12/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/12/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/18/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/18/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/26/2018	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/12/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/12/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/11/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/11/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/14/2020	412	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/7/2020	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/17/2021	403	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/4/2021	322	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/4/2021	334	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/11/2023	247	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/14/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/14/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	8/4/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	8/4/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	9/2/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	9/2/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/7/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/7/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/20/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/20/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/10/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/10/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/19/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/19/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/6/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/6/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/24/2018	96	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/11/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/11/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/4/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/4/2018	130	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-21	1/3/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/3/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/3/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/2/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/2/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/16/2020	142	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/8/2020	119	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/13/2021	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/5/2021	105	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/5/2021	100	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/11/2023	86.1	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/22/1997	119	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/22/1997	119	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/21/1998	116	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/21/1998	116	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/28/1998	126	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/28/1998	126	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/1998	121	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/1998	121	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2002	94.6	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2002	94.6	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/2/2002	110	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/2/2002	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/14/2003	97.6	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/7/2003	99.4	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/12/2005	95.5	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/20/2005	87.8	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/19/2006	96.5	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/4/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/4/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/31/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/31/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/20/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/20/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/5/2012	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/5/2012	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2012	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2012	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	5/1/2013	110	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-2N	5/1/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2014	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2014	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/9/2014	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/9/2014	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/12/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/12/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/6/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/6/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/21/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/21/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/23/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/12/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/12/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/3/2019	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2020	194	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/7/2020	10	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/14/2021	212	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/5/2021	226	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/5/2021	232	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2023	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/21/1997	308	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/21/1997	308	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/21/1998	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/21/1998	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/28/1998	335	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/28/1998	335	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/23/1998	333	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/23/1998	333	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2002	361	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2002	361	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2002	392	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2002	392	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/14/2003	362	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/7/2003	329	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/12/2005	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/20/2005	328	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/18/2006	323	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2008	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2008	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/22/2008	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/22/2008	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	2/4/2009	330	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/15/2020	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/7/2020	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/13/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/5/2021	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/5/2021	306	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/11/2023	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/21/1997	157	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/21/1997	157	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/21/1998	248	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/21/1998	248	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/22/1998	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/22/1998	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	8/18/1998	405	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	8/18/1998	405	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	9/17/1998	394	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	9/17/1998	394	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/15/1998	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/15/1998	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	11/9/1998	422	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	11/9/1998	422	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2002	495	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2002	495	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/2/2002	564	2		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/2/2002	564	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/14/2003	479	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/7/2003	392	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/5/2004	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/12/2005	403	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2005	406	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/19/2006	392	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2006	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2006	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2006	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2006	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/26/2007	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/26/2007	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/21/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/21/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	2/6/2009	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	2/6/2009	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/29/2009	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/29/2009	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/26/2010	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/26/2010	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/14/2010	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/14/2010	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/20/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/20/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/12/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/12/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/5/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/5/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	5/1/2013	320	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-7N	5/1/2013	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	6/4/2013	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	6/4/2013	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/15/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/15/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/30/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/30/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2014	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2014	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	2/12/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	2/12/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/13/2015	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/13/2015	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/21/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/21/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/11/2017	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/11/2017	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/4/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/4/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/5/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/5/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/25/2018	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/11/2018	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/11/2018	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/13/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/13/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/4/2019	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/16/2020	165	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/7/2020	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/16/2021	195	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/5/2021	209	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/5/2021	203	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/12/2022	195	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2022	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/10/2023	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/21/1997	147	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/21/1997	147	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/22/1998	227	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/22/1998	227	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/28/1998	261	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/28/1998	261	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/22/1998	263	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/22/1998	263	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2002	166	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2002	166	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2002	192	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2002	192	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/14/2003	174	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/7/2003	197	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/12/2005	210	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/20/2005	192	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/19/2006	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/21/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/21/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/11/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/11/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/4/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/4/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/6/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/6/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/25/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/16/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/16/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/7/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/3/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/3/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	230	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	230	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/3/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/3/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/15/2020	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2020	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/15/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/5/2021	185	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/5/2021	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/18/2022	189	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/12/2022	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/11/2023	177	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2002	268	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2002	268	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	8/6/2002	277	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	8/6/2002	277	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	9/4/2002	273	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	9/4/2002	273	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2002	295	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2002	295	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2003	236	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/12/2005	204	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2007	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2007	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/21/2008	91	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/21/2008	91	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	2/7/2009	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/31/2009	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/31/2009	110	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-1	1/26/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/26/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/19/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/19/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2011	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2011	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/30/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/30/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/9/2014	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/9/2014	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	2/11/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	2/11/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/6/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/6/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/20/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/20/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2018	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/11/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/11/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/18/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/18/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/4/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/15/2020	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2020	204	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/13/2021	208	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/2/2021	196	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/17/2022	203	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2022	154	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2023	186	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	11/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	11/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/16/2020	127	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	7/8/2020	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/13/2021	110	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	7/2/2021	122	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/6/2023	109	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	3/1/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	3/1/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	4/6/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	4/6/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/20/2017	210	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-11	7/20/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	10/9/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	10/9/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	9/30/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	9/30/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/14/2020	237	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/7/2020	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/16/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/16/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/17/2022	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/17/2022	227	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/12/2022	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/6/2023	238	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	3/1/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	3/1/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	4/6/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	4/6/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	10/6/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	10/6/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/9/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/9/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	8/5/2019	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	8/5/2019	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/13/2020	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/7/2020	218	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/15/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/15/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	213	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	213	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	242	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/17/2022	208	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/17/2022	196	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/12/2022	214	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/6/2023	230	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	2/5/2019	9.4	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	2/5/2019	9.4	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/11/2019	9.8	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/11/2019	9.8	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	8/7/2019	17	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	8/7/2019	17	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/15/2020	10	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/8/2020	32.8	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/17/2021	40.8	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/17/2021	34	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	151	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	141	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	151	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	10/2/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	10/2/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/16/2020	217	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/7/2020	245	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/17/2021	251	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/2/2021	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/18/2022	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/13/2022	276	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/6/2023	301	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-14S	10/2/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	10/2/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/16/2020	103	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/7/2020	162	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/17/2021	197	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/2/2021	187	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/18/2022	233	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/13/2022	191	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/6/2023	259	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	9/30/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	9/30/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/16/2020	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/7/2020	274	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/17/2021	267	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/2/2021	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/17/2022	285	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/13/2022	283	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/6/2023	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2002	225	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2002	225	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	8/6/2002	214	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	8/6/2002	214	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	9/4/2002	38	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	9/4/2002	38	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/2/2002	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/2/2002	130	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/6/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/6/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/25/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	4/10/2018	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	4/10/2018	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/10/2018	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/10/2018	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/4/2019	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2019	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2019	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/14/2020	76.6	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/7/2020	142	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/14/2021	105	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/2/2021	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/18/2022	154	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/13/2022	163	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/5/2023	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	7/9/2002	407	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	7/9/2002	407	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	8/6/2002	481	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	8/6/2002	481	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	9/4/2002	452	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	9/4/2002	452	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	10/2/2002	495	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	10/2/2002	495	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-3	3/21/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-3	3/21/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2002	384	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2002	384	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/6/2002	391	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/6/2002	391	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	9/4/2002	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	9/4/2002	340	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2002	388	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2002	388	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2003	322	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/13/2005	197	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2008	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2008	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/21/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/21/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/7/2009	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/31/2009	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/31/2009	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/19/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/19/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/13/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/13/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2012	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2012	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/30/2013	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/30/2013	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/16/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/16/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/23/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/23/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/9/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/9/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/13/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/13/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/6/2016	84	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/6/2016	84	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/20/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/20/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/19/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/19/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/10/2018	230	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-4	4/10/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/7/2019	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2019	99	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2019	99	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/13/2020	141	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/6/2020	126	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/15/2021	241	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/2/2021	252	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2023	248	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2002	382	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2002	382	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	8/6/2002	417	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	8/6/2002	417	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	9/4/2002	413	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	9/4/2002	413	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/2/2002	421	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/2/2002	421	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/8/2003	500	2		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/12/2005	369	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/24/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/24/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/12/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/12/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/22/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/22/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/6/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/6/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/31/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/31/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/26/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/26/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/19/2011	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/19/2011	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2011	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2011	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2012	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2012	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/10/2012	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/10/2012	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/30/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/30/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/23/2014	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/23/2014	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/11/2015	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/11/2015	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/14/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/14/2015	320	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-5	1/6/2016	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/6/2016	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/20/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/20/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/11/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/11/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/25/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/10/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/10/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/3/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/3/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/4/2019	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/2/2019	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/2/2019	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/16/2020	302	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/8/2020	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/15/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/2/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/18/2022	323	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2022	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2023	342	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	9/30/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	9/30/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/16/2020	244	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/8/2020	243	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/15/2021	254	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/2/2021	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/18/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/13/2022	311	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/5/2023	325	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	9/30/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	9/30/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/16/2020	333	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/8/2020	337	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/15/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/2/2021	363	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/18/2022	348	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/13/2022	344	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/5/2023	358	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/12/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/12/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	4/5/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	4/5/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	10/6/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	10/6/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	2/4/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	2/4/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	8/6/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	8/6/2019	300	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-6	1/15/2020	272	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2020	282	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/16/2021	276	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/16/2021	277	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/17/2022	278	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/17/2022	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/12/2022	243	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/5/2023	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	10/2/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	10/2/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/15/2020	277	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/9/2020	286	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/15/2021	266	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/2/2021	285	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/17/2022	272	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/12/2022	262	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/5/2023	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	3/1/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	3/1/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	4/6/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	4/6/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/20/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/20/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	10/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	10/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	2/6/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	2/6/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/10/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/10/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	8/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	8/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2020	143	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/7/2020	108	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2021	177	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2021	181	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	126	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/17/2022	139	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/17/2022	145	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/12/2022	112	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/5/2023	139	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/12/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/12/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	4/5/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	4/5/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/20/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/20/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	10/6/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	10/6/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	2/4/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	2/4/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/11/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/11/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	8/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	8/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/15/2020	264	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/8/2020	298	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-8	1/13/2021	256	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/13/2021	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	315	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/6/2023	281	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/12/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/12/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	4/5/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	4/5/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	2/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	2/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/8/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/8/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	8/7/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	8/7/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/15/2020	214	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/7/2020	178	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2021	251	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2021	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2022	292	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2022	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/13/2022	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/6/2023	325	10		mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/26/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/24/2018	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-10	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/16/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/4/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	8/2/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	8/2/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	4/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/10/2007	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-2	1/26/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/30/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/26/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/22/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/8/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/18/2017	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-3R	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/23/2008	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-5	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/5/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/8/2014	16	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	5/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/18/2017	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-6	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/8/2014	11	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/7/2021	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-7	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/22/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/8/2014	8.5	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/8/2014	18	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/5/2016	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-9	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	5/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/12/2005	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	2/13/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	8/10/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/9/2014	30	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/9/2019	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-10N	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/13/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/2/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/15/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	4/5/2016	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-15	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/8/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/2/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/15/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	6/5/2015	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-19	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/20/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/14/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/3/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	2/5/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/9/2014	25	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/23/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/6/2020	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-1N	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/26/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/4/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/20/2005	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-2N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	5/1/2013	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-3N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/1/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	8/18/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	9/17/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/15/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	11/9/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/2/2002	2	2	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/15/2013	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-7N	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/9/2014	8.7	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	5/10/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/6/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/3/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/3/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	2/12/2015	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-8N	4/1/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	2/7/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/18/2018	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-1	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	11/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	8/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	2/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	8/7/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/16/2020	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-14D	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/1/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-3	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-3	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-3	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-3	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-3	3/21/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	10/3/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/13/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/21/2008	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-4	2/7/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	2/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/26/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/17/2018	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-5	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	2/4/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	8/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	2/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	8/6/2019	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	2/4/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	8/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	2/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	8/7/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/6/2023	10	10	ND	mg/L
Allyl chloride	LGW-10	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-10	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-10	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-2	7/8/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-5	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-6	10/6/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-7	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-7	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Allyl chloride	LGW-7	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-9	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-1N	7/6/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	7/8/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-21	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	10/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	7/7/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-3N	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	10/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-8N	10/6/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	10/6/2021	0.01	0.01	ND	mg/L
Alpha-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Alpha-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Alpha-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	2/13/2009	0.02	0.05	ND	ug/L
Alpha-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Alpha-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Alpha-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Alpha-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Alpha-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Alpha-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Alpha-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Alpha-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Alpha-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Alpha-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Alpha-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Alpha-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Ammonia (as n)	LGW-10	1/26/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-10	8/1/2006	0.13	0.1		mg/L
Ammonia (as n)	LGW-10	9/28/2006	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	10/26/2006	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	11/21/2006	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/25/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	2/27/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	3/27/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	4/26/2007	0.096	0.1	ND	mg/L
Ammonia (as n)	LGW-10	5/31/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	6/28/2007	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-10	7/12/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-10	8/28/2007	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	9/28/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	10/23/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	11/28/2007	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	12/28/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-10	1/23/2008	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-10	2/28/2008	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	5/29/2008	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	6/26/2008	0.57	0.1		mg/L
Ammonia (as n)	LGW-10	7/22/2008	0.6	0.1		mg/L
Ammonia (as n)	LGW-10	8/29/2008	0.51	0.1		mg/L
Ammonia (as n)	LGW-10	9/26/2008	0.71	0.1		mg/L
Ammonia (as n)	LGW-10	10/21/2008	0.79	0.1		mg/L
Ammonia (as n)	LGW-10	11/25/2008	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	12/19/2008	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	3/26/2009	0.42	0.1		mg/L
Ammonia (as n)	LGW-10	4/16/2009	0.37	0.1		mg/L
Ammonia (as n)	LGW-10	5/29/2009	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	6/24/2009	0.45	0.1		mg/L
Ammonia (as n)	LGW-10	7/29/2009	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	8/28/2009	0.35	0.1		mg/L
Ammonia (as n)	LGW-10	10/21/2009	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	12/17/2009	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2010	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2010	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	2/16/2010	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2010	0.3	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	4/8/2010	0.35	0.1		mg/L
Ammonia (as n)	LGW-10	5/6/2010	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	6/15/2010	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	7/16/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2010	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	9/1/2010	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	9/29/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	12/2/2010	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	1/19/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	2/7/2011	0.18	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	5/10/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2011	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	7/12/2011	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	8/3/2011	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	9/7/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	10/5/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	11/1/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	12/7/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	1/5/2012	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	2/1/2012	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	3/6/2012	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2012	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/1/2012	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	6/5/2012	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	8/9/2012	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-10	9/4/2012	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	10/7/2012	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	5/1/2013	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	6/4/2013	0.43	0.1		mg/L
Ammonia (as n)	LGW-10	8/8/2013	0.33	0.1		mg/L
Ammonia (as n)	LGW-10	9/10/2013	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	10/1/2013	0.11	0.1		mg/L
Ammonia (as n)	LGW-10	11/6/2013	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	12/2/2013	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	1/30/2014	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	2/13/2014	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	3/12/2014	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	4/2/2014	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2014	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2014	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2014	0.33	0.1		mg/L
Ammonia (as n)	LGW-10	8/5/2014	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2014	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	10/9/2014	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2014	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	1/14/2015	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	2/12/2015	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2015	0.11	0.1		mg/L
Ammonia (as n)	LGW-10	4/1/2015	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2015	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2015	0.44	0.1		mg/L
Ammonia (as n)	LGW-10	7/13/2015	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	8/5/2015	0.39	0.1		mg/L
Ammonia (as n)	LGW-10	9/3/2015	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2015	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	11/4/2015	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	12/3/2015	0.25	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	1/5/2016	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2016	0.31	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2016	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	4/6/2016	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/11/2016	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2016	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	7/21/2016	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2016	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	9/6/2016	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2016	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2016	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	11/2/2016	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/1/2016	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	1/11/2017	0.1	0.1		mg/L
Ammonia (as n)	LGW-10	2/7/2017	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2017	0.15	0.1		mg/L
Ammonia (as n)	LGW-10	4/4/2017	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	5/16/2017	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	6/6/2017	0.13	0.1		mg/L
Ammonia (as n)	LGW-10	7/19/2017	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	8/1/2017	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	9/5/2017	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	10/9/2017	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	11/1/2017	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	1/24/2018	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	2/23/2018	0.12	0.1		mg/L
Ammonia (as n)	LGW-10	3/21/2018	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	4/11/2018	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	4/11/2018	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	6/6/2018	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	7/16/2018	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	8/2/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2018	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	10/4/2018	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	10/4/2018	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	11/6/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	12/4/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	1/4/2019	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	2/6/2019	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	3/5/2019	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	4/3/2019	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	5/3/2019	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	6/4/2019	0.31	0.1		mg/L
Ammonia (as n)	LGW-10	7/11/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-10	7/11/2019	0.11	0.1		mg/L
Ammonia (as n)	LGW-10	8/7/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2019	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	10/2/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	10/2/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	11/5/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	12/3/2019	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	1/15/2020	0.315	0.1		mg/L
Ammonia (as n)	LGW-10	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-10	3/4/2020	0.209	0.1		mg/L
Ammonia (as n)	LGW-10	4/2/2020	0.284	0.1		mg/L
Ammonia (as n)	LGW-10	5/5/2020	0.333	0.1		mg/L
Ammonia (as n)	LGW-10	6/2/2020	0.324	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2020	0.248	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2020	0.243	0.1		mg/L
Ammonia (as n)	LGW-10	8/3/2020	0.256	0.1		mg/L
Ammonia (as n)	LGW-10	9/2/2020	0.143	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/3/2020	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	2/9/2021	0.143	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	4/6/2021	0.165	0.1		mg/L
Ammonia (as n)	LGW-10	5/5/2021	0.181	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2021	0.234	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.276	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.276	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.249	0.1		mg/L
Ammonia (as n)	LGW-10	8/4/2021	0.147	0.1		mg/L
Ammonia (as n)	LGW-10	9/2/2021	0.187	0.1		mg/L
Ammonia (as n)	LGW-10	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/9/2021	0.118	0.1		mg/L
Ammonia (as n)	LGW-10	1/13/2022	0.141	0.1		mg/L
Ammonia (as n)	LGW-10	2/10/2022	0.126	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	4/4/2022	0.164	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2022	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2022	0.286	0.1		mg/L
Ammonia (as n)	LGW-10	7/11/2022	0.406	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2022	0.185	0.1		mg/L
Ammonia (as n)	LGW-10	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	10/7/2022	0.106	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/11/2023	0.225	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2023	0.118	0.1		mg/L
Ammonia (as n)	LGW-10	3/1/2023	0.185	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2023	0.267	0.1		mg/L
Ammonia (as n)	LGW-14R	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-14R	8/2/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/28/2006	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/27/2006	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/21/2006	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/27/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/26/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/28/2007	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/29/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/27/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/23/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/27/2007	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/27/2007	0.081	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2008	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/28/2008	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/25/2008	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/3/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/30/2008	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/22/2008	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/29/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/26/2008	0.023	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	10/21/2008	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/25/2008	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/19/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-14R	2/6/2009	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/26/2009	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-14R	7/29/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/28/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/22/2009	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/18/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/7/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/6/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/16/2010	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/12/2010	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/10/2010	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/29/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/2/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/19/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/7/2011	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2011	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/10/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/1/2011	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/12/2011	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2011	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/7/2011	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/1/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/5/2012	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2012	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/5/2012	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2012	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/4/2012	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2013	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/2/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/20/2018	0.1	0.1		mg/L
Ammonia (as n)	LGW-14R	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/1/2018	1.2	0.1		mg/L
Ammonia (as n)	LGW-14R	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/4/2018	0.21	0.1		mg/L
Ammonia (as n)	LGW-14R	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/11/2022	0.181	0.1		mg/L
Ammonia (as n)	LGW-14R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-2	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/27/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/26/2006	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/21/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/25/2007	0.035	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	2/27/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/26/2007	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/28/2007	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/10/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/28/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/28/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/28/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/28/2007	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/26/2008	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/28/2008	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/24/2008	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/3/2008	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/26/2008	0.065	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/23/2008	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/29/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/21/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/19/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-2	2/13/2009	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/26/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/16/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-2	7/30/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/29/2009	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/30/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/22/2009	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/24/2009	0.12	0.1		mg/L
Ammonia (as n)	LGW-2	12/18/2009	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2010	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2010	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/17/2010	0.09	0.1		mg/L
Ammonia (as n)	LGW-2	3/4/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/8/2010	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/6/2010	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/12/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2010	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/1/2010	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/2/2010	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/7/2011	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/3/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2011	0.13	0.1		mg/L
Ammonia (as n)	LGW-2	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/13/2011	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/3/2011	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/7/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/1/2012	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	3/6/2012	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/5/2012	0.11	0.1		mg/L
Ammonia (as n)	LGW-2	7/9/2012	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/4/2012	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/7/2012	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/30/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/3/2014	0.31	0.1		mg/L
Ammonia (as n)	LGW-2	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2014	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/8/2015	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/11/2016	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/7/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/4/2017	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/16/2017	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/6/2017	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/18/2017	0.31	0.1		mg/L
Ammonia (as n)	LGW-2	8/1/2017	0.53	0.1		mg/L
Ammonia (as n)	LGW-2	9/5/2017	0.39	0.1		mg/L
Ammonia (as n)	LGW-2	10/6/2017	0.17	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	11/1/2017	0.25	0.1		mg/L
Ammonia (as n)	LGW-2	1/23/2018	0.16	0.1		mg/L
Ammonia (as n)	LGW-2	2/22/2018	0.12	0.1		mg/L
Ammonia (as n)	LGW-2	3/21/2018	0.25	0.1		mg/L
Ammonia (as n)	LGW-2	4/10/2018	0.11	0.1		mg/L
Ammonia (as n)	LGW-2	6/5/2018	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	7/12/2018	0.22	0.1		mg/L
Ammonia (as n)	LGW-2	8/1/2018	0.18	0.1		mg/L
Ammonia (as n)	LGW-2	9/4/2018	0.19	0.1		mg/L
Ammonia (as n)	LGW-2	10/2/2018	0.24	0.1		mg/L
Ammonia (as n)	LGW-2	11/6/2018	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	12/4/2018	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	1/3/2019	0.23	0.1		mg/L
Ammonia (as n)	LGW-2	2/5/2019	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	3/6/2019	0.35	0.1		mg/L
Ammonia (as n)	LGW-2	4/3/2019	0.4	0.1		mg/L
Ammonia (as n)	LGW-2	5/2/2019	0.33	0.1		mg/L
Ammonia (as n)	LGW-2	6/5/2019	0.4	0.1		mg/L
Ammonia (as n)	LGW-2	7/9/2019	0.5	0.1		mg/L
Ammonia (as n)	LGW-2	8/6/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-2	9/4/2019	0.28	0.1		mg/L
Ammonia (as n)	LGW-2	10/1/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-2	11/6/2019	0.58	0.1		mg/L
Ammonia (as n)	LGW-2	12/3/2019	0.51	0.1		mg/L
Ammonia (as n)	LGW-2	1/13/2020	0.586	0.1		mg/L
Ammonia (as n)	LGW-2	2/4/2020	0.425	1		mg/L
Ammonia (as n)	LGW-2	3/3/2020	0.373	0.1		mg/L
Ammonia (as n)	LGW-2	4/1/2020	0.395	0.1		mg/L
Ammonia (as n)	LGW-2	5/5/2020	0.551	0.1		mg/L
Ammonia (as n)	LGW-2	6/2/2020	0.38	0.1		mg/L
Ammonia (as n)	LGW-2	7/8/2020	0.286	0.1		mg/L
Ammonia (as n)	LGW-2	7/8/2020	0.226	0.1		mg/L
Ammonia (as n)	LGW-2	8/3/2020	0.407	0.1		mg/L
Ammonia (as n)	LGW-2	9/3/2020	0.186	0.1		mg/L
Ammonia (as n)	LGW-2	10/7/2020	0.422	0.1		mg/L
Ammonia (as n)	LGW-2	11/3/2020	0.321	0.1		mg/L
Ammonia (as n)	LGW-2	12/4/2020	0.35	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	2/10/2021	0.46	0.1		mg/L
Ammonia (as n)	LGW-2	3/2/2021	0.228	0.1		mg/L
Ammonia (as n)	LGW-2	4/7/2021	0.172	0.1		mg/L
Ammonia (as n)	LGW-2	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/4/2021	0.196	0.1		mg/L
Ammonia (as n)	LGW-2	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/8/2022	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-3R	7/20/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/26/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/21/2006	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/27/2007	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/26/2007	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/28/2007	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/11/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/24/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/28/2007	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/27/2007	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/26/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/27/2008	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/24/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/3/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/26/2008	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/23/2008	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/29/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/26/2008	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/22/2008	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/19/2008	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/26/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/16/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/28/2009	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/25/2009	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/31/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/29/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/30/2009	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/22/2009	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/24/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/18/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/17/2010	0.085	0.1		mg/L
Ammonia (as n)	LGW-3R	3/3/2010	0.037	0.1		mg/L
Ammonia (as n)	LGW-3R	4/8/2010	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/5/2010	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/16/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/11/2010	0.13	0.1		mg/L
Ammonia (as n)	LGW-3R	9/1/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2010	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/3/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/19/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/7/2011	0.054	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	3/3/2011	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/1/2011	0.15	0.1		mg/L
Ammonia (as n)	LGW-3R	7/13/2011	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2011	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/4/2012	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2012	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2012	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2012	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/8/2012	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2013	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2013	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/22/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/2/2014	0.18	0.1		mg/L
Ammonia (as n)	LGW-3R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/9/2014	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/16/2015	0.14	0.1		mg/L
Ammonia (as n)	LGW-3R	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/8/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/4/2016	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	3/3/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/1/2018	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/1/2019	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2022	0.121	0.1		mg/L
Ammonia (as n)	LGW-3R	7/10/2022	0.11	0.1		mg/L
Ammonia (as n)	LGW-3R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-4	7/20/2006	0.11	0.1		mg/L
Ammonia (as n)	LGW-4	9/26/2006	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/26/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/21/2006	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/25/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/27/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/26/2007	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/28/2007	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/11/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/28/2007	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/28/2007	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/27/2007	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/22/2008	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/27/2008	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/25/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/3/2008	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/23/2008	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/29/2008	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/22/2008	0.13	0.1		mg/L
Ammonia (as n)	LGW-4	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/19/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-4	2/3/2009	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/26/2009	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/16/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/28/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-4	7/31/2009	0.042	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	8/29/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/22/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/24/2009	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2010	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2010	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/17/2010	0.088	0.1		mg/L
Ammonia (as n)	LGW-4	3/3/2010	0.027	0.1		mg/L
Ammonia (as n)	LGW-4	4/8/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/5/2010	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/16/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/11/2010	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/1/2010	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2010	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/3/2010	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/7/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/3/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/10/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/1/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/13/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/7/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2011	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/1/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/7/2011	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/4/2012	0.1	0.1		mg/L
Ammonia (as n)	LGW-4	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2012	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2012	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/9/2012	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/7/2012	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/6/2013	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/2/2014	0.24	0.1		mg/L
Ammonia (as n)	LGW-4	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/1/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/2/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/4/2017	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/16/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/1/2019	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/6/2019	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2022	0.305	0.1		mg/L
Ammonia (as n)	LGW-4	7/11/2022	0.127	0.1		mg/L
Ammonia (as n)	LGW-4	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2006	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/27/2006	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/26/2006	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/21/2006	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/27/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/26/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/28/2007	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/28/2007	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/24/2007	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/28/2007	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/27/2007	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/28/2008	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/25/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/3/2008	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/26/2008	0.023	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	7/23/2008	0.095	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/21/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/25/2008	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/19/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-5	2/4/2009	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/26/2009	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/16/2009	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/29/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-5	7/29/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/28/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/21/2009	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/24/2009	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/17/2009	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/16/2010	0.088	0.1		mg/L
Ammonia (as n)	LGW-5	3/3/2010	0.063	0.1		mg/L
Ammonia (as n)	LGW-5	4/7/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/5/2010	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/10/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2010	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/2/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/7/2011	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/3/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/5/2011	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2011	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2011	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/7/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2011	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/1/2011	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/5/2012	0.16	0.1		mg/L
Ammonia (as n)	LGW-5	7/9/2012	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2012	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/4/2013	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/15/2013	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/12/2014	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/2/2014	0.74	0.1		mg/L
Ammonia (as n)	LGW-5	5/7/2014	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/8/2014	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/5/2014	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/6/2015	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2015	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/8/2015	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/4/2015	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2015	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2015	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2016	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/19/2016	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/2/2016	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/7/2017	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/4/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/16/2017	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/18/2017	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2017	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/4/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2022	0.14	0.1		mg/L
Ammonia (as n)	LGW-5	7/11/2022	0.185	0.1		mg/L
Ammonia (as n)	LGW-5	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/7/2022	0.172	0.1		mg/L
Ammonia (as n)	LGW-5	1/10/2023	0.1	0.1		mg/L
Ammonia (as n)	LGW-5	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/6/2023	0.162	0.1		mg/L
Ammonia (as n)	LGW-6	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-6	7/20/2006	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/27/2006	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/21/2006	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/26/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/31/2007	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	6/28/2007	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/28/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/27/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/23/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/27/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/27/2007	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2008	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/28/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/25/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/3/2008	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/23/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/29/2008	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/21/2008	0.082	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/25/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/19/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-6	2/5/2009	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/26/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-6	7/29/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/28/2009	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/29/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/22/2009	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/24/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/17/2009	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2010	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2010	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/16/2010	0.085	0.1		mg/L
Ammonia (as n)	LGW-6	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/7/2010	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2010	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/12/2010	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/10/2010	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/2/2010	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/19/2011	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/7/2011	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/3/2011	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2011	0.11	0.1		mg/L
Ammonia (as n)	LGW-6	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2011	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/12/2011	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2011	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/7/2011	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2011	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/1/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/5/2012	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2012	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/9/2012	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/2/2014	0.26	0.1		mg/L
Ammonia (as n)	LGW-6	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2016	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/2/2017	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	5/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/1/2017	0.081	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/5/2018	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/1/2018	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/7/2019	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/4/2019	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/10/2019	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/3/2019	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/5/2019	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-6	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/11/2022	0.143	0.1		mg/L
Ammonia (as n)	LGW-6	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-7	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/27/2006	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/26/2006	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/21/2006	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/27/2007	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/27/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/28/2007	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/29/2007	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/27/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/27/2007	0.087	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/25/2008	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/28/2008	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/25/2008	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/3/2008	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/26/2008	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/22/2008	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/21/2008	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/19/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-7	2/4/2009	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/26/2009	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/16/2009	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/28/2009	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-7	7/31/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/29/2009	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/30/2009	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/21/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/24/2009	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/17/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/27/2010	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/16/2010	0.15	0.1		mg/L
Ammonia (as n)	LGW-7	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/7/2010	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2010	0.039	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/10/2010	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/2/2010	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/20/2011	0.065	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/8/2011	0.2	0.1		mg/L
Ammonia (as n)	LGW-7	3/3/2011	0.065	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/5/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/10/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2011	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2011	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/7/2011	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2011	0.2	0.1		mg/L
Ammonia (as n)	LGW-7	11/1/2011	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/8/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/5/2012	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/5/2012	0.13	0.1		mg/L
Ammonia (as n)	LGW-7	7/10/2012	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/4/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-7	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/2/2014	0.38	0.1		mg/L
Ammonia (as n)	LGW-7	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/11/2015	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/1/2015	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/5/2016	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/18/2017	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/22/2018	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/2/2018	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/4/2018	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/4/2019	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/10/2019	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/3/2019	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-7	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2022	0.121	0.1		mg/L
Ammonia (as n)	LGW-7	7/11/2022	0.182	0.1		mg/L
Ammonia (as n)	LGW-7	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-8R	7/20/2006	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/26/2006	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/21/2006	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/27/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/26/2007	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/28/2007	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/12/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/29/2007	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/23/2007	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/28/2007	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/29/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/21/2008	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/25/2008	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/19/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-8R	2/4/2009	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/26/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/16/2009	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/28/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-8R	7/29/2009	0.043	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	8/28/2009	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/29/2009	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/21/2009	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/24/2009	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/17/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/27/2010	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/15/2010	0.093	0.1		mg/L
Ammonia (as n)	LGW-8R	3/3/2010	0.032	0.1		mg/L
Ammonia (as n)	LGW-8R	4/7/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/5/2010	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/14/2010	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/10/2010	0.08	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/2/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/2/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/20/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/7/2011	0.36	0.1		mg/L
Ammonia (as n)	LGW-8R	3/3/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2011	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/10/2011	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/12/2011	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2011	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/7/2011	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2011	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/1/2011	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/8/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/5/2012	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/5/2012	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/9/2012	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/4/2012	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/22/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/2/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-8R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/3/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/5/2019	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-8R	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/4/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	6/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/11/2022	0.145	0.1		mg/L
Ammonia (as n)	LGW-8R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/25/2006	0.13	0.05		mg/L
Ammonia (as n)	LGW-9	7/20/2006	0.23	0.1		mg/L
Ammonia (as n)	LGW-9	9/27/2006	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	10/26/2006	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	11/21/2006	0.24	0.1		mg/L
Ammonia (as n)	LGW-9	1/25/2007	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	2/27/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	3/26/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	4/25/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	5/31/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/28/2007	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	7/10/2007	0.087	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/28/2007	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	8/28/2007	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	9/28/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	10/23/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	11/28/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	12/27/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-9	1/25/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	2/28/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	3/25/2008	0.26	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	5/3/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	5/29/2008	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	6/26/2008	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/22/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	8/29/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	9/26/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	9/26/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	10/22/2008	0.26	0.1		mg/L
Ammonia (as n)	LGW-9	11/24/2008	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	12/19/2008	0.24	0.1		mg/L
Ammonia (as n)	LGW-9	2/4/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	3/26/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/15/2009	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/28/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/24/2009	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	7/29/2009	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/28/2009	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/29/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/22/2009	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	12/17/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/27/2010	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/15/2010	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2010	0.039	0.1		mg/L
Ammonia (as n)	LGW-9	4/8/2010	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/6/2010	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/16/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/14/2010	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/11/2010	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	9/1/2010	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/29/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2010	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/2/2010	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/20/2011	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	2/7/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2011	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	4/5/2011	0.41	0.1		mg/L
Ammonia (as n)	LGW-9	5/10/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/1/2011	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/12/2011	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	8/4/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-9	9/7/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	10/5/2011	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	11/1/2011	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	12/8/2011	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	1/5/2012	0.21	0.1		mg/L
Ammonia (as n)	LGW-9	2/1/2012	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	3/7/2012	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	4/5/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	5/1/2012	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	6/5/2012	0.22	0.1		mg/L
Ammonia (as n)	LGW-9	7/10/2012	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	8/9/2012	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/4/2012	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	10/7/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	5/1/2013	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	6/4/2013	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	7/15/2013	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	8/8/2013	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	9/10/2013	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	10/1/2013	0.26	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	11/6/2013	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	12/2/2013	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	1/23/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	2/13/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/11/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	4/2/2014	0.34	0.1		mg/L
Ammonia (as n)	LGW-9	5/7/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/3/2014	0.096	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/8/2014	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/5/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	9/4/2014	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	10/9/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	11/3/2014	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	1/14/2015	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	2/11/2015	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2015	0.22	0.1		mg/L
Ammonia (as n)	LGW-9	4/1/2015	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	5/7/2015	0.21	0.1		mg/L
Ammonia (as n)	LGW-9	6/3/2015	0.21	0.1		mg/L
Ammonia (as n)	LGW-9	7/13/2015	0.19	0.1		mg/L
Ammonia (as n)	LGW-9	8/4/2015	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	9/3/2015	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	10/6/2015	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	11/4/2015	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	12/3/2015	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	1/5/2016	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	2/3/2016	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2016	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/1/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/21/2016	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/2/2016	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/11/2017	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/7/2017	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2017	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/4/2017	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2017	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/16/2017	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/5/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/11/2018	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/2/2018	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/2/2018	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/2/2018	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/4/2018	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/6/2019	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/5/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/3/2019	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/3/2019	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/4/2019	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/10/2019	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/10/2019	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/8/2019	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/3/2019	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/3/2019	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/6/2019	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-9	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/11/2022	0.112	0.1		mg/L
Ammonia (as n)	LGW-9	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/5/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-10N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	4/28/1998	0.099	0.05		mg/L
Ammonia (as n)	MW-10N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	7/19/2006	0.15	0.1		mg/L
Ammonia (as n)	MW-10N	7/19/2006	0.15	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2007	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/10/2007	0.072	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/23/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/21/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	2/13/2009	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	7/31/2009	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/27/2010	0.24	0.1		mg/L
Ammonia (as n)	MW-10N	8/10/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	1/19/2011	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/14/2011	0.23	0.1		mg/L
Ammonia (as n)	MW-10N	1/5/2012	0.17	0.1		mg/L
Ammonia (as n)	MW-10N	7/10/2012	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	5/1/2013	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2014	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/9/2014	0.093	0.1	ND	mg/L
Ammonia (as n)	MW-10N	2/12/2015	0.092	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/14/2015	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/6/2016	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	7/21/2016	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	1/11/2017	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/19/2017	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2018	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/11/2018	0.067	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/3/2019	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/9/2019	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/11/2023	0.156	0.1		mg/L
Ammonia (as n)	MW-11N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	7/18/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/18/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/10/2007	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/22/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/23/2008	0.063	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/31/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2010	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2010	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/16/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/19/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/13/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/9/2012	0.054	0.1	ND	mg/L
Ammonia (as n)	MW-11N	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/10/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-11N	7/13/2015	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/21/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/13/2022	0.197	0.1		mg/L
Ammonia (as n)	MW-11N	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/15/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/4/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/20/2016	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/18/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/1/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/1/2017	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/5/2018	0.034	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-15	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/4/2019	0.14	0.1		mg/L
Ammonia (as n)	MW-15	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/1/2019	0.025	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/5/2019	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-15	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/16/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/3/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-16	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/8/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/4/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/1/2017	0.13	0.1		mg/L
Ammonia (as n)	MW-16	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/5/2018	0.12	0.1		mg/L
Ammonia (as n)	MW-16	1/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/4/2019	0.19	0.1		mg/L
Ammonia (as n)	MW-16	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/3/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-16	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-16	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/10/2022	0.15	0.1		mg/L
Ammonia (as n)	MW-16	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2015	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/15/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/6/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/18/2017	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-17	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/1/2017	0.045	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/3/2019	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2019	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/5/2019	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-17	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/5/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-19	7/16/2015	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/21/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2016	0.1	0.1		mg/L
Ammonia (as n)	MW-19	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/6/2017	0.31	0.1		mg/L
Ammonia (as n)	MW-19	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2017	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/7/2018	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/6/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/3/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/4/2019	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/5/2019	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/3/2019	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-19	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/6/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-19	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	10/14/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	1/18/2006	0.051	0.05		mg/L
Ammonia (as n)	MW-1N	7/18/2006	0.09	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/18/2006	0.09	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/26/2007	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/11/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/24/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/21/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-1N	2/5/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/31/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/26/2010	0.1	0.1		mg/L
Ammonia (as n)	MW-1N	7/13/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/20/2011	0.061	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/13/2011	0.13	0.1		mg/L
Ammonia (as n)	MW-1N	1/5/2012	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/10/2012	0.062	0.1	ND	mg/L
Ammonia (as n)	MW-1N	5/1/2013	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/11/2019	0.022	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/23/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/14/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	6/2/2015	3	5	ND	mg/L
Ammonia (as n)	MW-20	6/5/2015	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/12/2017	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/26/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	6/2/2015	2	2	ND	mg/L
Ammonia (as n)	MW-21	6/5/2015	0.37	0.1		mg/L
Ammonia (as n)	MW-21	7/14/2015	0.46	0.1		mg/L
Ammonia (as n)	MW-21	8/4/2015	0.46	0.1		mg/L
Ammonia (as n)	MW-21	9/2/2015	0.49	0.1		mg/L
Ammonia (as n)	MW-21	10/5/2015	0.43	0.1		mg/L
Ammonia (as n)	MW-21	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	4/5/2016	0.36	0.1		mg/L
Ammonia (as n)	MW-21	7/20/2016	0.36	0.1		mg/L
Ammonia (as n)	MW-21	10/5/2016	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-21	10/5/2016	0.1	0.1		mg/L
Ammonia (as n)	MW-21	1/10/2017	0.17	0.1		mg/L
Ammonia (as n)	MW-21	4/5/2017	0.27	0.1		mg/L
Ammonia (as n)	MW-21	7/19/2017	0.42	0.1		mg/L
Ammonia (as n)	MW-21	10/6/2017	0.34	0.1		mg/L
Ammonia (as n)	MW-21	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	4/11/2018	0.75	0.1		mg/L
Ammonia (as n)	MW-21	7/11/2018	0.38	0.1		mg/L
Ammonia (as n)	MW-21	10/4/2018	0.16	0.1		mg/L
Ammonia (as n)	MW-21	1/3/2019	0.6	0.1		mg/L
Ammonia (as n)	MW-21	4/3/2019	0.48	0.1		mg/L
Ammonia (as n)	MW-21	7/11/2019	0.38	0.1		mg/L
Ammonia (as n)	MW-21	10/2/2019	0.61	0.1		mg/L
Ammonia (as n)	MW-21	1/16/2020	0.416	0.1		mg/L
Ammonia (as n)	MW-21	7/8/2020	0.128	0.1		mg/L
Ammonia (as n)	MW-21	1/13/2021	0.376	0.1		mg/L
Ammonia (as n)	MW-21	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2006	0.051	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2006	0.051	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/11/2007	0.21	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-2N	1/24/2008	0.04	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/22/2008	0.068	0.1	ND	mg/L
Ammonia (as n)	MW-2N	2/4/2009	0.072	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/31/2009	0.048	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/26/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/13/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/20/2011	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/13/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/10/2012	0.055	0.1	ND	mg/L
Ammonia (as n)	MW-2N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	2/12/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/24/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	1/18/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/22/2008	0.076	0.1	ND	mg/L
Ammonia (as n)	MW-3N	2/4/2009	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/31/2009	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/26/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/13/2010	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/20/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/14/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2012	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-3N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	2/12/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/6/2016	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-3N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/9/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/3/2019	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	8/18/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	9/17/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	10/15/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	11/9/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	10/5/2004	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	7/19/2006	0.1	0.1		mg/L
Ammonia (as n)	MW-7N	9/28/2006	0.05	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/24/2006	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	11/21/2006	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	1/26/2007	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/27/2007	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/27/2007	0.093	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/25/2007	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/28/2007	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2007	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/29/2007	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	8/29/2007	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	9/28/2007	0.096	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/24/2007	0.063	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/27/2007	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	12/27/2007	0.089	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/25/2008	0.071	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/28/2008	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	3/24/2008	0.088	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/3/2008	0.19	0.1		mg/L
Ammonia (as n)	MW-7N	5/29/2008	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/26/2008	0.086	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/21/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	8/29/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	9/25/2008	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	10/21/2008	0.25	0.1		mg/L
Ammonia (as n)	MW-7N	11/24/2008	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	12/18/2008	0.22	0.1		mg/L
Ammonia (as n)	MW-7N	2/6/2009	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	3/25/2009	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	4/15/2009	0.17	0.1		mg/L
Ammonia (as n)	MW-7N	6/25/2009	0.2	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	7/29/2009	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	8/28/2009	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	9/29/2009	0.13	0.1		mg/L
Ammonia (as n)	MW-7N	10/21/2009	0.2	0.1		mg/L
Ammonia (as n)	MW-7N	11/24/2009	0.27	0.1		mg/L
Ammonia (as n)	MW-7N	12/17/2009	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	1/26/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	2/15/2010	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	3/3/2010	0.099	0.1		mg/L
Ammonia (as n)	MW-7N	4/8/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	5/6/2010	0.15	0.1		mg/L
Ammonia (as n)	MW-7N	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/14/2010	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	8/11/2010	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	9/2/2010	0.039	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/29/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2010	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/20/2011	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	2/7/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/3/2011	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	4/5/2011	0.073	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/10/2011	0.098	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2011	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	7/12/2011	0.097	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/4/2011	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	9/7/2011	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	10/5/2011	0.078	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/1/2011	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	12/8/2011	0.049	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/5/2012	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/7/2012	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/10/2012	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/5/2012	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2012	0.073	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/1/2013	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	6/4/2013	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	6/4/2013	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	7/15/2013	0.056	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/8/2013	0.053	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/30/2014	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/11/2014	0.036	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/2/2014	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/9/2014	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/14/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	2/12/2015	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/7/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/21/2016	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2016	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	11/2/2016	0.3	0.1		mg/L
Ammonia (as n)	MW-7N	12/1/2016	0.15	0.1		mg/L
Ammonia (as n)	MW-7N	1/11/2017	0.41	0.1		mg/L
Ammonia (as n)	MW-7N	2/7/2017	0.23	0.1		mg/L
Ammonia (as n)	MW-7N	3/2/2017	0.22	0.1		mg/L
Ammonia (as n)	MW-7N	4/4/2017	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	5/16/2017	0.057	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/6/2017	0.029	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/19/2017	0.25	0.1		mg/L
Ammonia (as n)	MW-7N	8/1/2017	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/5/2017	0.24	0.1		mg/L
Ammonia (as n)	MW-7N	10/5/2017	0.2	0.1		mg/L
Ammonia (as n)	MW-7N	11/1/2017	0.1	0.1		mg/L
Ammonia (as n)	MW-7N	1/25/2018	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	2/22/2018	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/20/2018	0.19	0.1		mg/L
Ammonia (as n)	MW-7N	4/11/2018	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	4/11/2018	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	6/5/2018	0.078	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/13/2018	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/1/2018	0.048	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/5/2018	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/4/2018	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/6/2018	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/4/2018	0.054	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/4/2019	0.055	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/5/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/4/2019	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2019	0.036	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/4/2020	0.1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2022	0.126	0.1		mg/L
Ammonia (as n)	MW-7N	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	1/19/2006	0.15	0.05		mg/L
Ammonia (as n)	MW-8N	7/19/2006	0.19	0.1		mg/L
Ammonia (as n)	MW-8N	7/19/2006	0.19	0.1		mg/L
Ammonia (as n)	MW-8N	1/26/2007	0.074	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/25/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/10/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/24/2007	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/24/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/23/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	MW-8N	2/4/2009	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/31/2009	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/26/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/19/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-8N	5/10/2011	0.06	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-8N	7/14/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/6/2012	0.061	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/5/2012	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/11/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/3/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/30/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	2/12/2015	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/5/2015	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/12/2022	0.804	0.1		mg/L
Ammonia (as n)	MW-8N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/24/2007	0.039	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/24/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/21/2008	0.061	0.1	ND	mg/L
Ammonia (as n)	NE-1	2/7/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/31/2009	0.038	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/14/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/19/2011	0.079	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/13/2011	0.079	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2012	0.052	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/23/2014	0.098	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/9/2014	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-1	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/18/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/5/2023	0.229	0.1		mg/L
Ammonia (as n)	NE-10D	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	3/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	4/6/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	10/9/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/12/2022	0.607	0.1		mg/L
Ammonia (as n)	NE-11	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	3/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	4/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	10/6/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	NE-12	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/13/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/12/2022	0.526	0.1		mg/L
Ammonia (as n)	NE-12	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	2/5/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-13	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	7/1/2021	1.23	0.1		mg/L
Ammonia (as n)	NE-13	7/1/2021	0.999	0.1		mg/L
Ammonia (as n)	NE-13	7/1/2021	1.23	0.1		mg/L
Ammonia (as n)	NE-14D	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/13/2022	0.351	0.1		mg/L
Ammonia (as n)	NE-14D	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/13/2022	0.31	0.1		mg/L
Ammonia (as n)	NE-14S	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	9/30/2019	0.13	0.1		mg/L
Ammonia (as n)	NE-15D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/13/2022	0.317	0.1		mg/L
Ammonia (as n)	NE-15D	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/1/2013	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/5/2015	0.022	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/5/2017	0.04	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	4/10/2018	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/2/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/13/2022	0.234	0.1		mg/L
Ammonia (as n)	NE-2	1/5/2023	0.141	0.1		mg/L
Ammonia (as n)	NE-3	3/21/2018	0.049	0.1	ND	mg/L
Ammonia (as n)	NE-4	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/12/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/24/2008	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/21/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	2/7/2009	0.04	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-4	7/31/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/14/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/19/2011	0.052	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/13/2011	0.066	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/10/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	2/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/26/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/13/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/5/2023	0.166	0.1		mg/L
Ammonia (as n)	NE-5	7/19/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/19/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/24/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/12/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/22/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	NE-5	2/6/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/31/2009	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/16/2010	0.088	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/19/2011	0.093	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/13/2011	0.091	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/5/2012	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/10/2012	0.069	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	2/11/2015	0.022	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/14/2015	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/6/2016	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/20/2016	0.026	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/19/2017	0.077	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/25/2018	0.043	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/17/2018	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	10/3/2018	0.14	0.1		mg/L
Ammonia (as n)	NE-5	1/4/2019	0.061	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/2/2019	0.06	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/2/2019	0.06	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-5	7/9/2019	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2019	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2019	0.024	0.1	ND	mg/L
Ammonia (as n)	NE-5	10/3/2019	0.056	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/13/2022	0.195	0.1		mg/L
Ammonia (as n)	NE-5	1/5/2023	0.127	0.1		mg/L
Ammonia (as n)	NE-5E	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/13/2022	0.213	0.1		mg/L
Ammonia (as n)	NE-5E	1/5/2023	0.114	0.1		mg/L
Ammonia (as n)	NE-5W	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/13/2022	0.25	0.1		mg/L
Ammonia (as n)	NE-5W	1/5/2023	0.1	0.1		mg/L
Ammonia (as n)	NE-6	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	2/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	8/6/2019	0.025	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/12/2022	0.982	0.1		mg/L
Ammonia (as n)	NE-6	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	10/2/2019	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/12/2022	0.773	0.1		mg/L
Ammonia (as n)	NE-6D	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	3/1/2017	0.028	0.1	ND	mg/L
Ammonia (as n)	NE-7	4/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/20/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-7	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	2/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/16/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-7	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/12/2022	0.714	0.1		mg/L
Ammonia (as n)	NE-7	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/20/2017	0.35	0.1		mg/L
Ammonia (as n)	NE-8	10/6/2017	0.33	0.1		mg/L
Ammonia (as n)	NE-8	2/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	8/5/2019	0.13	0.1		mg/L
Ammonia (as n)	NE-8	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/13/2022	0.155	0.1		mg/L
Ammonia (as n)	NE-9	1/6/2023	0.1	0.1	ND	mg/L
Anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Anthracene	LGW-2	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-3R	2/3/2009	2.8	10	ND	ug/L
Anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-7	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-9	7/7/2021	10	10	ND	ug/L
Anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	MW-11N	2/10/2015	10	10	ND	ug/L
Anthracene	MW-11N	7/17/2018	10	10	ND	ug/L
Anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Anthracene	MW-20	7/4/2021	10	10	ND	ug/L
Anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Anthracene	MW-21	7/11/2019	10	10	ND	ug/L
Anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-7N	2/6/2009	2.5	10	ND	ug/L
Anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-8N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Anthracene	NE-4	10/25/2006	10	10	ND	ug/L
Anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Anthracene	NE-4	7/12/2018	10	10	ND	ug/L
Anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Antimony, dissolved	LGW-14R	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-2	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-4	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-5	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-6	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-7	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-8R	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	MW-10N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	MW-10N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-11N	7/10/2000	6	6	ND	ug/L
Antimony, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-11N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-1N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-1N	7/12/2000	6	6	ND	ug/L
Antimony, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-1N	10/3/2002	2	2	ND	ug/L
Antimony, dissolved	MW-2N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	MW-2N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-3N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-3N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-7N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-7N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-7N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-8N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-8N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, dissolved	MW-8N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	NE-1	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	NE-2	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-3	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	NE-3	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-3	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-3	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	NE-4	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	10/3/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	NE-5	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	10/2/2002	2	2	ND	ug/L
Antimony, total	LGW-10	1/26/2006	6	6	ND	ug/L
Antimony, total	LGW-10	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-10	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-10	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-10	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-10	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-10	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-10	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-10	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-10	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-10	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-10	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-10	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-10	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-10	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-10	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-10	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-10	5/1/2013	2	2	ND	ug/L
Antimony, total	LGW-10	1/30/2014	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2014	2	2	ND	ug/L
Antimony, total	LGW-10	2/12/2015	2	2	ND	ug/L
Antimony, total	LGW-10	7/13/2015	2	2	ND	ug/L
Antimony, total	LGW-10	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-10	4/6/2016	2	2	ND	ug/L
Antimony, total	LGW-10	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-10	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-10	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-10	4/4/2017	2	2	ND	ug/L
Antimony, total	LGW-10	7/19/2017	2	2	ND	ug/L
Antimony, total	LGW-10	10/9/2017	2	2	ND	ug/L
Antimony, total	LGW-10	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-10	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-10	7/16/2018	2	2	ND	ug/L
Antimony, total	LGW-10	10/4/2018	2	2	ND	ug/L
Antimony, total	LGW-10	1/4/2019	2	2	ND	ug/L
Antimony, total	LGW-10	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-10	7/11/2019	4	4	ND	ug/L
Antimony, total	LGW-10	10/2/2019	0.45	2	ND	ug/L
Antimony, total	LGW-10	1/15/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-10	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-10	10/7/2020	2	2	ND	ug/L
Antimony, total	LGW-10	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-10	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-10	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-10	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-10	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-10	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-10	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-10	10/7/2022	2	2	ND	ug/L
Antimony, total	LGW-10	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-10	4/5/2023	2	2	ND	ug/L
Antimony, total	LGW-14R	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-14R	8/2/2006	0.2	2	ND	ug/L
Antimony, total	LGW-14R	8/2/2006	0.2	2	ND	ug/L
Antimony, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Antimony, total	LGW-14R	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-14R	4/24/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/11/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	1/23/2008	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-14R	2/6/2009	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-14R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-14R	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-14R	1/5/2012	0.6	2	ND	ug/L
Antimony, total	LGW-14R	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-14R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-14R	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-14R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-14R	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-14R	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-14R	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-14R	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-14R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-14R	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-14R	1/25/2018	2	2	ND	ug/L
Antimony, total	LGW-14R	7/17/2018	2	2	ND	ug/L
Antimony, total	LGW-14R	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-14R	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-14R	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-14R	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-14R	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-14R	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-14R	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-14R	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-14R	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-2	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-2	8/1/2006	0.4	2	ND	ug/L
Antimony, total	LGW-2	8/1/2006	0.4	2	ND	ug/L
Antimony, total	LGW-2	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-2	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-2	1/25/2007	0.2	2	ND	ug/L
Antimony, total	LGW-2	4/26/2007	0.1	2	ND	ug/L
Antimony, total	LGW-2	7/10/2007	0.3	2	ND	ug/L
Antimony, total	LGW-2	1/26/2008	0.4	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-2	7/23/2008	0.6	2	ND	ug/L
Antimony, total	LGW-2	2/6/2009	0.5	2	ND	ug/L
Antimony, total	LGW-2	7/30/2009	0.5	2	ND	ug/L
Antimony, total	LGW-2	2/3/2010	0.3	2	ND	ug/L
Antimony, total	LGW-2	2/3/2010	0.3	2	ND	ug/L
Antimony, total	LGW-2	7/12/2010	0.4	2	ND	ug/L
Antimony, total	LGW-2	1/19/2011	0.5	2	ND	ug/L
Antimony, total	LGW-2	7/13/2011	0.1	2	ND	ug/L
Antimony, total	LGW-2	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-2	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-2	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-2	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-2	1/30/2014	1	2	ND	ug/L
Antimony, total	LGW-2	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-2	2/13/2015	0.8	2	ND	ug/L
Antimony, total	LGW-2	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-2	1/5/2016	0.4	2	ND	ug/L
Antimony, total	LGW-2	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-2	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-2	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-2	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-2	7/12/2018	2	2	ND	ug/L
Antimony, total	LGW-2	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-2	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-2	1/13/2020	2	2	ND	ug/L
Antimony, total	LGW-2	4/1/2020	2	2	ND	ug/L
Antimony, total	LGW-2	7/8/2020	2	2	ND	ug/L
Antimony, total	LGW-2	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-2	7/4/2021	2	2	ND	ug/L
Antimony, total	LGW-2	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-2	7/10/2022	2	2	ND	ug/L
Antimony, total	LGW-2	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-3R	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-3R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-3R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-3R	1/8/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	1/26/2008	2	2	ND	ug/L
Antimony, total	LGW-3R	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2009	2	2	ND	ug/L
Antimony, total	LGW-3R	7/31/2009	0.1	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-3R	7/13/2011	2	2	ND	ug/L
Antimony, total	LGW-3R	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-3R	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-3R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-3R	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-3R	1/22/2014	2	2	ND	ug/L
Antimony, total	LGW-3R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-3R	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-3R	7/16/2015	2	2	ND	ug/L
Antimony, total	LGW-3R	1/8/2016	2	2	ND	ug/L
Antimony, total	LGW-3R	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-3R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-3R	7/18/2017	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-3R	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-3R	7/11/2018	2	2	ND	ug/L
Antimony, total	LGW-3R	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-3R	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-3R	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-3R	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-3R	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-3R	7/6/2021	2	2	ND	ug/L
Antimony, total	LGW-3R	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-3R	7/10/2022	2	2	ND	ug/L
Antimony, total	LGW-3R	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-4	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-4	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-4	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-4	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-4	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-4	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-4	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-4	1/22/2008	2	2	ND	ug/L
Antimony, total	LGW-4	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2009	2	2	ND	ug/L
Antimony, total	LGW-4	7/31/2009	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-4	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-4	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-4	7/13/2011	2	2	ND	ug/L
Antimony, total	LGW-4	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-4	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-4	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-4	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-4	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-4	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-4	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-4	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-4	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-4	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-4	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-4	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-4	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2018	2	2	ND	ug/L
Antimony, total	LGW-4	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-4	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-4	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-4	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-4	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-4	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-4	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-4	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-5	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-5	8/1/2006	0.1	2	ND	ug/L
Antimony, total	LGW-5	8/1/2006	0.1	2	ND	ug/L
Antimony, total	LGW-5	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-5	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-5	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-5	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-5	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-5	7/23/2008	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-5	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-5	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-5	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-5	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2010	0.2	2	ND	ug/L
Antimony, total	LGW-5	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-5	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-5	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-5	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-5	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-5	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-5	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-5	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-5	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-5	7/19/2016	0.4	2	ND	ug/L
Antimony, total	LGW-5	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-5	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2018	2	2	ND	ug/L
Antimony, total	LGW-5	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-5	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-5	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-5	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-5	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-5	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-5	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-5	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-5	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-5	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-5	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-5	10/6/2022	2	2	ND	ug/L
Antimony, total	LGW-5	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-6	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-6	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-6	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-6	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-6	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-6	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-6	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-6	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-6	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-6	2/5/2009	2	2	ND	ug/L
Antimony, total	LGW-6	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-6	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-6	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-6	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-6	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-6	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-6	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-6	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-6	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-6	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-6	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-6	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-6	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-6	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-6	7/19/2016	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-6	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-6	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-6	5/5/2017	2	2	ND	ug/L
Antimony, total	LGW-6	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-6	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-6	4/10/2018	2	2	ND	ug/L
Antimony, total	LGW-6	7/17/2018	2	2	ND	ug/L
Antimony, total	LGW-6	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-6	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-6	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-6	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-6	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-6	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-6	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-6	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-6	10/6/2020	2	2	ND	ug/L
Antimony, total	LGW-6	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-6	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-6	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-6	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-6	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-6	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-6	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-6	10/6/2022	2	2	ND	ug/L
Antimony, total	LGW-6	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-6	4/6/2023	2	2	ND	ug/L
Antimony, total	LGW-7	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-7	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-7	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-7	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-7	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-7	1/24/2007	0.2	2	ND	ug/L
Antimony, total	LGW-7	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-7	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-7	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-7	7/31/2009	2	2	ND	ug/L
Antimony, total	LGW-7	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-7	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-7	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-7	7/10/2012	2	2	ND	ug/L
Antimony, total	LGW-7	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-7	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-7	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-7	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-7	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-7	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-7	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-7	4/6/2016	2	2	ND	ug/L
Antimony, total	LGW-7	7/20/2016	2	2	ND	ug/L
Antimony, total	LGW-7	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-7	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-7	4/4/2017	2	2	ND	ug/L
Antimony, total	LGW-7	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-7	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-7	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-7	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2018	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-7	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-7	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-7	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-7	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-7	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-7	1/15/2020	2	2	ND	ug/L
Antimony, total	LGW-7	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-7	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-7	7/7/2021	6.56	2		ug/L
Antimony, total	LGW-7	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-7	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-7	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-7	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-8R	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-8R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-8R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-8R	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	4/25/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-8R	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-8R	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-8R	7/14/2010	2	2	ND	ug/L
Antimony, total	LGW-8R	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-8R	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-8R	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-8R	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-8R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-8R	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-8R	1/22/2014	2	2	ND	ug/L
Antimony, total	LGW-8R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-8R	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-8R	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-8R	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-8R	7/20/2016	2	2	ND	ug/L
Antimony, total	LGW-8R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-8R	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-8R	1/25/2018	2	2	ND	ug/L
Antimony, total	LGW-8R	7/13/2018	2	2	ND	ug/L
Antimony, total	LGW-8R	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-8R	7/8/2019	4	4	ND	ug/L
Antimony, total	LGW-8R	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-8R	7/7/2020	2	2	ND	ug/L
Antimony, total	LGW-8R	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-8R	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-8R	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-8R	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-8R	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-9	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-9	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-9	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-9	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-9	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-9	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-9	4/25/2007	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2007	2	2	ND	ug/L
Antimony, total	LGW-9	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-9	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-9	7/29/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-9	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-9	7/14/2010	2	2	ND	ug/L
Antimony, total	LGW-9	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-9	7/12/2011	0.1	2	ND	ug/L
Antimony, total	LGW-9	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2012	2	2	ND	ug/L
Antimony, total	LGW-9	5/1/2013	2	2	ND	ug/L
Antimony, total	LGW-9	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-9	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-9	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-9	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-9	7/13/2015	2	2	ND	ug/L
Antimony, total	LGW-9	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-9	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-9	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-9	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-9	5/5/2017	2	2	ND	ug/L
Antimony, total	LGW-9	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-9	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-9	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-9	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-9	7/13/2018	2	2	ND	ug/L
Antimony, total	LGW-9	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-9	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-9	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-9	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-9	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-9	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-9	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-9	10/7/2020	2	2	ND	ug/L
Antimony, total	LGW-9	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-9	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-9	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-9	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-9	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-9	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-9	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-9	10/7/2022	2	2	ND	ug/L
Antimony, total	LGW-9	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-9	4/5/2023	2	2	ND	ug/L
Antimony, total	MW-10N	10/22/1997	15	6		ug/L
Antimony, total	MW-10N	1/22/1998	6	6	ND	ug/L
Antimony, total	MW-10N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-10N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-10N	1/14/1999	6	6	ND	ug/L
Antimony, total	MW-10N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-10N	7/15/1999	6	6	ND	ug/L
Antimony, total	MW-10N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-10N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-10N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-10N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-10N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-10N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-10N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-10N	7/10/2002	10	10	ND	ug/L
Antimony, total	MW-10N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-10N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-10N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-10N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-10N	1/28/2004	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-10N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-10N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-10N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-10N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-10N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-10N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-10N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-10N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2007	0.4	2	ND	ug/L
Antimony, total	MW-10N	7/10/2007	2	2	ND	ug/L
Antimony, total	MW-10N	1/23/2008	2	2	ND	ug/L
Antimony, total	MW-10N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-10N	2/13/2009	0.1	2	ND	ug/L
Antimony, total	MW-10N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-10N	1/27/2010	0.2	2	ND	ug/L
Antimony, total	MW-10N	8/10/2010	0.1	2	ND	ug/L
Antimony, total	MW-10N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-10N	7/14/2011	2	2	ND	ug/L
Antimony, total	MW-10N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-10N	7/10/2012	2	2	ND	ug/L
Antimony, total	MW-10N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-10N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-10N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-10N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-10N	1/6/2016	2	2	ND	ug/L
Antimony, total	MW-10N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-10N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-10N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-10N	7/11/2018	2	2	ND	ug/L
Antimony, total	MW-10N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-10N	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-10N	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-10N	7/8/2020	2	2	ND	ug/L
Antimony, total	MW-10N	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-10N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-10N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-11N	10/22/1997	50	6		ug/L
Antimony, total	MW-11N	1/21/1998	32	6		ug/L
Antimony, total	MW-11N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-11N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-11N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-11N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-11N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/2000	6	6	ND	ug/L
Antimony, total	MW-11N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-11N	7/10/2000	6	6	ND	ug/L
Antimony, total	MW-11N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-11N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-11N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-11N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-11N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-11N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-11N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-11N	1/29/2004	6	6	ND	ug/L
Antimony, total	MW-11N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/2005	6	6	ND	ug/L
Antimony, total	MW-11N	7/20/2005	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-11N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-11N	7/18/2006	2	2	ND	ug/L
Antimony, total	MW-11N	7/18/2006	2	2	ND	ug/L
Antimony, total	MW-11N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-11N	1/9/2007	0.6	2	ND	ug/L
Antimony, total	MW-11N	1/24/2007	1.1	2	ND	ug/L
Antimony, total	MW-11N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-11N	1/22/2008	0.1	2	ND	ug/L
Antimony, total	MW-11N	7/23/2008	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2009	0.1	2	ND	ug/L
Antimony, total	MW-11N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2010	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2010	2	2	ND	ug/L
Antimony, total	MW-11N	7/16/2010	2	2	ND	ug/L
Antimony, total	MW-11N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-11N	7/13/2011	2	2	ND	ug/L
Antimony, total	MW-11N	1/4/2012	2	2	ND	ug/L
Antimony, total	MW-11N	7/9/2012	2	2	ND	ug/L
Antimony, total	MW-11N	4/30/2013	2	2	ND	ug/L
Antimony, total	MW-11N	7/15/2013	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2014	2	2	ND	ug/L
Antimony, total	MW-11N	7/8/2014	2	2	ND	ug/L
Antimony, total	MW-11N	2/10/2015	0.6	2	ND	ug/L
Antimony, total	MW-11N	7/13/2015	1.3	2	ND	ug/L
Antimony, total	MW-11N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-11N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-11N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-11N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-11N	7/17/2018	0.43	2	ND	ug/L
Antimony, total	MW-11N	1/2/2019	2	2	ND	ug/L
Antimony, total	MW-11N	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-11N	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-11N	7/6/2020	2	2	ND	ug/L
Antimony, total	MW-11N	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-11N	7/6/2021	2	2	ND	ug/L
Antimony, total	MW-11N	1/18/2022	2	2	ND	ug/L
Antimony, total	MW-11N	7/13/2022	2	2	ND	ug/L
Antimony, total	MW-11N	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-15	6/5/2015	0.4	2	ND	ug/L
Antimony, total	MW-15	7/15/2015	2	2	ND	ug/L
Antimony, total	MW-15	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-15	9/3/2015	1.2	2	ND	ug/L
Antimony, total	MW-15	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-15	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-15	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-15	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-15	1/10/2017	0.9	2	ND	ug/L
Antimony, total	MW-15	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-15	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-15	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-15	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-15	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-15	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-15	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-15	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-15	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-15	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-15	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-15	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-16	6/5/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-16	7/16/2015	2	2	ND	ug/L
Antimony, total	MW-16	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-16	9/3/2015	0.7	2	ND	ug/L
Antimony, total	MW-16	1/8/2016	2	2	ND	ug/L
Antimony, total	MW-16	4/5/2016	0.6	2	ND	ug/L
Antimony, total	MW-16	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-16	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-16	1/10/2017	0.7	2	ND	ug/L
Antimony, total	MW-16	7/18/2017	0.5	2	ND	ug/L
Antimony, total	MW-16	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-16	7/11/2018	2	2	ND	ug/L
Antimony, total	MW-16	1/2/2019	2	2	ND	ug/L
Antimony, total	MW-16	7/10/2019	4	4	ND	ug/L
Antimony, total	MW-16	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-16	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-16	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-16	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-16	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-16	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-16	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-17	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-17	7/15/2015	2	2	ND	ug/L
Antimony, total	MW-17	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-17	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-17	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-17	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-17	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-17	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-17	1/10/2017	0.4	2	ND	ug/L
Antimony, total	MW-17	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-17	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-17	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-17	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-17	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-17	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-17	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-17	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-17	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-17	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-19	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-19	7/16/2015	2	2	ND	ug/L
Antimony, total	MW-19	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-19	9/3/2015	2	2	ND	ug/L
Antimony, total	MW-19	1/7/2016	0.9	2	ND	ug/L
Antimony, total	MW-19	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-19	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-19	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-19	1/10/2017	2	2	ND	ug/L
Antimony, total	MW-19	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-19	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-19	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-19	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-19	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-19	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-19	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-19	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-19	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-19	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-1N	10/22/1997	6	6	ND	ug/L
Antimony, total	MW-1N	1/20/1998	6	6	ND	ug/L
Antimony, total	MW-1N	4/28/1998	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-1N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-1N	10/14/1998	6	6	ND	ug/L
Antimony, total	MW-1N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-1N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-1N	7/15/1999	6	6	ND	ug/L
Antimony, total	MW-1N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-1N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-1N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-1N	7/12/2000	6	6	ND	ug/L
Antimony, total	MW-1N	10/18/2000	6	6	ND	ug/L
Antimony, total	MW-1N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-1N	4/12/2001	6	6	ND	ug/L
Antimony, total	MW-1N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-1N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-1N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-1N	10/3/2002	2	2	ND	ug/L
Antimony, total	MW-1N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-1N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-1N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-1N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-1N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-1N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-1N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-1N	1/18/2006	6	6	ND	ug/L
Antimony, total	MW-1N	7/18/2006	0.3	2	ND	ug/L
Antimony, total	MW-1N	7/18/2006	0.3	2	ND	ug/L
Antimony, total	MW-1N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-1N	1/9/2007	2	2	ND	ug/L
Antimony, total	MW-1N	1/26/2007	0.2	2	ND	ug/L
Antimony, total	MW-1N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-1N	1/24/2008	0.2	2	ND	ug/L
Antimony, total	MW-1N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-1N	2/5/2009	0.8	2	ND	ug/L
Antimony, total	MW-1N	7/31/2009	0.4	2	ND	ug/L
Antimony, total	MW-1N	1/26/2010	0.7	2	ND	ug/L
Antimony, total	MW-1N	7/13/2010	0.5	2	ND	ug/L
Antimony, total	MW-1N	1/20/2011	1	2	ND	ug/L
Antimony, total	MW-1N	7/13/2011	0.1	2	ND	ug/L
Antimony, total	MW-1N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-1N	7/10/2012	0.5	2	ND	ug/L
Antimony, total	MW-1N	5/1/2013	0.8	2	ND	ug/L
Antimony, total	MW-1N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-1N	1/24/2014	0.9	2	ND	ug/L
Antimony, total	MW-1N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-1N	2/10/2015	2	2	ND	ug/L
Antimony, total	MW-1N	7/14/2015	1	2	ND	ug/L
Antimony, total	MW-1N	1/6/2016	3.7	2		ug/L
Antimony, total	MW-1N	7/21/2016	0.8	2	ND	ug/L
Antimony, total	MW-1N	1/12/2017	0.4	2	ND	ug/L
Antimony, total	MW-1N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-1N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-1N	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-1N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-1N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-1N	1/23/2020	3.92	2		ug/L
Antimony, total	MW-1N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-1N	7/6/2020	2	2	ND	ug/L
Antimony, total	MW-1N	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-1N	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-1N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-20	6/5/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-20	7/14/2015	0.5	2	ND	ug/L
Antimony, total	MW-20	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-20	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-20	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-20	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-20	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-20	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-20	1/12/2017	2	2	ND	ug/L
Antimony, total	MW-20	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-20	1/26/2018	2	2	ND	ug/L
Antimony, total	MW-20	7/12/2018	2	2	ND	ug/L
Antimony, total	MW-20	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-20	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-20	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-20	1/17/2021	2	2	ND	ug/L
Antimony, total	MW-20	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-20	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-21	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-21	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-21	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-21	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-21	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-21	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-21	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	1/10/2017	2	2	ND	ug/L
Antimony, total	MW-21	4/5/2017	2	2	ND	ug/L
Antimony, total	MW-21	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-21	10/6/2017	2	2	ND	ug/L
Antimony, total	MW-21	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-21	4/11/2018	2	2	ND	ug/L
Antimony, total	MW-21	7/11/2018	2	2	ND	ug/L
Antimony, total	MW-21	10/4/2018	2	2	ND	ug/L
Antimony, total	MW-21	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-21	4/3/2019	0.43	2	ND	ug/L
Antimony, total	MW-21	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-21	10/2/2019	2	2	ND	ug/L
Antimony, total	MW-21	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-21	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-21	7/8/2020	2	2	ND	ug/L
Antimony, total	MW-21	10/7/2020	2	2	ND	ug/L
Antimony, total	MW-21	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-21	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-21	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-21	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-21	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-21	4/8/2023	2	2	ND	ug/L
Antimony, total	MW-2N	10/22/1997	6	6	ND	ug/L
Antimony, total	MW-2N	1/21/1998	6	6	ND	ug/L
Antimony, total	MW-2N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-2N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-2N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-2N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-2N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-2N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-2N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-2N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-2N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-2N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-2N	4/11/2001	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-2N	7/10/2002	10	10	ND	ug/L
Antimony, total	MW-2N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-2N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-2N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-2N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-2N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-2N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-2N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-2N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-2N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-2N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-2N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-2N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-2N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-2N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-2N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-2N	7/22/2008	2	2	ND	ug/L
Antimony, total	MW-2N	2/4/2009	2	2	ND	ug/L
Antimony, total	MW-2N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-2N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-2N	7/13/2010	2	2	ND	ug/L
Antimony, total	MW-2N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-2N	7/13/2011	2	2	ND	ug/L
Antimony, total	MW-2N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-2N	7/10/2012	2	2	ND	ug/L
Antimony, total	MW-2N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-2N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-2N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-2N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-2N	2/12/2015	0.4	2	ND	ug/L
Antimony, total	MW-2N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-2N	1/6/2016	0.4	2	ND	ug/L
Antimony, total	MW-2N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-2N	1/11/2017	0.5	2	ND	ug/L
Antimony, total	MW-2N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-2N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-2N	7/12/2018	2	2	ND	ug/L
Antimony, total	MW-2N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-2N	8/7/2019	4	4	ND	ug/L
Antimony, total	MW-2N	1/23/2020	2	2	ND	ug/L
Antimony, total	MW-2N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-2N	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-2N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-2N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-3N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-3N	1/21/1998	6	6	ND	ug/L
Antimony, total	MW-3N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-3N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-3N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-3N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-3N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-3N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-3N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-3N	4/24/2000	6	6	ND	ug/L
Antimony, total	MW-3N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-3N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-3N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-3N	4/11/2001	6	6	ND	ug/L
Antimony, total	MW-3N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-3N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-3N	7/9/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-3N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-3N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-3N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-3N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-3N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-3N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-3N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-3N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-3N	1/18/2006	6	6	ND	ug/L
Antimony, total	MW-3N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-3N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-3N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-3N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-3N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-3N	7/22/2008	2	2	ND	ug/L
Antimony, total	MW-3N	2/4/2009	2	2	ND	ug/L
Antimony, total	MW-3N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-3N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-3N	7/13/2010	2	2	ND	ug/L
Antimony, total	MW-3N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-3N	7/14/2011	0.1	2	ND	ug/L
Antimony, total	MW-3N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2012	2	2	ND	ug/L
Antimony, total	MW-3N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-3N	6/4/2013	2	2	ND	ug/L
Antimony, total	MW-3N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-3N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-3N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-3N	4/1/2015	0.6	2	ND	ug/L
Antimony, total	MW-3N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-3N	10/5/2015	2	2	ND	ug/L
Antimony, total	MW-3N	1/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	4/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	7/21/2016	1.1	2	ND	ug/L
Antimony, total	MW-3N	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	1/11/2017	0.8	2	ND	ug/L
Antimony, total	MW-3N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-3N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-3N	10/9/2017	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-3N	4/10/2018	2	2	ND	ug/L
Antimony, total	MW-3N	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-3N	10/3/2018	2	2	ND	ug/L
Antimony, total	MW-3N	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-3N	4/3/2019	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-3N	10/2/2019	2	2	ND	ug/L
Antimony, total	MW-3N	1/15/2020	2	2	ND	ug/L
Antimony, total	MW-3N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-3N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-3N	10/7/2020	2	2	ND	ug/L
Antimony, total	MW-3N	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-3N	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-3N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-3N	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-3N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-7N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-7N	1/21/1998	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-7N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-7N	8/18/1998	6	6	ND	ug/L
Antimony, total	MW-7N	9/17/1998	6	6	ND	ug/L
Antimony, total	MW-7N	10/15/1998	6	6	ND	ug/L
Antimony, total	MW-7N	11/9/1998	6	6	ND	ug/L
Antimony, total	MW-7N	1/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	4/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-7N	1/13/2000	6	6	ND	ug/L
Antimony, total	MW-7N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-7N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-7N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-7N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-7N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-7N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-7N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-7N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-7N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-7N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-7N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-7N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-7N	1/27/2004	6	6	ND	ug/L
Antimony, total	MW-7N	4/8/2004	6	6	ND	ug/L
Antimony, total	MW-7N	7/26/2004	6	6	ND	ug/L
Antimony, total	MW-7N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-7N	7/19/2005	6	6	ND	ug/L
Antimony, total	MW-7N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-7N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-7N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-7N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-7N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-7N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-7N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-7N	2/6/2009	2	2	ND	ug/L
Antimony, total	MW-7N	7/29/2009	2	2	ND	ug/L
Antimony, total	MW-7N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-7N	7/14/2010	2	2	ND	ug/L
Antimony, total	MW-7N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-7N	7/12/2011	0.1	2	ND	ug/L
Antimony, total	MW-7N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2012	2	2	ND	ug/L
Antimony, total	MW-7N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-7N	6/4/2013	2	2	ND	ug/L
Antimony, total	MW-7N	7/15/2013	2	2	ND	ug/L
Antimony, total	MW-7N	1/30/2014	0.8	2	ND	ug/L
Antimony, total	MW-7N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-7N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-7N	7/13/2015	2	2	ND	ug/L
Antimony, total	MW-7N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-7N	7/21/2016	0.9	2	ND	ug/L
Antimony, total	MW-7N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-7N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-7N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-7N	10/5/2017	2	2	ND	ug/L
Antimony, total	MW-7N	1/25/2018	2	2	ND	ug/L
Antimony, total	MW-7N	4/11/2018	2	2	ND	ug/L
Antimony, total	MW-7N	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-7N	1/4/2019	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2019	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-7N	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-7N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-7N	1/16/2021	2	2	ND	ug/L
Antimony, total	MW-7N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-7N	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-7N	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-8N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-8N	1/22/1998	6	6	ND	ug/L
Antimony, total	MW-8N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-8N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-8N	1/12/1999	6	6	ND	ug/L
Antimony, total	MW-8N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-8N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-8N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-8N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-8N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-8N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-8N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-8N	4/11/2001	6	6	ND	ug/L
Antimony, total	MW-8N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-8N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-8N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-8N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-8N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-8N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-8N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-8N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-8N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-8N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-8N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-8N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-8N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-8N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-8N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-8N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-8N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-8N	4/25/2007	2	2	ND	ug/L
Antimony, total	MW-8N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-8N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-8N	7/23/2008	2	2	ND	ug/L
Antimony, total	MW-8N	2/4/2009	0.1	2	ND	ug/L
Antimony, total	MW-8N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-8N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2010	2	2	ND	ug/L
Antimony, total	MW-8N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-8N	5/10/2011	2	2	ND	ug/L
Antimony, total	MW-8N	7/14/2011	2	2	ND	ug/L
Antimony, total	MW-8N	1/6/2012	2	2	ND	ug/L
Antimony, total	MW-8N	4/5/2012	2	2	ND	ug/L
Antimony, total	MW-8N	7/11/2012	2	2	ND	ug/L
Antimony, total	MW-8N	10/3/2012	2	2	ND	ug/L
Antimony, total	MW-8N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-8N	6/4/2013	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2013	0.6	2	ND	ug/L
Antimony, total	MW-8N	10/2/2013	2	2	ND	ug/L
Antimony, total	MW-8N	1/30/2014	2	2	ND	ug/L
Antimony, total	MW-8N	4/3/2014	2	2	ND	ug/L
Antimony, total	MW-8N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-8N	10/8/2014	2	2	ND	ug/L
Antimony, total	MW-8N	2/12/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-8N	4/1/2015	2	2	ND	ug/L
Antimony, total	MW-8N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-8N	10/5/2015	2	2	ND	ug/L
Antimony, total	MW-8N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-8N	4/6/2016	0.6	2	ND	ug/L
Antimony, total	MW-8N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-8N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-8N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-8N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2017	2	2	ND	ug/L
Antimony, total	MW-8N	1/25/2018	2	2	ND	ug/L
Antimony, total	MW-8N	4/10/2018	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2018	2	2	ND	ug/L
Antimony, total	MW-8N	10/2/2018	2	2	ND	ug/L
Antimony, total	MW-8N	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-8N	4/3/2019	2	2	ND	ug/L
Antimony, total	MW-8N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-8N	10/3/2019	2	2	ND	ug/L
Antimony, total	MW-8N	1/15/2020	2	2	ND	ug/L
Antimony, total	MW-8N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-8N	7/9/2020	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2020	2	2	ND	ug/L
Antimony, total	MW-8N	1/15/2021	2	2	ND	ug/L
Antimony, total	MW-8N	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-8N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-8N	1/18/2022	2	2	ND	ug/L
Antimony, total	MW-8N	4/4/2022	2	2	ND	ug/L
Antimony, total	MW-8N	7/12/2022	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2022	2	2	ND	ug/L
Antimony, total	MW-8N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-8N	4/8/2023	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2002	10	10	ND	ug/L
Antimony, total	NE-1	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-1	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-1	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-1	1/27/2004	6	6	ND	ug/L
Antimony, total	NE-1	1/12/2005	6	6	ND	ug/L
Antimony, total	NE-1	7/19/2006	2	2	ND	ug/L
Antimony, total	NE-1	7/19/2006	2	2	ND	ug/L
Antimony, total	NE-1	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-1	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2007	2	2	ND	ug/L
Antimony, total	NE-1	1/24/2008	2	2	ND	ug/L
Antimony, total	NE-1	7/21/2008	2	2	ND	ug/L
Antimony, total	NE-1	2/7/2009	0.1	2	ND	ug/L
Antimony, total	NE-1	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-1	1/26/2010	0.2	2	ND	ug/L
Antimony, total	NE-1	7/14/2010	0.1	2	ND	ug/L
Antimony, total	NE-1	1/19/2011	0.1	2	ND	ug/L
Antimony, total	NE-1	7/13/2011	2	2	ND	ug/L
Antimony, total	NE-1	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-1	4/30/2013	2	2	ND	ug/L
Antimony, total	NE-1	7/16/2013	2	2	ND	ug/L
Antimony, total	NE-1	1/23/2014	2	2	ND	ug/L
Antimony, total	NE-1	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-1	2/11/2015	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-1	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-1	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-1	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-1	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-1	1/24/2018	2	2	ND	ug/L
Antimony, total	NE-1	4/11/2018	2	2	ND	ug/L
Antimony, total	NE-1	7/18/2018	2	2	ND	ug/L
Antimony, total	NE-1	10/2/2018	2	2	ND	ug/L
Antimony, total	NE-1	1/4/2019	2	2	ND	ug/L
Antimony, total	NE-1	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2019	4	4	ND	ug/L
Antimony, total	NE-1	7/10/2019	4	4	ND	ug/L
Antimony, total	NE-1	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-1	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-1	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-1	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-1	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-1	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-1	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-1	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-1	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-1	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-1	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-1	10/6/2022	2	2	ND	ug/L
Antimony, total	NE-1	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-1	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-10D	11/6/2019	2	2	ND	ug/L
Antimony, total	NE-10D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-10D	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-10D	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-10D	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-10D	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-10D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-10D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-10D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-10D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-10D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-11	3/1/2017	2	2	ND	ug/L
Antimony, total	NE-11	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-11	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-11	10/9/2017	0.5	2	ND	ug/L
Antimony, total	NE-11	9/30/2019	0.75	2	ND	ug/L
Antimony, total	NE-11	1/14/2020	2	2	ND	ug/L
Antimony, total	NE-11	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-11	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-11	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-11	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-11	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-11	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-11	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-11	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-12	3/1/2017	0.7	2	ND	ug/L
Antimony, total	NE-12	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-12	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-12	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-12	8/5/2019	4	4	ND	ug/L
Antimony, total	NE-12	1/13/2020	2	2	ND	ug/L
Antimony, total	NE-12	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-12	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-12	1/15/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-12	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-12	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-12	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-12	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-12	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-13	2/5/2019	2	2	ND	ug/L
Antimony, total	NE-13	8/7/2019	4	4	ND	ug/L
Antimony, total	NE-13	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-13	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-13	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-13	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-13	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-14D	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-14D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-14D	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-14D	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-14D	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-14D	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-14D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-14D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-14D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-14D	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-14D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-14D	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-14D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-14D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-14D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-14S	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-14S	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-14S	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-14S	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-14S	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-14S	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-14S	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-14S	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-14S	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-14S	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-14S	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-14S	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-14S	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-14S	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-14S	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-15D	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-15D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-15D	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-15D	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-15D	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-15D	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-15D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-15D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-15D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-15D	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-15D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-15D	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-15D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-15D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-15D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-15S	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-2	7/9/2002	10	10	ND	ug/L
Antimony, total	NE-2	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-2	9/4/2002	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-2	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-2	10/1/2013	2	2	ND	ug/L
Antimony, total	NE-2	10/8/2014	2	2	ND	ug/L
Antimony, total	NE-2	10/5/2015	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2016	0.9	2	ND	ug/L
Antimony, total	NE-2	10/5/2017	0.7	2	ND	ug/L
Antimony, total	NE-2	1/25/2018	2	2	ND	ug/L
Antimony, total	NE-2	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-2	7/10/2018	2	2	ND	ug/L
Antimony, total	NE-2	10/1/2018	2	2	ND	ug/L
Antimony, total	NE-2	1/4/2019	2	2	ND	ug/L
Antimony, total	NE-2	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-2	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-2	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-2	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-2	1/14/2020	2	2	ND	ug/L
Antimony, total	NE-2	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-2	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-2	1/14/2021	2	2	ND	ug/L
Antimony, total	NE-2	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-2	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-2	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-2	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-2	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-2	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-2	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-2	4/5/2023	2	2	ND	ug/L
Antimony, total	NE-3	7/9/2002	10	10	ND	ug/L
Antimony, total	NE-3	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-3	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-3	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-3	3/21/2018	2	2	ND	ug/L
Antimony, total	NE-4	7/10/2002	10	10	ND	ug/L
Antimony, total	NE-4	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-4	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-4	10/3/2002	2	2	ND	ug/L
Antimony, total	NE-4	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-4	1/28/2004	6	6	ND	ug/L
Antimony, total	NE-4	1/13/2005	6	6	ND	ug/L
Antimony, total	NE-4	8/1/2006	0.2	2	ND	ug/L
Antimony, total	NE-4	8/1/2006	0.2	2	ND	ug/L
Antimony, total	NE-4	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-4	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-4	7/12/2007	0.1	2	ND	ug/L
Antimony, total	NE-4	1/24/2008	0.2	2	ND	ug/L
Antimony, total	NE-4	7/21/2008	2	2	ND	ug/L
Antimony, total	NE-4	2/7/2009	0.1	2	ND	ug/L
Antimony, total	NE-4	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-4	1/26/2010	0.2	2	ND	ug/L
Antimony, total	NE-4	7/14/2010	0.2	2	ND	ug/L
Antimony, total	NE-4	1/19/2011	0.1	2	ND	ug/L
Antimony, total	NE-4	7/13/2011	2	2	ND	ug/L
Antimony, total	NE-4	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-4	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-4	4/30/2013	1	2	ND	ug/L
Antimony, total	NE-4	7/16/2013	0.5	2	ND	ug/L
Antimony, total	NE-4	1/23/2014	1	2	ND	ug/L
Antimony, total	NE-4	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-4	2/13/2015	0.4	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-4	7/8/2015	0.8	2	ND	ug/L
Antimony, total	NE-4	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-4	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-4	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-4	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-4	1/26/2018	2	2	ND	ug/L
Antimony, total	NE-4	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-4	7/12/2018	2	2	ND	ug/L
Antimony, total	NE-4	10/3/2018	2	2	ND	ug/L
Antimony, total	NE-4	1/7/2019	2	2	ND	ug/L
Antimony, total	NE-4	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-4	7/8/2019	4	4	ND	ug/L
Antimony, total	NE-4	7/8/2019	4	4	ND	ug/L
Antimony, total	NE-4	10/1/2019	2	2	ND	ug/L
Antimony, total	NE-4	1/13/2020	2	2	ND	ug/L
Antimony, total	NE-4	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-4	7/6/2020	2	2	ND	ug/L
Antimony, total	NE-4	10/5/2020	2	2	ND	ug/L
Antimony, total	NE-4	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-4	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-4	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-4	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-4	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-4	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-5	7/9/2002	10	10	ND	ug/L
Antimony, total	NE-5	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-5	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-5	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-5	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-5	1/27/2004	6	6	ND	ug/L
Antimony, total	NE-5	1/12/2005	6	6	ND	ug/L
Antimony, total	NE-5	7/19/2006	0.4	2	ND	ug/L
Antimony, total	NE-5	7/19/2006	0.4	2	ND	ug/L
Antimony, total	NE-5	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-5	1/10/2007	2	2	ND	ug/L
Antimony, total	NE-5	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-5	7/12/2007	2	2	ND	ug/L
Antimony, total	NE-5	7/22/2008	2	2	ND	ug/L
Antimony, total	NE-5	2/6/2009	0.5	2	ND	ug/L
Antimony, total	NE-5	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-5	1/26/2010	0.1	2	ND	ug/L
Antimony, total	NE-5	7/16/2010	0.3	2	ND	ug/L
Antimony, total	NE-5	1/19/2011	2	2	ND	ug/L
Antimony, total	NE-5	7/13/2011	0.1	2	ND	ug/L
Antimony, total	NE-5	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-5	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-5	4/30/2013	0.8	2	ND	ug/L
Antimony, total	NE-5	7/16/2013	2	2	ND	ug/L
Antimony, total	NE-5	1/23/2014	0.5	2	ND	ug/L
Antimony, total	NE-5	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-5	2/11/2015	2	2	ND	ug/L
Antimony, total	NE-5	7/14/2015	0.4	2	ND	ug/L
Antimony, total	NE-5	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-5	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-5	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-5	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-5	1/25/2018	2	2	ND	ug/L
Antimony, total	NE-5	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-5	7/17/2018	0.81	2	ND	ug/L
Antimony, total	NE-5	10/3/2018	2	2	ND	ug/L
Antimony, total	NE-5	1/4/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-5	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-5	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-5	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-5	10/3/2019	2	2	ND	ug/L
Antimony, total	NE-5	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-5	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-5	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-5E	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-5E	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5E	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-5E	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5E	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5E	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5E	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-5E	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5E	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5E	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5E	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5E	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5E	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5E	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5E	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-5W	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-5W	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5W	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-5W	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5W	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5W	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5W	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-5W	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5W	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5W	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5W	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5W	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5W	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5W	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5W	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-6	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-6	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-6	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-6	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-6	2/4/2019	2	2	ND	ug/L
Antimony, total	NE-6	8/6/2019	4	4	ND	ug/L
Antimony, total	NE-6	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-6	7/9/2020	2	2	ND	ug/L
Antimony, total	NE-6	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-6	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-6	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-6	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-6	1/17/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-6	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-6	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-6D	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-6D	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-6D	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-6D	7/9/2020	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-6D	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-6D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-6D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-6D	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-6D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-6D	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-6D	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-6D	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-7	3/1/2017	2	2	ND	ug/L
Antimony, total	NE-7	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-7	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-7	10/5/2017	2	2	ND	ug/L
Antimony, total	NE-7	2/6/2019	2	2	ND	ug/L
Antimony, total	NE-7	8/6/2019	4	4	ND	ug/L
Antimony, total	NE-7	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-7	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-7	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-7	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-7	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-7	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-7	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-7	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-7	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-8	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-8	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-8	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-8	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-8	2/4/2019	2	2	ND	ug/L
Antimony, total	NE-8	8/5/2019	4	4	ND	ug/L
Antimony, total	NE-8	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-8	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-8	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-8	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-8	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-8	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-8	7/1/2021	2	2	ND	ug/L
Antimony, total	NE-8	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-8	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-9	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-9	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-9	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-9	10/5/2017	0.5	2	ND	ug/L
Antimony, total	NE-9	2/5/2019	0.6	2	ND	ug/L
Antimony, total	NE-9	8/7/2019	4	4	ND	ug/L
Antimony, total	NE-9	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-9	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-9	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-9	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-9	7/13/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-9	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-9	4/8/2023	2	2	ND	ug/L
Arsenic, dissolved	LGW-14R	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-2	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-4	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-5	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-6	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-7	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-8R	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	MW-10N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-10N	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-10N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-11N	7/10/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-11N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-11N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-1N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-1N	7/12/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-1N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-1N	10/3/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-2N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-2N	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-2N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-3N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-3N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-3N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-7N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-7N	7/11/2000	25	20		ug/L
Arsenic, dissolved	MW-7N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-7N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-8N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-8N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-8N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-8N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-3	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-3	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-3	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-3	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	10/3/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	10/2/2002	40	40	ND	ug/L
Arsenic, total	LGW-10	1/26/2006	20	20	ND	ug/L
Arsenic, total	LGW-10	8/1/2006	2.1	5	ND	ug/L
Arsenic, total	LGW-10	8/1/2006	2.1	5	ND	ug/L
Arsenic, total	LGW-10	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-10	1/9/2007	2.9	5	ND	ug/L
Arsenic, total	LGW-10	1/25/2007	1.6	5	ND	ug/L
Arsenic, total	LGW-10	4/26/2007	1.9	5	ND	ug/L
Arsenic, total	LGW-10	7/12/2007	2.1	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-10	1/23/2008	1.6	5	ND	ug/L
Arsenic, total	LGW-10	7/22/2008	2.5	5	ND	ug/L
Arsenic, total	LGW-10	7/29/2009	1.6	5	ND	ug/L
Arsenic, total	LGW-10	2/3/2010	1.8	5	ND	ug/L
Arsenic, total	LGW-10	2/3/2010	1.8	5	ND	ug/L
Arsenic, total	LGW-10	7/16/2010	0.9	5	ND	ug/L
Arsenic, total	LGW-10	1/19/2011	1	5	ND	ug/L
Arsenic, total	LGW-10	7/12/2011	0.9	5	ND	ug/L
Arsenic, total	LGW-10	1/5/2012	2	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2012	2.2	5	ND	ug/L
Arsenic, total	LGW-10	5/1/2013	4.2	5	ND	ug/L
Arsenic, total	LGW-10	1/30/2014	2.8	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2014	2.8	5	ND	ug/L
Arsenic, total	LGW-10	2/12/2015	5.2	5		ug/L
Arsenic, total	LGW-10	7/13/2015	1.9	5	ND	ug/L
Arsenic, total	LGW-10	1/5/2016	2.2	5	ND	ug/L
Arsenic, total	LGW-10	4/6/2016	2	5	ND	ug/L
Arsenic, total	LGW-10	7/21/2016	1.3	5	ND	ug/L
Arsenic, total	LGW-10	10/6/2016	2.1	5	ND	ug/L
Arsenic, total	LGW-10	1/11/2017	2	5	ND	ug/L
Arsenic, total	LGW-10	4/4/2017	0.8	5	ND	ug/L
Arsenic, total	LGW-10	7/19/2017	2.8	5	ND	ug/L
Arsenic, total	LGW-10	10/9/2017	2.9	5	ND	ug/L
Arsenic, total	LGW-10	1/24/2018	0.79	5	ND	ug/L
Arsenic, total	LGW-10	4/11/2018	1.9	5	ND	ug/L
Arsenic, total	LGW-10	7/16/2018	1.6	5	ND	ug/L
Arsenic, total	LGW-10	10/4/2018	0.91	5	ND	ug/L
Arsenic, total	LGW-10	1/4/2019	1.3	5	ND	ug/L
Arsenic, total	LGW-10	4/3/2019	1.2	5	ND	ug/L
Arsenic, total	LGW-10	7/11/2019	1.3	10	ND	ug/L
Arsenic, total	LGW-10	10/2/2019	1.1	5	ND	ug/L
Arsenic, total	LGW-10	1/15/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	4/2/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	10/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	10/7/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-10	4/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-14R	8/2/2006	4.5	5	ND	ug/L
Arsenic, total	LGW-14R	8/2/2006	4.5	5	ND	ug/L
Arsenic, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Arsenic, total	LGW-14R	1/9/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-14R	1/24/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	4/24/2007	1.8	5	ND	ug/L
Arsenic, total	LGW-14R	7/11/2007	5.9	5		ug/L
Arsenic, total	LGW-14R	1/23/2008	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-14R	2/6/2009	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	7/29/2009	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/12/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/19/2011	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/12/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-14R	1/5/2012	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-14R	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/5/2016	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/25/2018	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/17/2018	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/10/2019	10	10	ND	ug/L
Arsenic, total	LGW-14R	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-2	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-2	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-2	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-2	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-2	1/9/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	1/25/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	4/26/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-2	7/10/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	1/26/2008	1	5	ND	ug/L
Arsenic, total	LGW-2	7/23/2008	0.5	5	ND	ug/L
Arsenic, total	LGW-2	2/6/2009	1	5	ND	ug/L
Arsenic, total	LGW-2	7/30/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-2	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	1/19/2011	0.6	5	ND	ug/L
Arsenic, total	LGW-2	7/13/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-2	1/4/2012	0.5	5	ND	ug/L
Arsenic, total	LGW-2	7/9/2012	0.3	5	ND	ug/L
Arsenic, total	LGW-2	4/30/2013	0.5	5	ND	ug/L
Arsenic, total	LGW-2	7/15/2013	0.3	5	ND	ug/L
Arsenic, total	LGW-2	1/30/2014	0.5	5	ND	ug/L
Arsenic, total	LGW-2	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-2	2/13/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-2	7/8/2015	5	5	ND	ug/L
Arsenic, total	LGW-2	1/5/2016	0.3	5	ND	ug/L
Arsenic, total	LGW-2	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-2	1/11/2017	0.8	5	ND	ug/L
Arsenic, total	LGW-2	7/18/2017	8.5	5		ug/L
Arsenic, total	LGW-2	1/23/2018	7.3	5		ug/L
Arsenic, total	LGW-2	6/21/2018	6.6	5		ug/L
Arsenic, total	LGW-2	7/12/2018	10	5		ug/L
Arsenic, total	LGW-2	1/3/2019	10	5		ug/L
Arsenic, total	LGW-2	7/9/2019	9	10	ND	ug/L
Arsenic, total	LGW-2	1/13/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	4/1/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	7/8/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-2	7/4/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-2	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-2	7/10/2022	5	5	ND	ug/L
Arsenic, total	LGW-2	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-3R	7/20/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-3R	7/20/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-3R	1/8/2007	1.2	5	ND	ug/L
Arsenic, total	LGW-3R	1/25/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-3R	4/26/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-3R	7/11/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-3R	1/26/2008	1.2	5	ND	ug/L
Arsenic, total	LGW-3R	7/23/2008	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	7/31/2009	1.4	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2010	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2010	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	7/16/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-3R	1/19/2011	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/13/2011	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	1/4/2012	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-3R	4/30/2013	0.8	5	ND	ug/L
Arsenic, total	LGW-3R	7/15/2013	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	1/22/2014	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-3R	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	7/16/2015	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/8/2016	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/21/2016	1.3	5	ND	ug/L
Arsenic, total	LGW-3R	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-3R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-3R	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/10/2022	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-4	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-4	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-4	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-4	1/9/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-4	1/25/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-4	4/26/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-4	1/22/2008	0.8	5	ND	ug/L
Arsenic, total	LGW-4	7/23/2008	0.5	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/31/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-4	7/16/2010	0.5	5	ND	ug/L
Arsenic, total	LGW-4	1/19/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-4	7/13/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-4	1/4/2012	0.4	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-4	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-4	4/30/2013	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-4	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-4	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-4	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-4	7/8/2015	5	5	ND	ug/L
Arsenic, total	LGW-4	1/5/2016	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-4	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-4	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-4	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-4	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-4	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-4	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-4	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-4	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-4	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-4	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-4	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-5	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-5	8/1/2006	3.6	5	ND	ug/L
Arsenic, total	LGW-5	8/1/2006	3.6	5	ND	ug/L
Arsenic, total	LGW-5	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-5	1/9/2007	3.5	5	ND	ug/L
Arsenic, total	LGW-5	1/25/2007	1.2	5	ND	ug/L
Arsenic, total	LGW-5	4/26/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-5	7/11/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2008	1	5	ND	ug/L
Arsenic, total	LGW-5	7/23/2008	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/4/2009	0.6	5	ND	ug/L
Arsenic, total	LGW-5	7/29/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/19/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/5/2012	0.5	5	ND	ug/L
Arsenic, total	LGW-5	7/9/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-5	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-5	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/8/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/8/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/5/2016	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-5	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-5	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2018	5	5	ND	ug/L
Arsenic, total	LGW-5	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-5	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-5	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-5	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-5	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	10/5/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-5	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	10/6/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-6	7/20/2006	0.3	5	ND	ug/L
Arsenic, total	LGW-6	7/20/2006	0.3	5	ND	ug/L
Arsenic, total	LGW-6	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-6	1/9/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-6	1/24/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-6	4/26/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/11/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2008	0.8	5	ND	ug/L
Arsenic, total	LGW-6	7/23/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/5/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-6	7/29/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-6	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-6	1/19/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/12/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-6	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-6	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-6	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-6	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-6	2/10/2015	5	5	ND	ug/L
Arsenic, total	LGW-6	7/22/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-6	1/5/2016	0.5	5	ND	ug/L
Arsenic, total	LGW-6	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2016	5	5	ND	ug/L
Arsenic, total	LGW-6	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-6	5/5/2017	5	5	ND	ug/L
Arsenic, total	LGW-6	7/18/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-6	10/5/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	4/10/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	7/17/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	10/2/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	4/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	7/10/2019	10	10	ND	ug/L
Arsenic, total	LGW-6	10/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	4/2/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	4/6/2023	5	5	ND	ug/L
Arsenic, total	LGW-7	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-7	8/1/2006	0.6	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-7	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-7	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-7	1/9/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-7	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-7	4/26/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-7	2/4/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/31/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/27/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/20/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-7	7/10/2012	0.3	5	ND	ug/L
Arsenic, total	LGW-7	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-7	7/15/2013	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-7	7/8/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-7	2/11/2015	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-7	1/5/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	4/6/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	7/20/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	10/6/2016	0.7	5	ND	ug/L
Arsenic, total	LGW-7	1/11/2017	0.6	5	ND	ug/L
Arsenic, total	LGW-7	4/4/2017	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/18/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-7	10/5/2017	0.7	5	ND	ug/L
Arsenic, total	LGW-7	1/24/2018	0.76	5	ND	ug/L
Arsenic, total	LGW-7	4/11/2018	0.63	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2018	0.58	5	ND	ug/L
Arsenic, total	LGW-7	10/2/2018	0.43	5	ND	ug/L
Arsenic, total	LGW-7	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-7	4/3/2019	0.51	5	ND	ug/L
Arsenic, total	LGW-7	7/10/2019	0.65	10	ND	ug/L
Arsenic, total	LGW-7	10/3/2019	0.44	5	ND	ug/L
Arsenic, total	LGW-7	1/15/2020	5	5	ND	ug/L
Arsenic, total	LGW-7	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-7	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-7	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-7	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-8R	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-8R	1/9/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-8R	4/25/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/12/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-8R	2/4/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/29/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	1/27/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	7/14/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	1/20/2011	0.2	5	ND	ug/L
Arsenic, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/5/2012	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/9/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-8R	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/22/2014	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-8R	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/5/2016	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/20/2016	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/25/2018	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/8/2019	10	10	ND	ug/L
Arsenic, total	LGW-8R	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-9	7/20/2006	1.9	5	ND	ug/L
Arsenic, total	LGW-9	7/20/2006	1.9	5	ND	ug/L
Arsenic, total	LGW-9	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-9	1/9/2007	2.6	5	ND	ug/L
Arsenic, total	LGW-9	1/25/2007	2.5	5	ND	ug/L
Arsenic, total	LGW-9	4/25/2007	2.5	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2007	2.1	5	ND	ug/L
Arsenic, total	LGW-9	7/22/2008	2.2	5	ND	ug/L
Arsenic, total	LGW-9	2/4/2009	1.8	5	ND	ug/L
Arsenic, total	LGW-9	7/29/2009	0.7	5	ND	ug/L
Arsenic, total	LGW-9	1/27/2010	0.8	5	ND	ug/L
Arsenic, total	LGW-9	7/14/2010	0.9	5	ND	ug/L
Arsenic, total	LGW-9	1/20/2011	1.1	5	ND	ug/L
Arsenic, total	LGW-9	7/12/2011	1.5	5	ND	ug/L
Arsenic, total	LGW-9	1/5/2012	1.8	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2012	3	5	ND	ug/L
Arsenic, total	LGW-9	5/1/2013	2.9	5	ND	ug/L
Arsenic, total	LGW-9	7/15/2013	3.1	5	ND	ug/L
Arsenic, total	LGW-9	1/23/2014	2.6	5	ND	ug/L
Arsenic, total	LGW-9	7/8/2014	2.3	5	ND	ug/L
Arsenic, total	LGW-9	2/11/2015	1.9	5	ND	ug/L
Arsenic, total	LGW-9	7/13/2015	2.6	5	ND	ug/L
Arsenic, total	LGW-9	1/5/2016	2.3	5	ND	ug/L
Arsenic, total	LGW-9	7/21/2016	5	5	ND	ug/L
Arsenic, total	LGW-9	10/6/2016	5	5	ND	ug/L
Arsenic, total	LGW-9	1/11/2017	1.7	5	ND	ug/L
Arsenic, total	LGW-9	5/5/2017	5	5	ND	ug/L
Arsenic, total	LGW-9	7/18/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-9	10/5/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-9	1/24/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	4/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	7/13/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	10/2/2018	0.38	5	ND	ug/L
Arsenic, total	LGW-9	1/7/2019	1	5	ND	ug/L
Arsenic, total	LGW-9	4/3/2019	0.85	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2019	0.98	10	ND	ug/L
Arsenic, total	LGW-9	10/3/2019	0.8	5	ND	ug/L
Arsenic, total	LGW-9	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-9	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	10/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	10/7/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	4/5/2023	5	5	ND	ug/L
Arsenic, total	MW-10N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-10N	1/22/1998	20	20	ND	ug/L
Arsenic, total	MW-10N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-10N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-10N	1/14/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	7/15/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-10N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-10N	7/10/2002	40	40	ND	ug/L
Arsenic, total	MW-10N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-10N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-10N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-10N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-10N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-10N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-10N	7/19/2006	1.1	5	ND	ug/L
Arsenic, total	MW-10N	7/19/2006	1.1	5	ND	ug/L
Arsenic, total	MW-10N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-10N	1/10/2007	1.3	5	ND	ug/L
Arsenic, total	MW-10N	1/24/2007	1.6	5	ND	ug/L
Arsenic, total	MW-10N	7/10/2007	1	5	ND	ug/L
Arsenic, total	MW-10N	1/23/2008	0.6	5	ND	ug/L
Arsenic, total	MW-10N	7/21/2008	0.8	5	ND	ug/L
Arsenic, total	MW-10N	2/13/2009	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/31/2009	0.6	5	ND	ug/L
Arsenic, total	MW-10N	1/27/2010	0.7	5	ND	ug/L
Arsenic, total	MW-10N	8/10/2010	1	5	ND	ug/L
Arsenic, total	MW-10N	1/19/2011	0.6	5	ND	ug/L
Arsenic, total	MW-10N	7/14/2011	0.4	5	ND	ug/L
Arsenic, total	MW-10N	1/5/2012	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-10N	5/1/2013	0.4	5	ND	ug/L
Arsenic, total	MW-10N	1/24/2014	5	5	ND	ug/L
Arsenic, total	MW-10N	7/9/2014	0.5	5	ND	ug/L
Arsenic, total	MW-10N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-10N	7/14/2015	0.8	5	ND	ug/L
Arsenic, total	MW-10N	1/6/2016	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-10N	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	MW-10N	7/19/2017	0.4	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-10N	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-10N	7/11/2018	5	5	ND	ug/L
Arsenic, total	MW-10N	1/3/2019	0.37	5	ND	ug/L
Arsenic, total	MW-10N	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-10N	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-10N	7/8/2020	5	5	ND	ug/L
Arsenic, total	MW-10N	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-10N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-10N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-11N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-11N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-11N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-11N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	7/10/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-11N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-11N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-11N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-11N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	1/29/2004	20	20	ND	ug/L
Arsenic, total	MW-11N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/2005	20	20	ND	ug/L
Arsenic, total	MW-11N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-11N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-11N	7/18/2006	0.6	5	ND	ug/L
Arsenic, total	MW-11N	7/18/2006	0.6	5	ND	ug/L
Arsenic, total	MW-11N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-11N	1/9/2007	1.2	5	ND	ug/L
Arsenic, total	MW-11N	1/24/2007	1.4	5	ND	ug/L
Arsenic, total	MW-11N	7/10/2007	0.7	5	ND	ug/L
Arsenic, total	MW-11N	1/22/2008	0.8	5	ND	ug/L
Arsenic, total	MW-11N	7/23/2008	0.6	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	MW-11N	7/31/2009	0.4	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2010	0.5	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2010	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/16/2010	0.4	5	ND	ug/L
Arsenic, total	MW-11N	1/19/2011	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/13/2011	0.6	5	ND	ug/L
Arsenic, total	MW-11N	1/4/2012	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/9/2012	0.4	5	ND	ug/L
Arsenic, total	MW-11N	4/30/2013	0.8	5	ND	ug/L
Arsenic, total	MW-11N	7/15/2013	5	5	ND	ug/L
Arsenic, total	MW-11N	1/23/2014	0.6	5	ND	ug/L
Arsenic, total	MW-11N	7/8/2014	5	5	ND	ug/L
Arsenic, total	MW-11N	2/10/2015	5	5	ND	ug/L
Arsenic, total	MW-11N	7/13/2015	0.5	5	ND	ug/L
Arsenic, total	MW-11N	1/5/2016	0.3	5	ND	ug/L
Arsenic, total	MW-11N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-11N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-11N	7/19/2017	0.4	5	ND	ug/L
Arsenic, total	MW-11N	1/23/2018	0.4	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-11N	7/17/2018	5	5	ND	ug/L
Arsenic, total	MW-11N	1/2/2019	5	5	ND	ug/L
Arsenic, total	MW-11N	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-11N	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-11N	7/6/2020	5	5	ND	ug/L
Arsenic, total	MW-11N	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-11N	7/6/2021	5	5	ND	ug/L
Arsenic, total	MW-11N	1/18/2022	5	5	ND	ug/L
Arsenic, total	MW-11N	7/13/2022	5	5	ND	ug/L
Arsenic, total	MW-11N	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-15	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-15	7/15/2015	5	5	ND	ug/L
Arsenic, total	MW-15	8/5/2015	0.7	5	ND	ug/L
Arsenic, total	MW-15	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-15	1/7/2016	5	5	ND	ug/L
Arsenic, total	MW-15	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-15	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-15	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-15	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-15	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-15	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-15	7/10/2018	5	5	ND	ug/L
Arsenic, total	MW-15	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-15	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-15	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-15	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-15	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-15	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-15	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-15	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-15	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-16	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-16	7/16/2015	5	5	ND	ug/L
Arsenic, total	MW-16	8/5/2015	5	5	ND	ug/L
Arsenic, total	MW-16	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-16	1/8/2016	5	5	ND	ug/L
Arsenic, total	MW-16	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-16	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-16	10/5/2016	5	5	ND	ug/L
Arsenic, total	MW-16	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-16	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-16	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-16	7/11/2018	5	5	ND	ug/L
Arsenic, total	MW-16	1/2/2019	5	5	ND	ug/L
Arsenic, total	MW-16	7/10/2019	10	10	ND	ug/L
Arsenic, total	MW-16	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-16	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-16	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-16	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-16	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-16	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-16	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-17	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-17	7/15/2015	5	5	ND	ug/L
Arsenic, total	MW-17	8/4/2015	5	5	ND	ug/L
Arsenic, total	MW-17	9/2/2015	5	5	ND	ug/L
Arsenic, total	MW-17	1/7/2016	5	5	ND	ug/L
Arsenic, total	MW-17	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-17	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-17	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-17	1/10/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-17	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-17	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-17	7/10/2018	5	5	ND	ug/L
Arsenic, total	MW-17	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-17	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-17	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-17	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-17	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-17	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-17	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-19	6/5/2015	0.6	5	ND	ug/L
Arsenic, total	MW-19	7/16/2015	5	5	ND	ug/L
Arsenic, total	MW-19	8/5/2015	5	5	ND	ug/L
Arsenic, total	MW-19	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-19	1/7/2016	0.4	5	ND	ug/L
Arsenic, total	MW-19	4/5/2016	0.3	5	ND	ug/L
Arsenic, total	MW-19	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-19	10/5/2016	5	5	ND	ug/L
Arsenic, total	MW-19	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-19	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-19	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-19	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-19	1/7/2019	5	5	ND	ug/L
Arsenic, total	MW-19	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-19	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-19	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-19	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-19	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-19	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-1N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-1N	1/20/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	10/14/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	7/15/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	7/12/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	10/18/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-1N	4/12/2001	20	20	ND	ug/L
Arsenic, total	MW-1N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-1N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-1N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-1N	10/3/2002	40	40	ND	ug/L
Arsenic, total	MW-1N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-1N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-1N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-1N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-1N	1/18/2006	20	20	ND	ug/L
Arsenic, total	MW-1N	7/18/2006	1	5	ND	ug/L
Arsenic, total	MW-1N	7/18/2006	1	5	ND	ug/L
Arsenic, total	MW-1N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-1N	1/9/2007	0.9	5	ND	ug/L
Arsenic, total	MW-1N	1/26/2007	0.8	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-1N	7/11/2007	0.8	5	ND	ug/L
Arsenic, total	MW-1N	1/24/2008	1	5	ND	ug/L
Arsenic, total	MW-1N	7/21/2008	0.5	5	ND	ug/L
Arsenic, total	MW-1N	2/5/2009	1.2	5	ND	ug/L
Arsenic, total	MW-1N	7/31/2009	0.8	5	ND	ug/L
Arsenic, total	MW-1N	1/26/2010	0.7	5	ND	ug/L
Arsenic, total	MW-1N	7/13/2010	0.5	5	ND	ug/L
Arsenic, total	MW-1N	1/20/2011	0.4	5	ND	ug/L
Arsenic, total	MW-1N	7/13/2011	4	5	ND	ug/L
Arsenic, total	MW-1N	1/5/2012	1.7	5	ND	ug/L
Arsenic, total	MW-1N	7/10/2012	1.2	5	ND	ug/L
Arsenic, total	MW-1N	5/1/2013	1.2	5	ND	ug/L
Arsenic, total	MW-1N	7/16/2013	0.6	5	ND	ug/L
Arsenic, total	MW-1N	1/24/2014	0.9	5	ND	ug/L
Arsenic, total	MW-1N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-1N	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	MW-1N	7/14/2015	5.4	5		ug/L
Arsenic, total	MW-1N	1/6/2016	5.8	5		ug/L
Arsenic, total	MW-1N	7/21/2016	1.4	5	ND	ug/L
Arsenic, total	MW-1N	1/12/2017	0.8	5	ND	ug/L
Arsenic, total	MW-1N	7/19/2017	2.4	5	ND	ug/L
Arsenic, total	MW-1N	1/23/2018	0.41	5	ND	ug/L
Arsenic, total	MW-1N	7/10/2018	0.33	5	ND	ug/L
Arsenic, total	MW-1N	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-1N	7/11/2019	3.1	10	ND	ug/L
Arsenic, total	MW-1N	1/23/2020	5.89	5		ug/L
Arsenic, total	MW-1N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-1N	7/6/2020	5	5	ND	ug/L
Arsenic, total	MW-1N	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-1N	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-1N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-20	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-20	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-20	8/4/2015	5	5	ND	ug/L
Arsenic, total	MW-20	9/2/2015	5	5	ND	ug/L
Arsenic, total	MW-20	1/7/2016	1.2	5	ND	ug/L
Arsenic, total	MW-20	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-20	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-20	10/5/2016	0.5	5	ND	ug/L
Arsenic, total	MW-20	1/12/2017	0.6	5	ND	ug/L
Arsenic, total	MW-20	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-20	1/26/2018	5	5	ND	ug/L
Arsenic, total	MW-20	7/12/2018	5	5	ND	ug/L
Arsenic, total	MW-20	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-20	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-20	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-20	1/17/2021	5	5	ND	ug/L
Arsenic, total	MW-20	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-20	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-21	6/5/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	7/14/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	8/4/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	9/2/2015	1.6	5	ND	ug/L
Arsenic, total	MW-21	1/7/2016	5	5	ND	ug/L
Arsenic, total	MW-21	4/5/2016	1.8	5	ND	ug/L
Arsenic, total	MW-21	7/20/2016	1.1	5	ND	ug/L
Arsenic, total	MW-21	10/5/2016	0.4	5	ND	ug/L
Arsenic, total	MW-21	10/5/2016	0.4	5	ND	ug/L
Arsenic, total	MW-21	1/10/2017	0.8	5	ND	ug/L
Arsenic, total	MW-21	4/5/2017	1	5	ND	ug/L
Arsenic, total	MW-21	7/19/2017	1.3	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-21	10/6/2017	1.1	5	ND	ug/L
Arsenic, total	MW-21	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-21	4/11/2018	1.6	5	ND	ug/L
Arsenic, total	MW-21	7/11/2018	0.78	5	ND	ug/L
Arsenic, total	MW-21	10/4/2018	0.52	5	ND	ug/L
Arsenic, total	MW-21	1/3/2019	1.3	5	ND	ug/L
Arsenic, total	MW-21	4/3/2019	1.6	5	ND	ug/L
Arsenic, total	MW-21	7/11/2019	1.1	10	ND	ug/L
Arsenic, total	MW-21	10/2/2019	1.1	5	ND	ug/L
Arsenic, total	MW-21	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-21	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-21	7/8/2020	5	5	ND	ug/L
Arsenic, total	MW-21	10/7/2020	5	5	ND	ug/L
Arsenic, total	MW-21	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-21	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-21	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-21	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-21	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-21	4/8/2023	5	5	ND	ug/L
Arsenic, total	MW-2N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-2N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-2N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-2N	7/10/2002	40	40	ND	ug/L
Arsenic, total	MW-2N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-2N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-2N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-2N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-2N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-2N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-2N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-2N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-2N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-2N	1/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-2N	1/26/2007	5	5	ND	ug/L
Arsenic, total	MW-2N	7/11/2007	0.4	5	ND	ug/L
Arsenic, total	MW-2N	1/24/2008	0.6	5	ND	ug/L
Arsenic, total	MW-2N	7/22/2008	5	5	ND	ug/L
Arsenic, total	MW-2N	2/4/2009	0.3	5	ND	ug/L
Arsenic, total	MW-2N	7/31/2009	5	5	ND	ug/L
Arsenic, total	MW-2N	1/26/2010	5	5	ND	ug/L
Arsenic, total	MW-2N	7/13/2010	5	5	ND	ug/L
Arsenic, total	MW-2N	1/20/2011	5	5	ND	ug/L
Arsenic, total	MW-2N	7/13/2011	5	5	ND	ug/L
Arsenic, total	MW-2N	1/5/2012	5	5	ND	ug/L
Arsenic, total	MW-2N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-2N	5/1/2013	5	5	ND	ug/L
Arsenic, total	MW-2N	7/16/2013	5	5	ND	ug/L
Arsenic, total	MW-2N	1/24/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-2N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-2N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-2N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-2N	1/6/2016	5	5	ND	ug/L
Arsenic, total	MW-2N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-2N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-2N	7/19/2017	5	5	ND	ug/L
Arsenic, total	MW-2N	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-2N	7/12/2018	5	5	ND	ug/L
Arsenic, total	MW-2N	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-2N	8/7/2019	0.62	10	ND	ug/L
Arsenic, total	MW-2N	1/23/2020	5	5	ND	ug/L
Arsenic, total	MW-2N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-2N	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-2N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-2N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-3N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-3N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	4/24/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-3N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-3N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-3N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-3N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-3N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-3N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-3N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-3N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-3N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-3N	1/18/2006	20	20	ND	ug/L
Arsenic, total	MW-3N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-3N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-3N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-3N	1/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-3N	1/26/2007	0.3	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2007	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/24/2008	0.5	5	ND	ug/L
Arsenic, total	MW-3N	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	MW-3N	2/4/2009	0.5	5	ND	ug/L
Arsenic, total	MW-3N	7/31/2009	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/26/2010	0.6	5	ND	ug/L
Arsenic, total	MW-3N	7/13/2010	0.6	5	ND	ug/L
Arsenic, total	MW-3N	1/20/2011	0.7	5	ND	ug/L
Arsenic, total	MW-3N	7/14/2011	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/5/2012	0.7	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2012	5	5	ND	ug/L
Arsenic, total	MW-3N	5/1/2013	0.5	5	ND	ug/L
Arsenic, total	MW-3N	6/4/2013	5	5	ND	ug/L
Arsenic, total	MW-3N	7/16/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-3N	1/24/2014	5	5	ND	ug/L
Arsenic, total	MW-3N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-3N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	4/1/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	10/5/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	1/6/2016	0.4	5	ND	ug/L
Arsenic, total	MW-3N	4/6/2016	5	5	ND	ug/L
Arsenic, total	MW-3N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-3N	10/6/2016	0.4	5	ND	ug/L
Arsenic, total	MW-3N	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	MW-3N	4/4/2017	0.4	5	ND	ug/L
Arsenic, total	MW-3N	7/19/2017	0.5	5	ND	ug/L
Arsenic, total	MW-3N	10/9/2017	5	5	ND	ug/L
Arsenic, total	MW-3N	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	4/10/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	10/3/2018	0.53	5	ND	ug/L
Arsenic, total	MW-3N	1/7/2019	0.48	5	ND	ug/L
Arsenic, total	MW-3N	4/3/2019	5	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-3N	10/2/2019	5	5	ND	ug/L
Arsenic, total	MW-3N	1/15/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	10/7/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-7N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-7N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	8/18/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	9/17/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	10/15/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	11/9/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	1/14/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	4/14/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	1/13/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-7N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-7N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-7N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-7N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-7N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-7N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	1/27/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	4/8/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	7/26/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-7N	7/19/2005	20	20	ND	ug/L
Arsenic, total	MW-7N	1/19/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-7N	7/19/2006	1.9	5	ND	ug/L
Arsenic, total	MW-7N	7/19/2006	1.9	5	ND	ug/L
Arsenic, total	MW-7N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-7N	1/10/2007	2.1	5	ND	ug/L
Arsenic, total	MW-7N	1/26/2007	2.5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2007	1.8	5	ND	ug/L
Arsenic, total	MW-7N	7/21/2008	1.3	5	ND	ug/L
Arsenic, total	MW-7N	2/6/2009	1.6	5	ND	ug/L
Arsenic, total	MW-7N	7/29/2009	1.5	5	ND	ug/L
Arsenic, total	MW-7N	1/26/2010	0.5	5	ND	ug/L
Arsenic, total	MW-7N	7/14/2010	0.4	5	ND	ug/L
Arsenic, total	MW-7N	1/20/2011	0.3	5	ND	ug/L
Arsenic, total	MW-7N	7/12/2011	5	5	ND	ug/L
Arsenic, total	MW-7N	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-7N	5/1/2013	1.6	5	ND	ug/L
Arsenic, total	MW-7N	6/4/2013	0.9	5	ND	ug/L
Arsenic, total	MW-7N	7/15/2013	0.6	5	ND	ug/L
Arsenic, total	MW-7N	1/30/2014	0.3	5	ND	ug/L
Arsenic, total	MW-7N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-7N	2/12/2015	0.6	5	ND	ug/L
Arsenic, total	MW-7N	7/13/2015	5	5	ND	ug/L
Arsenic, total	MW-7N	1/5/2016	5	5	ND	ug/L
Arsenic, total	MW-7N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-7N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-7N	4/4/2017	5	5	ND	ug/L
Arsenic, total	MW-7N	7/19/2017	0.5	5	ND	ug/L
Arsenic, total	MW-7N	10/5/2017	0.4	5	ND	ug/L
Arsenic, total	MW-7N	1/25/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	4/11/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	1/4/2019	5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2019	10	10	ND	ug/L
Arsenic, total	MW-7N	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-7N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-7N	1/16/2021	5	5	ND	ug/L
Arsenic, total	MW-7N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-7N	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-7N	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-8N	1/22/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	1/12/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-8N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-8N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-8N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-8N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-8N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-8N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	1/28/2004	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-8N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-8N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-8N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-8N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-8N	7/19/2006	4.5	5	ND	ug/L
Arsenic, total	MW-8N	7/19/2006	4.5	5	ND	ug/L
Arsenic, total	MW-8N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-8N	1/10/2007	0.8	5	ND	ug/L
Arsenic, total	MW-8N	1/26/2007	0.3	5	ND	ug/L
Arsenic, total	MW-8N	4/25/2007	0.4	5	ND	ug/L
Arsenic, total	MW-8N	7/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-8N	1/24/2008	0.6	5	ND	ug/L
Arsenic, total	MW-8N	7/23/2008	5	5	ND	ug/L
Arsenic, total	MW-8N	2/4/2009	0.3	5	ND	ug/L
Arsenic, total	MW-8N	7/31/2009	5	5	ND	ug/L
Arsenic, total	MW-8N	1/26/2010	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2010	5	5	ND	ug/L
Arsenic, total	MW-8N	1/19/2011	5	5	ND	ug/L
Arsenic, total	MW-8N	5/10/2011	5	5	ND	ug/L
Arsenic, total	MW-8N	7/14/2011	0.3	5	ND	ug/L
Arsenic, total	MW-8N	1/6/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	4/5/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	7/11/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	10/3/2012	1.1	5	ND	ug/L
Arsenic, total	MW-8N	5/1/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	6/4/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	10/2/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	1/30/2014	0.3	5	ND	ug/L
Arsenic, total	MW-8N	4/3/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	10/8/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	4/1/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	10/5/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	1/5/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	4/6/2016	0.3	5	ND	ug/L
Arsenic, total	MW-8N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-8N	4/4/2017	0.4	5	ND	ug/L
Arsenic, total	MW-8N	7/19/2017	0.3	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2017	5	5	ND	ug/L
Arsenic, total	MW-8N	1/25/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	4/10/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	10/2/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	1/7/2019	5	5	ND	ug/L
Arsenic, total	MW-8N	4/3/2019	0.51	5	ND	ug/L
Arsenic, total	MW-8N	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-8N	10/3/2019	5	5	ND	ug/L
Arsenic, total	MW-8N	1/15/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	7/9/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	1/15/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	1/18/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-8N	4/4/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	7/12/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	4/8/2023	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2002	40	40	ND	ug/L
Arsenic, total	NE-1	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-1	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-1	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-1	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-1	1/27/2004	20	20	ND	ug/L
Arsenic, total	NE-1	1/12/2005	20	20	ND	ug/L
Arsenic, total	NE-1	7/19/2006	0.3	5	ND	ug/L
Arsenic, total	NE-1	7/19/2006	0.3	5	ND	ug/L
Arsenic, total	NE-1	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-1	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2007	0.3	5	ND	ug/L
Arsenic, total	NE-1	1/24/2008	0.4	5	ND	ug/L
Arsenic, total	NE-1	7/21/2008	5	5	ND	ug/L
Arsenic, total	NE-1	2/7/2009	0.4	5	ND	ug/L
Arsenic, total	NE-1	7/31/2009	5	5	ND	ug/L
Arsenic, total	NE-1	1/26/2010	5	5	ND	ug/L
Arsenic, total	NE-1	7/14/2010	0.5	5	ND	ug/L
Arsenic, total	NE-1	1/19/2011	5	5	ND	ug/L
Arsenic, total	NE-1	7/13/2011	5	5	ND	ug/L
Arsenic, total	NE-1	1/5/2012	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2012	5	5	ND	ug/L
Arsenic, total	NE-1	4/30/2013	5	5	ND	ug/L
Arsenic, total	NE-1	7/16/2013	5	5	ND	ug/L
Arsenic, total	NE-1	1/23/2014	5	5	ND	ug/L
Arsenic, total	NE-1	7/9/2014	5	5	ND	ug/L
Arsenic, total	NE-1	2/11/2015	5	5	ND	ug/L
Arsenic, total	NE-1	7/8/2015	5	5	ND	ug/L
Arsenic, total	NE-1	1/6/2016	5	5	ND	ug/L
Arsenic, total	NE-1	7/20/2016	5	5	ND	ug/L
Arsenic, total	NE-1	1/11/2017	5	5	ND	ug/L
Arsenic, total	NE-1	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-1	1/24/2018	5	5	ND	ug/L
Arsenic, total	NE-1	4/11/2018	5	5	ND	ug/L
Arsenic, total	NE-1	7/18/2018	5	5	ND	ug/L
Arsenic, total	NE-1	10/2/2018	5	5	ND	ug/L
Arsenic, total	NE-1	1/4/2019	5	5	ND	ug/L
Arsenic, total	NE-1	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2019	10	10	ND	ug/L
Arsenic, total	NE-1	7/10/2019	10	10	ND	ug/L
Arsenic, total	NE-1	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-1	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-1	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-1	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-1	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-1	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-1	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-1	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-1	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-1	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-1	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-1	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-1	10/6/2022	5	5	ND	ug/L
Arsenic, total	NE-1	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-1	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	11/6/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-10D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-11	3/1/2017	5	5	ND	ug/L
Arsenic, total	NE-11	4/6/2017	5	5	ND	ug/L
Arsenic, total	NE-11	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-11	10/9/2017	5	5	ND	ug/L
Arsenic, total	NE-11	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-11	1/14/2020	5	5	ND	ug/L
Arsenic, total	NE-11	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-11	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-11	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-11	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-11	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-11	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-11	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-11	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-12	3/1/2017	5	5	ND	ug/L
Arsenic, total	NE-12	4/6/2017	5	5	ND	ug/L
Arsenic, total	NE-12	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-12	10/6/2017	0.3	5	ND	ug/L
Arsenic, total	NE-12	8/5/2019	10	10	ND	ug/L
Arsenic, total	NE-12	1/13/2020	5	5	ND	ug/L
Arsenic, total	NE-12	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-12	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-12	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-12	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-12	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-12	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-12	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-12	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-13	2/5/2019	5	5	ND	ug/L
Arsenic, total	NE-13	8/7/2019	10	10	ND	ug/L
Arsenic, total	NE-13	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-13	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-13	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-13	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-13	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-14D	10/2/2019	0.33	5	ND	ug/L
Arsenic, total	NE-14D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14S	10/2/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-14S	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14S	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-15D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15S	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-2	7/9/2002	40	40	ND	ug/L
Arsenic, total	NE-2	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-2	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-2	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-2	10/1/2013	5	5	ND	ug/L
Arsenic, total	NE-2	10/8/2014	5	5	ND	ug/L
Arsenic, total	NE-2	10/5/2015	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2016	5	5	ND	ug/L
Arsenic, total	NE-2	10/5/2017	5	5	ND	ug/L
Arsenic, total	NE-2	1/25/2018	5	5	ND	ug/L
Arsenic, total	NE-2	4/10/2018	5	5	ND	ug/L
Arsenic, total	NE-2	7/10/2018	5	5	ND	ug/L
Arsenic, total	NE-2	10/1/2018	5	5	ND	ug/L
Arsenic, total	NE-2	1/4/2019	5	5	ND	ug/L
Arsenic, total	NE-2	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-2	7/9/2019	10	10	ND	ug/L
Arsenic, total	NE-2	7/9/2019	10	10	ND	ug/L
Arsenic, total	NE-2	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-2	1/14/2020	5	5	ND	ug/L
Arsenic, total	NE-2	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-2	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-2	1/14/2021	5	5	ND	ug/L
Arsenic, total	NE-2	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-2	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-2	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-2	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-2	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-2	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-2	1/5/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-2	4/5/2023	5	5	ND	ug/L
Arsenic, total	NE-3	7/9/2002	40	40	ND	ug/L
Arsenic, total	NE-3	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-3	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-3	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-3	3/21/2018	5	5	ND	ug/L
Arsenic, total	NE-4	7/10/2002	40	40	ND	ug/L
Arsenic, total	NE-4	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-4	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-4	10/3/2002	40	40	ND	ug/L
Arsenic, total	NE-4	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-4	1/28/2004	20	20	ND	ug/L
Arsenic, total	NE-4	1/13/2005	20	20	ND	ug/L
Arsenic, total	NE-4	8/1/2006	0.2	5	ND	ug/L
Arsenic, total	NE-4	8/1/2006	0.2	5	ND	ug/L
Arsenic, total	NE-4	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-4	1/24/2007	0.3	5	ND	ug/L
Arsenic, total	NE-4	7/12/2007	0.3	5	ND	ug/L
Arsenic, total	NE-4	1/24/2008	0.5	5	ND	ug/L
Arsenic, total	NE-4	7/21/2008	5	5	ND	ug/L
Arsenic, total	NE-4	2/7/2009	0.6	5	ND	ug/L
Arsenic, total	NE-4	7/31/2009	5	5	ND	ug/L
Arsenic, total	NE-4	1/26/2010	5	5	ND	ug/L
Arsenic, total	NE-4	7/14/2010	0.4	5	ND	ug/L
Arsenic, total	NE-4	1/19/2011	5	5	ND	ug/L
Arsenic, total	NE-4	7/13/2011	5	5	ND	ug/L
Arsenic, total	NE-4	1/5/2012	5	5	ND	ug/L
Arsenic, total	NE-4	7/10/2012	1.1	5	ND	ug/L
Arsenic, total	NE-4	4/30/2013	5	5	ND	ug/L
Arsenic, total	NE-4	7/16/2013	5	5	ND	ug/L
Arsenic, total	NE-4	1/23/2014	5	5	ND	ug/L
Arsenic, total	NE-4	7/9/2014	5	5	ND	ug/L
Arsenic, total	NE-4	2/13/2015	5	5	ND	ug/L
Arsenic, total	NE-4	7/8/2015	5	5	ND	ug/L
Arsenic, total	NE-4	1/6/2016	5	5	ND	ug/L
Arsenic, total	NE-4	7/20/2016	5	5	ND	ug/L
Arsenic, total	NE-4	1/11/2017	5	5	ND	ug/L
Arsenic, total	NE-4	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-4	1/26/2018	5	5	ND	ug/L
Arsenic, total	NE-4	4/10/2018	5	5	ND	ug/L
Arsenic, total	NE-4	7/12/2018	5	5	ND	ug/L
Arsenic, total	NE-4	10/3/2018	5	5	ND	ug/L
Arsenic, total	NE-4	1/7/2019	5	5	ND	ug/L
Arsenic, total	NE-4	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-4	7/8/2019	10	10	ND	ug/L
Arsenic, total	NE-4	7/8/2019	10	10	ND	ug/L
Arsenic, total	NE-4	10/1/2019	5	5	ND	ug/L
Arsenic, total	NE-4	1/13/2020	5	5	ND	ug/L
Arsenic, total	NE-4	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-4	7/6/2020	5	5	ND	ug/L
Arsenic, total	NE-4	10/5/2020	5	5	ND	ug/L
Arsenic, total	NE-4	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-4	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-4	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-4	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-4	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-4	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-5	7/9/2002	40	40	ND	ug/L
Arsenic, total	NE-5	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-5	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-5	10/2/2002	40	40	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-5	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-5	1/27/2004	20	20	ND	ug/L
Arsenic, total	NE-5	1/12/2005	20	20	ND	ug/L
Arsenic, total	NE-5	7/19/2006	6.7	5		ug/L
Arsenic, total	NE-5	7/19/2006	6.7	5		ug/L
Arsenic, total	NE-5	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-5	1/10/2007	1.7	5	ND	ug/L
Arsenic, total	NE-5	1/24/2007	1	5	ND	ug/L
Arsenic, total	NE-5	7/12/2007	1	5	ND	ug/L
Arsenic, total	NE-5	7/22/2008	0.6	5	ND	ug/L
Arsenic, total	NE-5	2/6/2009	2.1	5	ND	ug/L
Arsenic, total	NE-5	7/31/2009	1.5	5	ND	ug/L
Arsenic, total	NE-5	1/26/2010	1.4	5	ND	ug/L
Arsenic, total	NE-5	7/16/2010	2.8	5	ND	ug/L
Arsenic, total	NE-5	1/19/2011	1.4	5	ND	ug/L
Arsenic, total	NE-5	7/13/2011	1.9	5	ND	ug/L
Arsenic, total	NE-5	1/5/2012	1.9	5	ND	ug/L
Arsenic, total	NE-5	7/10/2012	1.3	5	ND	ug/L
Arsenic, total	NE-5	4/30/2013	5.5	5		ug/L
Arsenic, total	NE-5	7/16/2013	1.7	5	ND	ug/L
Arsenic, total	NE-5	1/23/2014	3.2	5	ND	ug/L
Arsenic, total	NE-5	7/9/2014	4.5	5	ND	ug/L
Arsenic, total	NE-5	2/11/2015	5.6	5		ug/L
Arsenic, total	NE-5	7/14/2015	5.6	5		ug/L
Arsenic, total	NE-5	1/6/2016	3.6	5	ND	ug/L
Arsenic, total	NE-5	7/20/2016	1.4	5	ND	ug/L
Arsenic, total	NE-5	1/11/2017	2.3	5	ND	ug/L
Arsenic, total	NE-5	7/19/2017	3.7	5	ND	ug/L
Arsenic, total	NE-5	1/25/2018	5.6	5		ug/L
Arsenic, total	NE-5	4/10/2018	6.2	5		ug/L
Arsenic, total	NE-5	7/17/2018	6.1	5		ug/L
Arsenic, total	NE-5	10/3/2018	4.3	5	ND	ug/L
Arsenic, total	NE-5	1/4/2019	6.8	5		ug/L
Arsenic, total	NE-5	4/2/2019	6.1	5		ug/L
Arsenic, total	NE-5	4/2/2019	6.1	5		ug/L
Arsenic, total	NE-5	7/9/2019	5.9	10	ND	ug/L
Arsenic, total	NE-5	10/3/2019	5.7	5		ug/L
Arsenic, total	NE-5	1/16/2020	5.28	5		ug/L
Arsenic, total	NE-5	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-5	7/8/2020	5	5		ug/L
Arsenic, total	NE-5	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-5	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5	1/5/2023	5.01	5		ug/L
Arsenic, total	NE-5	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-5E	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	1/18/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-5E	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-5W	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-6	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-6	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-6	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-6	10/6/2017	5	5	ND	ug/L
Arsenic, total	NE-6	2/4/2019	5	5	ND	ug/L
Arsenic, total	NE-6	8/6/2019	10	10	ND	ug/L
Arsenic, total	NE-6	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-6	7/9/2020	5	5	ND	ug/L
Arsenic, total	NE-6	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-6	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-6	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-6	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-6	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-6D	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	7/9/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-7	3/1/2017	5	5	ND	ug/L
Arsenic, total	NE-7	4/6/2017	0.5	5	ND	ug/L
Arsenic, total	NE-7	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-7	10/5/2017	5	5	ND	ug/L
Arsenic, total	NE-7	2/6/2019	5	5	ND	ug/L
Arsenic, total	NE-7	8/6/2019	10	10	ND	ug/L
Arsenic, total	NE-7	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-7	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-7	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-7	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-7	7/1/2021	6.5	6.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-7	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-7	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-7	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-7	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-8	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-8	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-8	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-8	10/6/2017	5	5	ND	ug/L
Arsenic, total	NE-8	2/4/2019	5	5	ND	ug/L
Arsenic, total	NE-8	8/5/2019	10	10	ND	ug/L
Arsenic, total	NE-8	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-8	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-8	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-8	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-8	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-8	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-8	7/1/2021	5	5	ND	ug/L
Arsenic, total	NE-8	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-8	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-9	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-9	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-9	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-9	10/5/2017	0.5	5	ND	ug/L
Arsenic, total	NE-9	2/5/2019	5	5	ND	ug/L
Arsenic, total	NE-9	8/7/2019	10	10	ND	ug/L
Arsenic, total	NE-9	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-9	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-9	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-9	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-9	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-9	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-9	4/8/2023	5	5	ND	ug/L
Barium, dissolved	LGW-14R	1/25/2006	25	5		ug/L
Barium, dissolved	LGW-2	1/25/2006	140	5		ug/L
Barium, dissolved	LGW-4	1/24/2006	49	5		ug/L
Barium, dissolved	LGW-5	1/25/2006	130	5		ug/L
Barium, dissolved	LGW-6	1/24/2006	54	5		ug/L
Barium, dissolved	LGW-7	1/25/2006	37	5		ug/L
Barium, dissolved	LGW-8R	1/24/2006	68	5		ug/L
Barium, dissolved	MW-10N	7/11/2000	19	5		ug/L
Barium, dissolved	MW-10N	7/10/2002	53	50		ug/L
Barium, dissolved	MW-10N	10/2/2002	52	50		ug/L
Barium, dissolved	MW-11N	7/10/2000	34	5		ug/L
Barium, dissolved	MW-11N	7/9/2002	51	50		ug/L
Barium, dissolved	MW-11N	10/2/2002	52	50		ug/L
Barium, dissolved	MW-1N	10/19/1999	65	5		ug/L
Barium, dissolved	MW-1N	7/12/2000	190	5		ug/L
Barium, dissolved	MW-1N	7/9/2002	150	50		ug/L
Barium, dissolved	MW-1N	10/3/2002	130	50		ug/L
Barium, dissolved	MW-2N	7/11/2000	30	5		ug/L
Barium, dissolved	MW-2N	7/10/2002	50	50	ND	ug/L
Barium, dissolved	MW-2N	10/2/2002	50	50	ND	ug/L
Barium, dissolved	MW-3N	7/11/2000	120	5		ug/L
Barium, dissolved	MW-3N	7/9/2002	170	50		ug/L
Barium, dissolved	MW-3N	10/2/2002	200	50		ug/L
Barium, dissolved	MW-7N	10/19/1999	270	5		ug/L
Barium, dissolved	MW-7N	7/11/2000	290	5		ug/L
Barium, dissolved	MW-7N	7/9/2002	340	50		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, dissolved	MW-7N	10/2/2002	310	50		ug/L
Barium, dissolved	MW-8N	10/19/1999	170	5		ug/L
Barium, dissolved	MW-8N	7/11/2000	170	5		ug/L
Barium, dissolved	MW-8N	7/9/2002	210	50		ug/L
Barium, dissolved	MW-8N	10/2/2002	180	50		ug/L
Barium, dissolved	NE-1	7/10/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	8/6/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	9/4/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	10/2/2002	50	50	ND	ug/L
Barium, dissolved	NE-2	7/9/2002	380	50		ug/L
Barium, dissolved	NE-2	8/6/2002	240	50		ug/L
Barium, dissolved	NE-2	9/4/2002	310	50		ug/L
Barium, dissolved	NE-2	10/2/2002	270	50		ug/L
Barium, dissolved	NE-3	7/9/2002	170	50		ug/L
Barium, dissolved	NE-3	8/6/2002	110	50		ug/L
Barium, dissolved	NE-3	9/4/2002	95	50		ug/L
Barium, dissolved	NE-3	10/2/2002	100	50		ug/L
Barium, dissolved	NE-4	7/10/2002	130	50		ug/L
Barium, dissolved	NE-4	8/6/2002	120	50		ug/L
Barium, dissolved	NE-4	9/4/2002	120	50		ug/L
Barium, dissolved	NE-4	10/3/2002	120	50		ug/L
Barium, dissolved	NE-5	7/9/2002	63	50		ug/L
Barium, dissolved	NE-5	8/6/2002	67	50		ug/L
Barium, dissolved	NE-5	9/4/2002	80	50		ug/L
Barium, dissolved	NE-5	10/2/2002	83	50		ug/L
Barium, total	LGW-10	1/26/2006	120	5		ug/L
Barium, total	LGW-10	8/1/2006	110	5		ug/L
Barium, total	LGW-10	8/1/2006	110	5		ug/L
Barium, total	LGW-10	10/26/2006	85	5		ug/L
Barium, total	LGW-10	1/25/2007	94	5		ug/L
Barium, total	LGW-10	4/26/2007	100	5		ug/L
Barium, total	LGW-10	7/12/2007	95	5		ug/L
Barium, total	LGW-10	1/23/2008	82	5		ug/L
Barium, total	LGW-10	7/22/2008	110	5		ug/L
Barium, total	LGW-10	7/29/2009	130	5		ug/L
Barium, total	LGW-10	2/3/2010	95	5		ug/L
Barium, total	LGW-10	2/3/2010	95	5		ug/L
Barium, total	LGW-10	7/16/2010	120	5		ug/L
Barium, total	LGW-10	1/19/2011	87	5		ug/L
Barium, total	LGW-10	7/12/2011	170	5		ug/L
Barium, total	LGW-10	1/5/2012	120	5		ug/L
Barium, total	LGW-10	7/9/2012	89	5		ug/L
Barium, total	LGW-10	5/1/2013	160	5		ug/L
Barium, total	LGW-10	1/30/2014	140	5		ug/L
Barium, total	LGW-10	7/9/2014	140	5		ug/L
Barium, total	LGW-10	2/12/2015	100	5		ug/L
Barium, total	LGW-10	7/13/2015	180	5		ug/L
Barium, total	LGW-10	1/5/2016	170	5		ug/L
Barium, total	LGW-10	4/6/2016	120	5		ug/L
Barium, total	LGW-10	7/21/2016	130	5		ug/L
Barium, total	LGW-10	10/6/2016	110	5		ug/L
Barium, total	LGW-10	1/11/2017	81	5		ug/L
Barium, total	LGW-10	4/4/2017	140	5		ug/L
Barium, total	LGW-10	7/19/2017	210	5		ug/L
Barium, total	LGW-10	10/9/2017	120	5		ug/L
Barium, total	LGW-10	1/24/2018	82	5		ug/L
Barium, total	LGW-10	4/11/2018	120	5		ug/L
Barium, total	LGW-10	7/16/2018	83	5		ug/L
Barium, total	LGW-10	10/4/2018	76	5		ug/L
Barium, total	LGW-10	1/4/2019	83	5		ug/L
Barium, total	LGW-10	4/3/2019	84	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-10	7/11/2019	120	5		ug/L
Barium, total	LGW-10	10/2/2019	87	5		ug/L
Barium, total	LGW-10	1/15/2020	128	5		ug/L
Barium, total	LGW-10	4/2/2020	105	5		ug/L
Barium, total	LGW-10	7/9/2020	104	5		ug/L
Barium, total	LGW-10	10/7/2020	54.9	5		ug/L
Barium, total	LGW-10	1/17/2021	169	5		ug/L
Barium, total	LGW-10	4/6/2021	79.3	5		ug/L
Barium, total	LGW-10	7/7/2021	130	5		ug/L
Barium, total	LGW-10	10/5/2021	68.2	5		ug/L
Barium, total	LGW-10	1/13/2022	78.7	5		ug/L
Barium, total	LGW-10	4/4/2022	89.7	5		ug/L
Barium, total	LGW-10	7/11/2022	121	5		ug/L
Barium, total	LGW-10	10/7/2022	73.3	5		ug/L
Barium, total	LGW-10	1/11/2023	87.39999	5		ug/L
Barium, total	LGW-10	4/5/2023	108	5		ug/L
Barium, total	LGW-14R	1/25/2006	280	5		ug/L
Barium, total	LGW-14R	8/2/2006	83	5		ug/L
Barium, total	LGW-14R	8/2/2006	83	5		ug/L
Barium, total	LGW-14R	10/27/2006	33	5		ug/L
Barium, total	LGW-14R	1/24/2007	33	5		ug/L
Barium, total	LGW-14R	4/24/2007	47	5		ug/L
Barium, total	LGW-14R	7/11/2007	92	5		ug/L
Barium, total	LGW-14R	1/23/2008	26	5		ug/L
Barium, total	LGW-14R	7/22/2008	28	5		ug/L
Barium, total	LGW-14R	2/6/2009	60	5		ug/L
Barium, total	LGW-14R	7/29/2009	50	5		ug/L
Barium, total	LGW-14R	2/3/2010	40	5		ug/L
Barium, total	LGW-14R	7/12/2010	29	5		ug/L
Barium, total	LGW-14R	1/19/2011	35	5		ug/L
Barium, total	LGW-14R	7/12/2011	25	5		ug/L
Barium, total	LGW-14R	1/5/2012	37	5		ug/L
Barium, total	LGW-14R	7/9/2012	27	5		ug/L
Barium, total	LGW-14R	4/30/2013	26	5		ug/L
Barium, total	LGW-14R	1/23/2014	24	5		ug/L
Barium, total	LGW-14R	7/8/2014	25	5		ug/L
Barium, total	LGW-14R	2/11/2015	30	5		ug/L
Barium, total	LGW-14R	7/22/2015	28	5		ug/L
Barium, total	LGW-14R	1/5/2016	31	5		ug/L
Barium, total	LGW-14R	7/19/2016	29	5		ug/L
Barium, total	LGW-14R	1/11/2017	31	5		ug/L
Barium, total	LGW-14R	7/18/2017	32	5		ug/L
Barium, total	LGW-14R	1/25/2018	35	5		ug/L
Barium, total	LGW-14R	7/17/2018	30	5		ug/L
Barium, total	LGW-14R	1/3/2019	33	5		ug/L
Barium, total	LGW-14R	7/10/2019	34	5		ug/L
Barium, total	LGW-14R	1/16/2020	35.7	5		ug/L
Barium, total	LGW-14R	7/9/2020	35.5	5		ug/L
Barium, total	LGW-14R	1/18/2021	40.3	5		ug/L
Barium, total	LGW-14R	7/7/2021	37.8	5		ug/L
Barium, total	LGW-14R	1/12/2022	41.8	5		ug/L
Barium, total	LGW-14R	7/11/2022	39.8	5		ug/L
Barium, total	LGW-14R	1/10/2023	44.2	5		ug/L
Barium, total	LGW-2	1/25/2006	160	5		ug/L
Barium, total	LGW-2	8/1/2006	150	5		ug/L
Barium, total	LGW-2	8/1/2006	150	5		ug/L
Barium, total	LGW-2	10/26/2006	77	5		ug/L
Barium, total	LGW-2	1/25/2007	83	5		ug/L
Barium, total	LGW-2	4/26/2007	55	5		ug/L
Barium, total	LGW-2	7/10/2007	150	5		ug/L
Barium, total	LGW-2	1/26/2008	110	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-2	7/23/2008	170	5		ug/L
Barium, total	LGW-2	2/6/2009	140	5		ug/L
Barium, total	LGW-2	7/30/2009	130	5		ug/L
Barium, total	LGW-2	2/3/2010	130	5		ug/L
Barium, total	LGW-2	2/3/2010	130	5		ug/L
Barium, total	LGW-2	7/12/2010	150	5		ug/L
Barium, total	LGW-2	1/19/2011	180	5		ug/L
Barium, total	LGW-2	7/13/2011	83	5		ug/L
Barium, total	LGW-2	1/4/2012	86	5		ug/L
Barium, total	LGW-2	7/9/2012	87	5		ug/L
Barium, total	LGW-2	4/30/2013	99	5		ug/L
Barium, total	LGW-2	7/15/2013	91	5		ug/L
Barium, total	LGW-2	1/30/2014	120	5		ug/L
Barium, total	LGW-2	7/8/2014	98	5		ug/L
Barium, total	LGW-2	2/13/2015	110	5		ug/L
Barium, total	LGW-2	7/8/2015	83	5		ug/L
Barium, total	LGW-2	1/5/2016	94	5		ug/L
Barium, total	LGW-2	7/19/2016	86	5		ug/L
Barium, total	LGW-2	1/11/2017	120	5		ug/L
Barium, total	LGW-2	7/18/2017	110	5		ug/L
Barium, total	LGW-2	1/23/2018	100	5		ug/L
Barium, total	LGW-2	7/12/2018	98	5		ug/L
Barium, total	LGW-2	1/3/2019	90	5		ug/L
Barium, total	LGW-2	7/9/2019	120	5		ug/L
Barium, total	LGW-2	1/13/2020	73.5	5		ug/L
Barium, total	LGW-2	4/1/2020	71.3	5		ug/L
Barium, total	LGW-2	7/8/2020	68.8	5		ug/L
Barium, total	LGW-2	1/18/2021	79.8	5		ug/L
Barium, total	LGW-2	7/4/2021	75.1	5		ug/L
Barium, total	LGW-2	1/12/2022	83.4	5		ug/L
Barium, total	LGW-2	7/10/2022	77.4	5		ug/L
Barium, total	LGW-2	1/10/2023	77.4	5		ug/L
Barium, total	LGW-3R	1/24/2006	52	5		ug/L
Barium, total	LGW-3R	7/20/2006	49	5		ug/L
Barium, total	LGW-3R	7/20/2006	49	5		ug/L
Barium, total	LGW-3R	10/26/2006	88	5		ug/L
Barium, total	LGW-3R	1/25/2007	41	5		ug/L
Barium, total	LGW-3R	4/26/2007	50	5		ug/L
Barium, total	LGW-3R	7/11/2007	46	5		ug/L
Barium, total	LGW-3R	1/26/2008	48	5		ug/L
Barium, total	LGW-3R	7/23/2008	33	5		ug/L
Barium, total	LGW-3R	2/3/2009	47	5		ug/L
Barium, total	LGW-3R	7/31/2009	55	5		ug/L
Barium, total	LGW-3R	2/3/2010	46	5		ug/L
Barium, total	LGW-3R	2/3/2010	46	5		ug/L
Barium, total	LGW-3R	7/16/2010	39	5		ug/L
Barium, total	LGW-3R	1/19/2011	52	5		ug/L
Barium, total	LGW-3R	7/13/2011	31	5		ug/L
Barium, total	LGW-3R	1/4/2012	44	5		ug/L
Barium, total	LGW-3R	7/9/2012	46	5		ug/L
Barium, total	LGW-3R	4/30/2013	35	5		ug/L
Barium, total	LGW-3R	7/15/2013	45	5		ug/L
Barium, total	LGW-3R	1/22/2014	44	5		ug/L
Barium, total	LGW-3R	7/8/2014	45	5		ug/L
Barium, total	LGW-3R	2/10/2015	42	5		ug/L
Barium, total	LGW-3R	7/16/2015	57	5		ug/L
Barium, total	LGW-3R	1/8/2016	22	5		ug/L
Barium, total	LGW-3R	7/21/2016	32	5		ug/L
Barium, total	LGW-3R	1/11/2017	54	5		ug/L
Barium, total	LGW-3R	7/18/2017	49	5		ug/L
Barium, total	LGW-3R	1/23/2018	56	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-3R	7/11/2018	47	5		ug/L
Barium, total	LGW-3R	1/3/2019	58	5		ug/L
Barium, total	LGW-3R	7/9/2019	59	5		ug/L
Barium, total	LGW-3R	1/14/2020	64.4	5		ug/L
Barium, total	LGW-3R	7/6/2020	79.6	5		ug/L
Barium, total	LGW-3R	1/18/2021	78.7	5		ug/L
Barium, total	LGW-3R	7/6/2021	74.8	5		ug/L
Barium, total	LGW-3R	1/12/2022	71.6	5		ug/L
Barium, total	LGW-3R	7/10/2022	68.1	5		ug/L
Barium, total	LGW-3R	1/10/2023	57	5		ug/L
Barium, total	LGW-4	1/24/2006	50	5		ug/L
Barium, total	LGW-4	7/20/2006	52	5		ug/L
Barium, total	LGW-4	7/20/2006	52	5		ug/L
Barium, total	LGW-4	10/26/2006	63	5		ug/L
Barium, total	LGW-4	1/25/2007	60	5		ug/L
Barium, total	LGW-4	4/26/2007	51	5		ug/L
Barium, total	LGW-4	7/11/2007	57	5		ug/L
Barium, total	LGW-4	1/22/2008	50	5		ug/L
Barium, total	LGW-4	7/23/2008	59	5		ug/L
Barium, total	LGW-4	2/3/2009	54	5		ug/L
Barium, total	LGW-4	7/31/2009	43	5		ug/L
Barium, total	LGW-4	2/3/2010	46	5		ug/L
Barium, total	LGW-4	2/3/2010	46	5		ug/L
Barium, total	LGW-4	7/16/2010	44	5		ug/L
Barium, total	LGW-4	1/19/2011	49	5		ug/L
Barium, total	LGW-4	7/13/2011	29	5		ug/L
Barium, total	LGW-4	1/4/2012	40	5		ug/L
Barium, total	LGW-4	7/9/2012	43	5		ug/L
Barium, total	LGW-4	4/30/2013	32	5		ug/L
Barium, total	LGW-4	7/15/2013	35	5		ug/L
Barium, total	LGW-4	1/23/2014	38	5		ug/L
Barium, total	LGW-4	7/8/2014	43	5		ug/L
Barium, total	LGW-4	2/11/2015	47	5		ug/L
Barium, total	LGW-4	7/8/2015	44	5		ug/L
Barium, total	LGW-4	1/5/2016	37	5		ug/L
Barium, total	LGW-4	7/19/2016	45	5		ug/L
Barium, total	LGW-4	1/11/2017	52	5		ug/L
Barium, total	LGW-4	7/18/2017	52	5		ug/L
Barium, total	LGW-4	1/23/2018	66	5		ug/L
Barium, total	LGW-4	7/11/2018	59	5		ug/L
Barium, total	LGW-4	1/3/2019	60	5		ug/L
Barium, total	LGW-4	7/9/2019	55	5		ug/L
Barium, total	LGW-4	1/14/2020	38.5	5		ug/L
Barium, total	LGW-4	7/6/2020	35.5	5		ug/L
Barium, total	LGW-4	1/18/2021	71.9	5		ug/L
Barium, total	LGW-4	7/7/2021	59.7	5		ug/L
Barium, total	LGW-4	1/12/2022	50.4	5		ug/L
Barium, total	LGW-4	7/11/2022	45.4	5		ug/L
Barium, total	LGW-4	1/10/2023	68.3	5		ug/L
Barium, total	LGW-5	1/25/2006	150	5		ug/L
Barium, total	LGW-5	8/1/2006	100	5		ug/L
Barium, total	LGW-5	8/1/2006	100	5		ug/L
Barium, total	LGW-5	10/26/2006	71	5		ug/L
Barium, total	LGW-5	1/25/2007	56	5		ug/L
Barium, total	LGW-5	4/26/2007	53	5		ug/L
Barium, total	LGW-5	7/11/2007	68	5		ug/L
Barium, total	LGW-5	1/23/2008	63	5		ug/L
Barium, total	LGW-5	7/23/2008	48	5		ug/L
Barium, total	LGW-5	2/4/2009	51	5		ug/L
Barium, total	LGW-5	7/29/2009	45	5		ug/L
Barium, total	LGW-5	2/3/2010	50	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-5	2/3/2010	50	5		ug/L
Barium, total	LGW-5	7/12/2010	47	5		ug/L
Barium, total	LGW-5	1/19/2011	51	5		ug/L
Barium, total	LGW-5	7/12/2011	37	5		ug/L
Barium, total	LGW-5	1/5/2012	39	5		ug/L
Barium, total	LGW-5	7/9/2012	45	5		ug/L
Barium, total	LGW-5	4/30/2013	45	5		ug/L
Barium, total	LGW-5	7/15/2013	42	5		ug/L
Barium, total	LGW-5	1/23/2014	42	5		ug/L
Barium, total	LGW-5	7/8/2014	65	5		ug/L
Barium, total	LGW-5	2/10/2015	85	5		ug/L
Barium, total	LGW-5	7/8/2015	61	5		ug/L
Barium, total	LGW-5	1/5/2016	68	5		ug/L
Barium, total	LGW-5	7/19/2016	66	5		ug/L
Barium, total	LGW-5	1/11/2017	70	5		ug/L
Barium, total	LGW-5	7/18/2017	73	5		ug/L
Barium, total	LGW-5	1/23/2018	77	5		ug/L
Barium, total	LGW-5	7/12/2018	71	5		ug/L
Barium, total	LGW-5	1/3/2019	77	5		ug/L
Barium, total	LGW-5	7/9/2019	83	5		ug/L
Barium, total	LGW-5	1/14/2020	88.7	5		ug/L
Barium, total	LGW-5	7/6/2020	83.7	5		ug/L
Barium, total	LGW-5	1/18/2021	120	5		ug/L
Barium, total	LGW-5	4/6/2021	114	5		ug/L
Barium, total	LGW-5	7/7/2021	127	5		ug/L
Barium, total	LGW-5	10/5/2021	127	5		ug/L
Barium, total	LGW-5	1/12/2022	123	5		ug/L
Barium, total	LGW-5	4/4/2022	126	5		ug/L
Barium, total	LGW-5	7/11/2022	119	5		ug/L
Barium, total	LGW-5	10/6/2022	134	5		ug/L
Barium, total	LGW-5	1/10/2023	109	5		ug/L
Barium, total	LGW-6	1/24/2006	58	5		ug/L
Barium, total	LGW-6	7/20/2006	52	5		ug/L
Barium, total	LGW-6	7/20/2006	52	5		ug/L
Barium, total	LGW-6	10/26/2006	62	5		ug/L
Barium, total	LGW-6	1/24/2007	51	5		ug/L
Barium, total	LGW-6	4/26/2007	48	5		ug/L
Barium, total	LGW-6	7/11/2007	51	5		ug/L
Barium, total	LGW-6	1/23/2008	49	5		ug/L
Barium, total	LGW-6	7/23/2008	49	5		ug/L
Barium, total	LGW-6	2/5/2009	54	5		ug/L
Barium, total	LGW-6	7/29/2009	51	5		ug/L
Barium, total	LGW-6	2/3/2010	51	5		ug/L
Barium, total	LGW-6	2/3/2010	51	5		ug/L
Barium, total	LGW-6	7/12/2010	53	5		ug/L
Barium, total	LGW-6	1/19/2011	53	5		ug/L
Barium, total	LGW-6	7/12/2011	45	5		ug/L
Barium, total	LGW-6	1/5/2012	49	5		ug/L
Barium, total	LGW-6	7/9/2012	49	5		ug/L
Barium, total	LGW-6	4/30/2013	52	5		ug/L
Barium, total	LGW-6	7/15/2013	53	5		ug/L
Barium, total	LGW-6	1/23/2014	51	5		ug/L
Barium, total	LGW-6	7/8/2014	50	5		ug/L
Barium, total	LGW-6	2/10/2015	58	5		ug/L
Barium, total	LGW-6	7/22/2015	57	5		ug/L
Barium, total	LGW-6	1/5/2016	65	5		ug/L
Barium, total	LGW-6	7/19/2016	75	5		ug/L
Barium, total	LGW-6	10/6/2016	73	5		ug/L
Barium, total	LGW-6	1/11/2017	61	5		ug/L
Barium, total	LGW-6	5/5/2017	71	5		ug/L
Barium, total	LGW-6	7/18/2017	82	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-6	10/5/2017	80	5		ug/L
Barium, total	LGW-6	1/23/2018	100	5		ug/L
Barium, total	LGW-6	4/10/2018	110	5		ug/L
Barium, total	LGW-6	7/17/2018	110	5		ug/L
Barium, total	LGW-6	10/2/2018	110	5		ug/L
Barium, total	LGW-6	1/7/2019	110	5		ug/L
Barium, total	LGW-6	4/3/2019	110	5		ug/L
Barium, total	LGW-6	7/10/2019	140	5		ug/L
Barium, total	LGW-6	10/3/2019	120	5		ug/L
Barium, total	LGW-6	1/16/2020	146	5		ug/L
Barium, total	LGW-6	4/2/2020	140	5		ug/L
Barium, total	LGW-6	7/9/2020	151	5		ug/L
Barium, total	LGW-6	10/6/2020	149	8.5		ug/L
Barium, total	LGW-6	1/18/2021	175	5		ug/L
Barium, total	LGW-6	4/6/2021	174	5		ug/L
Barium, total	LGW-6	7/7/2021	194	5		ug/L
Barium, total	LGW-6	10/5/2021	202	5		ug/L
Barium, total	LGW-6	1/12/2022	204	5		ug/L
Barium, total	LGW-6	4/4/2022	206	5		ug/L
Barium, total	LGW-6	7/11/2022	188	5		ug/L
Barium, total	LGW-6	10/6/2022	214	5		ug/L
Barium, total	LGW-6	1/10/2023	189	5		ug/L
Barium, total	LGW-6	4/6/2023	204	5		ug/L
Barium, total	LGW-7	1/25/2006	38	5		ug/L
Barium, total	LGW-7	8/1/2006	39	5		ug/L
Barium, total	LGW-7	8/1/2006	39	5		ug/L
Barium, total	LGW-7	10/26/2006	41	5		ug/L
Barium, total	LGW-7	1/24/2007	42	5		ug/L
Barium, total	LGW-7	4/26/2007	40	5		ug/L
Barium, total	LGW-7	7/12/2007	42	5		ug/L
Barium, total	LGW-7	7/22/2008	40	5		ug/L
Barium, total	LGW-7	2/4/2009	42	5		ug/L
Barium, total	LGW-7	7/31/2009	39	5		ug/L
Barium, total	LGW-7	1/27/2010	43	5		ug/L
Barium, total	LGW-7	7/12/2010	43	5		ug/L
Barium, total	LGW-7	1/20/2011	47	5		ug/L
Barium, total	LGW-7	7/12/2011	39	5		ug/L
Barium, total	LGW-7	1/5/2012	43	5		ug/L
Barium, total	LGW-7	7/10/2012	55	5		ug/L
Barium, total	LGW-7	4/30/2013	55	5		ug/L
Barium, total	LGW-7	7/15/2013	54	5		ug/L
Barium, total	LGW-7	1/23/2014	60	5		ug/L
Barium, total	LGW-7	7/8/2014	58	5		ug/L
Barium, total	LGW-7	2/11/2015	64	5		ug/L
Barium, total	LGW-7	7/22/2015	75	5		ug/L
Barium, total	LGW-7	1/5/2016	90	5		ug/L
Barium, total	LGW-7	4/6/2016	83	5		ug/L
Barium, total	LGW-7	7/20/2016	65	5		ug/L
Barium, total	LGW-7	10/6/2016	60	5		ug/L
Barium, total	LGW-7	1/11/2017	46	5		ug/L
Barium, total	LGW-7	4/4/2017	27	5		ug/L
Barium, total	LGW-7	7/18/2017	29	5		ug/L
Barium, total	LGW-7	10/5/2017	49	5		ug/L
Barium, total	LGW-7	1/24/2018	36	5		ug/L
Barium, total	LGW-7	4/11/2018	30	5		ug/L
Barium, total	LGW-7	7/12/2018	26	5		ug/L
Barium, total	LGW-7	10/2/2018	31	5		ug/L
Barium, total	LGW-7	1/7/2019	38	5		ug/L
Barium, total	LGW-7	4/3/2019	37	5		ug/L
Barium, total	LGW-7	7/10/2019	40	5		ug/L
Barium, total	LGW-7	10/3/2019	39	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-7	1/15/2020	44.9	5		ug/L
Barium, total	LGW-7	7/9/2020	47.4	5		ug/L
Barium, total	LGW-7	1/18/2021	45.2	5		ug/L
Barium, total	LGW-7	7/7/2021	46.3	5		ug/L
Barium, total	LGW-7	10/5/2021	46.4	5		ug/L
Barium, total	LGW-7	1/13/2022	49.9	5		ug/L
Barium, total	LGW-7	7/11/2022	60.3	5		ug/L
Barium, total	LGW-7	1/11/2023	45.3	5		ug/L
Barium, total	LGW-8R	1/24/2006	73	5		ug/L
Barium, total	LGW-8R	7/20/2006	72	5		ug/L
Barium, total	LGW-8R	7/20/2006	72	5		ug/L
Barium, total	LGW-8R	10/26/2006	100	5		ug/L
Barium, total	LGW-8R	1/24/2007	90	5		ug/L
Barium, total	LGW-8R	4/25/2007	82	5		ug/L
Barium, total	LGW-8R	7/12/2007	73	5		ug/L
Barium, total	LGW-8R	2/4/2009	63	5		ug/L
Barium, total	LGW-8R	7/29/2009	56	5		ug/L
Barium, total	LGW-8R	1/27/2010	59	5		ug/L
Barium, total	LGW-8R	7/14/2010	56	5		ug/L
Barium, total	LGW-8R	1/20/2011	66	5		ug/L
Barium, total	LGW-8R	7/12/2011	51	5		ug/L
Barium, total	LGW-8R	1/5/2012	54	5		ug/L
Barium, total	LGW-8R	7/9/2012	56	5		ug/L
Barium, total	LGW-8R	4/30/2013	60	5		ug/L
Barium, total	LGW-8R	7/15/2013	55	5		ug/L
Barium, total	LGW-8R	1/22/2014	53	5		ug/L
Barium, total	LGW-8R	7/8/2014	50	5		ug/L
Barium, total	LGW-8R	2/11/2015	63	5		ug/L
Barium, total	LGW-8R	7/22/2015	58	5		ug/L
Barium, total	LGW-8R	1/5/2016	64	5		ug/L
Barium, total	LGW-8R	7/20/2016	61	5		ug/L
Barium, total	LGW-8R	1/11/2017	76	5		ug/L
Barium, total	LGW-8R	7/18/2017	72	5		ug/L
Barium, total	LGW-8R	1/25/2018	78	5		ug/L
Barium, total	LGW-8R	6/21/2018	74	5		ug/L
Barium, total	LGW-8R	7/13/2018	68	5		ug/L
Barium, total	LGW-8R	1/7/2019	78	5		ug/L
Barium, total	LGW-8R	7/8/2019	78	5		ug/L
Barium, total	LGW-8R	1/14/2020	79.9	5		ug/L
Barium, total	LGW-8R	7/7/2020	76	5		ug/L
Barium, total	LGW-8R	1/17/2021	84.5	5		ug/L
Barium, total	LGW-8R	7/7/2021	75.8	5		ug/L
Barium, total	LGW-8R	1/13/2022	83.7	5		ug/L
Barium, total	LGW-8R	7/11/2022	78	5		ug/L
Barium, total	LGW-8R	1/11/2023	83.3	5		ug/L
Barium, total	LGW-9	1/25/2006	130	5		ug/L
Barium, total	LGW-9	7/20/2006	130	5		ug/L
Barium, total	LGW-9	7/20/2006	130	5		ug/L
Barium, total	LGW-9	10/26/2006	120	5		ug/L
Barium, total	LGW-9	1/25/2007	120	5		ug/L
Barium, total	LGW-9	4/25/2007	120	5		ug/L
Barium, total	LGW-9	7/10/2007	120	5		ug/L
Barium, total	LGW-9	7/22/2008	120	5		ug/L
Barium, total	LGW-9	2/4/2009	110	5		ug/L
Barium, total	LGW-9	7/29/2009	110	5		ug/L
Barium, total	LGW-9	1/27/2010	130	5		ug/L
Barium, total	LGW-9	7/14/2010	150	5		ug/L
Barium, total	LGW-9	1/20/2011	140	5		ug/L
Barium, total	LGW-9	7/12/2011	140	5		ug/L
Barium, total	LGW-9	1/5/2012	140	5		ug/L
Barium, total	LGW-9	7/10/2012	150	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-9	5/1/2013	140	5		ug/L
Barium, total	LGW-9	7/15/2013	130	5		ug/L
Barium, total	LGW-9	1/23/2014	110	5		ug/L
Barium, total	LGW-9	7/8/2014	110	5		ug/L
Barium, total	LGW-9	2/11/2015	140	5		ug/L
Barium, total	LGW-9	7/13/2015	130	5		ug/L
Barium, total	LGW-9	1/5/2016	140	5		ug/L
Barium, total	LGW-9	7/21/2016	180	5		ug/L
Barium, total	LGW-9	10/6/2016	170	5		ug/L
Barium, total	LGW-9	1/11/2017	180	5		ug/L
Barium, total	LGW-9	5/5/2017	190	5		ug/L
Barium, total	LGW-9	7/18/2017	200	5		ug/L
Barium, total	LGW-9	10/5/2017	170	5		ug/L
Barium, total	LGW-9	1/24/2018	170	5		ug/L
Barium, total	LGW-9	4/11/2018	180	5		ug/L
Barium, total	LGW-9	7/13/2018	180	5		ug/L
Barium, total	LGW-9	10/2/2018	150	5		ug/L
Barium, total	LGW-9	1/7/2019	140	5		ug/L
Barium, total	LGW-9	4/3/2019	160	5		ug/L
Barium, total	LGW-9	7/10/2019	140	5		ug/L
Barium, total	LGW-9	10/3/2019	110	5		ug/L
Barium, total	LGW-9	1/16/2020	134	5		ug/L
Barium, total	LGW-9	4/2/2020	126	5		ug/L
Barium, total	LGW-9	7/9/2020	137	5		ug/L
Barium, total	LGW-9	10/7/2020	149	5		ug/L
Barium, total	LGW-9	1/17/2021	98	5		ug/L
Barium, total	LGW-9	4/6/2021	168	5		ug/L
Barium, total	LGW-9	7/7/2021	156	5		ug/L
Barium, total	LGW-9	10/5/2021	149	5		ug/L
Barium, total	LGW-9	1/13/2022	149	5		ug/L
Barium, total	LGW-9	4/4/2022	156	5		ug/L
Barium, total	LGW-9	7/11/2022	154	5		ug/L
Barium, total	LGW-9	10/7/2022	163	5		ug/L
Barium, total	LGW-9	1/11/2023	147	5		ug/L
Barium, total	LGW-9	4/5/2023	137	5		ug/L
Barium, total	MW-10N	10/22/1997	130	5		ug/L
Barium, total	MW-10N	1/22/1998	66	5		ug/L
Barium, total	MW-10N	4/28/1998	44	5		ug/L
Barium, total	MW-10N	7/23/1998	38	5		ug/L
Barium, total	MW-10N	1/14/1999	95	5		ug/L
Barium, total	MW-10N	4/13/1999	42	5		ug/L
Barium, total	MW-10N	7/15/1999	29	5		ug/L
Barium, total	MW-10N	10/20/1999	23	5		ug/L
Barium, total	MW-10N	1/14/2000	29	5		ug/L
Barium, total	MW-10N	4/25/2000	24	5		ug/L
Barium, total	MW-10N	7/11/2000	24	5		ug/L
Barium, total	MW-10N	10/17/2000	25	5		ug/L
Barium, total	MW-10N	1/24/2001	29	5		ug/L
Barium, total	MW-10N	4/10/2001	33	5		ug/L
Barium, total	MW-10N	7/10/2002	55	50		ug/L
Barium, total	MW-10N	10/2/2002	57	50		ug/L
Barium, total	MW-10N	1/22/2003	38	5		ug/L
Barium, total	MW-10N	4/15/2003	51	5		ug/L
Barium, total	MW-10N	7/8/2003	29	5		ug/L
Barium, total	MW-10N	1/28/2004	35	5		ug/L
Barium, total	MW-10N	7/27/2004	26	5		ug/L
Barium, total	MW-10N	1/12/2005	33	5		ug/L
Barium, total	MW-10N	7/20/2005	39	5		ug/L
Barium, total	MW-10N	1/19/2006	29	5		ug/L
Barium, total	MW-10N	7/19/2006	38	5		ug/L
Barium, total	MW-10N	7/19/2006	38	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-10N	10/25/2006	34	5		ug/L
Barium, total	MW-10N	1/24/2007	23	5		ug/L
Barium, total	MW-10N	7/10/2007	44	5		ug/L
Barium, total	MW-10N	1/23/2008	37	5		ug/L
Barium, total	MW-10N	7/21/2008	38	5		ug/L
Barium, total	MW-10N	2/13/2009	38	5		ug/L
Barium, total	MW-10N	7/31/2009	38	5		ug/L
Barium, total	MW-10N	1/27/2010	46	5		ug/L
Barium, total	MW-10N	8/10/2010	35	5		ug/L
Barium, total	MW-10N	1/19/2011	38	5		ug/L
Barium, total	MW-10N	7/14/2011	31	5		ug/L
Barium, total	MW-10N	1/5/2012	31	5		ug/L
Barium, total	MW-10N	7/10/2012	33	5		ug/L
Barium, total	MW-10N	5/1/2013	31	5		ug/L
Barium, total	MW-10N	1/24/2014	31	5		ug/L
Barium, total	MW-10N	7/9/2014	33	5		ug/L
Barium, total	MW-10N	2/12/2015	34	5		ug/L
Barium, total	MW-10N	7/14/2015	31	5		ug/L
Barium, total	MW-10N	1/6/2016	32	5		ug/L
Barium, total	MW-10N	7/21/2016	29	5		ug/L
Barium, total	MW-10N	1/11/2017	27	5		ug/L
Barium, total	MW-10N	7/19/2017	29	5		ug/L
Barium, total	MW-10N	1/24/2018	28	5		ug/L
Barium, total	MW-10N	7/11/2018	25	5		ug/L
Barium, total	MW-10N	1/3/2019	22	5		ug/L
Barium, total	MW-10N	7/9/2019	30	5		ug/L
Barium, total	MW-10N	1/16/2020	31.1	5		ug/L
Barium, total	MW-10N	7/8/2020	29	5		ug/L
Barium, total	MW-10N	1/13/2021	31.1	5		ug/L
Barium, total	MW-10N	7/5/2021	30.2	5		ug/L
Barium, total	MW-10N	1/11/2023	39.9	5		ug/L
Barium, total	MW-11N	10/22/1997	74	5		ug/L
Barium, total	MW-11N	1/21/1998	53	5		ug/L
Barium, total	MW-11N	4/28/1998	49	5		ug/L
Barium, total	MW-11N	7/23/1998	39	5		ug/L
Barium, total	MW-11N	1/13/1999	44	5		ug/L
Barium, total	MW-11N	4/13/1999	39	5		ug/L
Barium, total	MW-11N	7/14/1999	37	5		ug/L
Barium, total	MW-11N	10/20/1999	38	5		ug/L
Barium, total	MW-11N	1/13/2000	41	5		ug/L
Barium, total	MW-11N	4/25/2000	42	5		ug/L
Barium, total	MW-11N	7/10/2000	39	5		ug/L
Barium, total	MW-11N	10/17/2000	39	5		ug/L
Barium, total	MW-11N	1/24/2001	42	5		ug/L
Barium, total	MW-11N	4/10/2001	39	5		ug/L
Barium, total	MW-11N	7/9/2002	50	50	ND	ug/L
Barium, total	MW-11N	10/2/2002	53	50		ug/L
Barium, total	MW-11N	1/23/2003	55	5		ug/L
Barium, total	MW-11N	4/15/2003	50	5		ug/L
Barium, total	MW-11N	7/8/2003	59	5		ug/L
Barium, total	MW-11N	1/29/2004	92	5		ug/L
Barium, total	MW-11N	7/27/2004	91	5		ug/L
Barium, total	MW-11N	1/13/2005	97	5		ug/L
Barium, total	MW-11N	7/20/2005	84	5		ug/L
Barium, total	MW-11N	1/19/2006	120	5		ug/L
Barium, total	MW-11N	7/18/2006	140	5		ug/L
Barium, total	MW-11N	7/18/2006	140	5		ug/L
Barium, total	MW-11N	10/25/2006	140	5		ug/L
Barium, total	MW-11N	1/24/2007	140	5		ug/L
Barium, total	MW-11N	7/10/2007	81	5		ug/L
Barium, total	MW-11N	1/22/2008	65	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-11N	7/23/2008	54	5		ug/L
Barium, total	MW-11N	2/3/2009	51	5		ug/L
Barium, total	MW-11N	7/31/2009	65	5		ug/L
Barium, total	MW-11N	2/3/2010	54	5		ug/L
Barium, total	MW-11N	2/3/2010	54	5		ug/L
Barium, total	MW-11N	7/16/2010	55	5		ug/L
Barium, total	MW-11N	1/19/2011	55	5		ug/L
Barium, total	MW-11N	7/13/2011	48	5		ug/L
Barium, total	MW-11N	1/4/2012	50	5		ug/L
Barium, total	MW-11N	7/9/2012	59	5		ug/L
Barium, total	MW-11N	4/30/2013	77	5		ug/L
Barium, total	MW-11N	7/15/2013	61	5		ug/L
Barium, total	MW-11N	1/23/2014	52	5		ug/L
Barium, total	MW-11N	7/8/2014	69	5		ug/L
Barium, total	MW-11N	2/10/2015	53	5		ug/L
Barium, total	MW-11N	7/13/2015	67	5		ug/L
Barium, total	MW-11N	1/5/2016	66	5		ug/L
Barium, total	MW-11N	7/21/2016	64	5		ug/L
Barium, total	MW-11N	1/11/2017	66	5		ug/L
Barium, total	MW-11N	7/19/2017	65	5		ug/L
Barium, total	MW-11N	1/23/2018	65	5		ug/L
Barium, total	MW-11N	7/17/2018	64	5		ug/L
Barium, total	MW-11N	1/2/2019	72	5		ug/L
Barium, total	MW-11N	7/9/2019	66	5		ug/L
Barium, total	MW-11N	1/14/2020	65	5		ug/L
Barium, total	MW-11N	7/6/2020	59.1	5		ug/L
Barium, total	MW-11N	1/18/2021	49.1	5		ug/L
Barium, total	MW-11N	7/6/2021	52.8	5		ug/L
Barium, total	MW-11N	1/18/2022	52.5	5		ug/L
Barium, total	MW-11N	7/13/2022	50.2	5		ug/L
Barium, total	MW-11N	1/10/2023	50.9	5		ug/L
Barium, total	MW-15	6/5/2015	33	5		ug/L
Barium, total	MW-15	7/15/2015	25	5		ug/L
Barium, total	MW-15	8/5/2015	37	5		ug/L
Barium, total	MW-15	9/3/2015	24	5		ug/L
Barium, total	MW-15	1/7/2016	29	5		ug/L
Barium, total	MW-15	4/5/2016	23	5		ug/L
Barium, total	MW-15	7/20/2016	23	5		ug/L
Barium, total	MW-15	10/6/2016	22	5		ug/L
Barium, total	MW-15	1/10/2017	25	5		ug/L
Barium, total	MW-15	7/18/2017	23	5		ug/L
Barium, total	MW-15	1/23/2018	18	5		ug/L
Barium, total	MW-15	7/10/2018	21	5		ug/L
Barium, total	MW-15	1/3/2019	24	5		ug/L
Barium, total	MW-15	7/9/2019	21	5		ug/L
Barium, total	MW-15	1/14/2020	39.7	5		ug/L
Barium, total	MW-15	8/3/2020	29.7	5		ug/L
Barium, total	MW-15	1/18/2021	25.4	5		ug/L
Barium, total	MW-15	7/4/2021	24.4	5		ug/L
Barium, total	MW-15	1/12/2022	22.2	5		ug/L
Barium, total	MW-15	7/10/2022	20.3	5		ug/L
Barium, total	MW-15	1/10/2023	23.3	5		ug/L
Barium, total	MW-16	6/5/2015	85	5		ug/L
Barium, total	MW-16	7/16/2015	66	5		ug/L
Barium, total	MW-16	8/5/2015	76	5		ug/L
Barium, total	MW-16	9/3/2015	79	5		ug/L
Barium, total	MW-16	1/8/2016	67	5		ug/L
Barium, total	MW-16	4/5/2016	65	5		ug/L
Barium, total	MW-16	7/21/2016	50	5		ug/L
Barium, total	MW-16	10/5/2016	44	5		ug/L
Barium, total	MW-16	1/10/2017	51	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-16	7/18/2017	50	5		ug/L
Barium, total	MW-16	1/23/2018	37	5		ug/L
Barium, total	MW-16	7/11/2018	35	5		ug/L
Barium, total	MW-16	1/2/2019	36	5		ug/L
Barium, total	MW-16	7/10/2019	36	5		ug/L
Barium, total	MW-16	1/14/2020	37	5		ug/L
Barium, total	MW-16	8/3/2020	35.8	5		ug/L
Barium, total	MW-16	1/18/2021	31	5		ug/L
Barium, total	MW-16	7/4/2021	32.4	5		ug/L
Barium, total	MW-16	1/12/2022	32.2	5		ug/L
Barium, total	MW-16	7/10/2022	33.2	5		ug/L
Barium, total	MW-16	1/10/2023	31.3	5		ug/L
Barium, total	MW-17	6/5/2015	38	5		ug/L
Barium, total	MW-17	7/15/2015	32	5		ug/L
Barium, total	MW-17	8/4/2015	27	5		ug/L
Barium, total	MW-17	9/2/2015	29	5		ug/L
Barium, total	MW-17	1/7/2016	11	5		ug/L
Barium, total	MW-17	4/5/2016	21	5		ug/L
Barium, total	MW-17	7/20/2016	20	5		ug/L
Barium, total	MW-17	10/6/2016	91	5		ug/L
Barium, total	MW-17	1/10/2017	77	5		ug/L
Barium, total	MW-17	7/18/2017	77	5		ug/L
Barium, total	MW-17	1/23/2018	42	5		ug/L
Barium, total	MW-17	7/10/2018	53	5		ug/L
Barium, total	MW-17	1/3/2019	46	5		ug/L
Barium, total	MW-17	7/11/2019	70	5		ug/L
Barium, total	MW-17	1/14/2020	78.7	5		ug/L
Barium, total	MW-17	8/3/2020	78.9	5		ug/L
Barium, total	MW-17	1/14/2021	39.8	5		ug/L
Barium, total	MW-17	7/4/2021	71.4	5		ug/L
Barium, total	MW-17	1/10/2023	43.5	5		ug/L
Barium, total	MW-19	6/5/2015	63	5		ug/L
Barium, total	MW-19	7/16/2015	91	5		ug/L
Barium, total	MW-19	8/5/2015	30	5		ug/L
Barium, total	MW-19	9/3/2015	34	5		ug/L
Barium, total	MW-19	1/7/2016	59	5		ug/L
Barium, total	MW-19	4/5/2016	47	5		ug/L
Barium, total	MW-19	7/21/2016	22	5		ug/L
Barium, total	MW-19	10/5/2016	37	5		ug/L
Barium, total	MW-19	1/10/2017	36	5		ug/L
Barium, total	MW-19	7/18/2017	150	5		ug/L
Barium, total	MW-19	1/23/2018	35	5		ug/L
Barium, total	MW-19	7/13/2018	25	5		ug/L
Barium, total	MW-19	1/7/2019	24	5		ug/L
Barium, total	MW-19	7/11/2019	30	5		ug/L
Barium, total	MW-19	1/14/2020	70.1	5		ug/L
Barium, total	MW-19	8/3/2020	46	5		ug/L
Barium, total	MW-19	1/14/2021	50.4	5		ug/L
Barium, total	MW-19	7/4/2021	42	5		ug/L
Barium, total	MW-19	1/11/2023	25.2	5		ug/L
Barium, total	MW-1N	10/22/1997	40	5		ug/L
Barium, total	MW-1N	1/20/1998	40	5		ug/L
Barium, total	MW-1N	4/28/1998	58	5		ug/L
Barium, total	MW-1N	7/23/1998	59	5		ug/L
Barium, total	MW-1N	10/14/1998	53	5		ug/L
Barium, total	MW-1N	1/13/1999	56	5		ug/L
Barium, total	MW-1N	4/13/1999	180	5		ug/L
Barium, total	MW-1N	7/15/1999	110	5		ug/L
Barium, total	MW-1N	10/19/1999	71	5		ug/L
Barium, total	MW-1N	1/14/2000	66	5		ug/L
Barium, total	MW-1N	4/25/2000	54	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-1N	7/12/2000	200	5		ug/L
Barium, total	MW-1N	10/18/2000	150	5		ug/L
Barium, total	MW-1N	1/24/2001	99	5		ug/L
Barium, total	MW-1N	4/12/2001	270	5		ug/L
Barium, total	MW-1N	5/29/2002	190	5		ug/L
Barium, total	MW-1N	5/29/2002	190	5		ug/L
Barium, total	MW-1N	7/9/2002	140	50		ug/L
Barium, total	MW-1N	10/3/2002	130	50		ug/L
Barium, total	MW-1N	1/22/2003	140	5		ug/L
Barium, total	MW-1N	4/15/2003	110	5		ug/L
Barium, total	MW-1N	7/8/2003	110	5		ug/L
Barium, total	MW-1N	1/28/2004	110	5		ug/L
Barium, total	MW-1N	7/27/2004	84	5		ug/L
Barium, total	MW-1N	1/12/2005	67	5		ug/L
Barium, total	MW-1N	7/20/2005	59	5		ug/L
Barium, total	MW-1N	1/18/2006	57	5		ug/L
Barium, total	MW-1N	7/18/2006	45	5		ug/L
Barium, total	MW-1N	7/18/2006	45	5		ug/L
Barium, total	MW-1N	10/24/2006	48	5		ug/L
Barium, total	MW-1N	1/26/2007	48	5		ug/L
Barium, total	MW-1N	7/11/2007	42	5		ug/L
Barium, total	MW-1N	1/24/2008	38	5		ug/L
Barium, total	MW-1N	7/21/2008	38	5		ug/L
Barium, total	MW-1N	2/5/2009	38	5		ug/L
Barium, total	MW-1N	7/31/2009	38	5		ug/L
Barium, total	MW-1N	1/26/2010	37	5		ug/L
Barium, total	MW-1N	7/13/2010	39	5		ug/L
Barium, total	MW-1N	1/20/2011	35	5		ug/L
Barium, total	MW-1N	7/13/2011	41	5		ug/L
Barium, total	MW-1N	1/5/2012	41	5		ug/L
Barium, total	MW-1N	7/10/2012	37	5		ug/L
Barium, total	MW-1N	5/1/2013	41	5		ug/L
Barium, total	MW-1N	7/16/2013	38	5		ug/L
Barium, total	MW-1N	1/24/2014	31	5		ug/L
Barium, total	MW-1N	7/9/2014	35	5		ug/L
Barium, total	MW-1N	2/10/2015	35	5		ug/L
Barium, total	MW-1N	7/14/2015	87	5		ug/L
Barium, total	MW-1N	1/6/2016	88	5		ug/L
Barium, total	MW-1N	7/21/2016	76	5		ug/L
Barium, total	MW-1N	1/12/2017	52	5		ug/L
Barium, total	MW-1N	7/19/2017	54	5		ug/L
Barium, total	MW-1N	1/23/2018	42	5		ug/L
Barium, total	MW-1N	7/10/2018	40	5		ug/L
Barium, total	MW-1N	1/3/2019	38	5		ug/L
Barium, total	MW-1N	7/11/2019	57	5		ug/L
Barium, total	MW-1N	1/23/2020	58.3	5		ug/L
Barium, total	MW-1N	4/2/2020	45.9	5		ug/L
Barium, total	MW-1N	7/6/2020	41	5		ug/L
Barium, total	MW-1N	1/14/2021	36.3	5		ug/L
Barium, total	MW-1N	7/4/2021	37.3	5		ug/L
Barium, total	MW-1N	1/11/2023	39.7	5		ug/L
Barium, total	MW-20	6/5/2015	120	5		ug/L
Barium, total	MW-20	7/14/2015	110	5		ug/L
Barium, total	MW-20	8/4/2015	120	5		ug/L
Barium, total	MW-20	9/2/2015	110	5		ug/L
Barium, total	MW-20	1/7/2016	130	5		ug/L
Barium, total	MW-20	4/5/2016	76	5		ug/L
Barium, total	MW-20	7/20/2016	78	5		ug/L
Barium, total	MW-20	10/5/2016	73	5		ug/L
Barium, total	MW-20	1/12/2017	88	5		ug/L
Barium, total	MW-20	7/18/2017	75	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-20	1/26/2018	92	5		ug/L
Barium, total	MW-20	7/12/2018	79	5		ug/L
Barium, total	MW-20	7/11/2019	92	5		ug/L
Barium, total	MW-20	1/14/2020	105	5		ug/L
Barium, total	MW-20	7/7/2020	94.3	5		ug/L
Barium, total	MW-20	1/17/2021	132	5		ug/L
Barium, total	MW-20	7/4/2021	105	5		ug/L
Barium, total	MW-20	1/11/2023	102	5		ug/L
Barium, total	MW-21	6/5/2015	340	5		ug/L
Barium, total	MW-21	7/14/2015	320	5		ug/L
Barium, total	MW-21	8/4/2015	320	5		ug/L
Barium, total	MW-21	9/2/2015	330	5		ug/L
Barium, total	MW-21	1/7/2016	200	5		ug/L
Barium, total	MW-21	4/5/2016	310	5		ug/L
Barium, total	MW-21	7/20/2016	290	5		ug/L
Barium, total	MW-21	10/5/2016	220	5		ug/L
Barium, total	MW-21	10/5/2016	220	5		ug/L
Barium, total	MW-21	1/10/2017	270	5		ug/L
Barium, total	MW-21	4/5/2017	290	5		ug/L
Barium, total	MW-21	7/19/2017	280	5		ug/L
Barium, total	MW-21	10/6/2017	260	5		ug/L
Barium, total	MW-21	1/24/2018	220	5		ug/L
Barium, total	MW-21	4/11/2018	390	5		ug/L
Barium, total	MW-21	7/11/2018	280	5		ug/L
Barium, total	MW-21	10/4/2018	250	5		ug/L
Barium, total	MW-21	1/3/2019	370	5		ug/L
Barium, total	MW-21	4/3/2019	300	5		ug/L
Barium, total	MW-21	7/11/2019	290	5		ug/L
Barium, total	MW-21	10/2/2019	280	5		ug/L
Barium, total	MW-21	1/16/2020	280	5		ug/L
Barium, total	MW-21	4/2/2020	246	5		ug/L
Barium, total	MW-21	7/8/2020	229	5		ug/L
Barium, total	MW-21	10/7/2020	196	5		ug/L
Barium, total	MW-21	1/13/2021	261	5		ug/L
Barium, total	MW-21	4/6/2021	202	5		ug/L
Barium, total	MW-21	7/5/2021	207	5		ug/L
Barium, total	MW-21	10/6/2021	160	5		ug/L
Barium, total	MW-21	1/11/2023	201	5		ug/L
Barium, total	MW-21	4/8/2023	170	5		ug/L
Barium, total	MW-2N	10/22/1997	47	5		ug/L
Barium, total	MW-2N	1/21/1998	53	5		ug/L
Barium, total	MW-2N	4/28/1998	46	5		ug/L
Barium, total	MW-2N	7/22/1998	39	5		ug/L
Barium, total	MW-2N	1/13/1999	40	5		ug/L
Barium, total	MW-2N	4/13/1999	38	5		ug/L
Barium, total	MW-2N	7/14/1999	32	5		ug/L
Barium, total	MW-2N	10/20/1999	33	5		ug/L
Barium, total	MW-2N	1/14/2000	34	5		ug/L
Barium, total	MW-2N	4/25/2000	33	5		ug/L
Barium, total	MW-2N	10/17/2000	32	5		ug/L
Barium, total	MW-2N	1/24/2001	33	5		ug/L
Barium, total	MW-2N	4/11/2001	34	5		ug/L
Barium, total	MW-2N	7/10/2002	50	50	ND	ug/L
Barium, total	MW-2N	10/2/2002	50	50	ND	ug/L
Barium, total	MW-2N	1/22/2003	38	5		ug/L
Barium, total	MW-2N	4/14/2003	36	5		ug/L
Barium, total	MW-2N	7/7/2003	34	5		ug/L
Barium, total	MW-2N	1/28/2004	40	5		ug/L
Barium, total	MW-2N	7/27/2004	34	5		ug/L
Barium, total	MW-2N	1/12/2005	32	5		ug/L
Barium, total	MW-2N	7/20/2005	33	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-2N	1/19/2006	37	5		ug/L
Barium, total	MW-2N	7/19/2006	32	5		ug/L
Barium, total	MW-2N	7/19/2006	32	5		ug/L
Barium, total	MW-2N	10/25/2006	35	5		ug/L
Barium, total	MW-2N	1/26/2007	41	5		ug/L
Barium, total	MW-2N	7/11/2007	37	5		ug/L
Barium, total	MW-2N	1/24/2008	39	5		ug/L
Barium, total	MW-2N	7/22/2008	35	5		ug/L
Barium, total	MW-2N	2/4/2009	39	5		ug/L
Barium, total	MW-2N	7/31/2009	37	5		ug/L
Barium, total	MW-2N	1/26/2010	38	5		ug/L
Barium, total	MW-2N	7/13/2010	43	5		ug/L
Barium, total	MW-2N	1/20/2011	45	5		ug/L
Barium, total	MW-2N	7/13/2011	39	5		ug/L
Barium, total	MW-2N	1/5/2012	39	5		ug/L
Barium, total	MW-2N	7/10/2012	43	5		ug/L
Barium, total	MW-2N	5/1/2013	42	5		ug/L
Barium, total	MW-2N	7/16/2013	41	5		ug/L
Barium, total	MW-2N	1/24/2014	42	5		ug/L
Barium, total	MW-2N	7/9/2014	50	5		ug/L
Barium, total	MW-2N	2/12/2015	45	5		ug/L
Barium, total	MW-2N	7/14/2015	34	5		ug/L
Barium, total	MW-2N	1/6/2016	66	5		ug/L
Barium, total	MW-2N	7/21/2016	64	5		ug/L
Barium, total	MW-2N	1/11/2017	56	5		ug/L
Barium, total	MW-2N	7/19/2017	61	5		ug/L
Barium, total	MW-2N	1/23/2018	61	5		ug/L
Barium, total	MW-2N	6/21/2018	59	5		ug/L
Barium, total	MW-2N	7/12/2018	51	5		ug/L
Barium, total	MW-2N	1/3/2019	60	5		ug/L
Barium, total	MW-2N	4/3/2019	61	5		ug/L
Barium, total	MW-2N	8/7/2019	99	5		ug/L
Barium, total	MW-2N	1/23/2020	85.2	5		ug/L
Barium, total	MW-2N	7/7/2020	73.8	5		ug/L
Barium, total	MW-2N	1/14/2021	75.1	5		ug/L
Barium, total	MW-2N	7/5/2021	74.10001	5		ug/L
Barium, total	MW-2N	1/11/2023	81.8	5		ug/L
Barium, total	MW-3N	10/21/1997	100	5		ug/L
Barium, total	MW-3N	1/21/1998	110	5		ug/L
Barium, total	MW-3N	4/28/1998	130	5		ug/L
Barium, total	MW-3N	7/23/1998	140	5		ug/L
Barium, total	MW-3N	1/13/1999	140	5		ug/L
Barium, total	MW-3N	4/13/1999	140	5		ug/L
Barium, total	MW-3N	7/14/1999	130	5		ug/L
Barium, total	MW-3N	10/20/1999	140	5		ug/L
Barium, total	MW-3N	1/14/2000	150	5		ug/L
Barium, total	MW-3N	4/24/2000	140	5		ug/L
Barium, total	MW-3N	7/11/2000	140	5		ug/L
Barium, total	MW-3N	10/17/2000	130	5		ug/L
Barium, total	MW-3N	1/23/2001	120	5		ug/L
Barium, total	MW-3N	4/11/2001	150	5		ug/L
Barium, total	MW-3N	5/29/2002	150	5		ug/L
Barium, total	MW-3N	5/29/2002	150	5		ug/L
Barium, total	MW-3N	7/9/2002	170	50		ug/L
Barium, total	MW-3N	10/2/2002	210	50		ug/L
Barium, total	MW-3N	1/22/2003	180	5		ug/L
Barium, total	MW-3N	4/14/2003	180	5		ug/L
Barium, total	MW-3N	7/7/2003	180	5		ug/L
Barium, total	MW-3N	1/28/2004	180	5		ug/L
Barium, total	MW-3N	7/27/2004	190	5		ug/L
Barium, total	MW-3N	1/12/2005	170	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-3N	7/20/2005	170	5		ug/L
Barium, total	MW-3N	1/18/2006	190	5		ug/L
Barium, total	MW-3N	7/19/2006	170	5		ug/L
Barium, total	MW-3N	7/19/2006	170	5		ug/L
Barium, total	MW-3N	10/25/2006	180	5		ug/L
Barium, total	MW-3N	1/26/2007	170	5		ug/L
Barium, total	MW-3N	7/11/2007	190	5		ug/L
Barium, total	MW-3N	1/24/2008	180	5		ug/L
Barium, total	MW-3N	7/22/2008	170	5		ug/L
Barium, total	MW-3N	2/4/2009	180	5		ug/L
Barium, total	MW-3N	7/31/2009	180	5		ug/L
Barium, total	MW-3N	1/26/2010	170	5		ug/L
Barium, total	MW-3N	7/13/2010	180	5		ug/L
Barium, total	MW-3N	1/20/2011	170	5		ug/L
Barium, total	MW-3N	7/14/2011	150	5		ug/L
Barium, total	MW-3N	1/5/2012	160	5		ug/L
Barium, total	MW-3N	7/11/2012	160	5		ug/L
Barium, total	MW-3N	5/1/2013	150	5		ug/L
Barium, total	MW-3N	6/4/2013	150	5		ug/L
Barium, total	MW-3N	7/16/2013	160	5		ug/L
Barium, total	MW-3N	1/24/2014	140	5		ug/L
Barium, total	MW-3N	7/9/2014	160	5		ug/L
Barium, total	MW-3N	2/12/2015	140	5		ug/L
Barium, total	MW-3N	4/1/2015	150	5		ug/L
Barium, total	MW-3N	7/14/2015	150	5		ug/L
Barium, total	MW-3N	10/5/2015	160	5		ug/L
Barium, total	MW-3N	1/6/2016	160	5		ug/L
Barium, total	MW-3N	4/6/2016	150	5		ug/L
Barium, total	MW-3N	7/21/2016	150	5		ug/L
Barium, total	MW-3N	10/6/2016	130	5		ug/L
Barium, total	MW-3N	1/11/2017	100	5		ug/L
Barium, total	MW-3N	4/4/2017	100	5		ug/L
Barium, total	MW-3N	7/19/2017	150	5		ug/L
Barium, total	MW-3N	10/9/2017	130	5		ug/L
Barium, total	MW-3N	1/24/2018	110	5		ug/L
Barium, total	MW-3N	4/10/2018	110	5		ug/L
Barium, total	MW-3N	7/13/2018	120	5		ug/L
Barium, total	MW-3N	10/3/2018	120	5		ug/L
Barium, total	MW-3N	1/7/2019	110	5		ug/L
Barium, total	MW-3N	4/3/2019	120	5		ug/L
Barium, total	MW-3N	7/11/2019	130	5		ug/L
Barium, total	MW-3N	10/2/2019	100	5		ug/L
Barium, total	MW-3N	1/15/2020	111	5		ug/L
Barium, total	MW-3N	4/2/2020	93.3	5		ug/L
Barium, total	MW-3N	7/7/2020	121	5		ug/L
Barium, total	MW-3N	10/7/2020	133	5		ug/L
Barium, total	MW-3N	1/13/2021	102	5		ug/L
Barium, total	MW-3N	4/6/2021	77.4	5		ug/L
Barium, total	MW-3N	7/5/2021	108	5		ug/L
Barium, total	MW-3N	10/6/2021	147	5		ug/L
Barium, total	MW-3N	1/11/2023	86.1	5		ug/L
Barium, total	MW-7N	10/21/1997	61	5		ug/L
Barium, total	MW-7N	1/21/1998	280	5		ug/L
Barium, total	MW-7N	7/22/1998	240	5		ug/L
Barium, total	MW-7N	8/18/1998	210	5		ug/L
Barium, total	MW-7N	9/17/1998	220	5		ug/L
Barium, total	MW-7N	10/15/1998	230	5		ug/L
Barium, total	MW-7N	11/9/1998	240	5		ug/L
Barium, total	MW-7N	1/14/1999	290	5		ug/L
Barium, total	MW-7N	4/14/1999	220	5		ug/L
Barium, total	MW-7N	7/14/1999	270	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-7N	10/19/1999	280	5		ug/L
Barium, total	MW-7N	1/13/2000	300	5		ug/L
Barium, total	MW-7N	4/25/2000	310	5		ug/L
Barium, total	MW-7N	7/11/2000	320	5		ug/L
Barium, total	MW-7N	10/17/2000	310	5		ug/L
Barium, total	MW-7N	1/23/2001	310	5		ug/L
Barium, total	MW-7N	4/10/2001	310	5		ug/L
Barium, total	MW-7N	5/29/2002	340	5		ug/L
Barium, total	MW-7N	5/29/2002	340	5		ug/L
Barium, total	MW-7N	7/9/2002	330	50		ug/L
Barium, total	MW-7N	10/2/2002	320	50		ug/L
Barium, total	MW-7N	1/23/2003	230	5		ug/L
Barium, total	MW-7N	4/14/2003	360	5		ug/L
Barium, total	MW-7N	7/7/2003	280	5		ug/L
Barium, total	MW-7N	1/27/2004	340	5		ug/L
Barium, total	MW-7N	4/8/2004	320	5		ug/L
Barium, total	MW-7N	7/26/2004	320	5		ug/L
Barium, total	MW-7N	1/12/2005	300	5		ug/L
Barium, total	MW-7N	7/19/2005	280	5		ug/L
Barium, total	MW-7N	1/19/2006	280	5		ug/L
Barium, total	MW-7N	7/19/2006	290	5		ug/L
Barium, total	MW-7N	7/19/2006	290	5		ug/L
Barium, total	MW-7N	10/24/2006	280	5		ug/L
Barium, total	MW-7N	1/26/2007	250	5		ug/L
Barium, total	MW-7N	7/10/2007	250	5		ug/L
Barium, total	MW-7N	7/21/2008	150	5		ug/L
Barium, total	MW-7N	2/6/2009	150	5		ug/L
Barium, total	MW-7N	7/29/2009	150	5		ug/L
Barium, total	MW-7N	1/26/2010	120	5		ug/L
Barium, total	MW-7N	7/14/2010	120	5		ug/L
Barium, total	MW-7N	1/20/2011	91	5		ug/L
Barium, total	MW-7N	7/12/2011	96	5		ug/L
Barium, total	MW-7N	1/5/2012	97	5		ug/L
Barium, total	MW-7N	7/10/2012	95	5		ug/L
Barium, total	MW-7N	5/1/2013	270	5		ug/L
Barium, total	MW-7N	6/4/2013	210	5		ug/L
Barium, total	MW-7N	7/15/2013	120	5		ug/L
Barium, total	MW-7N	1/30/2014	98	5		ug/L
Barium, total	MW-7N	7/9/2014	90	5		ug/L
Barium, total	MW-7N	2/12/2015	120	5		ug/L
Barium, total	MW-7N	7/13/2015	83	5		ug/L
Barium, total	MW-7N	1/5/2016	89	5		ug/L
Barium, total	MW-7N	7/21/2016	96	5		ug/L
Barium, total	MW-7N	1/11/2017	240	5		ug/L
Barium, total	MW-7N	4/4/2017	110	5		ug/L
Barium, total	MW-7N	7/19/2017	150	5		ug/L
Barium, total	MW-7N	10/5/2017	150	5		ug/L
Barium, total	MW-7N	1/25/2018	160	5		ug/L
Barium, total	MW-7N	4/11/2018	150	5		ug/L
Barium, total	MW-7N	7/13/2018	110	5		ug/L
Barium, total	MW-7N	1/4/2019	120	5		ug/L
Barium, total	MW-7N	7/10/2019	120	5		ug/L
Barium, total	MW-7N	1/16/2020	129	5		ug/L
Barium, total	MW-7N	7/7/2020	128	5		ug/L
Barium, total	MW-7N	1/16/2021	150	5		ug/L
Barium, total	MW-7N	7/5/2021	145	5		ug/L
Barium, total	MW-7N	1/12/2022	141	5		ug/L
Barium, total	MW-7N	7/10/2022	135	5		ug/L
Barium, total	MW-7N	1/10/2023	129	5		ug/L
Barium, total	MW-8N	10/21/1997	82	5		ug/L
Barium, total	MW-8N	1/22/1998	130	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-8N	4/28/1998	140	5		ug/L
Barium, total	MW-8N	7/22/1998	140	5		ug/L
Barium, total	MW-8N	1/12/1999	210	5		ug/L
Barium, total	MW-8N	4/13/1999	180	5		ug/L
Barium, total	MW-8N	7/14/1999	280	5		ug/L
Barium, total	MW-8N	10/19/1999	190	5		ug/L
Barium, total	MW-8N	1/14/2000	200	5		ug/L
Barium, total	MW-8N	4/25/2000	160	5		ug/L
Barium, total	MW-8N	10/17/2000	170	5		ug/L
Barium, total	MW-8N	1/23/2001	170	5		ug/L
Barium, total	MW-8N	4/11/2001	210	5		ug/L
Barium, total	MW-8N	5/29/2002	300	5		ug/L
Barium, total	MW-8N	5/29/2002	300	5		ug/L
Barium, total	MW-8N	7/9/2002	210	50		ug/L
Barium, total	MW-8N	10/2/2002	190	50		ug/L
Barium, total	MW-8N	1/23/2003	190	5		ug/L
Barium, total	MW-8N	4/14/2003	180	5		ug/L
Barium, total	MW-8N	7/7/2003	170	5		ug/L
Barium, total	MW-8N	1/28/2004	170	5		ug/L
Barium, total	MW-8N	7/27/2004	220	5		ug/L
Barium, total	MW-8N	1/12/2005	240	5		ug/L
Barium, total	MW-8N	7/20/2005	260	5		ug/L
Barium, total	MW-8N	1/19/2006	230	5		ug/L
Barium, total	MW-8N	7/19/2006	250	5		ug/L
Barium, total	MW-8N	7/19/2006	250	5		ug/L
Barium, total	MW-8N	10/24/2006	260	5		ug/L
Barium, total	MW-8N	1/26/2007	270	5		ug/L
Barium, total	MW-8N	4/25/2007	240	5		ug/L
Barium, total	MW-8N	7/10/2007	220	5		ug/L
Barium, total	MW-8N	1/24/2008	220	5		ug/L
Barium, total	MW-8N	7/23/2008	190	5		ug/L
Barium, total	MW-8N	2/4/2009	160	5		ug/L
Barium, total	MW-8N	7/31/2009	160	5		ug/L
Barium, total	MW-8N	1/26/2010	150	5		ug/L
Barium, total	MW-8N	7/16/2010	160	5		ug/L
Barium, total	MW-8N	1/19/2011	160	5		ug/L
Barium, total	MW-8N	5/10/2011	170	5		ug/L
Barium, total	MW-8N	7/14/2011	150	5		ug/L
Barium, total	MW-8N	1/6/2012	150	5		ug/L
Barium, total	MW-8N	4/5/2012	160	5		ug/L
Barium, total	MW-8N	7/11/2012	150	5		ug/L
Barium, total	MW-8N	10/3/2012	170	5		ug/L
Barium, total	MW-8N	5/1/2013	160	5		ug/L
Barium, total	MW-8N	6/4/2013	160	5		ug/L
Barium, total	MW-8N	7/16/2013	150	5		ug/L
Barium, total	MW-8N	10/2/2013	150	5		ug/L
Barium, total	MW-8N	1/30/2014	150	5		ug/L
Barium, total	MW-8N	4/3/2014	140	5		ug/L
Barium, total	MW-8N	7/9/2014	150	5		ug/L
Barium, total	MW-8N	10/8/2014	120	5		ug/L
Barium, total	MW-8N	2/12/2015	150	5		ug/L
Barium, total	MW-8N	4/1/2015	150	5		ug/L
Barium, total	MW-8N	7/14/2015	150	5		ug/L
Barium, total	MW-8N	10/5/2015	160	5		ug/L
Barium, total	MW-8N	1/5/2016	180	5		ug/L
Barium, total	MW-8N	4/6/2016	180	5		ug/L
Barium, total	MW-8N	7/21/2016	170	5		ug/L
Barium, total	MW-8N	10/6/2016	150	5		ug/L
Barium, total	MW-8N	1/11/2017	180	5		ug/L
Barium, total	MW-8N	4/4/2017	160	5		ug/L
Barium, total	MW-8N	7/19/2017	180	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-8N	10/6/2017	170	5		ug/L
Barium, total	MW-8N	1/25/2018	180	5		ug/L
Barium, total	MW-8N	4/10/2018	180	5		ug/L
Barium, total	MW-8N	7/16/2018	180	5		ug/L
Barium, total	MW-8N	10/2/2018	160	5		ug/L
Barium, total	MW-8N	1/7/2019	170	5		ug/L
Barium, total	MW-8N	4/3/2019	180	5		ug/L
Barium, total	MW-8N	7/11/2019	180	5		ug/L
Barium, total	MW-8N	10/3/2019	160	5		ug/L
Barium, total	MW-8N	1/15/2020	169	5		ug/L
Barium, total	MW-8N	4/2/2020	162	5		ug/L
Barium, total	MW-8N	7/9/2020	165	5		ug/L
Barium, total	MW-8N	10/6/2020	155	5		ug/L
Barium, total	MW-8N	1/15/2021	157	5		ug/L
Barium, total	MW-8N	4/6/2021	136	5		ug/L
Barium, total	MW-8N	7/5/2021	144	5		ug/L
Barium, total	MW-8N	10/6/2021	144	5		ug/L
Barium, total	MW-8N	1/18/2022	141	5		ug/L
Barium, total	MW-8N	4/4/2022	147	5		ug/L
Barium, total	MW-8N	7/12/2022	144	5		ug/L
Barium, total	MW-8N	10/6/2022	147	5		ug/L
Barium, total	MW-8N	1/11/2023	139	5		ug/L
Barium, total	MW-8N	4/8/2023	142	5		ug/L
Barium, total	NE-1	7/10/2002	50	50	ND	ug/L
Barium, total	NE-1	8/6/2002	50	50	ND	ug/L
Barium, total	NE-1	9/4/2002	50	50	ND	ug/L
Barium, total	NE-1	10/2/2002	50	50	ND	ug/L
Barium, total	NE-1	7/8/2003	5	5	ND	ug/L
Barium, total	NE-1	1/27/2004	39	5		ug/L
Barium, total	NE-1	1/12/2005	5	5	ND	ug/L
Barium, total	NE-1	7/19/2006	5	5	ND	ug/L
Barium, total	NE-1	7/19/2006	5	5	ND	ug/L
Barium, total	NE-1	10/25/2006	5	5	ND	ug/L
Barium, total	NE-1	1/24/2007	5	5	ND	ug/L
Barium, total	NE-1	7/10/2007	12	5		ug/L
Barium, total	NE-1	1/24/2008	8.6	5		ug/L
Barium, total	NE-1	7/21/2008	5	5	ND	ug/L
Barium, total	NE-1	2/7/2009	20	5		ug/L
Barium, total	NE-1	7/31/2009	5	5	ND	ug/L
Barium, total	NE-1	1/26/2010	5	5	ND	ug/L
Barium, total	NE-1	7/14/2010	16	5		ug/L
Barium, total	NE-1	1/19/2011	3.8	5	ND	ug/L
Barium, total	NE-1	7/13/2011	5	5	ND	ug/L
Barium, total	NE-1	1/5/2012	2.2	5	ND	ug/L
Barium, total	NE-1	7/10/2012	6.5	5		ug/L
Barium, total	NE-1	4/30/2013	2.3	5	ND	ug/L
Barium, total	NE-1	7/16/2013	0.8	5	ND	ug/L
Barium, total	NE-1	1/23/2014	20	5		ug/L
Barium, total	NE-1	7/9/2014	3.3	5	ND	ug/L
Barium, total	NE-1	2/11/2015	2.7	5	ND	ug/L
Barium, total	NE-1	7/8/2015	1.8	5	ND	ug/L
Barium, total	NE-1	1/6/2016	7.7	5		ug/L
Barium, total	NE-1	7/20/2016	7.2	5		ug/L
Barium, total	NE-1	1/11/2017	7.3	5		ug/L
Barium, total	NE-1	7/19/2017	10	5		ug/L
Barium, total	NE-1	1/24/2018	12	5		ug/L
Barium, total	NE-1	4/11/2018	14	5		ug/L
Barium, total	NE-1	7/18/2018	13	5		ug/L
Barium, total	NE-1	10/2/2018	15	5		ug/L
Barium, total	NE-1	1/4/2019	14	5		ug/L
Barium, total	NE-1	4/2/2019	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-1	7/10/2019	16	5		ug/L
Barium, total	NE-1	7/10/2019	16	5		ug/L
Barium, total	NE-1	10/2/2019	12	5		ug/L
Barium, total	NE-1	1/15/2020	20.9	5		ug/L
Barium, total	NE-1	4/2/2020	21.8	5		ug/L
Barium, total	NE-1	7/8/2020	20.1	5		ug/L
Barium, total	NE-1	10/7/2020	23.6	5		ug/L
Barium, total	NE-1	1/13/2021	23.6	5		ug/L
Barium, total	NE-1	4/9/2021	28.5	5		ug/L
Barium, total	NE-1	7/2/2021	22.2	5		ug/L
Barium, total	NE-1	10/6/2021	22.4	5		ug/L
Barium, total	NE-1	1/17/2022	24.9	5		ug/L
Barium, total	NE-1	4/6/2022	22.3	5		ug/L
Barium, total	NE-1	7/13/2022	18.7	5		ug/L
Barium, total	NE-1	10/6/2022	17.9	5		ug/L
Barium, total	NE-1	1/5/2023	22.3	5		ug/L
Barium, total	NE-1	4/7/2023	19.5	5		ug/L
Barium, total	NE-10D	11/6/2019	25	5		ug/L
Barium, total	NE-10D	1/16/2020	23.9	5		ug/L
Barium, total	NE-10D	4/2/2020	23.4	5		ug/L
Barium, total	NE-10D	7/8/2020	20.1	5		ug/L
Barium, total	NE-10D	10/7/2020	19.1	5		ug/L
Barium, total	NE-10D	1/13/2021	19.1	5		ug/L
Barium, total	NE-10D	4/9/2021	20.3	5		ug/L
Barium, total	NE-10D	7/2/2021	20.2	5		ug/L
Barium, total	NE-10D	10/7/2021	17.6	5		ug/L
Barium, total	NE-10D	1/6/2023	23.3	5		ug/L
Barium, total	NE-10D	4/6/2023	23.6	5		ug/L
Barium, total	NE-11	3/1/2017	56	5		ug/L
Barium, total	NE-11	4/6/2017	56	5		ug/L
Barium, total	NE-11	7/20/2017	58	5		ug/L
Barium, total	NE-11	10/9/2017	56	5		ug/L
Barium, total	NE-11	9/30/2019	50	5		ug/L
Barium, total	NE-11	1/14/2020	71.3	5		ug/L
Barium, total	NE-11	7/7/2020	65.5	5		ug/L
Barium, total	NE-11	1/16/2021	60	5		ug/L
Barium, total	NE-11	1/16/2021	64.4	5		ug/L
Barium, total	NE-11	7/1/2021	59.5	5		ug/L
Barium, total	NE-11	1/17/2022	56.9	5		ug/L
Barium, total	NE-11	1/17/2022	60.2	5		ug/L
Barium, total	NE-11	7/12/2022	57	5		ug/L
Barium, total	NE-11	1/6/2023	55.7	5		ug/L
Barium, total	NE-12	3/1/2017	59	5		ug/L
Barium, total	NE-12	4/6/2017	80	5		ug/L
Barium, total	NE-12	7/20/2017	44	5		ug/L
Barium, total	NE-12	10/6/2017	37	5		ug/L
Barium, total	NE-12	8/5/2019	27	5		ug/L
Barium, total	NE-12	1/13/2020	54.5	5		ug/L
Barium, total	NE-12	7/7/2020	22.7	5		ug/L
Barium, total	NE-12	1/15/2021	57.5	5		ug/L
Barium, total	NE-12	1/15/2021	59.3	5		ug/L
Barium, total	NE-12	7/1/2021	41.7	5		ug/L
Barium, total	NE-12	1/17/2022	47.2	5		ug/L
Barium, total	NE-12	1/17/2022	46	5		ug/L
Barium, total	NE-12	7/12/2022	25.6	5		ug/L
Barium, total	NE-12	1/6/2023	39.5	5		ug/L
Barium, total	NE-13	2/5/2019	53	5		ug/L
Barium, total	NE-13	8/7/2019	91	5		ug/L
Barium, total	NE-13	1/15/2020	78.8	5		ug/L
Barium, total	NE-13	7/8/2020	98	5		ug/L
Barium, total	NE-13	1/17/2021	84.4	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-13	1/17/2021	86.3	5		ug/L
Barium, total	NE-13	7/1/2021	279	5		ug/L
Barium, total	NE-14D	10/2/2019	49	5		ug/L
Barium, total	NE-14D	1/16/2020	52.9	5		ug/L
Barium, total	NE-14D	4/3/2020	50.3	5		ug/L
Barium, total	NE-14D	7/7/2020	49.8	5		ug/L
Barium, total	NE-14D	10/6/2020	56.2	5		ug/L
Barium, total	NE-14D	1/17/2021	57.6	5		ug/L
Barium, total	NE-14D	4/9/2021	59.2	5		ug/L
Barium, total	NE-14D	7/2/2021	58	5		ug/L
Barium, total	NE-14D	10/7/2021	60.7	5		ug/L
Barium, total	NE-14D	1/18/2022	58.7	5		ug/L
Barium, total	NE-14D	4/6/2022	61.1	5		ug/L
Barium, total	NE-14D	7/13/2022	58.8	5		ug/L
Barium, total	NE-14D	10/7/2022	60.5	5		ug/L
Barium, total	NE-14D	1/6/2023	66.1	5		ug/L
Barium, total	NE-14D	4/6/2023	64.1	5		ug/L
Barium, total	NE-14S	10/2/2019	83	5		ug/L
Barium, total	NE-14S	1/16/2020	70.8	5		ug/L
Barium, total	NE-14S	4/3/2020	68.5	5		ug/L
Barium, total	NE-14S	7/7/2020	88.1	5		ug/L
Barium, total	NE-14S	10/6/2020	60.6	5		ug/L
Barium, total	NE-14S	1/17/2021	75	5		ug/L
Barium, total	NE-14S	4/9/2021	73.7	5		ug/L
Barium, total	NE-14S	7/2/2021	81	5		ug/L
Barium, total	NE-14S	10/7/2021	67.4	5		ug/L
Barium, total	NE-14S	1/18/2022	73.2	5		ug/L
Barium, total	NE-14S	4/6/2022	76.39999	5		ug/L
Barium, total	NE-14S	7/13/2022	89.10001	5		ug/L
Barium, total	NE-14S	10/7/2022	71.1	5		ug/L
Barium, total	NE-14S	1/6/2023	69.7	5		ug/L
Barium, total	NE-14S	4/6/2023	86	5		ug/L
Barium, total	NE-15D	9/30/2019	48	5		ug/L
Barium, total	NE-15D	1/16/2020	52.8	5		ug/L
Barium, total	NE-15D	4/3/2020	48.3	5		ug/L
Barium, total	NE-15D	7/7/2020	50.7	5		ug/L
Barium, total	NE-15D	10/6/2020	51.6	5		ug/L
Barium, total	NE-15D	1/17/2021	53.8	5		ug/L
Barium, total	NE-15D	4/9/2021	53.6	5		ug/L
Barium, total	NE-15D	7/2/2021	53.5	5		ug/L
Barium, total	NE-15D	10/7/2021	50.8	5		ug/L
Barium, total	NE-15D	1/17/2022	53.6	5		ug/L
Barium, total	NE-15D	4/6/2022	53.3	5		ug/L
Barium, total	NE-15D	7/13/2022	53.8	5		ug/L
Barium, total	NE-15D	10/7/2022	50.6	5		ug/L
Barium, total	NE-15D	1/6/2023	56.2	5		ug/L
Barium, total	NE-15D	4/6/2023	55.4	5		ug/L
Barium, total	NE-15S	4/3/2020	297	5		ug/L
Barium, total	NE-2	7/9/2002	440	50		ug/L
Barium, total	NE-2	8/6/2002	280	50		ug/L
Barium, total	NE-2	9/4/2002	320	50		ug/L
Barium, total	NE-2	10/2/2002	290	50		ug/L
Barium, total	NE-2	10/1/2013	69	5		ug/L
Barium, total	NE-2	10/8/2014	130	5		ug/L
Barium, total	NE-2	10/5/2015	130	5		ug/L
Barium, total	NE-2	10/6/2016	100	5		ug/L
Barium, total	NE-2	10/5/2017	120	5		ug/L
Barium, total	NE-2	1/25/2018	95	5		ug/L
Barium, total	NE-2	4/10/2018	83	5		ug/L
Barium, total	NE-2	7/10/2018	130	5		ug/L
Barium, total	NE-2	10/1/2018	130	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-2	1/4/2019	96	5		ug/L
Barium, total	NE-2	4/2/2019	100	5		ug/L
Barium, total	NE-2	7/9/2019	110	5		ug/L
Barium, total	NE-2	7/9/2019	110	5		ug/L
Barium, total	NE-2	10/2/2019	87	5		ug/L
Barium, total	NE-2	1/14/2020	91	5		ug/L
Barium, total	NE-2	4/1/2020	103	5		ug/L
Barium, total	NE-2	7/7/2020	150	5		ug/L
Barium, total	NE-2	10/6/2020	99.7	5		ug/L
Barium, total	NE-2	1/14/2021	98.5	5		ug/L
Barium, total	NE-2	4/9/2021	114	5		ug/L
Barium, total	NE-2	7/2/2021	144	5		ug/L
Barium, total	NE-2	10/6/2021	97.6	5		ug/L
Barium, total	NE-2	1/18/2022	105	5		ug/L
Barium, total	NE-2	4/6/2022	98	5		ug/L
Barium, total	NE-2	7/13/2022	123	5		ug/L
Barium, total	NE-2	10/7/2022	86.4	5		ug/L
Barium, total	NE-2	1/5/2023	118	5		ug/L
Barium, total	NE-2	4/5/2023	137	5		ug/L
Barium, total	NE-3	7/9/2002	200	50		ug/L
Barium, total	NE-3	8/6/2002	140	50		ug/L
Barium, total	NE-3	9/4/2002	100	50		ug/L
Barium, total	NE-3	10/2/2002	100	50		ug/L
Barium, total	NE-3	3/21/2018	20	5		ug/L
Barium, total	NE-4	7/10/2002	130	50		ug/L
Barium, total	NE-4	8/6/2002	130	50		ug/L
Barium, total	NE-4	9/4/2002	120	50		ug/L
Barium, total	NE-4	10/3/2002	120	50		ug/L
Barium, total	NE-4	7/8/2003	68	5		ug/L
Barium, total	NE-4	1/28/2004	110	5		ug/L
Barium, total	NE-4	1/13/2005	43	5		ug/L
Barium, total	NE-4	8/1/2006	110	5		ug/L
Barium, total	NE-4	8/1/2006	110	5		ug/L
Barium, total	NE-4	10/25/2006	92	5		ug/L
Barium, total	NE-4	1/24/2007	46	5		ug/L
Barium, total	NE-4	7/12/2007	82	5		ug/L
Barium, total	NE-4	1/24/2008	76	5		ug/L
Barium, total	NE-4	7/21/2008	41	5		ug/L
Barium, total	NE-4	2/7/2009	66	5		ug/L
Barium, total	NE-4	7/31/2009	44	5		ug/L
Barium, total	NE-4	1/26/2010	66	5		ug/L
Barium, total	NE-4	7/14/2010	85	5		ug/L
Barium, total	NE-4	1/19/2011	53	5		ug/L
Barium, total	NE-4	7/13/2011	27	5		ug/L
Barium, total	NE-4	1/5/2012	51	5		ug/L
Barium, total	NE-4	7/10/2012	97	5		ug/L
Barium, total	NE-4	4/30/2013	110	5		ug/L
Barium, total	NE-4	7/16/2013	71	5		ug/L
Barium, total	NE-4	1/23/2014	63	5		ug/L
Barium, total	NE-4	7/9/2014	44	5		ug/L
Barium, total	NE-4	2/13/2015	59	5		ug/L
Barium, total	NE-4	7/8/2015	33	5		ug/L
Barium, total	NE-4	1/6/2016	26	5		ug/L
Barium, total	NE-4	7/20/2016	47	5		ug/L
Barium, total	NE-4	1/11/2017	42	5		ug/L
Barium, total	NE-4	7/19/2017	26	5		ug/L
Barium, total	NE-4	1/26/2018	32	5		ug/L
Barium, total	NE-4	4/10/2018	31	5		ug/L
Barium, total	NE-4	7/12/2018	30	5		ug/L
Barium, total	NE-4	10/3/2018	24	5		ug/L
Barium, total	NE-4	1/7/2019	33	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-4	4/2/2019	31	5		ug/L
Barium, total	NE-4	7/8/2019	16	5		ug/L
Barium, total	NE-4	7/8/2019	16	5		ug/L
Barium, total	NE-4	10/1/2019	17	5		ug/L
Barium, total	NE-4	1/13/2020	46.7	5		ug/L
Barium, total	NE-4	4/1/2020	27.9	5		ug/L
Barium, total	NE-4	7/6/2020	28.7	5		ug/L
Barium, total	NE-4	10/5/2020	27.3	5		ug/L
Barium, total	NE-4	1/15/2021	32	5		ug/L
Barium, total	NE-4	4/9/2021	29.5	5		ug/L
Barium, total	NE-4	7/2/2021	18.8	5		ug/L
Barium, total	NE-4	10/6/2021	20.8	5		ug/L
Barium, total	NE-4	1/5/2023	33.4	5		ug/L
Barium, total	NE-4	4/6/2023	40	5		ug/L
Barium, total	NE-5	7/9/2002	62	50		ug/L
Barium, total	NE-5	8/6/2002	83	50		ug/L
Barium, total	NE-5	9/4/2002	89	50		ug/L
Barium, total	NE-5	10/2/2002	86	50		ug/L
Barium, total	NE-5	7/8/2003	92	5		ug/L
Barium, total	NE-5	1/27/2004	140	5		ug/L
Barium, total	NE-5	1/12/2005	68	5		ug/L
Barium, total	NE-5	7/19/2006	63	5		ug/L
Barium, total	NE-5	7/19/2006	63	5		ug/L
Barium, total	NE-5	10/25/2006	58	5		ug/L
Barium, total	NE-5	1/24/2007	51	5		ug/L
Barium, total	NE-5	7/12/2007	54	5		ug/L
Barium, total	NE-5	7/22/2008	52	5		ug/L
Barium, total	NE-5	2/6/2009	71	5		ug/L
Barium, total	NE-5	7/31/2009	46	5		ug/L
Barium, total	NE-5	1/26/2010	58	5		ug/L
Barium, total	NE-5	7/16/2010	54	5		ug/L
Barium, total	NE-5	1/19/2011	42	5		ug/L
Barium, total	NE-5	7/13/2011	45	5		ug/L
Barium, total	NE-5	1/5/2012	44	5		ug/L
Barium, total	NE-5	7/10/2012	43	5		ug/L
Barium, total	NE-5	4/30/2013	49	5		ug/L
Barium, total	NE-5	7/16/2013	43	5		ug/L
Barium, total	NE-5	1/23/2014	48	5		ug/L
Barium, total	NE-5	7/9/2014	47	5		ug/L
Barium, total	NE-5	2/11/2015	52	5		ug/L
Barium, total	NE-5	7/14/2015	46	5		ug/L
Barium, total	NE-5	1/6/2016	48	5		ug/L
Barium, total	NE-5	7/20/2016	36	5		ug/L
Barium, total	NE-5	1/11/2017	36	5		ug/L
Barium, total	NE-5	7/19/2017	43	5		ug/L
Barium, total	NE-5	1/25/2018	48	5		ug/L
Barium, total	NE-5	4/10/2018	45	5		ug/L
Barium, total	NE-5	7/17/2018	46	5		ug/L
Barium, total	NE-5	10/3/2018	44	5		ug/L
Barium, total	NE-5	1/4/2019	52	5		ug/L
Barium, total	NE-5	4/2/2019	52	5		ug/L
Barium, total	NE-5	4/2/2019	52	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	10/3/2019	38	5		ug/L
Barium, total	NE-5	1/16/2020	46.4	5		ug/L
Barium, total	NE-5	4/2/2020	40.7	5		ug/L
Barium, total	NE-5	7/8/2020	38.8	5		ug/L
Barium, total	NE-5	10/6/2020	39.5	5		ug/L
Barium, total	NE-5	1/15/2021	45	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-5	4/9/2021	47	5		ug/L
Barium, total	NE-5	7/2/2021	40.3	5		ug/L
Barium, total	NE-5	10/6/2021	37.8	5		ug/L
Barium, total	NE-5	1/18/2022	43.4	5		ug/L
Barium, total	NE-5	4/6/2022	40.7	5		ug/L
Barium, total	NE-5	7/13/2022	39.5	5		ug/L
Barium, total	NE-5	10/7/2022	33.3	5		ug/L
Barium, total	NE-5	1/5/2023	43.6	5		ug/L
Barium, total	NE-5	4/7/2023	44.4	5		ug/L
Barium, total	NE-5E	9/30/2019	39	5		ug/L
Barium, total	NE-5E	1/16/2020	40.1	5		ug/L
Barium, total	NE-5E	4/1/2020	36.9	5		ug/L
Barium, total	NE-5E	7/8/2020	36.6	5		ug/L
Barium, total	NE-5E	10/6/2020	36.1	5		ug/L
Barium, total	NE-5E	1/15/2021	38.8	5		ug/L
Barium, total	NE-5E	4/9/2021	35	5		ug/L
Barium, total	NE-5E	7/2/2021	32.8	5		ug/L
Barium, total	NE-5E	10/6/2021	34.1	5		ug/L
Barium, total	NE-5E	1/18/2022	33.3	5		ug/L
Barium, total	NE-5E	4/6/2022	36.3	5		ug/L
Barium, total	NE-5E	7/13/2022	53.9	5		ug/L
Barium, total	NE-5E	10/7/2022	50.2	5		ug/L
Barium, total	NE-5E	1/5/2023	47.5	5		ug/L
Barium, total	NE-5E	4/7/2023	46.4	5		ug/L
Barium, total	NE-5W	9/30/2019	62	5		ug/L
Barium, total	NE-5W	1/16/2020	52.3	5		ug/L
Barium, total	NE-5W	4/2/2020	50.2	5		ug/L
Barium, total	NE-5W	7/8/2020	41.1	5		ug/L
Barium, total	NE-5W	10/6/2020	44.8	5		ug/L
Barium, total	NE-5W	1/15/2021	49	5		ug/L
Barium, total	NE-5W	4/9/2021	46.2	5		ug/L
Barium, total	NE-5W	7/2/2021	44.6	5		ug/L
Barium, total	NE-5W	10/6/2021	40.7	5		ug/L
Barium, total	NE-5W	1/18/2022	42	5		ug/L
Barium, total	NE-5W	4/6/2022	42.5	5		ug/L
Barium, total	NE-5W	7/13/2022	38.9	5		ug/L
Barium, total	NE-5W	10/7/2022	38.8	5		ug/L
Barium, total	NE-5W	1/5/2023	39.4	5		ug/L
Barium, total	NE-5W	4/7/2023	41.6	5		ug/L
Barium, total	NE-6	1/12/2017	120	5		ug/L
Barium, total	NE-6	4/5/2017	85	5		ug/L
Barium, total	NE-6	7/19/2017	79	5		ug/L
Barium, total	NE-6	10/6/2017	70	5		ug/L
Barium, total	NE-6	2/4/2019	84	5		ug/L
Barium, total	NE-6	8/6/2019	89	5		ug/L
Barium, total	NE-6	1/15/2020	74.1	5		ug/L
Barium, total	NE-6	7/9/2020	75	5		ug/L
Barium, total	NE-6	1/16/2021	84.7	5		ug/L
Barium, total	NE-6	1/16/2021	84.1	5		ug/L
Barium, total	NE-6	7/1/2021	82.2	5		ug/L
Barium, total	NE-6	1/17/2022	79.4	5		ug/L
Barium, total	NE-6	1/17/2022	84.6	5		ug/L
Barium, total	NE-6	7/12/2022	82.9	5		ug/L
Barium, total	NE-6	1/5/2023	75.8	5		ug/L
Barium, total	NE-6D	10/2/2019	160	5		ug/L
Barium, total	NE-6D	1/15/2020	185	5		ug/L
Barium, total	NE-6D	4/2/2020	173	5		ug/L
Barium, total	NE-6D	7/9/2020	166	5		ug/L
Barium, total	NE-6D	10/7/2020	153	5		ug/L
Barium, total	NE-6D	1/15/2021	158	5		ug/L
Barium, total	NE-6D	4/9/2021	140	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-6D	7/2/2021	165	5		ug/L
Barium, total	NE-6D	10/7/2021	148	5		ug/L
Barium, total	NE-6D	1/17/2022	143	5		ug/L
Barium, total	NE-6D	4/6/2022	147	5		ug/L
Barium, total	NE-6D	7/12/2022	149	5		ug/L
Barium, total	NE-6D	10/7/2022	128	5		ug/L
Barium, total	NE-6D	1/5/2023	136	5		ug/L
Barium, total	NE-6D	4/7/2023	138	5		ug/L
Barium, total	NE-7	3/1/2017	95	5		ug/L
Barium, total	NE-7	4/6/2017	37	5		ug/L
Barium, total	NE-7	7/20/2017	77	5		ug/L
Barium, total	NE-7	10/5/2017	73	5		ug/L
Barium, total	NE-7	2/6/2019	82	5		ug/L
Barium, total	NE-7	8/6/2019	80	5		ug/L
Barium, total	NE-7	1/16/2020	92.2	5		ug/L
Barium, total	NE-7	7/7/2020	77.3	5		ug/L
Barium, total	NE-7	1/16/2021	112	5		ug/L
Barium, total	NE-7	1/16/2021	109	5		ug/L
Barium, total	NE-7	7/1/2021	80	5		ug/L
Barium, total	NE-7	1/17/2022	93.1	5		ug/L
Barium, total	NE-7	1/17/2022	89.4	5		ug/L
Barium, total	NE-7	7/12/2022	90.2	5		ug/L
Barium, total	NE-7	1/5/2023	92.8	5		ug/L
Barium, total	NE-8	1/12/2017	54	5		ug/L
Barium, total	NE-8	4/5/2017	63	5		ug/L
Barium, total	NE-8	7/20/2017	73	5		ug/L
Barium, total	NE-8	10/6/2017	77	5		ug/L
Barium, total	NE-8	2/4/2019	49	5		ug/L
Barium, total	NE-8	8/5/2019	68	5		ug/L
Barium, total	NE-8	1/15/2020	79.2	5		ug/L
Barium, total	NE-8	7/8/2020	87.1	5		ug/L
Barium, total	NE-8	1/13/2021	51.5	5		ug/L
Barium, total	NE-8	1/13/2021	52.4	5		ug/L
Barium, total	NE-8	4/9/2021	54.2	5		ug/L
Barium, total	NE-8	7/1/2021	59.9	5		ug/L
Barium, total	NE-8	7/1/2021	60.6	5		ug/L
Barium, total	NE-8	10/7/2021	63.7	5		ug/L
Barium, total	NE-8	1/6/2023	69.2	5		ug/L
Barium, total	NE-9	1/12/2017	59	5		ug/L
Barium, total	NE-9	4/5/2017	51	5		ug/L
Barium, total	NE-9	7/20/2017	53	5		ug/L
Barium, total	NE-9	10/5/2017	54	5		ug/L
Barium, total	NE-9	2/5/2019	66	5		ug/L
Barium, total	NE-9	8/7/2019	71	5		ug/L
Barium, total	NE-9	1/15/2020	63.2	5		ug/L
Barium, total	NE-9	7/7/2020	50.4	5		ug/L
Barium, total	NE-9	1/17/2021	69.3	5		ug/L
Barium, total	NE-9	1/17/2021	69.6	5		ug/L
Barium, total	NE-9	7/1/2021	81.8	5		ug/L
Barium, total	NE-9	1/17/2022	79.5	5		ug/L
Barium, total	NE-9	1/17/2022	76.1	5		ug/L
Barium, total	NE-9	7/13/2022	83.1	5		ug/L
Barium, total	NE-9	1/6/2023	85.4	5		ug/L
Barium, total	NE-9	4/8/2023	88.8	5		ug/L
Benzene	LGW-10	1/26/2006	1.3	1		ug/L
Benzene	LGW-10	8/1/2006	1.8	1		ug/L
Benzene	LGW-10	8/1/2006	1.8	1		ug/L
Benzene	LGW-10	10/26/2006	1.3	1		ug/L
Benzene	LGW-10	1/25/2007	1.4	1		ug/L
Benzene	LGW-10	4/26/2007	1	1	ND	ug/L
Benzene	LGW-10	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-10	1/23/2008	1.4	1		ug/L
Benzene	LGW-10	7/22/2008	1.7	1		ug/L
Benzene	LGW-10	7/29/2009	1.4	1		ug/L
Benzene	LGW-10	2/3/2010	1.2	1		ug/L
Benzene	LGW-10	2/3/2010	1.2	1		ug/L
Benzene	LGW-10	7/16/2010	2.4	1		ug/L
Benzene	LGW-10	1/19/2011	1.1	1		ug/L
Benzene	LGW-10	7/12/2011	2.4	1		ug/L
Benzene	LGW-10	1/5/2012	2.1	1		ug/L
Benzene	LGW-10	7/9/2012	1.6	1		ug/L
Benzene	LGW-10	5/1/2013	2.4	1		ug/L
Benzene	LGW-10	1/30/2014	2	1		ug/L
Benzene	LGW-10	7/9/2014	2	1		ug/L
Benzene	LGW-10	2/12/2015	2.3	1		ug/L
Benzene	LGW-10	7/13/2015	3.2	1		ug/L
Benzene	LGW-10	1/5/2016	2.6	1		ug/L
Benzene	LGW-10	2/10/2016	1.5	1		ug/L
Benzene	LGW-10	4/6/2016	2.4	1		ug/L
Benzene	LGW-10	7/21/2016	3.2	1		ug/L
Benzene	LGW-10	10/6/2016	2.6	1		ug/L
Benzene	LGW-10	1/11/2017	1.6	1		ug/L
Benzene	LGW-10	4/4/2017	3.2	1		ug/L
Benzene	LGW-10	7/19/2017	3.4	1		ug/L
Benzene	LGW-10	10/9/2017	3.2	1		ug/L
Benzene	LGW-10	1/24/2018	1.3	1		ug/L
Benzene	LGW-10	4/11/2018	2.2	1		ug/L
Benzene	LGW-10	7/16/2018	1.9	1		ug/L
Benzene	LGW-10	10/4/2018	1.5	1		ug/L
Benzene	LGW-10	1/4/2019	1.6	1		ug/L
Benzene	LGW-10	4/3/2019	2.2	1		ug/L
Benzene	LGW-10	7/11/2019	2.3	1		ug/L
Benzene	LGW-10	10/2/2019	2.9	1		ug/L
Benzene	LGW-10	1/15/2020	3.34	1		ug/L
Benzene	LGW-10	4/2/2020	2.93	1		ug/L
Benzene	LGW-10	7/9/2020	2.82	1		ug/L
Benzene	LGW-10	10/7/2020	1.03	1		ug/L
Benzene	LGW-10	1/17/2021	1	1	ND	ug/L
Benzene	LGW-10	4/6/2021	2.12	1		ug/L
Benzene	LGW-10	7/7/2021	2.44	1		ug/L
Benzene	LGW-10	10/5/2021	1.06	1		ug/L
Benzene	LGW-10	1/13/2022	1.54	1		ug/L
Benzene	LGW-10	4/4/2022	2.18	1		ug/L
Benzene	LGW-10	7/11/2022	2.43	1		ug/L
Benzene	LGW-10	10/7/2022	1.5	1		ug/L
Benzene	LGW-10	1/11/2023	1.98	1		ug/L
Benzene	LGW-10	4/5/2023	1.71	1		ug/L
Benzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Benzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Benzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Benzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Benzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Benzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Benzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Benzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Benzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Benzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Benzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Benzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Benzene	LGW-14R	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Benzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Benzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-14R	1/23/2014	1	1	ND	ug/L
Benzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Benzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Benzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Benzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Benzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Benzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Benzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Benzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Benzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Benzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Benzene	LGW-14R	1/18/2021	1	1	ND	ug/L
Benzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Benzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Benzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Benzene	LGW-14R	1/10/2023	1	1	ND	ug/L
Benzene	LGW-2	1/25/2006	1	1	ND	ug/L
Benzene	LGW-2	8/1/2006	1	1	ND	ug/L
Benzene	LGW-2	8/1/2006	1	1	ND	ug/L
Benzene	LGW-2	10/26/2006	1	1	ND	ug/L
Benzene	LGW-2	1/25/2007	1	1	ND	ug/L
Benzene	LGW-2	4/26/2007	1	1	ND	ug/L
Benzene	LGW-2	7/10/2007	1	1	ND	ug/L
Benzene	LGW-2	1/26/2008	1	1	ND	ug/L
Benzene	LGW-2	7/23/2008	1	1	ND	ug/L
Benzene	LGW-2	2/6/2009	1	1	ND	ug/L
Benzene	LGW-2	7/30/2009	1	1	ND	ug/L
Benzene	LGW-2	2/3/2010	1	1	ND	ug/L
Benzene	LGW-2	2/3/2010	1	1	ND	ug/L
Benzene	LGW-2	7/12/2010	1	1	ND	ug/L
Benzene	LGW-2	1/19/2011	1	1	ND	ug/L
Benzene	LGW-2	7/13/2011	1	1	ND	ug/L
Benzene	LGW-2	1/4/2012	1	1	ND	ug/L
Benzene	LGW-2	7/9/2012	1	1	ND	ug/L
Benzene	LGW-2	4/30/2013	1	1	ND	ug/L
Benzene	LGW-2	7/15/2013	1	1	ND	ug/L
Benzene	LGW-2	1/30/2014	1	1	ND	ug/L
Benzene	LGW-2	7/8/2014	1	1	ND	ug/L
Benzene	LGW-2	2/13/2015	1	1	ND	ug/L
Benzene	LGW-2	7/8/2015	1	1	ND	ug/L
Benzene	LGW-2	1/5/2016	1	1	ND	ug/L
Benzene	LGW-2	7/19/2016	1	1	ND	ug/L
Benzene	LGW-2	1/11/2017	1	1	ND	ug/L
Benzene	LGW-2	7/18/2017	1	1	ND	ug/L
Benzene	LGW-2	1/23/2018	1	1	ND	ug/L
Benzene	LGW-2	7/12/2018	1	1	ND	ug/L
Benzene	LGW-2	1/3/2019	1	1	ND	ug/L
Benzene	LGW-2	7/9/2019	1	1	ND	ug/L
Benzene	LGW-2	1/13/2020	1	1	ND	ug/L
Benzene	LGW-2	4/1/2020	1	1	ND	ug/L
Benzene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzene	LGW-2	1/18/2021	1	1	ND	ug/L
Benzene	LGW-2	7/4/2021	1	1	ND	ug/L
Benzene	LGW-2	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-2	7/10/2022	1	1	ND	ug/L
Benzene	LGW-2	1/10/2023	1	1	ND	ug/L
Benzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Benzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Benzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Benzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Benzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Benzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Benzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Benzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Benzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Benzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Benzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Benzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Benzene	LGW-3R	1/22/2014	1	1	ND	ug/L
Benzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Benzene	LGW-3R	7/16/2015	1	1	ND	ug/L
Benzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Benzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Benzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Benzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Benzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Benzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Benzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Benzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Benzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Benzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Benzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Benzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Benzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Benzene	LGW-4	1/24/2006	1	1	ND	ug/L
Benzene	LGW-4	7/20/2006	1	1	ND	ug/L
Benzene	LGW-4	7/20/2006	1	1	ND	ug/L
Benzene	LGW-4	10/26/2006	1	1	ND	ug/L
Benzene	LGW-4	1/25/2007	1	1	ND	ug/L
Benzene	LGW-4	4/26/2007	1	1	ND	ug/L
Benzene	LGW-4	7/11/2007	1	1	ND	ug/L
Benzene	LGW-4	1/22/2008	1	1	ND	ug/L
Benzene	LGW-4	7/23/2008	1	1	ND	ug/L
Benzene	LGW-4	2/3/2009	1	1	ND	ug/L
Benzene	LGW-4	7/31/2009	1	1	ND	ug/L
Benzene	LGW-4	2/3/2010	1	1	ND	ug/L
Benzene	LGW-4	2/3/2010	1	1	ND	ug/L
Benzene	LGW-4	7/16/2010	1	1	ND	ug/L
Benzene	LGW-4	1/19/2011	1	1	ND	ug/L
Benzene	LGW-4	7/13/2011	1	1	ND	ug/L
Benzene	LGW-4	1/4/2012	1	1	ND	ug/L
Benzene	LGW-4	7/9/2012	1	1	ND	ug/L
Benzene	LGW-4	4/30/2013	1	1	ND	ug/L
Benzene	LGW-4	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-4	1/23/2014	1	1	ND	ug/L
Benzene	LGW-4	7/8/2014	1	1	ND	ug/L
Benzene	LGW-4	2/11/2015	1	1	ND	ug/L
Benzene	LGW-4	7/8/2015	1	1	ND	ug/L
Benzene	LGW-4	1/5/2016	1	1	ND	ug/L
Benzene	LGW-4	7/19/2016	1	1	ND	ug/L
Benzene	LGW-4	1/11/2017	1	1	ND	ug/L
Benzene	LGW-4	7/18/2017	1	1	ND	ug/L
Benzene	LGW-4	1/23/2018	1	1	ND	ug/L
Benzene	LGW-4	7/11/2018	1	1	ND	ug/L
Benzene	LGW-4	1/3/2019	1	1	ND	ug/L
Benzene	LGW-4	7/9/2019	1	1	ND	ug/L
Benzene	LGW-4	1/14/2020	1	1	ND	ug/L
Benzene	LGW-4	7/6/2020	1	1	ND	ug/L
Benzene	LGW-4	1/18/2021	1	1	ND	ug/L
Benzene	LGW-4	7/7/2021	1	1	ND	ug/L
Benzene	LGW-4	1/12/2022	1	1	ND	ug/L
Benzene	LGW-4	7/11/2022	1	1	ND	ug/L
Benzene	LGW-4	1/10/2023	1	1	ND	ug/L
Benzene	LGW-5	1/25/2006	1	1	ND	ug/L
Benzene	LGW-5	8/1/2006	1	1	ND	ug/L
Benzene	LGW-5	8/1/2006	1	1	ND	ug/L
Benzene	LGW-5	10/26/2006	1	1	ND	ug/L
Benzene	LGW-5	1/25/2007	1	1	ND	ug/L
Benzene	LGW-5	4/26/2007	1	1	ND	ug/L
Benzene	LGW-5	7/11/2007	1	1	ND	ug/L
Benzene	LGW-5	1/23/2008	1	1	ND	ug/L
Benzene	LGW-5	7/23/2008	1	1	ND	ug/L
Benzene	LGW-5	2/4/2009	1	1	ND	ug/L
Benzene	LGW-5	7/29/2009	1	1	ND	ug/L
Benzene	LGW-5	2/3/2010	1	1	ND	ug/L
Benzene	LGW-5	2/3/2010	1	1	ND	ug/L
Benzene	LGW-5	7/12/2010	1	1	ND	ug/L
Benzene	LGW-5	1/19/2011	1	1	ND	ug/L
Benzene	LGW-5	7/12/2011	1	1	ND	ug/L
Benzene	LGW-5	1/5/2012	1	1	ND	ug/L
Benzene	LGW-5	7/9/2012	1	1	ND	ug/L
Benzene	LGW-5	4/30/2013	1	1	ND	ug/L
Benzene	LGW-5	7/15/2013	1	1	ND	ug/L
Benzene	LGW-5	1/23/2014	1	1	ND	ug/L
Benzene	LGW-5	7/8/2014	1	1	ND	ug/L
Benzene	LGW-5	2/10/2015	1	1	ND	ug/L
Benzene	LGW-5	7/8/2015	1	1	ND	ug/L
Benzene	LGW-5	1/5/2016	1	1	ND	ug/L
Benzene	LGW-5	7/19/2016	1	1	ND	ug/L
Benzene	LGW-5	1/11/2017	1	1	ND	ug/L
Benzene	LGW-5	7/18/2017	1	1	ND	ug/L
Benzene	LGW-5	1/23/2018	1	1	ND	ug/L
Benzene	LGW-5	7/12/2018	1	1	ND	ug/L
Benzene	LGW-5	1/3/2019	1	1	ND	ug/L
Benzene	LGW-5	7/9/2019	1	1	ND	ug/L
Benzene	LGW-5	1/14/2020	1	1	ND	ug/L
Benzene	LGW-5	7/6/2020	1	1	ND	ug/L
Benzene	LGW-5	1/18/2021	1	1	ND	ug/L
Benzene	LGW-5	4/6/2021	1	1	ND	ug/L
Benzene	LGW-5	7/7/2021	1	1	ND	ug/L
Benzene	LGW-5	10/5/2021	1	1	ND	ug/L
Benzene	LGW-5	1/12/2022	1	1	ND	ug/L
Benzene	LGW-5	4/4/2022	1	1	ND	ug/L
Benzene	LGW-5	7/11/2022	1	1	ND	ug/L
Benzene	LGW-5	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-5	1/10/2023	1	1	ND	ug/L
Benzene	LGW-6	1/24/2006	1	1	ND	ug/L
Benzene	LGW-6	7/20/2006	1	1	ND	ug/L
Benzene	LGW-6	7/20/2006	1	1	ND	ug/L
Benzene	LGW-6	10/26/2006	1	1	ND	ug/L
Benzene	LGW-6	1/24/2007	1	1	ND	ug/L
Benzene	LGW-6	4/26/2007	1	1	ND	ug/L
Benzene	LGW-6	7/11/2007	1	1	ND	ug/L
Benzene	LGW-6	1/23/2008	1	1	ND	ug/L
Benzene	LGW-6	7/23/2008	1	1	ND	ug/L
Benzene	LGW-6	2/5/2009	1	1	ND	ug/L
Benzene	LGW-6	7/29/2009	1	1	ND	ug/L
Benzene	LGW-6	2/3/2010	1	1	ND	ug/L
Benzene	LGW-6	2/3/2010	1	1	ND	ug/L
Benzene	LGW-6	7/12/2010	1	1	ND	ug/L
Benzene	LGW-6	1/19/2011	1	1	ND	ug/L
Benzene	LGW-6	7/12/2011	1	1	ND	ug/L
Benzene	LGW-6	1/5/2012	1	1	ND	ug/L
Benzene	LGW-6	7/9/2012	1	1	ND	ug/L
Benzene	LGW-6	4/30/2013	1	1	ND	ug/L
Benzene	LGW-6	7/15/2013	1	1	ND	ug/L
Benzene	LGW-6	1/23/2014	1	1	ND	ug/L
Benzene	LGW-6	7/8/2014	1	1	ND	ug/L
Benzene	LGW-6	2/10/2015	1	1	ND	ug/L
Benzene	LGW-6	7/22/2015	1	1	ND	ug/L
Benzene	LGW-6	1/5/2016	1	1	ND	ug/L
Benzene	LGW-6	7/19/2016	1	1	ND	ug/L
Benzene	LGW-6	10/6/2016	1	1	ND	ug/L
Benzene	LGW-6	1/11/2017	1	1	ND	ug/L
Benzene	LGW-6	5/5/2017	1	1	ND	ug/L
Benzene	LGW-6	7/18/2017	1	1	ND	ug/L
Benzene	LGW-6	10/5/2017	1	1	ND	ug/L
Benzene	LGW-6	1/23/2018	1	1	ND	ug/L
Benzene	LGW-6	4/10/2018	1	1	ND	ug/L
Benzene	LGW-6	7/17/2018	1	1	ND	ug/L
Benzene	LGW-6	10/2/2018	1	1	ND	ug/L
Benzene	LGW-6	1/7/2019	1	1	ND	ug/L
Benzene	LGW-6	4/3/2019	1	1	ND	ug/L
Benzene	LGW-6	7/10/2019	1	1	ND	ug/L
Benzene	LGW-6	10/3/2019	1	1	ND	ug/L
Benzene	LGW-6	1/16/2020	1	1	ND	ug/L
Benzene	LGW-6	4/2/2020	1	1	ND	ug/L
Benzene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzene	LGW-6	10/6/2020	1	1	ND	ug/L
Benzene	LGW-6	1/18/2021	1	1	ND	ug/L
Benzene	LGW-6	4/6/2021	1	1	ND	ug/L
Benzene	LGW-6	7/7/2021	1	1	ND	ug/L
Benzene	LGW-6	10/5/2021	1	1	ND	ug/L
Benzene	LGW-6	1/12/2022	1	1	ND	ug/L
Benzene	LGW-6	4/4/2022	1	1	ND	ug/L
Benzene	LGW-6	7/11/2022	1	1	ND	ug/L
Benzene	LGW-6	10/6/2022	1	1	ND	ug/L
Benzene	LGW-6	1/10/2023	1	1	ND	ug/L
Benzene	LGW-6	4/6/2023	1	1	ND	ug/L
Benzene	LGW-7	1/25/2006	1	1	ND	ug/L
Benzene	LGW-7	8/1/2006	1	1	ND	ug/L
Benzene	LGW-7	8/1/2006	1	1	ND	ug/L
Benzene	LGW-7	10/26/2006	1	1	ND	ug/L
Benzene	LGW-7	1/24/2007	1	1	ND	ug/L
Benzene	LGW-7	4/26/2007	1	1	ND	ug/L
Benzene	LGW-7	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-7	7/22/2008	1	1	ND	ug/L
Benzene	LGW-7	2/4/2009	1	1	ND	ug/L
Benzene	LGW-7	7/31/2009	1	1	ND	ug/L
Benzene	LGW-7	1/27/2010	1	1	ND	ug/L
Benzene	LGW-7	7/12/2010	1	1	ND	ug/L
Benzene	LGW-7	1/20/2011	1	1	ND	ug/L
Benzene	LGW-7	7/12/2011	1	1	ND	ug/L
Benzene	LGW-7	1/5/2012	1	1	ND	ug/L
Benzene	LGW-7	7/10/2012	1	1	ND	ug/L
Benzene	LGW-7	4/30/2013	1	1	ND	ug/L
Benzene	LGW-7	7/15/2013	1	1	ND	ug/L
Benzene	LGW-7	1/23/2014	1	1	ND	ug/L
Benzene	LGW-7	7/8/2014	1	1	ND	ug/L
Benzene	LGW-7	2/11/2015	1	1	ND	ug/L
Benzene	LGW-7	7/22/2015	1	1	ND	ug/L
Benzene	LGW-7	1/5/2016	1	1	ND	ug/L
Benzene	LGW-7	4/6/2016	1	1	ND	ug/L
Benzene	LGW-7	7/20/2016	1	1	ND	ug/L
Benzene	LGW-7	10/6/2016	1	1	ND	ug/L
Benzene	LGW-7	1/11/2017	1	1	ND	ug/L
Benzene	LGW-7	4/4/2017	1	1	ND	ug/L
Benzene	LGW-7	7/18/2017	1	1	ND	ug/L
Benzene	LGW-7	10/5/2017	1	1	ND	ug/L
Benzene	LGW-7	1/24/2018	1	1	ND	ug/L
Benzene	LGW-7	4/11/2018	1	1	ND	ug/L
Benzene	LGW-7	7/12/2018	1	1	ND	ug/L
Benzene	LGW-7	10/2/2018	1	1	ND	ug/L
Benzene	LGW-7	1/7/2019	1	1	ND	ug/L
Benzene	LGW-7	4/3/2019	1	1	ND	ug/L
Benzene	LGW-7	7/10/2019	1	1	ND	ug/L
Benzene	LGW-7	10/3/2019	1	1	ND	ug/L
Benzene	LGW-7	1/15/2020	1	1	ND	ug/L
Benzene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzene	LGW-7	1/18/2021	1	1	ND	ug/L
Benzene	LGW-7	7/7/2021	1	1	ND	ug/L
Benzene	LGW-7	10/5/2021	1	1	ND	ug/L
Benzene	LGW-7	1/13/2022	1	1	ND	ug/L
Benzene	LGW-7	7/11/2022	1	1	ND	ug/L
Benzene	LGW-7	1/11/2023	1	1	ND	ug/L
Benzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Benzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Benzene	LGW-8R	1/24/2007	1	1	ND	ug/L
Benzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Benzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Benzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Benzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Benzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Benzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Benzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Benzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Benzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Benzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-8R	7/15/2013	1	1	ND	ug/L
Benzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Benzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Benzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Benzene	LGW-8R	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Benzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Benzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Benzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Benzene	LGW-8R	7/8/2019	1	1	ND	ug/L
Benzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Benzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Benzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Benzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Benzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Benzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Benzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Benzene	LGW-9	1/25/2006	1	1	ND	ug/L
Benzene	LGW-9	7/20/2006	1	1	ND	ug/L
Benzene	LGW-9	7/20/2006	1	1	ND	ug/L
Benzene	LGW-9	10/26/2006	1	1	ND	ug/L
Benzene	LGW-9	1/25/2007	1	1	ND	ug/L
Benzene	LGW-9	4/25/2007	1	1	ND	ug/L
Benzene	LGW-9	7/10/2007	1	1	ND	ug/L
Benzene	LGW-9	7/22/2008	1	1	ND	ug/L
Benzene	LGW-9	2/4/2009	1	1	ND	ug/L
Benzene	LGW-9	7/29/2009	1	1	ND	ug/L
Benzene	LGW-9	1/27/2010	1	1	ND	ug/L
Benzene	LGW-9	7/14/2010	1	1	ND	ug/L
Benzene	LGW-9	1/20/2011	1	1	ND	ug/L
Benzene	LGW-9	7/12/2011	1	1	ND	ug/L
Benzene	LGW-9	1/5/2012	1	1	ND	ug/L
Benzene	LGW-9	7/10/2012	1	1	ND	ug/L
Benzene	LGW-9	5/1/2013	1	1	ND	ug/L
Benzene	LGW-9	7/15/2013	1	1	ND	ug/L
Benzene	LGW-9	1/23/2014	1	1	ND	ug/L
Benzene	LGW-9	7/8/2014	1	1	ND	ug/L
Benzene	LGW-9	2/11/2015	1	1	ND	ug/L
Benzene	LGW-9	7/13/2015	1	1	ND	ug/L
Benzene	LGW-9	1/5/2016	1	1	ND	ug/L
Benzene	LGW-9	7/21/2016	1	1	ND	ug/L
Benzene	LGW-9	10/6/2016	1	1	ND	ug/L
Benzene	LGW-9	1/11/2017	1	1	ND	ug/L
Benzene	LGW-9	5/5/2017	1	1	ND	ug/L
Benzene	LGW-9	7/18/2017	1	1	ND	ug/L
Benzene	LGW-9	10/5/2017	1	1	ND	ug/L
Benzene	LGW-9	1/24/2018	1	1	ND	ug/L
Benzene	LGW-9	4/11/2018	1	1	ND	ug/L
Benzene	LGW-9	7/13/2018	1	1	ND	ug/L
Benzene	LGW-9	10/2/2018	1	1	ND	ug/L
Benzene	LGW-9	1/7/2019	1	1	ND	ug/L
Benzene	LGW-9	4/3/2019	1	1	ND	ug/L
Benzene	LGW-9	7/10/2019	1	1	ND	ug/L
Benzene	LGW-9	10/3/2019	1	1	ND	ug/L
Benzene	LGW-9	1/16/2020	1	1	ND	ug/L
Benzene	LGW-9	4/2/2020	1	1	ND	ug/L
Benzene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzene	LGW-9	10/7/2020	1	1	ND	ug/L
Benzene	LGW-9	1/17/2021	2.64	1		ug/L
Benzene	LGW-9	4/6/2021	1	1	ND	ug/L
Benzene	LGW-9	7/7/2021	1	1	ND	ug/L
Benzene	LGW-9	10/5/2021	1	1	ND	ug/L
Benzene	LGW-9	1/13/2022	1	1	ND	ug/L
Benzene	LGW-9	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-9	7/11/2022	1	1	ND	ug/L
Benzene	LGW-9	10/7/2022	1	1	ND	ug/L
Benzene	LGW-9	1/11/2023	1	1	ND	ug/L
Benzene	LGW-9	4/5/2023	1	1	ND	ug/L
Benzene	MW-10N	10/22/1997	3	3	ND	ug/L
Benzene	MW-10N	1/22/1998	3	3	ND	ug/L
Benzene	MW-10N	4/28/1998	0.41	6		ug/L
Benzene	MW-10N	7/23/1998	3	3	ND	ug/L
Benzene	MW-10N	1/14/1999	3	3	ND	ug/L
Benzene	MW-10N	4/13/1999	3	3	ND	ug/L
Benzene	MW-10N	7/15/1999	3	3	ND	ug/L
Benzene	MW-10N	10/20/1999	3	3	ND	ug/L
Benzene	MW-10N	1/14/2000	3	3	ND	ug/L
Benzene	MW-10N	4/25/2000	3	3	ND	ug/L
Benzene	MW-10N	7/11/2000	1	1	ND	ug/L
Benzene	MW-10N	10/17/2000	1	1	ND	ug/L
Benzene	MW-10N	1/24/2001	1	1	ND	ug/L
Benzene	MW-10N	4/10/2001	1	1	ND	ug/L
Benzene	MW-10N	7/10/2002	1	1	ND	ug/L
Benzene	MW-10N	10/2/2002	1	1	ND	ug/L
Benzene	MW-10N	1/22/2003	1	1	ND	ug/L
Benzene	MW-10N	4/15/2003	1	1	ND	ug/L
Benzene	MW-10N	7/8/2003	1	1	ND	ug/L
Benzene	MW-10N	1/28/2004	1	1	ND	ug/L
Benzene	MW-10N	7/27/2004	1	1	ND	ug/L
Benzene	MW-10N	1/12/2005	1	1	ND	ug/L
Benzene	MW-10N	7/20/2005	1	1	ND	ug/L
Benzene	MW-10N	1/19/2006	1	1	ND	ug/L
Benzene	MW-10N	7/19/2006	1	1	ND	ug/L
Benzene	MW-10N	7/19/2006	1	1	ND	ug/L
Benzene	MW-10N	10/25/2006	1	1	ND	ug/L
Benzene	MW-10N	1/24/2007	1	1	ND	ug/L
Benzene	MW-10N	7/10/2007	1	1	ND	ug/L
Benzene	MW-10N	1/23/2008	1	1	ND	ug/L
Benzene	MW-10N	7/21/2008	1	1	ND	ug/L
Benzene	MW-10N	2/13/2009	1	1	ND	ug/L
Benzene	MW-10N	7/31/2009	1	1	ND	ug/L
Benzene	MW-10N	1/27/2010	1	1	ND	ug/L
Benzene	MW-10N	8/10/2010	1	1	ND	ug/L
Benzene	MW-10N	1/19/2011	1	1	ND	ug/L
Benzene	MW-10N	7/14/2011	1	1	ND	ug/L
Benzene	MW-10N	1/5/2012	1	1	ND	ug/L
Benzene	MW-10N	7/10/2012	1	1	ND	ug/L
Benzene	MW-10N	5/1/2013	1	1	ND	ug/L
Benzene	MW-10N	1/24/2014	1	1	ND	ug/L
Benzene	MW-10N	7/9/2014	1	1	ND	ug/L
Benzene	MW-10N	2/12/2015	1	1	ND	ug/L
Benzene	MW-10N	7/14/2015	1	1	ND	ug/L
Benzene	MW-10N	1/6/2016	1	1	ND	ug/L
Benzene	MW-10N	7/21/2016	1	1	ND	ug/L
Benzene	MW-10N	1/11/2017	1	1	ND	ug/L
Benzene	MW-10N	7/19/2017	1	1	ND	ug/L
Benzene	MW-10N	1/24/2018	1	1	ND	ug/L
Benzene	MW-10N	7/11/2018	1	1	ND	ug/L
Benzene	MW-10N	1/3/2019	1	1	ND	ug/L
Benzene	MW-10N	7/9/2019	1	1	ND	ug/L
Benzene	MW-10N	1/16/2020	1	1	ND	ug/L
Benzene	MW-10N	7/8/2020	1	1	ND	ug/L
Benzene	MW-10N	1/13/2021	1	1	ND	ug/L
Benzene	MW-10N	7/5/2021	1	1	ND	ug/L
Benzene	MW-10N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-11N	10/22/1997	3	3	ND	ug/L
Benzene	MW-11N	1/21/1998	3	3	ND	ug/L
Benzene	MW-11N	4/28/1998	3	3	ND	ug/L
Benzene	MW-11N	7/23/1998	3	3	ND	ug/L
Benzene	MW-11N	1/13/1999	3	3	ND	ug/L
Benzene	MW-11N	4/13/1999	3	3	ND	ug/L
Benzene	MW-11N	7/14/1999	3	3	ND	ug/L
Benzene	MW-11N	10/20/1999	3	3	ND	ug/L
Benzene	MW-11N	1/13/2000	3	3	ND	ug/L
Benzene	MW-11N	4/25/2000	3	3	ND	ug/L
Benzene	MW-11N	7/10/2000	1	1	ND	ug/L
Benzene	MW-11N	10/17/2000	1	1	ND	ug/L
Benzene	MW-11N	1/24/2001	1	1	ND	ug/L
Benzene	MW-11N	4/10/2001	1	1	ND	ug/L
Benzene	MW-11N	7/9/2002	1	1	ND	ug/L
Benzene	MW-11N	10/2/2002	1	1	ND	ug/L
Benzene	MW-11N	1/23/2003	1	1	ND	ug/L
Benzene	MW-11N	4/15/2003	1	1	ND	ug/L
Benzene	MW-11N	7/8/2003	1	1	ND	ug/L
Benzene	MW-11N	1/29/2004	1	1	ND	ug/L
Benzene	MW-11N	7/27/2004	1	1	ND	ug/L
Benzene	MW-11N	1/13/2005	1	1	ND	ug/L
Benzene	MW-11N	7/20/2005	1	1	ND	ug/L
Benzene	MW-11N	1/19/2006	1	1	ND	ug/L
Benzene	MW-11N	7/18/2006	1	1	ND	ug/L
Benzene	MW-11N	7/18/2006	1	1	ND	ug/L
Benzene	MW-11N	10/25/2006	1	1	ND	ug/L
Benzene	MW-11N	1/24/2007	1	1	ND	ug/L
Benzene	MW-11N	7/10/2007	1	1	ND	ug/L
Benzene	MW-11N	1/22/2008	1	1	ND	ug/L
Benzene	MW-11N	7/23/2008	1	1	ND	ug/L
Benzene	MW-11N	2/3/2009	1	1	ND	ug/L
Benzene	MW-11N	7/31/2009	1	1	ND	ug/L
Benzene	MW-11N	2/3/2010	1	1	ND	ug/L
Benzene	MW-11N	2/3/2010	1	1	ND	ug/L
Benzene	MW-11N	7/16/2010	1	1	ND	ug/L
Benzene	MW-11N	1/19/2011	1	1	ND	ug/L
Benzene	MW-11N	7/13/2011	1	1	ND	ug/L
Benzene	MW-11N	1/4/2012	1	1	ND	ug/L
Benzene	MW-11N	7/9/2012	1	1	ND	ug/L
Benzene	MW-11N	4/30/2013	1	1	ND	ug/L
Benzene	MW-11N	7/15/2013	1	1	ND	ug/L
Benzene	MW-11N	1/23/2014	1	1	ND	ug/L
Benzene	MW-11N	7/8/2014	1	1	ND	ug/L
Benzene	MW-11N	2/10/2015	1	1	ND	ug/L
Benzene	MW-11N	7/13/2015	1	1	ND	ug/L
Benzene	MW-11N	1/5/2016	1	1	ND	ug/L
Benzene	MW-11N	7/21/2016	1	1	ND	ug/L
Benzene	MW-11N	1/11/2017	1	1	ND	ug/L
Benzene	MW-11N	7/19/2017	1	1	ND	ug/L
Benzene	MW-11N	1/23/2018	1	1	ND	ug/L
Benzene	MW-11N	7/17/2018	1	1	ND	ug/L
Benzene	MW-11N	1/2/2019	1	1	ND	ug/L
Benzene	MW-11N	7/9/2019	1	1	ND	ug/L
Benzene	MW-11N	1/14/2020	1	1	ND	ug/L
Benzene	MW-11N	7/6/2020	1	1	ND	ug/L
Benzene	MW-11N	1/18/2021	1	1	ND	ug/L
Benzene	MW-11N	7/6/2021	1	1	ND	ug/L
Benzene	MW-11N	1/18/2022	1	1	ND	ug/L
Benzene	MW-11N	7/13/2022	1	1	ND	ug/L
Benzene	MW-11N	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-15	6/5/2015	1	1	ND	ug/L
Benzene	MW-15	7/15/2015	1	1	ND	ug/L
Benzene	MW-15	8/5/2015	1	1	ND	ug/L
Benzene	MW-15	9/3/2015	1	1	ND	ug/L
Benzene	MW-15	1/7/2016	1	1	ND	ug/L
Benzene	MW-15	4/5/2016	1	1	ND	ug/L
Benzene	MW-15	7/20/2016	1	1	ND	ug/L
Benzene	MW-15	10/6/2016	1	1	ND	ug/L
Benzene	MW-15	1/10/2017	1	1	ND	ug/L
Benzene	MW-15	7/18/2017	1	1	ND	ug/L
Benzene	MW-15	1/23/2018	1	1	ND	ug/L
Benzene	MW-15	7/10/2018	1	1	ND	ug/L
Benzene	MW-15	1/3/2019	1	1	ND	ug/L
Benzene	MW-15	7/9/2019	1	1	ND	ug/L
Benzene	MW-15	1/14/2020	1	1	ND	ug/L
Benzene	MW-15	8/3/2020	1	1	ND	ug/L
Benzene	MW-15	1/18/2021	1	1	ND	ug/L
Benzene	MW-15	7/4/2021	1	1	ND	ug/L
Benzene	MW-15	1/12/2022	1	1	ND	ug/L
Benzene	MW-15	7/10/2022	1	1	ND	ug/L
Benzene	MW-15	1/10/2023	1	1	ND	ug/L
Benzene	MW-16	6/5/2015	1	1	ND	ug/L
Benzene	MW-16	7/16/2015	1	1	ND	ug/L
Benzene	MW-16	8/5/2015	1	1	ND	ug/L
Benzene	MW-16	9/3/2015	1	1	ND	ug/L
Benzene	MW-16	1/8/2016	1	1	ND	ug/L
Benzene	MW-16	4/5/2016	1	1	ND	ug/L
Benzene	MW-16	7/21/2016	1	1	ND	ug/L
Benzene	MW-16	10/5/2016	1	1	ND	ug/L
Benzene	MW-16	1/10/2017	1	1	ND	ug/L
Benzene	MW-16	7/18/2017	1	1	ND	ug/L
Benzene	MW-16	1/23/2018	1	1	ND	ug/L
Benzene	MW-16	7/11/2018	1	1	ND	ug/L
Benzene	MW-16	1/2/2019	1	1	ND	ug/L
Benzene	MW-16	7/10/2019	1	1	ND	ug/L
Benzene	MW-16	1/14/2020	1	1	ND	ug/L
Benzene	MW-16	8/3/2020	1	1	ND	ug/L
Benzene	MW-16	1/18/2021	1	1	ND	ug/L
Benzene	MW-16	7/4/2021	1	1	ND	ug/L
Benzene	MW-16	1/12/2022	1	1	ND	ug/L
Benzene	MW-16	7/10/2022	1	1	ND	ug/L
Benzene	MW-16	1/10/2023	1	1	ND	ug/L
Benzene	MW-17	6/5/2015	1	1	ND	ug/L
Benzene	MW-17	7/15/2015	1	1	ND	ug/L
Benzene	MW-17	8/4/2015	1	1	ND	ug/L
Benzene	MW-17	9/2/2015	1	1	ND	ug/L
Benzene	MW-17	1/7/2016	1	1	ND	ug/L
Benzene	MW-17	4/5/2016	1	1	ND	ug/L
Benzene	MW-17	7/20/2016	1	1	ND	ug/L
Benzene	MW-17	10/6/2016	1	1	ND	ug/L
Benzene	MW-17	1/10/2017	1	1	ND	ug/L
Benzene	MW-17	7/18/2017	1	1	ND	ug/L
Benzene	MW-17	1/23/2018	1	1	ND	ug/L
Benzene	MW-17	7/10/2018	1	1	ND	ug/L
Benzene	MW-17	1/3/2019	1	1	ND	ug/L
Benzene	MW-17	7/11/2019	1	1	ND	ug/L
Benzene	MW-17	1/14/2020	1	1	ND	ug/L
Benzene	MW-17	8/3/2020	1	1	ND	ug/L
Benzene	MW-17	1/14/2021	1	1	ND	ug/L
Benzene	MW-17	7/4/2021	1	1	ND	ug/L
Benzene	MW-17	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-19	6/5/2015	1	1	ND	ug/L
Benzene	MW-19	7/16/2015	1	1	ND	ug/L
Benzene	MW-19	8/5/2015	1	1	ND	ug/L
Benzene	MW-19	9/3/2015	1	1	ND	ug/L
Benzene	MW-19	1/7/2016	1	1	ND	ug/L
Benzene	MW-19	4/5/2016	1	1	ND	ug/L
Benzene	MW-19	7/21/2016	1	1	ND	ug/L
Benzene	MW-19	10/5/2016	1	1	ND	ug/L
Benzene	MW-19	1/10/2017	1	1	ND	ug/L
Benzene	MW-19	7/18/2017	1	1	ND	ug/L
Benzene	MW-19	1/23/2018	1	1	ND	ug/L
Benzene	MW-19	7/13/2018	1	1	ND	ug/L
Benzene	MW-19	1/7/2019	1	1	ND	ug/L
Benzene	MW-19	7/11/2019	1	1	ND	ug/L
Benzene	MW-19	1/14/2020	1	1	ND	ug/L
Benzene	MW-19	8/3/2020	1	1	ND	ug/L
Benzene	MW-19	1/14/2021	1	1	ND	ug/L
Benzene	MW-19	7/4/2021	1	1	ND	ug/L
Benzene	MW-19	1/11/2023	1	1	ND	ug/L
Benzene	MW-1N	10/22/1997	3	3	ND	ug/L
Benzene	MW-1N	1/20/1998	3	3	ND	ug/L
Benzene	MW-1N	4/28/1998	3	3	ND	ug/L
Benzene	MW-1N	7/23/1998	3	3	ND	ug/L
Benzene	MW-1N	10/14/1998	3.1	3.1	ND	ug/L
Benzene	MW-1N	1/13/1999	3	3	ND	ug/L
Benzene	MW-1N	4/13/1999	3	3	ND	ug/L
Benzene	MW-1N	5/19/1999	3	3	ND	ug/L
Benzene	MW-1N	7/15/1999	3	3	ND	ug/L
Benzene	MW-1N	10/19/1999	0.29	3		ug/L
Benzene	MW-1N	1/14/2000	3	3	ND	ug/L
Benzene	MW-1N	4/25/2000	3	3	ND	ug/L
Benzene	MW-1N	7/12/2000	1.4	1		ug/L
Benzene	MW-1N	10/18/2000	0.83	1		ug/L
Benzene	MW-1N	1/24/2001	0.21	1		ug/L
Benzene	MW-1N	4/12/2001	2.6	1		ug/L
Benzene	MW-1N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-1N	5/29/2002	1	1	ND	ug/L
Benzene	MW-1N	7/9/2002	0.26	1		ug/L
Benzene	MW-1N	10/3/2002	0.29	1		ug/L
Benzene	MW-1N	1/22/2003	1	1	ND	ug/L
Benzene	MW-1N	4/15/2003	1	1	ND	ug/L
Benzene	MW-1N	7/8/2003	1	1	ND	ug/L
Benzene	MW-1N	1/28/2004	1	1	ND	ug/L
Benzene	MW-1N	7/27/2004	1	1	ND	ug/L
Benzene	MW-1N	1/12/2005	1	1	ND	ug/L
Benzene	MW-1N	7/20/2005	1	1	ND	ug/L
Benzene	MW-1N	1/18/2006	1	1	ND	ug/L
Benzene	MW-1N	7/18/2006	1	1	ND	ug/L
Benzene	MW-1N	7/18/2006	1	1	ND	ug/L
Benzene	MW-1N	10/24/2006	1	1	ND	ug/L
Benzene	MW-1N	1/26/2007	1	1	ND	ug/L
Benzene	MW-1N	7/11/2007	1	1	ND	ug/L
Benzene	MW-1N	1/24/2008	1	1	ND	ug/L
Benzene	MW-1N	7/21/2008	1	1	ND	ug/L
Benzene	MW-1N	2/5/2009	1	1	ND	ug/L
Benzene	MW-1N	7/31/2009	1	1	ND	ug/L
Benzene	MW-1N	1/26/2010	1	1	ND	ug/L
Benzene	MW-1N	7/13/2010	1	1	ND	ug/L
Benzene	MW-1N	1/20/2011	1	1	ND	ug/L
Benzene	MW-1N	7/13/2011	1	1	ND	ug/L
Benzene	MW-1N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-1N	7/10/2012	1	1	ND	ug/L
Benzene	MW-1N	5/1/2013	1	1	ND	ug/L
Benzene	MW-1N	7/16/2013	1	1	ND	ug/L
Benzene	MW-1N	1/24/2014	1	1	ND	ug/L
Benzene	MW-1N	7/9/2014	1	1	ND	ug/L
Benzene	MW-1N	2/10/2015	1	1	ND	ug/L
Benzene	MW-1N	7/14/2015	1	1	ND	ug/L
Benzene	MW-1N	1/6/2016	1	1	ND	ug/L
Benzene	MW-1N	7/21/2016	1	1	ND	ug/L
Benzene	MW-1N	1/12/2017	1	1	ND	ug/L
Benzene	MW-1N	7/19/2017	1	1	ND	ug/L
Benzene	MW-1N	1/23/2018	1	1	ND	ug/L
Benzene	MW-1N	7/10/2018	1	1	ND	ug/L
Benzene	MW-1N	1/3/2019	1	1	ND	ug/L
Benzene	MW-1N	7/11/2019	1	1	ND	ug/L
Benzene	MW-1N	1/23/2020	1	1	ND	ug/L
Benzene	MW-1N	4/2/2020	1	1	ND	ug/L
Benzene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzene	MW-1N	1/14/2021	1	1	ND	ug/L
Benzene	MW-1N	7/4/2021	1	1	ND	ug/L
Benzene	MW-1N	1/11/2023	1	1	ND	ug/L
Benzene	MW-20	6/5/2015	1	1	ND	ug/L
Benzene	MW-20	7/14/2015	1	1	ND	ug/L
Benzene	MW-20	8/4/2015	1	1	ND	ug/L
Benzene	MW-20	9/2/2015	1	1	ND	ug/L
Benzene	MW-20	1/7/2016	1	1	ND	ug/L
Benzene	MW-20	4/5/2016	1	1	ND	ug/L
Benzene	MW-20	7/20/2016	1	1	ND	ug/L
Benzene	MW-20	10/5/2016	1	1	ND	ug/L
Benzene	MW-20	1/12/2017	1	1	ND	ug/L
Benzene	MW-20	7/18/2017	1	1	ND	ug/L
Benzene	MW-20	1/26/2018	1	1	ND	ug/L
Benzene	MW-20	7/12/2018	1	1	ND	ug/L
Benzene	MW-20	7/11/2019	1	1	ND	ug/L
Benzene	MW-20	1/14/2020	1	1	ND	ug/L
Benzene	MW-20	7/7/2020	1	1	ND	ug/L
Benzene	MW-20	1/17/2021	1	1	ND	ug/L
Benzene	MW-20	7/4/2021	1	1	ND	ug/L
Benzene	MW-20	1/11/2023	1	1	ND	ug/L
Benzene	MW-21	6/5/2015	0.32	1	ND	ug/L
Benzene	MW-21	7/14/2015	0.28	1	ND	ug/L
Benzene	MW-21	8/4/2015	0.27	1	ND	ug/L
Benzene	MW-21	9/2/2015	0.32	1	ND	ug/L
Benzene	MW-21	1/7/2016	1	1	ND	ug/L
Benzene	MW-21	4/5/2016	0.2	1	ND	ug/L
Benzene	MW-21	7/20/2016	0.18	1	ND	ug/L
Benzene	MW-21	10/5/2016	1	1	ND	ug/L
Benzene	MW-21	10/5/2016	1	1	ND	ug/L
Benzene	MW-21	1/10/2017	1	1	ND	ug/L
Benzene	MW-21	4/5/2017	0.18	1	ND	ug/L
Benzene	MW-21	7/19/2017	0.19	1	ND	ug/L
Benzene	MW-21	10/6/2017	1	1	ND	ug/L
Benzene	MW-21	1/24/2018	1	1	ND	ug/L
Benzene	MW-21	4/11/2018	0.26	1	ND	ug/L
Benzene	MW-21	7/11/2018	1	1	ND	ug/L
Benzene	MW-21	10/4/2018	1	1	ND	ug/L
Benzene	MW-21	1/3/2019	0.21	1	ND	ug/L
Benzene	MW-21	4/3/2019	1	1	ND	ug/L
Benzene	MW-21	7/11/2019	1	1	ND	ug/L
Benzene	MW-21	10/2/2019	1	1	ND	ug/L
Benzene	MW-21	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-21	4/2/2020	1	1	ND	ug/L
Benzene	MW-21	7/8/2020	1	1	ND	ug/L
Benzene	MW-21	10/7/2020	1	1	ND	ug/L
Benzene	MW-21	1/13/2021	1	1	ND	ug/L
Benzene	MW-21	4/6/2021	1	1	ND	ug/L
Benzene	MW-21	7/5/2021	1	1	ND	ug/L
Benzene	MW-21	10/6/2021	1	1	ND	ug/L
Benzene	MW-21	1/11/2023	1	1	ND	ug/L
Benzene	MW-21	4/8/2023	1	1	ND	ug/L
Benzene	MW-2N	10/22/1997	3	3	ND	ug/L
Benzene	MW-2N	1/21/1998	3	3	ND	ug/L
Benzene	MW-2N	4/28/1998	3	3	ND	ug/L
Benzene	MW-2N	7/22/1998	3	3	ND	ug/L
Benzene	MW-2N	1/13/1999	3	3	ND	ug/L
Benzene	MW-2N	4/13/1999	3	3	ND	ug/L
Benzene	MW-2N	7/14/1999	3	3	ND	ug/L
Benzene	MW-2N	10/20/1999	3	3	ND	ug/L
Benzene	MW-2N	1/14/2000	3	3	ND	ug/L
Benzene	MW-2N	4/25/2000	3	3	ND	ug/L
Benzene	MW-2N	10/17/2000	1	1	ND	ug/L
Benzene	MW-2N	1/24/2001	1	1	ND	ug/L
Benzene	MW-2N	4/11/2001	1	1	ND	ug/L
Benzene	MW-2N	7/10/2002	4	1		ug/L
Benzene	MW-2N	10/2/2002	1	1	ND	ug/L
Benzene	MW-2N	1/22/2003	1	1	ND	ug/L
Benzene	MW-2N	4/14/2003	1	1	ND	ug/L
Benzene	MW-2N	7/7/2003	1	1	ND	ug/L
Benzene	MW-2N	1/28/2004	1	1	ND	ug/L
Benzene	MW-2N	7/27/2004	1	1	ND	ug/L
Benzene	MW-2N	1/12/2005	1	1	ND	ug/L
Benzene	MW-2N	7/20/2005	1	1	ND	ug/L
Benzene	MW-2N	1/19/2006	1	1	ND	ug/L
Benzene	MW-2N	7/19/2006	1	1	ND	ug/L
Benzene	MW-2N	7/19/2006	1	1	ND	ug/L
Benzene	MW-2N	10/25/2006	1	1	ND	ug/L
Benzene	MW-2N	1/26/2007	1	1	ND	ug/L
Benzene	MW-2N	3/27/2007	1	1	ND	ug/L
Benzene	MW-2N	7/11/2007	1	1	ND	ug/L
Benzene	MW-2N	1/24/2008	1	1	ND	ug/L
Benzene	MW-2N	7/22/2008	1	1	ND	ug/L
Benzene	MW-2N	2/4/2009	0.19	1	ND	ug/L
Benzene	MW-2N	7/31/2009	1	1	ND	ug/L
Benzene	MW-2N	1/26/2010	1	1	ND	ug/L
Benzene	MW-2N	7/13/2010	1	1	ND	ug/L
Benzene	MW-2N	1/20/2011	1	1	ND	ug/L
Benzene	MW-2N	7/13/2011	1	1	ND	ug/L
Benzene	MW-2N	1/5/2012	1	1	ND	ug/L
Benzene	MW-2N	7/10/2012	1	1	ND	ug/L
Benzene	MW-2N	5/1/2013	1	1	ND	ug/L
Benzene	MW-2N	7/16/2013	1	1	ND	ug/L
Benzene	MW-2N	1/24/2014	1	1	ND	ug/L
Benzene	MW-2N	7/9/2014	1	1	ND	ug/L
Benzene	MW-2N	2/12/2015	1	1	ND	ug/L
Benzene	MW-2N	7/14/2015	1	1	ND	ug/L
Benzene	MW-2N	1/6/2016	1	1	ND	ug/L
Benzene	MW-2N	7/21/2016	1	1	ND	ug/L
Benzene	MW-2N	1/11/2017	1	1	ND	ug/L
Benzene	MW-2N	7/19/2017	1	1	ND	ug/L
Benzene	MW-2N	1/23/2018	1	1	ND	ug/L
Benzene	MW-2N	7/12/2018	1	1	ND	ug/L
Benzene	MW-2N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-2N	8/7/2019	1	1	ND	ug/L
Benzene	MW-2N	1/23/2020	1	1	ND	ug/L
Benzene	MW-2N	7/7/2020	1	1	ND	ug/L
Benzene	MW-2N	1/14/2021	1	1	ND	ug/L
Benzene	MW-2N	7/5/2021	1	1	ND	ug/L
Benzene	MW-2N	1/11/2023	1	1	ND	ug/L
Benzene	MW-3N	10/21/1997	3	3	ND	ug/L
Benzene	MW-3N	1/21/1998	3	3	ND	ug/L
Benzene	MW-3N	4/28/1998	0.23	3		ug/L
Benzene	MW-3N	7/23/1998	3	3	ND	ug/L
Benzene	MW-3N	1/13/1999	3	3	ND	ug/L
Benzene	MW-3N	4/13/1999	3	3	ND	ug/L
Benzene	MW-3N	7/14/1999	3	3	ND	ug/L
Benzene	MW-3N	10/20/1999	0.34	3		ug/L
Benzene	MW-3N	1/14/2000	3	3	ND	ug/L
Benzene	MW-3N	4/24/2000	0.32	3		ug/L
Benzene	MW-3N	7/11/2000	0.29	1		ug/L
Benzene	MW-3N	10/17/2000	0.28	1		ug/L
Benzene	MW-3N	1/23/2001	0.3	1		ug/L
Benzene	MW-3N	4/11/2001	0.58	1		ug/L
Benzene	MW-3N	5/29/2002	1	1	ND	ug/L
Benzene	MW-3N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-3N	7/9/2002	0.97	1		ug/L
Benzene	MW-3N	10/2/2002	1.2	1		ug/L
Benzene	MW-3N	1/22/2003	1	1	ND	ug/L
Benzene	MW-3N	4/14/2003	1	1	ND	ug/L
Benzene	MW-3N	7/7/2003	1	1	ND	ug/L
Benzene	MW-3N	1/28/2004	1.1	1		ug/L
Benzene	MW-3N	7/27/2004	1.3	1		ug/L
Benzene	MW-3N	1/12/2005	1	1	ND	ug/L
Benzene	MW-3N	7/20/2005	1	1	ND	ug/L
Benzene	MW-3N	1/18/2006	1	1	ND	ug/L
Benzene	MW-3N	7/19/2006	1.2	1		ug/L
Benzene	MW-3N	7/19/2006	1.2	1		ug/L
Benzene	MW-3N	10/25/2006	1.1	1		ug/L
Benzene	MW-3N	1/26/2007	1	1	ND	ug/L
Benzene	MW-3N	7/11/2007	1	1		ug/L
Benzene	MW-3N	1/24/2008	1.3	1		ug/L
Benzene	MW-3N	7/22/2008	1.1	1		ug/L
Benzene	MW-3N	2/4/2009	1.1	1		ug/L
Benzene	MW-3N	7/31/2009	1	1	ND	ug/L
Benzene	MW-3N	1/26/2010	1	1	ND	ug/L
Benzene	MW-3N	7/13/2010	0.65	1	ND	ug/L
Benzene	MW-3N	1/20/2011	1	1	ND	ug/L
Benzene	MW-3N	7/14/2011	0.73	1	ND	ug/L
Benzene	MW-3N	1/5/2012	0.71	1	ND	ug/L
Benzene	MW-3N	7/11/2012	0.64	1	ND	ug/L
Benzene	MW-3N	5/1/2013	0.24	1	ND	ug/L
Benzene	MW-3N	6/4/2013	0.22	1	ND	ug/L
Benzene	MW-3N	7/16/2013	0.16	1	ND	ug/L
Benzene	MW-3N	1/24/2014	1	1	ND	ug/L
Benzene	MW-3N	7/9/2014	0.17	1	ND	ug/L
Benzene	MW-3N	2/12/2015	1	1	ND	ug/L
Benzene	MW-3N	4/1/2015	1	1	ND	ug/L
Benzene	MW-3N	7/14/2015	1	1	ND	ug/L
Benzene	MW-3N	10/5/2015	1	1	ND	ug/L
Benzene	MW-3N	1/6/2016	1	1	ND	ug/L
Benzene	MW-3N	4/6/2016	1	1	ND	ug/L
Benzene	MW-3N	7/21/2016	1	1	ND	ug/L
Benzene	MW-3N	10/6/2016	1	1	ND	ug/L
Benzene	MW-3N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-3N	4/4/2017	1	1	ND	ug/L
Benzene	MW-3N	7/19/2017	1	1	ND	ug/L
Benzene	MW-3N	10/9/2017	1	1	ND	ug/L
Benzene	MW-3N	1/24/2018	1	1	ND	ug/L
Benzene	MW-3N	4/10/2018	1	1	ND	ug/L
Benzene	MW-3N	7/13/2018	1	1	ND	ug/L
Benzene	MW-3N	10/3/2018	1	1	ND	ug/L
Benzene	MW-3N	1/7/2019	1	1	ND	ug/L
Benzene	MW-3N	4/3/2019	1	1	ND	ug/L
Benzene	MW-3N	7/11/2019	1	1	ND	ug/L
Benzene	MW-3N	10/2/2019	1	1	ND	ug/L
Benzene	MW-3N	1/15/2020	1	1	ND	ug/L
Benzene	MW-3N	4/2/2020	1	1	ND	ug/L
Benzene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzene	MW-3N	10/7/2020	1	1	ND	ug/L
Benzene	MW-3N	1/13/2021	1	1	ND	ug/L
Benzene	MW-3N	4/6/2021	1	1	ND	ug/L
Benzene	MW-3N	7/5/2021	1	1	ND	ug/L
Benzene	MW-3N	10/6/2021	1	1	ND	ug/L
Benzene	MW-3N	1/11/2023	1	1	ND	ug/L
Benzene	MW-7N	10/21/1997	3	3	ND	ug/L
Benzene	MW-7N	1/21/1998	3	3	ND	ug/L
Benzene	MW-7N	7/22/1998	3.3	3		ug/L
Benzene	MW-7N	8/18/1998	3	3		ug/L
Benzene	MW-7N	9/17/1998	3	3	ND	ug/L
Benzene	MW-7N	10/15/1998	3.1	3.1	ND	ug/L
Benzene	MW-7N	11/9/1998	3.1	3		ug/L
Benzene	MW-7N	1/14/1999	3	3	ND	ug/L
Benzene	MW-7N	4/14/1999	3	3	ND	ug/L
Benzene	MW-7N	7/14/1999	4	3		ug/L
Benzene	MW-7N	10/19/1999	4.2	3		ug/L
Benzene	MW-7N	1/13/2000	3.6	3		ug/L
Benzene	MW-7N	4/25/2000	4.4	3		ug/L
Benzene	MW-7N	10/17/2000	4.3	1		ug/L
Benzene	MW-7N	1/23/2001	4.4	1		ug/L
Benzene	MW-7N	4/10/2001	6.2	1		ug/L
Benzene	MW-7N	5/29/2002	5.3	1		ug/L
Benzene	MW-7N	5/29/2002	5.3	3.1		ug/L
Benzene	MW-7N	7/9/2002	4.4	1		ug/L
Benzene	MW-7N	10/2/2002	4	1		ug/L
Benzene	MW-7N	1/23/2003	3	1		ug/L
Benzene	MW-7N	4/14/2003	3.3	1		ug/L
Benzene	MW-7N	7/7/2003	3.3	1		ug/L
Benzene	MW-7N	1/27/2004	3.2	1		ug/L
Benzene	MW-7N	4/8/2004	2.9	1		ug/L
Benzene	MW-7N	7/26/2004	1.8	1		ug/L
Benzene	MW-7N	1/12/2005	1.7	1		ug/L
Benzene	MW-7N	7/19/2005	2	1		ug/L
Benzene	MW-7N	1/19/2006	1.5	1		ug/L
Benzene	MW-7N	7/19/2006	1.4	1		ug/L
Benzene	MW-7N	7/19/2006	1.4	1		ug/L
Benzene	MW-7N	10/24/2006	1.3	1		ug/L
Benzene	MW-7N	1/26/2007	1	1	ND	ug/L
Benzene	MW-7N	7/10/2007	1	1	ND	ug/L
Benzene	MW-7N	7/21/2008	1	1	ND	ug/L
Benzene	MW-7N	2/6/2009	0.55	1	ND	ug/L
Benzene	MW-7N	7/29/2009	1	1	ND	ug/L
Benzene	MW-7N	1/26/2010	1	1	ND	ug/L
Benzene	MW-7N	7/14/2010	0.49	1	ND	ug/L
Benzene	MW-7N	9/2/2010	1	1	ND	ug/L
Benzene	MW-7N	1/20/2011	0.35	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-7N	7/12/2011	1	1	ND	ug/L
Benzene	MW-7N	1/5/2012	1	1	ND	ug/L
Benzene	MW-7N	7/10/2012	1	1	ND	ug/L
Benzene	MW-7N	5/1/2013	0.78	1	ND	ug/L
Benzene	MW-7N	6/4/2013	0.37	1	ND	ug/L
Benzene	MW-7N	7/15/2013	1	1	ND	ug/L
Benzene	MW-7N	1/30/2014	1	1	ND	ug/L
Benzene	MW-7N	7/9/2014	1	1	ND	ug/L
Benzene	MW-7N	2/12/2015	1	1	ND	ug/L
Benzene	MW-7N	7/13/2015	1	1	ND	ug/L
Benzene	MW-7N	1/5/2016	1	1	ND	ug/L
Benzene	MW-7N	7/21/2016	1	1	ND	ug/L
Benzene	MW-7N	1/11/2017	1	1	ND	ug/L
Benzene	MW-7N	4/4/2017	0.18	1	ND	ug/L
Benzene	MW-7N	7/19/2017	1	1	ND	ug/L
Benzene	MW-7N	10/5/2017	1	1	ND	ug/L
Benzene	MW-7N	1/25/2018	1	1	ND	ug/L
Benzene	MW-7N	4/11/2018	1	1	ND	ug/L
Benzene	MW-7N	7/13/2018	1	1	ND	ug/L
Benzene	MW-7N	1/4/2019	1	1	ND	ug/L
Benzene	MW-7N	7/10/2019	1	1	ND	ug/L
Benzene	MW-7N	1/16/2020	1	1	ND	ug/L
Benzene	MW-7N	7/7/2020	1	1	ND	ug/L
Benzene	MW-7N	1/16/2021	1	1	ND	ug/L
Benzene	MW-7N	7/5/2021	1	1	ND	ug/L
Benzene	MW-7N	1/12/2022	1	1	ND	ug/L
Benzene	MW-7N	7/10/2022	1	1	ND	ug/L
Benzene	MW-7N	1/10/2023	1	1	ND	ug/L
Benzene	MW-8N	10/21/1997	3	3	ND	ug/L
Benzene	MW-8N	1/22/1998	3	3	ND	ug/L
Benzene	MW-8N	4/28/1998	3	3	ND	ug/L
Benzene	MW-8N	7/22/1998	3	3	ND	ug/L
Benzene	MW-8N	1/12/1999	3	3	ND	ug/L
Benzene	MW-8N	4/13/1999	3	3	ND	ug/L
Benzene	MW-8N	7/14/1999	3	3	ND	ug/L
Benzene	MW-8N	10/19/1999	3	3	ND	ug/L
Benzene	MW-8N	1/14/2000	3	3	ND	ug/L
Benzene	MW-8N	4/25/2000	3	3	ND	ug/L
Benzene	MW-8N	10/17/2000	1	1	ND	ug/L
Benzene	MW-8N	1/23/2001	1	1	ND	ug/L
Benzene	MW-8N	4/11/2001	1	1	ND	ug/L
Benzene	MW-8N	5/29/2002	1	1	ND	ug/L
Benzene	MW-8N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-8N	7/9/2002	1	1	ND	ug/L
Benzene	MW-8N	10/2/2002	1	1	ND	ug/L
Benzene	MW-8N	1/23/2003	1	1	ND	ug/L
Benzene	MW-8N	4/14/2003	1	1	ND	ug/L
Benzene	MW-8N	7/7/2003	1	1	ND	ug/L
Benzene	MW-8N	1/28/2004	1	1	ND	ug/L
Benzene	MW-8N	7/27/2004	1	1	ND	ug/L
Benzene	MW-8N	1/12/2005	1	1	ND	ug/L
Benzene	MW-8N	7/20/2005	1	1	ND	ug/L
Benzene	MW-8N	1/19/2006	1	1	ND	ug/L
Benzene	MW-8N	7/19/2006	1	1	ND	ug/L
Benzene	MW-8N	7/19/2006	1	1	ND	ug/L
Benzene	MW-8N	10/24/2006	1	1	ND	ug/L
Benzene	MW-8N	1/26/2007	1	1	ND	ug/L
Benzene	MW-8N	4/25/2007	1	1	ND	ug/L
Benzene	MW-8N	7/10/2007	1	1	ND	ug/L
Benzene	MW-8N	1/24/2008	1	1	ND	ug/L
Benzene	MW-8N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-8N	2/4/2009	1	1	ND	ug/L
Benzene	MW-8N	7/31/2009	1	1	ND	ug/L
Benzene	MW-8N	1/26/2010	1	1	ND	ug/L
Benzene	MW-8N	7/16/2010	1	1	ND	ug/L
Benzene	MW-8N	1/19/2011	1	1	ND	ug/L
Benzene	MW-8N	5/10/2011	1	1	ND	ug/L
Benzene	MW-8N	7/14/2011	1	1	ND	ug/L
Benzene	MW-8N	1/6/2012	1	1	ND	ug/L
Benzene	MW-8N	4/5/2012	1	1	ND	ug/L
Benzene	MW-8N	7/11/2012	1	1	ND	ug/L
Benzene	MW-8N	10/3/2012	1	1	ND	ug/L
Benzene	MW-8N	5/1/2013	1	1	ND	ug/L
Benzene	MW-8N	6/4/2013	1	1	ND	ug/L
Benzene	MW-8N	7/16/2013	1	1	ND	ug/L
Benzene	MW-8N	10/2/2013	1	1	ND	ug/L
Benzene	MW-8N	1/30/2014	1	1	ND	ug/L
Benzene	MW-8N	4/3/2014	1	1	ND	ug/L
Benzene	MW-8N	7/9/2014	1	1	ND	ug/L
Benzene	MW-8N	10/8/2014	1	1	ND	ug/L
Benzene	MW-8N	2/12/2015	1	1	ND	ug/L
Benzene	MW-8N	4/1/2015	1	1	ND	ug/L
Benzene	MW-8N	7/14/2015	1	1	ND	ug/L
Benzene	MW-8N	10/5/2015	1	1	ND	ug/L
Benzene	MW-8N	1/5/2016	1	1	ND	ug/L
Benzene	MW-8N	4/6/2016	1	1	ND	ug/L
Benzene	MW-8N	7/21/2016	1	1	ND	ug/L
Benzene	MW-8N	10/6/2016	1	1	ND	ug/L
Benzene	MW-8N	1/11/2017	1	1	ND	ug/L
Benzene	MW-8N	4/4/2017	1	1	ND	ug/L
Benzene	MW-8N	7/19/2017	1	1	ND	ug/L
Benzene	MW-8N	10/6/2017	1	1	ND	ug/L
Benzene	MW-8N	1/25/2018	1	1	ND	ug/L
Benzene	MW-8N	4/10/2018	1	1	ND	ug/L
Benzene	MW-8N	7/16/2018	1	1	ND	ug/L
Benzene	MW-8N	10/2/2018	1	1	ND	ug/L
Benzene	MW-8N	1/7/2019	1	1	ND	ug/L
Benzene	MW-8N	4/3/2019	1	1	ND	ug/L
Benzene	MW-8N	7/11/2019	1	1	ND	ug/L
Benzene	MW-8N	10/3/2019	1	1	ND	ug/L
Benzene	MW-8N	1/15/2020	1	1	ND	ug/L
Benzene	MW-8N	4/2/2020	1	1	ND	ug/L
Benzene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzene	MW-8N	10/6/2020	1	1	ND	ug/L
Benzene	MW-8N	1/15/2021	1	1	ND	ug/L
Benzene	MW-8N	4/6/2021	1	1	ND	ug/L
Benzene	MW-8N	7/5/2021	1	1	ND	ug/L
Benzene	MW-8N	10/6/2021	1	1	ND	ug/L
Benzene	MW-8N	1/18/2022	1	1	ND	ug/L
Benzene	MW-8N	4/4/2022	1	1	ND	ug/L
Benzene	MW-8N	7/12/2022	1	1	ND	ug/L
Benzene	MW-8N	10/6/2022	1	1	ND	ug/L
Benzene	MW-8N	1/11/2023	1	1	ND	ug/L
Benzene	MW-8N	4/8/2023	1	1	ND	ug/L
Benzene	NE-1	7/10/2002	1	1	ND	ug/L
Benzene	NE-1	8/6/2002	1	1	ND	ug/L
Benzene	NE-1	9/4/2002	1	1	ND	ug/L
Benzene	NE-1	10/2/2002	1	1	ND	ug/L
Benzene	NE-1	7/8/2003	1	1	ND	ug/L
Benzene	NE-1	1/27/2004	1	1	ND	ug/L
Benzene	NE-1	1/12/2005	1	1	ND	ug/L
Benzene	NE-1	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-1	7/19/2006	1	1	ND	ug/L
Benzene	NE-1	10/25/2006	1	1	ND	ug/L
Benzene	NE-1	1/24/2007	1	1	ND	ug/L
Benzene	NE-1	7/10/2007	1	1	ND	ug/L
Benzene	NE-1	1/24/2008	1	1	ND	ug/L
Benzene	NE-1	7/21/2008	1	1	ND	ug/L
Benzene	NE-1	2/7/2009	1	1	ND	ug/L
Benzene	NE-1	7/31/2009	1	1	ND	ug/L
Benzene	NE-1	1/26/2010	1	1	ND	ug/L
Benzene	NE-1	7/14/2010	1	1	ND	ug/L
Benzene	NE-1	9/2/2010	1	1	ND	ug/L
Benzene	NE-1	1/19/2011	1	1	ND	ug/L
Benzene	NE-1	7/13/2011	1	1	ND	ug/L
Benzene	NE-1	1/5/2012	1	1	ND	ug/L
Benzene	NE-1	7/10/2012	1	1	ND	ug/L
Benzene	NE-1	4/30/2013	1	1	ND	ug/L
Benzene	NE-1	7/16/2013	1	1	ND	ug/L
Benzene	NE-1	1/23/2014	1	1	ND	ug/L
Benzene	NE-1	7/9/2014	1	1	ND	ug/L
Benzene	NE-1	2/11/2015	1	1	ND	ug/L
Benzene	NE-1	7/8/2015	1	1	ND	ug/L
Benzene	NE-1	1/6/2016	1	1	ND	ug/L
Benzene	NE-1	7/20/2016	1	1	ND	ug/L
Benzene	NE-1	1/11/2017	1	1	ND	ug/L
Benzene	NE-1	7/19/2017	1	1	ND	ug/L
Benzene	NE-1	1/24/2018	1	1	ND	ug/L
Benzene	NE-1	4/11/2018	1	1	ND	ug/L
Benzene	NE-1	7/18/2018	1	1	ND	ug/L
Benzene	NE-1	10/2/2018	1	1	ND	ug/L
Benzene	NE-1	1/4/2019	1	1	ND	ug/L
Benzene	NE-1	4/2/2019	1	1	ND	ug/L
Benzene	NE-1	7/10/2019	1	1	ND	ug/L
Benzene	NE-1	7/10/2019	1	1	ND	ug/L
Benzene	NE-1	10/2/2019	1	1	ND	ug/L
Benzene	NE-1	1/15/2020	1	1	ND	ug/L
Benzene	NE-1	4/2/2020	1	1	ND	ug/L
Benzene	NE-1	7/8/2020	1	1	ND	ug/L
Benzene	NE-1	10/7/2020	1	1	ND	ug/L
Benzene	NE-1	1/13/2021	1	1	ND	ug/L
Benzene	NE-1	4/9/2021	1	1	ND	ug/L
Benzene	NE-1	7/2/2021	1	1	ND	ug/L
Benzene	NE-1	10/6/2021	1	1	ND	ug/L
Benzene	NE-1	1/17/2022	1	1	ND	ug/L
Benzene	NE-1	4/6/2022	1	1	ND	ug/L
Benzene	NE-1	7/13/2022	1	1	ND	ug/L
Benzene	NE-1	10/6/2022	1	1	ND	ug/L
Benzene	NE-1	1/5/2023	1	1	ND	ug/L
Benzene	NE-1	4/7/2023	1	1	ND	ug/L
Benzene	NE-10D	11/6/2019	1	1	ND	ug/L
Benzene	NE-10D	1/16/2020	1	1	ND	ug/L
Benzene	NE-10D	4/2/2020	1	1	ND	ug/L
Benzene	NE-10D	7/8/2020	1	1	ND	ug/L
Benzene	NE-10D	10/7/2020	1	1	ND	ug/L
Benzene	NE-10D	1/13/2021	1	1	ND	ug/L
Benzene	NE-10D	4/9/2021	1	1	ND	ug/L
Benzene	NE-10D	7/2/2021	1	1	ND	ug/L
Benzene	NE-10D	10/7/2021	1	1	ND	ug/L
Benzene	NE-10D	1/6/2023	1	1	ND	ug/L
Benzene	NE-10D	4/6/2023	1	1	ND	ug/L
Benzene	NE-11	3/1/2017	1	1	ND	ug/L
Benzene	NE-11	4/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-11	7/20/2017	1	1	ND	ug/L
Benzene	NE-11	10/9/2017	1	1	ND	ug/L
Benzene	NE-11	9/30/2019	1	1	ND	ug/L
Benzene	NE-11	1/14/2020	1	1	ND	ug/L
Benzene	NE-11	7/7/2020	1	1	ND	ug/L
Benzene	NE-11	1/16/2021	1	1	ND	ug/L
Benzene	NE-11	1/16/2021	1	1	ND	ug/L
Benzene	NE-11	7/1/2021	1	1	ND	ug/L
Benzene	NE-11	7/1/2021	1	1	ND	ug/L
Benzene	NE-11	1/17/2022	1	1	ND	ug/L
Benzene	NE-11	1/17/2022	1	1	ND	ug/L
Benzene	NE-11	7/12/2022	1	1	ND	ug/L
Benzene	NE-11	1/6/2023	1	1	ND	ug/L
Benzene	NE-12	3/1/2017	1	1	ND	ug/L
Benzene	NE-12	4/6/2017	1	1	ND	ug/L
Benzene	NE-12	7/20/2017	1	1	ND	ug/L
Benzene	NE-12	10/6/2017	1	1	ND	ug/L
Benzene	NE-12	8/5/2019	1	1	ND	ug/L
Benzene	NE-12	1/13/2020	1	1	ND	ug/L
Benzene	NE-12	7/7/2020	1	1	ND	ug/L
Benzene	NE-12	1/15/2021	1	1	ND	ug/L
Benzene	NE-12	1/15/2021	1	1	ND	ug/L
Benzene	NE-12	7/1/2021	1	1	ND	ug/L
Benzene	NE-12	7/1/2021	1	1	ND	ug/L
Benzene	NE-12	1/17/2022	1	1	ND	ug/L
Benzene	NE-12	1/17/2022	1	1	ND	ug/L
Benzene	NE-12	7/12/2022	1	1	ND	ug/L
Benzene	NE-12	1/6/2023	1	1	ND	ug/L
Benzene	NE-13	2/5/2019	1	1	ND	ug/L
Benzene	NE-13	8/7/2019	1	1	ND	ug/L
Benzene	NE-13	1/15/2020	1	1	ND	ug/L
Benzene	NE-13	7/8/2020	1	1	ND	ug/L
Benzene	NE-13	1/17/2021	1	1	ND	ug/L
Benzene	NE-13	1/17/2021	1	1	ND	ug/L
Benzene	NE-13	7/1/2021	1	1	ND	ug/L
Benzene	NE-13	7/1/2021	1	1	ND	ug/L
Benzene	NE-14D	10/2/2019	1	1	ND	ug/L
Benzene	NE-14D	1/16/2020	1	1	ND	ug/L
Benzene	NE-14D	4/3/2020	1	1	ND	ug/L
Benzene	NE-14D	7/7/2020	1	1	ND	ug/L
Benzene	NE-14D	10/6/2020	1	1	ND	ug/L
Benzene	NE-14D	1/17/2021	1	1	ND	ug/L
Benzene	NE-14D	4/9/2021	1	1	ND	ug/L
Benzene	NE-14D	7/2/2021	1	1	ND	ug/L
Benzene	NE-14D	10/7/2021	1	1	ND	ug/L
Benzene	NE-14D	1/18/2022	1	1	ND	ug/L
Benzene	NE-14D	4/6/2022	1	1	ND	ug/L
Benzene	NE-14D	7/13/2022	1	1	ND	ug/L
Benzene	NE-14D	10/7/2022	1	1	ND	ug/L
Benzene	NE-14D	1/6/2023	1	1	ND	ug/L
Benzene	NE-14D	4/6/2023	1	1	ND	ug/L
Benzene	NE-14S	10/2/2019	1	1	ND	ug/L
Benzene	NE-14S	1/16/2020	1	1	ND	ug/L
Benzene	NE-14S	4/3/2020	1	1	ND	ug/L
Benzene	NE-14S	7/7/2020	1	1	ND	ug/L
Benzene	NE-14S	10/6/2020	1	1	ND	ug/L
Benzene	NE-14S	1/17/2021	1	1	ND	ug/L
Benzene	NE-14S	4/9/2021	1	1	ND	ug/L
Benzene	NE-14S	7/2/2021	1	1	ND	ug/L
Benzene	NE-14S	10/7/2021	1	1	ND	ug/L
Benzene	NE-14S	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-14S	4/6/2022	1	1	ND	ug/L
Benzene	NE-14S	7/13/2022	1	1	ND	ug/L
Benzene	NE-14S	10/7/2022	1	1	ND	ug/L
Benzene	NE-14S	1/6/2023	1	1	ND	ug/L
Benzene	NE-14S	4/6/2023	1	1	ND	ug/L
Benzene	NE-15D	9/30/2019	1	1	ND	ug/L
Benzene	NE-15D	1/16/2020	1	1	ND	ug/L
Benzene	NE-15D	4/3/2020	1	1	ND	ug/L
Benzene	NE-15D	7/7/2020	1	1	ND	ug/L
Benzene	NE-15D	10/6/2020	1	1	ND	ug/L
Benzene	NE-15D	1/17/2021	1	1	ND	ug/L
Benzene	NE-15D	4/9/2021	1	1	ND	ug/L
Benzene	NE-15D	7/2/2021	1	1	ND	ug/L
Benzene	NE-15D	10/7/2021	1	1	ND	ug/L
Benzene	NE-15D	1/17/2022	1	1	ND	ug/L
Benzene	NE-15D	4/6/2022	1	1	ND	ug/L
Benzene	NE-15D	7/13/2022	1	1	ND	ug/L
Benzene	NE-15D	10/7/2022	1	1	ND	ug/L
Benzene	NE-15D	1/6/2023	1	1	ND	ug/L
Benzene	NE-15D	4/6/2023	1	1	ND	ug/L
Benzene	NE-15S	4/3/2020	1	1	ND	ug/L
Benzene	NE-2	7/9/2002	0.98	1		ug/L
Benzene	NE-2	8/6/2002	1	1	ND	ug/L
Benzene	NE-2	9/4/2002	1	1	ND	ug/L
Benzene	NE-2	10/2/2002	1	1	ND	ug/L
Benzene	NE-2	10/1/2013	1	1	ND	ug/L
Benzene	NE-2	10/8/2014	1	1	ND	ug/L
Benzene	NE-2	10/5/2015	1	1	ND	ug/L
Benzene	NE-2	10/6/2016	1	1	ND	ug/L
Benzene	NE-2	10/5/2017	1	1	ND	ug/L
Benzene	NE-2	1/25/2018	1	1	ND	ug/L
Benzene	NE-2	4/10/2018	1	1	ND	ug/L
Benzene	NE-2	7/10/2018	1	1	ND	ug/L
Benzene	NE-2	10/1/2018	1	1	ND	ug/L
Benzene	NE-2	1/4/2019	1	1	ND	ug/L
Benzene	NE-2	4/2/2019	1	1	ND	ug/L
Benzene	NE-2	7/9/2019	1	1	ND	ug/L
Benzene	NE-2	7/9/2019	1	1	ND	ug/L
Benzene	NE-2	10/2/2019	1	1	ND	ug/L
Benzene	NE-2	1/14/2020	1	1	ND	ug/L
Benzene	NE-2	4/1/2020	1	1	ND	ug/L
Benzene	NE-2	7/7/2020	1	1	ND	ug/L
Benzene	NE-2	10/6/2020	1	1	ND	ug/L
Benzene	NE-2	1/14/2021	1	1	ND	ug/L
Benzene	NE-2	4/9/2021	1	1	ND	ug/L
Benzene	NE-2	7/2/2021	1	1	ND	ug/L
Benzene	NE-2	10/6/2021	1	1	ND	ug/L
Benzene	NE-2	1/18/2022	1	1	ND	ug/L
Benzene	NE-2	4/6/2022	1	1	ND	ug/L
Benzene	NE-2	7/13/2022	1	1	ND	ug/L
Benzene	NE-2	10/7/2022	1	1	ND	ug/L
Benzene	NE-2	1/5/2023	1	1	ND	ug/L
Benzene	NE-2	4/5/2023	1	1	ND	ug/L
Benzene	NE-3	7/9/2002	0.68	1		ug/L
Benzene	NE-3	8/6/2002	0.37	1		ug/L
Benzene	NE-3	9/4/2002	0.39	1		ug/L
Benzene	NE-3	10/2/2002	0.29	1		ug/L
Benzene	NE-3	9/2/2010	1	1	ND	ug/L
Benzene	NE-3	3/21/2018	1	1	ND	ug/L
Benzene	NE-4	7/10/2002	0.57	1		ug/L
Benzene	NE-4	8/6/2002	0.66	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-4	9/4/2002	0.36	1		ug/L
Benzene	NE-4	10/3/2002	0.52	1		ug/L
Benzene	NE-4	4/15/2003	1	1	ND	ug/L
Benzene	NE-4	7/8/2003	1	1	ND	ug/L
Benzene	NE-4	1/28/2004	1	1	ND	ug/L
Benzene	NE-4	1/13/2005	1	1	ND	ug/L
Benzene	NE-4	8/1/2006	1	1	ND	ug/L
Benzene	NE-4	8/1/2006	1	1	ND	ug/L
Benzene	NE-4	10/25/2006	1	1	ND	ug/L
Benzene	NE-4	1/24/2007	1	1	ND	ug/L
Benzene	NE-4	7/12/2007	1	1	ND	ug/L
Benzene	NE-4	1/24/2008	1	1	ND	ug/L
Benzene	NE-4	7/21/2008	1	1	ND	ug/L
Benzene	NE-4	2/7/2009	1	1	ND	ug/L
Benzene	NE-4	7/31/2009	1	1	ND	ug/L
Benzene	NE-4	1/26/2010	1	1	ND	ug/L
Benzene	NE-4	7/14/2010	1	1	ND	ug/L
Benzene	NE-4	1/19/2011	1	1	ND	ug/L
Benzene	NE-4	7/13/2011	1	1	ND	ug/L
Benzene	NE-4	1/5/2012	1	1	ND	ug/L
Benzene	NE-4	7/10/2012	1	1	ND	ug/L
Benzene	NE-4	4/30/2013	1	1	ND	ug/L
Benzene	NE-4	7/16/2013	1	1	ND	ug/L
Benzene	NE-4	1/23/2014	1	1	ND	ug/L
Benzene	NE-4	7/9/2014	1	1	ND	ug/L
Benzene	NE-4	2/13/2015	1	1	ND	ug/L
Benzene	NE-4	7/8/2015	1	1	ND	ug/L
Benzene	NE-4	1/6/2016	1	1	ND	ug/L
Benzene	NE-4	7/20/2016	1	1	ND	ug/L
Benzene	NE-4	1/11/2017	1	1	ND	ug/L
Benzene	NE-4	7/19/2017	1	1	ND	ug/L
Benzene	NE-4	1/26/2018	1	1	ND	ug/L
Benzene	NE-4	4/10/2018	1	1	ND	ug/L
Benzene	NE-4	7/12/2018	1	1	ND	ug/L
Benzene	NE-4	10/3/2018	1	1	ND	ug/L
Benzene	NE-4	1/7/2019	1	1	ND	ug/L
Benzene	NE-4	4/2/2019	1	1	ND	ug/L
Benzene	NE-4	7/8/2019	1	1	ND	ug/L
Benzene	NE-4	7/8/2019	1	1	ND	ug/L
Benzene	NE-4	10/1/2019	1	1	ND	ug/L
Benzene	NE-4	1/13/2020	1	1	ND	ug/L
Benzene	NE-4	4/1/2020	1	1	ND	ug/L
Benzene	NE-4	7/6/2020	1	1	ND	ug/L
Benzene	NE-4	10/5/2020	1	1	ND	ug/L
Benzene	NE-4	1/15/2021	1	1	ND	ug/L
Benzene	NE-4	4/9/2021	1	1	ND	ug/L
Benzene	NE-4	7/2/2021	1	1	ND	ug/L
Benzene	NE-4	10/6/2021	1	1	ND	ug/L
Benzene	NE-4	1/5/2023	1	1	ND	ug/L
Benzene	NE-4	4/6/2023	1	1	ND	ug/L
Benzene	NE-5	7/9/2002	0.35	1		ug/L
Benzene	NE-5	8/6/2002	0.42	1		ug/L
Benzene	NE-5	9/4/2002	0.47	1		ug/L
Benzene	NE-5	10/2/2002	0.36	1		ug/L
Benzene	NE-5	4/15/2003	1	1	ND	ug/L
Benzene	NE-5	7/8/2003	1	1	ND	ug/L
Benzene	NE-5	1/27/2004	1	1	ND	ug/L
Benzene	NE-5	1/12/2005	1	1	ND	ug/L
Benzene	NE-5	7/19/2006	1	1	ND	ug/L
Benzene	NE-5	7/19/2006	1	1	ND	ug/L
Benzene	NE-5	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-5	1/24/2007	1	1	ND	ug/L
Benzene	NE-5	7/12/2007	1	1	ND	ug/L
Benzene	NE-5	7/22/2008	1	1	ND	ug/L
Benzene	NE-5	2/6/2009	1	1	ND	ug/L
Benzene	NE-5	7/31/2009	1	1	ND	ug/L
Benzene	NE-5	1/26/2010	1	1	ND	ug/L
Benzene	NE-5	7/16/2010	1	1	ND	ug/L
Benzene	NE-5	9/2/2010	1	1	ND	ug/L
Benzene	NE-5	1/19/2011	1	1	ND	ug/L
Benzene	NE-5	7/13/2011	1	1	ND	ug/L
Benzene	NE-5	1/5/2012	1	1	ND	ug/L
Benzene	NE-5	7/10/2012	1	1	ND	ug/L
Benzene	NE-5	4/30/2013	1	1	ND	ug/L
Benzene	NE-5	7/16/2013	1	1	ND	ug/L
Benzene	NE-5	1/23/2014	0.16	1	ND	ug/L
Benzene	NE-5	7/9/2014	1	1	ND	ug/L
Benzene	NE-5	2/11/2015	1	1	ND	ug/L
Benzene	NE-5	7/14/2015	1	1	ND	ug/L
Benzene	NE-5	1/6/2016	1	1	ND	ug/L
Benzene	NE-5	7/20/2016	1	1	ND	ug/L
Benzene	NE-5	1/11/2017	1	1	ND	ug/L
Benzene	NE-5	7/19/2017	1	1	ND	ug/L
Benzene	NE-5	1/25/2018	1	1	ND	ug/L
Benzene	NE-5	4/10/2018	1	1	ND	ug/L
Benzene	NE-5	7/17/2018	1	1	ND	ug/L
Benzene	NE-5	10/3/2018	1	1	ND	ug/L
Benzene	NE-5	1/4/2019	1	1	ND	ug/L
Benzene	NE-5	4/2/2019	1	1	ND	ug/L
Benzene	NE-5	4/2/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	10/3/2019	1	1	ND	ug/L
Benzene	NE-5	1/16/2020	1	1	ND	ug/L
Benzene	NE-5	4/2/2020	1	1	ND	ug/L
Benzene	NE-5	7/8/2020	1	1	ND	ug/L
Benzene	NE-5	10/6/2020	1	1	ND	ug/L
Benzene	NE-5	1/15/2021	1	1	ND	ug/L
Benzene	NE-5	4/9/2021	1	1	ND	ug/L
Benzene	NE-5	7/2/2021	1	1	ND	ug/L
Benzene	NE-5	10/6/2021	1	1	ND	ug/L
Benzene	NE-5	1/18/2022	1	1	ND	ug/L
Benzene	NE-5	4/6/2022	1	1	ND	ug/L
Benzene	NE-5	7/13/2022	1	1	ND	ug/L
Benzene	NE-5	10/7/2022	1	1	ND	ug/L
Benzene	NE-5	1/5/2023	1	1	ND	ug/L
Benzene	NE-5	4/7/2023	1	1	ND	ug/L
Benzene	NE-5E	9/30/2019	1	1	ND	ug/L
Benzene	NE-5E	1/16/2020	1	1	ND	ug/L
Benzene	NE-5E	4/1/2020	1	1	ND	ug/L
Benzene	NE-5E	7/8/2020	1	1	ND	ug/L
Benzene	NE-5E	10/6/2020	1	1	ND	ug/L
Benzene	NE-5E	1/15/2021	1	1	ND	ug/L
Benzene	NE-5E	4/9/2021	1	1	ND	ug/L
Benzene	NE-5E	7/2/2021	1	1	ND	ug/L
Benzene	NE-5E	10/6/2021	1	1	ND	ug/L
Benzene	NE-5E	1/18/2022	1	1	ND	ug/L
Benzene	NE-5E	4/6/2022	1	1	ND	ug/L
Benzene	NE-5E	7/13/2022	1	1	ND	ug/L
Benzene	NE-5E	10/7/2022	1	1	ND	ug/L
Benzene	NE-5E	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-5E	4/7/2023	1	1	ND	ug/L
Benzene	NE-5W	9/30/2019	1	1	ND	ug/L
Benzene	NE-5W	1/16/2020	1	1	ND	ug/L
Benzene	NE-5W	4/2/2020	1	1	ND	ug/L
Benzene	NE-5W	7/8/2020	1	1	ND	ug/L
Benzene	NE-5W	10/6/2020	1	1	ND	ug/L
Benzene	NE-5W	1/15/2021	1	1	ND	ug/L
Benzene	NE-5W	4/9/2021	1	1	ND	ug/L
Benzene	NE-5W	7/2/2021	1	1	ND	ug/L
Benzene	NE-5W	10/6/2021	1	1	ND	ug/L
Benzene	NE-5W	1/18/2022	1	1	ND	ug/L
Benzene	NE-5W	4/6/2022	1	1	ND	ug/L
Benzene	NE-5W	7/13/2022	1	1	ND	ug/L
Benzene	NE-5W	10/7/2022	1	1	ND	ug/L
Benzene	NE-5W	1/5/2023	1	1	ND	ug/L
Benzene	NE-5W	4/7/2023	1	1	ND	ug/L
Benzene	NE-6	1/12/2017	1	1	ND	ug/L
Benzene	NE-6	4/5/2017	1	1	ND	ug/L
Benzene	NE-6	7/19/2017	1	1	ND	ug/L
Benzene	NE-6	10/6/2017	1	1	ND	ug/L
Benzene	NE-6	2/4/2019	1	1	ND	ug/L
Benzene	NE-6	8/6/2019	1	1	ND	ug/L
Benzene	NE-6	1/15/2020	1	1	ND	ug/L
Benzene	NE-6	7/9/2020	1	1	ND	ug/L
Benzene	NE-6	1/16/2021	1	1	ND	ug/L
Benzene	NE-6	1/16/2021	1	1	ND	ug/L
Benzene	NE-6	7/1/2021	1	1	ND	ug/L
Benzene	NE-6	7/1/2021	1	1	ND	ug/L
Benzene	NE-6	1/17/2022	1	1	ND	ug/L
Benzene	NE-6	1/17/2022	1	1	ND	ug/L
Benzene	NE-6	7/12/2022	1	1	ND	ug/L
Benzene	NE-6	1/5/2023	1	1	ND	ug/L
Benzene	NE-6D	10/2/2019	1	1	ND	ug/L
Benzene	NE-6D	1/15/2020	1	1	ND	ug/L
Benzene	NE-6D	4/2/2020	1	1	ND	ug/L
Benzene	NE-6D	7/9/2020	1	1	ND	ug/L
Benzene	NE-6D	10/7/2020	1	1	ND	ug/L
Benzene	NE-6D	1/15/2021	1	1	ND	ug/L
Benzene	NE-6D	4/9/2021	1	1	ND	ug/L
Benzene	NE-6D	7/2/2021	1	1	ND	ug/L
Benzene	NE-6D	10/7/2021	1	1	ND	ug/L
Benzene	NE-6D	1/17/2022	1	1	ND	ug/L
Benzene	NE-6D	4/6/2022	1	1	ND	ug/L
Benzene	NE-6D	7/12/2022	1	1	ND	ug/L
Benzene	NE-6D	10/7/2022	1	1	ND	ug/L
Benzene	NE-6D	1/5/2023	1	1	ND	ug/L
Benzene	NE-6D	4/7/2023	1	1	ND	ug/L
Benzene	NE-7	3/1/2017	1	1	ND	ug/L
Benzene	NE-7	4/6/2017	1	1	ND	ug/L
Benzene	NE-7	7/20/2017	1	1	ND	ug/L
Benzene	NE-7	10/5/2017	1	1	ND	ug/L
Benzene	NE-7	2/6/2019	1	1	ND	ug/L
Benzene	NE-7	8/6/2019	1	1	ND	ug/L
Benzene	NE-7	1/16/2020	1	1	ND	ug/L
Benzene	NE-7	7/7/2020	1	1	ND	ug/L
Benzene	NE-7	1/16/2021	1	1	ND	ug/L
Benzene	NE-7	1/16/2021	1	1	ND	ug/L
Benzene	NE-7	7/1/2021	1	1	ND	ug/L
Benzene	NE-7	7/1/2021	1	1	ND	ug/L
Benzene	NE-7	1/17/2022	1	1	ND	ug/L
Benzene	NE-7	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-7	7/12/2022	1	1	ND	ug/L
Benzene	NE-7	1/5/2023	1	1	ND	ug/L
Benzene	NE-8	1/12/2017	1	1	ND	ug/L
Benzene	NE-8	4/5/2017	1	1	ND	ug/L
Benzene	NE-8	7/20/2017	1	1	ND	ug/L
Benzene	NE-8	10/6/2017	1	1	ND	ug/L
Benzene	NE-8	2/4/2019	1	1	ND	ug/L
Benzene	NE-8	8/5/2019	1	1	ND	ug/L
Benzene	NE-8	1/15/2020	1	1	ND	ug/L
Benzene	NE-8	7/8/2020	1	1	ND	ug/L
Benzene	NE-8	1/13/2021	1	1	ND	ug/L
Benzene	NE-8	1/13/2021	1	1	ND	ug/L
Benzene	NE-8	4/9/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	10/7/2021	1	1	ND	ug/L
Benzene	NE-8	1/6/2023	1	1	ND	ug/L
Benzene	NE-9	1/12/2017	1	1	ND	ug/L
Benzene	NE-9	4/5/2017	1	1	ND	ug/L
Benzene	NE-9	7/20/2017	1	1	ND	ug/L
Benzene	NE-9	10/5/2017	1	1	ND	ug/L
Benzene	NE-9	2/5/2019	1	1	ND	ug/L
Benzene	NE-9	8/7/2019	1	1	ND	ug/L
Benzene	NE-9	1/15/2020	1	1	ND	ug/L
Benzene	NE-9	7/7/2020	1	1	ND	ug/L
Benzene	NE-9	1/17/2021	1	1	ND	ug/L
Benzene	NE-9	1/17/2021	1	1	ND	ug/L
Benzene	NE-9	7/1/2021	1	1	ND	ug/L
Benzene	NE-9	7/1/2021	1	1	ND	ug/L
Benzene	NE-9	1/17/2022	1	1	ND	ug/L
Benzene	NE-9	1/17/2022	1	1	ND	ug/L
Benzene	NE-9	7/13/2022	1	1	ND	ug/L
Benzene	NE-9	1/6/2023	1	1	ND	ug/L
Benzene	NE-9	4/8/2023	1	1	ND	ug/L
Benzo(a)anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(a)anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	2/3/2009	0.72	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	7/17/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	2/6/2009	0.99	10	ND	ug/L
Benzo(a)anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(a)anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(a)anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(a)anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(a)pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(a)pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-4	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(a)pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	2/6/2009	2.7	10	ND	ug/L
Benzo(a)pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(a)pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(a)pyrene	MW-8N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(a)pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	2/3/2009	5.6	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	2/6/2009	2.8	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	2/7/2009	7.9	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-21	7/11/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	2/3/2009	4.4	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(k)fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(k)fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Benzyl alcohol	LGW-10	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-10	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-10	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-2	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-2	2/13/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-2	2/13/2015	13	13	ND	ug/L
Benzyl alcohol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-2	7/8/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-2	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-4	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-4	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-4	7/11/2018	0.36	9.9	ND	ug/L
Benzyl alcohol	LGW-4	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-5	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-5	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-5	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-5	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-6	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-6	2/5/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-6	2/10/2015	10	10	ND	ug/L
Benzyl alcohol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-6	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-6	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-7	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-7	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/10/2012	1.1	9.5	ND	ug/L
Benzyl alcohol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-7	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-8R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	LGW-9	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-9	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/10/2012	1.1	9.5	ND	ug/L
Benzyl alcohol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-9	7/10/2019	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	MW-10N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-10N	2/13/2009	10	10	ND	ug/L
Benzyl alcohol	MW-10N	7/10/2012	0.37	9.5	ND	ug/L
Benzyl alcohol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-10N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-11N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-11N	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-11N	2/10/2015	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/17/2018	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/6/2021	10	10	ND	ug/L
Benzyl alcohol	MW-15	7/10/2018	10	10	ND	ug/L
Benzyl alcohol	MW-15	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-16	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-17	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-19	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-1N	10/14/1998	20	20	ND	ug/L
Benzyl alcohol	MW-1N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-1N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-1N	10/24/2006	10	10	ND	ug/L
Benzyl alcohol	MW-1N	2/5/2009	10	10	ND	ug/L
Benzyl alcohol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzyl alcohol	MW-1N	7/6/2020	10	10	ND	ug/L
Benzyl alcohol	MW-1N	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-20	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-21	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-21	7/8/2020	10	10	ND	ug/L
Benzyl alcohol	MW-21	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-2N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-2N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-2N	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	MW-2N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-3N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-3N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-3N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-3N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/11/2012	0.66	9.4	ND	ug/L
Benzyl alcohol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-3N	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/7/2020	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-7N	10/15/1998	20	20	ND	ug/L
Benzyl alcohol	MW-7N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-7N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-7N	10/24/2006	10	10	ND	ug/L
Benzyl alcohol	MW-7N	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	MW-7N	7/10/2012	0.36	9.5	ND	ug/L
Benzyl alcohol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzyl alcohol	MW-7N	7/13/2018	10	10	ND	ug/L
Benzyl alcohol	MW-7N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-8N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-8N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-8N	10/24/2006	10	10	ND	ug/L
Benzyl alcohol	MW-8N	1/24/2008	10	10	ND	ug/L
Benzyl alcohol	MW-8N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzyl alcohol	MW-8N	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-8N	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	MW-8N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	NE-1	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-1	2/7/2009	10	10	ND	ug/L
Benzyl alcohol	NE-1	7/10/2012	0.96	9.6	ND	ug/L
Benzyl alcohol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	NE-4	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-4	2/7/2009	10	10	ND	ug/L
Benzyl alcohol	NE-4	7/10/2012	3.5	9.8	ND	ug/L
Benzyl alcohol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	NE-4	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	NE-5	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-5	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	NE-5	7/10/2012	0.22	9.5	ND	ug/L
Benzyl alcohol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-5	7/9/2019	10	10	ND	ug/L
Benzylbutyl phthalate	LGW-10	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-2	7/8/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-6	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-7	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzylbutyl phthalate	LGW-9	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-1N	7/6/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-21	7/8/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-3N	7/7/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-8N	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Beryllium, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-14R	8/24/2007	1	1	ND	ug/L
Beryllium, dissolved	LGW-2	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-4	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-5	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-6	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-7	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-8R	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	MW-10N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-10N	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-10N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-11N	7/10/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-11N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-11N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-1N	10/19/1999	1	1	ND	ug/L
Beryllium, dissolved	MW-1N	7/12/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-1N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-1N	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-2N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-2N	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-2N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-3N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-3N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-3N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-7N	10/19/1999	1.1	1		ug/L
Beryllium, dissolved	MW-7N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-7N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-7N	10/2/2002	0.7	0.4		ug/L
Beryllium, dissolved	MW-8N	10/19/1999	1	1	ND	ug/L
Beryllium, dissolved	MW-8N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-8N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-8N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-1	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-2	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-2	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-2	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-2	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-3	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-3	8/6/2002	0.4	0.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, dissolved	NE-3	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-3	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-4	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-5	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	LGW-10	1/26/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-10	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-10	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-10	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-10	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-10	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	LGW-10	1/30/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Beryllium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Beryllium, total	LGW-10	7/13/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-10	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	4/6/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/21/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/6/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-10	4/4/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-10	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/9/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Beryllium, total	LGW-10	4/11/2018	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/16/2018	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/4/2018	0.084	1	ND	ug/L
Beryllium, total	LGW-10	1/4/2019	0.11	1	ND	ug/L
Beryllium, total	LGW-10	4/3/2019	0.12	1	ND	ug/L
Beryllium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Beryllium, total	LGW-10	10/2/2019	0.18	1	ND	ug/L
Beryllium, total	LGW-10	1/15/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	10/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/25/2006	4.2	1		ug/L
Beryllium, total	LGW-14R	8/2/2006	3	1		ug/L
Beryllium, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Beryllium, total	LGW-14R	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	4/24/2007	1.1	1		ug/L
Beryllium, total	LGW-14R	7/11/2007	4.3	1		ug/L
Beryllium, total	LGW-14R	8/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	10/23/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/6/2009	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-14R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Beryllium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-2	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	7/10/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	1/26/2008	1	1	ND	ug/L
Beryllium, total	LGW-2	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-2	2/6/2009	0.3	1	ND	ug/L
Beryllium, total	LGW-2	7/30/2009	1	1	ND	ug/L
Beryllium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-2	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-2	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-2	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-2	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/15/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-2	1/30/2014	0.2	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-2	2/13/2015	1	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-2	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-2	1/11/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-2	7/12/2018	0.2	1	ND	ug/L
Beryllium, total	LGW-2	1/3/2019	0.093	1	ND	ug/L
Beryllium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Beryllium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Beryllium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-3R	1/8/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/26/2008	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2009	0.1	1	ND	ug/L
Beryllium, total	LGW-3R	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-3R	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-3R	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/22/2014	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/10/2015	0.2	1	ND	ug/L
Beryllium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/21/2016	0.3	1	ND	ug/L
Beryllium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-4	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-4	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	1/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-4	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2009	1	1	ND	ug/L
Beryllium, total	LGW-4	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-4	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-4	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-4	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-4	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-4	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-4	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-4	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-4	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-4	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-4	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-4	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-5	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-5	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-5	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-5	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-5	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-5	1/5/2012	1	1	ND	ug/L
Beryllium, total	LGW-5	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-5	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-5	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-5	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-5	2/10/2015	1	1	ND	ug/L
Beryllium, total	LGW-5	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-5	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-5	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-5	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-5	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2018	0.15	1	ND	ug/L
Beryllium, total	LGW-5	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-5	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-5	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-5	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-5	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-6	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-6	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-6	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-6	2/5/2009	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-6	7/12/2010	0.1	1	ND	ug/L
Beryllium, total	LGW-6	1/19/2011	0.2	1	ND	ug/L
Beryllium, total	LGW-6	7/12/2011	0.1	1	ND	ug/L
Beryllium, total	LGW-6	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/9/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-6	7/15/2013	0.2	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-6	2/10/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/22/2015	0.2	1	ND	ug/L
Beryllium, total	LGW-6	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-6	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2016	0.3	1	ND	ug/L
Beryllium, total	LGW-6	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	5/5/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	7/18/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	10/5/2017	0.4	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2018	0.27	1	ND	ug/L
Beryllium, total	LGW-6	4/10/2018	0.26	1	ND	ug/L
Beryllium, total	LGW-6	7/17/2018	0.26	1	ND	ug/L
Beryllium, total	LGW-6	10/2/2018	0.28	1	ND	ug/L
Beryllium, total	LGW-6	1/7/2019	0.28	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-6	4/3/2019	0.35	1	ND	ug/L
Beryllium, total	LGW-6	7/10/2019	0.25	2	ND	ug/L
Beryllium, total	LGW-6	10/3/2019	0.27	1	ND	ug/L
Beryllium, total	LGW-6	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-6	4/6/2023	1	1	ND	ug/L
Beryllium, total	LGW-7	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-7	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-7	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-7	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-7	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-7	1/20/2011	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-7	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/10/2012	1	1	ND	ug/L
Beryllium, total	LGW-7	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-7	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-7	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-7	7/22/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-7	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-7	4/6/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	7/20/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	10/6/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	4/4/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	10/5/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-7	1/24/2018	0.084	1	ND	ug/L
Beryllium, total	LGW-7	4/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	10/2/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	1/7/2019	1	1	ND	ug/L
Beryllium, total	LGW-7	4/3/2019	0.14	1	ND	ug/L
Beryllium, total	LGW-7	7/10/2019	2	2	ND	ug/L
Beryllium, total	LGW-7	10/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Beryllium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-7	7/7/2021	4.47	1		ug/L
Beryllium, total	LGW-7	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-8R	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	4/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/14/2010	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/20/2011	0.1	1	ND	ug/L
Beryllium, total	LGW-8R	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/5/2012	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-8R	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/22/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-8R	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2016	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/25/2018	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Beryllium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-9	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	4/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	7/10/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-9	2/4/2009	0.4	1	ND	ug/L
Beryllium, total	LGW-9	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-9	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-9	7/14/2010	0.4	1	ND	ug/L
Beryllium, total	LGW-9	1/20/2011	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/12/2011	0.6	1	ND	ug/L
Beryllium, total	LGW-9	1/5/2012	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/10/2012	0.7	1	ND	ug/L
Beryllium, total	LGW-9	5/1/2013	0.6	1	ND	ug/L
Beryllium, total	LGW-9	7/15/2013	0.8	1	ND	ug/L
Beryllium, total	LGW-9	1/23/2014	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/8/2014	0.8	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-9	2/11/2015	0.8	1	ND	ug/L
Beryllium, total	LGW-9	7/13/2015	0.7	1	ND	ug/L
Beryllium, total	LGW-9	1/5/2016	0.9	1	ND	ug/L
Beryllium, total	LGW-9	7/21/2016	0.6	1	ND	ug/L
Beryllium, total	LGW-9	10/6/2016	0.6	1	ND	ug/L
Beryllium, total	LGW-9	1/11/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	5/5/2017	0.8	1	ND	ug/L
Beryllium, total	LGW-9	7/18/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	10/5/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	1/24/2018	0.56	1	ND	ug/L
Beryllium, total	LGW-9	4/11/2018	0.96	1	ND	ug/L
Beryllium, total	LGW-9	7/13/2018	0.93	1	ND	ug/L
Beryllium, total	LGW-9	10/2/2018	0.78	1	ND	ug/L
Beryllium, total	LGW-9	1/7/2019	0.82	1	ND	ug/L
Beryllium, total	LGW-9	4/3/2019	1.1	1		ug/L
Beryllium, total	LGW-9	7/10/2019	0.78	2	ND	ug/L
Beryllium, total	LGW-9	10/3/2019	0.64	1	ND	ug/L
Beryllium, total	LGW-9	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	10/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	10/7/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	4/5/2023	1	1	ND	ug/L
Beryllium, total	MW-10N	10/22/1997	2.6	1		ug/L
Beryllium, total	MW-10N	1/22/1998	1	1	ND	ug/L
Beryllium, total	MW-10N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-10N	7/23/1998	1.7	1		ug/L
Beryllium, total	MW-10N	1/14/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	7/15/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	1/14/2000	1.5	1		ug/L
Beryllium, total	MW-10N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-10N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2002	2	2	ND	ug/L
Beryllium, total	MW-10N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-10N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-10N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-10N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-10N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-10N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-10N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2007	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Beryllium, total	MW-10N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-10N	2/13/2009	1	1	ND	ug/L
Beryllium, total	MW-10N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Beryllium, total	MW-10N	8/10/2010	1	1	ND	ug/L
Beryllium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Beryllium, total	MW-10N	7/14/2011	1	1	ND	ug/L
Beryllium, total	MW-10N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-10N	5/1/2013	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Beryllium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2018	1	1	ND	ug/L
Beryllium, total	MW-10N	7/11/2018	1	1	ND	ug/L
Beryllium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Beryllium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-11N	10/22/1997	1.8	1		ug/L
Beryllium, total	MW-11N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-11N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-11N	7/23/1998	1.8	1		ug/L
Beryllium, total	MW-11N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	1/13/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	7/10/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-11N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-11N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-11N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	1/29/2004	1	1	ND	ug/L
Beryllium, total	MW-11N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-11N	1/13/2005	1	1	ND	ug/L
Beryllium, total	MW-11N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-11N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	1/22/2008	1	1	ND	ug/L
Beryllium, total	MW-11N	7/23/2008	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-11N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	7/16/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	1/19/2011	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-11N	1/4/2012	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Beryllium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Beryllium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Beryllium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Beryllium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Beryllium, total	MW-11N	2/10/2015	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2015	1	1	ND	ug/L
Beryllium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Beryllium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-11N	1/11/2017	1	1	ND	ug/L
Beryllium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-11N	7/17/2018	1	1	ND	ug/L
Beryllium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Beryllium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Beryllium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Beryllium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-15	6/5/2015	1	1	ND	ug/L
Beryllium, total	MW-15	7/15/2015	1	1	ND	ug/L
Beryllium, total	MW-15	8/5/2015	0.2	1	ND	ug/L
Beryllium, total	MW-15	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-15	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-15	4/5/2016	1	1	ND	ug/L
Beryllium, total	MW-15	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-15	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-15	1/10/2017	0.2	1	ND	ug/L
Beryllium, total	MW-15	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-15	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-15	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-15	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-15	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-15	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-15	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-15	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-15	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-15	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-15	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-15	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-16	6/5/2015	1	1	ND	ug/L
Beryllium, total	MW-16	7/16/2015	1	1	ND	ug/L
Beryllium, total	MW-16	8/5/2015	1	1	ND	ug/L
Beryllium, total	MW-16	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-16	1/8/2016	1	1	ND	ug/L
Beryllium, total	MW-16	4/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-16	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-16	10/5/2016	1	1	ND	ug/L
Beryllium, total	MW-16	1/10/2017	0.2	1	ND	ug/L
Beryllium, total	MW-16	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-16	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-16	7/11/2018	1	1	ND	ug/L
Beryllium, total	MW-16	1/2/2019	1	1	ND	ug/L
Beryllium, total	MW-16	7/10/2019	2	2	ND	ug/L
Beryllium, total	MW-16	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-16	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-16	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-16	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-16	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-16	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-16	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-17	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-17	7/15/2015	1	1	ND	ug/L
Beryllium, total	MW-17	8/4/2015	1	1	ND	ug/L
Beryllium, total	MW-17	9/2/2015	0.2	1	ND	ug/L
Beryllium, total	MW-17	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-17	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-17	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-17	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-17	1/10/2017	1	1	ND	ug/L
Beryllium, total	MW-17	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-17	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-17	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-17	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-17	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-17	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-17	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-17	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-17	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-17	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-19	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-19	7/16/2015	1	1	ND	ug/L
Beryllium, total	MW-19	8/5/2015	1	1	ND	ug/L
Beryllium, total	MW-19	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-19	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-19	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-19	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-19	10/5/2016	1	1	ND	ug/L
Beryllium, total	MW-19	1/10/2017	1	1	ND	ug/L
Beryllium, total	MW-19	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-19	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-19	7/13/2018	1	1	ND	ug/L
Beryllium, total	MW-19	1/7/2019	1	1	ND	ug/L
Beryllium, total	MW-19	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-19	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-19	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-19	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-19	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-19	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-1N	10/22/1997	1	1	ND	ug/L
Beryllium, total	MW-1N	1/20/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	7/23/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	10/14/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	7/15/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	10/19/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	7/12/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	10/18/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-1N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-1N	4/12/2001	1	1	ND	ug/L
Beryllium, total	MW-1N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-1N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-1N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-1N	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-1N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-1N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-1N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-1N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-1N	1/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-1N	1/9/2007	1	1		ug/L
Beryllium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-1N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-1N	2/5/2009	1	1	ND	ug/L
Beryllium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Beryllium, total	MW-1N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-1N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-1N	5/1/2013	0.3	1	ND	ug/L
Beryllium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Beryllium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Beryllium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-1N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-1N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Beryllium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	7/6/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-20	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-20	7/14/2015	0.3	1	ND	ug/L
Beryllium, total	MW-20	8/4/2015	1	1	ND	ug/L
Beryllium, total	MW-20	9/2/2015	1	1	ND	ug/L
Beryllium, total	MW-20	1/7/2016	1.2	1		ug/L
Beryllium, total	MW-20	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-20	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-20	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-20	1/12/2017	0.3	1	ND	ug/L
Beryllium, total	MW-20	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-20	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-20	7/12/2018	1	1	ND	ug/L
Beryllium, total	MW-20	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-20	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-20	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-20	1/17/2021	1	1	ND	ug/L
Beryllium, total	MW-20	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-20	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-21	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-21	7/14/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	8/4/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	9/2/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-21	4/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/10/2017	0.3	1	ND	ug/L
Beryllium, total	MW-21	4/5/2017	0.2	1	ND	ug/L
Beryllium, total	MW-21	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	MW-21	10/6/2017	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/24/2018	0.14	1	ND	ug/L
Beryllium, total	MW-21	4/11/2018	0.094	1	ND	ug/L
Beryllium, total	MW-21	7/11/2018	1	1	ND	ug/L
Beryllium, total	MW-21	10/4/2018	0.12	1	ND	ug/L
Beryllium, total	MW-21	1/3/2019	0.12	1	ND	ug/L
Beryllium, total	MW-21	4/3/2019	0.29	1	ND	ug/L
Beryllium, total	MW-21	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-21	10/2/2019	1	1	ND	ug/L
Beryllium, total	MW-21	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-21	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-21	7/8/2020	1	1	ND	ug/L
Beryllium, total	MW-21	10/7/2020	1	1	ND	ug/L
Beryllium, total	MW-21	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-21	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-21	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-21	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-21	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-21	4/8/2023	1	1	ND	ug/L
Beryllium, total	MW-2N	10/22/1997	1	1	ND	ug/L
Beryllium, total	MW-2N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-2N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-2N	7/22/1998	1.2	1		ug/L
Beryllium, total	MW-2N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-2N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-2N	7/10/2002	2	2	ND	ug/L
Beryllium, total	MW-2N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-2N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-2N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-2N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-2N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-2N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-2N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-2N	7/22/2008	1	1	ND	ug/L
Beryllium, total	MW-2N	2/4/2009	1	1	ND	ug/L
Beryllium, total	MW-2N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Beryllium, total	MW-2N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-2N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-2N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-2N	5/1/2013	0.1	1	ND	ug/L
Beryllium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-2N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-2N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-2N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-2N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Beryllium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Beryllium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Beryllium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-3N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-3N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-3N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-3N	7/23/1998	1.4	1		ug/L
Beryllium, total	MW-3N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	4/24/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-3N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-3N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-3N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-3N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-3N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-3N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-3N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-3N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-3N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-3N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-3N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-3N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-3N	1/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-3N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-3N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-3N	7/22/2008	1	1	ND	ug/L
Beryllium, total	MW-3N	2/4/2009	1	1	ND	ug/L
Beryllium, total	MW-3N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-3N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-3N	7/13/2010	0.3	1	ND	ug/L
Beryllium, total	MW-3N	1/20/2011	0.2	1	ND	ug/L
Beryllium, total	MW-3N	7/14/2011	0.2	1	ND	ug/L
Beryllium, total	MW-3N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2012	1	1	ND	ug/L
Beryllium, total	MW-3N	5/1/2013	0.1	1	ND	ug/L
Beryllium, total	MW-3N	6/4/2013	1	1	ND	ug/L
Beryllium, total	MW-3N	7/16/2013	0.2	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-3N	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	MW-3N	2/12/2015	0.1	1	ND	ug/L
Beryllium, total	MW-3N	4/1/2015	1	1	ND	ug/L
Beryllium, total	MW-3N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-3N	10/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-3N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	4/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	7/21/2016	0.2	1	ND	ug/L
Beryllium, total	MW-3N	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-3N	4/4/2017	1	1	ND	ug/L
Beryllium, total	MW-3N	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	MW-3N	10/9/2017	1	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	4/10/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	7/13/2018	0.081	1	ND	ug/L
Beryllium, total	MW-3N	10/3/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	1/7/2019	0.089	1	ND	ug/L
Beryllium, total	MW-3N	4/3/2019	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-3N	10/2/2019	1	1	ND	ug/L
Beryllium, total	MW-3N	1/15/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	10/7/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-7N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-7N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	7/22/1998	1.8	1		ug/L
Beryllium, total	MW-7N	8/18/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	9/17/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	10/15/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	11/9/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	1/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	4/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	10/19/1999	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-7N	1/13/2000	1.4	1		ug/L
Beryllium, total	MW-7N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-7N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-7N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-7N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-7N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-7N	10/2/2002	0.7	0.4		ug/L
Beryllium, total	MW-7N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	1/27/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	4/8/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	7/26/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2005	1	1	ND	ug/L
Beryllium, total	MW-7N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-7N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-7N	2/6/2009	0.2	1	ND	ug/L
Beryllium, total	MW-7N	7/29/2009	1	1	ND	ug/L
Beryllium, total	MW-7N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-7N	7/14/2010	1	1	ND	ug/L
Beryllium, total	MW-7N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-7N	7/12/2011	0.1	1	ND	ug/L
Beryllium, total	MW-7N	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2012	0.1	1	ND	ug/L
Beryllium, total	MW-7N	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	MW-7N	6/4/2013	0.2	1	ND	ug/L
Beryllium, total	MW-7N	7/15/2013	1	1	ND	ug/L
Beryllium, total	MW-7N	1/30/2014	0.5	1	ND	ug/L
Beryllium, total	MW-7N	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	MW-7N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Beryllium, total	MW-7N	1/5/2016	1	1	ND	ug/L
Beryllium, total	MW-7N	7/21/2016	0.7	1	ND	ug/L
Beryllium, total	MW-7N	1/11/2017	1	1	ND	ug/L
Beryllium, total	MW-7N	4/4/2017	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	MW-7N	10/5/2017	0.5	1	ND	ug/L
Beryllium, total	MW-7N	1/25/2018	1	1	ND	ug/L
Beryllium, total	MW-7N	4/11/2018	1	1	ND	ug/L
Beryllium, total	MW-7N	7/13/2018	0.18	1	ND	ug/L
Beryllium, total	MW-7N	1/4/2019	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2019	2	2	ND	ug/L
Beryllium, total	MW-7N	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-7N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-7N	1/16/2021	1	1	ND	ug/L
Beryllium, total	MW-7N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-7N	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-8N	1/22/1998	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-8N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-8N	7/22/1998	1.7	1		ug/L
Beryllium, total	MW-8N	1/12/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	7/14/1999	2.4	1		ug/L
Beryllium, total	MW-8N	10/19/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-8N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-8N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-8N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-8N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-8N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-8N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-8N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-8N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-8N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-8N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-8N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	4/25/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-8N	7/23/2008	1	1	ND	ug/L
Beryllium, total	MW-8N	2/4/2009	0.4	1	ND	ug/L
Beryllium, total	MW-8N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-8N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2010	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/19/2011	0.1	1	ND	ug/L
Beryllium, total	MW-8N	5/10/2011	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/14/2011	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/6/2012	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/5/2012	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/11/2012	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/3/2012	0.4	1	ND	ug/L
Beryllium, total	MW-8N	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	6/4/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/2/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/30/2014	0.3	1	ND	ug/L
Beryllium, total	MW-8N	4/3/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/9/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/8/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-8N	4/1/2015	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/14/2015	0.1	1	ND	ug/L
Beryllium, total	MW-8N	10/5/2015	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/6/2016	0.3	1	ND	ug/L
Beryllium, total	MW-8N	7/21/2016	0.3	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2016	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/4/2017	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-8N	7/19/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/25/2018	0.16	1	ND	ug/L
Beryllium, total	MW-8N	4/10/2018	1	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2018	0.26	1	ND	ug/L
Beryllium, total	MW-8N	10/2/2018	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/7/2019	0.13	1	ND	ug/L
Beryllium, total	MW-8N	4/3/2019	0.26	1	ND	ug/L
Beryllium, total	MW-8N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-8N	10/3/2019	1	1	ND	ug/L
Beryllium, total	MW-8N	1/15/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	7/9/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	1/15/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	1/18/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	4/4/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	7/12/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	4/8/2023	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2002	2	2	ND	ug/L
Beryllium, total	NE-1	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-1	1/27/2004	1	1	ND	ug/L
Beryllium, total	NE-1	1/12/2005	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-1	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-1	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2007	1	1	ND	ug/L
Beryllium, total	NE-1	1/24/2008	1	1	ND	ug/L
Beryllium, total	NE-1	7/21/2008	1	1	ND	ug/L
Beryllium, total	NE-1	2/7/2009	0.1	1	ND	ug/L
Beryllium, total	NE-1	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-1	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-1	7/14/2010	0.4	1	ND	ug/L
Beryllium, total	NE-1	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-1	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-1	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2012	0.2	1	ND	ug/L
Beryllium, total	NE-1	4/30/2013	1	1	ND	ug/L
Beryllium, total	NE-1	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-1	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-1	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	NE-1	2/11/2015	1	1	ND	ug/L
Beryllium, total	NE-1	7/8/2015	0.1	1	ND	ug/L
Beryllium, total	NE-1	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-1	7/20/2016	0.1	1	ND	ug/L
Beryllium, total	NE-1	1/11/2017	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-1	1/24/2018	0.081	1	ND	ug/L
Beryllium, total	NE-1	4/11/2018	1	1	ND	ug/L
Beryllium, total	NE-1	7/18/2018	1	1	ND	ug/L
Beryllium, total	NE-1	10/2/2018	1	1	ND	ug/L
Beryllium, total	NE-1	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-1	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2019	2	2	ND	ug/L
Beryllium, total	NE-1	7/10/2019	2	2	ND	ug/L
Beryllium, total	NE-1	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-1	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-1	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-1	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-1	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-1	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-1	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-1	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-1	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-1	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-1	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-1	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-1	10/6/2022	1	1	ND	ug/L
Beryllium, total	NE-1	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-1	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Beryllium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-11	3/1/2017	1	1	ND	ug/L
Beryllium, total	NE-11	4/6/2017	0.2	1	ND	ug/L
Beryllium, total	NE-11	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-11	10/9/2017	0.1	1	ND	ug/L
Beryllium, total	NE-11	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-11	1/14/2020	1	1	ND	ug/L
Beryllium, total	NE-11	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-11	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-11	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-11	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-11	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-11	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-11	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-11	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-12	3/1/2017	0.2	1	ND	ug/L
Beryllium, total	NE-12	4/6/2017	0.1	1	ND	ug/L
Beryllium, total	NE-12	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-12	10/6/2017	0.1	1	ND	ug/L
Beryllium, total	NE-12	8/5/2019	2	2	ND	ug/L
Beryllium, total	NE-12	1/13/2020	1	1	ND	ug/L
Beryllium, total	NE-12	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-12	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-12	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-12	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-12	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-12	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-12	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-12	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-13	2/5/2019	1	1	ND	ug/L
Beryllium, total	NE-13	8/7/2019	2	2	ND	ug/L
Beryllium, total	NE-13	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-13	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-13	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-13	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-13	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15S	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-2	7/9/2002	2	2	ND	ug/L
Beryllium, total	NE-2	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	10/1/2013	1	1	ND	ug/L
Beryllium, total	NE-2	10/8/2014	1	1	ND	ug/L
Beryllium, total	NE-2	10/5/2015	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2016	1	1	ND	ug/L
Beryllium, total	NE-2	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-2	1/25/2018	1	1	ND	ug/L
Beryllium, total	NE-2	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-2	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-2	10/1/2018	1	1	ND	ug/L
Beryllium, total	NE-2	1/4/2019	1	1	ND	ug/L
Beryllium, total	NE-2	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-2	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-2	1/14/2020	1	1	ND	ug/L
Beryllium, total	NE-2	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-2	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-2	1/14/2021	1	1	ND	ug/L
Beryllium, total	NE-2	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-2	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-2	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-2	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-2	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-2	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-2	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-2	4/5/2023	1	1	ND	ug/L
Beryllium, total	NE-3	7/9/2002	2	2	ND	ug/L
Beryllium, total	NE-3	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-3	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-3	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-3	3/21/2018	1	1	ND	ug/L
Beryllium, total	NE-4	7/10/2002	2	2	ND	ug/L
Beryllium, total	NE-4	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-4	1/28/2004	1	1	ND	ug/L
Beryllium, total	NE-4	1/13/2005	1	1	ND	ug/L
Beryllium, total	NE-4	8/1/2006	1	1	ND	ug/L
Beryllium, total	NE-4	8/1/2006	1	1	ND	ug/L
Beryllium, total	NE-4	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-4	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-4	7/12/2007	1	1	ND	ug/L
Beryllium, total	NE-4	1/24/2008	1	1	ND	ug/L
Beryllium, total	NE-4	7/21/2008	1	1	ND	ug/L
Beryllium, total	NE-4	2/7/2009	1	1	ND	ug/L
Beryllium, total	NE-4	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-4	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-4	7/14/2010	1	1	ND	ug/L
Beryllium, total	NE-4	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-4	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-4	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-4	7/10/2012	0.4	1	ND	ug/L
Beryllium, total	NE-4	4/30/2013	1	1	ND	ug/L
Beryllium, total	NE-4	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-4	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-4	7/9/2014	1	1	ND	ug/L
Beryllium, total	NE-4	2/13/2015	1	1	ND	ug/L
Beryllium, total	NE-4	7/8/2015	1	1	ND	ug/L
Beryllium, total	NE-4	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-4	7/20/2016	0.1	1	ND	ug/L
Beryllium, total	NE-4	1/11/2017	0.1	1	ND	ug/L
Beryllium, total	NE-4	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-4	1/26/2018	1	1	ND	ug/L
Beryllium, total	NE-4	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-4	7/12/2018	1	1	ND	ug/L
Beryllium, total	NE-4	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-4	1/7/2019	1	1	ND	ug/L
Beryllium, total	NE-4	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-4	7/8/2019	2	2	ND	ug/L
Beryllium, total	NE-4	7/8/2019	2	2	ND	ug/L
Beryllium, total	NE-4	10/1/2019	1	1	ND	ug/L
Beryllium, total	NE-4	1/13/2020	1	1	ND	ug/L
Beryllium, total	NE-4	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-4	7/6/2020	1	1	ND	ug/L
Beryllium, total	NE-4	10/5/2020	1	1	ND	ug/L
Beryllium, total	NE-4	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-4	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-4	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-4	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-4	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-4	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-5	7/9/2002	2	2	ND	ug/L
Beryllium, total	NE-5	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-5	1/27/2004	1	1	ND	ug/L
Beryllium, total	NE-5	1/12/2005	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-5	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-5	1/10/2007	1	1	ND	ug/L
Beryllium, total	NE-5	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-5	7/12/2007	1	1	ND	ug/L
Beryllium, total	NE-5	7/22/2008	1	1	ND	ug/L
Beryllium, total	NE-5	2/6/2009	0.1	1	ND	ug/L
Beryllium, total	NE-5	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-5	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-5	7/16/2010	1	1	ND	ug/L
Beryllium, total	NE-5	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-5	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-5	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-5	7/10/2012	1	1	ND	ug/L
Beryllium, total	NE-5	4/30/2013	0.2	1	ND	ug/L
Beryllium, total	NE-5	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-5	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-5	7/9/2014	1	1	ND	ug/L
Beryllium, total	NE-5	2/11/2015	1	1	ND	ug/L
Beryllium, total	NE-5	7/14/2015	0.2	1	ND	ug/L
Beryllium, total	NE-5	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-5	7/20/2016	1	1	ND	ug/L
Beryllium, total	NE-5	1/11/2017	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	NE-5	1/25/2018	0.16	1	ND	ug/L
Beryllium, total	NE-5	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-5	7/17/2018	0.19	1	ND	ug/L
Beryllium, total	NE-5	10/3/2018	1	1	ND	ug/L
Beryllium, total	NE-5	1/4/2019	1	1	ND	ug/L
Beryllium, total	NE-5	4/2/2019	0.11	1	ND	ug/L
Beryllium, total	NE-5	4/2/2019	0.11	1	ND	ug/L
Beryllium, total	NE-5	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-5	10/3/2019	1	1	ND	ug/L
Beryllium, total	NE-5	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-5	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-5	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-5E	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-5E	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5E	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-6	1/12/2017	0.1	1	ND	ug/L
Beryllium, total	NE-6	4/5/2017	1	1	ND	ug/L
Beryllium, total	NE-6	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-6	10/6/2017	1	1	ND	ug/L
Beryllium, total	NE-6	2/4/2019	1	1	ND	ug/L
Beryllium, total	NE-6	8/6/2019	2	2	ND	ug/L
Beryllium, total	NE-6	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-6	7/9/2020	1	1	ND	ug/L
Beryllium, total	NE-6	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-6	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-6	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-6	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-6	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-6D	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	7/9/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-6D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-7	3/1/2017	1	1	ND	ug/L
Beryllium, total	NE-7	4/6/2017	1	1	ND	ug/L
Beryllium, total	NE-7	7/20/2017	0.1	1	ND	ug/L
Beryllium, total	NE-7	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-7	2/6/2019	0.47	1	ND	ug/L
Beryllium, total	NE-7	8/6/2019	2	2	ND	ug/L
Beryllium, total	NE-7	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-7	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-7	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-7	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-7	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-7	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-7	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-7	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-7	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-8	1/12/2017	1	1	ND	ug/L
Beryllium, total	NE-8	4/5/2017	0.1	1	ND	ug/L
Beryllium, total	NE-8	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-8	10/6/2017	1	1	ND	ug/L
Beryllium, total	NE-8	2/4/2019	1	1	ND	ug/L
Beryllium, total	NE-8	8/5/2019	2	2	ND	ug/L
Beryllium, total	NE-8	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-8	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-8	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-8	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-8	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-8	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-8	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-8	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-8	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-9	1/12/2017	1	1	ND	ug/L
Beryllium, total	NE-9	4/5/2017	1	1	ND	ug/L
Beryllium, total	NE-9	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-9	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-9	2/5/2019	1	1	ND	ug/L
Beryllium, total	NE-9	8/7/2019	2	2	ND	ug/L
Beryllium, total	NE-9	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-9	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-9	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-9	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-9	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-9	4/8/2023	1	1	ND	ug/L
Beta-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Beta-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Beta-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Beta-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Beta-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Beta-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Beta-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Beta-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Beta-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Beta-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Beta-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Beta-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Beta-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Beta-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Beta-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Beta-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Beta-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Beta-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Beta-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Beta-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Beta-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Beta-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Beta-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Beta-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Beta-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Beta-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Beta-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	7/17/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-16	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/6/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/7/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	MW-7N	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/9/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-16	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/6/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/7/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/9/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/26/2006	20	10		ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/9/2012	2.2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/6/2016	3.4	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	2/13/2009	3.3	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/9/2012	2.1	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	LGW-4	7/9/2012	1.9	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	10/26/2006	21	10		ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/9/2012	1.9	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	2/5/2009	2.2	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/9/2012	1.8	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/10/2019	1.4	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	2/4/2009	3	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/10/2012	2.3	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	2/4/2009	2.9	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/10/2012	2.1	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	2/13/2009	7.2	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/10/2012	2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	2/5/2009	2.6	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/10/2012	1.9	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	10/5/2016	2.2	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	2/4/2009	4.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/10/2012	2.2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	2/4/2009	3.1	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	2/6/2009	2.5	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/10/2012	2.7	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	2/4/2009	2.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/10/2011	2.8	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	7/10/2012	3.5	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	2/7/2009	0.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	7/10/2012	2.9	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Bromochloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Bromochloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/28/1998	6.4	6.4	ND	ug/L
Bromochloromethane	MW-10N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	7/15/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Bromochloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/13/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-15	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-15	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	1/8/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-16	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Bromochloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-16	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-16	1/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-17	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-17	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-19	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/20/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	10/14/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	5/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/15/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/12/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Bromochloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	1/12/2017	1	1	ND	ug/L
Bromochloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-20	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Bromochloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Bromochloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	7/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/24/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Bromochloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	8/18/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	9/17/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/15/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	11/9/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	4/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/13/2000	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-7N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	1/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/22/1998	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-8N	1/12/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Bromochloromethane	NE-1	1/12/2005	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2007	1	1	ND	ug/L
Bromochloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Bromochloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Bromochloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Bromochloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Bromochloromethane	NE-1	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Bromochloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-12	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Bromochloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-13	2/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-13	8/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-13	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Bromochloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Bromochloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-2	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	4/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	1/14/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-3	7/9/2002	1	1	ND	ug/L
Bromochloromethane	NE-3	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-3	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-3	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-3	9/2/2010	1	1	ND	ug/L
Bromochloromethane	NE-3	3/21/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-4	1/28/2004	1	1	ND	ug/L
Bromochloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Bromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Bromochloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Bromochloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Bromochloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Bromochloromethane	NE-4	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Bromochloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Bromochloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-4	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-4	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-4	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Bromochloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Bromochloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Bromochloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Bromochloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Bromochloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-5	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Bromochloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Bromochloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Bromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-6	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	2/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Bromoform	LGW-10	1/26/2006	1	1	ND	ug/L
Bromoform	LGW-10	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-10	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-10	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-10	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-10	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-10	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-10	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-10	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-10	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-10	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-10	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-10	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-10	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-10	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-10	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-10	5/1/2013	1	1	ND	ug/L
Bromoform	LGW-10	1/30/2014	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2014	1	1	ND	ug/L
Bromoform	LGW-10	2/12/2015	1	1	ND	ug/L
Bromoform	LGW-10	7/13/2015	1	1	ND	ug/L
Bromoform	LGW-10	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-10	4/6/2016	1	1	ND	ug/L
Bromoform	LGW-10	7/21/2016	1	1	ND	ug/L
Bromoform	LGW-10	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-10	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-10	4/4/2017	1	1	ND	ug/L
Bromoform	LGW-10	7/19/2017	1	1	ND	ug/L
Bromoform	LGW-10	10/9/2017	1	1	ND	ug/L
Bromoform	LGW-10	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-10	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-10	7/16/2018	1	1	ND	ug/L
Bromoform	LGW-10	10/4/2018	1	1	ND	ug/L
Bromoform	LGW-10	1/4/2019	1	1	ND	ug/L
Bromoform	LGW-10	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-10	7/11/2019	1	1	ND	ug/L
Bromoform	LGW-10	10/2/2019	1	1	ND	ug/L
Bromoform	LGW-10	1/15/2020	1	1	ND	ug/L
Bromoform	LGW-10	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-10	10/7/2020	1	1	ND	ug/L
Bromoform	LGW-10	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-10	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-10	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-10	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-10	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-10	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-10	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-10	10/7/2022	1	1	ND	ug/L
Bromoform	LGW-10	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-10	4/5/2023	1	1	ND	ug/L
Bromoform	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromoform	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromoform	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromoform	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-14R	4/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromoform	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-14R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromoform	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromoform	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromoform	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-14R	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-2	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-2	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-2	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-2	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-2	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-2	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-2	7/10/2007	1	1	ND	ug/L
Bromoform	LGW-2	1/26/2008	1	1	ND	ug/L
Bromoform	LGW-2	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-2	2/6/2009	1	1	ND	ug/L
Bromoform	LGW-2	7/30/2009	1	1	ND	ug/L
Bromoform	LGW-2	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-2	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-2	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-2	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-2	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-2	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-2	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-2	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-2	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-2	1/30/2014	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-2	2/13/2015	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-2	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-2	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-2	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-2	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-2	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-2	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-2	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-2	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-2	1/13/2020	1	1	ND	ug/L
Bromoform	LGW-2	4/1/2020	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2020	1	1	ND	ug/L
Bromoform	LGW-2	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-2	7/4/2021	1	1	ND	ug/L
Bromoform	LGW-2	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-2	7/10/2022	1	1	ND	ug/L
Bromoform	LGW-2	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromoform	LGW-3R	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromoform	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-3R	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromoform	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromoform	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromoform	LGW-3R	7/21/2016	1	1	ND	ug/L
Bromoform	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-3R	7/11/2018	1	1	ND	ug/L
Bromoform	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromoform	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-3R	7/10/2022	1	1	ND	ug/L
Bromoform	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-4	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-4	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-4	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-4	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-4	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-4	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-4	1/22/2008	1	1	ND	ug/L
Bromoform	LGW-4	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-4	2/3/2009	1	1	ND	ug/L
Bromoform	LGW-4	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-4	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-4	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-4	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-4	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-4	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-4	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-4	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-4	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-4	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-4	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-4	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-4	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-4	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-4	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-4	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-4	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-4	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-4	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2018	1	1	ND	ug/L
Bromoform	LGW-4	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-4	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-4	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-4	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-4	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-4	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-4	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-4	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-5	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-5	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-5	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-5	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-5	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-5	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-5	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-5	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-5	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-5	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-5	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-5	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-5	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-5	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-5	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-5	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-5	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-5	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-5	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-5	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-5	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-5	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-5	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-5	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-5	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-5	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-5	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-5	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-5	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-5	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-5	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-5	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-5	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-5	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-5	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-5	10/6/2022	1	1	ND	ug/L
Bromoform	LGW-5	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-6	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-6	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-6	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-6	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-6	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-6	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-6	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-6	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-6	2/5/2009	1	1	ND	ug/L
Bromoform	LGW-6	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-6	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-6	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-6	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-6	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-6	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-6	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-6	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-6	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-6	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-6	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-6	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-6	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-6	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-6	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-6	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-6	5/5/2017	1	1	ND	ug/L
Bromoform	LGW-6	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-6	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-6	4/10/2018	1	1	ND	ug/L
Bromoform	LGW-6	7/17/2018	1	1	ND	ug/L
Bromoform	LGW-6	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-6	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-6	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-6	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-6	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-6	1/16/2020	1	1	ND	ug/L
Bromoform	LGW-6	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-6	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2020	1	1	ND	ug/L
Bromoform	LGW-6	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-6	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-6	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-6	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-6	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-6	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-6	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-6	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-6	4/6/2023	1	1	ND	ug/L
Bromoform	LGW-7	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-7	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-7	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-7	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-7	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-7	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-7	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-7	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-7	7/31/2009	1	1	ND	ug/L
Bromoform	LGW-7	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-7	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-7	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-7	7/10/2012	1	1	ND	ug/L
Bromoform	LGW-7	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-7	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-7	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-7	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-7	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-7	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-7	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-7	4/6/2016	1	1	ND	ug/L
Bromoform	LGW-7	7/20/2016	1	1	ND	ug/L
Bromoform	LGW-7	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-7	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-7	4/4/2017	1	1	ND	ug/L
Bromoform	LGW-7	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-7	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-7	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-7	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-7	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-7	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-7	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-7	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-7	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-7	1/15/2020	1	1	ND	ug/L
Bromoform	LGW-7	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-7	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-7	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-7	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-7	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-7	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-7	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromoform	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromoform	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-8R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromoform	LGW-8R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromoform	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromoform	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromoform	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromoform	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-8R	7/7/2020	1	1	ND	ug/L
Bromoform	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-8R	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-9	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-9	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-9	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-9	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-9	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-9	4/25/2007	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2007	1	1	ND	ug/L
Bromoform	LGW-9	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-9	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-9	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-9	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-9	7/14/2010	1	1	ND	ug/L
Bromoform	LGW-9	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-9	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-9	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2012	1	1	ND	ug/L
Bromoform	LGW-9	5/1/2013	1	1	ND	ug/L
Bromoform	LGW-9	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-9	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-9	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-9	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-9	7/13/2015	1	1	ND	ug/L
Bromoform	LGW-9	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-9	7/21/2016	1	1	ND	ug/L
Bromoform	LGW-9	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-9	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-9	5/5/2017	1	1	ND	ug/L
Bromoform	LGW-9	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-9	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-9	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-9	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-9	7/13/2018	1	1	ND	ug/L
Bromoform	LGW-9	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-9	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-9	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-9	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-9	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-9	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-9	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-9	10/7/2020	1	1	ND	ug/L
Bromoform	LGW-9	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-9	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-9	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-9	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-9	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-9	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-9	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-9	10/7/2022	1	1	ND	ug/L
Bromoform	LGW-9	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-9	4/5/2023	1	1	ND	ug/L
Bromoform	MW-10N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/28/1998	7.6	7.6	ND	ug/L
Bromoform	MW-10N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	7/15/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-10N	7/11/2000	1	1	ND	ug/L
Bromoform	MW-10N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-10N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2002	1	1	ND	ug/L
Bromoform	MW-10N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-10N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-10N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-10N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-10N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-10N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-10N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-10N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-10N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2007	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-10N	1/23/2008	1	1	ND	ug/L
Bromoform	MW-10N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-10N	2/13/2009	1	1	ND	ug/L
Bromoform	MW-10N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-10N	1/27/2010	1	1	ND	ug/L
Bromoform	MW-10N	8/10/2010	1	1	ND	ug/L
Bromoform	MW-10N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-10N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-10N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-10N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-10N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-10N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-10N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-10N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-10N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-10N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-10N	1/24/2018	1	1	ND	ug/L
Bromoform	MW-10N	7/11/2018	1	1	ND	ug/L
Bromoform	MW-10N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-10N	7/9/2019	1	1	ND	ug/L
Bromoform	MW-10N	1/16/2020	1	1	ND	ug/L
Bromoform	MW-10N	7/8/2020	1	1	ND	ug/L
Bromoform	MW-10N	1/13/2021	1	1	ND	ug/L
Bromoform	MW-10N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-10N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-11N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/13/2000	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/10/2000	1	1	ND	ug/L
Bromoform	MW-11N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-11N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-11N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-11N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-11N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-11N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-11N	1/29/2004	1	1	ND	ug/L
Bromoform	MW-11N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-11N	1/13/2005	1	1	ND	ug/L
Bromoform	MW-11N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-11N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-11N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-11N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-11N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-11N	1/24/2007	1	1	ND	ug/L
Bromoform	MW-11N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-11N	1/22/2008	1	1	ND	ug/L
Bromoform	MW-11N	7/23/2008	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2009	1	1	ND	ug/L
Bromoform	MW-11N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2010	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2010	1	1	ND	ug/L
Bromoform	MW-11N	7/16/2010	1	1	ND	ug/L
Bromoform	MW-11N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-11N	1/4/2012	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2012	1	1	ND	ug/L
Bromoform	MW-11N	4/30/2013	1	1	ND	ug/L
Bromoform	MW-11N	7/15/2013	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2014	1	1	ND	ug/L
Bromoform	MW-11N	7/8/2014	1	1	ND	ug/L
Bromoform	MW-11N	2/10/2015	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2015	1	1	ND	ug/L
Bromoform	MW-11N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-11N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-11N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-11N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-11N	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-11N	1/2/2019	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2019	1	1	ND	ug/L
Bromoform	MW-11N	1/14/2020	1	1	ND	ug/L
Bromoform	MW-11N	7/6/2020	1	1	ND	ug/L
Bromoform	MW-11N	1/18/2021	1	1	ND	ug/L
Bromoform	MW-11N	7/6/2021	1	1	ND	ug/L
Bromoform	MW-11N	1/18/2022	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2022	1	1	ND	ug/L
Bromoform	MW-11N	1/10/2023	1	1	ND	ug/L
Bromoform	MW-15	6/5/2015	1	1	ND	ug/L
Bromoform	MW-15	7/15/2015	1	1	ND	ug/L
Bromoform	MW-15	8/5/2015	1	1	ND	ug/L
Bromoform	MW-15	9/3/2015	1	1	ND	ug/L
Bromoform	MW-15	1/7/2016	1	1	ND	ug/L
Bromoform	MW-15	4/5/2016	1	1	ND	ug/L
Bromoform	MW-15	7/20/2016	1	1	ND	ug/L
Bromoform	MW-15	10/6/2016	1	1	ND	ug/L
Bromoform	MW-15	1/10/2017	1	1	ND	ug/L
Bromoform	MW-15	7/18/2017	1	1	ND	ug/L
Bromoform	MW-15	1/23/2018	1	1	ND	ug/L
Bromoform	MW-15	7/10/2018	1	1	ND	ug/L
Bromoform	MW-15	1/3/2019	1	1	ND	ug/L
Bromoform	MW-15	7/9/2019	1	1	ND	ug/L
Bromoform	MW-15	1/14/2020	1	1	ND	ug/L
Bromoform	MW-15	8/3/2020	1	1	ND	ug/L
Bromoform	MW-15	1/18/2021	1	1	ND	ug/L
Bromoform	MW-15	7/4/2021	1	1	ND	ug/L
Bromoform	MW-15	1/12/2022	1	1	ND	ug/L
Bromoform	MW-15	7/10/2022	1	1	ND	ug/L
Bromoform	MW-15	1/10/2023	1	1	ND	ug/L
Bromoform	MW-16	6/5/2015	1	1	ND	ug/L
Bromoform	MW-16	7/16/2015	1	1	ND	ug/L
Bromoform	MW-16	8/5/2015	1	1	ND	ug/L
Bromoform	MW-16	9/3/2015	1	1	ND	ug/L
Bromoform	MW-16	1/8/2016	1	1	ND	ug/L
Bromoform	MW-16	4/5/2016	1	1	ND	ug/L
Bromoform	MW-16	7/21/2016	1	1	ND	ug/L
Bromoform	MW-16	10/5/2016	1	1	ND	ug/L
Bromoform	MW-16	1/10/2017	1	1	ND	ug/L
Bromoform	MW-16	7/18/2017	1	1	ND	ug/L
Bromoform	MW-16	1/23/2018	1	1	ND	ug/L
Bromoform	MW-16	7/11/2018	1	1	ND	ug/L
Bromoform	MW-16	1/2/2019	1	1	ND	ug/L
Bromoform	MW-16	7/10/2019	1	1	ND	ug/L
Bromoform	MW-16	1/14/2020	1	1	ND	ug/L
Bromoform	MW-16	8/3/2020	1	1	ND	ug/L
Bromoform	MW-16	1/18/2021	1	1	ND	ug/L
Bromoform	MW-16	7/4/2021	1	1	ND	ug/L
Bromoform	MW-16	1/12/2022	1	1	ND	ug/L
Bromoform	MW-16	7/10/2022	1	1	ND	ug/L
Bromoform	MW-16	1/10/2023	1	1	ND	ug/L
Bromoform	MW-17	6/5/2015	1	1	ND	ug/L
Bromoform	MW-17	7/15/2015	1	1	ND	ug/L
Bromoform	MW-17	8/4/2015	1	1	ND	ug/L
Bromoform	MW-17	9/2/2015	1	1	ND	ug/L
Bromoform	MW-17	1/7/2016	1	1	ND	ug/L
Bromoform	MW-17	4/5/2016	1	1	ND	ug/L
Bromoform	MW-17	7/20/2016	1	1	ND	ug/L
Bromoform	MW-17	10/6/2016	1	1	ND	ug/L
Bromoform	MW-17	1/10/2017	1	1	ND	ug/L
Bromoform	MW-17	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-17	1/23/2018	1	1	ND	ug/L
Bromoform	MW-17	7/10/2018	1	1	ND	ug/L
Bromoform	MW-17	1/3/2019	1	1	ND	ug/L
Bromoform	MW-17	7/11/2019	1	1	ND	ug/L
Bromoform	MW-17	1/14/2020	1	1	ND	ug/L
Bromoform	MW-17	8/3/2020	1	1	ND	ug/L
Bromoform	MW-17	1/14/2021	1	1	ND	ug/L
Bromoform	MW-17	7/4/2021	1	1	ND	ug/L
Bromoform	MW-17	1/10/2023	1	1	ND	ug/L
Bromoform	MW-19	6/5/2015	1	1	ND	ug/L
Bromoform	MW-19	7/16/2015	1	1	ND	ug/L
Bromoform	MW-19	8/5/2015	1	1	ND	ug/L
Bromoform	MW-19	9/3/2015	1	1	ND	ug/L
Bromoform	MW-19	1/7/2016	1	1	ND	ug/L
Bromoform	MW-19	4/5/2016	1	1	ND	ug/L
Bromoform	MW-19	7/21/2016	1	1	ND	ug/L
Bromoform	MW-19	10/5/2016	1	1	ND	ug/L
Bromoform	MW-19	1/10/2017	1	1	ND	ug/L
Bromoform	MW-19	7/18/2017	1	1	ND	ug/L
Bromoform	MW-19	1/23/2018	1	1	ND	ug/L
Bromoform	MW-19	7/13/2018	1	1	ND	ug/L
Bromoform	MW-19	1/7/2019	1	1	ND	ug/L
Bromoform	MW-19	7/11/2019	1	1	ND	ug/L
Bromoform	MW-19	1/14/2020	1	1	ND	ug/L
Bromoform	MW-19	8/3/2020	1	1	ND	ug/L
Bromoform	MW-19	1/14/2021	1	1	ND	ug/L
Bromoform	MW-19	7/4/2021	1	1	ND	ug/L
Bromoform	MW-19	1/11/2023	1	1	ND	ug/L
Bromoform	MW-1N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/20/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	10/14/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	5/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/15/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/12/2000	1	1	ND	ug/L
Bromoform	MW-1N	10/18/2000	1	1	ND	ug/L
Bromoform	MW-1N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-1N	4/12/2001	1	1	ND	ug/L
Bromoform	MW-1N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-1N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-1N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-1N	10/3/2002	1	1	ND	ug/L
Bromoform	MW-1N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-1N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-1N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-1N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-1N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-1N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-1N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-1N	1/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	10/24/2006	1	1	ND	ug/L
Bromoform	MW-1N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-1N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-1N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-1N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-1N	2/5/2009	1	1	ND	ug/L
Bromoform	MW-1N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-1N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-1N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-1N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-1N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-1N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-1N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-1N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-1N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-1N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-1N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-1N	2/10/2015	1	1	ND	ug/L
Bromoform	MW-1N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-1N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-1N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-1N	1/12/2017	1	1	ND	ug/L
Bromoform	MW-1N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-1N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-1N	7/10/2018	1	1	ND	ug/L
Bromoform	MW-1N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-1N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-1N	1/23/2020	1	1	ND	ug/L
Bromoform	MW-1N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-1N	7/6/2020	1	1	ND	ug/L
Bromoform	MW-1N	1/14/2021	1	1	ND	ug/L
Bromoform	MW-1N	7/4/2021	1	1	ND	ug/L
Bromoform	MW-1N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-20	6/5/2015	1	1	ND	ug/L
Bromoform	MW-20	7/14/2015	1	1	ND	ug/L
Bromoform	MW-20	8/4/2015	1	1	ND	ug/L
Bromoform	MW-20	9/2/2015	1	1	ND	ug/L
Bromoform	MW-20	1/7/2016	1	1	ND	ug/L
Bromoform	MW-20	4/5/2016	1	1	ND	ug/L
Bromoform	MW-20	7/20/2016	1	1	ND	ug/L
Bromoform	MW-20	10/5/2016	1	1	ND	ug/L
Bromoform	MW-20	1/12/2017	1	1	ND	ug/L
Bromoform	MW-20	7/18/2017	1	1	ND	ug/L
Bromoform	MW-20	1/26/2018	1	1	ND	ug/L
Bromoform	MW-20	7/12/2018	1	1	ND	ug/L
Bromoform	MW-20	7/11/2019	1	1	ND	ug/L
Bromoform	MW-20	1/14/2020	1	1	ND	ug/L
Bromoform	MW-20	7/7/2020	1	1	ND	ug/L
Bromoform	MW-20	1/17/2021	1	1	ND	ug/L
Bromoform	MW-20	7/4/2021	1	1	ND	ug/L
Bromoform	MW-20	1/11/2023	1	1	ND	ug/L
Bromoform	MW-21	6/5/2015	1	1	ND	ug/L
Bromoform	MW-21	7/14/2015	1	1	ND	ug/L
Bromoform	MW-21	8/4/2015	1	1	ND	ug/L
Bromoform	MW-21	9/2/2015	1	1	ND	ug/L
Bromoform	MW-21	1/7/2016	1	1	ND	ug/L
Bromoform	MW-21	4/5/2016	1	1	ND	ug/L
Bromoform	MW-21	7/20/2016	1	1	ND	ug/L
Bromoform	MW-21	10/5/2016	1	1	ND	ug/L
Bromoform	MW-21	10/5/2016	1	1	ND	ug/L
Bromoform	MW-21	1/10/2017	1	1	ND	ug/L
Bromoform	MW-21	4/5/2017	1	1	ND	ug/L
Bromoform	MW-21	7/19/2017	1	1	ND	ug/L
Bromoform	MW-21	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-21	1/24/2018	1	1	ND	ug/L
Bromoform	MW-21	4/11/2018	1	1	ND	ug/L
Bromoform	MW-21	7/11/2018	1	1	ND	ug/L
Bromoform	MW-21	10/4/2018	1	1	ND	ug/L
Bromoform	MW-21	1/3/2019	1	1	ND	ug/L
Bromoform	MW-21	4/3/2019	1	1	ND	ug/L
Bromoform	MW-21	7/11/2019	1	1	ND	ug/L
Bromoform	MW-21	10/2/2019	1	1	ND	ug/L
Bromoform	MW-21	1/16/2020	1	1	ND	ug/L
Bromoform	MW-21	4/2/2020	1	1	ND	ug/L
Bromoform	MW-21	7/8/2020	1	1	ND	ug/L
Bromoform	MW-21	10/7/2020	1	1	ND	ug/L
Bromoform	MW-21	1/13/2021	1	1	ND	ug/L
Bromoform	MW-21	4/6/2021	1	1	ND	ug/L
Bromoform	MW-21	7/5/2021	1	1	ND	ug/L
Bromoform	MW-21	10/6/2021	1	1	ND	ug/L
Bromoform	MW-21	1/11/2023	1	1	ND	ug/L
Bromoform	MW-21	4/8/2023	1	1	ND	ug/L
Bromoform	MW-2N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-2N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-2N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-2N	7/10/2002	1	1	ND	ug/L
Bromoform	MW-2N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-2N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-2N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-2N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-2N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-2N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-2N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-2N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-2N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-2N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-2N	3/27/2007	1	1	ND	ug/L
Bromoform	MW-2N	7/11/2007	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-2N	7/22/2008	1	1	ND	ug/L
Bromoform	MW-2N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-2N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-2N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-2N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-2N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-2N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-2N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-2N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-2N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-2N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-2N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-2N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-2N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-2N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-2N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-2N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-2N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-2N	7/12/2018	1	1	ND	ug/L
Bromoform	MW-2N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-2N	8/7/2019	1	1	ND	ug/L
Bromoform	MW-2N	1/23/2020	1	1	ND	ug/L
Bromoform	MW-2N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-2N	1/14/2021	1	1	ND	ug/L
Bromoform	MW-2N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-2N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-3N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/24/2000	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/11/2000	1	1	ND	ug/L
Bromoform	MW-3N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-3N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-3N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-3N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-3N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-3N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-3N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-3N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-3N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-3N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-3N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-3N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-3N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-3N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-3N	1/18/2006	1	1	ND	ug/L
Bromoform	MW-3N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-3N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-3N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-3N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2007	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-3N	7/22/2008	1	1	ND	ug/L
Bromoform	MW-3N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-3N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-3N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-3N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-3N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-3N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-3N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2012	1	1	ND	ug/L
Bromoform	MW-3N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-3N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-3N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-3N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-3N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-3N	4/1/2015	1	1	ND	ug/L
Bromoform	MW-3N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-3N	10/5/2015	1	1	ND	ug/L
Bromoform	MW-3N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	4/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-3N	10/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-3N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-3N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-3N	10/9/2017	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2018	1	1	ND	ug/L
Bromoform	MW-3N	4/10/2018	1	1	ND	ug/L
Bromoform	MW-3N	7/13/2018	1	1	ND	ug/L
Bromoform	MW-3N	10/3/2018	1	1	ND	ug/L
Bromoform	MW-3N	1/7/2019	1	1	ND	ug/L
Bromoform	MW-3N	4/3/2019	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-3N	10/2/2019	1	1	ND	ug/L
Bromoform	MW-3N	1/15/2020	1	1	ND	ug/L
Bromoform	MW-3N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-3N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-3N	10/7/2020	1	1	ND	ug/L
Bromoform	MW-3N	1/13/2021	1	1	ND	ug/L
Bromoform	MW-3N	4/6/2021	1	1	ND	ug/L
Bromoform	MW-3N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-3N	10/6/2021	1	1	ND	ug/L
Bromoform	MW-3N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-7N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	8/18/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	9/17/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/15/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	11/9/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	4/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/13/2000	3.8	3.8	ND	ug/L
Bromoform	MW-7N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-7N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-7N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-7N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-7N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-7N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-7N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-7N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-7N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-7N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-7N	1/27/2004	1	1	ND	ug/L
Bromoform	MW-7N	4/8/2004	1	1	ND	ug/L
Bromoform	MW-7N	7/26/2004	1	1	ND	ug/L
Bromoform	MW-7N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2005	1	1	ND	ug/L
Bromoform	MW-7N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-7N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-7N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-7N	2/6/2009	1	1	ND	ug/L
Bromoform	MW-7N	7/29/2009	1	1	ND	ug/L
Bromoform	MW-7N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-7N	7/14/2010	1	1	ND	ug/L
Bromoform	MW-7N	9/2/2010	1	1	ND	ug/L
Bromoform	MW-7N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-7N	7/12/2011	1	1	ND	ug/L
Bromoform	MW-7N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-7N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-7N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-7N	7/15/2013	1	1	ND	ug/L
Bromoform	MW-7N	1/30/2014	1	1	ND	ug/L
Bromoform	MW-7N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-7N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-7N	7/13/2015	1	1	ND	ug/L
Bromoform	MW-7N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-7N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-7N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-7N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-7N	10/5/2017	1	1	ND	ug/L
Bromoform	MW-7N	1/25/2018	1	1	ND	ug/L
Bromoform	MW-7N	4/11/2018	1	1	ND	ug/L
Bromoform	MW-7N	7/13/2018	1	1	ND	ug/L
Bromoform	MW-7N	1/4/2019	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2019	1	1	ND	ug/L
Bromoform	MW-7N	1/16/2020	1	1	ND	ug/L
Bromoform	MW-7N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-7N	1/16/2021	1	1	ND	ug/L
Bromoform	MW-7N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-7N	1/12/2022	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2022	1	1	ND	ug/L
Bromoform	MW-7N	1/10/2023	1	1	ND	ug/L
Bromoform	MW-8N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/12/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-8N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-8N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-8N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-8N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-8N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-8N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-8N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-8N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-8N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-8N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-8N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-8N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-8N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	10/24/2006	1	1	ND	ug/L
Bromoform	MW-8N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-8N	4/25/2007	1	1	ND	ug/L
Bromoform	MW-8N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-8N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-8N	7/23/2008	1	1	ND	ug/L
Bromoform	MW-8N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-8N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-8N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2010	1	1	ND	ug/L
Bromoform	MW-8N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-8N	5/10/2011	1	1	ND	ug/L
Bromoform	MW-8N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-8N	1/6/2012	1	1	ND	ug/L
Bromoform	MW-8N	4/5/2012	1	1	ND	ug/L
Bromoform	MW-8N	7/11/2012	1	1	ND	ug/L
Bromoform	MW-8N	10/3/2012	1	1	ND	ug/L
Bromoform	MW-8N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-8N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2013	1	1	ND	ug/L
Bromoform	MW-8N	1/30/2014	1	1	ND	ug/L
Bromoform	MW-8N	4/3/2014	1	1	ND	ug/L
Bromoform	MW-8N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-8N	10/8/2014	1	1	ND	ug/L
Bromoform	MW-8N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-8N	4/1/2015	1	1	ND	ug/L
Bromoform	MW-8N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-8N	10/5/2015	1	1	ND	ug/L
Bromoform	MW-8N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-8N	4/6/2016	1	1	ND	ug/L
Bromoform	MW-8N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2016	1	1	ND	ug/L
Bromoform	MW-8N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-8N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2017	1	1	ND	ug/L
Bromoform	MW-8N	1/25/2018	1	1	ND	ug/L
Bromoform	MW-8N	4/10/2018	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2018	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2018	1	1	ND	ug/L
Bromoform	MW-8N	1/7/2019	1	1	ND	ug/L
Bromoform	MW-8N	4/3/2019	1	1	ND	ug/L
Bromoform	MW-8N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-8N	10/3/2019	1	1	ND	ug/L
Bromoform	MW-8N	1/15/2020	1	1	ND	ug/L
Bromoform	MW-8N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-8N	7/9/2020	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2020	1	1	ND	ug/L
Bromoform	MW-8N	1/15/2021	1	1	ND	ug/L
Bromoform	MW-8N	4/6/2021	1	1	ND	ug/L
Bromoform	MW-8N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2021	1	1	ND	ug/L
Bromoform	MW-8N	1/18/2022	1	1	ND	ug/L
Bromoform	MW-8N	4/4/2022	1	1	ND	ug/L
Bromoform	MW-8N	7/12/2022	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2022	1	1	ND	ug/L
Bromoform	MW-8N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-8N	4/8/2023	1	1	ND	ug/L
Bromoform	NE-1	7/10/2002	1	1	ND	ug/L
Bromoform	NE-1	8/6/2002	1	1	ND	ug/L
Bromoform	NE-1	9/4/2002	1	1	ND	ug/L
Bromoform	NE-1	10/2/2002	1	1	ND	ug/L
Bromoform	NE-1	7/8/2003	1	1	ND	ug/L
Bromoform	NE-1	1/27/2004	1	1	ND	ug/L
Bromoform	NE-1	1/12/2005	1	1	ND	ug/L
Bromoform	NE-1	7/19/2006	1	1	ND	ug/L
Bromoform	NE-1	7/19/2006	1	1	ND	ug/L
Bromoform	NE-1	10/25/2006	1	1	ND	ug/L
Bromoform	NE-1	1/24/2007	1	1	ND	ug/L
Bromoform	NE-1	7/10/2007	1	1	ND	ug/L
Bromoform	NE-1	1/24/2008	1	1	ND	ug/L
Bromoform	NE-1	7/21/2008	1	1	ND	ug/L
Bromoform	NE-1	2/7/2009	1	1	ND	ug/L
Bromoform	NE-1	7/31/2009	1	1	ND	ug/L
Bromoform	NE-1	1/26/2010	1	1	ND	ug/L
Bromoform	NE-1	7/14/2010	1	1	ND	ug/L
Bromoform	NE-1	9/2/2010	1	1	ND	ug/L
Bromoform	NE-1	1/19/2011	1	1	ND	ug/L
Bromoform	NE-1	7/13/2011	1	1	ND	ug/L
Bromoform	NE-1	1/5/2012	1	1	ND	ug/L
Bromoform	NE-1	7/10/2012	1	1	ND	ug/L
Bromoform	NE-1	4/30/2013	1	1	ND	ug/L
Bromoform	NE-1	7/16/2013	1	1	ND	ug/L
Bromoform	NE-1	1/23/2014	1	1	ND	ug/L
Bromoform	NE-1	7/9/2014	1	1	ND	ug/L
Bromoform	NE-1	2/11/2015	1	1	ND	ug/L
Bromoform	NE-1	7/8/2015	1	1	ND	ug/L
Bromoform	NE-1	1/6/2016	1	1	ND	ug/L
Bromoform	NE-1	7/20/2016	1	1	ND	ug/L
Bromoform	NE-1	1/11/2017	1	1	ND	ug/L
Bromoform	NE-1	7/19/2017	1	1	ND	ug/L
Bromoform	NE-1	1/24/2018	1	1	ND	ug/L
Bromoform	NE-1	4/11/2018	1	1	ND	ug/L
Bromoform	NE-1	7/18/2018	1	1	ND	ug/L
Bromoform	NE-1	10/2/2018	1	1	ND	ug/L
Bromoform	NE-1	1/4/2019	1	1	ND	ug/L
Bromoform	NE-1	4/2/2019	1	1	ND	ug/L
Bromoform	NE-1	7/10/2019	1	1	ND	ug/L
Bromoform	NE-1	7/10/2019	1	1	ND	ug/L
Bromoform	NE-1	10/2/2019	1	1	ND	ug/L
Bromoform	NE-1	1/15/2020	1	1	ND	ug/L
Bromoform	NE-1	4/2/2020	1	1	ND	ug/L
Bromoform	NE-1	7/8/2020	1	1	ND	ug/L
Bromoform	NE-1	10/7/2020	1	1	ND	ug/L
Bromoform	NE-1	1/13/2021	1	1	ND	ug/L
Bromoform	NE-1	4/9/2021	1	1	ND	ug/L
Bromoform	NE-1	7/2/2021	1	1	ND	ug/L
Bromoform	NE-1	10/6/2021	1	1	ND	ug/L
Bromoform	NE-1	1/17/2022	1	1	ND	ug/L
Bromoform	NE-1	4/6/2022	1	1	ND	ug/L
Bromoform	NE-1	7/13/2022	1	1	ND	ug/L
Bromoform	NE-1	10/6/2022	1	1	ND	ug/L
Bromoform	NE-1	1/5/2023	1	1	ND	ug/L
Bromoform	NE-1	4/7/2023	1	1	ND	ug/L
Bromoform	NE-10D	11/6/2019	1	1	ND	ug/L
Bromoform	NE-10D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-10D	4/2/2020	1	1	ND	ug/L
Bromoform	NE-10D	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-10D	10/7/2020	1	1	ND	ug/L
Bromoform	NE-10D	1/13/2021	1	1	ND	ug/L
Bromoform	NE-10D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-10D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-10D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-10D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-10D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-11	3/1/2017	1	1	ND	ug/L
Bromoform	NE-11	4/6/2017	1	1	ND	ug/L
Bromoform	NE-11	7/20/2017	1	1	ND	ug/L
Bromoform	NE-11	10/9/2017	1	1	ND	ug/L
Bromoform	NE-11	9/30/2019	1	1	ND	ug/L
Bromoform	NE-11	1/14/2020	1	1	ND	ug/L
Bromoform	NE-11	7/7/2020	1	1	ND	ug/L
Bromoform	NE-11	1/16/2021	1	1	ND	ug/L
Bromoform	NE-11	1/16/2021	1	1	ND	ug/L
Bromoform	NE-11	7/1/2021	1	1	ND	ug/L
Bromoform	NE-11	7/1/2021	1	1	ND	ug/L
Bromoform	NE-11	1/17/2022	1	1	ND	ug/L
Bromoform	NE-11	1/17/2022	1	1	ND	ug/L
Bromoform	NE-11	7/12/2022	1	1	ND	ug/L
Bromoform	NE-11	1/6/2023	1	1	ND	ug/L
Bromoform	NE-12	3/1/2017	1	1	ND	ug/L
Bromoform	NE-12	4/6/2017	1	1	ND	ug/L
Bromoform	NE-12	7/20/2017	1	1	ND	ug/L
Bromoform	NE-12	10/6/2017	1	1	ND	ug/L
Bromoform	NE-12	8/5/2019	1	1	ND	ug/L
Bromoform	NE-12	1/13/2020	1	1	ND	ug/L
Bromoform	NE-12	7/7/2020	1	1	ND	ug/L
Bromoform	NE-12	1/15/2021	1	1	ND	ug/L
Bromoform	NE-12	1/15/2021	1	1	ND	ug/L
Bromoform	NE-12	7/1/2021	1	1	ND	ug/L
Bromoform	NE-12	7/1/2021	1	1	ND	ug/L
Bromoform	NE-12	1/17/2022	1	1	ND	ug/L
Bromoform	NE-12	1/17/2022	1	1	ND	ug/L
Bromoform	NE-12	7/12/2022	1	1	ND	ug/L
Bromoform	NE-12	1/6/2023	1	1	ND	ug/L
Bromoform	NE-13	2/5/2019	1	1	ND	ug/L
Bromoform	NE-13	8/7/2019	1	1	ND	ug/L
Bromoform	NE-13	1/15/2020	1	1	ND	ug/L
Bromoform	NE-13	7/8/2020	1	1	ND	ug/L
Bromoform	NE-13	1/17/2021	1	1	ND	ug/L
Bromoform	NE-13	1/17/2021	1	1	ND	ug/L
Bromoform	NE-13	7/1/2021	1	1	ND	ug/L
Bromoform	NE-13	7/1/2021	1	1	ND	ug/L
Bromoform	NE-14D	10/2/2019	1	1	ND	ug/L
Bromoform	NE-14D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-14D	4/3/2020	1	1	ND	ug/L
Bromoform	NE-14D	7/7/2020	1	1	ND	ug/L
Bromoform	NE-14D	10/6/2020	1	1	ND	ug/L
Bromoform	NE-14D	1/17/2021	1	1	ND	ug/L
Bromoform	NE-14D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-14D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-14D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-14D	1/18/2022	1	1	ND	ug/L
Bromoform	NE-14D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-14D	7/13/2022	1	1	ND	ug/L
Bromoform	NE-14D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-14D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-14D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-14S	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-14S	1/16/2020	1	1	ND	ug/L
Bromoform	NE-14S	4/3/2020	1	1	ND	ug/L
Bromoform	NE-14S	7/7/2020	1	1	ND	ug/L
Bromoform	NE-14S	10/6/2020	1	1	ND	ug/L
Bromoform	NE-14S	1/17/2021	1	1	ND	ug/L
Bromoform	NE-14S	4/9/2021	1	1	ND	ug/L
Bromoform	NE-14S	7/2/2021	1	1	ND	ug/L
Bromoform	NE-14S	10/7/2021	1	1	ND	ug/L
Bromoform	NE-14S	1/18/2022	1	1	ND	ug/L
Bromoform	NE-14S	4/6/2022	1	1	ND	ug/L
Bromoform	NE-14S	7/13/2022	1	1	ND	ug/L
Bromoform	NE-14S	10/7/2022	1	1	ND	ug/L
Bromoform	NE-14S	1/6/2023	1	1	ND	ug/L
Bromoform	NE-14S	4/6/2023	1	1	ND	ug/L
Bromoform	NE-15D	9/30/2019	1	1	ND	ug/L
Bromoform	NE-15D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-15D	4/3/2020	1	1	ND	ug/L
Bromoform	NE-15D	7/7/2020	1	1	ND	ug/L
Bromoform	NE-15D	10/6/2020	1	1	ND	ug/L
Bromoform	NE-15D	1/17/2021	1	1	ND	ug/L
Bromoform	NE-15D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-15D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-15D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-15D	1/17/2022	1	1	ND	ug/L
Bromoform	NE-15D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-15D	7/13/2022	1	1	ND	ug/L
Bromoform	NE-15D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-15D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-15D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-15S	4/3/2020	1	1	ND	ug/L
Bromoform	NE-2	7/9/2002	1	1	ND	ug/L
Bromoform	NE-2	8/6/2002	1	1	ND	ug/L
Bromoform	NE-2	9/4/2002	1	1	ND	ug/L
Bromoform	NE-2	10/2/2002	1	1	ND	ug/L
Bromoform	NE-2	10/1/2013	1	1	ND	ug/L
Bromoform	NE-2	10/8/2014	1	1	ND	ug/L
Bromoform	NE-2	10/5/2015	1	1	ND	ug/L
Bromoform	NE-2	10/6/2016	1	1	ND	ug/L
Bromoform	NE-2	10/5/2017	1	1	ND	ug/L
Bromoform	NE-2	1/25/2018	1	1	ND	ug/L
Bromoform	NE-2	4/10/2018	1	1	ND	ug/L
Bromoform	NE-2	7/10/2018	1	1	ND	ug/L
Bromoform	NE-2	10/1/2018	1	1	ND	ug/L
Bromoform	NE-2	1/4/2019	1	1	ND	ug/L
Bromoform	NE-2	4/2/2019	1	1	ND	ug/L
Bromoform	NE-2	7/9/2019	1	1	ND	ug/L
Bromoform	NE-2	7/9/2019	1	1	ND	ug/L
Bromoform	NE-2	10/2/2019	1	1	ND	ug/L
Bromoform	NE-2	1/14/2020	1	1	ND	ug/L
Bromoform	NE-2	4/1/2020	1	1	ND	ug/L
Bromoform	NE-2	7/7/2020	1	1	ND	ug/L
Bromoform	NE-2	10/6/2020	1	1	ND	ug/L
Bromoform	NE-2	1/14/2021	1	1	ND	ug/L
Bromoform	NE-2	4/9/2021	1	1	ND	ug/L
Bromoform	NE-2	7/2/2021	1	1	ND	ug/L
Bromoform	NE-2	10/6/2021	1	1	ND	ug/L
Bromoform	NE-2	1/18/2022	1	1	ND	ug/L
Bromoform	NE-2	4/6/2022	1	1	ND	ug/L
Bromoform	NE-2	7/13/2022	1	1	ND	ug/L
Bromoform	NE-2	10/7/2022	1	1	ND	ug/L
Bromoform	NE-2	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-2	4/5/2023	1	1	ND	ug/L
Bromoform	NE-3	7/9/2002	1	1	ND	ug/L
Bromoform	NE-3	8/6/2002	1	1	ND	ug/L
Bromoform	NE-3	9/4/2002	1	1	ND	ug/L
Bromoform	NE-3	10/2/2002	1	1	ND	ug/L
Bromoform	NE-3	9/2/2010	1	1	ND	ug/L
Bromoform	NE-3	3/21/2018	1	1	ND	ug/L
Bromoform	NE-4	7/10/2002	1	1	ND	ug/L
Bromoform	NE-4	8/6/2002	1	1	ND	ug/L
Bromoform	NE-4	9/4/2002	1	1	ND	ug/L
Bromoform	NE-4	10/3/2002	1	1	ND	ug/L
Bromoform	NE-4	4/15/2003	1	1	ND	ug/L
Bromoform	NE-4	7/8/2003	1	1	ND	ug/L
Bromoform	NE-4	1/28/2004	1	1	ND	ug/L
Bromoform	NE-4	1/13/2005	1	1	ND	ug/L
Bromoform	NE-4	8/1/2006	1	1	ND	ug/L
Bromoform	NE-4	8/1/2006	1	1	ND	ug/L
Bromoform	NE-4	10/25/2006	1	1	ND	ug/L
Bromoform	NE-4	1/24/2007	1	1	ND	ug/L
Bromoform	NE-4	7/12/2007	1	1	ND	ug/L
Bromoform	NE-4	1/24/2008	1	1	ND	ug/L
Bromoform	NE-4	7/21/2008	1	1	ND	ug/L
Bromoform	NE-4	2/7/2009	1	1	ND	ug/L
Bromoform	NE-4	7/31/2009	1	1	ND	ug/L
Bromoform	NE-4	1/26/2010	1	1	ND	ug/L
Bromoform	NE-4	7/14/2010	1	1	ND	ug/L
Bromoform	NE-4	1/19/2011	1	1	ND	ug/L
Bromoform	NE-4	7/13/2011	1	1	ND	ug/L
Bromoform	NE-4	1/5/2012	1	1	ND	ug/L
Bromoform	NE-4	7/10/2012	1	1	ND	ug/L
Bromoform	NE-4	4/30/2013	1	1	ND	ug/L
Bromoform	NE-4	7/16/2013	1	1	ND	ug/L
Bromoform	NE-4	1/23/2014	1	1	ND	ug/L
Bromoform	NE-4	7/9/2014	1	1	ND	ug/L
Bromoform	NE-4	2/13/2015	1	1	ND	ug/L
Bromoform	NE-4	7/8/2015	1	1	ND	ug/L
Bromoform	NE-4	1/6/2016	1	1	ND	ug/L
Bromoform	NE-4	7/20/2016	1	1	ND	ug/L
Bromoform	NE-4	1/11/2017	1	1	ND	ug/L
Bromoform	NE-4	7/19/2017	1	1	ND	ug/L
Bromoform	NE-4	1/26/2018	1	1	ND	ug/L
Bromoform	NE-4	4/10/2018	1	1	ND	ug/L
Bromoform	NE-4	7/12/2018	1	1	ND	ug/L
Bromoform	NE-4	10/3/2018	1	1	ND	ug/L
Bromoform	NE-4	1/7/2019	1	1	ND	ug/L
Bromoform	NE-4	4/2/2019	1	1	ND	ug/L
Bromoform	NE-4	7/8/2019	1	1	ND	ug/L
Bromoform	NE-4	7/8/2019	1	1	ND	ug/L
Bromoform	NE-4	10/1/2019	1	1	ND	ug/L
Bromoform	NE-4	1/13/2020	1	1	ND	ug/L
Bromoform	NE-4	4/1/2020	1	1	ND	ug/L
Bromoform	NE-4	7/6/2020	1	1	ND	ug/L
Bromoform	NE-4	10/5/2020	1	1	ND	ug/L
Bromoform	NE-4	1/15/2021	1	1	ND	ug/L
Bromoform	NE-4	4/9/2021	1	1	ND	ug/L
Bromoform	NE-4	7/2/2021	1	1	ND	ug/L
Bromoform	NE-4	10/6/2021	1	1	ND	ug/L
Bromoform	NE-4	1/5/2023	1	1	ND	ug/L
Bromoform	NE-4	4/6/2023	1	1	ND	ug/L
Bromoform	NE-5	7/9/2002	1	1	ND	ug/L
Bromoform	NE-5	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-5	9/4/2002	1	1	ND	ug/L
Bromoform	NE-5	10/2/2002	1	1	ND	ug/L
Bromoform	NE-5	4/15/2003	1	1	ND	ug/L
Bromoform	NE-5	7/8/2003	1	1	ND	ug/L
Bromoform	NE-5	1/27/2004	1	1	ND	ug/L
Bromoform	NE-5	1/12/2005	1	1	ND	ug/L
Bromoform	NE-5	7/19/2006	1	1	ND	ug/L
Bromoform	NE-5	7/19/2006	1	1	ND	ug/L
Bromoform	NE-5	10/25/2006	1	1	ND	ug/L
Bromoform	NE-5	1/24/2007	1	1	ND	ug/L
Bromoform	NE-5	7/12/2007	1	1	ND	ug/L
Bromoform	NE-5	7/22/2008	1	1	ND	ug/L
Bromoform	NE-5	2/6/2009	1	1	ND	ug/L
Bromoform	NE-5	7/31/2009	1	1	ND	ug/L
Bromoform	NE-5	1/26/2010	1	1	ND	ug/L
Bromoform	NE-5	7/16/2010	1	1	ND	ug/L
Bromoform	NE-5	9/2/2010	1	1	ND	ug/L
Bromoform	NE-5	1/19/2011	1	1	ND	ug/L
Bromoform	NE-5	7/13/2011	1	1	ND	ug/L
Bromoform	NE-5	1/5/2012	1	1	ND	ug/L
Bromoform	NE-5	7/10/2012	1	1	ND	ug/L
Bromoform	NE-5	4/30/2013	1	1	ND	ug/L
Bromoform	NE-5	7/16/2013	1	1	ND	ug/L
Bromoform	NE-5	1/23/2014	1	1	ND	ug/L
Bromoform	NE-5	7/9/2014	1	1	ND	ug/L
Bromoform	NE-5	2/11/2015	1	1	ND	ug/L
Bromoform	NE-5	7/14/2015	1	1	ND	ug/L
Bromoform	NE-5	1/6/2016	1	1	ND	ug/L
Bromoform	NE-5	7/20/2016	1	1	ND	ug/L
Bromoform	NE-5	1/11/2017	1	1	ND	ug/L
Bromoform	NE-5	7/19/2017	1	1	ND	ug/L
Bromoform	NE-5	1/25/2018	1	1	ND	ug/L
Bromoform	NE-5	4/10/2018	1	1	ND	ug/L
Bromoform	NE-5	7/17/2018	1	1	ND	ug/L
Bromoform	NE-5	10/3/2018	1	1	ND	ug/L
Bromoform	NE-5	1/4/2019	1	1	ND	ug/L
Bromoform	NE-5	4/2/2019	1	1	ND	ug/L
Bromoform	NE-5	4/2/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	10/3/2019	1	1	ND	ug/L
Bromoform	NE-5	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5	4/2/2020	1	1	ND	ug/L
Bromoform	NE-5	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5	10/6/2020	1	1	ND	ug/L
Bromoform	NE-5	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5	4/7/2023	1	1	ND	ug/L
Bromoform	NE-5E	9/30/2019	1	1	ND	ug/L
Bromoform	NE-5E	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5E	4/1/2020	1	1	ND	ug/L
Bromoform	NE-5E	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5E	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-5E	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5E	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5E	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5E	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5E	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5E	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5E	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5E	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5E	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5E	4/7/2023	1	1	ND	ug/L
Bromoform	NE-5W	9/30/2019	1	1	ND	ug/L
Bromoform	NE-5W	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5W	4/2/2020	1	1	ND	ug/L
Bromoform	NE-5W	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5W	10/6/2020	1	1	ND	ug/L
Bromoform	NE-5W	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5W	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5W	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5W	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5W	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5W	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5W	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5W	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5W	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5W	4/7/2023	1	1	ND	ug/L
Bromoform	NE-6	1/12/2017	1	1	ND	ug/L
Bromoform	NE-6	4/5/2017	1	1	ND	ug/L
Bromoform	NE-6	7/19/2017	1	1	ND	ug/L
Bromoform	NE-6	10/6/2017	1	1	ND	ug/L
Bromoform	NE-6	2/4/2019	1	1	ND	ug/L
Bromoform	NE-6	8/6/2019	1	1	ND	ug/L
Bromoform	NE-6	1/15/2020	1	1	ND	ug/L
Bromoform	NE-6	7/9/2020	1	1	ND	ug/L
Bromoform	NE-6	1/16/2021	1	1	ND	ug/L
Bromoform	NE-6	1/16/2021	1	1	ND	ug/L
Bromoform	NE-6	7/1/2021	1	1	ND	ug/L
Bromoform	NE-6	7/1/2021	1	1	ND	ug/L
Bromoform	NE-6	1/17/2022	1	1	ND	ug/L
Bromoform	NE-6	1/17/2022	1	1	ND	ug/L
Bromoform	NE-6	7/12/2022	1	1	ND	ug/L
Bromoform	NE-6	1/5/2023	1	1	ND	ug/L
Bromoform	NE-6D	10/2/2019	1	1	ND	ug/L
Bromoform	NE-6D	1/15/2020	1	1	ND	ug/L
Bromoform	NE-6D	4/2/2020	1	1	ND	ug/L
Bromoform	NE-6D	7/9/2020	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2020	1	1	ND	ug/L
Bromoform	NE-6D	1/15/2021	1	1	ND	ug/L
Bromoform	NE-6D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-6D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-6D	1/17/2022	1	1	ND	ug/L
Bromoform	NE-6D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-6D	7/12/2022	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-6D	1/5/2023	1	1	ND	ug/L
Bromoform	NE-6D	4/7/2023	1	1	ND	ug/L
Bromoform	NE-7	3/1/2017	1	1	ND	ug/L
Bromoform	NE-7	4/6/2017	1	1	ND	ug/L
Bromoform	NE-7	7/20/2017	1	1	ND	ug/L
Bromoform	NE-7	10/5/2017	1	1	ND	ug/L
Bromoform	NE-7	2/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-7	8/6/2019	1	1	ND	ug/L
Bromoform	NE-7	1/16/2020	1	1	ND	ug/L
Bromoform	NE-7	7/7/2020	1	1	ND	ug/L
Bromoform	NE-7	1/16/2021	1	1	ND	ug/L
Bromoform	NE-7	1/16/2021	1	1	ND	ug/L
Bromoform	NE-7	7/1/2021	1	1	ND	ug/L
Bromoform	NE-7	7/1/2021	1	1	ND	ug/L
Bromoform	NE-7	1/17/2022	1	1	ND	ug/L
Bromoform	NE-7	1/17/2022	1	1	ND	ug/L
Bromoform	NE-7	7/12/2022	1	1	ND	ug/L
Bromoform	NE-7	1/5/2023	1	1	ND	ug/L
Bromoform	NE-8	1/12/2017	1	1	ND	ug/L
Bromoform	NE-8	4/5/2017	1	1	ND	ug/L
Bromoform	NE-8	7/20/2017	1	1	ND	ug/L
Bromoform	NE-8	10/6/2017	1	1	ND	ug/L
Bromoform	NE-8	2/4/2019	1	1	ND	ug/L
Bromoform	NE-8	8/5/2019	1	1	ND	ug/L
Bromoform	NE-8	1/15/2020	1	1	ND	ug/L
Bromoform	NE-8	7/8/2020	1	1	ND	ug/L
Bromoform	NE-8	1/13/2021	1	1	ND	ug/L
Bromoform	NE-8	1/13/2021	1	1	ND	ug/L
Bromoform	NE-8	4/9/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	10/7/2021	1	1	ND	ug/L
Bromoform	NE-8	1/6/2023	1	1	ND	ug/L
Bromoform	NE-9	1/12/2017	1	1	ND	ug/L
Bromoform	NE-9	4/5/2017	1	1	ND	ug/L
Bromoform	NE-9	7/20/2017	1	1	ND	ug/L
Bromoform	NE-9	10/5/2017	1	1	ND	ug/L
Bromoform	NE-9	2/5/2019	1	1	ND	ug/L
Bromoform	NE-9	8/7/2019	1	1	ND	ug/L
Bromoform	NE-9	1/15/2020	1	1	ND	ug/L
Bromoform	NE-9	7/7/2020	1	1	ND	ug/L
Bromoform	NE-9	1/17/2021	1	1	ND	ug/L
Bromoform	NE-9	1/17/2021	1	1	ND	ug/L
Bromoform	NE-9	7/1/2021	1	1	ND	ug/L
Bromoform	NE-9	7/1/2021	1	1	ND	ug/L
Bromoform	NE-9	1/17/2022	1	1	ND	ug/L
Bromoform	NE-9	1/17/2022	1	1	ND	ug/L
Bromoform	NE-9	7/13/2022	1	1	ND	ug/L
Bromoform	NE-9	1/6/2023	1	1	ND	ug/L
Bromoform	NE-9	4/8/2023	1	1	ND	ug/L
Bromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Bromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Bromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Bromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Bromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Bromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Bromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Bromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Bromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Bromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Bromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Bromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Bromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Bromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Bromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Bromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Bromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Bromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Bromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Bromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Bromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Bromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Bromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Bromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Bromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Bromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Bromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Bromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Bromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Bromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Bromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Bromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Bromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Bromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Bromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Bromomethane	LGW-4	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-5	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Bromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-6	2/5/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Bromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Bromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Bromomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Bromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Bromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Bromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Bromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-7	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Bromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Bromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Bromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Bromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Bromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Bromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Bromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Bromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Bromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Bromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Bromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Bromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Bromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Bromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Bromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Bromomethane	MW-10N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-10N	1/22/1998	14	14	ND	ug/L
Bromomethane	MW-10N	4/28/1998	29	29	ND	ug/L
Bromomethane	MW-10N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-10N	1/14/1999	14	14	ND	ug/L
Bromomethane	MW-10N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-10N	7/15/1999	14	14	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-10N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-10N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-10N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Bromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Bromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Bromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Bromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Bromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Bromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Bromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Bromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-11N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-11N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-11N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-11N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-11N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-11N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-11N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-11N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-11N	1/13/2000	14	14	ND	ug/L
Bromomethane	MW-11N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-11N	7/10/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Bromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Bromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Bromomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Bromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Bromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Bromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Bromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Bromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Bromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Bromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Bromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Bromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Bromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Bromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Bromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Bromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Bromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-15	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-15	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-15	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-15	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Bromomethane	MW-16	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Bromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Bromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Bromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Bromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-17	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-19	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Bromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-19	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-19	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-19	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-19	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-1N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-1N	1/20/1998	14	14	ND	ug/L
Bromomethane	MW-1N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-1N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-1N	10/14/1998	14	14	ND	ug/L
Bromomethane	MW-1N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-1N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-1N	5/19/1999	14	14	ND	ug/L
Bromomethane	MW-1N	7/15/1999	14	14	ND	ug/L
Bromomethane	MW-1N	10/19/1999	14	14	ND	ug/L
Bromomethane	MW-1N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-1N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Bromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Bromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-1N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Bromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Bromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Bromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Bromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Bromomethane	MW-1N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Bromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Bromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Bromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Bromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Bromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Bromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Bromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Bromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-21	4/11/2018	1	1	ND	ug/L
Bromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Bromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-21	10/2/2019	1	1	ND	ug/L
Bromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Bromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Bromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-21	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Bromomethane	MW-2N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-2N	1/21/1998	14	14	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-2N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-2N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-2N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-2N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-2N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-2N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-2N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-2N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Bromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Bromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Bromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Bromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Bromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Bromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Bromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-3N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-3N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-3N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-3N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-3N	1/13/1999	14	14	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-3N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-3N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-3N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-3N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-3N	4/24/2000	14	14	ND	ug/L
Bromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Bromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-3N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Bromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Bromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Bromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Bromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Bromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Bromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Bromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Bromomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-3N	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Bromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Bromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-7N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-7N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-7N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-7N	8/18/1998	15	15	ND	ug/L
Bromomethane	MW-7N	9/17/1998	15	15	ND	ug/L
Bromomethane	MW-7N	10/15/1998	14	14	ND	ug/L
Bromomethane	MW-7N	11/9/1998	15	15	ND	ug/L
Bromomethane	MW-7N	1/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	4/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	10/19/1999	14	14	ND	ug/L
Bromomethane	MW-7N	1/13/2000	14	14	ND	ug/L
Bromomethane	MW-7N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-7N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Bromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Bromomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Bromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Bromomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Bromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Bromomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Bromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Bromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Bromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Bromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Bromomethane	MW-7N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Bromomethane	MW-7N	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Bromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Bromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Bromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Bromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Bromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-8N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-8N	1/22/1998	14	14	ND	ug/L
Bromomethane	MW-8N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-8N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-8N	1/12/1999	14	14	ND	ug/L
Bromomethane	MW-8N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-8N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-8N	10/19/1999	14	14	ND	ug/L
Bromomethane	MW-8N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-8N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-8N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Bromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Bromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Bromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Bromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Bromomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Bromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Bromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Bromomethane	MW-8N	10/3/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Bromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Bromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Bromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Bromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Bromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Bromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Bromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Bromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Bromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Bromomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Bromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Bromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Bromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Bromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Bromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Bromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Bromomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Bromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Bromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Bromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Bromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Bromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Bromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Bromomethane	NE-1	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Bromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Bromomethane	NE-1	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Bromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Bromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Bromomethane	NE-1	7/18/2018	1	1	ND	ug/L
Bromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Bromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromomethane	NE-1	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-1	10/6/2022	1	1	ND	ug/L
Bromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Bromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Bromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Bromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-11	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Bromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Bromomethane	NE-12	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Bromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Bromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-15D	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Bromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Bromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Bromomethane	NE-2	10/5/2015	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Bromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Bromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Bromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Bromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Bromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Bromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-2	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Bromomethane	NE-3	7/9/2002	1	1	ND	ug/L
Bromomethane	NE-3	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-3	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-3	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-3	9/2/2010	1	1	ND	ug/L
Bromomethane	NE-3	3/21/2018	1	1	ND	ug/L
Bromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Bromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Bromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Bromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Bromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-4	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Bromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Bromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Bromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Bromomethane	NE-4	7/14/2010	1	1	ND	ug/L
Bromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Bromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Bromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-4	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Bromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Bromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Bromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Bromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Bromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Bromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Bromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Bromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-4	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Bromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Bromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Bromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Bromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Bromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Bromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-5	1/26/2010	1	1	ND	ug/L
Bromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Bromomethane	NE-5	9/2/2010	1	1	ND	ug/L
Bromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-5	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-5	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Bromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Bromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Bromomethane	NE-5	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Bromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Bromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Bromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5W	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Bromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Bromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Bromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-7	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-7	2/6/2019	1	1	ND	ug/L
Bromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Bromomethane	NE-8	8/5/2019	1	1	ND	ug/L
Bromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-8	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Bromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Bromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Butyl benzyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Butyl benzyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	2/13/2009	1.5	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Butyl benzyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Butyl benzyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Butyl benzyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Cadmium, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-14R	8/24/2007	0.2	1	ND	ug/L
Cadmium, dissolved	LGW-2	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-4	1/24/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-5	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-6	1/24/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-7	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-8R	1/24/2006	2.2	1		ug/L
Cadmium, dissolved	MW-10N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-10N	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-10N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-11N	7/10/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-11N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-11N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-1N	10/19/1999	1	1	ND	ug/L
Cadmium, dissolved	MW-1N	7/12/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, dissolved	MW-1N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-1N	10/3/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-2N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-2N	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-2N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-3N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-3N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-3N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	10/19/1999	12	1		ug/L
Cadmium, dissolved	MW-7N	7/11/2000	8.4	1		ug/L
Cadmium, dissolved	MW-7N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	8/24/2007	1.8	1		ug/L
Cadmium, dissolved	MW-7N	9/2/2010	5.4	1		ug/L
Cadmium, dissolved	MW-8N	10/19/1999	1	1	ND	ug/L
Cadmium, dissolved	MW-8N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-8N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-8N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-8N	8/24/2007	26	1		ug/L
Cadmium, dissolved	MW-8N	9/2/2010	23	1		ug/L
Cadmium, dissolved	NE-1	7/10/2002	51	20		ug/L
Cadmium, dissolved	NE-1	8/6/2002	37	20		ug/L
Cadmium, dissolved	NE-1	9/4/2002	43	20		ug/L
Cadmium, dissolved	NE-1	10/2/2002	40	20		ug/L
Cadmium, dissolved	NE-1	8/24/2007	0.5	1	ND	ug/L
Cadmium, dissolved	NE-1	9/2/2010	0.8	1	ND	ug/L
Cadmium, dissolved	NE-2	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	9/2/2010	2.1	1		ug/L
Cadmium, dissolved	NE-3	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-3	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-3	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-3	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-3	9/2/2010	0.3	1	ND	ug/L
Cadmium, dissolved	NE-4	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	10/3/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	9/2/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-10	1/26/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Cadmium, total	LGW-10	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-10	7/29/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-10	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-10	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-10	7/16/2010	0	1	ND	ug/L
Cadmium, total	LGW-10	1/19/2011	0	1	ND	ug/L
Cadmium, total	LGW-10	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-10	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-10	5/1/2013	1	1	ND	ug/L
Cadmium, total	LGW-10	1/30/2014	0.4	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Cadmium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Cadmium, total	LGW-10	7/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-10	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	4/6/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	7/21/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	10/6/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	4/4/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	7/19/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	10/9/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	4/11/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	7/16/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	10/4/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	1/4/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	4/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Cadmium, total	LGW-10	10/2/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	1/15/2020	1.45	1		ug/L
Cadmium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-10	10/7/2020	1	1	ND	ug/L
Cadmium, total	LGW-10	1/17/2021	21.4	1		ug/L
Cadmium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	4/4/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	10/7/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/25/2006	54	1		ug/L
Cadmium, total	LGW-14R	8/2/2006	7.4	1		ug/L
Cadmium, total	LGW-14R	8/2/2006	7.4	1		ug/L
Cadmium, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Cadmium, total	LGW-14R	1/9/2007	1.1	1		ug/L
Cadmium, total	LGW-14R	1/24/2007	0.9	1	ND	ug/L
Cadmium, total	LGW-14R	4/24/2007	3.3	1		ug/L
Cadmium, total	LGW-14R	7/11/2007	7.7	1		ug/L
Cadmium, total	LGW-14R	8/24/2007	0.9	1	ND	ug/L
Cadmium, total	LGW-14R	10/23/2007	0.2	1	ND	ug/L
Cadmium, total	LGW-14R	1/23/2008	2	1		ug/L
Cadmium, total	LGW-14R	7/22/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	2/6/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	7/29/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	2/3/2010	0	1	ND	ug/L
Cadmium, total	LGW-14R	2/3/2010	0	1	ND	ug/L
Cadmium, total	LGW-14R	7/12/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	1/5/2012	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/19/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Cadmium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-2	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-2	8/1/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-2	8/1/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-2	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-2	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/10/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-2	1/26/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/6/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/30/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/3/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/3/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/12/2010	0	1	ND	ug/L
Cadmium, total	LGW-2	1/19/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-2	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-2	4/30/2013	0.2	1	ND	ug/L
Cadmium, total	LGW-2	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-2	1/30/2014	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Cadmium, total	LGW-2	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Cadmium, total	LGW-2	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Cadmium, total	LGW-2	7/12/2018	1	1	ND	ug/L
Cadmium, total	LGW-2	1/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Cadmium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Cadmium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/20/2006	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/20/2006	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-3R	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-3R	1/8/2007	0.4	1	ND	ug/L
Cadmium, total	LGW-3R	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	4/26/2007	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	1/26/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-3R	7/23/2008	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/3/2009	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/31/2009	1.2	1		ug/L
Cadmium, total	LGW-3R	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/16/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	1/19/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/13/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	4/30/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-3R	7/15/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-3R	1/22/2014	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/8/2014	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/10/2015	0.3	1	ND	ug/L
Cadmium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/21/2016	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/3/2019	0.48	1	ND	ug/L
Cadmium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Cadmium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/10/2022	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-4	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-4	7/20/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/20/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-4	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-4	1/9/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2010	0.6	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2010	0.6	1	ND	ug/L
Cadmium, total	LGW-4	7/16/2010	0	1	ND	ug/L
Cadmium, total	LGW-4	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/4/2012	0	1	ND	ug/L
Cadmium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-4	1/23/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-4	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Cadmium, total	LGW-4	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-4	7/19/2016	1	1	ND	ug/L
Cadmium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-4	1/23/2018	0.27	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2018	0.58	1	ND	ug/L
Cadmium, total	LGW-4	1/3/2019	0.82	1	ND	ug/L
Cadmium, total	LGW-4	7/9/2019	0.91	2	ND	ug/L
Cadmium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Cadmium, total	LGW-4	1/18/2021	2.76	1		ug/L
Cadmium, total	LGW-4	4/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-5	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-5	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-5	4/26/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-5	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Cadmium, total	LGW-5	7/23/2008	0.8	1	ND	ug/L
Cadmium, total	LGW-5	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-5	7/29/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-5	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-5	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/12/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/19/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-5	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-5	7/15/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-5	1/23/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-5	7/8/2014	0.6	1	ND	ug/L
Cadmium, total	LGW-5	2/10/2015	1.6	1		ug/L
Cadmium, total	LGW-5	7/8/2015	1.6	1		ug/L
Cadmium, total	LGW-5	1/5/2016	3.2	1		ug/L
Cadmium, total	LGW-5	7/19/2016	1.2	1		ug/L
Cadmium, total	LGW-5	1/11/2017	1.2	1		ug/L
Cadmium, total	LGW-5	7/18/2017	1.4	1		ug/L
Cadmium, total	LGW-5	1/23/2018	1.9	1		ug/L
Cadmium, total	LGW-5	7/12/2018	2.8	1		ug/L
Cadmium, total	LGW-5	1/3/2019	3.9	1		ug/L
Cadmium, total	LGW-5	7/9/2019	4.7	2		ug/L
Cadmium, total	LGW-5	1/14/2020	1.95	1		ug/L
Cadmium, total	LGW-5	7/6/2020	1.09	1		ug/L
Cadmium, total	LGW-5	1/18/2021	1.19	1		ug/L
Cadmium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-6	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-6	7/20/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-6	7/20/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-6	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-6	1/9/2007	0.6	1	ND	ug/L
Cadmium, total	LGW-6	1/24/2007	0.7	1	ND	ug/L
Cadmium, total	LGW-6	4/26/2007	0.4	1	ND	ug/L
Cadmium, total	LGW-6	7/11/2007	0.4	1	ND	ug/L
Cadmium, total	LGW-6	1/23/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/23/2008	0.7	1	ND	ug/L
Cadmium, total	LGW-6	2/5/2009	0.7	1	ND	ug/L
Cadmium, total	LGW-6	7/29/2009	0.7	1	ND	ug/L
Cadmium, total	LGW-6	2/3/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-6	2/3/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-6	7/12/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-6	1/19/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/12/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-6	1/5/2012	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/9/2012	0.3	1	ND	ug/L
Cadmium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-6	7/15/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-6	1/23/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/8/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-6	2/10/2015	1	1	ND	ug/L
Cadmium, total	LGW-6	7/22/2015	0.5	1	ND	ug/L
Cadmium, total	LGW-6	1/5/2016	0.5	1	ND	ug/L
Cadmium, total	LGW-6	7/19/2016	45	1		ug/L
Cadmium, total	LGW-6	9/6/2016	94	1		ug/L
Cadmium, total	LGW-6	10/6/2016	73	1		ug/L
Cadmium, total	LGW-6	1/11/2017	62	1		ug/L
Cadmium, total	LGW-6	5/5/2017	73	1		ug/L
Cadmium, total	LGW-6	7/18/2017	79	1		ug/L
Cadmium, total	LGW-6	10/5/2017	72	1		ug/L
Cadmium, total	LGW-6	1/23/2018	70	1		ug/L
Cadmium, total	LGW-6	4/10/2018	71	1		ug/L
Cadmium, total	LGW-6	7/17/2018	55	1		ug/L
Cadmium, total	LGW-6	10/2/2018	48	1		ug/L
Cadmium, total	LGW-6	1/7/2019	39	1		ug/L
Cadmium, total	LGW-6	4/3/2019	42	1		ug/L
Cadmium, total	LGW-6	7/10/2019	35	2		ug/L
Cadmium, total	LGW-6	10/3/2019	30	1		ug/L
Cadmium, total	LGW-6	1/16/2020	30.5	1		ug/L
Cadmium, total	LGW-6	4/2/2020	28.4	1		ug/L
Cadmium, total	LGW-6	7/9/2020	23.3	1		ug/L
Cadmium, total	LGW-6	10/6/2020	21.8	1		ug/L
Cadmium, total	LGW-6	1/18/2021	15.7	1		ug/L
Cadmium, total	LGW-6	4/6/2021	11.9	1		ug/L
Cadmium, total	LGW-6	7/7/2021	11.7	1		ug/L
Cadmium, total	LGW-6	10/5/2021	7.9	1		ug/L
Cadmium, total	LGW-6	1/12/2022	5.58	1		ug/L
Cadmium, total	LGW-6	4/4/2022	4.79	1		ug/L
Cadmium, total	LGW-6	7/11/2022	3.94	1		ug/L
Cadmium, total	LGW-6	10/6/2022	3.94	1		ug/L
Cadmium, total	LGW-6	1/10/2023	2.27	1		ug/L
Cadmium, total	LGW-6	4/6/2023	1.88	1		ug/L
Cadmium, total	LGW-7	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-7	8/1/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-7	8/1/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-7	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-7	1/9/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/24/2007	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-7	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-7	7/22/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-7	2/4/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-7	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	LGW-7	1/27/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2010	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/20/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/5/2012	0.5	1	ND	ug/L
Cadmium, total	LGW-7	7/10/2012	0.5	1	ND	ug/L
Cadmium, total	LGW-7	4/30/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/15/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-7	7/8/2014	0.6	1	ND	ug/L
Cadmium, total	LGW-7	2/11/2015	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/22/2015	2.7	1		ug/L
Cadmium, total	LGW-7	1/5/2016	85	1		ug/L
Cadmium, total	LGW-7	2/10/2016	88	1		ug/L
Cadmium, total	LGW-7	4/6/2016	99	1		ug/L
Cadmium, total	LGW-7	7/20/2016	88	1		ug/L
Cadmium, total	LGW-7	9/6/2016	84	1		ug/L
Cadmium, total	LGW-7	10/6/2016	71	1		ug/L
Cadmium, total	LGW-7	1/11/2017	16	1		ug/L
Cadmium, total	LGW-7	4/4/2017	18	1		ug/L
Cadmium, total	LGW-7	7/18/2017	0.4	1	ND	ug/L
Cadmium, total	LGW-7	10/5/2017	46	1		ug/L
Cadmium, total	LGW-7	1/24/2018	45	1		ug/L
Cadmium, total	LGW-7	4/11/2018	34	1		ug/L
Cadmium, total	LGW-7	7/12/2018	24	1		ug/L
Cadmium, total	LGW-7	10/2/2018	19	1		ug/L
Cadmium, total	LGW-7	1/7/2019	9.4	1		ug/L
Cadmium, total	LGW-7	4/3/2019	5.9	1		ug/L
Cadmium, total	LGW-7	7/10/2019	13	2		ug/L
Cadmium, total	LGW-7	10/3/2019	1.4	1		ug/L
Cadmium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Cadmium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-7	7/7/2021	4.84	1		ug/L
Cadmium, total	LGW-7	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/24/2006	2.3	1		ug/L
Cadmium, total	LGW-8R	7/20/2006	2.1	1		ug/L
Cadmium, total	LGW-8R	7/20/2006	2.1	1		ug/L
Cadmium, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-8R	1/9/2007	3.7	1		ug/L
Cadmium, total	LGW-8R	1/24/2007	4.3	1		ug/L
Cadmium, total	LGW-8R	4/25/2007	3	1		ug/L
Cadmium, total	LGW-8R	7/12/2007	2.6	1		ug/L
Cadmium, total	LGW-8R	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	7/29/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/14/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	1/20/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-8R	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	4/30/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/22/2015	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/5/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	7/20/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/18/2017	0.6	1	ND	ug/L
Cadmium, total	LGW-8R	1/25/2018	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Cadmium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-9	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-9	7/20/2006	0.3	1	ND	ug/L
Cadmium, total	LGW-9	7/20/2006	0.3	1	ND	ug/L
Cadmium, total	LGW-9	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-9	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-9	4/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	7/10/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-9	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-9	7/29/2009	1.3	1		ug/L
Cadmium, total	LGW-9	1/27/2010	4.6	1		ug/L
Cadmium, total	LGW-9	7/14/2010	4.3	1		ug/L
Cadmium, total	LGW-9	1/20/2011	3.8	1		ug/L
Cadmium, total	LGW-9	7/12/2011	1.5	1		ug/L
Cadmium, total	LGW-9	1/5/2012	0.4	1	ND	ug/L
Cadmium, total	LGW-9	7/10/2012	0.2	1	ND	ug/L
Cadmium, total	LGW-9	5/1/2013	0.1	1	ND	ug/L
Cadmium, total	LGW-9	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-9	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-9	7/8/2014	1	1	ND	ug/L
Cadmium, total	LGW-9	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-9	7/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-9	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-9	7/21/2016	44	1		ug/L
Cadmium, total	LGW-9	9/6/2016	61	1		ug/L
Cadmium, total	LGW-9	10/6/2016	59	1		ug/L
Cadmium, total	LGW-9	1/11/2017	40	1		ug/L
Cadmium, total	LGW-9	5/5/2017	53	1		ug/L
Cadmium, total	LGW-9	7/18/2017	54	1		ug/L
Cadmium, total	LGW-9	10/5/2017	51	1		ug/L
Cadmium, total	LGW-9	1/24/2018	33	1		ug/L
Cadmium, total	LGW-9	4/11/2018	52	1		ug/L
Cadmium, total	LGW-9	7/13/2018	42	1		ug/L
Cadmium, total	LGW-9	10/2/2018	35	1		ug/L
Cadmium, total	LGW-9	1/7/2019	20	1		ug/L
Cadmium, total	LGW-9	4/3/2019	22	1		ug/L
Cadmium, total	LGW-9	7/10/2019	15	2		ug/L
Cadmium, total	LGW-9	10/3/2019	11	1		ug/L
Cadmium, total	LGW-9	1/16/2020	28	1		ug/L
Cadmium, total	LGW-9	4/2/2020	24.6	1		ug/L
Cadmium, total	LGW-9	7/9/2020	22.6	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-9	10/7/2020	23.3	1		ug/L
Cadmium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Cadmium, total	LGW-9	4/6/2021	19.3	1		ug/L
Cadmium, total	LGW-9	7/7/2021	19.8	1		ug/L
Cadmium, total	LGW-9	10/5/2021	17.4	1		ug/L
Cadmium, total	LGW-9	1/13/2022	18.4	1		ug/L
Cadmium, total	LGW-9	4/4/2022	18.5	1		ug/L
Cadmium, total	LGW-9	7/11/2022	17.4	1		ug/L
Cadmium, total	LGW-9	10/7/2022	15.5	1		ug/L
Cadmium, total	LGW-9	1/11/2023	14	1		ug/L
Cadmium, total	LGW-9	4/5/2023	11.2	1		ug/L
Cadmium, total	MW-10N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-10N	1/22/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	1/14/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	7/15/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	1/14/2000	1.1	1		ug/L
Cadmium, total	MW-10N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	7/11/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-10N	4/10/2001	1	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2002	20	20	ND	ug/L
Cadmium, total	MW-10N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-10N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-10N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-10N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-10N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-10N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2007	1	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2007	0.1	1	ND	ug/L
Cadmium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Cadmium, total	MW-10N	7/21/2008	0	1	ND	ug/L
Cadmium, total	MW-10N	2/13/2009	1	1	ND	ug/L
Cadmium, total	MW-10N	7/31/2009	0	1	ND	ug/L
Cadmium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Cadmium, total	MW-10N	8/10/2010	1	1	ND	ug/L
Cadmium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Cadmium, total	MW-10N	7/14/2011	1	1	ND	ug/L
Cadmium, total	MW-10N	1/5/2012	0	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-10N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Cadmium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Cadmium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-10N	7/11/2018	1	1	ND	ug/L
Cadmium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Cadmium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Cadmium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Cadmium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Cadmium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-11N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-11N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	7/14/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	7/10/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-11N	4/10/2001	1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-11N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-11N	1/23/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	1/29/2004	1	1	ND	ug/L
Cadmium, total	MW-11N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/2005	1	1	ND	ug/L
Cadmium, total	MW-11N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-11N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Cadmium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Cadmium, total	MW-11N	7/10/2007	0.2	1	ND	ug/L
Cadmium, total	MW-11N	1/22/2008	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2009	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/31/2009	0	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	MW-11N	7/16/2010	1	1	ND	ug/L
Cadmium, total	MW-11N	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	MW-11N	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Cadmium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Cadmium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Cadmium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Cadmium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Cadmium, total	MW-11N	2/10/2015	1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2015	1	1	ND	ug/L
Cadmium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Cadmium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-11N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-11N	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Cadmium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Cadmium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Cadmium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-15	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-15	7/15/2015	1	1	ND	ug/L
Cadmium, total	MW-15	8/5/2015	0.3	1	ND	ug/L
Cadmium, total	MW-15	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-15	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-15	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-15	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-15	10/6/2016	1	1	ND	ug/L
Cadmium, total	MW-15	1/10/2017	0.3	1	ND	ug/L
Cadmium, total	MW-15	7/18/2017	1.6	1		ug/L
Cadmium, total	MW-15	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-15	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-15	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-15	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-15	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-15	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-15	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-15	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-15	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-15	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-15	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-16	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-16	7/16/2015	1	1	ND	ug/L
Cadmium, total	MW-16	8/5/2015	1	1	ND	ug/L
Cadmium, total	MW-16	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-16	1/8/2016	1	1	ND	ug/L
Cadmium, total	MW-16	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-16	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-16	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-16	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-16	7/18/2017	1	1	ND	ug/L
Cadmium, total	MW-16	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-16	7/11/2018	1	1	ND	ug/L
Cadmium, total	MW-16	1/2/2019	1	1	ND	ug/L
Cadmium, total	MW-16	7/10/2019	2	2	ND	ug/L
Cadmium, total	MW-16	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-16	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-16	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-16	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-16	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-16	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-16	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-17	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-17	7/15/2015	1	1	ND	ug/L
Cadmium, total	MW-17	8/4/2015	1	1	ND	ug/L
Cadmium, total	MW-17	9/2/2015	1	1	ND	ug/L
Cadmium, total	MW-17	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-17	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-17	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-17	10/6/2016	1	1	ND	ug/L
Cadmium, total	MW-17	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-17	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-17	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-17	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-17	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-17	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-17	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-17	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-17	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-17	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-17	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-19	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-19	7/16/2015	0.5	1	ND	ug/L
Cadmium, total	MW-19	8/5/2015	1	1	ND	ug/L
Cadmium, total	MW-19	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-19	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-19	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-19	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-19	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-19	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-19	7/18/2017	0.8	1	ND	ug/L
Cadmium, total	MW-19	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-19	7/13/2018	1	1	ND	ug/L
Cadmium, total	MW-19	1/7/2019	1	1	ND	ug/L
Cadmium, total	MW-19	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-19	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-19	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-19	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-19	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-19	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-1N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-1N	1/20/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	10/14/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	7/15/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	10/19/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	7/12/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	10/18/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-1N	4/12/2001	1	1	ND	ug/L
Cadmium, total	MW-1N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-1N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-1N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-1N	10/3/2002	20	20	ND	ug/L
Cadmium, total	MW-1N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-1N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-1N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-1N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-1N	1/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-1N	1/9/2007	1	1	ND	ug/L
Cadmium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Cadmium, total	MW-1N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Cadmium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Cadmium, total	MW-1N	2/5/2009	1	1	ND	ug/L
Cadmium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Cadmium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Cadmium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Cadmium, total	MW-1N	1/20/2011	1	1	ND	ug/L
Cadmium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Cadmium, total	MW-1N	1/5/2012	1	1	ND	ug/L
Cadmium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-1N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Cadmium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Cadmium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Cadmium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-1N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-1N	7/21/2016	0.3	1	ND	ug/L
Cadmium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Cadmium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	7/6/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-20	6/5/2015	0.6	1	ND	ug/L
Cadmium, total	MW-20	7/14/2015	0.6	1	ND	ug/L
Cadmium, total	MW-20	8/4/2015	0.3	1	ND	ug/L
Cadmium, total	MW-20	9/2/2015	1	1	ND	ug/L
Cadmium, total	MW-20	1/7/2016	0.4	1	ND	ug/L
Cadmium, total	MW-20	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-20	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-20	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-20	1/12/2017	1	1	ND	ug/L
Cadmium, total	MW-20	7/18/2017	1	1	ND	ug/L
Cadmium, total	MW-20	1/26/2018	1	1	ND	ug/L
Cadmium, total	MW-20	7/12/2018	1	1	ND	ug/L
Cadmium, total	MW-20	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-20	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-20	7/7/2020	1	1	ND	ug/L
Cadmium, total	MW-20	1/17/2021	1	1	ND	ug/L
Cadmium, total	MW-20	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-20	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-21	6/5/2015	0.6	1	ND	ug/L
Cadmium, total	MW-21	7/14/2015	0.5	1	ND	ug/L
Cadmium, total	MW-21	8/4/2015	0.7	1	ND	ug/L
Cadmium, total	MW-21	9/2/2015	0.7	1	ND	ug/L
Cadmium, total	MW-21	1/7/2016	1.8	1		ug/L
Cadmium, total	MW-21	4/5/2016	0.6	1	ND	ug/L
Cadmium, total	MW-21	7/20/2016	0.7	1	ND	ug/L
Cadmium, total	MW-21	10/5/2016	2.6	1		ug/L
Cadmium, total	MW-21	10/5/2016	2.8	1		ug/L
Cadmium, total	MW-21	1/10/2017	2.8	1		ug/L
Cadmium, total	MW-21	4/5/2017	3.1	1		ug/L
Cadmium, total	MW-21	7/19/2017	1.3	1		ug/L
Cadmium, total	MW-21	10/6/2017	1.4	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-21	1/24/2018	2.6	1		ug/L
Cadmium, total	MW-21	4/11/2018	0.59	1	ND	ug/L
Cadmium, total	MW-21	7/11/2018	1.4	1		ug/L
Cadmium, total	MW-21	10/4/2018	2.4	1		ug/L
Cadmium, total	MW-21	1/3/2019	0.47	1	ND	ug/L
Cadmium, total	MW-21	4/3/2019	1.5	1		ug/L
Cadmium, total	MW-21	7/11/2019	1.7	2	ND	ug/L
Cadmium, total	MW-21	10/2/2019	1.3	1		ug/L
Cadmium, total	MW-21	1/16/2020	2	1		ug/L
Cadmium, total	MW-21	4/2/2020	2.07	1		ug/L
Cadmium, total	MW-21	7/8/2020	2.61	1		ug/L
Cadmium, total	MW-21	10/7/2020	3.19	1		ug/L
Cadmium, total	MW-21	1/13/2021	1.44	1		ug/L
Cadmium, total	MW-21	4/6/2021	2.65	1		ug/L
Cadmium, total	MW-21	7/5/2021	2.84	1		ug/L
Cadmium, total	MW-21	10/6/2021	2.68	1		ug/L
Cadmium, total	MW-21	1/11/2023	4.97	1		ug/L
Cadmium, total	MW-21	4/8/2023	2.65	1		ug/L
Cadmium, total	MW-2N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-2N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	7/22/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	7/14/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-2N	4/11/2001	1	1	ND	ug/L
Cadmium, total	MW-2N	7/10/2002	20	20	ND	ug/L
Cadmium, total	MW-2N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-2N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-2N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-2N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-2N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-2N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2008	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	MW-2N	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Cadmium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Cadmium, total	MW-2N	1/20/2011	1	1	ND	ug/L
Cadmium, total	MW-2N	7/13/2011	0	1	ND	ug/L
Cadmium, total	MW-2N	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-2N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-2N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-2N	2/12/2015	1	1	ND	ug/L
Cadmium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-2N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-2N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Cadmium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Cadmium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Cadmium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Cadmium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Cadmium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-3N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-3N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	7/14/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	4/24/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	7/11/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	1/23/2001	1	1	ND	ug/L
Cadmium, total	MW-3N	4/11/2001	1	1	ND	ug/L
Cadmium, total	MW-3N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-3N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-3N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-3N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-3N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-3N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-3N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-3N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-3N	1/18/2006	1	1		ug/L
Cadmium, total	MW-3N	7/19/2006	0.6	1	ND	ug/L
Cadmium, total	MW-3N	7/19/2006	0.6	1	ND	ug/L
Cadmium, total	MW-3N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-3N	1/10/2007	3.1	1		ug/L
Cadmium, total	MW-3N	1/26/2007	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/11/2007	3.2	1		ug/L
Cadmium, total	MW-3N	1/24/2008	0.7	1	ND	ug/L
Cadmium, total	MW-3N	7/22/2008	0.9	1	ND	ug/L
Cadmium, total	MW-3N	2/4/2009	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/31/2009	1	1		ug/L
Cadmium, total	MW-3N	1/26/2010	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/13/2010	0.6	1	ND	ug/L
Cadmium, total	MW-3N	1/20/2011	4.2	1		ug/L
Cadmium, total	MW-3N	7/14/2011	2.5	1		ug/L
Cadmium, total	MW-3N	1/5/2012	1.6	1		ug/L
Cadmium, total	MW-3N	7/11/2012	0.8	1	ND	ug/L
Cadmium, total	MW-3N	5/1/2013	9.2	1		ug/L
Cadmium, total	MW-3N	6/4/2013	1.8	1		ug/L
Cadmium, total	MW-3N	7/16/2013	3.9	1		ug/L
Cadmium, total	MW-3N	1/24/2014	2.1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-3N	7/9/2014	5.2	1		ug/L
Cadmium, total	MW-3N	2/12/2015	9.5	1		ug/L
Cadmium, total	MW-3N	4/1/2015	6.8	1		ug/L
Cadmium, total	MW-3N	7/14/2015	9.1	1		ug/L
Cadmium, total	MW-3N	10/5/2015	7.5	1		ug/L
Cadmium, total	MW-3N	1/6/2016	10	1		ug/L
Cadmium, total	MW-3N	4/6/2016	10	1		ug/L
Cadmium, total	MW-3N	7/21/2016	11	1		ug/L
Cadmium, total	MW-3N	10/6/2016	19	1		ug/L
Cadmium, total	MW-3N	1/11/2017	25	1		ug/L
Cadmium, total	MW-3N	4/4/2017	47	1		ug/L
Cadmium, total	MW-3N	7/19/2017	26	1		ug/L
Cadmium, total	MW-3N	10/9/2017	17	1		ug/L
Cadmium, total	MW-3N	1/24/2018	27	1		ug/L
Cadmium, total	MW-3N	4/10/2018	36	1		ug/L
Cadmium, total	MW-3N	7/13/2018	25	1		ug/L
Cadmium, total	MW-3N	10/3/2018	19	1		ug/L
Cadmium, total	MW-3N	1/7/2019	20	1		ug/L
Cadmium, total	MW-3N	4/3/2019	27	1		ug/L
Cadmium, total	MW-3N	7/11/2019	38	2		ug/L
Cadmium, total	MW-3N	10/2/2019	17	1		ug/L
Cadmium, total	MW-3N	1/15/2020	20.1	1		ug/L
Cadmium, total	MW-3N	4/2/2020	32.8	1		ug/L
Cadmium, total	MW-3N	7/7/2020	27.4	1		ug/L
Cadmium, total	MW-3N	10/7/2020	20.8	1		ug/L
Cadmium, total	MW-3N	1/13/2021	20.2	1		ug/L
Cadmium, total	MW-3N	4/6/2021	17.4	1		ug/L
Cadmium, total	MW-3N	7/5/2021	44.6	1		ug/L
Cadmium, total	MW-3N	10/6/2021	30.7	1		ug/L
Cadmium, total	MW-3N	1/11/2023	49.6	1		ug/L
Cadmium, total	MW-7N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-7N	1/21/1998	4.3	1		ug/L
Cadmium, total	MW-7N	7/22/1998	28	1		ug/L
Cadmium, total	MW-7N	8/18/1998	19	1		ug/L
Cadmium, total	MW-7N	9/17/1998	20	1		ug/L
Cadmium, total	MW-7N	10/15/1998	20	1		ug/L
Cadmium, total	MW-7N	11/9/1998	21	1		ug/L
Cadmium, total	MW-7N	1/14/1999	16	1		ug/L
Cadmium, total	MW-7N	4/14/1999	12	1		ug/L
Cadmium, total	MW-7N	7/14/1999	21	1		ug/L
Cadmium, total	MW-7N	10/19/1999	12	1		ug/L
Cadmium, total	MW-7N	1/13/2000	3.6	1		ug/L
Cadmium, total	MW-7N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-7N	7/11/2000	7.4	1		ug/L
Cadmium, total	MW-7N	10/17/2000	2.6	1		ug/L
Cadmium, total	MW-7N	1/23/2001	1	1	ND	ug/L
Cadmium, total	MW-7N	4/10/2001	4.6	1		ug/L
Cadmium, total	MW-7N	5/29/2002	2.8	1.7		ug/L
Cadmium, total	MW-7N	5/29/2002	2.8	1.7		ug/L
Cadmium, total	MW-7N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-7N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-7N	1/23/2003	1	1	ND	ug/L
Cadmium, total	MW-7N	4/14/2003	1	1		ug/L
Cadmium, total	MW-7N	7/7/2003	1.2	1		ug/L
Cadmium, total	MW-7N	1/27/2004	1	1	ND	ug/L
Cadmium, total	MW-7N	4/8/2004	1.7	1		ug/L
Cadmium, total	MW-7N	7/26/2004	11	1		ug/L
Cadmium, total	MW-7N	10/5/2004	3.4	1		ug/L
Cadmium, total	MW-7N	1/12/2005	4.7	1		ug/L
Cadmium, total	MW-7N	7/19/2005	2.2	1		ug/L
Cadmium, total	MW-7N	1/19/2006	21	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-7N	7/19/2006	2.8	1		ug/L
Cadmium, total	MW-7N	7/19/2006	2.8	1		ug/L
Cadmium, total	MW-7N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-7N	1/10/2007	1	1		ug/L
Cadmium, total	MW-7N	1/26/2007	3	1		ug/L
Cadmium, total	MW-7N	6/1/2007	42	1		ug/L
Cadmium, total	MW-7N	7/10/2007	15	1		ug/L
Cadmium, total	MW-7N	8/24/2007	2.3	1		ug/L
Cadmium, total	MW-7N	10/24/2007	2.4	1		ug/L
Cadmium, total	MW-7N	7/21/2008	3.1	1		ug/L
Cadmium, total	MW-7N	2/6/2009	4.5	1		ug/L
Cadmium, total	MW-7N	7/29/2009	8	1		ug/L
Cadmium, total	MW-7N	10/26/2009	1.8	1		ug/L
Cadmium, total	MW-7N	1/26/2010	8.4	1		ug/L
Cadmium, total	MW-7N	4/8/2010	4.3	1		ug/L
Cadmium, total	MW-7N	7/14/2010	13	1		ug/L
Cadmium, total	MW-7N	9/2/2010	6.5	1		ug/L
Cadmium, total	MW-7N	9/29/2010	5.3	1		ug/L
Cadmium, total	MW-7N	1/20/2011	1.8	1		ug/L
Cadmium, total	MW-7N	7/12/2011	1.8	1		ug/L
Cadmium, total	MW-7N	1/5/2012	1.3	1		ug/L
Cadmium, total	MW-7N	7/10/2012	0.8	1	ND	ug/L
Cadmium, total	MW-7N	5/1/2013	14	1		ug/L
Cadmium, total	MW-7N	6/4/2013	5.2	1		ug/L
Cadmium, total	MW-7N	7/15/2013	3.9	1		ug/L
Cadmium, total	MW-7N	1/30/2014	2.7	1		ug/L
Cadmium, total	MW-7N	7/9/2014	1.2	1		ug/L
Cadmium, total	MW-7N	2/12/2015	4.8	1		ug/L
Cadmium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Cadmium, total	MW-7N	1/5/2016	0.6	1	ND	ug/L
Cadmium, total	MW-7N	7/21/2016	3.8	1		ug/L
Cadmium, total	MW-7N	1/11/2017	17	1		ug/L
Cadmium, total	MW-7N	3/2/2017	7.5	1		ug/L
Cadmium, total	MW-7N	4/4/2017	5.6	1		ug/L
Cadmium, total	MW-7N	7/19/2017	8.8	1		ug/L
Cadmium, total	MW-7N	10/5/2017	10	1		ug/L
Cadmium, total	MW-7N	1/25/2018	3.6	1		ug/L
Cadmium, total	MW-7N	4/11/2018	3.2	1		ug/L
Cadmium, total	MW-7N	7/13/2018	1.4	1		ug/L
Cadmium, total	MW-7N	1/4/2019	1.8	1		ug/L
Cadmium, total	MW-7N	7/10/2019	2	2		ug/L
Cadmium, total	MW-7N	1/16/2020	3.53	1		ug/L
Cadmium, total	MW-7N	7/7/2020	1.08	1		ug/L
Cadmium, total	MW-7N	1/16/2021	1.35	1		ug/L
Cadmium, total	MW-7N	7/5/2021	1.07	1		ug/L
Cadmium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-7N	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-8N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-8N	1/22/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	7/22/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	1/12/1999	1	1	ND	ug/L
Cadmium, total	MW-8N	4/13/1999	3.5	1		ug/L
Cadmium, total	MW-8N	7/14/1999	260	1		ug/L
Cadmium, total	MW-8N	10/19/1999	32	1		ug/L
Cadmium, total	MW-8N	1/14/2000	5.9	1		ug/L
Cadmium, total	MW-8N	4/25/2000	3.2	1		ug/L
Cadmium, total	MW-8N	10/17/2000	30	1		ug/L
Cadmium, total	MW-8N	1/23/2001	1.1	1		ug/L
Cadmium, total	MW-8N	4/11/2001	1.1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-8N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-8N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-8N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-8N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-8N	1/23/2003	1.3	1		ug/L
Cadmium, total	MW-8N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-8N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-8N	1/28/2004	4.3	1		ug/L
Cadmium, total	MW-8N	7/27/2004	1.2	1		ug/L
Cadmium, total	MW-8N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-8N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-8N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-8N	7/19/2006	0.7	1	ND	ug/L
Cadmium, total	MW-8N	7/19/2006	0.7	1	ND	ug/L
Cadmium, total	MW-8N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-8N	1/10/2007	17	1		ug/L
Cadmium, total	MW-8N	1/26/2007	36	1		ug/L
Cadmium, total	MW-8N	4/25/2007	44	1		ug/L
Cadmium, total	MW-8N	7/10/2007	34	1		ug/L
Cadmium, total	MW-8N	8/24/2007	42	1		ug/L
Cadmium, total	MW-8N	10/24/2007	30	1		ug/L
Cadmium, total	MW-8N	1/24/2008	33	1		ug/L
Cadmium, total	MW-8N	5/3/2008	33	1		ug/L
Cadmium, total	MW-8N	7/23/2008	30	1		ug/L
Cadmium, total	MW-8N	10/21/2008	26	1		ug/L
Cadmium, total	MW-8N	2/4/2009	26	1		ug/L
Cadmium, total	MW-8N	4/16/2009	28	1		ug/L
Cadmium, total	MW-8N	7/31/2009	26	1		ug/L
Cadmium, total	MW-8N	10/26/2009	30	1		ug/L
Cadmium, total	MW-8N	1/26/2010	24	1		ug/L
Cadmium, total	MW-8N	4/8/2010	25	1		ug/L
Cadmium, total	MW-8N	7/16/2010	24	1		ug/L
Cadmium, total	MW-8N	9/2/2010	24	1		ug/L
Cadmium, total	MW-8N	9/30/2010	25	1		ug/L
Cadmium, total	MW-8N	1/19/2011	22	1		ug/L
Cadmium, total	MW-8N	5/10/2011	26	1		ug/L
Cadmium, total	MW-8N	7/14/2011	24	1		ug/L
Cadmium, total	MW-8N	1/6/2012	23	1		ug/L
Cadmium, total	MW-8N	4/5/2012	24	1		ug/L
Cadmium, total	MW-8N	7/11/2012	22	1		ug/L
Cadmium, total	MW-8N	10/3/2012	22	1		ug/L
Cadmium, total	MW-8N	5/1/2013	23	1		ug/L
Cadmium, total	MW-8N	6/4/2013	21	1		ug/L
Cadmium, total	MW-8N	7/16/2013	21	1		ug/L
Cadmium, total	MW-8N	10/2/2013	20	1		ug/L
Cadmium, total	MW-8N	1/30/2014	18	1		ug/L
Cadmium, total	MW-8N	4/3/2014	19	1		ug/L
Cadmium, total	MW-8N	7/9/2014	17	1		ug/L
Cadmium, total	MW-8N	10/8/2014	15	1		ug/L
Cadmium, total	MW-8N	2/12/2015	15	1		ug/L
Cadmium, total	MW-8N	4/1/2015	17	1		ug/L
Cadmium, total	MW-8N	7/14/2015	16	1		ug/L
Cadmium, total	MW-8N	10/5/2015	15	1		ug/L
Cadmium, total	MW-8N	1/5/2016	16	1		ug/L
Cadmium, total	MW-8N	4/6/2016	17	1		ug/L
Cadmium, total	MW-8N	7/21/2016	15	1		ug/L
Cadmium, total	MW-8N	10/6/2016	16	1		ug/L
Cadmium, total	MW-8N	1/11/2017	16	1		ug/L
Cadmium, total	MW-8N	4/4/2017	13	1		ug/L
Cadmium, total	MW-8N	7/19/2017	17	1		ug/L
Cadmium, total	MW-8N	10/6/2017	18	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-8N	1/25/2018	15	1		ug/L
Cadmium, total	MW-8N	4/10/2018	18	1		ug/L
Cadmium, total	MW-8N	7/16/2018	16	1		ug/L
Cadmium, total	MW-8N	10/2/2018	13	1		ug/L
Cadmium, total	MW-8N	1/7/2019	14	1		ug/L
Cadmium, total	MW-8N	4/3/2019	14	1		ug/L
Cadmium, total	MW-8N	7/11/2019	14	2		ug/L
Cadmium, total	MW-8N	10/3/2019	12	1		ug/L
Cadmium, total	MW-8N	1/15/2020	11.7	1		ug/L
Cadmium, total	MW-8N	4/2/2020	10.9	1		ug/L
Cadmium, total	MW-8N	7/9/2020	10.4	1		ug/L
Cadmium, total	MW-8N	10/6/2020	9.14	1		ug/L
Cadmium, total	MW-8N	1/15/2021	10.1	1		ug/L
Cadmium, total	MW-8N	4/6/2021	7.73	1		ug/L
Cadmium, total	MW-8N	7/5/2021	8.639999	1		ug/L
Cadmium, total	MW-8N	10/6/2021	7.55	1		ug/L
Cadmium, total	MW-8N	1/18/2022	7.67	1		ug/L
Cadmium, total	MW-8N	4/4/2022	8.150001	1		ug/L
Cadmium, total	MW-8N	7/12/2022	7.43	1		ug/L
Cadmium, total	MW-8N	10/6/2022	7.59	1		ug/L
Cadmium, total	MW-8N	1/11/2023	7.16	1		ug/L
Cadmium, total	MW-8N	4/8/2023	7.79	1		ug/L
Cadmium, total	NE-1	7/10/2002	52	20		ug/L
Cadmium, total	NE-1	8/6/2002	49	20		ug/L
Cadmium, total	NE-1	9/4/2002	48	20		ug/L
Cadmium, total	NE-1	10/2/2002	45	20		ug/L
Cadmium, total	NE-1	4/15/2003	3.9	1		ug/L
Cadmium, total	NE-1	7/8/2003	1.7	1		ug/L
Cadmium, total	NE-1	1/27/2004	15	1		ug/L
Cadmium, total	NE-1	7/27/2004	1	1	ND	ug/L
Cadmium, total	NE-1	1/12/2005	1.2	1		ug/L
Cadmium, total	NE-1	7/20/2005	1	1	ND	ug/L
Cadmium, total	NE-1	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-1	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-1	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-1	1/24/2007	1.1	1		ug/L
Cadmium, total	NE-1	4/24/2007	0.1	1	ND	ug/L
Cadmium, total	NE-1	7/10/2007	9.5	1		ug/L
Cadmium, total	NE-1	8/24/2007	4.2	1		ug/L
Cadmium, total	NE-1	10/24/2007	0.5	1	ND	ug/L
Cadmium, total	NE-1	1/24/2008	0.5	1	ND	ug/L
Cadmium, total	NE-1	7/21/2008	1	1	ND	ug/L
Cadmium, total	NE-1	2/7/2009	3.4	1		ug/L
Cadmium, total	NE-1	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/26/2010	0.4	1	ND	ug/L
Cadmium, total	NE-1	7/14/2010	6.6	1		ug/L
Cadmium, total	NE-1	9/2/2010	0.2	1	ND	ug/L
Cadmium, total	NE-1	9/30/2010	1.8	1		ug/L
Cadmium, total	NE-1	1/19/2011	0.7	1	ND	ug/L
Cadmium, total	NE-1	7/13/2011	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	NE-1	7/10/2012	2.6	1		ug/L
Cadmium, total	NE-1	4/30/2013	0.2	1	ND	ug/L
Cadmium, total	NE-1	7/16/2013	0.6	1	ND	ug/L
Cadmium, total	NE-1	1/23/2014	0.5	1	ND	ug/L
Cadmium, total	NE-1	7/9/2014	0.5	1	ND	ug/L
Cadmium, total	NE-1	2/11/2015	1	1	ND	ug/L
Cadmium, total	NE-1	7/8/2015	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/6/2016	0.4	1	ND	ug/L
Cadmium, total	NE-1	7/20/2016	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/11/2017	0.4	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-1	7/19/2017	0.4	1	ND	ug/L
Cadmium, total	NE-1	1/24/2018	1	1	ND	ug/L
Cadmium, total	NE-1	4/11/2018	1	1	ND	ug/L
Cadmium, total	NE-1	7/18/2018	1	1	ND	ug/L
Cadmium, total	NE-1	10/2/2018	1	1	ND	ug/L
Cadmium, total	NE-1	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-1	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-1	7/10/2019	2	2	ND	ug/L
Cadmium, total	NE-1	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-1	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-1	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-1	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-1	10/7/2020	1	1	ND	ug/L
Cadmium, total	NE-1	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-1	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-1	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-1	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-1	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-1	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-1	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-1	10/6/2022	1	1	ND	ug/L
Cadmium, total	NE-1	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-1	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Cadmium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-11	3/1/2017	0.7	1	ND	ug/L
Cadmium, total	NE-11	4/6/2017	1	1		ug/L
Cadmium, total	NE-11	7/20/2017	0.4	1	ND	ug/L
Cadmium, total	NE-11	10/9/2017	1	1	ND	ug/L
Cadmium, total	NE-11	9/30/2019	0.79	1	ND	ug/L
Cadmium, total	NE-11	1/14/2020	1.18	1		ug/L
Cadmium, total	NE-11	7/7/2020	1.53	1		ug/L
Cadmium, total	NE-11	1/16/2021	1.05	1		ug/L
Cadmium, total	NE-11	1/16/2021	1.43	1		ug/L
Cadmium, total	NE-11	7/1/2021	1.32	1		ug/L
Cadmium, total	NE-11	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-11	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-11	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-11	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-12	3/1/2017	1	1	ND	ug/L
Cadmium, total	NE-12	4/6/2017	1	1	ND	ug/L
Cadmium, total	NE-12	7/20/2017	1	1	ND	ug/L
Cadmium, total	NE-12	10/6/2017	0.3	1	ND	ug/L
Cadmium, total	NE-12	8/5/2019	2	2	ND	ug/L
Cadmium, total	NE-12	1/13/2020	1	1	ND	ug/L
Cadmium, total	NE-12	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-12	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-12	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-12	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-12	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-12	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-12	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-12	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-13	2/5/2019	1	1	ND	ug/L
Cadmium, total	NE-13	8/7/2019	2	2	ND	ug/L
Cadmium, total	NE-13	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-13	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-13	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-13	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-13	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Cadmium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15S	4/3/2020	2.58	1		ug/L
Cadmium, total	NE-2	7/9/2002	20	20	ND	ug/L
Cadmium, total	NE-2	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-2	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-2	10/2/2002	20	20	ND	ug/L
Cadmium, total	NE-2	4/25/2007	0.1	1	ND	ug/L
Cadmium, total	NE-2	12/19/2008	2.1	1		ug/L
Cadmium, total	NE-2	10/26/2009	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-2	9/2/2010	2.1	1		ug/L
Cadmium, total	NE-2	9/30/2010	0.1	1	ND	ug/L
Cadmium, total	NE-2	4/5/2012	1.1	1		ug/L
Cadmium, total	NE-2	10/1/2013	1	1	ND	ug/L
Cadmium, total	NE-2	10/8/2014	0.1	1	ND	ug/L
Cadmium, total	NE-2	10/5/2015	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2016	1	1	ND	ug/L
Cadmium, total	NE-2	10/5/2017	0.4	1	ND	ug/L
Cadmium, total	NE-2	1/25/2018	1	1	ND	ug/L
Cadmium, total	NE-2	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-2	7/10/2018	1	1	ND	ug/L
Cadmium, total	NE-2	10/1/2018	1	1	ND	ug/L
Cadmium, total	NE-2	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-2	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-2	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-2	1/14/2020	1	1	ND	ug/L
Cadmium, total	NE-2	4/1/2020	1	1	ND	ug/L
Cadmium, total	NE-2	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-2	1/14/2021	1	1	ND	ug/L
Cadmium, total	NE-2	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-2	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-2	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-2	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-2	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-2	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-2	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-2	4/5/2023	1	1	ND	ug/L
Cadmium, total	NE-3	7/9/2002	20	20	ND	ug/L
Cadmium, total	NE-3	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-3	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-3	10/2/2002	20	20	ND	ug/L
Cadmium, total	NE-3	4/25/2007	0.2	1	ND	ug/L
Cadmium, total	NE-3	9/2/2010	0.2	1	ND	ug/L
Cadmium, total	NE-3	3/21/2018	1	1	ND	ug/L
Cadmium, total	NE-4	7/10/2002	20	20	ND	ug/L
Cadmium, total	NE-4	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-4	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-4	10/3/2002	20	20	ND	ug/L
Cadmium, total	NE-4	7/8/2003	1	1	ND	ug/L
Cadmium, total	NE-4	1/28/2004	1	1	ND	ug/L
Cadmium, total	NE-4	1/13/2005	1.2	1		ug/L
Cadmium, total	NE-4	8/1/2006	0.2	1	ND	ug/L
Cadmium, total	NE-4	8/1/2006	0.2	1	ND	ug/L
Cadmium, total	NE-4	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-4	1/24/2007	0.2	1	ND	ug/L
Cadmium, total	NE-4	4/25/2007	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/12/2007	0.3	1	ND	ug/L
Cadmium, total	NE-4	1/24/2008	0.3	1	ND	ug/L
Cadmium, total	NE-4	7/21/2008	0.3	1	ND	ug/L
Cadmium, total	NE-4	2/7/2009	0.8	1	ND	ug/L
Cadmium, total	NE-4	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/26/2010	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/14/2010	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/19/2011	0.9	1	ND	ug/L
Cadmium, total	NE-4	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	NE-4	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/10/2012	0.6	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-4	4/30/2013	1	1	ND	ug/L
Cadmium, total	NE-4	7/16/2013	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/23/2014	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/9/2014	0.1	1	ND	ug/L
Cadmium, total	NE-4	2/13/2015	0.3	1	ND	ug/L
Cadmium, total	NE-4	7/8/2015	1	1	ND	ug/L
Cadmium, total	NE-4	1/6/2016	1	1	ND	ug/L
Cadmium, total	NE-4	7/20/2016	1	1	ND	ug/L
Cadmium, total	NE-4	1/11/2017	1	1	ND	ug/L
Cadmium, total	NE-4	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-4	1/26/2018	1	1	ND	ug/L
Cadmium, total	NE-4	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-4	7/12/2018	1	1	ND	ug/L
Cadmium, total	NE-4	10/3/2018	1	1	ND	ug/L
Cadmium, total	NE-4	1/7/2019	1	1	ND	ug/L
Cadmium, total	NE-4	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-4	7/8/2019	2	2	ND	ug/L
Cadmium, total	NE-4	7/8/2019	2	2	ND	ug/L
Cadmium, total	NE-4	10/1/2019	1	1	ND	ug/L
Cadmium, total	NE-4	1/13/2020	1	1	ND	ug/L
Cadmium, total	NE-4	4/1/2020	1	1	ND	ug/L
Cadmium, total	NE-4	7/6/2020	1	1	ND	ug/L
Cadmium, total	NE-4	10/5/2020	1	1	ND	ug/L
Cadmium, total	NE-4	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-4	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-4	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-4	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-4	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-4	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2002	20	20	ND	ug/L
Cadmium, total	NE-5	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-5	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-5	10/2/2002	20	20	ND	ug/L
Cadmium, total	NE-5	7/8/2003	1	1	ND	ug/L
Cadmium, total	NE-5	1/27/2004	1	1	ND	ug/L
Cadmium, total	NE-5	1/12/2005	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-5	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-5	1/10/2007	1	1	ND	ug/L
Cadmium, total	NE-5	1/24/2007	1	1	ND	ug/L
Cadmium, total	NE-5	4/25/2007	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/12/2007	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	NE-5	2/6/2009	1.1	1		ug/L
Cadmium, total	NE-5	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	NE-5	1/26/2010	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/16/2010	0.2	1	ND	ug/L
Cadmium, total	NE-5	9/2/2010	1	1	ND	ug/L
Cadmium, total	NE-5	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/13/2011	0.5	1	ND	ug/L
Cadmium, total	NE-5	1/5/2012	1	1	ND	ug/L
Cadmium, total	NE-5	7/10/2012	0.2	1	ND	ug/L
Cadmium, total	NE-5	4/30/2013	0.4	1	ND	ug/L
Cadmium, total	NE-5	7/16/2013	0.3	1	ND	ug/L
Cadmium, total	NE-5	1/23/2014	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2014	0.2	1	ND	ug/L
Cadmium, total	NE-5	2/11/2015	1	1	ND	ug/L
Cadmium, total	NE-5	7/14/2015	1	1	ND	ug/L
Cadmium, total	NE-5	1/6/2016	1	1	ND	ug/L
Cadmium, total	NE-5	7/20/2016	0.4	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-5	1/11/2017	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-5	1/25/2018	1	1	ND	ug/L
Cadmium, total	NE-5	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-5	7/17/2018	1	1	ND	ug/L
Cadmium, total	NE-5	10/3/2018	1	1	ND	ug/L
Cadmium, total	NE-5	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-5	10/3/2019	1	1	ND	ug/L
Cadmium, total	NE-5	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-5	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-5	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-5	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-5	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-5	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-5	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-5	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-5	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-5	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-5	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-5	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-5	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-5E	9/30/2019	19	1		ug/L
Cadmium, total	NE-5E	1/16/2020	24.7	1		ug/L
Cadmium, total	NE-5E	4/1/2020	40.3	1		ug/L
Cadmium, total	NE-5E	7/8/2020	28.6	1		ug/L
Cadmium, total	NE-5E	10/6/2020	25.5	1		ug/L
Cadmium, total	NE-5E	1/15/2021	23.1	1		ug/L
Cadmium, total	NE-5E	4/9/2021	23.4	1		ug/L
Cadmium, total	NE-5E	7/2/2021	20.2	1		ug/L
Cadmium, total	NE-5E	10/6/2021	18.6	1		ug/L
Cadmium, total	NE-5E	1/18/2022	14.3	1		ug/L
Cadmium, total	NE-5E	4/6/2022	14.3	1		ug/L
Cadmium, total	NE-5E	7/13/2022	17.7	1		ug/L
Cadmium, total	NE-5E	10/7/2022	25.7	1		ug/L
Cadmium, total	NE-5E	1/5/2023	15	1		ug/L
Cadmium, total	NE-5E	4/7/2023	13.8	1		ug/L
Cadmium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Cadmium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-6	1/12/2017	0.8	1	ND	ug/L
Cadmium, total	NE-6	4/5/2017	0.3	1	ND	ug/L
Cadmium, total	NE-6	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-6	10/6/2017	1	1	ND	ug/L
Cadmium, total	NE-6	2/4/2019	1	1	ND	ug/L
Cadmium, total	NE-6	8/6/2019	0.59	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-6	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-6	7/9/2020	1	1	ND	ug/L
Cadmium, total	NE-6	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-6	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-6	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-6	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-6	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-6	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-6	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-6D	10/2/2019	2.9	1		ug/L
Cadmium, total	NE-6D	1/15/2020	6.65	1		ug/L
Cadmium, total	NE-6D	4/2/2020	8.79	1		ug/L
Cadmium, total	NE-6D	7/9/2020	7.51	1		ug/L
Cadmium, total	NE-6D	10/7/2020	6.22	1		ug/L
Cadmium, total	NE-6D	1/15/2021	6.83	1		ug/L
Cadmium, total	NE-6D	4/9/2021	5.58	1		ug/L
Cadmium, total	NE-6D	7/2/2021	7.9	1		ug/L
Cadmium, total	NE-6D	10/7/2021	4.99	1		ug/L
Cadmium, total	NE-6D	1/17/2022	6.3	1		ug/L
Cadmium, total	NE-6D	4/6/2022	5.88	1		ug/L
Cadmium, total	NE-6D	7/12/2022	5.63	1		ug/L
Cadmium, total	NE-6D	10/7/2022	4.05	1		ug/L
Cadmium, total	NE-6D	1/5/2023	5.22	1		ug/L
Cadmium, total	NE-6D	4/7/2023	4.61	1		ug/L
Cadmium, total	NE-7	3/1/2017	1.4	1		ug/L
Cadmium, total	NE-7	4/6/2017	1	1	ND	ug/L
Cadmium, total	NE-7	7/20/2017	0.5	1	ND	ug/L
Cadmium, total	NE-7	10/5/2017	1.4	1		ug/L
Cadmium, total	NE-7	2/6/2019	1	1	ND	ug/L
Cadmium, total	NE-7	8/6/2019	0.65	2	ND	ug/L
Cadmium, total	NE-7	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-7	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-7	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-7	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-7	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-7	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-7	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-7	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-7	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-8	1/12/2017	1	1	ND	ug/L
Cadmium, total	NE-8	4/5/2017	1	1	ND	ug/L
Cadmium, total	NE-8	7/20/2017	1.1	1		ug/L
Cadmium, total	NE-8	10/6/2017	1	1	ND	ug/L
Cadmium, total	NE-8	2/4/2019	1	1	ND	ug/L
Cadmium, total	NE-8	8/5/2019	1.9	2	ND	ug/L
Cadmium, total	NE-8	1/15/2020	2.79	1		ug/L
Cadmium, total	NE-8	7/8/2020	4.94	1		ug/L
Cadmium, total	NE-8	10/7/2020	1.47	1		ug/L
Cadmium, total	NE-8	10/7/2020	1.47	1		ug/L
Cadmium, total	NE-8	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-8	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-8	4/9/2021	1.17	1		ug/L
Cadmium, total	NE-8	7/1/2021	2.64	1		ug/L
Cadmium, total	NE-8	7/1/2021	2.54	1		ug/L
Cadmium, total	NE-8	10/7/2021	3.17	1		ug/L
Cadmium, total	NE-8	1/6/2023	2.52	1		ug/L
Cadmium, total	NE-9	1/12/2017	0.6	1	ND	ug/L
Cadmium, total	NE-9	4/5/2017	1	1	ND	ug/L
Cadmium, total	NE-9	7/20/2017	1	1	ND	ug/L
Cadmium, total	NE-9	10/5/2017	1	1	ND	ug/L
Cadmium, total	NE-9	2/5/2019	1.3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-9	8/7/2019	2.1	2		ug/L
Cadmium, total	NE-9	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-9	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-9	1/17/2021	1.04	1		ug/L
Cadmium, total	NE-9	1/17/2021	1.07	1		ug/L
Cadmium, total	NE-9	7/1/2021	2.92	1		ug/L
Cadmium, total	NE-9	1/17/2022	3.6	1		ug/L
Cadmium, total	NE-9	1/17/2022	4.07	1		ug/L
Cadmium, total	NE-9	7/13/2022	8.31	1		ug/L
Cadmium, total	NE-9	1/6/2023	10.3	1		ug/L
Cadmium, total	NE-9	4/8/2023	10.4	1		ug/L
Calcium, dissolved	LGW-14R	1/25/2006	76.3	0.04		mg/L
Calcium, dissolved	LGW-2	1/25/2006	95.4	0.04		mg/L
Calcium, dissolved	LGW-4	1/24/2006	96.8	0.04		mg/L
Calcium, dissolved	LGW-5	1/25/2006	79.2	0.04		mg/L
Calcium, dissolved	LGW-6	1/24/2006	88.4	0.04		mg/L
Calcium, dissolved	LGW-7	1/25/2006	85.1	0.04		mg/L
Calcium, dissolved	LGW-8R	1/24/2006	84.9	0.04		mg/L
Calcium, dissolved	MW-10N	7/10/2002	45.2	0.047		mg/L
Calcium, dissolved	MW-10N	10/2/2002	43.5	0.04		mg/L
Calcium, dissolved	MW-11N	7/9/2002	71.8	0.047		mg/L
Calcium, dissolved	MW-11N	10/2/2002	74.2	0.04		mg/L
Calcium, dissolved	MW-1N	7/9/2002	141	0.047		mg/L
Calcium, dissolved	MW-1N	10/3/2002	136	0.04		mg/L
Calcium, dissolved	MW-2N	7/10/2002	45.5	0.047		mg/L
Calcium, dissolved	MW-2N	10/2/2002	44.8	0.04		mg/L
Calcium, dissolved	MW-3N	7/9/2002	132	0.047		mg/L
Calcium, dissolved	MW-3N	10/2/2002	136	0.04		mg/L
Calcium, dissolved	MW-7N	7/9/2002	159	0.047		mg/L
Calcium, dissolved	MW-7N	10/2/2002	160	0.04		mg/L
Calcium, dissolved	MW-8N	7/9/2002	52.1	0.047		mg/L
Calcium, dissolved	MW-8N	10/2/2002	57.3	0.12		mg/L
Calcium, dissolved	NE-1	7/10/2002	82.8	0.047		mg/L
Calcium, dissolved	NE-1	8/6/2002	78.5	0.047		mg/L
Calcium, dissolved	NE-1	9/4/2002	81.8	0.04		mg/L
Calcium, dissolved	NE-1	10/2/2002	88	0.04		mg/L
Calcium, dissolved	NE-2	7/9/2002	86.2	0.047		mg/L
Calcium, dissolved	NE-2	8/6/2002	64.1	0.047		mg/L
Calcium, dissolved	NE-2	9/4/2002	29.1	0.04		mg/L
Calcium, dissolved	NE-2	10/2/2002	44.6	0.04		mg/L
Calcium, dissolved	NE-3	7/9/2002	114	0.047		mg/L
Calcium, dissolved	NE-3	8/6/2002	153	0.047		mg/L
Calcium, dissolved	NE-3	9/4/2002	162	0.04		mg/L
Calcium, dissolved	NE-3	10/2/2002	193	0.12		mg/L
Calcium, dissolved	NE-4	7/10/2002	137	0.047		mg/L
Calcium, dissolved	NE-4	8/6/2002	126	0.047		mg/L
Calcium, dissolved	NE-4	9/4/2002	119	0.04		mg/L
Calcium, dissolved	NE-4	10/3/2002	134	0.04		mg/L
Calcium, dissolved	NE-5	7/9/2002	146	0.047		mg/L
Calcium, dissolved	NE-5	8/6/2002	146	0.047		mg/L
Calcium, dissolved	NE-5	9/4/2002	147	0.04		mg/L
Calcium, dissolved	NE-5	10/2/2002	157	0.04		mg/L
Calcium, total	LGW-10	1/26/2006	173	1		mg/L
Calcium, total	LGW-10	8/1/2006	210	0.2		mg/L
Calcium, total	LGW-10	8/1/2006	210	0.2		mg/L
Calcium, total	LGW-10	1/25/2007	140	0.2		mg/L
Calcium, total	LGW-10	4/26/2007	170	0.2		mg/L
Calcium, total	LGW-10	7/12/2007	180	0.2		mg/L
Calcium, total	LGW-10	1/23/2008	140	0.2		mg/L
Calcium, total	LGW-10	7/22/2008	170	0.2		mg/L
Calcium, total	LGW-10	7/29/2009	170	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-10	2/3/2010	160	0.2		mg/L
Calcium, total	LGW-10	2/3/2010	160	0.2		mg/L
Calcium, total	LGW-10	7/16/2010	170	0.2		mg/L
Calcium, total	LGW-10	1/19/2011	150	0.2		mg/L
Calcium, total	LGW-10	7/12/2011	190	0.2		mg/L
Calcium, total	LGW-10	1/5/2012	180	0.2		mg/L
Calcium, total	LGW-10	7/9/2012	190	0.2		mg/L
Calcium, total	LGW-10	5/1/2013	180	0.2		mg/L
Calcium, total	LGW-10	1/30/2014	180	0.2		mg/L
Calcium, total	LGW-10	7/9/2014	190	0.2		mg/L
Calcium, total	LGW-10	2/12/2015	200	0.2		mg/L
Calcium, total	LGW-10	7/13/2015	190	0.2		mg/L
Calcium, total	LGW-10	1/5/2016	200	0.2		mg/L
Calcium, total	LGW-10	4/6/2016	200	0.2		mg/L
Calcium, total	LGW-10	7/21/2016	190	0.2		mg/L
Calcium, total	LGW-10	10/6/2016	190	0.2		mg/L
Calcium, total	LGW-10	1/11/2017	170	0.2		mg/L
Calcium, total	LGW-10	4/4/2017	200	0.2		mg/L
Calcium, total	LGW-10	7/19/2017	190	0.2		mg/L
Calcium, total	LGW-10	10/9/2017	180	0.2		mg/L
Calcium, total	LGW-10	1/24/2018	170	0.2		mg/L
Calcium, total	LGW-10	4/11/2018	200	0.2		mg/L
Calcium, total	LGW-10	7/16/2018	150	0.2		mg/L
Calcium, total	LGW-10	10/4/2018	160	0.2		mg/L
Calcium, total	LGW-10	1/4/2019	190	0.2		mg/L
Calcium, total	LGW-10	4/3/2019	180	0.2		mg/L
Calcium, total	LGW-10	7/11/2019	180	0.2		mg/L
Calcium, total	LGW-10	7/11/2019	170	0.2		mg/L
Calcium, total	LGW-10	10/2/2019	170	0.2		mg/L
Calcium, total	LGW-10	1/15/2020	197	0.2		mg/L
Calcium, total	LGW-10	7/9/2020	187	0.2		mg/L
Calcium, total	LGW-10	1/17/2021	127	0.2		mg/L
Calcium, total	LGW-10	7/7/2021	184	0.2		mg/L
Calcium, total	LGW-10	7/7/2021	183	0.2		mg/L
Calcium, total	LGW-10	1/13/2022	182	0.2		mg/L
Calcium, total	LGW-10	7/11/2022	182	0.2		mg/L
Calcium, total	LGW-10	1/11/2023	171	0.2		mg/L
Calcium, total	LGW-14R	1/25/2006	460	1		mg/L
Calcium, total	LGW-14R	8/2/2006	210	0.2		mg/L
Calcium, total	LGW-14R	8/2/2006	210	0.2		mg/L
Calcium, total	LGW-14R	1/24/2007	79	0.2		mg/L
Calcium, total	LGW-14R	4/24/2007	140	0.2		mg/L
Calcium, total	LGW-14R	7/11/2007	270	0.2		mg/L
Calcium, total	LGW-14R	1/23/2008	73	0.2		mg/L
Calcium, total	LGW-14R	7/22/2008	77	0.2		mg/L
Calcium, total	LGW-14R	2/6/2009	110	0.2		mg/L
Calcium, total	LGW-14R	7/29/2009	62	0.2		mg/L
Calcium, total	LGW-14R	2/3/2010	62	0.2		mg/L
Calcium, total	LGW-14R	2/3/2010	62	0.2		mg/L
Calcium, total	LGW-14R	7/12/2010	69	0.2		mg/L
Calcium, total	LGW-14R	1/19/2011	68	0.2		mg/L
Calcium, total	LGW-14R	7/12/2011	65	0.2		mg/L
Calcium, total	LGW-14R	1/5/2012	61	0.2		mg/L
Calcium, total	LGW-14R	7/9/2012	71	0.2		mg/L
Calcium, total	LGW-14R	4/30/2013	62	0.2		mg/L
Calcium, total	LGW-14R	1/23/2014	68	0.2		mg/L
Calcium, total	LGW-14R	7/8/2014	66	0.2		mg/L
Calcium, total	LGW-14R	2/11/2015	68	0.2		mg/L
Calcium, total	LGW-14R	7/22/2015	78	0.2		mg/L
Calcium, total	LGW-14R	1/5/2016	79	0.2		mg/L
Calcium, total	LGW-14R	7/19/2016	74	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-14R	1/11/2017	79	0.2		mg/L
Calcium, total	LGW-14R	7/18/2017	85	0.2		mg/L
Calcium, total	LGW-14R	1/25/2018	79	0.2		mg/L
Calcium, total	LGW-14R	7/17/2018	74	0.2		mg/L
Calcium, total	LGW-14R	1/3/2019	82	0.2		mg/L
Calcium, total	LGW-14R	7/10/2019	80	0.2		mg/L
Calcium, total	LGW-14R	1/16/2020	91	0.2		mg/L
Calcium, total	LGW-14R	7/9/2020	85.9	0.2		mg/L
Calcium, total	LGW-14R	1/18/2021	92.7	0.2		mg/L
Calcium, total	LGW-14R	1/18/2021	92.7	0.2		mg/L
Calcium, total	LGW-14R	7/7/2021	95.2	0.2		mg/L
Calcium, total	LGW-14R	7/7/2021	93.2	0.2		mg/L
Calcium, total	LGW-14R	1/12/2022	97.9	0.2		mg/L
Calcium, total	LGW-14R	7/11/2022	96.1	0.2		mg/L
Calcium, total	LGW-14R	1/10/2023	103	0.2		mg/L
Calcium, total	LGW-2	1/25/2006	241	1		mg/L
Calcium, total	LGW-2	8/1/2006	110	0.2		mg/L
Calcium, total	LGW-2	8/1/2006	110	0.2		mg/L
Calcium, total	LGW-2	1/25/2007	92	0.2		mg/L
Calcium, total	LGW-2	4/26/2007	97	0.2		mg/L
Calcium, total	LGW-2	7/10/2007	90	0.2		mg/L
Calcium, total	LGW-2	1/26/2008	100	0.2		mg/L
Calcium, total	LGW-2	7/23/2008	92	0.2		mg/L
Calcium, total	LGW-2	2/6/2009	140	0.2		mg/L
Calcium, total	LGW-2	7/30/2009	110	0.2		mg/L
Calcium, total	LGW-2	2/3/2010	99	0.2		mg/L
Calcium, total	LGW-2	2/3/2010	99	0.2		mg/L
Calcium, total	LGW-2	7/12/2010	110	0.2		mg/L
Calcium, total	LGW-2	1/19/2011	130	0.2		mg/L
Calcium, total	LGW-2	7/13/2011	120	0.2		mg/L
Calcium, total	LGW-2	1/4/2012	120	0.2		mg/L
Calcium, total	LGW-2	7/9/2012	120	0.2		mg/L
Calcium, total	LGW-2	4/30/2013	130	0.2		mg/L
Calcium, total	LGW-2	7/15/2013	130	0.2		mg/L
Calcium, total	LGW-2	1/30/2014	110	0.2		mg/L
Calcium, total	LGW-2	7/8/2014	120	0.2		mg/L
Calcium, total	LGW-2	2/13/2015	120	0.2		mg/L
Calcium, total	LGW-2	7/8/2015	120	0.2		mg/L
Calcium, total	LGW-2	1/5/2016	130	0.2		mg/L
Calcium, total	LGW-2	7/19/2016	120	0.2		mg/L
Calcium, total	LGW-2	1/11/2017	170	0.2		mg/L
Calcium, total	LGW-2	7/18/2017	140	0.2		mg/L
Calcium, total	LGW-2	1/23/2018	180	0.2		mg/L
Calcium, total	LGW-2	7/12/2018	190	0.2		mg/L
Calcium, total	LGW-2	1/3/2019	210	0.2		mg/L
Calcium, total	LGW-2	7/9/2019	160	0.2		mg/L
Calcium, total	LGW-2	1/13/2020	138	0.2		mg/L
Calcium, total	LGW-2	7/8/2020	114	0.2		mg/L
Calcium, total	LGW-2	1/18/2021	127	0.2		mg/L
Calcium, total	LGW-2	1/18/2021	127	0.2		mg/L
Calcium, total	LGW-2	7/4/2021	121	0.2		mg/L
Calcium, total	LGW-2	7/4/2021	121	0.2		mg/L
Calcium, total	LGW-2	1/12/2022	121	0.2		mg/L
Calcium, total	LGW-2	7/10/2022	120	0.2		mg/L
Calcium, total	LGW-2	1/10/2023	110	0.2		mg/L
Calcium, total	LGW-3R	1/24/2006	110	1		mg/L
Calcium, total	LGW-3R	7/20/2006	100	0.2		mg/L
Calcium, total	LGW-3R	7/20/2006	100	0.2		mg/L
Calcium, total	LGW-3R	1/25/2007	60	0.2		mg/L
Calcium, total	LGW-3R	4/26/2007	79	0.2		mg/L
Calcium, total	LGW-3R	7/11/2007	72	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-3R	1/26/2008	93	0.2		mg/L
Calcium, total	LGW-3R	7/23/2008	44	0.2		mg/L
Calcium, total	LGW-3R	2/3/2009	68	0.2		mg/L
Calcium, total	LGW-3R	7/31/2009	56	0.2		mg/L
Calcium, total	LGW-3R	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-3R	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-3R	7/16/2010	51	0.2		mg/L
Calcium, total	LGW-3R	1/19/2011	86	0.2		mg/L
Calcium, total	LGW-3R	7/13/2011	53	0.2		mg/L
Calcium, total	LGW-3R	1/4/2012	68	0.2		mg/L
Calcium, total	LGW-3R	7/9/2012	84	0.2		mg/L
Calcium, total	LGW-3R	4/30/2013	49	0.2		mg/L
Calcium, total	LGW-3R	7/15/2013	68	0.2		mg/L
Calcium, total	LGW-3R	1/22/2014	73	0.2		mg/L
Calcium, total	LGW-3R	7/8/2014	80	0.2		mg/L
Calcium, total	LGW-3R	2/10/2015	80	0.2		mg/L
Calcium, total	LGW-3R	7/16/2015	76	0.2		mg/L
Calcium, total	LGW-3R	1/8/2016	17	0.2		mg/L
Calcium, total	LGW-3R	7/21/2016	64	0.2		mg/L
Calcium, total	LGW-3R	1/11/2017	110	0.2		mg/L
Calcium, total	LGW-3R	7/18/2017	94	0.2		mg/L
Calcium, total	LGW-3R	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-3R	7/11/2018	100	0.2		mg/L
Calcium, total	LGW-3R	1/3/2019	120	0.2		mg/L
Calcium, total	LGW-3R	7/9/2019	71	0.2		mg/L
Calcium, total	LGW-3R	1/14/2020	35.7	0.2		mg/L
Calcium, total	LGW-3R	7/6/2020	58.5	0.2		mg/L
Calcium, total	LGW-3R	1/18/2021	71.9	0.2		mg/L
Calcium, total	LGW-3R	1/18/2021	71.9	0.2		mg/L
Calcium, total	LGW-3R	7/6/2021	31.6	0.2		mg/L
Calcium, total	LGW-3R	7/6/2021	25.8	0.2		mg/L
Calcium, total	LGW-3R	1/12/2022	24.4	0.2		mg/L
Calcium, total	LGW-3R	7/10/2022	26.9	0.2		mg/L
Calcium, total	LGW-3R	1/10/2023	13.9	0.2		mg/L
Calcium, total	LGW-4	1/24/2006	95.8	1		mg/L
Calcium, total	LGW-4	7/20/2006	94	0.2		mg/L
Calcium, total	LGW-4	7/20/2006	94	0.2		mg/L
Calcium, total	LGW-4	1/25/2007	72	0.2		mg/L
Calcium, total	LGW-4	4/26/2007	83	0.2		mg/L
Calcium, total	LGW-4	7/11/2007	83	0.2		mg/L
Calcium, total	LGW-4	1/22/2008	87	0.2		mg/L
Calcium, total	LGW-4	7/23/2008	63	0.2		mg/L
Calcium, total	LGW-4	2/3/2009	68	0.2		mg/L
Calcium, total	LGW-4	7/31/2009	69	0.2		mg/L
Calcium, total	LGW-4	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-4	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-4	7/16/2010	53	0.2		mg/L
Calcium, total	LGW-4	1/19/2011	74	0.2		mg/L
Calcium, total	LGW-4	7/13/2011	73	0.2		mg/L
Calcium, total	LGW-4	1/4/2012	65	0.2		mg/L
Calcium, total	LGW-4	7/9/2012	76	0.2		mg/L
Calcium, total	LGW-4	4/30/2013	52	0.2		mg/L
Calcium, total	LGW-4	7/15/2013	63	0.2		mg/L
Calcium, total	LGW-4	1/23/2014	69	0.2		mg/L
Calcium, total	LGW-4	7/8/2014	76	0.2		mg/L
Calcium, total	LGW-4	2/11/2015	86	0.2		mg/L
Calcium, total	LGW-4	7/8/2015	79	0.2		mg/L
Calcium, total	LGW-4	1/5/2016	80	0.2		mg/L
Calcium, total	LGW-4	7/19/2016	90	0.2		mg/L
Calcium, total	LGW-4	1/11/2017	94	0.2		mg/L
Calcium, total	LGW-4	7/18/2017	98	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-4	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-4	7/11/2018	100	0.2		mg/L
Calcium, total	LGW-4	1/3/2019	110	0.2		mg/L
Calcium, total	LGW-4	7/9/2019	89	0.2		mg/L
Calcium, total	LGW-4	1/14/2020	87.5	0.2		mg/L
Calcium, total	LGW-4	7/6/2020	80.5	0.2		mg/L
Calcium, total	LGW-4	1/18/2021	123	0.2		mg/L
Calcium, total	LGW-4	1/18/2021	123	0.2		mg/L
Calcium, total	LGW-4	7/7/2021	122	0.2		mg/L
Calcium, total	LGW-4	7/7/2021	119	0.2		mg/L
Calcium, total	LGW-4	1/12/2022	103	0.2		mg/L
Calcium, total	LGW-4	7/11/2022	103	0.2		mg/L
Calcium, total	LGW-4	1/10/2023	137	0.2		mg/L
Calcium, total	LGW-5	1/25/2006	84	1		mg/L
Calcium, total	LGW-5	8/1/2006	81	0.2		mg/L
Calcium, total	LGW-5	8/1/2006	81	0.2		mg/L
Calcium, total	LGW-5	1/25/2007	82	0.2		mg/L
Calcium, total	LGW-5	4/26/2007	80	0.2		mg/L
Calcium, total	LGW-5	7/11/2007	90	0.2		mg/L
Calcium, total	LGW-5	1/23/2008	76	0.2		mg/L
Calcium, total	LGW-5	7/23/2008	72	0.2		mg/L
Calcium, total	LGW-5	2/4/2009	74	0.2		mg/L
Calcium, total	LGW-5	7/29/2009	66	0.2		mg/L
Calcium, total	LGW-5	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-5	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-5	7/12/2010	71	0.2		mg/L
Calcium, total	LGW-5	1/19/2011	72	0.2		mg/L
Calcium, total	LGW-5	7/12/2011	62	0.2		mg/L
Calcium, total	LGW-5	1/5/2012	60	0.2		mg/L
Calcium, total	LGW-5	7/9/2012	71	0.2		mg/L
Calcium, total	LGW-5	4/30/2013	68	0.2		mg/L
Calcium, total	LGW-5	7/15/2013	64	0.2		mg/L
Calcium, total	LGW-5	1/23/2014	77	0.2		mg/L
Calcium, total	LGW-5	7/8/2014	100	0.2		mg/L
Calcium, total	LGW-5	2/10/2015	140	0.2		mg/L
Calcium, total	LGW-5	7/8/2015	88	0.2		mg/L
Calcium, total	LGW-5	1/5/2016	99	0.2		mg/L
Calcium, total	LGW-5	7/19/2016	100	0.2		mg/L
Calcium, total	LGW-5	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-5	7/18/2017	120	0.2		mg/L
Calcium, total	LGW-5	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-5	7/12/2018	110	0.2		mg/L
Calcium, total	LGW-5	1/3/2019	120	0.2		mg/L
Calcium, total	LGW-5	7/9/2019	110	0.2		mg/L
Calcium, total	LGW-5	1/14/2020	119	0.2		mg/L
Calcium, total	LGW-5	7/6/2020	111	0.2		mg/L
Calcium, total	LGW-5	1/18/2021	120	0.2		mg/L
Calcium, total	LGW-5	1/18/2021	120	0.2		mg/L
Calcium, total	LGW-5	7/7/2021	120	0.2		mg/L
Calcium, total	LGW-5	7/7/2021	119	0.2		mg/L
Calcium, total	LGW-5	1/12/2022	120	0.2		mg/L
Calcium, total	LGW-5	7/11/2022	116	0.2		mg/L
Calcium, total	LGW-5	1/10/2023	117	0.2		mg/L
Calcium, total	LGW-6	1/24/2006	96.7	1		mg/L
Calcium, total	LGW-6	7/20/2006	89	0.2		mg/L
Calcium, total	LGW-6	7/20/2006	89	0.2		mg/L
Calcium, total	LGW-6	1/24/2007	90	0.2		mg/L
Calcium, total	LGW-6	4/26/2007	82	0.2		mg/L
Calcium, total	LGW-6	7/11/2007	76	0.2		mg/L
Calcium, total	LGW-6	1/23/2008	90	0.2		mg/L
Calcium, total	LGW-6	7/23/2008	69	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-6	2/5/2009	82	0.2		mg/L
Calcium, total	LGW-6	7/29/2009	67	0.2		mg/L
Calcium, total	LGW-6	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-6	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-6	7/12/2010	81	0.2		mg/L
Calcium, total	LGW-6	1/19/2011	72	0.2		mg/L
Calcium, total	LGW-6	7/12/2011	66	0.2		mg/L
Calcium, total	LGW-6	1/5/2012	70	0.2		mg/L
Calcium, total	LGW-6	7/9/2012	76	0.2		mg/L
Calcium, total	LGW-6	4/30/2013	82	0.2		mg/L
Calcium, total	LGW-6	7/15/2013	76	0.2		mg/L
Calcium, total	LGW-6	1/23/2014	80	0.2		mg/L
Calcium, total	LGW-6	7/8/2014	74	0.2		mg/L
Calcium, total	LGW-6	2/10/2015	84	0.2		mg/L
Calcium, total	LGW-6	7/22/2015	90	0.2		mg/L
Calcium, total	LGW-6	1/5/2016	100	0.2		mg/L
Calcium, total	LGW-6	7/19/2016	110	0.2		mg/L
Calcium, total	LGW-6	10/6/2016	130	0.2		mg/L
Calcium, total	LGW-6	1/11/2017	120	0.2		mg/L
Calcium, total	LGW-6	5/5/2017	110	0.2		mg/L
Calcium, total	LGW-6	7/18/2017	110	0.2		mg/L
Calcium, total	LGW-6	10/5/2017	110	0.2		mg/L
Calcium, total	LGW-6	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-6	4/10/2018	110	0.2		mg/L
Calcium, total	LGW-6	7/17/2018	110	0.2		mg/L
Calcium, total	LGW-6	10/2/2018	110	0.2		mg/L
Calcium, total	LGW-6	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-6	4/3/2019	120	0.2		mg/L
Calcium, total	LGW-6	7/10/2019	110	0.2		mg/L
Calcium, total	LGW-6	7/10/2019	110	0.2		mg/L
Calcium, total	LGW-6	10/3/2019	100	0.2		mg/L
Calcium, total	LGW-6	1/16/2020	122	0.2		mg/L
Calcium, total	LGW-6	7/9/2020	107	0.2		mg/L
Calcium, total	LGW-6	1/18/2021	124	0.2		mg/L
Calcium, total	LGW-6	7/7/2021	113	0.2		mg/L
Calcium, total	LGW-6	7/7/2021	111	0.2		mg/L
Calcium, total	LGW-6	1/12/2022	111	0.2		mg/L
Calcium, total	LGW-6	7/11/2022	109	0.2		mg/L
Calcium, total	LGW-6	1/10/2023	104	0.2		mg/L
Calcium, total	LGW-7	1/25/2006	90.5	1		mg/L
Calcium, total	LGW-7	8/1/2006	99	0.2		mg/L
Calcium, total	LGW-7	8/1/2006	99	0.2		mg/L
Calcium, total	LGW-7	1/24/2007	73	0.2		mg/L
Calcium, total	LGW-7	4/26/2007	77	0.2		mg/L
Calcium, total	LGW-7	7/12/2007	70	0.2		mg/L
Calcium, total	LGW-7	7/22/2008	72	0.2		mg/L
Calcium, total	LGW-7	2/4/2009	73	0.2		mg/L
Calcium, total	LGW-7	7/31/2009	65	0.2		mg/L
Calcium, total	LGW-7	1/27/2010	73	0.2		mg/L
Calcium, total	LGW-7	7/12/2010	70	0.2		mg/L
Calcium, total	LGW-7	1/20/2011	72	0.2		mg/L
Calcium, total	LGW-7	7/12/2011	67	0.2		mg/L
Calcium, total	LGW-7	1/5/2012	67	0.2		mg/L
Calcium, total	LGW-7	7/10/2012	83	0.2		mg/L
Calcium, total	LGW-7	4/30/2013	70	0.2		mg/L
Calcium, total	LGW-7	7/15/2013	79	0.2		mg/L
Calcium, total	LGW-7	1/23/2014	83	0.2		mg/L
Calcium, total	LGW-7	7/8/2014	86	0.2		mg/L
Calcium, total	LGW-7	2/11/2015	100	0.2		mg/L
Calcium, total	LGW-7	7/22/2015	87	0.2		mg/L
Calcium, total	LGW-7	1/5/2016	96	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-7	4/6/2016	100	0.2		mg/L
Calcium, total	LGW-7	7/20/2016	100	0.2		mg/L
Calcium, total	LGW-7	10/6/2016	110	0.2		mg/L
Calcium, total	LGW-7	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-7	4/4/2017	94	0.2		mg/L
Calcium, total	LGW-7	7/18/2017	88	0.2		mg/L
Calcium, total	LGW-7	10/5/2017	95	0.2		mg/L
Calcium, total	LGW-7	1/24/2018	100	0.2		mg/L
Calcium, total	LGW-7	4/11/2018	99	0.2		mg/L
Calcium, total	LGW-7	7/12/2018	93	0.2		mg/L
Calcium, total	LGW-7	10/2/2018	100	0.2		mg/L
Calcium, total	LGW-7	1/7/2019	110	0.2		mg/L
Calcium, total	LGW-7	4/3/2019	110	0.2		mg/L
Calcium, total	LGW-7	7/10/2019	100	0.2		mg/L
Calcium, total	LGW-7	7/10/2019	97	0.2		mg/L
Calcium, total	LGW-7	10/3/2019	97	0.2		mg/L
Calcium, total	LGW-7	1/15/2020	114	0.2		mg/L
Calcium, total	LGW-7	7/9/2020	104	0.2		mg/L
Calcium, total	LGW-7	1/18/2021	108	0.2		mg/L
Calcium, total	LGW-7	7/7/2021	111	0.2		mg/L
Calcium, total	LGW-7	7/7/2021	112	0.2		mg/L
Calcium, total	LGW-7	1/13/2022	104	0.2		mg/L
Calcium, total	LGW-7	7/11/2022	120	0.2		mg/L
Calcium, total	LGW-7	1/11/2023	101	0.2		mg/L
Calcium, total	LGW-8R	1/24/2006	84.6	1		mg/L
Calcium, total	LGW-8R	7/20/2006	86	0.2		mg/L
Calcium, total	LGW-8R	7/20/2006	86	0.2		mg/L
Calcium, total	LGW-8R	1/24/2007	74	0.2		mg/L
Calcium, total	LGW-8R	4/25/2007	72	0.2		mg/L
Calcium, total	LGW-8R	7/12/2007	86	0.2		mg/L
Calcium, total	LGW-8R	2/4/2009	98	0.2	ND	mg/L
Calcium, total	LGW-8R	7/29/2009	89	0.2		mg/L
Calcium, total	LGW-8R	1/27/2010	100	0.2		mg/L
Calcium, total	LGW-8R	7/14/2010	95	0.2		mg/L
Calcium, total	LGW-8R	1/20/2011	93	0.2		mg/L
Calcium, total	LGW-8R	7/12/2011	89	0.2		mg/L
Calcium, total	LGW-8R	1/5/2012	88	0.2		mg/L
Calcium, total	LGW-8R	7/9/2012	94	0.2		mg/L
Calcium, total	LGW-8R	4/30/2013	94	0.2	ND	mg/L
Calcium, total	LGW-8R	7/15/2013	90	0.2	ND	mg/L
Calcium, total	LGW-8R	1/22/2014	95	0.2		mg/L
Calcium, total	LGW-8R	7/8/2014	87	0.2		mg/L
Calcium, total	LGW-8R	2/11/2015	95	0.2		mg/L
Calcium, total	LGW-8R	7/22/2015	100	0.2		mg/L
Calcium, total	LGW-8R	1/5/2016	100	0.2		mg/L
Calcium, total	LGW-8R	7/20/2016	110	0.2		mg/L
Calcium, total	LGW-8R	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-8R	7/18/2017	130	0.2		mg/L
Calcium, total	LGW-8R	1/25/2018	110	0.2		mg/L
Calcium, total	LGW-8R	7/13/2018	110	0.2		mg/L
Calcium, total	LGW-8R	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-8R	7/8/2019	120	0.2		mg/L
Calcium, total	LGW-8R	1/14/2020	128	0.2		mg/L
Calcium, total	LGW-8R	7/7/2020	126	0.2		mg/L
Calcium, total	LGW-8R	1/17/2021	131	0.2		mg/L
Calcium, total	LGW-8R	7/7/2021	131	0.2		mg/L
Calcium, total	LGW-8R	7/7/2021	131	0.2		mg/L
Calcium, total	LGW-8R	1/13/2022	134	0.2		mg/L
Calcium, total	LGW-8R	7/11/2022	139	0.2		mg/L
Calcium, total	LGW-8R	1/11/2023	130	0.2		mg/L
Calcium, total	LGW-9	1/25/2006	85.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-9	7/20/2006	81	0.2		mg/L
Calcium, total	LGW-9	7/20/2006	81	0.2		mg/L
Calcium, total	LGW-9	1/25/2007	89	0.2		mg/L
Calcium, total	LGW-9	4/25/2007	97	0.2		mg/L
Calcium, total	LGW-9	7/10/2007	99	0.2		mg/L
Calcium, total	LGW-9	7/22/2008	100	0.2		mg/L
Calcium, total	LGW-9	2/4/2009	89	0.2		mg/L
Calcium, total	LGW-9	7/29/2009	91	0.2		mg/L
Calcium, total	LGW-9	1/27/2010	110	0.2		mg/L
Calcium, total	LGW-9	7/14/2010	110	0.2		mg/L
Calcium, total	LGW-9	1/20/2011	110	0.2		mg/L
Calcium, total	LGW-9	7/12/2011	100	0.2		mg/L
Calcium, total	LGW-9	1/5/2012	100	0.2		mg/L
Calcium, total	LGW-9	7/10/2012	110	0.2		mg/L
Calcium, total	LGW-9	5/1/2013	99	0.2		mg/L
Calcium, total	LGW-9	7/15/2013	89	0.2		mg/L
Calcium, total	LGW-9	1/23/2014	85	0.2		mg/L
Calcium, total	LGW-9	7/8/2014	87	0.2		mg/L
Calcium, total	LGW-9	2/11/2015	110	0.2		mg/L
Calcium, total	LGW-9	7/13/2015	99	0.2		mg/L
Calcium, total	LGW-9	1/5/2016	110	0.2		mg/L
Calcium, total	LGW-9	7/21/2016	120	0.2		mg/L
Calcium, total	LGW-9	10/6/2016	120	0.2		mg/L
Calcium, total	LGW-9	1/11/2017	130	0.2		mg/L
Calcium, total	LGW-9	5/5/2017	110	0.2		mg/L
Calcium, total	LGW-9	7/18/2017	130	0.2		mg/L
Calcium, total	LGW-9	10/5/2017	120	0.2		mg/L
Calcium, total	LGW-9	1/24/2018	130	0.2		mg/L
Calcium, total	LGW-9	4/11/2018	120	0.2		mg/L
Calcium, total	LGW-9	7/13/2018	110	0.2		mg/L
Calcium, total	LGW-9	10/2/2018	120	0.2		mg/L
Calcium, total	LGW-9	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-9	4/3/2019	130	0.2		mg/L
Calcium, total	LGW-9	7/10/2019	96	0.2		mg/L
Calcium, total	LGW-9	7/10/2019	95	0.2		mg/L
Calcium, total	LGW-9	10/3/2019	90	0.2		mg/L
Calcium, total	LGW-9	1/16/2020	109	0.2		mg/L
Calcium, total	LGW-9	7/9/2020	101	0.2		mg/L
Calcium, total	LGW-9	1/17/2021	198	0.2		mg/L
Calcium, total	LGW-9	7/7/2021	127	0.2		mg/L
Calcium, total	LGW-9	7/7/2021	130	0.2		mg/L
Calcium, total	LGW-9	1/13/2022	113	0.2		mg/L
Calcium, total	LGW-9	7/11/2022	125	0.2		mg/L
Calcium, total	LGW-9	1/11/2023	111	0.2		mg/L
Calcium, total	MW-10N	10/22/1997	52.7	0.04		mg/L
Calcium, total	MW-10N	1/22/1998	56.9	0.04		mg/L
Calcium, total	MW-10N	4/28/1998	54.8	0.04		mg/L
Calcium, total	MW-10N	7/23/1998	56.5	0.05		mg/L
Calcium, total	MW-10N	7/8/2003	45.4	1		mg/L
Calcium, total	MW-10N	1/28/2004	50.5	1		mg/L
Calcium, total	MW-10N	7/27/2004	49.3	1		mg/L
Calcium, total	MW-10N	1/12/2005	46.4	1		mg/L
Calcium, total	MW-10N	7/20/2005	43.5	1		mg/L
Calcium, total	MW-10N	1/19/2006	53.9	1		mg/L
Calcium, total	MW-10N	7/19/2006	48	0.2		mg/L
Calcium, total	MW-10N	7/19/2006	48	0.2		mg/L
Calcium, total	MW-10N	1/24/2007	44	0.2		mg/L
Calcium, total	MW-10N	7/10/2007	36	0.2		mg/L
Calcium, total	MW-10N	1/23/2008	43	0.2		mg/L
Calcium, total	MW-10N	7/21/2008	42	0.2		mg/L
Calcium, total	MW-10N	2/13/2009	42	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-10N	7/31/2009	38	0.2		mg/L
Calcium, total	MW-10N	1/27/2010	45	0.2		mg/L
Calcium, total	MW-10N	8/10/2010	39	0.2		mg/L
Calcium, total	MW-10N	1/19/2011	38	0.2		mg/L
Calcium, total	MW-10N	7/14/2011	37	0.2		mg/L
Calcium, total	MW-10N	1/5/2012	36	0.2		mg/L
Calcium, total	MW-10N	7/10/2012	36	0.2		mg/L
Calcium, total	MW-10N	5/1/2013	34	0.2		mg/L
Calcium, total	MW-10N	1/24/2014	35	0.2		mg/L
Calcium, total	MW-10N	7/9/2014	34	0.2		mg/L
Calcium, total	MW-10N	2/12/2015	35	0.2		mg/L
Calcium, total	MW-10N	7/14/2015	33	0.2		mg/L
Calcium, total	MW-10N	1/6/2016	36	0.2		mg/L
Calcium, total	MW-10N	7/21/2016	35	0.2		mg/L
Calcium, total	MW-10N	1/11/2017	36	0.2		mg/L
Calcium, total	MW-10N	7/19/2017	37	0.2		mg/L
Calcium, total	MW-10N	1/24/2018	35	0.2		mg/L
Calcium, total	MW-10N	7/11/2018	33	0.2		mg/L
Calcium, total	MW-10N	1/3/2019	35	0.2		mg/L
Calcium, total	MW-10N	7/9/2019	32	0.2		mg/L
Calcium, total	MW-10N	1/16/2020	35.8	0.2		mg/L
Calcium, total	MW-10N	7/8/2020	32	0.2		mg/L
Calcium, total	MW-10N	1/13/2021	32.3	0.2		mg/L
Calcium, total	MW-10N	7/5/2021	31.5	0.2		mg/L
Calcium, total	MW-10N	7/5/2021	32.8	0.2		mg/L
Calcium, total	MW-10N	1/11/2023	31.4	0.2		mg/L
Calcium, total	MW-11N	10/22/1997	78.9	0.04		mg/L
Calcium, total	MW-11N	1/21/1998	86.1	0.04		mg/L
Calcium, total	MW-11N	4/28/1998	79.3	0.04		mg/L
Calcium, total	MW-11N	7/23/1998	73.9	0.05		mg/L
Calcium, total	MW-11N	7/8/2003	70.1	1		mg/L
Calcium, total	MW-11N	1/29/2004	73.4	1		mg/L
Calcium, total	MW-11N	7/27/2004	72	1		mg/L
Calcium, total	MW-11N	1/13/2005	64.8	1		mg/L
Calcium, total	MW-11N	7/20/2005	68.9	1		mg/L
Calcium, total	MW-11N	1/19/2006	73.8	1		mg/L
Calcium, total	MW-11N	7/18/2006	68	0.2		mg/L
Calcium, total	MW-11N	7/18/2006	68	0.2		mg/L
Calcium, total	MW-11N	1/24/2007	68	0.2		mg/L
Calcium, total	MW-11N	7/10/2007	67	0.2		mg/L
Calcium, total	MW-11N	1/22/2008	68	0.2		mg/L
Calcium, total	MW-11N	7/23/2008	68	0.2		mg/L
Calcium, total	MW-11N	2/3/2009	66	0.2		mg/L
Calcium, total	MW-11N	7/31/2009	66	0.2		mg/L
Calcium, total	MW-11N	2/3/2010	68	0.2		mg/L
Calcium, total	MW-11N	2/3/2010	68	0.2		mg/L
Calcium, total	MW-11N	7/16/2010	65	0.2		mg/L
Calcium, total	MW-11N	1/19/2011	66	0.2		mg/L
Calcium, total	MW-11N	7/13/2011	66	0.2		mg/L
Calcium, total	MW-11N	1/4/2012	67	0.2		mg/L
Calcium, total	MW-11N	7/9/2012	72	0.2		mg/L
Calcium, total	MW-11N	4/30/2013	69	0.2		mg/L
Calcium, total	MW-11N	7/15/2013	68	0.2		mg/L
Calcium, total	MW-11N	1/23/2014	71	0.2		mg/L
Calcium, total	MW-11N	7/8/2014	70	0.2		mg/L
Calcium, total	MW-11N	2/10/2015	70	0.2		mg/L
Calcium, total	MW-11N	7/13/2015	66	0.2		mg/L
Calcium, total	MW-11N	1/5/2016	68	0.2		mg/L
Calcium, total	MW-11N	7/21/2016	73	0.2		mg/L
Calcium, total	MW-11N	1/11/2017	72	0.2		mg/L
Calcium, total	MW-11N	7/19/2017	74	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-11N	1/23/2018	73	0.2		mg/L
Calcium, total	MW-11N	7/17/2018	68	0.2		mg/L
Calcium, total	MW-11N	1/2/2019	73	0.2		mg/L
Calcium, total	MW-11N	7/9/2019	67	0.2		mg/L
Calcium, total	MW-11N	1/14/2020	74.2	0.2		mg/L
Calcium, total	MW-11N	7/6/2020	67.8	0.2		mg/L
Calcium, total	MW-11N	1/18/2021	70.4	0.2		mg/L
Calcium, total	MW-11N	1/18/2021	70.4	0.2		mg/L
Calcium, total	MW-11N	7/6/2021	69.6	0.2		mg/L
Calcium, total	MW-11N	7/6/2021	71.2	0.2		mg/L
Calcium, total	MW-11N	1/18/2022	64.6	0.2		mg/L
Calcium, total	MW-11N	7/13/2022	72.2	0.2		mg/L
Calcium, total	MW-11N	1/10/2023	66.3	0.2		mg/L
Calcium, total	MW-15	6/5/2015	84	0.2		mg/L
Calcium, total	MW-15	7/15/2015	66	0.2		mg/L
Calcium, total	MW-15	8/5/2015	92	0.2		mg/L
Calcium, total	MW-15	9/3/2015	68	0.2		mg/L
Calcium, total	MW-15	1/7/2016	54	0.2		mg/L
Calcium, total	MW-15	4/5/2016	63	0.2		mg/L
Calcium, total	MW-15	7/20/2016	58	0.2		mg/L
Calcium, total	MW-15	10/6/2016	60	0.2		mg/L
Calcium, total	MW-15	1/10/2017	71	0.2		mg/L
Calcium, total	MW-15	7/18/2017	67	0.2		mg/L
Calcium, total	MW-15	1/23/2018	73	0.2		mg/L
Calcium, total	MW-15	7/10/2018	73	0.2		mg/L
Calcium, total	MW-15	1/3/2019	85	0.2		mg/L
Calcium, total	MW-15	7/9/2019	58	0.2		mg/L
Calcium, total	MW-15	1/14/2020	72.7	0.2		mg/L
Calcium, total	MW-15	7/7/2020	81.7	0.2		mg/L
Calcium, total	MW-15	1/18/2021	63.6	0.2		mg/L
Calcium, total	MW-15	1/18/2021	63.6	0.2		mg/L
Calcium, total	MW-15	7/4/2021	54.4	0.2		mg/L
Calcium, total	MW-15	7/4/2021	56.6	0.2		mg/L
Calcium, total	MW-15	1/12/2022	67	0.2		mg/L
Calcium, total	MW-15	7/10/2022	58.8	0.2		mg/L
Calcium, total	MW-15	1/10/2023	74.6	0.2		mg/L
Calcium, total	MW-16	6/5/2015	96	0.2		mg/L
Calcium, total	MW-16	7/16/2015	68	0.2		mg/L
Calcium, total	MW-16	8/5/2015	72	0.2		mg/L
Calcium, total	MW-16	9/3/2015	77	0.2		mg/L
Calcium, total	MW-16	1/8/2016	75	0.2		mg/L
Calcium, total	MW-16	4/5/2016	80	0.2		mg/L
Calcium, total	MW-16	7/21/2016	71	0.2		mg/L
Calcium, total	MW-16	10/5/2016	68	0.2		mg/L
Calcium, total	MW-16	1/10/2017	74	0.2		mg/L
Calcium, total	MW-16	7/18/2017	70	0.2		mg/L
Calcium, total	MW-16	1/23/2018	67	0.2		mg/L
Calcium, total	MW-16	7/11/2018	66	0.2		mg/L
Calcium, total	MW-16	1/2/2019	71	0.2		mg/L
Calcium, total	MW-16	7/10/2019	65	0.2		mg/L
Calcium, total	MW-16	1/14/2020	72.5	0.2		mg/L
Calcium, total	MW-16	7/7/2020	65.6	0.2		mg/L
Calcium, total	MW-16	1/18/2021	68.1	0.2		mg/L
Calcium, total	MW-16	1/18/2021	68.1	0.2		mg/L
Calcium, total	MW-16	7/4/2021	67.2	0.2		mg/L
Calcium, total	MW-16	7/4/2021	68.8	0.2		mg/L
Calcium, total	MW-16	1/12/2022	64.6	0.2		mg/L
Calcium, total	MW-16	7/10/2022	67.4	0.2		mg/L
Calcium, total	MW-16	1/10/2023	63.7	0.2		mg/L
Calcium, total	MW-17	6/5/2015	66	0.2		mg/L
Calcium, total	MW-17	7/15/2015	37	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-17	8/4/2015	42	0.2		mg/L
Calcium, total	MW-17	9/2/2015	49	0.2		mg/L
Calcium, total	MW-17	1/7/2016	15	0.2		mg/L
Calcium, total	MW-17	4/5/2016	42	0.2		mg/L
Calcium, total	MW-17	7/20/2016	52	0.2		mg/L
Calcium, total	MW-17	10/6/2016	81	0.2		mg/L
Calcium, total	MW-17	1/10/2017	91	0.2		mg/L
Calcium, total	MW-17	7/18/2017	77	0.2		mg/L
Calcium, total	MW-17	1/23/2018	59	0.2		mg/L
Calcium, total	MW-17	7/10/2018	65	0.2		mg/L
Calcium, total	MW-17	1/3/2019	76	0.2		mg/L
Calcium, total	MW-17	7/11/2019	69	0.2		mg/L
Calcium, total	MW-17	1/14/2020	51	0.2		mg/L
Calcium, total	MW-17	7/6/2020	82.1	0.2		mg/L
Calcium, total	MW-17	1/14/2021	56.6	0.2		mg/L
Calcium, total	MW-17	7/4/2021	58.2	0.2		mg/L
Calcium, total	MW-17	7/4/2021	59.4	0.2		mg/L
Calcium, total	MW-17	1/10/2023	45.6	0.2		mg/L
Calcium, total	MW-19	6/5/2015	66	0.2		mg/L
Calcium, total	MW-19	7/16/2015	97	0.2		mg/L
Calcium, total	MW-19	8/5/2015	40	0.2		mg/L
Calcium, total	MW-19	9/3/2015	43	0.2		mg/L
Calcium, total	MW-19	1/7/2016	63	0.2		mg/L
Calcium, total	MW-19	4/5/2016	74	0.2		mg/L
Calcium, total	MW-19	7/21/2016	47	0.2		mg/L
Calcium, total	MW-19	10/5/2016	62	0.2		mg/L
Calcium, total	MW-19	1/10/2017	70	0.2		mg/L
Calcium, total	MW-19	7/18/2017	110	0.2		mg/L
Calcium, total	MW-19	1/23/2018	61	0.2		mg/L
Calcium, total	MW-19	7/13/2018	48	0.2		mg/L
Calcium, total	MW-19	1/7/2019	51	0.2		mg/L
Calcium, total	MW-19	7/11/2019	63	0.2		mg/L
Calcium, total	MW-19	1/14/2020	103	0.2		mg/L
Calcium, total	MW-19	7/6/2020	74.9	0.2		mg/L
Calcium, total	MW-19	1/14/2021	68.1	0.2		mg/L
Calcium, total	MW-19	7/4/2021	61.4	0.2		mg/L
Calcium, total	MW-19	7/4/2021	63.6	0.2		mg/L
Calcium, total	MW-19	1/11/2023	43.3	0.2		mg/L
Calcium, total	MW-1N	10/22/1997	66.8	0.04		mg/L
Calcium, total	MW-1N	1/20/1998	28.7	0.04		mg/L
Calcium, total	MW-1N	4/28/1998	43.7	0.04		mg/L
Calcium, total	MW-1N	7/23/1998	57.8	0.05		mg/L
Calcium, total	MW-1N	7/8/2003	103	1		mg/L
Calcium, total	MW-1N	1/28/2004	103	1		mg/L
Calcium, total	MW-1N	7/27/2004	94.3	1		mg/L
Calcium, total	MW-1N	1/12/2005	86.8	1		mg/L
Calcium, total	MW-1N	7/20/2005	83.9	1		mg/L
Calcium, total	MW-1N	1/18/2006	91.5	1		mg/L
Calcium, total	MW-1N	7/18/2006	81	0.2		mg/L
Calcium, total	MW-1N	7/18/2006	81	0.2		mg/L
Calcium, total	MW-1N	1/26/2007	81	0.2		mg/L
Calcium, total	MW-1N	7/11/2007	78	0.2		mg/L
Calcium, total	MW-1N	1/24/2008	79	0.2		mg/L
Calcium, total	MW-1N	7/21/2008	75	0.2		mg/L
Calcium, total	MW-1N	2/5/2009	77	0.2		mg/L
Calcium, total	MW-1N	7/31/2009	72	0.2		mg/L
Calcium, total	MW-1N	1/26/2010	80	0.2		mg/L
Calcium, total	MW-1N	7/13/2010	80	0.2		mg/L
Calcium, total	MW-1N	1/20/2011	74	0.2		mg/L
Calcium, total	MW-1N	7/13/2011	42	0.2		mg/L
Calcium, total	MW-1N	1/5/2012	55	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-1N	7/10/2012	70	0.2		mg/L
Calcium, total	MW-1N	5/1/2013	64	0.2		mg/L
Calcium, total	MW-1N	7/16/2013	71	0.2		mg/L
Calcium, total	MW-1N	1/24/2014	75	0.2		mg/L
Calcium, total	MW-1N	7/9/2014	74	0.2		mg/L
Calcium, total	MW-1N	2/10/2015	76	0.2		mg/L
Calcium, total	MW-1N	7/14/2015	43	0.2		mg/L
Calcium, total	MW-1N	1/6/2016	42	0.2		mg/L
Calcium, total	MW-1N	7/21/2016	66	0.2		mg/L
Calcium, total	MW-1N	1/12/2017	73	0.2		mg/L
Calcium, total	MW-1N	7/19/2017	75	0.2		mg/L
Calcium, total	MW-1N	1/23/2018	73	0.2		mg/L
Calcium, total	MW-1N	7/10/2018	72	0.2		mg/L
Calcium, total	MW-1N	1/3/2019	76	0.2		mg/L
Calcium, total	MW-1N	7/11/2019	70	0.2		mg/L
Calcium, total	MW-1N	1/23/2020	91.7	0.2		mg/L
Calcium, total	MW-1N	7/6/2020	75	0.2		mg/L
Calcium, total	MW-1N	1/14/2021	75.7	0.2		mg/L
Calcium, total	MW-1N	7/4/2021	74.6	0.2		mg/L
Calcium, total	MW-1N	7/4/2021	74.4	0.2		mg/L
Calcium, total	MW-1N	1/11/2023	69.4	0.2		mg/L
Calcium, total	MW-20	6/5/2015	120	0.2		mg/L
Calcium, total	MW-20	7/14/2015	110	0.2		mg/L
Calcium, total	MW-20	8/4/2015	120	0.2		mg/L
Calcium, total	MW-20	9/2/2015	130	0.2		mg/L
Calcium, total	MW-20	1/7/2016	87	0.2		mg/L
Calcium, total	MW-20	4/5/2016	110	0.2		mg/L
Calcium, total	MW-20	7/20/2016	110	0.2		mg/L
Calcium, total	MW-20	10/5/2016	94	0.2		mg/L
Calcium, total	MW-20	1/12/2017	110	0.2		mg/L
Calcium, total	MW-20	7/18/2017	87	0.2		mg/L
Calcium, total	MW-20	1/26/2018	110	0.2		mg/L
Calcium, total	MW-20	7/12/2018	98	0.2		mg/L
Calcium, total	MW-20	7/11/2019	110	0.2		mg/L
Calcium, total	MW-20	1/14/2020	92	0.2		mg/L
Calcium, total	MW-20	7/7/2020	79	0.2		mg/L
Calcium, total	MW-20	1/17/2021	92.3	0.2		mg/L
Calcium, total	MW-20	7/4/2021	86.1	0.2		mg/L
Calcium, total	MW-20	7/4/2021	81.9	0.2		mg/L
Calcium, total	MW-20	1/11/2023	80.2	0.2		mg/L
Calcium, total	MW-21	6/5/2015	52	0.2		mg/L
Calcium, total	MW-21	7/14/2015	50	0.2		mg/L
Calcium, total	MW-21	8/4/2015	48	0.2		mg/L
Calcium, total	MW-21	9/2/2015	52	0.2		mg/L
Calcium, total	MW-21	1/7/2016	19	0.2		mg/L
Calcium, total	MW-21	4/5/2016	48	0.2		mg/L
Calcium, total	MW-21	7/20/2016	43	0.2		mg/L
Calcium, total	MW-21	10/5/2016	27	0.2		mg/L
Calcium, total	MW-21	10/5/2016	29	0.2		mg/L
Calcium, total	MW-21	1/10/2017	37	0.2		mg/L
Calcium, total	MW-21	4/5/2017	42	0.2		mg/L
Calcium, total	MW-21	7/19/2017	42	0.2		mg/L
Calcium, total	MW-21	10/6/2017	40	0.2		mg/L
Calcium, total	MW-21	1/24/2018	24	0.2		mg/L
Calcium, total	MW-21	4/11/2018	70	0.2		mg/L
Calcium, total	MW-21	7/11/2018	42	0.2		mg/L
Calcium, total	MW-21	10/4/2018	31	0.2		mg/L
Calcium, total	MW-21	1/3/2019	62	0.2		mg/L
Calcium, total	MW-21	4/3/2019	48	0.2		mg/L
Calcium, total	MW-21	7/11/2019	41	0.2		mg/L
Calcium, total	MW-21	7/11/2019	41	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-21	10/2/2019	46	0.2		mg/L
Calcium, total	MW-21	1/16/2020	44.1	0.2		mg/L
Calcium, total	MW-21	7/8/2020	30.5	0.2		mg/L
Calcium, total	MW-21	1/13/2021	39.9	0.2		mg/L
Calcium, total	MW-21	7/5/2021	26	0.2		mg/L
Calcium, total	MW-21	7/5/2021	26.6	0.2		mg/L
Calcium, total	MW-21	1/11/2023	23.5	0.2		mg/L
Calcium, total	MW-2N	10/22/1997	49.8	0.04		mg/L
Calcium, total	MW-2N	1/21/1998	48.8	0.04		mg/L
Calcium, total	MW-2N	4/28/1998	50.2	0.04		mg/L
Calcium, total	MW-2N	7/22/1998	50.5	0.05		mg/L
Calcium, total	MW-2N	7/7/2003	43.4	1		mg/L
Calcium, total	MW-2N	1/28/2004	45.1	1		mg/L
Calcium, total	MW-2N	7/27/2004	45.3	1		mg/L
Calcium, total	MW-2N	1/12/2005	43.7	1		mg/L
Calcium, total	MW-2N	7/20/2005	42.6	1		mg/L
Calcium, total	MW-2N	1/19/2006	46.7	1		mg/L
Calcium, total	MW-2N	7/19/2006	44	0.2		mg/L
Calcium, total	MW-2N	7/19/2006	44	0.2		mg/L
Calcium, total	MW-2N	1/26/2007	45	0.2		mg/L
Calcium, total	MW-2N	7/11/2007	44	0.2		mg/L
Calcium, total	MW-2N	1/24/2008	47	0.2		mg/L
Calcium, total	MW-2N	7/22/2008	44	0.2		mg/L
Calcium, total	MW-2N	2/4/2009	46	0.2		mg/L
Calcium, total	MW-2N	7/31/2009	42	0.2		mg/L
Calcium, total	MW-2N	1/26/2010	47	0.2		mg/L
Calcium, total	MW-2N	7/13/2010	48	0.2		mg/L
Calcium, total	MW-2N	1/20/2011	46	0.2		mg/L
Calcium, total	MW-2N	7/13/2011	46	0.2		mg/L
Calcium, total	MW-2N	1/5/2012	45	0.2		mg/L
Calcium, total	MW-2N	7/10/2012	49	0.2		mg/L
Calcium, total	MW-2N	5/1/2013	47	0.2		mg/L
Calcium, total	MW-2N	7/16/2013	47	0.2		mg/L
Calcium, total	MW-2N	1/24/2014	50	0.2		mg/L
Calcium, total	MW-2N	7/9/2014	53	0.2		mg/L
Calcium, total	MW-2N	2/12/2015	51	0.2		mg/L
Calcium, total	MW-2N	7/14/2015	50	0.2		mg/L
Calcium, total	MW-2N	1/6/2016	56	0.2		mg/L
Calcium, total	MW-2N	7/21/2016	60	0.2		mg/L
Calcium, total	MW-2N	1/11/2017	56	0.2		mg/L
Calcium, total	MW-2N	7/19/2017	60	0.2		mg/L
Calcium, total	MW-2N	1/23/2018	58	0.2		mg/L
Calcium, total	MW-2N	7/12/2018	54	0.2		mg/L
Calcium, total	MW-2N	1/3/2019	62	0.2		mg/L
Calcium, total	MW-2N	7/11/2019	62	0.2		mg/L
Calcium, total	MW-2N	1/24/2020	81.6	0.2		mg/L
Calcium, total	MW-2N	7/7/2020	83	0.2		mg/L
Calcium, total	MW-2N	1/14/2021	87.3	0.2		mg/L
Calcium, total	MW-2N	7/5/2021	85.2	0.2		mg/L
Calcium, total	MW-2N	7/5/2021	85.5	0.2		mg/L
Calcium, total	MW-2N	1/11/2023	85.5	0.2		mg/L
Calcium, total	MW-3N	10/21/1997	114	0.04		mg/L
Calcium, total	MW-3N	1/21/1998	114	0.04		mg/L
Calcium, total	MW-3N	4/28/1998	111	0.04		mg/L
Calcium, total	MW-3N	7/23/1998	122	0.05		mg/L
Calcium, total	MW-3N	7/7/2003	128	1		mg/L
Calcium, total	MW-3N	1/28/2004	142	1		mg/L
Calcium, total	MW-3N	7/27/2004	137	1		mg/L
Calcium, total	MW-3N	1/12/2005	134	1		mg/L
Calcium, total	MW-3N	7/20/2005	128	1		mg/L
Calcium, total	MW-3N	1/18/2006	145	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-3N	7/19/2006	140	0.2		mg/L
Calcium, total	MW-3N	7/19/2006	140	0.2		mg/L
Calcium, total	MW-3N	1/26/2007	130	0.2		mg/L
Calcium, total	MW-3N	7/11/2007	130	0.2		mg/L
Calcium, total	MW-3N	1/24/2008	130	0.2		mg/L
Calcium, total	MW-3N	7/22/2008	130	0.2		mg/L
Calcium, total	MW-3N	2/4/2009	130	0.2		mg/L
Calcium, total	MW-3N	7/31/2009	110	0.2		mg/L
Calcium, total	MW-3N	1/26/2010	120	0.2		mg/L
Calcium, total	MW-3N	7/13/2010	130	0.2		mg/L
Calcium, total	MW-3N	1/20/2011	120	0.2		mg/L
Calcium, total	MW-3N	7/14/2011	110	0.2		mg/L
Calcium, total	MW-3N	1/5/2012	120	0.2		mg/L
Calcium, total	MW-3N	7/11/2012	120	0.2		mg/L
Calcium, total	MW-3N	5/1/2013	110	0.2		mg/L
Calcium, total	MW-3N	6/4/2013	120	0.2		mg/L
Calcium, total	MW-3N	7/16/2013	110	0.2		mg/L
Calcium, total	MW-3N	1/24/2014	110	0.2		mg/L
Calcium, total	MW-3N	7/9/2014	110	0.2		mg/L
Calcium, total	MW-3N	2/12/2015	120	0.2		mg/L
Calcium, total	MW-3N	4/1/2015	110	0.2		mg/L
Calcium, total	MW-3N	7/14/2015	110	0.2		mg/L
Calcium, total	MW-3N	10/5/2015	110	0.2		mg/L
Calcium, total	MW-3N	1/6/2016	110	0.2		mg/L
Calcium, total	MW-3N	4/6/2016	110	0.2		mg/L
Calcium, total	MW-3N	7/21/2016	110	0.2		mg/L
Calcium, total	MW-3N	10/6/2016	120	0.2		mg/L
Calcium, total	MW-3N	1/11/2017	130	0.2		mg/L
Calcium, total	MW-3N	4/4/2017	130	0.2		mg/L
Calcium, total	MW-3N	7/19/2017	120	0.2		mg/L
Calcium, total	MW-3N	10/9/2017	99	0.2		mg/L
Calcium, total	MW-3N	1/24/2018	120	0.2		mg/L
Calcium, total	MW-3N	4/10/2018	110	0.2		mg/L
Calcium, total	MW-3N	7/13/2018	110	0.2		mg/L
Calcium, total	MW-3N	10/3/2018	120	0.2		mg/L
Calcium, total	MW-3N	1/7/2019	120	0.2		mg/L
Calcium, total	MW-3N	4/3/2019	120	0.2		mg/L
Calcium, total	MW-3N	7/11/2019	110	0.2		mg/L
Calcium, total	MW-3N	7/11/2019	110	0.2		mg/L
Calcium, total	MW-3N	10/2/2019	130	0.2		mg/L
Calcium, total	MW-3N	1/21/2020	112	0.2		mg/L
Calcium, total	MW-3N	7/7/2020	111	0.2		mg/L
Calcium, total	MW-3N	1/13/2021	138	0.2		mg/L
Calcium, total	MW-3N	7/5/2021	115	0.2		mg/L
Calcium, total	MW-3N	7/5/2021	117	0.2		mg/L
Calcium, total	MW-3N	1/11/2023	108	0.2		mg/L
Calcium, total	MW-7N	10/21/1997	64.9	0.04		mg/L
Calcium, total	MW-7N	1/21/1998	79.5	0.04		mg/L
Calcium, total	MW-7N	7/22/1998	144	0.05		mg/L
Calcium, total	MW-7N	8/18/1998	137	0.05		mg/L
Calcium, total	MW-7N	9/17/1998	141	0.05		mg/L
Calcium, total	MW-7N	11/9/1998	146	0.04		mg/L
Calcium, total	MW-7N	7/7/2003	136	1		mg/L
Calcium, total	MW-7N	1/27/2004	161	1		mg/L
Calcium, total	MW-7N	4/8/2004	150	1		mg/L
Calcium, total	MW-7N	7/26/2004	146	1		mg/L
Calcium, total	MW-7N	1/12/2005	140	1		mg/L
Calcium, total	MW-7N	7/19/2005	156	1		mg/L
Calcium, total	MW-7N	1/19/2006	162	1		mg/L
Calcium, total	MW-7N	7/19/2006	150	0.2		mg/L
Calcium, total	MW-7N	7/19/2006	150	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-7N	1/26/2007	140	0.2		mg/L
Calcium, total	MW-7N	7/10/2007	130	0.2		mg/L
Calcium, total	MW-7N	7/21/2008	93	0.2		mg/L
Calcium, total	MW-7N	2/6/2009	90	0.2		mg/L
Calcium, total	MW-7N	7/29/2009	63	0.2		mg/L
Calcium, total	MW-7N	1/26/2010	92	0.2		mg/L
Calcium, total	MW-7N	7/14/2010	85	0.2		mg/L
Calcium, total	MW-7N	1/20/2011	63	0.2		mg/L
Calcium, total	MW-7N	7/12/2011	64	0.2		mg/L
Calcium, total	MW-7N	1/5/2012	64	0.2		mg/L
Calcium, total	MW-7N	7/10/2012	68	0.2		mg/L
Calcium, total	MW-7N	5/1/2013	120	0.2		mg/L
Calcium, total	MW-7N	6/4/2013	96	0.2		mg/L
Calcium, total	MW-7N	7/15/2013	64	0.2		mg/L
Calcium, total	MW-7N	1/30/2014	66	0.2		mg/L
Calcium, total	MW-7N	7/9/2014	59	0.2		mg/L
Calcium, total	MW-7N	2/12/2015	64	0.2		mg/L
Calcium, total	MW-7N	7/13/2015	55	0.2		mg/L
Calcium, total	MW-7N	1/5/2016	59	0.2		mg/L
Calcium, total	MW-7N	7/21/2016	64	0.2		mg/L
Calcium, total	MW-7N	1/11/2017	150	0.2		mg/L
Calcium, total	MW-7N	4/4/2017	120	0.2		mg/L
Calcium, total	MW-7N	7/19/2017	110	0.2		mg/L
Calcium, total	MW-7N	10/5/2017	98	0.2		mg/L
Calcium, total	MW-7N	1/25/2018	92	0.2		mg/L
Calcium, total	MW-7N	4/11/2018	90	0.2		mg/L
Calcium, total	MW-7N	7/13/2018	78	0.2		mg/L
Calcium, total	MW-7N	1/4/2019	96	0.2		mg/L
Calcium, total	MW-7N	7/10/2019	74	0.2		mg/L
Calcium, total	MW-7N	1/16/2020	77.3	0.2		mg/L
Calcium, total	MW-7N	7/7/2020	67.1	0.2		mg/L
Calcium, total	MW-7N	1/16/2021	75.8	0.2		mg/L
Calcium, total	MW-7N	7/5/2021	81.4	0.2		mg/L
Calcium, total	MW-7N	7/5/2021	82.2	0.2		mg/L
Calcium, total	MW-7N	1/12/2022	74.8	0.2		mg/L
Calcium, total	MW-7N	7/10/2022	78.4	0.2		mg/L
Calcium, total	MW-7N	1/10/2023	71.6	0.2		mg/L
Calcium, total	MW-8N	10/21/1997	53.3	0.04		mg/L
Calcium, total	MW-8N	1/22/1998	71.3	0.04		mg/L
Calcium, total	MW-8N	4/28/1998	93.5	0.04		mg/L
Calcium, total	MW-8N	7/22/1998	99.8	0.05		mg/L
Calcium, total	MW-8N	7/7/2003	55.9	1		mg/L
Calcium, total	MW-8N	1/28/2004	55	1		mg/L
Calcium, total	MW-8N	7/27/2004	54	1		mg/L
Calcium, total	MW-8N	1/12/2005	59.9	1		mg/L
Calcium, total	MW-8N	7/20/2005	66.7	1		mg/L
Calcium, total	MW-8N	1/19/2006	76.7	1		mg/L
Calcium, total	MW-8N	7/19/2006	69	0.2		mg/L
Calcium, total	MW-8N	7/19/2006	69	0.2		mg/L
Calcium, total	MW-8N	1/26/2007	62	0.2		mg/L
Calcium, total	MW-8N	4/25/2007	54	0.2		mg/L
Calcium, total	MW-8N	7/10/2007	63	0.2		mg/L
Calcium, total	MW-8N	1/24/2008	61	0.2		mg/L
Calcium, total	MW-8N	7/23/2008	36	0.2		mg/L
Calcium, total	MW-8N	2/4/2009	42	0.2		mg/L
Calcium, total	MW-8N	7/31/2009	38	0.2		mg/L
Calcium, total	MW-8N	1/26/2010	42	0.2		mg/L
Calcium, total	MW-8N	7/16/2010	36	0.2		mg/L
Calcium, total	MW-8N	1/19/2011	42	0.2		mg/L
Calcium, total	MW-8N	5/10/2011	47	0.2		mg/L
Calcium, total	MW-8N	7/14/2011	45	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-8N	1/6/2012	44	0.2		mg/L
Calcium, total	MW-8N	4/5/2012	47	0.2		mg/L
Calcium, total	MW-8N	7/11/2012	45	0.2		mg/L
Calcium, total	MW-8N	10/3/2012	51	0.2		mg/L
Calcium, total	MW-8N	5/1/2013	50	0.2		mg/L
Calcium, total	MW-8N	6/4/2013	53	0.2		mg/L
Calcium, total	MW-8N	7/16/2013	49	0.2		mg/L
Calcium, total	MW-8N	10/2/2013	48	0.2		mg/L
Calcium, total	MW-8N	1/30/2014	50	0.2		mg/L
Calcium, total	MW-8N	4/3/2014	50	0.2		mg/L
Calcium, total	MW-8N	7/9/2014	52	0.2		mg/L
Calcium, total	MW-8N	10/8/2014	51	0.2		mg/L
Calcium, total	MW-8N	2/12/2015	54	0.2		mg/L
Calcium, total	MW-8N	4/1/2015	54	0.2		mg/L
Calcium, total	MW-8N	7/14/2015	53	0.2		mg/L
Calcium, total	MW-8N	10/5/2015	54	0.2		mg/L
Calcium, total	MW-8N	1/5/2016	60	0.2		mg/L
Calcium, total	MW-8N	4/6/2016	62	0.2		mg/L
Calcium, total	MW-8N	7/21/2016	60	0.2		mg/L
Calcium, total	MW-8N	10/6/2016	55	0.2		mg/L
Calcium, total	MW-8N	1/11/2017	81	0.2		mg/L
Calcium, total	MW-8N	4/4/2017	90	0.2		mg/L
Calcium, total	MW-8N	7/19/2017	63	0.2		mg/L
Calcium, total	MW-8N	10/6/2017	63	0.2		mg/L
Calcium, total	MW-8N	1/25/2018	68	0.2		mg/L
Calcium, total	MW-8N	4/10/2018	68	0.2		mg/L
Calcium, total	MW-8N	7/16/2018	63	0.2		mg/L
Calcium, total	MW-8N	10/2/2018	70	0.2		mg/L
Calcium, total	MW-8N	1/7/2019	71	0.2		mg/L
Calcium, total	MW-8N	4/3/2019	67	0.2		mg/L
Calcium, total	MW-8N	7/11/2019	67	0.2		mg/L
Calcium, total	MW-8N	7/11/2019	67	0.2		mg/L
Calcium, total	MW-8N	10/3/2019	60	0.2		mg/L
Calcium, total	MW-8N	1/15/2020	59.8	0.2		mg/L
Calcium, total	MW-8N	7/9/2020	54.3	0.2		mg/L
Calcium, total	MW-8N	1/15/2021	58.1	0.2		mg/L
Calcium, total	MW-8N	7/5/2021	56	0.2		mg/L
Calcium, total	MW-8N	7/5/2021	55.1	0.2		mg/L
Calcium, total	MW-8N	1/18/2022	51.4	0.2		mg/L
Calcium, total	MW-8N	7/12/2022	56	0.2		mg/L
Calcium, total	MW-8N	1/11/2023	52	0.2		mg/L
Calcium, total	NE-1	7/8/2003	73.4	1		mg/L
Calcium, total	NE-1	1/27/2004	75.4	1		mg/L
Calcium, total	NE-1	1/12/2005	69.2	1		mg/L
Calcium, total	NE-1	7/19/2006	56	0.2		mg/L
Calcium, total	NE-1	7/19/2006	56	0.2		mg/L
Calcium, total	NE-1	1/24/2007	54	0.2		mg/L
Calcium, total	NE-1	7/10/2007	68	0.2		mg/L
Calcium, total	NE-1	1/24/2008	74	0.2		mg/L
Calcium, total	NE-1	7/21/2008	38	0.2		mg/L
Calcium, total	NE-1	2/7/2009	59	0.2		mg/L
Calcium, total	NE-1	7/31/2009	42	0.2		mg/L
Calcium, total	NE-1	1/26/2010	58	0.2		mg/L
Calcium, total	NE-1	7/14/2010	70	0.2		mg/L
Calcium, total	NE-1	1/19/2011	59	0.2		mg/L
Calcium, total	NE-1	7/13/2011	52	0.2		mg/L
Calcium, total	NE-1	1/5/2012	57	0.2		mg/L
Calcium, total	NE-1	7/10/2012	60	0.2		mg/L
Calcium, total	NE-1	4/30/2013	56	0.2		mg/L
Calcium, total	NE-1	7/16/2013	33	0.2		mg/L
Calcium, total	NE-1	1/23/2014	57	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-1	7/9/2014	66	0.2		mg/L
Calcium, total	NE-1	2/11/2015	70	0.2		mg/L
Calcium, total	NE-1	7/8/2015	58	0.2		mg/L
Calcium, total	NE-1	1/6/2016	84	0.2		mg/L
Calcium, total	NE-1	7/20/2016	83	0.2		mg/L
Calcium, total	NE-1	1/11/2017	84	0.2		mg/L
Calcium, total	NE-1	7/19/2017	70	0.2		mg/L
Calcium, total	NE-1	1/24/2018	76	0.2		mg/L
Calcium, total	NE-1	4/11/2018	78	0.2		mg/L
Calcium, total	NE-1	7/18/2018	65	0.2		mg/L
Calcium, total	NE-1	10/2/2018	78	0.2		mg/L
Calcium, total	NE-1	1/4/2019	80	0.2		mg/L
Calcium, total	NE-1	7/10/2019	59	0.2		mg/L
Calcium, total	NE-1	1/15/2020	78.1	0.2		mg/L
Calcium, total	NE-1	7/8/2020	69.8	0.2		mg/L
Calcium, total	NE-1	1/13/2021	74	0.2		mg/L
Calcium, total	NE-1	7/2/2021	63.9	0.2		mg/L
Calcium, total	NE-1	1/17/2022	63.4	0.2		mg/L
Calcium, total	NE-1	7/13/2022	56.5	0.2		mg/L
Calcium, total	NE-1	1/5/2023	62.4	0.2		mg/L
Calcium, total	NE-10D	11/6/2019	58	0.2		mg/L
Calcium, total	NE-10D	1/16/2020	56.6	0.2		mg/L
Calcium, total	NE-10D	7/8/2020	48.1	0.2		mg/L
Calcium, total	NE-10D	1/13/2021	43.2	0.2		mg/L
Calcium, total	NE-10D	7/2/2021	45.4	0.2		mg/L
Calcium, total	NE-10D	1/6/2023	41.9	0.2		mg/L
Calcium, total	NE-11	3/1/2017	73	0.2		mg/L
Calcium, total	NE-11	4/6/2017	87	0.2		mg/L
Calcium, total	NE-11	7/20/2017	66	0.2		mg/L
Calcium, total	NE-11	10/9/2017	74	0.2		mg/L
Calcium, total	NE-11	9/30/2019	59	0.2		mg/L
Calcium, total	NE-11	1/14/2020	106	0.2		mg/L
Calcium, total	NE-11	7/7/2020	96.9	0.2		mg/L
Calcium, total	NE-11	1/16/2021	102	0.2		mg/L
Calcium, total	NE-11	1/16/2021	99.6	0.2		mg/L
Calcium, total	NE-11	7/1/2021	89.8	0.2		mg/L
Calcium, total	NE-11	7/1/2021	89.8	0.2		mg/L
Calcium, total	NE-11	7/1/2021	90.1	0.2		mg/L
Calcium, total	NE-11	1/17/2022	90.3	0.2		mg/L
Calcium, total	NE-11	1/17/2022	87	0.2		mg/L
Calcium, total	NE-11	7/12/2022	89.5	0.2		mg/L
Calcium, total	NE-11	1/6/2023	91	0.2		mg/L
Calcium, total	NE-12	3/1/2017	110	0.2		mg/L
Calcium, total	NE-12	4/6/2017	70	0.2		mg/L
Calcium, total	NE-12	7/20/2017	67	0.2		mg/L
Calcium, total	NE-12	10/6/2017	81	0.2		mg/L
Calcium, total	NE-12	7/9/2019	74	0.2		mg/L
Calcium, total	NE-12	8/5/2019	88	0.2		mg/L
Calcium, total	NE-12	1/13/2020	81.1	0.2		mg/L
Calcium, total	NE-12	7/7/2020	88.3	0.2		mg/L
Calcium, total	NE-12	1/15/2021	80.6	0.2		mg/L
Calcium, total	NE-12	1/15/2021	82.4	0.2		mg/L
Calcium, total	NE-12	7/1/2021	91	0.2		mg/L
Calcium, total	NE-12	7/1/2021	93.7	0.2		mg/L
Calcium, total	NE-12	7/1/2021	91	0.2		mg/L
Calcium, total	NE-12	1/17/2022	74.7	0.2		mg/L
Calcium, total	NE-12	1/17/2022	69.1	0.2		mg/L
Calcium, total	NE-12	7/12/2022	89.1	0.2		mg/L
Calcium, total	NE-12	1/6/2023	88.9	0.2		mg/L
Calcium, total	NE-13	2/5/2019	7.8	0.2		mg/L
Calcium, total	NE-13	7/11/2019	6.1	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-13	8/7/2019	12	0.2		mg/L
Calcium, total	NE-13	1/15/2020	9.07	0.2		mg/L
Calcium, total	NE-13	7/8/2020	13.9	0.2		mg/L
Calcium, total	NE-13	1/17/2021	13	0.2		mg/L
Calcium, total	NE-13	1/17/2021	13.2	0.2		mg/L
Calcium, total	NE-13	7/1/2021	41.4	0.2		mg/L
Calcium, total	NE-13	7/1/2021	44	0.2		mg/L
Calcium, total	NE-13	7/1/2021	44	0.2		mg/L
Calcium, total	NE-14D	10/2/2019	97	0.2		mg/L
Calcium, total	NE-14D	1/16/2020	107	0.2		mg/L
Calcium, total	NE-14D	7/7/2020	101	0.2		mg/L
Calcium, total	NE-14D	1/17/2021	113	0.2		mg/L
Calcium, total	NE-14D	7/2/2021	113	0.2		mg/L
Calcium, total	NE-14D	1/18/2022	110	0.2		mg/L
Calcium, total	NE-14D	7/13/2022	118	0.2		mg/L
Calcium, total	NE-14D	1/6/2023	116	0.2		mg/L
Calcium, total	NE-14S	10/2/2019	74	0.2		mg/L
Calcium, total	NE-14S	1/16/2020	46.4	0.2		mg/L
Calcium, total	NE-14S	7/7/2020	58.5	0.2		mg/L
Calcium, total	NE-14S	1/17/2021	83.9	0.2		mg/L
Calcium, total	NE-14S	7/2/2021	66.9	0.2		mg/L
Calcium, total	NE-14S	1/18/2022	81.1	0.2		mg/L
Calcium, total	NE-14S	7/13/2022	75.4	0.2		mg/L
Calcium, total	NE-14S	1/6/2023	97.9	0.2		mg/L
Calcium, total	NE-15D	9/30/2019	110	0.2		mg/L
Calcium, total	NE-15D	1/16/2020	120	0.2		mg/L
Calcium, total	NE-15D	7/7/2020	114	0.2		mg/L
Calcium, total	NE-15D	1/17/2021	119	0.2		mg/L
Calcium, total	NE-15D	7/2/2021	120	0.2		mg/L
Calcium, total	NE-15D	1/17/2022	186	0.2		mg/L
Calcium, total	NE-15D	7/13/2022	122	0.2		mg/L
Calcium, total	NE-15D	1/6/2023	115	0.2		mg/L
Calcium, total	NE-2	10/1/2013	56	0.2		mg/L
Calcium, total	NE-2	10/8/2014	67	0.2		mg/L
Calcium, total	NE-2	10/5/2015	55	0.2		mg/L
Calcium, total	NE-2	10/6/2016	61	0.2		mg/L
Calcium, total	NE-2	10/5/2017	59	0.2		mg/L
Calcium, total	NE-2	1/25/2018	46	0.2		mg/L
Calcium, total	NE-2	4/10/2018	42	0.2		mg/L
Calcium, total	NE-2	7/10/2018	62	0.2		mg/L
Calcium, total	NE-2	10/1/2018	61	0.2		mg/L
Calcium, total	NE-2	1/4/2019	44	0.2		mg/L
Calcium, total	NE-2	7/9/2019	39	0.2		mg/L
Calcium, total	NE-2	1/14/2020	33.5	0.2		mg/L
Calcium, total	NE-2	7/7/2020	53.7	0.2		mg/L
Calcium, total	NE-2	1/14/2021	42.6	0.2		mg/L
Calcium, total	NE-2	7/2/2021	46.4	0.2		mg/L
Calcium, total	NE-2	1/18/2022	42	0.2		mg/L
Calcium, total	NE-2	7/13/2022	63	0.2		mg/L
Calcium, total	NE-2	1/5/2023	50.2	0.2		mg/L
Calcium, total	NE-3	3/21/2018	63	0.2		mg/L
Calcium, total	NE-4	7/8/2003	122	1		mg/L
Calcium, total	NE-4	1/28/2004	159	1		mg/L
Calcium, total	NE-4	1/13/2005	75.6	1		mg/L
Calcium, total	NE-4	8/1/2006	140	0.2		mg/L
Calcium, total	NE-4	8/1/2006	140	0.2		mg/L
Calcium, total	NE-4	1/24/2007	86	0.2		mg/L
Calcium, total	NE-4	7/12/2007	130	0.2		mg/L
Calcium, total	NE-4	1/24/2008	140	0.2		mg/L
Calcium, total	NE-4	7/21/2008	64	0.2		mg/L
Calcium, total	NE-4	2/7/2009	140	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-4	7/31/2009	110	0.2		mg/L
Calcium, total	NE-4	1/26/2010	130	0.2		mg/L
Calcium, total	NE-4	7/14/2010	130	0.2		mg/L
Calcium, total	NE-4	1/19/2011	120	0.2		mg/L
Calcium, total	NE-4	7/13/2011	82	0.2		mg/L
Calcium, total	NE-4	1/5/2012	110	0.2		mg/L
Calcium, total	NE-4	7/10/2012	110	0.2		mg/L
Calcium, total	NE-4	4/30/2013	94	0.2		mg/L
Calcium, total	NE-4	7/16/2013	93	0.2		mg/L
Calcium, total	NE-4	1/23/2014	89	0.2		mg/L
Calcium, total	NE-4	7/9/2014	92	0.2		mg/L
Calcium, total	NE-4	2/13/2015	100	0.2		mg/L
Calcium, total	NE-4	7/8/2015	85	0.2		mg/L
Calcium, total	NE-4	1/6/2016	34	0.2		mg/L
Calcium, total	NE-4	7/20/2016	98	0.2		mg/L
Calcium, total	NE-4	1/11/2017	99	0.2		mg/L
Calcium, total	NE-4	7/19/2017	69	0.2		mg/L
Calcium, total	NE-4	1/26/2018	95	0.2		mg/L
Calcium, total	NE-4	4/10/2018	92	0.2		mg/L
Calcium, total	NE-4	7/12/2018	81	0.2		mg/L
Calcium, total	NE-4	10/3/2018	70	0.2		mg/L
Calcium, total	NE-4	1/7/2019	95	0.2		mg/L
Calcium, total	NE-4	7/8/2019	36	0.2		mg/L
Calcium, total	NE-4	1/13/2020	60.2	0.2		mg/L
Calcium, total	NE-4	7/6/2020	43.6	0.2		mg/L
Calcium, total	NE-4	1/15/2021	100	0.2		mg/L
Calcium, total	NE-4	7/2/2021	78.6	0.2		mg/L
Calcium, total	NE-4	1/5/2023	86.7	0.2		mg/L
Calcium, total	NE-5	7/8/2003	156	1		mg/L
Calcium, total	NE-5	1/27/2004	343	1		mg/L
Calcium, total	NE-5	1/12/2005	207	1		mg/L
Calcium, total	NE-5	7/19/2006	150	0.2		mg/L
Calcium, total	NE-5	7/19/2006	150	0.2		mg/L
Calcium, total	NE-5	1/24/2007	130	0.2		mg/L
Calcium, total	NE-5	7/12/2007	140	0.2		mg/L
Calcium, total	NE-5	7/22/2008	140	0.2		mg/L
Calcium, total	NE-5	2/6/2009	180	0.2		mg/L
Calcium, total	NE-5	7/31/2009	130	0.2		mg/L
Calcium, total	NE-5	1/26/2010	150	0.2		mg/L
Calcium, total	NE-5	7/16/2010	150	0.2		mg/L
Calcium, total	NE-5	1/19/2011	120	0.2		mg/L
Calcium, total	NE-5	7/13/2011	130	0.2		mg/L
Calcium, total	NE-5	1/5/2012	120	0.2		mg/L
Calcium, total	NE-5	7/10/2012	130	0.2		mg/L
Calcium, total	NE-5	4/30/2013	150	0.2		mg/L
Calcium, total	NE-5	7/16/2013	130	0.2		mg/L
Calcium, total	NE-5	1/23/2014	120	0.2		mg/L
Calcium, total	NE-5	7/9/2014	130	0.2		mg/L
Calcium, total	NE-5	2/11/2015	140	0.2		mg/L
Calcium, total	NE-5	7/14/2015	130	0.2		mg/L
Calcium, total	NE-5	1/6/2016	150	0.2		mg/L
Calcium, total	NE-5	7/20/2016	130	0.2		mg/L
Calcium, total	NE-5	1/11/2017	130	0.2		mg/L
Calcium, total	NE-5	7/19/2017	130	0.2		mg/L
Calcium, total	NE-5	1/25/2018	130	0.2		mg/L
Calcium, total	NE-5	4/10/2018	140	0.2		mg/L
Calcium, total	NE-5	7/17/2018	120	0.2		mg/L
Calcium, total	NE-5	10/3/2018	130	0.2		mg/L
Calcium, total	NE-5	1/4/2019	140	0.2		mg/L
Calcium, total	NE-5	4/2/2019	140	0.2		mg/L
Calcium, total	NE-5	7/9/2019	130	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-5	7/9/2019	130	0.2		mg/L
Calcium, total	NE-5	1/16/2020	128	0.2		mg/L
Calcium, total	NE-5	7/8/2020	108	0.2		mg/L
Calcium, total	NE-5	1/15/2021	132	0.2		mg/L
Calcium, total	NE-5	7/2/2021	119	0.2		mg/L
Calcium, total	NE-5	1/18/2022	116	0.2		mg/L
Calcium, total	NE-5	7/13/2022	122	0.2		mg/L
Calcium, total	NE-5	1/5/2023	119	0.2		mg/L
Calcium, total	NE-5E	9/30/2019	120	0.2		mg/L
Calcium, total	NE-5E	1/16/2020	108	0.2		mg/L
Calcium, total	NE-5E	7/8/2020	95.2	0.2		mg/L
Calcium, total	NE-5E	1/15/2021	112	0.2		mg/L
Calcium, total	NE-5E	7/2/2021	98.8	0.2		mg/L
Calcium, total	NE-5E	1/18/2022	92.6	0.2		mg/L
Calcium, total	NE-5E	7/13/2022	130	0.2		mg/L
Calcium, total	NE-5E	1/5/2023	116	0.2		mg/L
Calcium, total	NE-5W	9/30/2019	130	0.2		mg/L
Calcium, total	NE-5W	1/16/2020	144	0.2		mg/L
Calcium, total	NE-5W	7/8/2020	138	0.2		mg/L
Calcium, total	NE-5W	1/15/2021	142	0.2		mg/L
Calcium, total	NE-5W	7/2/2021	139	0.2		mg/L
Calcium, total	NE-5W	1/18/2022	134	0.2		mg/L
Calcium, total	NE-5W	7/13/2022	138	0.2		mg/L
Calcium, total	NE-5W	1/5/2023	129	0.2		mg/L
Calcium, total	NE-6	1/12/2017	130	0.2		mg/L
Calcium, total	NE-6	4/5/2017	120	0.2		mg/L
Calcium, total	NE-6	7/19/2017	120	0.2		mg/L
Calcium, total	NE-6	10/6/2017	120	0.2		mg/L
Calcium, total	NE-6	2/4/2019	120	0.2		mg/L
Calcium, total	NE-6	7/9/2019	120	0.2		mg/L
Calcium, total	NE-6	8/6/2019	120	0.2		mg/L
Calcium, total	NE-6	1/15/2020	128	0.2		mg/L
Calcium, total	NE-6	7/9/2020	120	0.2		mg/L
Calcium, total	NE-6	1/16/2021	130	0.2		mg/L
Calcium, total	NE-6	1/16/2021	132	0.2		mg/L
Calcium, total	NE-6	7/1/2021	123	0.2		mg/L
Calcium, total	NE-6	7/1/2021	122	0.2		mg/L
Calcium, total	NE-6	7/1/2021	123	0.2		mg/L
Calcium, total	NE-6	1/17/2022	121	0.2		mg/L
Calcium, total	NE-6	1/17/2022	116	0.2		mg/L
Calcium, total	NE-6	7/12/2022	119	0.2		mg/L
Calcium, total	NE-6	1/5/2023	113	0.2		mg/L
Calcium, total	NE-6D	10/2/2019	110	0.2		mg/L
Calcium, total	NE-6D	1/15/2020	108	0.2		mg/L
Calcium, total	NE-6D	7/9/2020	96.9	0.2		mg/L
Calcium, total	NE-6D	1/15/2021	101	0.2		mg/L
Calcium, total	NE-6D	7/2/2021	93.3	0.2		mg/L
Calcium, total	NE-6D	1/17/2022	87.7	0.2		mg/L
Calcium, total	NE-6D	7/12/2022	93.6	0.2		mg/L
Calcium, total	NE-6D	1/5/2023	84.8	0.2		mg/L
Calcium, total	NE-7	3/1/2017	100	0.2		mg/L
Calcium, total	NE-7	4/6/2017	44	0.2		mg/L
Calcium, total	NE-7	7/20/2017	60	0.2		mg/L
Calcium, total	NE-7	10/5/2017	59	0.2		mg/L
Calcium, total	NE-7	2/6/2019	63	0.2		mg/L
Calcium, total	NE-7	7/10/2019	60	0.2		mg/L
Calcium, total	NE-7	8/6/2019	52	0.2		mg/L
Calcium, total	NE-7	1/16/2020	64.1	0.2		mg/L
Calcium, total	NE-7	7/7/2020	46.5	0.2		mg/L
Calcium, total	NE-7	1/16/2021	83.1	0.2		mg/L
Calcium, total	NE-7	1/16/2021	80.9	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-7	7/1/2021	49.5	0.2		mg/L
Calcium, total	NE-7	7/1/2021	49.7	0.2		mg/L
Calcium, total	NE-7	7/1/2021	49.5	0.2		mg/L
Calcium, total	NE-7	1/17/2022	57.1	0.2		mg/L
Calcium, total	NE-7	1/17/2022	54.7	0.2		mg/L
Calcium, total	NE-7	7/12/2022	48.4	0.2		mg/L
Calcium, total	NE-7	1/5/2023	52.1	0.2		mg/L
Calcium, total	NE-8	1/12/2017	68	0.2		mg/L
Calcium, total	NE-8	4/5/2017	63	0.2		mg/L
Calcium, total	NE-8	7/20/2017	87	0.2		mg/L
Calcium, total	NE-8	10/6/2017	92	0.2		mg/L
Calcium, total	NE-8	2/4/2019	78	0.2		mg/L
Calcium, total	NE-8	7/11/2019	90	0.2		mg/L
Calcium, total	NE-8	8/5/2019	94	0.2		mg/L
Calcium, total	NE-8	1/15/2020	113	0.2		mg/L
Calcium, total	NE-8	7/8/2020	113	0.2		mg/L
Calcium, total	NE-8	1/13/2021	107	0.2		mg/L
Calcium, total	NE-8	1/13/2021	107	0.2		mg/L
Calcium, total	NE-8	7/1/2021	119	0.2		mg/L
Calcium, total	NE-8	7/1/2021	119	0.2		mg/L
Calcium, total	NE-8	7/1/2021	117	0.2		mg/L
Calcium, total	NE-8	1/6/2023	101	0.2		mg/L
Calcium, total	NE-9	1/12/2017	91	0.2		mg/L
Calcium, total	NE-9	4/5/2017	75	0.2		mg/L
Calcium, total	NE-9	7/20/2017	68	0.2		mg/L
Calcium, total	NE-9	10/5/2017	77	0.2		mg/L
Calcium, total	NE-9	2/5/2019	96	0.2		mg/L
Calcium, total	NE-9	7/8/2019	100	0.2		mg/L
Calcium, total	NE-9	8/7/2019	99	0.2		mg/L
Calcium, total	NE-9	1/15/2020	95.1	0.2		mg/L
Calcium, total	NE-9	7/7/2020	79.9	0.2		mg/L
Calcium, total	NE-9	1/17/2021	108	0.2		mg/L
Calcium, total	NE-9	1/17/2021	108	0.2		mg/L
Calcium, total	NE-9	7/1/2021	119	0.2		mg/L
Calcium, total	NE-9	7/1/2021	118	0.2		mg/L
Calcium, total	NE-9	7/1/2021	119	0.2		mg/L
Calcium, total	NE-9	1/17/2022	117	0.2		mg/L
Calcium, total	NE-9	1/17/2022	111	0.2		mg/L
Calcium, total	NE-9	7/13/2022	122	0.2		mg/L
Calcium, total	NE-9	1/6/2023	116	0.2		mg/L
Carbon dioxide	MW-7N	9/2/2010	1500	50		ug/L
Carbon dioxide	MW-8N	9/2/2010	1400	50		ug/L
Carbon dioxide	NE-1	9/2/2010	54	50		ug/L
Carbon dioxide	NE-2	9/2/2010	2300	50		ug/L
Carbon dioxide	NE-3	9/2/2010	290	50		ug/L
Carbon dioxide	NE-5	9/2/2010	1400	50		ug/L
Carbon disulfide	LGW-10	1/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-10	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-10	5/1/2013	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/30/2014	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2014	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/12/2015	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/4/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/19/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/9/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/16/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/4/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/4/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/11/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/2/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/15/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/7/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/7/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/5/2023	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	10/27/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	4/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/6/2009	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-14R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-14R	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/25/2018	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/17/2018	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/10/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/26/2008	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/6/2009	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/30/2009	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/30/2014	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/9/2019	0.43	1	ND	ug/L
Carbon disulfide	LGW-2	1/13/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/1/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/4/2021	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/10/2022	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-3R	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-3R	1/26/2008	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2009	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-3R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/22/2014	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/16/2015	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/8/2016	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/9/2019	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/10/2022	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2009	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-4	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-4	7/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/9/2019	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/9/2019	0.28	1	ND	ug/L
Carbon disulfide	LGW-5	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/6/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/24/2006	2	1		ug/L
Carbon disulfide	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-6	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/5/2009	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	5/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/10/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/17/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/10/2019	0.25	1	ND	ug/L
Carbon disulfide	LGW-6	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/6/2023	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-7	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-7	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-7	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/20/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/4/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/15/2020	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	4/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/14/2010	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-8R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/22/2014	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-8R	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2016	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/25/2018	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/13/2018	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/8/2019	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-8R	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-9	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/14/2010	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2012	1	1	ND	ug/L
Carbon disulfide	LGW-9	5/1/2013	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-9	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	5/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/13/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/7/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/7/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/5/2023	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	4/28/1998	0.67	8.4		ug/L
Carbon disulfide	MW-10N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/14/1999	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-10N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	7/15/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	7/11/2000	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-10N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2002	1	1		ug/L
Carbon disulfide	MW-10N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-10N	4/15/2003	1.2	1		ug/L
Carbon disulfide	MW-10N	7/8/2003	1.3	1		ug/L
Carbon disulfide	MW-10N	1/28/2004	1	1		ug/L
Carbon disulfide	MW-10N	7/27/2004	5	1		ug/L
Carbon disulfide	MW-10N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/20/2005	1.1	1		ug/L
Carbon disulfide	MW-10N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2007	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-10N	2/13/2009	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/27/2010	1	1	ND	ug/L
Carbon disulfide	MW-10N	8/10/2010	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-10N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-10N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/8/2020	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/22/1997	7.9	4.2		ug/L
Carbon disulfide	MW-11N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	4/28/1998	10	4.2		ug/L
Carbon disulfide	MW-11N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	1/13/2000	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-11N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	7/10/2000	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-11N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2002	0.75	1		ug/L
Carbon disulfide	MW-11N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2003	1.1	1		ug/L
Carbon disulfide	MW-11N	4/15/2003	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/8/2003	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/29/2004	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/13/2005	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/24/2007	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2009	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/16/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/4/2012	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2012	1	1	ND	ug/L
Carbon disulfide	MW-11N	4/30/2013	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/15/2013	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2014	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/8/2014	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/10/2015	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2015	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/17/2018	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/18/2022	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2022	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-15	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	7/15/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-15	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-15	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-15	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-15	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-15	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-15	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-15	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-15	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-15	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-15	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-15	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-15	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-16	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	7/16/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	1/8/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-16	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-16	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-16	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-16	1/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-16	7/10/2019	1	1	ND	ug/L
Carbon disulfide	MW-16	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-16	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-16	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-16	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-16	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-16	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-16	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-17	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	7/15/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-17	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-17	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-17	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-17	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-17	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-17	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-17	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-17	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-17	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-17	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-19	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	7/16/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-19	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-19	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-19	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-19	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-19	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-19	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-19	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-19	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-19	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-19	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-1N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/20/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/28/1998	3.4	4.2		ug/L
Carbon disulfide	MW-1N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	10/14/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	5/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	7/15/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	7/12/2000	0.82	1		ug/L
Carbon disulfide	MW-1N	10/18/2000	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/12/2001	1	1	ND	ug/L
Carbon disulfide	MW-1N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	5/29/2002	1.4	1		ug/L
Carbon disulfide	MW-1N	7/9/2002	0.85	1		ug/L
Carbon disulfide	MW-1N	10/3/2002	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/15/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/8/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/27/2004	2.9	1		ug/L
Carbon disulfide	MW-1N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/18/2006	4.2	1		ug/L
Carbon disulfide	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/11/2007	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-1N	2/5/2009	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/13/2010	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-1N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-1N	2/10/2015	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-1N	1/12/2017	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/11/2019	0.27	1	ND	ug/L
Carbon disulfide	MW-1N	1/23/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-20	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	1/12/2017	1	1	ND	ug/L
Carbon disulfide	MW-20	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-20	1/26/2018	1	1	ND	ug/L
Carbon disulfide	MW-20	7/12/2018	1	1	ND	ug/L
Carbon disulfide	MW-20	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-20	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-20	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-20	1/17/2021	1	1	ND	ug/L
Carbon disulfide	MW-20	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-20	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	4/5/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	10/6/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	4/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	10/4/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	4/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	10/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	7/8/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	10/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	4/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-2N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/28/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-2N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/10/2002	0.21	1		ug/L
Carbon disulfide	MW-2N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-2N	3/27/2007	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/11/2007	1	1		ug/L
Carbon disulfide	MW-2N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-2N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/13/2010	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-2N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-2N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/12/2018	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-2N	8/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/23/2020	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/28/1998	0.58	4.2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-3N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/24/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/11/2000	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-3N	5/29/2002	1.4	1		ug/L
Carbon disulfide	MW-3N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/9/2002	0.41	1		ug/L
Carbon disulfide	MW-3N	10/2/2002	0.43	1		ug/L
Carbon disulfide	MW-3N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/11/2007	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-3N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/13/2010	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/11/2012	1	1	ND	ug/L
Carbon disulfide	MW-3N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-3N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/1/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/9/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/3/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-3N	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/15/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	8/18/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	9/17/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/15/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	11/9/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	4/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/13/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/17/2000	1.4	1		ug/L
Carbon disulfide	MW-7N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/29/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	7/9/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/23/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/8/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/26/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2005	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-7N	2/6/2009	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/29/2009	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/14/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	9/2/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/12/2011	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/15/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/30/2014	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-7N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-7N	7/13/2015	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/5/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/25/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/4/2019	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2019	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/16/2021	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/28/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/12/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	7/14/1999	4.9	4.2		ug/L
Carbon disulfide	MW-8N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/29/2002	1.2	1		ug/L
Carbon disulfide	MW-8N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	7/9/2002	0.28	1		ug/L
Carbon disulfide	MW-8N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/23/2003	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/14/2003	1.2	1		ug/L
Carbon disulfide	MW-8N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/27/2004	1.4	1		ug/L
Carbon disulfide	MW-8N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/25/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-8N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2010	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/10/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/6/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-8N	7/11/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/3/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/2/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/30/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/3/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/8/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/1/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/25/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/2/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/15/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/9/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/15/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/18/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/4/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/8/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	8/6/2002	0.36	1		ug/L
Carbon disulfide	NE-1	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2003	1	1		ug/L
Carbon disulfide	NE-1	1/27/2004	1	1	ND	ug/L
Carbon disulfide	NE-1	1/12/2005	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	10/25/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2007	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2008	1	1	ND	ug/L
Carbon disulfide	NE-1	7/21/2008	1	1	ND	ug/L
Carbon disulfide	NE-1	2/7/2009	1	1	ND	ug/L
Carbon disulfide	NE-1	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-1	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-1	7/14/2010	1	1	ND	ug/L
Carbon disulfide	NE-1	9/2/2010	1	1	ND	ug/L
Carbon disulfide	NE-1	1/19/2011	1	1	ND	ug/L
Carbon disulfide	NE-1	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-1	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-1	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-1	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-1	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-1	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-1	2/11/2015	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2015	1	1	ND	ug/L
Carbon disulfide	NE-1	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-1	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-1	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	4/11/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	7/18/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	10/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	11/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-11	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	10/9/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-11	1/14/2020	1	1	ND	ug/L
Carbon disulfide	NE-11	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-11	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-11	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-12	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	8/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-12	1/13/2020	1	1	ND	ug/L
Carbon disulfide	NE-12	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-12	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-13	2/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-13	8/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-13	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-13	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-13	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-15D	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15S	4/3/2020	2.49	1		ug/L
Carbon disulfide	NE-2	7/9/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	8/6/2002	0.23	1		ug/L
Carbon disulfide	NE-2	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	10/1/2013	1	1	ND	ug/L
Carbon disulfide	NE-2	10/8/2014	1	1	ND	ug/L
Carbon disulfide	NE-2	10/5/2015	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-2	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-2	1/25/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	7/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	10/1/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	1/14/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	1/14/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-2	4/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-3	7/9/2002	0.69	1		ug/L
Carbon disulfide	NE-3	8/6/2002	0.3	1		ug/L
Carbon disulfide	NE-3	9/4/2002	0.42	1		ug/L
Carbon disulfide	NE-3	10/2/2002	0.55	1		ug/L
Carbon disulfide	NE-3	9/2/2010	1	1	ND	ug/L
Carbon disulfide	NE-3	3/21/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	7/10/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	8/6/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	10/3/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	4/15/2003	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2003	1	1	ND	ug/L
Carbon disulfide	NE-4	1/28/2004	1	1	ND	ug/L
Carbon disulfide	NE-4	1/13/2005	1	1	ND	ug/L
Carbon disulfide	NE-4	8/1/2006	1	1	ND	ug/L
Carbon disulfide	NE-4	8/1/2006	1	1	ND	ug/L
Carbon disulfide	NE-4	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-4	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-4	7/12/2007	1	1	ND	ug/L
Carbon disulfide	NE-4	1/24/2008	1	1	ND	ug/L
Carbon disulfide	NE-4	7/21/2008	1	1	ND	ug/L
Carbon disulfide	NE-4	2/7/2009	1	1	ND	ug/L
Carbon disulfide	NE-4	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-4	1/26/2010	1	1	ND	ug/L
Carbon disulfide	NE-4	7/14/2010	1	1	ND	ug/L
Carbon disulfide	NE-4	1/19/2011	1	1	ND	ug/L
Carbon disulfide	NE-4	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-4	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-4	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-4	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-4	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-4	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-4	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-4	2/13/2015	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2015	1	1	ND	ug/L
Carbon disulfide	NE-4	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-4	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-4	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-4	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-4	1/26/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	7/12/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	10/3/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	1/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	10/1/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	1/13/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	7/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	10/5/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-4	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2002	0.48	1		ug/L
Carbon disulfide	NE-5	8/6/2002	1.6	1		ug/L
Carbon disulfide	NE-5	9/4/2002	0.63	1		ug/L
Carbon disulfide	NE-5	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-5	4/15/2003	1	1	ND	ug/L
Carbon disulfide	NE-5	7/8/2003	1	1	ND	ug/L
Carbon disulfide	NE-5	1/27/2004	1	1	ND	ug/L
Carbon disulfide	NE-5	1/12/2005	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	10/25/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-5	7/12/2007	1	1	ND	ug/L
Carbon disulfide	NE-5	7/22/2008	1	1	ND	ug/L
Carbon disulfide	NE-5	2/6/2009	1	1	ND	ug/L
Carbon disulfide	NE-5	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-5	1/26/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	7/16/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	9/2/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-5	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-5	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-5	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-5	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-5	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-5	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-5	2/11/2015	1	1	ND	ug/L
Carbon disulfide	NE-5	7/14/2015	1	1	ND	ug/L
Carbon disulfide	NE-5	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-5	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-5	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-5	1/25/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	7/17/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	10/3/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	10/3/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-5W	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-6	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	2/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-6	8/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-6	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-6	7/9/2020	1	1	ND	ug/L
Carbon disulfide	NE-6	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/9/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-7	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	2/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-7	8/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-7	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-8	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	2/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-8	8/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-8	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-8	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-8	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	2/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-9	8/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-9	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-9	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/16/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/4/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-10	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-2	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/26/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/30/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/26/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-5	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/5/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-6	5/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-7	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-9	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	5/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/28/1998	10	10	ND	ug/L
Carbon tetrachloride	MW-10N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	7/15/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	7/11/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	2/13/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	8/10/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/13/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/10/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/29/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/13/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-11N	1/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-15	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/15/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-15	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-16	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/8/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-16	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-16	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-17	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/15/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-17	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-19	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-19	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	1/20/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	10/14/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	5/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/15/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	10/19/1999	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-1N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/12/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/18/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/12/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/3/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	2/5/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/23/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-20	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-20	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/26/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/4/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-2N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	3/27/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/23/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/21/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/24/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-3N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/1/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/21/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	8/18/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	9/17/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/15/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	11/9/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	4/14/1999	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-7N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/13/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/23/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/8/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/26/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/21/1997	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-8N	1/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	1/12/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	10/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/23/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/10/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/6/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/11/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/3/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/3/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/8/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/1/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-8N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-1	2/7/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-1	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/18/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-1	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	11/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-11	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-12	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	8/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-13	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-13	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15S	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/1/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/8/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-2	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/1/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-3	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-3	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-3	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-3	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-3	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-3	3/21/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/3/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/13/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-4	2/7/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-4	2/13/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-4	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/26/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/1/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/5/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-5	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-5	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	2/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6	8/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-6	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-7	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	2/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-7	8/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	2/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-8	8/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	2/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-9	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-9	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	4/8/2023	1	1	ND	ug/L
Chemical oxygen demand (cod)	MW-10N	10/22/1997	356	40		mg/L
Chemical oxygen demand (cod)	MW-10N	4/28/1998	105	5		mg/L
Chemical oxygen demand (cod)	MW-10N	7/23/1998	22	5		mg/L
Chemical oxygen demand (cod)	MW-10N	1/14/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-11N	10/22/1997	257	40		mg/L
Chemical oxygen demand (cod)	MW-11N	4/28/1998	105	5		mg/L
Chemical oxygen demand (cod)	MW-11N	7/23/1998	36.9	5		mg/L
Chemical oxygen demand (cod)	MW-11N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-1N	10/22/1997	12.7	5		mg/L
Chemical oxygen demand (cod)	MW-1N	4/28/1998	53.9	5		mg/L
Chemical oxygen demand (cod)	MW-1N	7/23/1998	23.4	5		mg/L
Chemical oxygen demand (cod)	MW-1N	10/14/1998	15.9	5		mg/L
Chemical oxygen demand (cod)	MW-1N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-2N	10/22/1997	45.9	5		mg/L
Chemical oxygen demand (cod)	MW-2N	4/28/1998	38.1	5		mg/L
Chemical oxygen demand (cod)	MW-2N	7/22/1998	13.7	5		mg/L
Chemical oxygen demand (cod)	MW-2N	1/13/1999	5.3	5		mg/L
Chemical oxygen demand (cod)	MW-3N	10/21/1997	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-3N	4/28/1998	24.2	5		mg/L
Chemical oxygen demand (cod)	MW-3N	7/23/1998	13.3	5		mg/L
Chemical oxygen demand (cod)	MW-3N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	10/21/1997	9.2	5		mg/L
Chemical oxygen demand (cod)	MW-7N	7/22/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	8/18/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	9/17/1998	10.9	5		mg/L
Chemical oxygen demand (cod)	MW-7N	10/15/1998	10.2	5		mg/L
Chemical oxygen demand (cod)	MW-7N	11/9/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	1/14/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-8N	10/21/1997	15.9	5		mg/L
Chemical oxygen demand (cod)	MW-8N	4/28/1998	8.7	5		mg/L
Chemical oxygen demand (cod)	MW-8N	7/22/1998	6.7	5		mg/L
Chemical oxygen demand (cod)	MW-8N	1/12/1999	5	5	ND	mg/L
Chlordane	LGW-10	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-10	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-10	2/12/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-10	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	LGW-10	10/9/2017	0.48	0.48	ND	ug/L
Chlordane	LGW-10	7/16/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-10	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-10	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	10/27/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-14R	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-14R	7/17/2018	0.54	0.54	ND	ug/L
Chlordane	LGW-14R	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-2	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-2	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-2	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-2	2/13/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-2	7/12/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-2	7/8/2020	0.108	0.108	ND	ug/L
Chlordane	LGW-2	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-3R	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-3R	2/3/2009	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	LGW-3R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-3R	2/10/2015	0.47	0.47	ND	ug/L
Chlordane	LGW-3R	7/11/2018	0.52	0.52	ND	ug/L
Chlordane	LGW-3R	7/6/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-4	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-4	2/3/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-4	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-4	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-4	7/11/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-4	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-5	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-5	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-5	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-5	2/10/2015	0.51	0.51	ND	ug/L
Chlordane	LGW-5	7/12/2018	0.53	0.53	ND	ug/L
Chlordane	LGW-5	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-6	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-6	2/5/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-6	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-6	2/10/2015	0.49	0.49	ND	ug/L
Chlordane	LGW-6	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	LGW-6	10/5/2017	0.49	0.49	ND	ug/L
Chlordane	LGW-6	7/17/2018	0.53	0.53	ND	ug/L
Chlordane	LGW-6	7/9/2020	0.103	0.103	ND	ug/L
Chlordane	LGW-6	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-7	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-7	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-7	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-7	2/11/2015	0.51	0.51	ND	ug/L
Chlordane	LGW-7	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	LGW-7	10/5/2017	0.48	0.48	ND	ug/L
Chlordane	LGW-7	7/12/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-7	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-7	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-8R	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-8R	7/13/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-8R	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-9	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-9	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-9	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-9	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-9	10/6/2016	0.5	0.5	ND	ug/L
Chlordane	LGW-9	10/5/2017	0.49	0.49	ND	ug/L
Chlordane	LGW-9	7/13/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-9	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-9	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	MW-10N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-10N	2/13/2009	0.5	0.5	ND	ug/L
Chlordane	MW-10N	2/13/2009	0.5	0.5	ND	ug/L
Chlordane	MW-10N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-10N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-10N	7/11/2018	0.51	0.51	ND	ug/L
Chlordane	MW-10N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-11N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-11N	2/3/2009	0.5	0.5	ND	ug/L
Chlordane	MW-11N	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	MW-11N	2/10/2015	0.48	0.48	ND	ug/L
Chlordane	MW-11N	7/17/2018	0.52	0.52	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	MW-11N	7/6/2021	0.5	0.5	ND	ug/L
Chlordane	MW-15	7/10/2018	0.51	0.51	ND	ug/L
Chlordane	MW-15	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-16	7/11/2018	0.49	0.49	ND	ug/L
Chlordane	MW-16	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-17	7/10/2018	0.48	0.48	ND	ug/L
Chlordane	MW-17	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-19	7/13/2018	0.51	0.51	ND	ug/L
Chlordane	MW-19	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Chlordane	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-1N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-1N	2/5/2009	0.5	0.5	ND	ug/L
Chlordane	MW-1N	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	MW-1N	2/10/2015	0.47	0.47	ND	ug/L
Chlordane	MW-1N	7/10/2018	0.48	0.48	ND	ug/L
Chlordane	MW-1N	7/6/2020	0.108	0.108	ND	ug/L
Chlordane	MW-1N	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-20	7/12/2018	0.49	0.49	ND	ug/L
Chlordane	MW-20	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-21	10/5/2016	0.48	0.48	ND	ug/L
Chlordane	MW-21	10/6/2017	0.48	0.48	ND	ug/L
Chlordane	MW-21	7/11/2018	0.48	0.48	ND	ug/L
Chlordane	MW-21	7/8/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-21	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-2N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-2N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-2N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-2N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-2N	7/12/2018	0.49	0.49	ND	ug/L
Chlordane	MW-2N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-3N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-3N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-3N	7/11/2012	0.47	0.47	ND	ug/L
Chlordane	MW-3N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-3N	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	MW-3N	10/9/2017	0.48	0.48	ND	ug/L
Chlordane	MW-3N	7/13/2018	0.47	0.47	ND	ug/L
Chlordane	MW-3N	7/7/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-3N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Chlordane	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-7N	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	MW-7N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-7N	2/12/2015	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/5/2017	0.5	0.5	ND	ug/L
Chlordane	MW-7N	7/13/2018	0.48	0.48	ND	ug/L
Chlordane	MW-7N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-8N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-8N	1/24/2008	0.5	0.5	ND	ug/L
Chlordane	MW-8N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/10/2011	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/11/2012	0.47	0.47	ND	ug/L
Chlordane	MW-8N	10/2/2013	0.48	0.48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	MW-8N	10/8/2014	0.48	0.48	ND	ug/L
Chlordane	MW-8N	2/12/2015	0.48	0.48	ND	ug/L
Chlordane	MW-8N	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	MW-8N	10/6/2017	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/16/2018	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-8N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	NE-1	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-1	2/7/2009	0.5	0.5	ND	ug/L
Chlordane	NE-1	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-1	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	NE-1	7/18/2018	0.5	0.5	ND	ug/L
Chlordane	NE-2	7/10/2018	0.49	0.49	ND	ug/L
Chlordane	NE-4	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-4	2/7/2009	0.5	0.5	ND	ug/L
Chlordane	NE-4	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-4	2/13/2015	0.47	0.47	ND	ug/L
Chlordane	NE-4	7/12/2018	0.54	0.54	ND	ug/L
Chlordane	NE-5	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-5	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	NE-5	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-5	2/11/2015	0.47	0.47	ND	ug/L
Chlordane	NE-5	7/17/2018	0.51	0.51	ND	ug/L
Chlordane	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Chloride	LGW-10	1/26/2006	12.1	0.5		mg/L
Chloride	LGW-10	8/1/2006	13	3		mg/L
Chloride	LGW-10	9/28/2006	13	3		mg/L
Chloride	LGW-10	10/26/2006	13	3		mg/L
Chloride	LGW-10	11/21/2006	13	3		mg/L
Chloride	LGW-10	12/21/2006	13	3		mg/L
Chloride	LGW-10	1/25/2007	13	3		mg/L
Chloride	LGW-10	2/27/2007	14	3		mg/L
Chloride	LGW-10	3/27/2007	14	3		mg/L
Chloride	LGW-10	4/26/2007	14	3		mg/L
Chloride	LGW-10	5/31/2007	15	3		mg/L
Chloride	LGW-10	6/28/2007	14	3		mg/L
Chloride	LGW-10	7/12/2007	14	3		mg/L
Chloride	LGW-10	8/28/2007	15	3		mg/L
Chloride	LGW-10	9/28/2007	17	3		mg/L
Chloride	LGW-10	10/23/2007	16	3		mg/L
Chloride	LGW-10	11/28/2007	16	3		mg/L
Chloride	LGW-10	12/28/2007	18	3		mg/L
Chloride	LGW-10	1/23/2008	18	3		mg/L
Chloride	LGW-10	2/28/2008	18	3		mg/L
Chloride	LGW-10	5/29/2008	21	3		mg/L
Chloride	LGW-10	6/26/2008	20	3		mg/L
Chloride	LGW-10	7/22/2008	20	3		mg/L
Chloride	LGW-10	8/29/2008	20	3		mg/L
Chloride	LGW-10	9/26/2008	19	3		mg/L
Chloride	LGW-10	10/21/2008	21	3		mg/L
Chloride	LGW-10	11/25/2008	20	3		mg/L
Chloride	LGW-10	12/19/2008	22	3		mg/L
Chloride	LGW-10	3/26/2009	20	3		mg/L
Chloride	LGW-10	4/16/2009	21	3		mg/L
Chloride	LGW-10	5/29/2009	21	3		mg/L
Chloride	LGW-10	6/24/2009	21	3		mg/L
Chloride	LGW-10	7/29/2009	22	3		mg/L
Chloride	LGW-10	8/28/2009	20	3		mg/L
Chloride	LGW-10	10/21/2009	20	3		mg/L
Chloride	LGW-10	12/17/2009	21	3		mg/L
Chloride	LGW-10	2/3/2010	20	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	2/3/2010	20	3		mg/L
Chloride	LGW-10	2/16/2010	20	3		mg/L
Chloride	LGW-10	3/3/2010	20	3		mg/L
Chloride	LGW-10	4/8/2010	20	3		mg/L
Chloride	LGW-10	5/6/2010	21	3		mg/L
Chloride	LGW-10	6/15/2010	14	3		mg/L
Chloride	LGW-10	7/16/2010	19	3		mg/L
Chloride	LGW-10	8/10/2010	19	3		mg/L
Chloride	LGW-10	9/1/2010	20	3		mg/L
Chloride	LGW-10	9/29/2010	19	3		mg/L
Chloride	LGW-10	11/3/2010	18	3		mg/L
Chloride	LGW-10	12/2/2010	20	3		mg/L
Chloride	LGW-10	1/19/2011	20	3		mg/L
Chloride	LGW-10	2/7/2011	20	3		mg/L
Chloride	LGW-10	3/3/2011	20	3		mg/L
Chloride	LGW-10	4/5/2011	20	3		mg/L
Chloride	LGW-10	5/10/2011	19	3		mg/L
Chloride	LGW-10	6/1/2011	20	3		mg/L
Chloride	LGW-10	7/12/2011	20	3		mg/L
Chloride	LGW-10	8/3/2011	20	3		mg/L
Chloride	LGW-10	9/7/2011	19	3		mg/L
Chloride	LGW-10	10/5/2011	21	3		mg/L
Chloride	LGW-10	11/1/2011	19	3		mg/L
Chloride	LGW-10	12/7/2011	20	3		mg/L
Chloride	LGW-10	1/5/2012	20	3		mg/L
Chloride	LGW-10	2/1/2012	19	3		mg/L
Chloride	LGW-10	3/6/2012	19	3		mg/L
Chloride	LGW-10	4/5/2012	19	3		mg/L
Chloride	LGW-10	5/1/2012	19	3		mg/L
Chloride	LGW-10	6/5/2012	19	3		mg/L
Chloride	LGW-10	7/9/2012	18	3		mg/L
Chloride	LGW-10	8/9/2012	18	3		mg/L
Chloride	LGW-10	9/4/2012	18	3		mg/L
Chloride	LGW-10	10/7/2012	18	3		mg/L
Chloride	LGW-10	5/1/2013	17	3		mg/L
Chloride	LGW-10	6/4/2013	15	3		mg/L
Chloride	LGW-10	8/8/2013	14	3		mg/L
Chloride	LGW-10	9/10/2013	15	3		mg/L
Chloride	LGW-10	10/1/2013	15	3		mg/L
Chloride	LGW-10	11/6/2013	15	3		mg/L
Chloride	LGW-10	12/2/2013	16	3		mg/L
Chloride	LGW-10	1/30/2014	15	3		mg/L
Chloride	LGW-10	2/13/2014	15	3		mg/L
Chloride	LGW-10	3/12/2014	15	3		mg/L
Chloride	LGW-10	4/2/2014	15	3		mg/L
Chloride	LGW-10	5/7/2014	13	3		mg/L
Chloride	LGW-10	6/3/2014	13	3		mg/L
Chloride	LGW-10	7/9/2014	14	3		mg/L
Chloride	LGW-10	8/5/2014	14	3		mg/L
Chloride	LGW-10	9/4/2014	13	3		mg/L
Chloride	LGW-10	10/9/2014	13	3		mg/L
Chloride	LGW-10	11/3/2014	13	3		mg/L
Chloride	LGW-10	1/14/2015	13	3		mg/L
Chloride	LGW-10	2/12/2015	14	3		mg/L
Chloride	LGW-10	3/3/2015	13	3		mg/L
Chloride	LGW-10	4/1/2015	11	3		mg/L
Chloride	LGW-10	5/7/2015	11	3		mg/L
Chloride	LGW-10	6/3/2015	12	3		mg/L
Chloride	LGW-10	7/13/2015	13	3		mg/L
Chloride	LGW-10	8/5/2015	10	3		mg/L
Chloride	LGW-10	9/3/2015	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	10/6/2015	12	3		mg/L
Chloride	LGW-10	11/4/2015	11	3		mg/L
Chloride	LGW-10	12/3/2015	11	3		mg/L
Chloride	LGW-10	1/5/2016	11	3		mg/L
Chloride	LGW-10	2/3/2016	10	3		mg/L
Chloride	LGW-10	3/2/2016	11	3		mg/L
Chloride	LGW-10	4/6/2016	11	3		mg/L
Chloride	LGW-10	5/11/2016	11	3		mg/L
Chloride	LGW-10	6/1/2016	12	3		mg/L
Chloride	LGW-10	7/21/2016	13	3		mg/L
Chloride	LGW-10	8/10/2016	13	3		mg/L
Chloride	LGW-10	9/6/2016	13	3		mg/L
Chloride	LGW-10	10/6/2016	12	3		mg/L
Chloride	LGW-10	10/6/2016	13	3		mg/L
Chloride	LGW-10	11/2/2016	13	3		mg/L
Chloride	LGW-10	12/1/2016	13	5		mg/L
Chloride	LGW-10	1/11/2017	14	3		mg/L
Chloride	LGW-10	2/7/2017	14	3		mg/L
Chloride	LGW-10	3/2/2017	14	3		mg/L
Chloride	LGW-10	4/4/2017	14	3		mg/L
Chloride	LGW-10	5/16/2017	15	3		mg/L
Chloride	LGW-10	6/6/2017	14	3		mg/L
Chloride	LGW-10	7/19/2017	15	3		mg/L
Chloride	LGW-10	8/1/2017	13	3		mg/L
Chloride	LGW-10	9/5/2017	16	3		mg/L
Chloride	LGW-10	10/9/2017	15	3		mg/L
Chloride	LGW-10	11/1/2017	15	3		mg/L
Chloride	LGW-10	1/24/2018	13	3		mg/L
Chloride	LGW-10	2/23/2018	14	3		mg/L
Chloride	LGW-10	3/21/2018	15	3		mg/L
Chloride	LGW-10	4/11/2018	15	3		mg/L
Chloride	LGW-10	4/11/2018	15	3		mg/L
Chloride	LGW-10	6/6/2018	16	3		mg/L
Chloride	LGW-10	7/16/2018	14	3		mg/L
Chloride	LGW-10	8/2/2018	15	3		mg/L
Chloride	LGW-10	9/4/2018	17	3		mg/L
Chloride	LGW-10	10/4/2018	15	3		mg/L
Chloride	LGW-10	10/4/2018	15	3		mg/L
Chloride	LGW-10	11/6/2018	13	3		mg/L
Chloride	LGW-10	12/4/2018	16	3		mg/L
Chloride	LGW-10	1/4/2019	15	3		mg/L
Chloride	LGW-10	2/6/2019	16	3		mg/L
Chloride	LGW-10	3/5/2019	14	3		mg/L
Chloride	LGW-10	4/3/2019	16	3		mg/L
Chloride	LGW-10	4/3/2019	16	3		mg/L
Chloride	LGW-10	5/3/2019	14	3		mg/L
Chloride	LGW-10	6/4/2019	17	3		mg/L
Chloride	LGW-10	7/11/2019	16	30	ND	mg/L
Chloride	LGW-10	7/11/2019	16	3		mg/L
Chloride	LGW-10	8/7/2019	13	3		mg/L
Chloride	LGW-10	9/4/2019	16	3		mg/L
Chloride	LGW-10	10/2/2019	16	3		mg/L
Chloride	LGW-10	10/2/2019	17	15		mg/L
Chloride	LGW-10	11/5/2019	16	3		mg/L
Chloride	LGW-10	12/3/2019	17	3		mg/L
Chloride	LGW-10	1/15/2020	18.4	3		mg/L
Chloride	LGW-10	2/4/2020	19	1		mg/L
Chloride	LGW-10	3/4/2020	19.1	3		mg/L
Chloride	LGW-10	4/2/2020	19	3		mg/L
Chloride	LGW-10	5/5/2020	17.7	3		mg/L
Chloride	LGW-10	6/2/2020	18.1	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	7/9/2020	16.4	3		mg/L
Chloride	LGW-10	7/9/2020	16.6	3		mg/L
Chloride	LGW-10	8/3/2020	16.1	3		mg/L
Chloride	LGW-10	9/2/2020	15.5	3		mg/L
Chloride	LGW-10	10/7/2020	15.8	3		mg/L
Chloride	LGW-10	10/7/2020	15.8	3		mg/L
Chloride	LGW-10	11/4/2020	15.5	3		mg/L
Chloride	LGW-10	12/3/2020	16.4	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	2/9/2021	19.8	3		mg/L
Chloride	LGW-10	3/2/2021	19.3	3		mg/L
Chloride	LGW-10	4/6/2021	19.5	3		mg/L
Chloride	LGW-10	5/5/2021	19.7	3		mg/L
Chloride	LGW-10	6/1/2021	20	3		mg/L
Chloride	LGW-10	7/7/2021	19.6	3		mg/L
Chloride	LGW-10	7/7/2021	19.6	3		mg/L
Chloride	LGW-10	7/7/2021	19.9	2		mg/L
Chloride	LGW-10	7/7/2021	20.2	3		mg/L
Chloride	LGW-10	8/4/2021	20	3		mg/L
Chloride	LGW-10	9/2/2021	19.7	3		mg/L
Chloride	LGW-10	10/5/2021	19.2	3		mg/L
Chloride	LGW-10	10/5/2021	19.8	3		mg/L
Chloride	LGW-10	11/2/2021	19	3		mg/L
Chloride	LGW-10	12/9/2021	18.6	3		mg/L
Chloride	LGW-10	1/13/2022	20.6	3		mg/L
Chloride	LGW-10	1/13/2022	21.4	3		mg/L
Chloride	LGW-10	1/13/2022	21	2		mg/L
Chloride	LGW-10	2/10/2022	20.2	3		mg/L
Chloride	LGW-10	3/2/2022	21.1	3		mg/L
Chloride	LGW-10	4/4/2022	21	3		mg/L
Chloride	LGW-10	5/7/2022	22.5	3		mg/L
Chloride	LGW-10	6/3/2022	22.2	3		mg/L
Chloride	LGW-10	7/11/2022	20.9	3		mg/L
Chloride	LGW-10	8/10/2022	20.5	3		mg/L
Chloride	LGW-10	9/8/2022	21.4	3		mg/L
Chloride	LGW-10	10/7/2022	20	3		mg/L
Chloride	LGW-10	11/3/2022	20	3		mg/L
Chloride	LGW-10	12/7/2022	20.5	3		mg/L
Chloride	LGW-10	1/11/2023	21.1	3		mg/L
Chloride	LGW-10	2/3/2023	22.7	3		mg/L
Chloride	LGW-10	3/1/2023	22.6	3		mg/L
Chloride	LGW-10	4/5/2023	21.7	3		mg/L
Chloride	LGW-14R	1/25/2006	4.7	0.5		mg/L
Chloride	LGW-14R	8/2/2006	5.1	3		mg/L
Chloride	LGW-14R	9/28/2006	4.1	3		mg/L
Chloride	LGW-14R	10/27/2006	4.9	3		mg/L
Chloride	LGW-14R	11/21/2006	4.4	3		mg/L
Chloride	LGW-14R	12/21/2006	4.5	3		mg/L
Chloride	LGW-14R	1/24/2007	5.3	3		mg/L
Chloride	LGW-14R	2/27/2007	5.9	3		mg/L
Chloride	LGW-14R	3/26/2007	5.5	3		mg/L
Chloride	LGW-14R	4/24/2007	4.7	3		mg/L
Chloride	LGW-14R	5/31/2007	5.4	3		mg/L
Chloride	LGW-14R	6/28/2007	4.5	3		mg/L
Chloride	LGW-14R	7/11/2007	4.7	3		mg/L
Chloride	LGW-14R	8/29/2007	12	3		mg/L
Chloride	LGW-14R	9/27/2007	4.8	3		mg/L
Chloride	LGW-14R	10/23/2007	4.7	3		mg/L
Chloride	LGW-14R	11/27/2007	5	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	12/27/2007	4.9	3		mg/L
Chloride	LGW-14R	1/23/2008	4.7	3		mg/L
Chloride	LGW-14R	2/28/2008	4.6	3		mg/L
Chloride	LGW-14R	3/25/2008	2.9	3	ND	mg/L
Chloride	LGW-14R	5/3/2008	5.5	3		mg/L
Chloride	LGW-14R	5/30/2008	4.8	3		mg/L
Chloride	LGW-14R	6/26/2008	4.3	3		mg/L
Chloride	LGW-14R	7/22/2008	5.1	3		mg/L
Chloride	LGW-14R	8/29/2008	5.8	3		mg/L
Chloride	LGW-14R	9/26/2008	4.1	3		mg/L
Chloride	LGW-14R	11/25/2008	3.8	3		mg/L
Chloride	LGW-14R	12/19/2008	4.5	3		mg/L
Chloride	LGW-14R	2/6/2009	3.9	3		mg/L
Chloride	LGW-14R	3/26/2009	3.5	3		mg/L
Chloride	LGW-14R	6/25/2009	4	3		mg/L
Chloride	LGW-14R	7/29/2009	3.5	3		mg/L
Chloride	LGW-14R	8/28/2009	3.3	3		mg/L
Chloride	LGW-14R	10/22/2009	3.5	3		mg/L
Chloride	LGW-14R	12/18/2009	3.5	3		mg/L
Chloride	LGW-14R	2/3/2010	3.5	3		mg/L
Chloride	LGW-14R	2/3/2010	3.5	3		mg/L
Chloride	LGW-14R	2/16/2010	3.4	3		mg/L
Chloride	LGW-14R	3/3/2010	3.7	3		mg/L
Chloride	LGW-14R	4/7/2010	3.5	3		mg/L
Chloride	LGW-14R	5/6/2010	4	3		mg/L
Chloride	LGW-14R	6/16/2010	3.7	3		mg/L
Chloride	LGW-14R	7/12/2010	3.5	3		mg/L
Chloride	LGW-14R	8/10/2010	3.8	3		mg/L
Chloride	LGW-14R	9/2/2010	3.7	3		mg/L
Chloride	LGW-14R	9/29/2010	3.7	3		mg/L
Chloride	LGW-14R	11/3/2010	3.2	3		mg/L
Chloride	LGW-14R	12/2/2010	3.9	3		mg/L
Chloride	LGW-14R	1/19/2011	3.7	3		mg/L
Chloride	LGW-14R	2/7/2011	3.7	3		mg/L
Chloride	LGW-14R	3/3/2011	3.9	3		mg/L
Chloride	LGW-14R	4/5/2011	3.8	3		mg/L
Chloride	LGW-14R	5/10/2011	3.6	3		mg/L
Chloride	LGW-14R	6/1/2011	3.6	3		mg/L
Chloride	LGW-14R	7/12/2011	3.9	3		mg/L
Chloride	LGW-14R	8/3/2011	3.8	3		mg/L
Chloride	LGW-14R	9/7/2011	3.9	3		mg/L
Chloride	LGW-14R	10/5/2011	4.1	3		mg/L
Chloride	LGW-14R	11/1/2011	3.6	3		mg/L
Chloride	LGW-14R	12/7/2011	3.9	3		mg/L
Chloride	LGW-14R	1/5/2012	3.8	3		mg/L
Chloride	LGW-14R	2/1/2012	3.7	3		mg/L
Chloride	LGW-14R	3/6/2012	3.8	3		mg/L
Chloride	LGW-14R	4/5/2012	3.9	3		mg/L
Chloride	LGW-14R	5/1/2012	4.2	3		mg/L
Chloride	LGW-14R	6/5/2012	3.8	3		mg/L
Chloride	LGW-14R	7/9/2012	3.8	3		mg/L
Chloride	LGW-14R	8/9/2012	3.8	3		mg/L
Chloride	LGW-14R	9/4/2012	3.9	3		mg/L
Chloride	LGW-14R	10/7/2012	3.9	3		mg/L
Chloride	LGW-14R	11/6/2012	4	3		mg/L
Chloride	LGW-14R	11/6/2012	4	3		mg/L
Chloride	LGW-14R	12/6/2012	4.1	3		mg/L
Chloride	LGW-14R	12/6/2012	4.1	3		mg/L
Chloride	LGW-14R	1/23/2013	3.5	3		mg/L
Chloride	LGW-14R	1/23/2013	3.5	3		mg/L
Chloride	LGW-14R	2/5/2013	3.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	2/5/2013	3.8	3		mg/L
Chloride	LGW-14R	3/5/2013	3.9	3		mg/L
Chloride	LGW-14R	3/5/2013	3.9	3		mg/L
Chloride	LGW-14R	4/30/2013	3.8	3		mg/L
Chloride	LGW-14R	6/4/2013	3.7	3		mg/L
Chloride	LGW-14R	8/8/2013	3.8	3		mg/L
Chloride	LGW-14R	9/10/2013	3.9	3		mg/L
Chloride	LGW-14R	10/1/2013	3.6	3		mg/L
Chloride	LGW-14R	11/6/2013	3.7	3		mg/L
Chloride	LGW-14R	12/2/2013	3.9	3		mg/L
Chloride	LGW-14R	1/23/2014	3.9	3		mg/L
Chloride	LGW-14R	2/12/2014	3.9	3		mg/L
Chloride	LGW-14R	3/11/2014	3.8	3		mg/L
Chloride	LGW-14R	4/2/2014	3.8	3		mg/L
Chloride	LGW-14R	5/7/2014	3.9	3		mg/L
Chloride	LGW-14R	6/3/2014	3.8	3		mg/L
Chloride	LGW-14R	7/8/2014	3.8	3		mg/L
Chloride	LGW-14R	8/5/2014	3.9	3		mg/L
Chloride	LGW-14R	9/4/2014	4	3		mg/L
Chloride	LGW-14R	10/9/2014	4	3		mg/L
Chloride	LGW-14R	11/3/2014	4.1	3		mg/L
Chloride	LGW-14R	1/14/2015	4.3	3		mg/L
Chloride	LGW-14R	2/11/2015	4	3		mg/L
Chloride	LGW-14R	3/3/2015	4.2	3		mg/L
Chloride	LGW-14R	4/1/2015	4	3		mg/L
Chloride	LGW-14R	5/6/2015	4.6	3		mg/L
Chloride	LGW-14R	6/3/2015	4	3		mg/L
Chloride	LGW-14R	7/22/2015	3.9	3		mg/L
Chloride	LGW-14R	8/4/2015	3.8	3		mg/L
Chloride	LGW-14R	9/3/2015	4.1	3		mg/L
Chloride	LGW-14R	10/6/2015	4	3		mg/L
Chloride	LGW-14R	11/4/2015	4.1	3		mg/L
Chloride	LGW-14R	12/3/2015	4.5	3		mg/L
Chloride	LGW-14R	1/5/2016	4.4	3		mg/L
Chloride	LGW-14R	2/3/2016	4	3		mg/L
Chloride	LGW-14R	3/2/2016	4	3		mg/L
Chloride	LGW-14R	4/5/2016	4.3	3		mg/L
Chloride	LGW-14R	5/11/2016	4.1	3		mg/L
Chloride	LGW-14R	6/1/2016	4.4	3		mg/L
Chloride	LGW-14R	7/19/2016	4.1	3		mg/L
Chloride	LGW-14R	8/10/2016	4.2	3		mg/L
Chloride	LGW-14R	9/6/2016	4.5	3		mg/L
Chloride	LGW-14R	10/6/2016	4.1	3		mg/L
Chloride	LGW-14R	11/2/2016	4.5	3		mg/L
Chloride	LGW-14R	12/1/2016	4.1	1		mg/L
Chloride	LGW-14R	1/11/2017	4.5	3		mg/L
Chloride	LGW-14R	2/7/2017	4.5	3		mg/L
Chloride	LGW-14R	3/2/2017	4.4	3		mg/L
Chloride	LGW-14R	4/4/2017	4.7	3		mg/L
Chloride	LGW-14R	5/2/2017	4.6	3		mg/L
Chloride	LGW-14R	6/6/2017	4.6	3		mg/L
Chloride	LGW-14R	7/18/2017	4.5	3		mg/L
Chloride	LGW-14R	8/1/2017	4.6	3		mg/L
Chloride	LGW-14R	9/5/2017	4.6	3		mg/L
Chloride	LGW-14R	10/5/2017	4.5	3		mg/L
Chloride	LGW-14R	11/1/2017	4.5	3		mg/L
Chloride	LGW-14R	1/25/2018	3.9	3		mg/L
Chloride	LGW-14R	2/22/2018	4.2	3		mg/L
Chloride	LGW-14R	3/20/2018	4.6	3		mg/L
Chloride	LGW-14R	4/10/2018	4.2	3		mg/L
Chloride	LGW-14R	6/5/2018	4.5	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	7/17/2018	4.2	3		mg/L
Chloride	LGW-14R	8/1/2018	4.7	3		mg/L
Chloride	LGW-14R	9/4/2018	5.2	3		mg/L
Chloride	LGW-14R	10/2/2018	4.2	3		mg/L
Chloride	LGW-14R	11/6/2018	4.3	3		mg/L
Chloride	LGW-14R	12/4/2018	4.4	3		mg/L
Chloride	LGW-14R	1/3/2019	4.3	3		mg/L
Chloride	LGW-14R	2/6/2019	4.5	3		mg/L
Chloride	LGW-14R	3/5/2019	4.1	3		mg/L
Chloride	LGW-14R	4/3/2019	4.7	3		mg/L
Chloride	LGW-14R	5/2/2019	4.3	3		mg/L
Chloride	LGW-14R	6/4/2019	3.9	3		mg/L
Chloride	LGW-14R	7/10/2019	3.9	3		mg/L
Chloride	LGW-14R	7/10/2019	4.8	3		mg/L
Chloride	LGW-14R	8/7/2019	3.9	3		mg/L
Chloride	LGW-14R	9/5/2019	4.3	3		mg/L
Chloride	LGW-14R	10/3/2019	4.6	3		mg/L
Chloride	LGW-14R	11/5/2019	4.1	3		mg/L
Chloride	LGW-14R	12/4/2019	4.3	3		mg/L
Chloride	LGW-14R	1/16/2020	4.68	3		mg/L
Chloride	LGW-14R	2/4/2020	4.81	1		mg/L
Chloride	LGW-14R	3/3/2020	4.68	3		mg/L
Chloride	LGW-14R	4/3/2020	4.67	3		mg/L
Chloride	LGW-14R	5/5/2020	4.34	3		mg/L
Chloride	LGW-14R	6/2/2020	4.58	3		mg/L
Chloride	LGW-14R	7/9/2020	4.76	3		mg/L
Chloride	LGW-14R	7/9/2020	4.36	3		mg/L
Chloride	LGW-14R	8/3/2020	4.49	3		mg/L
Chloride	LGW-14R	9/2/2020	4.53	3		mg/L
Chloride	LGW-14R	10/7/2020	4.36	3		mg/L
Chloride	LGW-14R	11/3/2020	4.58	3		mg/L
Chloride	LGW-14R	12/3/2020	4.42	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	2/9/2021	4.66	3		mg/L
Chloride	LGW-14R	3/2/2021	4.42	3		mg/L
Chloride	LGW-14R	4/6/2021	4.66	3		mg/L
Chloride	LGW-14R	5/4/2021	4.61	3		mg/L
Chloride	LGW-14R	6/1/2021	4.91	3		mg/L
Chloride	LGW-14R	7/7/2021	4.97	3		mg/L
Chloride	LGW-14R	7/7/2021	4.97	3		mg/L
Chloride	LGW-14R	7/7/2021	5.12	2		mg/L
Chloride	LGW-14R	7/7/2021	5.12	3		mg/L
Chloride	LGW-14R	8/3/2021	4.64	3		mg/L
Chloride	LGW-14R	9/2/2021	5.15	3		mg/L
Chloride	LGW-14R	10/5/2021	4.69	3		mg/L
Chloride	LGW-14R	11/2/2021	4.47	3		mg/L
Chloride	LGW-14R	12/9/2021	4.18	3		mg/L
Chloride	LGW-14R	1/12/2022	5.09	2		mg/L
Chloride	LGW-14R	1/12/2022	4.88	3		mg/L
Chloride	LGW-14R	1/12/2022	5	3		mg/L
Chloride	LGW-14R	2/10/2022	5.11	3		mg/L
Chloride	LGW-14R	3/1/2022	4.87	3		mg/L
Chloride	LGW-14R	4/5/2022	4.75	3		mg/L
Chloride	LGW-14R	5/7/2022	4.96	3		mg/L
Chloride	LGW-14R	6/3/2022	5.33	3		mg/L
Chloride	LGW-14R	7/11/2022	4.9	3		mg/L
Chloride	LGW-14R	8/10/2022	4.95	3		mg/L
Chloride	LGW-14R	9/8/2022	5.05	3		mg/L
Chloride	LGW-14R	10/6/2022	4.69	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	11/3/2022	4.78	3		mg/L
Chloride	LGW-14R	12/7/2022	4.88	3		mg/L
Chloride	LGW-14R	1/10/2023	4.88	3		mg/L
Chloride	LGW-14R	2/3/2023	5.42	3		mg/L
Chloride	LGW-14R	3/1/2023	5.49	3		mg/L
Chloride	LGW-14R	4/5/2023	4.9	3		mg/L
Chloride	LGW-2	1/25/2006	17.5	0.5		mg/L
Chloride	LGW-2	8/1/2006	9.1	3		mg/L
Chloride	LGW-2	9/27/2006	7.5	3		mg/L
Chloride	LGW-2	10/26/2006	7.7	3		mg/L
Chloride	LGW-2	11/21/2006	7.7	3		mg/L
Chloride	LGW-2	12/21/2006	7.1	3		mg/L
Chloride	LGW-2	1/25/2007	7.7	3		mg/L
Chloride	LGW-2	2/27/2007	7.9	3		mg/L
Chloride	LGW-2	3/26/2007	7.4	3		mg/L
Chloride	LGW-2	4/26/2007	6.6	3		mg/L
Chloride	LGW-2	6/1/2007	9.5	3		mg/L
Chloride	LGW-2	6/28/2007	8.1	3		mg/L
Chloride	LGW-2	7/10/2007	8.1	3		mg/L
Chloride	LGW-2	8/28/2007	6.6	3		mg/L
Chloride	LGW-2	9/28/2007	7.9	3		mg/L
Chloride	LGW-2	10/24/2007	8.1	3		mg/L
Chloride	LGW-2	11/28/2007	7.9	3		mg/L
Chloride	LGW-2	12/28/2007	8	3		mg/L
Chloride	LGW-2	1/26/2008	7.7	3		mg/L
Chloride	LGW-2	2/28/2008	7.7	3		mg/L
Chloride	LGW-2	3/24/2008	7.8	3		mg/L
Chloride	LGW-2	5/3/2008	8.1	3		mg/L
Chloride	LGW-2	6/26/2008	9	3		mg/L
Chloride	LGW-2	7/23/2008	9.4	3		mg/L
Chloride	LGW-2	8/29/2008	7.7	3		mg/L
Chloride	LGW-2	9/26/2008	8.6	3		mg/L
Chloride	LGW-2	10/21/2008	8.7	3		mg/L
Chloride	LGW-2	11/25/2008	8.5	3		mg/L
Chloride	LGW-2	12/19/2008	10	3		mg/L
Chloride	LGW-2	2/6/2009	8.4	3		mg/L
Chloride	LGW-2	3/26/2009	7.9	3		mg/L
Chloride	LGW-2	4/16/2009	9.6	3		mg/L
Chloride	LGW-2	5/29/2009	8.4	3		mg/L
Chloride	LGW-2	6/25/2009	8.9	3		mg/L
Chloride	LGW-2	7/30/2009	8.7	3		mg/L
Chloride	LGW-2	8/29/2009	8.5	3		mg/L
Chloride	LGW-2	9/30/2009	8.8	3		mg/L
Chloride	LGW-2	10/22/2009	9.7	3		mg/L
Chloride	LGW-2	11/24/2009	9.7	3		mg/L
Chloride	LGW-2	12/18/2009	10	3		mg/L
Chloride	LGW-2	2/3/2010	9.4	3		mg/L
Chloride	LGW-2	2/3/2010	9.4	3		mg/L
Chloride	LGW-2	2/17/2010	9.7	3		mg/L
Chloride	LGW-2	3/4/2010	9.8	3		mg/L
Chloride	LGW-2	4/8/2010	8.6	3		mg/L
Chloride	LGW-2	5/6/2010	9.9	3		mg/L
Chloride	LGW-2	6/15/2010	12	3		mg/L
Chloride	LGW-2	7/12/2010	9.1	3		mg/L
Chloride	LGW-2	8/10/2010	9.4	3		mg/L
Chloride	LGW-2	9/1/2010	9.5	3		mg/L
Chloride	LGW-2	9/29/2010	9.4	3		mg/L
Chloride	LGW-2	11/3/2010	8.1	3		mg/L
Chloride	LGW-2	12/2/2010	9.5	3		mg/L
Chloride	LGW-2	1/19/2011	9.3	3		mg/L
Chloride	LGW-2	2/7/2011	9.1	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	3/3/2011	8.7	3		mg/L
Chloride	LGW-2	4/5/2011	9.2	3		mg/L
Chloride	LGW-2	5/10/2011	9.1	3		mg/L
Chloride	LGW-2	6/1/2011	9	3		mg/L
Chloride	LGW-2	7/13/2011	9.8	3		mg/L
Chloride	LGW-2	8/3/2011	9.7	3		mg/L
Chloride	LGW-2	9/7/2011	9.7	3		mg/L
Chloride	LGW-2	10/5/2011	10	3		mg/L
Chloride	LGW-2	11/1/2011	8.9	3		mg/L
Chloride	LGW-2	12/7/2011	8.9	3		mg/L
Chloride	LGW-2	1/4/2012	9.6	3		mg/L
Chloride	LGW-2	2/1/2012	8.9	3		mg/L
Chloride	LGW-2	3/6/2012	9.4	3		mg/L
Chloride	LGW-2	4/5/2012	9.1	3		mg/L
Chloride	LGW-2	5/1/2012	9	3		mg/L
Chloride	LGW-2	6/5/2012	8.9	3		mg/L
Chloride	LGW-2	7/9/2012	9.3	3		mg/L
Chloride	LGW-2	8/9/2012	8.8	3		mg/L
Chloride	LGW-2	9/4/2012	9	3		mg/L
Chloride	LGW-2	10/7/2012	9.2	3		mg/L
Chloride	LGW-2	4/30/2013	8.9	3		mg/L
Chloride	LGW-2	6/4/2013	8.9	3		mg/L
Chloride	LGW-2	7/15/2013	9	3		mg/L
Chloride	LGW-2	8/8/2013	8.9	3		mg/L
Chloride	LGW-2	9/10/2013	3	3	ND	mg/L
Chloride	LGW-2	10/1/2013	8.4	3		mg/L
Chloride	LGW-2	11/6/2013	8.5	3		mg/L
Chloride	LGW-2	12/2/2013	9.2	3		mg/L
Chloride	LGW-2	1/30/2014	8.5	3		mg/L
Chloride	LGW-2	2/13/2014	9.1	3		mg/L
Chloride	LGW-2	3/12/2014	9	3		mg/L
Chloride	LGW-2	4/3/2014	8.8	3		mg/L
Chloride	LGW-2	5/7/2014	8.8	3		mg/L
Chloride	LGW-2	6/3/2014	8.6	3		mg/L
Chloride	LGW-2	7/8/2014	9	3		mg/L
Chloride	LGW-2	8/5/2014	8.6	3		mg/L
Chloride	LGW-2	9/4/2014	8.4	3		mg/L
Chloride	LGW-2	10/9/2014	9	3		mg/L
Chloride	LGW-2	11/3/2014	9	3		mg/L
Chloride	LGW-2	1/14/2015	9.1	3		mg/L
Chloride	LGW-2	2/13/2015	8.8	3		mg/L
Chloride	LGW-2	3/3/2015	8.9	3		mg/L
Chloride	LGW-2	4/1/2015	8.8	3		mg/L
Chloride	LGW-2	5/6/2015	8.4	3		mg/L
Chloride	LGW-2	6/3/2015	8.9	3		mg/L
Chloride	LGW-2	7/8/2015	8.2	3		mg/L
Chloride	LGW-2	8/4/2015	8.6	3		mg/L
Chloride	LGW-2	9/2/2015	8.2	3		mg/L
Chloride	LGW-2	10/5/2015	7.9	3		mg/L
Chloride	LGW-2	11/4/2015	8.7	3		mg/L
Chloride	LGW-2	12/3/2015	10	3		mg/L
Chloride	LGW-2	1/5/2016	9.6	3		mg/L
Chloride	LGW-2	2/3/2016	9.2	3		mg/L
Chloride	LGW-2	3/2/2016	9.1	3		mg/L
Chloride	LGW-2	4/5/2016	9.5	3		mg/L
Chloride	LGW-2	5/11/2016	8.2	3		mg/L
Chloride	LGW-2	6/1/2016	9.6	3		mg/L
Chloride	LGW-2	7/19/2016	9.2	3		mg/L
Chloride	LGW-2	8/10/2016	8.6	3		mg/L
Chloride	LGW-2	9/6/2016	9.9	3		mg/L
Chloride	LGW-2	10/6/2016	8.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	11/2/2016	9.7	3		mg/L
Chloride	LGW-2	12/1/2016	9.3	1		mg/L
Chloride	LGW-2	1/11/2017	9.9	3		mg/L
Chloride	LGW-2	2/7/2017	9.5	3		mg/L
Chloride	LGW-2	3/2/2017	8.5	3		mg/L
Chloride	LGW-2	4/4/2017	9.5	3		mg/L
Chloride	LGW-2	5/16/2017	9.6	3		mg/L
Chloride	LGW-2	6/6/2017	9.9	3		mg/L
Chloride	LGW-2	7/18/2017	10	3		mg/L
Chloride	LGW-2	8/1/2017	10	3		mg/L
Chloride	LGW-2	9/5/2017	10	3		mg/L
Chloride	LGW-2	10/6/2017	9.9	3		mg/L
Chloride	LGW-2	11/1/2017	9.6	3		mg/L
Chloride	LGW-2	1/23/2018	10	3		mg/L
Chloride	LGW-2	2/22/2018	9.1	3		mg/L
Chloride	LGW-2	3/21/2018	9.5	3		mg/L
Chloride	LGW-2	4/10/2018	8.9	3		mg/L
Chloride	LGW-2	6/5/2018	9.6	3		mg/L
Chloride	LGW-2	7/12/2018	8.7	3		mg/L
Chloride	LGW-2	8/1/2018	9.8	3		mg/L
Chloride	LGW-2	9/4/2018	11	3		mg/L
Chloride	LGW-2	10/2/2018	8.8	3		mg/L
Chloride	LGW-2	11/6/2018	7.6	3		mg/L
Chloride	LGW-2	12/4/2018	8.9	3		mg/L
Chloride	LGW-2	1/3/2019	8.9	3		mg/L
Chloride	LGW-2	2/5/2019	10	3		mg/L
Chloride	LGW-2	3/6/2019	7.9	3		mg/L
Chloride	LGW-2	4/3/2019	9.7	3		mg/L
Chloride	LGW-2	5/2/2019	8.4	3		mg/L
Chloride	LGW-2	6/5/2019	10	3		mg/L
Chloride	LGW-2	7/9/2019	9.2	3		mg/L
Chloride	LGW-2	7/9/2019	7.6	3		mg/L
Chloride	LGW-2	8/6/2019	7.6	3		mg/L
Chloride	LGW-2	9/4/2019	9	3		mg/L
Chloride	LGW-2	10/1/2019	9.4	3		mg/L
Chloride	LGW-2	11/6/2019	9.7	3		mg/L
Chloride	LGW-2	12/3/2019	9.3	3		mg/L
Chloride	LGW-2	1/13/2020	9.66	3		mg/L
Chloride	LGW-2	2/4/2020	9.8	1		mg/L
Chloride	LGW-2	3/3/2020	9.95	3		mg/L
Chloride	LGW-2	4/1/2020	9.78	3		mg/L
Chloride	LGW-2	5/5/2020	9.59	3		mg/L
Chloride	LGW-2	6/2/2020	9.84	3		mg/L
Chloride	LGW-2	7/8/2020	9.44	3		mg/L
Chloride	LGW-2	7/8/2020	9.31	3		mg/L
Chloride	LGW-2	8/3/2020	9.96	3		mg/L
Chloride	LGW-2	9/3/2020	9.37	3		mg/L
Chloride	LGW-2	10/7/2020	11.2	3		mg/L
Chloride	LGW-2	11/3/2020	9.38	3		mg/L
Chloride	LGW-2	12/4/2020	9.35	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	2/10/2021	9.47	3		mg/L
Chloride	LGW-2	3/2/2021	9.09	3		mg/L
Chloride	LGW-2	4/7/2021	9.99	3		mg/L
Chloride	LGW-2	5/4/2021	8.99	3		mg/L
Chloride	LGW-2	6/1/2021	9.18	3		mg/L
Chloride	LGW-2	7/4/2021	9.87	3		mg/L
Chloride	LGW-2	7/4/2021	8.89	3		mg/L
Chloride	LGW-2	7/4/2021	10	2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	8/3/2021	9.69	3		mg/L
Chloride	LGW-2	9/2/2021	9.7	3		mg/L
Chloride	LGW-2	10/5/2021	9.37	3		mg/L
Chloride	LGW-2	11/1/2021	9.15	3		mg/L
Chloride	LGW-2	12/8/2021	8.67	3		mg/L
Chloride	LGW-2	1/12/2022	9.63	3		mg/L
Chloride	LGW-2	1/12/2022	9.75	2		mg/L
Chloride	LGW-2	1/12/2022	9.41	3		mg/L
Chloride	LGW-2	2/9/2022	9.66	3		mg/L
Chloride	LGW-2	3/1/2022	9.54	3		mg/L
Chloride	LGW-2	4/5/2022	9.6	3		mg/L
Chloride	LGW-2	5/7/2022	9.8	3		mg/L
Chloride	LGW-2	6/3/2022	10.3	3		mg/L
Chloride	LGW-2	7/10/2022	10.1	3		mg/L
Chloride	LGW-2	8/10/2022	9.92	3		mg/L
Chloride	LGW-2	9/8/2022	10.3	3		mg/L
Chloride	LGW-2	10/6/2022	9.47	3		mg/L
Chloride	LGW-2	11/3/2022	9.28	3		mg/L
Chloride	LGW-2	12/7/2022	9.61	3		mg/L
Chloride	LGW-2	1/10/2023	9.88	3		mg/L
Chloride	LGW-2	2/3/2023	10.6	3		mg/L
Chloride	LGW-2	3/1/2023	10.9	3		mg/L
Chloride	LGW-2	4/6/2023	9.82	3		mg/L
Chloride	LGW-3R	1/24/2006	44.9	0.5		mg/L
Chloride	LGW-3R	7/20/2006	45	3		mg/L
Chloride	LGW-3R	9/26/2006	15	3		mg/L
Chloride	LGW-3R	10/26/2006	31	3		mg/L
Chloride	LGW-3R	11/21/2006	25	3		mg/L
Chloride	LGW-3R	12/21/2006	15	3		mg/L
Chloride	LGW-3R	1/25/2007	11	3		mg/L
Chloride	LGW-3R	2/27/2007	11	3		mg/L
Chloride	LGW-3R	3/26/2007	10	3		mg/L
Chloride	LGW-3R	4/26/2007	24	3		mg/L
Chloride	LGW-3R	6/1/2007	35	3		mg/L
Chloride	LGW-3R	6/28/2007	35	3		mg/L
Chloride	LGW-3R	7/11/2007	15	3		mg/L
Chloride	LGW-3R	8/28/2007	38	3		mg/L
Chloride	LGW-3R	9/28/2007	41	3		mg/L
Chloride	LGW-3R	10/24/2007	43	3		mg/L
Chloride	LGW-3R	11/28/2007	44	3		mg/L
Chloride	LGW-3R	12/27/2007	42	3		mg/L
Chloride	LGW-3R	1/26/2008	42	3		mg/L
Chloride	LGW-3R	2/27/2008	15	3		mg/L
Chloride	LGW-3R	3/24/2008	11	3		mg/L
Chloride	LGW-3R	5/3/2008	5.2	3		mg/L
Chloride	LGW-3R	6/26/2008	7.3	3		mg/L
Chloride	LGW-3R	7/23/2008	6.1	3		mg/L
Chloride	LGW-3R	8/29/2008	11	3		mg/L
Chloride	LGW-3R	9/26/2008	8.3	3		mg/L
Chloride	LGW-3R	10/22/2008	13	3		mg/L
Chloride	LGW-3R	11/25/2008	20	3		mg/L
Chloride	LGW-3R	12/19/2008	25	3		mg/L
Chloride	LGW-3R	2/3/2009	24	3		mg/L
Chloride	LGW-3R	3/26/2009	26	3		mg/L
Chloride	LGW-3R	4/16/2009	17	3		mg/L
Chloride	LGW-3R	5/28/2009	6.2	3		mg/L
Chloride	LGW-3R	6/25/2009	9.5	3		mg/L
Chloride	LGW-3R	7/31/2009	16	3		mg/L
Chloride	LGW-3R	8/29/2009	22	3		mg/L
Chloride	LGW-3R	9/30/2009	28	3		mg/L
Chloride	LGW-3R	10/22/2009	16	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	11/24/2009	14	3		mg/L
Chloride	LGW-3R	12/18/2009	20	3		mg/L
Chloride	LGW-3R	2/3/2010	29	3		mg/L
Chloride	LGW-3R	2/3/2010	29	3		mg/L
Chloride	LGW-3R	2/17/2010	25	3		mg/L
Chloride	LGW-3R	3/3/2010	26	3		mg/L
Chloride	LGW-3R	4/8/2010	16	3		mg/L
Chloride	LGW-3R	5/5/2010	21	3		mg/L
Chloride	LGW-3R	6/15/2010	18	3		mg/L
Chloride	LGW-3R	7/16/2010	11	3		mg/L
Chloride	LGW-3R	8/11/2010	13	3		mg/L
Chloride	LGW-3R	9/1/2010	18	3		mg/L
Chloride	LGW-3R	9/29/2010	22	3		mg/L
Chloride	LGW-3R	11/3/2010	25	3		mg/L
Chloride	LGW-3R	12/3/2010	35	3		mg/L
Chloride	LGW-3R	1/19/2011	40	3		mg/L
Chloride	LGW-3R	2/7/2011	40	3		mg/L
Chloride	LGW-3R	3/3/2011	39	3		mg/L
Chloride	LGW-3R	4/5/2011	40	3		mg/L
Chloride	LGW-3R	5/10/2011	11	3		mg/L
Chloride	LGW-3R	6/1/2011	6.9	3		mg/L
Chloride	LGW-3R	7/13/2011	10	3		mg/L
Chloride	LGW-3R	8/3/2011	14	3		mg/L
Chloride	LGW-3R	9/7/2011	20	3		mg/L
Chloride	LGW-3R	10/5/2011	27	3		mg/L
Chloride	LGW-3R	11/1/2011	28	3		mg/L
Chloride	LGW-3R	12/7/2011	28	3		mg/L
Chloride	LGW-3R	1/4/2012	24	3		mg/L
Chloride	LGW-3R	2/1/2012	27	3		mg/L
Chloride	LGW-3R	3/6/2012	30	3		mg/L
Chloride	LGW-3R	4/5/2012	17	3		mg/L
Chloride	LGW-3R	5/1/2012	21	3		mg/L
Chloride	LGW-3R	6/5/2012	30	3		mg/L
Chloride	LGW-3R	7/9/2012	34	3		mg/L
Chloride	LGW-3R	8/9/2012	33	3		mg/L
Chloride	LGW-3R	9/4/2012	35	3		mg/L
Chloride	LGW-3R	11/8/2012	34	3		mg/L
Chloride	LGW-3R	12/6/2012	36	3		mg/L
Chloride	LGW-3R	12/6/2012	36	3		mg/L
Chloride	LGW-3R	1/23/2013	36	3		mg/L
Chloride	LGW-3R	1/23/2013	36	3		mg/L
Chloride	LGW-3R	2/5/2013	36	3		mg/L
Chloride	LGW-3R	2/5/2013	36	3		mg/L
Chloride	LGW-3R	3/5/2013	35	3		mg/L
Chloride	LGW-3R	3/5/2013	35	3		mg/L
Chloride	LGW-3R	4/30/2013	9.9	3		mg/L
Chloride	LGW-3R	6/4/2013	6.6	3		mg/L
Chloride	LGW-3R	7/15/2013	14	3		mg/L
Chloride	LGW-3R	8/8/2013	22	3		mg/L
Chloride	LGW-3R	9/10/2013	20	3		mg/L
Chloride	LGW-3R	10/1/2013	26	3		mg/L
Chloride	LGW-3R	11/6/2013	25	3		mg/L
Chloride	LGW-3R	12/2/2013	29	3		mg/L
Chloride	LGW-3R	1/22/2014	24	3		mg/L
Chloride	LGW-3R	2/12/2014	26	3		mg/L
Chloride	LGW-3R	3/11/2014	28	3		mg/L
Chloride	LGW-3R	4/2/2014	27	3		mg/L
Chloride	LGW-3R	5/7/2014	25	3		mg/L
Chloride	LGW-3R	6/3/2014	27	3		mg/L
Chloride	LGW-3R	7/8/2014	28	3		mg/L
Chloride	LGW-3R	8/5/2014	29	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	9/4/2014	29	3		mg/L
Chloride	LGW-3R	10/9/2014	30	3		mg/L
Chloride	LGW-3R	11/3/2014	30	3		mg/L
Chloride	LGW-3R	1/14/2015	28	3		mg/L
Chloride	LGW-3R	2/10/2015	29	3		mg/L
Chloride	LGW-3R	3/3/2015	29	3		mg/L
Chloride	LGW-3R	4/1/2015	24	3		mg/L
Chloride	LGW-3R	5/6/2015	27	3		mg/L
Chloride	LGW-3R	6/3/2015	27	3		mg/L
Chloride	LGW-3R	7/16/2015	14	3		mg/L
Chloride	LGW-3R	8/5/2015	6.9	3		mg/L
Chloride	LGW-3R	9/3/2015	7.3	3		mg/L
Chloride	LGW-3R	10/6/2015	13	3		mg/L
Chloride	LGW-3R	11/5/2015	15	3		mg/L
Chloride	LGW-3R	12/4/2015	8.5	3		mg/L
Chloride	LGW-3R	1/8/2016	12	3		mg/L
Chloride	LGW-3R	2/4/2016	7.6	3		mg/L
Chloride	LGW-3R	3/3/2016	7.6	3		mg/L
Chloride	LGW-3R	4/6/2016	7	3		mg/L
Chloride	LGW-3R	5/12/2016	7	3		mg/L
Chloride	LGW-3R	6/2/2016	7.5	3		mg/L
Chloride	LGW-3R	7/21/2016	7.2	3		mg/L
Chloride	LGW-3R	8/11/2016	8.1	3		mg/L
Chloride	LGW-3R	9/7/2016	19	3		mg/L
Chloride	LGW-3R	10/7/2016	17	3		mg/L
Chloride	LGW-3R	11/3/2016	26	3		mg/L
Chloride	LGW-3R	12/2/2016	23	1		mg/L
Chloride	LGW-3R	1/11/2017	30	3		mg/L
Chloride	LGW-3R	2/7/2017	30	3		mg/L
Chloride	LGW-3R	3/2/2017	27	3		mg/L
Chloride	LGW-3R	4/4/2017	27	3		mg/L
Chloride	LGW-3R	5/2/2017	13	3		mg/L
Chloride	LGW-3R	6/6/2017	11	3		mg/L
Chloride	LGW-3R	7/18/2017	15	3		mg/L
Chloride	LGW-3R	8/1/2017	17	3		mg/L
Chloride	LGW-3R	9/5/2017	16	3		mg/L
Chloride	LGW-3R	10/6/2017	19	3		mg/L
Chloride	LGW-3R	11/1/2017	18	3		mg/L
Chloride	LGW-3R	1/23/2018	26	3		mg/L
Chloride	LGW-3R	2/22/2018	23	3		mg/L
Chloride	LGW-3R	3/19/2018	16	3		mg/L
Chloride	LGW-3R	4/10/2018	13	3		mg/L
Chloride	LGW-3R	6/5/2018	15	3		mg/L
Chloride	LGW-3R	7/11/2018	18	3		mg/L
Chloride	LGW-3R	8/1/2018	18	3		mg/L
Chloride	LGW-3R	9/5/2018	21	3		mg/L
Chloride	LGW-3R	10/3/2018	19	3		mg/L
Chloride	LGW-3R	11/7/2018	17	3		mg/L
Chloride	LGW-3R	12/4/2018	21	3		mg/L
Chloride	LGW-3R	1/3/2019	20	3		mg/L
Chloride	LGW-3R	2/5/2019	14	3		mg/L
Chloride	LGW-3R	3/4/2019	12	3		mg/L
Chloride	LGW-3R	4/3/2019	14	3		mg/L
Chloride	LGW-3R	5/1/2019	11	3		mg/L
Chloride	LGW-3R	6/5/2019	9.1	3		mg/L
Chloride	LGW-3R	7/9/2019	8.9	3		mg/L
Chloride	LGW-3R	7/9/2019	9.9	3		mg/L
Chloride	LGW-3R	8/5/2019	7.5	3		mg/L
Chloride	LGW-3R	9/3/2019	9.3	3		mg/L
Chloride	LGW-3R	10/1/2019	11	3		mg/L
Chloride	LGW-3R	11/6/2019	9.6	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	12/2/2019	8	3		mg/L
Chloride	LGW-3R	1/14/2020	8.25	3		mg/L
Chloride	LGW-3R	2/4/2020	6.75	1		mg/L
Chloride	LGW-3R	3/2/2020	7.8	3		mg/L
Chloride	LGW-3R	4/1/2020	6.62	3		mg/L
Chloride	LGW-3R	5/5/2020	6.65	3		mg/L
Chloride	LGW-3R	6/3/2020	6.53	3		mg/L
Chloride	LGW-3R	7/6/2020	6.51	3		mg/L
Chloride	LGW-3R	7/6/2020	6.23	3		mg/L
Chloride	LGW-3R	8/3/2020	7.65	3		mg/L
Chloride	LGW-3R	9/2/2020	7.09	3		mg/L
Chloride	LGW-3R	10/5/2020	6.64	3		mg/L
Chloride	LGW-3R	11/3/2020	5.88	3		mg/L
Chloride	LGW-3R	12/4/2020	5.76	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	2/9/2021	5.88	3		mg/L
Chloride	LGW-3R	3/2/2021	5.38	3		mg/L
Chloride	LGW-3R	4/6/2021	5.6	3		mg/L
Chloride	LGW-3R	5/4/2021	5.91	3		mg/L
Chloride	LGW-3R	6/2/2021	6.07	3		mg/L
Chloride	LGW-3R	7/6/2021	6.07	3		mg/L
Chloride	LGW-3R	7/6/2021	5.3	3		mg/L
Chloride	LGW-3R	7/6/2021	6.13	2		mg/L
Chloride	LGW-3R	8/3/2021	5.38	3		mg/L
Chloride	LGW-3R	9/2/2021	5.1	3		mg/L
Chloride	LGW-3R	10/5/2021	4.62	3		mg/L
Chloride	LGW-3R	11/2/2021	11.8	3		mg/L
Chloride	LGW-3R	12/9/2021	4.35	3		mg/L
Chloride	LGW-3R	1/12/2022	5.82	3		mg/L
Chloride	LGW-3R	1/12/2022	5.58	3		mg/L
Chloride	LGW-3R	1/12/2022	6.03	2		mg/L
Chloride	LGW-3R	2/10/2022	5.21	3		mg/L
Chloride	LGW-3R	3/1/2022	5.76	3		mg/L
Chloride	LGW-3R	4/5/2022	5.73	3		mg/L
Chloride	LGW-3R	5/7/2022	5.25	3		mg/L
Chloride	LGW-3R	6/3/2022	6.11	3		mg/L
Chloride	LGW-3R	7/10/2022	5.43	3		mg/L
Chloride	LGW-3R	8/10/2022	6.03	3		mg/L
Chloride	LGW-3R	9/8/2022	5.92	3		mg/L
Chloride	LGW-3R	10/6/2022	5.04	3		mg/L
Chloride	LGW-3R	11/3/2022	4.91	3		mg/L
Chloride	LGW-3R	12/7/2022	5.15	3		mg/L
Chloride	LGW-3R	1/10/2023	5.4	3		mg/L
Chloride	LGW-3R	2/3/2023	5.74	3		mg/L
Chloride	LGW-3R	3/1/2023	6.2	3		mg/L
Chloride	LGW-3R	4/6/2023	4.75	3		mg/L
Chloride	LGW-4	1/24/2006	20.6	0.5		mg/L
Chloride	LGW-4	7/20/2006	20	3		mg/L
Chloride	LGW-4	9/26/2006	11	3		mg/L
Chloride	LGW-4	10/26/2006	19	3		mg/L
Chloride	LGW-4	11/21/2006	15	3		mg/L
Chloride	LGW-4	12/21/2006	12	3		mg/L
Chloride	LGW-4	1/25/2007	8.7	3		mg/L
Chloride	LGW-4	2/27/2007	9.9	3		mg/L
Chloride	LGW-4	3/26/2007	9.7	3		mg/L
Chloride	LGW-4	4/26/2007	13	3		mg/L
Chloride	LGW-4	5/31/2007	19	3		mg/L
Chloride	LGW-4	6/28/2007	14	3		mg/L
Chloride	LGW-4	7/11/2007	10	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	8/28/2007	20	3		mg/L
Chloride	LGW-4	9/28/2007	20	3		mg/L
Chloride	LGW-4	10/24/2007	19	3		mg/L
Chloride	LGW-4	11/28/2007	21	3		mg/L
Chloride	LGW-4	12/27/2007	21	3		mg/L
Chloride	LGW-4	1/22/2008	22	3		mg/L
Chloride	LGW-4	2/27/2008	14	3		mg/L
Chloride	LGW-4	3/25/2008	8.9	3		mg/L
Chloride	LGW-4	5/3/2008	6.4	3		mg/L
Chloride	LGW-4	7/23/2008	8.5	3		mg/L
Chloride	LGW-4	8/29/2008	10	3		mg/L
Chloride	LGW-4	9/26/2008	6.8	3		mg/L
Chloride	LGW-4	10/22/2008	11	3		mg/L
Chloride	LGW-4	11/25/2008	13	3		mg/L
Chloride	LGW-4	12/19/2008	16	3		mg/L
Chloride	LGW-4	2/3/2009	15	3		mg/L
Chloride	LGW-4	3/26/2009	10	3		mg/L
Chloride	LGW-4	4/16/2009	10	3		mg/L
Chloride	LGW-4	5/28/2009	5.7	3		mg/L
Chloride	LGW-4	6/25/2009	9.5	3		mg/L
Chloride	LGW-4	7/31/2009	12	3		mg/L
Chloride	LGW-4	8/29/2009	14	3		mg/L
Chloride	LGW-4	10/22/2009	11	3		mg/L
Chloride	LGW-4	11/24/2009	11	3		mg/L
Chloride	LGW-4	2/3/2010	17	3		mg/L
Chloride	LGW-4	2/3/2010	17	3		mg/L
Chloride	LGW-4	2/17/2010	16	3		mg/L
Chloride	LGW-4	3/3/2010	17	3		mg/L
Chloride	LGW-4	4/8/2010	12	3		mg/L
Chloride	LGW-4	5/5/2010	14	3		mg/L
Chloride	LGW-4	6/15/2010	20	3		mg/L
Chloride	LGW-4	7/16/2010	9.3	3		mg/L
Chloride	LGW-4	8/11/2010	11	3		mg/L
Chloride	LGW-4	9/1/2010	13	3		mg/L
Chloride	LGW-4	9/29/2010	12	3		mg/L
Chloride	LGW-4	11/3/2010	14	3		mg/L
Chloride	LGW-4	12/3/2010	19	3		mg/L
Chloride	LGW-4	1/19/2011	21	3		mg/L
Chloride	LGW-4	2/7/2011	21	3		mg/L
Chloride	LGW-4	3/3/2011	22	3		mg/L
Chloride	LGW-4	4/5/2011	21	3		mg/L
Chloride	LGW-4	5/10/2011	9.4	3		mg/L
Chloride	LGW-4	6/1/2011	9	3		mg/L
Chloride	LGW-4	7/13/2011	8.2	3		mg/L
Chloride	LGW-4	8/3/2011	11	3		mg/L
Chloride	LGW-4	9/7/2011	14	3		mg/L
Chloride	LGW-4	10/5/2011	16	3		mg/L
Chloride	LGW-4	11/1/2011	16	3		mg/L
Chloride	LGW-4	12/7/2011	16	3		mg/L
Chloride	LGW-4	1/4/2012	17	3		mg/L
Chloride	LGW-4	2/1/2012	17	3		mg/L
Chloride	LGW-4	3/6/2012	18	3		mg/L
Chloride	LGW-4	4/5/2012	13	3		mg/L
Chloride	LGW-4	5/1/2012	14	3		mg/L
Chloride	LGW-4	6/5/2012	17	3		mg/L
Chloride	LGW-4	7/9/2012	19	3		mg/L
Chloride	LGW-4	8/9/2012	18	3		mg/L
Chloride	LGW-4	9/4/2012	17	3		mg/L
Chloride	LGW-4	10/7/2012	19	3		mg/L
Chloride	LGW-4	4/30/2013	9.4	3		mg/L
Chloride	LGW-4	6/4/2013	7.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	7/15/2013	11	3		mg/L
Chloride	LGW-4	8/8/2013	11	3		mg/L
Chloride	LGW-4	9/10/2013	11	3		mg/L
Chloride	LGW-4	10/1/2013	13	3		mg/L
Chloride	LGW-4	11/6/2013	9.3	3		mg/L
Chloride	LGW-4	12/2/2013	16	3		mg/L
Chloride	LGW-4	1/23/2014	15	3		mg/L
Chloride	LGW-4	2/12/2014	15	3		mg/L
Chloride	LGW-4	3/11/2014	16	3		mg/L
Chloride	LGW-4	4/2/2014	16	3		mg/L
Chloride	LGW-4	5/7/2014	10	3		mg/L
Chloride	LGW-4	6/3/2014	16	3		mg/L
Chloride	LGW-4	7/8/2014	15	3		mg/L
Chloride	LGW-4	8/5/2014	13	3		mg/L
Chloride	LGW-4	9/4/2014	12	3		mg/L
Chloride	LGW-4	10/9/2014	12	3		mg/L
Chloride	LGW-4	11/3/2014	14	3		mg/L
Chloride	LGW-4	1/14/2015	12	3		mg/L
Chloride	LGW-4	2/11/2015	17	3		mg/L
Chloride	LGW-4	3/3/2015	12	3		mg/L
Chloride	LGW-4	4/1/2015	10	3		mg/L
Chloride	LGW-4	5/6/2015	12	3		mg/L
Chloride	LGW-4	6/3/2015	8.4	3		mg/L
Chloride	LGW-4	7/8/2015	12	3		mg/L
Chloride	LGW-4	8/4/2015	7.4	3		mg/L
Chloride	LGW-4	9/2/2015	7.5	3		mg/L
Chloride	LGW-4	10/5/2015	8.7	3		mg/L
Chloride	LGW-4	11/4/2015	10	3		mg/L
Chloride	LGW-4	12/3/2015	9.2	3		mg/L
Chloride	LGW-4	1/5/2016	8	3		mg/L
Chloride	LGW-4	2/3/2016	7.3	3		mg/L
Chloride	LGW-4	3/2/2016	6.9	3		mg/L
Chloride	LGW-4	4/5/2016	9.5	3		mg/L
Chloride	LGW-4	5/11/2016	8.1	3		mg/L
Chloride	LGW-4	6/1/2016	11	3		mg/L
Chloride	LGW-4	7/19/2016	12	3		mg/L
Chloride	LGW-4	8/10/2016	11	3		mg/L
Chloride	LGW-4	9/6/2016	16	3		mg/L
Chloride	LGW-4	10/6/2016	14	3		mg/L
Chloride	LGW-4	11/2/2016	16	3		mg/L
Chloride	LGW-4	12/1/2016	17	1		mg/L
Chloride	LGW-4	1/11/2017	19	3		mg/L
Chloride	LGW-4	2/7/2017	17	3		mg/L
Chloride	LGW-4	3/2/2017	18	3		mg/L
Chloride	LGW-4	4/4/2017	16	3		mg/L
Chloride	LGW-4	5/2/2017	11	3		mg/L
Chloride	LGW-4	6/6/2017	11	3		mg/L
Chloride	LGW-4	7/18/2017	13	3		mg/L
Chloride	LGW-4	8/1/2017	14	3		mg/L
Chloride	LGW-4	9/5/2017	13	3		mg/L
Chloride	LGW-4	10/6/2017	14	3		mg/L
Chloride	LGW-4	11/1/2017	14	3		mg/L
Chloride	LGW-4	1/23/2018	19	3		mg/L
Chloride	LGW-4	2/22/2018	16	3		mg/L
Chloride	LGW-4	3/19/2018	16	3		mg/L
Chloride	LGW-4	4/10/2018	13	3		mg/L
Chloride	LGW-4	6/5/2018	14	3		mg/L
Chloride	LGW-4	7/11/2018	15	3		mg/L
Chloride	LGW-4	8/1/2018	15	3		mg/L
Chloride	LGW-4	9/5/2018	18	3		mg/L
Chloride	LGW-4	10/3/2018	15	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	11/7/2018	16	3		mg/L
Chloride	LGW-4	12/4/2018	15	3		mg/L
Chloride	LGW-4	1/3/2019	14	3		mg/L
Chloride	LGW-4	2/5/2019	13	3		mg/L
Chloride	LGW-4	3/4/2019	9.7	3		mg/L
Chloride	LGW-4	4/3/2019	14	3		mg/L
Chloride	LGW-4	5/1/2019	11	3		mg/L
Chloride	LGW-4	6/5/2019	8.2	3		mg/L
Chloride	LGW-4	7/9/2019	10	3		mg/L
Chloride	LGW-4	7/9/2019	12	3		mg/L
Chloride	LGW-4	8/5/2019	9.6	3		mg/L
Chloride	LGW-4	9/3/2019	12	3		mg/L
Chloride	LGW-4	10/1/2019	11	3		mg/L
Chloride	LGW-4	11/6/2019	13	3		mg/L
Chloride	LGW-4	12/4/2019	7.5	3		mg/L
Chloride	LGW-4	1/14/2020	8.39	3		mg/L
Chloride	LGW-4	2/4/2020	7.35	1		mg/L
Chloride	LGW-4	3/2/2020	8.24	3		mg/L
Chloride	LGW-4	4/1/2020	6.81	3		mg/L
Chloride	LGW-4	5/5/2020	6.8	3		mg/L
Chloride	LGW-4	6/3/2020	7.66	3		mg/L
Chloride	LGW-4	7/6/2020	7.65	3		mg/L
Chloride	LGW-4	7/6/2020	6.58	3		mg/L
Chloride	LGW-4	8/3/2020	7.51	3		mg/L
Chloride	LGW-4	9/2/2020	6.99	3		mg/L
Chloride	LGW-4	10/5/2020	7.88	3		mg/L
Chloride	LGW-4	11/3/2020	8.08	3		mg/L
Chloride	LGW-4	12/4/2020	6.85	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	2/9/2021	7.08	3		mg/L
Chloride	LGW-4	3/2/2021	7.43	3		mg/L
Chloride	LGW-4	4/6/2021	7.27	3		mg/L
Chloride	LGW-4	5/4/2021	6.8	3		mg/L
Chloride	LGW-4	6/2/2021	7.02	3		mg/L
Chloride	LGW-4	7/7/2021	11.1	3		mg/L
Chloride	LGW-4	7/7/2021	11.1	3		mg/L
Chloride	LGW-4	7/7/2021	11	2		mg/L
Chloride	LGW-4	7/7/2021	10.8	3		mg/L
Chloride	LGW-4	8/3/2021	7.33	3		mg/L
Chloride	LGW-4	9/2/2021	7.72	3		mg/L
Chloride	LGW-4	10/5/2021	7.04	3		mg/L
Chloride	LGW-4	11/2/2021	6.85	3		mg/L
Chloride	LGW-4	12/9/2021	6.68	3		mg/L
Chloride	LGW-4	1/12/2022	9.03	3		mg/L
Chloride	LGW-4	1/12/2022	8.56	2		mg/L
Chloride	LGW-4	1/12/2022	8.34	3		mg/L
Chloride	LGW-4	2/10/2022	8.38	3		mg/L
Chloride	LGW-4	3/1/2022	8.51	3		mg/L
Chloride	LGW-4	4/5/2022	8.95	3		mg/L
Chloride	LGW-4	5/7/2022	9.3	3		mg/L
Chloride	LGW-4	6/3/2022	14.3	3		mg/L
Chloride	LGW-4	7/11/2022	11.1	3		mg/L
Chloride	LGW-4	8/10/2022	10.4	3		mg/L
Chloride	LGW-4	9/8/2022	12.7	3		mg/L
Chloride	LGW-4	10/6/2022	12.1	3		mg/L
Chloride	LGW-4	11/3/2022	15.1	3		mg/L
Chloride	LGW-4	12/7/2022	17.9	3		mg/L
Chloride	LGW-4	1/10/2023	18.9	3		mg/L
Chloride	LGW-4	2/3/2023	19.3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	3/1/2023	22.7	3		mg/L
Chloride	LGW-4	4/6/2023	21.5	3		mg/L
Chloride	LGW-5	1/25/2006	10.1	0.5		mg/L
Chloride	LGW-5	8/1/2006	13	3		mg/L
Chloride	LGW-5	9/27/2006	12	3		mg/L
Chloride	LGW-5	10/26/2006	12	3		mg/L
Chloride	LGW-5	11/21/2006	12	3		mg/L
Chloride	LGW-5	12/21/2006	14	3		mg/L
Chloride	LGW-5	1/25/2007	13	3		mg/L
Chloride	LGW-5	2/27/2007	13	3		mg/L
Chloride	LGW-5	3/26/2007	13	3		mg/L
Chloride	LGW-5	4/26/2007	13	3		mg/L
Chloride	LGW-5	5/31/2007	14	3		mg/L
Chloride	LGW-5	6/28/2007	12	3		mg/L
Chloride	LGW-5	7/11/2007	13	3		mg/L
Chloride	LGW-5	8/28/2007	14	3		mg/L
Chloride	LGW-5	9/28/2007	11	3		mg/L
Chloride	LGW-5	10/24/2007	14	3		mg/L
Chloride	LGW-5	11/28/2007	13	3		mg/L
Chloride	LGW-5	12/27/2007	9.1	3		mg/L
Chloride	LGW-5	1/23/2008	9.6	3		mg/L
Chloride	LGW-5	2/28/2008	13	3		mg/L
Chloride	LGW-5	3/25/2008	12	3		mg/L
Chloride	LGW-5	5/3/2008	11	3		mg/L
Chloride	LGW-5	5/29/2008	11	3		mg/L
Chloride	LGW-5	6/26/2008	11	3		mg/L
Chloride	LGW-5	7/23/2008	10	3		mg/L
Chloride	LGW-5	9/26/2008	9.6	3		mg/L
Chloride	LGW-5	10/21/2008	11	3		mg/L
Chloride	LGW-5	11/25/2008	11	3		mg/L
Chloride	LGW-5	12/19/2008	13	3		mg/L
Chloride	LGW-5	2/4/2009	13	3		mg/L
Chloride	LGW-5	3/26/2009	12	3		mg/L
Chloride	LGW-5	4/16/2009	13	3		mg/L
Chloride	LGW-5	5/29/2009	11	3		mg/L
Chloride	LGW-5	6/24/2009	11	3		mg/L
Chloride	LGW-5	7/29/2009	11	3		mg/L
Chloride	LGW-5	8/28/2009	12	3		mg/L
Chloride	LGW-5	9/29/2009	13	3		mg/L
Chloride	LGW-5	10/21/2009	11	3		mg/L
Chloride	LGW-5	11/24/2009	11	3		mg/L
Chloride	LGW-5	12/17/2009	12	3		mg/L
Chloride	LGW-5	2/3/2010	14	3		mg/L
Chloride	LGW-5	2/3/2010	14	3		mg/L
Chloride	LGW-5	2/16/2010	14	3		mg/L
Chloride	LGW-5	3/3/2010	14	3		mg/L
Chloride	LGW-5	4/7/2010	12	3		mg/L
Chloride	LGW-5	5/5/2010	13	3		mg/L
Chloride	LGW-5	6/15/2010	24	3		mg/L
Chloride	LGW-5	7/12/2010	12	3		mg/L
Chloride	LGW-5	8/10/2010	11	3		mg/L
Chloride	LGW-5	9/2/2010	12	3		mg/L
Chloride	LGW-5	9/29/2010	11	3		mg/L
Chloride	LGW-5	11/3/2010	11	3		mg/L
Chloride	LGW-5	12/2/2010	14	3		mg/L
Chloride	LGW-5	1/19/2011	15	3		mg/L
Chloride	LGW-5	2/7/2011	16	3		mg/L
Chloride	LGW-5	3/3/2011	17	3		mg/L
Chloride	LGW-5	4/5/2011	17	3		mg/L
Chloride	LGW-5	5/10/2011	11	3		mg/L
Chloride	LGW-5	6/1/2011	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	7/12/2011	11	3		mg/L
Chloride	LGW-5	8/3/2011	12	3		mg/L
Chloride	LGW-5	9/7/2011	12	3		mg/L
Chloride	LGW-5	10/5/2011	13	3		mg/L
Chloride	LGW-5	11/1/2011	12	3		mg/L
Chloride	LGW-5	12/7/2011	12	3		mg/L
Chloride	LGW-5	1/5/2012	13	3		mg/L
Chloride	LGW-5	2/1/2012	13	3		mg/L
Chloride	LGW-5	3/6/2012	14	3		mg/L
Chloride	LGW-5	4/5/2012	13	3		mg/L
Chloride	LGW-5	5/1/2012	13	3		mg/L
Chloride	LGW-5	6/5/2012	14	3		mg/L
Chloride	LGW-5	7/9/2012	15	3		mg/L
Chloride	LGW-5	8/9/2012	15	3		mg/L
Chloride	LGW-5	9/4/2012	15	3		mg/L
Chloride	LGW-5	10/7/2012	14	3		mg/L
Chloride	LGW-5	4/30/2013	12	3		mg/L
Chloride	LGW-5	6/4/2013	9.9	3		mg/L
Chloride	LGW-5	7/15/2013	10	3		mg/L
Chloride	LGW-5	8/8/2013	10	3		mg/L
Chloride	LGW-5	9/10/2013	11	3		mg/L
Chloride	LGW-5	10/1/2013	11	3		mg/L
Chloride	LGW-5	11/6/2013	12	3		mg/L
Chloride	LGW-5	12/3/2013	13	3		mg/L
Chloride	LGW-5	1/23/2014	13	3		mg/L
Chloride	LGW-5	2/12/2014	13	3		mg/L
Chloride	LGW-5	3/11/2014	14	3		mg/L
Chloride	LGW-5	4/2/2014	13	3		mg/L
Chloride	LGW-5	5/7/2014	14	3		mg/L
Chloride	LGW-5	6/3/2014	14	3		mg/L
Chloride	LGW-5	7/8/2014	13	3		mg/L
Chloride	LGW-5	8/5/2014	13	3		mg/L
Chloride	LGW-5	9/4/2014	11	3		mg/L
Chloride	LGW-5	10/9/2014	10	3		mg/L
Chloride	LGW-5	11/3/2014	9.9	3		mg/L
Chloride	LGW-5	1/14/2015	9.1	3		mg/L
Chloride	LGW-5	2/10/2015	13	3		mg/L
Chloride	LGW-5	3/3/2015	8.7	3		mg/L
Chloride	LGW-5	4/1/2015	15	3		mg/L
Chloride	LGW-5	5/6/2015	16	3		mg/L
Chloride	LGW-5	6/3/2015	15	3		mg/L
Chloride	LGW-5	7/8/2015	14	3		mg/L
Chloride	LGW-5	8/4/2015	12	3		mg/L
Chloride	LGW-5	9/2/2015	12	3		mg/L
Chloride	LGW-5	10/5/2015	13	3		mg/L
Chloride	LGW-5	11/4/2015	16	3		mg/L
Chloride	LGW-5	12/3/2015	16	3		mg/L
Chloride	LGW-5	1/5/2016	14	3		mg/L
Chloride	LGW-5	2/3/2016	13	3		mg/L
Chloride	LGW-5	3/2/2016	14	3		mg/L
Chloride	LGW-5	4/5/2016	15	3		mg/L
Chloride	LGW-5	5/11/2016	13	3		mg/L
Chloride	LGW-5	6/1/2016	16	3		mg/L
Chloride	LGW-5	7/19/2016	16	3		mg/L
Chloride	LGW-5	8/10/2016	14	3		mg/L
Chloride	LGW-5	9/6/2016	17	3		mg/L
Chloride	LGW-5	10/6/2016	16	3		mg/L
Chloride	LGW-5	11/2/2016	19	3		mg/L
Chloride	LGW-5	12/1/2016	19	1		mg/L
Chloride	LGW-5	1/11/2017	20	3		mg/L
Chloride	LGW-5	2/7/2017	20	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	3/2/2017	20	3		mg/L
Chloride	LGW-5	4/4/2017	20	3		mg/L
Chloride	LGW-5	5/16/2017	17	3		mg/L
Chloride	LGW-5	6/6/2017	16	3		mg/L
Chloride	LGW-5	7/18/2017	16	3		mg/L
Chloride	LGW-5	8/1/2017	16	3		mg/L
Chloride	LGW-5	9/5/2017	16	3		mg/L
Chloride	LGW-5	10/5/2017	16	3		mg/L
Chloride	LGW-5	11/1/2017	17	3		mg/L
Chloride	LGW-5	1/23/2018	18	3		mg/L
Chloride	LGW-5	2/23/2018	15	3		mg/L
Chloride	LGW-5	3/20/2018	17	3		mg/L
Chloride	LGW-5	4/10/2018	14	3		mg/L
Chloride	LGW-5	6/5/2018	16	3		mg/L
Chloride	LGW-5	7/12/2018	15	3		mg/L
Chloride	LGW-5	8/1/2018	16	3		mg/L
Chloride	LGW-5	9/4/2018	18	3		mg/L
Chloride	LGW-5	10/3/2018	16	3		mg/L
Chloride	LGW-5	11/7/2018	14	3		mg/L
Chloride	LGW-5	12/4/2018	16	3		mg/L
Chloride	LGW-5	1/3/2019	16	3		mg/L
Chloride	LGW-5	2/5/2019	16	3		mg/L
Chloride	LGW-5	3/5/2019	13	3		mg/L
Chloride	LGW-5	4/3/2019	16	3		mg/L
Chloride	LGW-5	5/1/2019	14	3		mg/L
Chloride	LGW-5	6/4/2019	12	3		mg/L
Chloride	LGW-5	7/9/2019	13	3		mg/L
Chloride	LGW-5	7/9/2019	15	3		mg/L
Chloride	LGW-5	8/5/2019	12	3		mg/L
Chloride	LGW-5	9/3/2019	15	3		mg/L
Chloride	LGW-5	10/1/2019	16	3		mg/L
Chloride	LGW-5	11/5/2019	15	3		mg/L
Chloride	LGW-5	12/2/2019	16	3		mg/L
Chloride	LGW-5	1/14/2020	15.5	3		mg/L
Chloride	LGW-5	2/3/2020	15.7	1		mg/L
Chloride	LGW-5	3/2/2020	15.3	3		mg/L
Chloride	LGW-5	4/1/2020	15.1	3		mg/L
Chloride	LGW-5	5/4/2020	14	3		mg/L
Chloride	LGW-5	6/1/2020	14.9	3		mg/L
Chloride	LGW-5	7/6/2020	15.3	3		mg/L
Chloride	LGW-5	7/6/2020	15	3		mg/L
Chloride	LGW-5	8/3/2020	15.5	3		mg/L
Chloride	LGW-5	9/1/2020	16.1	3		mg/L
Chloride	LGW-5	10/5/2020	16.4	3		mg/L
Chloride	LGW-5	11/3/2020	16.7	3		mg/L
Chloride	LGW-5	12/3/2020	16.8	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	2/9/2021	17.4	3		mg/L
Chloride	LGW-5	3/2/2021	17.1	3		mg/L
Chloride	LGW-5	4/6/2021	17.4	3		mg/L
Chloride	LGW-5	5/4/2021	16.5	3		mg/L
Chloride	LGW-5	6/2/2021	17.5	3		mg/L
Chloride	LGW-5	7/7/2021	18.4	3		mg/L
Chloride	LGW-5	7/7/2021	18.4	3		mg/L
Chloride	LGW-5	7/7/2021	17.6	2		mg/L
Chloride	LGW-5	7/7/2021	17.6	3		mg/L
Chloride	LGW-5	8/3/2021	17.4	3		mg/L
Chloride	LGW-5	9/2/2021	18.3	3		mg/L
Chloride	LGW-5	10/5/2021	17.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	10/5/2021	19.4	3		mg/L
Chloride	LGW-5	11/2/2021	17.7	3		mg/L
Chloride	LGW-5	12/9/2021	18.8	3		mg/L
Chloride	LGW-5	1/12/2022	22.2	3		mg/L
Chloride	LGW-5	1/12/2022	22	2		mg/L
Chloride	LGW-5	1/12/2022	22.4	3		mg/L
Chloride	LGW-5	2/10/2022	22.2	3		mg/L
Chloride	LGW-5	3/1/2022	23.3	3		mg/L
Chloride	LGW-5	4/4/2022	24.7	3		mg/L
Chloride	LGW-5	5/7/2022	28.5	3		mg/L
Chloride	LGW-5	6/3/2022	29.7	3		mg/L
Chloride	LGW-5	7/11/2022	27.8	3		mg/L
Chloride	LGW-5	8/10/2022	27.7	3		mg/L
Chloride	LGW-5	9/8/2022	29.7	3		mg/L
Chloride	LGW-5	10/6/2022	28.1	3		mg/L
Chloride	LGW-5	11/3/2022	27.5	3		mg/L
Chloride	LGW-5	12/7/2022	26.9	3		mg/L
Chloride	LGW-5	1/10/2023	33.2	3		mg/L
Chloride	LGW-5	2/3/2023	33.4	3		mg/L
Chloride	LGW-5	3/1/2023	39	3		mg/L
Chloride	LGW-5	4/6/2023	35.5	3		mg/L
Chloride	LGW-6	1/24/2006	13.4	0.5		mg/L
Chloride	LGW-6	7/20/2006	14	3		mg/L
Chloride	LGW-6	9/27/2006	14	3		mg/L
Chloride	LGW-6	10/26/2006	14	3		mg/L
Chloride	LGW-6	11/21/2006	15	3		mg/L
Chloride	LGW-6	12/21/2006	15	3		mg/L
Chloride	LGW-6	1/24/2007	13	3		mg/L
Chloride	LGW-6	2/27/2007	15	3		mg/L
Chloride	LGW-6	3/26/2007	14	3		mg/L
Chloride	LGW-6	4/26/2007	13	3		mg/L
Chloride	LGW-6	5/31/2007	13	3		mg/L
Chloride	LGW-6	6/28/2007	12	3		mg/L
Chloride	LGW-6	7/11/2007	13	3		mg/L
Chloride	LGW-6	8/28/2007	12	3		mg/L
Chloride	LGW-6	9/27/2007	13	3		mg/L
Chloride	LGW-6	10/23/2007	13	3		mg/L
Chloride	LGW-6	11/27/2007	12	3		mg/L
Chloride	LGW-6	12/27/2007	12	3		mg/L
Chloride	LGW-6	1/23/2008	12	3		mg/L
Chloride	LGW-6	2/28/2008	13	3		mg/L
Chloride	LGW-6	3/25/2008	13	3		mg/L
Chloride	LGW-6	5/3/2008	15	3		mg/L
Chloride	LGW-6	5/30/2008	12	3		mg/L
Chloride	LGW-6	6/26/2008	12	3		mg/L
Chloride	LGW-6	7/23/2008	13	3		mg/L
Chloride	LGW-6	8/29/2008	15	3		mg/L
Chloride	LGW-6	9/26/2008	14	3		mg/L
Chloride	LGW-6	10/21/2008	13	3		mg/L
Chloride	LGW-6	11/25/2008	12	3		mg/L
Chloride	LGW-6	12/19/2008	13	3		mg/L
Chloride	LGW-6	2/5/2009	12	3		mg/L
Chloride	LGW-6	3/26/2009	11	3		mg/L
Chloride	LGW-6	5/29/2009	12	3		mg/L
Chloride	LGW-6	6/24/2009	13	3		mg/L
Chloride	LGW-6	7/29/2009	12	3		mg/L
Chloride	LGW-6	8/28/2009	11	3		mg/L
Chloride	LGW-6	9/29/2009	12	3		mg/L
Chloride	LGW-6	10/22/2009	11	3		mg/L
Chloride	LGW-6	11/24/2009	11	3		mg/L
Chloride	LGW-6	12/17/2009	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	2/3/2010	11	3		mg/L
Chloride	LGW-6	2/3/2010	11	3		mg/L
Chloride	LGW-6	2/16/2010	11	3		mg/L
Chloride	LGW-6	3/3/2010	12	3		mg/L
Chloride	LGW-6	4/7/2010	11	3		mg/L
Chloride	LGW-6	5/5/2010	12	3		mg/L
Chloride	LGW-6	6/15/2010	9.5	3		mg/L
Chloride	LGW-6	7/12/2010	12	3		mg/L
Chloride	LGW-6	8/10/2010	12	3		mg/L
Chloride	LGW-6	9/2/2010	13	3		mg/L
Chloride	LGW-6	9/29/2010	12	3		mg/L
Chloride	LGW-6	11/3/2010	10	3		mg/L
Chloride	LGW-6	12/2/2010	12	3		mg/L
Chloride	LGW-6	1/19/2011	11	3		mg/L
Chloride	LGW-6	2/7/2011	11	3		mg/L
Chloride	LGW-6	3/3/2011	11	3		mg/L
Chloride	LGW-6	4/5/2011	12	3		mg/L
Chloride	LGW-6	5/10/2011	12	3		mg/L
Chloride	LGW-6	6/1/2011	12	3		mg/L
Chloride	LGW-6	7/12/2011	12	3		mg/L
Chloride	LGW-6	8/3/2011	13	3		mg/L
Chloride	LGW-6	9/7/2011	12	3		mg/L
Chloride	LGW-6	10/5/2011	13	3		mg/L
Chloride	LGW-6	11/1/2011	11	3		mg/L
Chloride	LGW-6	12/7/2011	12	3		mg/L
Chloride	LGW-6	1/5/2012	12	3		mg/L
Chloride	LGW-6	2/1/2012	12	3		mg/L
Chloride	LGW-6	3/6/2012	12	3		mg/L
Chloride	LGW-6	4/5/2012	13	3		mg/L
Chloride	LGW-6	5/1/2012	13	3		mg/L
Chloride	LGW-6	6/5/2012	13	3		mg/L
Chloride	LGW-6	7/9/2012	12	3		mg/L
Chloride	LGW-6	8/9/2012	12	3		mg/L
Chloride	LGW-6	9/4/2012	12	3		mg/L
Chloride	LGW-6	10/7/2012	13	3		mg/L
Chloride	LGW-6	11/6/2012	13	3		mg/L
Chloride	LGW-6	11/6/2012	13	3		mg/L
Chloride	LGW-6	12/6/2012	13	3		mg/L
Chloride	LGW-6	12/6/2012	13	3		mg/L
Chloride	LGW-6	1/23/2013	13	3		mg/L
Chloride	LGW-6	1/23/2013	13	3		mg/L
Chloride	LGW-6	2/5/2013	13	3		mg/L
Chloride	LGW-6	2/5/2013	13	3		mg/L
Chloride	LGW-6	3/5/2013	13	3		mg/L
Chloride	LGW-6	3/5/2013	13	3		mg/L
Chloride	LGW-6	4/30/2013	13	3		mg/L
Chloride	LGW-6	6/4/2013	13	3		mg/L
Chloride	LGW-6	7/15/2013	13	3		mg/L
Chloride	LGW-6	8/8/2013	13	3		mg/L
Chloride	LGW-6	9/10/2013	13	3		mg/L
Chloride	LGW-6	10/1/2013	13	3		mg/L
Chloride	LGW-6	11/6/2013	13	3		mg/L
Chloride	LGW-6	12/2/2013	13	3		mg/L
Chloride	LGW-6	1/23/2014	13	3		mg/L
Chloride	LGW-6	2/12/2014	12	3		mg/L
Chloride	LGW-6	3/11/2014	13	3		mg/L
Chloride	LGW-6	4/2/2014	12	3		mg/L
Chloride	LGW-6	5/7/2014	13	3		mg/L
Chloride	LGW-6	6/3/2014	12	3		mg/L
Chloride	LGW-6	7/8/2014	12	3		mg/L
Chloride	LGW-6	8/5/2014	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	9/4/2014	13	3		mg/L
Chloride	LGW-6	10/9/2014	13	3		mg/L
Chloride	LGW-6	11/3/2014	13	3		mg/L
Chloride	LGW-6	1/14/2015	13	3		mg/L
Chloride	LGW-6	2/10/2015	13	3		mg/L
Chloride	LGW-6	3/3/2015	13	3		mg/L
Chloride	LGW-6	4/1/2015	12	3		mg/L
Chloride	LGW-6	5/6/2015	13	3		mg/L
Chloride	LGW-6	6/3/2015	13	3		mg/L
Chloride	LGW-6	7/22/2015	11	3		mg/L
Chloride	LGW-6	8/4/2015	12	3		mg/L
Chloride	LGW-6	9/2/2015	11	3		mg/L
Chloride	LGW-6	10/6/2015	11	3		mg/L
Chloride	LGW-6	11/4/2015	12	3		mg/L
Chloride	LGW-6	12/3/2015	13	3		mg/L
Chloride	LGW-6	1/5/2016	13	3		mg/L
Chloride	LGW-6	2/3/2016	12	3		mg/L
Chloride	LGW-6	3/2/2016	12	3		mg/L
Chloride	LGW-6	4/5/2016	13	3		mg/L
Chloride	LGW-6	5/11/2016	11	3		mg/L
Chloride	LGW-6	6/1/2016	13	3		mg/L
Chloride	LGW-6	7/19/2016	13	3		mg/L
Chloride	LGW-6	8/10/2016	11	3		mg/L
Chloride	LGW-6	9/6/2016	13	3		mg/L
Chloride	LGW-6	10/6/2016	13	3		mg/L
Chloride	LGW-6	10/6/2016	12	3		mg/L
Chloride	LGW-6	11/2/2016	13	3		mg/L
Chloride	LGW-6	12/1/2016	13	1		mg/L
Chloride	LGW-6	1/11/2017	14	3		mg/L
Chloride	LGW-6	2/7/2017	13	3		mg/L
Chloride	LGW-6	3/2/2017	13	3		mg/L
Chloride	LGW-6	4/4/2017	14	3		mg/L
Chloride	LGW-6	5/2/2017	14	3		mg/L
Chloride	LGW-6	5/5/2017	13	3		mg/L
Chloride	LGW-6	6/6/2017	13	3		mg/L
Chloride	LGW-6	7/18/2017	14	3		mg/L
Chloride	LGW-6	8/1/2017	13	3		mg/L
Chloride	LGW-6	9/5/2017	15	3		mg/L
Chloride	LGW-6	10/5/2017	14	3		mg/L
Chloride	LGW-6	11/1/2017	14	3		mg/L
Chloride	LGW-6	1/23/2018	16	3		mg/L
Chloride	LGW-6	2/22/2018	13	3		mg/L
Chloride	LGW-6	3/20/2018	15	3		mg/L
Chloride	LGW-6	4/10/2018	15	3		mg/L
Chloride	LGW-6	4/10/2018	13	3		mg/L
Chloride	LGW-6	6/5/2018	15	3		mg/L
Chloride	LGW-6	7/17/2018	14	3		mg/L
Chloride	LGW-6	8/1/2018	15	3		mg/L
Chloride	LGW-6	9/5/2018	17	3		mg/L
Chloride	LGW-6	10/2/2018	14	3		mg/L
Chloride	LGW-6	10/2/2018	14	3		mg/L
Chloride	LGW-6	11/6/2018	12	3		mg/L
Chloride	LGW-6	12/4/2018	14	3		mg/L
Chloride	LGW-6	1/7/2019	13	3		mg/L
Chloride	LGW-6	2/5/2019	14	3		mg/L
Chloride	LGW-6	3/4/2019	13	3		mg/L
Chloride	LGW-6	4/3/2019	14	3		mg/L
Chloride	LGW-6	5/2/2019	12	3		mg/L
Chloride	LGW-6	6/4/2019	11	3		mg/L
Chloride	LGW-6	7/10/2019	13	3		mg/L
Chloride	LGW-6	7/10/2019	15	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	8/8/2019	11	3		mg/L
Chloride	LGW-6	9/5/2019	14	3		mg/L
Chloride	LGW-6	10/3/2019	15	3		mg/L
Chloride	LGW-6	10/3/2019	14	3		mg/L
Chloride	LGW-6	11/5/2019	13	3		mg/L
Chloride	LGW-6	12/4/2019	14	3		mg/L
Chloride	LGW-6	1/16/2020	13.4	3		mg/L
Chloride	LGW-6	2/4/2020	13.7	1		mg/L
Chloride	LGW-6	3/4/2020	13.1	3		mg/L
Chloride	LGW-6	4/3/2020	12.8	3		mg/L
Chloride	LGW-6	5/5/2020	11.7	3		mg/L
Chloride	LGW-6	6/2/2020	12.5	3		mg/L
Chloride	LGW-6	7/9/2020	11.9	3		mg/L
Chloride	LGW-6	7/9/2020	12	3		mg/L
Chloride	LGW-6	8/3/2020	12	3		mg/L
Chloride	LGW-6	9/2/2020	12.1	3		mg/L
Chloride	LGW-6	10/6/2020	12.2	3		mg/L
Chloride	LGW-6	10/6/2020	12.4	3		mg/L
Chloride	LGW-6	11/3/2020	12.2	3		mg/L
Chloride	LGW-6	12/3/2020	12.1	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L
Chloride	LGW-6	2/9/2021	12.5	3		mg/L
Chloride	LGW-6	3/2/2021	12.1	3		mg/L
Chloride	LGW-6	4/6/2021	12.2	3		mg/L
Chloride	LGW-6	5/5/2021	12	3		mg/L
Chloride	LGW-6	6/1/2021	12.3	3		mg/L
Chloride	LGW-6	7/7/2021	11.9	3		mg/L
Chloride	LGW-6	7/7/2021	11.9	3		mg/L
Chloride	LGW-6	7/7/2021	12.3	2		mg/L
Chloride	LGW-6	7/7/2021	12.4	3		mg/L
Chloride	LGW-6	8/3/2021	11.8	3		mg/L
Chloride	LGW-6	9/2/2021	12.5	3		mg/L
Chloride	LGW-6	10/5/2021	12	3		mg/L
Chloride	LGW-6	10/5/2021	13.1	3		mg/L
Chloride	LGW-6	11/2/2021	11.6	3		mg/L
Chloride	LGW-6	12/9/2021	11	3		mg/L
Chloride	LGW-6	1/12/2022	12.6	3		mg/L
Chloride	LGW-6	1/12/2022	12.7	2		mg/L
Chloride	LGW-6	1/12/2022	12.6	3		mg/L
Chloride	LGW-6	2/10/2022	12.7	3		mg/L
Chloride	LGW-6	3/1/2022	12.6	3		mg/L
Chloride	LGW-6	4/4/2022	12.8	3		mg/L
Chloride	LGW-6	5/7/2022	13	3		mg/L
Chloride	LGW-6	6/3/2022	14.2	3		mg/L
Chloride	LGW-6	7/11/2022	13.3	3		mg/L
Chloride	LGW-6	8/10/2022	12.7	3		mg/L
Chloride	LGW-6	9/8/2022	13.6	3		mg/L
Chloride	LGW-6	10/6/2022	12.6	3		mg/L
Chloride	LGW-6	11/3/2022	12.8	3		mg/L
Chloride	LGW-6	12/7/2022	13	3		mg/L
Chloride	LGW-6	1/10/2023	13.5	3		mg/L
Chloride	LGW-6	2/3/2023	14.6	3		mg/L
Chloride	LGW-6	3/1/2023	14.6	3		mg/L
Chloride	LGW-6	4/6/2023	14.1	3		mg/L
Chloride	LGW-7	1/25/2006	11.6	0.5		mg/L
Chloride	LGW-7	8/1/2006	13	3		mg/L
Chloride	LGW-7	9/27/2006	11	3		mg/L
Chloride	LGW-7	10/26/2006	12	3		mg/L
Chloride	LGW-7	11/21/2006	12	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	12/22/2006	12	3		mg/L
Chloride	LGW-7	1/24/2007	11	3		mg/L
Chloride	LGW-7	2/27/2007	16	3		mg/L
Chloride	LGW-7	3/27/2007	12	3		mg/L
Chloride	LGW-7	4/26/2007	11	3		mg/L
Chloride	LGW-7	6/1/2007	13	3		mg/L
Chloride	LGW-7	6/28/2007	11	3		mg/L
Chloride	LGW-7	7/12/2007	10	3		mg/L
Chloride	LGW-7	8/29/2007	9.2	3		mg/L
Chloride	LGW-7	9/28/2007	11	3		mg/L
Chloride	LGW-7	10/24/2007	10	3		mg/L
Chloride	LGW-7	11/27/2007	10	3		mg/L
Chloride	LGW-7	12/27/2007	11	3		mg/L
Chloride	LGW-7	1/25/2008	11	3		mg/L
Chloride	LGW-7	2/28/2008	10	3		mg/L
Chloride	LGW-7	3/25/2008	11	3		mg/L
Chloride	LGW-7	5/3/2008	10	3		mg/L
Chloride	LGW-7	5/30/2008	11	3		mg/L
Chloride	LGW-7	6/26/2008	11	3		mg/L
Chloride	LGW-7	7/22/2008	11	3		mg/L
Chloride	LGW-7	9/26/2008	10	3		mg/L
Chloride	LGW-7	10/21/2008	11	3		mg/L
Chloride	LGW-7	11/25/2008	10	3		mg/L
Chloride	LGW-7	12/19/2008	11	3		mg/L
Chloride	LGW-7	2/4/2009	10	3		mg/L
Chloride	LGW-7	3/26/2009	9.9	3		mg/L
Chloride	LGW-7	4/16/2009	10	3		mg/L
Chloride	LGW-7	5/28/2009	9.9	3		mg/L
Chloride	LGW-7	6/25/2009	10	3		mg/L
Chloride	LGW-7	7/31/2009	10	3		mg/L
Chloride	LGW-7	8/29/2009	10	3		mg/L
Chloride	LGW-7	9/30/2009	10	3		mg/L
Chloride	LGW-7	10/21/2009	9.8	3		mg/L
Chloride	LGW-7	11/24/2009	9.9	3		mg/L
Chloride	LGW-7	12/17/2009	10	3		mg/L
Chloride	LGW-7	1/27/2010	10	3		mg/L
Chloride	LGW-7	2/16/2010	10	3		mg/L
Chloride	LGW-7	3/3/2010	9.8	3		mg/L
Chloride	LGW-7	4/7/2010	9.3	3		mg/L
Chloride	LGW-7	5/5/2010	9.9	3		mg/L
Chloride	LGW-7	6/16/2010	20	3		mg/L
Chloride	LGW-7	7/12/2010	9.6	3		mg/L
Chloride	LGW-7	8/10/2010	9.8	3		mg/L
Chloride	LGW-7	9/2/2010	10	3		mg/L
Chloride	LGW-7	9/29/2010	10	3		mg/L
Chloride	LGW-7	11/3/2010	9	3		mg/L
Chloride	LGW-7	12/2/2010	11	3		mg/L
Chloride	LGW-7	1/20/2011	11	3		mg/L
Chloride	LGW-7	2/8/2011	10	3		mg/L
Chloride	LGW-7	3/3/2011	11	3		mg/L
Chloride	LGW-7	4/5/2011	11	3		mg/L
Chloride	LGW-7	5/10/2011	9.6	3		mg/L
Chloride	LGW-7	6/1/2011	9.7	3		mg/L
Chloride	LGW-7	7/12/2011	10	3		mg/L
Chloride	LGW-7	8/3/2011	11	3		mg/L
Chloride	LGW-7	9/7/2011	11	3		mg/L
Chloride	LGW-7	10/5/2011	12	3		mg/L
Chloride	LGW-7	11/1/2011	10	3		mg/L
Chloride	LGW-7	12/8/2011	10	3		mg/L
Chloride	LGW-7	1/5/2012	11	3		mg/L
Chloride	LGW-7	2/1/2012	10	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	3/6/2012	11	3		mg/L
Chloride	LGW-7	4/5/2012	11	3		mg/L
Chloride	LGW-7	5/1/2012	11	3		mg/L
Chloride	LGW-7	6/5/2012	11	3		mg/L
Chloride	LGW-7	7/10/2012	12	3		mg/L
Chloride	LGW-7	8/9/2012	11	3		mg/L
Chloride	LGW-7	9/4/2012	12	3		mg/L
Chloride	LGW-7	10/7/2012	12	3		mg/L
Chloride	LGW-7	4/30/2013	11	3		mg/L
Chloride	LGW-7	6/4/2013	11	3		mg/L
Chloride	LGW-7	7/15/2013	11	3		mg/L
Chloride	LGW-7	8/8/2013	11	3		mg/L
Chloride	LGW-7	9/10/2013	12	3		mg/L
Chloride	LGW-7	10/1/2013	11	3		mg/L
Chloride	LGW-7	11/6/2013	12	3		mg/L
Chloride	LGW-7	12/2/2013	12	3		mg/L
Chloride	LGW-7	1/23/2014	12	3		mg/L
Chloride	LGW-7	2/13/2014	11	3		mg/L
Chloride	LGW-7	3/11/2014	12	3		mg/L
Chloride	LGW-7	4/2/2014	12	3		mg/L
Chloride	LGW-7	5/7/2014	12	3		mg/L
Chloride	LGW-7	6/3/2014	12	3		mg/L
Chloride	LGW-7	7/8/2014	12	3		mg/L
Chloride	LGW-7	8/5/2014	12	3		mg/L
Chloride	LGW-7	9/4/2014	12	3		mg/L
Chloride	LGW-7	10/9/2014	12	3		mg/L
Chloride	LGW-7	11/3/2014	12	3		mg/L
Chloride	LGW-7	1/14/2015	13	3		mg/L
Chloride	LGW-7	2/11/2015	13	3		mg/L
Chloride	LGW-7	3/3/2015	13	3		mg/L
Chloride	LGW-7	4/1/2015	13	3		mg/L
Chloride	LGW-7	5/6/2015	13	3		mg/L
Chloride	LGW-7	6/3/2015	15	3		mg/L
Chloride	LGW-7	7/22/2015	14	3		mg/L
Chloride	LGW-7	8/4/2015	12	3		mg/L
Chloride	LGW-7	9/3/2015	11	3		mg/L
Chloride	LGW-7	10/6/2015	11	3		mg/L
Chloride	LGW-7	11/4/2015	12	3		mg/L
Chloride	LGW-7	12/3/2015	14	3		mg/L
Chloride	LGW-7	1/5/2016	15	3		mg/L
Chloride	LGW-7	2/3/2016	13	3		mg/L
Chloride	LGW-7	3/2/2016	13	3		mg/L
Chloride	LGW-7	4/6/2016	11	3		mg/L
Chloride	LGW-7	5/11/2016	11	3		mg/L
Chloride	LGW-7	6/1/2016	14	3		mg/L
Chloride	LGW-7	7/20/2016	13	3		mg/L
Chloride	LGW-7	8/10/2016	10	3		mg/L
Chloride	LGW-7	9/6/2016	14	3		mg/L
Chloride	LGW-7	10/6/2016	12	3		mg/L
Chloride	LGW-7	10/6/2016	13	3		mg/L
Chloride	LGW-7	11/2/2016	14	3		mg/L
Chloride	LGW-7	12/1/2016	13	1		mg/L
Chloride	LGW-7	1/11/2017	13	3		mg/L
Chloride	LGW-7	2/7/2017	13	3		mg/L
Chloride	LGW-7	3/2/2017	13	3		mg/L
Chloride	LGW-7	4/4/2017	13	3		mg/L
Chloride	LGW-7	5/2/2017	19	3		mg/L
Chloride	LGW-7	6/6/2017	16	3		mg/L
Chloride	LGW-7	7/18/2017	15	3		mg/L
Chloride	LGW-7	8/1/2017	11	3		mg/L
Chloride	LGW-7	9/5/2017	14	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	10/5/2017	14	3		mg/L
Chloride	LGW-7	11/1/2017	13	3		mg/L
Chloride	LGW-7	1/24/2018	12	3		mg/L
Chloride	LGW-7	2/22/2018	12	3		mg/L
Chloride	LGW-7	3/20/2018	18	3		mg/L
Chloride	LGW-7	4/11/2018	17	3		mg/L
Chloride	LGW-7	4/11/2018	15	3		mg/L
Chloride	LGW-7	6/5/2018	15	3		mg/L
Chloride	LGW-7	7/12/2018	14	3		mg/L
Chloride	LGW-7	8/2/2018	15	3		mg/L
Chloride	LGW-7	9/5/2018	18	3		mg/L
Chloride	LGW-7	10/2/2018	15	3		mg/L
Chloride	LGW-7	10/2/2018	15	3		mg/L
Chloride	LGW-7	11/7/2018	12	3		mg/L
Chloride	LGW-7	12/4/2018	15	3		mg/L
Chloride	LGW-7	1/7/2019	16	3		mg/L
Chloride	LGW-7	2/5/2019	17	3		mg/L
Chloride	LGW-7	3/5/2019	17	3		mg/L
Chloride	LGW-7	4/3/2019	17	3		mg/L
Chloride	LGW-7	5/2/2019	13	3		mg/L
Chloride	LGW-7	6/4/2019	14	3		mg/L
Chloride	LGW-7	7/10/2019	16	3		mg/L
Chloride	LGW-7	7/10/2019	18	3		mg/L
Chloride	LGW-7	8/7/2019	11	3		mg/L
Chloride	LGW-7	9/5/2019	14	3		mg/L
Chloride	LGW-7	10/3/2019	15	3		mg/L
Chloride	LGW-7	10/3/2019	15	3		mg/L
Chloride	LGW-7	11/6/2019	16	3		mg/L
Chloride	LGW-7	12/3/2019	16	3		mg/L
Chloride	LGW-7	1/15/2020	15	3		mg/L
Chloride	LGW-7	2/4/2020	14.1	1		mg/L
Chloride	LGW-7	3/3/2020	13.8	3		mg/L
Chloride	LGW-7	4/3/2020	14.3	3		mg/L
Chloride	LGW-7	5/5/2020	13.4	3		mg/L
Chloride	LGW-7	6/2/2020	14.1	3		mg/L
Chloride	LGW-7	7/9/2020	13.5	3		mg/L
Chloride	LGW-7	7/9/2020	14.1	3		mg/L
Chloride	LGW-7	8/3/2020	12.8	3		mg/L
Chloride	LGW-7	9/2/2020	13.5	3		mg/L
Chloride	LGW-7	10/6/2020	13.3	3		mg/L
Chloride	LGW-7	11/4/2020	13.3	3		mg/L
Chloride	LGW-7	12/3/2020	13.8	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	2/9/2021	13.1	3		mg/L
Chloride	LGW-7	3/2/2021	12.6	3		mg/L
Chloride	LGW-7	4/7/2021	12.9	3		mg/L
Chloride	LGW-7	5/5/2021	13.5	3		mg/L
Chloride	LGW-7	6/2/2021	13.4	3		mg/L
Chloride	LGW-7	7/7/2021	14.1	3		mg/L
Chloride	LGW-7	7/7/2021	14.1	3		mg/L
Chloride	LGW-7	7/7/2021	14.2	2		mg/L
Chloride	LGW-7	7/7/2021	14.3	3		mg/L
Chloride	LGW-7	8/3/2021	13.3	3		mg/L
Chloride	LGW-7	9/2/2021	13.1	3		mg/L
Chloride	LGW-7	10/5/2021	12.8	3		mg/L
Chloride	LGW-7	10/5/2021	14.1	3		mg/L
Chloride	LGW-7	11/2/2021	12.4	3		mg/L
Chloride	LGW-7	12/9/2021	12.1	3		mg/L
Chloride	LGW-7	1/13/2022	13.6	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	1/13/2022	13.4	3		mg/L
Chloride	LGW-7	1/13/2022	13.7	2		mg/L
Chloride	LGW-7	2/10/2022	13.1	3		mg/L
Chloride	LGW-7	3/2/2022	13.8	3		mg/L
Chloride	LGW-7	4/4/2022	14.7	3		mg/L
Chloride	LGW-7	5/7/2022	15.7	3		mg/L
Chloride	LGW-7	6/3/2022	17.5	3		mg/L
Chloride	LGW-7	7/11/2022	17.2	3		mg/L
Chloride	LGW-7	8/10/2022	15	3		mg/L
Chloride	LGW-7	9/8/2022	14.7	3		mg/L
Chloride	LGW-7	10/6/2022	12.6	3		mg/L
Chloride	LGW-7	11/3/2022	11.8	3		mg/L
Chloride	LGW-7	12/7/2022	13.1	3		mg/L
Chloride	LGW-7	1/11/2023	13.1	3		mg/L
Chloride	LGW-7	2/3/2023	13.7	3		mg/L
Chloride	LGW-7	3/1/2023	16	3		mg/L
Chloride	LGW-7	4/6/2023	17	3		mg/L
Chloride	LGW-8R	1/24/2006	12.5	0.5		mg/L
Chloride	LGW-8R	7/20/2006	14	3		mg/L
Chloride	LGW-8R	9/26/2006	16	3		mg/L
Chloride	LGW-8R	10/26/2006	15	3		mg/L
Chloride	LGW-8R	11/21/2006	16	3		mg/L
Chloride	LGW-8R	12/21/2006	16	3		mg/L
Chloride	LGW-8R	1/24/2007	16	3		mg/L
Chloride	LGW-8R	2/27/2007	18	3		mg/L
Chloride	LGW-8R	3/26/2007	16	3		mg/L
Chloride	LGW-8R	4/25/2007	16	3		mg/L
Chloride	LGW-8R	6/1/2007	17	3		mg/L
Chloride	LGW-8R	6/28/2007	16	3		mg/L
Chloride	LGW-8R	7/12/2007	14	3		mg/L
Chloride	LGW-8R	8/29/2007	13	3		mg/L
Chloride	LGW-8R	9/28/2007	14	3		mg/L
Chloride	LGW-8R	10/23/2007	14	3		mg/L
Chloride	LGW-8R	11/28/2007	13	3		mg/L
Chloride	LGW-8R	8/29/2008	13	3		mg/L
Chloride	LGW-8R	9/25/2008	12	3		mg/L
Chloride	LGW-8R	10/21/2008	13	3		mg/L
Chloride	LGW-8R	11/25/2008	12	3		mg/L
Chloride	LGW-8R	12/19/2008	13	3		mg/L
Chloride	LGW-8R	2/4/2009	12	3		mg/L
Chloride	LGW-8R	3/26/2009	11	3		mg/L
Chloride	LGW-8R	4/16/2009	12	3		mg/L
Chloride	LGW-8R	5/28/2009	12	3		mg/L
Chloride	LGW-8R	6/25/2009	12	3		mg/L
Chloride	LGW-8R	7/29/2009	12	3		mg/L
Chloride	LGW-8R	8/28/2009	12	3		mg/L
Chloride	LGW-8R	9/29/2009	12	3		mg/L
Chloride	LGW-8R	10/21/2009	12	3		mg/L
Chloride	LGW-8R	11/24/2009	12	3		mg/L
Chloride	LGW-8R	12/17/2009	12	3		mg/L
Chloride	LGW-8R	1/27/2010	12	3		mg/L
Chloride	LGW-8R	2/15/2010	12	3		mg/L
Chloride	LGW-8R	3/3/2010	12	3		mg/L
Chloride	LGW-8R	4/7/2010	12	3		mg/L
Chloride	LGW-8R	5/5/2010	12	3		mg/L
Chloride	LGW-8R	6/16/2010	11	3		mg/L
Chloride	LGW-8R	7/14/2010	12	3		mg/L
Chloride	LGW-8R	8/10/2010	12	3		mg/L
Chloride	LGW-8R	9/2/2010	12	3		mg/L
Chloride	LGW-8R	9/29/2010	12	3		mg/L
Chloride	LGW-8R	11/3/2010	10	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	12/2/2010	12	3		mg/L
Chloride	LGW-8R	1/20/2011	12	3		mg/L
Chloride	LGW-8R	2/7/2011	12	3		mg/L
Chloride	LGW-8R	3/3/2011	12	3		mg/L
Chloride	LGW-8R	4/5/2011	12	3		mg/L
Chloride	LGW-8R	5/10/2011	12	3		mg/L
Chloride	LGW-8R	6/1/2011	12	3		mg/L
Chloride	LGW-8R	7/12/2011	12	3		mg/L
Chloride	LGW-8R	8/3/2011	12	3		mg/L
Chloride	LGW-8R	9/7/2011	12	3		mg/L
Chloride	LGW-8R	10/5/2011	13	3		mg/L
Chloride	LGW-8R	11/1/2011	11	3		mg/L
Chloride	LGW-8R	12/8/2011	11	3		mg/L
Chloride	LGW-8R	1/5/2012	12	3		mg/L
Chloride	LGW-8R	2/1/2012	12	3		mg/L
Chloride	LGW-8R	3/7/2012	12	3		mg/L
Chloride	LGW-8R	4/5/2012	12	3		mg/L
Chloride	LGW-8R	5/1/2012	12	3		mg/L
Chloride	LGW-8R	6/5/2012	12	3		mg/L
Chloride	LGW-8R	7/9/2012	12	3		mg/L
Chloride	LGW-8R	8/9/2012	12	3		mg/L
Chloride	LGW-8R	9/4/2012	12	3		mg/L
Chloride	LGW-8R	10/7/2012	12	3		mg/L
Chloride	LGW-8R	4/30/2013	12	3		mg/L
Chloride	LGW-8R	6/4/2013	12	3		mg/L
Chloride	LGW-8R	7/15/2013	12	3		mg/L
Chloride	LGW-8R	8/8/2013	12	3		mg/L
Chloride	LGW-8R	9/10/2013	12	3		mg/L
Chloride	LGW-8R	10/1/2013	12	3		mg/L
Chloride	LGW-8R	11/6/2013	12	3		mg/L
Chloride	LGW-8R	12/2/2013	12	3		mg/L
Chloride	LGW-8R	1/22/2014	13	3		mg/L
Chloride	LGW-8R	2/12/2014	12	3		mg/L
Chloride	LGW-8R	3/11/2014	12	3		mg/L
Chloride	LGW-8R	4/2/2014	13	3		mg/L
Chloride	LGW-8R	5/7/2014	12	3		mg/L
Chloride	LGW-8R	6/3/2014	13	3		mg/L
Chloride	LGW-8R	7/8/2014	12	3		mg/L
Chloride	LGW-8R	8/5/2014	13	3		mg/L
Chloride	LGW-8R	9/4/2014	12	3		mg/L
Chloride	LGW-8R	10/9/2014	12	3		mg/L
Chloride	LGW-8R	11/3/2014	13	3		mg/L
Chloride	LGW-8R	1/14/2015	13	3		mg/L
Chloride	LGW-8R	2/11/2015	13	3		mg/L
Chloride	LGW-8R	3/3/2015	13	3		mg/L
Chloride	LGW-8R	4/1/2015	13	3		mg/L
Chloride	LGW-8R	5/6/2015	14	3		mg/L
Chloride	LGW-8R	6/3/2015	12	3		mg/L
Chloride	LGW-8R	7/22/2015	12	3		mg/L
Chloride	LGW-8R	8/4/2015	12	3		mg/L
Chloride	LGW-8R	9/3/2015	11	3		mg/L
Chloride	LGW-8R	10/6/2015	11	3		mg/L
Chloride	LGW-8R	11/4/2015	13	3		mg/L
Chloride	LGW-8R	12/3/2015	14	3		mg/L
Chloride	LGW-8R	1/5/2016	14	3		mg/L
Chloride	LGW-8R	2/3/2016	13	3		mg/L
Chloride	LGW-8R	3/2/2016	13	3		mg/L
Chloride	LGW-8R	4/5/2016	13	3		mg/L
Chloride	LGW-8R	5/11/2016	11	3		mg/L
Chloride	LGW-8R	6/1/2016	14	3		mg/L
Chloride	LGW-8R	7/20/2016	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	8/10/2016	12	3		mg/L
Chloride	LGW-8R	9/6/2016	14	3		mg/L
Chloride	LGW-8R	10/6/2016	12	3		mg/L
Chloride	LGW-8R	11/2/2016	14	3		mg/L
Chloride	LGW-8R	12/1/2016	14	1		mg/L
Chloride	LGW-8R	1/11/2017	14	3		mg/L
Chloride	LGW-8R	2/7/2017	14	3		mg/L
Chloride	LGW-8R	3/2/2017	14	3		mg/L
Chloride	LGW-8R	4/4/2017	14	3		mg/L
Chloride	LGW-8R	5/2/2017	15	3		mg/L
Chloride	LGW-8R	6/6/2017	15	3		mg/L
Chloride	LGW-8R	7/18/2017	15	3		mg/L
Chloride	LGW-8R	8/1/2017	13	3		mg/L
Chloride	LGW-8R	9/5/2017	15	3		mg/L
Chloride	LGW-8R	10/5/2017	15	3		mg/L
Chloride	LGW-8R	11/1/2017	15	3		mg/L
Chloride	LGW-8R	1/25/2018	13	3		mg/L
Chloride	LGW-8R	2/23/2018	13	3		mg/L
Chloride	LGW-8R	3/19/2018	15	3		mg/L
Chloride	LGW-8R	4/11/2018	13	3		mg/L
Chloride	LGW-8R	6/5/2018	15	3		mg/L
Chloride	LGW-8R	7/13/2018	14	3		mg/L
Chloride	LGW-8R	8/2/2018	9.6	3		mg/L
Chloride	LGW-8R	9/5/2018	17	3		mg/L
Chloride	LGW-8R	10/2/2018	15	3		mg/L
Chloride	LGW-8R	11/7/2018	14	3		mg/L
Chloride	LGW-8R	12/4/2018	15	3		mg/L
Chloride	LGW-8R	1/7/2019	14	3		mg/L
Chloride	LGW-8R	2/5/2019	15	3		mg/L
Chloride	LGW-8R	3/5/2019	14	3		mg/L
Chloride	LGW-8R	4/3/2019	15	3		mg/L
Chloride	LGW-8R	5/1/2019	14	3		mg/L
Chloride	LGW-8R	6/4/2019	13	3		mg/L
Chloride	LGW-8R	7/8/2019	14	3		mg/L
Chloride	LGW-8R	7/8/2019	16	3		mg/L
Chloride	LGW-8R	8/7/2019	12	3		mg/L
Chloride	LGW-8R	9/5/2019	15	3		mg/L
Chloride	LGW-8R	10/1/2019	15	3		mg/L
Chloride	LGW-8R	11/5/2019	14	3		mg/L
Chloride	LGW-8R	12/4/2019	16	3		mg/L
Chloride	LGW-8R	1/14/2020	15.7	3		mg/L
Chloride	LGW-8R	2/4/2020	15.6	1		mg/L
Chloride	LGW-8R	3/3/2020	15.4	3		mg/L
Chloride	LGW-8R	4/2/2020	15.4	3		mg/L
Chloride	LGW-8R	5/4/2020	14.4	3		mg/L
Chloride	LGW-8R	6/1/2020	15.7	3		mg/L
Chloride	LGW-8R	7/7/2020	16	3		mg/L
Chloride	LGW-8R	7/7/2020	15.5	3		mg/L
Chloride	LGW-8R	8/3/2020	15.9	3		mg/L
Chloride	LGW-8R	9/1/2020	16	3		mg/L
Chloride	LGW-8R	10/6/2020	15.6	3		mg/L
Chloride	LGW-8R	11/2/2020	15.7	3		mg/L
Chloride	LGW-8R	12/1/2020	15.8	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	2/9/2021	15.8	3		mg/L
Chloride	LGW-8R	3/2/2021	15.5	3		mg/L
Chloride	LGW-8R	4/7/2021	15.9	3		mg/L
Chloride	LGW-8R	5/5/2021	15.4	3		mg/L
Chloride	LGW-8R	6/2/2021	15.9	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	7/7/2021	16	3		mg/L
Chloride	LGW-8R	7/7/2021	16	3		mg/L
Chloride	LGW-8R	7/7/2021	16.7	2		mg/L
Chloride	LGW-8R	7/7/2021	16.4	3		mg/L
Chloride	LGW-8R	8/3/2021	15.9	3		mg/L
Chloride	LGW-8R	9/2/2021	16.2	3		mg/L
Chloride	LGW-8R	10/5/2021	15.6	3		mg/L
Chloride	LGW-8R	11/2/2021	15.5	3		mg/L
Chloride	LGW-8R	12/9/2021	14.6	3		mg/L
Chloride	LGW-8R	1/13/2022	16.4	3		mg/L
Chloride	LGW-8R	1/13/2022	16.4	3		mg/L
Chloride	LGW-8R	1/13/2022	16.9	2		mg/L
Chloride	LGW-8R	2/10/2022	16.2	3		mg/L
Chloride	LGW-8R	3/2/2022	16.5	3		mg/L
Chloride	LGW-8R	4/5/2022	16.4	3		mg/L
Chloride	LGW-8R	5/7/2022	16.8	3		mg/L
Chloride	LGW-8R	6/3/2022	17.2	3		mg/L
Chloride	LGW-8R	7/11/2022	17.2	3		mg/L
Chloride	LGW-8R	8/10/2022	16.5	3		mg/L
Chloride	LGW-8R	9/8/2022	17.9	3		mg/L
Chloride	LGW-8R	10/6/2022	16.4	3		mg/L
Chloride	LGW-8R	11/3/2022	16.1	3		mg/L
Chloride	LGW-8R	12/7/2022	16.7	3		mg/L
Chloride	LGW-8R	1/11/2023	16.7	3		mg/L
Chloride	LGW-8R	2/3/2023	17.7	3		mg/L
Chloride	LGW-8R	3/1/2023	18.2	3		mg/L
Chloride	LGW-8R	4/6/2023	17.1	3		mg/L
Chloride	LGW-9	1/25/2006	16.4	0.5		mg/L
Chloride	LGW-9	7/20/2006	17	3		mg/L
Chloride	LGW-9	7/20/2006	17	3		mg/L
Chloride	LGW-9	9/27/2006	16	3		mg/L
Chloride	LGW-9	10/26/2006	17	3		mg/L
Chloride	LGW-9	11/21/2006	17	3		mg/L
Chloride	LGW-9	12/21/2006	17	3		mg/L
Chloride	LGW-9	1/25/2007	17	3		mg/L
Chloride	LGW-9	2/27/2007	14	3		mg/L
Chloride	LGW-9	3/26/2007	17	3		mg/L
Chloride	LGW-9	4/25/2007	16	3		mg/L
Chloride	LGW-9	5/31/2007	18	3		mg/L
Chloride	LGW-9	6/28/2007	17	3		mg/L
Chloride	LGW-9	7/10/2007	16	3		mg/L
Chloride	LGW-9	8/28/2007	17	3		mg/L
Chloride	LGW-9	9/28/2007	18	3		mg/L
Chloride	LGW-9	10/23/2007	17	3		mg/L
Chloride	LGW-9	11/28/2007	17	3		mg/L
Chloride	LGW-9	12/27/2007	17	3		mg/L
Chloride	LGW-9	1/25/2008	16	3		mg/L
Chloride	LGW-9	2/28/2008	17	3		mg/L
Chloride	LGW-9	3/25/2008	18	3		mg/L
Chloride	LGW-9	5/3/2008	18	3		mg/L
Chloride	LGW-9	5/29/2008	18	3		mg/L
Chloride	LGW-9	6/26/2008	18	3		mg/L
Chloride	LGW-9	7/22/2008	18	3		mg/L
Chloride	LGW-9	8/29/2008	18	3		mg/L
Chloride	LGW-9	9/26/2008	16	3		mg/L
Chloride	LGW-9	10/22/2008	18	3		mg/L
Chloride	LGW-9	11/24/2008	16	3		mg/L
Chloride	LGW-9	12/19/2008	18	3		mg/L
Chloride	LGW-9	2/4/2009	16	3		mg/L
Chloride	LGW-9	3/26/2009	15	3		mg/L
Chloride	LGW-9	4/15/2009	16	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	5/28/2009	16	3		mg/L
Chloride	LGW-9	6/24/2009	17	3		mg/L
Chloride	LGW-9	7/29/2009	16	3		mg/L
Chloride	LGW-9	8/28/2009	16	3		mg/L
Chloride	LGW-9	9/29/2009	16	3		mg/L
Chloride	LGW-9	10/22/2009	16	3		mg/L
Chloride	LGW-9	11/24/2009	17	3		mg/L
Chloride	LGW-9	12/17/2009	17	3		mg/L
Chloride	LGW-9	1/27/2010	17	3		mg/L
Chloride	LGW-9	2/15/2010	17	3		mg/L
Chloride	LGW-9	3/3/2010	18	3		mg/L
Chloride	LGW-9	4/8/2010	17	3		mg/L
Chloride	LGW-9	5/6/2010	18	3		mg/L
Chloride	LGW-9	6/16/2010	12	3		mg/L
Chloride	LGW-9	7/14/2010	19	3		mg/L
Chloride	LGW-9	8/11/2010	18	3		mg/L
Chloride	LGW-9	9/1/2010	18	3		mg/L
Chloride	LGW-9	9/29/2010	18	3		mg/L
Chloride	LGW-9	11/3/2010	17	3		mg/L
Chloride	LGW-9	12/2/2010	19	3		mg/L
Chloride	LGW-9	1/20/2011	19	3		mg/L
Chloride	LGW-9	2/7/2011	18	3		mg/L
Chloride	LGW-9	3/3/2011	19	3		mg/L
Chloride	LGW-9	4/5/2011	19	3		mg/L
Chloride	LGW-9	5/10/2011	20	3		mg/L
Chloride	LGW-9	6/1/2011	19	3		mg/L
Chloride	LGW-9	7/12/2011	19	3		mg/L
Chloride	LGW-9	8/4/2011	20	3		mg/L
Chloride	LGW-9	9/7/2011	19	3		mg/L
Chloride	LGW-9	10/5/2011	20	3		mg/L
Chloride	LGW-9	11/1/2011	18	3		mg/L
Chloride	LGW-9	12/8/2011	19	3		mg/L
Chloride	LGW-9	1/5/2012	19	3		mg/L
Chloride	LGW-9	2/1/2012	18	3		mg/L
Chloride	LGW-9	3/7/2012	18	3		mg/L
Chloride	LGW-9	4/5/2012	18	3		mg/L
Chloride	LGW-9	5/1/2012	18	3		mg/L
Chloride	LGW-9	6/5/2012	18	3		mg/L
Chloride	LGW-9	7/10/2012	19	3		mg/L
Chloride	LGW-9	8/9/2012	17	3		mg/L
Chloride	LGW-9	9/4/2012	18	3		mg/L
Chloride	LGW-9	10/7/2012	18	3		mg/L
Chloride	LGW-9	5/1/2013	17	3		mg/L
Chloride	LGW-9	6/4/2013	16	3		mg/L
Chloride	LGW-9	7/15/2013	16	3		mg/L
Chloride	LGW-9	8/8/2013	17	3		mg/L
Chloride	LGW-9	9/10/2013	17	3		mg/L
Chloride	LGW-9	10/1/2013	17	3		mg/L
Chloride	LGW-9	11/6/2013	17	3		mg/L
Chloride	LGW-9	12/2/2013	18	3		mg/L
Chloride	LGW-9	1/23/2014	19	3		mg/L
Chloride	LGW-9	2/13/2014	19	3		mg/L
Chloride	LGW-9	3/11/2014	20	3		mg/L
Chloride	LGW-9	4/2/2014	20	3		mg/L
Chloride	LGW-9	5/7/2014	20	3		mg/L
Chloride	LGW-9	6/3/2014	21	3		mg/L
Chloride	LGW-9	7/8/2014	21	3		mg/L
Chloride	LGW-9	8/5/2014	21	3		mg/L
Chloride	LGW-9	9/4/2014	21	3		mg/L
Chloride	LGW-9	10/9/2014	22	3		mg/L
Chloride	LGW-9	11/3/2014	24	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	1/14/2015	24	3		mg/L
Chloride	LGW-9	2/11/2015	25	3		mg/L
Chloride	LGW-9	3/3/2015	24	3		mg/L
Chloride	LGW-9	4/1/2015	27	3		mg/L
Chloride	LGW-9	5/7/2015	29	3		mg/L
Chloride	LGW-9	6/3/2015	25	3		mg/L
Chloride	LGW-9	7/13/2015	29	3		mg/L
Chloride	LGW-9	8/4/2015	31	3		mg/L
Chloride	LGW-9	9/3/2015	31	3		mg/L
Chloride	LGW-9	10/6/2015	35	3		mg/L
Chloride	LGW-9	11/4/2015	42	3		mg/L
Chloride	LGW-9	12/3/2015	45	3		mg/L
Chloride	LGW-9	1/5/2016	52	3		mg/L
Chloride	LGW-9	2/3/2016	57	3		mg/L
Chloride	LGW-9	3/2/2016	58	3		mg/L
Chloride	LGW-9	4/5/2016	63	3		mg/L
Chloride	LGW-9	5/11/2016	58	3		mg/L
Chloride	LGW-9	6/1/2016	65	3		mg/L
Chloride	LGW-9	7/21/2016	70	3		mg/L
Chloride	LGW-9	8/10/2016	68	3		mg/L
Chloride	LGW-9	9/6/2016	69	3		mg/L
Chloride	LGW-9	10/6/2016	68	3		mg/L
Chloride	LGW-9	10/6/2016	68	3		mg/L
Chloride	LGW-9	11/2/2016	64	3		mg/L
Chloride	LGW-9	12/1/2016	67	5		mg/L
Chloride	LGW-9	1/11/2017	60	3		mg/L
Chloride	LGW-9	2/7/2017	51	3		mg/L
Chloride	LGW-9	3/2/2017	53	3		mg/L
Chloride	LGW-9	4/4/2017	49	3		mg/L
Chloride	LGW-9	5/5/2017	69	3		mg/L
Chloride	LGW-9	5/16/2017	70	3		mg/L
Chloride	LGW-9	6/6/2017	72	3		mg/L
Chloride	LGW-9	7/18/2017	78	3		mg/L
Chloride	LGW-9	8/1/2017	76	3		mg/L
Chloride	LGW-9	9/5/2017	82	3		mg/L
Chloride	LGW-9	10/5/2017	82	3		mg/L
Chloride	LGW-9	11/1/2017	80	3		mg/L
Chloride	LGW-9	1/24/2018	71	3		mg/L
Chloride	LGW-9	2/22/2018	71	3		mg/L
Chloride	LGW-9	3/20/2018	78	3		mg/L
Chloride	LGW-9	4/11/2018	77	3		mg/L
Chloride	LGW-9	4/11/2018	71	3		mg/L
Chloride	LGW-9	6/5/2018	72	3		mg/L
Chloride	LGW-9	7/13/2018	66	3		mg/L
Chloride	LGW-9	8/2/2018	67	3		mg/L
Chloride	LGW-9	9/5/2018	69	3		mg/L
Chloride	LGW-9	10/2/2018	59	3		mg/L
Chloride	LGW-9	10/2/2018	60	3		mg/L
Chloride	LGW-9	11/6/2018	54	3		mg/L
Chloride	LGW-9	12/4/2018	56	3		mg/L
Chloride	LGW-9	1/7/2019	53	3		mg/L
Chloride	LGW-9	2/6/2019	53	3		mg/L
Chloride	LGW-9	3/5/2019	52	3		mg/L
Chloride	LGW-9	4/3/2019	51	3		mg/L
Chloride	LGW-9	5/3/2019	51	3		mg/L
Chloride	LGW-9	6/4/2019	52	3		mg/L
Chloride	LGW-9	7/10/2019	54	30		mg/L
Chloride	LGW-9	7/10/2019	48	3		mg/L
Chloride	LGW-9	8/8/2019	40	3		mg/L
Chloride	LGW-9	9/4/2019	46	3		mg/L
Chloride	LGW-9	10/3/2019	46	15		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	10/3/2019	45	15		mg/L
Chloride	LGW-9	11/6/2019	40	3		mg/L
Chloride	LGW-9	12/3/2019	41	3		mg/L
Chloride	LGW-9	1/16/2020	38.9	3		mg/L
Chloride	LGW-9	2/4/2020	38.4	1		mg/L
Chloride	LGW-9	3/4/2020	36.3	3		mg/L
Chloride	LGW-9	4/2/2020	35.5	3		mg/L
Chloride	LGW-9	5/5/2020	33.6	3		mg/L
Chloride	LGW-9	6/2/2020	33.6	3		mg/L
Chloride	LGW-9	7/9/2020	34.3	3		mg/L
Chloride	LGW-9	7/9/2020	34.5	3		mg/L
Chloride	LGW-9	8/3/2020	35.5	3		mg/L
Chloride	LGW-9	9/2/2020	36.3	3		mg/L
Chloride	LGW-9	10/7/2020	36.5	3		mg/L
Chloride	LGW-9	10/7/2020	36.1	3		mg/L
Chloride	LGW-9	11/3/2020	37.3	3		mg/L
Chloride	LGW-9	12/2/2020	35.8	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	2/9/2021	39.9	3		mg/L
Chloride	LGW-9	3/2/2021	38.3	3		mg/L
Chloride	LGW-9	4/6/2021	37.5	3		mg/L
Chloride	LGW-9	5/5/2021	36.1	3		mg/L
Chloride	LGW-9	6/2/2021	36.4	3		mg/L
Chloride	LGW-9	7/7/2021	36.3	3		mg/L
Chloride	LGW-9	7/7/2021	36.3	3		mg/L
Chloride	LGW-9	7/7/2021	36.8	2		mg/L
Chloride	LGW-9	7/7/2021	36.8	3		mg/L
Chloride	LGW-9	8/4/2021	36	3		mg/L
Chloride	LGW-9	9/2/2021	37	3		mg/L
Chloride	LGW-9	10/5/2021	35.8	3		mg/L
Chloride	LGW-9	10/5/2021	36.4	3		mg/L
Chloride	LGW-9	11/2/2021	34.6	3		mg/L
Chloride	LGW-9	12/9/2021	31.6	3		mg/L
Chloride	LGW-9	1/13/2022	33.1	3		mg/L
Chloride	LGW-9	1/13/2022	33.5	3		mg/L
Chloride	LGW-9	1/13/2022	34.2	2		mg/L
Chloride	LGW-9	2/10/2022	34.4	3		mg/L
Chloride	LGW-9	3/2/2022	35.8	3		mg/L
Chloride	LGW-9	4/4/2022	36.4	3		mg/L
Chloride	LGW-9	5/7/2022	35.2	3		mg/L
Chloride	LGW-9	6/3/2022	36.9	3		mg/L
Chloride	LGW-9	7/11/2022	38.5	3		mg/L
Chloride	LGW-9	8/10/2022	37.4	3		mg/L
Chloride	LGW-9	9/8/2022	39.5	3		mg/L
Chloride	LGW-9	10/7/2022	36.5	3		mg/L
Chloride	LGW-9	11/3/2022	36.4	3		mg/L
Chloride	LGW-9	12/7/2022	34.2	3		mg/L
Chloride	LGW-9	1/11/2023	32.2	3		mg/L
Chloride	LGW-9	2/3/2023	34	3		mg/L
Chloride	LGW-9	3/1/2023	33.7	3		mg/L
Chloride	LGW-9	4/5/2023	31	3		mg/L
Chloride	MW-10N	10/22/1997	7.2	1		mg/L
Chloride	MW-10N	1/22/1998	6.3	1		mg/L
Chloride	MW-10N	4/28/1998	7.3	1		mg/L
Chloride	MW-10N	7/23/1998	5.3	1		mg/L
Chloride	MW-10N	1/14/1999	6.6	1		mg/L
Chloride	MW-10N	7/15/1999	5.3	1		mg/L
Chloride	MW-10N	10/20/1999	5.8	1		mg/L
Chloride	MW-10N	1/14/2000	5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-10N	4/25/2000	5.6	1		mg/L
Chloride	MW-10N	7/11/2000	6.2	0.5		mg/L
Chloride	MW-10N	10/17/2000	7	0.5		mg/L
Chloride	MW-10N	1/24/2001	6.7	0.5		mg/L
Chloride	MW-10N	4/10/2001	6.3	0.5		mg/L
Chloride	MW-10N	7/10/2002	6.4	0.5		mg/L
Chloride	MW-10N	10/2/2002	6.4	0.5		mg/L
Chloride	MW-10N	1/22/2003	6.1	0.5		mg/L
Chloride	MW-10N	4/15/2003	7.3	0.5		mg/L
Chloride	MW-10N	7/8/2003	6.3	0.5		mg/L
Chloride	MW-10N	1/28/2004	6.5	0.5		mg/L
Chloride	MW-10N	7/27/2004	7.1	0.5		mg/L
Chloride	MW-10N	1/12/2005	6.4	0.5		mg/L
Chloride	MW-10N	7/20/2005	6.2	0.5		mg/L
Chloride	MW-10N	1/19/2006	6.5	0.5		mg/L
Chloride	MW-10N	7/19/2006	5.9	3		mg/L
Chloride	MW-10N	7/19/2006	5.9	3		mg/L
Chloride	MW-10N	10/25/2006	6.8	3		mg/L
Chloride	MW-10N	1/24/2007	6	3		mg/L
Chloride	MW-10N	7/10/2007	5.4	3		mg/L
Chloride	MW-10N	1/23/2008	5.4	3		mg/L
Chloride	MW-10N	7/21/2008	5.6	3		mg/L
Chloride	MW-10N	2/13/2009	5.9	3		mg/L
Chloride	MW-10N	7/31/2009	5.3	3		mg/L
Chloride	MW-10N	1/27/2010	5.7	3		mg/L
Chloride	MW-10N	8/10/2010	5.6	3		mg/L
Chloride	MW-10N	1/19/2011	5.4	3		mg/L
Chloride	MW-10N	7/14/2011	5.8	3		mg/L
Chloride	MW-10N	1/5/2012	5.7	3		mg/L
Chloride	MW-10N	7/10/2012	6	3		mg/L
Chloride	MW-10N	5/1/2013	5.5	3		mg/L
Chloride	MW-10N	1/24/2014	5.6	3		mg/L
Chloride	MW-10N	7/9/2014	5.3	3		mg/L
Chloride	MW-10N	2/12/2015	5.5	3		mg/L
Chloride	MW-10N	7/14/2015	5.4	3		mg/L
Chloride	MW-10N	1/6/2016	4.7	3		mg/L
Chloride	MW-10N	7/21/2016	5.4	3		mg/L
Chloride	MW-10N	1/11/2017	4.9	3		mg/L
Chloride	MW-10N	7/19/2017	5.5	3		mg/L
Chloride	MW-10N	1/24/2018	4.7	3		mg/L
Chloride	MW-10N	7/11/2018	5.4	3		mg/L
Chloride	MW-10N	1/3/2019	5.1	3		mg/L
Chloride	MW-10N	7/9/2019	5.4	3		mg/L
Chloride	MW-10N	1/16/2020	5.26	3		mg/L
Chloride	MW-10N	7/8/2020	5.02	3		mg/L
Chloride	MW-10N	1/13/2021	5.31	3		mg/L
Chloride	MW-10N	7/5/2021	4.58	3		mg/L
Chloride	MW-10N	7/5/2021	5.46	2		mg/L
Chloride	MW-10N	1/11/2023	4.62	3		mg/L
Chloride	MW-11N	10/22/1997	4.2	1		mg/L
Chloride	MW-11N	1/21/1998	2.3	1		mg/L
Chloride	MW-11N	4/28/1998	3.2	1		mg/L
Chloride	MW-11N	7/23/1998	1.7	1		mg/L
Chloride	MW-11N	1/13/1999	2.6	1		mg/L
Chloride	MW-11N	7/14/1999	2.2	1		mg/L
Chloride	MW-11N	10/20/1999	1.9	1		mg/L
Chloride	MW-11N	1/13/2000	1.9	1		mg/L
Chloride	MW-11N	4/25/2000	2	1		mg/L
Chloride	MW-11N	7/10/2000	2	0.5		mg/L
Chloride	MW-11N	10/17/2000	0.5	0.5	ND	mg/L
Chloride	MW-11N	1/24/2001	2.4	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-11N	4/10/2001	3	0.5		mg/L
Chloride	MW-11N	7/9/2002	3.2	0.5		mg/L
Chloride	MW-11N	10/2/2002	2.6	0.5		mg/L
Chloride	MW-11N	1/23/2003	3.5	0.5		mg/L
Chloride	MW-11N	4/15/2003	4	0.5		mg/L
Chloride	MW-11N	7/8/2003	2.4	0.5		mg/L
Chloride	MW-11N	1/29/2004	2.4	0.5		mg/L
Chloride	MW-11N	7/27/2004	2.1	0.5		mg/L
Chloride	MW-11N	1/13/2005	1.9	0.5		mg/L
Chloride	MW-11N	7/20/2005	1.9	0.5		mg/L
Chloride	MW-11N	1/19/2006	1.8	0.5		mg/L
Chloride	MW-11N	7/18/2006	1.6	3	ND	mg/L
Chloride	MW-11N	7/18/2006	1.6	3	ND	mg/L
Chloride	MW-11N	10/25/2006	1.7	3	ND	mg/L
Chloride	MW-11N	1/24/2007	2	3	ND	mg/L
Chloride	MW-11N	7/10/2007	1.5	3	ND	mg/L
Chloride	MW-11N	1/22/2008	1.4	3	ND	mg/L
Chloride	MW-11N	7/23/2008	1.5	3	ND	mg/L
Chloride	MW-11N	2/3/2009	1.4	3	ND	mg/L
Chloride	MW-11N	7/31/2009	1.5	3	ND	mg/L
Chloride	MW-11N	2/3/2010	1.6	3	ND	mg/L
Chloride	MW-11N	2/3/2010	1.6	3	ND	mg/L
Chloride	MW-11N	7/16/2010	1.3	3	ND	mg/L
Chloride	MW-11N	1/19/2011	1.6	3	ND	mg/L
Chloride	MW-11N	7/13/2011	1.9	3	ND	mg/L
Chloride	MW-11N	1/4/2012	1.6	3	ND	mg/L
Chloride	MW-11N	7/9/2012	1.6	3	ND	mg/L
Chloride	MW-11N	4/30/2013	1.7	3	ND	mg/L
Chloride	MW-11N	7/15/2013	1.7	3	ND	mg/L
Chloride	MW-11N	1/23/2014	1.7	3	ND	mg/L
Chloride	MW-11N	7/8/2014	1.7	3	ND	mg/L
Chloride	MW-11N	2/10/2015	1.7	3	ND	mg/L
Chloride	MW-11N	7/13/2015	1.6	3	ND	mg/L
Chloride	MW-11N	1/5/2016	2.1	3	ND	mg/L
Chloride	MW-11N	7/21/2016	1.8	3	ND	mg/L
Chloride	MW-11N	1/11/2017	1.7	3	ND	mg/L
Chloride	MW-11N	7/19/2017	1.8	3	ND	mg/L
Chloride	MW-11N	1/23/2018	1.8	3	ND	mg/L
Chloride	MW-11N	7/17/2018	1.7	3	ND	mg/L
Chloride	MW-11N	1/2/2019	1.4	3	ND	mg/L
Chloride	MW-11N	7/9/2019	1.7	3	ND	mg/L
Chloride	MW-11N	1/14/2020	3	3	ND	mg/L
Chloride	MW-11N	7/6/2020	3	3	ND	mg/L
Chloride	MW-11N	1/18/2021	3	3	ND	mg/L
Chloride	MW-11N	7/6/2021	3	3	ND	mg/L
Chloride	MW-11N	7/6/2021	2.16	2		mg/L
Chloride	MW-11N	1/18/2022	3	3	ND	mg/L
Chloride	MW-11N	1/18/2022	2.09	2		mg/L
Chloride	MW-11N	7/13/2022	3	3	ND	mg/L
Chloride	MW-11N	1/10/2023	3	3	ND	mg/L
Chloride	MW-15	6/2/2015	32	3		mg/L
Chloride	MW-15	6/5/2015	29	3		mg/L
Chloride	MW-15	7/15/2015	3	3	ND	mg/L
Chloride	MW-15	8/5/2015	28	3		mg/L
Chloride	MW-15	9/3/2015	29	3		mg/L
Chloride	MW-15	10/6/2015	24	3		mg/L
Chloride	MW-15	11/5/2015	22	3		mg/L
Chloride	MW-15	12/4/2015	35	3		mg/L
Chloride	MW-15	1/7/2016	45	3		mg/L
Chloride	MW-15	2/4/2016	31	3		mg/L
Chloride	MW-15	3/2/2016	42	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-15	4/5/2016	32	3		mg/L
Chloride	MW-15	5/11/2016	27	3		mg/L
Chloride	MW-15	6/1/2016	31	3		mg/L
Chloride	MW-15	7/20/2016	41	3		mg/L
Chloride	MW-15	8/10/2016	34	3		mg/L
Chloride	MW-15	9/6/2016	36	3		mg/L
Chloride	MW-15	10/6/2016	30	3		mg/L
Chloride	MW-15	10/6/2016	32	3		mg/L
Chloride	MW-15	11/2/2016	31	3		mg/L
Chloride	MW-15	12/1/2016	32	1		mg/L
Chloride	MW-15	1/10/2017	25	3		mg/L
Chloride	MW-15	2/7/2017	29	3		mg/L
Chloride	MW-15	3/2/2017	20	3		mg/L
Chloride	MW-15	4/4/2017	30	3		mg/L
Chloride	MW-15	5/2/2017	35	3		mg/L
Chloride	MW-15	6/6/2017	40	3		mg/L
Chloride	MW-15	7/18/2017	42	3		mg/L
Chloride	MW-15	8/1/2017	42	3		mg/L
Chloride	MW-15	9/5/2017	41	3		mg/L
Chloride	MW-15	10/6/2017	40	3		mg/L
Chloride	MW-15	11/1/2017	43	3		mg/L
Chloride	MW-15	1/23/2018	46	3		mg/L
Chloride	MW-15	2/22/2018	41	3		mg/L
Chloride	MW-15	3/21/2018	48	3		mg/L
Chloride	MW-15	4/10/2018	54	3		mg/L
Chloride	MW-15	6/5/2018	54	3		mg/L
Chloride	MW-15	7/10/2018	51	3		mg/L
Chloride	MW-15	8/1/2018	52	3		mg/L
Chloride	MW-15	9/4/2018	57	3		mg/L
Chloride	MW-15	10/2/2018	51	3		mg/L
Chloride	MW-15	11/6/2018	44	3		mg/L
Chloride	MW-15	12/5/2018	44	3		mg/L
Chloride	MW-15	1/3/2019	41	3		mg/L
Chloride	MW-15	2/5/2019	52	3		mg/L
Chloride	MW-15	3/6/2019	52	3		mg/L
Chloride	MW-15	4/3/2019	51	3		mg/L
Chloride	MW-15	5/2/2019	50	3		mg/L
Chloride	MW-15	6/4/2019	44	3		mg/L
Chloride	MW-15	7/9/2019	53	30		mg/L
Chloride	MW-15	7/9/2019	41	3		mg/L
Chloride	MW-15	8/6/2019	42	3		mg/L
Chloride	MW-15	9/4/2019	47	3		mg/L
Chloride	MW-15	10/1/2019	37	15		mg/L
Chloride	MW-15	11/5/2019	41	3		mg/L
Chloride	MW-15	12/3/2019	47	3		mg/L
Chloride	MW-15	1/14/2020	40.4	3		mg/L
Chloride	MW-15	2/4/2020	32.9	1		mg/L
Chloride	MW-15	3/3/2020	36.1	3		mg/L
Chloride	MW-15	4/1/2020	32.3	3		mg/L
Chloride	MW-15	5/4/2020	35.5	3		mg/L
Chloride	MW-15	6/2/2020	20.6	3		mg/L
Chloride	MW-15	7/7/2020	36.1	3		mg/L
Chloride	MW-15	8/3/2020	40.7	3		mg/L
Chloride	MW-15	8/3/2020	40.9	3		mg/L
Chloride	MW-15	9/3/2020	35.8	3		mg/L
Chloride	MW-15	10/6/2020	29.6	3		mg/L
Chloride	MW-15	11/4/2020	23.2	3		mg/L
Chloride	MW-15	12/2/2020	25.2	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-15	2/10/2021	24.8	3		mg/L
Chloride	MW-15	3/2/2021	19.6	3		mg/L
Chloride	MW-15	4/7/2021	27.9	3		mg/L
Chloride	MW-15	5/4/2021	15.8	3		mg/L
Chloride	MW-15	6/1/2021	27.1	3		mg/L
Chloride	MW-15	7/4/2021	31.4	3		mg/L
Chloride	MW-15	7/4/2021	31.3	3		mg/L
Chloride	MW-15	7/4/2021	31.4	2		mg/L
Chloride	MW-15	8/3/2021	33.2	3		mg/L
Chloride	MW-15	9/2/2021	35.7	3		mg/L
Chloride	MW-15	10/5/2021	35.6	3		mg/L
Chloride	MW-15	11/1/2021	34.4	3		mg/L
Chloride	MW-15	12/8/2021	33.5	3		mg/L
Chloride	MW-15	1/12/2022	35.1	3		mg/L
Chloride	MW-15	1/12/2022	36	3		mg/L
Chloride	MW-15	1/12/2022	34.9	2		mg/L
Chloride	MW-15	2/9/2022	34.5	3		mg/L
Chloride	MW-15	3/1/2022	35.6	3		mg/L
Chloride	MW-15	4/5/2022	36	3		mg/L
Chloride	MW-15	5/7/2022	17.6	3		mg/L
Chloride	MW-15	6/3/2022	40.9	3		mg/L
Chloride	MW-15	7/10/2022	39.5	3		mg/L
Chloride	MW-15	8/10/2022	37.9	3		mg/L
Chloride	MW-15	9/8/2022	37.8	3		mg/L
Chloride	MW-15	10/6/2022	35	3		mg/L
Chloride	MW-15	11/3/2022	34.5	3		mg/L
Chloride	MW-15	12/7/2022	36.4	3		mg/L
Chloride	MW-15	1/10/2023	40.5	3		mg/L
Chloride	MW-15	2/3/2023	38	3		mg/L
Chloride	MW-15	3/1/2023	39.1	3		mg/L
Chloride	MW-15	4/5/2023	37.3	3		mg/L
Chloride	MW-16	6/2/2015	8.4	3		mg/L
Chloride	MW-16	6/5/2015	11	3		mg/L
Chloride	MW-16	7/16/2015	11	3		mg/L
Chloride	MW-16	8/5/2015	9.6	3		mg/L
Chloride	MW-16	9/3/2015	13	3		mg/L
Chloride	MW-16	10/6/2015	12	3		mg/L
Chloride	MW-16	11/5/2015	13	3		mg/L
Chloride	MW-16	12/4/2015	12	3		mg/L
Chloride	MW-16	1/8/2016	8.2	3		mg/L
Chloride	MW-16	2/4/2016	9.9	3		mg/L
Chloride	MW-16	3/2/2016	9.1	3		mg/L
Chloride	MW-16	4/5/2016	9.8	3		mg/L
Chloride	MW-16	5/11/2016	14	3		mg/L
Chloride	MW-16	6/2/2016	16	3		mg/L
Chloride	MW-16	7/21/2016	9.7	3		mg/L
Chloride	MW-16	8/10/2016	7.4	3		mg/L
Chloride	MW-16	9/6/2016	13	3		mg/L
Chloride	MW-16	10/5/2016	10	3		mg/L
Chloride	MW-16	10/5/2016	6.3	3		mg/L
Chloride	MW-16	11/2/2016	12	3		mg/L
Chloride	MW-16	12/1/2016	5.6	1		mg/L
Chloride	MW-16	1/10/2017	11	3		mg/L
Chloride	MW-16	2/7/2017	12	3		mg/L
Chloride	MW-16	3/2/2017	13	3		mg/L
Chloride	MW-16	4/4/2017	18	3		mg/L
Chloride	MW-16	5/2/2017	14	3		mg/L
Chloride	MW-16	6/6/2017	9.8	3		mg/L
Chloride	MW-16	7/18/2017	10	3		mg/L
Chloride	MW-16	8/1/2017	10	3		mg/L
Chloride	MW-16	9/5/2017	9.2	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-16	10/6/2017	8.3	3		mg/L
Chloride	MW-16	11/1/2017	7	3		mg/L
Chloride	MW-16	1/23/2018	5.3	3		mg/L
Chloride	MW-16	2/22/2018	4.7	3		mg/L
Chloride	MW-16	3/21/2018	5.1	3		mg/L
Chloride	MW-16	4/10/2018	6	3		mg/L
Chloride	MW-16	6/5/2018	6	3		mg/L
Chloride	MW-16	7/11/2018	5.3	3		mg/L
Chloride	MW-16	8/1/2018	5	3		mg/L
Chloride	MW-16	9/5/2018	5.1	3		mg/L
Chloride	MW-16	10/2/2018	4.1	3		mg/L
Chloride	MW-16	11/6/2018	3.8	3		mg/L
Chloride	MW-16	12/5/2018	4.2	3		mg/L
Chloride	MW-16	1/2/2019	4.1	3		mg/L
Chloride	MW-16	2/5/2019	4.1	3		mg/L
Chloride	MW-16	3/6/2019	4.3	3		mg/L
Chloride	MW-16	4/3/2019	4.1	3		mg/L
Chloride	MW-16	5/2/2019	4.5	3		mg/L
Chloride	MW-16	6/4/2019	3.7	3		mg/L
Chloride	MW-16	7/10/2019	3.6	3		mg/L
Chloride	MW-16	7/10/2019	3.6	3		mg/L
Chloride	MW-16	8/6/2019	3.8	3		mg/L
Chloride	MW-16	9/4/2019	4.3	3		mg/L
Chloride	MW-16	10/1/2019	3.7	3		mg/L
Chloride	MW-16	11/5/2019	4.2	3		mg/L
Chloride	MW-16	12/3/2019	4.1	3		mg/L
Chloride	MW-16	1/14/2020	11.2	3		mg/L
Chloride	MW-16	2/4/2020	4.79	1		mg/L
Chloride	MW-16	3/3/2020	4.55	3		mg/L
Chloride	MW-16	4/1/2020	4.3	3		mg/L
Chloride	MW-16	5/4/2020	4.01	3		mg/L
Chloride	MW-16	6/3/2020	4.14	3		mg/L
Chloride	MW-16	7/7/2020	4.32	3		mg/L
Chloride	MW-16	8/3/2020	4.43	3		mg/L
Chloride	MW-16	8/3/2020	4.4	3		mg/L
Chloride	MW-16	9/3/2020	4.28	3		mg/L
Chloride	MW-16	10/6/2020	3.94	3		mg/L
Chloride	MW-16	11/4/2020	3.83	3		mg/L
Chloride	MW-16	12/3/2020	3.85	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	2/10/2021	3.9	3		mg/L
Chloride	MW-16	3/2/2021	3.85	3		mg/L
Chloride	MW-16	4/7/2021	3.89	3		mg/L
Chloride	MW-16	5/4/2021	4.06	3		mg/L
Chloride	MW-16	6/1/2021	4.24	3		mg/L
Chloride	MW-16	7/4/2021	4.51	3		mg/L
Chloride	MW-16	7/4/2021	3.91	3		mg/L
Chloride	MW-16	7/4/2021	4.65	2		mg/L
Chloride	MW-16	8/3/2021	4.27	3		mg/L
Chloride	MW-16	9/2/2021	4.63	3		mg/L
Chloride	MW-16	10/5/2021	3.97	3		mg/L
Chloride	MW-16	11/1/2021	3.72	3		mg/L
Chloride	MW-16	12/8/2021	3.46	3		mg/L
Chloride	MW-16	1/12/2022	3.88	3		mg/L
Chloride	MW-16	1/12/2022	4.3	2		mg/L
Chloride	MW-16	1/12/2022	4.17	3		mg/L
Chloride	MW-16	2/9/2022	4.33	3		mg/L
Chloride	MW-16	3/1/2022	3.9	3		mg/L
Chloride	MW-16	4/5/2022	3.52	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-16	5/7/2022	4.1	3		mg/L
Chloride	MW-16	6/3/2022	4.6	3		mg/L
Chloride	MW-16	7/10/2022	4.7	3		mg/L
Chloride	MW-16	8/10/2022	4.46	3		mg/L
Chloride	MW-16	9/8/2022	4.21	3		mg/L
Chloride	MW-16	10/6/2022	3.81	3		mg/L
Chloride	MW-16	11/3/2022	3.76	3		mg/L
Chloride	MW-16	12/7/2022	3.86	3		mg/L
Chloride	MW-16	1/10/2023	4.59	3		mg/L
Chloride	MW-16	2/3/2023	4.08	3		mg/L
Chloride	MW-16	3/1/2023	4.49	3		mg/L
Chloride	MW-16	4/5/2023	3.8	3		mg/L
Chloride	MW-17	6/2/2015	25	3		mg/L
Chloride	MW-17	6/5/2015	25	3		mg/L
Chloride	MW-17	7/15/2015	23	3		mg/L
Chloride	MW-17	8/4/2015	25	3		mg/L
Chloride	MW-17	9/2/2015	25	3		mg/L
Chloride	MW-17	10/5/2015	18	3		mg/L
Chloride	MW-17	11/5/2015	23	3		mg/L
Chloride	MW-17	12/3/2015	24	3		mg/L
Chloride	MW-17	1/7/2016	6.5	3		mg/L
Chloride	MW-17	2/3/2016	10	3		mg/L
Chloride	MW-17	3/2/2016	17	3		mg/L
Chloride	MW-17	4/5/2016	12	3		mg/L
Chloride	MW-17	5/12/2016	18	3		mg/L
Chloride	MW-17	6/1/2016	19	3		mg/L
Chloride	MW-17	7/20/2016	15	3		mg/L
Chloride	MW-17	8/11/2016	17	3		mg/L
Chloride	MW-17	9/6/2016	19	3		mg/L
Chloride	MW-17	10/6/2016	18	3		mg/L
Chloride	MW-17	10/6/2016	16	3		mg/L
Chloride	MW-17	11/3/2016	19	3		mg/L
Chloride	MW-17	12/2/2016	18	1		mg/L
Chloride	MW-17	1/10/2017	18	3		mg/L
Chloride	MW-17	2/7/2017	18	3		mg/L
Chloride	MW-17	3/2/2017	15	3		mg/L
Chloride	MW-17	4/4/2017	19	3		mg/L
Chloride	MW-17	5/16/2017	9.5	3		mg/L
Chloride	MW-17	6/6/2017	17	3		mg/L
Chloride	MW-17	7/18/2017	19	3		mg/L
Chloride	MW-17	8/1/2017	19	3		mg/L
Chloride	MW-17	9/5/2017	23	3		mg/L
Chloride	MW-17	10/6/2017	28	3		mg/L
Chloride	MW-17	11/1/2017	27	3		mg/L
Chloride	MW-17	1/23/2018	35	3		mg/L
Chloride	MW-17	2/22/2018	27	3		mg/L
Chloride	MW-17	3/21/2018	22	3		mg/L
Chloride	MW-17	4/10/2018	26	3		mg/L
Chloride	MW-17	6/5/2018	35	3		mg/L
Chloride	MW-17	7/10/2018	32	3		mg/L
Chloride	MW-17	8/1/2018	32	3		mg/L
Chloride	MW-17	9/5/2018	35	3		mg/L
Chloride	MW-17	10/1/2018	32	3		mg/L
Chloride	MW-17	10/1/2018	33	3		mg/L
Chloride	MW-17	11/7/2018	27	3		mg/L
Chloride	MW-17	12/5/2018	33	3		mg/L
Chloride	MW-17	1/3/2019	32	3		mg/L
Chloride	MW-17	2/5/2019	32	3		mg/L
Chloride	MW-17	3/6/2019	33	3		mg/L
Chloride	MW-17	4/3/2019	32	3		mg/L
Chloride	MW-17	5/2/2019	32	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-17	6/5/2019	34	3		mg/L
Chloride	MW-17	7/11/2019	32	3		mg/L
Chloride	MW-17	7/11/2019	29	3		mg/L
Chloride	MW-17	8/6/2019	28	3		mg/L
Chloride	MW-17	9/4/2019	35	3		mg/L
Chloride	MW-17	10/1/2019	27	3		mg/L
Chloride	MW-17	11/5/2019	23	3		mg/L
Chloride	MW-17	12/3/2019	23	3		mg/L
Chloride	MW-17	1/14/2020	22.9	3		mg/L
Chloride	MW-17	2/4/2020	24.2	1		mg/L
Chloride	MW-17	3/3/2020	23.1	3		mg/L
Chloride	MW-17	4/1/2020	22.8	3		mg/L
Chloride	MW-17	5/5/2020	21.6	3		mg/L
Chloride	MW-17	6/2/2020	22.9	3		mg/L
Chloride	MW-17	7/6/2020	20.8	3		mg/L
Chloride	MW-17	8/3/2020	22.7	3		mg/L
Chloride	MW-17	8/3/2020	23	3		mg/L
Chloride	MW-17	9/3/2020	22.6	3		mg/L
Chloride	MW-17	10/6/2020	15.2	3		mg/L
Chloride	MW-17	11/4/2020	14.5	3		mg/L
Chloride	MW-17	12/3/2020	15.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	2/10/2021	15.4	3		mg/L
Chloride	MW-17	3/2/2021	12.3	3		mg/L
Chloride	MW-17	4/7/2021	14.9	3		mg/L
Chloride	MW-17	5/4/2021	14	3		mg/L
Chloride	MW-17	6/1/2021	25.6	3		mg/L
Chloride	MW-17	7/4/2021	35.7	3		mg/L
Chloride	MW-17	7/4/2021	35.9	3		mg/L
Chloride	MW-17	7/4/2021	35.8	2		mg/L
Chloride	MW-17	8/3/2021	29.2	3		mg/L
Chloride	MW-17	9/2/2021	16.9	3		mg/L
Chloride	MW-17	10/5/2021	21.6	3		mg/L
Chloride	MW-17	11/1/2021	17.5	3		mg/L
Chloride	MW-17	12/8/2021	11.4	3		mg/L
Chloride	MW-17	1/10/2023	11	3		mg/L
Chloride	MW-17	2/4/2023	8.57	3		mg/L
Chloride	MW-17	3/1/2023	7.92	3		mg/L
Chloride	MW-17	4/5/2023	25.1	3		mg/L
Chloride	MW-19	6/2/2015	15	3		mg/L
Chloride	MW-19	6/5/2015	13	3		mg/L
Chloride	MW-19	7/16/2015	14	3		mg/L
Chloride	MW-19	8/5/2015	6.3	3		mg/L
Chloride	MW-19	9/3/2015	8.4	3		mg/L
Chloride	MW-19	10/6/2015	5	3		mg/L
Chloride	MW-19	11/5/2015	5.5	3		mg/L
Chloride	MW-19	12/4/2015	6	3		mg/L
Chloride	MW-19	1/7/2016	8.6	3		mg/L
Chloride	MW-19	2/3/2016	9.8	3		mg/L
Chloride	MW-19	3/3/2016	9.2	3		mg/L
Chloride	MW-19	4/5/2016	10	3		mg/L
Chloride	MW-19	5/12/2016	9.5	3		mg/L
Chloride	MW-19	6/2/2016	9.3	3		mg/L
Chloride	MW-19	7/21/2016	9	3		mg/L
Chloride	MW-19	8/11/2016	9	3		mg/L
Chloride	MW-19	9/6/2016	11	3		mg/L
Chloride	MW-19	10/5/2016	11	3		mg/L
Chloride	MW-19	10/5/2016	9.1	3		mg/L
Chloride	MW-19	11/3/2016	9.6	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-19	12/1/2016	8.5	1		mg/L
Chloride	MW-19	1/10/2017	10	3		mg/L
Chloride	MW-19	2/7/2017	8.7	3		mg/L
Chloride	MW-19	3/2/2017	7.3	3		mg/L
Chloride	MW-19	4/4/2017	8.2	3		mg/L
Chloride	MW-19	5/2/2017	9.1	3		mg/L
Chloride	MW-19	6/6/2017	13	3		mg/L
Chloride	MW-19	7/18/2017	19	3		mg/L
Chloride	MW-19	8/1/2017	18	3		mg/L
Chloride	MW-19	9/5/2017	16	3		mg/L
Chloride	MW-19	10/6/2017	15	3		mg/L
Chloride	MW-19	11/1/2017	15	3		mg/L
Chloride	MW-19	1/23/2018	11	3		mg/L
Chloride	MW-19	2/22/2018	11	3		mg/L
Chloride	MW-19	3/20/2018	15	3		mg/L
Chloride	MW-19	4/11/2018	14	3		mg/L
Chloride	MW-19	6/5/2018	13	3		mg/L
Chloride	MW-19	7/13/2018	12	3		mg/L
Chloride	MW-19	8/2/2018	13	3		mg/L
Chloride	MW-19	9/5/2018	13	3		mg/L
Chloride	MW-19	10/2/2018	12	3		mg/L
Chloride	MW-19	10/2/2018	11	3		mg/L
Chloride	MW-19	11/7/2018	9.7	3		mg/L
Chloride	MW-19	12/5/2018	11	3		mg/L
Chloride	MW-19	1/7/2019	10	3		mg/L
Chloride	MW-19	2/6/2019	11	3		mg/L
Chloride	MW-19	3/6/2019	11	3		mg/L
Chloride	MW-19	4/3/2019	11	3		mg/L
Chloride	MW-19	5/2/2019	10	3		mg/L
Chloride	MW-19	6/4/2019	12	3		mg/L
Chloride	MW-19	7/11/2019	11	3		mg/L
Chloride	MW-19	7/11/2019	8	3		mg/L
Chloride	MW-19	8/6/2019	9	3		mg/L
Chloride	MW-19	9/4/2019	9.5	3		mg/L
Chloride	MW-19	10/1/2019	13	3		mg/L
Chloride	MW-19	11/5/2019	35	3		mg/L
Chloride	MW-19	12/3/2019	43	3		mg/L
Chloride	MW-19	1/14/2020	27	3		mg/L
Chloride	MW-19	2/4/2020	30.9	1		mg/L
Chloride	MW-19	3/3/2020	30.9	3		mg/L
Chloride	MW-19	4/2/2020	35.7	3		mg/L
Chloride	MW-19	5/5/2020	29.9	3		mg/L
Chloride	MW-19	6/2/2020	15.6	3		mg/L
Chloride	MW-19	7/6/2020	26	3		mg/L
Chloride	MW-19	8/3/2020	23.5	3		mg/L
Chloride	MW-19	8/3/2020	24.3	3		mg/L
Chloride	MW-19	9/3/2020	21.4	3		mg/L
Chloride	MW-19	10/6/2020	20	3		mg/L
Chloride	MW-19	11/3/2020	19.6	3		mg/L
Chloride	MW-19	12/3/2020	18.9	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	2/10/2021	18.7	3		mg/L
Chloride	MW-19	3/2/2021	17	3		mg/L
Chloride	MW-19	4/7/2021	17.1	3		mg/L
Chloride	MW-19	5/4/2021	15.5	3		mg/L
Chloride	MW-19	6/1/2021	16	3		mg/L
Chloride	MW-19	7/4/2021	15.4	3		mg/L
Chloride	MW-19	7/4/2021	15.3	3		mg/L
Chloride	MW-19	7/4/2021	16.2	2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-19	8/3/2021	14.9	3		mg/L
Chloride	MW-19	9/2/2021	14.8	3		mg/L
Chloride	MW-19	10/5/2021	13.8	3		mg/L
Chloride	MW-19	11/1/2021	13.1	3		mg/L
Chloride	MW-19	12/8/2021	12	3		mg/L
Chloride	MW-19	12/7/2022	8.46	3		mg/L
Chloride	MW-19	1/11/2023	9.07	3		mg/L
Chloride	MW-19	2/3/2023	8.72	3		mg/L
Chloride	MW-19	3/1/2023	8.67	3		mg/L
Chloride	MW-19	4/6/2023	7.83	3		mg/L
Chloride	MW-1N	10/22/1997	4.3	1		mg/L
Chloride	MW-1N	1/20/1998	7.2	1		mg/L
Chloride	MW-1N	4/28/1998	6.3	1		mg/L
Chloride	MW-1N	7/23/1998	4.3	1		mg/L
Chloride	MW-1N	10/14/1998	4	1		mg/L
Chloride	MW-1N	1/13/1999	4.6	1		mg/L
Chloride	MW-1N	7/15/1999	4.9	1		mg/L
Chloride	MW-1N	10/19/1999	4	1		mg/L
Chloride	MW-1N	1/14/2000	3.5	1		mg/L
Chloride	MW-1N	4/25/2000	3.9	1		mg/L
Chloride	MW-1N	7/12/2000	16	0.5		mg/L
Chloride	MW-1N	10/18/2000	11.4	0.5		mg/L
Chloride	MW-1N	1/24/2001	6.2	0.5		mg/L
Chloride	MW-1N	4/12/2001	37.9	0.5		mg/L
Chloride	MW-1N	7/9/2002	29.6	0.5		mg/L
Chloride	MW-1N	10/3/2002	38.5	0.5		mg/L
Chloride	MW-1N	1/22/2003	31.2	0.5		mg/L
Chloride	MW-1N	4/15/2003	29	0.5		mg/L
Chloride	MW-1N	7/8/2003	29.9	0.5		mg/L
Chloride	MW-1N	1/28/2004	25.3	0.5		mg/L
Chloride	MW-1N	7/27/2004	14.1	0.5		mg/L
Chloride	MW-1N	1/12/2005	11.2	0.5		mg/L
Chloride	MW-1N	7/20/2005	7.5	0.5		mg/L
Chloride	MW-1N	1/18/2006	5.7	0.5		mg/L
Chloride	MW-1N	7/18/2006	4.8	3		mg/L
Chloride	MW-1N	7/18/2006	4.8	3		mg/L
Chloride	MW-1N	10/24/2006	4.7	3		mg/L
Chloride	MW-1N	1/26/2007	4.5	3		mg/L
Chloride	MW-1N	7/11/2007	4.2	3		mg/L
Chloride	MW-1N	1/24/2008	3.8	3		mg/L
Chloride	MW-1N	7/21/2008	4.5	3		mg/L
Chloride	MW-1N	2/5/2009	3.9	3		mg/L
Chloride	MW-1N	7/31/2009	4.2	3		mg/L
Chloride	MW-1N	1/26/2010	3.9	3		mg/L
Chloride	MW-1N	7/13/2010	4	3		mg/L
Chloride	MW-1N	1/20/2011	3.5	3		mg/L
Chloride	MW-1N	7/13/2011	7.7	3		mg/L
Chloride	MW-1N	1/5/2012	6	3		mg/L
Chloride	MW-1N	7/10/2012	4.6	3		mg/L
Chloride	MW-1N	5/1/2013	4.1	3		mg/L
Chloride	MW-1N	7/16/2013	3.7	3		mg/L
Chloride	MW-1N	1/24/2014	3.7	3		mg/L
Chloride	MW-1N	7/9/2014	3.6	3		mg/L
Chloride	MW-1N	2/10/2015	3.7	3		mg/L
Chloride	MW-1N	7/14/2015	8.5	3		mg/L
Chloride	MW-1N	1/6/2016	9.5	3		mg/L
Chloride	MW-1N	7/21/2016	4.8	3		mg/L
Chloride	MW-1N	1/12/2017	4.1	3		mg/L
Chloride	MW-1N	7/19/2017	4.7	3		mg/L
Chloride	MW-1N	1/23/2018	3.7	3		mg/L
Chloride	MW-1N	7/10/2018	3.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-1N	1/3/2019	3.3	3		mg/L
Chloride	MW-1N	7/11/2019	4.5	3		mg/L
Chloride	MW-1N	1/23/2020	5.28	3		mg/L
Chloride	MW-1N	4/2/2020	3.68	3		mg/L
Chloride	MW-1N	7/6/2020	3.52	3		mg/L
Chloride	MW-1N	1/14/2021	3.45	3		mg/L
Chloride	MW-1N	7/4/2021	3.21	3		mg/L
Chloride	MW-1N	7/4/2021	4	2		mg/L
Chloride	MW-1N	1/11/2023	3.31	3		mg/L
Chloride	MW-20	6/2/2015	5.4	3		mg/L
Chloride	MW-20	6/5/2015	5.6	3		mg/L
Chloride	MW-20	7/14/2015	5	3		mg/L
Chloride	MW-20	8/4/2015	4.6	3		mg/L
Chloride	MW-20	9/2/2015	5.5	3		mg/L
Chloride	MW-20	10/5/2015	5.4	3		mg/L
Chloride	MW-20	1/7/2016	19	3		mg/L
Chloride	MW-20	4/5/2016	4.9	3		mg/L
Chloride	MW-20	7/20/2016	5.4	3		mg/L
Chloride	MW-20	10/5/2016	6.5	3		mg/L
Chloride	MW-20	1/12/2017	6.4	3		mg/L
Chloride	MW-20	7/18/2017	4.3	3		mg/L
Chloride	MW-20	1/26/2018	5	3		mg/L
Chloride	MW-20	7/12/2018	4.7	3		mg/L
Chloride	MW-20	7/11/2019	4	3		mg/L
Chloride	MW-20	1/14/2020	4.82	3		mg/L
Chloride	MW-20	7/7/2020	4.9	3		mg/L
Chloride	MW-20	1/17/2021	3.45	3		mg/L
Chloride	MW-20	7/4/2021	3.3	3		mg/L
Chloride	MW-20	7/4/2021	3.82	2		mg/L
Chloride	MW-20	1/11/2023	4.57	3		mg/L
Chloride	MW-21	6/2/2015	22	3		mg/L
Chloride	MW-21	6/5/2015	21	3		mg/L
Chloride	MW-21	7/14/2015	20	3		mg/L
Chloride	MW-21	8/4/2015	19	3		mg/L
Chloride	MW-21	9/2/2015	21	3		mg/L
Chloride	MW-21	10/5/2015	21	3		mg/L
Chloride	MW-21	1/7/2016	9.8	3		mg/L
Chloride	MW-21	2/10/2016	20	3		mg/L
Chloride	MW-21	4/5/2016	17	3		mg/L
Chloride	MW-21	7/20/2016	19	3		mg/L
Chloride	MW-21	10/5/2016	14	3		mg/L
Chloride	MW-21	10/5/2016	15	3		mg/L
Chloride	MW-21	1/10/2017	17	3		mg/L
Chloride	MW-21	4/5/2017	20	3		mg/L
Chloride	MW-21	7/19/2017	21	3		mg/L
Chloride	MW-21	10/6/2017	21	3		mg/L
Chloride	MW-21	1/24/2018	14	3		mg/L
Chloride	MW-21	4/11/2018	29	3		mg/L
Chloride	MW-21	7/11/2018	21	3		mg/L
Chloride	MW-21	10/4/2018	18	3		mg/L
Chloride	MW-21	1/3/2019	24	3		mg/L
Chloride	MW-21	4/3/2019	22	3		mg/L
Chloride	MW-21	7/11/2019	21	3		mg/L
Chloride	MW-21	10/2/2019	23	3		mg/L
Chloride	MW-21	1/16/2020	18.8	3		mg/L
Chloride	MW-21	4/2/2020	16.6	3		mg/L
Chloride	MW-21	7/8/2020	15.7	3		mg/L
Chloride	MW-21	10/7/2020	13.8	3		mg/L
Chloride	MW-21	1/13/2021	19.5	3		mg/L
Chloride	MW-21	4/6/2021	15.6	3		mg/L
Chloride	MW-21	7/5/2021	16.5	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-21	7/5/2021	17.4	2		mg/L
Chloride	MW-21	10/6/2021	13.2	3		mg/L
Chloride	MW-21	1/11/2023	17.7	3		mg/L
Chloride	MW-21	4/8/2023	16	3		mg/L
Chloride	MW-2N	10/22/1997	13.7	1		mg/L
Chloride	MW-2N	1/21/1998	12.5	1		mg/L
Chloride	MW-2N	4/28/1998	12.4	1		mg/L
Chloride	MW-2N	7/22/1998	11.3	1		mg/L
Chloride	MW-2N	1/13/1999	12	1		mg/L
Chloride	MW-2N	7/14/1999	11.5	1		mg/L
Chloride	MW-2N	10/20/1999	13.4	1		mg/L
Chloride	MW-2N	1/14/2000	10.9	1		mg/L
Chloride	MW-2N	4/25/2000	12.4	1		mg/L
Chloride	MW-2N	10/17/2000	13	0.5		mg/L
Chloride	MW-2N	1/24/2001	13.6	0.5		mg/L
Chloride	MW-2N	4/11/2001	12.4	0.5		mg/L
Chloride	MW-2N	7/10/2002	12.8	0.5		mg/L
Chloride	MW-2N	10/2/2002	11.8	0.5		mg/L
Chloride	MW-2N	1/22/2003	11.9	0.5		mg/L
Chloride	MW-2N	4/14/2003	11.7	0.5		mg/L
Chloride	MW-2N	7/7/2003	18.7	0.5		mg/L
Chloride	MW-2N	1/28/2004	9.7	0.5		mg/L
Chloride	MW-2N	7/27/2004	9.4	0.5		mg/L
Chloride	MW-2N	1/12/2005	10.3	0.5		mg/L
Chloride	MW-2N	7/20/2005	9.9	0.5		mg/L
Chloride	MW-2N	1/19/2006	9.2	0.5		mg/L
Chloride	MW-2N	7/19/2006	9.3	3		mg/L
Chloride	MW-2N	7/19/2006	9.3	3		mg/L
Chloride	MW-2N	10/25/2006	9.8	3		mg/L
Chloride	MW-2N	1/26/2007	8.9	3		mg/L
Chloride	MW-2N	7/11/2007	9.3	3		mg/L
Chloride	MW-2N	1/24/2008	9	3		mg/L
Chloride	MW-2N	7/22/2008	9.3	3		mg/L
Chloride	MW-2N	2/4/2009	9.1	3		mg/L
Chloride	MW-2N	7/31/2009	9.5	3		mg/L
Chloride	MW-2N	1/26/2010	8.8	3		mg/L
Chloride	MW-2N	7/13/2010	8.7	3		mg/L
Chloride	MW-2N	1/20/2011	9	3		mg/L
Chloride	MW-2N	7/13/2011	8.7	3		mg/L
Chloride	MW-2N	1/5/2012	8.8	3		mg/L
Chloride	MW-2N	7/10/2012	9.3	3		mg/L
Chloride	MW-2N	5/1/2013	8.8	3		mg/L
Chloride	MW-2N	7/16/2013	8.6	3		mg/L
Chloride	MW-2N	1/24/2014	9.1	3		mg/L
Chloride	MW-2N	7/9/2014	8.6	3		mg/L
Chloride	MW-2N	2/12/2015	9	3		mg/L
Chloride	MW-2N	7/14/2015	7.2	3		mg/L
Chloride	MW-2N	1/6/2016	8.2	3		mg/L
Chloride	MW-2N	7/21/2016	7.6	3		mg/L
Chloride	MW-2N	1/11/2017	7	3		mg/L
Chloride	MW-2N	7/19/2017	8.5	3		mg/L
Chloride	MW-2N	1/23/2018	6.8	3		mg/L
Chloride	MW-2N	7/12/2018	7.6	3		mg/L
Chloride	MW-2N	1/3/2019	7.1	3		mg/L
Chloride	MW-2N	8/7/2019	6.3	3		mg/L
Chloride	MW-2N	1/23/2020	7.72	3		mg/L
Chloride	MW-2N	7/7/2020	11.3	3		mg/L
Chloride	MW-2N	1/14/2021	7.37	3		mg/L
Chloride	MW-2N	7/5/2021	6.92	3		mg/L
Chloride	MW-2N	7/5/2021	7.86	2		mg/L
Chloride	MW-2N	1/11/2023	6.88	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-3N	10/21/1997	2	1		mg/L
Chloride	MW-3N	1/21/1998	2.2	1		mg/L
Chloride	MW-3N	4/28/1998	2.4	1		mg/L
Chloride	MW-3N	7/23/1998	2.4	1		mg/L
Chloride	MW-3N	1/13/1999	2.6	1		mg/L
Chloride	MW-3N	7/14/1999	1.6	1		mg/L
Chloride	MW-3N	10/20/1999	1.6	1		mg/L
Chloride	MW-3N	1/14/2000	1.7	1		mg/L
Chloride	MW-3N	4/24/2000	2.2	1		mg/L
Chloride	MW-3N	7/11/2000	2.3	0.5		mg/L
Chloride	MW-3N	10/17/2000	2.6	0.5		mg/L
Chloride	MW-3N	1/23/2001	2.1	0.5		mg/L
Chloride	MW-3N	4/11/2001	2.2	0.5		mg/L
Chloride	MW-3N	7/9/2002	2.1	0.5		mg/L
Chloride	MW-3N	10/2/2002	2.3	0.5		mg/L
Chloride	MW-3N	1/22/2003	2.2	0.5		mg/L
Chloride	MW-3N	4/14/2003	3.7	0.5		mg/L
Chloride	MW-3N	7/7/2003	2.4	0.5		mg/L
Chloride	MW-3N	1/28/2004	2.4	0.5		mg/L
Chloride	MW-3N	7/27/2004	2.6	0.5		mg/L
Chloride	MW-3N	1/12/2005	2.4	0.5		mg/L
Chloride	MW-3N	7/20/2005	1.7	0.5		mg/L
Chloride	MW-3N	1/18/2006	1.5	0.5		mg/L
Chloride	MW-3N	7/19/2006	1.7	3	ND	mg/L
Chloride	MW-3N	7/19/2006	1.7	3	ND	mg/L
Chloride	MW-3N	10/25/2006	1.8	3	ND	mg/L
Chloride	MW-3N	1/26/2007	3.2	3		mg/L
Chloride	MW-3N	7/11/2007	1.7	3	ND	mg/L
Chloride	MW-3N	1/24/2008	1.8	3	ND	mg/L
Chloride	MW-3N	7/22/2008	2	3	ND	mg/L
Chloride	MW-3N	2/4/2009	1.8	3	ND	mg/L
Chloride	MW-3N	7/31/2009	1.9	3	ND	mg/L
Chloride	MW-3N	1/26/2010	2.2	3	ND	mg/L
Chloride	MW-3N	7/13/2010	2	3	ND	mg/L
Chloride	MW-3N	1/20/2011	2.4	3	ND	mg/L
Chloride	MW-3N	7/14/2011	2.5	3	ND	mg/L
Chloride	MW-3N	1/5/2012	2.7	3	ND	mg/L
Chloride	MW-3N	7/11/2012	3	3		mg/L
Chloride	MW-3N	5/1/2013	3.6	3		mg/L
Chloride	MW-3N	6/4/2013	4.1	3		mg/L
Chloride	MW-3N	7/16/2013	3.2	3		mg/L
Chloride	MW-3N	1/24/2014	3.5	3		mg/L
Chloride	MW-3N	7/9/2014	3.5	3		mg/L
Chloride	MW-3N	2/12/2015	4.5	3		mg/L
Chloride	MW-3N	4/1/2015	3.1	3		mg/L
Chloride	MW-3N	7/14/2015	3.1	3		mg/L
Chloride	MW-3N	10/5/2015	3.9	3		mg/L
Chloride	MW-3N	1/6/2016	3.6	3		mg/L
Chloride	MW-3N	4/6/2016	4.1	3		mg/L
Chloride	MW-3N	7/21/2016	3.8	3		mg/L
Chloride	MW-3N	10/6/2016	4.7	3		mg/L
Chloride	MW-3N	1/11/2017	6.2	3		mg/L
Chloride	MW-3N	4/4/2017	7.1	3		mg/L
Chloride	MW-3N	7/19/2017	4.7	3		mg/L
Chloride	MW-3N	10/9/2017	4.5	3		mg/L
Chloride	MW-3N	1/24/2018	5.9	3		mg/L
Chloride	MW-3N	4/10/2018	5.2	3		mg/L
Chloride	MW-3N	7/13/2018	4.5	3		mg/L
Chloride	MW-3N	10/3/2018	5.1	3		mg/L
Chloride	MW-3N	10/3/2018	5.3	3		mg/L
Chloride	MW-3N	1/7/2019	7.2	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-3N	4/3/2019	6.1	3		mg/L
Chloride	MW-3N	7/11/2019	5.8	3		mg/L
Chloride	MW-3N	10/2/2019	7.7	3		mg/L
Chloride	MW-3N	1/15/2020	6.03	3		mg/L
Chloride	MW-3N	4/2/2020	4.91	3		mg/L
Chloride	MW-3N	7/7/2020	5.03	3		mg/L
Chloride	MW-3N	10/7/2020	4.74	3		mg/L
Chloride	MW-3N	1/13/2021	7.18	3		mg/L
Chloride	MW-3N	4/6/2021	5.1	3		mg/L
Chloride	MW-3N	7/5/2021	4.97	3		mg/L
Chloride	MW-3N	7/5/2021	5.7	2		mg/L
Chloride	MW-3N	10/6/2021	5.04	3		mg/L
Chloride	MW-3N	1/11/2023	5.95	3		mg/L
Chloride	MW-7N	10/21/1997	14	1		mg/L
Chloride	MW-7N	1/21/1998	30.1	1		mg/L
Chloride	MW-7N	7/22/1998	11.3	1		mg/L
Chloride	MW-7N	8/18/1998	11.5	1		mg/L
Chloride	MW-7N	9/17/1998	10.8	1		mg/L
Chloride	MW-7N	10/15/1998	10.8	1		mg/L
Chloride	MW-7N	11/9/1998	11	1		mg/L
Chloride	MW-7N	1/14/1999	11.3	1		mg/L
Chloride	MW-7N	7/14/1999	9.8	1		mg/L
Chloride	MW-7N	10/19/1999	13	1		mg/L
Chloride	MW-7N	1/13/2000	10.7	1		mg/L
Chloride	MW-7N	4/25/2000	10.9	1		mg/L
Chloride	MW-7N	10/17/2000	14.4	0.5		mg/L
Chloride	MW-7N	1/23/2001	15.2	0.5		mg/L
Chloride	MW-7N	4/10/2001	13.6	0.5		mg/L
Chloride	MW-7N	7/9/2002	12.6	0.5		mg/L
Chloride	MW-7N	10/2/2002	12.5	0.5		mg/L
Chloride	MW-7N	1/23/2003	10.9	0.5		mg/L
Chloride	MW-7N	4/14/2003	10.7	0.5		mg/L
Chloride	MW-7N	7/7/2003	12.1	0.5		mg/L
Chloride	MW-7N	1/27/2004	9.1	0.5		mg/L
Chloride	MW-7N	4/8/2004	11	0.5		mg/L
Chloride	MW-7N	7/26/2004	10.4	0.5		mg/L
Chloride	MW-7N	10/5/2004	10.3	0.5		mg/L
Chloride	MW-7N	1/12/2005	9.7	0.5		mg/L
Chloride	MW-7N	7/19/2005	9	0.5		mg/L
Chloride	MW-7N	1/19/2006	7.8	0.5		mg/L
Chloride	MW-7N	7/19/2006	9.6	3		mg/L
Chloride	MW-7N	9/28/2006	8.6	3		mg/L
Chloride	MW-7N	10/24/2006	9.2	3		mg/L
Chloride	MW-7N	11/21/2006	9.1	3		mg/L
Chloride	MW-7N	12/21/2006	9.2	3		mg/L
Chloride	MW-7N	1/26/2007	9.3	3		mg/L
Chloride	MW-7N	2/27/2007	9.2	3		mg/L
Chloride	MW-7N	3/27/2007	8.5	3		mg/L
Chloride	MW-7N	4/25/2007	8.3	3		mg/L
Chloride	MW-7N	6/1/2007	9.3	3		mg/L
Chloride	MW-7N	6/28/2007	8.4	3		mg/L
Chloride	MW-7N	7/10/2007	8.8	3		mg/L
Chloride	MW-7N	8/29/2007	9.6	3		mg/L
Chloride	MW-7N	9/28/2007	10	3		mg/L
Chloride	MW-7N	10/24/2007	9.8	3		mg/L
Chloride	MW-7N	11/27/2007	9.8	3		mg/L
Chloride	MW-7N	12/27/2007	10	3		mg/L
Chloride	MW-7N	1/25/2008	9.5	3		mg/L
Chloride	MW-7N	2/28/2008	10	3		mg/L
Chloride	MW-7N	3/24/2008	10	3		mg/L
Chloride	MW-7N	5/3/2008	9.4	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	5/29/2008	9.9	3		mg/L
Chloride	MW-7N	6/26/2008	10	3		mg/L
Chloride	MW-7N	7/21/2008	11	3		mg/L
Chloride	MW-7N	8/29/2008	12	3		mg/L
Chloride	MW-7N	9/25/2008	12	3		mg/L
Chloride	MW-7N	10/21/2008	13	3		mg/L
Chloride	MW-7N	11/24/2008	13	3		mg/L
Chloride	MW-7N	12/18/2008	14	3		mg/L
Chloride	MW-7N	2/6/2009	13	3		mg/L
Chloride	MW-7N	3/25/2009	13	3		mg/L
Chloride	MW-7N	4/15/2009	14	3		mg/L
Chloride	MW-7N	6/25/2009	15	3		mg/L
Chloride	MW-7N	7/29/2009	14	3		mg/L
Chloride	MW-7N	8/28/2009	14	3		mg/L
Chloride	MW-7N	9/29/2009	16	3		mg/L
Chloride	MW-7N	10/21/2009	16	3		mg/L
Chloride	MW-7N	11/24/2009	16	3		mg/L
Chloride	MW-7N	12/17/2009	16	3		mg/L
Chloride	MW-7N	1/26/2010	15	3		mg/L
Chloride	MW-7N	2/15/2010	17	3		mg/L
Chloride	MW-7N	3/3/2010	16	3		mg/L
Chloride	MW-7N	4/8/2010	17	3		mg/L
Chloride	MW-7N	5/6/2010	17	3		mg/L
Chloride	MW-7N	6/16/2010	13	3		mg/L
Chloride	MW-7N	7/14/2010	16	3		mg/L
Chloride	MW-7N	8/11/2010	15	3		mg/L
Chloride	MW-7N	9/2/2010	14	3		mg/L
Chloride	MW-7N	9/29/2010	14	3		mg/L
Chloride	MW-7N	11/3/2010	12	3		mg/L
Chloride	MW-7N	12/2/2010	14	3		mg/L
Chloride	MW-7N	1/20/2011	13	3		mg/L
Chloride	MW-7N	2/7/2011	13	3		mg/L
Chloride	MW-7N	3/3/2011	13	3		mg/L
Chloride	MW-7N	4/5/2011	13	3		mg/L
Chloride	MW-7N	5/10/2011	19	3		mg/L
Chloride	MW-7N	6/1/2011	14	3		mg/L
Chloride	MW-7N	7/12/2011	14	3		mg/L
Chloride	MW-7N	8/4/2011	15	3		mg/L
Chloride	MW-7N	9/7/2011	13	3		mg/L
Chloride	MW-7N	10/5/2011	15	3		mg/L
Chloride	MW-7N	11/1/2011	11	3		mg/L
Chloride	MW-7N	12/8/2011	13	3		mg/L
Chloride	MW-7N	1/5/2012	14	3		mg/L
Chloride	MW-7N	2/1/2012	12	3		mg/L
Chloride	MW-7N	3/7/2012	12	3		mg/L
Chloride	MW-7N	4/5/2012	11	3		mg/L
Chloride	MW-7N	5/1/2012	11	3		mg/L
Chloride	MW-7N	6/5/2012	11	3		mg/L
Chloride	MW-7N	7/10/2012	13	3		mg/L
Chloride	MW-7N	8/9/2012	10	3		mg/L
Chloride	MW-7N	9/4/2012	10	3		mg/L
Chloride	MW-7N	10/7/2012	11	3		mg/L
Chloride	MW-7N	5/1/2013	18	3		mg/L
Chloride	MW-7N	6/4/2013	15	3		mg/L
Chloride	MW-7N	6/4/2013	14	3		mg/L
Chloride	MW-7N	7/15/2013	12	3		mg/L
Chloride	MW-7N	8/8/2013	12	3		mg/L
Chloride	MW-7N	9/10/2013	11	3		mg/L
Chloride	MW-7N	10/1/2013	10	3		mg/L
Chloride	MW-7N	11/6/2013	11	3		mg/L
Chloride	MW-7N	12/2/2013	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	1/30/2014	13	3		mg/L
Chloride	MW-7N	2/13/2014	11	3		mg/L
Chloride	MW-7N	3/11/2014	11	3		mg/L
Chloride	MW-7N	4/2/2014	12	3		mg/L
Chloride	MW-7N	5/7/2014	9.5	3		mg/L
Chloride	MW-7N	6/3/2014	9.5	3		mg/L
Chloride	MW-7N	7/9/2014	12	3		mg/L
Chloride	MW-7N	8/5/2014	9.9	3		mg/L
Chloride	MW-7N	9/4/2014	9.1	3		mg/L
Chloride	MW-7N	10/9/2014	9.3	3		mg/L
Chloride	MW-7N	11/3/2014	11	3		mg/L
Chloride	MW-7N	1/14/2015	9.5	3		mg/L
Chloride	MW-7N	2/12/2015	15	3		mg/L
Chloride	MW-7N	3/3/2015	13	3		mg/L
Chloride	MW-7N	4/1/2015	14	3		mg/L
Chloride	MW-7N	5/7/2015	11	3		mg/L
Chloride	MW-7N	6/3/2015	15	3		mg/L
Chloride	MW-7N	7/13/2015	12	3		mg/L
Chloride	MW-7N	8/4/2015	12	3		mg/L
Chloride	MW-7N	9/3/2015	11	3		mg/L
Chloride	MW-7N	10/6/2015	14	3		mg/L
Chloride	MW-7N	11/4/2015	14	3		mg/L
Chloride	MW-7N	12/3/2015	17	3		mg/L
Chloride	MW-7N	1/5/2016	14	3		mg/L
Chloride	MW-7N	2/3/2016	14	3		mg/L
Chloride	MW-7N	3/2/2016	21	3		mg/L
Chloride	MW-7N	4/5/2016	27	3		mg/L
Chloride	MW-7N	5/11/2016	23	3		mg/L
Chloride	MW-7N	6/1/2016	25	3		mg/L
Chloride	MW-7N	7/21/2016	29	3		mg/L
Chloride	MW-7N	8/10/2016	29	3		mg/L
Chloride	MW-7N	9/6/2016	30	3		mg/L
Chloride	MW-7N	10/6/2016	31	3		mg/L
Chloride	MW-7N	11/2/2016	47	3		mg/L
Chloride	MW-7N	12/1/2016	44	1		mg/L
Chloride	MW-7N	1/11/2017	54	3		mg/L
Chloride	MW-7N	2/7/2017	34	3		mg/L
Chloride	MW-7N	3/2/2017	41	3		mg/L
Chloride	MW-7N	4/4/2017	35	3		mg/L
Chloride	MW-7N	5/16/2017	42	3		mg/L
Chloride	MW-7N	6/6/2017	55	3		mg/L
Chloride	MW-7N	7/19/2017	34	3		mg/L
Chloride	MW-7N	8/1/2017	42	3		mg/L
Chloride	MW-7N	9/5/2017	52	3		mg/L
Chloride	MW-7N	10/5/2017	47	3		mg/L
Chloride	MW-7N	11/1/2017	47	3		mg/L
Chloride	MW-7N	1/25/2018	38	3		mg/L
Chloride	MW-7N	2/22/2018	33	3		mg/L
Chloride	MW-7N	3/20/2018	40	3		mg/L
Chloride	MW-7N	4/11/2018	45	3		mg/L
Chloride	MW-7N	4/11/2018	44	3		mg/L
Chloride	MW-7N	6/5/2018	44	3		mg/L
Chloride	MW-7N	7/13/2018	43	3		mg/L
Chloride	MW-7N	8/1/2018	45	3		mg/L
Chloride	MW-7N	9/5/2018	49	3		mg/L
Chloride	MW-7N	10/4/2018	43	3		mg/L
Chloride	MW-7N	11/6/2018	37	3		mg/L
Chloride	MW-7N	12/4/2018	41	3		mg/L
Chloride	MW-7N	1/4/2019	42	3		mg/L
Chloride	MW-7N	2/5/2019	43	3		mg/L
Chloride	MW-7N	3/5/2019	42	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	4/3/2019	43	3		mg/L
Chloride	MW-7N	5/3/2019	42	3		mg/L
Chloride	MW-7N	6/4/2019	38	3		mg/L
Chloride	MW-7N	7/10/2019	40	3		mg/L
Chloride	MW-7N	7/10/2019	43	3		mg/L
Chloride	MW-7N	8/8/2019	38	3		mg/L
Chloride	MW-7N	9/4/2019	43	3		mg/L
Chloride	MW-7N	10/3/2019	43	3		mg/L
Chloride	MW-7N	11/6/2019	42	3		mg/L
Chloride	MW-7N	12/3/2019	45	3		mg/L
Chloride	MW-7N	1/16/2020	45.3	3		mg/L
Chloride	MW-7N	2/4/2020	42.5	1		mg/L
Chloride	MW-7N	3/4/2020	41.8	3		mg/L
Chloride	MW-7N	4/2/2020	40.2	3		mg/L
Chloride	MW-7N	5/5/2020	40.6	3		mg/L
Chloride	MW-7N	6/2/2020	39.9	3		mg/L
Chloride	MW-7N	7/7/2020	41.5	3		mg/L
Chloride	MW-7N	7/7/2020	39.3	3		mg/L
Chloride	MW-7N	8/3/2020	40.4	3		mg/L
Chloride	MW-7N	9/2/2020	40.5	3		mg/L
Chloride	MW-7N	10/6/2020	41	3		mg/L
Chloride	MW-7N	11/3/2020	40.8	3		mg/L
Chloride	MW-7N	12/2/2020	41.3	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	2/9/2021	42.4	3		mg/L
Chloride	MW-7N	3/2/2021	40.4	3		mg/L
Chloride	MW-7N	4/7/2021	41.5	3		mg/L
Chloride	MW-7N	5/5/2021	41.7	3		mg/L
Chloride	MW-7N	6/2/2021	45.1	3		mg/L
Chloride	MW-7N	7/5/2021	47.2	3		mg/L
Chloride	MW-7N	7/5/2021	47.5	3		mg/L
Chloride	MW-7N	7/5/2021	46.5	2		mg/L
Chloride	MW-7N	8/3/2021	46	3		mg/L
Chloride	MW-7N	9/2/2021	46.7	3		mg/L
Chloride	MW-7N	10/5/2021	45.6	3		mg/L
Chloride	MW-7N	11/1/2021	44.3	3		mg/L
Chloride	MW-7N	12/8/2021	42.4	3		mg/L
Chloride	MW-7N	1/12/2022	44	3		mg/L
Chloride	MW-7N	1/12/2022	42	2		mg/L
Chloride	MW-7N	1/12/2022	43.5	3		mg/L
Chloride	MW-7N	2/9/2022	41	3		mg/L
Chloride	MW-7N	3/1/2022	41.7	3		mg/L
Chloride	MW-7N	4/4/2022	40.6	3		mg/L
Chloride	MW-7N	5/7/2022	41.6	3		mg/L
Chloride	MW-7N	6/3/2022	41.4	3		mg/L
Chloride	MW-7N	7/10/2022	39.8	3		mg/L
Chloride	MW-7N	8/10/2022	39.5	3		mg/L
Chloride	MW-7N	9/8/2022	40.7	3		mg/L
Chloride	MW-7N	10/6/2022	37.4	3		mg/L
Chloride	MW-7N	11/3/2022	36.2	3		mg/L
Chloride	MW-7N	12/7/2022	36.2	3		mg/L
Chloride	MW-7N	1/10/2023	33.3	3		mg/L
Chloride	MW-7N	2/3/2023	34.8	3		mg/L
Chloride	MW-7N	3/1/2023	33.9	3		mg/L
Chloride	MW-7N	4/5/2023	31.7	3		mg/L
Chloride	MW-8N	10/21/1997	19.2	1		mg/L
Chloride	MW-8N	1/22/1998	24.5	1		mg/L
Chloride	MW-8N	4/28/1998	31.5	1		mg/L
Chloride	MW-8N	7/22/1998	29.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-8N	1/12/1999	32.3	1		mg/L
Chloride	MW-8N	7/14/1999	38.9	1		mg/L
Chloride	MW-8N	10/19/1999	33.7	1		mg/L
Chloride	MW-8N	1/14/2000	25.7	1		mg/L
Chloride	MW-8N	4/25/2000	28	1		mg/L
Chloride	MW-8N	10/17/2000	30.7	0.5		mg/L
Chloride	MW-8N	1/23/2001	29.8	0.5		mg/L
Chloride	MW-8N	4/11/2001	36.1	0.5		mg/L
Chloride	MW-8N	7/9/2002	30.5	0.5		mg/L
Chloride	MW-8N	10/2/2002	32.2	0.5		mg/L
Chloride	MW-8N	1/23/2003	26.9	0.5		mg/L
Chloride	MW-8N	4/14/2003	30.1	0.5		mg/L
Chloride	MW-8N	7/7/2003	27.1	0.5		mg/L
Chloride	MW-8N	1/28/2004	25.1	0.5		mg/L
Chloride	MW-8N	7/27/2004	33.1	0.5		mg/L
Chloride	MW-8N	1/12/2005	37.8	0.5		mg/L
Chloride	MW-8N	7/20/2005	33	0.5		mg/L
Chloride	MW-8N	1/19/2006	28.3	0.5		mg/L
Chloride	MW-8N	7/19/2006	33	3		mg/L
Chloride	MW-8N	7/19/2006	33	3		mg/L
Chloride	MW-8N	10/24/2006	34	3		mg/L
Chloride	MW-8N	1/26/2007	33	3		mg/L
Chloride	MW-8N	4/25/2007	28	3		mg/L
Chloride	MW-8N	7/10/2007	28	3		mg/L
Chloride	MW-8N	10/24/2007	27	3		mg/L
Chloride	MW-8N	1/24/2008	25	3		mg/L
Chloride	MW-8N	7/23/2008	19	3		mg/L
Chloride	MW-8N	2/4/2009	18	3		mg/L
Chloride	MW-8N	7/31/2009	17	3		mg/L
Chloride	MW-8N	1/26/2010	18	3		mg/L
Chloride	MW-8N	7/16/2010	17	3		mg/L
Chloride	MW-8N	1/19/2011	17	3		mg/L
Chloride	MW-8N	5/10/2011	18	3		mg/L
Chloride	MW-8N	7/14/2011	18	3		mg/L
Chloride	MW-8N	1/6/2012	17	3		mg/L
Chloride	MW-8N	4/5/2012	17	3		mg/L
Chloride	MW-8N	7/11/2012	18	3		mg/L
Chloride	MW-8N	10/3/2012	17	3		mg/L
Chloride	MW-8N	5/1/2013	17	3		mg/L
Chloride	MW-8N	6/4/2013	15	3		mg/L
Chloride	MW-8N	7/16/2013	16	3		mg/L
Chloride	MW-8N	10/2/2013	17	3		mg/L
Chloride	MW-8N	1/30/2014	17	3		mg/L
Chloride	MW-8N	4/3/2014	17	3		mg/L
Chloride	MW-8N	7/9/2014	18	3		mg/L
Chloride	MW-8N	10/8/2014	15	3		mg/L
Chloride	MW-8N	2/12/2015	19	3		mg/L
Chloride	MW-8N	4/1/2015	15	3		mg/L
Chloride	MW-8N	7/14/2015	19	3		mg/L
Chloride	MW-8N	10/5/2015	21	3		mg/L
Chloride	MW-8N	1/5/2016	29	3		mg/L
Chloride	MW-8N	4/6/2016	28	3		mg/L
Chloride	MW-8N	7/21/2016	36	3		mg/L
Chloride	MW-8N	10/6/2016	39	3		mg/L
Chloride	MW-8N	1/11/2017	31	3		mg/L
Chloride	MW-8N	4/4/2017	32	3		mg/L
Chloride	MW-8N	7/19/2017	46	3		mg/L
Chloride	MW-8N	10/6/2017	47	3		mg/L
Chloride	MW-8N	1/25/2018	40	3		mg/L
Chloride	MW-8N	4/10/2018	47	3		mg/L
Chloride	MW-8N	7/16/2018	43	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-8N	10/2/2018	42	3		mg/L
Chloride	MW-8N	1/7/2019	40	3		mg/L
Chloride	MW-8N	4/3/2019	41	3		mg/L
Chloride	MW-8N	7/11/2019	40	3		mg/L
Chloride	MW-8N	10/3/2019	35	3		mg/L
Chloride	MW-8N	1/15/2020	32.5	3		mg/L
Chloride	MW-8N	4/2/2020	30.9	3		mg/L
Chloride	MW-8N	7/9/2020	30.9	3		mg/L
Chloride	MW-8N	10/6/2020	30.6	3		mg/L
Chloride	MW-8N	1/15/2021	30.5	3		mg/L
Chloride	MW-8N	4/6/2021	31.8	3		mg/L
Chloride	MW-8N	7/5/2021	31.5	2		mg/L
Chloride	MW-8N	7/5/2021	31.3	3		mg/L
Chloride	MW-8N	10/6/2021	31.3	3		mg/L
Chloride	MW-8N	1/18/2022	30.8	3		mg/L
Chloride	MW-8N	1/18/2022	30.5	2		mg/L
Chloride	MW-8N	4/4/2022	31.1	3		mg/L
Chloride	MW-8N	7/12/2022	30.2	3		mg/L
Chloride	MW-8N	10/6/2022	29.7	3		mg/L
Chloride	MW-8N	1/11/2023	28.6	3		mg/L
Chloride	MW-8N	4/8/2023	29.9	3		mg/L
Chloride	NE-1	7/10/2002	6.5	0.5		mg/L
Chloride	NE-1	8/6/2002	7.2	0.5		mg/L
Chloride	NE-1	9/4/2002	6.5	0.5		mg/L
Chloride	NE-1	10/2/2002	7.5	0.5		mg/L
Chloride	NE-1	7/8/2003	5.9	0.5		mg/L
Chloride	NE-1	1/27/2004	5.3	0.5		mg/L
Chloride	NE-1	1/12/2005	6	0.5		mg/L
Chloride	NE-1	7/19/2006	6.1	3		mg/L
Chloride	NE-1	7/19/2006	6.1	3		mg/L
Chloride	NE-1	10/25/2006	4.4	3		mg/L
Chloride	NE-1	1/24/2007	5.5	3		mg/L
Chloride	NE-1	7/10/2007	5.8	3		mg/L
Chloride	NE-1	10/24/2007	5.8	3		mg/L
Chloride	NE-1	1/24/2008	5.6	3		mg/L
Chloride	NE-1	7/21/2008	6.4	3		mg/L
Chloride	NE-1	2/7/2009	8.4	3		mg/L
Chloride	NE-1	7/31/2009	11	3		mg/L
Chloride	NE-1	1/26/2010	13	3		mg/L
Chloride	NE-1	7/14/2010	14	3		mg/L
Chloride	NE-1	1/19/2011	14	3		mg/L
Chloride	NE-1	7/13/2011	13	3		mg/L
Chloride	NE-1	1/5/2012	12	3		mg/L
Chloride	NE-1	7/10/2012	12	3		mg/L
Chloride	NE-1	4/30/2013	10	3		mg/L
Chloride	NE-1	7/16/2013	8.4	3		mg/L
Chloride	NE-1	1/23/2014	13	3		mg/L
Chloride	NE-1	7/9/2014	17	3		mg/L
Chloride	NE-1	2/11/2015	18	3		mg/L
Chloride	NE-1	7/8/2015	18	3		mg/L
Chloride	NE-1	1/6/2016	41	3		mg/L
Chloride	NE-1	7/20/2016	36	3		mg/L
Chloride	NE-1	1/11/2017	37	3		mg/L
Chloride	NE-1	7/19/2017	29	3		mg/L
Chloride	NE-1	1/24/2018	20	3		mg/L
Chloride	NE-1	4/11/2018	24	3		mg/L
Chloride	NE-1	7/18/2018	20	3		mg/L
Chloride	NE-1	10/2/2018	18	3		mg/L
Chloride	NE-1	1/4/2019	24	3		mg/L
Chloride	NE-1	4/2/2019	21	3		mg/L
Chloride	NE-1	7/10/2019	21	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-1	7/10/2019	21	3		mg/L
Chloride	NE-1	10/2/2019	18	3		mg/L
Chloride	NE-1	1/15/2020	23.2	3		mg/L
Chloride	NE-1	4/2/2020	23.6	3		mg/L
Chloride	NE-1	7/8/2020	23.4	3		mg/L
Chloride	NE-1	10/7/2020	25.5	3		mg/L
Chloride	NE-1	1/13/2021	25.6	3		mg/L
Chloride	NE-1	4/9/2021	23.4	3		mg/L
Chloride	NE-1	7/2/2021	22.7	2		mg/L
Chloride	NE-1	7/2/2021	23.1	3		mg/L
Chloride	NE-1	10/6/2021	24.9	3		mg/L
Chloride	NE-1	1/17/2022	24.8	3		mg/L
Chloride	NE-1	1/17/2022	24.3	2		mg/L
Chloride	NE-1	4/6/2022	23.2	3		mg/L
Chloride	NE-1	7/13/2022	20.8	3		mg/L
Chloride	NE-1	10/6/2022	20.7	3		mg/L
Chloride	NE-1	1/5/2023	21.1	3		mg/L
Chloride	NE-1	4/7/2023	17.9	3		mg/L
Chloride	NE-10D	11/6/2019	4.4	3		mg/L
Chloride	NE-10D	1/16/2020	4.6	3		mg/L
Chloride	NE-10D	4/2/2020	4.47	3		mg/L
Chloride	NE-10D	7/8/2020	3.76	3		mg/L
Chloride	NE-10D	10/7/2020	3.03	3		mg/L
Chloride	NE-10D	1/13/2021	3.49	3		mg/L
Chloride	NE-10D	4/9/2021	3.21	3		mg/L
Chloride	NE-10D	7/2/2021	3.36	3		mg/L
Chloride	NE-10D	7/2/2021	3.37	2		mg/L
Chloride	NE-10D	10/7/2021	3.28	3		mg/L
Chloride	NE-10D	1/6/2023	3.62	3		mg/L
Chloride	NE-10D	4/6/2023	4.53	3		mg/L
Chloride	NE-11	3/1/2017	8.1	3		mg/L
Chloride	NE-11	4/6/2017	9.8	3		mg/L
Chloride	NE-11	7/20/2017	10	3		mg/L
Chloride	NE-11	10/9/2017	11	3		mg/L
Chloride	NE-11	9/30/2019	10	3		mg/L
Chloride	NE-11	1/14/2020	16	3		mg/L
Chloride	NE-11	7/7/2020	16.4	3		mg/L
Chloride	NE-11	1/16/2021	16.2	3		mg/L
Chloride	NE-11	1/16/2021	15.7	3		mg/L
Chloride	NE-11	7/1/2021	14.6	1		mg/L
Chloride	NE-11	7/1/2021	14.6	1		mg/L
Chloride	NE-11	7/1/2021	14.5	2		mg/L
Chloride	NE-11	1/17/2022	16.6	3		mg/L
Chloride	NE-11	1/17/2022	16.9	3		mg/L
Chloride	NE-11	1/17/2022	16.6	2		mg/L
Chloride	NE-11	7/12/2022	17.7	3		mg/L
Chloride	NE-11	1/6/2023	20.8	3		mg/L
Chloride	NE-12	3/1/2017	5.3	3		mg/L
Chloride	NE-12	4/6/2017	21	3		mg/L
Chloride	NE-12	7/20/2017	12	3		mg/L
Chloride	NE-12	10/6/2017	9.6	3		mg/L
Chloride	NE-12	8/5/2019	4.5	3		mg/L
Chloride	NE-12	1/13/2020	17.1	3		mg/L
Chloride	NE-12	7/7/2020	4.24	3		mg/L
Chloride	NE-12	1/15/2021	30.5	3		mg/L
Chloride	NE-12	1/15/2021	28.6	3		mg/L
Chloride	NE-12	7/1/2021	16	1		mg/L
Chloride	NE-12	7/1/2021	16.5	2		mg/L
Chloride	NE-12	7/1/2021	16	1		mg/L
Chloride	NE-12	1/17/2022	17.5	3		mg/L
Chloride	NE-12	1/17/2022	17.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-12	1/17/2022	17.4	2		mg/L
Chloride	NE-12	7/12/2022	5.62	3		mg/L
Chloride	NE-12	1/6/2023	14.5	3		mg/L
Chloride	NE-13	2/5/2019	2.1	3	ND	mg/L
Chloride	NE-13	8/7/2019	4.7	3		mg/L
Chloride	NE-13	1/15/2020	3	3	ND	mg/L
Chloride	NE-13	7/8/2020	7.22	3		mg/L
Chloride	NE-13	1/17/2021	4.01	3		mg/L
Chloride	NE-13	1/17/2021	3.68	3		mg/L
Chloride	NE-13	7/1/2021	27.6	1		mg/L
Chloride	NE-13	7/1/2021	26.5	2		mg/L
Chloride	NE-13	7/1/2021	27.6	1		mg/L
Chloride	NE-14D	10/2/2019	13	3		mg/L
Chloride	NE-14D	1/16/2020	13.5	3		mg/L
Chloride	NE-14D	4/3/2020	13.1	3		mg/L
Chloride	NE-14D	7/7/2020	13.7	3		mg/L
Chloride	NE-14D	10/6/2020	13.3	3		mg/L
Chloride	NE-14D	1/17/2021	13.3	3		mg/L
Chloride	NE-14D	4/9/2021	13.3	3		mg/L
Chloride	NE-14D	7/2/2021	13.4	3		mg/L
Chloride	NE-14D	7/2/2021	13.2	2		mg/L
Chloride	NE-14D	10/7/2021	13.4	3		mg/L
Chloride	NE-14D	1/18/2022	13.9	3		mg/L
Chloride	NE-14D	1/18/2022	13.7	2		mg/L
Chloride	NE-14D	4/6/2022	13.7	3		mg/L
Chloride	NE-14D	7/13/2022	13.9	3		mg/L
Chloride	NE-14D	10/7/2022	12.9	3		mg/L
Chloride	NE-14D	1/6/2023	14.3	3		mg/L
Chloride	NE-14D	4/6/2023	13	3		mg/L
Chloride	NE-14S	10/2/2019	6	3		mg/L
Chloride	NE-14S	1/16/2020	4.52	3		mg/L
Chloride	NE-14S	4/3/2020	4.38	3		mg/L
Chloride	NE-14S	7/7/2020	6.42	3		mg/L
Chloride	NE-14S	10/6/2020	12.2	3		mg/L
Chloride	NE-14S	1/17/2021	6.2	3		mg/L
Chloride	NE-14S	4/9/2021	6.26	3		mg/L
Chloride	NE-14S	7/2/2021	5.76	2		mg/L
Chloride	NE-14S	7/2/2021	5.68	3		mg/L
Chloride	NE-14S	10/7/2021	7.66	3		mg/L
Chloride	NE-14S	1/18/2022	7.04	3		mg/L
Chloride	NE-14S	1/18/2022	7.03	2		mg/L
Chloride	NE-14S	4/6/2022	5.82	3		mg/L
Chloride	NE-14S	7/13/2022	6.97	3		mg/L
Chloride	NE-14S	10/7/2022	7.43	3		mg/L
Chloride	NE-14S	1/6/2023	8.58	3		mg/L
Chloride	NE-14S	4/6/2023	5.4	3		mg/L
Chloride	NE-15D	9/30/2019	13	3		mg/L
Chloride	NE-15D	1/16/2020	13.2	3		mg/L
Chloride	NE-15D	4/3/2020	12.9	3		mg/L
Chloride	NE-15D	7/7/2020	13.3	3		mg/L
Chloride	NE-15D	10/6/2020	13.3	3		mg/L
Chloride	NE-15D	1/17/2021	13.3	3		mg/L
Chloride	NE-15D	4/9/2021	13.1	3		mg/L
Chloride	NE-15D	7/2/2021	12.9	2		mg/L
Chloride	NE-15D	7/2/2021	12.9	3		mg/L
Chloride	NE-15D	10/7/2021	13	3		mg/L
Chloride	NE-15D	1/17/2022	13.7	3		mg/L
Chloride	NE-15D	1/17/2022	13.4	2		mg/L
Chloride	NE-15D	4/6/2022	13.5	3		mg/L
Chloride	NE-15D	7/13/2022	13.8	3		mg/L
Chloride	NE-15D	10/7/2022	12.5	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-15D	1/6/2023	13.5	3		mg/L
Chloride	NE-15D	4/6/2023	13	3		mg/L
Chloride	NE-15S	4/3/2020	4.11	3		mg/L
Chloride	NE-2	7/9/2002	45.8	0.5		mg/L
Chloride	NE-2	8/6/2002	17.1	0.5		mg/L
Chloride	NE-2	9/4/2002	36.2	0.5		mg/L
Chloride	NE-2	10/2/2002	24.9	0.5		mg/L
Chloride	NE-2	10/1/2013	52	15		mg/L
Chloride	NE-2	10/8/2014	31	3		mg/L
Chloride	NE-2	10/5/2015	32	3		mg/L
Chloride	NE-2	10/6/2016	29	3		mg/L
Chloride	NE-2	10/5/2017	37	3		mg/L
Chloride	NE-2	1/25/2018	51	3		mg/L
Chloride	NE-2	4/10/2018	29	3		mg/L
Chloride	NE-2	7/10/2018	53	3		mg/L
Chloride	NE-2	10/1/2018	51	3		mg/L
Chloride	NE-2	1/4/2019	46	3		mg/L
Chloride	NE-2	4/2/2019	57	3		mg/L
Chloride	NE-2	7/9/2019	37	3		mg/L
Chloride	NE-2	7/9/2019	37	3		mg/L
Chloride	NE-2	10/2/2019	29	3		mg/L
Chloride	NE-2	1/14/2020	25.1	3		mg/L
Chloride	NE-2	4/1/2020	28.3	3		mg/L
Chloride	NE-2	7/7/2020	44.1	3		mg/L
Chloride	NE-2	10/6/2020	21	3		mg/L
Chloride	NE-2	1/14/2021	39.5	3		mg/L
Chloride	NE-2	4/9/2021	38.1	3		mg/L
Chloride	NE-2	7/2/2021	31.7	2		mg/L
Chloride	NE-2	7/2/2021	32.9	3		mg/L
Chloride	NE-2	10/6/2021	21.1	3		mg/L
Chloride	NE-2	1/18/2022	34.7	3		mg/L
Chloride	NE-2	1/18/2022	34	2		mg/L
Chloride	NE-2	4/6/2022	29.4	3		mg/L
Chloride	NE-2	7/13/2022	25.3	3		mg/L
Chloride	NE-2	10/7/2022	19.2	3		mg/L
Chloride	NE-2	1/5/2023	49.9	3		mg/L
Chloride	NE-2	4/5/2023	33.3	3		mg/L
Chloride	NE-3	7/9/2002	5.7	0.5		mg/L
Chloride	NE-3	8/6/2002	5.8	0.5		mg/L
Chloride	NE-3	9/4/2002	4.7	0.5		mg/L
Chloride	NE-3	10/2/2002	6	0.5		mg/L
Chloride	NE-3	3/21/2018	8.2	3		mg/L
Chloride	NE-4	7/10/2002	30.5	0.5		mg/L
Chloride	NE-4	8/6/2002	28.5	0.5		mg/L
Chloride	NE-4	9/4/2002	37.8	0.5		mg/L
Chloride	NE-4	10/3/2002	31.3	0.5		mg/L
Chloride	NE-4	7/8/2003	32.4	0.5		mg/L
Chloride	NE-4	1/28/2004	24.4	0.5		mg/L
Chloride	NE-4	1/13/2005	17.5	0.5		mg/L
Chloride	NE-4	8/1/2006	9.2	3		mg/L
Chloride	NE-4	8/1/2006	9.2	3		mg/L
Chloride	NE-4	10/25/2006	8.9	3		mg/L
Chloride	NE-4	1/24/2007	23	3		mg/L
Chloride	NE-4	7/12/2007	10	3		mg/L
Chloride	NE-4	1/24/2008	7.7	3		mg/L
Chloride	NE-4	7/21/2008	21	3		mg/L
Chloride	NE-4	2/7/2009	8.8	3		mg/L
Chloride	NE-4	7/31/2009	10	3		mg/L
Chloride	NE-4	1/26/2010	6.7	3		mg/L
Chloride	NE-4	7/14/2010	12	3		mg/L
Chloride	NE-4	1/19/2011	6.3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-4	7/13/2011	12	3		mg/L
Chloride	NE-4	1/5/2012	6.7	3		mg/L
Chloride	NE-4	7/10/2012	6.1	3		mg/L
Chloride	NE-4	4/30/2013	6.5	3		mg/L
Chloride	NE-4	7/16/2013	5.6	3		mg/L
Chloride	NE-4	1/23/2014	5.1	3		mg/L
Chloride	NE-4	7/9/2014	5	3		mg/L
Chloride	NE-4	2/13/2015	4.8	3		mg/L
Chloride	NE-4	7/8/2015	19	3		mg/L
Chloride	NE-4	1/6/2016	14	3		mg/L
Chloride	NE-4	7/20/2016	7.6	3		mg/L
Chloride	NE-4	1/11/2017	7.3	3		mg/L
Chloride	NE-4	7/19/2017	11	3		mg/L
Chloride	NE-4	1/26/2018	7.1	3		mg/L
Chloride	NE-4	4/10/2018	16	3		mg/L
Chloride	NE-4	7/12/2018	7.1	3		mg/L
Chloride	NE-4	10/3/2018	6.3	3		mg/L
Chloride	NE-4	1/7/2019	7.1	3		mg/L
Chloride	NE-4	4/2/2019	6.4	3		mg/L
Chloride	NE-4	7/8/2019	13	3		mg/L
Chloride	NE-4	7/8/2019	13	3		mg/L
Chloride	NE-4	10/1/2019	5	3		mg/L
Chloride	NE-4	1/13/2020	13.4	3		mg/L
Chloride	NE-4	4/1/2020	9.62	3		mg/L
Chloride	NE-4	7/6/2020	12.9	3		mg/L
Chloride	NE-4	10/5/2020	6.47	3		mg/L
Chloride	NE-4	1/15/2021	5.75	3		mg/L
Chloride	NE-4	4/9/2021	5.08	3		mg/L
Chloride	NE-4	7/2/2021	6.18	2		mg/L
Chloride	NE-4	7/2/2021	7.8	3		mg/L
Chloride	NE-4	10/6/2021	6.52	3		mg/L
Chloride	NE-4	1/5/2023	4.97	3		mg/L
Chloride	NE-4	4/6/2023	4.7	3		mg/L
Chloride	NE-5	7/9/2002	3.7	0.5		mg/L
Chloride	NE-5	8/6/2002	4	0.5		mg/L
Chloride	NE-5	9/4/2002	3.5	0.5		mg/L
Chloride	NE-5	10/2/2002	3.8	0.5		mg/L
Chloride	NE-5	7/8/2003	3.6	0.5		mg/L
Chloride	NE-5	1/27/2004	3.7	0.5		mg/L
Chloride	NE-5	1/12/2005	3.5	0.5		mg/L
Chloride	NE-5	7/19/2006	3.6	3		mg/L
Chloride	NE-5	7/19/2006	3.6	3		mg/L
Chloride	NE-5	10/25/2006	3.4	3		mg/L
Chloride	NE-5	1/24/2007	3.2	3		mg/L
Chloride	NE-5	7/12/2007	3.5	3		mg/L
Chloride	NE-5	7/22/2008	3.4	3		mg/L
Chloride	NE-5	2/6/2009	3.5	3		mg/L
Chloride	NE-5	7/31/2009	3.6	3		mg/L
Chloride	NE-5	1/26/2010	3.7	3		mg/L
Chloride	NE-5	7/16/2010	3.4	3		mg/L
Chloride	NE-5	1/19/2011	3.8	3		mg/L
Chloride	NE-5	7/13/2011	3.5	3		mg/L
Chloride	NE-5	1/5/2012	3.1	3		mg/L
Chloride	NE-5	7/10/2012	4.3	3		mg/L
Chloride	NE-5	4/30/2013	3.3	3		mg/L
Chloride	NE-5	7/16/2013	4.4	3		mg/L
Chloride	NE-5	1/23/2014	3.6	3		mg/L
Chloride	NE-5	7/9/2014	4.1	3		mg/L
Chloride	NE-5	2/11/2015	4	3		mg/L
Chloride	NE-5	7/14/2015	2.8	3	ND	mg/L
Chloride	NE-5	1/6/2016	3.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-5	7/20/2016	5.6	3		mg/L
Chloride	NE-5	1/11/2017	4.8	3		mg/L
Chloride	NE-5	7/19/2017	3.5	3		mg/L
Chloride	NE-5	1/25/2018	5.1	3		mg/L
Chloride	NE-5	4/10/2018	3.8	3		mg/L
Chloride	NE-5	7/17/2018	4.2	3		mg/L
Chloride	NE-5	10/3/2018	4	3		mg/L
Chloride	NE-5	1/4/2019	5	3		mg/L
Chloride	NE-5	4/2/2019	5.1	3		mg/L
Chloride	NE-5	4/2/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	10/3/2019	6.6	3		mg/L
Chloride	NE-5	1/16/2020	5.62	3		mg/L
Chloride	NE-5	4/2/2020	6.38	3		mg/L
Chloride	NE-5	7/8/2020	7.48	3		mg/L
Chloride	NE-5	10/6/2020	8.28	3		mg/L
Chloride	NE-5	1/15/2021	6.33	3		mg/L
Chloride	NE-5	4/9/2021	6.06	3		mg/L
Chloride	NE-5	7/2/2021	6.81	2		mg/L
Chloride	NE-5	7/2/2021	6.78	3		mg/L
Chloride	NE-5	10/6/2021	7.99	3		mg/L
Chloride	NE-5	1/18/2022	7.32	3		mg/L
Chloride	NE-5	1/18/2022	7.49	2		mg/L
Chloride	NE-5	4/6/2022	7.67	3		mg/L
Chloride	NE-5	7/13/2022	9.27	3		mg/L
Chloride	NE-5	10/7/2022	7.96	3		mg/L
Chloride	NE-5	1/5/2023	8.1	3		mg/L
Chloride	NE-5	4/7/2023	8.03	3		mg/L
Chloride	NE-5E	9/30/2019	6.3	3		mg/L
Chloride	NE-5E	1/16/2020	13.4	3		mg/L
Chloride	NE-5E	4/1/2020	9.81	3		mg/L
Chloride	NE-5E	7/8/2020	11.9	3		mg/L
Chloride	NE-5E	10/6/2020	10.7	3		mg/L
Chloride	NE-5E	1/15/2021	10.1	3		mg/L
Chloride	NE-5E	4/9/2021	9.9	3		mg/L
Chloride	NE-5E	7/2/2021	9.68	2		mg/L
Chloride	NE-5E	7/2/2021	9.87	3		mg/L
Chloride	NE-5E	10/6/2021	11.1	3		mg/L
Chloride	NE-5E	1/18/2022	11.2	3		mg/L
Chloride	NE-5E	1/18/2022	11	2		mg/L
Chloride	NE-5E	4/6/2022	14.4	3		mg/L
Chloride	NE-5E	7/13/2022	28	3		mg/L
Chloride	NE-5E	10/7/2022	22.4	3		mg/L
Chloride	NE-5E	1/5/2023	26	3		mg/L
Chloride	NE-5E	4/7/2023	17.8	3		mg/L
Chloride	NE-5W	9/30/2019	4	3		mg/L
Chloride	NE-5W	1/16/2020	6.74	3		mg/L
Chloride	NE-5W	4/2/2020	5.13	3		mg/L
Chloride	NE-5W	7/8/2020	5.46	3		mg/L
Chloride	NE-5W	10/6/2020	5.24	3		mg/L
Chloride	NE-5W	1/15/2021	5.15	3		mg/L
Chloride	NE-5W	4/9/2021	4.59	3		mg/L
Chloride	NE-5W	7/2/2021	5.4	2		mg/L
Chloride	NE-5W	7/2/2021	5.42	3		mg/L
Chloride	NE-5W	10/6/2021	6.31	3		mg/L
Chloride	NE-5W	1/18/2022	6.11	3		mg/L
Chloride	NE-5W	1/18/2022	6.13	2		mg/L
Chloride	NE-5W	4/6/2022	6.86	3		mg/L
Chloride	NE-5W	7/13/2022	7.43	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-5W	10/7/2022	7.63	3		mg/L
Chloride	NE-5W	1/5/2023	10.5	3		mg/L
Chloride	NE-5W	4/7/2023	11.2	3		mg/L
Chloride	NE-6	1/12/2017	23	3		mg/L
Chloride	NE-6	4/5/2017	19	3		mg/L
Chloride	NE-6	7/19/2017	19	3		mg/L
Chloride	NE-6	10/6/2017	20	3		mg/L
Chloride	NE-6	2/4/2019	20	3		mg/L
Chloride	NE-6	8/6/2019	18	3		mg/L
Chloride	NE-6	1/15/2020	19.9	3		mg/L
Chloride	NE-6	7/9/2020	20.7	3		mg/L
Chloride	NE-6	1/16/2021	3	3	ND	mg/L
Chloride	NE-6	1/16/2021	21.3	3		mg/L
Chloride	NE-6	7/1/2021	21.4	1		mg/L
Chloride	NE-6	7/1/2021	21.4	2		mg/L
Chloride	NE-6	7/1/2021	21.4	1		mg/L
Chloride	NE-6	1/17/2022	21.4	3		mg/L
Chloride	NE-6	1/17/2022	21.8	3		mg/L
Chloride	NE-6	1/17/2022	21.2	2		mg/L
Chloride	NE-6	7/12/2022	21.2	3		mg/L
Chloride	NE-6	1/5/2023	22	3		mg/L
Chloride	NE-6D	10/2/2019	33	3		mg/L
Chloride	NE-6D	1/15/2020	32.4	3		mg/L
Chloride	NE-6D	4/2/2020	32.3	3		mg/L
Chloride	NE-6D	7/9/2020	31.6	3		mg/L
Chloride	NE-6D	10/7/2020	30.2	3		mg/L
Chloride	NE-6D	1/15/2021	30.4	3		mg/L
Chloride	NE-6D	4/9/2021	30.1	3		mg/L
Chloride	NE-6D	7/2/2021	30.2	2		mg/L
Chloride	NE-6D	7/2/2021	31	3		mg/L
Chloride	NE-6D	10/7/2021	30.2	3		mg/L
Chloride	NE-6D	1/17/2022	30.9	3		mg/L
Chloride	NE-6D	1/17/2022	30.1	2		mg/L
Chloride	NE-6D	4/6/2022	30.8	3		mg/L
Chloride	NE-6D	7/12/2022	27.6	3		mg/L
Chloride	NE-6D	10/7/2022	29.5	3		mg/L
Chloride	NE-6D	1/5/2023	30.5	3		mg/L
Chloride	NE-6D	4/7/2023	28.7	3		mg/L
Chloride	NE-7	3/1/2017	15	3		mg/L
Chloride	NE-7	4/6/2017	12	3		mg/L
Chloride	NE-7	7/20/2017	16	3		mg/L
Chloride	NE-7	10/5/2017	16	3		mg/L
Chloride	NE-7	2/6/2019	19	3		mg/L
Chloride	NE-7	8/6/2019	13	3		mg/L
Chloride	NE-7	1/16/2020	17.5	3		mg/L
Chloride	NE-7	7/7/2020	16.2	3		mg/L
Chloride	NE-7	1/16/2021	24.4	3		mg/L
Chloride	NE-7	1/16/2021	24.7	3		mg/L
Chloride	NE-7	7/1/2021	17.7	1		mg/L
Chloride	NE-7	7/1/2021	17.7	1		mg/L
Chloride	NE-7	7/1/2021	17.6	2		mg/L
Chloride	NE-7	1/17/2022	21.2	3		mg/L
Chloride	NE-7	1/17/2022	20.5	3		mg/L
Chloride	NE-7	1/17/2022	20.7	2		mg/L
Chloride	NE-7	7/12/2022	19.8	3		mg/L
Chloride	NE-7	1/5/2023	21.9	3		mg/L
Chloride	NE-8	1/12/2017	11	3		mg/L
Chloride	NE-8	4/5/2017	9.9	3		mg/L
Chloride	NE-8	7/20/2017	25	3		mg/L
Chloride	NE-8	10/6/2017	26	3		mg/L
Chloride	NE-8	2/4/2019	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-8	8/5/2019	17	3		mg/L
Chloride	NE-8	1/15/2020	21	3		mg/L
Chloride	NE-8	7/8/2020	21.5	3		mg/L
Chloride	NE-8	1/13/2021	16	3		mg/L
Chloride	NE-8	1/13/2021	16.1	3		mg/L
Chloride	NE-8	4/9/2021	18.8	3		mg/L
Chloride	NE-8	7/1/2021	20.5	1		mg/L
Chloride	NE-8	7/1/2021	20.5	2		mg/L
Chloride	NE-8	7/1/2021	20.5	1		mg/L
Chloride	NE-8	7/1/2021	20.8	3		mg/L
Chloride	NE-8	10/7/2021	20.8	3		mg/L
Chloride	NE-8	1/6/2023	14.9	3		mg/L
Chloride	NE-9	1/12/2017	10	3		mg/L
Chloride	NE-9	4/5/2017	7.7	3		mg/L
Chloride	NE-9	7/20/2017	8.3	3		mg/L
Chloride	NE-9	10/5/2017	8.9	3		mg/L
Chloride	NE-9	2/5/2019	12	3		mg/L
Chloride	NE-9	8/7/2019	11	3		mg/L
Chloride	NE-9	1/15/2020	10.3	3		mg/L
Chloride	NE-9	7/7/2020	7.5	3		mg/L
Chloride	NE-9	1/17/2021	13.1	3		mg/L
Chloride	NE-9	1/17/2021	12.8	3		mg/L
Chloride	NE-9	7/1/2021	17.7	1		mg/L
Chloride	NE-9	7/1/2021	17.6	2		mg/L
Chloride	NE-9	7/1/2021	17.7	1		mg/L
Chloride	NE-9	1/17/2022	17.4	3		mg/L
Chloride	NE-9	1/17/2022	17	3		mg/L
Chloride	NE-9	1/17/2022	17.3	2		mg/L
Chloride	NE-9	7/13/2022	21.8	3		mg/L
Chloride	NE-9	1/6/2023	24	3		mg/L
Chloride	NE-9	4/8/2023	23.6	3		mg/L
Chlorobenzene	LGW-10	1/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/16/2010	0.76	1	ND	ug/L
Chlorobenzene	LGW-10	1/19/2011	0.43	1	ND	ug/L
Chlorobenzene	LGW-10	7/12/2011	0.97	1	ND	ug/L
Chlorobenzene	LGW-10	1/5/2012	0.84	1	ND	ug/L
Chlorobenzene	LGW-10	7/9/2012	0.78	1	ND	ug/L
Chlorobenzene	LGW-10	5/1/2013	1.1	1		ug/L
Chlorobenzene	LGW-10	1/30/2014	0.95	1	ND	ug/L
Chlorobenzene	LGW-10	7/9/2014	0.93	1	ND	ug/L
Chlorobenzene	LGW-10	2/12/2015	0.91	1	ND	ug/L
Chlorobenzene	LGW-10	7/13/2015	1.3	1		ug/L
Chlorobenzene	LGW-10	1/5/2016	1	1		ug/L
Chlorobenzene	LGW-10	2/10/2016	0.71	1	ND	ug/L
Chlorobenzene	LGW-10	4/6/2016	0.93	1	ND	ug/L
Chlorobenzene	LGW-10	7/21/2016	1.3	1		ug/L
Chlorobenzene	LGW-10	10/6/2016	1	1		ug/L
Chlorobenzene	LGW-10	1/11/2017	0.66	1	ND	ug/L
Chlorobenzene	LGW-10	4/4/2017	1.2	1		ug/L
Chlorobenzene	LGW-10	7/19/2017	1.3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-10	10/9/2017	1.2	1		ug/L
Chlorobenzene	LGW-10	1/24/2018	0.44	1	ND	ug/L
Chlorobenzene	LGW-10	4/11/2018	0.74	1	ND	ug/L
Chlorobenzene	LGW-10	7/16/2018	0.74	1	ND	ug/L
Chlorobenzene	LGW-10	10/4/2018	0.58	1	ND	ug/L
Chlorobenzene	LGW-10	1/4/2019	0.52	1	ND	ug/L
Chlorobenzene	LGW-10	4/3/2019	0.75	1	ND	ug/L
Chlorobenzene	LGW-10	7/11/2019	1.1	1		ug/L
Chlorobenzene	LGW-10	10/2/2019	0.92	1	ND	ug/L
Chlorobenzene	LGW-10	1/15/2020	1.13	1		ug/L
Chlorobenzene	LGW-10	4/2/2020	1.13	1		ug/L
Chlorobenzene	LGW-10	7/9/2020	1.05	1		ug/L
Chlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/7/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/14/2010	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
Chlorobenzene	LGW-9	5/1/2013	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	5/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/3/2019	0.18	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/28/1998	5	5	ND	ug/L
Chlorobenzene	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
Chlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
Chlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L
Chlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L
Chlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-19	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	7/16/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-19	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/23/1998	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/12/2000	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/18/2000	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/12/2001	0.45	1		ug/L
Chlorobenzene	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/3/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
Chlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
Chlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
Chlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
Chlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	6/5/2015	0.78	1	ND	ug/L
Chlorobenzene	MW-21	7/14/2015	0.73	1	ND	ug/L
Chlorobenzene	MW-21	8/4/2015	0.83	1	ND	ug/L
Chlorobenzene	MW-21	9/2/2015	0.73	1	ND	ug/L
Chlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-21	4/5/2016	0.7	1	ND	ug/L
Chlorobenzene	MW-21	7/20/2016	0.52	1	ND	ug/L
Chlorobenzene	MW-21	10/5/2016	0.21	1	ND	ug/L
Chlorobenzene	MW-21	10/5/2016	0.2	1	ND	ug/L
Chlorobenzene	MW-21	1/10/2017	0.33	1	ND	ug/L
Chlorobenzene	MW-21	4/5/2017	0.48	1	ND	ug/L
Chlorobenzene	MW-21	7/19/2017	0.71	1	ND	ug/L
Chlorobenzene	MW-21	10/6/2017	0.69	1	ND	ug/L
Chlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-21	4/11/2018	1.8	1		ug/L
Chlorobenzene	MW-21	7/11/2018	0.83	1	ND	ug/L
Chlorobenzene	MW-21	10/4/2018	0.55	1	ND	ug/L
Chlorobenzene	MW-21	1/3/2019	1.1	1		ug/L
Chlorobenzene	MW-21	4/3/2019	0.86	1	ND	ug/L
Chlorobenzene	MW-21	7/11/2019	0.81	1	ND	ug/L
Chlorobenzene	MW-21	10/2/2019	0.95	1	ND	ug/L
Chlorobenzene	MW-21	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/9/2002	0.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-3N	10/2/2002	0.27	1		ug/L
Chlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-3N	2/4/2009	0.4	1	ND	ug/L
Chlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/13/2010	0.25	1	ND	ug/L
Chlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/14/2011	0.33	1	ND	ug/L
Chlorobenzene	MW-3N	1/5/2012	0.28	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2012	0.3	1	ND	ug/L
Chlorobenzene	MW-3N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	6/4/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/1/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/3/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	7/22/1998	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	10/19/1999	0.34	2.5		ug/L
Chlorobenzene	MW-7N	1/13/2000	0.31	2.5		ug/L
Chlorobenzene	MW-7N	4/25/2000	0.27	2.5		ug/L
Chlorobenzene	MW-7N	10/17/2000	0.4	1		ug/L
Chlorobenzene	MW-7N	1/23/2001	0.31	1		ug/L
Chlorobenzene	MW-7N	4/10/2001	0.48	1		ug/L
Chlorobenzene	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/9/2002	0.51	1		ug/L
Chlorobenzene	MW-7N	10/2/2002	0.48	1		ug/L
Chlorobenzene	MW-7N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/8/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/26/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2005	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-7N	2/6/2009	0.34	1	ND	ug/L
Chlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/14/2010	0.32	1	ND	ug/L
Chlorobenzene	MW-7N	9/2/2010	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/12/2011	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-7N	5/1/2013	0.79	1	ND	ug/L
Chlorobenzene	MW-7N	6/4/2013	0.34	1	ND	ug/L
Chlorobenzene	MW-7N	7/15/2013	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/30/2014	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/11/2017	0.21	1	ND	ug/L
Chlorobenzene	MW-7N	4/4/2017	0.39	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2017	0.28	1	ND	ug/L
Chlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/4/2019	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
Chlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
Chlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
Chlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
Chlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
Chlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
Chlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
Chlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
Chlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
Chlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
Chlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
Chlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
Chlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
Chlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-3	7/9/2002	1	1	ND	ug/L
Chlorobenzene	NE-3	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-3	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-3	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-3	9/2/2010	1	1	ND	ug/L
Chlorobenzene	NE-3	3/21/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	7/10/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	10/3/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
Chlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
Chlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
Chlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
Chlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
Chlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
Chlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
Chlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
Chlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
Chlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
Chlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
Chlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
Chlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
Chlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
Chlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
Chlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
Chlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
Chlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
Chlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
Chlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L
Chlorobenzilate	LGW-10	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-10	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-10	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	10/27/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	2/6/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-14R	7/17/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-2	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-2	2/13/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-2	2/13/2015	13	13	ND	ug/L
Chlorobenzilate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-2	7/8/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-2	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-3R	7/11/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	7/6/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-4	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-4	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-4	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-5	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-5	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-5	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-5	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-6	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-6	2/5/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-6	2/10/2015	10	10	ND	ug/L
Chlorobenzilate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-6	7/9/2020	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	LGW-6	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-7	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-7	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-7	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-7	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-8R	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-9	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-9	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	7/10/2019	10	10	ND	ug/L
Chlorobenzilate	LGW-9	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-9	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	MW-10N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-10N	2/13/2009	10	10	ND	ug/L
Chlorobenzilate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-10N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-11N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-11N	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-11N	2/10/2015	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/17/2018	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/6/2021	10	10	ND	ug/L
Chlorobenzilate	MW-15	7/10/2018	10	10	ND	ug/L
Chlorobenzilate	MW-15	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-16	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-17	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-19	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-1N	10/14/1998	10	10	ND	ug/L
Chlorobenzilate	MW-1N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-1N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-1N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-1N	2/5/2009	10	10	ND	ug/L
Chlorobenzilate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	MW-1N	7/6/2020	50	50	ND	ug/L
Chlorobenzilate	MW-1N	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-20	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-21	10/6/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-21	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-21	7/8/2020	50	50	ND	ug/L
Chlorobenzilate	MW-21	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-2N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-2N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-2N	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	MW-2N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-3N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-3N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-3N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-3N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-3N	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-3N	7/7/2020	50	50	ND	ug/L
Chlorobenzilate	MW-3N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-7N	10/15/1998	10	10	ND	ug/L
Chlorobenzilate	MW-7N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-7N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-7N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-7N	2/6/2009	10	10	ND	ug/L
Chlorobenzilate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Chlorobenzilate	MW-7N	7/13/2018	10	10	ND	ug/L
Chlorobenzilate	MW-7N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-8N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-8N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-8N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-8N	1/24/2008	10	10	ND	ug/L
Chlorobenzilate	MW-8N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Chlorobenzilate	MW-8N	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-8N	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	MW-8N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	NE-1	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-1	2/7/2009	10	10	ND	ug/L
Chlorobenzilate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-4	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-4	2/7/2009	10	10	ND	ug/L
Chlorobenzilate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Chlorobenzilate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-4	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	NE-5	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-5	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-5	7/9/2019	10	10	ND	ug/L
Chloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
Chloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-10	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-10	7/16/2010	0.6	1	ND	ug/L
Chloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-10	7/12/2011	1.6	1		ug/L
Chloroethane	LGW-10	1/5/2012	0.45	1	ND	ug/L
Chloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-10	5/1/2013	0.44	1	ND	ug/L
Chloroethane	LGW-10	1/30/2014	0.64	1	ND	ug/L
Chloroethane	LGW-10	7/9/2014	0.47	1	ND	ug/L
Chloroethane	LGW-10	2/12/2015	0.41	1	ND	ug/L
Chloroethane	LGW-10	7/13/2015	0.42	1	ND	ug/L
Chloroethane	LGW-10	1/5/2016	0.48	1	ND	ug/L
Chloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
Chloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-10	4/4/2017	0.42	1	ND	ug/L
Chloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
Chloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
Chloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
Chloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
Chloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
Chloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
Chloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
Chloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
Chloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Chloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Chloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-2	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
Chloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
Chloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
Chloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
Chloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-2	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
Chloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
Chloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
Chloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
Chloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Chloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-4	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
Chloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
Chloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
Chloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-5	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
Chloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-6	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
Chloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
Chloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
Chloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
Chloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-6	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
Chloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
Chloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-7	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
Chloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
Chloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
Chloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
Chloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
Chloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Chloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-9	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
Chloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
Chloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
Chloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
Chloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
Chloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
Chloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-9	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
Chloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
Chloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
Chloroethane	MW-10N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/28/1998	12	12	ND	ug/L
Chloroethane	MW-10N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	7/15/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
Chloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
Chloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
Chloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
Chloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
Chloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-10N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
Chloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
Chloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-11N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/13/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
Chloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
Chloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
Chloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
Chloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
Chloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-11N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
Chloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
Chloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
Chloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
Chloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
Chloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
Chloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
Chloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
Chloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
Chloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
Chloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
Chloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
Chloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
Chloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-15	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-15	7/15/2015	1	1	ND	ug/L
Chloroethane	MW-15	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-15	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-15	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-15	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-15	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-15	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-15	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-15	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-15	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-15	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-15	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-15	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-15	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-15	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-15	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-15	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-15	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-15	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-15	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-16	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-16	7/16/2015	1	1	ND	ug/L
Chloroethane	MW-16	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-16	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-16	1/8/2016	1	1	ND	ug/L
Chloroethane	MW-16	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-16	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-16	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-16	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-16	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-16	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-16	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-16	1/2/2019	1	1	ND	ug/L
Chloroethane	MW-16	7/10/2019	1	1	ND	ug/L
Chloroethane	MW-16	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-16	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-16	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-16	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-16	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-16	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-16	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-17	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-17	7/15/2015	1	1	ND	ug/L
Chloroethane	MW-17	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-17	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-17	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-17	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-17	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-17	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-17	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-17	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-17	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-17	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-17	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-17	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-17	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-17	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-17	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-17	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-17	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-19	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-19	7/16/2015	1	1	ND	ug/L
Chloroethane	MW-19	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-19	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-19	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-19	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-19	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-19	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-19	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-19	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-19	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-19	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-19	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-19	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-19	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-19	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-19	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-19	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-19	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-1N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/20/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	10/14/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	5/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/15/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	10/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/12/2000	1.9	1		ug/L
Chloroethane	MW-1N	10/18/2000	1.4	1		ug/L
Chloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-1N	4/12/2001	2.5	1		ug/L
Chloroethane	MW-1N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroethane	MW-1N	7/9/2002	0.24	1		ug/L
Chloroethane	MW-1N	10/3/2002	0.21	1		ug/L
Chloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-1N	1/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
Chloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
Chloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
Chloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
Chloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-20	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-20	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-20	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-20	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-20	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-20	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-20	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-20	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-20	1/12/2017	1	1	ND	ug/L
Chloroethane	MW-20	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-20	1/26/2018	1	1	ND	ug/L
Chloroethane	MW-20	7/12/2018	1	1	ND	ug/L
Chloroethane	MW-20	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-20	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-20	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-20	1/17/2021	1	1	ND	ug/L
Chloroethane	MW-20	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-20	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-21	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-21	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-21	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-21	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-21	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-21	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-21	4/5/2017	1	1	ND	ug/L
Chloroethane	MW-21	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-21	10/6/2017	1	1	ND	ug/L
Chloroethane	MW-21	1/24/2018	1	1	ND	ug/L
Chloroethane	MW-21	4/11/2018	1	1	ND	ug/L
Chloroethane	MW-21	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-21	10/4/2018	1	1	ND	ug/L
Chloroethane	MW-21	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-21	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-21	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-21	10/2/2019	1	1	ND	ug/L
Chloroethane	MW-21	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-21	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-21	7/8/2020	1	1	ND	ug/L
Chloroethane	MW-21	10/7/2020	1	1	ND	ug/L
Chloroethane	MW-21	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-21	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-21	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-21	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-21	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-21	4/8/2023	1	1	ND	ug/L
Chloroethane	MW-2N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
Chloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
Chloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
Chloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
Chloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
Chloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
Chloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-3N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	4/28/1998	0.44	5.9		ug/L
Chloroethane	MW-3N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	10/20/1999	0.43	5.9		ug/L
Chloroethane	MW-3N	1/14/2000	0.24	5.9		ug/L
Chloroethane	MW-3N	4/24/2000	0.34	5.9		ug/L
Chloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
Chloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
Chloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-3N	5/29/2002	1	1		ug/L
Chloroethane	MW-3N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	7/9/2002	0.83	1		ug/L
Chloroethane	MW-3N	10/2/2002	1	1		ug/L
Chloroethane	MW-3N	1/22/2003	1.1	1		ug/L
Chloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-3N	7/7/2003	1	1		ug/L
Chloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-3N	1/12/2005	1.2	1		ug/L
Chloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-3N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
Chloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
Chloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
Chloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
Chloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
Chloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
Chloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
Chloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
Chloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
Chloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
Chloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-7N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	8/18/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	9/17/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	10/15/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	11/9/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	1/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	4/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	10/19/1999	3	5.9		ug/L
Chloroethane	MW-7N	1/13/2000	2.6	5.9		ug/L
Chloroethane	MW-7N	4/25/2000	2.6	5.9		ug/L
Chloroethane	MW-7N	10/17/2000	2.3	1		ug/L
Chloroethane	MW-7N	1/23/2001	2.2	1		ug/L
Chloroethane	MW-7N	4/10/2001	2.2	1		ug/L
Chloroethane	MW-7N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	5/29/2002	2.4	1		ug/L
Chloroethane	MW-7N	7/9/2002	1.9	1		ug/L
Chloroethane	MW-7N	10/2/2002	1.7	1		ug/L
Chloroethane	MW-7N	1/23/2003	1.9	1		ug/L
Chloroethane	MW-7N	4/14/2003	1.4	1		ug/L
Chloroethane	MW-7N	7/7/2003	1.8	1		ug/L
Chloroethane	MW-7N	1/27/2004	1.6	1		ug/L
Chloroethane	MW-7N	4/8/2004	1.3	1		ug/L
Chloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
Chloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
Chloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-7N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
Chloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
Chloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
Chloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
Chloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
Chloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
Chloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
Chloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
Chloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
Chloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
Chloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
Chloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
Chloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-8N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/12/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	10/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
Chloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-8N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
Chloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
Chloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-8N	1/12/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
Chloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
Chloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
Chloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
Chloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
Chloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
Chloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
Chloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
Chloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
Chloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
Chloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
Chloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
Chloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
Chloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
Chloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
Chloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
Chloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
Chloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
Chloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
Chloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
Chloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
Chloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
Chloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2002	1	1	ND	ug/L
Chloroethane	NE-1	8/6/2002	1	1	ND	ug/L
Chloroethane	NE-1	9/4/2002	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2002	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-1	1/27/2004	1	1	ND	ug/L
Chloroethane	NE-1	1/12/2005	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-1	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-1	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2007	1	1	ND	ug/L
Chloroethane	NE-1	1/24/2008	1	1	ND	ug/L
Chloroethane	NE-1	7/21/2008	1	1	ND	ug/L
Chloroethane	NE-1	2/7/2009	1	1	ND	ug/L
Chloroethane	NE-1	7/31/2009	1	1	ND	ug/L
Chloroethane	NE-1	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-1	7/14/2010	1	1	ND	ug/L
Chloroethane	NE-1	9/2/2010	1	1	ND	ug/L
Chloroethane	NE-1	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-1	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-1	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-1	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-1	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-1	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-1	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-1	2/11/2015	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2015	1	1	ND	ug/L
Chloroethane	NE-1	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-1	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-1	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-1	1/24/2018	1	1	ND	ug/L
Chloroethane	NE-1	4/11/2018	1	1	ND	ug/L
Chloroethane	NE-1	7/18/2018	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2018	1	1	ND	ug/L
Chloroethane	NE-1	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-1	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-1	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-1	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-1	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-1	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-1	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-1	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-1	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-1	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-1	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-1	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-1	10/6/2022	1	1	ND	ug/L
Chloroethane	NE-1	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-1	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
Chloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-10D	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-11	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-11	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-11	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-11	10/9/2017	1	1	ND	ug/L
Chloroethane	NE-11	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-11	1/14/2020	1	1	ND	ug/L
Chloroethane	NE-11	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-11	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-11	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-12	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-12	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-12	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-12	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-12	8/5/2019	1	1	ND	ug/L
Chloroethane	NE-12	1/13/2020	1	1	ND	ug/L
Chloroethane	NE-12	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-12	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-12	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-13	2/5/2019	1	1	ND	ug/L
Chloroethane	NE-13	8/7/2019	1	1	ND	ug/L
Chloroethane	NE-13	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-13	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-14D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2002	0.24	1		ug/L
Chloroethane	NE-2	8/6/2002	1	1	ND	ug/L
Chloroethane	NE-2	9/4/2002	1	1	ND	ug/L
Chloroethane	NE-2	10/2/2002	1	1	ND	ug/L
Chloroethane	NE-2	10/1/2013	1	1	ND	ug/L
Chloroethane	NE-2	10/8/2014	1	1	ND	ug/L
Chloroethane	NE-2	10/5/2015	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2016	1	1	ND	ug/L
Chloroethane	NE-2	10/5/2017	1	1	ND	ug/L
Chloroethane	NE-2	1/25/2018	1	1	ND	ug/L
Chloroethane	NE-2	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-2	7/10/2018	1	1	ND	ug/L
Chloroethane	NE-2	10/1/2018	1	1	ND	ug/L
Chloroethane	NE-2	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-2	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-2	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-2	1/14/2020	1	1	ND	ug/L
Chloroethane	NE-2	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-2	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-2	1/14/2021	1	1	ND	ug/L
Chloroethane	NE-2	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-2	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-2	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-2	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-2	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-2	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-2	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-2	4/5/2023	1	1	ND	ug/L
Chloroethane	NE-3	7/9/2002	1.8	1		ug/L
Chloroethane	NE-3	8/6/2002	1.3	1		ug/L
Chloroethane	NE-3	9/4/2002	1.2	1		ug/L
Chloroethane	NE-3	10/2/2002	1	1		ug/L
Chloroethane	NE-3	9/2/2010	1	1	ND	ug/L
Chloroethane	NE-3	3/21/2018	1	1	ND	ug/L
Chloroethane	NE-4	7/10/2002	0.56	1		ug/L
Chloroethane	NE-4	8/6/2002	0.82	1		ug/L
Chloroethane	NE-4	9/4/2002	0.4	1		ug/L
Chloroethane	NE-4	10/3/2002	0.68	1		ug/L
Chloroethane	NE-4	4/15/2003	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-4	1/28/2004	1	1	ND	ug/L
Chloroethane	NE-4	1/13/2005	1	1	ND	ug/L
Chloroethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloroethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloroethane	NE-4	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-4	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-4	7/12/2007	1	1	ND	ug/L
Chloroethane	NE-4	1/24/2008	1	1	ND	ug/L
Chloroethane	NE-4	7/21/2008	1	1	ND	ug/L
Chloroethane	NE-4	2/7/2009	1	1	ND	ug/L
Chloroethane	NE-4	7/31/2009	1	1	ND	ug/L
Chloroethane	NE-4	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-4	7/14/2010	1	1	ND	ug/L
Chloroethane	NE-4	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-4	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-4	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-4	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-4	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-4	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-4	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-4	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-4	2/13/2015	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2015	1	1	ND	ug/L
Chloroethane	NE-4	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-4	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-4	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-4	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-4	1/26/2018	1	1	ND	ug/L
Chloroethane	NE-4	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-4	7/12/2018	1	1	ND	ug/L
Chloroethane	NE-4	10/3/2018	1	1	ND	ug/L
Chloroethane	NE-4	1/7/2019	1	1	ND	ug/L
Chloroethane	NE-4	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloroethane	NE-4	10/1/2019	1	1	ND	ug/L
Chloroethane	NE-4	1/13/2020	1	1	ND	ug/L
Chloroethane	NE-4	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-4	7/6/2020	1	1	ND	ug/L
Chloroethane	NE-4	10/5/2020	1	1	ND	ug/L
Chloroethane	NE-4	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-4	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-4	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-4	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-4	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-4	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2002	0.62	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-5	8/6/2002	1.1	1		ug/L
Chloroethane	NE-5	9/4/2002	0.62	1		ug/L
Chloroethane	NE-5	10/2/2002	0.99	1		ug/L
Chloroethane	NE-5	4/15/2003	1	1	ND	ug/L
Chloroethane	NE-5	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-5	1/27/2004	1	1	ND	ug/L
Chloroethane	NE-5	1/12/2005	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-5	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-5	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-5	7/12/2007	1	1	ND	ug/L
Chloroethane	NE-5	7/22/2008	1	1	ND	ug/L
Chloroethane	NE-5	2/6/2009	1	1	ND	ug/L
Chloroethane	NE-5	7/31/2009	1	1	ND	ug/L
Chloroethane	NE-5	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-5	7/16/2010	1	1	ND	ug/L
Chloroethane	NE-5	9/2/2010	1	1	ND	ug/L
Chloroethane	NE-5	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-5	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-5	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-5	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-5	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-5	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-5	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-5	2/11/2015	1	1	ND	ug/L
Chloroethane	NE-5	7/14/2015	1	1	ND	ug/L
Chloroethane	NE-5	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-5	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-5	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-5	1/25/2018	1	1	ND	ug/L
Chloroethane	NE-5	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-5	7/17/2018	1	1	ND	ug/L
Chloroethane	NE-5	10/3/2018	1	1	ND	ug/L
Chloroethane	NE-5	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	10/3/2019	1	1	ND	ug/L
Chloroethane	NE-5	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-5	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-5	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-5	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-5E	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-6	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-6	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-6	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-6	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-6	2/4/2019	1	1	ND	ug/L
Chloroethane	NE-6	8/6/2019	1	1	ND	ug/L
Chloroethane	NE-6	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-6	7/9/2020	1	1	ND	ug/L
Chloroethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-6	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-7	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-7	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-7	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-7	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-7	2/6/2019	1	1	ND	ug/L
Chloroethane	NE-7	8/6/2019	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-7	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-7	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-7	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-8	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-8	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-8	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-8	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-8	2/4/2019	1	1	ND	ug/L
Chloroethane	NE-8	8/5/2019	1	1	ND	ug/L
Chloroethane	NE-8	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-8	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-8	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-8	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-9	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-9	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-9	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-9	10/5/2017	1	1	ND	ug/L
Chloroethane	NE-9	2/5/2019	1	1	ND	ug/L
Chloroethane	NE-9	8/7/2019	1	1	ND	ug/L
Chloroethane	NE-9	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-9	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-9	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-9	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-9	4/8/2023	1	1	ND	ug/L
Chloroform	LGW-10	1/26/2006	1	1	ND	ug/L
Chloroform	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-10	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-10	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-10	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-10	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-10	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-10	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-10	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-10	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-10	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-10	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-10	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-10	5/1/2013	1	1	ND	ug/L
Chloroform	LGW-10	1/30/2014	1	1	ND	ug/L
Chloroform	LGW-10	7/9/2014	1	1	ND	ug/L
Chloroform	LGW-10	2/12/2015	1	1	ND	ug/L
Chloroform	LGW-10	7/13/2015	1	1	ND	ug/L
Chloroform	LGW-10	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-10	4/6/2016	1	1	ND	ug/L
Chloroform	LGW-10	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-10	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-10	4/4/2017	1	1	ND	ug/L
Chloroform	LGW-10	7/19/2017	1	1	ND	ug/L
Chloroform	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroform	LGW-10	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-10	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroform	LGW-10	10/4/2018	1	1	ND	ug/L
Chloroform	LGW-10	1/4/2019	1	1	ND	ug/L
Chloroform	LGW-10	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroform	LGW-10	10/2/2019	1	1	ND	ug/L
Chloroform	LGW-10	1/15/2020	1	1	ND	ug/L
Chloroform	LGW-10	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-10	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-10	10/7/2020	1	1	ND	ug/L
Chloroform	LGW-10	1/17/2021	1	1	ND	ug/L
Chloroform	LGW-10	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-10	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-10	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-10	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-10	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-10	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-10	10/7/2022	1	1	ND	ug/L
Chloroform	LGW-10	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-10	4/5/2023	1	1	ND	ug/L
Chloroform	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroform	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroform	LGW-14R	10/27/2006	1	1	ND	ug/L
Chloroform	LGW-14R	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-14R	4/24/2007	1	1	ND	ug/L
Chloroform	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloroform	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-14R	1/5/2012	0.18	1	ND	ug/L
Chloroform	LGW-14R	7/9/2012	0.19	1	ND	ug/L
Chloroform	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-14R	1/23/2014	0.17	1	ND	ug/L
Chloroform	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-14R	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloroform	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroform	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-2	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-2	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-2	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-2	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-2	7/10/2007	1	1	ND	ug/L
Chloroform	LGW-2	1/26/2008	1	1	ND	ug/L
Chloroform	LGW-2	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-2	2/6/2009	0.34	1	ND	ug/L
Chloroform	LGW-2	7/30/2009	1	1	ND	ug/L
Chloroform	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-2	7/12/2010	0.27	1	ND	ug/L
Chloroform	LGW-2	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-2	7/13/2011	0.38	1	ND	ug/L
Chloroform	LGW-2	1/4/2012	0.28	1	ND	ug/L
Chloroform	LGW-2	7/9/2012	0.29	1	ND	ug/L
Chloroform	LGW-2	4/30/2013	0.32	1	ND	ug/L
Chloroform	LGW-2	7/15/2013	0.22	1	ND	ug/L
Chloroform	LGW-2	1/30/2014	0.25	1	ND	ug/L
Chloroform	LGW-2	7/8/2014	0.25	1	ND	ug/L
Chloroform	LGW-2	2/13/2015	0.17	1	ND	ug/L
Chloroform	LGW-2	7/8/2015	0.26	1	ND	ug/L
Chloroform	LGW-2	1/5/2016	0.27	1	ND	ug/L
Chloroform	LGW-2	7/19/2016	0.3	1	ND	ug/L
Chloroform	LGW-2	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-2	7/18/2017	0.25	1	ND	ug/L
Chloroform	LGW-2	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-2	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-2	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-2	1/13/2020	1	1	ND	ug/L
Chloroform	LGW-2	4/1/2020	1	1	ND	ug/L
Chloroform	LGW-2	7/8/2020	1	1	ND	ug/L
Chloroform	LGW-2	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-2	7/4/2021	1	1	ND	ug/L
Chloroform	LGW-2	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-2	7/10/2022	1	1	ND	ug/L
Chloroform	LGW-2	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-3R	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-3R	1/26/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2009	0.17	1	ND	ug/L
Chloroform	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloroform	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloroform	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloroform	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroform	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloroform	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloroform	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-3R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloroform	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloroform	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloroform	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-4	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-4	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-4	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-4	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-4	1/22/2008	1	1	ND	ug/L
Chloroform	LGW-4	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2009	1	1	ND	ug/L
Chloroform	LGW-4	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-4	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-4	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-4	7/13/2011	1	1	ND	ug/L
Chloroform	LGW-4	1/4/2012	1	1	ND	ug/L
Chloroform	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-4	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-4	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-4	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-4	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-4	7/8/2015	1	1	ND	ug/L
Chloroform	LGW-4	1/5/2016	0.22	1	ND	ug/L
Chloroform	LGW-4	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-4	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-4	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-4	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-4	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-4	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-4	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-4	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-4	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-4	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-4	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-4	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-5	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-5	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-5	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-5	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-5	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-5	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-5	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-5	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-5	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-5	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-5	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-5	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-5	2/10/2015	0.22	1	ND	ug/L
Chloroform	LGW-5	7/8/2015	1	1	ND	ug/L
Chloroform	LGW-5	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-5	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-5	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-5	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-5	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-5	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-5	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-5	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-5	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-5	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-5	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-5	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-5	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-5	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-5	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-5	10/6/2022	1	1	ND	ug/L
Chloroform	LGW-5	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-6	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-6	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-6	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-6	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-6	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-6	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroform	LGW-6	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-6	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-6	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-6	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-6	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-6	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-6	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-6	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroform	LGW-6	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-6	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-6	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-6	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-6	5/5/2017	1	1	ND	ug/L
Chloroform	LGW-6	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-6	4/10/2018	1	1	ND	ug/L
Chloroform	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroform	LGW-6	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-6	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-6	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-6	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-6	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-6	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-6	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2020	1	1	ND	ug/L
Chloroform	LGW-6	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-6	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-6	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-6	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-6	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-6	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-6	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2022	1	1	ND	ug/L
Chloroform	LGW-6	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-6	4/6/2023	1	1	ND	ug/L
Chloroform	LGW-7	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-7	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-7	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-7	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-7	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-7	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-7	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-7	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-7	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroform	LGW-7	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-7	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-7	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-7	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-7	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-7	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-7	4/6/2016	1	1	ND	ug/L
Chloroform	LGW-7	7/20/2016	1	1	ND	ug/L
Chloroform	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-7	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-7	4/4/2017	1	1	ND	ug/L
Chloroform	LGW-7	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-7	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-7	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-7	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-7	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-7	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-7	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-7	1/15/2020	1	1	ND	ug/L
Chloroform	LGW-7	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-7	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-7	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-7	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-7	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-7	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-7	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-8R	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloroform	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloroform	LGW-8R	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloroform	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2016	1	1	ND	ug/L
Chloroform	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloroform	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroform	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloroform	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloroform	LGW-8R	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-8R	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-9	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-9	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-9	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-9	4/25/2007	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2007	1	1	ND	ug/L
Chloroform	LGW-9	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-9	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-9	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-9	7/14/2010	1	1	ND	ug/L
Chloroform	LGW-9	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-9	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-9	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroform	LGW-9	5/1/2013	1	1	ND	ug/L
Chloroform	LGW-9	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-9	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-9	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-9	7/13/2015	1	1	ND	ug/L
Chloroform	LGW-9	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-9	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-9	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-9	5/5/2017	1	1	ND	ug/L
Chloroform	LGW-9	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-9	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-9	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroform	LGW-9	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-9	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-9	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-9	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-9	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-9	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-9	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-9	10/7/2020	1	1	ND	ug/L
Chloroform	LGW-9	1/17/2021	1	1	ND	ug/L
Chloroform	LGW-9	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-9	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-9	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-9	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-9	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-9	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-9	10/7/2022	1	1	ND	ug/L
Chloroform	LGW-9	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-9	4/5/2023	1	1	ND	ug/L
Chloroform	MW-10N	10/22/1997	8.3	2.7		ug/L
Chloroform	MW-10N	1/22/1998	3.8	2.7		ug/L
Chloroform	MW-10N	4/28/1998	0.84	5.4		ug/L
Chloroform	MW-10N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-10N	1/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	4/13/1999	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-10N	7/15/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-10N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-10N	7/11/2000	1	1	ND	ug/L
Chloroform	MW-10N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-10N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2002	1	1	ND	ug/L
Chloroform	MW-10N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-10N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-10N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-10N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-10N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-10N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-10N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-10N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-10N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2007	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-10N	1/23/2008	1	1	ND	ug/L
Chloroform	MW-10N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroform	MW-10N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-10N	1/27/2010	1	1	ND	ug/L
Chloroform	MW-10N	8/10/2010	1	1	ND	ug/L
Chloroform	MW-10N	1/19/2011	1	1	ND	ug/L
Chloroform	MW-10N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-10N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-10N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-10N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-10N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-10N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-10N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-10N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2018	1	1	ND	ug/L
Chloroform	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroform	MW-10N	1/3/2019	1	1	ND	ug/L
Chloroform	MW-10N	7/9/2019	1	1	ND	ug/L
Chloroform	MW-10N	1/16/2020	1	1	ND	ug/L
Chloroform	MW-10N	7/8/2020	1	1	ND	ug/L
Chloroform	MW-10N	1/13/2021	1	1	ND	ug/L
Chloroform	MW-10N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-10N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-11N	10/22/1997	9.4	2.7		ug/L
Chloroform	MW-11N	1/21/1998	4.8	2.7		ug/L
Chloroform	MW-11N	4/28/1998	0.39	2.7		ug/L
Chloroform	MW-11N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-11N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	1/13/2000	2.7	2.7	ND	ug/L
Chloroform	MW-11N	4/25/2000	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-11N	7/10/2000	1	1	ND	ug/L
Chloroform	MW-11N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-11N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-11N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-11N	7/9/2002	0.31	1		ug/L
Chloroform	MW-11N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-11N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-11N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-11N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-11N	1/29/2004	1	1	ND	ug/L
Chloroform	MW-11N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-11N	1/13/2005	1	1	ND	ug/L
Chloroform	MW-11N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-11N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-11N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-11N	1/24/2007	1	1	ND	ug/L
Chloroform	MW-11N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-11N	1/22/2008	1	1	ND	ug/L
Chloroform	MW-11N	7/23/2008	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2009	0.49	1	ND	ug/L
Chloroform	MW-11N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroform	MW-11N	7/16/2010	0.49	1	ND	ug/L
Chloroform	MW-11N	1/19/2011	0.55	1	ND	ug/L
Chloroform	MW-11N	7/13/2011	0.67	1	ND	ug/L
Chloroform	MW-11N	1/4/2012	0.42	1	ND	ug/L
Chloroform	MW-11N	7/9/2012	0.43	1	ND	ug/L
Chloroform	MW-11N	4/30/2013	0.53	1	ND	ug/L
Chloroform	MW-11N	7/15/2013	0.38	1	ND	ug/L
Chloroform	MW-11N	1/23/2014	0.28	1	ND	ug/L
Chloroform	MW-11N	7/8/2014	0.44	1	ND	ug/L
Chloroform	MW-11N	2/10/2015	0.42	1	ND	ug/L
Chloroform	MW-11N	7/13/2015	0.33	1	ND	ug/L
Chloroform	MW-11N	1/5/2016	0.46	1	ND	ug/L
Chloroform	MW-11N	7/21/2016	0.41	1	ND	ug/L
Chloroform	MW-11N	1/11/2017	0.2	1	ND	ug/L
Chloroform	MW-11N	7/19/2017	0.47	1	ND	ug/L
Chloroform	MW-11N	1/23/2018	0.46	1	ND	ug/L
Chloroform	MW-11N	7/17/2018	0.41	1	ND	ug/L
Chloroform	MW-11N	1/2/2019	0.42	1	ND	ug/L
Chloroform	MW-11N	7/9/2019	0.62	1	ND	ug/L
Chloroform	MW-11N	1/14/2020	1	1	ND	ug/L
Chloroform	MW-11N	7/6/2020	1	1	ND	ug/L
Chloroform	MW-11N	1/18/2021	1	1	ND	ug/L
Chloroform	MW-11N	7/6/2021	1	1	ND	ug/L
Chloroform	MW-11N	1/18/2022	1	1	ND	ug/L
Chloroform	MW-11N	7/13/2022	1	1	ND	ug/L
Chloroform	MW-11N	1/10/2023	1	1	ND	ug/L
Chloroform	MW-15	6/5/2015	1	1	ND	ug/L
Chloroform	MW-15	7/15/2015	1	1	ND	ug/L
Chloroform	MW-15	8/5/2015	1	1	ND	ug/L
Chloroform	MW-15	9/3/2015	1	1	ND	ug/L
Chloroform	MW-15	1/7/2016	1	1	ND	ug/L
Chloroform	MW-15	4/5/2016	1	1	ND	ug/L
Chloroform	MW-15	7/20/2016	1	1	ND	ug/L
Chloroform	MW-15	10/6/2016	1	1	ND	ug/L
Chloroform	MW-15	1/10/2017	1	1	ND	ug/L
Chloroform	MW-15	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-15	1/23/2018	1	1	ND	ug/L
Chloroform	MW-15	7/10/2018	1	1	ND	ug/L
Chloroform	MW-15	1/3/2019	1	1	ND	ug/L
Chloroform	MW-15	7/9/2019	1	1	ND	ug/L
Chloroform	MW-15	1/14/2020	1	1	ND	ug/L
Chloroform	MW-15	8/3/2020	1	1	ND	ug/L
Chloroform	MW-15	1/18/2021	1	1	ND	ug/L
Chloroform	MW-15	7/4/2021	1	1	ND	ug/L
Chloroform	MW-15	1/12/2022	1	1	ND	ug/L
Chloroform	MW-15	7/10/2022	1	1	ND	ug/L
Chloroform	MW-15	1/10/2023	1	1	ND	ug/L
Chloroform	MW-16	6/5/2015	0.55	1	ND	ug/L
Chloroform	MW-16	7/16/2015	0.45	1	ND	ug/L
Chloroform	MW-16	8/5/2015	0.56	1	ND	ug/L
Chloroform	MW-16	9/3/2015	0.47	1	ND	ug/L
Chloroform	MW-16	1/8/2016	0.56	1	ND	ug/L
Chloroform	MW-16	4/5/2016	0.42	1	ND	ug/L
Chloroform	MW-16	7/21/2016	0.5	1	ND	ug/L
Chloroform	MW-16	10/5/2016	0.52	1	ND	ug/L
Chloroform	MW-16	1/10/2017	0.44	1	ND	ug/L
Chloroform	MW-16	7/18/2017	0.43	1	ND	ug/L
Chloroform	MW-16	1/23/2018	0.65	1	ND	ug/L
Chloroform	MW-16	7/11/2018	0.56	1	ND	ug/L
Chloroform	MW-16	1/2/2019	0.56	1	ND	ug/L
Chloroform	MW-16	7/10/2019	0.65	1	ND	ug/L
Chloroform	MW-16	1/14/2020	1	1	ND	ug/L
Chloroform	MW-16	8/3/2020	1	1	ND	ug/L
Chloroform	MW-16	1/18/2021	1	1	ND	ug/L
Chloroform	MW-16	7/4/2021	1	1	ND	ug/L
Chloroform	MW-16	1/12/2022	1	1	ND	ug/L
Chloroform	MW-16	7/10/2022	1	1	ND	ug/L
Chloroform	MW-16	1/10/2023	1	1	ND	ug/L
Chloroform	MW-17	6/5/2015	0.22	1	ND	ug/L
Chloroform	MW-17	7/15/2015	1	1	ND	ug/L
Chloroform	MW-17	8/4/2015	1	1	ND	ug/L
Chloroform	MW-17	9/2/2015	1	1	ND	ug/L
Chloroform	MW-17	1/7/2016	1	1	ND	ug/L
Chloroform	MW-17	4/5/2016	1	1	ND	ug/L
Chloroform	MW-17	7/20/2016	1	1	ND	ug/L
Chloroform	MW-17	10/6/2016	1	1	ND	ug/L
Chloroform	MW-17	1/10/2017	0.16	1	ND	ug/L
Chloroform	MW-17	7/18/2017	1	1	ND	ug/L
Chloroform	MW-17	1/23/2018	1	1	ND	ug/L
Chloroform	MW-17	7/10/2018	1	1	ND	ug/L
Chloroform	MW-17	1/3/2019	1	1	ND	ug/L
Chloroform	MW-17	7/11/2019	1	1	ND	ug/L
Chloroform	MW-17	1/14/2020	1	1	ND	ug/L
Chloroform	MW-17	8/3/2020	1	1	ND	ug/L
Chloroform	MW-17	1/14/2021	1	1	ND	ug/L
Chloroform	MW-17	7/4/2021	1	1	ND	ug/L
Chloroform	MW-17	1/10/2023	1	1	ND	ug/L
Chloroform	MW-19	6/5/2015	1	1	ND	ug/L
Chloroform	MW-19	7/16/2015	1	1	ND	ug/L
Chloroform	MW-19	8/5/2015	1	1	ND	ug/L
Chloroform	MW-19	9/3/2015	1	1	ND	ug/L
Chloroform	MW-19	1/7/2016	1	1	ND	ug/L
Chloroform	MW-19	4/5/2016	1	1	ND	ug/L
Chloroform	MW-19	7/21/2016	1	1	ND	ug/L
Chloroform	MW-19	10/5/2016	1	1	ND	ug/L
Chloroform	MW-19	1/10/2017	1	1	ND	ug/L
Chloroform	MW-19	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-19	1/23/2018	1	1	ND	ug/L
Chloroform	MW-19	7/13/2018	1	1	ND	ug/L
Chloroform	MW-19	1/7/2019	1	1	ND	ug/L
Chloroform	MW-19	7/11/2019	1	1	ND	ug/L
Chloroform	MW-19	1/14/2020	1	1	ND	ug/L
Chloroform	MW-19	8/3/2020	1	1	ND	ug/L
Chloroform	MW-19	1/14/2021	1	1	ND	ug/L
Chloroform	MW-19	7/4/2021	1	1	ND	ug/L
Chloroform	MW-19	1/11/2023	1	1	ND	ug/L
Chloroform	MW-1N	10/22/1997	2.7	2.7	ND	ug/L
Chloroform	MW-1N	1/20/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	4/28/1998	0.41	2.7		ug/L
Chloroform	MW-1N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	10/14/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	5/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	7/15/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	10/19/1999	0.39	2.7		ug/L
Chloroform	MW-1N	1/14/2000	0.21	2.7		ug/L
Chloroform	MW-1N	4/25/2000	0.42	2.7		ug/L
Chloroform	MW-1N	7/12/2000	1	1	ND	ug/L
Chloroform	MW-1N	10/18/2000	1	1	ND	ug/L
Chloroform	MW-1N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-1N	4/12/2001	1	1	ND	ug/L
Chloroform	MW-1N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-1N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-1N	10/3/2002	1	1	ND	ug/L
Chloroform	MW-1N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-1N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-1N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-1N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-1N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-1N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-1N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-1N	1/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	10/24/2006	1	1	ND	ug/L
Chloroform	MW-1N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-1N	7/11/2007	1	1	ND	ug/L
Chloroform	MW-1N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-1N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroform	MW-1N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-1N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-1N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-1N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-1N	7/13/2011	1	1	ND	ug/L
Chloroform	MW-1N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-1N	5/1/2013	0.19	1	ND	ug/L
Chloroform	MW-1N	7/16/2013	0.17	1	ND	ug/L
Chloroform	MW-1N	1/24/2014	0.27	1	ND	ug/L
Chloroform	MW-1N	7/9/2014	0.34	1	ND	ug/L
Chloroform	MW-1N	2/10/2015	0.28	1	ND	ug/L
Chloroform	MW-1N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-1N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-1N	7/21/2016	0.3	1	ND	ug/L
Chloroform	MW-1N	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-1N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-1N	1/23/2018	0.34	1	ND	ug/L
Chloroform	MW-1N	7/10/2018	0.27	1	ND	ug/L
Chloroform	MW-1N	1/3/2019	0.34	1	ND	ug/L
Chloroform	MW-1N	7/11/2019	1	1	ND	ug/L
Chloroform	MW-1N	1/23/2020	1	1	ND	ug/L
Chloroform	MW-1N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-1N	7/6/2020	1	1	ND	ug/L
Chloroform	MW-1N	1/14/2021	1	1	ND	ug/L
Chloroform	MW-1N	7/4/2021	1	1	ND	ug/L
Chloroform	MW-1N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-20	6/5/2015	1	1	ND	ug/L
Chloroform	MW-20	7/14/2015	1	1	ND	ug/L
Chloroform	MW-20	8/4/2015	1	1	ND	ug/L
Chloroform	MW-20	9/2/2015	1	1	ND	ug/L
Chloroform	MW-20	1/7/2016	1	1	ND	ug/L
Chloroform	MW-20	4/5/2016	1	1	ND	ug/L
Chloroform	MW-20	7/20/2016	1	1	ND	ug/L
Chloroform	MW-20	10/5/2016	1	1	ND	ug/L
Chloroform	MW-20	1/12/2017	1	1	ND	ug/L
Chloroform	MW-20	7/18/2017	1	1	ND	ug/L
Chloroform	MW-20	1/26/2018	1	1	ND	ug/L
Chloroform	MW-20	7/12/2018	1	1	ND	ug/L
Chloroform	MW-20	7/11/2019	1	1	ND	ug/L
Chloroform	MW-20	1/14/2020	1	1	ND	ug/L
Chloroform	MW-20	7/7/2020	1	1	ND	ug/L
Chloroform	MW-20	1/17/2021	1	1	ND	ug/L
Chloroform	MW-20	7/4/2021	1	1	ND	ug/L
Chloroform	MW-20	1/11/2023	1	1	ND	ug/L
Chloroform	MW-21	6/5/2015	1	1	ND	ug/L
Chloroform	MW-21	7/14/2015	1	1	ND	ug/L
Chloroform	MW-21	8/4/2015	1	1	ND	ug/L
Chloroform	MW-21	9/2/2015	1	1	ND	ug/L
Chloroform	MW-21	1/7/2016	1	1	ND	ug/L
Chloroform	MW-21	4/5/2016	1	1	ND	ug/L
Chloroform	MW-21	7/20/2016	1	1	ND	ug/L
Chloroform	MW-21	10/5/2016	1	1	ND	ug/L
Chloroform	MW-21	10/5/2016	1	1	ND	ug/L
Chloroform	MW-21	1/10/2017	1	1	ND	ug/L
Chloroform	MW-21	4/5/2017	1	1	ND	ug/L
Chloroform	MW-21	7/19/2017	1	1	ND	ug/L
Chloroform	MW-21	10/6/2017	1	1	ND	ug/L
Chloroform	MW-21	1/24/2018	1	1	ND	ug/L
Chloroform	MW-21	4/11/2018	1	1	ND	ug/L
Chloroform	MW-21	7/11/2018	1	1	ND	ug/L
Chloroform	MW-21	10/4/2018	1	1	ND	ug/L
Chloroform	MW-21	1/3/2019	1	1	ND	ug/L
Chloroform	MW-21	4/3/2019	1	1	ND	ug/L
Chloroform	MW-21	7/11/2019	1	1	ND	ug/L
Chloroform	MW-21	10/2/2019	1	1	ND	ug/L
Chloroform	MW-21	1/16/2020	1	1	ND	ug/L
Chloroform	MW-21	4/2/2020	1	1	ND	ug/L
Chloroform	MW-21	7/8/2020	1	1	ND	ug/L
Chloroform	MW-21	10/7/2020	1	1	ND	ug/L
Chloroform	MW-21	1/13/2021	1	1	ND	ug/L
Chloroform	MW-21	4/6/2021	1	1	ND	ug/L
Chloroform	MW-21	7/5/2021	1	1	ND	ug/L
Chloroform	MW-21	10/6/2021	1	1	ND	ug/L
Chloroform	MW-21	1/11/2023	1	1	ND	ug/L
Chloroform	MW-21	4/8/2023	1	1	ND	ug/L
Chloroform	MW-2N	10/22/1997	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-2N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/28/1998	0.49	2.7		ug/L
Chloroform	MW-2N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-2N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-2N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-2N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-2N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-2N	7/10/2002	1	1	ND	ug/L
Chloroform	MW-2N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-2N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-2N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-2N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-2N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-2N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-2N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-2N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-2N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-2N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-2N	3/27/2007	1	1	ND	ug/L
Chloroform	MW-2N	7/11/2007	1	1	ND	ug/L
Chloroform	MW-2N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-2N	7/22/2008	1	1	ND	ug/L
Chloroform	MW-2N	2/4/2009	1	1	ND	ug/L
Chloroform	MW-2N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-2N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-2N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-2N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-2N	7/13/2011	1	1	ND	ug/L
Chloroform	MW-2N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-2N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-2N	7/16/2013	0.35	1	ND	ug/L
Chloroform	MW-2N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-2N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-2N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-2N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-2N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-2N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-2N	1/23/2018	1	1	ND	ug/L
Chloroform	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroform	MW-2N	1/3/2019	1	1	ND	ug/L
Chloroform	MW-2N	8/7/2019	1	1	ND	ug/L
Chloroform	MW-2N	1/23/2020	1	1	ND	ug/L
Chloroform	MW-2N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-2N	1/14/2021	1	1	ND	ug/L
Chloroform	MW-2N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-2N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-3N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-3N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/28/1998	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/23/1998	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-3N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/24/2000	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/11/2000	1	1	ND	ug/L
Chloroform	MW-3N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-3N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-3N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-3N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-3N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-3N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-3N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-3N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-3N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-3N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-3N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-3N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-3N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-3N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-3N	1/18/2006	1	1	ND	ug/L
Chloroform	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-3N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-3N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2007	1	1	ND	ug/L
Chloroform	MW-3N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-3N	7/22/2008	1	1	ND	ug/L
Chloroform	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroform	MW-3N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-3N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-3N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-3N	1/20/2011	0.84	1	ND	ug/L
Chloroform	MW-3N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-3N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroform	MW-3N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-3N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-3N	7/16/2013	1	1	ND	ug/L
Chloroform	MW-3N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-3N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-3N	4/1/2015	1	1	ND	ug/L
Chloroform	MW-3N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-3N	10/5/2015	1	1	ND	ug/L
Chloroform	MW-3N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	4/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	1/11/2017	0.18	1	ND	ug/L
Chloroform	MW-3N	4/4/2017	0.19	1	ND	ug/L
Chloroform	MW-3N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroform	MW-3N	1/24/2018	1	1	ND	ug/L
Chloroform	MW-3N	4/10/2018	1	1	ND	ug/L
Chloroform	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroform	MW-3N	10/3/2018	1	1	ND	ug/L
Chloroform	MW-3N	1/7/2019	0.18	1	ND	ug/L
Chloroform	MW-3N	4/3/2019	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-3N	10/2/2019	1	1	ND	ug/L
Chloroform	MW-3N	1/15/2020	1	1	ND	ug/L
Chloroform	MW-3N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-3N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-3N	10/7/2020	1	1	ND	ug/L
Chloroform	MW-3N	1/13/2021	1	1	ND	ug/L
Chloroform	MW-3N	4/6/2021	1	1	ND	ug/L
Chloroform	MW-3N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-3N	10/6/2021	1	1	ND	ug/L
Chloroform	MW-3N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-7N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	8/18/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	9/17/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/15/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	11/9/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	4/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/13/2000	2.7	2.7	ND	ug/L
Chloroform	MW-7N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-7N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-7N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-7N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-7N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-7N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-7N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-7N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-7N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-7N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-7N	1/27/2004	1	1	ND	ug/L
Chloroform	MW-7N	4/8/2004	1	1	ND	ug/L
Chloroform	MW-7N	7/26/2004	1	1	ND	ug/L
Chloroform	MW-7N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2005	1	1	ND	ug/L
Chloroform	MW-7N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	10/24/2006	1	1	ND	ug/L
Chloroform	MW-7N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-7N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroform	MW-7N	7/29/2009	1	1	ND	ug/L
Chloroform	MW-7N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-7N	7/14/2010	1	1	ND	ug/L
Chloroform	MW-7N	9/2/2010	1	1	ND	ug/L
Chloroform	MW-7N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-7N	7/12/2011	1	1	ND	ug/L
Chloroform	MW-7N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-7N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-7N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-7N	7/15/2013	1	1	ND	ug/L
Chloroform	MW-7N	1/30/2014	1	1	ND	ug/L
Chloroform	MW-7N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-7N	7/13/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-7N	1/5/2016	1	1	ND	ug/L
Chloroform	MW-7N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-7N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-7N	4/4/2017	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2017	0.16	1	ND	ug/L
Chloroform	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroform	MW-7N	1/25/2018	1	1	ND	ug/L
Chloroform	MW-7N	4/11/2018	1	1	ND	ug/L
Chloroform	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroform	MW-7N	1/4/2019	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2019	1	1	ND	ug/L
Chloroform	MW-7N	1/16/2020	1	1	ND	ug/L
Chloroform	MW-7N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-7N	1/16/2021	1	1	ND	ug/L
Chloroform	MW-7N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-7N	1/12/2022	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2022	1	1	ND	ug/L
Chloroform	MW-7N	1/10/2023	1	1	ND	ug/L
Chloroform	MW-8N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/22/1998	3.2	2.7		ug/L
Chloroform	MW-8N	4/28/1998	0.36	2.7		ug/L
Chloroform	MW-8N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/12/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	10/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-8N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-8N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-8N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-8N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-8N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-8N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-8N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-8N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-8N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-8N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-8N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-8N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-8N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-8N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	10/24/2006	1	1	ND	ug/L
Chloroform	MW-8N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-8N	4/25/2007	1	1	ND	ug/L
Chloroform	MW-8N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-8N	7/23/2008	1	1	ND	ug/L
Chloroform	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroform	MW-8N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-8N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2010	1	1	ND	ug/L
Chloroform	MW-8N	1/19/2011	1	1	ND	ug/L
Chloroform	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroform	MW-8N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-8N	1/6/2012	1	1	ND	ug/L
Chloroform	MW-8N	4/5/2012	1	1	ND	ug/L
Chloroform	MW-8N	7/11/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-8N	10/3/2012	1	1	ND	ug/L
Chloroform	MW-8N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-8N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2013	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroform	MW-8N	1/30/2014	1	1	ND	ug/L
Chloroform	MW-8N	4/3/2014	1	1	ND	ug/L
Chloroform	MW-8N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroform	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-8N	4/1/2015	1	1	ND	ug/L
Chloroform	MW-8N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-8N	10/5/2015	1	1	ND	ug/L
Chloroform	MW-8N	1/5/2016	1	1	ND	ug/L
Chloroform	MW-8N	4/6/2016	1	1	ND	ug/L
Chloroform	MW-8N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroform	MW-8N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-8N	4/4/2017	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroform	MW-8N	1/25/2018	1	1	ND	ug/L
Chloroform	MW-8N	4/10/2018	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2018	1	1	ND	ug/L
Chloroform	MW-8N	1/7/2019	1	1	ND	ug/L
Chloroform	MW-8N	4/3/2019	1	1	ND	ug/L
Chloroform	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroform	MW-8N	10/3/2019	1	1	ND	ug/L
Chloroform	MW-8N	1/15/2020	1	1	ND	ug/L
Chloroform	MW-8N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-8N	7/9/2020	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2020	1	1	ND	ug/L
Chloroform	MW-8N	1/15/2021	1	1	ND	ug/L
Chloroform	MW-8N	4/6/2021	1	1	ND	ug/L
Chloroform	MW-8N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2021	1	1	ND	ug/L
Chloroform	MW-8N	1/18/2022	1	1	ND	ug/L
Chloroform	MW-8N	4/4/2022	1	1	ND	ug/L
Chloroform	MW-8N	7/12/2022	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2022	1	1	ND	ug/L
Chloroform	MW-8N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-8N	4/8/2023	1	1	ND	ug/L
Chloroform	NE-1	7/10/2002	1	1	ND	ug/L
Chloroform	NE-1	8/6/2002	1	1	ND	ug/L
Chloroform	NE-1	9/4/2002	1	1	ND	ug/L
Chloroform	NE-1	10/2/2002	1	1	ND	ug/L
Chloroform	NE-1	7/8/2003	1	1	ND	ug/L
Chloroform	NE-1	1/27/2004	1	1	ND	ug/L
Chloroform	NE-1	1/12/2005	1	1	ND	ug/L
Chloroform	NE-1	7/19/2006	1	1	ND	ug/L
Chloroform	NE-1	7/19/2006	1	1	ND	ug/L
Chloroform	NE-1	10/25/2006	1	1	ND	ug/L
Chloroform	NE-1	1/24/2007	1	1	ND	ug/L
Chloroform	NE-1	7/10/2007	1	1	ND	ug/L
Chloroform	NE-1	1/24/2008	1	1	ND	ug/L
Chloroform	NE-1	7/21/2008	1	1	ND	ug/L
Chloroform	NE-1	2/7/2009	1	1	ND	ug/L
Chloroform	NE-1	7/31/2009	1	1	ND	ug/L
Chloroform	NE-1	1/26/2010	1	1	ND	ug/L
Chloroform	NE-1	7/14/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-1	9/2/2010	1	1	ND	ug/L
Chloroform	NE-1	1/19/2011	1	1	ND	ug/L
Chloroform	NE-1	7/13/2011	1	1	ND	ug/L
Chloroform	NE-1	1/5/2012	1	1	ND	ug/L
Chloroform	NE-1	7/10/2012	1	1	ND	ug/L
Chloroform	NE-1	4/30/2013	1	1	ND	ug/L
Chloroform	NE-1	7/16/2013	1	1	ND	ug/L
Chloroform	NE-1	1/23/2014	1	1	ND	ug/L
Chloroform	NE-1	7/9/2014	1	1	ND	ug/L
Chloroform	NE-1	2/11/2015	1	1	ND	ug/L
Chloroform	NE-1	7/8/2015	1	1	ND	ug/L
Chloroform	NE-1	1/6/2016	1	1	ND	ug/L
Chloroform	NE-1	7/20/2016	1	1	ND	ug/L
Chloroform	NE-1	1/11/2017	1	1	ND	ug/L
Chloroform	NE-1	7/19/2017	1	1	ND	ug/L
Chloroform	NE-1	1/24/2018	1	1	ND	ug/L
Chloroform	NE-1	4/11/2018	1	1	ND	ug/L
Chloroform	NE-1	7/18/2018	1	1	ND	ug/L
Chloroform	NE-1	10/2/2018	1	1	ND	ug/L
Chloroform	NE-1	1/4/2019	1	1	ND	ug/L
Chloroform	NE-1	4/2/2019	1	1	ND	ug/L
Chloroform	NE-1	7/10/2019	1	1	ND	ug/L
Chloroform	NE-1	7/10/2019	1	1	ND	ug/L
Chloroform	NE-1	10/2/2019	1	1	ND	ug/L
Chloroform	NE-1	1/15/2020	1	1	ND	ug/L
Chloroform	NE-1	4/2/2020	1	1	ND	ug/L
Chloroform	NE-1	7/8/2020	1	1	ND	ug/L
Chloroform	NE-1	10/7/2020	1	1	ND	ug/L
Chloroform	NE-1	1/13/2021	1	1	ND	ug/L
Chloroform	NE-1	4/9/2021	1	1	ND	ug/L
Chloroform	NE-1	7/2/2021	1	1	ND	ug/L
Chloroform	NE-1	10/6/2021	1	1	ND	ug/L
Chloroform	NE-1	1/17/2022	1	1	ND	ug/L
Chloroform	NE-1	4/6/2022	1	1	ND	ug/L
Chloroform	NE-1	7/13/2022	1	1	ND	ug/L
Chloroform	NE-1	10/6/2022	1	1	ND	ug/L
Chloroform	NE-1	1/5/2023	1	1	ND	ug/L
Chloroform	NE-1	4/7/2023	1	1	ND	ug/L
Chloroform	NE-10D	11/6/2019	0.24	1	ND	ug/L
Chloroform	NE-10D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-10D	4/2/2020	1	1	ND	ug/L
Chloroform	NE-10D	7/8/2020	1	1	ND	ug/L
Chloroform	NE-10D	10/7/2020	1	1	ND	ug/L
Chloroform	NE-10D	1/13/2021	1	1	ND	ug/L
Chloroform	NE-10D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-10D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-10D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-10D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-10D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-11	3/1/2017	1	1	ND	ug/L
Chloroform	NE-11	4/6/2017	1	1	ND	ug/L
Chloroform	NE-11	7/20/2017	1	1	ND	ug/L
Chloroform	NE-11	10/9/2017	1	1	ND	ug/L
Chloroform	NE-11	9/30/2019	1	1	ND	ug/L
Chloroform	NE-11	1/14/2020	1	1	ND	ug/L
Chloroform	NE-11	7/7/2020	1	1	ND	ug/L
Chloroform	NE-11	1/16/2021	1	1	ND	ug/L
Chloroform	NE-11	1/16/2021	1	1	ND	ug/L
Chloroform	NE-11	7/1/2021	1	1	ND	ug/L
Chloroform	NE-11	7/1/2021	1	1	ND	ug/L
Chloroform	NE-11	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-11	1/17/2022	1	1	ND	ug/L
Chloroform	NE-11	7/12/2022	1	1	ND	ug/L
Chloroform	NE-11	1/6/2023	1	1	ND	ug/L
Chloroform	NE-12	3/1/2017	1	1	ND	ug/L
Chloroform	NE-12	4/6/2017	1	1	ND	ug/L
Chloroform	NE-12	7/20/2017	1	1	ND	ug/L
Chloroform	NE-12	10/6/2017	1	1	ND	ug/L
Chloroform	NE-12	8/5/2019	1	1	ND	ug/L
Chloroform	NE-12	1/13/2020	1	1	ND	ug/L
Chloroform	NE-12	7/7/2020	1	1	ND	ug/L
Chloroform	NE-12	1/15/2021	1	1	ND	ug/L
Chloroform	NE-12	1/15/2021	1	1	ND	ug/L
Chloroform	NE-12	7/1/2021	1	1	ND	ug/L
Chloroform	NE-12	7/1/2021	1	1	ND	ug/L
Chloroform	NE-12	1/17/2022	1	1	ND	ug/L
Chloroform	NE-12	1/17/2022	1	1	ND	ug/L
Chloroform	NE-12	7/12/2022	1	1	ND	ug/L
Chloroform	NE-12	1/6/2023	1	1	ND	ug/L
Chloroform	NE-13	2/5/2019	1	1	ND	ug/L
Chloroform	NE-13	8/7/2019	1	1	ND	ug/L
Chloroform	NE-13	1/15/2020	1	1	ND	ug/L
Chloroform	NE-13	7/8/2020	1	1	ND	ug/L
Chloroform	NE-13	1/17/2021	1	1	ND	ug/L
Chloroform	NE-13	1/17/2021	1	1	ND	ug/L
Chloroform	NE-13	7/1/2021	1	1	ND	ug/L
Chloroform	NE-13	7/1/2021	1	1	ND	ug/L
Chloroform	NE-14D	10/2/2019	1	1	ND	ug/L
Chloroform	NE-14D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-14D	4/3/2020	1	1	ND	ug/L
Chloroform	NE-14D	7/7/2020	1	1	ND	ug/L
Chloroform	NE-14D	10/6/2020	1	1	ND	ug/L
Chloroform	NE-14D	1/17/2021	1	1	ND	ug/L
Chloroform	NE-14D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-14D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-14D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-14D	1/18/2022	1	1	ND	ug/L
Chloroform	NE-14D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-14D	7/13/2022	1	1	ND	ug/L
Chloroform	NE-14D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-14D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-14D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-14S	10/2/2019	1	1	ND	ug/L
Chloroform	NE-14S	1/16/2020	1	1	ND	ug/L
Chloroform	NE-14S	4/3/2020	1	1	ND	ug/L
Chloroform	NE-14S	7/7/2020	1	1	ND	ug/L
Chloroform	NE-14S	10/6/2020	1	1	ND	ug/L
Chloroform	NE-14S	1/17/2021	1	1	ND	ug/L
Chloroform	NE-14S	4/9/2021	1	1	ND	ug/L
Chloroform	NE-14S	7/2/2021	1	1	ND	ug/L
Chloroform	NE-14S	10/7/2021	1	1	ND	ug/L
Chloroform	NE-14S	1/18/2022	1	1	ND	ug/L
Chloroform	NE-14S	4/6/2022	1	1	ND	ug/L
Chloroform	NE-14S	7/13/2022	1	1	ND	ug/L
Chloroform	NE-14S	10/7/2022	1	1	ND	ug/L
Chloroform	NE-14S	1/6/2023	1	1	ND	ug/L
Chloroform	NE-14S	4/6/2023	1	1	ND	ug/L
Chloroform	NE-15D	9/30/2019	0.73	1	ND	ug/L
Chloroform	NE-15D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-15D	4/3/2020	1	1	ND	ug/L
Chloroform	NE-15D	7/7/2020	1	1	ND	ug/L
Chloroform	NE-15D	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-15D	1/17/2021	1	1	ND	ug/L
Chloroform	NE-15D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-15D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-15D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-15D	1/17/2022	1	1	ND	ug/L
Chloroform	NE-15D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-15D	7/13/2022	1	1	ND	ug/L
Chloroform	NE-15D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-15D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-15D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-15S	4/3/2020	1	1	ND	ug/L
Chloroform	NE-2	7/9/2002	1	1	ND	ug/L
Chloroform	NE-2	8/6/2002	1	1	ND	ug/L
Chloroform	NE-2	9/4/2002	0.22	1		ug/L
Chloroform	NE-2	10/2/2002	0.58	1		ug/L
Chloroform	NE-2	10/1/2013	1	1	ND	ug/L
Chloroform	NE-2	10/8/2014	1	1	ND	ug/L
Chloroform	NE-2	10/5/2015	1	1	ND	ug/L
Chloroform	NE-2	10/6/2016	1	1	ND	ug/L
Chloroform	NE-2	10/5/2017	1	1	ND	ug/L
Chloroform	NE-2	1/25/2018	1	1	ND	ug/L
Chloroform	NE-2	4/10/2018	1	1	ND	ug/L
Chloroform	NE-2	7/10/2018	1	1	ND	ug/L
Chloroform	NE-2	10/1/2018	1	1	ND	ug/L
Chloroform	NE-2	1/4/2019	1	1	ND	ug/L
Chloroform	NE-2	4/2/2019	1	1	ND	ug/L
Chloroform	NE-2	7/9/2019	1	1	ND	ug/L
Chloroform	NE-2	7/9/2019	1	1	ND	ug/L
Chloroform	NE-2	10/2/2019	1	1	ND	ug/L
Chloroform	NE-2	1/14/2020	1	1	ND	ug/L
Chloroform	NE-2	4/1/2020	1	1	ND	ug/L
Chloroform	NE-2	7/7/2020	1	1	ND	ug/L
Chloroform	NE-2	10/6/2020	1	1	ND	ug/L
Chloroform	NE-2	1/14/2021	1	1	ND	ug/L
Chloroform	NE-2	4/9/2021	1	1	ND	ug/L
Chloroform	NE-2	7/2/2021	1	1	ND	ug/L
Chloroform	NE-2	10/6/2021	1	1	ND	ug/L
Chloroform	NE-2	1/18/2022	1	1	ND	ug/L
Chloroform	NE-2	4/6/2022	1	1	ND	ug/L
Chloroform	NE-2	7/13/2022	1	1	ND	ug/L
Chloroform	NE-2	10/7/2022	1	1	ND	ug/L
Chloroform	NE-2	1/5/2023	1	1	ND	ug/L
Chloroform	NE-2	4/5/2023	1	1	ND	ug/L
Chloroform	NE-3	7/9/2002	1	1	ND	ug/L
Chloroform	NE-3	8/6/2002	1	1	ND	ug/L
Chloroform	NE-3	9/4/2002	1	1	ND	ug/L
Chloroform	NE-3	10/2/2002	1	1	ND	ug/L
Chloroform	NE-3	9/2/2010	1	1	ND	ug/L
Chloroform	NE-3	3/21/2018	1	1	ND	ug/L
Chloroform	NE-4	7/10/2002	0.35	1		ug/L
Chloroform	NE-4	8/6/2002	0.23	1		ug/L
Chloroform	NE-4	9/4/2002	1	1	ND	ug/L
Chloroform	NE-4	10/3/2002	0.42	1		ug/L
Chloroform	NE-4	4/15/2003	1	1	ND	ug/L
Chloroform	NE-4	7/8/2003	1	1	ND	ug/L
Chloroform	NE-4	1/28/2004	1	1	ND	ug/L
Chloroform	NE-4	1/13/2005	1	1	ND	ug/L
Chloroform	NE-4	8/1/2006	1	1	ND	ug/L
Chloroform	NE-4	8/1/2006	1	1	ND	ug/L
Chloroform	NE-4	10/25/2006	1	1	ND	ug/L
Chloroform	NE-4	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-4	7/12/2007	1	1	ND	ug/L
Chloroform	NE-4	1/24/2008	1	1	ND	ug/L
Chloroform	NE-4	7/21/2008	1	1	ND	ug/L
Chloroform	NE-4	2/7/2009	1	1	ND	ug/L
Chloroform	NE-4	7/31/2009	1	1	ND	ug/L
Chloroform	NE-4	1/26/2010	1	1	ND	ug/L
Chloroform	NE-4	7/14/2010	1	1	ND	ug/L
Chloroform	NE-4	1/19/2011	1	1	ND	ug/L
Chloroform	NE-4	7/13/2011	1	1	ND	ug/L
Chloroform	NE-4	1/5/2012	1	1	ND	ug/L
Chloroform	NE-4	7/10/2012	1	1	ND	ug/L
Chloroform	NE-4	4/30/2013	1	1	ND	ug/L
Chloroform	NE-4	7/16/2013	1	1	ND	ug/L
Chloroform	NE-4	1/23/2014	1	1	ND	ug/L
Chloroform	NE-4	7/9/2014	1	1	ND	ug/L
Chloroform	NE-4	2/13/2015	1	1	ND	ug/L
Chloroform	NE-4	7/8/2015	1	1	ND	ug/L
Chloroform	NE-4	1/6/2016	1	1	ND	ug/L
Chloroform	NE-4	7/20/2016	1	1	ND	ug/L
Chloroform	NE-4	1/11/2017	1	1	ND	ug/L
Chloroform	NE-4	7/19/2017	1	1	ND	ug/L
Chloroform	NE-4	1/26/2018	1	1	ND	ug/L
Chloroform	NE-4	4/10/2018	1	1	ND	ug/L
Chloroform	NE-4	7/12/2018	1	1	ND	ug/L
Chloroform	NE-4	10/3/2018	1	1	ND	ug/L
Chloroform	NE-4	1/7/2019	1	1	ND	ug/L
Chloroform	NE-4	4/2/2019	1	1	ND	ug/L
Chloroform	NE-4	7/8/2019	1	1	ND	ug/L
Chloroform	NE-4	7/8/2019	1	1	ND	ug/L
Chloroform	NE-4	10/1/2019	1	1	ND	ug/L
Chloroform	NE-4	1/13/2020	1	1	ND	ug/L
Chloroform	NE-4	4/1/2020	1	1	ND	ug/L
Chloroform	NE-4	7/6/2020	1	1	ND	ug/L
Chloroform	NE-4	10/5/2020	1	1	ND	ug/L
Chloroform	NE-4	1/15/2021	1	1	ND	ug/L
Chloroform	NE-4	4/9/2021	1	1	ND	ug/L
Chloroform	NE-4	7/2/2021	1	1	ND	ug/L
Chloroform	NE-4	10/6/2021	1	1	ND	ug/L
Chloroform	NE-4	1/5/2023	1	1	ND	ug/L
Chloroform	NE-4	4/6/2023	1	1	ND	ug/L
Chloroform	NE-5	7/9/2002	1	1	ND	ug/L
Chloroform	NE-5	8/6/2002	1	1	ND	ug/L
Chloroform	NE-5	9/4/2002	1	1	ND	ug/L
Chloroform	NE-5	10/2/2002	1	1	ND	ug/L
Chloroform	NE-5	4/15/2003	1	1	ND	ug/L
Chloroform	NE-5	7/8/2003	1	1	ND	ug/L
Chloroform	NE-5	1/27/2004	1	1	ND	ug/L
Chloroform	NE-5	1/12/2005	1	1	ND	ug/L
Chloroform	NE-5	7/19/2006	1	1	ND	ug/L
Chloroform	NE-5	7/19/2006	1	1	ND	ug/L
Chloroform	NE-5	10/25/2006	1	1	ND	ug/L
Chloroform	NE-5	1/24/2007	1	1	ND	ug/L
Chloroform	NE-5	7/12/2007	1	1	ND	ug/L
Chloroform	NE-5	7/22/2008	1	1	ND	ug/L
Chloroform	NE-5	2/6/2009	1	1	ND	ug/L
Chloroform	NE-5	7/31/2009	1	1	ND	ug/L
Chloroform	NE-5	1/26/2010	1	1	ND	ug/L
Chloroform	NE-5	7/16/2010	1	1	ND	ug/L
Chloroform	NE-5	9/2/2010	1	1	ND	ug/L
Chloroform	NE-5	1/19/2011	1	1	ND	ug/L
Chloroform	NE-5	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-5	1/5/2012	1	1	ND	ug/L
Chloroform	NE-5	7/10/2012	1	1	ND	ug/L
Chloroform	NE-5	4/30/2013	1	1	ND	ug/L
Chloroform	NE-5	7/16/2013	1	1	ND	ug/L
Chloroform	NE-5	1/23/2014	1	1	ND	ug/L
Chloroform	NE-5	7/9/2014	1	1	ND	ug/L
Chloroform	NE-5	2/11/2015	1	1	ND	ug/L
Chloroform	NE-5	7/14/2015	1	1	ND	ug/L
Chloroform	NE-5	1/6/2016	1	1	ND	ug/L
Chloroform	NE-5	7/20/2016	1	1	ND	ug/L
Chloroform	NE-5	1/11/2017	1	1	ND	ug/L
Chloroform	NE-5	7/19/2017	1	1	ND	ug/L
Chloroform	NE-5	1/25/2018	1	1	ND	ug/L
Chloroform	NE-5	4/10/2018	1	1	ND	ug/L
Chloroform	NE-5	7/17/2018	1	1	ND	ug/L
Chloroform	NE-5	10/3/2018	1	1	ND	ug/L
Chloroform	NE-5	1/4/2019	1	1	ND	ug/L
Chloroform	NE-5	4/2/2019	1	1	ND	ug/L
Chloroform	NE-5	4/2/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	10/3/2019	1	1	ND	ug/L
Chloroform	NE-5	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5	4/2/2020	1	1	ND	ug/L
Chloroform	NE-5	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5	4/9/2021	1	1	ND	ug/L
Chloroform	NE-5	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5	10/6/2021	1	1	ND	ug/L
Chloroform	NE-5	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5	4/7/2023	1	1	ND	ug/L
Chloroform	NE-5E	9/30/2019	0.24	1	ND	ug/L
Chloroform	NE-5E	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5E	4/1/2020	1	1	ND	ug/L
Chloroform	NE-5E	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5E	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5E	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5E	4/9/2021	1	1	ND	ug/L
Chloroform	NE-5E	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5E	10/6/2021	1	1	ND	ug/L
Chloroform	NE-5E	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5E	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5E	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5E	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5E	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5E	4/7/2023	1	1	ND	ug/L
Chloroform	NE-5W	9/30/2019	1.7	1		ug/L
Chloroform	NE-5W	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5W	4/2/2020	1	1	ND	ug/L
Chloroform	NE-5W	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5W	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5W	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5W	4/9/2021	1	1	ND	ug/L
Chloroform	NE-5W	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5W	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-5W	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5W	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5W	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5W	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5W	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5W	4/7/2023	1	1	ND	ug/L
Chloroform	NE-6	1/12/2017	1	1	ND	ug/L
Chloroform	NE-6	4/5/2017	1	1	ND	ug/L
Chloroform	NE-6	7/19/2017	1	1	ND	ug/L
Chloroform	NE-6	10/6/2017	1	1	ND	ug/L
Chloroform	NE-6	2/4/2019	1	1	ND	ug/L
Chloroform	NE-6	8/6/2019	1	1	ND	ug/L
Chloroform	NE-6	1/15/2020	1	1	ND	ug/L
Chloroform	NE-6	7/9/2020	1	1	ND	ug/L
Chloroform	NE-6	1/16/2021	1	1	ND	ug/L
Chloroform	NE-6	1/16/2021	1	1	ND	ug/L
Chloroform	NE-6	7/1/2021	1	1	ND	ug/L
Chloroform	NE-6	7/1/2021	1	1	ND	ug/L
Chloroform	NE-6	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6	7/12/2022	1	1	ND	ug/L
Chloroform	NE-6	1/5/2023	1	1	ND	ug/L
Chloroform	NE-6D	10/2/2019	1.2	1		ug/L
Chloroform	NE-6D	1/15/2020	1	1	ND	ug/L
Chloroform	NE-6D	4/2/2020	1	1	ND	ug/L
Chloroform	NE-6D	7/9/2020	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2020	1.29	1		ug/L
Chloroform	NE-6D	1/15/2021	1	1	ND	ug/L
Chloroform	NE-6D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-6D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-6D	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-6D	7/12/2022	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-6D	1/5/2023	1	1	ND	ug/L
Chloroform	NE-6D	4/7/2023	1	1	ND	ug/L
Chloroform	NE-7	3/1/2017	1	1	ND	ug/L
Chloroform	NE-7	4/6/2017	1	1	ND	ug/L
Chloroform	NE-7	7/20/2017	1	1	ND	ug/L
Chloroform	NE-7	10/5/2017	1	1	ND	ug/L
Chloroform	NE-7	2/6/2019	1	1	ND	ug/L
Chloroform	NE-7	8/6/2019	1	1	ND	ug/L
Chloroform	NE-7	1/16/2020	1	1	ND	ug/L
Chloroform	NE-7	7/7/2020	1	1	ND	ug/L
Chloroform	NE-7	1/16/2021	1	1	ND	ug/L
Chloroform	NE-7	1/16/2021	1	1	ND	ug/L
Chloroform	NE-7	7/1/2021	1	1	ND	ug/L
Chloroform	NE-7	7/1/2021	1	1	ND	ug/L
Chloroform	NE-7	1/17/2022	1	1	ND	ug/L
Chloroform	NE-7	1/17/2022	1	1	ND	ug/L
Chloroform	NE-7	7/12/2022	1	1	ND	ug/L
Chloroform	NE-7	1/5/2023	1	1	ND	ug/L
Chloroform	NE-8	1/12/2017	1	1	ND	ug/L
Chloroform	NE-8	4/5/2017	1	1	ND	ug/L
Chloroform	NE-8	7/20/2017	1	1	ND	ug/L
Chloroform	NE-8	10/6/2017	1	1	ND	ug/L
Chloroform	NE-8	2/4/2019	1	1	ND	ug/L
Chloroform	NE-8	8/5/2019	1	1	ND	ug/L
Chloroform	NE-8	1/15/2020	1	1	ND	ug/L
Chloroform	NE-8	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-8	1/13/2021	1	1	ND	ug/L
Chloroform	NE-8	1/13/2021	1	1	ND	ug/L
Chloroform	NE-8	4/9/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	10/7/2021	1	1	ND	ug/L
Chloroform	NE-8	1/6/2023	1	1	ND	ug/L
Chloroform	NE-9	1/12/2017	0.25	1	ND	ug/L
Chloroform	NE-9	4/5/2017	0.17	1	ND	ug/L
Chloroform	NE-9	7/20/2017	0.31	1	ND	ug/L
Chloroform	NE-9	10/5/2017	0.19	1	ND	ug/L
Chloroform	NE-9	2/5/2019	1	1	ND	ug/L
Chloroform	NE-9	8/7/2019	1	1	ND	ug/L
Chloroform	NE-9	1/15/2020	1	1	ND	ug/L
Chloroform	NE-9	7/7/2020	1	1	ND	ug/L
Chloroform	NE-9	1/17/2021	1	1	ND	ug/L
Chloroform	NE-9	1/17/2021	1	1	ND	ug/L
Chloroform	NE-9	7/1/2021	1	1	ND	ug/L
Chloroform	NE-9	7/1/2021	1	1	ND	ug/L
Chloroform	NE-9	1/17/2022	1	1	ND	ug/L
Chloroform	NE-9	1/17/2022	1	1	ND	ug/L
Chloroform	NE-9	7/13/2022	1	1	ND	ug/L
Chloroform	NE-9	1/6/2023	1	1	ND	ug/L
Chloroform	NE-9	4/8/2023	1	1	ND	ug/L
Chloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Chloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Chloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Chloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Chloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Chloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Chloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Chloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Chloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Chloromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Chloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Chloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Chloromethane	LGW-10	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Chloromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Chloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Chloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Chloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Chloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Chloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Chloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Chloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-2	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Chloromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Chloromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Chloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Chloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Chloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Chloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Chloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Chloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Chloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Chloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Chloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-5	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Chloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Chloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-6	5/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Chloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Chloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Chloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Chloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Chloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Chloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Chloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Chloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Chloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-7	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Chloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Chloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Chloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Chloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Chloromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Chloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Chloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Chloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Chloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Chloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Chloromethane	MW-10N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-10N	1/22/1998	10	10	ND	ug/L
Chloromethane	MW-10N	4/28/1998	20	20	ND	ug/L
Chloromethane	MW-10N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-10N	1/14/1999	10	10	ND	ug/L
Chloromethane	MW-10N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-10N	7/15/1999	10	10	ND	ug/L
Chloromethane	MW-10N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-10N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-10N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Chloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Chloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Chloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Chloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Chloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Chloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Chloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-11N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-11N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-11N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-11N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-11N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-11N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-11N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-11N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-11N	1/13/2000	10	10	ND	ug/L
Chloromethane	MW-11N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Chloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Chloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Chloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Chloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-11N	1/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Chloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Chloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Chloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Chloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Chloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Chloromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Chloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Chloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Chloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Chloromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Chloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Chloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-15	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-15	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Chloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-16	1/8/2016	1	1	ND	ug/L
Chloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-16	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-16	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Chloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Chloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-16	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-16	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Chloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-17	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-17	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Chloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-19	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-19	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-1N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-1N	1/20/1998	10	10	ND	ug/L
Chloromethane	MW-1N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-1N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-1N	10/14/1998	10	10	ND	ug/L
Chloromethane	MW-1N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-1N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-1N	5/19/1999	10	10	ND	ug/L
Chloromethane	MW-1N	7/15/1999	10	10	ND	ug/L
Chloromethane	MW-1N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-1N	1/14/2000	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-1N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Chloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Chloromethane	MW-1N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Chloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Chloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Chloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Chloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Chloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Chloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-20	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-20	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-20	1/26/2018	1	1	ND	ug/L
Chloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Chloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Chloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Chloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Chloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Chloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Chloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-21	4/3/2019	1	1	ND	ug/L
Chloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Chloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Chloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Chloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Chloromethane	MW-2N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-2N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-2N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-2N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-2N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-2N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-2N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-2N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-2N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-2N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Chloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-2N	1/12/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Chloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Chloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Chloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Chloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Chloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-3N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-3N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-3N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-3N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-3N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-3N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-3N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-3N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-3N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-3N	4/24/2000	10	10	ND	ug/L
Chloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Chloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Chloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-3N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-3N	1/12/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Chloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Chloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Chloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Chloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Chloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Chloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Chloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Chloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Chloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Chloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-7N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-7N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-7N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-7N	8/18/1998	10	10	ND	ug/L
Chloromethane	MW-7N	9/17/1998	10	10	ND	ug/L
Chloromethane	MW-7N	10/15/1998	10	10	ND	ug/L
Chloromethane	MW-7N	11/9/1998	10	10	ND	ug/L
Chloromethane	MW-7N	1/14/1999	10	10	ND	ug/L
Chloromethane	MW-7N	4/14/1999	10	10	ND	ug/L
Chloromethane	MW-7N	7/14/1999	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-7N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-7N	1/13/2000	10	10	ND	ug/L
Chloromethane	MW-7N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Chloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-7N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Chloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Chloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Chloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Chloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Chloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Chloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Chloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Chloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Chloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Chloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Chloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Chloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Chloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Chloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Chloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Chloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Chloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Chloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-8N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-8N	1/22/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-8N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-8N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-8N	1/12/1999	10	10	ND	ug/L
Chloromethane	MW-8N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-8N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-8N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-8N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-8N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Chloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-8N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-8N	1/12/2005	1.1	1		ug/L
Chloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Chloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Chloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Chloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Chloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Chloromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Chloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Chloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Chloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Chloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Chloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Chloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Chloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Chloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Chloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Chloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Chloromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Chloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Chloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Chloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Chloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Chloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Chloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Chloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Chloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Chloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Chloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Chloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Chloromethane	NE-1	1/12/2005	1.1	1		ug/L
Chloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-1	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2007	1	1	ND	ug/L
Chloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Chloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Chloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Chloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Chloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Chloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Chloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Chloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Chloromethane	NE-1	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Chloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Chloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Chloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2018	1	1	ND	ug/L
Chloromethane	NE-1	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Chloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Chloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Chloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Chloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-12	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Chloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Chloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-13	2/5/2019	1	1	ND	ug/L
Chloromethane	NE-13	8/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-13	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Chloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Chloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Chloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2016	1	1	ND	ug/L
Chloromethane	NE-2	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Chloromethane	NE-2	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Chloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Chloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Chloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Chloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-2	1/14/2021	1	1	ND	ug/L
Chloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Chloromethane	NE-3	7/9/2002	1	1	ND	ug/L
Chloromethane	NE-3	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-3	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-3	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-3	9/2/2010	1	1	ND	ug/L
Chloromethane	NE-3	3/21/2018	1	1	ND	ug/L
Chloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Chloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Chloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-4	1/28/2004	1	1	ND	ug/L
Chloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Chloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloromethane	NE-4	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Chloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Chloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Chloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Chloromethane	NE-4	7/31/2009	1	1	ND	ug/L
Chloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Chloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Chloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Chloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-4	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-4	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-4	1/26/2018	1	1	ND	ug/L
Chloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Chloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Chloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Chloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Chloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Chloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Chloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Chloromethane	NE-4	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Chloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Chloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Chloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-5	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Chloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Chloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Chloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Chloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Chloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Chloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-5	7/13/2011	1	1	ND	ug/L
Chloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Chloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Chloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Chloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Chloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Chloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Chloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Chloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Chloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Chloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-6	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-6	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-6	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Chloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Chloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Chloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Chloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Chloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Chloromethane	NE-9	2/5/2019	1	1	ND	ug/L
Chloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Chloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-9	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Chloroprene	LGW-10	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-10	2/12/2015	1	1	ND	ug/L
Chloroprene	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroprene	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroprene	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroprene	LGW-10	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-10	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-10	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-10	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-14R	10/27/2006	1	1	ND	ug/L
Chloroprene	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloroprene	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroprene	LGW-14R	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-2	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-2	2/6/2009	1	1	ND	ug/L
Chloroprene	LGW-2	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-2	2/13/2015	1	1	ND	ug/L
Chloroprene	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-2	7/8/2020	50	50	ND	ug/L
Chloroprene	LGW-2	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-3R	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloroprene	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloroprene	LGW-3R	7/6/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-4	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-4	2/3/2009	1	1	ND	ug/L
Chloroprene	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-4	7/11/2018	1	1	ND	ug/L
Chloroprene	LGW-4	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-5	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-5	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-5	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-5	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroprene	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroprene	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-6	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-6	10/6/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-7	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroprene	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-7	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-7	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-7	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-8R	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroprene	LGW-8R	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroprene	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroprene	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-9	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-9	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-10N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroprene	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-10N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-11N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-11N	2/3/2009	1	1	ND	ug/L
Chloroprene	MW-11N	7/9/2012	1	1	ND	ug/L
Chloroprene	MW-11N	2/10/2015	1	1	ND	ug/L
Chloroprene	MW-11N	7/17/2018	1	1	ND	ug/L
Chloroprene	MW-11N	7/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-15	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-15	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-16	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-16	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-17	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-17	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-19	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-19	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-1N	10/14/1998	5	5	ND	ug/L
Chloroprene	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-1N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-1N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroprene	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-1N	2/10/2015	1	1	ND	ug/L
Chloroprene	MW-1N	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-1N	7/6/2020	50	50	ND	ug/L
Chloroprene	MW-1N	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-20	7/12/2018	1	1	ND	ug/L
Chloroprene	MW-20	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-21	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	MW-21	10/6/2017	1	1	ND	ug/L
Chloroprene	MW-21	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-21	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-21	7/8/2020	50	50	ND	ug/L
Chloroprene	MW-21	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-21	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-21	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-2N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-2N	2/4/2009	1	1	ND	ug/L
Chloroprene	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroprene	MW-2N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-3N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-3N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroprene	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroprene	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroprene	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroprene	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-3N	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-3N	7/7/2020	50	50	ND	ug/L
Chloroprene	MW-3N	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-7N	10/15/1998	5	5	ND	ug/L
Chloroprene	MW-7N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-7N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-7N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroprene	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroprene	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-7N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-8N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-8N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroprene	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroprene	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroprene	MW-8N	7/11/2012	1	1	ND	ug/L
Chloroprene	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroprene	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroprene	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroprene	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroprene	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroprene	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-8N	7/9/2020	50	50	ND	ug/L
Chloroprene	MW-8N	10/6/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	NE-1	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-1	2/7/2009	1	1	ND	ug/L
Chloroprene	NE-1	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-1	2/11/2015	1	1	ND	ug/L
Chloroprene	NE-1	7/18/2018	1	1	ND	ug/L
Chloroprene	NE-2	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	NE-4	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-4	2/7/2009	1	1	ND	ug/L
Chloroprene	NE-4	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-4	2/13/2015	1	1	ND	ug/L
Chloroprene	NE-4	7/12/2018	1	1	ND	ug/L
Chloroprene	NE-5	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-5	2/6/2009	1	1	ND	ug/L
Chloroprene	NE-5	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-5	2/11/2015	1	1	ND	ug/L
Chloroprene	NE-5	7/17/2018	1	1	ND	ug/L
Chloroprene	NE-5	7/9/2019	1	1	ND	ug/L
Chromium, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Chromium, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Chromium, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Chromium, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-7N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-7N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-7N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-8N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-8N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-3	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	NE-3	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-3	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-3	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	10/3/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	9/4/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, dissolved	NE-5	10/2/2002	10	10	ND	ug/L
Chromium, total	LGW-10	1/26/2006	3	3	ND	ug/L
Chromium, total	LGW-10	8/1/2006	2.1	3	ND	ug/L
Chromium, total	LGW-10	8/1/2006	2.1	3	ND	ug/L
Chromium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-10	1/9/2007	0.8	3	ND	ug/L
Chromium, total	LGW-10	1/25/2007	0.6	3	ND	ug/L
Chromium, total	LGW-10	4/26/2007	3	3	ND	ug/L
Chromium, total	LGW-10	7/12/2007	3	3	ND	ug/L
Chromium, total	LGW-10	1/23/2008	3	3	ND	ug/L
Chromium, total	LGW-10	7/22/2008	3	3	ND	ug/L
Chromium, total	LGW-10	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Chromium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Chromium, total	LGW-10	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-10	1/19/2011	3	3	ND	ug/L
Chromium, total	LGW-10	7/12/2011	3	3	ND	ug/L
Chromium, total	LGW-10	1/5/2012	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2012	3	3	ND	ug/L
Chromium, total	LGW-10	5/1/2013	3	3	ND	ug/L
Chromium, total	LGW-10	1/30/2014	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2014	3	3	ND	ug/L
Chromium, total	LGW-10	2/12/2015	3	3	ND	ug/L
Chromium, total	LGW-10	7/13/2015	3	3	ND	ug/L
Chromium, total	LGW-10	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-10	4/6/2016	1.6	3	ND	ug/L
Chromium, total	LGW-10	7/21/2016	3	3	ND	ug/L
Chromium, total	LGW-10	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-10	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-10	4/4/2017	3	3	ND	ug/L
Chromium, total	LGW-10	7/19/2017	3	3	ND	ug/L
Chromium, total	LGW-10	10/9/2017	3	3	ND	ug/L
Chromium, total	LGW-10	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-10	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-10	7/16/2018	3	3	ND	ug/L
Chromium, total	LGW-10	10/4/2018	3	3	ND	ug/L
Chromium, total	LGW-10	1/4/2019	3	3	ND	ug/L
Chromium, total	LGW-10	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-10	7/11/2019	6	6	ND	ug/L
Chromium, total	LGW-10	10/2/2019	3	3	ND	ug/L
Chromium, total	LGW-10	1/15/2020	3	3	ND	ug/L
Chromium, total	LGW-10	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-10	10/7/2020	3	3	ND	ug/L
Chromium, total	LGW-10	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-10	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-10	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-10	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-10	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-10	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-10	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-10	10/7/2022	3	3	ND	ug/L
Chromium, total	LGW-10	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-10	4/5/2023	3	3	ND	ug/L
Chromium, total	LGW-14R	1/25/2006	9.2	3		ug/L
Chromium, total	LGW-14R	8/2/2006	17	3		ug/L
Chromium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Chromium, total	LGW-14R	1/9/2007	4.3	3		ug/L
Chromium, total	LGW-14R	1/24/2007	2.2	3	ND	ug/L
Chromium, total	LGW-14R	4/24/2007	5.4	3		ug/L
Chromium, total	LGW-14R	7/11/2007	19	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-14R	1/23/2008	2.6	3	ND	ug/L
Chromium, total	LGW-14R	7/22/2008	1.2	3	ND	ug/L
Chromium, total	LGW-14R	2/6/2009	43	3		ug/L
Chromium, total	LGW-14R	7/29/2009	0.8	3	ND	ug/L
Chromium, total	LGW-14R	2/3/2010	1	3	ND	ug/L
Chromium, total	LGW-14R	2/3/2010	1	3	ND	ug/L
Chromium, total	LGW-14R	7/12/2010	0.7	3	ND	ug/L
Chromium, total	LGW-14R	1/19/2011	1.3	3	ND	ug/L
Chromium, total	LGW-14R	7/12/2011	1.2	3	ND	ug/L
Chromium, total	LGW-14R	1/5/2012	1.3	3	ND	ug/L
Chromium, total	LGW-14R	7/9/2012	1.3	3	ND	ug/L
Chromium, total	LGW-14R	4/30/2013	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/23/2014	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/8/2014	0.8	3	ND	ug/L
Chromium, total	LGW-14R	2/11/2015	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/22/2015	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/5/2016	1.2	3	ND	ug/L
Chromium, total	LGW-14R	7/19/2016	0.9	3	ND	ug/L
Chromium, total	LGW-14R	1/11/2017	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/18/2017	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/25/2018	1.1	3	ND	ug/L
Chromium, total	LGW-14R	7/17/2018	1.1	3	ND	ug/L
Chromium, total	LGW-14R	1/3/2019	0.96	3	ND	ug/L
Chromium, total	LGW-14R	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-14R	1/18/2021	3.51	3		ug/L
Chromium, total	LGW-14R	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-14R	7/7/2021	3.48	3		ug/L
Chromium, total	LGW-14R	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-2	1/25/2006	3.3	3		ug/L
Chromium, total	LGW-2	8/1/2006	3	3		ug/L
Chromium, total	LGW-2	8/1/2006	3	3		ug/L
Chromium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-2	1/9/2007	1.9	3	ND	ug/L
Chromium, total	LGW-2	1/25/2007	2	3	ND	ug/L
Chromium, total	LGW-2	4/26/2007	1.1	3	ND	ug/L
Chromium, total	LGW-2	7/10/2007	0.9	3	ND	ug/L
Chromium, total	LGW-2	1/26/2008	56	3		ug/L
Chromium, total	LGW-2	7/23/2008	2.2	3	ND	ug/L
Chromium, total	LGW-2	2/6/2009	13	3		ug/L
Chromium, total	LGW-2	7/30/2009	7.3	3		ug/L
Chromium, total	LGW-2	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-2	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-2	7/12/2010	1.3	3	ND	ug/L
Chromium, total	LGW-2	1/19/2011	2.7	3	ND	ug/L
Chromium, total	LGW-2	7/13/2011	0.9	3	ND	ug/L
Chromium, total	LGW-2	1/4/2012	0.8	3	ND	ug/L
Chromium, total	LGW-2	7/9/2012	0.8	3	ND	ug/L
Chromium, total	LGW-2	4/30/2013	1.5	3	ND	ug/L
Chromium, total	LGW-2	7/15/2013	1.2	3	ND	ug/L
Chromium, total	LGW-2	1/30/2014	1.7	3	ND	ug/L
Chromium, total	LGW-2	7/8/2014	0.7	3	ND	ug/L
Chromium, total	LGW-2	2/13/2015	1.8	3	ND	ug/L
Chromium, total	LGW-2	7/8/2015	1.2	3	ND	ug/L
Chromium, total	LGW-2	1/5/2016	1.3	3	ND	ug/L
Chromium, total	LGW-2	7/19/2016	1	3	ND	ug/L
Chromium, total	LGW-2	1/11/2017	1.5	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-2	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-2	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-2	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-2	1/3/2019	3	3	ND	ug/L
Chromium, total	LGW-2	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-2	1/13/2020	3	3	ND	ug/L
Chromium, total	LGW-2	4/1/2020	3	3	ND	ug/L
Chromium, total	LGW-2	7/8/2020	3	3	ND	ug/L
Chromium, total	LGW-2	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-2	7/4/2021	3	3	ND	ug/L
Chromium, total	LGW-2	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-2	7/10/2022	3	3	ND	ug/L
Chromium, total	LGW-2	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-3R	7/20/2006	4	3		ug/L
Chromium, total	LGW-3R	7/20/2006	4	3		ug/L
Chromium, total	LGW-3R	10/26/2006	11	10		ug/L
Chromium, total	LGW-3R	1/8/2007	3.5	3		ug/L
Chromium, total	LGW-3R	1/25/2007	1.4	3	ND	ug/L
Chromium, total	LGW-3R	4/26/2007	0.6	3	ND	ug/L
Chromium, total	LGW-3R	7/11/2007	0.9	3	ND	ug/L
Chromium, total	LGW-3R	1/26/2008	5.9	3		ug/L
Chromium, total	LGW-3R	7/23/2008	0.7	3	ND	ug/L
Chromium, total	LGW-3R	2/3/2009	1	3	ND	ug/L
Chromium, total	LGW-3R	7/31/2009	4.5	3		ug/L
Chromium, total	LGW-3R	2/3/2010	0.9	3	ND	ug/L
Chromium, total	LGW-3R	2/3/2010	0.9	3	ND	ug/L
Chromium, total	LGW-3R	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-3R	1/19/2011	0.7	3	ND	ug/L
Chromium, total	LGW-3R	7/13/2011	0.8	3	ND	ug/L
Chromium, total	LGW-3R	1/4/2012	1	3	ND	ug/L
Chromium, total	LGW-3R	7/9/2012	0.7	3	ND	ug/L
Chromium, total	LGW-3R	4/30/2013	2.1	3	ND	ug/L
Chromium, total	LGW-3R	7/15/2013	3.2	3		ug/L
Chromium, total	LGW-3R	1/22/2014	1.2	3	ND	ug/L
Chromium, total	LGW-3R	7/8/2014	1.2	3	ND	ug/L
Chromium, total	LGW-3R	2/10/2015	1.2	3	ND	ug/L
Chromium, total	LGW-3R	7/16/2015	0.7	3	ND	ug/L
Chromium, total	LGW-3R	1/8/2016	1	3	ND	ug/L
Chromium, total	LGW-3R	7/21/2016	5.3	3		ug/L
Chromium, total	LGW-3R	1/11/2017	1.5	3	ND	ug/L
Chromium, total	LGW-3R	7/18/2017	0.9	3	ND	ug/L
Chromium, total	LGW-3R	1/23/2018	0.66	3	ND	ug/L
Chromium, total	LGW-3R	7/11/2018	0.62	3	ND	ug/L
Chromium, total	LGW-3R	1/3/2019	0.55	3	ND	ug/L
Chromium, total	LGW-3R	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-3R	1/18/2021	3.06	3		ug/L
Chromium, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Chromium, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Chromium, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-4	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-4	7/20/2006	3.5	3		ug/L
Chromium, total	LGW-4	7/20/2006	3.5	3		ug/L
Chromium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-4	1/9/2007	1.8	3	ND	ug/L
Chromium, total	LGW-4	1/25/2007	1.6	3	ND	ug/L
Chromium, total	LGW-4	4/26/2007	0.6	3	ND	ug/L
Chromium, total	LGW-4	7/11/2007	0.9	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-4	1/22/2008	0.9	3	ND	ug/L
Chromium, total	LGW-4	7/23/2008	3	3	ND	ug/L
Chromium, total	LGW-4	2/3/2009	0.5	3	ND	ug/L
Chromium, total	LGW-4	7/31/2009	0.5	3	ND	ug/L
Chromium, total	LGW-4	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-4	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-4	1/19/2011	0.9	3	ND	ug/L
Chromium, total	LGW-4	7/13/2011	1.1	3	ND	ug/L
Chromium, total	LGW-4	1/4/2012	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/9/2012	0.7	3	ND	ug/L
Chromium, total	LGW-4	4/30/2013	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/15/2013	0.8	3	ND	ug/L
Chromium, total	LGW-4	1/23/2014	0.7	3	ND	ug/L
Chromium, total	LGW-4	7/8/2014	0.7	3	ND	ug/L
Chromium, total	LGW-4	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-4	7/8/2015	0.5	3	ND	ug/L
Chromium, total	LGW-4	1/5/2016	1	3	ND	ug/L
Chromium, total	LGW-4	7/19/2016	0.5	3	ND	ug/L
Chromium, total	LGW-4	1/11/2017	0.7	3	ND	ug/L
Chromium, total	LGW-4	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-4	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-4	7/11/2018	3	3	ND	ug/L
Chromium, total	LGW-4	1/3/2019	0.56	3	ND	ug/L
Chromium, total	LGW-4	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-4	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-4	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-4	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-4	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-4	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-4	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-4	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-5	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-5	8/1/2006	1.8	3	ND	ug/L
Chromium, total	LGW-5	8/1/2006	1.8	3	ND	ug/L
Chromium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-5	1/9/2007	1.4	3	ND	ug/L
Chromium, total	LGW-5	1/25/2007	1.3	3	ND	ug/L
Chromium, total	LGW-5	4/26/2007	3	3	ND	ug/L
Chromium, total	LGW-5	7/11/2007	0.5	3	ND	ug/L
Chromium, total	LGW-5	1/23/2008	3	3	ND	ug/L
Chromium, total	LGW-5	7/23/2008	3	3	ND	ug/L
Chromium, total	LGW-5	2/4/2009	0.6	3	ND	ug/L
Chromium, total	LGW-5	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-5	2/3/2010	0.6	3	ND	ug/L
Chromium, total	LGW-5	2/3/2010	0.6	3	ND	ug/L
Chromium, total	LGW-5	7/12/2010	3	3	ND	ug/L
Chromium, total	LGW-5	1/19/2011	0.7	3	ND	ug/L
Chromium, total	LGW-5	7/12/2011	0.6	3	ND	ug/L
Chromium, total	LGW-5	1/5/2012	0.7	3	ND	ug/L
Chromium, total	LGW-5	7/9/2012	0.6	3	ND	ug/L
Chromium, total	LGW-5	4/30/2013	3	3	ND	ug/L
Chromium, total	LGW-5	7/15/2013	3	3	ND	ug/L
Chromium, total	LGW-5	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-5	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-5	2/10/2015	3	3	ND	ug/L
Chromium, total	LGW-5	7/8/2015	3	3	ND	ug/L
Chromium, total	LGW-5	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-5	7/19/2016	3	3	ND	ug/L
Chromium, total	LGW-5	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-5	7/18/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-5	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-5	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-5	1/3/2019	3	3	ND	ug/L
Chromium, total	LGW-5	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-5	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-5	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-5	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-5	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-5	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-5	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-5	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-5	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-5	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-5	10/6/2022	3	3	ND	ug/L
Chromium, total	LGW-5	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-6	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-6	7/20/2006	3.4	3		ug/L
Chromium, total	LGW-6	7/20/2006	3.4	3		ug/L
Chromium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-6	1/9/2007	1.8	3	ND	ug/L
Chromium, total	LGW-6	1/24/2007	1.9	3	ND	ug/L
Chromium, total	LGW-6	4/26/2007	1	3	ND	ug/L
Chromium, total	LGW-6	7/11/2007	1	3	ND	ug/L
Chromium, total	LGW-6	1/23/2008	0.9	3	ND	ug/L
Chromium, total	LGW-6	7/23/2008	0.8	3	ND	ug/L
Chromium, total	LGW-6	2/5/2009	1.5	3	ND	ug/L
Chromium, total	LGW-6	7/29/2009	0.9	3	ND	ug/L
Chromium, total	LGW-6	2/3/2010	1.1	3	ND	ug/L
Chromium, total	LGW-6	2/3/2010	1.1	3	ND	ug/L
Chromium, total	LGW-6	7/12/2010	0.6	3	ND	ug/L
Chromium, total	LGW-6	1/19/2011	0.9	3	ND	ug/L
Chromium, total	LGW-6	7/12/2011	1	3	ND	ug/L
Chromium, total	LGW-6	1/5/2012	1.1	3	ND	ug/L
Chromium, total	LGW-6	7/9/2012	0.9	3	ND	ug/L
Chromium, total	LGW-6	4/30/2013	0.6	3	ND	ug/L
Chromium, total	LGW-6	7/15/2013	0.9	3	ND	ug/L
Chromium, total	LGW-6	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-6	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-6	2/10/2015	3	3	ND	ug/L
Chromium, total	LGW-6	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-6	1/5/2016	0.6	3	ND	ug/L
Chromium, total	LGW-6	7/19/2016	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-6	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-6	5/5/2017	3	3	ND	ug/L
Chromium, total	LGW-6	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-6	10/5/2017	3	3	ND	ug/L
Chromium, total	LGW-6	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-6	4/10/2018	3	3	ND	ug/L
Chromium, total	LGW-6	7/17/2018	3	3	ND	ug/L
Chromium, total	LGW-6	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-6	1/7/2019	3	3	ND	ug/L
Chromium, total	LGW-6	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-6	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-6	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-6	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-6	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-6	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2020	3	3	ND	ug/L
Chromium, total	LGW-6	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-6	4/6/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-6	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-6	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-6	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-6	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-6	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2022	3	3	ND	ug/L
Chromium, total	LGW-6	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-6	4/6/2023	3	3	ND	ug/L
Chromium, total	LGW-7	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-7	8/1/2006	2.6	3	ND	ug/L
Chromium, total	LGW-7	8/1/2006	2.6	3	ND	ug/L
Chromium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-7	1/9/2007	1.6	3	ND	ug/L
Chromium, total	LGW-7	1/24/2007	1.1	3	ND	ug/L
Chromium, total	LGW-7	4/26/2007	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2007	1.3	3	ND	ug/L
Chromium, total	LGW-7	7/22/2008	0.8	3	ND	ug/L
Chromium, total	LGW-7	2/4/2009	1	3	ND	ug/L
Chromium, total	LGW-7	7/31/2009	0.9	3	ND	ug/L
Chromium, total	LGW-7	1/27/2010	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2010	0.6	3	ND	ug/L
Chromium, total	LGW-7	1/20/2011	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2011	0.9	3	ND	ug/L
Chromium, total	LGW-7	1/5/2012	1.1	3	ND	ug/L
Chromium, total	LGW-7	7/10/2012	3	3	ND	ug/L
Chromium, total	LGW-7	4/30/2013	3	3	ND	ug/L
Chromium, total	LGW-7	7/15/2013	0.5	3	ND	ug/L
Chromium, total	LGW-7	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-7	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-7	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-7	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-7	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-7	4/6/2016	0.9	3	ND	ug/L
Chromium, total	LGW-7	7/20/2016	3	3	ND	ug/L
Chromium, total	LGW-7	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-7	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-7	4/4/2017	3	3	ND	ug/L
Chromium, total	LGW-7	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-7	10/5/2017	3	3	ND	ug/L
Chromium, total	LGW-7	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-7	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-7	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-7	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-7	1/7/2019	0.58	3	ND	ug/L
Chromium, total	LGW-7	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-7	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-7	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-7	1/15/2020	3	3	ND	ug/L
Chromium, total	LGW-7	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-7	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-7	7/7/2021	6.63	3		ug/L
Chromium, total	LGW-7	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-7	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-7	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-7	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2006	1.7	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2006	1.7	3	ND	ug/L
Chromium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-8R	1/9/2007	1	3	ND	ug/L
Chromium, total	LGW-8R	1/24/2007	0.7	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Chromium, total	LGW-8R	7/12/2007	0.9	3	ND	ug/L
Chromium, total	LGW-8R	2/4/2009	0.8	3	ND	ug/L
Chromium, total	LGW-8R	7/29/2009	0.5	3	ND	ug/L
Chromium, total	LGW-8R	1/27/2010	0.6	3	ND	ug/L
Chromium, total	LGW-8R	7/14/2010	3	3	ND	ug/L
Chromium, total	LGW-8R	1/20/2011	0.7	3	ND	ug/L
Chromium, total	LGW-8R	7/12/2011	0.8	3	ND	ug/L
Chromium, total	LGW-8R	1/5/2012	0.9	3	ND	ug/L
Chromium, total	LGW-8R	7/9/2012	0.6	3	ND	ug/L
Chromium, total	LGW-8R	4/30/2013	0.7	3	ND	ug/L
Chromium, total	LGW-8R	7/15/2013	0.8	3	ND	ug/L
Chromium, total	LGW-8R	1/22/2014	0.6	3	ND	ug/L
Chromium, total	LGW-8R	7/8/2014	0.6	3	ND	ug/L
Chromium, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-8R	1/5/2016	0.8	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Chromium, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-8R	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Chromium, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Chromium, total	LGW-8R	1/7/2019	0.54	3	ND	ug/L
Chromium, total	LGW-8R	7/8/2019	6	6	ND	ug/L
Chromium, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Chromium, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-9	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-9	7/20/2006	2.1	3	ND	ug/L
Chromium, total	LGW-9	7/20/2006	2.1	3	ND	ug/L
Chromium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-9	1/9/2007	0.8	3	ND	ug/L
Chromium, total	LGW-9	1/25/2007	0.5	3	ND	ug/L
Chromium, total	LGW-9	4/25/2007	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2007	3	3	ND	ug/L
Chromium, total	LGW-9	7/22/2008	3	3	ND	ug/L
Chromium, total	LGW-9	2/4/2009	3	3	ND	ug/L
Chromium, total	LGW-9	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-9	1/27/2010	3	3	ND	ug/L
Chromium, total	LGW-9	7/14/2010	3	3	ND	ug/L
Chromium, total	LGW-9	1/20/2011	3	3	ND	ug/L
Chromium, total	LGW-9	7/12/2011	3	3	ND	ug/L
Chromium, total	LGW-9	1/5/2012	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2012	3	3	ND	ug/L
Chromium, total	LGW-9	5/1/2013	3	3	ND	ug/L
Chromium, total	LGW-9	7/15/2013	3	3	ND	ug/L
Chromium, total	LGW-9	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-9	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-9	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-9	7/13/2015	3	3	ND	ug/L
Chromium, total	LGW-9	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-9	7/21/2016	3	3	ND	ug/L
Chromium, total	LGW-9	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-9	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-9	5/5/2017	3	3	ND	ug/L
Chromium, total	LGW-9	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-9	10/5/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-9	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-9	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-9	7/13/2018	3	3	ND	ug/L
Chromium, total	LGW-9	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-9	1/7/2019	3	3	ND	ug/L
Chromium, total	LGW-9	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-9	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-9	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-9	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-9	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-9	10/7/2020	3	3	ND	ug/L
Chromium, total	LGW-9	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-9	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-9	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-9	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-9	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-9	4/4/2022	9.36	3		ug/L
Chromium, total	LGW-9	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-9	10/7/2022	3	3	ND	ug/L
Chromium, total	LGW-9	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-9	4/5/2023	3	3	ND	ug/L
Chromium, total	MW-10N	10/22/1997	3.2	3		ug/L
Chromium, total	MW-10N	1/22/1998	3	3	ND	ug/L
Chromium, total	MW-10N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-10N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-10N	1/14/1999	4.5	3		ug/L
Chromium, total	MW-10N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-10N	7/15/1999	3	3	ND	ug/L
Chromium, total	MW-10N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-10N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-10N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-10N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-10N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-10N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-10N	7/10/2002	10	10	ND	ug/L
Chromium, total	MW-10N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-10N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-10N	4/15/2003	3	3	ND	ug/L
Chromium, total	MW-10N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-10N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-10N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-10N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-10N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-10N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-10N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-10N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-10N	1/10/2007	1.8	3	ND	ug/L
Chromium, total	MW-10N	1/24/2007	1.7	3	ND	ug/L
Chromium, total	MW-10N	7/10/2007	0.5	3	ND	ug/L
Chromium, total	MW-10N	1/23/2008	3	3	ND	ug/L
Chromium, total	MW-10N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-10N	2/13/2009	1	3	ND	ug/L
Chromium, total	MW-10N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-10N	1/27/2010	3	3	ND	ug/L
Chromium, total	MW-10N	8/10/2010	3	3	ND	ug/L
Chromium, total	MW-10N	1/19/2011	3	3	ND	ug/L
Chromium, total	MW-10N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-10N	1/5/2012	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-10N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-10N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-10N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-10N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-10N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-10N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-10N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-10N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-10N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-10N	7/11/2018	3	3	ND	ug/L
Chromium, total	MW-10N	1/3/2019	3	3	ND	ug/L
Chromium, total	MW-10N	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-10N	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-10N	7/8/2020	3	3	ND	ug/L
Chromium, total	MW-10N	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-10N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-10N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-11N	10/22/1997	4	3		ug/L
Chromium, total	MW-11N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-11N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-11N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/1999	3	3	ND	ug/L
Chromium, total	MW-11N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-11N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-11N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/2000	3	3	ND	ug/L
Chromium, total	MW-11N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-11N	7/10/2000	3	3	ND	ug/L
Chromium, total	MW-11N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-11N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-11N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-11N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-11N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-11N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-11N	4/15/2003	3	3	ND	ug/L
Chromium, total	MW-11N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-11N	1/29/2004	3	3	ND	ug/L
Chromium, total	MW-11N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/2005	3	3	ND	ug/L
Chromium, total	MW-11N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-11N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-11N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-11N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-11N	1/9/2007	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/24/2007	0.6	3	ND	ug/L
Chromium, total	MW-11N	7/10/2007	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/22/2008	0.5	3	ND	ug/L
Chromium, total	MW-11N	7/23/2008	3	3	ND	ug/L
Chromium, total	MW-11N	2/3/2009	0.7	3	ND	ug/L
Chromium, total	MW-11N	7/31/2009	0.5	3	ND	ug/L
Chromium, total	MW-11N	2/3/2010	0.8	3	ND	ug/L
Chromium, total	MW-11N	2/3/2010	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/16/2010	3	3	ND	ug/L
Chromium, total	MW-11N	1/19/2011	0.7	3	ND	ug/L
Chromium, total	MW-11N	7/13/2011	0.9	3	ND	ug/L
Chromium, total	MW-11N	1/4/2012	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/9/2012	0.5	3	ND	ug/L
Chromium, total	MW-11N	4/30/2013	0.9	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-11N	7/15/2013	0.7	3	ND	ug/L
Chromium, total	MW-11N	1/23/2014	1.1	3	ND	ug/L
Chromium, total	MW-11N	7/8/2014	0.6	3	ND	ug/L
Chromium, total	MW-11N	2/10/2015	0.6	3	ND	ug/L
Chromium, total	MW-11N	7/13/2015	3	3	ND	ug/L
Chromium, total	MW-11N	1/5/2016	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/21/2016	0.6	3	ND	ug/L
Chromium, total	MW-11N	1/11/2017	1.8	3	ND	ug/L
Chromium, total	MW-11N	7/19/2017	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-11N	7/17/2018	0.58	3	ND	ug/L
Chromium, total	MW-11N	1/2/2019	0.58	3	ND	ug/L
Chromium, total	MW-11N	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-11N	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-11N	7/6/2020	3	3	ND	ug/L
Chromium, total	MW-11N	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-11N	7/6/2021	3	3	ND	ug/L
Chromium, total	MW-11N	1/18/2022	3	3	ND	ug/L
Chromium, total	MW-11N	7/13/2022	3.29	3		ug/L
Chromium, total	MW-11N	10/6/2022	3	3	ND	ug/L
Chromium, total	MW-11N	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-15	6/5/2015	0.5	3	ND	ug/L
Chromium, total	MW-15	7/15/2015	3	3	ND	ug/L
Chromium, total	MW-15	8/5/2015	4.8	3		ug/L
Chromium, total	MW-15	9/3/2015	3	3	ND	ug/L
Chromium, total	MW-15	1/7/2016	2.8	3	ND	ug/L
Chromium, total	MW-15	4/5/2016	2.6	3	ND	ug/L
Chromium, total	MW-15	7/20/2016	0.9	3	ND	ug/L
Chromium, total	MW-15	10/6/2016	1.4	3	ND	ug/L
Chromium, total	MW-15	1/10/2017	2.2	3	ND	ug/L
Chromium, total	MW-15	7/18/2017	3	3	ND	ug/L
Chromium, total	MW-15	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-15	7/10/2018	0.55	3	ND	ug/L
Chromium, total	MW-15	1/3/2019	0.86	3	ND	ug/L
Chromium, total	MW-15	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-15	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-15	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-15	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-15	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-15	1/12/2022	3	3	ND	ug/L
Chromium, total	MW-15	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-15	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-16	6/5/2015	1	3	ND	ug/L
Chromium, total	MW-16	7/16/2015	0.8	3	ND	ug/L
Chromium, total	MW-16	8/5/2015	1	3	ND	ug/L
Chromium, total	MW-16	9/3/2015	0.7	3	ND	ug/L
Chromium, total	MW-16	1/8/2016	1.9	3	ND	ug/L
Chromium, total	MW-16	4/5/2016	2.6	3	ND	ug/L
Chromium, total	MW-16	7/21/2016	0.7	3	ND	ug/L
Chromium, total	MW-16	10/5/2016	2.9	3	ND	ug/L
Chromium, total	MW-16	1/10/2017	1	3	ND	ug/L
Chromium, total	MW-16	7/18/2017	0.8	3	ND	ug/L
Chromium, total	MW-16	1/23/2018	0.85	3	ND	ug/L
Chromium, total	MW-16	7/11/2018	0.77	3	ND	ug/L
Chromium, total	MW-16	1/2/2019	1.3	3	ND	ug/L
Chromium, total	MW-16	7/10/2019	6	6	ND	ug/L
Chromium, total	MW-16	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-16	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-16	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-16	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-16	1/12/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-16	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-16	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-17	6/5/2015	1.7	3	ND	ug/L
Chromium, total	MW-17	7/15/2015	3	3	ND	ug/L
Chromium, total	MW-17	8/4/2015	2.5	3	ND	ug/L
Chromium, total	MW-17	9/2/2015	1.5	3	ND	ug/L
Chromium, total	MW-17	1/7/2016	1.1	3	ND	ug/L
Chromium, total	MW-17	4/5/2016	1.7	3	ND	ug/L
Chromium, total	MW-17	7/20/2016	0.9	3	ND	ug/L
Chromium, total	MW-17	10/6/2016	0.9	3	ND	ug/L
Chromium, total	MW-17	1/10/2017	0.8	3	ND	ug/L
Chromium, total	MW-17	7/18/2017	0.7	3	ND	ug/L
Chromium, total	MW-17	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-17	7/10/2018	3	3	ND	ug/L
Chromium, total	MW-17	1/3/2019	0.91	3	ND	ug/L
Chromium, total	MW-17	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-17	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-17	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-17	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-17	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-17	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-19	6/5/2015	2.8	3	ND	ug/L
Chromium, total	MW-19	7/16/2015	1.4	3	ND	ug/L
Chromium, total	MW-19	8/5/2015	2.5	3	ND	ug/L
Chromium, total	MW-19	9/3/2015	2.3	3	ND	ug/L
Chromium, total	MW-19	1/7/2016	1	3	ND	ug/L
Chromium, total	MW-19	4/5/2016	3.8	3		ug/L
Chromium, total	MW-19	7/21/2016	1.3	3	ND	ug/L
Chromium, total	MW-19	10/5/2016	2.3	3	ND	ug/L
Chromium, total	MW-19	1/10/2017	1.3	3	ND	ug/L
Chromium, total	MW-19	7/18/2017	0.6	3	ND	ug/L
Chromium, total	MW-19	1/23/2018	1.3	3	ND	ug/L
Chromium, total	MW-19	7/13/2018	1.6	3	ND	ug/L
Chromium, total	MW-19	1/7/2019	1.5	3	ND	ug/L
Chromium, total	MW-19	7/11/2019	1.3	6	ND	ug/L
Chromium, total	MW-19	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-19	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-19	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-19	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-19	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-1N	10/22/1997	3	3	ND	ug/L
Chromium, total	MW-1N	1/20/1998	3	3	ND	ug/L
Chromium, total	MW-1N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-1N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-1N	10/14/1998	3.2	3		ug/L
Chromium, total	MW-1N	1/13/1999	14	3		ug/L
Chromium, total	MW-1N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-1N	7/15/1999	3	3	ND	ug/L
Chromium, total	MW-1N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-1N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-1N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-1N	7/12/2000	3	3	ND	ug/L
Chromium, total	MW-1N	10/18/2000	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-1N	4/12/2001	3	3	ND	ug/L
Chromium, total	MW-1N	5/29/2002	17	10		ug/L
Chromium, total	MW-1N	5/29/2002	17	10		ug/L
Chromium, total	MW-1N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-1N	10/3/2002	10	10	ND	ug/L
Chromium, total	MW-1N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-1N	4/15/2003	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-1N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-1N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-1N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-1N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-1N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-1N	1/18/2006	3	3	ND	ug/L
Chromium, total	MW-1N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-1N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-1N	1/9/2007	0.7	3	ND	ug/L
Chromium, total	MW-1N	1/26/2007	0.8	3	ND	ug/L
Chromium, total	MW-1N	7/11/2007	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2008	3	3	ND	ug/L
Chromium, total	MW-1N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-1N	2/5/2009	3	3	ND	ug/L
Chromium, total	MW-1N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-1N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-1N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-1N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-1N	7/13/2011	3	3	ND	ug/L
Chromium, total	MW-1N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-1N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-1N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-1N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-1N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-1N	2/10/2015	3	3	ND	ug/L
Chromium, total	MW-1N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-1N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-1N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-1N	1/12/2017	3	3	ND	ug/L
Chromium, total	MW-1N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-1N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-1N	7/10/2018	0.55	3	ND	ug/L
Chromium, total	MW-1N	1/3/2019	0.61	3	ND	ug/L
Chromium, total	MW-1N	7/11/2019	7.3	6		ug/L
Chromium, total	MW-1N	10/2/2019	2.8	3	ND	ug/L
Chromium, total	MW-1N	1/23/2020	1410	3		ug/L
Chromium, total	MW-1N	4/2/2020	19.1	3		ug/L
Chromium, total	MW-1N	7/6/2020	3	3	ND	ug/L
Chromium, total	MW-1N	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-1N	7/4/2021	13.8	3		ug/L
Chromium, total	MW-1N	10/6/2021	4.32	3		ug/L
Chromium, total	MW-1N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-20	6/5/2015	1.7	3	ND	ug/L
Chromium, total	MW-20	7/14/2015	1.7	3	ND	ug/L
Chromium, total	MW-20	8/4/2015	1	3	ND	ug/L
Chromium, total	MW-20	9/2/2015	3.1	3		ug/L
Chromium, total	MW-20	1/7/2016	3.4	3		ug/L
Chromium, total	MW-20	4/5/2016	1.7	3	ND	ug/L
Chromium, total	MW-20	7/20/2016	3.4	3		ug/L
Chromium, total	MW-20	10/5/2016	4.1	3		ug/L
Chromium, total	MW-20	1/12/2017	11	3		ug/L
Chromium, total	MW-20	7/18/2017	0.8	3	ND	ug/L
Chromium, total	MW-20	1/26/2018	1.2	3	ND	ug/L
Chromium, total	MW-20	7/12/2018	2.1	3	ND	ug/L
Chromium, total	MW-20	7/11/2019	1.3	6	ND	ug/L
Chromium, total	MW-20	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-20	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-20	1/17/2021	5.64	3		ug/L
Chromium, total	MW-20	7/4/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-20	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-21	6/5/2015	3	3	ND	ug/L
Chromium, total	MW-21	7/14/2015	0.8	3	ND	ug/L
Chromium, total	MW-21	8/4/2015	0.7	3	ND	ug/L
Chromium, total	MW-21	9/2/2015	1.6	3	ND	ug/L
Chromium, total	MW-21	1/7/2016	3	3	ND	ug/L
Chromium, total	MW-21	4/5/2016	3	3	ND	ug/L
Chromium, total	MW-21	7/20/2016	3	3	ND	ug/L
Chromium, total	MW-21	10/5/2016	0.8	3	ND	ug/L
Chromium, total	MW-21	10/5/2016	1.3	3	ND	ug/L
Chromium, total	MW-21	1/10/2017	1.7	3	ND	ug/L
Chromium, total	MW-21	4/5/2017	3	3	ND	ug/L
Chromium, total	MW-21	7/19/2017	0.8	3	ND	ug/L
Chromium, total	MW-21	10/6/2017	3	3	ND	ug/L
Chromium, total	MW-21	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-21	4/11/2018	3	3	ND	ug/L
Chromium, total	MW-21	7/11/2018	3	3	ND	ug/L
Chromium, total	MW-21	10/4/2018	3	3	ND	ug/L
Chromium, total	MW-21	1/3/2019	3	3	ND	ug/L
Chromium, total	MW-21	4/3/2019	0.57	3	ND	ug/L
Chromium, total	MW-21	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-21	10/2/2019	3	3	ND	ug/L
Chromium, total	MW-21	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-21	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-21	7/8/2020	3	3	ND	ug/L
Chromium, total	MW-21	10/7/2020	3	3	ND	ug/L
Chromium, total	MW-21	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-21	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-21	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-21	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-21	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-21	4/8/2023	3	3	ND	ug/L
Chromium, total	MW-2N	10/22/1997	13	3		ug/L
Chromium, total	MW-2N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-2N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-2N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-2N	1/13/1999	4.4	3		ug/L
Chromium, total	MW-2N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-2N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-2N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-2N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-2N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-2N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-2N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-2N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-2N	7/10/2002	10	10	ND	ug/L
Chromium, total	MW-2N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-2N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-2N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-2N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-2N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-2N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-2N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-2N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-2N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-2N	7/19/2006	1.6	3	ND	ug/L
Chromium, total	MW-2N	7/19/2006	1.6	3	ND	ug/L
Chromium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-2N	1/10/2007	1.8	3	ND	ug/L
Chromium, total	MW-2N	1/26/2007	1.1	3	ND	ug/L
Chromium, total	MW-2N	7/11/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-2N	1/24/2008	1.2	3	ND	ug/L
Chromium, total	MW-2N	7/22/2008	3	3	ND	ug/L
Chromium, total	MW-2N	2/4/2009	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/31/2009	0.5	3	ND	ug/L
Chromium, total	MW-2N	1/26/2010	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-2N	1/20/2011	0.5	3	ND	ug/L
Chromium, total	MW-2N	7/13/2011	0.7	3	ND	ug/L
Chromium, total	MW-2N	1/5/2012	1.3	3	ND	ug/L
Chromium, total	MW-2N	7/10/2012	0.5	3	ND	ug/L
Chromium, total	MW-2N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-2N	7/16/2013	0.6	3	ND	ug/L
Chromium, total	MW-2N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-2N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-2N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-2N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-2N	1/6/2016	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-2N	1/11/2017	0.5	3	ND	ug/L
Chromium, total	MW-2N	7/19/2017	0.5	3	ND	ug/L
Chromium, total	MW-2N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-2N	7/12/2018	0.51	3	ND	ug/L
Chromium, total	MW-2N	1/3/2019	0.55	3	ND	ug/L
Chromium, total	MW-2N	8/7/2019	11	6		ug/L
Chromium, total	MW-2N	10/1/2019	3.9	3		ug/L
Chromium, total	MW-2N	1/23/2020	4.42	3		ug/L
Chromium, total	MW-2N	7/7/2020	4.57	3		ug/L
Chromium, total	MW-2N	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-2N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-2N	1/11/2023	6.52	3		ug/L
Chromium, total	MW-2N	4/8/2023	3	3	ND	ug/L
Chromium, total	MW-3N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-3N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-3N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-3N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-3N	1/13/1999	3	3	ND	ug/L
Chromium, total	MW-3N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-3N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-3N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-3N	4/24/2000	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-3N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-3N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-3N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-3N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-3N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-3N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-3N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-3N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-3N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-3N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-3N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-3N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-3N	1/18/2006	3	3	ND	ug/L
Chromium, total	MW-3N	7/19/2006	1.2	3	ND	ug/L
Chromium, total	MW-3N	7/19/2006	1.2	3	ND	ug/L
Chromium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-3N	1/10/2007	1.1	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-3N	1/26/2007	0.5	3	ND	ug/L
Chromium, total	MW-3N	7/11/2007	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2008	0.6	3	ND	ug/L
Chromium, total	MW-3N	7/22/2008	3	3	ND	ug/L
Chromium, total	MW-3N	2/4/2009	3	3	ND	ug/L
Chromium, total	MW-3N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-3N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-3N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-3N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-3N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2012	3	3	ND	ug/L
Chromium, total	MW-3N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-3N	6/4/2013	3	3	ND	ug/L
Chromium, total	MW-3N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-3N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-3N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-3N	4/1/2015	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-3N	10/5/2015	3	3	ND	ug/L
Chromium, total	MW-3N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-3N	4/6/2016	0.8	3	ND	ug/L
Chromium, total	MW-3N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-3N	10/6/2016	3	3	ND	ug/L
Chromium, total	MW-3N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-3N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-3N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-3N	10/9/2017	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-3N	4/10/2018	3	3	ND	ug/L
Chromium, total	MW-3N	7/13/2018	3	3	ND	ug/L
Chromium, total	MW-3N	10/3/2018	0.5	3	ND	ug/L
Chromium, total	MW-3N	1/7/2019	0.84	3	ND	ug/L
Chromium, total	MW-3N	4/3/2019	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-3N	10/2/2019	3	3	ND	ug/L
Chromium, total	MW-3N	1/15/2020	3	3	ND	ug/L
Chromium, total	MW-3N	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-3N	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-3N	10/7/2020	3	3	ND	ug/L
Chromium, total	MW-3N	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-3N	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-3N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-3N	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-3N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-7N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-7N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-7N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-7N	8/18/1998	3	3	ND	ug/L
Chromium, total	MW-7N	9/17/1998	3	3	ND	ug/L
Chromium, total	MW-7N	10/15/1998	3	3	ND	ug/L
Chromium, total	MW-7N	11/9/1998	3	3	ND	ug/L
Chromium, total	MW-7N	1/14/1999	3	3	ND	ug/L
Chromium, total	MW-7N	4/14/1999	3	3	ND	ug/L
Chromium, total	MW-7N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-7N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-7N	1/13/2000	3	3	ND	ug/L
Chromium, total	MW-7N	4/25/2000	27	3		ug/L
Chromium, total	MW-7N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-7N	10/17/2000	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-7N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-7N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-7N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-7N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-7N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-7N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-7N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-7N	1/27/2004	3	3	ND	ug/L
Chromium, total	MW-7N	4/8/2004	3	3	ND	ug/L
Chromium, total	MW-7N	7/26/2004	3	3	ND	ug/L
Chromium, total	MW-7N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2005	3	3	ND	ug/L
Chromium, total	MW-7N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-7N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-7N	1/10/2007	1	3	ND	ug/L
Chromium, total	MW-7N	1/26/2007	2.4	3	ND	ug/L
Chromium, total	MW-7N	7/10/2007	2.7	3	ND	ug/L
Chromium, total	MW-7N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-7N	2/6/2009	0.9	3	ND	ug/L
Chromium, total	MW-7N	7/29/2009	3	3	ND	ug/L
Chromium, total	MW-7N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-7N	7/14/2010	3	3	ND	ug/L
Chromium, total	MW-7N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-7N	7/12/2011	3	3	ND	ug/L
Chromium, total	MW-7N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-7N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-7N	6/4/2013	3	3	ND	ug/L
Chromium, total	MW-7N	7/15/2013	3	3	ND	ug/L
Chromium, total	MW-7N	1/30/2014	3	3	ND	ug/L
Chromium, total	MW-7N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-7N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-7N	7/13/2015	3	3	ND	ug/L
Chromium, total	MW-7N	1/5/2016	3	3	ND	ug/L
Chromium, total	MW-7N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-7N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-7N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-7N	10/5/2017	3	3	ND	ug/L
Chromium, total	MW-7N	1/25/2018	3	3	ND	ug/L
Chromium, total	MW-7N	4/11/2018	3	3	ND	ug/L
Chromium, total	MW-7N	7/13/2018	3	3	ND	ug/L
Chromium, total	MW-7N	1/4/2019	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2019	6	6	ND	ug/L
Chromium, total	MW-7N	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-7N	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-7N	1/16/2021	3	3	ND	ug/L
Chromium, total	MW-7N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-7N	1/12/2022	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-7N	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-8N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-8N	1/22/1998	3	3	ND	ug/L
Chromium, total	MW-8N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-8N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-8N	1/12/1999	3	3	ND	ug/L
Chromium, total	MW-8N	4/13/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-8N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-8N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-8N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-8N	4/25/2000	8.2	3		ug/L
Chromium, total	MW-8N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-8N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-8N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-8N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-8N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-8N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-8N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-8N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-8N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-8N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-8N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-8N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-8N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2006	1.3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2006	1.3	3	ND	ug/L
Chromium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-8N	1/10/2007	0.8	3	ND	ug/L
Chromium, total	MW-8N	1/26/2007	0.5	3	ND	ug/L
Chromium, total	MW-8N	4/25/2007	3	3	ND	ug/L
Chromium, total	MW-8N	7/10/2007	0.5	3	ND	ug/L
Chromium, total	MW-8N	1/24/2008	0.5	3	ND	ug/L
Chromium, total	MW-8N	7/23/2008	3	3	ND	ug/L
Chromium, total	MW-8N	2/4/2009	3	3	ND	ug/L
Chromium, total	MW-8N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-8N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-8N	7/16/2010	3	3	ND	ug/L
Chromium, total	MW-8N	1/19/2011	3	3	ND	ug/L
Chromium, total	MW-8N	5/10/2011	3	3	ND	ug/L
Chromium, total	MW-8N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-8N	1/6/2012	3	3	ND	ug/L
Chromium, total	MW-8N	4/5/2012	3	3	ND	ug/L
Chromium, total	MW-8N	7/11/2012	3	3	ND	ug/L
Chromium, total	MW-8N	10/3/2012	3	3	ND	ug/L
Chromium, total	MW-8N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-8N	6/4/2013	0.6	3	ND	ug/L
Chromium, total	MW-8N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-8N	10/2/2013	3	3	ND	ug/L
Chromium, total	MW-8N	1/30/2014	3	3	ND	ug/L
Chromium, total	MW-8N	4/3/2014	3	3	ND	ug/L
Chromium, total	MW-8N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-8N	10/8/2014	3	3	ND	ug/L
Chromium, total	MW-8N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-8N	4/1/2015	3	3	ND	ug/L
Chromium, total	MW-8N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-8N	10/5/2015	3	3	ND	ug/L
Chromium, total	MW-8N	1/5/2016	3	3	ND	ug/L
Chromium, total	MW-8N	4/6/2016	0.7	3	ND	ug/L
Chromium, total	MW-8N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2016	3	3	ND	ug/L
Chromium, total	MW-8N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-8N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2017	3	3	ND	ug/L
Chromium, total	MW-8N	1/25/2018	3	3	ND	ug/L
Chromium, total	MW-8N	4/10/2018	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-8N	7/16/2018	3	3	ND	ug/L
Chromium, total	MW-8N	10/2/2018	3	3	ND	ug/L
Chromium, total	MW-8N	1/7/2019	3	3	ND	ug/L
Chromium, total	MW-8N	4/3/2019	3	3	ND	ug/L
Chromium, total	MW-8N	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-8N	10/3/2019	3	3	ND	ug/L
Chromium, total	MW-8N	1/15/2020	3	3	ND	ug/L
Chromium, total	MW-8N	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-8N	7/9/2020	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2020	3	3	ND	ug/L
Chromium, total	MW-8N	1/15/2021	3	3	ND	ug/L
Chromium, total	MW-8N	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-8N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-8N	1/18/2022	3	3	ND	ug/L
Chromium, total	MW-8N	4/4/2022	3	3	ND	ug/L
Chromium, total	MW-8N	7/12/2022	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2022	3	3	ND	ug/L
Chromium, total	MW-8N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-8N	4/8/2023	3	3	ND	ug/L
Chromium, total	NE-1	7/10/2002	10	10	ND	ug/L
Chromium, total	NE-1	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-1	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-1	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-1	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-1	1/27/2004	3	3	ND	ug/L
Chromium, total	NE-1	1/12/2005	3	3	ND	ug/L
Chromium, total	NE-1	7/19/2006	3.2	3		ug/L
Chromium, total	NE-1	7/19/2006	3.2	3		ug/L
Chromium, total	NE-1	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-1	1/24/2007	2.4	3	ND	ug/L
Chromium, total	NE-1	7/10/2007	2.3	3	ND	ug/L
Chromium, total	NE-1	1/24/2008	3.8	3		ug/L
Chromium, total	NE-1	7/21/2008	3.5	3		ug/L
Chromium, total	NE-1	2/7/2009	20	3		ug/L
Chromium, total	NE-1	7/31/2009	1.1	3	ND	ug/L
Chromium, total	NE-1	1/26/2010	1.4	3	ND	ug/L
Chromium, total	NE-1	7/14/2010	2.3	3	ND	ug/L
Chromium, total	NE-1	1/19/2011	1	3	ND	ug/L
Chromium, total	NE-1	7/13/2011	2.7	3	ND	ug/L
Chromium, total	NE-1	1/5/2012	2	3	ND	ug/L
Chromium, total	NE-1	7/10/2012	1.6	3	ND	ug/L
Chromium, total	NE-1	4/30/2013	1.3	3	ND	ug/L
Chromium, total	NE-1	7/16/2013	2.2	3	ND	ug/L
Chromium, total	NE-1	1/23/2014	1.1	3	ND	ug/L
Chromium, total	NE-1	7/9/2014	0.8	3	ND	ug/L
Chromium, total	NE-1	2/11/2015	0.9	3	ND	ug/L
Chromium, total	NE-1	7/8/2015	1.3	3	ND	ug/L
Chromium, total	NE-1	1/6/2016	0.8	3	ND	ug/L
Chromium, total	NE-1	7/20/2016	3	3	ND	ug/L
Chromium, total	NE-1	1/11/2017	0.6	3	ND	ug/L
Chromium, total	NE-1	7/19/2017	0.8	3	ND	ug/L
Chromium, total	NE-1	1/24/2018	0.51	3	ND	ug/L
Chromium, total	NE-1	4/11/2018	0.72	3	ND	ug/L
Chromium, total	NE-1	7/18/2018	0.58	3	ND	ug/L
Chromium, total	NE-1	10/2/2018	0.66	3	ND	ug/L
Chromium, total	NE-1	1/4/2019	1.1	3	ND	ug/L
Chromium, total	NE-1	4/2/2019	0.7	3	ND	ug/L
Chromium, total	NE-1	7/10/2019	6	6	ND	ug/L
Chromium, total	NE-1	7/10/2019	6	6	ND	ug/L
Chromium, total	NE-1	10/2/2019	0.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-1	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-1	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-1	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-1	10/7/2020	3	3	ND	ug/L
Chromium, total	NE-1	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-1	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-1	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-1	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-1	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-1	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-1	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-1	10/6/2022	3	3	ND	ug/L
Chromium, total	NE-1	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-1	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-10D	11/6/2019	2.8	3	ND	ug/L
Chromium, total	NE-10D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-10D	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-10D	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-10D	10/7/2020	3.91	3		ug/L
Chromium, total	NE-10D	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-10D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-10D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-10D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-10D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-10D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-11	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-11	4/6/2017	3	3	ND	ug/L
Chromium, total	NE-11	7/20/2017	0.5	3	ND	ug/L
Chromium, total	NE-11	10/9/2017	3	3	ND	ug/L
Chromium, total	NE-11	9/30/2019	0.63	3	ND	ug/L
Chromium, total	NE-11	1/14/2020	3	3	ND	ug/L
Chromium, total	NE-11	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-11	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-11	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-11	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-11	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-11	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-11	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-11	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-12	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-12	4/6/2017	1.2	3	ND	ug/L
Chromium, total	NE-12	7/20/2017	1.1	3	ND	ug/L
Chromium, total	NE-12	10/6/2017	0.7	3	ND	ug/L
Chromium, total	NE-12	8/5/2019	1.2	6	ND	ug/L
Chromium, total	NE-12	1/13/2020	3	3	ND	ug/L
Chromium, total	NE-12	7/7/2020	3.23	3		ug/L
Chromium, total	NE-12	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-12	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-12	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-12	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-12	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-12	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-12	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-13	2/5/2019	0.86	3	ND	ug/L
Chromium, total	NE-13	8/7/2019	6	6	ND	ug/L
Chromium, total	NE-13	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-13	7/8/2020	31	3		ug/L
Chromium, total	NE-13	1/17/2021	19	3		ug/L
Chromium, total	NE-13	1/17/2021	34	3		ug/L
Chromium, total	NE-13	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-14D	10/2/2019	0.62	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-14D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-14D	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-14D	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-14D	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-14D	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-14D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-14D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-14D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-14D	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-14D	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-14D	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-14D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-14D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-14D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-14S	10/2/2019	0.67	3	ND	ug/L
Chromium, total	NE-14S	1/16/2020	3.5	3		ug/L
Chromium, total	NE-14S	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-14S	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-14S	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-14S	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-14S	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-14S	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-14S	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-14S	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-14S	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-14S	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-14S	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-14S	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-14S	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-15D	9/30/2019	0.55	3	ND	ug/L
Chromium, total	NE-15D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-15D	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-15D	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-15D	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-15D	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-15D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-15D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-15D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-15D	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-15D	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-15D	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-15D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-15D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-15D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-15S	4/3/2020	6.27	3		ug/L
Chromium, total	NE-2	7/9/2002	10	10	ND	ug/L
Chromium, total	NE-2	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-2	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-2	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-2	10/1/2013	3	3	ND	ug/L
Chromium, total	NE-2	10/8/2014	3	3	ND	ug/L
Chromium, total	NE-2	10/5/2015	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2016	3	3	ND	ug/L
Chromium, total	NE-2	10/5/2017	0.5	3	ND	ug/L
Chromium, total	NE-2	1/25/2018	3	3	ND	ug/L
Chromium, total	NE-2	4/10/2018	3	3	ND	ug/L
Chromium, total	NE-2	7/10/2018	0.51	3	ND	ug/L
Chromium, total	NE-2	10/1/2018	3	3	ND	ug/L
Chromium, total	NE-2	1/4/2019	0.55	3	ND	ug/L
Chromium, total	NE-2	4/2/2019	0.5	3	ND	ug/L
Chromium, total	NE-2	7/9/2019	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-2	7/9/2019	6	6	ND	ug/L
Chromium, total	NE-2	10/2/2019	3	3	ND	ug/L
Chromium, total	NE-2	1/14/2020	3	3	ND	ug/L
Chromium, total	NE-2	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-2	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-2	1/14/2021	3	3	ND	ug/L
Chromium, total	NE-2	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-2	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-2	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-2	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-2	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-2	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-2	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-2	4/5/2023	3	3	ND	ug/L
Chromium, total	NE-3	7/9/2002	10	10	ND	ug/L
Chromium, total	NE-3	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-3	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-3	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-3	3/21/2018	1.3	3	ND	ug/L
Chromium, total	NE-4	7/10/2002	10	10	ND	ug/L
Chromium, total	NE-4	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-4	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-4	10/3/2002	10	10	ND	ug/L
Chromium, total	NE-4	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-4	1/28/2004	3	3	ND	ug/L
Chromium, total	NE-4	1/13/2005	3	3	ND	ug/L
Chromium, total	NE-4	8/1/2006	2.6	3	ND	ug/L
Chromium, total	NE-4	8/1/2006	2.6	3	ND	ug/L
Chromium, total	NE-4	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-4	1/24/2007	1.1	3	ND	ug/L
Chromium, total	NE-4	7/12/2007	1.1	3	ND	ug/L
Chromium, total	NE-4	1/24/2008	5.9	3		ug/L
Chromium, total	NE-4	7/21/2008	1	3	ND	ug/L
Chromium, total	NE-4	2/7/2009	11	3		ug/L
Chromium, total	NE-4	7/31/2009	1.2	3	ND	ug/L
Chromium, total	NE-4	1/26/2010	1.1	3	ND	ug/L
Chromium, total	NE-4	7/14/2010	1.5	3	ND	ug/L
Chromium, total	NE-4	1/19/2011	1	3	ND	ug/L
Chromium, total	NE-4	7/13/2011	1.4	3	ND	ug/L
Chromium, total	NE-4	1/5/2012	1.3	3	ND	ug/L
Chromium, total	NE-4	7/10/2012	4.5	3		ug/L
Chromium, total	NE-4	4/30/2013	3	3	ND	ug/L
Chromium, total	NE-4	7/16/2013	1	3	ND	ug/L
Chromium, total	NE-4	1/23/2014	0.7	3	ND	ug/L
Chromium, total	NE-4	7/9/2014	1.3	3	ND	ug/L
Chromium, total	NE-4	2/13/2015	0.8	3	ND	ug/L
Chromium, total	NE-4	7/8/2015	1.3	3	ND	ug/L
Chromium, total	NE-4	1/6/2016	0.6	3	ND	ug/L
Chromium, total	NE-4	7/20/2016	1	3	ND	ug/L
Chromium, total	NE-4	1/11/2017	1.1	3	ND	ug/L
Chromium, total	NE-4	7/19/2017	1.4	3	ND	ug/L
Chromium, total	NE-4	1/26/2018	1.6	3	ND	ug/L
Chromium, total	NE-4	4/10/2018	1.1	3	ND	ug/L
Chromium, total	NE-4	7/12/2018	1.1	3	ND	ug/L
Chromium, total	NE-4	10/3/2018	1.5	3	ND	ug/L
Chromium, total	NE-4	1/7/2019	1.5	3	ND	ug/L
Chromium, total	NE-4	4/2/2019	1.5	3	ND	ug/L
Chromium, total	NE-4	7/8/2019	6	6	ND	ug/L
Chromium, total	NE-4	7/8/2019	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-4	10/1/2019	1.3	3	ND	ug/L
Chromium, total	NE-4	1/13/2020	3	3	ND	ug/L
Chromium, total	NE-4	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-4	7/6/2020	3	3	ND	ug/L
Chromium, total	NE-4	10/5/2020	3	3	ND	ug/L
Chromium, total	NE-4	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-4	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-4	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-4	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-4	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-4	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2002	10	10	ND	ug/L
Chromium, total	NE-5	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-5	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-5	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-5	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-5	1/27/2004	8.6	3		ug/L
Chromium, total	NE-5	1/12/2005	3.5	3		ug/L
Chromium, total	NE-5	7/19/2006	1.5	3	ND	ug/L
Chromium, total	NE-5	7/19/2006	1.5	3	ND	ug/L
Chromium, total	NE-5	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-5	1/10/2007	1.1	3	ND	ug/L
Chromium, total	NE-5	1/24/2007	3	3	ND	ug/L
Chromium, total	NE-5	7/12/2007	0.5	3	ND	ug/L
Chromium, total	NE-5	7/22/2008	0.9	3	ND	ug/L
Chromium, total	NE-5	2/6/2009	39	3		ug/L
Chromium, total	NE-5	7/31/2009	3	3	ND	ug/L
Chromium, total	NE-5	1/26/2010	0.7	3	ND	ug/L
Chromium, total	NE-5	7/16/2010	1.9	3	ND	ug/L
Chromium, total	NE-5	1/19/2011	3	3	ND	ug/L
Chromium, total	NE-5	7/13/2011	3	3	ND	ug/L
Chromium, total	NE-5	1/5/2012	3	3	ND	ug/L
Chromium, total	NE-5	7/10/2012	3	3	ND	ug/L
Chromium, total	NE-5	4/30/2013	1.4	3	ND	ug/L
Chromium, total	NE-5	7/16/2013	3	3	ND	ug/L
Chromium, total	NE-5	1/23/2014	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2014	3	3	ND	ug/L
Chromium, total	NE-5	2/11/2015	3	3	ND	ug/L
Chromium, total	NE-5	7/14/2015	3	3	ND	ug/L
Chromium, total	NE-5	1/6/2016	0.7	3	ND	ug/L
Chromium, total	NE-5	7/20/2016	3	3	ND	ug/L
Chromium, total	NE-5	1/11/2017	3	3	ND	ug/L
Chromium, total	NE-5	7/19/2017	3	3	ND	ug/L
Chromium, total	NE-5	1/25/2018	3	3	ND	ug/L
Chromium, total	NE-5	4/10/2018	3	3	ND	ug/L
Chromium, total	NE-5	7/17/2018	3	3	ND	ug/L
Chromium, total	NE-5	10/3/2018	3	3	ND	ug/L
Chromium, total	NE-5	1/4/2019	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2019	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2019	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2019	6	6	ND	ug/L
Chromium, total	NE-5	10/3/2019	3	3	ND	ug/L
Chromium, total	NE-5	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-5	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-5	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-5	1/18/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-5	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-5E	9/30/2019	3	3	ND	ug/L
Chromium, total	NE-5E	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5E	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-5E	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5E	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5E	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-5E	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5E	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5E	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-5E	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-5E	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5E	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5E	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5E	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5E	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-5W	9/30/2019	3	3	ND	ug/L
Chromium, total	NE-5W	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5W	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-5W	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5W	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5W	1/15/2021	5.12	3		ug/L
Chromium, total	NE-5W	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5W	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5W	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-5W	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-5W	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5W	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5W	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5W	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5W	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-6	1/12/2017	3	3	ND	ug/L
Chromium, total	NE-6	4/5/2017	3	3	ND	ug/L
Chromium, total	NE-6	7/19/2017	3	3	ND	ug/L
Chromium, total	NE-6	10/6/2017	3	3	ND	ug/L
Chromium, total	NE-6	2/4/2019	3	3	ND	ug/L
Chromium, total	NE-6	8/6/2019	6	6	ND	ug/L
Chromium, total	NE-6	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-6	7/9/2020	3	3	ND	ug/L
Chromium, total	NE-6	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-6	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-6	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-6	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-6	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-6D	10/2/2019	3	3	ND	ug/L
Chromium, total	NE-6D	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-6D	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-6D	7/9/2020	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2020	3	3	ND	ug/L
Chromium, total	NE-6D	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-6D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-6D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-6D	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6D	4/6/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-6D	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-6D	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-6D	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-7	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-7	4/6/2017	1.4	3	ND	ug/L
Chromium, total	NE-7	7/20/2017	0.8	3	ND	ug/L
Chromium, total	NE-7	10/5/2017	3	3	ND	ug/L
Chromium, total	NE-7	2/6/2019	1.4	3	ND	ug/L
Chromium, total	NE-7	8/6/2019	6	6	ND	ug/L
Chromium, total	NE-7	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-7	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-7	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-7	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-7	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-7	1/17/2022	11.2	3		ug/L
Chromium, total	NE-7	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-7	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-7	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-8	1/12/2017	0.6	3	ND	ug/L
Chromium, total	NE-8	4/5/2017	0.7	3	ND	ug/L
Chromium, total	NE-8	7/20/2017	3	3	ND	ug/L
Chromium, total	NE-8	10/6/2017	3	3	ND	ug/L
Chromium, total	NE-8	2/4/2019	1.1	3	ND	ug/L
Chromium, total	NE-8	8/5/2019	6	6	ND	ug/L
Chromium, total	NE-8	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-8	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-8	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-8	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-8	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-8	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-8	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-8	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-8	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-9	1/12/2017	3	3	ND	ug/L
Chromium, total	NE-9	4/5/2017	3	3	ND	ug/L
Chromium, total	NE-9	7/20/2017	3	3	ND	ug/L
Chromium, total	NE-9	10/5/2017	3	3	ND	ug/L
Chromium, total	NE-9	2/5/2019	0.69	3	ND	ug/L
Chromium, total	NE-9	8/7/2019	6	6	ND	ug/L
Chromium, total	NE-9	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-9	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-9	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-9	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-9	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-9	4/8/2023	3	3	ND	ug/L
Chrysene	LGW-10	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Chrysene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Chrysene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Chrysene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Chrysene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Chrysene	LGW-10	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-10	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-14R	10/27/2006	10	10	ND	ug/L
Chrysene	LGW-14R	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Chrysene	LGW-14R	7/17/2018	10	10	ND	ug/L
Chrysene	LGW-14R	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-2	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-2	2/13/2009	10	10	ND	ug/L
Chrysene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-2	2/13/2015	13	13	ND	ug/L
Chrysene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Chrysene	LGW-2	7/8/2020	1	1	ND	ug/L
Chrysene	LGW-2	7/4/2021	10	10	ND	ug/L
Chrysene	LGW-3R	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-3R	2/3/2009	0.81	10	ND	ug/L
Chrysene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Chrysene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Chrysene	LGW-3R	7/11/2018	10	10	ND	ug/L
Chrysene	LGW-3R	7/6/2021	10	10	ND	ug/L
Chrysene	LGW-4	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-4	2/3/2009	10	10	ND	ug/L
Chrysene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Chrysene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Chrysene	LGW-4	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-5	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-5	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Chrysene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Chrysene	LGW-5	7/12/2018	10	10	ND	ug/L
Chrysene	LGW-5	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-6	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-6	2/5/2009	10	10	ND	ug/L
Chrysene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-6	2/10/2015	10	10	ND	ug/L
Chrysene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Chrysene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Chrysene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Chrysene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Chrysene	LGW-6	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-6	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-7	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-7	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Chrysene	LGW-7	7/12/2018	10	10	ND	ug/L
Chrysene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Chrysene	LGW-7	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-7	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-8R	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-8R	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Chrysene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Chrysene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Chrysene	LGW-8R	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-9	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-9	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Chrysene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Chrysene	LGW-9	7/10/2019	10	10	ND	ug/L
Chrysene	LGW-9	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-9	7/7/2021	10	10	ND	ug/L
Chrysene	MW-10N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-10N	2/13/2009	10	10	ND	ug/L
Chrysene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Chrysene	MW-10N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-11N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-11N	2/3/2009	10	10	ND	ug/L
Chrysene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	MW-11N	2/10/2015	10	10	ND	ug/L
Chrysene	MW-11N	7/17/2018	10	10	ND	ug/L
Chrysene	MW-11N	7/6/2021	10	10	ND	ug/L
Chrysene	MW-15	7/10/2018	10	10	ND	ug/L
Chrysene	MW-15	7/4/2021	10	10	ND	ug/L
Chrysene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Chrysene	MW-16	7/4/2021	10	10	ND	ug/L
Chrysene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Chrysene	MW-17	7/4/2021	10	10	ND	ug/L
Chrysene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Chrysene	MW-19	7/4/2021	10	10	ND	ug/L
Chrysene	MW-1N	10/14/1998	10	10	ND	ug/L
Chrysene	MW-1N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-1N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-1N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-1N	2/5/2009	10	10	ND	ug/L
Chrysene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Chrysene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Chrysene	MW-1N	7/6/2020	1	1	ND	ug/L
Chrysene	MW-1N	7/4/2021	10	10	ND	ug/L
Chrysene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Chrysene	MW-20	7/4/2021	10	10	ND	ug/L
Chrysene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Chrysene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Chrysene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Chrysene	MW-21	7/11/2019	10	10	ND	ug/L
Chrysene	MW-21	7/8/2020	1	1	ND	ug/L
Chrysene	MW-21	7/5/2021	10	10	ND	ug/L
Chrysene	MW-2N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-2N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Chrysene	MW-2N	7/12/2018	10	10	ND	ug/L
Chrysene	MW-2N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-3N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-3N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-3N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-3N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Chrysene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Chrysene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Chrysene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Chrysene	MW-3N	7/11/2019	10	10	ND	ug/L
Chrysene	MW-3N	7/7/2020	1	1	ND	ug/L
Chrysene	MW-3N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-7N	10/15/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	MW-7N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-7N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-7N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-7N	2/6/2009	1.3	10	ND	ug/L
Chrysene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Chrysene	MW-7N	7/13/2018	10	10	ND	ug/L
Chrysene	MW-7N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-8N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-8N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-8N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-8N	1/24/2008	10	10	ND	ug/L
Chrysene	MW-8N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Chrysene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Chrysene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Chrysene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Chrysene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Chrysene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Chrysene	MW-8N	7/11/2019	10	10	ND	ug/L
Chrysene	MW-8N	7/9/2020	1	1	ND	ug/L
Chrysene	MW-8N	7/5/2021	10	10	ND	ug/L
Chrysene	NE-1	10/25/2006	10	10	ND	ug/L
Chrysene	NE-1	2/7/2009	10	10	ND	ug/L
Chrysene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Chrysene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Chrysene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Chrysene	NE-4	10/25/2006	10	10	ND	ug/L
Chrysene	NE-4	2/7/2009	10	10	ND	ug/L
Chrysene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Chrysene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Chrysene	NE-4	7/12/2018	10	10	ND	ug/L
Chrysene	NE-5	10/25/2006	10	10	ND	ug/L
Chrysene	NE-5	2/6/2009	10	10	ND	ug/L
Chrysene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Chrysene	NE-5	7/9/2019	10	10	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/26/2006	3.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	8/1/2006	4.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	8/1/2006	4.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/26/2006	2.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/25/2007	2.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/26/2007	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2007	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/23/2008	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/22/2008	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/29/2009	2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/3/2010	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/3/2010	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2010	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/19/2011	1.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2011	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/5/2012	2.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/9/2012	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	5/1/2013	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/30/2014	2.5	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-10	7/9/2014	2.6	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/12/2015	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/13/2015	3.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/5/2016	3.1	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/10/2016	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/6/2016	2.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/21/2016	3.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/6/2016	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2017	1.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/4/2017	3.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/19/2017	3.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/9/2017	3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/24/2018	1.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/11/2018	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2018	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/4/2018	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/4/2019	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/3/2019	1.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2019	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/2/2019	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/15/2020	2.56	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/2/2020	2.32	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/9/2020	2.57	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	4/6/2021	1.62	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/7/2021	2.43	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/13/2022	1.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/4/2022	1.78	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2022	1.95	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/7/2022	1.11	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2023	1.38	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/5/2023	1.19	1		ug/L
Cis-1,2-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/13/2020	1.22	1		ug/L
Cis-1,2-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/18/2017	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2018	0.16	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/2/2018	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/3/2019	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/10/2019	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/3/2019	0.18	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/24/2018	0.22	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/11/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/2/2018	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/3/2019	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/10/2019	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/3/2019	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	2/4/2009	0.4	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/14/2010	0.44	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/20/2011	0.43	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/12/2011	0.41	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/5/2012	0.4	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2012	0.36	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	5/1/2013	0.24	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/15/2013	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	2/11/2015	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/6/2016	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/11/2017	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	5/5/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/18/2017	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/24/2018	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/11/2018	0.24	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/13/2018	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/2/2018	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/7/2019	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/3/2019	0.36	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2019	0.23	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/17/2021	2.19	1		ug/L
Cis-1,2-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/28/1998	5.4	5.4	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/15/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/20/1999	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-10N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/20/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/20/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/14/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/19/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/15/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/19/1999	0.35	2.7		ug/L
Cis-1,2-dichloroethene	MW-1N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/12/2000	3.8	1		ug/L
Cis-1,2-dichloroethene	MW-1N	10/18/2000	2.2	1		ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2001	0.61	1		ug/L
Cis-1,2-dichloroethene	MW-1N	4/12/2001	7.4	1		ug/L
Cis-1,2-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/9/2002	0.96	1		ug/L
Cis-1,2-dichloroethene	MW-1N	10/3/2002	1.1	1		ug/L
Cis-1,2-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	6/5/2015	0.46	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/14/2015	0.42	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	8/4/2015	0.45	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	9/2/2015	0.49	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/5/2016	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/20/2016	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/5/2016	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/10/2017	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/5/2017	0.32	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/19/2017	0.35	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/6/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/11/2018	0.58	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/11/2018	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/4/2018	0.23	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/3/2019	0.42	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/3/2019	0.25	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/11/2019	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/2/2019	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/28/1998	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-2N	7/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/20/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/28/1998	0.62	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/13/1999	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-3N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/20/1999	0.79	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	1/14/2000	0.35	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	4/24/2000	0.94	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2000	0.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/17/2000	0.68	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/23/2001	0.65	1		ug/L
Cis-1,2-dichloroethene	MW-3N	4/11/2001	0.99	1		ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002	2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/9/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/2/2002	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/22/2003	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	4/14/2003	1.7	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/7/2003	2.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/28/2004	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/27/2004	2.2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/12/2005	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/20/2005	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/18/2006	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/25/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2007	1.2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2007	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2008	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/22/2008	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	2/4/2009	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/31/2009	1.5	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2010	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2010	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2011	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/5/2012	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2012	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	5/1/2013	0.97	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	6/4/2013	0.88	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/16/2013	0.7	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2014	0.73	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/9/2014	0.85	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	2/12/2015	0.7	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/1/2015	0.77	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2015	0.68	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/5/2015	0.75	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/6/2016	0.62	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/6/2016	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/21/2016	0.61	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/6/2016	0.5	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/11/2017	0.4	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/4/2017	0.47	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2017	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/9/2017	0.52	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/10/2018	0.46	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2018	0.38	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/3/2018	0.38	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/7/2019	0.25	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/3/2019	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2019	0.32	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/2/2019	0.35	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/22/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	8/18/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	9/17/1998	11	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/15/1998	9.8	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	11/9/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	1/14/1999	11	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/1999	9.8	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/1999	13	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/19/1999	14	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	1/13/2000	13	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	4/25/2000	18	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/17/2000	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2001	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/10/2001	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002	15	1		ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002	15	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	7/9/2002	10	1		ug/L
Cis-1,2-dichloroethene	MW-7N	10/2/2002	8.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2003	6.4	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/2003	8.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/7/2003	9.2	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/27/2004	7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/8/2004	7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/26/2004	3.9	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2005	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2005	3.5	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/19/2006	2.9	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006	3.3	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006	3.3	1		ug/L
Cis-1,2-dichloroethene	MW-7N	10/24/2006	2.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2007	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	2/6/2009	0.84	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2010	1	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/2010	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-7N	9/2/2010	0.73	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/20/2011	1	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/12/2011	0.59	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/5/2012	0.44	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2012	0.41	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	5/1/2013	0.99	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	6/4/2013	0.48	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/15/2013	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-7N	1/11/2017	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	4/4/2017	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/12/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/19/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2002	2.8	1		ug/L
Cis-1,2-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-3	7/9/2002	5.5	1		ug/L
Cis-1,2-dichloroethene	NE-3	8/6/2002	2.4	1		ug/L
Cis-1,2-dichloroethene	NE-3	9/4/2002	2.5	1		ug/L
Cis-1,2-dichloroethene	NE-3	10/2/2002	2.4	1		ug/L
Cis-1,2-dichloroethene	NE-3	9/2/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-3	3/21/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/10/2002	1.7	1		ug/L
Cis-1,2-dichloroethene	NE-4	8/6/2002	2.2	1		ug/L
Cis-1,2-dichloroethene	NE-4	9/4/2002	1.5	1		ug/L
Cis-1,2-dichloroethene	NE-4	10/3/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2002	1.9	1		ug/L
Cis-1,2-dichloroethene	NE-5	8/6/2002	2.6	1		ug/L
Cis-1,2-dichloroethene	NE-5	9/4/2002	2	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/2/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/15/2003	1.9	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/8/2003	1.7	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/27/2004	1.6	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2006	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2006	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/22/2008	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	2/6/2009	0.92	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/31/2009	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/26/2010	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/16/2010	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	9/2/2010	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/19/2011	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/13/2011	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/5/2012	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/10/2012	1.1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-5	4/30/2013	0.86	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/16/2013	0.98	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/23/2014	0.89	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2014	0.74	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	2/11/2015	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/14/2015	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/6/2016	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	2/11/2016	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/20/2016	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/11/2017	0.85	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2017	0.8	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/25/2018	0.92	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/10/2018	0.96	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/17/2018	0.9	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/3/2018	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/4/2019	1.2	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/3/2019	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	9/30/2019	0.43	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	9/30/2019	0.51	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	10/27/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-7	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/28/1998	5.8	5.8	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/15/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/11/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/10/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/29/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/20/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/14/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/15/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/25/2000	2.9	2.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-1N	7/12/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/18/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/12/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/3/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/23/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-2N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/23/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/24/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-3N	1/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	8/18/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	9/17/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/15/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	11/9/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/19/1999	2.9	2.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-7N	1/13/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/8/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/26/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/28/1998	2.9	2.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-8N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/12/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-13	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15S	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-3	3/21/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/3/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/13/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/5/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-6	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	4/8/2023	1	1	ND	ug/L
Cobalt, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-10N	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-10N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-11N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-11N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Cobalt, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-1N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-1N	10/3/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-2N	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-2N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-3N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-3N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-7N	10/19/1999	22	3		ug/L
Cobalt, dissolved	MW-7N	7/11/2000	32	3		ug/L
Cobalt, dissolved	MW-7N	7/9/2002	42	7		ug/L
Cobalt, dissolved	MW-7N	10/2/2002	37	7		ug/L
Cobalt, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Cobalt, dissolved	MW-8N	7/11/2000	3.7	3		ug/L
Cobalt, dissolved	MW-8N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-8N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	8/6/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	9/4/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-2	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-2	8/6/2002	15	7		ug/L
Cobalt, dissolved	NE-2	9/4/2002	10	7		ug/L
Cobalt, dissolved	NE-2	10/2/2002	12	7		ug/L
Cobalt, dissolved	NE-3	7/9/2002	46	7		ug/L
Cobalt, dissolved	NE-3	8/6/2002	56	7		ug/L
Cobalt, dissolved	NE-3	9/4/2002	47	7		ug/L
Cobalt, dissolved	NE-3	10/2/2002	45	7		ug/L
Cobalt, dissolved	NE-4	7/10/2002	11	7		ug/L
Cobalt, dissolved	NE-4	8/6/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-4	9/4/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-4	10/3/2002	7.1	7		ug/L
Cobalt, dissolved	NE-5	7/9/2002	76	7		ug/L
Cobalt, dissolved	NE-5	8/6/2002	100	7		ug/L
Cobalt, dissolved	NE-5	9/4/2002	83	7		ug/L
Cobalt, dissolved	NE-5	10/2/2002	78	7		ug/L
Cobalt, dissolved	NE-5	10/3/2018	40	3		ug/L
Cobalt, total	LGW-10	1/26/2006	44	3		ug/L
Cobalt, total	LGW-10	8/1/2006	69	3		ug/L
Cobalt, total	LGW-10	8/1/2006	69	3		ug/L
Cobalt, total	LGW-10	10/26/2006	45	3		ug/L
Cobalt, total	LGW-10	1/25/2007	30	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-10	4/26/2007	47	3		ug/L
Cobalt, total	LGW-10	7/12/2007	71	3		ug/L
Cobalt, total	LGW-10	1/23/2008	46	3		ug/L
Cobalt, total	LGW-10	7/22/2008	79	3		ug/L
Cobalt, total	LGW-10	7/29/2009	94	3		ug/L
Cobalt, total	LGW-10	2/3/2010	58	3		ug/L
Cobalt, total	LGW-10	2/3/2010	58	3		ug/L
Cobalt, total	LGW-10	7/16/2010	110	3		ug/L
Cobalt, total	LGW-10	1/19/2011	61	3		ug/L
Cobalt, total	LGW-10	7/12/2011	120	3		ug/L
Cobalt, total	LGW-10	1/5/2012	110	3		ug/L
Cobalt, total	LGW-10	7/9/2012	89	3		ug/L
Cobalt, total	LGW-10	5/1/2013	130	3		ug/L
Cobalt, total	LGW-10	1/30/2014	100	3		ug/L
Cobalt, total	LGW-10	7/9/2014	110	3		ug/L
Cobalt, total	LGW-10	2/12/2015	75	3		ug/L
Cobalt, total	LGW-10	7/13/2015	120	3		ug/L
Cobalt, total	LGW-10	1/5/2016	80	3		ug/L
Cobalt, total	LGW-10	2/10/2016	37	3		ug/L
Cobalt, total	LGW-10	4/6/2016	110	3		ug/L
Cobalt, total	LGW-10	7/21/2016	93	3		ug/L
Cobalt, total	LGW-10	10/6/2016	76	3		ug/L
Cobalt, total	LGW-10	1/11/2017	58	3		ug/L
Cobalt, total	LGW-10	4/4/2017	92	3		ug/L
Cobalt, total	LGW-10	7/19/2017	120	3		ug/L
Cobalt, total	LGW-10	10/9/2017	120	3		ug/L
Cobalt, total	LGW-10	1/24/2018	50	3		ug/L
Cobalt, total	LGW-10	4/11/2018	84	3		ug/L
Cobalt, total	LGW-10	7/16/2018	65	3		ug/L
Cobalt, total	LGW-10	10/4/2018	45	3		ug/L
Cobalt, total	LGW-10	1/4/2019	65	3		ug/L
Cobalt, total	LGW-10	4/3/2019	56	3		ug/L
Cobalt, total	LGW-10	7/11/2019	23	3		ug/L
Cobalt, total	LGW-10	10/2/2019	62	3		ug/L
Cobalt, total	LGW-10	1/15/2020	92.6	3		ug/L
Cobalt, total	LGW-10	4/2/2020	65.2	3		ug/L
Cobalt, total	LGW-10	7/9/2020	68.5	3		ug/L
Cobalt, total	LGW-10	10/7/2020	32	3		ug/L
Cobalt, total	LGW-10	1/17/2021	4.1	3		ug/L
Cobalt, total	LGW-10	4/6/2021	53.3	3		ug/L
Cobalt, total	LGW-10	7/7/2021	80.6	3		ug/L
Cobalt, total	LGW-10	10/5/2021	42.4	3		ug/L
Cobalt, total	LGW-10	1/13/2022	52.4	3		ug/L
Cobalt, total	LGW-10	4/4/2022	59.4	3		ug/L
Cobalt, total	LGW-10	7/11/2022	78.8	3		ug/L
Cobalt, total	LGW-10	10/7/2022	47.8	3		ug/L
Cobalt, total	LGW-10	1/11/2023	62.5	3		ug/L
Cobalt, total	LGW-10	4/5/2023	70.60001	3		ug/L
Cobalt, total	LGW-14R	1/25/2006	18	3		ug/L
Cobalt, total	LGW-14R	8/2/2006	4.1	3		ug/L
Cobalt, total	LGW-14R	8/2/2006	4.1	3		ug/L
Cobalt, total	LGW-14R	10/27/2006	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-14R	4/24/2007	2.5	3	ND	ug/L
Cobalt, total	LGW-14R	7/11/2007	4.9	3		ug/L
Cobalt, total	LGW-14R	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/6/2009	2.2	3	ND	ug/L
Cobalt, total	LGW-14R	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/3/2010	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-14R	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-14R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/25/2018	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/17/2018	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/10/2019	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-2	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	7/10/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	1/26/2008	1.2	3	ND	ug/L
Cobalt, total	LGW-2	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-2	2/6/2009	1.2	3	ND	ug/L
Cobalt, total	LGW-2	7/30/2009	3	3	ND	ug/L
Cobalt, total	LGW-2	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-2	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-2	7/12/2010	0.2	3	ND	ug/L
Cobalt, total	LGW-2	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-2	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-2	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-2	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-2	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-2	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-2	1/30/2014	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-2	2/13/2015	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2015	3	3	ND	ug/L
Cobalt, total	LGW-2	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-2	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-2	1/11/2017	3.6	3		ug/L
Cobalt, total	LGW-2	7/18/2017	6.8	3		ug/L
Cobalt, total	LGW-2	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-2	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-2	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-2	7/9/2019	0.8	3	ND	ug/L
Cobalt, total	LGW-2	1/13/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	4/1/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	1/18/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-2	7/4/2021	3	3	ND	ug/L
Cobalt, total	LGW-2	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-2	7/10/2022	3	3	ND	ug/L
Cobalt, total	LGW-2	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	10/26/2006	10	3	ND	ug/L
Cobalt, total	LGW-3R	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/26/2008	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2009	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/31/2009	1.3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/16/2010	0.1	3	ND	ug/L
Cobalt, total	LGW-3R	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-3R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/22/2014	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/16/2015	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/8/2016	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/21/2016	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/9/2019	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-4	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	1/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-4	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2009	3	3	ND	ug/L
Cobalt, total	LGW-4	7/31/2009	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-4	7/16/2010	0.2	3	ND	ug/L
Cobalt, total	LGW-4	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-4	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-4	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-4	7/9/2012	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-4	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-4	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-4	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-4	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-4	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-4	7/8/2015	3	3	ND	ug/L
Cobalt, total	LGW-4	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-4	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-4	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-4	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-4	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-4	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-4	7/9/2019	3	3	ND	ug/L
Cobalt, total	LGW-4	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-4	7/6/2020	3	3	ND	ug/L
Cobalt, total	LGW-4	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-4	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-4	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-4	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-5	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-5	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-5	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-5	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-5	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-5	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-5	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-5	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-5	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-5	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-5	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-5	7/8/2015	1.7	3	ND	ug/L
Cobalt, total	LGW-5	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-5	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-5	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-5	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-5	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-5	7/9/2019	0.8	3	ND	ug/L
Cobalt, total	LGW-5	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-5	7/6/2020	4.71	3		ug/L
Cobalt, total	LGW-5	10/5/2020	7.29	2		ug/L
Cobalt, total	LGW-5	10/5/2020	7.29	2		ug/L
Cobalt, total	LGW-5	1/18/2021	9.2	3		ug/L
Cobalt, total	LGW-5	4/6/2021	8.37	3		ug/L
Cobalt, total	LGW-5	7/7/2021	10.3	3		ug/L
Cobalt, total	LGW-5	10/5/2021	11.5	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-5	1/12/2022	10.8	3		ug/L
Cobalt, total	LGW-5	4/4/2022	10.9	3		ug/L
Cobalt, total	LGW-5	7/11/2022	10.5	3		ug/L
Cobalt, total	LGW-5	10/6/2022	10.9	3		ug/L
Cobalt, total	LGW-5	1/10/2023	4.1	3		ug/L
Cobalt, total	LGW-6	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-6	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-6	2/5/2009	3	3	ND	ug/L
Cobalt, total	LGW-6	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-6	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-6	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-6	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-6	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-6	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-6	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-6	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-6	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-6	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-6	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-6	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	10/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-6	5/5/2017	15	15	ND	ug/L
Cobalt, total	LGW-6	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-6	10/5/2017	6	6	ND	ug/L
Cobalt, total	LGW-6	1/23/2018	15	15	ND	ug/L
Cobalt, total	LGW-6	4/10/2018	3	3	ND	ug/L
Cobalt, total	LGW-6	7/17/2018	3	3	ND	ug/L
Cobalt, total	LGW-6	10/2/2018	6	6	ND	ug/L
Cobalt, total	LGW-6	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-6	4/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-6	7/10/2019	0.6	3	ND	ug/L
Cobalt, total	LGW-6	10/3/2019	1.5	3	ND	ug/L
Cobalt, total	LGW-6	1/16/2020	3	3	ND	ug/L
Cobalt, total	LGW-6	4/2/2020	3	3	ND	ug/L
Cobalt, total	LGW-6	7/9/2020	4.49	3		ug/L
Cobalt, total	LGW-6	10/6/2020	6.48	3		ug/L
Cobalt, total	LGW-6	1/18/2021	8.99	3		ug/L
Cobalt, total	LGW-6	4/6/2021	10.4	3		ug/L
Cobalt, total	LGW-6	7/7/2021	16.3	3		ug/L
Cobalt, total	LGW-6	10/5/2021	18.9	3		ug/L
Cobalt, total	LGW-6	1/12/2022	19.6	3		ug/L
Cobalt, total	LGW-6	4/4/2022	20	3		ug/L
Cobalt, total	LGW-6	7/11/2022	18.4	3		ug/L
Cobalt, total	LGW-6	10/6/2022	22.3	3		ug/L
Cobalt, total	LGW-6	1/10/2023	21.1	3		ug/L
Cobalt, total	LGW-6	4/6/2023	25	3		ug/L
Cobalt, total	LGW-7	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	8/1/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-7	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-7	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2007	3	3	ND	ug/L
Cobalt, total	LGW-7	7/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-7	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-7	7/31/2009	3	3	ND	ug/L
Cobalt, total	LGW-7	1/27/2010	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-7	1/20/2011	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-7	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-7	7/10/2012	3	3	ND	ug/L
Cobalt, total	LGW-7	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-7	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-7	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-7	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-7	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-7	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-7	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	4/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	7/20/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	10/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	4/4/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	10/5/2017	6	6	ND	ug/L
Cobalt, total	LGW-7	1/24/2018	15	15	ND	ug/L
Cobalt, total	LGW-7	4/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	10/2/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	4/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	7/10/2019	1.2	3	ND	ug/L
Cobalt, total	LGW-7	10/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	1/15/2020	3	3	ND	ug/L
Cobalt, total	LGW-7	7/9/2020	3	3	ND	ug/L
Cobalt, total	LGW-7	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-7	7/7/2021	4.53	3		ug/L
Cobalt, total	LGW-7	10/5/2021	3	3	ND	ug/L
Cobalt, total	LGW-7	1/13/2022	3	3	ND	ug/L
Cobalt, total	LGW-7	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-7	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/12/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/27/2010	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/14/2010	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/20/2011	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-8R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/22/2014	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-8R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/8/2019	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	1/25/2006	14	3		ug/L
Cobalt, total	LGW-9	7/20/2006	10	3		ug/L
Cobalt, total	LGW-9	7/20/2006	10	3		ug/L
Cobalt, total	LGW-9	10/26/2006	15	3		ug/L
Cobalt, total	LGW-9	1/25/2007	12	3		ug/L
Cobalt, total	LGW-9	4/25/2007	14	3		ug/L
Cobalt, total	LGW-9	7/10/2007	13	3		ug/L
Cobalt, total	LGW-9	7/22/2008	12	3		ug/L
Cobalt, total	LGW-9	2/4/2009	8.7	3		ug/L
Cobalt, total	LGW-9	7/29/2009	7.3	3		ug/L
Cobalt, total	LGW-9	1/27/2010	10	3		ug/L
Cobalt, total	LGW-9	7/14/2010	7.6	3		ug/L
Cobalt, total	LGW-9	1/20/2011	10	3		ug/L
Cobalt, total	LGW-9	7/12/2011	12	3		ug/L
Cobalt, total	LGW-9	1/5/2012	14	3		ug/L
Cobalt, total	LGW-9	7/10/2012	15	3		ug/L
Cobalt, total	LGW-9	5/1/2013	16	3		ug/L
Cobalt, total	LGW-9	7/15/2013	14	3		ug/L
Cobalt, total	LGW-9	1/23/2014	11	3		ug/L
Cobalt, total	LGW-9	7/8/2014	9	3		ug/L
Cobalt, total	LGW-9	2/11/2015	12	3		ug/L
Cobalt, total	LGW-9	7/13/2015	13	3		ug/L
Cobalt, total	LGW-9	1/5/2016	9.9	3		ug/L
Cobalt, total	LGW-9	7/21/2016	9	3		ug/L
Cobalt, total	LGW-9	10/6/2016	8.7	3		ug/L
Cobalt, total	LGW-9	1/11/2017	13	3		ug/L
Cobalt, total	LGW-9	5/5/2017	6.7	3		ug/L
Cobalt, total	LGW-9	7/18/2017	8.6	3		ug/L
Cobalt, total	LGW-9	10/5/2017	7.1	3		ug/L
Cobalt, total	LGW-9	1/24/2018	10	3		ug/L
Cobalt, total	LGW-9	4/11/2018	5.9	3		ug/L
Cobalt, total	LGW-9	7/13/2018	5.9	3		ug/L
Cobalt, total	LGW-9	10/2/2018	6.4	3		ug/L
Cobalt, total	LGW-9	1/7/2019	11	3		ug/L
Cobalt, total	LGW-9	4/3/2019	12	3		ug/L
Cobalt, total	LGW-9	7/10/2019	9.6	3		ug/L
Cobalt, total	LGW-9	10/3/2019	8.5	3		ug/L
Cobalt, total	LGW-9	1/16/2020	4.94	3		ug/L
Cobalt, total	LGW-9	4/2/2020	3.43	3		ug/L
Cobalt, total	LGW-9	7/9/2020	3.95	3		ug/L
Cobalt, total	LGW-9	10/7/2020	4.59	3		ug/L
Cobalt, total	LGW-9	1/17/2021	85.60001	3		ug/L
Cobalt, total	LGW-9	4/6/2021	3.86	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-9	7/7/2021	4.45	3		ug/L
Cobalt, total	LGW-9	10/5/2021	6.85	3		ug/L
Cobalt, total	LGW-9	1/13/2022	3.95	3		ug/L
Cobalt, total	LGW-9	4/4/2022	3.77	3		ug/L
Cobalt, total	LGW-9	7/11/2022	3.48	3		ug/L
Cobalt, total	LGW-9	10/7/2022	4.01	3		ug/L
Cobalt, total	LGW-9	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	4/5/2023	3	3	ND	ug/L
Cobalt, total	MW-10N	10/22/1997	3.2	3		ug/L
Cobalt, total	MW-10N	1/22/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	1/14/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	7/15/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	7/11/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-10N	4/10/2001	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2002	7	7	ND	ug/L
Cobalt, total	MW-10N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-10N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	7/8/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-10N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-10N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-10N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-10N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2007	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2007	3	3	ND	ug/L
Cobalt, total	MW-10N	1/23/2008	3	3	ND	ug/L
Cobalt, total	MW-10N	7/21/2008	3	3	ND	ug/L
Cobalt, total	MW-10N	2/13/2009	3	3	ND	ug/L
Cobalt, total	MW-10N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-10N	1/27/2010	3	3	ND	ug/L
Cobalt, total	MW-10N	8/10/2010	3	3	ND	ug/L
Cobalt, total	MW-10N	1/19/2011	3	3	ND	ug/L
Cobalt, total	MW-10N	7/14/2011	3	3	ND	ug/L
Cobalt, total	MW-10N	1/5/2012	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2012	3	3	ND	ug/L
Cobalt, total	MW-10N	5/1/2013	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-10N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-10N	2/12/2015	3	3	ND	ug/L
Cobalt, total	MW-10N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-10N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-10N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-10N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2018	3	3	ND	ug/L
Cobalt, total	MW-10N	7/11/2018	3	3	ND	ug/L
Cobalt, total	MW-10N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-10N	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-10N	1/16/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-10N	7/8/2020	3	3	ND	ug/L
Cobalt, total	MW-10N	1/13/2021	3	3	ND	ug/L
Cobalt, total	MW-10N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-10N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-11N	10/22/1997	3.8	3		ug/L
Cobalt, total	MW-11N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-11N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-11N	7/23/1998	5.7	3		ug/L
Cobalt, total	MW-11N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	1/13/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	7/10/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-11N	4/10/2001	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-11N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-11N	1/23/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	7/8/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	1/29/2004	3	3	ND	ug/L
Cobalt, total	MW-11N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-11N	1/13/2005	3	3	ND	ug/L
Cobalt, total	MW-11N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-11N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	1/24/2007	3	3	ND	ug/L
Cobalt, total	MW-11N	7/10/2007	3	3	ND	ug/L
Cobalt, total	MW-11N	1/22/2008	3	3	ND	ug/L
Cobalt, total	MW-11N	7/23/2008	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2009	3	3	ND	ug/L
Cobalt, total	MW-11N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	7/16/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	1/19/2011	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2011	3	3	ND	ug/L
Cobalt, total	MW-11N	1/4/2012	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2012	3	3	ND	ug/L
Cobalt, total	MW-11N	4/30/2013	3	3	ND	ug/L
Cobalt, total	MW-11N	7/15/2013	3	3	ND	ug/L
Cobalt, total	MW-11N	1/23/2014	3	3	ND	ug/L
Cobalt, total	MW-11N	7/8/2014	3	3	ND	ug/L
Cobalt, total	MW-11N	2/10/2015	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2015	3	3	ND	ug/L
Cobalt, total	MW-11N	1/5/2016	3	3	ND	ug/L
Cobalt, total	MW-11N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-11N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-11N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-11N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-11N	7/17/2018	3	3	ND	ug/L
Cobalt, total	MW-11N	1/2/2019	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-11N	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-11N	7/6/2020	3	3	ND	ug/L
Cobalt, total	MW-11N	1/18/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-11N	7/6/2021	3	3	ND	ug/L
Cobalt, total	MW-11N	1/18/2022	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2022	3	3	ND	ug/L
Cobalt, total	MW-11N	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-15	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-15	7/15/2015	3	3	ND	ug/L
Cobalt, total	MW-15	8/5/2015	1.5	3	ND	ug/L
Cobalt, total	MW-15	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-15	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-15	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-15	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-15	10/6/2016	3	3	ND	ug/L
Cobalt, total	MW-15	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-15	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-15	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-15	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-15	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-15	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-15	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-15	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-15	1/18/2021	3	3	ND	ug/L
Cobalt, total	MW-15	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-15	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-15	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-15	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-16	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-16	7/16/2015	3	3	ND	ug/L
Cobalt, total	MW-16	8/5/2015	3	3	ND	ug/L
Cobalt, total	MW-16	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-16	1/8/2016	3	3	ND	ug/L
Cobalt, total	MW-16	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-16	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-16	10/5/2016	3	3	ND	ug/L
Cobalt, total	MW-16	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-16	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-16	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-16	7/11/2018	3	3	ND	ug/L
Cobalt, total	MW-16	1/2/2019	3	3	ND	ug/L
Cobalt, total	MW-16	7/10/2019	3	3	ND	ug/L
Cobalt, total	MW-16	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-16	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-16	1/18/2021	3	3	ND	ug/L
Cobalt, total	MW-16	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-16	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-16	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-16	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-17	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-17	7/15/2015	3	3	ND	ug/L
Cobalt, total	MW-17	8/4/2015	3	3	ND	ug/L
Cobalt, total	MW-17	9/2/2015	3	3	ND	ug/L
Cobalt, total	MW-17	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-17	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-17	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-17	10/6/2016	3	3	ND	ug/L
Cobalt, total	MW-17	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-17	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-17	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-17	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-17	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-17	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-17	1/14/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-17	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-17	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-17	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-17	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-19	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-19	7/16/2015	3	3	ND	ug/L
Cobalt, total	MW-19	8/5/2015	3	3	ND	ug/L
Cobalt, total	MW-19	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-19	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-19	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-19	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-19	10/5/2016	3	3	ND	ug/L
Cobalt, total	MW-19	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-19	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-19	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-19	7/13/2018	3	3	ND	ug/L
Cobalt, total	MW-19	1/7/2019	3	3	ND	ug/L
Cobalt, total	MW-19	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-19	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-19	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-19	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-19	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-19	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-1N	10/22/1997	3	3	ND	ug/L
Cobalt, total	MW-1N	1/20/1998	5.4	3		ug/L
Cobalt, total	MW-1N	4/28/1998	5.6	3		ug/L
Cobalt, total	MW-1N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-1N	10/14/1998	3	3	ND	ug/L
Cobalt, total	MW-1N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-1N	4/13/1999	6.2	3		ug/L
Cobalt, total	MW-1N	7/15/1999	3	3	ND	ug/L
Cobalt, total	MW-1N	10/19/1999	3	3		ug/L
Cobalt, total	MW-1N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	4/25/2000	4.1	3		ug/L
Cobalt, total	MW-1N	7/12/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	10/18/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-1N	4/12/2001	3	3	ND	ug/L
Cobalt, total	MW-1N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-1N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-1N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-1N	10/3/2002	7	7	ND	ug/L
Cobalt, total	MW-1N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-1N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-1N	7/8/2003	3.3	3		ug/L
Cobalt, total	MW-1N	1/28/2004	7.8	3		ug/L
Cobalt, total	MW-1N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-1N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-1N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-1N	1/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	10/24/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	1/26/2007	3	3	ND	ug/L
Cobalt, total	MW-1N	7/11/2007	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2008	4.2	3		ug/L
Cobalt, total	MW-1N	7/21/2008	1.4	3	ND	ug/L
Cobalt, total	MW-1N	2/5/2009	2.6	3	ND	ug/L
Cobalt, total	MW-1N	7/31/2009	2.5	3	ND	ug/L
Cobalt, total	MW-1N	1/26/2010	2.2	3	ND	ug/L
Cobalt, total	MW-1N	7/13/2010	1.3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-1N	1/20/2011	1.4	3	ND	ug/L
Cobalt, total	MW-1N	7/13/2011	3	3		ug/L
Cobalt, total	MW-1N	1/5/2012	3.7	3		ug/L
Cobalt, total	MW-1N	7/10/2012	2.5	3	ND	ug/L
Cobalt, total	MW-1N	5/1/2013	1.6	3	ND	ug/L
Cobalt, total	MW-1N	7/16/2013	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-1N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-1N	2/10/2015	3	3	ND	ug/L
Cobalt, total	MW-1N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-1N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-1N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-1N	1/12/2017	3	3	ND	ug/L
Cobalt, total	MW-1N	7/19/2017	1.9	3	ND	ug/L
Cobalt, total	MW-1N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-1N	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-1N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-1N	7/11/2019	4.7	3		ug/L
Cobalt, total	MW-1N	10/2/2019	1.4	3	ND	ug/L
Cobalt, total	MW-1N	1/23/2020	20.8	3		ug/L
Cobalt, total	MW-1N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-1N	7/6/2020	3	3	ND	ug/L
Cobalt, total	MW-1N	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-1N	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-1N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-20	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-20	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-20	8/4/2015	3	3	ND	ug/L
Cobalt, total	MW-20	9/2/2015	3	3	ND	ug/L
Cobalt, total	MW-20	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-20	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-20	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-20	10/5/2016	3	3	ND	ug/L
Cobalt, total	MW-20	1/12/2017	3	3	ND	ug/L
Cobalt, total	MW-20	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-20	1/26/2018	3	3	ND	ug/L
Cobalt, total	MW-20	7/12/2018	3	3	ND	ug/L
Cobalt, total	MW-20	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-20	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-20	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-20	1/17/2021	3.76	3		ug/L
Cobalt, total	MW-20	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-20	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-20	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-21	6/5/2015	34	3		ug/L
Cobalt, total	MW-21	7/14/2015	34	3		ug/L
Cobalt, total	MW-21	8/4/2015	35	3		ug/L
Cobalt, total	MW-21	9/2/2015	35	3		ug/L
Cobalt, total	MW-21	1/7/2016	34	3		ug/L
Cobalt, total	MW-21	2/10/2016	34	3		ug/L
Cobalt, total	MW-21	4/5/2016	33	3		ug/L
Cobalt, total	MW-21	7/20/2016	32	3		ug/L
Cobalt, total	MW-21	10/5/2016	26	3		ug/L
Cobalt, total	MW-21	10/5/2016	24	3		ug/L
Cobalt, total	MW-21	1/10/2017	24	3		ug/L
Cobalt, total	MW-21	4/5/2017	30	3		ug/L
Cobalt, total	MW-21	7/19/2017	23	3		ug/L
Cobalt, total	MW-21	10/6/2017	23	3		ug/L
Cobalt, total	MW-21	1/24/2018	15	3		ug/L
Cobalt, total	MW-21	4/11/2018	32	3		ug/L
Cobalt, total	MW-21	7/11/2018	21	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-21	10/4/2018	17	3		ug/L
Cobalt, total	MW-21	1/3/2019	29	3		ug/L
Cobalt, total	MW-21	4/3/2019	22	3		ug/L
Cobalt, total	MW-21	7/11/2019	20	3		ug/L
Cobalt, total	MW-21	10/2/2019	20	3		ug/L
Cobalt, total	MW-21	1/16/2020	18.3	3		ug/L
Cobalt, total	MW-21	4/2/2020	15.9	3		ug/L
Cobalt, total	MW-21	7/8/2020	14.6	3		ug/L
Cobalt, total	MW-21	10/7/2020	11.1	3		ug/L
Cobalt, total	MW-21	1/13/2021	19.5	3		ug/L
Cobalt, total	MW-21	4/6/2021	11.2	3		ug/L
Cobalt, total	MW-21	7/5/2021	12.7	3		ug/L
Cobalt, total	MW-21	10/6/2021	8.73	3		ug/L
Cobalt, total	MW-21	1/11/2023	12.7	3		ug/L
Cobalt, total	MW-21	4/8/2023	7.45	3		ug/L
Cobalt, total	MW-2N	10/22/1997	3	3	ND	ug/L
Cobalt, total	MW-2N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	7/22/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-2N	4/11/2001	3	3	ND	ug/L
Cobalt, total	MW-2N	7/10/2002	7	7	ND	ug/L
Cobalt, total	MW-2N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-2N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	4/14/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	7/7/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-2N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-2N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-2N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-2N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	1/26/2007	3	3	ND	ug/L
Cobalt, total	MW-2N	7/11/2007	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2008	3	3	ND	ug/L
Cobalt, total	MW-2N	7/22/2008	3	3	ND	ug/L
Cobalt, total	MW-2N	2/4/2009	3	3	ND	ug/L
Cobalt, total	MW-2N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-2N	1/26/2010	3	3	ND	ug/L
Cobalt, total	MW-2N	7/13/2010	3	3	ND	ug/L
Cobalt, total	MW-2N	1/20/2011	3	3	ND	ug/L
Cobalt, total	MW-2N	7/13/2011	3	3	ND	ug/L
Cobalt, total	MW-2N	1/5/2012	3	3	ND	ug/L
Cobalt, total	MW-2N	7/10/2012	3	3	ND	ug/L
Cobalt, total	MW-2N	5/1/2013	3	3	ND	ug/L
Cobalt, total	MW-2N	7/16/2013	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-2N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-2N	2/12/2015	3	3	ND	ug/L
Cobalt, total	MW-2N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-2N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-2N	7/21/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-2N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-2N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-2N	7/12/2018	3	3	ND	ug/L
Cobalt, total	MW-2N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-2N	8/7/2019	1.3	3	ND	ug/L
Cobalt, total	MW-2N	1/23/2020	3	3	ND	ug/L
Cobalt, total	MW-2N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-2N	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-2N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-2N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-3N	10/21/1997	5	3		ug/L
Cobalt, total	MW-3N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	4/24/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	1/23/2001	3	3	ND	ug/L
Cobalt, total	MW-3N	4/11/2001	3	3	ND	ug/L
Cobalt, total	MW-3N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-3N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-3N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-3N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-3N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	4/14/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	7/7/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-3N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-3N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-3N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-3N	1/18/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	1/26/2007	1.4	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2007	2.1	3	ND	ug/L
Cobalt, total	MW-3N	1/24/2008	1.5	3	ND	ug/L
Cobalt, total	MW-3N	7/22/2008	2	3	ND	ug/L
Cobalt, total	MW-3N	2/4/2009	1.8	3	ND	ug/L
Cobalt, total	MW-3N	7/31/2009	2.5	3	ND	ug/L
Cobalt, total	MW-3N	1/26/2010	2.2	3	ND	ug/L
Cobalt, total	MW-3N	7/13/2010	1.8	3	ND	ug/L
Cobalt, total	MW-3N	1/20/2011	1.9	3	ND	ug/L
Cobalt, total	MW-3N	7/14/2011	1.7	3	ND	ug/L
Cobalt, total	MW-3N	1/5/2012	1.7	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2012	1.3	3	ND	ug/L
Cobalt, total	MW-3N	5/1/2013	1.4	3	ND	ug/L
Cobalt, total	MW-3N	6/4/2013	1.2	3	ND	ug/L
Cobalt, total	MW-3N	7/16/2013	1.4	3	ND	ug/L
Cobalt, total	MW-3N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-3N	7/9/2014	1.8	3	ND	ug/L
Cobalt, total	MW-3N	2/12/2015	1.2	3	ND	ug/L
Cobalt, total	MW-3N	4/1/2015	1.3	3	ND	ug/L
Cobalt, total	MW-3N	7/14/2015	2.2	3	ND	ug/L
Cobalt, total	MW-3N	10/5/2015	3.3	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-3N	1/6/2016	2.8	3	ND	ug/L
Cobalt, total	MW-3N	4/6/2016	4.3	3		ug/L
Cobalt, total	MW-3N	7/21/2016	3.5	3		ug/L
Cobalt, total	MW-3N	10/6/2016	3.6	3		ug/L
Cobalt, total	MW-3N	1/11/2017	2.4	3	ND	ug/L
Cobalt, total	MW-3N	4/4/2017	1.6	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2017	4.2	3		ug/L
Cobalt, total	MW-3N	10/9/2017	3.8	3		ug/L
Cobalt, total	MW-3N	1/24/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	4/10/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	7/13/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	10/3/2018	4.1	3		ug/L
Cobalt, total	MW-3N	1/7/2019	4.4	3		ug/L
Cobalt, total	MW-3N	4/3/2019	7.1	3		ug/L
Cobalt, total	MW-3N	4/3/2019	3.3	3		ug/L
Cobalt, total	MW-3N	7/11/2019	3.3	3		ug/L
Cobalt, total	MW-3N	10/2/2019	3	3	ND	ug/L
Cobalt, total	MW-3N	1/15/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	10/7/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	1/13/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	10/6/2021	3.31	3		ug/L
Cobalt, total	MW-3N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-7N	10/21/1997	3	3	ND	ug/L
Cobalt, total	MW-7N	1/21/1998	12	3		ug/L
Cobalt, total	MW-7N	7/22/1998	10	3		ug/L
Cobalt, total	MW-7N	8/18/1998	8.9	3		ug/L
Cobalt, total	MW-7N	9/17/1998	9.8	3		ug/L
Cobalt, total	MW-7N	10/15/1998	11	3		ug/L
Cobalt, total	MW-7N	11/9/1998	12	3		ug/L
Cobalt, total	MW-7N	1/14/1999	12	3		ug/L
Cobalt, total	MW-7N	4/14/1999	12	3		ug/L
Cobalt, total	MW-7N	7/14/1999	18	3		ug/L
Cobalt, total	MW-7N	10/19/1999	23	3		ug/L
Cobalt, total	MW-7N	1/13/2000	27	3		ug/L
Cobalt, total	MW-7N	4/25/2000	28	3		ug/L
Cobalt, total	MW-7N	7/11/2000	34	3		ug/L
Cobalt, total	MW-7N	10/17/2000	35	3		ug/L
Cobalt, total	MW-7N	1/23/2001	34	3		ug/L
Cobalt, total	MW-7N	4/10/2001	36	3		ug/L
Cobalt, total	MW-7N	5/29/2002	40	3		ug/L
Cobalt, total	MW-7N	5/29/2002	40	3		ug/L
Cobalt, total	MW-7N	7/9/2002	41	7		ug/L
Cobalt, total	MW-7N	10/2/2002	38	7		ug/L
Cobalt, total	MW-7N	1/23/2003	14	3		ug/L
Cobalt, total	MW-7N	4/14/2003	40	3		ug/L
Cobalt, total	MW-7N	7/7/2003	22	3		ug/L
Cobalt, total	MW-7N	1/27/2004	40	3		ug/L
Cobalt, total	MW-7N	4/8/2004	37	3		ug/L
Cobalt, total	MW-7N	7/26/2004	41	3		ug/L
Cobalt, total	MW-7N	1/12/2005	38	3		ug/L
Cobalt, total	MW-7N	7/19/2005	40	3		ug/L
Cobalt, total	MW-7N	1/19/2006	26	3		ug/L
Cobalt, total	MW-7N	7/19/2006	37	3		ug/L
Cobalt, total	MW-7N	7/19/2006	37	3		ug/L
Cobalt, total	MW-7N	10/24/2006	38	3		ug/L
Cobalt, total	MW-7N	1/26/2007	33	3		ug/L
Cobalt, total	MW-7N	7/10/2007	33	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-7N	7/21/2008	19	3		ug/L
Cobalt, total	MW-7N	2/6/2009	16	3		ug/L
Cobalt, total	MW-7N	7/29/2009	15	3		ug/L
Cobalt, total	MW-7N	1/26/2010	12	3		ug/L
Cobalt, total	MW-7N	7/14/2010	9.2	3		ug/L
Cobalt, total	MW-7N	1/20/2011	3.2	3		ug/L
Cobalt, total	MW-7N	7/12/2011	1.2	3	ND	ug/L
Cobalt, total	MW-7N	1/5/2012	2.1	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2012	1.4	3	ND	ug/L
Cobalt, total	MW-7N	5/1/2013	25	3		ug/L
Cobalt, total	MW-7N	6/4/2013	16	3		ug/L
Cobalt, total	MW-7N	7/15/2013	4.8	3		ug/L
Cobalt, total	MW-7N	1/30/2014	4	3		ug/L
Cobalt, total	MW-7N	7/9/2014	1.6	3	ND	ug/L
Cobalt, total	MW-7N	2/12/2015	3.4	3		ug/L
Cobalt, total	MW-7N	7/13/2015	3	3	ND	ug/L
Cobalt, total	MW-7N	1/5/2016	3	3	ND	ug/L
Cobalt, total	MW-7N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-7N	1/11/2017	5.9	3		ug/L
Cobalt, total	MW-7N	4/4/2017	2	3	ND	ug/L
Cobalt, total	MW-7N	7/19/2017	6.2	3		ug/L
Cobalt, total	MW-7N	10/5/2017	4.6	3		ug/L
Cobalt, total	MW-7N	1/25/2018	7.4	3		ug/L
Cobalt, total	MW-7N	4/11/2018	5.9	3		ug/L
Cobalt, total	MW-7N	7/13/2018	1.5	3	ND	ug/L
Cobalt, total	MW-7N	1/4/2019	3	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2019	3	3	ND	ug/L
Cobalt, total	MW-7N	1/16/2020	3	3	ND	ug/L
Cobalt, total	MW-7N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-7N	1/16/2021	3	3	ND	ug/L
Cobalt, total	MW-7N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-7N	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-7N	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	10/21/1997	3	3	ND	ug/L
Cobalt, total	MW-8N	1/22/1998	3	3	ND	ug/L
Cobalt, total	MW-8N	4/28/1998	7.4	3		ug/L
Cobalt, total	MW-8N	7/22/1998	3	3	ND	ug/L
Cobalt, total	MW-8N	1/12/1999	3.5	3		ug/L
Cobalt, total	MW-8N	4/13/1999	6.6	3		ug/L
Cobalt, total	MW-8N	7/14/1999	15	3		ug/L
Cobalt, total	MW-8N	10/19/1999	3	3	ND	ug/L
Cobalt, total	MW-8N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-8N	4/25/2000	3.1	3		ug/L
Cobalt, total	MW-8N	10/17/2000	5.2	3		ug/L
Cobalt, total	MW-8N	1/23/2001	4.3	3		ug/L
Cobalt, total	MW-8N	4/11/2001	3.5	3		ug/L
Cobalt, total	MW-8N	5/29/2002	6.5	3		ug/L
Cobalt, total	MW-8N	5/29/2002	6.5	3		ug/L
Cobalt, total	MW-8N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-8N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-8N	1/23/2003	11	3		ug/L
Cobalt, total	MW-8N	4/14/2003	12	3		ug/L
Cobalt, total	MW-8N	7/7/2003	12	3		ug/L
Cobalt, total	MW-8N	1/28/2004	13	3		ug/L
Cobalt, total	MW-8N	7/27/2004	12	3		ug/L
Cobalt, total	MW-8N	1/12/2005	12	3		ug/L
Cobalt, total	MW-8N	7/20/2005	11	3		ug/L
Cobalt, total	MW-8N	1/19/2006	12	3		ug/L
Cobalt, total	MW-8N	7/19/2006	10	3		ug/L
Cobalt, total	MW-8N	7/19/2006	10	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-8N	10/24/2006	7.8	3	ND	ug/L
Cobalt, total	MW-8N	1/26/2007	7.8	3		ug/L
Cobalt, total	MW-8N	4/25/2007	5.7	3		ug/L
Cobalt, total	MW-8N	7/10/2007	4.1	3		ug/L
Cobalt, total	MW-8N	1/24/2008	3.1	3		ug/L
Cobalt, total	MW-8N	7/23/2008	2.4	3	ND	ug/L
Cobalt, total	MW-8N	2/4/2009	3	3	ND	ug/L
Cobalt, total	MW-8N	7/31/2009	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/26/2010	3	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2010	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/19/2011	1.2	3	ND	ug/L
Cobalt, total	MW-8N	5/10/2011	1.4	3	ND	ug/L
Cobalt, total	MW-8N	7/14/2011	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/6/2012	1.4	3	ND	ug/L
Cobalt, total	MW-8N	4/5/2012	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/11/2012	3	3	ND	ug/L
Cobalt, total	MW-8N	10/3/2012	2.8	3	ND	ug/L
Cobalt, total	MW-8N	5/1/2013	2.4	3	ND	ug/L
Cobalt, total	MW-8N	6/4/2013	2.9	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2013	1.5	3	ND	ug/L
Cobalt, total	MW-8N	10/2/2013	1.6	3	ND	ug/L
Cobalt, total	MW-8N	1/30/2014	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/3/2014	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/9/2014	1.7	3	ND	ug/L
Cobalt, total	MW-8N	10/8/2014	3	3	ND	ug/L
Cobalt, total	MW-8N	2/12/2015	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/1/2015	1.6	3	ND	ug/L
Cobalt, total	MW-8N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-8N	10/5/2015	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/5/2016	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/6/2016	1.8	3	ND	ug/L
Cobalt, total	MW-8N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2016	1.4	3	ND	ug/L
Cobalt, total	MW-8N	1/11/2017	1.6	3	ND	ug/L
Cobalt, total	MW-8N	4/4/2017	1.4	3	ND	ug/L
Cobalt, total	MW-8N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2017	3	3	ND	ug/L
Cobalt, total	MW-8N	1/25/2018	3	3	ND	ug/L
Cobalt, total	MW-8N	4/10/2018	1.2	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2018	3	3	ND	ug/L
Cobalt, total	MW-8N	10/2/2018	1.3	3	ND	ug/L
Cobalt, total	MW-8N	1/7/2019	3	3	ND	ug/L
Cobalt, total	MW-8N	4/3/2019	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/11/2019	1.8	3	ND	ug/L
Cobalt, total	MW-8N	10/3/2019	3	3	ND	ug/L
Cobalt, total	MW-8N	1/15/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	7/9/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	1/15/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	1/18/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	4/4/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	7/12/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	4/8/2023	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2002	7	7	ND	ug/L
Cobalt, total	NE-1	8/6/2002	7	7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-1	9/4/2002	7	7	ND	ug/L
Cobalt, total	NE-1	10/2/2002	7	7	ND	ug/L
Cobalt, total	NE-1	7/8/2003	3	3	ND	ug/L
Cobalt, total	NE-1	1/27/2004	3	3	ND	ug/L
Cobalt, total	NE-1	1/12/2005	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2006	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2006	3	3	ND	ug/L
Cobalt, total	NE-1	10/25/2006	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2007	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2007	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2008	3	3	ND	ug/L
Cobalt, total	NE-1	7/21/2008	3	3	ND	ug/L
Cobalt, total	NE-1	2/7/2009	2	3	ND	ug/L
Cobalt, total	NE-1	7/31/2009	3	3	ND	ug/L
Cobalt, total	NE-1	1/26/2010	3	3	ND	ug/L
Cobalt, total	NE-1	7/14/2010	0.6	3	ND	ug/L
Cobalt, total	NE-1	1/19/2011	3	3	ND	ug/L
Cobalt, total	NE-1	7/13/2011	3	3	ND	ug/L
Cobalt, total	NE-1	1/5/2012	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2012	3	3	ND	ug/L
Cobalt, total	NE-1	4/30/2013	3	3	ND	ug/L
Cobalt, total	NE-1	7/16/2013	3	3	ND	ug/L
Cobalt, total	NE-1	1/23/2014	3	3	ND	ug/L
Cobalt, total	NE-1	7/9/2014	3	3	ND	ug/L
Cobalt, total	NE-1	2/11/2015	3	3	ND	ug/L
Cobalt, total	NE-1	7/8/2015	3	3	ND	ug/L
Cobalt, total	NE-1	1/6/2016	3	3	ND	ug/L
Cobalt, total	NE-1	7/20/2016	3	3	ND	ug/L
Cobalt, total	NE-1	1/11/2017	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2018	3	3	ND	ug/L
Cobalt, total	NE-1	4/11/2018	3	3	ND	ug/L
Cobalt, total	NE-1	7/18/2018	3	3	ND	ug/L
Cobalt, total	NE-1	10/2/2018	3	3	ND	ug/L
Cobalt, total	NE-1	1/4/2019	3	3	ND	ug/L
Cobalt, total	NE-1	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2019	0.9	3	ND	ug/L
Cobalt, total	NE-1	7/10/2019	0.9	3	ND	ug/L
Cobalt, total	NE-1	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-1	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-1	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-1	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-1	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-1	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-1	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-1	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-1	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-1	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-1	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-1	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-1	10/6/2022	3	3	ND	ug/L
Cobalt, total	NE-1	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-1	4/7/2023	3	3	ND	ug/L
Cobalt, total	NE-10D	11/6/2019	3	3	ND	ug/L
Cobalt, total	NE-10D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	7/2/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-10D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-10D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-11	3/1/2017	1.2	3	ND	ug/L
Cobalt, total	NE-11	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-11	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-11	10/9/2017	3	3	ND	ug/L
Cobalt, total	NE-11	9/30/2019	3	3	ND	ug/L
Cobalt, total	NE-11	1/14/2020	3	3	ND	ug/L
Cobalt, total	NE-11	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-11	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-11	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-11	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-11	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-11	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-11	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-11	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-12	3/1/2017	6	3		ug/L
Cobalt, total	NE-12	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-12	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-12	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-12	8/5/2019	3	3	ND	ug/L
Cobalt, total	NE-12	1/13/2020	3	3	ND	ug/L
Cobalt, total	NE-12	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-12	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-12	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-12	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-12	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-12	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-12	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-12	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-13	2/5/2019	1.4	3	ND	ug/L
Cobalt, total	NE-13	8/7/2019	1	3	ND	ug/L
Cobalt, total	NE-13	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-13	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-13	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-13	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-13	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-14D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-14S	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	7/2/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-14S	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	9/30/2019	3	3	ND	ug/L
Cobalt, total	NE-15D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15S	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-2	7/9/2002	7	7	ND	ug/L
Cobalt, total	NE-2	8/6/2002	18	7		ug/L
Cobalt, total	NE-2	9/4/2002	13	7		ug/L
Cobalt, total	NE-2	10/2/2002	13	7		ug/L
Cobalt, total	NE-2	10/1/2013	3	3	ND	ug/L
Cobalt, total	NE-2	10/8/2014	3	3	ND	ug/L
Cobalt, total	NE-2	10/5/2015	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2016	3	3	ND	ug/L
Cobalt, total	NE-2	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-2	1/25/2018	3	3	ND	ug/L
Cobalt, total	NE-2	4/10/2018	3	3	ND	ug/L
Cobalt, total	NE-2	7/10/2018	3	3	ND	ug/L
Cobalt, total	NE-2	10/1/2018	3	3	ND	ug/L
Cobalt, total	NE-2	1/4/2019	3	3	ND	ug/L
Cobalt, total	NE-2	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-2	7/9/2019	0.6	3	ND	ug/L
Cobalt, total	NE-2	7/9/2019	0.6	3	ND	ug/L
Cobalt, total	NE-2	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-2	1/14/2020	3	3	ND	ug/L
Cobalt, total	NE-2	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-2	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-2	1/14/2021	3	3	ND	ug/L
Cobalt, total	NE-2	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-2	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-2	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-2	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-2	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-2	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-2	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-2	4/5/2023	3	3	ND	ug/L
Cobalt, total	NE-3	7/9/2002	40	7		ug/L
Cobalt, total	NE-3	8/6/2002	59	7		ug/L
Cobalt, total	NE-3	9/4/2002	48	7		ug/L
Cobalt, total	NE-3	10/2/2002	50	7		ug/L
Cobalt, total	NE-3	3/21/2018	3	3	ND	ug/L
Cobalt, total	NE-4	7/10/2002	12	7		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-4	8/6/2002	7	7	ND	ug/L
Cobalt, total	NE-4	9/4/2002	7	7	ND	ug/L
Cobalt, total	NE-4	10/3/2002	7.5	7		ug/L
Cobalt, total	NE-4	7/8/2003	3	3	ND	ug/L
Cobalt, total	NE-4	1/28/2004	3	3	ND	ug/L
Cobalt, total	NE-4	1/13/2005	3	3	ND	ug/L
Cobalt, total	NE-4	8/1/2006	3	3	ND	ug/L
Cobalt, total	NE-4	8/1/2006	3	3	ND	ug/L
Cobalt, total	NE-4	10/25/2006	3	3	ND	ug/L
Cobalt, total	NE-4	1/24/2007	3	3	ND	ug/L
Cobalt, total	NE-4	7/12/2007	3	3	ND	ug/L
Cobalt, total	NE-4	1/24/2008	3	3	ND	ug/L
Cobalt, total	NE-4	7/21/2008	3	3	ND	ug/L
Cobalt, total	NE-4	2/7/2009	1.9	3	ND	ug/L
Cobalt, total	NE-4	7/31/2009	3	3	ND	ug/L
Cobalt, total	NE-4	1/26/2010	3	3	ND	ug/L
Cobalt, total	NE-4	7/14/2010	1.1	3	ND	ug/L
Cobalt, total	NE-4	1/19/2011	3	3	ND	ug/L
Cobalt, total	NE-4	7/13/2011	3	3	ND	ug/L
Cobalt, total	NE-4	1/5/2012	3	3	ND	ug/L
Cobalt, total	NE-4	7/10/2012	3.7	3		ug/L
Cobalt, total	NE-4	4/30/2013	3	3	ND	ug/L
Cobalt, total	NE-4	7/16/2013	3	3	ND	ug/L
Cobalt, total	NE-4	1/23/2014	3	3	ND	ug/L
Cobalt, total	NE-4	7/9/2014	3	3	ND	ug/L
Cobalt, total	NE-4	2/13/2015	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2015	3	3	ND	ug/L
Cobalt, total	NE-4	1/6/2016	3	3	ND	ug/L
Cobalt, total	NE-4	7/20/2016	3	3	ND	ug/L
Cobalt, total	NE-4	1/11/2017	3	3	ND	ug/L
Cobalt, total	NE-4	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-4	1/26/2018	3	3	ND	ug/L
Cobalt, total	NE-4	4/10/2018	3	3	ND	ug/L
Cobalt, total	NE-4	7/12/2018	3	3	ND	ug/L
Cobalt, total	NE-4	10/3/2018	3	3	ND	ug/L
Cobalt, total	NE-4	1/7/2019	3	3	ND	ug/L
Cobalt, total	NE-4	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2019	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2019	3	3	ND	ug/L
Cobalt, total	NE-4	10/1/2019	3	3	ND	ug/L
Cobalt, total	NE-4	1/13/2020	3	3	ND	ug/L
Cobalt, total	NE-4	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-4	7/6/2020	3	3	ND	ug/L
Cobalt, total	NE-4	10/5/2020	3	3	ND	ug/L
Cobalt, total	NE-4	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-4	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-4	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-4	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-4	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-4	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-5	7/9/2002	78	7		ug/L
Cobalt, total	NE-5	8/6/2002	110	7		ug/L
Cobalt, total	NE-5	9/4/2002	90	7		ug/L
Cobalt, total	NE-5	10/2/2002	78	7		ug/L
Cobalt, total	NE-5	7/8/2003	87	3		ug/L
Cobalt, total	NE-5	1/27/2004	130	3		ug/L
Cobalt, total	NE-5	1/12/2005	50	3		ug/L
Cobalt, total	NE-5	7/19/2006	93	3		ug/L
Cobalt, total	NE-5	7/19/2006	93	3		ug/L
Cobalt, total	NE-5	10/25/2006	46	3		ug/L
Cobalt, total	NE-5	1/24/2007	41	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-5	7/12/2007	44	3		ug/L
Cobalt, total	NE-5	7/22/2008	47	3		ug/L
Cobalt, total	NE-5	2/6/2009	40	3		ug/L
Cobalt, total	NE-5	7/31/2009	54	3		ug/L
Cobalt, total	NE-5	1/26/2010	43	3		ug/L
Cobalt, total	NE-5	7/16/2010	71	3		ug/L
Cobalt, total	NE-5	1/19/2011	44	3		ug/L
Cobalt, total	NE-5	7/13/2011	53	3		ug/L
Cobalt, total	NE-5	1/5/2012	49	3		ug/L
Cobalt, total	NE-5	7/10/2012	44	3		ug/L
Cobalt, total	NE-5	4/30/2013	49	3		ug/L
Cobalt, total	NE-5	7/16/2013	57	3		ug/L
Cobalt, total	NE-5	1/23/2014	71	3		ug/L
Cobalt, total	NE-5	7/9/2014	48	3		ug/L
Cobalt, total	NE-5	2/11/2015	89	3		ug/L
Cobalt, total	NE-5	7/14/2015	38	3		ug/L
Cobalt, total	NE-5	1/6/2016	55	3		ug/L
Cobalt, total	NE-5	2/11/2016	61	3		ug/L
Cobalt, total	NE-5	7/20/2016	36	3		ug/L
Cobalt, total	NE-5	1/11/2017	50	3		ug/L
Cobalt, total	NE-5	7/19/2017	40	3		ug/L
Cobalt, total	NE-5	1/25/2018	50	3		ug/L
Cobalt, total	NE-5	4/10/2018	34	3		ug/L
Cobalt, total	NE-5	7/17/2018	42	3		ug/L
Cobalt, total	NE-5	10/3/2018	43	3		ug/L
Cobalt, total	NE-5	10/3/2018	39	3		ug/L
Cobalt, total	NE-5	1/4/2019	54	3		ug/L
Cobalt, total	NE-5	4/2/2019	53	3		ug/L
Cobalt, total	NE-5	4/2/2019	53	3		ug/L
Cobalt, total	NE-5	7/9/2019	49	3		ug/L
Cobalt, total	NE-5	7/9/2019	49	3		ug/L
Cobalt, total	NE-5	7/9/2019	52	3		ug/L
Cobalt, total	NE-5	10/3/2019	34	3		ug/L
Cobalt, total	NE-5	1/16/2020	41	3		ug/L
Cobalt, total	NE-5	4/2/2020	31.7	3		ug/L
Cobalt, total	NE-5	7/8/2020	27.1	3		ug/L
Cobalt, total	NE-5	10/6/2020	21.4	3		ug/L
Cobalt, total	NE-5	1/15/2021	31.5	3		ug/L
Cobalt, total	NE-5	4/9/2021	44.2	3		ug/L
Cobalt, total	NE-5	7/2/2021	30.4	3		ug/L
Cobalt, total	NE-5	10/6/2021	19.2	3		ug/L
Cobalt, total	NE-5	1/18/2022	32.1	3		ug/L
Cobalt, total	NE-5	4/6/2022	29	3		ug/L
Cobalt, total	NE-5	7/13/2022	23.7	3		ug/L
Cobalt, total	NE-5	10/7/2022	17.1	3		ug/L
Cobalt, total	NE-5	1/5/2023	39.7	3		ug/L
Cobalt, total	NE-5	4/7/2023	45.5	3		ug/L
Cobalt, total	NE-5E	9/30/2019	1.2	3	ND	ug/L
Cobalt, total	NE-5E	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	7/2/2021	4.48	3		ug/L
Cobalt, total	NE-5E	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-5E	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-5E	7/13/2022	9.91	3		ug/L
Cobalt, total	NE-5E	10/7/2022	23.9	3		ug/L
Cobalt, total	NE-5E	1/5/2023	11.9	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-5E	4/7/2023	15.6	3		ug/L
Cobalt, total	NE-5W	9/30/2019	15	3		ug/L
Cobalt, total	NE-5W	1/16/2020	9.17	3		ug/L
Cobalt, total	NE-5W	4/2/2020	48	3		ug/L
Cobalt, total	NE-5W	7/8/2020	43.2	3		ug/L
Cobalt, total	NE-5W	10/6/2020	39.5	3		ug/L
Cobalt, total	NE-5W	1/15/2021	5.67	3		ug/L
Cobalt, total	NE-5W	4/9/2021	5.93	3		ug/L
Cobalt, total	NE-5W	7/2/2021	27.7	3		ug/L
Cobalt, total	NE-5W	10/6/2021	25.7	3		ug/L
Cobalt, total	NE-5W	1/18/2022	10.2	3		ug/L
Cobalt, total	NE-5W	4/6/2022	16.9	3		ug/L
Cobalt, total	NE-5W	7/13/2022	27.6	3		ug/L
Cobalt, total	NE-5W	10/7/2022	25.6	3		ug/L
Cobalt, total	NE-5W	1/5/2023	4.86	3		ug/L
Cobalt, total	NE-5W	4/7/2023	3.16	3		ug/L
Cobalt, total	NE-6	1/12/2017	9	3		ug/L
Cobalt, total	NE-6	4/5/2017	2.6	3	ND	ug/L
Cobalt, total	NE-6	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-6	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-6	2/4/2019	3	3	ND	ug/L
Cobalt, total	NE-6	8/6/2019	2	3	ND	ug/L
Cobalt, total	NE-6	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-6	7/9/2020	3	3	ND	ug/L
Cobalt, total	NE-6	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-6	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-6	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-6	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-6	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-6D	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	7/9/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	4/7/2023	3	3	ND	ug/L
Cobalt, total	NE-7	3/1/2017	2	3	ND	ug/L
Cobalt, total	NE-7	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-7	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-7	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-7	2/6/2019	3	3	ND	ug/L
Cobalt, total	NE-7	8/6/2019	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-7	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-7	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-7	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-7	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-7	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-7	1/5/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-8	1/12/2017	6	3		ug/L
Cobalt, total	NE-8	4/5/2017	8.2	3		ug/L
Cobalt, total	NE-8	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-8	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-8	2/4/2019	3	3	ND	ug/L
Cobalt, total	NE-8	8/5/2019	3	3	ND	ug/L
Cobalt, total	NE-8	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-8	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-8	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-8	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-8	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-8	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-8	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-8	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-8	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-9	1/12/2017	3	3	ND	ug/L
Cobalt, total	NE-9	4/5/2017	3	3	ND	ug/L
Cobalt, total	NE-9	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-9	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-9	2/5/2019	3	3	ND	ug/L
Cobalt, total	NE-9	8/7/2019	3	3	ND	ug/L
Cobalt, total	NE-9	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-9	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-9	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-9	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-9	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-9	4/8/2023	3	3	ND	ug/L
Copper, dissolved	LGW-14R	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-2	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-4	1/24/2006	4	4	ND	ug/L
Copper, dissolved	LGW-5	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-6	1/24/2006	4	4	ND	ug/L
Copper, dissolved	LGW-7	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-8R	1/24/2006	4	4	ND	ug/L
Copper, dissolved	MW-10N	7/11/2000	12	4		ug/L
Copper, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Copper, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-11N	7/10/2000	12	4		ug/L
Copper, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-1N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-1N	7/12/2000	4	4	ND	ug/L
Copper, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Copper, dissolved	MW-2N	7/11/2000	12	4		ug/L
Copper, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Copper, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-3N	7/11/2000	11	4		ug/L
Copper, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-7N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-7N	7/11/2000	9.4	4		ug/L
Copper, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-7N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-8N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-8N	7/11/2000	7.5	4		ug/L
Copper, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, dissolved	MW-8N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-3	7/9/2002	10	10	ND	ug/L
Copper, dissolved	NE-3	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-3	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-3	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	10/3/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	10/2/2002	10	10	ND	ug/L
Copper, total	LGW-10	1/26/2006	4	4	ND	ug/L
Copper, total	LGW-10	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-10	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-10	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-10	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-10	1/25/2007	4	4	ND	ug/L
Copper, total	LGW-10	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-10	7/12/2007	4	4	ND	ug/L
Copper, total	LGW-10	1/23/2008	4	4	ND	ug/L
Copper, total	LGW-10	7/22/2008	4	4	ND	ug/L
Copper, total	LGW-10	7/29/2009	0.8	4	ND	ug/L
Copper, total	LGW-10	2/3/2010	1.8	4	ND	ug/L
Copper, total	LGW-10	2/3/2010	1.8	4	ND	ug/L
Copper, total	LGW-10	7/16/2010	0.6	4	ND	ug/L
Copper, total	LGW-10	1/19/2011	0.7	4	ND	ug/L
Copper, total	LGW-10	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-10	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-10	7/9/2012	2.3	4	ND	ug/L
Copper, total	LGW-10	5/1/2013	1.8	4	ND	ug/L
Copper, total	LGW-10	1/30/2014	3.7	4	ND	ug/L
Copper, total	LGW-10	7/9/2014	1.8	4	ND	ug/L
Copper, total	LGW-10	2/12/2015	1.7	4	ND	ug/L
Copper, total	LGW-10	7/13/2015	4	4	ND	ug/L
Copper, total	LGW-10	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-10	4/6/2016	4	4	ND	ug/L
Copper, total	LGW-10	7/21/2016	0.6	4	ND	ug/L
Copper, total	LGW-10	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-10	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-10	4/4/2017	1	4	ND	ug/L
Copper, total	LGW-10	7/19/2017	4	4	ND	ug/L
Copper, total	LGW-10	10/9/2017	1.4	4	ND	ug/L
Copper, total	LGW-10	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-10	4/11/2018	4	4	ND	ug/L
Copper, total	LGW-10	7/16/2018	4	4	ND	ug/L
Copper, total	LGW-10	10/4/2018	4	4	ND	ug/L
Copper, total	LGW-10	1/4/2019	4	4	ND	ug/L
Copper, total	LGW-10	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-10	7/11/2019	8	8	ND	ug/L
Copper, total	LGW-10	10/2/2019	4	4	ND	ug/L
Copper, total	LGW-10	1/15/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-10	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-10	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-10	10/7/2020	4	4	ND	ug/L
Copper, total	LGW-10	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-10	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-10	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-10	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-10	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-10	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-10	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-10	10/7/2022	4	4	ND	ug/L
Copper, total	LGW-10	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-10	4/5/2023	4	4	ND	ug/L
Copper, total	LGW-14R	1/25/2006	69	4		ug/L
Copper, total	LGW-14R	8/2/2006	19	4		ug/L
Copper, total	LGW-14R	8/2/2006	19	4		ug/L
Copper, total	LGW-14R	1/9/2007	33	4		ug/L
Copper, total	LGW-14R	1/24/2007	16	4		ug/L
Copper, total	LGW-14R	4/24/2007	16	4		ug/L
Copper, total	LGW-14R	7/11/2007	28	4		ug/L
Copper, total	LGW-14R	1/23/2008	17	4		ug/L
Copper, total	LGW-14R	7/22/2008	1.1	4	ND	ug/L
Copper, total	LGW-14R	2/6/2009	1.4	4	ND	ug/L
Copper, total	LGW-14R	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-14R	2/3/2010	1.5	4	ND	ug/L
Copper, total	LGW-14R	2/3/2010	1.5	4	ND	ug/L
Copper, total	LGW-14R	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-14R	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-14R	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-14R	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-14R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-14R	4/30/2013	0.6	4	ND	ug/L
Copper, total	LGW-14R	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-14R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-14R	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-14R	7/22/2015	0.6	4	ND	ug/L
Copper, total	LGW-14R	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-14R	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-14R	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-14R	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-14R	1/25/2018	0.78	4	ND	ug/L
Copper, total	LGW-14R	7/17/2018	1.8	4	ND	ug/L
Copper, total	LGW-14R	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-14R	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-14R	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-14R	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-14R	1/18/2021	5.71	4		ug/L
Copper, total	LGW-14R	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-14R	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-14R	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-14R	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-14R	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-2	1/25/2006	5.8	4		ug/L
Copper, total	LGW-2	8/1/2006	1.6	4	ND	ug/L
Copper, total	LGW-2	8/1/2006	1.6	4	ND	ug/L
Copper, total	LGW-2	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-2	1/9/2007	2	4	ND	ug/L
Copper, total	LGW-2	1/25/2007	2.1	4	ND	ug/L
Copper, total	LGW-2	4/26/2007	0.9	4	ND	ug/L
Copper, total	LGW-2	7/10/2007	1.7	4	ND	ug/L
Copper, total	LGW-2	1/26/2008	9.3	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-2	7/23/2008	1.6	4	ND	ug/L
Copper, total	LGW-2	2/6/2009	3.1	4	ND	ug/L
Copper, total	LGW-2	7/30/2009	3.2	4	ND	ug/L
Copper, total	LGW-2	2/3/2010	2.6	4	ND	ug/L
Copper, total	LGW-2	2/3/2010	2.6	4	ND	ug/L
Copper, total	LGW-2	7/12/2010	2.5	4	ND	ug/L
Copper, total	LGW-2	1/19/2011	2.9	4	ND	ug/L
Copper, total	LGW-2	7/13/2011	0.9	4	ND	ug/L
Copper, total	LGW-2	1/4/2012	1	4	ND	ug/L
Copper, total	LGW-2	7/9/2012	0.7	4	ND	ug/L
Copper, total	LGW-2	4/30/2013	1.7	4	ND	ug/L
Copper, total	LGW-2	7/15/2013	1	4	ND	ug/L
Copper, total	LGW-2	1/30/2014	0.7	4	ND	ug/L
Copper, total	LGW-2	7/8/2014	1.5	4	ND	ug/L
Copper, total	LGW-2	2/13/2015	1.3	4	ND	ug/L
Copper, total	LGW-2	7/8/2015	2.2	4	ND	ug/L
Copper, total	LGW-2	1/5/2016	1.3	4	ND	ug/L
Copper, total	LGW-2	7/19/2016	0.7	4	ND	ug/L
Copper, total	LGW-2	1/11/2017	2	4	ND	ug/L
Copper, total	LGW-2	7/18/2017	0.7	4	ND	ug/L
Copper, total	LGW-2	1/23/2018	0.81	4	ND	ug/L
Copper, total	LGW-2	7/12/2018	4	4	ND	ug/L
Copper, total	LGW-2	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-2	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-2	1/13/2020	4	4	ND	ug/L
Copper, total	LGW-2	4/1/2020	4	4	ND	ug/L
Copper, total	LGW-2	7/8/2020	4	4	ND	ug/L
Copper, total	LGW-2	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-2	7/4/2021	4	4	ND	ug/L
Copper, total	LGW-2	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-2	7/10/2022	4	4	ND	ug/L
Copper, total	LGW-2	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-3R	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-3R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-3R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-3R	1/8/2007	1.8	4	ND	ug/L
Copper, total	LGW-3R	1/25/2007	0.9	4	ND	ug/L
Copper, total	LGW-3R	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-3R	7/11/2007	1	4	ND	ug/L
Copper, total	LGW-3R	1/26/2008	0.8	4	ND	ug/L
Copper, total	LGW-3R	7/23/2008	4	4	ND	ug/L
Copper, total	LGW-3R	2/3/2009	0.8	4	ND	ug/L
Copper, total	LGW-3R	7/31/2009	4.6	4		ug/L
Copper, total	LGW-3R	2/3/2010	0.6	4	ND	ug/L
Copper, total	LGW-3R	2/3/2010	0.6	4	ND	ug/L
Copper, total	LGW-3R	7/16/2010	4	4	ND	ug/L
Copper, total	LGW-3R	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-3R	7/13/2011	4	4	ND	ug/L
Copper, total	LGW-3R	1/4/2012	4	4	ND	ug/L
Copper, total	LGW-3R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-3R	4/30/2013	1.4	4	ND	ug/L
Copper, total	LGW-3R	7/15/2013	1	4	ND	ug/L
Copper, total	LGW-3R	1/22/2014	4	4	ND	ug/L
Copper, total	LGW-3R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-3R	2/10/2015	0.7	4	ND	ug/L
Copper, total	LGW-3R	7/16/2015	0.8	4	ND	ug/L
Copper, total	LGW-3R	1/8/2016	4	4	ND	ug/L
Copper, total	LGW-3R	7/21/2016	2.2	4	ND	ug/L
Copper, total	LGW-3R	1/11/2017	0.6	4	ND	ug/L
Copper, total	LGW-3R	7/18/2017	0.7	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-3R	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-3R	7/11/2018	4	4	ND	ug/L
Copper, total	LGW-3R	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-3R	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-3R	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-3R	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-3R	1/18/2021	12.7	4		ug/L
Copper, total	LGW-3R	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-3R	7/6/2021	4	4	ND	ug/L
Copper, total	LGW-3R	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-3R	7/10/2022	4	4	ND	ug/L
Copper, total	LGW-3R	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-4	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-4	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-4	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-4	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-4	1/9/2007	0.6	4	ND	ug/L
Copper, total	LGW-4	1/25/2007	1.1	4	ND	ug/L
Copper, total	LGW-4	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2007	0.7	4	ND	ug/L
Copper, total	LGW-4	1/22/2008	4	4	ND	ug/L
Copper, total	LGW-4	7/23/2008	0.6	4	ND	ug/L
Copper, total	LGW-4	2/3/2009	1	4	ND	ug/L
Copper, total	LGW-4	7/31/2009	0.6	4	ND	ug/L
Copper, total	LGW-4	2/3/2010	2.1	4	ND	ug/L
Copper, total	LGW-4	2/3/2010	2.1	4	ND	ug/L
Copper, total	LGW-4	7/16/2010	0.9	4	ND	ug/L
Copper, total	LGW-4	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-4	7/13/2011	4	4	ND	ug/L
Copper, total	LGW-4	1/4/2012	4	4	ND	ug/L
Copper, total	LGW-4	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-4	4/30/2013	0.8	4	ND	ug/L
Copper, total	LGW-4	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-4	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-4	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-4	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-4	7/8/2015	4	4	ND	ug/L
Copper, total	LGW-4	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-4	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-4	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-4	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-4	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2018	4	4	ND	ug/L
Copper, total	LGW-4	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-4	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-4	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-4	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-4	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-4	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-4	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-4	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-5	1/25/2006	4	4	ND	ug/L
Copper, total	LGW-5	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-5	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-5	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-5	1/9/2007	0.6	4	ND	ug/L
Copper, total	LGW-5	1/25/2007	0.6	4	ND	ug/L
Copper, total	LGW-5	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-5	7/11/2007	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2008	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-5	7/23/2008	0.8	4	ND	ug/L
Copper, total	LGW-5	2/4/2009	4	4	ND	ug/L
Copper, total	LGW-5	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-5	2/3/2010	3.3	4	ND	ug/L
Copper, total	LGW-5	2/3/2010	3.3	4	ND	ug/L
Copper, total	LGW-5	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-5	1/19/2011	1	4	ND	ug/L
Copper, total	LGW-5	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-5	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-5	7/9/2012	0.7	4	ND	ug/L
Copper, total	LGW-5	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-5	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2014	1.8	4	ND	ug/L
Copper, total	LGW-5	7/8/2014	4.8	4		ug/L
Copper, total	LGW-5	2/10/2015	0.8	4	ND	ug/L
Copper, total	LGW-5	7/8/2015	0.8	4	ND	ug/L
Copper, total	LGW-5	1/5/2016	0.7	4	ND	ug/L
Copper, total	LGW-5	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-5	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-5	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-5	7/12/2018	4	4		ug/L
Copper, total	LGW-5	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-5	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-5	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-5	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-5	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-5	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-5	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-5	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-5	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-5	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-5	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-5	10/6/2022	4	4	ND	ug/L
Copper, total	LGW-5	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-6	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-6	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-6	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-6	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-6	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-6	1/24/2007	0.7	4	ND	ug/L
Copper, total	LGW-6	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-6	7/11/2007	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2008	4	4	ND	ug/L
Copper, total	LGW-6	7/23/2008	2.1	4	ND	ug/L
Copper, total	LGW-6	2/5/2009	4	4	ND	ug/L
Copper, total	LGW-6	7/29/2009	0.6	4	ND	ug/L
Copper, total	LGW-6	2/3/2010	1.9	4	ND	ug/L
Copper, total	LGW-6	2/3/2010	1.9	4	ND	ug/L
Copper, total	LGW-6	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-6	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-6	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-6	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-6	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-6	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-6	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-6	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-6	2/10/2015	4	4	ND	ug/L
Copper, total	LGW-6	7/22/2015	3	4	ND	ug/L
Copper, total	LGW-6	1/5/2016	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-6	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-6	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-6	1/11/2017	0.6	4	ND	ug/L
Copper, total	LGW-6	5/5/2017	4	4	ND	ug/L
Copper, total	LGW-6	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-6	10/5/2017	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-6	4/10/2018	4	4	ND	ug/L
Copper, total	LGW-6	7/17/2018	4	4	ND	ug/L
Copper, total	LGW-6	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-6	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-6	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-6	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-6	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-6	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-6	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-6	7/9/2020	10.4	4		ug/L
Copper, total	LGW-6	10/6/2020	4	4	ND	ug/L
Copper, total	LGW-6	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-6	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-6	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-6	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-6	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-6	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-6	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-6	10/6/2022	4	4	ND	ug/L
Copper, total	LGW-6	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-6	4/6/2023	4	4	ND	ug/L
Copper, total	LGW-7	1/25/2006	4	4	ND	ug/L
Copper, total	LGW-7	8/1/2006	0.9	4	ND	ug/L
Copper, total	LGW-7	8/1/2006	0.9	4	ND	ug/L
Copper, total	LGW-7	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-7	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-7	1/24/2007	4	4	ND	ug/L
Copper, total	LGW-7	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2007	4	4	ND	ug/L
Copper, total	LGW-7	7/22/2008	4	4	ND	ug/L
Copper, total	LGW-7	2/4/2009	4	4	ND	ug/L
Copper, total	LGW-7	7/31/2009	4	4	ND	ug/L
Copper, total	LGW-7	1/27/2010	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-7	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-7	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-7	7/10/2012	0.6	4	ND	ug/L
Copper, total	LGW-7	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-7	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-7	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-7	7/8/2014	2.7	4	ND	ug/L
Copper, total	LGW-7	2/11/2015	0.9	4	ND	ug/L
Copper, total	LGW-7	7/22/2015	4	4	ND	ug/L
Copper, total	LGW-7	1/5/2016	1.8	4	ND	ug/L
Copper, total	LGW-7	4/6/2016	4	4	ND	ug/L
Copper, total	LGW-7	7/20/2016	4	4	ND	ug/L
Copper, total	LGW-7	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-7	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-7	4/4/2017	4	4	ND	ug/L
Copper, total	LGW-7	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-7	10/5/2017	4	4	ND	ug/L
Copper, total	LGW-7	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-7	4/11/2018	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-7	7/12/2018	4	4	ND	ug/L
Copper, total	LGW-7	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-7	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-7	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-7	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-7	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-7	1/15/2020	4	4	ND	ug/L
Copper, total	LGW-7	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-7	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-7	7/7/2021	7.44	4		ug/L
Copper, total	LGW-7	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-7	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-7	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-7	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-8R	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-8R	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-8R	1/24/2007	4	4	ND	ug/L
Copper, total	LGW-8R	4/25/2007	4	4	ND	ug/L
Copper, total	LGW-8R	7/12/2007	1	4	ND	ug/L
Copper, total	LGW-8R	2/4/2009	1	4	ND	ug/L
Copper, total	LGW-8R	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-8R	1/27/2010	1.4	4	ND	ug/L
Copper, total	LGW-8R	7/14/2010	4	4	ND	ug/L
Copper, total	LGW-8R	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-8R	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-8R	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-8R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-8R	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-8R	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-8R	1/22/2014	4	4	ND	ug/L
Copper, total	LGW-8R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-8R	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-8R	7/22/2015	0.7	4	ND	ug/L
Copper, total	LGW-8R	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2016	4	4	ND	ug/L
Copper, total	LGW-8R	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-8R	7/18/2017	1.2	4	ND	ug/L
Copper, total	LGW-8R	1/25/2018	4	4	ND	ug/L
Copper, total	LGW-8R	7/13/2018	4	4	ND	ug/L
Copper, total	LGW-8R	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-8R	7/8/2019	8	8	ND	ug/L
Copper, total	LGW-8R	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-8R	7/7/2020	4	4	ND	ug/L
Copper, total	LGW-8R	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-8R	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-8R	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-8R	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-8R	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-9	1/25/2006	4	4	ND	ug/L
Copper, total	LGW-9	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-9	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-9	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-9	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-9	1/25/2007	4	4	ND	ug/L
Copper, total	LGW-9	4/25/2007	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2007	4	4	ND	ug/L
Copper, total	LGW-9	7/22/2008	0.8	4	ND	ug/L
Copper, total	LGW-9	2/4/2009	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-9	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-9	1/27/2010	4	4	ND	ug/L
Copper, total	LGW-9	7/14/2010	4	4	ND	ug/L
Copper, total	LGW-9	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-9	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-9	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2012	4	4	ND	ug/L
Copper, total	LGW-9	5/1/2013	0.8	4	ND	ug/L
Copper, total	LGW-9	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-9	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-9	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-9	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-9	7/13/2015	4	4	ND	ug/L
Copper, total	LGW-9	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-9	7/21/2016	4	4	ND	ug/L
Copper, total	LGW-9	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-9	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-9	5/5/2017	4	4	ND	ug/L
Copper, total	LGW-9	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-9	10/5/2017	0.6	4	ND	ug/L
Copper, total	LGW-9	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-9	4/11/2018	4	4	ND	ug/L
Copper, total	LGW-9	7/13/2018	4	4	ND	ug/L
Copper, total	LGW-9	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-9	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-9	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-9	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-9	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-9	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-9	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-9	10/7/2020	4	4	ND	ug/L
Copper, total	LGW-9	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-9	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-9	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-9	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-9	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-9	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-9	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-9	10/7/2022	4	4	ND	ug/L
Copper, total	LGW-9	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-9	4/5/2023	4	4	ND	ug/L
Copper, total	MW-10N	10/22/1997	7.6	4		ug/L
Copper, total	MW-10N	1/22/1998	4.5	4		ug/L
Copper, total	MW-10N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-10N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-10N	1/14/1999	5.6	4		ug/L
Copper, total	MW-10N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-10N	7/15/1999	4	4	ND	ug/L
Copper, total	MW-10N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-10N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-10N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-10N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-10N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-10N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-10N	7/10/2002	10	10	ND	ug/L
Copper, total	MW-10N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-10N	1/22/2003	4	4	ND	ug/L
Copper, total	MW-10N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-10N	7/8/2003	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-10N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-10N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-10N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-10N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-10N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-10N	1/10/2007	1.9	4	ND	ug/L
Copper, total	MW-10N	1/24/2007	4	4	ND	ug/L
Copper, total	MW-10N	7/10/2007	4	4	ND	ug/L
Copper, total	MW-10N	1/23/2008	4	4	ND	ug/L
Copper, total	MW-10N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-10N	2/13/2009	0.9	4	ND	ug/L
Copper, total	MW-10N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-10N	1/27/2010	4	4	ND	ug/L
Copper, total	MW-10N	8/10/2010	4	4	ND	ug/L
Copper, total	MW-10N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-10N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-10N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-10N	7/10/2012	0.8	4	ND	ug/L
Copper, total	MW-10N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-10N	7/9/2014	2.2	4	ND	ug/L
Copper, total	MW-10N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-10N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-10N	1/6/2016	4	4	ND	ug/L
Copper, total	MW-10N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-10N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2018	4	4	ND	ug/L
Copper, total	MW-10N	7/11/2018	4	4	ND	ug/L
Copper, total	MW-10N	1/3/2019	4	4	ND	ug/L
Copper, total	MW-10N	7/9/2019	8	8	ND	ug/L
Copper, total	MW-10N	1/16/2020	4	4	ND	ug/L
Copper, total	MW-10N	7/8/2020	4	4	ND	ug/L
Copper, total	MW-10N	1/13/2021	4	4	ND	ug/L
Copper, total	MW-10N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-10N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-11N	10/22/1997	8	4		ug/L
Copper, total	MW-11N	1/21/1998	4.7	4		ug/L
Copper, total	MW-11N	4/28/1998	4.6	4		ug/L
Copper, total	MW-11N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-11N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-11N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-11N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-11N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-11N	1/13/2000	4	4	ND	ug/L
Copper, total	MW-11N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-11N	7/10/2000	4	4	ND	ug/L
Copper, total	MW-11N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-11N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-11N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-11N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-11N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-11N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-11N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-11N	7/8/2003	4.7	4		ug/L
Copper, total	MW-11N	1/29/2004	4	4	ND	ug/L
Copper, total	MW-11N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-11N	1/13/2005	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-11N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-11N	1/19/2006	6.6	4		ug/L
Copper, total	MW-11N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-11N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-11N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-11N	1/9/2007	4	4	ND	ug/L
Copper, total	MW-11N	1/24/2007	4	4	ND	ug/L
Copper, total	MW-11N	7/10/2007	0.8	4	ND	ug/L
Copper, total	MW-11N	1/22/2008	4	4	ND	ug/L
Copper, total	MW-11N	7/23/2008	4	4	ND	ug/L
Copper, total	MW-11N	2/3/2009	4	4	ND	ug/L
Copper, total	MW-11N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-11N	2/3/2010	2.9	4	ND	ug/L
Copper, total	MW-11N	2/3/2010	2.9	4	ND	ug/L
Copper, total	MW-11N	7/16/2010	4	4	ND	ug/L
Copper, total	MW-11N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-11N	1/4/2012	4	4	ND	ug/L
Copper, total	MW-11N	7/9/2012	4	4	ND	ug/L
Copper, total	MW-11N	4/30/2013	1.5	4	ND	ug/L
Copper, total	MW-11N	7/15/2013	4	4	ND	ug/L
Copper, total	MW-11N	1/23/2014	4	4	ND	ug/L
Copper, total	MW-11N	7/8/2014	4	4	ND	ug/L
Copper, total	MW-11N	2/10/2015	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2015	4	4	ND	ug/L
Copper, total	MW-11N	1/5/2016	4	4	ND	ug/L
Copper, total	MW-11N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-11N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-11N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-11N	1/23/2018	1.4	4	ND	ug/L
Copper, total	MW-11N	7/17/2018	4	4	ND	ug/L
Copper, total	MW-11N	1/2/2019	4	4	ND	ug/L
Copper, total	MW-11N	7/9/2019	8	8	ND	ug/L
Copper, total	MW-11N	1/14/2020	4	4	ND	ug/L
Copper, total	MW-11N	7/6/2020	4	4	ND	ug/L
Copper, total	MW-11N	1/18/2021	6.15	4		ug/L
Copper, total	MW-11N	7/6/2021	4	4	ND	ug/L
Copper, total	MW-11N	1/18/2022	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2022	4	4	ND	ug/L
Copper, total	MW-11N	1/10/2023	4	4	ND	ug/L
Copper, total	MW-15	6/5/2015	4	4	ND	ug/L
Copper, total	MW-15	7/15/2015	4	4	ND	ug/L
Copper, total	MW-15	8/5/2015	2.7	4	ND	ug/L
Copper, total	MW-15	9/3/2015	4	4	ND	ug/L
Copper, total	MW-15	1/7/2016	0.7	4	ND	ug/L
Copper, total	MW-15	4/5/2016	4	4	ND	ug/L
Copper, total	MW-15	7/20/2016	4	4	ND	ug/L
Copper, total	MW-15	10/6/2016	1	4	ND	ug/L
Copper, total	MW-15	1/10/2017	2.2	4	ND	ug/L
Copper, total	MW-15	7/18/2017	0.9	4	ND	ug/L
Copper, total	MW-15	1/23/2018	4	4	ND	ug/L
Copper, total	MW-15	7/10/2018	4	4	ND	ug/L
Copper, total	MW-15	1/3/2019	4	4	ND	ug/L
Copper, total	MW-15	7/9/2019	8	8	ND	ug/L
Copper, total	MW-15	1/14/2020	4	4	ND	ug/L
Copper, total	MW-15	8/3/2020	4	4	ND	ug/L
Copper, total	MW-15	1/18/2021	4	4	ND	ug/L
Copper, total	MW-15	7/4/2021	4	4	ND	ug/L
Copper, total	MW-15	1/12/2022	4	4	ND	ug/L
Copper, total	MW-15	7/10/2022	4	4	ND	ug/L
Copper, total	MW-15	1/10/2023	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-16	6/5/2015	1.2	4	ND	ug/L
Copper, total	MW-16	7/16/2015	2.7	4	ND	ug/L
Copper, total	MW-16	8/5/2015	0.9	4	ND	ug/L
Copper, total	MW-16	9/3/2015	4	4	ND	ug/L
Copper, total	MW-16	1/8/2016	1.9	4	ND	ug/L
Copper, total	MW-16	4/5/2016	1.1	4	ND	ug/L
Copper, total	MW-16	7/21/2016	4	4	ND	ug/L
Copper, total	MW-16	10/5/2016	15	4		ug/L
Copper, total	MW-16	1/10/2017	1.8	4	ND	ug/L
Copper, total	MW-16	7/18/2017	4	4	ND	ug/L
Copper, total	MW-16	1/23/2018	4	4	ND	ug/L
Copper, total	MW-16	7/11/2018	4	4	ND	ug/L
Copper, total	MW-16	1/2/2019	4	4	ND	ug/L
Copper, total	MW-16	7/10/2019	8	8	ND	ug/L
Copper, total	MW-16	1/14/2020	4	4	ND	ug/L
Copper, total	MW-16	8/3/2020	4	4	ND	ug/L
Copper, total	MW-16	1/18/2021	5.03	4		ug/L
Copper, total	MW-16	7/4/2021	4	4	ND	ug/L
Copper, total	MW-16	1/12/2022	4	4	ND	ug/L
Copper, total	MW-16	7/10/2022	4	4	ND	ug/L
Copper, total	MW-16	1/10/2023	4	4	ND	ug/L
Copper, total	MW-17	6/5/2015	1.6	4	ND	ug/L
Copper, total	MW-17	7/15/2015	4	4	ND	ug/L
Copper, total	MW-17	8/4/2015	0.6	4	ND	ug/L
Copper, total	MW-17	9/2/2015	0.6	4	ND	ug/L
Copper, total	MW-17	1/7/2016	2.1	4	ND	ug/L
Copper, total	MW-17	4/5/2016	4	4	ND	ug/L
Copper, total	MW-17	7/20/2016	4	4	ND	ug/L
Copper, total	MW-17	10/6/2016	4	4	ND	ug/L
Copper, total	MW-17	1/10/2017	1.1	4	ND	ug/L
Copper, total	MW-17	7/18/2017	0.7	4	ND	ug/L
Copper, total	MW-17	1/23/2018	4	4	ND	ug/L
Copper, total	MW-17	7/10/2018	4	4	ND	ug/L
Copper, total	MW-17	1/3/2019	4	4	ND	ug/L
Copper, total	MW-17	7/11/2019	8	8	ND	ug/L
Copper, total	MW-17	1/14/2020	4	4	ND	ug/L
Copper, total	MW-17	8/3/2020	4	4	ND	ug/L
Copper, total	MW-17	1/14/2021	4	4	ND	ug/L
Copper, total	MW-17	7/4/2021	4	4	ND	ug/L
Copper, total	MW-17	1/10/2023	4	4	ND	ug/L
Copper, total	MW-19	6/5/2015	1.7	4	ND	ug/L
Copper, total	MW-19	7/16/2015	1.9	4	ND	ug/L
Copper, total	MW-19	8/5/2015	0.6	4	ND	ug/L
Copper, total	MW-19	9/3/2015	4	4	ND	ug/L
Copper, total	MW-19	1/7/2016	1.5	4	ND	ug/L
Copper, total	MW-19	4/5/2016	1.3	4	ND	ug/L
Copper, total	MW-19	7/21/2016	4	4	ND	ug/L
Copper, total	MW-19	10/5/2016	2.9	4	ND	ug/L
Copper, total	MW-19	1/10/2017	0.7	4	ND	ug/L
Copper, total	MW-19	7/18/2017	0.9	4	ND	ug/L
Copper, total	MW-19	1/23/2018	4	4	ND	ug/L
Copper, total	MW-19	7/13/2018	4	4	ND	ug/L
Copper, total	MW-19	1/7/2019	4	4	ND	ug/L
Copper, total	MW-19	7/11/2019	8	8	ND	ug/L
Copper, total	MW-19	1/14/2020	4	4	ND	ug/L
Copper, total	MW-19	8/3/2020	4	4	ND	ug/L
Copper, total	MW-19	1/14/2021	4	4	ND	ug/L
Copper, total	MW-19	7/4/2021	4	4	ND	ug/L
Copper, total	MW-19	1/11/2023	4	4	ND	ug/L
Copper, total	MW-1N	10/22/1997	4	4	ND	ug/L
Copper, total	MW-1N	1/20/1998	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-1N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-1N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-1N	10/14/1998	4	4	ND	ug/L
Copper, total	MW-1N	1/13/1999	4.6	4		ug/L
Copper, total	MW-1N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-1N	7/15/1999	4	4	ND	ug/L
Copper, total	MW-1N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-1N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-1N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-1N	7/12/2000	4	4	ND	ug/L
Copper, total	MW-1N	10/18/2000	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-1N	4/12/2001	8.2	8.2	ND	ug/L
Copper, total	MW-1N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-1N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-1N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-1N	10/3/2002	10	10	ND	ug/L
Copper, total	MW-1N	1/22/2003	4	4	ND	ug/L
Copper, total	MW-1N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-1N	7/8/2003	4	4	ND	ug/L
Copper, total	MW-1N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-1N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-1N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-1N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-1N	1/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-1N	1/9/2007	4	4	ND	ug/L
Copper, total	MW-1N	1/26/2007	4	4	ND	ug/L
Copper, total	MW-1N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-1N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-1N	2/5/2009	4	4	ND	ug/L
Copper, total	MW-1N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-1N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-1N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-1N	1/20/2011	4	4	ND	ug/L
Copper, total	MW-1N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-1N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-1N	7/10/2012	0.7	4	ND	ug/L
Copper, total	MW-1N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-1N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-1N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-1N	2/10/2015	4	4	ND	ug/L
Copper, total	MW-1N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-1N	1/6/2016	1.1	4	ND	ug/L
Copper, total	MW-1N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-1N	1/12/2017	0.9	4	ND	ug/L
Copper, total	MW-1N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-1N	1/23/2018	4	4	ND	ug/L
Copper, total	MW-1N	7/10/2018	4	4	ND	ug/L
Copper, total	MW-1N	1/3/2019	0.59	4	ND	ug/L
Copper, total	MW-1N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-1N	1/23/2020	46.1	4		ug/L
Copper, total	MW-1N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-1N	7/6/2020	4	4	ND	ug/L
Copper, total	MW-1N	1/14/2021	4	4	ND	ug/L
Copper, total	MW-1N	7/4/2021	4	4	ND	ug/L
Copper, total	MW-1N	1/11/2023	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-20	6/5/2015	4	4	ND	ug/L
Copper, total	MW-20	7/14/2015	0.6	4	ND	ug/L
Copper, total	MW-20	8/4/2015	4	4	ND	ug/L
Copper, total	MW-20	9/2/2015	4	4	ND	ug/L
Copper, total	MW-20	1/7/2016	3	4	ND	ug/L
Copper, total	MW-20	4/5/2016	1.7	4	ND	ug/L
Copper, total	MW-20	7/20/2016	3.8	4	ND	ug/L
Copper, total	MW-20	10/5/2016	0.8	4	ND	ug/L
Copper, total	MW-20	1/12/2017	1.9	4	ND	ug/L
Copper, total	MW-20	7/18/2017	4	4	ND	ug/L
Copper, total	MW-20	1/26/2018	4	4	ND	ug/L
Copper, total	MW-20	7/12/2018	4	4	ND	ug/L
Copper, total	MW-20	7/11/2019	8	8	ND	ug/L
Copper, total	MW-20	1/14/2020	4	4	ND	ug/L
Copper, total	MW-20	7/7/2020	4	4	ND	ug/L
Copper, total	MW-20	1/17/2021	6.7	4		ug/L
Copper, total	MW-20	4/6/2021	4	4	ND	ug/L
Copper, total	MW-20	7/4/2021	4	4	ND	ug/L
Copper, total	MW-20	1/11/2023	4	4	ND	ug/L
Copper, total	MW-21	6/5/2015	4	4	ND	ug/L
Copper, total	MW-21	7/14/2015	4	4	ND	ug/L
Copper, total	MW-21	8/4/2015	4	4	ND	ug/L
Copper, total	MW-21	9/2/2015	0.7	4	ND	ug/L
Copper, total	MW-21	1/7/2016	0.8	4	ND	ug/L
Copper, total	MW-21	4/5/2016	0.7	4	ND	ug/L
Copper, total	MW-21	7/20/2016	1.8	4	ND	ug/L
Copper, total	MW-21	10/5/2016	0.9	4	ND	ug/L
Copper, total	MW-21	10/5/2016	1	4	ND	ug/L
Copper, total	MW-21	1/10/2017	1	4	ND	ug/L
Copper, total	MW-21	4/5/2017	0.7	4	ND	ug/L
Copper, total	MW-21	7/19/2017	0.7	4	ND	ug/L
Copper, total	MW-21	10/6/2017	4	4	ND	ug/L
Copper, total	MW-21	1/24/2018	4	4	ND	ug/L
Copper, total	MW-21	4/11/2018	0.74	4	ND	ug/L
Copper, total	MW-21	7/11/2018	4	4	ND	ug/L
Copper, total	MW-21	10/4/2018	4	4	ND	ug/L
Copper, total	MW-21	1/3/2019	0.62	4	ND	ug/L
Copper, total	MW-21	4/3/2019	4	4	ND	ug/L
Copper, total	MW-21	7/11/2019	8	8	ND	ug/L
Copper, total	MW-21	10/2/2019	4	4	ND	ug/L
Copper, total	MW-21	1/16/2020	4	4	ND	ug/L
Copper, total	MW-21	4/2/2020	4	4	ND	ug/L
Copper, total	MW-21	7/8/2020	4	4	ND	ug/L
Copper, total	MW-21	10/7/2020	4	4	ND	ug/L
Copper, total	MW-21	1/13/2021	4	4	ND	ug/L
Copper, total	MW-21	4/6/2021	4	4	ND	ug/L
Copper, total	MW-21	7/5/2021	4	4	ND	ug/L
Copper, total	MW-21	10/6/2021	4	4	ND	ug/L
Copper, total	MW-21	1/11/2023	4	4	ND	ug/L
Copper, total	MW-21	4/8/2023	4	4	ND	ug/L
Copper, total	MW-2N	10/22/1997	11	4		ug/L
Copper, total	MW-2N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-2N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-2N	7/22/1998	10	4		ug/L
Copper, total	MW-2N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-2N	4/13/1999	4.1	4		ug/L
Copper, total	MW-2N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-2N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-2N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-2N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-2N	10/17/2000	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-2N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-2N	4/11/2001	8.2	8.2	ND	ug/L
Copper, total	MW-2N	7/10/2002	10	10	ND	ug/L
Copper, total	MW-2N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-2N	1/22/2003	4.1	4		ug/L
Copper, total	MW-2N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-2N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-2N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-2N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-2N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-2N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-2N	1/19/2006	42	4		ug/L
Copper, total	MW-2N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-2N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-2N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-2N	1/10/2007	2	4	ND	ug/L
Copper, total	MW-2N	1/26/2007	1.3	4	ND	ug/L
Copper, total	MW-2N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-2N	1/24/2008	0.6	4	ND	ug/L
Copper, total	MW-2N	7/22/2008	4	4	ND	ug/L
Copper, total	MW-2N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-2N	7/31/2009	1.6	4	ND	ug/L
Copper, total	MW-2N	1/26/2010	1.2	4	ND	ug/L
Copper, total	MW-2N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-2N	1/20/2011	1.2	4	ND	ug/L
Copper, total	MW-2N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-2N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-2N	7/10/2012	1.5	4	ND	ug/L
Copper, total	MW-2N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-2N	7/16/2013	0.9	4	ND	ug/L
Copper, total	MW-2N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-2N	7/9/2014	0.7	4	ND	ug/L
Copper, total	MW-2N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-2N	7/14/2015	0.6	4	ND	ug/L
Copper, total	MW-2N	1/6/2016	3.8	4	ND	ug/L
Copper, total	MW-2N	7/21/2016	1.2	4	ND	ug/L
Copper, total	MW-2N	1/11/2017	1.3	4	ND	ug/L
Copper, total	MW-2N	7/19/2017	0.8	4	ND	ug/L
Copper, total	MW-2N	1/23/2018	4	4	ND	ug/L
Copper, total	MW-2N	7/12/2018	0.72	4	ND	ug/L
Copper, total	MW-2N	1/3/2019	4	4	ND	ug/L
Copper, total	MW-2N	8/7/2019	1.9	8	ND	ug/L
Copper, total	MW-2N	1/23/2020	4	4	ND	ug/L
Copper, total	MW-2N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-2N	1/14/2021	4	4	ND	ug/L
Copper, total	MW-2N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-2N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-3N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-3N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-3N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-3N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-3N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-3N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-3N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-3N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-3N	1/14/2000	22	4		ug/L
Copper, total	MW-3N	4/24/2000	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-3N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-3N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-3N	4/11/2001	8.2	8.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-3N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-3N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-3N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-3N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-3N	1/22/2003	5	4		ug/L
Copper, total	MW-3N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-3N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-3N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-3N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-3N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-3N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-3N	1/18/2006	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-3N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-3N	1/10/2007	4	4	ND	ug/L
Copper, total	MW-3N	1/26/2007	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-3N	7/22/2008	4	4	ND	ug/L
Copper, total	MW-3N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-3N	7/31/2009	1.1	4	ND	ug/L
Copper, total	MW-3N	1/26/2010	1.2	4	ND	ug/L
Copper, total	MW-3N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-3N	1/20/2011	0.9	4	ND	ug/L
Copper, total	MW-3N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-3N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2012	1.1	4	ND	ug/L
Copper, total	MW-3N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-3N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-3N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-3N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-3N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-3N	4/1/2015	4	4	ND	ug/L
Copper, total	MW-3N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-3N	10/5/2015	4	4	ND	ug/L
Copper, total	MW-3N	1/6/2016	0.8	4	ND	ug/L
Copper, total	MW-3N	4/6/2016	4	4	ND	ug/L
Copper, total	MW-3N	7/21/2016	0.9	4	ND	ug/L
Copper, total	MW-3N	10/6/2016	0.7	4	ND	ug/L
Copper, total	MW-3N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-3N	4/4/2017	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-3N	10/9/2017	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2018	4	4	ND	ug/L
Copper, total	MW-3N	4/10/2018	4	4	ND	ug/L
Copper, total	MW-3N	7/13/2018	4	4	ND	ug/L
Copper, total	MW-3N	10/3/2018	4	4	ND	ug/L
Copper, total	MW-3N	1/7/2019	4	4	ND	ug/L
Copper, total	MW-3N	4/3/2019	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-3N	10/2/2019	4	4	ND	ug/L
Copper, total	MW-3N	1/15/2020	4	4	ND	ug/L
Copper, total	MW-3N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-3N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-3N	10/7/2020	4	4	ND	ug/L
Copper, total	MW-3N	1/13/2021	4	4	ND	ug/L
Copper, total	MW-3N	4/6/2021	4	4	ND	ug/L
Copper, total	MW-3N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-3N	10/6/2021	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-3N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-7N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-7N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-7N	7/22/1998	4	4	ND	ug/L
Copper, total	MW-7N	8/18/1998	4	4	ND	ug/L
Copper, total	MW-7N	9/17/1998	4	4	ND	ug/L
Copper, total	MW-7N	10/15/1998	4	4	ND	ug/L
Copper, total	MW-7N	11/9/1998	6.1	4		ug/L
Copper, total	MW-7N	1/14/1999	4	4	ND	ug/L
Copper, total	MW-7N	4/14/1999	4	4	ND	ug/L
Copper, total	MW-7N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-7N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-7N	1/13/2000	4	4	ND	ug/L
Copper, total	MW-7N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-7N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-7N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-7N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-7N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-7N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-7N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-7N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-7N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-7N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-7N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-7N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-7N	1/27/2004	4	4	ND	ug/L
Copper, total	MW-7N	4/8/2004	4	4	ND	ug/L
Copper, total	MW-7N	7/26/2004	4	4	ND	ug/L
Copper, total	MW-7N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2005	4	4	ND	ug/L
Copper, total	MW-7N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-7N	1/10/2007	4	4	ND	ug/L
Copper, total	MW-7N	1/26/2007	2.2	4	ND	ug/L
Copper, total	MW-7N	7/10/2007	1.9	4	ND	ug/L
Copper, total	MW-7N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-7N	2/6/2009	4	4	ND	ug/L
Copper, total	MW-7N	7/29/2009	4	4	ND	ug/L
Copper, total	MW-7N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-7N	7/14/2010	4	4	ND	ug/L
Copper, total	MW-7N	1/20/2011	4	4	ND	ug/L
Copper, total	MW-7N	7/12/2011	4	4	ND	ug/L
Copper, total	MW-7N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-7N	7/10/2012	4	4	ND	ug/L
Copper, total	MW-7N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-7N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-7N	7/15/2013	4	4	ND	ug/L
Copper, total	MW-7N	1/30/2014	4	4	ND	ug/L
Copper, total	MW-7N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-7N	2/12/2015	1.5	4	ND	ug/L
Copper, total	MW-7N	7/13/2015	4	4	ND	ug/L
Copper, total	MW-7N	1/5/2016	0.8	4	ND	ug/L
Copper, total	MW-7N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-7N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-7N	4/4/2017	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-7N	10/5/2017	4	4	ND	ug/L
Copper, total	MW-7N	1/25/2018	4	4	ND	ug/L
Copper, total	MW-7N	4/11/2018	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-7N	7/13/2018	4	4	ND	ug/L
Copper, total	MW-7N	1/4/2019	4	4	ND	ug/L
Copper, total	MW-7N	7/10/2019	8	8	ND	ug/L
Copper, total	MW-7N	1/16/2020	4	4	ND	ug/L
Copper, total	MW-7N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-7N	1/16/2021	4	4	ND	ug/L
Copper, total	MW-7N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-7N	1/12/2022	4	4	ND	ug/L
Copper, total	MW-7N	7/10/2022	4	4	ND	ug/L
Copper, total	MW-7N	1/10/2023	4	4	ND	ug/L
Copper, total	MW-8N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-8N	1/22/1998	4	4	ND	ug/L
Copper, total	MW-8N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-8N	7/22/1998	4	4	ND	ug/L
Copper, total	MW-8N	1/12/1999	4	4	ND	ug/L
Copper, total	MW-8N	4/13/1999	12	4		ug/L
Copper, total	MW-8N	7/14/1999	9.8	4		ug/L
Copper, total	MW-8N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-8N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-8N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-8N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-8N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-8N	4/11/2001	8.2	8.2	ND	ug/L
Copper, total	MW-8N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-8N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-8N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-8N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-8N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-8N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-8N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-8N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-8N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-8N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-8N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-8N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-8N	7/19/2006	0.8	4	ND	ug/L
Copper, total	MW-8N	7/19/2006	0.8	4	ND	ug/L
Copper, total	MW-8N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-8N	1/10/2007	4	4	ND	ug/L
Copper, total	MW-8N	1/26/2007	1.2	4	ND	ug/L
Copper, total	MW-8N	4/25/2007	2.2	4	ND	ug/L
Copper, total	MW-8N	7/10/2007	4	4	ND	ug/L
Copper, total	MW-8N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-8N	7/23/2008	4	4	ND	ug/L
Copper, total	MW-8N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-8N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-8N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-8N	7/16/2010	4	4	ND	ug/L
Copper, total	MW-8N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-8N	5/10/2011	4	4	ND	ug/L
Copper, total	MW-8N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-8N	1/6/2012	4	4	ND	ug/L
Copper, total	MW-8N	4/5/2012	4	4	ND	ug/L
Copper, total	MW-8N	7/11/2012	4	4	ND	ug/L
Copper, total	MW-8N	10/3/2012	0.8	4	ND	ug/L
Copper, total	MW-8N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-8N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-8N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-8N	10/2/2013	4	4	ND	ug/L
Copper, total	MW-8N	1/30/2014	4	4	ND	ug/L
Copper, total	MW-8N	4/3/2014	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-8N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-8N	10/8/2014	4	4	ND	ug/L
Copper, total	MW-8N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-8N	4/1/2015	4	4	ND	ug/L
Copper, total	MW-8N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-8N	10/5/2015	4	4	ND	ug/L
Copper, total	MW-8N	1/5/2016	4	4	ND	ug/L
Copper, total	MW-8N	4/6/2016	4	4	ND	ug/L
Copper, total	MW-8N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2016	4	4	ND	ug/L
Copper, total	MW-8N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-8N	4/4/2017	0.9	4	ND	ug/L
Copper, total	MW-8N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2017	4	4	ND	ug/L
Copper, total	MW-8N	1/25/2018	1.8	4	ND	ug/L
Copper, total	MW-8N	4/10/2018	1.4	4	ND	ug/L
Copper, total	MW-8N	7/16/2018	0.65	4	ND	ug/L
Copper, total	MW-8N	10/2/2018	4	4	ND	ug/L
Copper, total	MW-8N	1/7/2019	2.2	4	ND	ug/L
Copper, total	MW-8N	4/3/2019	1.2	4	ND	ug/L
Copper, total	MW-8N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-8N	10/3/2019	0.7	4	ND	ug/L
Copper, total	MW-8N	1/15/2020	4	4	ND	ug/L
Copper, total	MW-8N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-8N	7/9/2020	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2020	4	4	ND	ug/L
Copper, total	MW-8N	1/15/2021	4	4	ND	ug/L
Copper, total	MW-8N	4/6/2021	4	4	ND	ug/L
Copper, total	MW-8N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2021	4	4	ND	ug/L
Copper, total	MW-8N	1/18/2022	4	4	ND	ug/L
Copper, total	MW-8N	4/4/2022	4	4	ND	ug/L
Copper, total	MW-8N	7/12/2022	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2022	4	4	ND	ug/L
Copper, total	MW-8N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-8N	4/8/2023	4	4	ND	ug/L
Copper, total	NE-1	7/10/2002	10	10	ND	ug/L
Copper, total	NE-1	8/6/2002	10	10	ND	ug/L
Copper, total	NE-1	9/4/2002	10	10	ND	ug/L
Copper, total	NE-1	10/2/2002	10	10	ND	ug/L
Copper, total	NE-1	7/8/2003	4	4	ND	ug/L
Copper, total	NE-1	1/27/2004	5.2	4		ug/L
Copper, total	NE-1	1/12/2005	6.7	4		ug/L
Copper, total	NE-1	7/19/2006	0.6	4	ND	ug/L
Copper, total	NE-1	7/19/2006	0.6	4	ND	ug/L
Copper, total	NE-1	10/25/2006	10	10	ND	ug/L
Copper, total	NE-1	1/24/2007	1	4	ND	ug/L
Copper, total	NE-1	7/10/2007	2	4	ND	ug/L
Copper, total	NE-1	1/24/2008	4	4	ND	ug/L
Copper, total	NE-1	7/21/2008	4	4	ND	ug/L
Copper, total	NE-1	2/7/2009	2.5	4	ND	ug/L
Copper, total	NE-1	7/31/2009	4	4	ND	ug/L
Copper, total	NE-1	1/26/2010	4	4	ND	ug/L
Copper, total	NE-1	7/14/2010	3	4	ND	ug/L
Copper, total	NE-1	1/19/2011	0.7	4	ND	ug/L
Copper, total	NE-1	7/13/2011	4	4	ND	ug/L
Copper, total	NE-1	1/5/2012	4	4	ND	ug/L
Copper, total	NE-1	7/10/2012	1.3	4	ND	ug/L
Copper, total	NE-1	4/30/2013	4	4	ND	ug/L
Copper, total	NE-1	7/16/2013	0.9	4	ND	ug/L
Copper, total	NE-1	1/23/2014	0.9	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-1	7/9/2014	0.8	4	ND	ug/L
Copper, total	NE-1	2/11/2015	1	4	ND	ug/L
Copper, total	NE-1	7/8/2015	1.7	4	ND	ug/L
Copper, total	NE-1	1/6/2016	4	4	ND	ug/L
Copper, total	NE-1	7/20/2016	1.4	4	ND	ug/L
Copper, total	NE-1	1/11/2017	4	4	ND	ug/L
Copper, total	NE-1	7/19/2017	1.2	4	ND	ug/L
Copper, total	NE-1	1/24/2018	4	4	ND	ug/L
Copper, total	NE-1	4/11/2018	4	4	ND	ug/L
Copper, total	NE-1	7/18/2018	1.6	4	ND	ug/L
Copper, total	NE-1	10/2/2018	4	4	ND	ug/L
Copper, total	NE-1	1/4/2019	4	4	ND	ug/L
Copper, total	NE-1	4/2/2019	4	4	ND	ug/L
Copper, total	NE-1	7/10/2019	8	8	ND	ug/L
Copper, total	NE-1	7/10/2019	8	8	ND	ug/L
Copper, total	NE-1	10/2/2019	4	4	ND	ug/L
Copper, total	NE-1	1/15/2020	4	4	ND	ug/L
Copper, total	NE-1	4/2/2020	4	4	ND	ug/L
Copper, total	NE-1	7/8/2020	4	4	ND	ug/L
Copper, total	NE-1	10/7/2020	4	4	ND	ug/L
Copper, total	NE-1	1/13/2021	4	4	ND	ug/L
Copper, total	NE-1	4/9/2021	4	4	ND	ug/L
Copper, total	NE-1	7/2/2021	4	4	ND	ug/L
Copper, total	NE-1	10/6/2021	4	4	ND	ug/L
Copper, total	NE-1	1/17/2022	5.52	4		ug/L
Copper, total	NE-1	4/6/2022	4	4	ND	ug/L
Copper, total	NE-1	7/13/2022	4	4	ND	ug/L
Copper, total	NE-1	10/6/2022	4	4	ND	ug/L
Copper, total	NE-1	1/5/2023	4	4	ND	ug/L
Copper, total	NE-1	4/7/2023	4	4	ND	ug/L
Copper, total	NE-10D	11/6/2019	4	4	ND	ug/L
Copper, total	NE-10D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-10D	4/2/2020	4	4	ND	ug/L
Copper, total	NE-10D	7/8/2020	4	4	ND	ug/L
Copper, total	NE-10D	10/7/2020	4	4	ND	ug/L
Copper, total	NE-10D	1/13/2021	4	4	ND	ug/L
Copper, total	NE-10D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-10D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-10D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-10D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-10D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-11	3/1/2017	4	4	ND	ug/L
Copper, total	NE-11	4/6/2017	4	4	ND	ug/L
Copper, total	NE-11	7/20/2017	4	4	ND	ug/L
Copper, total	NE-11	10/9/2017	2.7	4	ND	ug/L
Copper, total	NE-11	9/30/2019	0.58	4	ND	ug/L
Copper, total	NE-11	1/14/2020	4	4	ND	ug/L
Copper, total	NE-11	7/7/2020	4	4	ND	ug/L
Copper, total	NE-11	1/16/2021	4	4	ND	ug/L
Copper, total	NE-11	1/16/2021	4	4	ND	ug/L
Copper, total	NE-11	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-11	1/17/2022	4	4	ND	ug/L
Copper, total	NE-11	1/17/2022	4	4	ND	ug/L
Copper, total	NE-11	7/12/2022	4	4	ND	ug/L
Copper, total	NE-11	1/6/2023	4	4	ND	ug/L
Copper, total	NE-12	3/1/2017	4	4	ND	ug/L
Copper, total	NE-12	4/6/2017	0.6	4	ND	ug/L
Copper, total	NE-12	7/20/2017	1	4	ND	ug/L
Copper, total	NE-12	10/6/2017	4	4	ND	ug/L
Copper, total	NE-12	8/5/2019	8	8	ND	ug/L
Copper, total	NE-12	1/13/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-12	7/7/2020	4	4	ND	ug/L
Copper, total	NE-12	1/15/2021	4	4	ND	ug/L
Copper, total	NE-12	1/15/2021	4	4	ND	ug/L
Copper, total	NE-12	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-12	1/17/2022	4	4	ND	ug/L
Copper, total	NE-12	1/17/2022	4	4	ND	ug/L
Copper, total	NE-12	7/12/2022	4	4	ND	ug/L
Copper, total	NE-12	1/6/2023	4	4	ND	ug/L
Copper, total	NE-13	2/5/2019	0.68	4	ND	ug/L
Copper, total	NE-13	8/7/2019	1.1	8	ND	ug/L
Copper, total	NE-13	1/15/2020	4	4	ND	ug/L
Copper, total	NE-13	7/8/2020	4	4	ND	ug/L
Copper, total	NE-13	1/17/2021	4	4	ND	ug/L
Copper, total	NE-13	1/17/2021	4	4	ND	ug/L
Copper, total	NE-13	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-14D	10/2/2019	4	4	ND	ug/L
Copper, total	NE-14D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-14D	4/3/2020	4	4	ND	ug/L
Copper, total	NE-14D	7/7/2020	4	4	ND	ug/L
Copper, total	NE-14D	10/6/2020	4	4	ND	ug/L
Copper, total	NE-14D	1/17/2021	4	4	ND	ug/L
Copper, total	NE-14D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-14D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-14D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-14D	1/18/2022	4	4	ND	ug/L
Copper, total	NE-14D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-14D	7/13/2022	4	4	ND	ug/L
Copper, total	NE-14D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-14D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-14D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-14S	10/2/2019	4	4	ND	ug/L
Copper, total	NE-14S	1/16/2020	4	4	ND	ug/L
Copper, total	NE-14S	4/3/2020	4	4	ND	ug/L
Copper, total	NE-14S	7/7/2020	4	4	ND	ug/L
Copper, total	NE-14S	10/6/2020	4	4	ND	ug/L
Copper, total	NE-14S	1/17/2021	4	4	ND	ug/L
Copper, total	NE-14S	4/9/2021	4	4	ND	ug/L
Copper, total	NE-14S	7/2/2021	4	4	ND	ug/L
Copper, total	NE-14S	10/7/2021	4	4	ND	ug/L
Copper, total	NE-14S	1/18/2022	4	4	ND	ug/L
Copper, total	NE-14S	4/6/2022	4	4	ND	ug/L
Copper, total	NE-14S	7/13/2022	4	4	ND	ug/L
Copper, total	NE-14S	10/7/2022	4	4	ND	ug/L
Copper, total	NE-14S	1/6/2023	4	4	ND	ug/L
Copper, total	NE-14S	4/6/2023	4	4	ND	ug/L
Copper, total	NE-15D	9/30/2019	4	4	ND	ug/L
Copper, total	NE-15D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-15D	4/3/2020	4	4	ND	ug/L
Copper, total	NE-15D	7/7/2020	4	4	ND	ug/L
Copper, total	NE-15D	10/6/2020	4	4	ND	ug/L
Copper, total	NE-15D	1/17/2021	4	4	ND	ug/L
Copper, total	NE-15D	4/9/2021	6.49	4		ug/L
Copper, total	NE-15D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-15D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-15D	1/17/2022	4	4	ND	ug/L
Copper, total	NE-15D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-15D	7/13/2022	4	4	ND	ug/L
Copper, total	NE-15D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-15D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-15D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-15S	4/3/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-2	7/9/2002	10	10	ND	ug/L
Copper, total	NE-2	8/6/2002	10	10	ND	ug/L
Copper, total	NE-2	9/4/2002	10	10	ND	ug/L
Copper, total	NE-2	10/2/2002	10	10	ND	ug/L
Copper, total	NE-2	10/1/2013	0.8	4	ND	ug/L
Copper, total	NE-2	10/8/2014	1.2	4	ND	ug/L
Copper, total	NE-2	10/5/2015	4	4	ND	ug/L
Copper, total	NE-2	10/6/2016	4	4	ND	ug/L
Copper, total	NE-2	10/5/2017	1.3	4	ND	ug/L
Copper, total	NE-2	1/25/2018	4	4	ND	ug/L
Copper, total	NE-2	4/10/2018	0.75	4	ND	ug/L
Copper, total	NE-2	7/10/2018	4	4	ND	ug/L
Copper, total	NE-2	10/1/2018	4	4	ND	ug/L
Copper, total	NE-2	1/4/2019	0.78	4	ND	ug/L
Copper, total	NE-2	4/2/2019	4	4	ND	ug/L
Copper, total	NE-2	7/9/2019	8	8	ND	ug/L
Copper, total	NE-2	7/9/2019	8	8	ND	ug/L
Copper, total	NE-2	10/2/2019	4	4	ND	ug/L
Copper, total	NE-2	1/14/2020	4	4	ND	ug/L
Copper, total	NE-2	4/1/2020	4	4	ND	ug/L
Copper, total	NE-2	7/7/2020	4	4	ND	ug/L
Copper, total	NE-2	10/6/2020	4	4	ND	ug/L
Copper, total	NE-2	1/14/2021	4	4	ND	ug/L
Copper, total	NE-2	4/9/2021	4	4	ND	ug/L
Copper, total	NE-2	7/2/2021	4	4	ND	ug/L
Copper, total	NE-2	10/6/2021	4	4	ND	ug/L
Copper, total	NE-2	1/18/2022	5.55	4		ug/L
Copper, total	NE-2	4/6/2022	4	4	ND	ug/L
Copper, total	NE-2	7/13/2022	4	4	ND	ug/L
Copper, total	NE-2	10/7/2022	4	4	ND	ug/L
Copper, total	NE-2	1/5/2023	4	4	ND	ug/L
Copper, total	NE-2	4/5/2023	4	4	ND	ug/L
Copper, total	NE-3	7/9/2002	10	10	ND	ug/L
Copper, total	NE-3	8/6/2002	10	10	ND	ug/L
Copper, total	NE-3	9/4/2002	10	10	ND	ug/L
Copper, total	NE-3	10/2/2002	10	10	ND	ug/L
Copper, total	NE-3	3/21/2018	4	4	ND	ug/L
Copper, total	NE-4	7/10/2002	10	10	ND	ug/L
Copper, total	NE-4	8/6/2002	10	10	ND	ug/L
Copper, total	NE-4	9/4/2002	10	10	ND	ug/L
Copper, total	NE-4	10/3/2002	10	10	ND	ug/L
Copper, total	NE-4	7/8/2003	4	4	ND	ug/L
Copper, total	NE-4	1/28/2004	4	4	ND	ug/L
Copper, total	NE-4	1/13/2005	5	4		ug/L
Copper, total	NE-4	8/1/2006	0.8	4	ND	ug/L
Copper, total	NE-4	8/1/2006	0.8	4	ND	ug/L
Copper, total	NE-4	10/25/2006	10	10	ND	ug/L
Copper, total	NE-4	1/24/2007	0.7	4	ND	ug/L
Copper, total	NE-4	7/12/2007	1.3	4	ND	ug/L
Copper, total	NE-4	1/24/2008	4	4	ND	ug/L
Copper, total	NE-4	7/21/2008	4	4	ND	ug/L
Copper, total	NE-4	2/7/2009	2	4	ND	ug/L
Copper, total	NE-4	7/31/2009	4	4	ND	ug/L
Copper, total	NE-4	1/26/2010	4	4	ND	ug/L
Copper, total	NE-4	7/14/2010	1.8	4	ND	ug/L
Copper, total	NE-4	1/19/2011	0.6	4	ND	ug/L
Copper, total	NE-4	7/13/2011	4	4	ND	ug/L
Copper, total	NE-4	1/5/2012	4	4	ND	ug/L
Copper, total	NE-4	7/10/2012	3.9	4	ND	ug/L
Copper, total	NE-4	4/30/2013	4	4	ND	ug/L
Copper, total	NE-4	7/16/2013	1	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-4	1/23/2014	4	4	ND	ug/L
Copper, total	NE-4	7/9/2014	0.6	4	ND	ug/L
Copper, total	NE-4	2/13/2015	0.7	4	ND	ug/L
Copper, total	NE-4	7/8/2015	4	4	ND	ug/L
Copper, total	NE-4	1/6/2016	1.4	4	ND	ug/L
Copper, total	NE-4	7/20/2016	4	4	ND	ug/L
Copper, total	NE-4	1/11/2017	1.2	4	ND	ug/L
Copper, total	NE-4	7/19/2017	0.9	4	ND	ug/L
Copper, total	NE-4	1/26/2018	4	4	ND	ug/L
Copper, total	NE-4	4/10/2018	4	4	ND	ug/L
Copper, total	NE-4	7/12/2018	4	4	ND	ug/L
Copper, total	NE-4	10/3/2018	4	4	ND	ug/L
Copper, total	NE-4	1/7/2019	4	4	ND	ug/L
Copper, total	NE-4	4/2/2019	4	4	ND	ug/L
Copper, total	NE-4	7/8/2019	8	8	ND	ug/L
Copper, total	NE-4	7/8/2019	8	8	ND	ug/L
Copper, total	NE-4	10/1/2019	4	4	ND	ug/L
Copper, total	NE-4	1/13/2020	4	4	ND	ug/L
Copper, total	NE-4	4/1/2020	4	4	ND	ug/L
Copper, total	NE-4	7/6/2020	4	4	ND	ug/L
Copper, total	NE-4	10/5/2020	4	4	ND	ug/L
Copper, total	NE-4	1/15/2021	4	4	ND	ug/L
Copper, total	NE-4	4/9/2021	4	4	ND	ug/L
Copper, total	NE-4	7/2/2021	4	4	ND	ug/L
Copper, total	NE-4	10/6/2021	4	4	ND	ug/L
Copper, total	NE-4	1/5/2023	4	4	ND	ug/L
Copper, total	NE-4	4/6/2023	4	4	ND	ug/L
Copper, total	NE-5	7/9/2002	10	10	ND	ug/L
Copper, total	NE-5	8/6/2002	10	10	ND	ug/L
Copper, total	NE-5	9/4/2002	10	10	ND	ug/L
Copper, total	NE-5	10/2/2002	10	10	ND	ug/L
Copper, total	NE-5	7/8/2003	4	4	ND	ug/L
Copper, total	NE-5	1/27/2004	7.3	4		ug/L
Copper, total	NE-5	1/12/2005	7.4	4		ug/L
Copper, total	NE-5	7/19/2006	4	4	ND	ug/L
Copper, total	NE-5	7/19/2006	4	4	ND	ug/L
Copper, total	NE-5	10/25/2006	10	10	ND	ug/L
Copper, total	NE-5	1/10/2007	0.7	4	ND	ug/L
Copper, total	NE-5	1/24/2007	4	4	ND	ug/L
Copper, total	NE-5	7/12/2007	4	4	ND	ug/L
Copper, total	NE-5	7/22/2008	4	4	ND	ug/L
Copper, total	NE-5	2/6/2009	2.7	4	ND	ug/L
Copper, total	NE-5	7/31/2009	4	4	ND	ug/L
Copper, total	NE-5	1/26/2010	4	4	ND	ug/L
Copper, total	NE-5	7/16/2010	5.5	4		ug/L
Copper, total	NE-5	1/19/2011	4	4	ND	ug/L
Copper, total	NE-5	7/13/2011	4	4	ND	ug/L
Copper, total	NE-5	1/5/2012	4	4	ND	ug/L
Copper, total	NE-5	7/10/2012	1.8	4	ND	ug/L
Copper, total	NE-5	4/30/2013	1.2	4	ND	ug/L
Copper, total	NE-5	7/16/2013	1.4	4	ND	ug/L
Copper, total	NE-5	1/23/2014	4	4	ND	ug/L
Copper, total	NE-5	7/9/2014	0.8	4	ND	ug/L
Copper, total	NE-5	2/11/2015	4	4	ND	ug/L
Copper, total	NE-5	7/14/2015	4	4	ND	ug/L
Copper, total	NE-5	1/6/2016	0.7	4	ND	ug/L
Copper, total	NE-5	7/20/2016	4.1	4		ug/L
Copper, total	NE-5	1/11/2017	1.5	4	ND	ug/L
Copper, total	NE-5	7/19/2017	4	4	ND	ug/L
Copper, total	NE-5	1/25/2018	4	4	ND	ug/L
Copper, total	NE-5	4/10/2018	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-5	7/17/2018	4	4	ND	ug/L
Copper, total	NE-5	10/3/2018	4	4	ND	ug/L
Copper, total	NE-5	1/4/2019	4	4	ND	ug/L
Copper, total	NE-5	4/2/2019	4	4	ND	ug/L
Copper, total	NE-5	4/2/2019	4	4	ND	ug/L
Copper, total	NE-5	7/9/2019	8	8	ND	ug/L
Copper, total	NE-5	10/3/2019	4	4	ND	ug/L
Copper, total	NE-5	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5	4/2/2020	4	4	ND	ug/L
Copper, total	NE-5	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5	1/15/2021	4	4	ND	ug/L
Copper, total	NE-5	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5	4/6/2022	4	4	ND	ug/L
Copper, total	NE-5	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5	4/7/2023	4	4	ND	ug/L
Copper, total	NE-5E	9/30/2019	4	4	ND	ug/L
Copper, total	NE-5E	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5E	4/1/2020	4	4	ND	ug/L
Copper, total	NE-5E	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5E	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5E	1/15/2021	4	4	ND	ug/L
Copper, total	NE-5E	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5E	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5E	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5E	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5E	4/6/2022	4	4	ND	ug/L
Copper, total	NE-5E	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5E	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5E	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5E	4/7/2023	4	4	ND	ug/L
Copper, total	NE-5W	9/30/2019	4	4	ND	ug/L
Copper, total	NE-5W	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5W	4/2/2020	4	4	ND	ug/L
Copper, total	NE-5W	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5W	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5W	1/15/2021	6.26	4		ug/L
Copper, total	NE-5W	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5W	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5W	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5W	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5W	4/6/2022	4	4	ND	ug/L
Copper, total	NE-5W	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5W	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5W	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5W	4/7/2023	4	4	ND	ug/L
Copper, total	NE-6	1/12/2017	1	4	ND	ug/L
Copper, total	NE-6	4/5/2017	4	4	ND	ug/L
Copper, total	NE-6	7/19/2017	0.8	4	ND	ug/L
Copper, total	NE-6	10/6/2017	1.7	4	ND	ug/L
Copper, total	NE-6	2/4/2019	4	4	ND	ug/L
Copper, total	NE-6	8/6/2019	1	8	ND	ug/L
Copper, total	NE-6	1/15/2020	4	4	ND	ug/L
Copper, total	NE-6	7/9/2020	4	4	ND	ug/L
Copper, total	NE-6	1/16/2021	4	4	ND	ug/L
Copper, total	NE-6	1/16/2021	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-6	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-6	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6	7/12/2022	4	4	ND	ug/L
Copper, total	NE-6	1/5/2023	4	4	ND	ug/L
Copper, total	NE-6D	10/2/2019	0.61	4	ND	ug/L
Copper, total	NE-6D	1/15/2020	4	4	ND	ug/L
Copper, total	NE-6D	4/2/2020	4	4	ND	ug/L
Copper, total	NE-6D	7/9/2020	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2020	4	4	ND	ug/L
Copper, total	NE-6D	1/15/2021	4	4	ND	ug/L
Copper, total	NE-6D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-6D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-6D	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-6D	7/12/2022	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-6D	1/5/2023	4	4	ND	ug/L
Copper, total	NE-6D	4/7/2023	4	4	ND	ug/L
Copper, total	NE-7	3/1/2017	4	4	ND	ug/L
Copper, total	NE-7	4/6/2017	4	4	ND	ug/L
Copper, total	NE-7	7/20/2017	4	4	ND	ug/L
Copper, total	NE-7	10/5/2017	1.1	4	ND	ug/L
Copper, total	NE-7	2/6/2019	0.56	4	ND	ug/L
Copper, total	NE-7	8/6/2019	8	8	ND	ug/L
Copper, total	NE-7	1/16/2020	4	4	ND	ug/L
Copper, total	NE-7	7/7/2020	4	4	ND	ug/L
Copper, total	NE-7	1/16/2021	4	4	ND	ug/L
Copper, total	NE-7	1/16/2021	4	4	ND	ug/L
Copper, total	NE-7	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-7	1/17/2022	4	4	ND	ug/L
Copper, total	NE-7	1/17/2022	4	4	ND	ug/L
Copper, total	NE-7	7/12/2022	4	4	ND	ug/L
Copper, total	NE-7	1/5/2023	4	4	ND	ug/L
Copper, total	NE-8	1/12/2017	4	4	ND	ug/L
Copper, total	NE-8	4/5/2017	4	4	ND	ug/L
Copper, total	NE-8	7/20/2017	1.1	4	ND	ug/L
Copper, total	NE-8	10/6/2017	4	4	ND	ug/L
Copper, total	NE-8	2/4/2019	4	4	ND	ug/L
Copper, total	NE-8	8/5/2019	1	8	ND	ug/L
Copper, total	NE-8	1/15/2020	4	4	ND	ug/L
Copper, total	NE-8	7/8/2020	4	4	ND	ug/L
Copper, total	NE-8	1/13/2021	4	4	ND	ug/L
Copper, total	NE-8	1/13/2021	4	4	ND	ug/L
Copper, total	NE-8	4/9/2021	4	4	ND	ug/L
Copper, total	NE-8	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-8	7/1/2021	4	4	ND	ug/L
Copper, total	NE-8	10/7/2021	4	4	ND	ug/L
Copper, total	NE-8	1/6/2023	4	4	ND	ug/L
Copper, total	NE-9	1/12/2017	4	4	ND	ug/L
Copper, total	NE-9	4/5/2017	4	4	ND	ug/L
Copper, total	NE-9	7/20/2017	4	4	ND	ug/L
Copper, total	NE-9	10/5/2017	4	4	ND	ug/L
Copper, total	NE-9	2/5/2019	4	4	ND	ug/L
Copper, total	NE-9	8/7/2019	8	8	ND	ug/L
Copper, total	NE-9	1/15/2020	4	4	ND	ug/L
Copper, total	NE-9	7/7/2020	4	4	ND	ug/L
Copper, total	NE-9	1/17/2021	4	4	ND	ug/L
Copper, total	NE-9	1/17/2021	4	4	ND	ug/L
Copper, total	NE-9	7/1/2021	5.3	5.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-9	1/17/2022	4	4	ND	ug/L
Copper, total	NE-9	1/17/2022	4	4	ND	ug/L
Copper, total	NE-9	7/13/2022	4	4	ND	ug/L
Copper, total	NE-9	1/6/2023	4	4	ND	ug/L
Copper, total	NE-9	4/8/2023	4	4	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/6/2016	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/9/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/16/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	10/27/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	7/17/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	2/13/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	2/13/2015	65	65	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	7/12/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	2/3/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	2/10/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	7/11/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	2/3/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	7/11/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	2/10/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	7/12/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	2/5/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	2/10/2015	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/17/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/10/2019	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/12/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/10/2019	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	7/13/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, 4,6-dinitro-o-	LGW-9	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/13/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/10/2019	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	2/13/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	2/3/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	2/10/2015	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	7/17/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-15	7/10/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-16	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-17	7/10/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-19	7/13/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	10/14/1998	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	2/5/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	2/10/2015	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	7/10/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-20	7/12/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	10/5/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	10/6/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	7/12/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/11/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	2/12/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/9/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/13/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/15/1998	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	2/12/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/5/2017	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	7/13/2018	52	52	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	1/24/2008	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	2/4/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, 4,6-dinitro-o-	MW-8N	5/10/2011	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/11/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/2/2013	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/8/2014	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/6/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/16/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	2/7/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	7/10/2012	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	7/18/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-2	7/10/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	2/7/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	7/10/2012	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	2/13/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	7/12/2018	52	52	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/17/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/9/2019	50	50	ND	ug/L
Cresol, m-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	LGW-10	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Cresol, o-	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Cresol, o-	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Cresol, o-	LGW-14R	10/27/2006	10	10	ND	ug/L
Cresol, o-	LGW-14R	2/6/2009	10	10	ND	ug/L
Cresol, o-	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Cresol, o-	LGW-14R	7/17/2018	10	10	ND	ug/L
Cresol, o-	LGW-2	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-2	2/13/2009	10	10	ND	ug/L
Cresol, o-	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-2	2/13/2015	13	13	ND	ug/L
Cresol, o-	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Cresol, o-	LGW-3R	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-3R	2/3/2009	10	10	ND	ug/L
Cresol, o-	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Cresol, o-	LGW-3R	7/11/2018	10	10	ND	ug/L
Cresol, o-	LGW-4	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-4	2/3/2009	10	10	ND	ug/L
Cresol, o-	LGW-4	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, o-	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Cresol, o-	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Cresol, o-	LGW-5	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-5	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Cresol, o-	LGW-5	7/12/2018	10	10	ND	ug/L
Cresol, o-	LGW-6	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-6	2/5/2009	10	10	ND	ug/L
Cresol, o-	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-6	2/10/2015	10	10	ND	ug/L
Cresol, o-	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Cresol, o-	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Cresol, o-	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Cresol, o-	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Cresol, o-	LGW-7	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-7	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	7/12/2018	10	10	ND	ug/L
Cresol, o-	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Cresol, o-	LGW-8R	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-8R	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Cresol, o-	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Cresol, o-	LGW-9	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-9	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Cresol, o-	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	7/10/2019	10	10	ND	ug/L
Cresol, o-	MW-10N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-10N	2/13/2009	10	10	ND	ug/L
Cresol, o-	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Cresol, o-	MW-11N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-11N	2/3/2009	10	10	ND	ug/L
Cresol, o-	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-11N	2/10/2015	10	10	ND	ug/L
Cresol, o-	MW-11N	7/17/2018	10	10	ND	ug/L
Cresol, o-	MW-15	7/10/2018	10	10	ND	ug/L
Cresol, o-	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Cresol, o-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, o-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-1N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-1N	2/5/2009	10	10	ND	ug/L
Cresol, o-	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Cresol, o-	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Cresol, o-	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-21	10/6/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, o-	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-21	7/11/2019	10	10	ND	ug/L
Cresol, o-	MW-2N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-2N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Cresol, o-	MW-2N	7/12/2018	10	10	ND	ug/L
Cresol, o-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-3N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-3N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Cresol, o-	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Cresol, o-	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Cresol, o-	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-3N	7/11/2019	10	10	ND	ug/L
Cresol, o-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, o-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-7N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-7N	2/6/2009	10	10	ND	ug/L
Cresol, o-	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Cresol, o-	MW-7N	7/13/2018	10	10	ND	ug/L
Cresol, o-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-8N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-8N	1/24/2008	10	10	ND	ug/L
Cresol, o-	MW-8N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Cresol, o-	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Cresol, o-	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Cresol, o-	MW-8N	7/11/2019	10	10	ND	ug/L
Cresol, o-	NE-1	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-1	2/7/2009	10	10	ND	ug/L
Cresol, o-	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Cresol, o-	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Cresol, o-	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Cresol, o-	NE-4	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-4	2/7/2009	10	10	ND	ug/L
Cresol, o-	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Cresol, o-	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Cresol, o-	NE-4	7/12/2018	10	10	ND	ug/L
Cresol, o-	NE-5	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-5	2/6/2009	10	10	ND	ug/L
Cresol, o-	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Cresol, o-	NE-5	7/9/2019	10	10	ND	ug/L
Cresol, p-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, p-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, p-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	10/27/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	7/17/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	2/13/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-2	2/13/2015	13	13	ND	ug/L
Cresol, p-chloro-m-	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	7/11/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-5	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-5	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-5	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	2/5/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-6	2/10/2015	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-9	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-chloro-m-	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	7/10/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	2/13/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-11N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-11N	2/10/2015	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	7/17/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-15	7/10/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	2/5/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-21	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-2N	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	MW-7N	7/13/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	1/24/2008	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-chloro-m-	MW-8N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	2/7/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-4	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-4	2/7/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-4	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/9/2019	10	10	ND	ug/L
Cyanide, total	LGW-10	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	10/9/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/16/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	10/27/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	2/11/2015	0.0025	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/17/2018	0.0073	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	2/13/2015	0.0054	0.01	ND	mg/L
Cyanide, total	LGW-2	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	7/8/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-2	7/4/2021	0.0183	0.01		mg/L
Cyanide, total	LGW-3R	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-3R	2/3/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-3R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-3R	2/10/2015	0.0026	0.01	ND	mg/L
Cyanide, total	LGW-3R	7/11/2018	0.002	0.01	ND	mg/L
Cyanide, total	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	2/3/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	2/11/2015	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-4	7/11/2018	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-4	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	LGW-5	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	2/10/2015	0.0021	0.01	ND	mg/L
Cyanide, total	LGW-5	7/12/2018	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	2/5/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	2/10/2015	0.0042	0.01	ND	mg/L
Cyanide, total	LGW-6	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/17/2018	0.0025	0.01	ND	mg/L
Cyanide, total	LGW-6	7/10/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	10/6/2016	0.002	0.01	ND	mg/L
Cyanide, total	LGW-7	10/5/2017	0.0031	0.01	ND	mg/L
Cyanide, total	LGW-7	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/10/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	7/13/2018	0.003	0.01	ND	mg/L
Cyanide, total	LGW-9	7/10/2019	0.0069	0.01	ND	mg/L
Cyanide, total	LGW-9	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/23/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	2/13/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/11/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/23/1998	0.016	0.01		mg/L
Cyanide, total	MW-11N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	2/3/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/9/2012	0.0031	0.01	ND	mg/L
Cyanide, total	MW-11N	2/10/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/17/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-15	7/10/2018	0.0026	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-16	7/11/2018	0.0032	0.01	ND	mg/L
Cyanide, total	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-17	7/10/2018	0.0023	0.01	ND	mg/L
Cyanide, total	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-19	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-19	7/4/2021	0.0249	0.01		mg/L
Cyanide, total	MW-1N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/23/1998	0.017	0.01		mg/L
Cyanide, total	MW-1N	10/14/1998	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	10/24/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	2/5/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	2/10/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/10/2018	0.0026	0.01	ND	mg/L
Cyanide, total	MW-1N	7/6/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-20	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-21	10/5/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-21	10/6/2017	0.01	0.01		mg/L
Cyanide, total	MW-21	7/11/2018	0.007	0.02	ND	mg/L
Cyanide, total	MW-21	7/11/2019	0.02	0.02	ND	mg/L
Cyanide, total	MW-21	7/8/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/22/1998	0.012	0.01		mg/L
Cyanide, total	MW-2N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/10/2012	0.0026	0.01	ND	mg/L
Cyanide, total	MW-2N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/12/2018	0.0026	0.01	ND	mg/L
Cyanide, total	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/23/1998	0.012	0.01		mg/L
Cyanide, total	MW-3N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-3N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-3N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/11/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/9/2017	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/7/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/22/1998	0.03	0.01		mg/L
Cyanide, total	MW-7N	8/18/1998	0.01	0.01		mg/L
Cyanide, total	MW-7N	9/17/1998	0.012	0.01		mg/L
Cyanide, total	MW-7N	10/15/1998	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	11/9/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	10/24/2006	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	MW-7N	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/22/1998	0.016	0.01		mg/L
Cyanide, total	MW-8N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-8N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-8N	10/24/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	1/24/2008	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	5/10/2011	0.0027	0.01	ND	mg/L
Cyanide, total	MW-8N	7/11/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/2/2013	0.0075	0.01	ND	mg/L
Cyanide, total	MW-8N	10/8/2014	0.0032	0.01	ND	mg/L
Cyanide, total	MW-8N	2/12/2015	0.0034	0.01	ND	mg/L
Cyanide, total	MW-8N	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/6/2017	0.0044	0.01	ND	mg/L
Cyanide, total	MW-8N	7/16/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	2/7/2009	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	7/18/2018	0.0058	0.01	ND	mg/L
Cyanide, total	NE-2	7/10/2018	0.0029	0.01	ND	mg/L
Cyanide, total	NE-4	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	2/7/2009	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	2/13/2015	0.0046	0.01	ND	mg/L
Cyanide, total	NE-4	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	2/11/2015	0.0023	0.01	ND	mg/L
Cyanide, total	NE-5	7/17/2018	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	7/9/2019	0.01	0.01	ND	mg/L
Delta-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Delta-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Delta-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Delta-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Delta-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Delta-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Delta-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Delta-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Delta-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Delta-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Delta-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Delta-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Delta-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Delta-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Delta-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Delta-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Delta-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Delta-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Delta-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Delta-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Delta-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Delta-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Delta-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Delta-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Delta-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Delta-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Depth to water	LGW-10	7/22/2008	58.85	0		FT
Depth to water	LGW-10	8/29/2008	59.13	0		FT
Depth to water	LGW-10	9/26/2008	58.98	0		FT
Depth to water	LGW-10	11/25/2008	59.39	0		FT
Depth to water	LGW-10	12/19/2008	59.58	0		FT
Depth to water	LGW-10	3/26/2009	60.56	0		FT
Depth to water	LGW-10	4/16/2009	59.49	0		FT
Depth to water	LGW-10	5/29/2009	59	0		FT
Depth to water	LGW-10	6/24/2009	58.92	0		FT
Depth to water	LGW-10	7/29/2009	59.19	0		FT
Depth to water	LGW-10	8/28/2009	59.28	0		FT
Depth to water	LGW-10	10/21/2009	59.05	0		FT
Depth to water	LGW-10	2/3/2010	59.37	0		FT
Depth to water	LGW-10	2/3/2010	59.37	0		FT
Depth to water	LGW-10	2/16/2010	59.27	0		FT
Depth to water	LGW-10	5/6/2010	59.17	0		FT
Depth to water	LGW-10	6/15/2010	58.97	0		FT
Depth to water	LGW-10	7/16/2010	59.03	0		FT
Depth to water	LGW-10	8/10/2010	58.89	0		FT
Depth to water	LGW-10	9/1/2010	59.06	0		FT
Depth to water	LGW-10	9/29/2010	58.99	0		FT
Depth to water	LGW-10	11/3/2010	59.28	0		FT
Depth to water	LGW-10	12/2/2010	59.35	0		FT
Depth to water	LGW-10	1/19/2011	59.64	0		FT
Depth to water	LGW-10	2/7/2011	59.79	0		FT
Depth to water	LGW-10	3/3/2011	59.49	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-10	4/5/2011	59.59	0		FT
Depth to water	LGW-10	5/10/2011	58.67	0		FT
Depth to water	LGW-10	6/1/2011	58.61	0		FT
Depth to water	LGW-10	7/12/2011	59.19	0		FT
Depth to water	LGW-10	8/3/2011	59.13	0		FT
Depth to water	LGW-10	9/7/2011	59.44	0		FT
Depth to water	LGW-10	10/5/2011	59.38	0		FT
Depth to water	LGW-10	11/1/2011	59.44	0		FT
Depth to water	LGW-10	12/7/2011	59.13	0		FT
Depth to water	LGW-10	1/5/2012	59.23	0		FT
Depth to water	LGW-10	2/1/2012	59.23	0		FT
Depth to water	LGW-10	3/6/2012	59.31	0		FT
Depth to water	LGW-10	4/5/2012	59.13	0		FT
Depth to water	LGW-10	5/1/2012	59.13	0		FT
Depth to water	LGW-10	6/5/2012	59.55	0		FT
Depth to water	LGW-10	7/9/2012	59.7	0		FT
Depth to water	LGW-10	9/4/2012	59.73	0		FT
Depth to water	LGW-10	10/7/2012	59.82	0		FT
Depth to water	LGW-10	5/1/2013	59.08	0		FT
Depth to water	LGW-10	6/4/2013	59.03	0		FT
Depth to water	LGW-10	8/8/2013	59.34	0		FT
Depth to water	LGW-10	9/10/2013	59.4	0		FT
Depth to water	LGW-10	10/1/2013	59.52	0		FT
Depth to water	LGW-10	11/6/2013	59.5	0		FT
Depth to water	LGW-10	12/2/2013	59.3	0		FT
Depth to water	LGW-10	1/30/2014	59.2	0		FT
Depth to water	LGW-10	2/13/2014	59.35	0		FT
Depth to water	LGW-10	3/12/2014	59.7	0		FT
Depth to water	LGW-10	4/2/2014	56.1	0		FT
Depth to water	LGW-10	5/7/2014	59.35	0		FT
Depth to water	LGW-10	6/3/2014	59.28	0		FT
Depth to water	LGW-10	7/9/2014	59.47	0		FT
Depth to water	LGW-10	8/5/2014	59.65	0		FT
Depth to water	LGW-10	9/4/2014	59.63	0		FT
Depth to water	LGW-10	10/9/2014	59.72	0		FT
Depth to water	LGW-10	11/3/2014	59.75	0		FT
Depth to water	LGW-10	1/14/2015	59.56	0		FT
Depth to water	LGW-10	2/12/2015	59.8	0		FT
Depth to water	LGW-10	3/3/2015	59.61	0		FT
Depth to water	LGW-10	4/1/2015	59.33	0		FT
Depth to water	LGW-10	5/7/2015	60.03	0		FT
Depth to water	LGW-10	6/3/2015	60.12	0		FT
Depth to water	LGW-10	7/13/2015	58.62	0		FT
Depth to water	LGW-10	8/5/2015	58.98	0		FT
Depth to water	LGW-10	9/3/2015	58.99	0		FT
Depth to water	LGW-10	10/6/2015	59.34	0		FT
Depth to water	LGW-10	11/4/2015	59.47	0		FT
Depth to water	LGW-10	12/3/2015	59.2	0		FT
Depth to water	LGW-10	1/5/2016	58.56	0		FT
Depth to water	LGW-10	2/3/2016	58.55	0		FT
Depth to water	LGW-10	2/10/2016	58.94	0		FT
Depth to water	LGW-10	3/2/2016	59.22	0		FT
Depth to water	LGW-10	4/6/2016	59.18	0		FT
Depth to water	LGW-10	5/11/2016	59.35	0		FT
Depth to water	LGW-10	6/1/2016	59.36	0		FT
Depth to water	LGW-10	7/21/2016	59.33	0		FT
Depth to water	LGW-10	8/10/2016	59.44	0		FT
Depth to water	LGW-10	9/6/2016	59.53	0		FT
Depth to water	LGW-10	10/6/2016	59.7	0		FT
Depth to water	LGW-10	11/2/2016	59.84	0		FT
Depth to water	LGW-10	12/1/2016	59.87	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-10	1/11/2017	59.9	0		FT
Depth to water	LGW-10	2/7/2017	59.92	0		FT
Depth to water	LGW-10	3/2/2017	59.93	0		FT
Depth to water	LGW-10	4/4/2017	59.55	0		FT
Depth to water	LGW-10	5/16/2017	58.72	0		FT
Depth to water	LGW-10	6/6/2017	58.7	0		FT
Depth to water	LGW-10	7/19/2017	59	0		FT
Depth to water	LGW-10	8/1/2017	59.15	0		FT
Depth to water	LGW-10	9/5/2017	59.13	0		FT
Depth to water	LGW-10	10/9/2017	59.35	0		FT
Depth to water	LGW-10	11/1/2017	59.25	0		FT
Depth to water	LGW-10	6/6/2018	59.04	0		FT
Depth to water	LGW-10	9/4/2018	59.4	0		FT
Depth to water	LGW-10	10/4/2018	59.61	0		FT
Depth to water	LGW-10	10/4/2018	59.61	0		FT
Depth to water	LGW-10	2/6/2019	59.26	0		FT
Depth to water	LGW-10	6/4/2019	58.96	0		FT
Depth to water	LGW-10	7/11/2019	58.81	0		FT
Depth to water	LGW-10	1/15/2020	58.6	0		FT
Depth to water	LGW-10	6/2/2020	59.34	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	8/3/2020	58.1	0		FT
Depth to water	LGW-10	11/4/2020	59.41	0		FT
Depth to water	LGW-10	12/3/2020	59.18	0		FT
Depth to water	LGW-10	1/17/2021	55	0		FT
Depth to water	LGW-10	2/9/2021	59.1	0		FT
Depth to water	LGW-10	3/2/2021	59.15	0		FT
Depth to water	LGW-10	4/6/2021	58.86	0		FT
Depth to water	LGW-10	4/6/2021	58.86	0		FT
Depth to water	LGW-10	5/5/2021	58.78	0		FT
Depth to water	LGW-10	6/1/2021	58.52	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	8/4/2021	59.05	0		FT
Depth to water	LGW-10	9/2/2021	59.31	0		FT
Depth to water	LGW-10	10/5/2021	59.59	0		FT
Depth to water	LGW-10	10/5/2021	59.59	0		FT
Depth to water	LGW-10	11/2/2021	59.45	0		FT
Depth to water	LGW-10	12/9/2021	59.48	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	2/10/2022	59.5	0		FT
Depth to water	LGW-10	3/2/2022	58.96	0		FT
Depth to water	LGW-10	4/4/2022	58.81	0		FT
Depth to water	LGW-10	4/4/2022	58.81	0		FT
Depth to water	LGW-10	5/7/2022	57.97	0		FT
Depth to water	LGW-10	6/3/2022	58.63	0		FT
Depth to water	LGW-10	7/11/2022	59	0		FT
Depth to water	LGW-10	8/10/2022	59.32	0		FT
Depth to water	LGW-10	9/8/2022	59.4	0		FT
Depth to water	LGW-10	10/7/2022	59.75	0		FT
Depth to water	LGW-10	10/7/2022	59.75	0		FT
Depth to water	LGW-10	11/3/2022	59.76	0		FT
Depth to water	LGW-10	12/7/2022	59.53	0		FT
Depth to water	LGW-10	1/11/2023	59.2	0		FT
Depth to water	LGW-10	2/3/2023	59.25	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-10	3/1/2023	58.77	0		FT
Depth to water	LGW-10	4/5/2023	58.83	0		FT
Depth to water	LGW-14R	7/22/2008	60.45	0		FT
Depth to water	LGW-14R	8/29/2008	59.91	0		FT
Depth to water	LGW-14R	9/26/2008	59.63	0		FT
Depth to water	LGW-14R	11/25/2008	59.82	0		FT
Depth to water	LGW-14R	12/19/2008	61.18	0		FT
Depth to water	LGW-14R	2/6/2009	61.05	0		FT
Depth to water	LGW-14R	3/26/2009	60.53	0		FT
Depth to water	LGW-14R	6/25/2009	59.25	0		FT
Depth to water	LGW-14R	7/29/2009	60.8	0		FT
Depth to water	LGW-14R	8/28/2009	60.32	0		FT
Depth to water	LGW-14R	10/22/2009	60	0		FT
Depth to water	LGW-14R	12/18/2009	59.71	0		FT
Depth to water	LGW-14R	2/3/2010	60.85	0		FT
Depth to water	LGW-14R	2/3/2010	60.85	0		FT
Depth to water	LGW-14R	2/16/2010	60.54	0		FT
Depth to water	LGW-14R	3/3/2010	60.61	0		FT
Depth to water	LGW-14R	4/7/2010	59.55	0		FT
Depth to water	LGW-14R	5/6/2010	59.59	0		FT
Depth to water	LGW-14R	6/16/2010	59.42	0		FT
Depth to water	LGW-14R	7/12/2010	59.8	0		FT
Depth to water	LGW-14R	8/10/2010	59.18	0		FT
Depth to water	LGW-14R	9/2/2010	59.52	0		FT
Depth to water	LGW-14R	9/29/2010	59.53	0		FT
Depth to water	LGW-14R	11/3/2010	59.81	0		FT
Depth to water	LGW-14R	12/2/2010	60.63	0		FT
Depth to water	LGW-14R	1/19/2011	61.24	0		FT
Depth to water	LGW-14R	2/7/2011	66.44	0		FT
Depth to water	LGW-14R	3/3/2011	61.54	0		FT
Depth to water	LGW-14R	4/5/2011	61.62	0		FT
Depth to water	LGW-14R	5/10/2011	58.44	0		FT
Depth to water	LGW-14R	6/1/2011	57.33	0		FT
Depth to water	LGW-14R	7/12/2011	58.98	0		FT
Depth to water	LGW-14R	8/3/2011	59.29	0		FT
Depth to water	LGW-14R	9/7/2011	60.11	0		FT
Depth to water	LGW-14R	10/5/2011	60.66	0		FT
Depth to water	LGW-14R	11/1/2011	60.81	0		FT
Depth to water	LGW-14R	12/7/2011	61.01	0		FT
Depth to water	LGW-14R	1/5/2012	60.66	0		FT
Depth to water	LGW-14R	2/1/2012	60.63	0		FT
Depth to water	LGW-14R	3/6/2012	60.55	0		FT
Depth to water	LGW-14R	4/5/2012	59.96	0		FT
Depth to water	LGW-14R	5/1/2012	60.21	0		FT
Depth to water	LGW-14R	6/5/2012	60.79	0		FT
Depth to water	LGW-14R	7/9/2012	61.16	0		FT
Depth to water	LGW-14R	8/9/2012	61.46	0		FT
Depth to water	LGW-14R	9/4/2012	61.65	0		FT
Depth to water	LGW-14R	10/7/2012	61.65	0		FT
Depth to water	LGW-14R	11/6/2012	67.72	0		FT
Depth to water	LGW-14R	11/6/2012	67.72	0		FT
Depth to water	LGW-14R	12/6/2012	61.81	0		FT
Depth to water	LGW-14R	12/6/2012	61.81	0		FT
Depth to water	LGW-14R	1/23/2013	62.01	0		FT
Depth to water	LGW-14R	1/23/2013	62.01	0		FT
Depth to water	LGW-14R	2/5/2013	62.1	0		FT
Depth to water	LGW-14R	2/5/2013	62.1	0		FT
Depth to water	LGW-14R	3/5/2013	62.1	0		FT
Depth to water	LGW-14R	3/5/2013	62.1	0		FT
Depth to water	LGW-14R	4/30/2013	59.22	0		FT
Depth to water	LGW-14R	6/4/2013	60.2	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-14R	8/8/2013	61.13	0		FT
Depth to water	LGW-14R	9/10/2013	60.93	0		FT
Depth to water	LGW-14R	10/1/2013	60.82	0		FT
Depth to water	LGW-14R	11/6/2013	60.87	0		FT
Depth to water	LGW-14R	12/2/2013	60.8	0		FT
Depth to water	LGW-14R	1/23/2014	60.14	0		FT
Depth to water	LGW-14R	2/12/2014	59.96	0		FT
Depth to water	LGW-14R	3/11/2014	59.84	0		FT
Depth to water	LGW-14R	4/2/2014	56.7	0		FT
Depth to water	LGW-14R	5/7/2014	59.65	0		FT
Depth to water	LGW-14R	6/3/2014	59.68	0		FT
Depth to water	LGW-14R	7/8/2014	59.75	0		FT
Depth to water	LGW-14R	8/5/2014	59.86	0		FT
Depth to water	LGW-14R	9/4/2014	59.84	0		FT
Depth to water	LGW-14R	10/9/2014	60.01	0		FT
Depth to water	LGW-14R	11/3/2014	60.1	0		FT
Depth to water	LGW-14R	1/14/2015	60.15	0		FT
Depth to water	LGW-14R	2/11/2015	60.09	0		FT
Depth to water	LGW-14R	3/3/2015	60.03	0		FT
Depth to water	LGW-14R	4/1/2015	59.87	0		FT
Depth to water	LGW-14R	5/6/2015	59.76	0		FT
Depth to water	LGW-14R	6/3/2015	59.43	0		FT
Depth to water	LGW-14R	7/22/2015	59.13	0		FT
Depth to water	LGW-14R	8/4/2015	59.19	0		FT
Depth to water	LGW-14R	9/3/2015	59.3	0		FT
Depth to water	LGW-14R	10/6/2015	59.42	0		FT
Depth to water	LGW-14R	11/4/2015	59.53	0		FT
Depth to water	LGW-14R	12/3/2015	59.14	0		FT
Depth to water	LGW-14R	1/5/2016	56.96	0		FT
Depth to water	LGW-14R	2/3/2016	56.94	0		FT
Depth to water	LGW-14R	3/2/2016	58.94	0		FT
Depth to water	LGW-14R	4/5/2016	59.09	0		FT
Depth to water	LGW-14R	5/11/2016	59.24	0		FT
Depth to water	LGW-14R	6/1/2016	59.23	0		FT
Depth to water	LGW-14R	7/19/2016	59.26	0		FT
Depth to water	LGW-14R	8/10/2016	59.29	0		FT
Depth to water	LGW-14R	9/6/2016	59.3	0		FT
Depth to water	LGW-14R	10/6/2016	59.37	0		FT
Depth to water	LGW-14R	11/2/2016	59.36	0		FT
Depth to water	LGW-14R	12/1/2016	59.4	0		FT
Depth to water	LGW-14R	1/11/2017	59.35	0		FT
Depth to water	LGW-14R	2/7/2017	59.34	0		FT
Depth to water	LGW-14R	3/2/2017	59.41	0		FT
Depth to water	LGW-14R	4/4/2017	59.33	0		FT
Depth to water	LGW-14R	5/2/2017	52.31	0		FT
Depth to water	LGW-14R	6/6/2017	56.4	0		FT
Depth to water	LGW-14R	7/18/2017	56.44	0		FT
Depth to water	LGW-14R	8/1/2017	58.22	0		FT
Depth to water	LGW-14R	9/5/2017	58.13	0		FT
Depth to water	LGW-14R	10/5/2017	58.13	0		FT
Depth to water	LGW-14R	11/1/2017	58.16	0		FT
Depth to water	LGW-14R	6/5/2018	57.32	0		FT
Depth to water	LGW-14R	6/21/2018	57.34	0		FT
Depth to water	LGW-14R	9/4/2018	57.51	0		FT
Depth to water	LGW-14R	10/2/2018	57.51	0		FT
Depth to water	LGW-14R	10/2/2018	57.51	0		FT
Depth to water	LGW-14R	2/6/2019	57.2	0		FT
Depth to water	LGW-14R	6/4/2019	56.66	0		FT
Depth to water	LGW-14R	1/16/2020	54	0		FT
Depth to water	LGW-14R	6/2/2020	52.5	0		FT
Depth to water	LGW-14R	7/9/2020	55.15	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-14R	7/9/2020	55.15	0		FT
Depth to water	LGW-14R	7/9/2020	55.15	0		FT
Depth to water	LGW-14R	8/3/2020	55.65	0		FT
Depth to water	LGW-14R	11/3/2020	55.85	0		FT
Depth to water	LGW-14R	12/3/2020	56.25	0		FT
Depth to water	LGW-14R	1/18/2021	56.26	0		FT
Depth to water	LGW-14R	1/18/2021	56.26	0		FT
Depth to water	LGW-14R	2/9/2021	56.09	0		FT
Depth to water	LGW-14R	3/2/2021	56.26	0		FT
Depth to water	LGW-14R	4/6/2021	55.87	0		FT
Depth to water	LGW-14R	4/6/2021	55.87	0		FT
Depth to water	LGW-14R	5/4/2021	52.15	0		FT
Depth to water	LGW-14R	6/1/2021	54.85	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	8/3/2021	55.82	0		FT
Depth to water	LGW-14R	9/2/2021	56.16	0		FT
Depth to water	LGW-14R	10/5/2021	56.45	0		FT
Depth to water	LGW-14R	10/5/2021	56.45	0		FT
Depth to water	LGW-14R	11/2/2021	56.57	0		FT
Depth to water	LGW-14R	12/9/2021	56.73	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	2/10/2022	56.64	0		FT
Depth to water	LGW-14R	3/1/2022	55.93	0		FT
Depth to water	LGW-14R	4/5/2022	55.64	0		FT
Depth to water	LGW-14R	5/7/2022	49.32	0		FT
Depth to water	LGW-14R	6/3/2022	55.11	0		FT
Depth to water	LGW-14R	7/11/2022	55.6	0		FT
Depth to water	LGW-14R	8/10/2022	56.05	0		FT
Depth to water	LGW-14R	9/8/2022	56.16	0		FT
Depth to water	LGW-14R	10/6/2022	56.36	0		FT
Depth to water	LGW-14R	11/3/2022	56.56	0		FT
Depth to water	LGW-14R	12/7/2022	56.7	0		FT
Depth to water	LGW-14R	1/10/2023	56.51	0		FT
Depth to water	LGW-14R	2/3/2023	56.48	0		FT
Depth to water	LGW-14R	3/1/2023	55.9	0		FT
Depth to water	LGW-14R	4/5/2023	55.5	0		FT
Depth to water	LGW-2	7/23/2008	70.74	0		FT
Depth to water	LGW-2	8/29/2008	71.23	0		FT
Depth to water	LGW-2	9/26/2008	70.84	0		FT
Depth to water	LGW-2	9/26/2008	70.84	0		FT
Depth to water	LGW-2	10/21/2008	71.71	0		FT
Depth to water	LGW-2	11/25/2008	72.32	0		FT
Depth to water	LGW-2	12/19/2008	74.69	0		FT
Depth to water	LGW-2	2/6/2009	73.93	0		FT
Depth to water	LGW-2	2/13/2009	81.13	0		FT
Depth to water	LGW-2	3/26/2009	75.1	0		FT
Depth to water	LGW-2	4/16/2009	74.45	0		FT
Depth to water	LGW-2	5/29/2009	70.23	0		FT
Depth to water	LGW-2	6/25/2009	70.56	0		FT
Depth to water	LGW-2	7/30/2009	70.55	0		FT
Depth to water	LGW-2	8/29/2009	73	0		FT
Depth to water	LGW-2	9/30/2009	74.07	0		FT
Depth to water	LGW-2	10/22/2009	74.63	0		FT
Depth to water	LGW-2	11/24/2009	71.5	0		FT
Depth to water	LGW-2	12/18/2009	73.47	0		FT
Depth to water	LGW-2	2/3/2010	73.45	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	2/3/2010	73.45	0		FT
Depth to water	LGW-2	2/17/2010	75.54	0		FT
Depth to water	LGW-2	3/4/2010	76.05	0		FT
Depth to water	LGW-2	4/8/2010	71.69	0		FT
Depth to water	LGW-2	5/6/2010	72	0		FT
Depth to water	LGW-2	6/15/2010	71.74	0		FT
Depth to water	LGW-2	7/12/2010	72.63	0		FT
Depth to water	LGW-2	8/10/2010	71.67	0		FT
Depth to water	LGW-2	9/1/2010	72.47	0		FT
Depth to water	LGW-2	9/29/2010	71.44	0		FT
Depth to water	LGW-2	11/3/2010	72.8	0		FT
Depth to water	LGW-2	12/2/2010	73.78	0		FT
Depth to water	LGW-2	1/19/2011	75.22	0		FT
Depth to water	LGW-2	2/7/2011	78.28	0		FT
Depth to water	LGW-2	3/3/2011	77.01	0		FT
Depth to water	LGW-2	4/5/2011	75.81	0		FT
Depth to water	LGW-2	5/10/2011	69.34	0		FT
Depth to water	LGW-2	6/1/2011	68.47	0		FT
Depth to water	LGW-2	7/13/2011	79.16	0		FT
Depth to water	LGW-2	8/3/2011	71.73	0		FT
Depth to water	LGW-2	9/7/2011	73.08	0		FT
Depth to water	LGW-2	10/5/2011	72.85	0		FT
Depth to water	LGW-2	11/1/2011	74.01	0		FT
Depth to water	LGW-2	12/7/2011	72.51	0		FT
Depth to water	LGW-2	1/4/2012	72.31	0		FT
Depth to water	LGW-2	2/1/2012	73.01	0		FT
Depth to water	LGW-2	3/6/2012	72.88	0		FT
Depth to water	LGW-2	4/5/2012	7.91	0		FT
Depth to water	LGW-2	5/1/2012	72.54	0		FT
Depth to water	LGW-2	6/5/2012	73.13	0		FT
Depth to water	LGW-2	7/9/2012	74.59	0		FT
Depth to water	LGW-2	8/9/2012	76.61	0		FT
Depth to water	LGW-2	9/4/2012	76.41	0		FT
Depth to water	LGW-2	10/7/2012	76	0		FT
Depth to water	LGW-2	4/30/2013	74.03	0		FT
Depth to water	LGW-2	6/4/2013	71.66	0		FT
Depth to water	LGW-2	7/15/2013	72.69	0		FT
Depth to water	LGW-2	8/8/2013	73.8	0		FT
Depth to water	LGW-2	9/10/2013	72.97	0		FT
Depth to water	LGW-2	10/1/2013	74	0		FT
Depth to water	LGW-2	11/6/2013	73.11	0		FT
Depth to water	LGW-2	12/2/2013	73.78	0		FT
Depth to water	LGW-2	1/30/2014	72.84	0		FT
Depth to water	LGW-2	2/13/2014	76.18	0		FT
Depth to water	LGW-2	3/12/2014	75.3	0		FT
Depth to water	LGW-2	4/3/2014	12.45	0		FT
Depth to water	LGW-2	5/7/2014	74.11	0		FT
Depth to water	LGW-2	6/3/2014	74.23	0		FT
Depth to water	LGW-2	7/8/2014	74.73	0		FT
Depth to water	LGW-2	8/5/2014	75.91	0		FT
Depth to water	LGW-2	9/4/2014	75.95	0		FT
Depth to water	LGW-2	10/9/2014	76.25	0		FT
Depth to water	LGW-2	11/3/2014	76.2	0		FT
Depth to water	LGW-2	1/14/2015	75.51	0		FT
Depth to water	LGW-2	2/13/2015	75.71	0		FT
Depth to water	LGW-2	3/3/2015	78.78	0		FT
Depth to water	LGW-2	4/1/2015	75.49	0		FT
Depth to water	LGW-2	5/6/2015	75.21	0		FT
Depth to water	LGW-2	6/3/2015	73.71	0		FT
Depth to water	LGW-2	7/8/2015	71.03	0		FT
Depth to water	LGW-2	8/4/2015	70.96	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	9/2/2015	71.77	0		FT
Depth to water	LGW-2	10/5/2015	72.43	0		FT
Depth to water	LGW-2	11/4/2015	73.06	0		FT
Depth to water	LGW-2	12/3/2015	72.51	0		FT
Depth to water	LGW-2	1/5/2016	68.83	0		FT
Depth to water	LGW-2	2/3/2016	68.61	0		FT
Depth to water	LGW-2	3/2/2016	70.5	0		FT
Depth to water	LGW-2	4/5/2016	71.18	0		FT
Depth to water	LGW-2	5/11/2016	72.5	0		FT
Depth to water	LGW-2	6/1/2016	72.21	0		FT
Depth to water	LGW-2	7/19/2016	72.1	0		FT
Depth to water	LGW-2	8/10/2016	72.53	0		FT
Depth to water	LGW-2	9/6/2016	72.94	0		FT
Depth to water	LGW-2	10/6/2016	73.2	0		FT
Depth to water	LGW-2	11/2/2016	73.39	0		FT
Depth to water	LGW-2	12/1/2016	74.28	0		FT
Depth to water	LGW-2	1/11/2017	76.45	0		FT
Depth to water	LGW-2	2/7/2017	76.44	0		FT
Depth to water	LGW-2	3/2/2017	78.35	0		FT
Depth to water	LGW-2	4/4/2017	78.65	0		FT
Depth to water	LGW-2	5/16/2017	70.22	0		FT
Depth to water	LGW-2	6/6/2017	70.06	0		FT
Depth to water	LGW-2	7/18/2017	71.4	0		FT
Depth to water	LGW-2	8/1/2017	72.3	0		FT
Depth to water	LGW-2	9/5/2017	72.4	0		FT
Depth to water	LGW-2	10/6/2017	72.79	0		FT
Depth to water	LGW-2	11/1/2017	73.95	0		FT
Depth to water	LGW-2	6/5/2018	72.36	0		FT
Depth to water	LGW-2	6/21/2018	72.92	0		FT
Depth to water	LGW-2	9/4/2018	74.04	0		FT
Depth to water	LGW-2	10/2/2018	74.32	0		FT
Depth to water	LGW-2	10/2/2018	74.32	0		FT
Depth to water	LGW-2	2/5/2019	73.74	0		FT
Depth to water	LGW-2	6/5/2019	71.96	0		FT
Depth to water	LGW-2	1/13/2020	70.71	0		FT
Depth to water	LGW-2	6/2/2020	68.73	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	8/3/2020	70.08	0		FT
Depth to water	LGW-2	11/3/2020	72.19	0		FT
Depth to water	LGW-2	12/4/2020	72.05	0		FT
Depth to water	LGW-2	1/18/2021	71.94	0		FT
Depth to water	LGW-2	1/18/2021	71.94	0		FT
Depth to water	LGW-2	2/10/2021	72.1	0		FT
Depth to water	LGW-2	3/2/2021	72.25	0		FT
Depth to water	LGW-2	4/7/2021	71.86	0		FT
Depth to water	LGW-2	5/4/2021	71.34	0		FT
Depth to water	LGW-2	6/1/2021	70.21	0		FT
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	8/3/2021	70.73	0		FT
Depth to water	LGW-2	9/2/2021	71.61	0		FT
Depth to water	LGW-2	10/5/2021	72.2	0		FT
Depth to water	LGW-2	10/5/2021	72.2	0		FT
Depth to water	LGW-2	11/1/2021	72.31	0		FT
Depth to water	LGW-2	12/8/2021	72.37	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	2/9/2022	72.25	0		FT
Depth to water	LGW-2	3/1/2022	71.71	0		FT
Depth to water	LGW-2	4/5/2022	71.46	0		FT
Depth to water	LGW-2	5/7/2022	70.17	0		FT
Depth to water	LGW-2	6/3/2022	69.41	0		FT
Depth to water	LGW-2	7/10/2022	70.25	0		FT
Depth to water	LGW-2	8/10/2022	71.15	0		FT
Depth to water	LGW-2	9/8/2022	71.55	0		FT
Depth to water	LGW-2	10/6/2022	71.92	0		FT
Depth to water	LGW-2	11/3/2022	72.17	0		FT
Depth to water	LGW-2	12/7/2022	72.2	0		FT
Depth to water	LGW-2	1/10/2023	71.84	0		FT
Depth to water	LGW-2	2/3/2023	72.09	0		FT
Depth to water	LGW-2	3/1/2023	71.17	0		FT
Depth to water	LGW-2	4/6/2023	70.15	0		FT
Depth to water	LGW-3R	7/23/2008	53.71	0		FT
Depth to water	LGW-3R	8/29/2008	55.36	0		FT
Depth to water	LGW-3R	9/26/2008	54.57	0		FT
Depth to water	LGW-3R	9/26/2008	54.57	0		FT
Depth to water	LGW-3R	10/22/2008	55.82	0		FT
Depth to water	LGW-3R	11/25/2008	57.76	0		FT
Depth to water	LGW-3R	12/19/2008	59.08	0		FT
Depth to water	LGW-3R	2/3/2009	59.22	0		FT
Depth to water	LGW-3R	3/26/2009	59.2	0		FT
Depth to water	LGW-3R	4/16/2009	57.83	0		FT
Depth to water	LGW-3R	5/28/2009	53.26	0		FT
Depth to water	LGW-3R	6/25/2009	54.38	0		FT
Depth to water	LGW-3R	7/31/2009	56.48	0		FT
Depth to water	LGW-3R	8/29/2009	57.98	0		FT
Depth to water	LGW-3R	9/30/2009	59	0		FT
Depth to water	LGW-3R	10/22/2009	57.44	0		FT
Depth to water	LGW-3R	11/24/2009	56.52	0		FT
Depth to water	LGW-3R	12/18/2009	57.98	0		FT
Depth to water	LGW-3R	2/3/2010	60.14	0		FT
Depth to water	LGW-3R	2/3/2010	60.14	0		FT
Depth to water	LGW-3R	2/17/2010	59.24	0		FT
Depth to water	LGW-3R	3/3/2010	59.3	0		FT
Depth to water	LGW-3R	4/8/2010	47.23	0		FT
Depth to water	LGW-3R	5/5/2010	58.08	0		FT
Depth to water	LGW-3R	6/15/2010	57.53	0		FT
Depth to water	LGW-3R	7/16/2010	55.97	0		FT
Depth to water	LGW-3R	8/11/2010	55.79	0		FT
Depth to water	LGW-3R	9/1/2010	57.53	0		FT
Depth to water	LGW-3R	9/29/2010	57.28	0		FT
Depth to water	LGW-3R	11/3/2010	59.46	0		FT
Depth to water	LGW-3R	12/3/2010	60.79	0		FT
Depth to water	LGW-3R	1/19/2011	63.71	0		FT
Depth to water	LGW-3R	2/7/2011	64.97	0		FT
Depth to water	LGW-3R	3/3/2011	64.49	0		FT
Depth to water	LGW-3R	4/5/2011	65.17	0		FT
Depth to water	LGW-3R	5/10/2011	53.21	0		FT
Depth to water	LGW-3R	6/1/2011	52.41	0		FT
Depth to water	LGW-3R	7/13/2011	55.18	0		FT
Depth to water	LGW-3R	8/3/2011	56.95	0		FT
Depth to water	LGW-3R	9/7/2011	59.11	0		FT
Depth to water	LGW-3R	10/5/2011	59.61	0		FT
Depth to water	LGW-3R	11/1/2011	61.12	0		FT
Depth to water	LGW-3R	12/7/2011	59.94	0		FT
Depth to water	LGW-3R	1/4/2012	69.69	0		FT
Depth to water	LGW-3R	2/1/2012	60.43	0		FT
Depth to water	LGW-3R	3/6/2012	60.74	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-3R	4/5/2012	58.34	0		FT
Depth to water	LGW-3R	5/1/2012	59.53	0		FT
Depth to water	LGW-3R	6/5/2012	61.28	0		FT
Depth to water	LGW-3R	7/9/2012	63.51	0		FT
Depth to water	LGW-3R	8/9/2012	65.23	0		FT
Depth to water	LGW-3R	9/4/2012	63.48	0		FT
Depth to water	LGW-3R	4/30/2013	58.51	0		FT
Depth to water	LGW-3R	6/4/2013	55.02	0		FT
Depth to water	LGW-3R	8/8/2013	60.15	0		FT
Depth to water	LGW-3R	9/10/2013	60.53	0		FT
Depth to water	LGW-3R	10/1/2013	61.28	0		FT
Depth to water	LGW-3R	11/6/2013	62.25	0		FT
Depth to water	LGW-3R	12/2/2013	63.3	0		FT
Depth to water	LGW-3R	1/22/2014	61.82	0		FT
Depth to water	LGW-3R	2/12/2014	63.3	0		FT
Depth to water	LGW-3R	3/11/2014	65.02	0		FT
Depth to water	LGW-3R	4/2/2014	59.9	0		FT
Depth to water	LGW-3R	5/7/2014	64.57	0		FT
Depth to water	LGW-3R	6/3/2014	65.15	0		FT
Depth to water	LGW-3R	7/8/2014	66.13	0		FT
Depth to water	LGW-3R	8/5/2014	66.63	0		FT
Depth to water	LGW-3R	9/4/2014	66.76	0		FT
Depth to water	LGW-3R	10/9/2014	66.21	0		FT
Depth to water	LGW-3R	11/3/2014	66.42	0		FT
Depth to water	LGW-3R	1/14/2015	66.68	0		FT
Depth to water	LGW-3R	2/10/2015	66.9	0		FT
Depth to water	LGW-3R	3/3/2015	66.94	0		FT
Depth to water	LGW-3R	4/1/2015	65.03	0		FT
Depth to water	LGW-3R	5/6/2015	66.68	0		FT
Depth to water	LGW-3R	6/3/2015	63.71	0		FT
Depth to water	LGW-3R	7/16/2015	58.69	0		FT
Depth to water	LGW-3R	8/5/2015	59.22	0		FT
Depth to water	LGW-3R	9/3/2015	59.58	0		FT
Depth to water	LGW-3R	10/6/2015	60.84	0		FT
Depth to water	LGW-3R	11/5/2015	61.51	0		FT
Depth to water	LGW-3R	12/4/2015	59.51	0		FT
Depth to water	LGW-3R	1/8/2016	54.87	0		FT
Depth to water	LGW-3R	2/4/2016	54.85	0		FT
Depth to water	LGW-3R	3/3/2016	54.79	0		FT
Depth to water	LGW-3R	4/6/2016	54.62	0		FT
Depth to water	LGW-3R	5/12/2016	54.39	0		FT
Depth to water	LGW-3R	6/2/2016	54.41	0		FT
Depth to water	LGW-3R	7/21/2016	54.4	0		FT
Depth to water	LGW-3R	8/11/2016	54.36	0		FT
Depth to water	LGW-3R	9/7/2016	61.64	0		FT
Depth to water	LGW-3R	10/7/2016	62.38	0		FT
Depth to water	LGW-3R	11/3/2016	63.05	0		FT
Depth to water	LGW-3R	12/2/2016	63.02	0		FT
Depth to water	LGW-3R	1/11/2017	55.3	0		FT
Depth to water	LGW-3R	2/7/2017	55.31	0		FT
Depth to water	LGW-3R	3/2/2017	56.15	0		FT
Depth to water	LGW-3R	4/4/2017	56.17	0		FT
Depth to water	LGW-3R	5/2/2017	57.81	0		FT
Depth to water	LGW-3R	6/6/2017	58.48	0		FT
Depth to water	LGW-3R	7/18/2017	60.33	0		FT
Depth to water	LGW-3R	8/1/2017	60.93	0		FT
Depth to water	LGW-3R	9/5/2017	60.28	0		FT
Depth to water	LGW-3R	10/6/2017	61.71	0		FT
Depth to water	LGW-3R	11/1/2017	60.42	0		FT
Depth to water	LGW-3R	6/5/2018	61.35	0		FT
Depth to water	LGW-3R	9/5/2018	63.53	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-3R	10/3/2018	64.21	0		FT
Depth to water	LGW-3R	2/5/2019	62.5	0		FT
Depth to water	LGW-3R	6/5/2019	59.88	0		FT
Depth to water	LGW-3R	1/14/2020	53.99	0		FT
Depth to water	LGW-3R	6/3/2020	52.46	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	8/3/2020	54.04	0		FT
Depth to water	LGW-3R	11/3/2020	56.85	0		FT
Depth to water	LGW-3R	12/4/2020	57.38	0		FT
Depth to water	LGW-3R	1/18/2021	57.05	0		FT
Depth to water	LGW-3R	1/18/2021	57.05	0		FT
Depth to water	LGW-3R	2/9/2021	56.67	0		FT
Depth to water	LGW-3R	3/2/2021	57.2	0		FT
Depth to water	LGW-3R	4/6/2021	56.89	0		FT
Depth to water	LGW-3R	4/6/2021	56.89	0		FT
Depth to water	LGW-3R	5/4/2021	55.75	0		FT
Depth to water	LGW-3R	6/2/2021	54.84	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	8/3/2021	55.7	0		FT
Depth to water	LGW-3R	9/2/2021	56.9	0		FT
Depth to water	LGW-3R	10/5/2021	58.18	0		FT
Depth to water	LGW-3R	11/2/2021	56.2	0		FT
Depth to water	LGW-3R	12/9/2021	57.52	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	2/10/2022	56.65	0		FT
Depth to water	LGW-3R	3/1/2022	54.94	0		FT
Depth to water	LGW-3R	4/5/2022	54.28	0		FT
Depth to water	LGW-3R	5/7/2022	52.52	0		FT
Depth to water	LGW-3R	6/3/2022	52.72	0		FT
Depth to water	LGW-3R	7/10/2022	53.53	0		FT
Depth to water	LGW-3R	8/10/2022	54.41	0		FT
Depth to water	LGW-3R	9/8/2022	54.82	0		FT
Depth to water	LGW-3R	10/6/2022	55.81	0		FT
Depth to water	LGW-3R	11/3/2022	56.1	0		FT
Depth to water	LGW-3R	12/7/2022	55.9	0		FT
Depth to water	LGW-3R	1/10/2023	55.45	0		FT
Depth to water	LGW-3R	2/3/2023	55.65	0		FT
Depth to water	LGW-3R	3/1/2023	54.35	0		FT
Depth to water	LGW-3R	4/6/2023	53.08	0		FT
Depth to water	LGW-4	7/23/2008	59.3	0		FT
Depth to water	LGW-4	8/29/2008	59.91	0		FT
Depth to water	LGW-4	9/26/2008	59.45	0		FT
Depth to water	LGW-4	9/26/2008	59.45	0		FT
Depth to water	LGW-4	10/22/2008	60.1	0		FT
Depth to water	LGW-4	11/25/2008	61.05	0		FT
Depth to water	LGW-4	12/19/2008	61.51	0		FT
Depth to water	LGW-4	2/3/2009	61.79	0		FT
Depth to water	LGW-4	3/26/2009	61.76	0		FT
Depth to water	LGW-4	4/16/2009	58.36	0		FT
Depth to water	LGW-4	5/28/2009	58.79	0		FT
Depth to water	LGW-4	6/25/2009	59.49	0		FT
Depth to water	LGW-4	7/31/2009	60.31	0		FT
Depth to water	LGW-4	8/29/2009	60.71	0		FT
Depth to water	LGW-4	10/22/2009	59.28	0		FT
Depth to water	LGW-4	11/24/2009	59.36	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	2/3/2010	61.48	0		FT
Depth to water	LGW-4	2/3/2010	61.48	0		FT
Depth to water	LGW-4	2/17/2010	61.04	0		FT
Depth to water	LGW-4	3/3/2010	60.86	0		FT
Depth to water	LGW-4	4/8/2010	59.93	0		FT
Depth to water	LGW-4	5/5/2010	60.32	0		FT
Depth to water	LGW-4	6/15/2010	59.68	0		FT
Depth to water	LGW-4	7/16/2010	58.77	0		FT
Depth to water	LGW-4	8/11/2010	59.11	0		FT
Depth to water	LGW-4	9/1/2010	60.19	0		FT
Depth to water	LGW-4	9/29/2010	59.24	0		FT
Depth to water	LGW-4	11/3/2010	60.66	0		FT
Depth to water	LGW-4	12/3/2010	61.32	0		FT
Depth to water	LGW-4	1/19/2011	62.34	0		FT
Depth to water	LGW-4	2/7/2011	62.78	0		FT
Depth to water	LGW-4	3/3/2011	62.84	0		FT
Depth to water	LGW-4	4/5/2011	62.95	0		FT
Depth to water	LGW-4	5/10/2011	57.18	0		FT
Depth to water	LGW-4	6/1/2011	56.44	0		FT
Depth to water	LGW-4	7/13/2011	59.29	0		FT
Depth to water	LGW-4	8/3/2011	60.08	0		FT
Depth to water	LGW-4	9/7/2011	60.82	0		FT
Depth to water	LGW-4	10/5/2011	60.62	0		FT
Depth to water	LGW-4	11/1/2011	61.24	0		FT
Depth to water	LGW-4	12/7/2011	60.64	0		FT
Depth to water	LGW-4	1/4/2012	60.46	0		FT
Depth to water	LGW-4	2/1/2012	60.88	0		FT
Depth to water	LGW-4	3/6/2012	61	0		FT
Depth to water	LGW-4	4/5/2012	60.25	0		FT
Depth to water	LGW-4	5/1/2012	60.74	0		FT
Depth to water	LGW-4	6/5/2012	61.65	0		FT
Depth to water	LGW-4	7/9/2012	62.4	0		FT
Depth to water	LGW-4	8/9/2012	62.91	0		FT
Depth to water	LGW-4	9/4/2012	62.35	0		FT
Depth to water	LGW-4	10/7/2012	62.59	0		FT
Depth to water	LGW-4	4/30/2013	60.9	0		FT
Depth to water	LGW-4	6/4/2013	59.11	0		FT
Depth to water	LGW-4	7/15/2013	60.94	0		FT
Depth to water	LGW-4	8/8/2013	60.94	0		FT
Depth to water	LGW-4	9/10/2013	61.23	0		FT
Depth to water	LGW-4	10/1/2013	61.33	0		FT
Depth to water	LGW-4	11/6/2013	62	0		FT
Depth to water	LGW-4	12/2/2013	62.4	0		FT
Depth to water	LGW-4	1/23/2014	62.14	0		FT
Depth to water	LGW-4	2/12/2014	62.5	0		FT
Depth to water	LGW-4	3/11/2014	62.82	0		FT
Depth to water	LGW-4	4/2/2014	59.53	0		FT
Depth to water	LGW-4	5/7/2014	52.9	0		FT
Depth to water	LGW-4	6/3/2014	63.13	0		FT
Depth to water	LGW-4	7/8/2014	63.35	0		FT
Depth to water	LGW-4	8/5/2014	63.55	0		FT
Depth to water	LGW-4	9/4/2014	63.51	0		FT
Depth to water	LGW-4	10/9/2014	63.75	0		FT
Depth to water	LGW-4	11/3/2014	63.66	0		FT
Depth to water	LGW-4	1/14/2015	63.76	0		FT
Depth to water	LGW-4	2/11/2015	63.85	0		FT
Depth to water	LGW-4	3/3/2015	63.84	0		FT
Depth to water	LGW-4	4/1/2015	63.62	0		FT
Depth to water	LGW-4	5/6/2015	63.67	0		FT
Depth to water	LGW-4	6/3/2015	63.28	0		FT
Depth to water	LGW-4	7/8/2015	62.14	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	8/4/2015	61.52	0		FT
Depth to water	LGW-4	9/2/2015	61.7	0		FT
Depth to water	LGW-4	10/5/2015	62.01	0		FT
Depth to water	LGW-4	11/4/2015	62.21	0		FT
Depth to water	LGW-4	12/3/2015	62.24	0		FT
Depth to water	LGW-4	1/5/2016	60.8	0		FT
Depth to water	LGW-4	2/3/2016	60.78	0		FT
Depth to water	LGW-4	3/2/2016	61.23	0		FT
Depth to water	LGW-4	4/5/2016	61.54	0		FT
Depth to water	LGW-4	5/11/2016	61.86	0		FT
Depth to water	LGW-4	6/1/2016	61.91	0		FT
Depth to water	LGW-4	7/19/2016	61.9	0		FT
Depth to water	LGW-4	8/10/2016	61.9	0		FT
Depth to water	LGW-4	9/6/2016	62	0		FT
Depth to water	LGW-4	10/6/2016	62.26	0		FT
Depth to water	LGW-4	11/2/2016	62.42	0		FT
Depth to water	LGW-4	12/1/2016	62.55	0		FT
Depth to water	LGW-4	1/11/2017	62.72	0		FT
Depth to water	LGW-4	2/7/2017	62.74	0		FT
Depth to water	LGW-4	3/2/2017	62.92	0		FT
Depth to water	LGW-4	4/4/2017	63.03	0		FT
Depth to water	LGW-4	5/2/2017	62.23	0		FT
Depth to water	LGW-4	5/16/2017	61.15	0		FT
Depth to water	LGW-4	6/6/2017	60.81	0		FT
Depth to water	LGW-4	7/18/2017	60.88	0		FT
Depth to water	LGW-4	8/1/2017	61	0		FT
Depth to water	LGW-4	9/5/2017	61	0		FT
Depth to water	LGW-4	10/6/2017	61.28	0		FT
Depth to water	LGW-4	11/1/2017	61.6	0		FT
Depth to water	LGW-4	6/5/2018	61.02	0		FT
Depth to water	LGW-4	9/5/2018	61.68	0		FT
Depth to water	LGW-4	10/3/2018	61.8	0		FT
Depth to water	LGW-4	2/5/2019	61.7	0		FT
Depth to water	LGW-4	6/5/2019	60.89	0		FT
Depth to water	LGW-4	1/14/2020	60.36	0		FT
Depth to water	LGW-4	6/3/2020	59.1	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	8/3/2020	60.29	0		FT
Depth to water	LGW-4	11/3/2020	61.58	0		FT
Depth to water	LGW-4	12/4/2020	61.68	0		FT
Depth to water	LGW-4	1/18/2021	61.52	0		FT
Depth to water	LGW-4	1/18/2021	61.52	0		FT
Depth to water	LGW-4	2/9/2021	61.37	0		FT
Depth to water	LGW-4	3/2/2021	61.37	0		FT
Depth to water	LGW-4	4/6/2021	61.29	0		FT
Depth to water	LGW-4	4/6/2021	61.29	0		FT
Depth to water	LGW-4	5/4/2021	61.1	0		FT
Depth to water	LGW-4	6/2/2021	60.4	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	8/3/2021	60.44	0		FT
Depth to water	LGW-4	9/2/2021	60.86	0		FT
Depth to water	LGW-4	10/5/2021	61.35	0		FT
Depth to water	LGW-4	10/5/2021	61.35	0		FT
Depth to water	LGW-4	11/2/2021	61.31	0		FT
Depth to water	LGW-4	12/9/2021	61.26	0		FT
Depth to water	LGW-4	1/12/2022	60.59	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	1/12/2022	60.59	0		FT
Depth to water	LGW-4	1/12/2022	60.59	0		FT
Depth to water	LGW-4	2/10/2022	61.05	0		FT
Depth to water	LGW-4	3/1/2022	60.45	0		FT
Depth to water	LGW-4	4/5/2022	59.95	0		FT
Depth to water	LGW-4	5/7/2022	58.45	0		FT
Depth to water	LGW-4	6/3/2022	58.43	0		FT
Depth to water	LGW-4	7/11/2022	59.44	0		FT
Depth to water	LGW-4	8/10/2022	60.07	0		FT
Depth to water	LGW-4	9/8/2022	60.16	0		FT
Depth to water	LGW-4	10/6/2022	60.67	0		FT
Depth to water	LGW-4	11/3/2022	60.89	0		FT
Depth to water	LGW-4	12/7/2022	60.3	0		FT
Depth to water	LGW-4	1/10/2023	60.15	0		FT
Depth to water	LGW-4	2/3/2023	60.32	0		FT
Depth to water	LGW-4	3/1/2023	59.02	0		FT
Depth to water	LGW-4	4/6/2023	58.18	0		FT
Depth to water	LGW-5	7/23/2008	67.94	0		FT
Depth to water	LGW-5	9/26/2008	68.9	0		FT
Depth to water	LGW-5	9/26/2008	68.9	0		FT
Depth to water	LGW-5	10/21/2008	69.68	0		FT
Depth to water	LGW-5	11/25/2008	70.64	0		FT
Depth to water	LGW-5	12/19/2008	71.19	0		FT
Depth to water	LGW-5	2/4/2009	71.37	0		FT
Depth to water	LGW-5	3/26/2009	71.13	0		FT
Depth to water	LGW-5	4/16/2009	20.66	0		FT
Depth to water	LGW-5	5/29/2009	68.08	0		FT
Depth to water	LGW-5	6/24/2009	68.52	0		FT
Depth to water	LGW-5	7/29/2009	69.1	0		FT
Depth to water	LGW-5	8/28/2009	69.19	0		FT
Depth to water	LGW-5	9/29/2009	69.12	0		FT
Depth to water	LGW-5	10/21/2009	67.65	0		FT
Depth to water	LGW-5	11/24/2009	68.05	0		FT
Depth to water	LGW-5	12/17/2009	69.02	0		FT
Depth to water	LGW-5	2/3/2010	69.9	0		FT
Depth to water	LGW-5	2/3/2010	69.9	0		FT
Depth to water	LGW-5	2/16/2010	69.45	0		FT
Depth to water	LGW-5	3/3/2010	69.37	0		FT
Depth to water	LGW-5	5/5/2010	68.75	0		FT
Depth to water	LGW-5	6/15/2010	68.04	0		FT
Depth to water	LGW-5	7/12/2010	68.57	0		FT
Depth to water	LGW-5	8/10/2010	67.58	0		FT
Depth to water	LGW-5	9/2/2010	68.76	0		FT
Depth to water	LGW-5	9/29/2010	67.49	0		FT
Depth to water	LGW-5	11/3/2010	68.91	0		FT
Depth to water	LGW-5	12/2/2010	69.46	0		FT
Depth to water	LGW-5	1/19/2011	70.53	0		FT
Depth to water	LGW-5	2/7/2011	70.99	0		FT
Depth to water	LGW-5	3/3/2011	70.9	0		FT
Depth to water	LGW-5	4/5/2011	71.09	0		FT
Depth to water	LGW-5	5/10/2011	66.57	0		FT
Depth to water	LGW-5	6/1/2011	65.64	0		FT
Depth to water	LGW-5	7/12/2011	68.4	0		FT
Depth to water	LGW-5	8/3/2011	68.69	0		FT
Depth to water	LGW-5	9/7/2011	69.39	0		FT
Depth to water	LGW-5	10/5/2011	69.31	0		FT
Depth to water	LGW-5	11/1/2011	69.54	0		FT
Depth to water	LGW-5	12/7/2011	69.01	0		FT
Depth to water	LGW-5	1/5/2012	68.86	0		FT
Depth to water	LGW-5	2/1/2012	69.34	0		FT
Depth to water	LGW-5	3/6/2012	69.28	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-5	4/5/2012	68.84	0		FT
Depth to water	LGW-5	5/1/2012	69.24	0		FT
Depth to water	LGW-5	6/5/2012	70.01	0		FT
Depth to water	LGW-5	7/9/2012	70.57	0		FT
Depth to water	LGW-5	8/9/2012	71.13	0		FT
Depth to water	LGW-5	9/4/2012	71.12	0		FT
Depth to water	LGW-5	10/7/2012	70.8	0		FT
Depth to water	LGW-5	4/30/2013	70.84	0		FT
Depth to water	LGW-5	6/4/2013	69.7	0		FT
Depth to water	LGW-5	7/15/2013	70.03	0		FT
Depth to water	LGW-5	8/8/2013	70.21	0		FT
Depth to water	LGW-5	9/10/2013	70.36	0		FT
Depth to water	LGW-5	10/1/2013	70.47	0		FT
Depth to water	LGW-5	11/6/2013	70.93	0		FT
Depth to water	LGW-5	12/3/2013	71.02	0		FT
Depth to water	LGW-5	1/23/2014	71.02	0		FT
Depth to water	LGW-5	2/12/2014	70.96	0		FT
Depth to water	LGW-5	3/11/2014	71.16	0		FT
Depth to water	LGW-5	4/2/2014	67.85	0		FT
Depth to water	LGW-5	5/7/2014	71.04	0		FT
Depth to water	LGW-5	6/3/2014	71.35	0		FT
Depth to water	LGW-5	7/8/2014	71.73	0		FT
Depth to water	LGW-5	8/5/2014	71.94	0		FT
Depth to water	LGW-5	9/4/2014	71.98	0		FT
Depth to water	LGW-5	10/9/2014	72.14	0		FT
Depth to water	LGW-5	11/3/2014	72.1	0		FT
Depth to water	LGW-5	1/14/2015	72.11	0		FT
Depth to water	LGW-5	2/10/2015	72.05	0		FT
Depth to water	LGW-5	3/3/2015	72.05	0		FT
Depth to water	LGW-5	4/1/2015	70.99	0		FT
Depth to water	LGW-5	5/6/2015	70.92	0		FT
Depth to water	LGW-5	6/3/2015	70.33	0		FT
Depth to water	LGW-5	7/8/2015	69.51	0		FT
Depth to water	LGW-5	8/4/2015	68.91	0		FT
Depth to water	LGW-5	9/2/2015	68.76	0		FT
Depth to water	LGW-5	10/5/2015	68.8	0		FT
Depth to water	LGW-5	11/4/2015	68.91	0		FT
Depth to water	LGW-5	12/3/2015	68.96	0		FT
Depth to water	LGW-5	1/5/2016	68.16	0		FT
Depth to water	LGW-5	2/3/2016	68.12	0		FT
Depth to water	LGW-5	3/2/2016	68.29	0		FT
Depth to water	LGW-5	4/5/2016	68.51	0		FT
Depth to water	LGW-5	5/11/2016	68.7	0		FT
Depth to water	LGW-5	6/1/2016	68.84	0		FT
Depth to water	LGW-5	7/19/2016	68.88	0		FT
Depth to water	LGW-5	8/10/2016	68.95	0		FT
Depth to water	LGW-5	9/6/2016	69.08	0		FT
Depth to water	LGW-5	10/6/2016	69.23	0		FT
Depth to water	LGW-5	11/2/2016	69.33	0		FT
Depth to water	LGW-5	12/1/2016	69.43	0		FT
Depth to water	LGW-5	1/11/2017	69.55	0		FT
Depth to water	LGW-5	2/7/2017	69.54	0		FT
Depth to water	LGW-5	3/2/2017	69.77	0		FT
Depth to water	LGW-5	4/4/2017	69.8	0		FT
Depth to water	LGW-5	5/16/2017	68.9	0		FT
Depth to water	LGW-5	6/6/2017	68.58	0		FT
Depth to water	LGW-5	7/18/2017	68.5	0		FT
Depth to water	LGW-5	8/1/2017	68.55	0		FT
Depth to water	LGW-5	9/5/2017	68.61	0		FT
Depth to water	LGW-5	10/5/2017	68.69	0		FT
Depth to water	LGW-5	11/1/2017	68.8	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-5	6/5/2018	68.47	0		FT
Depth to water	LGW-5	9/4/2018	68.97	0		FT
Depth to water	LGW-5	10/3/2018	69.08	0		FT
Depth to water	LGW-5	2/5/2019	69.08	0		FT
Depth to water	LGW-5	6/4/2019	68.51	0		FT
Depth to water	LGW-5	1/14/2020	68.06	0		FT
Depth to water	LGW-5	6/1/2020	67.71	0		FT
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	8/3/2020	68.26	0		FT
Depth to water	LGW-5	11/3/2020	69.1	0		FT
Depth to water	LGW-5	12/3/2020	69.19	0		FT
Depth to water	LGW-5	1/18/2021	69.21	0		FT
Depth to water	LGW-5	1/18/2021	69.21	0		FT
Depth to water	LGW-5	2/9/2021	69.13	0		FT
Depth to water	LGW-5	3/2/2021	69.07	0		FT
Depth to water	LGW-5	4/6/2021	69.06	0		FT
Depth to water	LGW-5	4/6/2021	69.06	0		FT
Depth to water	LGW-5	5/4/2021	69.12	0		FT
Depth to water	LGW-5	6/2/2021	68.71	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	8/3/2021	68.96	0		FT
Depth to water	LGW-5	9/2/2021	69.29	0		FT
Depth to water	LGW-5	10/5/2021	69.78	0		FT
Depth to water	LGW-5	10/5/2021	69.78	0		FT
Depth to water	LGW-5	11/2/2021	70.16	0		FT
Depth to water	LGW-5	12/9/2021	70.17	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	2/10/2022	70.27	0		FT
Depth to water	LGW-5	3/1/2022	70.12	0		FT
Depth to water	LGW-5	4/4/2022	69.86	0		FT
Depth to water	LGW-5	4/4/2022	69.86	0		FT
Depth to water	LGW-5	5/7/2022	69.07	0		FT
Depth to water	LGW-5	6/3/2022	68.68	0		FT
Depth to water	LGW-5	7/11/2022	69.26	0		FT
Depth to water	LGW-5	8/10/2022	69.95	0		FT
Depth to water	LGW-5	9/8/2022	70.31	0		FT
Depth to water	LGW-5	10/6/2022	70.91	0		FT
Depth to water	LGW-5	10/6/2022	70.91	0		FT
Depth to water	LGW-5	11/3/2022	71.38	0		FT
Depth to water	LGW-5	12/7/2022	71.59	0		FT
Depth to water	LGW-5	1/10/2023	70.72	0		FT
Depth to water	LGW-5	2/3/2023	71.28	0		FT
Depth to water	LGW-5	3/1/2023	70.18	0		FT
Depth to water	LGW-5	4/6/2023	69.41	0		FT
Depth to water	LGW-6	7/23/2008	51.86	0		FT
Depth to water	LGW-6	8/29/2008	52.22	0		FT
Depth to water	LGW-6	9/26/2008	52.06	0		FT
Depth to water	LGW-6	9/26/2008	52.06	0		FT
Depth to water	LGW-6	10/21/2008	52.13	0		FT
Depth to water	LGW-6	11/25/2008	52.16	0		FT
Depth to water	LGW-6	12/19/2008	52.98	0		FT
Depth to water	LGW-6	2/5/2009	53.19	0		FT
Depth to water	LGW-6	3/26/2009	52.8	0		FT
Depth to water	LGW-6	5/29/2009	51.13	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	6/24/2009	51.46	0		FT
Depth to water	LGW-6	7/29/2009	51.96	0		FT
Depth to water	LGW-6	8/28/2009	52.23	0		FT
Depth to water	LGW-6	9/29/2009	52.37	0		FT
Depth to water	LGW-6	10/22/2009	52.04	0		FT
Depth to water	LGW-6	11/24/2009	51.57	0		FT
Depth to water	LGW-6	12/17/2009	51.85	0		FT
Depth to water	LGW-6	2/3/2010	52.6	0		FT
Depth to water	LGW-6	2/3/2010	52.6	0		FT
Depth to water	LGW-6	2/16/2010	52.5	0		FT
Depth to water	LGW-6	3/3/2010	52.34	0		FT
Depth to water	LGW-6	4/7/2010	51.88	0		FT
Depth to water	LGW-6	5/5/2010	51.84	0		FT
Depth to water	LGW-6	6/15/2010	51.73	0		FT
Depth to water	LGW-6	7/12/2010	51.94	0		FT
Depth to water	LGW-6	8/10/2010	51.51	0		FT
Depth to water	LGW-6	9/2/2010	51.84	0		FT
Depth to water	LGW-6	9/29/2010	51.86	0		FT
Depth to water	LGW-6	11/3/2010	50.02	0		FT
Depth to water	LGW-6	12/2/2010	52.47	0		FT
Depth to water	LGW-6	1/19/2011	52.89	0		FT
Depth to water	LGW-6	2/7/2011	53.07	0		FT
Depth to water	LGW-6	3/3/2011	53.19	0		FT
Depth to water	LGW-6	4/5/2011	53.26	0		FT
Depth to water	LGW-6	5/10/2011	51.79	0		FT
Depth to water	LGW-6	6/1/2011	49.96	0		FT
Depth to water	LGW-6	7/12/2011	51.59	0		FT
Depth to water	LGW-6	8/3/2011	51.93	0		FT
Depth to water	LGW-6	9/7/2011	52.57	0		FT
Depth to water	LGW-6	10/5/2011	52.74	0		FT
Depth to water	LGW-6	11/1/2011	52.79	0		FT
Depth to water	LGW-6	12/7/2011	52.82	0		FT
Depth to water	LGW-6	1/5/2012	52.71	0		FT
Depth to water	LGW-6	2/1/2012	52.68	0		FT
Depth to water	LGW-6	3/6/2012	52.58	0		FT
Depth to water	LGW-6	4/5/2012	52.47	0		FT
Depth to water	LGW-6	5/1/2012	52.51	0		FT
Depth to water	LGW-6	6/5/2012	52.78	0		FT
Depth to water	LGW-6	7/9/2012	53.8	0		FT
Depth to water	LGW-6	8/9/2012	53.33	0		FT
Depth to water	LGW-6	9/4/2012	53.51	0		FT
Depth to water	LGW-6	10/7/2012	53.57	0		FT
Depth to water	LGW-6	11/6/2012	53.51	0		FT
Depth to water	LGW-6	11/6/2012	53.51	0		FT
Depth to water	LGW-6	12/6/2012	53.65	0		FT
Depth to water	LGW-6	12/6/2012	53.65	0		FT
Depth to water	LGW-6	1/23/2013	53.92	0		FT
Depth to water	LGW-6	1/23/2013	53.92	0		FT
Depth to water	LGW-6	2/5/2013	54.04	0		FT
Depth to water	LGW-6	2/5/2013	54.04	0		FT
Depth to water	LGW-6	3/5/2013	54.11	0		FT
Depth to water	LGW-6	3/5/2013	54.11	0		FT
Depth to water	LGW-6	4/30/2013	53.61	0		FT
Depth to water	LGW-6	6/4/2013	53.3	0		FT
Depth to water	LGW-6	7/15/2013	52.92	0		FT
Depth to water	LGW-6	8/8/2013	53.01	0		FT
Depth to water	LGW-6	9/10/2013	53.05	0		FT
Depth to water	LGW-6	10/1/2013	53.11	0		FT
Depth to water	LGW-6	11/6/2013	53.3	0		FT
Depth to water	LGW-6	12/2/2013	53.23	0		FT
Depth to water	LGW-6	1/23/2014	53.16	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	2/12/2014	53.13	0		FT
Depth to water	LGW-6	3/11/2014	53.11	0		FT
Depth to water	LGW-6	4/2/2014	50	0		FT
Depth to water	LGW-6	5/7/2014	52.93	0		FT
Depth to water	LGW-6	6/3/2014	52.98	0		FT
Depth to water	LGW-6	7/8/2014	53.21	0		FT
Depth to water	LGW-6	8/5/2014	53.38	0		FT
Depth to water	LGW-6	9/4/2014	53.32	0		FT
Depth to water	LGW-6	10/9/2014	53.7	0		FT
Depth to water	LGW-6	11/3/2014	53.77	0		FT
Depth to water	LGW-6	1/14/2015	53.76	0		FT
Depth to water	LGW-6	2/10/2015	53.69	0		FT
Depth to water	LGW-6	3/3/2015	53.71	0		FT
Depth to water	LGW-6	4/1/2015	53.55	0		FT
Depth to water	LGW-6	5/6/2015	53.33	0		FT
Depth to water	LGW-6	6/3/2015	53.14	0		FT
Depth to water	LGW-6	7/22/2015	52.49	0		FT
Depth to water	LGW-6	8/4/2015	52.48	0		FT
Depth to water	LGW-6	9/2/2015	52.61	0		FT
Depth to water	LGW-6	10/6/2015	52.83	0		FT
Depth to water	LGW-6	11/4/2015	52.94	0		FT
Depth to water	LGW-6	12/3/2015	52.95	0		FT
Depth to water	LGW-6	1/5/2016	52.02	0		FT
Depth to water	LGW-6	2/3/2016	52.09	0		FT
Depth to water	LGW-6	3/2/2016	52.23	0		FT
Depth to water	LGW-6	4/5/2016	52.43	0		FT
Depth to water	LGW-6	5/11/2016	52.65	0		FT
Depth to water	LGW-6	6/1/2016	52.78	0		FT
Depth to water	LGW-6	7/19/2016	52.9	0		FT
Depth to water	LGW-6	8/10/2016	52.94	0		FT
Depth to water	LGW-6	9/6/2016	53	0		FT
Depth to water	LGW-6	9/6/2016	53	0		FT
Depth to water	LGW-6	10/6/2016	53.12	0		FT
Depth to water	LGW-6	11/2/2016	53.16	0		FT
Depth to water	LGW-6	12/1/2016	53.25	0		FT
Depth to water	LGW-6	1/11/2017	53.36	0		FT
Depth to water	LGW-6	2/7/2017	53.33	0		FT
Depth to water	LGW-6	3/2/2017	53.41	0		FT
Depth to water	LGW-6	4/4/2017	53.37	0		FT
Depth to water	LGW-6	5/2/2017	53.2	0		FT
Depth to water	LGW-6	5/5/2017	53.3	0		FT
Depth to water	LGW-6	6/6/2017	52.05	0		FT
Depth to water	LGW-6	7/18/2017	52	0		FT
Depth to water	LGW-6	8/1/2017	53.27	0		FT
Depth to water	LGW-6	9/5/2017	51.94	0		FT
Depth to water	LGW-6	10/5/2017	52.42	0		FT
Depth to water	LGW-6	11/1/2017	52.34	0		FT
Depth to water	LGW-6	6/5/2018	51.65	0		FT
Depth to water	LGW-6	6/5/2018	51.65	0		FT
Depth to water	LGW-6	9/5/2018	52.29	0		FT
Depth to water	LGW-6	10/2/2018	52.39	0		FT
Depth to water	LGW-6	10/2/2018	52.39	0		FT
Depth to water	LGW-6	2/5/2019	52.2	0		FT
Depth to water	LGW-6	6/4/2019	51.36	0		FT
Depth to water	LGW-6	7/10/2019	51.22	0		FT
Depth to water	LGW-6	1/16/2020	50.33	0		FT
Depth to water	LGW-6	6/2/2020	48.88	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	8/3/2020	50.18	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	11/3/2020	50.96	0		FT
Depth to water	LGW-6	12/3/2020	51.02	0		FT
Depth to water	LGW-6	1/18/2021	50.9	0		FT
Depth to water	LGW-6	2/9/2021	50.71	0		FT
Depth to water	LGW-6	3/2/2021	50.73	0		FT
Depth to water	LGW-6	4/6/2021	50.47	0		FT
Depth to water	LGW-6	4/6/2021	50.47	0		FT
Depth to water	LGW-6	5/5/2021	50.22	0		FT
Depth to water	LGW-6	6/1/2021	49.74	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	8/3/2021	50.17	0		FT
Depth to water	LGW-6	9/2/2021	50.5	0		FT
Depth to water	LGW-6	10/5/2021	50.89	0		FT
Depth to water	LGW-6	10/5/2021	50.89	0		FT
Depth to water	LGW-6	11/2/2021	51.15	0		FT
Depth to water	LGW-6	12/9/2021	51.28	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	2/10/2022	51.09	0		FT
Depth to water	LGW-6	3/1/2022	50.8	0		FT
Depth to water	LGW-6	4/4/2022	50.45	0		FT
Depth to water	LGW-6	4/4/2022	50.45	0		FT
Depth to water	LGW-6	5/7/2022	49.33	0		FT
Depth to water	LGW-6	6/3/2022	49.17	0		FT
Depth to water	LGW-6	7/11/2022	49.63	0		FT
Depth to water	LGW-6	8/10/2022	50.09	0		FT
Depth to water	LGW-6	9/8/2022	50.4	0		FT
Depth to water	LGW-6	10/6/2022	50.74	0		FT
Depth to water	LGW-6	10/6/2022	50.74	0		FT
Depth to water	LGW-6	11/3/2022	50.98	0		FT
Depth to water	LGW-6	12/7/2022	51.19	0		FT
Depth to water	LGW-6	1/10/2023	51.08	0		FT
Depth to water	LGW-6	2/3/2023	51	0		FT
Depth to water	LGW-6	3/1/2023	50.65	0		FT
Depth to water	LGW-6	4/6/2023	49.68	0		FT
Depth to water	LGW-7	7/22/2008	42.1	0		FT
Depth to water	LGW-7	9/26/2008	42.98	0		FT
Depth to water	LGW-7	9/26/2008	42.98	0		FT
Depth to water	LGW-7	10/21/2008	43.9	0		FT
Depth to water	LGW-7	11/25/2008	44.4	0		FT
Depth to water	LGW-7	12/19/2008	44.83	0		FT
Depth to water	LGW-7	2/4/2009	43.9	0		FT
Depth to water	LGW-7	3/26/2009	43.93	0		FT
Depth to water	LGW-7	4/16/2009	42.49	0		FT
Depth to water	LGW-7	5/28/2009	41.8	0		FT
Depth to water	LGW-7	6/25/2009	42.71	0		FT
Depth to water	LGW-7	7/31/2009	43.91	0		FT
Depth to water	LGW-7	8/29/2009	44.36	0		FT
Depth to water	LGW-7	9/30/2009	44.55	0		FT
Depth to water	LGW-7	10/21/2009	43.28	0		FT
Depth to water	LGW-7	11/24/2009	43.6	0		FT
Depth to water	LGW-7	12/17/2009	43.38	0		FT
Depth to water	LGW-7	1/27/2010	44.1	0		FT
Depth to water	LGW-7	2/16/2010	43.4	0		FT
Depth to water	LGW-7	3/3/2010	43.75	0		FT
Depth to water	LGW-7	4/7/2010	42.48	0		FT
Depth to water	LGW-7	5/5/2010	43.76	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	6/16/2010	43.71	0		FT
Depth to water	LGW-7	7/12/2010	43.9	0		FT
Depth to water	LGW-7	8/10/2010	43.02	0		FT
Depth to water	LGW-7	9/2/2010	43.87	0		FT
Depth to water	LGW-7	9/29/2010	43.9	0		FT
Depth to water	LGW-7	11/3/2010	44.33	0		FT
Depth to water	LGW-7	12/2/2010	44.66	0		FT
Depth to water	LGW-7	1/20/2011	45.48	0		FT
Depth to water	LGW-7	2/8/2011	45.84	0		FT
Depth to water	LGW-7	3/3/2011	45.25	0		FT
Depth to water	LGW-7	4/5/2011	45.64	0		FT
Depth to water	LGW-7	5/10/2011	39.76	0		FT
Depth to water	LGW-7	6/1/2011	49.21	0		FT
Depth to water	LGW-7	7/12/2011	42.66	0		FT
Depth to water	LGW-7	8/3/2011	43.43	0		FT
Depth to water	LGW-7	9/7/2011	44.44	0		FT
Depth to water	LGW-7	10/5/2011	44.65	0		FT
Depth to water	LGW-7	11/1/2011	45.13	0		FT
Depth to water	LGW-7	12/8/2011	44.51	0		FT
Depth to water	LGW-7	1/5/2012	44.51	0		FT
Depth to water	LGW-7	2/1/2012	44.25	0		FT
Depth to water	LGW-7	3/6/2012	44.61	0		FT
Depth to water	LGW-7	4/5/2012	43.4	0		FT
Depth to water	LGW-7	5/1/2012	44.25	0		FT
Depth to water	LGW-7	6/5/2012	44.81	0		FT
Depth to water	LGW-7	7/10/2012	45.63	0		FT
Depth to water	LGW-7	8/9/2012	46.18	0		FT
Depth to water	LGW-7	9/4/2012	46.33	0		FT
Depth to water	LGW-7	10/7/2012	46.61	0		FT
Depth to water	LGW-7	4/30/2013	42.64	0		FT
Depth to water	LGW-7	6/4/2013	43.18	0		FT
Depth to water	LGW-7	7/15/2013	49.71	0		FT
Depth to water	LGW-7	8/8/2013	44.74	0		FT
Depth to water	LGW-7	9/10/2013	45.11	0		FT
Depth to water	LGW-7	10/1/2013	45.34	0		FT
Depth to water	LGW-7	11/6/2013	45.5	0		FT
Depth to water	LGW-7	12/2/2013	45.32	0		FT
Depth to water	LGW-7	1/23/2014	44.13	0		FT
Depth to water	LGW-7	2/13/2014	45.01	0		FT
Depth to water	LGW-7	3/11/2014	45.25	0		FT
Depth to water	LGW-7	4/2/2014	41.13	0		FT
Depth to water	LGW-7	5/7/2014	44.66	0		FT
Depth to water	LGW-7	6/3/2014	44.76	0		FT
Depth to water	LGW-7	7/8/2014	45.28	0		FT
Depth to water	LGW-7	8/5/2014	45.85	0		FT
Depth to water	LGW-7	9/4/2014	45.81	0		FT
Depth to water	LGW-7	10/9/2014	46.02	0		FT
Depth to water	LGW-7	11/3/2014	46.1	0		FT
Depth to water	LGW-7	1/14/2015	45.98	0		FT
Depth to water	LGW-7	2/11/2015	46.42	0		FT
Depth to water	LGW-7	3/3/2015	46.01	0		FT
Depth to water	LGW-7	4/1/2015	44.84	0		FT
Depth to water	LGW-7	5/6/2015	45.83	0		FT
Depth to water	LGW-7	6/3/2015	43.14	0		FT
Depth to water	LGW-7	7/22/2015	42.58	0		FT
Depth to water	LGW-7	8/4/2015	43.53	0		FT
Depth to water	LGW-7	9/3/2015	44.31	0		FT
Depth to water	LGW-7	10/6/2015	44.93	0		FT
Depth to water	LGW-7	11/4/2015	45.31	0		FT
Depth to water	LGW-7	12/3/2015	42.82	0		FT
Depth to water	LGW-7	1/5/2016	40.95	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	2/3/2016	46.83	0		FT
Depth to water	LGW-7	2/10/2016	42.86	0		FT
Depth to water	LGW-7	3/2/2016	43.57	0		FT
Depth to water	LGW-7	4/6/2016	44.14	0		FT
Depth to water	LGW-7	5/11/2016	44.5	0		FT
Depth to water	LGW-7	6/1/2016	44.55	0		FT
Depth to water	LGW-7	7/20/2016	44.74	0		FT
Depth to water	LGW-7	8/10/2016	45.37	0		FT
Depth to water	LGW-7	9/6/2016	45.75	0		FT
Depth to water	LGW-7	9/6/2016	45.75	0		FT
Depth to water	LGW-7	10/6/2016	46.21	0		FT
Depth to water	LGW-7	11/2/2016	46.34	0		FT
Depth to water	LGW-7	12/1/2016	46.55	0		FT
Depth to water	LGW-7	1/11/2017	46.61	0		FT
Depth to water	LGW-7	2/7/2017	46.63	0		FT
Depth to water	LGW-7	3/2/2017	46.63	0		FT
Depth to water	LGW-7	4/4/2017	45.51	0		FT
Depth to water	LGW-7	5/2/2017	40.1	0		FT
Depth to water	LGW-7	6/6/2017	41.7	0		FT
Depth to water	LGW-7	7/18/2017	43.58	0		FT
Depth to water	LGW-7	8/1/2017	43.9	0		FT
Depth to water	LGW-7	9/5/2017	43.15	0		FT
Depth to water	LGW-7	10/5/2017	44.03	0		FT
Depth to water	LGW-7	11/1/2017	44.2	0		FT
Depth to water	LGW-7	6/5/2018	42.9	0		FT
Depth to water	LGW-7	6/5/2018	42.9	0		FT
Depth to water	LGW-7	9/5/2018	44.18	0		FT
Depth to water	LGW-7	10/2/2018	44.49	0		FT
Depth to water	LGW-7	2/5/2019	43.11	0		FT
Depth to water	LGW-7	6/4/2019	42.37	0		FT
Depth to water	LGW-7	7/10/2019	41.6	0		FT
Depth to water	LGW-7	1/15/2020	40.57	0		FT
Depth to water	LGW-7	6/2/2020	39.61	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	8/3/2020	42.11	0		FT
Depth to water	LGW-7	11/4/2020	43.25	0		FT
Depth to water	LGW-7	12/3/2020	43.33	0		FT
Depth to water	LGW-7	1/18/2021	42.64	0		FT
Depth to water	LGW-7	2/9/2021	42.42	0		FT
Depth to water	LGW-7	3/2/2021	42.76	0		FT
Depth to water	LGW-7	4/7/2021	41.97	0		FT
Depth to water	LGW-7	5/5/2021	40.27	0		FT
Depth to water	LGW-7	6/2/2021	40.81	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	8/3/2021	42.02	0		FT
Depth to water	LGW-7	9/2/2021	42.72	0		FT
Depth to water	LGW-7	10/5/2021	43.5	0		FT
Depth to water	LGW-7	10/5/2021	43.5	0		FT
Depth to water	LGW-7	11/2/2021	43.5	0		FT
Depth to water	LGW-7	12/9/2021	43.55	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	2/10/2022	43.1	0		FT
Depth to water	LGW-7	3/2/2022	42.05	0		FT
Depth to water	LGW-7	4/4/2022	41.65	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	4/4/2022	41.65	0		FT
Depth to water	LGW-7	5/7/2022	38.51	0		FT
Depth to water	LGW-7	6/3/2022	40.44	0		FT
Depth to water	LGW-7	7/11/2022	41.5	0		FT
Depth to water	LGW-7	8/10/2022	42.25	0		FT
Depth to water	LGW-7	9/8/2022	43.05	0		FT
Depth to water	LGW-7	10/6/2022	43.62	0		FT
Depth to water	LGW-7	11/3/2022	43.86	0		FT
Depth to water	LGW-7	12/7/2022	43.67	0		FT
Depth to water	LGW-7	1/11/2023	43.2	0		FT
Depth to water	LGW-7	2/3/2023	43.05	0		FT
Depth to water	LGW-7	3/1/2023	41.91	0		FT
Depth to water	LGW-7	4/6/2023	41.05	0		FT
Depth to water	LGW-8R	8/29/2008	10	0		FT
Depth to water	LGW-8R	9/25/2008	9.54	9.54	ND	FT
Depth to water	LGW-8R	9/25/2008	9.54	0		FT
Depth to water	LGW-8R	10/21/2008	10.3	0		FT
Depth to water	LGW-8R	11/25/2008	10.68	0		FT
Depth to water	LGW-8R	12/19/2008	11.72	0		FT
Depth to water	LGW-8R	2/4/2009	9.83	9.83	ND	FT
Depth to water	LGW-8R	3/26/2009	10.05	0		FT
Depth to water	LGW-8R	4/16/2009	9.28	0		FT
Depth to water	LGW-8R	5/28/2009	9.02	0		FT
Depth to water	LGW-8R	6/25/2009	9.63	0		FT
Depth to water	LGW-8R	7/29/2009	10.32	0		FT
Depth to water	LGW-8R	8/28/2009	10.67	0		FT
Depth to water	LGW-8R	9/29/2009	10.8	10.8	ND	FT
Depth to water	LGW-8R	10/21/2009	9.94	0		FT
Depth to water	LGW-8R	11/24/2009	10.13	10.13	ND	FT
Depth to water	LGW-8R	12/17/2009	10.34	0		FT
Depth to water	LGW-8R	1/27/2010	10.4	0		FT
Depth to water	LGW-8R	2/15/2010	10.05	0		FT
Depth to water	LGW-8R	3/3/2010	10.35	0		FT
Depth to water	LGW-8R	4/7/2010	9.47	0		FT
Depth to water	LGW-8R	5/5/2010	10.32	0		FT
Depth to water	LGW-8R	6/16/2010	10.25	0		FT
Depth to water	LGW-8R	7/14/2010	7.69	0		FT
Depth to water	LGW-8R	8/10/2010	9.73	0		FT
Depth to water	LGW-8R	9/2/2010	10.22	0		FT
Depth to water	LGW-8R	9/29/2010	10.15	0		FT
Depth to water	LGW-8R	11/3/2010	10.58	0		FT
Depth to water	LGW-8R	12/2/2010	10.71	0		FT
Depth to water	LGW-8R	1/20/2011	11.72	0		FT
Depth to water	LGW-8R	2/7/2011	11.81	0		FT
Depth to water	LGW-8R	3/3/2011	11.39	0		FT
Depth to water	LGW-8R	5/10/2011	8.33	0		FT
Depth to water	LGW-8R	6/1/2011	7.86	0		FT
Depth to water	LGW-8R	7/12/2011	9.61	0		FT
Depth to water	LGW-8R	8/3/2011	10.19	0		FT
Depth to water	LGW-8R	9/7/2011	10.84	0		FT
Depth to water	LGW-8R	10/5/2011	11.21	0		FT
Depth to water	LGW-8R	11/1/2011	11.45	0		FT
Depth to water	LGW-8R	12/8/2011	10.91	0		FT
Depth to water	LGW-8R	1/5/2012	10.89	0		FT
Depth to water	LGW-8R	2/1/2012	10.74	0		FT
Depth to water	LGW-8R	3/7/2012	11.04	0		FT
Depth to water	LGW-8R	4/5/2012	10.31	0		FT
Depth to water	LGW-8R	6/5/2012	11.13	0		FT
Depth to water	LGW-8R	7/9/2012	11.83	0		FT
Depth to water	LGW-8R	8/9/2012	12.41	0		FT
Depth to water	LGW-8R	9/4/2012	12.59	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-8R	10/7/2012	12.89	0		FT
Depth to water	LGW-8R	4/30/2013	9.45	9.45	ND	FT
Depth to water	LGW-8R	6/4/2013	9.21	0		FT
Depth to water	LGW-8R	8/8/2013	10.33	0		FT
Depth to water	LGW-8R	9/10/2013	11.81	0		FT
Depth to water	LGW-8R	10/1/2013	11.97	0		FT
Depth to water	LGW-8R	11/6/2013	11.8	0		FT
Depth to water	LGW-8R	12/2/2013	12	0		FT
Depth to water	LGW-8R	1/22/2014	11.13	0		FT
Depth to water	LGW-8R	2/12/2014	11.55	0		FT
Depth to water	LGW-8R	3/11/2014	11.76	0		FT
Depth to water	LGW-8R	4/2/2014	7.84	0		FT
Depth to water	LGW-8R	5/7/2014	11.38	0		FT
Depth to water	LGW-8R	6/3/2014	11.45	0		FT
Depth to water	LGW-8R	7/8/2014	11.82	0		FT
Depth to water	LGW-8R	8/5/2014	12.53	0		FT
Depth to water	LGW-8R	9/4/2014	12.5	0		FT
Depth to water	LGW-8R	10/9/2014	13.35	0		FT
Depth to water	LGW-8R	11/3/2014	13.4	0		FT
Depth to water	LGW-8R	1/14/2015	12.71	0		FT
Depth to water	LGW-8R	2/11/2015	13.2	0		FT
Depth to water	LGW-8R	3/3/2015	12.86	0		FT
Depth to water	LGW-8R	4/1/2015	11.44	0		FT
Depth to water	LGW-8R	5/6/2015	12.39	0		FT
Depth to water	LGW-8R	6/3/2015	10.2	0		FT
Depth to water	LGW-8R	7/22/2015	9.53	0		FT
Depth to water	LGW-8R	8/4/2015	10.49	0		FT
Depth to water	LGW-8R	9/3/2015	10.95	0		FT
Depth to water	LGW-8R	10/6/2015	11.5	0		FT
Depth to water	LGW-8R	11/4/2015	11.77	0		FT
Depth to water	LGW-8R	12/3/2015	9.76	0		FT
Depth to water	LGW-8R	1/5/2016	8.68	0		FT
Depth to water	LGW-8R	2/3/2016	8.64	0		FT
Depth to water	LGW-8R	3/2/2016	10.36	0		FT
Depth to water	LGW-8R	4/5/2016	10.81	0		FT
Depth to water	LGW-8R	5/11/2016	10.61	0		FT
Depth to water	LGW-8R	6/1/2016	10.64	0		FT
Depth to water	LGW-8R	7/20/2016	10.6	0		FT
Depth to water	LGW-8R	8/10/2016	11.93	0		FT
Depth to water	LGW-8R	9/6/2016	12.28	0		FT
Depth to water	LGW-8R	10/6/2016	12.8	0		FT
Depth to water	LGW-8R	11/2/2016	12.93	0		FT
Depth to water	LGW-8R	12/1/2016	13.3	0		FT
Depth to water	LGW-8R	1/11/2017	13.1	0		FT
Depth to water	LGW-8R	2/7/2017	13.11	0		FT
Depth to water	LGW-8R	3/2/2017	13.44	0		FT
Depth to water	LGW-8R	4/4/2017	11.9	0		FT
Depth to water	LGW-8R	5/2/2017	7.55	0		FT
Depth to water	LGW-8R	6/6/2017	8.9	0		FT
Depth to water	LGW-8R	7/18/2017	10.57	0		FT
Depth to water	LGW-8R	8/1/2017	11.2	0		FT
Depth to water	LGW-8R	9/5/2017	10.51	0		FT
Depth to water	LGW-8R	10/5/2017	11.09	0		FT
Depth to water	LGW-8R	11/1/2017	11.18	0		FT
Depth to water	LGW-8R	6/5/2018	10.31	0		FT
Depth to water	LGW-8R	6/21/2018	10.74	0		FT
Depth to water	LGW-8R	9/5/2018	11.26	0		FT
Depth to water	LGW-8R	10/2/2018	11.71	0		FT
Depth to water	LGW-8R	2/5/2019	10.55	0		FT
Depth to water	LGW-8R	6/4/2019	9.99	0		FT
Depth to water	LGW-8R	1/14/2020	8.18	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-8R	6/1/2020	8.22	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	8/3/2020	9.72	0		FT
Depth to water	LGW-8R	11/2/2020	10.55	0		FT
Depth to water	LGW-8R	12/1/2020	10.7	0		FT
Depth to water	LGW-8R	1/17/2021	10.55	0		FT
Depth to water	LGW-8R	2/9/2021	10.11	0		FT
Depth to water	LGW-8R	3/2/2021	10.4	0		FT
Depth to water	LGW-8R	4/7/2021	9.97	0		FT
Depth to water	LGW-8R	5/5/2021	7.74	0		FT
Depth to water	LGW-8R	6/2/2021	8.78	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	8/3/2021	9.89	0		FT
Depth to water	LGW-8R	9/2/2021	10.43	0		FT
Depth to water	LGW-8R	10/5/2021	10.99	0		FT
Depth to water	LGW-8R	11/2/2021	10.8	0		FT
Depth to water	LGW-8R	12/9/2021	10.95	0		FT
Depth to water	LGW-8R	1/13/2022	10.3	0		FT
Depth to water	LGW-8R	1/13/2022	10.3	0		FT
Depth to water	LGW-8R	1/13/2022	10.3	0		FT
Depth to water	LGW-8R	2/10/2022	10.69	0		FT
Depth to water	LGW-8R	3/2/2022	9.77	0		FT
Depth to water	LGW-8R	4/5/2022	9.47	0		FT
Depth to water	LGW-8R	5/7/2022	6.59	0		FT
Depth to water	LGW-8R	6/3/2022	8.9	0		FT
Depth to water	LGW-8R	7/11/2022	9.52	0		FT
Depth to water	LGW-8R	8/10/2022	10.12	0		FT
Depth to water	LGW-8R	9/8/2022	10.55	0		FT
Depth to water	LGW-8R	10/6/2022	10.98	0		FT
Depth to water	LGW-8R	10/6/2022	10.98	0		FT
Depth to water	LGW-8R	11/3/2022	11.14	0		FT
Depth to water	LGW-8R	12/7/2022	10.95	0		FT
Depth to water	LGW-8R	1/11/2023	10.6	0		FT
Depth to water	LGW-8R	2/3/2023	10.5	0		FT
Depth to water	LGW-8R	3/1/2023	9.55	0		FT
Depth to water	LGW-8R	4/6/2023	9.32	0		FT
Depth to water	LGW-9	7/22/2008	54.12	0		FT
Depth to water	LGW-9	8/29/2008	54.68	0		FT
Depth to water	LGW-9	9/26/2008	54.43	0		FT
Depth to water	LGW-9	9/26/2008	54.43	0		FT
Depth to water	LGW-9	10/22/2008	54.77	0		FT
Depth to water	LGW-9	11/24/2008	55.15	0		FT
Depth to water	LGW-9	12/19/2008	55.38	0		FT
Depth to water	LGW-9	2/4/2009	55.51	0		FT
Depth to water	LGW-9	3/26/2009	55.48	0		FT
Depth to water	LGW-9	4/15/2009	55.26	0		FT
Depth to water	LGW-9	5/28/2009	54.48	0		FT
Depth to water	LGW-9	6/24/2009	54.81	0		FT
Depth to water	LGW-9	7/29/2009	55.25	0		FT
Depth to water	LGW-9	8/28/2009	55.44	0		FT
Depth to water	LGW-9	9/29/2009	55.51	0		FT
Depth to water	LGW-9	10/22/2009	55.15	0		FT
Depth to water	LGW-9	11/24/2009	55.25	0		FT
Depth to water	LGW-9	12/17/2009	55.35	0		FT
Depth to water	LGW-9	1/27/2010	55.69	0		FT
Depth to water	LGW-9	2/15/2010	55.4	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	3/3/2010	55.31	0		FT
Depth to water	LGW-9	4/8/2010	55	0		FT
Depth to water	LGW-9	5/6/2010	55.22	0		FT
Depth to water	LGW-9	6/16/2010	55.04	0		FT
Depth to water	LGW-9	7/14/2010	55.23	0		FT
Depth to water	LGW-9	8/11/2010	54.81	0		FT
Depth to water	LGW-9	9/1/2010	55.11	0		FT
Depth to water	LGW-9	9/29/2010	54.93	0		FT
Depth to water	LGW-9	11/3/2010	55.37	0		FT
Depth to water	LGW-9	12/2/2010	55.59	0		FT
Depth to water	LGW-9	1/20/2011	55.89	0		FT
Depth to water	LGW-9	2/7/2011	56.03	0		FT
Depth to water	LGW-9	3/3/2011	55.81	0		FT
Depth to water	LGW-9	4/5/2011	55.78	0		FT
Depth to water	LGW-9	5/10/2011	51.19	0		FT
Depth to water	LGW-9	6/1/2011	53.18	0		FT
Depth to water	LGW-9	7/12/2011	54.76	0		FT
Depth to water	LGW-9	8/4/2011	55.14	0		FT
Depth to water	LGW-9	10/5/2011	55.24	0		FT
Depth to water	LGW-9	11/1/2011	55.58	0		FT
Depth to water	LGW-9	12/8/2011	54.55	0		FT
Depth to water	LGW-9	1/5/2012	54.54	0		FT
Depth to water	LGW-9	2/1/2012	54.99	0		FT
Depth to water	LGW-9	3/7/2012	55.03	0		FT
Depth to water	LGW-9	4/5/2012	54.13	0		FT
Depth to water	LGW-9	5/1/2012	54.81	0		FT
Depth to water	LGW-9	6/5/2012	55.34	0		FT
Depth to water	LGW-9	7/10/2012	55.77	0		FT
Depth to water	LGW-9	8/9/2012	56	0		FT
Depth to water	LGW-9	9/4/2012	55.57	0		FT
Depth to water	LGW-9	10/7/2012	55.75	0		FT
Depth to water	LGW-9	5/1/2013	53.06	0		FT
Depth to water	LGW-9	6/4/2013	52.93	0		FT
Depth to water	LGW-9	7/15/2013	54.42	0		FT
Depth to water	LGW-9	8/8/2013	54.45	0		FT
Depth to water	LGW-9	9/10/2013	54.32	0		FT
Depth to water	LGW-9	10/1/2013	54.64	0		FT
Depth to water	LGW-9	11/6/2013	54.73	0		FT
Depth to water	LGW-9	12/2/2013	54.49	0		FT
Depth to water	LGW-9	1/23/2014	53.88	0		FT
Depth to water	LGW-9	2/13/2014	54.48	0		FT
Depth to water	LGW-9	3/11/2014	54.94	0		FT
Depth to water	LGW-9	4/2/2014	50.85	0		FT
Depth to water	LGW-9	6/3/2014	54.3	0		FT
Depth to water	LGW-9	7/8/2014	64.63	0		FT
Depth to water	LGW-9	8/5/2014	55.28	0		FT
Depth to water	LGW-9	9/4/2014	55.3	0		FT
Depth to water	LGW-9	10/9/2014	55.43	0		FT
Depth to water	LGW-9	11/3/2014	55.5	0		FT
Depth to water	LGW-9	1/14/2015	55.12	0		FT
Depth to water	LGW-9	2/11/2015	55.76	0		FT
Depth to water	LGW-9	3/3/2015	55.86	0		FT
Depth to water	LGW-9	4/1/2015	54.21	0		FT
Depth to water	LGW-9	5/7/2015	55.35	0		FT
Depth to water	LGW-9	6/3/2015	53.72	0		FT
Depth to water	LGW-9	7/13/2015	52.38	0		FT
Depth to water	LGW-9	8/4/2015	53.85	0		FT
Depth to water	LGW-9	9/3/2015	54.55	0		FT
Depth to water	LGW-9	10/6/2015	55.03	0		FT
Depth to water	LGW-9	11/4/2015	55.45	0		FT
Depth to water	LGW-9	12/3/2015	53.11	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	1/5/2016	51.82	0		FT
Depth to water	LGW-9	2/3/2016	51.8	0		FT
Depth to water	LGW-9	3/2/2016	54.64	0		FT
Depth to water	LGW-9	4/5/2016	54.55	0		FT
Depth to water	LGW-9	5/11/2016	54.81	0		FT
Depth to water	LGW-9	6/1/2016	54.8	0		FT
Depth to water	LGW-9	7/21/2016	54.04	0		FT
Depth to water	LGW-9	8/10/2016	54.93	0		FT
Depth to water	LGW-9	9/6/2016	55.4	0		FT
Depth to water	LGW-9	9/6/2016	55.4	0		FT
Depth to water	LGW-9	10/6/2016	55.84	0		FT
Depth to water	LGW-9	11/2/2016	56.02	0		FT
Depth to water	LGW-9	12/1/2016	56.25	0		FT
Depth to water	LGW-9	1/11/2017	56.59	0		FT
Depth to water	LGW-9	2/7/2017	56.62	0		FT
Depth to water	LGW-9	3/2/2017	56.36	0		FT
Depth to water	LGW-9	4/4/2017	54.74	0		FT
Depth to water	LGW-9	5/5/2017	50.2	0		FT
Depth to water	LGW-9	5/16/2017	52.16	0		FT
Depth to water	LGW-9	6/6/2017	52.71	0		FT
Depth to water	LGW-9	7/18/2017	54	0		FT
Depth to water	LGW-9	8/1/2017	54.55	0		FT
Depth to water	LGW-9	9/5/2017	53.55	0		FT
Depth to water	LGW-9	10/5/2017	54.89	0		FT
Depth to water	LGW-9	11/1/2017	55.13	0		FT
Depth to water	LGW-9	6/5/2018	53.8	0		FT
Depth to water	LGW-9	6/5/2018	53.8	0		FT
Depth to water	LGW-9	9/5/2018	54.37	0		FT
Depth to water	LGW-9	10/2/2018	55.21	0		FT
Depth to water	LGW-9	10/2/2018	55.21	0		FT
Depth to water	LGW-9	2/6/2019	53.83	0		FT
Depth to water	LGW-9	6/4/2019	53.41	0		FT
Depth to water	LGW-9	7/10/2019	52.5	0		FT
Depth to water	LGW-9	1/16/2020	52.31	0		FT
Depth to water	LGW-9	6/2/2020	51.24	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	8/3/2020	53.82	0		FT
Depth to water	LGW-9	11/3/2020	54.09	0		FT
Depth to water	LGW-9	12/2/2020	53.12	0		FT
Depth to water	LGW-9	1/17/2021	58.96	0		FT
Depth to water	LGW-9	2/9/2021	52.79	0		FT
Depth to water	LGW-9	3/2/2021	53.52	0		FT
Depth to water	LGW-9	4/6/2021	52.25	0		FT
Depth to water	LGW-9	4/6/2021	52.25	0		FT
Depth to water	LGW-9	5/5/2021	49.93	0		FT
Depth to water	LGW-9	6/2/2021	51.09	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	8/4/2021	53.54	0		FT
Depth to water	LGW-9	9/2/2021	54.34	0		FT
Depth to water	LGW-9	10/5/2021	54.99	0		FT
Depth to water	LGW-9	10/5/2021	54.99	0		FT
Depth to water	LGW-9	11/2/2021	53	0		FT
Depth to water	LGW-9	12/9/2021	54.39	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	2/10/2022	54.26	0		FT
Depth to water	LGW-9	3/2/2022	51.84	0		FT
Depth to water	LGW-9	4/4/2022	51.5	0		FT
Depth to water	LGW-9	4/4/2022	51.5	0		FT
Depth to water	LGW-9	5/7/2022	48.2	0		FT
Depth to water	LGW-9	6/3/2022	52.25	0		FT
Depth to water	LGW-9	7/11/2022	53.45	0		FT
Depth to water	LGW-9	8/10/2022	54.1	0		FT
Depth to water	LGW-9	9/8/2022	54.3	0		FT
Depth to water	LGW-9	10/7/2022	54.87	0		FT
Depth to water	LGW-9	10/7/2022	54.87	0		FT
Depth to water	LGW-9	11/3/2022	55.02	0		FT
Depth to water	LGW-9	12/7/2022	53.3	0		FT
Depth to water	LGW-9	1/11/2023	53.2	0		FT
Depth to water	LGW-9	2/3/2023	52.56	0		FT
Depth to water	LGW-9	3/1/2023	50.38	0		FT
Depth to water	LGW-9	4/5/2023	51.4	0		FT
Depth to water	MW-10N	7/21/2008	31.16	0		FT
Depth to water	MW-10N	2/13/2009	37.45	0		FT
Depth to water	MW-10N	7/31/2009	31.98	0		FT
Depth to water	MW-10N	1/27/2010	33.53	0		FT
Depth to water	MW-10N	8/10/2010	29.15	0		FT
Depth to water	MW-10N	1/19/2011	37.27	0		FT
Depth to water	MW-10N	7/14/2011	29.79	0		FT
Depth to water	MW-10N	1/5/2012	30.93	0		FT
Depth to water	MW-10N	7/10/2012	35.28	0		FT
Depth to water	MW-10N	5/1/2013	30.81	0		FT
Depth to water	MW-10N	1/24/2014	30.51	0		FT
Depth to water	MW-10N	7/9/2014	35.1	0		FT
Depth to water	MW-10N	2/12/2015	55.09	0		FT
Depth to water	MW-10N	7/14/2015	26.91	0		FT
Depth to water	MW-10N	1/6/2016	25.55	0		FT
Depth to water	MW-10N	7/21/2016	25.5	0		FT
Depth to water	MW-10N	1/11/2017	39.31	0		FT
Depth to water	MW-10N	7/19/2017	28.8	0		FT
Depth to water	MW-10N	1/16/2020	25.49	0		FT
Depth to water	MW-10N	7/8/2020	24.8	0		FT
Depth to water	MW-10N	7/8/2020	24.8	0		FT
Depth to water	MW-10N	7/5/2021	26.72	0		FT
Depth to water	MW-10N	7/5/2021	26.72	0		FT
Depth to water	MW-10N	1/11/2023	30.1	0		FT
Depth to water	MW-10N	4/8/2023	27.72	0		FT
Depth to water	MW-11N	7/23/2008	55.75	0		FT
Depth to water	MW-11N	2/3/2009	59.77	0		FT
Depth to water	MW-11N	7/31/2009	57.68	0		FT
Depth to water	MW-11N	2/3/2010	60.37	0		FT
Depth to water	MW-11N	2/3/2010	60.37	0		FT
Depth to water	MW-11N	7/16/2010	57.04	0		FT
Depth to water	MW-11N	1/19/2011	63.29	0		FT
Depth to water	MW-11N	7/13/2011	57.37	0		FT
Depth to water	MW-11N	1/4/2012	59.88	0		FT
Depth to water	MW-11N	7/9/2012	62.82	0		FT
Depth to water	MW-11N	4/30/2013	59.36	0		FT
Depth to water	MW-11N	7/15/2013	59.7	0		FT
Depth to water	MW-11N	1/23/2014	60.79	0		FT
Depth to water	MW-11N	7/8/2014	63.71	0		FT
Depth to water	MW-11N	2/10/2015	64.63	0		FT
Depth to water	MW-11N	7/13/2015	58.88	0		FT
Depth to water	MW-11N	1/5/2016	55.78	0		FT
Depth to water	MW-11N	7/21/2016	60.78	0		FT
Depth to water	MW-11N	1/11/2017	64.22	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-11N	7/19/2017	60.44	0		FT
Depth to water	MW-11N	1/14/2020	56.08	0		FT
Depth to water	MW-11N	7/6/2020	55.68	0		FT
Depth to water	MW-11N	7/6/2020	55.68	0		FT
Depth to water	MW-11N	1/18/2021	59.05	0		FT
Depth to water	MW-11N	7/6/2021	57.17	0		FT
Depth to water	MW-11N	7/6/2021	57.17	0		FT
Depth to water	MW-11N	1/18/2022	58.48	0		FT
Depth to water	MW-11N	1/18/2022	58.48	0		FT
Depth to water	MW-11N	7/13/2022	56.62	0		FT
Depth to water	MW-11N	10/6/2022	58.75	0		FT
Depth to water	MW-11N	1/10/2023	58.5	0		FT
Depth to water	MW-15	6/2/2015	58.33	0		FT
Depth to water	MW-15	6/5/2015	58.34	0		FT
Depth to water	MW-15	7/15/2015	56.92	0		FT
Depth to water	MW-15	8/5/2015	57.48	0		FT
Depth to water	MW-15	9/3/2015	58.1	0		FT
Depth to water	MW-15	10/6/2015	58.51	0		FT
Depth to water	MW-15	11/5/2015	58.86	0		FT
Depth to water	MW-15	12/4/2015	57.81	0		FT
Depth to water	MW-15	1/7/2016	52.51	0		FT
Depth to water	MW-15	2/4/2016	52.5	0		FT
Depth to water	MW-15	3/2/2016	58.13	0		FT
Depth to water	MW-15	4/5/2016	58.61	0		FT
Depth to water	MW-15	5/11/2016	58.82	0		FT
Depth to water	MW-15	6/1/2016	58.65	0		FT
Depth to water	MW-15	7/20/2016	58.42	0		FT
Depth to water	MW-15	8/10/2016	58.74	0		FT
Depth to water	MW-15	9/6/2016	58.48	0		FT
Depth to water	MW-15	10/6/2016	59.18	0		FT
Depth to water	MW-15	11/2/2016	58.88	0		FT
Depth to water	MW-15	12/1/2016	59.14	0		FT
Depth to water	MW-15	1/10/2017	59.65	0		FT
Depth to water	MW-15	2/7/2017	59.57	0		FT
Depth to water	MW-15	3/2/2017	59.72	0		FT
Depth to water	MW-15	4/4/2017	58.76	0		FT
Depth to water	MW-15	5/2/2017	52.5	0		FT
Depth to water	MW-15	6/6/2017	54.75	0		FT
Depth to water	MW-15	7/18/2017	57.8	0		FT
Depth to water	MW-15	8/1/2017	58.18	0		FT
Depth to water	MW-15	9/5/2017	57.38	0		FT
Depth to water	MW-15	10/6/2017	58.35	0		FT
Depth to water	MW-15	11/1/2017	58.47	0		FT
Depth to water	MW-15	6/5/2018	58.36	0		FT
Depth to water	MW-15	9/4/2018	58.8	0		FT
Depth to water	MW-15	10/2/2018	58.85	0		FT
Depth to water	MW-15	10/2/2018	58.85	0		FT
Depth to water	MW-15	2/5/2019	58.7	0		FT
Depth to water	MW-15	6/4/2019	58.03	0		FT
Depth to water	MW-15	1/14/2020	56.6	0		FT
Depth to water	MW-15	6/2/2020	54.55	0		FT
Depth to water	MW-15	7/7/2020	56.42	0		FT
Depth to water	MW-15	7/7/2020	56.42	0		FT
Depth to water	MW-15	8/3/2020	57.51	0		FT
Depth to water	MW-15	8/3/2020	57.51	0		FT
Depth to water	MW-15	11/4/2020	57.75	0		FT
Depth to water	MW-15	12/2/2020	57.69	0		FT
Depth to water	MW-15	1/18/2021	57.76	0		FT
Depth to water	MW-15	1/18/2021	57.76	0		FT
Depth to water	MW-15	2/10/2021	57.78	0		FT
Depth to water	MW-15	3/2/2021	57.86	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-15	4/7/2021	57.79	0		FT
Depth to water	MW-15	5/4/2021	57.77	0		FT
Depth to water	MW-15	6/1/2021	57.28	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	8/3/2021	57.62	0		FT
Depth to water	MW-15	9/2/2021	58	0		FT
Depth to water	MW-15	10/5/2021	58.28	0		FT
Depth to water	MW-15	10/5/2021	58.28	0		FT
Depth to water	MW-15	11/1/2021	58.44	0		FT
Depth to water	MW-15	12/8/2021	58.35	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	2/9/2022	58.21	0		FT
Depth to water	MW-15	3/1/2022	58.2	0		FT
Depth to water	MW-15	4/5/2022	58.16	0		FT
Depth to water	MW-15	5/7/2022	57.78	0		FT
Depth to water	MW-15	6/3/2022	55.83	0		FT
Depth to water	MW-15	7/10/2022	57.7	0		FT
Depth to water	MW-15	8/10/2022	58.19	0		FT
Depth to water	MW-15	9/8/2022	58.38	0		FT
Depth to water	MW-15	10/6/2022	58.46	0		FT
Depth to water	MW-15	10/6/2022	58.46	0		FT
Depth to water	MW-15	11/3/2022	58.52	0		FT
Depth to water	MW-15	12/7/2022	58.55	0		FT
Depth to water	MW-15	1/10/2023	58.35	0		FT
Depth to water	MW-15	2/3/2023	58.44	0		FT
Depth to water	MW-15	3/1/2023	58.28	0		FT
Depth to water	MW-15	4/5/2023	57.92	0		FT
Depth to water	MW-16	6/2/2015	67.51	0		FT
Depth to water	MW-16	6/5/2015	67.5	0		FT
Depth to water	MW-16	7/16/2015	63.36	0		FT
Depth to water	MW-16	8/5/2015	63.76	0		FT
Depth to water	MW-16	9/3/2015	65.84	0		FT
Depth to water	MW-16	10/6/2015	69.11	0		FT
Depth to water	MW-16	11/5/2015	70.46	0		FT
Depth to water	MW-16	12/4/2015	67.66	0		FT
Depth to water	MW-16	1/8/2016	60.5	0		FT
Depth to water	MW-16	2/4/2016	60.49	0		FT
Depth to water	MW-16	3/2/2016	64.66	0		FT
Depth to water	MW-16	4/5/2016	67.97	0		FT
Depth to water	MW-16	5/11/2016	70.3	0		FT
Depth to water	MW-16	6/2/2016	70.71	0		FT
Depth to water	MW-16	8/10/2016	71.55	0		FT
Depth to water	MW-16	9/6/2016	71.65	0		FT
Depth to water	MW-16	10/5/2016	71.8	0		FT
Depth to water	MW-16	11/2/2016	71.91	0		FT
Depth to water	MW-16	12/1/2016	75.45	0		FT
Depth to water	MW-16	1/10/2017	78	0		FT
Depth to water	MW-16	2/7/2017	78.15	0		FT
Depth to water	MW-16	3/2/2017	80.35	0		FT
Depth to water	MW-16	4/4/2017	73.77	0		FT
Depth to water	MW-16	5/2/2017	65.6	0		FT
Depth to water	MW-16	6/6/2017	62.01	0		FT
Depth to water	MW-16	7/18/2017	65.95	0		FT
Depth to water	MW-16	8/1/2017	67.25	0		FT
Depth to water	MW-16	9/5/2017	66.82	0		FT
Depth to water	MW-16	10/6/2017	70.31	0		FT
Depth to water	MW-16	11/1/2017	71.52	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-16	6/5/2018	69.31	0		FT
Depth to water	MW-16	9/5/2018	72.17	0		FT
Depth to water	MW-16	10/2/2018	72.46	0		FT
Depth to water	MW-16	2/5/2019	71.46	0		FT
Depth to water	MW-16	6/4/2019	67.75	0		FT
Depth to water	MW-16	1/14/2020	63.51	0		FT
Depth to water	MW-16	6/3/2020	60.75	0		FT
Depth to water	MW-16	7/7/2020	63.25	0		FT
Depth to water	MW-16	7/7/2020	63.25	0		FT
Depth to water	MW-16	8/3/2020	65.9	0		FT
Depth to water	MW-16	8/3/2020	65.9	0		FT
Depth to water	MW-16	11/4/2020	72.18	0		FT
Depth to water	MW-16	12/3/2020	72.45	0		FT
Depth to water	MW-16	1/18/2021	71.9	0		FT
Depth to water	MW-16	1/18/2021	71.9	0		FT
Depth to water	MW-16	2/10/2021	71.21	0		FT
Depth to water	MW-16	3/2/2021	71.77	0		FT
Depth to water	MW-16	4/7/2021	71.05	0		FT
Depth to water	MW-16	5/4/2021	68.13	0		FT
Depth to water	MW-16	6/1/2021	64.98	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	8/3/2021	68	0		FT
Depth to water	MW-16	9/2/2021	71.92	0		FT
Depth to water	MW-16	10/5/2021	73.46	0		FT
Depth to water	MW-16	11/1/2021	73.29	0		FT
Depth to water	MW-16	12/8/2021	73.74	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	2/9/2022	73.04	0		FT
Depth to water	MW-16	3/1/2022	71.91	0		FT
Depth to water	MW-16	4/5/2022	71.33	0		FT
Depth to water	MW-16	5/7/2022	65.36	0		FT
Depth to water	MW-16	6/3/2022	63.1	0		FT
Depth to water	MW-16	7/10/2022	66.85	0		FT
Depth to water	MW-16	8/10/2022	71.07	0		FT
Depth to water	MW-16	9/8/2022	72.11	0		FT
Depth to water	MW-16	10/6/2022	73.08	0		FT
Depth to water	MW-16	11/3/2022	73.07	0		FT
Depth to water	MW-16	12/7/2022	73.65	0		FT
Depth to water	MW-16	1/10/2023	73.85	0		FT
Depth to water	MW-16	2/3/2023	72.78	0		FT
Depth to water	MW-16	3/1/2023	70.52	0		FT
Depth to water	MW-16	4/5/2023	65.53	0		FT
Depth to water	MW-17	6/2/2015	57.31	0		FT
Depth to water	MW-17	6/5/2015	57.28	0		FT
Depth to water	MW-17	7/15/2015	55.72	0		FT
Depth to water	MW-17	8/4/2015	57.23	0		FT
Depth to water	MW-17	9/2/2015	58.06	0		FT
Depth to water	MW-17	10/5/2015	59.93	0		FT
Depth to water	MW-17	11/5/2015	61.11	0		FT
Depth to water	MW-17	12/3/2015	56.95	0		FT
Depth to water	MW-17	1/7/2016	51.84	0		FT
Depth to water	MW-17	2/3/2016	51.83	0		FT
Depth to water	MW-17	3/2/2016	51.8	0		FT
Depth to water	MW-17	4/5/2016	60.9	0		FT
Depth to water	MW-17	5/12/2016	61.33	0		FT
Depth to water	MW-17	6/1/2016	60.85	0		FT
Depth to water	MW-17	7/20/2016	60.58	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-17	8/11/2016	61.5	0		FT
Depth to water	MW-17	9/6/2016	60.82	0		FT
Depth to water	MW-17	10/6/2016	61.6	0		FT
Depth to water	MW-17	11/3/2016	61.63	0		FT
Depth to water	MW-17	12/2/2016	61.63	0		FT
Depth to water	MW-17	1/10/2017	61.6	0		FT
Depth to water	MW-17	2/7/2017	61.61	0		FT
Depth to water	MW-17	3/2/2017	61.66	0		FT
Depth to water	MW-17	4/4/2017	59.7	0		FT
Depth to water	MW-17	5/2/2017	50.49	0		FT
Depth to water	MW-17	5/16/2017	52.65	0		FT
Depth to water	MW-17	6/6/2017	54.15	0		FT
Depth to water	MW-17	7/18/2017	58.66	0		FT
Depth to water	MW-17	8/1/2017	59.71	0		FT
Depth to water	MW-17	9/5/2017	57.08	0		FT
Depth to water	MW-17	10/6/2017	57.35	0		FT
Depth to water	MW-17	11/1/2017	58.33	0		FT
Depth to water	MW-17	6/5/2018	58.63	0		FT
Depth to water	MW-17	9/5/2018	58.95	0		FT
Depth to water	MW-17	10/1/2018	59.01	0		FT
Depth to water	MW-17	10/1/2018	59.01	0		FT
Depth to water	MW-17	2/5/2019	58.97	0		FT
Depth to water	MW-17	6/5/2019	68.44	0		FT
Depth to water	MW-17	1/14/2020	56.19	0		FT
Depth to water	MW-17	6/2/2020	52.3	0		FT
Depth to water	MW-17	7/6/2020	56.66	0		FT
Depth to water	MW-17	7/6/2020	56.66	0		FT
Depth to water	MW-17	8/3/2020	58.38	0		FT
Depth to water	MW-17	8/3/2020	58.38	0		FT
Depth to water	MW-17	11/4/2020	59.81	0		FT
Depth to water	MW-17	12/3/2020	57.38	0		FT
Depth to water	MW-17	1/14/2021	59.37	0		FT
Depth to water	MW-17	2/10/2021	59.22	0		FT
Depth to water	MW-17	3/2/2021	59.64	0		FT
Depth to water	MW-17	4/7/2021	59.35	0		FT
Depth to water	MW-17	5/4/2021	57.83	0		FT
Depth to water	MW-17	6/1/2021	56.96	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	8/3/2021	58.91	0		FT
Depth to water	MW-17	9/2/2021	59.81	0		FT
Depth to water	MW-17	10/5/2021	60.1	0		FT
Depth to water	MW-17	10/5/2021	60.1	0		FT
Depth to water	MW-17	11/1/2021	60.13	0		FT
Depth to water	MW-17	12/8/2021	60.04	0		FT
Depth to water	MW-17	1/10/2023	60.05	0		FT
Depth to water	MW-17	2/4/2023	60.24	0		FT
Depth to water	MW-17	3/1/2023	59.96	0		FT
Depth to water	MW-17	4/5/2023	58.17	0		FT
Depth to water	MW-19	6/2/2015	67.52	0		FT
Depth to water	MW-19	6/5/2015	67.46	0		FT
Depth to water	MW-19	7/16/2015	62.42	0		FT
Depth to water	MW-19	8/5/2015	66.91	0		FT
Depth to water	MW-19	9/3/2015	66.41	0		FT
Depth to water	MW-19	10/6/2015	67.55	0		FT
Depth to water	MW-19	11/5/2015	67.61	0		FT
Depth to water	MW-19	12/4/2015	66.36	0		FT
Depth to water	MW-19	1/7/2016	58.02	0		FT
Depth to water	MW-19	2/3/2016	58.03	0		FT
Depth to water	MW-19	3/3/2016	67.38	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-19	4/5/2016	67.4	0		FT
Depth to water	MW-19	5/12/2016	67.56	0		FT
Depth to water	MW-19	6/2/2016	67.61	0		FT
Depth to water	MW-19	7/21/2016	67.6	0		FT
Depth to water	MW-19	8/11/2016	67.58	0		FT
Depth to water	MW-19	9/6/2016	67.65	0		FT
Depth to water	MW-19	10/5/2016	67.95	0		FT
Depth to water	MW-19	11/3/2016	68.14	0		FT
Depth to water	MW-19	12/1/2016	68.24	0		FT
Depth to water	MW-19	1/10/2017	68.3	0		FT
Depth to water	MW-19	2/7/2017	68.32	0		FT
Depth to water	MW-19	3/2/2017	68.45	0		FT
Depth to water	MW-19	4/4/2017	67.6	0		FT
Depth to water	MW-19	5/2/2017	54.95	0		FT
Depth to water	MW-19	6/6/2017	59.95	0		FT
Depth to water	MW-19	7/18/2017	66.55	0		FT
Depth to water	MW-19	8/1/2017	67.32	0		FT
Depth to water	MW-19	9/5/2017	67.38	0		FT
Depth to water	MW-19	10/6/2017	67.44	0		FT
Depth to water	MW-19	11/1/2017	67.52	0		FT
Depth to water	MW-19	6/5/2018	67.51	0		FT
Depth to water	MW-19	9/5/2018	68.6	0		FT
Depth to water	MW-19	10/2/2018	67.8	0		FT
Depth to water	MW-19	10/2/2018	67.8	0		FT
Depth to water	MW-19	2/6/2019	67.57	0		FT
Depth to water	MW-19	6/4/2019	67.54	0		FT
Depth to water	MW-19	1/14/2020	61.31	0		FT
Depth to water	MW-19	6/2/2020	57.49	0		FT
Depth to water	MW-19	7/6/2020	62.43	0		FT
Depth to water	MW-19	7/6/2020	62.43	0		FT
Depth to water	MW-19	8/3/2020	67.32	0		FT
Depth to water	MW-19	8/3/2020	67.32	0		FT
Depth to water	MW-19	11/3/2020	67.62	0		FT
Depth to water	MW-19	12/3/2020	67.52	0		FT
Depth to water	MW-19	1/14/2021	68.3	0		FT
Depth to water	MW-19	2/10/2021	68.38	0		FT
Depth to water	MW-19	3/2/2021	68.33	0		FT
Depth to water	MW-19	4/7/2021	68.35	0		FT
Depth to water	MW-19	5/4/2021	63.71	0		FT
Depth to water	MW-19	6/1/2021	63.81	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	8/3/2021	67.65	0		FT
Depth to water	MW-19	9/2/2021	67.9	0		FT
Depth to water	MW-19	10/5/2021	68.1	0		FT
Depth to water	MW-19	11/1/2021	67.65	0		FT
Depth to water	MW-19	12/8/2021	68.05	0		FT
Depth to water	MW-19	12/7/2022	68.65	0		FT
Depth to water	MW-19	1/11/2023	67.85	0		FT
Depth to water	MW-19	2/3/2023	67.57	0		FT
Depth to water	MW-19	3/1/2023	67.55	0		FT
Depth to water	MW-19	4/6/2023	67.35	0		FT
Depth to water	MW-1N	7/21/2008	75.08	0		FT
Depth to water	MW-1N	2/5/2009	79.27	0		FT
Depth to water	MW-1N	7/31/2009	77.35	0		FT
Depth to water	MW-1N	1/26/2010	78.83	0		FT
Depth to water	MW-1N	7/13/2010	77.56	0		FT
Depth to water	MW-1N	1/20/2011	80.09	0		FT
Depth to water	MW-1N	7/13/2011	74.84	0		FT
Depth to water	MW-1N	1/5/2012	77.84	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-1N	7/10/2012	79.57	0		FT
Depth to water	MW-1N	5/1/2013	78.42	0		FT
Depth to water	MW-1N	7/16/2013	78.43	0		FT
Depth to water	MW-1N	1/24/2014	77.79	0		FT
Depth to water	MW-1N	7/9/2014	79.47	0		FT
Depth to water	MW-1N	2/10/2015	79.58	0		FT
Depth to water	MW-1N	7/14/2015	74.03	0		FT
Depth to water	MW-1N	1/6/2016	71.29	0		FT
Depth to water	MW-1N	7/21/2016	71.06	0		FT
Depth to water	MW-1N	1/12/2017	81.51	0		FT
Depth to water	MW-1N	7/19/2017	75.66	0		FT
Depth to water	MW-1N	10/3/2018	79.87	0		FT
Depth to water	MW-1N	7/6/2020	72.6	0		FT
Depth to water	MW-1N	7/6/2020	72.6	0		FT
Depth to water	MW-1N	7/4/2021	75.72	0		FT
Depth to water	MW-1N	7/4/2021	75.72	0		FT
Depth to water	MW-1N	10/6/2021	80.24	0		FT
Depth to water	MW-1N	1/11/2023	79.53	0		FT
Depth to water	MW-20	6/2/2015	67.53	0		FT
Depth to water	MW-20	6/5/2015	67.42	0		FT
Depth to water	MW-20	7/14/2015	64.69	0		FT
Depth to water	MW-20	8/4/2015	64.46	0		FT
Depth to water	MW-20	9/2/2015	65.76	0		FT
Depth to water	MW-20	10/5/2015	67.08	0		FT
Depth to water	MW-20	1/7/2016	58.7	0		FT
Depth to water	MW-20	4/5/2016	66.14	0		FT
Depth to water	MW-20	7/20/2016	58.68	0		FT
Depth to water	MW-20	10/5/2016	68.7	0		FT
Depth to water	MW-20	1/12/2017	69.55	0		FT
Depth to water	MW-20	7/18/2017	64.2	0		FT
Depth to water	MW-20	1/14/2020	61.87	0		FT
Depth to water	MW-20	7/7/2020	60.49	0		FT
Depth to water	MW-20	7/7/2020	60.49	0		FT
Depth to water	MW-20	7/4/2021	63.39	0		FT
Depth to water	MW-20	7/4/2021	63.39	0		FT
Depth to water	MW-20	1/11/2023	65.7	0		FT
Depth to water	MW-21	6/2/2015	22.87	0		FT
Depth to water	MW-21	6/5/2015	22.82	0		FT
Depth to water	MW-21	7/14/2015	19.64	0		FT
Depth to water	MW-21	8/4/2015	20.21	0		FT
Depth to water	MW-21	9/2/2015	21.31	0		FT
Depth to water	MW-21	10/5/2015	23.05	0		FT
Depth to water	MW-21	1/7/2016	16.94	0		FT
Depth to water	MW-21	2/10/2016	20.48	0		FT
Depth to water	MW-21	4/5/2016	22.89	0		FT
Depth to water	MW-21	7/20/2016	22.85	0		FT
Depth to water	MW-21	10/5/2016	31.54	0		FT
Depth to water	MW-21	1/10/2017	35.26	0		FT
Depth to water	MW-21	4/5/2017	29.9	0		FT
Depth to water	MW-21	7/19/2017	21.5	0		FT
Depth to water	MW-21	10/6/2017	23.24	0		FT
Depth to water	MW-21	10/4/2018	26.57	0		FT
Depth to water	MW-21	7/11/2019	19.57	0		FT
Depth to water	MW-21	1/16/2020	18.45	0		FT
Depth to water	MW-21	7/8/2020	17.55	0		FT
Depth to water	MW-21	7/8/2020	17.55	0		FT
Depth to water	MW-21	4/6/2021	21.05	0		FT
Depth to water	MW-21	7/5/2021	19.59	0		FT
Depth to water	MW-21	7/5/2021	19.59	0		FT
Depth to water	MW-21	10/6/2021	23.9	0		FT
Depth to water	MW-21	1/11/2023	23.35	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-21	4/8/2023	20.45	0		FT
Depth to water	MW-2N	7/22/2008	66.79	0		FT
Depth to water	MW-2N	2/4/2009	69.97	0		FT
Depth to water	MW-2N	7/31/2009	68.24	0		FT
Depth to water	MW-2N	1/26/2010	69.86	0		FT
Depth to water	MW-2N	7/13/2010	68.67	0		FT
Depth to water	MW-2N	1/20/2011	70.19	0		FT
Depth to water	MW-2N	7/13/2011	66.03	0		FT
Depth to water	MW-2N	1/5/2012	68.86	0		FT
Depth to water	MW-2N	7/10/2012	69.8	0		FT
Depth to water	MW-2N	5/1/2013	69.14	0		FT
Depth to water	MW-2N	7/16/2013	69.05	0		FT
Depth to water	MW-2N	1/24/2014	68.92	0		FT
Depth to water	MW-2N	7/9/2014	69.33	0		FT
Depth to water	MW-2N	2/12/2015	70.14	0		FT
Depth to water	MW-2N	7/14/2015	65.9	0		FT
Depth to water	MW-2N	1/6/2016	61.08	0		FT
Depth to water	MW-2N	7/21/2016	61.01	0		FT
Depth to water	MW-2N	1/11/2017	70.43	0		FT
Depth to water	MW-2N	7/19/2017	65.96	0		FT
Depth to water	MW-2N	6/21/2018	68.11	0		FT
Depth to water	MW-2N	7/7/2020	62.54	0		FT
Depth to water	MW-2N	7/7/2020	62.54	0		FT
Depth to water	MW-2N	7/5/2021	65.19	0		FT
Depth to water	MW-2N	7/5/2021	65.19	0		FT
Depth to water	MW-2N	10/6/2021	69.1	0		FT
Depth to water	MW-2N	1/11/2023	68.2	0		FT
Depth to water	MW-2N	4/8/2023	65.07	0		FT
Depth to water	MW-3N	7/22/2008	41.92	0		FT
Depth to water	MW-3N	2/4/2009	50.32	0		FT
Depth to water	MW-3N	7/31/2009	47.08	0		FT
Depth to water	MW-3N	1/26/2010	50.39	0		FT
Depth to water	MW-3N	7/13/2010	41.89	0		FT
Depth to water	MW-3N	1/20/2011	52.21	0		FT
Depth to water	MW-3N	7/14/2011	34.8	0		FT
Depth to water	MW-3N	1/5/2012	42.29	0		FT
Depth to water	MW-3N	7/11/2012	51.45	0		FT
Depth to water	MW-3N	5/1/2013	40.03	0		FT
Depth to water	MW-3N	6/4/2013	39.04	0		FT
Depth to water	MW-3N	7/16/2013	46.03	0		FT
Depth to water	MW-3N	1/24/2014	42.81	0		FT
Depth to water	MW-3N	7/9/2014	50.71	0		FT
Depth to water	MW-3N	2/12/2015	51.56	0		FT
Depth to water	MW-3N	4/1/2015	44.94	0		FT
Depth to water	MW-3N	7/14/2015	35.34	0		FT
Depth to water	MW-3N	10/5/2015	46.19	0		FT
Depth to water	MW-3N	1/6/2016	31.03	0		FT
Depth to water	MW-3N	4/6/2016	44.66	0		FT
Depth to water	MW-3N	7/21/2016	31.08	0		FT
Depth to water	MW-3N	10/6/2016	51.11	0		FT
Depth to water	MW-3N	1/11/2017	51.25	0		FT
Depth to water	MW-3N	4/4/2017	48.26	0		FT
Depth to water	MW-3N	7/19/2017	43.02	0		FT
Depth to water	MW-3N	10/9/2017	48	0		FT
Depth to water	MW-3N	6/6/2018	41.85	0		FT
Depth to water	MW-3N	10/3/2018	50.67	0		FT
Depth to water	MW-3N	10/3/2018	50.67	0		FT
Depth to water	MW-3N	7/11/2019	36.88	0		FT
Depth to water	MW-3N	1/15/2020	35.01	0		FT
Depth to water	MW-3N	7/7/2020	38.31	0		FT
Depth to water	MW-3N	7/7/2020	38.31	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-3N	4/6/2021	40.26	0		FT
Depth to water	MW-3N	7/5/2021	40.19	0		FT
Depth to water	MW-3N	7/5/2021	40.19	0		FT
Depth to water	MW-3N	10/6/2021	49.05	0		FT
Depth to water	MW-3N	1/11/2023	45.46	0		FT
Depth to water	MW-7N	7/21/2008	89.22	0		FT
Depth to water	MW-7N	8/29/2008	89.85	0		FT
Depth to water	MW-7N	9/25/2008	89.4	0		FT
Depth to water	MW-7N	9/25/2008	89.4	0		FT
Depth to water	MW-7N	10/21/2008	90.25	0		FT
Depth to water	MW-7N	11/24/2008	91.23	0		FT
Depth to water	MW-7N	12/18/2008	91.83	0		FT
Depth to water	MW-7N	2/6/2009	92.08	0		FT
Depth to water	MW-7N	3/25/2009	91.5	0		FT
Depth to water	MW-7N	4/15/2009	90.98	0		FT
Depth to water	MW-7N	6/25/2009	89.84	0		FT
Depth to water	MW-7N	7/29/2009	90.29	0		FT
Depth to water	MW-7N	8/28/2009	90.78	0		FT
Depth to water	MW-7N	9/29/2009	91.41	0		FT
Depth to water	MW-7N	10/21/2009	90.12	0		FT
Depth to water	MW-7N	10/26/2009	90.3	0		FT
Depth to water	MW-7N	11/24/2009	90.22	0		FT
Depth to water	MW-7N	12/17/2009	90.48	0		FT
Depth to water	MW-7N	1/26/2010	91.24	0		FT
Depth to water	MW-7N	2/15/2010	90.87	0		FT
Depth to water	MW-7N	3/3/2010	90.84	0		FT
Depth to water	MW-7N	4/8/2010	90.25	0		FT
Depth to water	MW-7N	5/6/2010	90.38	0		FT
Depth to water	MW-7N	6/16/2010	89.95	0		FT
Depth to water	MW-7N	7/14/2010	89.4	0		FT
Depth to water	MW-7N	8/11/2010	89.53	0		FT
Depth to water	MW-7N	9/2/2010	90.18	0		FT
Depth to water	MW-7N	9/2/2010	90.18	0		FT
Depth to water	MW-7N	9/29/2010	89.93	0		FT
Depth to water	MW-7N	11/3/2010	90.48	0		FT
Depth to water	MW-7N	12/2/2010	91.01	0		FT
Depth to water	MW-7N	1/20/2011	91.88	0		FT
Depth to water	MW-7N	2/7/2011	92.17	0		FT
Depth to water	MW-7N	3/3/2011	92.08	0		FT
Depth to water	MW-7N	4/5/2011	91.97	0		FT
Depth to water	MW-7N	5/10/2011	87.94	0		FT
Depth to water	MW-7N	6/1/2011	87.73	0		FT
Depth to water	MW-7N	7/12/2011	89.27	0		FT
Depth to water	MW-7N	8/4/2011	89.86	0		FT
Depth to water	MW-7N	9/7/2011	90.56	0		FT
Depth to water	MW-7N	10/5/2011	90.44	0		FT
Depth to water	MW-7N	11/1/2011	91.14	0		FT
Depth to water	MW-7N	12/8/2011	90.05	0		FT
Depth to water	MW-7N	1/5/2012	89.92	0		FT
Depth to water	MW-7N	2/1/2012	90.21	0		FT
Depth to water	MW-7N	3/7/2012	90.3	0		FT
Depth to water	MW-7N	4/5/2012	89.23	0		FT
Depth to water	MW-7N	5/1/2012	90	0		FT
Depth to water	MW-7N	5/10/2012	90.28	0		FT
Depth to water	MW-7N	6/5/2012	91.04	0		FT
Depth to water	MW-7N	7/10/2012	91.19	0		FT
Depth to water	MW-7N	8/9/2012	93	0		FT
Depth to water	MW-7N	9/4/2012	93.41	0		FT
Depth to water	MW-7N	10/7/2012	93.34	0		FT
Depth to water	MW-7N	5/1/2013	88.78	0		FT
Depth to water	MW-7N	6/4/2013	88.03	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-7N	6/4/2013	88.03	0		FT
Depth to water	MW-7N	7/15/2013	89.77	0		FT
Depth to water	MW-7N	8/8/2013	90.25	0		FT
Depth to water	MW-7N	9/10/2013	89.94	0		FT
Depth to water	MW-7N	10/1/2013	90.6	0		FT
Depth to water	MW-7N	11/6/2013	90.83	0		FT
Depth to water	MW-7N	12/2/2013	90.64	0		FT
Depth to water	MW-7N	1/30/2014	89.68	0		FT
Depth to water	MW-7N	2/13/2014	90.15	0		FT
Depth to water	MW-7N	3/11/2014	90.81	0		FT
Depth to water	MW-7N	4/2/2014	86.9	0		FT
Depth to water	MW-7N	5/7/2014	89.85	0		FT
Depth to water	MW-7N	6/3/2014	89.84	0		FT
Depth to water	MW-7N	7/9/2014	90.02	0		FT
Depth to water	MW-7N	8/5/2014	91.4	0		FT
Depth to water	MW-7N	9/4/2014	91.2	0		FT
Depth to water	MW-7N	10/9/2014	91.33	0		FT
Depth to water	MW-7N	11/3/2014	91.37	0		FT
Depth to water	MW-7N	1/14/2015	91.64	0		FT
Depth to water	MW-7N	2/12/2015	92.21	0		FT
Depth to water	MW-7N	3/3/2015	92.58	0		FT
Depth to water	MW-7N	4/1/2015	91.04	0		FT
Depth to water	MW-7N	5/7/2015	91.43	0		FT
Depth to water	MW-7N	6/3/2015	89.54	0		FT
Depth to water	MW-7N	7/13/2015	88.25	0		FT
Depth to water	MW-7N	8/4/2015	88.21	0		FT
Depth to water	MW-7N	9/3/2015	88.53	0		FT
Depth to water	MW-7N	10/6/2015	89.73	0		FT
Depth to water	MW-7N	11/4/2015	90.44	0		FT
Depth to water	MW-7N	12/3/2015	89.32	0		FT
Depth to water	MW-7N	1/5/2016	87.68	0		FT
Depth to water	MW-7N	2/3/2016	87.65	0		FT
Depth to water	MW-7N	3/2/2016	88.94	0		FT
Depth to water	MW-7N	4/5/2016	89.11	0		FT
Depth to water	MW-7N	5/11/2016	89.01	0		FT
Depth to water	MW-7N	6/1/2016	89.9	0		FT
Depth to water	MW-7N	7/21/2016	87.66	0		FT
Depth to water	MW-7N	8/10/2016	90.83	0		FT
Depth to water	MW-7N	9/6/2016	91.7	0		FT
Depth to water	MW-7N	10/6/2016	92.52	0		FT
Depth to water	MW-7N	11/2/2016	93.1	0		FT
Depth to water	MW-7N	12/1/2016	93.61	0		FT
Depth to water	MW-7N	1/11/2017	94.35	0		FT
Depth to water	MW-7N	2/7/2017	94.34	0		FT
Depth to water	MW-7N	3/2/2017	94.53	0		FT
Depth to water	MW-7N	3/2/2017	94.33	0		FT
Depth to water	MW-7N	4/4/2017	94.53	0		FT
Depth to water	MW-7N	5/16/2017	88.52	0		FT
Depth to water	MW-7N	6/6/2017	93.91	0		FT
Depth to water	MW-7N	7/19/2017	94.03	0		FT
Depth to water	MW-7N	8/1/2017	89.12	0		FT
Depth to water	MW-7N	9/5/2017	91.94	0		FT
Depth to water	MW-7N	10/5/2017	89.49	0		FT
Depth to water	MW-7N	11/1/2017	95.44	0		FT
Depth to water	MW-7N	6/5/2018	88.44	0		FT
Depth to water	MW-7N	6/5/2018	88.44	0		FT
Depth to water	MW-7N	9/5/2018	90.53	0		FT
Depth to water	MW-7N	10/4/2018	91.38	0		FT
Depth to water	MW-7N	2/5/2019	89.59	0		FT
Depth to water	MW-7N	6/4/2019	88.2	0		FT
Depth to water	MW-7N	1/16/2020	86.47	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-7N	6/2/2020	84.8	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	8/3/2020	86.2	0		FT
Depth to water	MW-7N	11/3/2020	89.07	0		FT
Depth to water	MW-7N	12/2/2020	88.34	0		FT
Depth to water	MW-7N	1/16/2021	87.48	0		FT
Depth to water	MW-7N	2/9/2021	87.19	0		FT
Depth to water	MW-7N	3/2/2021	87.54	0		FT
Depth to water	MW-7N	4/7/2021	86.74	0		FT
Depth to water	MW-7N	5/5/2021	86.18	0		FT
Depth to water	MW-7N	6/2/2021	85.18	0		FT
Depth to water	MW-7N	7/5/2021	85.25	0		FT
Depth to water	MW-7N	7/5/2021	85.25	0		FT
Depth to water	MW-7N	8/3/2021	85.55	0		FT
Depth to water	MW-7N	9/2/2021	86.67	0		FT
Depth to water	MW-7N	10/5/2021	87.95	0		FT
Depth to water	MW-7N	10/5/2021	87.95	0		FT
Depth to water	MW-7N	11/1/2021	88.25	0		FT
Depth to water	MW-7N	12/8/2021	87.75	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	2/9/2022	87.06	0		FT
Depth to water	MW-7N	3/1/2022	86.52	0		FT
Depth to water	MW-7N	4/4/2022	85.82	0		FT
Depth to water	MW-7N	4/4/2022	85.82	0		FT
Depth to water	MW-7N	5/7/2022	83.86	0		FT
Depth to water	MW-7N	6/3/2022	83.4	0		FT
Depth to water	MW-7N	7/10/2022	84.1	0		FT
Depth to water	MW-7N	8/10/2022	85.35	0		FT
Depth to water	MW-7N	9/8/2022	86.28	0		FT
Depth to water	MW-7N	10/6/2022	87.24	0		FT
Depth to water	MW-7N	10/6/2022	87.24	0		FT
Depth to water	MW-7N	11/3/2022	88.12	0		FT
Depth to water	MW-7N	12/7/2022	87.9	0		FT
Depth to water	MW-7N	1/10/2023	86.76	0		FT
Depth to water	MW-7N	2/3/2023	86.98	0		FT
Depth to water	MW-7N	3/1/2023	85.62	0		FT
Depth to water	MW-7N	4/5/2023	84.17	0		FT
Depth to water	MW-8N	7/23/2008	28.99	0		FT
Depth to water	MW-8N	10/21/2008	20.9	0		FT
Depth to water	MW-8N	2/4/2009	34.73	0		FT
Depth to water	MW-8N	4/16/2009	32.91	0		FT
Depth to water	MW-8N	7/31/2009	31.61	0		FT
Depth to water	MW-8N	10/26/2009	30.5	0		FT
Depth to water	MW-8N	1/26/2010	32.63	0		FT
Depth to water	MW-8N	4/8/2010	31.17	0		FT
Depth to water	MW-8N	7/16/2010	29.68	0		FT
Depth to water	MW-8N	9/2/2010	31.98	0		FT
Depth to water	MW-8N	9/30/2010	31.48	0		FT
Depth to water	MW-8N	1/19/2011	34.34	0		FT
Depth to water	MW-8N	5/10/2011	29.48	0		FT
Depth to water	MW-8N	7/14/2011	31.54	0		FT
Depth to water	MW-8N	1/6/2012	32.24	0		FT
Depth to water	MW-8N	4/5/2012	31.06	0		FT
Depth to water	MW-8N	7/11/2012	34.73	0		FT
Depth to water	MW-8N	10/3/2012	36.63	0		FT
Depth to water	MW-8N	5/1/2013	29.9	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-8N	6/4/2013	28.61	0		FT
Depth to water	MW-8N	7/16/2013	31.09	0		FT
Depth to water	MW-8N	10/2/2013	31.68	0		FT
Depth to water	MW-8N	1/30/2014	30.53	0		FT
Depth to water	MW-8N	4/3/2014	27.9	0		FT
Depth to water	MW-8N	7/9/2014	32.5	0		FT
Depth to water	MW-8N	10/8/2014	36.07	0		FT
Depth to water	MW-8N	2/12/2015	33.84	0		FT
Depth to water	MW-8N	4/1/2015	32.55	0		FT
Depth to water	MW-8N	7/14/2015	28.35	0		FT
Depth to water	MW-8N	10/5/2015	30.32	0		FT
Depth to water	MW-8N	1/5/2016	27.76	0		FT
Depth to water	MW-8N	4/6/2016	30.38	0		FT
Depth to water	MW-8N	7/21/2016	27.73	0		FT
Depth to water	MW-8N	10/6/2016	34.75	0		FT
Depth to water	MW-8N	1/11/2017	37.7	0		FT
Depth to water	MW-8N	4/4/2017	36.22	0		FT
Depth to water	MW-8N	7/19/2017	30.28	0		FT
Depth to water	MW-8N	10/6/2017	30.72	0		FT
Depth to water	MW-8N	6/6/2018	30.1	0		FT
Depth to water	MW-8N	10/2/2018	33.37	0		FT
Depth to water	MW-8N	7/11/2019	28.67	0		FT
Depth to water	MW-8N	1/15/2020	25.01	0		FT
Depth to water	MW-8N	7/9/2020	25.01	0		FT
Depth to water	MW-8N	7/9/2020	25.01	0		FT
Depth to water	MW-8N	4/6/2021	26.58	0		FT
Depth to water	MW-8N	7/5/2021	25.14	0		FT
Depth to water	MW-8N	7/5/2021	25.14	0		FT
Depth to water	MW-8N	10/6/2021	29.43	0		FT
Depth to water	MW-8N	1/18/2022	26.56	0		FT
Depth to water	MW-8N	1/18/2022	26.56	0		FT
Depth to water	MW-8N	7/12/2022	25.12	0		FT
Depth to water	MW-8N	10/6/2022	29.45	0		FT
Depth to water	MW-8N	1/11/2023	29	0		FT
Depth to water	MW-8N	4/8/2023	26.74	0		FT
Depth to water	NE-1	7/21/2008	45.15	0		FT
Depth to water	NE-1	2/7/2009	47.16	0		FT
Depth to water	NE-1	7/31/2009	46.16	0		FT
Depth to water	NE-1	1/26/2010	46.43	0		FT
Depth to water	NE-1	7/14/2010	43.05	0		FT
Depth to water	NE-1	9/2/2010	46.49	0		FT
Depth to water	NE-1	9/30/2010	45.61	0		FT
Depth to water	NE-1	1/19/2011	47.19	0		FT
Depth to water	NE-1	7/13/2011	48.07	0		FT
Depth to water	NE-1	1/5/2012	45.74	0		FT
Depth to water	NE-1	7/10/2012	47.3	0		FT
Depth to water	NE-1	4/30/2013	46.02	0		FT
Depth to water	NE-1	7/16/2013	44.91	0		FT
Depth to water	NE-1	1/23/2014	43.43	0		FT
Depth to water	NE-1	7/9/2014	45.6	0		FT
Depth to water	NE-1	2/11/2015	46.36	0		FT
Depth to water	NE-1	7/8/2015	43.48	0		FT
Depth to water	NE-1	1/6/2016	41.11	0		FT
Depth to water	NE-1	7/20/2016	44.5	0		FT
Depth to water	NE-1	1/11/2017	48.3	0		FT
Depth to water	NE-1	7/19/2017	45.1	0		FT
Depth to water	NE-1	10/2/2018	46.99	0		FT
Depth to water	NE-1	7/10/2019	42.75	0		FT
Depth to water	NE-1	7/10/2019	42.75	0		FT
Depth to water	NE-1	7/8/2020	44.85	0		FT
Depth to water	NE-1	7/8/2020	44.85	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-1	4/9/2021	44.35	0		FT
Depth to water	NE-1	7/2/2021	44.51	0		FT
Depth to water	NE-1	7/2/2021	44.51	0		FT
Depth to water	NE-1	10/6/2021	46.85	0		FT
Depth to water	NE-1	1/17/2022	44.44	0		FT
Depth to water	NE-1	1/17/2022	44.44	0		FT
Depth to water	NE-1	4/6/2022	43.35	0		FT
Depth to water	NE-1	7/13/2022	44.73	0		FT
Depth to water	NE-1	10/6/2022	46.72	0		FT
Depth to water	NE-1	1/5/2023	46.38	0		FT
Depth to water	NE-1	4/7/2023	44.89	0		FT
Depth to water	NE-10D	11/6/2019	97.4	0		FT
Depth to water	NE-10D	7/8/2020	95.32	0		FT
Depth to water	NE-10D	7/8/2020	95.32	0		FT
Depth to water	NE-10D	4/9/2021	99.89	0		FT
Depth to water	NE-10D	7/2/2021	98.32	0		FT
Depth to water	NE-10D	7/2/2021	98.32	0		FT
Depth to water	NE-10D	10/7/2021	101.09	0		FT
Depth to water	NE-10D	1/6/2023	102.1	0		FT
Depth to water	NE-10D	4/6/2023	100.25	0		FT
Depth to water	NE-11	3/1/2017	53	0		FT
Depth to water	NE-11	4/6/2017	52.87	0		FT
Depth to water	NE-11	7/20/2017	50.05	0		FT
Depth to water	NE-11	10/9/2017	49.74	0		FT
Depth to water	NE-11	1/14/2020	39.61	0		FT
Depth to water	NE-11	7/7/2020	48.48	0		FT
Depth to water	NE-11	7/7/2020	48.48	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	7/12/2022	48.25	0		FT
Depth to water	NE-11	1/6/2023	49.72	0		FT
Depth to water	NE-12	3/1/2017	60.62	0		FT
Depth to water	NE-12	4/6/2017	57.91	0		FT
Depth to water	NE-12	7/20/2017	58.5	0		FT
Depth to water	NE-12	10/6/2017	58.73	0		FT
Depth to water	NE-12	7/9/2019	55.7	0		FT
Depth to water	NE-12	1/13/2020	53.34	0		FT
Depth to water	NE-12	7/7/2020	57.19	0		FT
Depth to water	NE-12	7/7/2020	57.19	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	7/12/2022	57.85	0		FT
Depth to water	NE-12	1/6/2023	58.57	0		FT
Depth to water	NE-13	2/5/2019	39.18	0		FT
Depth to water	NE-13	7/11/2019	34.68	0		FT
Depth to water	NE-13	1/15/2020	32.91	0		FT
Depth to water	NE-13	7/8/2020	36.4	0		FT
Depth to water	NE-13	7/8/2020	36.4	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-14D	7/7/2020	14.4	0		FT
Depth to water	NE-14D	7/7/2020	14.4	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-14D	4/9/2021	16.64	0		FT
Depth to water	NE-14D	7/2/2021	15.19	0		FT
Depth to water	NE-14D	7/2/2021	15.19	0		FT
Depth to water	NE-14D	10/7/2021	17.24	0		FT
Depth to water	NE-14D	1/18/2022	17.08	0		FT
Depth to water	NE-14D	1/18/2022	17.08	0		FT
Depth to water	NE-14D	4/6/2022	16.3	0		FT
Depth to water	NE-14D	7/13/2022	15.4	0		FT
Depth to water	NE-14D	10/7/2022	17.34	0		FT
Depth to water	NE-14D	1/6/2023	17.27	0		FT
Depth to water	NE-14D	4/6/2023	15.69	0		FT
Depth to water	NE-14S	7/7/2020	16.6	0		FT
Depth to water	NE-14S	7/7/2020	16.6	0		FT
Depth to water	NE-14S	4/9/2021	18.85	0		FT
Depth to water	NE-14S	7/2/2021	17.19	0		FT
Depth to water	NE-14S	7/2/2021	17.19	0		FT
Depth to water	NE-14S	10/7/2021	19.03	0		FT
Depth to water	NE-14S	1/18/2022	19.15	0		FT
Depth to water	NE-14S	1/18/2022	19.15	0		FT
Depth to water	NE-14S	4/6/2022	18.15	0		FT
Depth to water	NE-14S	7/13/2022	17.6	0		FT
Depth to water	NE-14S	10/7/2022	19.59	0		FT
Depth to water	NE-14S	1/6/2023	19.45	0		FT
Depth to water	NE-14S	4/6/2023	17.91	0		FT
Depth to water	NE-15D	7/7/2020	44.66	0		FT
Depth to water	NE-15D	7/7/2020	44.66	0		FT
Depth to water	NE-15D	4/9/2021	45.97	0		FT
Depth to water	NE-15D	7/2/2021	45.08	0		FT
Depth to water	NE-15D	7/2/2021	45.08	0		FT
Depth to water	NE-15D	10/7/2021	47.49	0		FT
Depth to water	NE-15D	1/17/2022	46.97	0		FT
Depth to water	NE-15D	1/17/2022	46.97	0		FT
Depth to water	NE-15D	4/6/2022	46.02	0		FT
Depth to water	NE-15D	7/13/2022	45.5	0		FT
Depth to water	NE-15D	10/7/2022	47.54	0		FT
Depth to water	NE-15D	1/6/2023	47.08	0		FT
Depth to water	NE-15D	4/6/2023	44.9	0		FT
Depth to water	NE-2	12/19/2008	23.44	0		FT
Depth to water	NE-2	10/26/2009	22.12	0		FT
Depth to water	NE-2	9/2/2010	22.39	0		FT
Depth to water	NE-2	9/30/2010	21.85	0		FT
Depth to water	NE-2	4/5/2012	20.01	0		FT
Depth to water	NE-2	10/1/2013	20.9	0		FT
Depth to water	NE-2	10/8/2014	23.5	0		FT
Depth to water	NE-2	10/5/2015	20.96	0		FT
Depth to water	NE-2	10/6/2016	22.11	0		FT
Depth to water	NE-2	10/5/2017	21.33	0		FT
Depth to water	NE-2	10/1/2018	22.25	0		FT
Depth to water	NE-2	7/9/2019	18.24	0		FT
Depth to water	NE-2	7/9/2019	18.24	0		FT
Depth to water	NE-2	7/7/2020	19.75	0		FT
Depth to water	NE-2	7/7/2020	19.75	0		FT
Depth to water	NE-2	4/9/2021	19.45	0		FT
Depth to water	NE-2	7/2/2021	19.48	0		FT
Depth to water	NE-2	7/2/2021	19.48	0		FT
Depth to water	NE-2	10/6/2021	21.4	0		FT
Depth to water	NE-2	1/18/2022	18.51	0		FT
Depth to water	NE-2	1/18/2022	18.51	0		FT
Depth to water	NE-2	4/6/2022	18.05	0		FT
Depth to water	NE-2	7/13/2022	20.43	0		FT
Depth to water	NE-2	10/7/2022	21.61	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-2	1/5/2023	20.85	0		FT
Depth to water	NE-2	4/5/2023	19.84	0		FT
Depth to water	NE-3	9/2/2010	74.5	0		FT
Depth to water	NE-4	7/21/2008	60.91	0		FT
Depth to water	NE-4	2/7/2009	64.53	0		FT
Depth to water	NE-4	7/31/2009	64.5	0		FT
Depth to water	NE-4	1/26/2010	64.55	0		FT
Depth to water	NE-4	1/19/2011	64.57	0		FT
Depth to water	NE-4	7/13/2011	64.49	0		FT
Depth to water	NE-4	1/5/2012	64.53	0		FT
Depth to water	NE-4	7/10/2012	64.6	0		FT
Depth to water	NE-4	4/30/2013	64.7	0		FT
Depth to water	NE-4	7/16/2013	6.49	0		FT
Depth to water	NE-4	1/23/2014	64.64	0		FT
Depth to water	NE-4	7/9/2014	64.63	0		FT
Depth to water	NE-4	2/13/2015	64.67	0		FT
Depth to water	NE-4	7/8/2015	64.48	0		FT
Depth to water	NE-4	1/6/2016	57.69	0		FT
Depth to water	NE-4	7/20/2016	64.56	0		FT
Depth to water	NE-4	1/11/2017	64.61	0		FT
Depth to water	NE-4	7/19/2017	64.65	0		FT
Depth to water	NE-4	10/3/2018	64.77	0		FT
Depth to water	NE-4	7/8/2019	64.21	0		FT
Depth to water	NE-4	7/8/2019	64.21	0		FT
Depth to water	NE-4	7/6/2020	62.08	0		FT
Depth to water	NE-4	7/6/2020	62.08	0		FT
Depth to water	NE-4	4/9/2021	64.71	0		FT
Depth to water	NE-4	7/2/2021	64.67	0		FT
Depth to water	NE-4	7/2/2021	64.67	0		FT
Depth to water	NE-4	10/6/2021	64.74	0		FT
Depth to water	NE-4	1/5/2023	64.75	0		FT
Depth to water	NE-4	4/6/2023	64.7	0		FT
Depth to water	NE-5	7/22/2008	69.77	0		FT
Depth to water	NE-5	2/6/2009	71.79	0		FT
Depth to water	NE-5	7/31/2009	70.37	0		FT
Depth to water	NE-5	1/26/2010	71.11	0		FT
Depth to water	NE-5	7/16/2010	70.39	0		FT
Depth to water	NE-5	9/2/2010	70.22	0		FT
Depth to water	NE-5	1/19/2011	71.51	0		FT
Depth to water	NE-5	7/13/2011	71.51	0		FT
Depth to water	NE-5	1/5/2012	70.46	0		FT
Depth to water	NE-5	7/10/2012	71.61	0		FT
Depth to water	NE-5	7/16/2013	70.07	0		FT
Depth to water	NE-5	1/23/2014	69.9	0		FT
Depth to water	NE-5	7/9/2014	70.55	0		FT
Depth to water	NE-5	2/11/2015	72.08	0		FT
Depth to water	NE-5	7/14/2015	69.63	0		FT
Depth to water	NE-5	1/6/2016	68.47	0		FT
Depth to water	NE-5	2/11/2016	68.76	0		FT
Depth to water	NE-5	7/20/2016	10.73	0		FT
Depth to water	NE-5	1/11/2017	73.45	0		FT
Depth to water	NE-5	7/19/2017	69.79	0		FT
Depth to water	NE-5	10/3/2018	71.74	0		FT
Depth to water	NE-5	7/9/2019	69.24	0		FT
Depth to water	NE-5	7/9/2019	69.24	0		FT
Depth to water	NE-5	7/9/2019	64.24	0		FT
Depth to water	NE-5	7/8/2020	68.1	0		FT
Depth to water	NE-5	7/8/2020	68.1	0		FT
Depth to water	NE-5	4/9/2021	69.33	0		FT
Depth to water	NE-5	7/2/2021	68.17	0		FT
Depth to water	NE-5	7/2/2021	68.17	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-5	10/6/2021	69.7	0		FT
Depth to water	NE-5	1/18/2022	69.29	0		FT
Depth to water	NE-5	1/18/2022	69.29	0		FT
Depth to water	NE-5	4/6/2022	68.5	0		FT
Depth to water	NE-5	7/13/2022	67.5	0		FT
Depth to water	NE-5	10/7/2022	69.95	0		FT
Depth to water	NE-5	1/5/2023	69.89	0		FT
Depth to water	NE-5	4/7/2023	68.18	0		FT
Depth to water	NE-5E	7/8/2020	65.35	0		FT
Depth to water	NE-5E	7/8/2020	65.35	0		FT
Depth to water	NE-5E	4/9/2021	66.6	0		FT
Depth to water	NE-5E	7/2/2021	65.5	0		FT
Depth to water	NE-5E	7/2/2021	65.5	0		FT
Depth to water	NE-5E	10/6/2021	67	0		FT
Depth to water	NE-5E	1/18/2022	66.57	0		FT
Depth to water	NE-5E	1/18/2022	66.57	0		FT
Depth to water	NE-5E	4/6/2022	65.76	0		FT
Depth to water	NE-5E	7/13/2022	64.9	0		FT
Depth to water	NE-5E	10/7/2022	66.9	0		FT
Depth to water	NE-5E	1/5/2023	67.15	0		FT
Depth to water	NE-5E	4/7/2023	65.51	0		FT
Depth to water	NE-5W	7/8/2020	69.8	0		FT
Depth to water	NE-5W	7/8/2020	69.8	0		FT
Depth to water	NE-5W	4/9/2021	70.78	0		FT
Depth to water	NE-5W	7/2/2021	69.76	0		FT
Depth to water	NE-5W	7/2/2021	69.76	0		FT
Depth to water	NE-5W	10/6/2021	71.22	0		FT
Depth to water	NE-5W	1/18/2022	70.68	0		FT
Depth to water	NE-5W	1/18/2022	70.68	0		FT
Depth to water	NE-5W	4/6/2022	69.92	0		FT
Depth to water	NE-5W	7/13/2022	69.2	0		FT
Depth to water	NE-5W	10/7/2022	71.04	0		FT
Depth to water	NE-5W	1/5/2023	71.22	0		FT
Depth to water	NE-5W	4/7/2023	69.56	0		FT
Depth to water	NE-6	1/12/2017	33.39	0		FT
Depth to water	NE-6	4/5/2017	34.42	0		FT
Depth to water	NE-6	7/19/2017	21.15	0		FT
Depth to water	NE-6	10/6/2017	27.4	0		FT
Depth to water	NE-6	2/4/2019	28.8	0		FT
Depth to water	NE-6	7/9/2019	25.93	0		FT
Depth to water	NE-6	1/15/2020	25.28	0		FT
Depth to water	NE-6	7/9/2020	25.2	0		FT
Depth to water	NE-6	7/9/2020	25.2	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	7/12/2022	25.18	0		FT
Depth to water	NE-6	1/5/2023	29.14	0		FT
Depth to water	NE-6D	7/9/2020	28.81	0		FT
Depth to water	NE-6D	7/9/2020	28.81	0		FT
Depth to water	NE-6D	4/9/2021	30.06	0		FT
Depth to water	NE-6D	7/2/2021	25.87	0		FT
Depth to water	NE-6D	7/2/2021	25.87	0		FT
Depth to water	NE-6D	10/7/2021	32.6	0		FT
Depth to water	NE-6D	1/17/2022	30.23	0		FT
Depth to water	NE-6D	1/17/2022	30.23	0		FT
Depth to water	NE-6D	4/6/2022	29.45	0		FT
Depth to water	NE-6D	7/12/2022	28.9	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-6D	10/7/2022	32.67	0		FT
Depth to water	NE-6D	1/5/2023	32.02	0		FT
Depth to water	NE-6D	4/7/2023	29.93	0		FT
Depth to water	NE-7	3/1/2017	64.4	0		FT
Depth to water	NE-7	4/6/2017	62.76	0		FT
Depth to water	NE-7	7/20/2017	60.54	0		FT
Depth to water	NE-7	10/5/2017	60.82	0		FT
Depth to water	NE-7	2/6/2019	60.9	0		FT
Depth to water	NE-7	7/10/2019	58.69	0		FT
Depth to water	NE-7	1/16/2020	57.36	0		FT
Depth to water	NE-7	7/7/2020	58.46	0		FT
Depth to water	NE-7	7/7/2020	58.46	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	7/12/2022	58.7	0		FT
Depth to water	NE-7	1/5/2023	60.69	0		FT
Depth to water	NE-8	1/12/2017	17.59	0		FT
Depth to water	NE-8	4/5/2017	16.12	0		FT
Depth to water	NE-8	7/20/2017	11.02	0		FT
Depth to water	NE-8	10/6/2017	11.4	0		FT
Depth to water	NE-8	2/4/2019	11.54	0		FT
Depth to water	NE-8	7/11/2019	9	0		FT
Depth to water	NE-8	1/15/2020	7.87	0		FT
Depth to water	NE-8	7/8/2020	8.04	0		FT
Depth to water	NE-8	7/8/2020	8.04	0		FT
Depth to water	NE-8	4/9/2021	10.7	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	10/7/2021	12.28	0		FT
Depth to water	NE-8	1/6/2023	12.95	0		FT
Depth to water	NE-9	1/12/2017	9.8	0		FT
Depth to water	NE-9	4/5/2017	9.02	0		FT
Depth to water	NE-9	7/20/2017	7.23	0		FT
Depth to water	NE-9	10/5/2017	8.24	0		FT
Depth to water	NE-9	2/5/2019	9.69	0		FT
Depth to water	NE-9	7/8/2019	8.38	0		FT
Depth to water	NE-9	1/15/2020	8.18	0		FT
Depth to water	NE-9	7/7/2020	8.61	0		FT
Depth to water	NE-9	7/7/2020	8.61	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	7/13/2022	9.03	0		FT
Depth to water	NE-9	1/6/2023	9.58	0		FT
Depth to water	NE-9	4/8/2023	9.02	0		FT
Diallate	LGW-10	10/26/2006	20	20	ND	ug/L
Diallate	LGW-10	7/9/2012	19	19	ND	ug/L
Diallate	LGW-10	2/12/2015	19	19	ND	ug/L
Diallate	LGW-10	10/6/2016	19	19	ND	ug/L
Diallate	LGW-10	10/9/2017	19	19	ND	ug/L
Diallate	LGW-10	7/16/2018	19	19	ND	ug/L
Diallate	LGW-10	7/11/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	LGW-10	7/9/2020	10	10	ND	ug/L
Diallate	LGW-10	7/7/2021	20	20	ND	ug/L
Diallate	LGW-14R	10/27/2006	20	20	ND	ug/L
Diallate	LGW-14R	2/6/2009	20	20	ND	ug/L
Diallate	LGW-14R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-14R	2/11/2015	20	20	ND	ug/L
Diallate	LGW-14R	7/17/2018	20	20	ND	ug/L
Diallate	LGW-14R	7/7/2021	20	20	ND	ug/L
Diallate	LGW-2	10/26/2006	20	20	ND	ug/L
Diallate	LGW-2	2/13/2009	20	20	ND	ug/L
Diallate	LGW-2	7/9/2012	19	19	ND	ug/L
Diallate	LGW-2	2/13/2015	26	26	ND	ug/L
Diallate	LGW-2	7/12/2018	19	19	ND	ug/L
Diallate	LGW-2	7/8/2020	10	10	ND	ug/L
Diallate	LGW-2	7/4/2021	20	20	ND	ug/L
Diallate	LGW-3R	10/26/2006	20	20	ND	ug/L
Diallate	LGW-3R	2/3/2009	20	20	ND	ug/L
Diallate	LGW-3R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-3R	2/10/2015	19	19	ND	ug/L
Diallate	LGW-3R	7/11/2018	20	20	ND	ug/L
Diallate	LGW-3R	7/6/2021	20	20	ND	ug/L
Diallate	LGW-4	10/26/2006	20	20	ND	ug/L
Diallate	LGW-4	2/3/2009	20	20	ND	ug/L
Diallate	LGW-4	7/9/2012	19	19	ND	ug/L
Diallate	LGW-4	2/11/2015	19	19	ND	ug/L
Diallate	LGW-4	7/11/2018	20	20	ND	ug/L
Diallate	LGW-4	7/7/2021	20	20	ND	ug/L
Diallate	LGW-5	10/26/2006	20	20	ND	ug/L
Diallate	LGW-5	2/4/2009	20	20	ND	ug/L
Diallate	LGW-5	7/9/2012	19	19	ND	ug/L
Diallate	LGW-5	2/10/2015	19	19	ND	ug/L
Diallate	LGW-5	7/12/2018	20	20	ND	ug/L
Diallate	LGW-5	7/7/2021	20	20	ND	ug/L
Diallate	LGW-6	10/26/2006	20	20	ND	ug/L
Diallate	LGW-6	2/5/2009	20	20	ND	ug/L
Diallate	LGW-6	7/9/2012	19	19	ND	ug/L
Diallate	LGW-6	2/10/2015	20	20	ND	ug/L
Diallate	LGW-6	10/6/2016	19	19	ND	ug/L
Diallate	LGW-6	10/5/2017	19	19	ND	ug/L
Diallate	LGW-6	7/17/2018	20	20	ND	ug/L
Diallate	LGW-6	7/10/2019	20	20	ND	ug/L
Diallate	LGW-6	7/9/2020	10	10	ND	ug/L
Diallate	LGW-6	7/7/2021	20	20	ND	ug/L
Diallate	LGW-7	10/26/2006	20	20	ND	ug/L
Diallate	LGW-7	2/4/2009	20	20	ND	ug/L
Diallate	LGW-7	7/10/2012	19	19	ND	ug/L
Diallate	LGW-7	2/11/2015	19	19	ND	ug/L
Diallate	LGW-7	10/6/2016	19	19	ND	ug/L
Diallate	LGW-7	10/5/2017	19	19	ND	ug/L
Diallate	LGW-7	7/12/2018	20	20	ND	ug/L
Diallate	LGW-7	7/10/2019	20	20	ND	ug/L
Diallate	LGW-7	7/9/2020	10	10	ND	ug/L
Diallate	LGW-7	7/7/2021	20	20	ND	ug/L
Diallate	LGW-8R	10/26/2006	20	20	ND	ug/L
Diallate	LGW-8R	2/4/2009	20	20	ND	ug/L
Diallate	LGW-8R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-8R	2/11/2015	20	20	ND	ug/L
Diallate	LGW-8R	7/13/2018	20	20	ND	ug/L
Diallate	LGW-8R	7/7/2021	20	20	ND	ug/L
Diallate	LGW-9	10/26/2006	20	20	ND	ug/L
Diallate	LGW-9	2/4/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	LGW-9	7/10/2012	19	19	ND	ug/L
Diallate	LGW-9	2/11/2015	20	20	ND	ug/L
Diallate	LGW-9	10/6/2016	19	19	ND	ug/L
Diallate	LGW-9	10/5/2017	19	19	ND	ug/L
Diallate	LGW-9	7/13/2018	19	19	ND	ug/L
Diallate	LGW-9	7/10/2019	20	20	ND	ug/L
Diallate	LGW-9	7/9/2020	10	10	ND	ug/L
Diallate	LGW-9	7/7/2021	20	20	ND	ug/L
Diallate	MW-10N	10/25/2006	20	20	ND	ug/L
Diallate	MW-10N	2/13/2009	20	20	ND	ug/L
Diallate	MW-10N	7/10/2012	19	19	ND	ug/L
Diallate	MW-10N	2/12/2015	19	19	ND	ug/L
Diallate	MW-10N	7/11/2018	19	19	ND	ug/L
Diallate	MW-10N	7/5/2021	20	20	ND	ug/L
Diallate	MW-11N	10/25/2006	20	20	ND	ug/L
Diallate	MW-11N	2/3/2009	20	20	ND	ug/L
Diallate	MW-11N	7/9/2012	19	19	ND	ug/L
Diallate	MW-11N	2/10/2015	20	20	ND	ug/L
Diallate	MW-11N	7/17/2018	20	20	ND	ug/L
Diallate	MW-11N	7/6/2021	20	20	ND	ug/L
Diallate	MW-15	7/10/2018	20	20	ND	ug/L
Diallate	MW-15	7/4/2021	20	20	ND	ug/L
Diallate	MW-16	7/11/2018	19	19	ND	ug/L
Diallate	MW-16	7/4/2021	20	20	ND	ug/L
Diallate	MW-17	7/10/2018	19	19	ND	ug/L
Diallate	MW-17	7/4/2021	20	20	ND	ug/L
Diallate	MW-19	7/13/2018	19	19	ND	ug/L
Diallate	MW-19	7/4/2021	20	20	ND	ug/L
Diallate	MW-1N	10/14/1998	10	10	ND	ug/L
Diallate	MW-1N	5/29/2002	10	10	ND	ug/L
Diallate	MW-1N	5/29/2002	10	10	ND	ug/L
Diallate	MW-1N	10/24/2006	20	20	ND	ug/L
Diallate	MW-1N	2/5/2009	20	20	ND	ug/L
Diallate	MW-1N	7/10/2012	19	19	ND	ug/L
Diallate	MW-1N	2/10/2015	19	19	ND	ug/L
Diallate	MW-1N	7/10/2018	20	20	ND	ug/L
Diallate	MW-1N	7/6/2020	10	10	ND	ug/L
Diallate	MW-1N	7/4/2021	20	20	ND	ug/L
Diallate	MW-20	7/12/2018	19	19	ND	ug/L
Diallate	MW-20	7/4/2021	20	20	ND	ug/L
Diallate	MW-21	10/5/2016	19	19	ND	ug/L
Diallate	MW-21	10/6/2017	19	19	ND	ug/L
Diallate	MW-21	7/11/2018	19	19	ND	ug/L
Diallate	MW-21	7/11/2019	20	20	ND	ug/L
Diallate	MW-21	7/8/2020	10	10	ND	ug/L
Diallate	MW-21	7/5/2021	20	20	ND	ug/L
Diallate	MW-2N	10/25/2006	20	20	ND	ug/L
Diallate	MW-2N	2/4/2009	20	20	ND	ug/L
Diallate	MW-2N	7/10/2012	19	19	ND	ug/L
Diallate	MW-2N	2/12/2015	19	19	ND	ug/L
Diallate	MW-2N	7/12/2018	20	20	ND	ug/L
Diallate	MW-2N	7/5/2021	20	20	ND	ug/L
Diallate	MW-3N	5/29/2002	10	10	ND	ug/L
Diallate	MW-3N	5/29/2002	10	10	ND	ug/L
Diallate	MW-3N	10/25/2006	20	20	ND	ug/L
Diallate	MW-3N	2/4/2009	20	20	ND	ug/L
Diallate	MW-3N	7/11/2012	19	19	ND	ug/L
Diallate	MW-3N	2/12/2015	20	20	ND	ug/L
Diallate	MW-3N	10/6/2016	19	19	ND	ug/L
Diallate	MW-3N	10/9/2017	19	19	ND	ug/L
Diallate	MW-3N	7/13/2018	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	MW-3N	7/11/2019	20	20	ND	ug/L
Diallate	MW-3N	7/7/2020	10	10	ND	ug/L
Diallate	MW-3N	7/5/2021	20	20	ND	ug/L
Diallate	MW-7N	10/15/1998	10	10	ND	ug/L
Diallate	MW-7N	5/29/2002	10	10	ND	ug/L
Diallate	MW-7N	5/29/2002	10	10	ND	ug/L
Diallate	MW-7N	10/24/2006	20	20	ND	ug/L
Diallate	MW-7N	2/6/2009	20	20	ND	ug/L
Diallate	MW-7N	7/10/2012	19	19	ND	ug/L
Diallate	MW-7N	2/12/2015	19	19	ND	ug/L
Diallate	MW-7N	10/5/2017	20	20	ND	ug/L
Diallate	MW-7N	7/13/2018	21	21	ND	ug/L
Diallate	MW-7N	7/5/2021	20	20	ND	ug/L
Diallate	MW-8N	5/29/2002	10	10	ND	ug/L
Diallate	MW-8N	5/29/2002	10	10	ND	ug/L
Diallate	MW-8N	10/24/2006	20	20	ND	ug/L
Diallate	MW-8N	1/24/2008	20	20	ND	ug/L
Diallate	MW-8N	2/4/2009	20	20	ND	ug/L
Diallate	MW-8N	5/10/2011	19	19	ND	ug/L
Diallate	MW-8N	7/11/2012	19	19	ND	ug/L
Diallate	MW-8N	10/2/2013	19	19	ND	ug/L
Diallate	MW-8N	10/8/2014	19	19	ND	ug/L
Diallate	MW-8N	2/12/2015	19	19	ND	ug/L
Diallate	MW-8N	10/6/2016	19	19	ND	ug/L
Diallate	MW-8N	10/6/2017	19	19	ND	ug/L
Diallate	MW-8N	7/16/2018	20	20	ND	ug/L
Diallate	MW-8N	7/11/2019	20	20	ND	ug/L
Diallate	MW-8N	7/9/2020	10	10	ND	ug/L
Diallate	MW-8N	7/5/2021	20	20	ND	ug/L
Diallate	NE-1	10/25/2006	20	20	ND	ug/L
Diallate	NE-1	2/7/2009	20	20	ND	ug/L
Diallate	NE-1	7/10/2012	19	19	ND	ug/L
Diallate	NE-1	2/11/2015	19	19	ND	ug/L
Diallate	NE-1	7/18/2018	19	19	ND	ug/L
Diallate	NE-2	7/10/2018	19	19	ND	ug/L
Diallate	NE-4	10/25/2006	20	20	ND	ug/L
Diallate	NE-4	2/7/2009	20	20	ND	ug/L
Diallate	NE-4	7/10/2012	20	20	ND	ug/L
Diallate	NE-4	2/13/2015	19	19	ND	ug/L
Diallate	NE-4	7/12/2018	21	21	ND	ug/L
Diallate	NE-5	10/25/2006	20	20	ND	ug/L
Diallate	NE-5	2/6/2009	20	20	ND	ug/L
Diallate	NE-5	7/10/2012	19	19	ND	ug/L
Diallate	NE-5	2/11/2015	19	19	ND	ug/L
Diallate	NE-5	7/17/2018	19	19	ND	ug/L
Diallate	NE-5	7/9/2019	20	20	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	2/10/2015	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/17/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-20	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/11/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	2/6/2009	2.6	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Dibenzofuran	LGW-10	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-10	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-10	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-14R	10/27/2006	10	10	ND	ug/L
Dibenzofuran	LGW-14R	2/6/2009	10	10	ND	ug/L
Dibenzofuran	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-14R	7/17/2018	10	10	ND	ug/L
Dibenzofuran	LGW-14R	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-2	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-2	2/13/2009	10	10	ND	ug/L
Dibenzofuran	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-2	2/13/2015	13	13	ND	ug/L
Dibenzofuran	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-2	7/8/2020	10	10	ND	ug/L
Dibenzofuran	LGW-2	7/4/2021	10	10	ND	ug/L
Dibenzofuran	LGW-3R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	LGW-3R	2/3/2009	10	10	ND	ug/L
Dibenzofuran	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-3R	7/11/2018	10	10	ND	ug/L
Dibenzofuran	LGW-3R	7/6/2021	10	10	ND	ug/L
Dibenzofuran	LGW-4	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-4	2/3/2009	10	10	ND	ug/L
Dibenzofuran	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-4	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-5	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-5	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-5	7/12/2018	10	10	ND	ug/L
Dibenzofuran	LGW-5	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-6	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-6	2/5/2009	10	10	ND	ug/L
Dibenzofuran	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-6	2/10/2015	10	10	ND	ug/L
Dibenzofuran	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-6	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-6	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-7	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-7	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	7/12/2018	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-7	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-8R	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-8R	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-8R	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-9	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-9	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	7/10/2019	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/7/2021	10	10	ND	ug/L
Dibenzofuran	MW-10N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-10N	2/13/2009	10	10	ND	ug/L
Dibenzofuran	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dibenzofuran	MW-10N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-11N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-11N	2/10/2015	10	10	ND	ug/L
Dibenzofuran	MW-11N	7/17/2018	10	10	ND	ug/L
Dibenzofuran	MW-11N	7/6/2021	10	10	ND	ug/L
Dibenzofuran	MW-15	7/10/2018	10	10	ND	ug/L
Dibenzofuran	MW-15	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-16	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-17	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dibenzofuran	MW-19	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-1N	10/14/1998	10	10	ND	ug/L
Dibenzofuran	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-1N	10/24/2006	10	10	ND	ug/L
Dibenzofuran	MW-1N	2/5/2009	10	10	ND	ug/L
Dibenzofuran	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dibenzofuran	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dibenzofuran	MW-1N	7/6/2020	10	10	ND	ug/L
Dibenzofuran	MW-1N	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-20	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dibenzofuran	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-21	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-21	7/8/2020	10	10	ND	ug/L
Dibenzofuran	MW-21	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-2N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-2N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dibenzofuran	MW-2N	7/12/2018	10	10	ND	ug/L
Dibenzofuran	MW-2N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-3N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-3N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dibenzofuran	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dibenzofuran	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dibenzofuran	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-3N	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/7/2020	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-7N	10/15/1998	10	10	ND	ug/L
Dibenzofuran	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-7N	10/24/2006	10	10	ND	ug/L
Dibenzofuran	MW-7N	2/6/2009	10	10	ND	ug/L
Dibenzofuran	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dibenzofuran	MW-7N	7/13/2018	10	10	ND	ug/L
Dibenzofuran	MW-7N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	MW-8N	1/24/2008	10	10	ND	ug/L
Dibenzofuran	MW-8N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dibenzofuran	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dibenzofuran	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dibenzofuran	MW-8N	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-8N	7/9/2020	10	10	ND	ug/L
Dibenzofuran	MW-8N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	NE-1	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-1	2/7/2009	10	10	ND	ug/L
Dibenzofuran	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dibenzofuran	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dibenzofuran	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dibenzofuran	NE-4	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-4	2/7/2009	10	10	ND	ug/L
Dibenzofuran	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dibenzofuran	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dibenzofuran	NE-4	7/12/2018	10	10	ND	ug/L
Dibenzofuran	NE-5	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-5	2/6/2009	10	10	ND	ug/L
Dibenzofuran	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dibenzofuran	NE-5	7/9/2019	10	10	ND	ug/L
Dibromochloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/27/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-10N	1/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/28/1998	6	6	ND	ug/L
Dibromochloromethane	MW-10N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-10N	1/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	7/15/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-11N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	1/13/2000	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/8/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-1N	1/20/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	10/14/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	5/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/15/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	10/19/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-1N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-20	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/26/2018	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/21/1997	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/24/2000	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dibromochloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/21/1997	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	8/18/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	9/17/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/15/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	11/9/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	4/14/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-7N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/13/2000	3	3	ND	ug/L
Dibromochloromethane	MW-7N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/21/1997	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-8N	1/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-8N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-8N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-8N	1/12/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	10/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-8N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-1	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-12	3/1/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-13	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-13	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-2	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-3	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	NE-3	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-3	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-3	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-3	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	NE-3	3/21/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-4	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/26/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	2/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dibromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dibromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dibromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dibromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dibromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Dibromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-2	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dibromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dibromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Dibromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	1/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dibromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-5	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dibromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dibromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dibromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dibromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Dibromomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Dibromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dibromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dibromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dibromomethane	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/28/1998	5	5	ND	ug/L
Dibromomethane	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dibromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dibromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dibromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dibromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dibromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dibromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-10N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dibromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dibromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Dibromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dibromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dibromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dibromomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dibromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dibromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dibromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dibromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dibromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dibromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dibromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-11N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dibromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dibromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dibromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dibromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Dibromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-15	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-15	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-15	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-15	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Dibromomethane	MW-16	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Dibromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Dibromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Dibromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Dibromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-17	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-19	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Dibromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-19	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-19	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-19	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-19	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dibromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dibromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dibromomethane	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	7/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dibromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dibromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dibromomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Dibromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Dibromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Dibromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Dibromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Dibromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Dibromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-21	4/11/2018	1	1	ND	ug/L
Dibromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Dibromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-21	10/2/2019	1	1	ND	ug/L
Dibromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Dibromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Dibromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-21	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Dibromomethane	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dibromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dibromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-2N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dibromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dibromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dibromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dibromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Dibromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dibromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-3N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/13/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dibromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dibromomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Dibromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dibromomethane	MW-7N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dibromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dibromomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dibromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dibromomethane	MW-7N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dibromomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dibromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dibromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	1/28/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dibromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dibromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Dibromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Dibromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Dibromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Dibromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Dibromomethane	NE-1	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Dibromomethane	NE-1	9/2/2010	1	1	ND	ug/L
Dibromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Dibromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Dibromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Dibromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Dibromomethane	NE-1	7/18/2018	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Dibromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-1	10/6/2022	1	1	ND	ug/L
Dibromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	11/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Dibromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Dibromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Dibromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Dibromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Dibromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Dibromomethane	NE-12	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Dibromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Dibromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Dibromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Dibromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Dibromomethane	NE-2	10/5/2015	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Dibromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Dibromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Dibromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Dibromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Dibromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Dibromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-2	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Dibromomethane	NE-3	7/9/2002	1	1	ND	ug/L
Dibromomethane	NE-3	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-3	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-3	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-3	9/2/2010	1	1	ND	ug/L
Dibromomethane	NE-3	3/21/2018	1	1	ND	ug/L
Dibromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Dibromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Dibromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Dibromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Dibromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-4	7/12/2007	1	1	ND	ug/L
Dibromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Dibromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Dibromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Dibromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-4	7/14/2010	1	1	ND	ug/L
Dibromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Dibromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Dibromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-4	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Dibromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Dibromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Dibromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Dibromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Dibromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Dibromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Dibromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Dibromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-4	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Dibromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Dibromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Dibromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Dibromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Dibromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Dibromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-5	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Dibromomethane	NE-5	9/2/2010	1	1	ND	ug/L
Dibromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-5	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-5	7/10/2012	1	1	ND	ug/L
Dibromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Dibromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Dibromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Dibromomethane	NE-5	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Dibromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Dibromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Dibromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-5E	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Dibromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Dibromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Dibromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-7	4/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-7	2/6/2019	1	1	ND	ug/L
Dibromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Dibromomethane	NE-8	8/5/2019	1	1	ND	ug/L
Dibromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Dibromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Dibromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	1/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/28/1998	7.2	7.2	ND	ug/L
Dichlorobromomethane	MW-10N	7/23/1998	3.6	3.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-10N	1/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	7/15/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	10/20/1999	3.6	3.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-11N	1/13/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	8/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-19	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/20/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	10/14/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	5/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/15/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/21/1998	3.6	3.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-3N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	4/24/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	8/18/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	9/17/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/15/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	11/9/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	4/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/13/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/12/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/6/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/18/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/5/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-3	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-3	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-3	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-3	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-3	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-3	3/21/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-5	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	2/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-8	8/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/9/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/16/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	2/13/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/8/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	2/11/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	LGW-4	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	2/5/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/6/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	2/13/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	1/13/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/9/2012	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	MW-11N	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-15	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-15	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-16	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-16	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-17	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-17	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-19	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-19	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	10/14/1998	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-1N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-1N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	2/5/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/6/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-20	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-20	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/5/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/6/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/8/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-21	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/12/2018	0.34	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	1/14/2000	2.9	1		ug/L
Dichlorodifluoromethane	MW-3N	4/11/2001	2.3	1		ug/L
Dichlorodifluoromethane	MW-3N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/11/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/9/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/7/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/15/1998	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-7N	1/13/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-7N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	2/6/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	MW-7N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	1/14/2000	0.42	1		ug/L
Dichlorodifluoromethane	MW-8N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	1/24/2008	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	5/10/2011	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/11/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/2/2013	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/8/2014	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/16/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	2/7/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	7/18/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-2	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	2/7/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	2/13/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/9/2019	2	2	ND	ug/L
Dieldrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Dieldrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Dieldrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Dieldrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Dieldrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Dieldrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Dieldrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Dieldrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Dieldrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Dieldrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Dieldrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Dieldrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Dieldrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Dieldrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Dieldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Dieldrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Dieldrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Dieldrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Dieldrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Dieldrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Dieldrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Dieldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Dieldrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Dieldrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Dieldrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Dieldrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Dieldrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Dieldrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Diethyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Diethyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Diethyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Diethyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	7/12/2018	1.6	10	ND	ug/L
Diethyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Diethyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Diethyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Diethyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Diethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Diethyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Diethyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Diethyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-2N	7/12/2018	1.5	10	ND	ug/L
Diethyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Diethyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Diethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Diethyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Diethyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Diethyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Diethyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Diethyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Diethyl phthalate	NE-4	7/10/2012	0.37	9.8	ND	ug/L
Diethyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Diethyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dimethoate	LGW-10	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-10	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-10	2/12/2015	19	19	ND	ug/L
Dimethoate	LGW-10	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-10	10/9/2017	19	19	ND	ug/L
Dimethoate	LGW-10	7/16/2018	19	19	ND	ug/L
Dimethoate	LGW-10	7/11/2019	20	20	ND	ug/L
Dimethoate	LGW-10	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-10	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-14R	10/27/2006	20	20	ND	ug/L
Dimethoate	LGW-14R	2/6/2009	20	20	ND	ug/L
Dimethoate	LGW-14R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-14R	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-14R	7/17/2018	20	20	ND	ug/L
Dimethoate	LGW-14R	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-2	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-2	2/13/2009	20	20	ND	ug/L
Dimethoate	LGW-2	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-2	2/13/2015	26	26	ND	ug/L
Dimethoate	LGW-2	7/12/2018	19	19	ND	ug/L
Dimethoate	LGW-2	7/8/2020	50	50	ND	ug/L
Dimethoate	LGW-2	7/4/2021	20	20	ND	ug/L
Dimethoate	LGW-3R	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-3R	2/3/2009	20	20	ND	ug/L
Dimethoate	LGW-3R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-3R	2/10/2015	19	19	ND	ug/L
Dimethoate	LGW-3R	7/11/2018	20	20	ND	ug/L
Dimethoate	LGW-3R	7/6/2021	20	20	ND	ug/L
Dimethoate	LGW-4	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-4	2/3/2009	20	20	ND	ug/L
Dimethoate	LGW-4	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-4	2/11/2015	19	19	ND	ug/L
Dimethoate	LGW-4	7/11/2018	20	20	ND	ug/L
Dimethoate	LGW-4	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-5	10/26/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	LGW-5	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-5	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-5	2/10/2015	19	19	ND	ug/L
Dimethoate	LGW-5	7/12/2018	20	20	ND	ug/L
Dimethoate	LGW-5	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-6	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-6	2/5/2009	20	20	ND	ug/L
Dimethoate	LGW-6	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-6	2/10/2015	20	20	ND	ug/L
Dimethoate	LGW-6	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-6	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-6	7/17/2018	20	20	ND	ug/L
Dimethoate	LGW-6	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-6	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-6	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-7	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-7	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-7	7/10/2012	19	19	ND	ug/L
Dimethoate	LGW-7	2/11/2015	19	19	ND	ug/L
Dimethoate	LGW-7	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-7	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-7	7/12/2018	20	20	ND	ug/L
Dimethoate	LGW-7	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-7	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-7	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-8R	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-8R	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-8R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-8R	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-8R	7/13/2018	20	20	ND	ug/L
Dimethoate	LGW-8R	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-9	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-9	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-9	7/10/2012	19	19	ND	ug/L
Dimethoate	LGW-9	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-9	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-9	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-9	7/13/2018	19	19	ND	ug/L
Dimethoate	LGW-9	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-9	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-9	7/7/2021	20	20	ND	ug/L
Dimethoate	MW-10N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-10N	2/13/2009	20	20	ND	ug/L
Dimethoate	MW-10N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-10N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-10N	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-10N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-11N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-11N	2/3/2009	20	20	ND	ug/L
Dimethoate	MW-11N	7/9/2012	19	19	ND	ug/L
Dimethoate	MW-11N	2/10/2015	20	20	ND	ug/L
Dimethoate	MW-11N	7/17/2018	20	20	ND	ug/L
Dimethoate	MW-11N	7/6/2021	20	20	ND	ug/L
Dimethoate	MW-15	7/10/2018	20	20	ND	ug/L
Dimethoate	MW-15	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-16	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-16	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-17	7/10/2018	19	19	ND	ug/L
Dimethoate	MW-17	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-19	7/13/2018	19	19	ND	ug/L
Dimethoate	MW-19	7/4/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	MW-1N	10/14/1998	10	10	ND	ug/L
Dimethoate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-1N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-1N	2/5/2009	20	20	ND	ug/L
Dimethoate	MW-1N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-1N	2/10/2015	19	19	ND	ug/L
Dimethoate	MW-1N	7/10/2018	20	20	ND	ug/L
Dimethoate	MW-1N	7/6/2020	50	50	ND	ug/L
Dimethoate	MW-1N	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-20	7/12/2018	19	19	ND	ug/L
Dimethoate	MW-20	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-21	10/5/2016	19	19	ND	ug/L
Dimethoate	MW-21	10/6/2017	19	19	ND	ug/L
Dimethoate	MW-21	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-21	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-21	7/8/2020	50	50	ND	ug/L
Dimethoate	MW-21	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-2N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-2N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-2N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-2N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-2N	7/12/2018	20	20	ND	ug/L
Dimethoate	MW-2N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-3N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-3N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-3N	7/11/2012	19	19	ND	ug/L
Dimethoate	MW-3N	2/12/2015	20	20	ND	ug/L
Dimethoate	MW-3N	10/6/2016	19	19	ND	ug/L
Dimethoate	MW-3N	10/9/2017	19	19	ND	ug/L
Dimethoate	MW-3N	7/13/2018	19	19	ND	ug/L
Dimethoate	MW-3N	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-3N	7/7/2020	50	50	ND	ug/L
Dimethoate	MW-3N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-7N	10/15/1998	10	10	ND	ug/L
Dimethoate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-7N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-7N	2/6/2009	20	20	ND	ug/L
Dimethoate	MW-7N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-7N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-7N	10/5/2017	20	20	ND	ug/L
Dimethoate	MW-7N	7/13/2018	21	21	ND	ug/L
Dimethoate	MW-7N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-8N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-8N	1/24/2008	20	20	ND	ug/L
Dimethoate	MW-8N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-8N	5/10/2011	19	19	ND	ug/L
Dimethoate	MW-8N	7/11/2012	19	19	ND	ug/L
Dimethoate	MW-8N	10/2/2013	19	19	ND	ug/L
Dimethoate	MW-8N	10/8/2014	19	19	ND	ug/L
Dimethoate	MW-8N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-8N	10/6/2016	19	19	ND	ug/L
Dimethoate	MW-8N	10/6/2017	19	19	ND	ug/L
Dimethoate	MW-8N	7/16/2018	20	20	ND	ug/L
Dimethoate	MW-8N	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-8N	7/9/2020	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	MW-8N	7/5/2021	20	20	ND	ug/L
Dimethoate	NE-1	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-1	2/7/2009	20	20	ND	ug/L
Dimethoate	NE-1	7/10/2012	19	19	ND	ug/L
Dimethoate	NE-1	2/11/2015	19	19	ND	ug/L
Dimethoate	NE-1	7/18/2018	19	19	ND	ug/L
Dimethoate	NE-2	7/10/2018	19	19	ND	ug/L
Dimethoate	NE-4	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-4	2/7/2009	20	20	ND	ug/L
Dimethoate	NE-4	7/10/2012	20	20	ND	ug/L
Dimethoate	NE-4	2/13/2015	19	19	ND	ug/L
Dimethoate	NE-4	7/12/2018	21	21	ND	ug/L
Dimethoate	NE-5	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-5	2/6/2009	20	20	ND	ug/L
Dimethoate	NE-5	7/10/2012	19	19	ND	ug/L
Dimethoate	NE-5	2/11/2015	19	19	ND	ug/L
Dimethoate	NE-5	7/17/2018	19	19	ND	ug/L
Dimethoate	NE-5	7/9/2019	20	20	ND	ug/L
Dimethyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-2	2/13/2015	0.31	13	ND	ug/L
Dimethyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dimethyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dimethyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dimethyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dimethylbenz (A) Anthracene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-10	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-14R	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-2	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-3R	7/6/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-4	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-5	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-6	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-7	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-8R	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-9	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-10N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-11N	7/6/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-15	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-16	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-17	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-19	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-1N	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-20	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-21	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-2N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-3N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-7N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-8N	7/5/2021	0.02	0.02	ND	mg/L
Di-n-butyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-10N	2/12/2015	1.8	9.7	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dinoseb	LGW-10	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dinoseb	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dinoseb	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dinoseb	LGW-10	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-10	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-14R	10/27/2006	10	10	ND	ug/L
Dinoseb	LGW-14R	2/6/2009	10	10	ND	ug/L
Dinoseb	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dinoseb	LGW-14R	7/17/2018	10	10	ND	ug/L
Dinoseb	LGW-14R	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-2	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-2	2/13/2009	10	10	ND	ug/L
Dinoseb	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-2	2/13/2015	13	13	ND	ug/L
Dinoseb	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dinoseb	LGW-2	7/8/2020	50	50	ND	ug/L
Dinoseb	LGW-2	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-3R	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-3R	2/3/2009	10	10	ND	ug/L
Dinoseb	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dinoseb	LGW-3R	7/11/2018	10	10	ND	ug/L
Dinoseb	LGW-3R	7/6/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-4	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-4	2/3/2009	10	10	ND	ug/L
Dinoseb	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dinoseb	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dinoseb	LGW-4	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	LGW-5	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dinoseb	LGW-5	7/12/2018	10	10	ND	ug/L
Dinoseb	LGW-5	7/7/2021	18.8	18.8	ND	ug/L
Dinoseb	LGW-6	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-6	2/5/2009	10	10	ND	ug/L
Dinoseb	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-6	2/10/2015	10	10	ND	ug/L
Dinoseb	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dinoseb	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dinoseb	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dinoseb	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dinoseb	LGW-6	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-6	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-7	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-7	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	7/12/2018	10	10	ND	ug/L
Dinoseb	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dinoseb	LGW-7	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-7	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-8R	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-8R	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dinoseb	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dinoseb	LGW-8R	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-9	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-9	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dinoseb	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	7/10/2019	10	10	ND	ug/L
Dinoseb	LGW-9	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-9	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-10N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-10N	2/13/2009	10	10	ND	ug/L
Dinoseb	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dinoseb	MW-10N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-11N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-11N	2/3/2009	10	10	ND	ug/L
Dinoseb	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-11N	2/10/2015	10	10	ND	ug/L
Dinoseb	MW-11N	7/17/2018	10	10	ND	ug/L
Dinoseb	MW-11N	7/6/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-15	7/10/2018	10	10	ND	ug/L
Dinoseb	MW-15	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-16	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-17	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dinoseb	MW-19	7/4/2021	17.9	17.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	MW-1N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-1N	2/5/2009	10	10	ND	ug/L
Dinoseb	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dinoseb	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dinoseb	MW-1N	7/6/2020	50	50	ND	ug/L
Dinoseb	MW-1N	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-20	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dinoseb	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-21	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-21	7/8/2020	50	50	ND	ug/L
Dinoseb	MW-21	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-2N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-2N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dinoseb	MW-2N	7/12/2018	10	10	ND	ug/L
Dinoseb	MW-2N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-3N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-3N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dinoseb	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dinoseb	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dinoseb	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-3N	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-3N	7/7/2020	50	50	ND	ug/L
Dinoseb	MW-3N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-7N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-7N	2/6/2009	10	10	ND	ug/L
Dinoseb	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dinoseb	MW-7N	7/13/2018	10	10	ND	ug/L
Dinoseb	MW-7N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-8N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-8N	1/24/2008	10	10	ND	ug/L
Dinoseb	MW-8N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dinoseb	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dinoseb	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dinoseb	MW-8N	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-8N	7/9/2020	50	50	ND	ug/L
Dinoseb	MW-8N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	NE-1	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-1	2/7/2009	10	10	ND	ug/L
Dinoseb	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dinoseb	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dinoseb	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dinoseb	NE-4	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-4	2/7/2009	10	10	ND	ug/L
Dinoseb	NE-4	7/10/2012	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dinoseb	NE-4	7/12/2018	10	10	ND	ug/L
Dinoseb	NE-5	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-5	2/6/2009	10	10	ND	ug/L
Dinoseb	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dinoseb	NE-5	7/9/2019	10	10	ND	ug/L
Diphenylamine	LGW-10	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Diphenylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Diphenylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Diphenylamine	LGW-10	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-10	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
Diphenylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
Diphenylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Diphenylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
Diphenylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-2	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-2	2/13/2009	10	10	ND	ug/L
Diphenylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-2	2/13/2015	13	13	ND	ug/L
Diphenylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Diphenylamine	LGW-2	7/8/2020	10	10	ND	ug/L
Diphenylamine	LGW-2	7/4/2021	10	10	ND	ug/L
Diphenylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
Diphenylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Diphenylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
Diphenylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
Diphenylamine	LGW-4	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-4	2/3/2009	10	10	ND	ug/L
Diphenylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Diphenylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Diphenylamine	LGW-4	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-5	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-5	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Diphenylamine	LGW-5	7/12/2018	10	10	ND	ug/L
Diphenylamine	LGW-5	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-6	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-6	2/5/2009	10	10	ND	ug/L
Diphenylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-6	2/10/2015	10	10	ND	ug/L
Diphenylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Diphenylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Diphenylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Diphenylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Diphenylamine	LGW-6	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-6	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-7	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-7	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diphenylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	7/12/2018	10	10	ND	ug/L
Diphenylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Diphenylamine	LGW-7	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-7	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Diphenylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Diphenylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-9	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-9	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Diphenylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	7/10/2019	10	10	ND	ug/L
Diphenylamine	LGW-9	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-9	7/7/2021	10	10	ND	ug/L
Diphenylamine	MW-10N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-10N	2/13/2009	10	10	ND	ug/L
Diphenylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Diphenylamine	MW-10N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-11N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-11N	2/3/2009	10	10	ND	ug/L
Diphenylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-11N	2/10/2015	10	10	ND	ug/L
Diphenylamine	MW-11N	7/17/2018	10	10	ND	ug/L
Diphenylamine	MW-11N	7/6/2021	10	10	ND	ug/L
Diphenylamine	MW-15	7/10/2018	10	10	ND	ug/L
Diphenylamine	MW-15	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-16	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-17	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Diphenylamine	MW-19	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-1N	10/14/1998	10	10	ND	ug/L
Diphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-1N	10/24/2006	10	10	ND	ug/L
Diphenylamine	MW-1N	2/5/2009	10	10	ND	ug/L
Diphenylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Diphenylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Diphenylamine	MW-1N	7/6/2020	10	10	ND	ug/L
Diphenylamine	MW-1N	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-20	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Diphenylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-21	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-21	7/8/2020	10	10	ND	ug/L
Diphenylamine	MW-21	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diphenylamine	MW-2N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-2N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Diphenylamine	MW-2N	7/12/2018	10	10	ND	ug/L
Diphenylamine	MW-2N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-3N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-3N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Diphenylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Diphenylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Diphenylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-3N	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-3N	7/7/2020	10	10	ND	ug/L
Diphenylamine	MW-3N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-7N	10/15/1998	10	10	ND	ug/L
Diphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-7N	10/24/2006	10	10	ND	ug/L
Diphenylamine	MW-7N	2/6/2009	10	10	ND	ug/L
Diphenylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Diphenylamine	MW-7N	7/13/2018	10	10	ND	ug/L
Diphenylamine	MW-7N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-8N	10/24/2006	10	10	ND	ug/L
Diphenylamine	MW-8N	1/24/2008	10	10	ND	ug/L
Diphenylamine	MW-8N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Diphenylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Diphenylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Diphenylamine	MW-8N	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-8N	7/9/2020	10	10	ND	ug/L
Diphenylamine	MW-8N	7/5/2021	10	10	ND	ug/L
Diphenylamine	NE-1	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-1	2/7/2009	10	10	ND	ug/L
Diphenylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Diphenylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Diphenylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Diphenylamine	NE-4	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-4	2/7/2009	10	10	ND	ug/L
Diphenylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Diphenylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Diphenylamine	NE-4	7/12/2018	10	10	ND	ug/L
Diphenylamine	NE-5	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-5	2/6/2009	10	10	ND	ug/L
Diphenylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Diphenylamine	NE-5	7/9/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	LGW-10	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-10	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-10	2/12/2015	48	48	ND	ug/L
Disulfoton	LGW-10	10/6/2016	47	47	ND	ug/L
Disulfoton	LGW-10	10/9/2017	48	48	ND	ug/L
Disulfoton	LGW-10	7/16/2018	48	48	ND	ug/L
Disulfoton	LGW-10	7/11/2019	50	50	ND	ug/L
Disulfoton	LGW-10	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-10	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-14R	10/27/2006	50	50	ND	ug/L
Disulfoton	LGW-14R	2/6/2009	50	50	ND	ug/L
Disulfoton	LGW-14R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-14R	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-14R	7/17/2018	51	51	ND	ug/L
Disulfoton	LGW-14R	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-2	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-2	2/13/2009	50	50	ND	ug/L
Disulfoton	LGW-2	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-2	2/13/2015	65	65	ND	ug/L
Disulfoton	LGW-2	7/12/2018	49	49	ND	ug/L
Disulfoton	LGW-2	7/8/2020	10	10	ND	ug/L
Disulfoton	LGW-2	7/4/2021	50	50	ND	ug/L
Disulfoton	LGW-3R	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-3R	2/3/2009	50	50	ND	ug/L
Disulfoton	LGW-3R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-3R	2/10/2015	49	49	ND	ug/L
Disulfoton	LGW-3R	7/11/2018	50	50	ND	ug/L
Disulfoton	LGW-3R	7/6/2021	50	50	ND	ug/L
Disulfoton	LGW-4	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-4	2/3/2009	50	50	ND	ug/L
Disulfoton	LGW-4	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-4	2/11/2015	48	48	ND	ug/L
Disulfoton	LGW-4	7/11/2018	50	50	ND	ug/L
Disulfoton	LGW-4	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-5	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-5	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-5	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-5	2/10/2015	48	48	ND	ug/L
Disulfoton	LGW-5	7/12/2018	50	50	ND	ug/L
Disulfoton	LGW-5	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-6	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-6	2/5/2009	50	50	ND	ug/L
Disulfoton	LGW-6	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-6	2/10/2015	50	50	ND	ug/L
Disulfoton	LGW-6	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-6	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-6	7/17/2018	49	49	ND	ug/L
Disulfoton	LGW-6	7/10/2019	49	49	ND	ug/L
Disulfoton	LGW-6	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-6	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-7	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-7	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-7	7/10/2012	47	47	ND	ug/L
Disulfoton	LGW-7	2/11/2015	48	48	ND	ug/L
Disulfoton	LGW-7	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-7	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-7	7/12/2018	51	51	ND	ug/L
Disulfoton	LGW-7	7/10/2019	49	49	ND	ug/L
Disulfoton	LGW-7	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-7	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-8R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	LGW-8R	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-8R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-8R	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-8R	7/13/2018	49	49	ND	ug/L
Disulfoton	LGW-8R	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-9	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-9	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-9	7/10/2012	47	47	ND	ug/L
Disulfoton	LGW-9	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-9	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-9	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-9	7/13/2018	47	47	ND	ug/L
Disulfoton	LGW-9	7/10/2019	51	51	ND	ug/L
Disulfoton	LGW-9	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-9	7/7/2021	50	50	ND	ug/L
Disulfoton	MW-10N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-10N	2/13/2009	50	50	ND	ug/L
Disulfoton	MW-10N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-10N	2/12/2015	48	48	ND	ug/L
Disulfoton	MW-10N	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-10N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-11N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-11N	2/3/2009	50	50	ND	ug/L
Disulfoton	MW-11N	7/9/2012	47	47	ND	ug/L
Disulfoton	MW-11N	2/10/2015	50	50	ND	ug/L
Disulfoton	MW-11N	7/17/2018	50	50	ND	ug/L
Disulfoton	MW-11N	7/6/2021	50	50	ND	ug/L
Disulfoton	MW-15	7/10/2018	51	51	ND	ug/L
Disulfoton	MW-15	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-16	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-16	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-17	7/10/2018	47	47	ND	ug/L
Disulfoton	MW-17	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-19	7/13/2018	48	48	ND	ug/L
Disulfoton	MW-19	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-1N	10/14/1998	10	10	ND	ug/L
Disulfoton	MW-1N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-1N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-1N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-1N	2/5/2009	50	50	ND	ug/L
Disulfoton	MW-1N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-1N	2/10/2015	47	47	ND	ug/L
Disulfoton	MW-1N	7/10/2018	49	49	ND	ug/L
Disulfoton	MW-1N	7/6/2020	10	10	ND	ug/L
Disulfoton	MW-1N	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-20	7/12/2018	47	47	ND	ug/L
Disulfoton	MW-20	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-21	10/5/2016	48	48	ND	ug/L
Disulfoton	MW-21	10/6/2017	48	48	ND	ug/L
Disulfoton	MW-21	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-21	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-21	7/8/2020	10	10	ND	ug/L
Disulfoton	MW-21	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-2N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-2N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-2N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-2N	2/12/2015	48	48	ND	ug/L
Disulfoton	MW-2N	7/12/2018	51	51	ND	ug/L
Disulfoton	MW-2N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-3N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	MW-3N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-3N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-3N	7/11/2012	47	47	ND	ug/L
Disulfoton	MW-3N	2/12/2015	49	49	ND	ug/L
Disulfoton	MW-3N	10/6/2016	48	48	ND	ug/L
Disulfoton	MW-3N	10/9/2017	48	48	ND	ug/L
Disulfoton	MW-3N	7/13/2018	47	47	ND	ug/L
Disulfoton	MW-3N	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-3N	7/7/2020	10	10	ND	ug/L
Disulfoton	MW-3N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-7N	10/15/1998	10	10	ND	ug/L
Disulfoton	MW-7N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-7N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-7N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-7N	2/6/2009	50	50	ND	ug/L
Disulfoton	MW-7N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-7N	2/12/2015	49	49	ND	ug/L
Disulfoton	MW-7N	10/5/2017	49	49	ND	ug/L
Disulfoton	MW-7N	7/13/2018	52	52	ND	ug/L
Disulfoton	MW-7N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-8N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-8N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-8N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-8N	1/24/2008	50	50	ND	ug/L
Disulfoton	MW-8N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-8N	5/10/2011	48	48	ND	ug/L
Disulfoton	MW-8N	7/11/2012	47	47	ND	ug/L
Disulfoton	MW-8N	10/2/2013	48	48	ND	ug/L
Disulfoton	MW-8N	10/8/2014	48	48	ND	ug/L
Disulfoton	MW-8N	2/12/2015	48	48	ND	ug/L
Disulfoton	MW-8N	10/6/2016	48	48	ND	ug/L
Disulfoton	MW-8N	10/6/2017	48	48	ND	ug/L
Disulfoton	MW-8N	7/16/2018	49	49	ND	ug/L
Disulfoton	MW-8N	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-8N	7/9/2020	10	10	ND	ug/L
Disulfoton	MW-8N	7/5/2021	50	50	ND	ug/L
Disulfoton	NE-1	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-1	2/7/2009	50	50	ND	ug/L
Disulfoton	NE-1	7/10/2012	48	48	ND	ug/L
Disulfoton	NE-1	2/11/2015	48	48	ND	ug/L
Disulfoton	NE-1	7/18/2018	48	48	ND	ug/L
Disulfoton	NE-2	7/10/2018	48	48	ND	ug/L
Disulfoton	NE-4	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-4	2/7/2009	50	50	ND	ug/L
Disulfoton	NE-4	7/10/2012	49	49	ND	ug/L
Disulfoton	NE-4	2/13/2015	48	48	ND	ug/L
Disulfoton	NE-4	7/12/2018	52	52	ND	ug/L
Disulfoton	NE-5	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-5	2/6/2009	50	50	ND	ug/L
Disulfoton	NE-5	7/10/2012	47	47	ND	ug/L
Disulfoton	NE-5	2/11/2015	48	48	ND	ug/L
Disulfoton	NE-5	7/17/2018	48	48	ND	ug/L
Disulfoton	NE-5	7/9/2019	50	50	ND	ug/L
Do (field)	LGW-10	9/30/2005	76.4	0		mg/L
Do (field)	LGW-10	7/20/2006	11	0		mg/L
Do (field)	LGW-10	7/20/2006	11.1	0		mg/L
Do (field)	LGW-10	7/31/2006	13.7	0		mg/L
Do (field)	LGW-10	8/1/2006	13.7	0		mg/L
Do (field)	LGW-10	9/27/2006	46.4	0		mg/L
Do (field)	LGW-10	9/28/2006	46.4	0		mg/L
Do (field)	LGW-10	10/26/2006	8.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	10/26/2006	8.3	0		mg/L
Do (field)	LGW-10	11/20/2006	29.7	0		mg/L
Do (field)	LGW-10	11/20/2006	29.7	0		mg/L
Do (field)	LGW-10	12/21/2006	2.7	0		mg/L
Do (field)	LGW-10	12/21/2006	2.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	2/7/2007	2	0		mg/L
Do (field)	LGW-10	2/27/2007	2	0		mg/L
Do (field)	LGW-10	2/27/2007	2	0		mg/L
Do (field)	LGW-10	3/26/2007	2.7	0		mg/L
Do (field)	LGW-10	3/27/2007	2.7	0		mg/L
Do (field)	LGW-10	3/27/2007	2.7	0		mg/L
Do (field)	LGW-10	4/26/2007	2	0		mg/L
Do (field)	LGW-10	4/26/2007	2	0		mg/L
Do (field)	LGW-10	5/31/2007	2.72	0		mg/L
Do (field)	LGW-10	6/1/2007	3.99	0		mg/L
Do (field)	LGW-10	6/28/2007	0.6	0		mg/L
Do (field)	LGW-10	6/28/2007	0.6	0		mg/L
Do (field)	LGW-10	7/11/2007	1.29	0		mg/L
Do (field)	LGW-10	7/12/2007	1.29	0		mg/L
Do (field)	LGW-10	10/23/2007	12.35	0		mg/L
Do (field)	LGW-10	10/23/2007	12.35	0		mg/L
Do (field)	LGW-10	5/30/2008	2.85	0		mg/L
Do (field)	LGW-10	7/22/2008	0.24	0.5	ND	mg/L
Do (field)	LGW-10	8/29/2008	0.28	0.5	ND	mg/L
Do (field)	LGW-10	9/26/2008	0.58	0.5		mg/L
Do (field)	LGW-10	11/25/2008	0.43	0.5	ND	mg/L
Do (field)	LGW-10	12/19/2008	0.29	0.5	ND	mg/L
Do (field)	LGW-10	3/26/2009	0.59	0.5		mg/L
Do (field)	LGW-10	4/16/2009	0.19	0.5	ND	mg/L
Do (field)	LGW-10	5/29/2009	0.3	0.5	ND	mg/L
Do (field)	LGW-10	6/24/2009	0.29	0.5	ND	mg/L
Do (field)	LGW-10	7/29/2009	0.16	0.5	ND	mg/L
Do (field)	LGW-10	8/28/2009	0.14	0.5	ND	mg/L
Do (field)	LGW-10	10/21/2009	0.05	0.5	ND	mg/L
Do (field)	LGW-10	12/17/2009	0.18	0.5	ND	mg/L
Do (field)	LGW-10	2/3/2010	0.21	0.5	ND	mg/L
Do (field)	LGW-10	2/3/2010	0.21	0.5	ND	mg/L
Do (field)	LGW-10	2/16/2010	0.32	0		mg/L
Do (field)	LGW-10	3/3/2010	0.29	0		mg/L
Do (field)	LGW-10	4/8/2010	0.18	0		mg/L
Do (field)	LGW-10	5/6/2010	0.29	0		mg/L
Do (field)	LGW-10	6/15/2010	6.1	0		mg/L
Do (field)	LGW-10	7/16/2010	3.6	0		mg/L
Do (field)	LGW-10	8/10/2010	3.3	0		mg/L
Do (field)	LGW-10	9/1/2010	3	0		mg/L
Do (field)	LGW-10	9/29/2010	4.8	0		mg/L
Do (field)	LGW-10	11/3/2010	3.4	0		mg/L
Do (field)	LGW-10	12/2/2010	4.6	0		mg/L
Do (field)	LGW-10	1/19/2011	4.5	0		mg/L
Do (field)	LGW-10	2/7/2011	0.5	0		mg/L
Do (field)	LGW-10	3/3/2011	1.42	0		mg/L
Do (field)	LGW-10	4/5/2011	0.59	0		mg/L
Do (field)	LGW-10	5/10/2011	0.45	0		mg/L
Do (field)	LGW-10	6/1/2011	1.02	0		mg/L
Do (field)	LGW-10	7/12/2011	0.22	0		mg/L
Do (field)	LGW-10	8/3/2011	0.34	0		mg/L
Do (field)	LGW-10	9/7/2011	0.41	0		mg/L
Do (field)	LGW-10	10/5/2011	0.99	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	11/1/2011	0.42	0		mg/L
Do (field)	LGW-10	12/7/2011	0.44	0		mg/L
Do (field)	LGW-10	1/5/2012	0.41	0		mg/L
Do (field)	LGW-10	2/1/2012	0.3	0		mg/L
Do (field)	LGW-10	3/6/2012	0.7	0		mg/L
Do (field)	LGW-10	4/5/2012	0.76	0		mg/L
Do (field)	LGW-10	5/1/2012	0.03	0		mg/L
Do (field)	LGW-10	7/9/2012	0.01	0		mg/L
Do (field)	LGW-10	8/9/2012	0.01	0		mg/L
Do (field)	LGW-10	9/4/2012	0.02	0		mg/L
Do (field)	LGW-10	10/7/2012	0	0		mg/L
Do (field)	LGW-10	5/1/2013	0.78	0		mg/L
Do (field)	LGW-10	6/4/2013	0.57	0		mg/L
Do (field)	LGW-10	8/8/2013	0.89	0		mg/L
Do (field)	LGW-10	9/10/2013	0.98	0		mg/L
Do (field)	LGW-10	10/1/2013	0.65	0		mg/L
Do (field)	LGW-10	11/6/2013	0.49	0		mg/L
Do (field)	LGW-10	12/2/2013	0.22	0		mg/L
Do (field)	LGW-10	1/30/2014	0.11	0		mg/L
Do (field)	LGW-10	2/13/2014	0.18	0		mg/L
Do (field)	LGW-10	3/12/2014	0.49	0		mg/L
Do (field)	LGW-10	4/2/2014	1.93	0		mg/L
Do (field)	LGW-10	5/7/2014	0.89	0		mg/L
Do (field)	LGW-10	6/3/2014	1.68	0		mg/L
Do (field)	LGW-10	7/9/2014	2.2	0		mg/L
Do (field)	LGW-10	8/5/2014	4.6	0		mg/L
Do (field)	LGW-10	9/4/2014	3.21	0		mg/L
Do (field)	LGW-10	10/9/2014	1.53	0		mg/L
Do (field)	LGW-10	11/3/2014	3.4	0		mg/L
Do (field)	LGW-10	1/14/2015	2.24	0		mg/L
Do (field)	LGW-10	2/12/2015	0.79	0		mg/L
Do (field)	LGW-10	3/3/2015	2.12	0		mg/L
Do (field)	LGW-10	4/1/2015	4.58	0		mg/L
Do (field)	LGW-10	5/7/2015	0.75	0		mg/L
Do (field)	LGW-10	6/3/2015	0.97	0		mg/L
Do (field)	LGW-10	7/13/2015	0.82	0		mg/L
Do (field)	LGW-10	8/5/2015	0.84	0		mg/L
Do (field)	LGW-10	9/3/2015	1.02	0		mg/L
Do (field)	LGW-10	10/6/2015	1.3	0		mg/L
Do (field)	LGW-10	11/4/2015	1.81	0		mg/L
Do (field)	LGW-10	12/3/2015	0.94	0		mg/L
Do (field)	LGW-10	1/5/2016	1.09	0		mg/L
Do (field)	LGW-10	2/3/2016	1.27	0		mg/L
Do (field)	LGW-10	2/10/2016	1.15	0		mg/L
Do (field)	LGW-10	3/2/2016	1.15	0		mg/L
Do (field)	LGW-10	4/6/2016	1.35	0		mg/L
Do (field)	LGW-10	5/11/2016	1.28	0		mg/L
Do (field)	LGW-10	6/1/2016	1.16	0		mg/L
Do (field)	LGW-10	7/21/2016	0.81	0		mg/L
Do (field)	LGW-10	8/10/2016	1.82	0		mg/L
Do (field)	LGW-10	9/6/2016	1.61	0		mg/L
Do (field)	LGW-10	10/6/2016	2.14	0		mg/L
Do (field)	LGW-10	11/2/2016	1.28	0		mg/L
Do (field)	LGW-10	12/1/2016	4.31	0		mg/L
Do (field)	LGW-10	1/11/2017	6.71	0		mg/L
Do (field)	LGW-10	2/7/2017	1.03	0		mg/L
Do (field)	LGW-10	3/2/2017	23	0		mg/L
Do (field)	LGW-10	4/4/2017	0.64	0		mg/L
Do (field)	LGW-10	5/16/2017	0.61	0		mg/L
Do (field)	LGW-10	6/6/2017	0.23	0		mg/L
Do (field)	LGW-10	7/19/2017	0.14	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	8/1/2017	0.14	0		mg/L
Do (field)	LGW-10	9/5/2017	0.03	0		mg/L
Do (field)	LGW-10	10/9/2017	0.01	0		mg/L
Do (field)	LGW-10	11/1/2017	0.36	0		mg/L
Do (field)	LGW-10	1/24/2018	0.83	0.01		mg/L
Do (field)	LGW-10	2/23/2018	6.61	0.01		mg/L
Do (field)	LGW-10	3/21/2018	0.16	0.01		mg/L
Do (field)	LGW-10	4/11/2018	0.23	0.01		mg/L
Do (field)	LGW-10	4/11/2018	0.23	0.01		mg/L
Do (field)	LGW-10	6/6/2018	1.82	0		mg/L
Do (field)	LGW-10	7/16/2018	0.97	0.01		mg/L
Do (field)	LGW-10	8/2/2018	1.91	0.01		mg/L
Do (field)	LGW-10	9/4/2018	1.07	0		mg/L
Do (field)	LGW-10	10/4/2018	1.19	0		mg/L
Do (field)	LGW-10	10/4/2018	1.19	0		mg/L
Do (field)	LGW-10	11/6/2018	1.22	0.01		mg/L
Do (field)	LGW-10	12/4/2018	0.67	0.01		mg/L
Do (field)	LGW-10	1/4/2019	0.76	0.01		mg/L
Do (field)	LGW-10	2/6/2019	1.99	0		mg/L
Do (field)	LGW-10	3/5/2019	0.6	0.01		mg/L
Do (field)	LGW-10	4/3/2019	1.1	0.01		mg/L
Do (field)	LGW-10	4/3/2019	1.1	0.01		mg/L
Do (field)	LGW-10	5/3/2019	2.5	0.01		mg/L
Do (field)	LGW-10	6/4/2019	0.67	0		mg/L
Do (field)	LGW-10	7/11/2019	1.25	0.01		mg/L
Do (field)	LGW-10	7/11/2019	1.25	0		mg/L
Do (field)	LGW-10	8/7/2019	1.55	0.01		mg/L
Do (field)	LGW-10	9/4/2019	1.21	0.01		mg/L
Do (field)	LGW-10	10/2/2019	1.07	0.01		mg/L
Do (field)	LGW-10	10/2/2019	1.07	0.01		mg/L
Do (field)	LGW-10	11/5/2019	0.56	0.01		mg/L
Do (field)	LGW-10	12/3/2019	0.21	0.01		mg/L
Do (field)	LGW-10	1/15/2020	0.44	0		mg/L
Do (field)	LGW-10	3/4/2020	0.26	0.01		mg/L
Do (field)	LGW-10	4/2/2020	0.33	0.01		mg/L
Do (field)	LGW-10	4/2/2020	0.33	0.01		mg/L
Do (field)	LGW-10	5/5/2020	1.34	0.01		mg/L
Do (field)	LGW-10	6/2/2020	0.34	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	8/3/2020	0.71	0		mg/L
Do (field)	LGW-10	9/2/2020	0.24	0.01		mg/L
Do (field)	LGW-10	10/7/2020	0.88	0.01		mg/L
Do (field)	LGW-10	10/7/2020	0.88	0.01		mg/L
Do (field)	LGW-10	11/4/2020	0.53	0		mg/L
Do (field)	LGW-10	12/3/2020	0.76	0		mg/L
Do (field)	LGW-10	1/17/2021	0.18	0		mg/L
Do (field)	LGW-10	2/9/2021	0.4	0		mg/L
Do (field)	LGW-10	3/2/2021	1	0		mg/L
Do (field)	LGW-10	4/6/2021	0.8	0		mg/L
Do (field)	LGW-10	4/6/2021	0.8	0		mg/L
Do (field)	LGW-10	5/5/2021	0.5	0		mg/L
Do (field)	LGW-10	6/1/2021	0.1	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	8/4/2021	0.3	0		mg/L
Do (field)	LGW-10	9/2/2021	0.2	0		mg/L
Do (field)	LGW-10	10/5/2021	0.2	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	10/5/2021	0.2	0		mg/L
Do (field)	LGW-10	11/2/2021	0.9	0		mg/L
Do (field)	LGW-10	12/9/2021	0.3	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	2/10/2022	0.4	0		mg/L
Do (field)	LGW-10	3/2/2022	0.3	0		mg/L
Do (field)	LGW-10	4/4/2022	0.2	0		mg/L
Do (field)	LGW-10	4/4/2022	0.2	0		mg/L
Do (field)	LGW-10	5/7/2022	0.3	0		mg/L
Do (field)	LGW-10	6/3/2022	0.2	0		mg/L
Do (field)	LGW-10	7/11/2022	0.2	0		mg/L
Do (field)	LGW-10	8/10/2022	0.2	0		mg/L
Do (field)	LGW-10	9/8/2022	0.3	0		mg/L
Do (field)	LGW-10	10/7/2022	0.9	0		mg/L
Do (field)	LGW-10	10/7/2022	0.9	0		mg/L
Do (field)	LGW-10	11/3/2022	0.4	0		mg/L
Do (field)	LGW-10	12/7/2022	0.3	0		mg/L
Do (field)	LGW-10	1/11/2023	0.3	0		mg/L
Do (field)	LGW-10	2/3/2023	0.8	0		mg/L
Do (field)	LGW-10	3/1/2023	0.2	0		mg/L
Do (field)	LGW-10	4/5/2023	0.3	0		mg/L
Do (field)	LGW-14R	9/28/2005	59.6	0		mg/L
Do (field)	LGW-14R	7/21/2006	18.5	0		mg/L
Do (field)	LGW-14R	7/21/2006	18.5	0		mg/L
Do (field)	LGW-14R	8/1/2006	21.9	0		mg/L
Do (field)	LGW-14R	8/2/2006	21.9	0		mg/L
Do (field)	LGW-14R	9/28/2006	38.1	0		mg/L
Do (field)	LGW-14R	9/28/2006	38.1	0		mg/L
Do (field)	LGW-14R	10/27/2006	3.1	0		mg/L
Do (field)	LGW-14R	10/27/2006	3.1	0		mg/L
Do (field)	LGW-14R	11/21/2006	36.3	0		mg/L
Do (field)	LGW-14R	11/21/2006	36.3	0		mg/L
Do (field)	LGW-14R	12/21/2006	13.8	0		mg/L
Do (field)	LGW-14R	12/21/2006	13.8	0		mg/L
Do (field)	LGW-14R	1/24/2007	12.4	0		mg/L
Do (field)	LGW-14R	1/24/2007	12.4	0		mg/L
Do (field)	LGW-14R	1/25/2007	1000	0		mg/L
Do (field)	LGW-14R	2/7/2007	9.9	0		mg/L
Do (field)	LGW-14R	2/26/2007	9.9	0		mg/L
Do (field)	LGW-14R	2/26/2007	9.9	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	4/24/2007	6.5	0		mg/L
Do (field)	LGW-14R	4/26/2007	6.5	0		mg/L
Do (field)	LGW-14R	5/31/2007	5.5	0		mg/L
Do (field)	LGW-14R	6/1/2007	5.5	0		mg/L
Do (field)	LGW-14R	6/28/2007	1.64	0		mg/L
Do (field)	LGW-14R	6/28/2007	1.46	0		mg/L
Do (field)	LGW-14R	7/11/2007	2.76	0		mg/L
Do (field)	LGW-14R	7/11/2007	2.76	0		mg/L
Do (field)	LGW-14R	10/23/2007	14.2	0		mg/L
Do (field)	LGW-14R	10/23/2007	14.2	0		mg/L
Do (field)	LGW-14R	11/27/2007	12.59	0		mg/L
Do (field)	LGW-14R	3/25/2008	9.66	0		mg/L
Do (field)	LGW-14R	5/3/2008	5.67	0		mg/L
Do (field)	LGW-14R	5/30/2008	14.77	0		mg/L
Do (field)	LGW-14R	7/22/2008	9.44	0.5		mg/L
Do (field)	LGW-14R	8/29/2008	5.23	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	9/26/2008	4.48	0.5		mg/L
Do (field)	LGW-14R	11/25/2008	4.63	0.5		mg/L
Do (field)	LGW-14R	12/19/2008	4.35	0.5		mg/L
Do (field)	LGW-14R	2/6/2009	3.46	0.5		mg/L
Do (field)	LGW-14R	3/26/2009	5.19	0.5		mg/L
Do (field)	LGW-14R	6/25/2009	4.15	0.5		mg/L
Do (field)	LGW-14R	7/29/2009	3.86	0.5		mg/L
Do (field)	LGW-14R	8/28/2009	1.64	0.5		mg/L
Do (field)	LGW-14R	10/22/2009	1.25	0.5		mg/L
Do (field)	LGW-14R	12/18/2009	1.5	0.5		mg/L
Do (field)	LGW-14R	2/3/2010	4.96	0.5		mg/L
Do (field)	LGW-14R	2/3/2010	4.96	0.5		mg/L
Do (field)	LGW-14R	2/16/2010	586	0		mg/L
Do (field)	LGW-14R	3/3/2010	3.03	0		mg/L
Do (field)	LGW-14R	4/7/2010	3.69	0		mg/L
Do (field)	LGW-14R	5/6/2010	7.79	0		mg/L
Do (field)	LGW-14R	6/16/2010	63.6	0		mg/L
Do (field)	LGW-14R	7/12/2010	75.4	0		mg/L
Do (field)	LGW-14R	8/10/2010	80.4	0		mg/L
Do (field)	LGW-14R	9/2/2010	15.3	0		mg/L
Do (field)	LGW-14R	9/29/2010	23.3	0		mg/L
Do (field)	LGW-14R	11/3/2010	42.2	0		mg/L
Do (field)	LGW-14R	12/2/2010	35.5	0		mg/L
Do (field)	LGW-14R	1/19/2011	30.6	0		mg/L
Do (field)	LGW-14R	2/7/2011	2.9	0		mg/L
Do (field)	LGW-14R	3/3/2011	2.96	0		mg/L
Do (field)	LGW-14R	4/5/2011	5.59	0		mg/L
Do (field)	LGW-14R	5/10/2011	3.88	0		mg/L
Do (field)	LGW-14R	6/1/2011	3.41	0		mg/L
Do (field)	LGW-14R	7/12/2011	3.05	0		mg/L
Do (field)	LGW-14R	8/3/2011	4.79	0		mg/L
Do (field)	LGW-14R	9/7/2011	4.51	0		mg/L
Do (field)	LGW-14R	10/5/2011	3.95	0		mg/L
Do (field)	LGW-14R	11/1/2011	4.54	0		mg/L
Do (field)	LGW-14R	12/7/2011	5.71	0		mg/L
Do (field)	LGW-14R	1/5/2012	6.95	0		mg/L
Do (field)	LGW-14R	2/1/2012	6.42	0		mg/L
Do (field)	LGW-14R	3/6/2012	5.55	0		mg/L
Do (field)	LGW-14R	4/5/2012	6.08	0		mg/L
Do (field)	LGW-14R	5/1/2012	0.02	0		mg/L
Do (field)	LGW-14R	7/9/2012	0.01	0		mg/L
Do (field)	LGW-14R	8/9/2012	0.01	0		mg/L
Do (field)	LGW-14R	9/4/2012	0.02	0		mg/L
Do (field)	LGW-14R	10/7/2012	0	0		mg/L
Do (field)	LGW-14R	12/6/2012	8.51	0		mg/L
Do (field)	LGW-14R	12/6/2012	8.51	0		mg/L
Do (field)	LGW-14R	1/23/2013	8.27	0		mg/L
Do (field)	LGW-14R	1/23/2013	8.27	0		mg/L
Do (field)	LGW-14R	2/5/2013	8.59	0		mg/L
Do (field)	LGW-14R	2/5/2013	8.59	0		mg/L
Do (field)	LGW-14R	3/5/2013	8.35	0		mg/L
Do (field)	LGW-14R	3/5/2013	8.35	0		mg/L
Do (field)	LGW-14R	4/30/2013	8.27	0		mg/L
Do (field)	LGW-14R	6/4/2013	7.78	0		mg/L
Do (field)	LGW-14R	8/8/2013	7.17	0		mg/L
Do (field)	LGW-14R	9/10/2013	7.72	0		mg/L
Do (field)	LGW-14R	10/1/2013	8.29	0		mg/L
Do (field)	LGW-14R	11/6/2013	6.64	0		mg/L
Do (field)	LGW-14R	12/2/2013	6.07	0		mg/L
Do (field)	LGW-14R	1/23/2014	6.56	0		mg/L
Do (field)	LGW-14R	2/12/2014	6.1	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	3/11/2014	4.08	0		mg/L
Do (field)	LGW-14R	4/2/2014	5.57	0		mg/L
Do (field)	LGW-14R	5/7/2014	5.89	0		mg/L
Do (field)	LGW-14R	6/3/2014	3.7	0		mg/L
Do (field)	LGW-14R	7/8/2014	4.54	0		mg/L
Do (field)	LGW-14R	8/5/2014	6.9	0		mg/L
Do (field)	LGW-14R	9/4/2014	5.39	0		mg/L
Do (field)	LGW-14R	10/9/2014	5.62	0		mg/L
Do (field)	LGW-14R	11/3/2014	6.4	0		mg/L
Do (field)	LGW-14R	1/14/2015	4.78	0		mg/L
Do (field)	LGW-14R	2/11/2015	4.2	0		mg/L
Do (field)	LGW-14R	3/3/2015	3.73	0		mg/L
Do (field)	LGW-14R	4/1/2015	7.37	0		mg/L
Do (field)	LGW-14R	5/6/2015	7.41	0		mg/L
Do (field)	LGW-14R	6/3/2015	7.84	0		mg/L
Do (field)	LGW-14R	7/22/2015	7.73	0		mg/L
Do (field)	LGW-14R	8/4/2015	8.41	0		mg/L
Do (field)	LGW-14R	9/3/2015	7.67	0		mg/L
Do (field)	LGW-14R	10/6/2015	7.18	0		mg/L
Do (field)	LGW-14R	11/4/2015	9.2	0		mg/L
Do (field)	LGW-14R	12/3/2015	7.74	0		mg/L
Do (field)	LGW-14R	1/5/2016	7.4	0		mg/L
Do (field)	LGW-14R	2/3/2016	6.79	0		mg/L
Do (field)	LGW-14R	3/2/2016	7.3	0		mg/L
Do (field)	LGW-14R	4/5/2016	7.23	0		mg/L
Do (field)	LGW-14R	5/11/2016	7.41	0		mg/L
Do (field)	LGW-14R	6/1/2016	7.2	0		mg/L
Do (field)	LGW-14R	7/19/2016	6.85	0		mg/L
Do (field)	LGW-14R	8/10/2016	7.86	0		mg/L
Do (field)	LGW-14R	9/6/2016	7.43	0		mg/L
Do (field)	LGW-14R	10/6/2016	6.25	0		mg/L
Do (field)	LGW-14R	11/2/2016	6.35	0		mg/L
Do (field)	LGW-14R	12/1/2016	6.1	0		mg/L
Do (field)	LGW-14R	1/11/2017	9.39	0		mg/L
Do (field)	LGW-14R	2/7/2017	8.22	0		mg/L
Do (field)	LGW-14R	3/2/2017	7.56	0		mg/L
Do (field)	LGW-14R	4/4/2017	7.19	0		mg/L
Do (field)	LGW-14R	5/2/2017	6.83	0		mg/L
Do (field)	LGW-14R	6/6/2017	6.81	0		mg/L
Do (field)	LGW-14R	7/18/2017	4.2	0		mg/L
Do (field)	LGW-14R	8/1/2017	1.16	0		mg/L
Do (field)	LGW-14R	9/5/2017	0.02	0		mg/L
Do (field)	LGW-14R	10/5/2017	0.01	0		mg/L
Do (field)	LGW-14R	11/1/2017	6.81	0		mg/L
Do (field)	LGW-14R	1/25/2018	6.45	0.01		mg/L
Do (field)	LGW-14R	2/22/2018	6.05	0.01		mg/L
Do (field)	LGW-14R	3/20/2018	5.68	0.01		mg/L
Do (field)	LGW-14R	4/10/2018	6.45	0.01		mg/L
Do (field)	LGW-14R	6/5/2018	5	0		mg/L
Do (field)	LGW-14R	6/21/2018	4.08	0		mg/L
Do (field)	LGW-14R	7/17/2018	5	0.01		mg/L
Do (field)	LGW-14R	8/1/2018	4.99	0.01		mg/L
Do (field)	LGW-14R	9/4/2018	5.31	0		mg/L
Do (field)	LGW-14R	10/2/2018	3.97	0		mg/L
Do (field)	LGW-14R	10/2/2018	3.97	0		mg/L
Do (field)	LGW-14R	11/6/2018	5.67	0.01		mg/L
Do (field)	LGW-14R	12/4/2018	6.95	0.01		mg/L
Do (field)	LGW-14R	1/3/2019	6.3	0.01		mg/L
Do (field)	LGW-14R	2/6/2019	6.08	0		mg/L
Do (field)	LGW-14R	3/5/2019	6.3	0.01		mg/L
Do (field)	LGW-14R	4/3/2019	6.41	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	5/2/2019	5.33	0.01		mg/L
Do (field)	LGW-14R	6/4/2019	4.35	0		mg/L
Do (field)	LGW-14R	7/10/2019	5.31	0.01		mg/L
Do (field)	LGW-14R	7/10/2019	5.31	0.01		mg/L
Do (field)	LGW-14R	8/7/2019	4.97	0.01		mg/L
Do (field)	LGW-14R	9/5/2019	5.12	0.01		mg/L
Do (field)	LGW-14R	10/3/2019	5.8	0.01		mg/L
Do (field)	LGW-14R	11/5/2019	5.72	0.01		mg/L
Do (field)	LGW-14R	12/4/2019	7.22	0.01		mg/L
Do (field)	LGW-14R	1/16/2020	6.32	0		mg/L
Do (field)	LGW-14R	3/3/2020	5.7	0.01		mg/L
Do (field)	LGW-14R	4/3/2020	6.06	0.01		mg/L
Do (field)	LGW-14R	5/5/2020	5.55	0.01		mg/L
Do (field)	LGW-14R	6/2/2020	5.35	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	8/3/2020	5.92	0		mg/L
Do (field)	LGW-14R	9/2/2020	5.99	0.01		mg/L
Do (field)	LGW-14R	10/7/2020	6.07	0.01		mg/L
Do (field)	LGW-14R	11/3/2020	9.74	0		mg/L
Do (field)	LGW-14R	12/3/2020	5.99	0		mg/L
Do (field)	LGW-14R	1/18/2021	6.67	0		mg/L
Do (field)	LGW-14R	1/18/2021	6.67	0		mg/L
Do (field)	LGW-14R	2/9/2021	6.38	0		mg/L
Do (field)	LGW-14R	3/2/2021	6.7	0		mg/L
Do (field)	LGW-14R	4/6/2021	6.3	0		mg/L
Do (field)	LGW-14R	4/6/2021	6.3	0		mg/L
Do (field)	LGW-14R	5/4/2021	6.2	0		mg/L
Do (field)	LGW-14R	6/1/2021	6.1	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	8/3/2021	6	0		mg/L
Do (field)	LGW-14R	9/2/2021	6.1	0		mg/L
Do (field)	LGW-14R	10/5/2021	5.9	0		mg/L
Do (field)	LGW-14R	10/5/2021	5.9	0		mg/L
Do (field)	LGW-14R	11/2/2021	5.8	0		mg/L
Do (field)	LGW-14R	12/9/2021	6.1	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	2/10/2022	5.4	0		mg/L
Do (field)	LGW-14R	3/1/2022	5.8	0		mg/L
Do (field)	LGW-14R	4/5/2022	5.8	0		mg/L
Do (field)	LGW-14R	5/7/2022	5.6	0		mg/L
Do (field)	LGW-14R	6/3/2022	5.5	0		mg/L
Do (field)	LGW-14R	7/11/2022	4.5	0		mg/L
Do (field)	LGW-14R	8/10/2022	5.4	0		mg/L
Do (field)	LGW-14R	9/8/2022	5.3	0		mg/L
Do (field)	LGW-14R	10/6/2022	5.2	0		mg/L
Do (field)	LGW-14R	11/3/2022	5.4	0		mg/L
Do (field)	LGW-14R	12/7/2022	5.2	0		mg/L
Do (field)	LGW-14R	1/10/2023	5.3	0		mg/L
Do (field)	LGW-14R	2/3/2023	5.3	0		mg/L
Do (field)	LGW-14R	3/1/2023	4.8	0		mg/L
Do (field)	LGW-14R	4/5/2023	5	0		mg/L
Do (field)	LGW-2	9/30/2005	68.1	0		mg/L
Do (field)	LGW-2	7/31/2006	56.5	0		mg/L
Do (field)	LGW-2	7/31/2006	56.5	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	8/1/2006	56.5	0		mg/L
Do (field)	LGW-2	9/20/2006	48.4	0		mg/L
Do (field)	LGW-2	9/26/2006	57.1	0		mg/L
Do (field)	LGW-2	9/26/2006	27.1	0		mg/L
Do (field)	LGW-2	10/26/2006	8.8	0		mg/L
Do (field)	LGW-2	10/26/2006	6.4	0		mg/L
Do (field)	LGW-2	11/3/2006	8.4	0		mg/L
Do (field)	LGW-2	11/3/2006	8.4	0		mg/L
Do (field)	LGW-2	11/21/2006	30.2	0		mg/L
Do (field)	LGW-2	11/21/2006	30.2	0		mg/L
Do (field)	LGW-2	12/21/2006	9.6	0		mg/L
Do (field)	LGW-2	12/21/2006	9.6	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	2/7/2007	10	0		mg/L
Do (field)	LGW-2	2/27/2007	10	0		mg/L
Do (field)	LGW-2	2/27/2007	10	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	4/26/2007	5.8	0		mg/L
Do (field)	LGW-2	4/26/2007	5.8	0		mg/L
Do (field)	LGW-2	6/1/2007	5.07	0		mg/L
Do (field)	LGW-2	6/1/2007	5.07	0		mg/L
Do (field)	LGW-2	6/28/2007	1.33	0		mg/L
Do (field)	LGW-2	6/28/2007	1.33	0		mg/L
Do (field)	LGW-2	7/10/2007	2.1	0		mg/L
Do (field)	LGW-2	7/11/2007	2.1	0		mg/L
Do (field)	LGW-2	10/24/2007	11.37	0		mg/L
Do (field)	LGW-2	10/24/2007	11.37	0		mg/L
Do (field)	LGW-2	1/26/2008	6.1	0		mg/L
Do (field)	LGW-2	3/24/2008	8.45	0		mg/L
Do (field)	LGW-2	5/3/2008	5.15	0		mg/L
Do (field)	LGW-2	5/30/2008	15.06	0		mg/L
Do (field)	LGW-2	6/26/2008	4.5	0		mg/L
Do (field)	LGW-2	7/23/2008	6.08	0.5		mg/L
Do (field)	LGW-2	8/29/2008	7.04	0.5		mg/L
Do (field)	LGW-2	9/26/2008	65.5	0.5		mg/L
Do (field)	LGW-2	9/26/2008	65.5	0.5		mg/L
Do (field)	LGW-2	10/21/2008	3.98	0.5		mg/L
Do (field)	LGW-2	11/25/2008	5.33	0.5		mg/L
Do (field)	LGW-2	12/19/2008	4.55	0.5		mg/L
Do (field)	LGW-2	2/6/2009	3.6	0.5		mg/L
Do (field)	LGW-2	2/13/2009	3.45	0.5		mg/L
Do (field)	LGW-2	3/26/2009	5.44	0.5		mg/L
Do (field)	LGW-2	4/16/2009	4.58	0.5		mg/L
Do (field)	LGW-2	5/29/2009	4.33	0.5		mg/L
Do (field)	LGW-2	6/25/2009	4.81	0.5		mg/L
Do (field)	LGW-2	7/30/2009	3.31	0.5		mg/L
Do (field)	LGW-2	8/29/2009	1.51	0.5		mg/L
Do (field)	LGW-2	9/30/2009	2.29	0.5		mg/L
Do (field)	LGW-2	10/22/2009	1.44	0.5		mg/L
Do (field)	LGW-2	11/24/2009	0.69	0.5		mg/L
Do (field)	LGW-2	12/18/2009	1.77	0.5		mg/L
Do (field)	LGW-2	2/3/2010	4.82	0.5		mg/L
Do (field)	LGW-2	2/3/2010	4.82	0.5		mg/L
Do (field)	LGW-2	2/17/2010	3.88	0		mg/L
Do (field)	LGW-2	3/4/2010	3.26	0		mg/L
Do (field)	LGW-2	4/8/2010	4.19	0		mg/L
Do (field)	LGW-2	5/6/2010	7.86	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	6/15/2010	63.5	0		mg/L
Do (field)	LGW-2	7/12/2010	81.7	0		mg/L
Do (field)	LGW-2	8/10/2010	90.6	0		mg/L
Do (field)	LGW-2	9/1/2010	24.1	0		mg/L
Do (field)	LGW-2	9/29/2010	36.9	0		mg/L
Do (field)	LGW-2	11/3/2010	44.3	0		mg/L
Do (field)	LGW-2	12/2/2010	47.9	0		mg/L
Do (field)	LGW-2	1/19/2011	30.3	0		mg/L
Do (field)	LGW-2	2/7/2011	3.4	0		mg/L
Do (field)	LGW-2	3/3/2011	2.4	0		mg/L
Do (field)	LGW-2	4/5/2011	4.24	0		mg/L
Do (field)	LGW-2	5/10/2011	3.27	0		mg/L
Do (field)	LGW-2	6/1/2011	4.46	0		mg/L
Do (field)	LGW-2	7/13/2011	3.46	0		mg/L
Do (field)	LGW-2	8/3/2011	6.19	0		mg/L
Do (field)	LGW-2	9/7/2011	5.44	0		mg/L
Do (field)	LGW-2	10/5/2011	3.82	0		mg/L
Do (field)	LGW-2	11/1/2011	5.18	0		mg/L
Do (field)	LGW-2	12/7/2011	5.67	0		mg/L
Do (field)	LGW-2	1/4/2012	5.18	0		mg/L
Do (field)	LGW-2	2/1/2012	5.99	0		mg/L
Do (field)	LGW-2	3/6/2012	6.35	0		mg/L
Do (field)	LGW-2	4/5/2012	7.78	0		mg/L
Do (field)	LGW-2	5/1/2012	6.34	0		mg/L
Do (field)	LGW-2	6/5/2012	0.04	0		mg/L
Do (field)	LGW-2	7/9/2012	8.05	0		mg/L
Do (field)	LGW-2	8/9/2012	0	0		mg/L
Do (field)	LGW-2	9/4/2012	0	0		mg/L
Do (field)	LGW-2	10/7/2012	0	0		mg/L
Do (field)	LGW-2	4/30/2013	7.55	0		mg/L
Do (field)	LGW-2	6/4/2013	6.92	0		mg/L
Do (field)	LGW-2	7/15/2013	6.61	0		mg/L
Do (field)	LGW-2	8/8/2013	7.34	0		mg/L
Do (field)	LGW-2	9/10/2013	8.16	0		mg/L
Do (field)	LGW-2	10/1/2013	9.39	0		mg/L
Do (field)	LGW-2	11/6/2013	8.21	0		mg/L
Do (field)	LGW-2	12/2/2013	7.92	0		mg/L
Do (field)	LGW-2	1/30/2014	7.56	0		mg/L
Do (field)	LGW-2	2/13/2014	7.3	0		mg/L
Do (field)	LGW-2	3/12/2014	6.35	0		mg/L
Do (field)	LGW-2	4/3/2014	5.89	0		mg/L
Do (field)	LGW-2	5/7/2014	7.92	0		mg/L
Do (field)	LGW-2	6/3/2014	7.21	0		mg/L
Do (field)	LGW-2	7/8/2014	5.41	0		mg/L
Do (field)	LGW-2	8/5/2014	6.62	0		mg/L
Do (field)	LGW-2	9/4/2014	6.4	0		mg/L
Do (field)	LGW-2	10/9/2014	5.4	0		mg/L
Do (field)	LGW-2	11/3/2014	5.73	0		mg/L
Do (field)	LGW-2	1/14/2015	6.74	0		mg/L
Do (field)	LGW-2	2/13/2015	5.29	0		mg/L
Do (field)	LGW-2	3/3/2015	4.14	0		mg/L
Do (field)	LGW-2	4/1/2015	8.2	0		mg/L
Do (field)	LGW-2	5/6/2015	8.1	0		mg/L
Do (field)	LGW-2	6/3/2015	8.55	0		mg/L
Do (field)	LGW-2	7/8/2015	8.21	0		mg/L
Do (field)	LGW-2	8/4/2015	9.85	0		mg/L
Do (field)	LGW-2	9/2/2015	8.68	0		mg/L
Do (field)	LGW-2	10/5/2015	7.86	0		mg/L
Do (field)	LGW-2	11/4/2015	9.94	0		mg/L
Do (field)	LGW-2	12/3/2015	8.8	0		mg/L
Do (field)	LGW-2	1/5/2016	8.02	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	2/3/2016	7.34	0		mg/L
Do (field)	LGW-2	3/2/2016	8.2	0		mg/L
Do (field)	LGW-2	4/5/2016	7.39	0		mg/L
Do (field)	LGW-2	5/11/2016	7.3	0		mg/L
Do (field)	LGW-2	6/1/2016	6.38	0		mg/L
Do (field)	LGW-2	7/19/2016	5.91	0		mg/L
Do (field)	LGW-2	8/10/2016	6.36	0		mg/L
Do (field)	LGW-2	9/6/2016	5.79	0		mg/L
Do (field)	LGW-2	10/6/2016	5.71	0		mg/L
Do (field)	LGW-2	11/2/2016	3.8	0		mg/L
Do (field)	LGW-2	12/1/2016	1.88	0		mg/L
Do (field)	LGW-2	1/11/2017	4.16	0		mg/L
Do (field)	LGW-2	2/7/2017	2.18	0		mg/L
Do (field)	LGW-2	3/2/2017	6.76	0		mg/L
Do (field)	LGW-2	4/4/2017	0.05	0		mg/L
Do (field)	LGW-2	5/16/2017	0.51	0		mg/L
Do (field)	LGW-2	6/6/2017	0.4	0		mg/L
Do (field)	LGW-2	7/18/2017	0.13	0		mg/L
Do (field)	LGW-2	8/1/2017	0.02	0		mg/L
Do (field)	LGW-2	9/5/2017	0.02	0		mg/L
Do (field)	LGW-2	10/6/2017	0.01	0		mg/L
Do (field)	LGW-2	11/1/2017	0.83	0		mg/L
Do (field)	LGW-2	1/23/2018	9.72	0.01		mg/L
Do (field)	LGW-2	2/22/2018	1.65	0.01		mg/L
Do (field)	LGW-2	3/21/2018	0.21	0.01		mg/L
Do (field)	LGW-2	4/10/2018	0.67	0.01		mg/L
Do (field)	LGW-2	6/5/2018	2.25	0		mg/L
Do (field)	LGW-2	6/21/2018	0.23	0		mg/L
Do (field)	LGW-2	7/12/2018	0.94	0.01		mg/L
Do (field)	LGW-2	8/1/2018	0.62	0.01		mg/L
Do (field)	LGW-2	9/4/2018	0.43	0		mg/L
Do (field)	LGW-2	10/2/2018	0.55	0		mg/L
Do (field)	LGW-2	10/2/2018	0.55	0		mg/L
Do (field)	LGW-2	11/6/2018	1.31	0.01		mg/L
Do (field)	LGW-2	12/4/2018	4.54	0.01		mg/L
Do (field)	LGW-2	1/3/2019	0.46	0.01		mg/L
Do (field)	LGW-2	2/5/2019	2.03	0		mg/L
Do (field)	LGW-2	3/6/2019	0.3	0.01		mg/L
Do (field)	LGW-2	4/3/2019	1.78	0.01		mg/L
Do (field)	LGW-2	5/2/2019	0.3	0.01		mg/L
Do (field)	LGW-2	6/5/2019	0.32	0		mg/L
Do (field)	LGW-2	7/9/2019	1.3	0.01		mg/L
Do (field)	LGW-2	7/9/2019	1.3	0.01		mg/L
Do (field)	LGW-2	8/6/2019	3.29	0.01		mg/L
Do (field)	LGW-2	9/4/2019	2.51	0.01		mg/L
Do (field)	LGW-2	10/1/2019	0.4	0.01		mg/L
Do (field)	LGW-2	11/6/2019	0.18	0.01		mg/L
Do (field)	LGW-2	12/3/2019	0.35	0.01		mg/L
Do (field)	LGW-2	1/13/2020	0.48	0		mg/L
Do (field)	LGW-2	3/3/2020	0.46	0.01		mg/L
Do (field)	LGW-2	4/1/2020	0.47	0.01		mg/L
Do (field)	LGW-2	4/1/2020	0.47	0.01		mg/L
Do (field)	LGW-2	5/5/2020	0.68	0.01		mg/L
Do (field)	LGW-2	6/2/2020	0.79	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	8/3/2020	6.45	0		mg/L
Do (field)	LGW-2	9/3/2020	0.55	0.01		mg/L
Do (field)	LGW-2	10/7/2020	1.25	0.01		mg/L
Do (field)	LGW-2	11/3/2020	0.83	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	12/4/2020	5.1	0		mg/L
Do (field)	LGW-2	1/18/2021	0.54	0		mg/L
Do (field)	LGW-2	1/18/2021	0.54	0		mg/L
Do (field)	LGW-2	2/10/2021	1.6	0		mg/L
Do (field)	LGW-2	3/2/2021	1.3	0		mg/L
Do (field)	LGW-2	4/7/2021	2.6	0		mg/L
Do (field)	LGW-2	5/4/2021	2.2	0		mg/L
Do (field)	LGW-2	6/1/2021	1.3	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	8/3/2021	2.1	0		mg/L
Do (field)	LGW-2	9/2/2021	2.8	0		mg/L
Do (field)	LGW-2	10/5/2021	3	0		mg/L
Do (field)	LGW-2	10/5/2021	3	0		mg/L
Do (field)	LGW-2	11/1/2021	3.4	0		mg/L
Do (field)	LGW-2	12/8/2021	3.1	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	2/9/2022	3.3	0		mg/L
Do (field)	LGW-2	3/1/2022	3.5	0		mg/L
Do (field)	LGW-2	4/5/2022	3.3	0		mg/L
Do (field)	LGW-2	5/7/2022	3.3	0		mg/L
Do (field)	LGW-2	6/3/2022	2.9	0		mg/L
Do (field)	LGW-2	7/10/2022	2.9	0		mg/L
Do (field)	LGW-2	8/10/2022	4.6	0		mg/L
Do (field)	LGW-2	9/8/2022	4.6	0		mg/L
Do (field)	LGW-2	10/6/2022	5.1	0		mg/L
Do (field)	LGW-2	11/3/2022	5.6	0		mg/L
Do (field)	LGW-2	12/7/2022	5.6	0		mg/L
Do (field)	LGW-2	1/10/2023	5.9	0		mg/L
Do (field)	LGW-2	2/3/2023	6.7	0		mg/L
Do (field)	LGW-2	3/1/2023	6.5	0		mg/L
Do (field)	LGW-2	4/6/2023	4.2	0		mg/L
Do (field)	LGW-3R	9/28/2005	67.4	0		mg/L
Do (field)	LGW-3R	7/20/2006	53.4	0		mg/L
Do (field)	LGW-3R	7/20/2006	53.4	0		mg/L
Do (field)	LGW-3R	9/26/2006	55.5	0		mg/L
Do (field)	LGW-3R	9/26/2006	55.5	0		mg/L
Do (field)	LGW-3R	10/26/2006	2.1	0		mg/L
Do (field)	LGW-3R	10/26/2006	2.1	0		mg/L
Do (field)	LGW-3R	11/21/2006	48.7	0		mg/L
Do (field)	LGW-3R	11/21/2006	48.7	0		mg/L
Do (field)	LGW-3R	12/21/2006	8	0		mg/L
Do (field)	LGW-3R	12/21/2006	8	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	2/7/2007	8.8	0		mg/L
Do (field)	LGW-3R	2/27/2007	8.8	0		mg/L
Do (field)	LGW-3R	2/27/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	4/26/2007	6.4	0		mg/L
Do (field)	LGW-3R	4/26/2007	6.4	0		mg/L
Do (field)	LGW-3R	6/1/2007	3.98	0		mg/L
Do (field)	LGW-3R	6/1/2007	3.98	0		mg/L
Do (field)	LGW-3R	6/28/2007	1.35	0		mg/L
Do (field)	LGW-3R	6/28/2007	1.35	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	7/11/2007	4.31	0		mg/L
Do (field)	LGW-3R	7/11/2007	4.31	0		mg/L
Do (field)	LGW-3R	10/24/2007	13.4	0		mg/L
Do (field)	LGW-3R	10/24/2007	13.4	0		mg/L
Do (field)	LGW-3R	1/26/2008	6	0		mg/L
Do (field)	LGW-3R	3/24/2008	7.94	0		mg/L
Do (field)	LGW-3R	5/3/2008	6.19	0		mg/L
Do (field)	LGW-3R	5/30/2008	14.02	0		mg/L
Do (field)	LGW-3R	6/26/2008	6.12	0		mg/L
Do (field)	LGW-3R	7/23/2008	7.71	0.5		mg/L
Do (field)	LGW-3R	8/29/2008	68.1	0.5		mg/L
Do (field)	LGW-3R	9/26/2008	6.37	0.5		mg/L
Do (field)	LGW-3R	9/26/2008	6.37	0.5		mg/L
Do (field)	LGW-3R	10/22/2008	3.54	0.5		mg/L
Do (field)	LGW-3R	11/25/2008	5.22	0.5		mg/L
Do (field)	LGW-3R	12/19/2008	4.61	0.5		mg/L
Do (field)	LGW-3R	2/3/2009	4.72	0.5		mg/L
Do (field)	LGW-3R	3/26/2009	4.95	0.5		mg/L
Do (field)	LGW-3R	4/16/2009	4.68	0.5		mg/L
Do (field)	LGW-3R	5/28/2009	5.31	0.5		mg/L
Do (field)	LGW-3R	6/25/2009	4.47	0.5		mg/L
Do (field)	LGW-3R	7/31/2009	3.42	0.5		mg/L
Do (field)	LGW-3R	8/29/2009	1.51	0.5		mg/L
Do (field)	LGW-3R	9/30/2009	2.08	0.5		mg/L
Do (field)	LGW-3R	10/22/2009	1.08	0.5		mg/L
Do (field)	LGW-3R	11/24/2009	0.8	0.5		mg/L
Do (field)	LGW-3R	12/18/2009	1.44	0.5		mg/L
Do (field)	LGW-3R	2/3/2010	4.21	0.5		mg/L
Do (field)	LGW-3R	2/3/2010	4.21	0.5		mg/L
Do (field)	LGW-3R	2/17/2010	2.9	0		mg/L
Do (field)	LGW-3R	3/3/2010	3.29	0		mg/L
Do (field)	LGW-3R	4/8/2010	3.1	0		mg/L
Do (field)	LGW-3R	5/5/2010	7.46	0		mg/L
Do (field)	LGW-3R	6/15/2010	62.8	0		mg/L
Do (field)	LGW-3R	7/16/2010	26.5	0		mg/L
Do (field)	LGW-3R	8/11/2010	47.9	0		mg/L
Do (field)	LGW-3R	9/1/2010	55.6	0		mg/L
Do (field)	LGW-3R	9/29/2010	24.6	0		mg/L
Do (field)	LGW-3R	11/3/2010	28.5	0		mg/L
Do (field)	LGW-3R	12/3/2010	26.6	0		mg/L
Do (field)	LGW-3R	1/19/2011	35.9	0		mg/L
Do (field)	LGW-3R	2/7/2011	4.1	0		mg/L
Do (field)	LGW-3R	3/3/2011	2.81	0		mg/L
Do (field)	LGW-3R	4/5/2011	3.94	0		mg/L
Do (field)	LGW-3R	5/10/2011	2.87	0		mg/L
Do (field)	LGW-3R	6/1/2011	3.16	0		mg/L
Do (field)	LGW-3R	7/13/2011	3.06	0		mg/L
Do (field)	LGW-3R	8/3/2011	5.15	0		mg/L
Do (field)	LGW-3R	9/7/2011	5.18	0		mg/L
Do (field)	LGW-3R	10/5/2011	4	0		mg/L
Do (field)	LGW-3R	11/1/2011	4.95	0		mg/L
Do (field)	LGW-3R	12/7/2011	6.15	0		mg/L
Do (field)	LGW-3R	1/4/2012	5.78	0		mg/L
Do (field)	LGW-3R	2/1/2012	6.01	0		mg/L
Do (field)	LGW-3R	3/6/2012	6.61	0		mg/L
Do (field)	LGW-3R	4/5/2012	6.95	0		mg/L
Do (field)	LGW-3R	5/1/2012	0.01	0		mg/L
Do (field)	LGW-3R	7/9/2012	0	0		mg/L
Do (field)	LGW-3R	8/9/2012	0	0		mg/L
Do (field)	LGW-3R	9/4/2012	0.01	0		mg/L
Do (field)	LGW-3R	12/6/2012	7.86	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	12/6/2012	7.86	0		mg/L
Do (field)	LGW-3R	1/23/2013	8.04	0		mg/L
Do (field)	LGW-3R	1/23/2013	8.04	0		mg/L
Do (field)	LGW-3R	2/5/2013	8.07	0		mg/L
Do (field)	LGW-3R	2/5/2013	8.07	0		mg/L
Do (field)	LGW-3R	3/5/2013	8.09	0		mg/L
Do (field)	LGW-3R	3/5/2013	8.09	0		mg/L
Do (field)	LGW-3R	4/30/2013	8.6	0		mg/L
Do (field)	LGW-3R	6/4/2013	6.76	0		mg/L
Do (field)	LGW-3R	7/15/2013	6.43	0		mg/L
Do (field)	LGW-3R	8/8/2013	6.15	0		mg/L
Do (field)	LGW-3R	9/10/2013	7.06	0		mg/L
Do (field)	LGW-3R	10/1/2013	6.83	0		mg/L
Do (field)	LGW-3R	11/6/2013	4.5	0		mg/L
Do (field)	LGW-3R	12/2/2013	5.45	0		mg/L
Do (field)	LGW-3R	1/22/2014	6.46	0		mg/L
Do (field)	LGW-3R	2/12/2014	6.74	0		mg/L
Do (field)	LGW-3R	3/11/2014	3.98	0		mg/L
Do (field)	LGW-3R	4/2/2014	5.14	0		mg/L
Do (field)	LGW-3R	5/7/2014	7.02	0		mg/L
Do (field)	LGW-3R	6/3/2014	6.26	0		mg/L
Do (field)	LGW-3R	7/8/2014	5.8	0		mg/L
Do (field)	LGW-3R	8/5/2014	6.34	0		mg/L
Do (field)	LGW-3R	9/4/2014	6.19	0		mg/L
Do (field)	LGW-3R	10/9/2014	5.17	0		mg/L
Do (field)	LGW-3R	11/3/2014	5.17	0		mg/L
Do (field)	LGW-3R	1/14/2015	4.53	0		mg/L
Do (field)	LGW-3R	2/10/2015	4.42	0		mg/L
Do (field)	LGW-3R	3/3/2015	4.48	0		mg/L
Do (field)	LGW-3R	4/1/2015	7.56	0		mg/L
Do (field)	LGW-3R	5/6/2015	7.54	0		mg/L
Do (field)	LGW-3R	6/3/2015	3.72	0		mg/L
Do (field)	LGW-3R	7/16/2015	3.79	0		mg/L
Do (field)	LGW-3R	8/5/2015	8.67	0		mg/L
Do (field)	LGW-3R	9/3/2015	7.61	0		mg/L
Do (field)	LGW-3R	10/6/2015	5.75	0		mg/L
Do (field)	LGW-3R	11/5/2015	7.61	0		mg/L
Do (field)	LGW-3R	12/4/2015	6.33	0		mg/L
Do (field)	LGW-3R	1/8/2016	7.91	0		mg/L
Do (field)	LGW-3R	2/4/2016	8.67	0		mg/L
Do (field)	LGW-3R	3/3/2016	8.17	0		mg/L
Do (field)	LGW-3R	4/6/2016	7.39	0		mg/L
Do (field)	LGW-3R	5/12/2016	7.64	0		mg/L
Do (field)	LGW-3R	6/2/2016	7.92	0		mg/L
Do (field)	LGW-3R	7/21/2016	6.8	0		mg/L
Do (field)	LGW-3R	8/11/2016	7.62	0		mg/L
Do (field)	LGW-3R	9/7/2016	6.32	0		mg/L
Do (field)	LGW-3R	10/7/2016	6.08	0		mg/L
Do (field)	LGW-3R	11/3/2016	5.39	0		mg/L
Do (field)	LGW-3R	12/2/2016	4.33	0		mg/L
Do (field)	LGW-3R	1/11/2017	4.95	0		mg/L
Do (field)	LGW-3R	2/7/2017	8.33	0		mg/L
Do (field)	LGW-3R	3/2/2017	6.57	0		mg/L
Do (field)	LGW-3R	4/4/2017	3.35	0		mg/L
Do (field)	LGW-3R	5/2/2017	2.64	0		mg/L
Do (field)	LGW-3R	6/6/2017	4.61	0		mg/L
Do (field)	LGW-3R	7/18/2017	2.38	0		mg/L
Do (field)	LGW-3R	8/1/2017	0.24	0		mg/L
Do (field)	LGW-3R	9/5/2017	0.03	0		mg/L
Do (field)	LGW-3R	10/6/2017	0.01	0		mg/L
Do (field)	LGW-3R	11/1/2017	2.1	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	1/23/2018	1.32	0.01		mg/L
Do (field)	LGW-3R	2/22/2018	0.65	0.01		mg/L
Do (field)	LGW-3R	3/19/2018	0.93	0.01		mg/L
Do (field)	LGW-3R	4/10/2018	1.38	0.01		mg/L
Do (field)	LGW-3R	6/5/2018	1.92	0		mg/L
Do (field)	LGW-3R	7/11/2018	3.95	0.01		mg/L
Do (field)	LGW-3R	8/1/2018	2.76	0.01		mg/L
Do (field)	LGW-3R	9/5/2018	1.88	0		mg/L
Do (field)	LGW-3R	10/3/2018	1.33	0		mg/L
Do (field)	LGW-3R	11/7/2018	1.51	0.01		mg/L
Do (field)	LGW-3R	12/4/2018	1.56	0.01		mg/L
Do (field)	LGW-3R	1/3/2019	1	0.01		mg/L
Do (field)	LGW-3R	2/5/2019	1.69	0		mg/L
Do (field)	LGW-3R	3/4/2019	1.8	0.01		mg/L
Do (field)	LGW-3R	4/3/2019	3.92	0.01		mg/L
Do (field)	LGW-3R	5/1/2019	3.17	0.01		mg/L
Do (field)	LGW-3R	6/5/2019	3.3	0		mg/L
Do (field)	LGW-3R	7/9/2019	3.41	0.01		mg/L
Do (field)	LGW-3R	7/9/2019	3.41	0.01		mg/L
Do (field)	LGW-3R	8/5/2019	4.04	0.01		mg/L
Do (field)	LGW-3R	9/3/2019	3.34	0.01		mg/L
Do (field)	LGW-3R	10/1/2019	3.32	0.01		mg/L
Do (field)	LGW-3R	11/6/2019	3.21	0.01		mg/L
Do (field)	LGW-3R	12/2/2019	3	0.01		mg/L
Do (field)	LGW-3R	1/14/2020	5.42	0		mg/L
Do (field)	LGW-3R	3/2/2020	1.8	0.01		mg/L
Do (field)	LGW-3R	4/1/2020	0.76	0.01		mg/L
Do (field)	LGW-3R	5/5/2020	0.6	0.01		mg/L
Do (field)	LGW-3R	6/3/2020	3.8	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	8/3/2020	2.12	0		mg/L
Do (field)	LGW-3R	9/2/2020	2.43	0.01		mg/L
Do (field)	LGW-3R	10/5/2020	3.3	0.01		mg/L
Do (field)	LGW-3R	11/3/2020	6.2	0		mg/L
Do (field)	LGW-3R	12/4/2020	8.81	0		mg/L
Do (field)	LGW-3R	1/18/2021	3.3	0		mg/L
Do (field)	LGW-3R	1/18/2021	3.3	0		mg/L
Do (field)	LGW-3R	2/9/2021	3.69	0		mg/L
Do (field)	LGW-3R	3/2/2021	3.7	0		mg/L
Do (field)	LGW-3R	4/6/2021	3.7	0		mg/L
Do (field)	LGW-3R	4/6/2021	3.7	0		mg/L
Do (field)	LGW-3R	5/4/2021	3.6	0		mg/L
Do (field)	LGW-3R	6/2/2021	4	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	8/3/2021	3.9	0		mg/L
Do (field)	LGW-3R	9/2/2021	3.7	0		mg/L
Do (field)	LGW-3R	10/5/2021	3.7	0		mg/L
Do (field)	LGW-3R	11/2/2021	1	0		mg/L
Do (field)	LGW-3R	12/9/2021	3.9	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	2/10/2022	4.2	0		mg/L
Do (field)	LGW-3R	3/1/2022	4.9	0		mg/L
Do (field)	LGW-3R	4/5/2022	5.3	0		mg/L
Do (field)	LGW-3R	5/7/2022	6.7	0		mg/L
Do (field)	LGW-3R	6/3/2022	6.1	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	7/10/2022	6.2	0		mg/L
Do (field)	LGW-3R	8/10/2022	5.6	0		mg/L
Do (field)	LGW-3R	9/8/2022	5.5	0		mg/L
Do (field)	LGW-3R	10/6/2022	5.3	0		mg/L
Do (field)	LGW-3R	11/3/2022	5	0		mg/L
Do (field)	LGW-3R	12/7/2022	5.3	0		mg/L
Do (field)	LGW-3R	1/10/2023	5.6	0		mg/L
Do (field)	LGW-3R	2/3/2023	5.6	0		mg/L
Do (field)	LGW-3R	3/1/2023	6	0		mg/L
Do (field)	LGW-3R	4/6/2023	7.4	0		mg/L
Do (field)	LGW-4	9/28/2005	51.1	0		mg/L
Do (field)	LGW-4	7/20/2006	51.3	0		mg/L
Do (field)	LGW-4	7/20/2006	51.3	0		mg/L
Do (field)	LGW-4	9/26/2006	51.3	0		mg/L
Do (field)	LGW-4	9/26/2006	51.3	0		mg/L
Do (field)	LGW-4	10/26/2006	8.6	0		mg/L
Do (field)	LGW-4	10/26/2006	8.6	0		mg/L
Do (field)	LGW-4	11/21/2006	52.4	0		mg/L
Do (field)	LGW-4	11/21/2006	52.4	0		mg/L
Do (field)	LGW-4	12/21/2006	7.9	0		mg/L
Do (field)	LGW-4	12/21/2006	7.9	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	2/7/2007	6.5	0		mg/L
Do (field)	LGW-4	2/27/2007	6.5	0		mg/L
Do (field)	LGW-4	2/27/2007	6.5	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	4/26/2007	4.8	0		mg/L
Do (field)	LGW-4	4/26/2007	4.8	0		mg/L
Do (field)	LGW-4	5/31/2007	4.29	0		mg/L
Do (field)	LGW-4	6/1/2007	4.29	0		mg/L
Do (field)	LGW-4	6/28/2007	1.75	0		mg/L
Do (field)	LGW-4	6/28/2007	1.75	0		mg/L
Do (field)	LGW-4	7/11/2007	3.96	0		mg/L
Do (field)	LGW-4	7/11/2007	3.96	0		mg/L
Do (field)	LGW-4	10/24/2007	11.13	0		mg/L
Do (field)	LGW-4	10/24/2007	11.13	0		mg/L
Do (field)	LGW-4	3/25/2008	9.31	0		mg/L
Do (field)	LGW-4	5/3/2008	5.24	0		mg/L
Do (field)	LGW-4	5/30/2008	11.89	0		mg/L
Do (field)	LGW-4	7/23/2008	5.94	0.5		mg/L
Do (field)	LGW-4	8/29/2008	6.04	0.5		mg/L
Do (field)	LGW-4	9/26/2008	4.2	0.5		mg/L
Do (field)	LGW-4	9/26/2008	4.2	0.5		mg/L
Do (field)	LGW-4	10/22/2008	3.42	0.5		mg/L
Do (field)	LGW-4	11/25/2008	4.41	0.5		mg/L
Do (field)	LGW-4	12/19/2008	4.18	0.5		mg/L
Do (field)	LGW-4	2/3/2009	3.94	0.5		mg/L
Do (field)	LGW-4	3/26/2009	4.31	0.5		mg/L
Do (field)	LGW-4	4/16/2009	4.69	0.5		mg/L
Do (field)	LGW-4	5/28/2009	4.14	0.5		mg/L
Do (field)	LGW-4	6/25/2009	3.74	0.5		mg/L
Do (field)	LGW-4	7/31/2009	3.08	0.5		mg/L
Do (field)	LGW-4	8/29/2009	1.34	0.5		mg/L
Do (field)	LGW-4	10/22/2009	1.02	0.5		mg/L
Do (field)	LGW-4	11/24/2009	0.49	0.5	ND	mg/L
Do (field)	LGW-4	2/3/2010	3.96	0.5		mg/L
Do (field)	LGW-4	2/3/2010	3.96	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	2/17/2010	3.07	0		mg/L
Do (field)	LGW-4	3/3/2010	2.7	0		mg/L
Do (field)	LGW-4	4/8/2010	3.18	0		mg/L
Do (field)	LGW-4	5/5/2010	6.95	0		mg/L
Do (field)	LGW-4	6/15/2010	58.4	0		mg/L
Do (field)	LGW-4	7/16/2010	72.3	0		mg/L
Do (field)	LGW-4	8/11/2010	61.7	0		mg/L
Do (field)	LGW-4	9/1/2010	55.2	0		mg/L
Do (field)	LGW-4	9/29/2010	21.7	0		mg/L
Do (field)	LGW-4	11/3/2010	38.9	0		mg/L
Do (field)	LGW-4	12/3/2010	23.4	0		mg/L
Do (field)	LGW-4	1/19/2011	31.9	0		mg/L
Do (field)	LGW-4	2/7/2011	3.6	0		mg/L
Do (field)	LGW-4	3/3/2011	2.36	0		mg/L
Do (field)	LGW-4	4/5/2011	4.64	0		mg/L
Do (field)	LGW-4	5/10/2011	2.91	0		mg/L
Do (field)	LGW-4	6/1/2011	28.5	0		mg/L
Do (field)	LGW-4	7/13/2011	2.5	0		mg/L
Do (field)	LGW-4	8/3/2011	5.22	0		mg/L
Do (field)	LGW-4	9/7/2011	5.31	0		mg/L
Do (field)	LGW-4	10/5/2011	3.77	0		mg/L
Do (field)	LGW-4	11/1/2011	5.21	0		mg/L
Do (field)	LGW-4	12/7/2011	5.8	0		mg/L
Do (field)	LGW-4	1/4/2012	5.82	0		mg/L
Do (field)	LGW-4	2/1/2012	5.9	0		mg/L
Do (field)	LGW-4	3/6/2012	6.42	0		mg/L
Do (field)	LGW-4	4/5/2012	6.68	0		mg/L
Do (field)	LGW-4	5/1/2012	0.01	0		mg/L
Do (field)	LGW-4	7/9/2012	0	0		mg/L
Do (field)	LGW-4	8/9/2012	0.1	0		mg/L
Do (field)	LGW-4	9/4/2012	0.01	0		mg/L
Do (field)	LGW-4	10/7/2012	0	0		mg/L
Do (field)	LGW-4	4/30/2013	8.54	0		mg/L
Do (field)	LGW-4	6/4/2013	7.24	0		mg/L
Do (field)	LGW-4	7/15/2013	5.71	0		mg/L
Do (field)	LGW-4	8/8/2013	6.08	0		mg/L
Do (field)	LGW-4	9/10/2013	6.66	0		mg/L
Do (field)	LGW-4	10/1/2013	6.03	0		mg/L
Do (field)	LGW-4	11/6/2013	4.67	0		mg/L
Do (field)	LGW-4	12/2/2013	5.88	0		mg/L
Do (field)	LGW-4	1/23/2014	6.14	0		mg/L
Do (field)	LGW-4	2/12/2014	6.47	0		mg/L
Do (field)	LGW-4	3/11/2014	5.15	0		mg/L
Do (field)	LGW-4	4/2/2014	5.59	0		mg/L
Do (field)	LGW-4	5/7/2014	6.7	0		mg/L
Do (field)	LGW-4	6/3/2014	5.83	0		mg/L
Do (field)	LGW-4	7/8/2014	4.71	0		mg/L
Do (field)	LGW-4	8/5/2014	5.91	0		mg/L
Do (field)	LGW-4	9/4/2014	6.38	0		mg/L
Do (field)	LGW-4	10/9/2014	5.68	0		mg/L
Do (field)	LGW-4	11/3/2014	4.75	0		mg/L
Do (field)	LGW-4	1/14/2015	4.98	0		mg/L
Do (field)	LGW-4	2/11/2015	3.15	0		mg/L
Do (field)	LGW-4	3/3/2015	3.19	0		mg/L
Do (field)	LGW-4	4/1/2015	6.2	0		mg/L
Do (field)	LGW-4	5/6/2015	6.07	0		mg/L
Do (field)	LGW-4	6/3/2015	7.96	0		mg/L
Do (field)	LGW-4	7/8/2015	5.19	0		mg/L
Do (field)	LGW-4	8/4/2015	6.89	0		mg/L
Do (field)	LGW-4	9/2/2015	5.63	0		mg/L
Do (field)	LGW-4	10/5/2015	5.55	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	11/4/2015	7.72	0		mg/L
Do (field)	LGW-4	12/3/2015	6.69	0		mg/L
Do (field)	LGW-4	1/5/2016	7.09	0		mg/L
Do (field)	LGW-4	2/3/2016	5.41	0		mg/L
Do (field)	LGW-4	3/2/2016	6.76	0		mg/L
Do (field)	LGW-4	4/5/2016	5.35	0		mg/L
Do (field)	LGW-4	5/11/2016	5.69	0		mg/L
Do (field)	LGW-4	6/1/2016	5.43	0		mg/L
Do (field)	LGW-4	7/19/2016	4.51	0		mg/L
Do (field)	LGW-4	8/10/2016	4.85	0		mg/L
Do (field)	LGW-4	9/6/2016	3.6	0		mg/L
Do (field)	LGW-4	10/6/2016	3.28	0		mg/L
Do (field)	LGW-4	11/2/2016	3.41	0		mg/L
Do (field)	LGW-4	12/1/2016	4.51	0		mg/L
Do (field)	LGW-4	1/11/2017	4.02	0		mg/L
Do (field)	LGW-4	2/7/2017	4.15	0		mg/L
Do (field)	LGW-4	3/2/2017	7.21	0		mg/L
Do (field)	LGW-4	4/4/2017	4.68	0		mg/L
Do (field)	LGW-4	5/2/2017	4	0		mg/L
Do (field)	LGW-4	5/16/2017	2.97	0		mg/L
Do (field)	LGW-4	6/6/2017	2.36	0		mg/L
Do (field)	LGW-4	7/18/2017	1.38	0		mg/L
Do (field)	LGW-4	8/1/2017	0.02	0		mg/L
Do (field)	LGW-4	9/5/2017	0.02	0		mg/L
Do (field)	LGW-4	10/6/2017	0.01	0		mg/L
Do (field)	LGW-4	11/1/2017	1.9	0		mg/L
Do (field)	LGW-4	1/23/2018	0.83	0.01		mg/L
Do (field)	LGW-4	2/22/2018	0.78	0.01		mg/L
Do (field)	LGW-4	3/19/2018	0.76	0.01		mg/L
Do (field)	LGW-4	4/10/2018	0.71	0.01		mg/L
Do (field)	LGW-4	6/5/2018	0.7	0		mg/L
Do (field)	LGW-4	7/11/2018	3.08	0.01		mg/L
Do (field)	LGW-4	8/1/2018	1.78	0.01		mg/L
Do (field)	LGW-4	9/5/2018	1.11	0		mg/L
Do (field)	LGW-4	10/3/2018	1.15	0		mg/L
Do (field)	LGW-4	11/7/2018	0.96	0.01		mg/L
Do (field)	LGW-4	12/4/2018	1.42	0.01		mg/L
Do (field)	LGW-4	1/3/2019	1.5	0.01		mg/L
Do (field)	LGW-4	2/5/2019	1.54	0		mg/L
Do (field)	LGW-4	3/4/2019	3	0.01		mg/L
Do (field)	LGW-4	4/3/2019	1.15	0.01		mg/L
Do (field)	LGW-4	4/3/2019	1.15	0.01		mg/L
Do (field)	LGW-4	5/1/2019	2.58	0.01		mg/L
Do (field)	LGW-4	6/5/2019	3.26	0		mg/L
Do (field)	LGW-4	7/9/2019	4.6	0.01		mg/L
Do (field)	LGW-4	7/9/2019	4.6	0.01		mg/L
Do (field)	LGW-4	8/5/2019	2.97	0.01		mg/L
Do (field)	LGW-4	9/3/2019	1.4	0.01		mg/L
Do (field)	LGW-4	10/1/2019	2.72	0.01		mg/L
Do (field)	LGW-4	11/6/2019	0.9	0.01		mg/L
Do (field)	LGW-4	12/4/2019	5.7	0.01		mg/L
Do (field)	LGW-4	1/14/2020	5.74	0		mg/L
Do (field)	LGW-4	3/2/2020	6.41	0.01		mg/L
Do (field)	LGW-4	4/1/2020	6.3	0.01		mg/L
Do (field)	LGW-4	5/5/2020	5.47	0.01		mg/L
Do (field)	LGW-4	6/3/2020	8.08	0		mg/L
Do (field)	LGW-4	7/6/2020	57.7	0		mg/L
Do (field)	LGW-4	7/6/2020	5.77	0		mg/L
Do (field)	LGW-4	7/6/2020	5.77	0		mg/L
Do (field)	LGW-4	8/3/2020	6.14	0		mg/L
Do (field)	LGW-4	9/2/2020	5.51	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	10/5/2020	5.45	0.01		mg/L
Do (field)	LGW-4	11/3/2020	6.75	0		mg/L
Do (field)	LGW-4	12/4/2020	6.65	0		mg/L
Do (field)	LGW-4	1/18/2021	1.45	0		mg/L
Do (field)	LGW-4	1/18/2021	1.45	0		mg/L
Do (field)	LGW-4	2/9/2021	5.93	0		mg/L
Do (field)	LGW-4	3/2/2021	5.1	0		mg/L
Do (field)	LGW-4	4/6/2021	6.3	0		mg/L
Do (field)	LGW-4	4/6/2021	6.3	0		mg/L
Do (field)	LGW-4	5/4/2021	5.9	0		mg/L
Do (field)	LGW-4	6/2/2021	6.2	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	8/3/2021	5.7	0		mg/L
Do (field)	LGW-4	9/2/2021	5.4	0		mg/L
Do (field)	LGW-4	10/5/2021	5.5	0		mg/L
Do (field)	LGW-4	10/5/2021	5.5	0		mg/L
Do (field)	LGW-4	11/2/2021	5.4	0		mg/L
Do (field)	LGW-4	12/9/2021	5.2	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	2/10/2022	5.1	0		mg/L
Do (field)	LGW-4	3/1/2022	5.1	0		mg/L
Do (field)	LGW-4	4/5/2022	4.5	0		mg/L
Do (field)	LGW-4	5/7/2022	4.2	0		mg/L
Do (field)	LGW-4	6/3/2022	3.4	0		mg/L
Do (field)	LGW-4	7/11/2022	4.5	0		mg/L
Do (field)	LGW-4	8/10/2022	3.7	0		mg/L
Do (field)	LGW-4	9/8/2022	3.6	0		mg/L
Do (field)	LGW-4	10/6/2022	3.1	0		mg/L
Do (field)	LGW-4	11/3/2022	1.9	0		mg/L
Do (field)	LGW-4	12/7/2022	1.3	0		mg/L
Do (field)	LGW-4	1/10/2023	1.3	0		mg/L
Do (field)	LGW-4	2/3/2023	1.4	0		mg/L
Do (field)	LGW-4	3/1/2023	0.5	0		mg/L
Do (field)	LGW-4	4/6/2023	1.3	0		mg/L
Do (field)	LGW-5	9/29/2005	79.3	0		mg/L
Do (field)	LGW-5	7/20/2006	29.4	0		mg/L
Do (field)	LGW-5	7/20/2006	29.4	0		mg/L
Do (field)	LGW-5	7/31/2006	20.4	0		mg/L
Do (field)	LGW-5	8/1/2006	20.4	0		mg/L
Do (field)	LGW-5	9/27/2006	69	0		mg/L
Do (field)	LGW-5	9/27/2006	69	0		mg/L
Do (field)	LGW-5	10/26/2006	7	0		mg/L
Do (field)	LGW-5	10/26/2006	7	0		mg/L
Do (field)	LGW-5	11/21/2006	62.4	0		mg/L
Do (field)	LGW-5	11/21/2006	62.4	0		mg/L
Do (field)	LGW-5	12/21/2006	6.5	0		mg/L
Do (field)	LGW-5	12/21/2006	6.5	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	2/7/2007	6.5	0		mg/L
Do (field)	LGW-5	2/26/2007	6.5	0		mg/L
Do (field)	LGW-5	2/27/2007	6.5	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	4/26/2007	5.3	0		mg/L
Do (field)	LGW-5	4/26/2007	5.3	0		mg/L
Do (field)	LGW-5	5/31/2007	3.41	0		mg/L
Do (field)	LGW-5	6/1/2007	3.41	0		mg/L
Do (field)	LGW-5	6/28/2007	1.8	0		mg/L
Do (field)	LGW-5	6/28/2007	1.8	0		mg/L
Do (field)	LGW-5	7/11/2007	3.32	0		mg/L
Do (field)	LGW-5	7/11/2007	3.32	0		mg/L
Do (field)	LGW-5	10/24/2007	10.7	0		mg/L
Do (field)	LGW-5	10/24/2007	10.7	0		mg/L
Do (field)	LGW-5	3/25/2008	6.8	0		mg/L
Do (field)	LGW-5	5/3/2008	4.93	0		mg/L
Do (field)	LGW-5	5/30/2008	11.13	0		mg/L
Do (field)	LGW-5	6/26/2008	4.59	0		mg/L
Do (field)	LGW-5	7/23/2008	5.72	0.5		mg/L
Do (field)	LGW-5	9/26/2008	5.09	0.5		mg/L
Do (field)	LGW-5	9/26/2008	5.09	0.5		mg/L
Do (field)	LGW-5	10/21/2008	4.57	0.5		mg/L
Do (field)	LGW-5	11/25/2008	4.32	0.5		mg/L
Do (field)	LGW-5	12/19/2008	3.9	0.5		mg/L
Do (field)	LGW-5	2/4/2009	4.96	0.5		mg/L
Do (field)	LGW-5	3/26/2009	3.99	0.5		mg/L
Do (field)	LGW-5	4/16/2009	3.55	0.5		mg/L
Do (field)	LGW-5	5/29/2009	4.17	0.5		mg/L
Do (field)	LGW-5	6/24/2009	3.71	0.5		mg/L
Do (field)	LGW-5	7/29/2009	3.1	0.5		mg/L
Do (field)	LGW-5	8/28/2009	1.27	0.5		mg/L
Do (field)	LGW-5	9/29/2009	1.81	0.5		mg/L
Do (field)	LGW-5	10/21/2009	1.06	0.5		mg/L
Do (field)	LGW-5	11/24/2009	0.48	0.5	ND	mg/L
Do (field)	LGW-5	12/17/2009	1.17	0.5		mg/L
Do (field)	LGW-5	2/3/2010	3.57	0.5		mg/L
Do (field)	LGW-5	2/3/2010	3.57	0.5		mg/L
Do (field)	LGW-5	2/16/2010	422	0		mg/L
Do (field)	LGW-5	3/3/2010	2.96	0		mg/L
Do (field)	LGW-5	4/7/2010	2.94	0		mg/L
Do (field)	LGW-5	5/5/2010	6.5	0		mg/L
Do (field)	LGW-5	6/15/2010	51	0		mg/L
Do (field)	LGW-5	7/12/2010	67.2	0		mg/L
Do (field)	LGW-5	8/10/2010	65.9	0		mg/L
Do (field)	LGW-5	9/2/2010	23.5	0		mg/L
Do (field)	LGW-5	9/29/2010	18.8	0		mg/L
Do (field)	LGW-5	11/3/2010	34.1	0		mg/L
Do (field)	LGW-5	12/2/2010	22.3	0		mg/L
Do (field)	LGW-5	1/19/2011	23.3	0		mg/L
Do (field)	LGW-5	2/7/2011	3	0		mg/L
Do (field)	LGW-5	3/3/2011	2.7	0		mg/L
Do (field)	LGW-5	4/5/2011	5.12	0		mg/L
Do (field)	LGW-5	5/10/2011	3.25	0		mg/L
Do (field)	LGW-5	6/1/2011	2.95	0		mg/L
Do (field)	LGW-5	7/12/2011	2.74	0		mg/L
Do (field)	LGW-5	8/3/2011	4.32	0		mg/L
Do (field)	LGW-5	9/7/2011	4.39	0		mg/L
Do (field)	LGW-5	10/5/2011	3.38	0		mg/L
Do (field)	LGW-5	11/1/2011	4.38	0		mg/L
Do (field)	LGW-5	12/7/2011	4.75	0		mg/L
Do (field)	LGW-5	1/5/2012	5.5	0		mg/L
Do (field)	LGW-5	2/1/2012	4.65	0		mg/L
Do (field)	LGW-5	3/6/2012	4.83	0		mg/L
Do (field)	LGW-5	4/5/2012	5.81	0		mg/L
Do (field)	LGW-5	5/1/2012	0.1	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	7/9/2012	0.01	0		mg/L
Do (field)	LGW-5	8/9/2012	0	0		mg/L
Do (field)	LGW-5	9/4/2012	0.02	0		mg/L
Do (field)	LGW-5	10/7/2012	0	0		mg/L
Do (field)	LGW-5	4/30/2013	1.52	0		mg/L
Do (field)	LGW-5	6/4/2013	0.53	0		mg/L
Do (field)	LGW-5	7/15/2013	0.46	0		mg/L
Do (field)	LGW-5	8/8/2013	0.92	0		mg/L
Do (field)	LGW-5	9/10/2013	0.73	0		mg/L
Do (field)	LGW-5	10/1/2013	0.56	0		mg/L
Do (field)	LGW-5	11/6/2013	0.39	0		mg/L
Do (field)	LGW-5	12/3/2013	0.18	0		mg/L
Do (field)	LGW-5	1/23/2014	1.18	0		mg/L
Do (field)	LGW-5	2/12/2014	0.46	0		mg/L
Do (field)	LGW-5	3/11/2014	0.41	0		mg/L
Do (field)	LGW-5	4/2/2014	139.7	0		mg/L
Do (field)	LGW-5	5/7/2014	1.04	0		mg/L
Do (field)	LGW-5	6/3/2014	0.58	0		mg/L
Do (field)	LGW-5	7/8/2014	0.64	0		mg/L
Do (field)	LGW-5	8/5/2014	1.14	0		mg/L
Do (field)	LGW-5	9/4/2014	0.48	0		mg/L
Do (field)	LGW-5	10/9/2014	1.05	0		mg/L
Do (field)	LGW-5	11/3/2014	2.78	0		mg/L
Do (field)	LGW-5	1/14/2015	2.14	0		mg/L
Do (field)	LGW-5	2/10/2015	0.44	0		mg/L
Do (field)	LGW-5	3/3/2015	1.83	0		mg/L
Do (field)	LGW-5	4/1/2015	1.36	0		mg/L
Do (field)	LGW-5	5/6/2015	0.54	0		mg/L
Do (field)	LGW-5	6/3/2015	0.8	0		mg/L
Do (field)	LGW-5	7/8/2015	0.31	0		mg/L
Do (field)	LGW-5	8/4/2015	0.87	0		mg/L
Do (field)	LGW-5	9/2/2015	1.37	0		mg/L
Do (field)	LGW-5	10/5/2015	1.62	0		mg/L
Do (field)	LGW-5	11/4/2015	0.76	0		mg/L
Do (field)	LGW-5	12/3/2015	1.36	0		mg/L
Do (field)	LGW-5	1/5/2016	1.72	0		mg/L
Do (field)	LGW-5	2/3/2016	33.1	0		mg/L
Do (field)	LGW-5	3/2/2016	1.99	0		mg/L
Do (field)	LGW-5	4/5/2016	1.2	0		mg/L
Do (field)	LGW-5	5/11/2016	1.01	0		mg/L
Do (field)	LGW-5	6/1/2016	0.78	0		mg/L
Do (field)	LGW-5	7/19/2016	0.93	0		mg/L
Do (field)	LGW-5	8/10/2016	1.23	0		mg/L
Do (field)	LGW-5	9/6/2016	1.13	0		mg/L
Do (field)	LGW-5	10/6/2016	1.12	0		mg/L
Do (field)	LGW-5	11/2/2016	1.38	0		mg/L
Do (field)	LGW-5	12/1/2016	1.35	0		mg/L
Do (field)	LGW-5	1/11/2017	2.76	0		mg/L
Do (field)	LGW-5	2/7/2017	2.84	0		mg/L
Do (field)	LGW-5	3/2/2017	1.29	0		mg/L
Do (field)	LGW-5	4/4/2017	1.13	0		mg/L
Do (field)	LGW-5	5/16/2017	0.65	0		mg/L
Do (field)	LGW-5	6/6/2017	4.19	0		mg/L
Do (field)	LGW-5	7/18/2017	0.61	0		mg/L
Do (field)	LGW-5	8/1/2017	1.16	0		mg/L
Do (field)	LGW-5	9/5/2017	0.02	0		mg/L
Do (field)	LGW-5	10/5/2017	0	0		mg/L
Do (field)	LGW-5	11/1/2017	4.37	0		mg/L
Do (field)	LGW-5	1/23/2018	0.35	0.01		mg/L
Do (field)	LGW-5	2/23/2018	0.28	0.01		mg/L
Do (field)	LGW-5	3/20/2018	0.31	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	4/10/2018	0.29	0.01		mg/L
Do (field)	LGW-5	6/5/2018	0.31	0		mg/L
Do (field)	LGW-5	7/12/2018	0.59	0.01		mg/L
Do (field)	LGW-5	8/1/2018	0.43	0.01		mg/L
Do (field)	LGW-5	9/4/2018	2.65	0		mg/L
Do (field)	LGW-5	10/3/2018	0.26	0		mg/L
Do (field)	LGW-5	11/7/2018	0.28	0.01		mg/L
Do (field)	LGW-5	12/4/2018	0.47	0.01		mg/L
Do (field)	LGW-5	1/3/2019	0.5	0.01		mg/L
Do (field)	LGW-5	2/5/2019	0.33	0		mg/L
Do (field)	LGW-5	3/5/2019	0.7	0.01		mg/L
Do (field)	LGW-5	4/3/2019	0.71	0.01		mg/L
Do (field)	LGW-5	4/3/2019	0.71	0.01		mg/L
Do (field)	LGW-5	5/1/2019	0.53	0.01		mg/L
Do (field)	LGW-5	6/4/2019	0.57	0		mg/L
Do (field)	LGW-5	7/9/2019	0.4	0.01		mg/L
Do (field)	LGW-5	7/9/2019	0.4	0.01		mg/L
Do (field)	LGW-5	8/5/2019	0.72	0.01		mg/L
Do (field)	LGW-5	9/3/2019	0.48	0.01		mg/L
Do (field)	LGW-5	10/1/2019	0.54	0.01		mg/L
Do (field)	LGW-5	11/5/2019	0.57	0.01		mg/L
Do (field)	LGW-5	12/2/2019	0.54	0.01		mg/L
Do (field)	LGW-5	1/14/2020	11.8	0		mg/L
Do (field)	LGW-5	3/2/2020	0.81	0.01		mg/L
Do (field)	LGW-5	4/1/2020	0.78	0.01		mg/L
Do (field)	LGW-5	5/4/2020	1.72	0.01		mg/L
Do (field)	LGW-5	6/1/2020	0.22	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	8/3/2020	0.31	0		mg/L
Do (field)	LGW-5	9/1/2020	4.94	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	11/3/2020	4.84	0		mg/L
Do (field)	LGW-5	12/3/2020	0.57	0		mg/L
Do (field)	LGW-5	1/18/2021	0.38	0		mg/L
Do (field)	LGW-5	1/18/2021	0.38	0		mg/L
Do (field)	LGW-5	2/9/2021	0.59	0		mg/L
Do (field)	LGW-5	3/2/2021	0.7	0		mg/L
Do (field)	LGW-5	4/6/2021	0.3	0		mg/L
Do (field)	LGW-5	4/6/2021	0.3	0		mg/L
Do (field)	LGW-5	5/4/2021	0.6	0		mg/L
Do (field)	LGW-5	6/2/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	8/3/2021	0.6	0		mg/L
Do (field)	LGW-5	9/2/2021	0.6	0		mg/L
Do (field)	LGW-5	10/5/2021	0.9	0		mg/L
Do (field)	LGW-5	10/5/2021	0.9	0		mg/L
Do (field)	LGW-5	11/2/2021	1	0		mg/L
Do (field)	LGW-5	12/9/2021	1.5	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	2/10/2022	1.3	0		mg/L
Do (field)	LGW-5	3/1/2022	1.5	0		mg/L
Do (field)	LGW-5	4/4/2022	1.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	4/4/2022	1.3	0		mg/L
Do (field)	LGW-5	5/7/2022	0.4	0		mg/L
Do (field)	LGW-5	6/3/2022	0.2	0		mg/L
Do (field)	LGW-5	7/11/2022	0.4	0		mg/L
Do (field)	LGW-5	8/10/2022	0.4	0		mg/L
Do (field)	LGW-5	9/8/2022	0.5	0		mg/L
Do (field)	LGW-5	10/6/2022	0.6	0		mg/L
Do (field)	LGW-5	10/6/2022	0.6	0		mg/L
Do (field)	LGW-5	11/3/2022	1.6	0		mg/L
Do (field)	LGW-5	12/7/2022	1	0		mg/L
Do (field)	LGW-5	1/10/2023	1.1	0		mg/L
Do (field)	LGW-5	2/3/2023	3.4	0		mg/L
Do (field)	LGW-5	3/1/2023	0.9	0		mg/L
Do (field)	LGW-5	4/6/2023	0.7	0		mg/L
Do (field)	LGW-6	9/30/2005	62.4	0		mg/L
Do (field)	LGW-6	7/20/2006	50.6	0		mg/L
Do (field)	LGW-6	7/20/2006	50.6	0		mg/L
Do (field)	LGW-6	9/27/2006	45.5	0		mg/L
Do (field)	LGW-6	9/27/2006	45.5	0		mg/L
Do (field)	LGW-6	10/26/2006	9.8	0		mg/L
Do (field)	LGW-6	10/26/2006	9.8	0		mg/L
Do (field)	LGW-6	11/21/2006	38.5	0		mg/L
Do (field)	LGW-6	11/21/2006	38.5	0		mg/L
Do (field)	LGW-6	12/21/2006	7.6	0		mg/L
Do (field)	LGW-6	12/21/2006	7.6	0		mg/L
Do (field)	LGW-6	1/24/2007	8.7	0		mg/L
Do (field)	LGW-6	1/24/2007	8.7	0		mg/L
Do (field)	LGW-6	1/25/2007	8.7	0		mg/L
Do (field)	LGW-6	2/7/2007	4.4	0		mg/L
Do (field)	LGW-6	2/26/2007	4.4	0		mg/L
Do (field)	LGW-6	2/26/2007	4.4	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	4/26/2007	2.9	0		mg/L
Do (field)	LGW-6	4/26/2007	2.9	0		mg/L
Do (field)	LGW-6	5/31/2007	3.11	0		mg/L
Do (field)	LGW-6	6/1/2007	3.11	0		mg/L
Do (field)	LGW-6	6/28/2007	1.47	0		mg/L
Do (field)	LGW-6	6/28/2007	1.47	0		mg/L
Do (field)	LGW-6	7/11/2007	3.52	0		mg/L
Do (field)	LGW-6	7/11/2007	3.52	0		mg/L
Do (field)	LGW-6	10/23/2007	11.62	0		mg/L
Do (field)	LGW-6	10/23/2007	11.62	0		mg/L
Do (field)	LGW-6	3/25/2008	7.25	0		mg/L
Do (field)	LGW-6	5/3/2008	4.53	0		mg/L
Do (field)	LGW-6	5/30/2008	12.5	0		mg/L
Do (field)	LGW-6	6/26/2008	4.73	0		mg/L
Do (field)	LGW-6	7/23/2008	6.63	0.5		mg/L
Do (field)	LGW-6	8/29/2008	2.65	0.5		mg/L
Do (field)	LGW-6	9/26/2008	3.88	0.5		mg/L
Do (field)	LGW-6	9/26/2008	3.88	0.5		mg/L
Do (field)	LGW-6	10/21/2008	5.29	0.5		mg/L
Do (field)	LGW-6	11/25/2008	5.09	0.5		mg/L
Do (field)	LGW-6	12/19/2008	3.68	0.5		mg/L
Do (field)	LGW-6	2/5/2009	3.45	0.5		mg/L
Do (field)	LGW-6	3/26/2009	4.55	0.5		mg/L
Do (field)	LGW-6	5/29/2009	3.98	0.5		mg/L
Do (field)	LGW-6	6/24/2009	2.34	0.5		mg/L
Do (field)	LGW-6	7/29/2009	3.41	0.5		mg/L
Do (field)	LGW-6	8/28/2009	1.4	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	9/29/2009	1.94	0.5		mg/L
Do (field)	LGW-6	10/22/2009	1.09	0.5		mg/L
Do (field)	LGW-6	11/24/2009	0.53	0.5		mg/L
Do (field)	LGW-6	12/17/2009	1.31	0.5		mg/L
Do (field)	LGW-6	2/3/2010	4.11	0.5		mg/L
Do (field)	LGW-6	2/3/2010	4.11	0.5		mg/L
Do (field)	LGW-6	2/16/2010	4.05	0		mg/L
Do (field)	LGW-6	3/3/2010	2.83	0		mg/L
Do (field)	LGW-6	4/7/2010	3.18	0		mg/L
Do (field)	LGW-6	5/5/2010	6.56	0		mg/L
Do (field)	LGW-6	6/15/2010	45.6	0		mg/L
Do (field)	LGW-6	7/12/2010	63.5	0		mg/L
Do (field)	LGW-6	8/10/2010	66.1	0		mg/L
Do (field)	LGW-6	9/2/2010	24	0		mg/L
Do (field)	LGW-6	9/29/2010	18.9	0		mg/L
Do (field)	LGW-6	11/3/2010	28.4	0		mg/L
Do (field)	LGW-6	12/2/2010	23.2	0		mg/L
Do (field)	LGW-6	1/19/2011	22.8	0		mg/L
Do (field)	LGW-6	2/7/2011	3	0		mg/L
Do (field)	LGW-6	3/3/2011	1.85	0		mg/L
Do (field)	LGW-6	4/5/2011	3.63	0		mg/L
Do (field)	LGW-6	5/10/2011	2.77	0		mg/L
Do (field)	LGW-6	6/1/2011	2.63	0		mg/L
Do (field)	LGW-6	7/12/2011	2.53	0		mg/L
Do (field)	LGW-6	8/3/2011	3.14	0		mg/L
Do (field)	LGW-6	9/7/2011	3.3	0		mg/L
Do (field)	LGW-6	10/5/2011	2.92	0		mg/L
Do (field)	LGW-6	11/1/2011	4.2	0		mg/L
Do (field)	LGW-6	12/7/2011	4.42	0		mg/L
Do (field)	LGW-6	1/5/2012	4.47	0		mg/L
Do (field)	LGW-6	2/1/2012	3.98	0		mg/L
Do (field)	LGW-6	3/6/2012	0.01	0		mg/L
Do (field)	LGW-6	4/5/2012	5.13	0		mg/L
Do (field)	LGW-6	5/1/2012	3.46	0		mg/L
Do (field)	LGW-6	7/9/2012	0.02	0		mg/L
Do (field)	LGW-6	8/9/2012	0.01	0		mg/L
Do (field)	LGW-6	9/4/2012	0.02	0		mg/L
Do (field)	LGW-6	10/7/2012	0	0		mg/L
Do (field)	LGW-6	12/6/2012	4.66	0		mg/L
Do (field)	LGW-6	12/6/2012	4.66	0		mg/L
Do (field)	LGW-6	1/23/2013	5.21	0		mg/L
Do (field)	LGW-6	1/23/2013	5.21	0		mg/L
Do (field)	LGW-6	2/5/2013	4.71	0		mg/L
Do (field)	LGW-6	2/5/2013	4.71	0		mg/L
Do (field)	LGW-6	3/5/2013	4.59	0		mg/L
Do (field)	LGW-6	3/5/2013	4.59	0		mg/L
Do (field)	LGW-6	4/30/2013	4.91	0		mg/L
Do (field)	LGW-6	6/4/2013	4.18	0		mg/L
Do (field)	LGW-6	7/15/2013	2.92	0		mg/L
Do (field)	LGW-6	8/8/2013	2.69	0		mg/L
Do (field)	LGW-6	9/10/2013	2.54	0		mg/L
Do (field)	LGW-6	10/1/2013	3.55	0		mg/L
Do (field)	LGW-6	11/6/2013	1.75	0		mg/L
Do (field)	LGW-6	12/2/2013	1.44	0		mg/L
Do (field)	LGW-6	1/23/2014	0.42	0		mg/L
Do (field)	LGW-6	2/12/2014	0.68	0		mg/L
Do (field)	LGW-6	3/11/2014	0.74	0		mg/L
Do (field)	LGW-6	4/2/2014	2.8	0		mg/L
Do (field)	LGW-6	5/7/2014	1.85	0		mg/L
Do (field)	LGW-6	6/3/2014	1.82	0		mg/L
Do (field)	LGW-6	7/8/2014	4.19	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	8/5/2014	3.3	0		mg/L
Do (field)	LGW-6	9/4/2014	6.28	0		mg/L
Do (field)	LGW-6	10/9/2014	2.31	0		mg/L
Do (field)	LGW-6	11/3/2014	5.58	0		mg/L
Do (field)	LGW-6	1/14/2015	1.23	0		mg/L
Do (field)	LGW-6	2/10/2015	0.46	0		mg/L
Do (field)	LGW-6	3/3/2015	2.38	0		mg/L
Do (field)	LGW-6	4/1/2015	1.19	0		mg/L
Do (field)	LGW-6	5/6/2015	0.82	0		mg/L
Do (field)	LGW-6	6/3/2015	1.52	0		mg/L
Do (field)	LGW-6	7/22/2015	0.6	0		mg/L
Do (field)	LGW-6	8/4/2015	0.96	0		mg/L
Do (field)	LGW-6	9/2/2015	0.79	0		mg/L
Do (field)	LGW-6	10/6/2015	1.76	0		mg/L
Do (field)	LGW-6	11/4/2015	0.66	0		mg/L
Do (field)	LGW-6	12/3/2015	0.53	0		mg/L
Do (field)	LGW-6	1/5/2016	0.62	0		mg/L
Do (field)	LGW-6	2/3/2016	1.26	0		mg/L
Do (field)	LGW-6	3/2/2016	1.26	0		mg/L
Do (field)	LGW-6	4/5/2016	0.6	0		mg/L
Do (field)	LGW-6	5/11/2016	1.48	0		mg/L
Do (field)	LGW-6	6/1/2016	0.72	0		mg/L
Do (field)	LGW-6	7/19/2016	1.54	0		mg/L
Do (field)	LGW-6	8/10/2016	1.23	0		mg/L
Do (field)	LGW-6	9/6/2016	0.64	0		mg/L
Do (field)	LGW-6	9/6/2016	0.64	0		mg/L
Do (field)	LGW-6	10/6/2016	0.82	0		mg/L
Do (field)	LGW-6	11/2/2016	3.5	0		mg/L
Do (field)	LGW-6	12/1/2016	1.54	0		mg/L
Do (field)	LGW-6	1/11/2017	2.93	0		mg/L
Do (field)	LGW-6	2/7/2017	2.56	0		mg/L
Do (field)	LGW-6	3/2/2017	0.87	0		mg/L
Do (field)	LGW-6	4/4/2017	0.42	0		mg/L
Do (field)	LGW-6	5/2/2017	0.19	0		mg/L
Do (field)	LGW-6	5/5/2017	0.3	0		mg/L
Do (field)	LGW-6	6/6/2017	0.83	0		mg/L
Do (field)	LGW-6	7/18/2017	0.17	0		mg/L
Do (field)	LGW-6	8/1/2017	1.18	0		mg/L
Do (field)	LGW-6	9/5/2017	0.01	0		mg/L
Do (field)	LGW-6	10/5/2017	0.03	0		mg/L
Do (field)	LGW-6	11/1/2017	0.9	0		mg/L
Do (field)	LGW-6	1/23/2018	0.48	0.01		mg/L
Do (field)	LGW-6	2/22/2018	0.91	0.01		mg/L
Do (field)	LGW-6	3/20/2018	0.25	0.01		mg/L
Do (field)	LGW-6	4/10/2018	0.2	0.01		mg/L
Do (field)	LGW-6	4/10/2018	0.2	0.01		mg/L
Do (field)	LGW-6	6/5/2018	0.25	0		mg/L
Do (field)	LGW-6	6/5/2018	0.25	0		mg/L
Do (field)	LGW-6	7/17/2018	3.57	0.01		mg/L
Do (field)	LGW-6	8/1/2018	0.34	0.01		mg/L
Do (field)	LGW-6	9/5/2018	0.33	0		mg/L
Do (field)	LGW-6	10/2/2018	0.37	0		mg/L
Do (field)	LGW-6	10/2/2018	0.37	0		mg/L
Do (field)	LGW-6	11/6/2018	0.26	0.01		mg/L
Do (field)	LGW-6	12/4/2018	0.21	0.01		mg/L
Do (field)	LGW-6	1/7/2019	0.3	0.01		mg/L
Do (field)	LGW-6	2/5/2019	0.87	0		mg/L
Do (field)	LGW-6	3/4/2019	0.3	0.01		mg/L
Do (field)	LGW-6	4/3/2019	0.33	0.01		mg/L
Do (field)	LGW-6	5/2/2019	0.27	0.01		mg/L
Do (field)	LGW-6	6/4/2019	0.38	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	7/10/2019	0.28	0.01		mg/L
Do (field)	LGW-6	7/10/2019	0.28	0		mg/L
Do (field)	LGW-6	8/8/2019	1.64	0.01		mg/L
Do (field)	LGW-6	9/5/2019	0.34	0.01		mg/L
Do (field)	LGW-6	10/3/2019	0.48	0.01		mg/L
Do (field)	LGW-6	10/3/2019	0.48	0.01		mg/L
Do (field)	LGW-6	11/5/2019	0.32	0.01		mg/L
Do (field)	LGW-6	12/4/2019	0.51	0.01		mg/L
Do (field)	LGW-6	1/16/2020	0.44	0		mg/L
Do (field)	LGW-6	3/4/2020	0.48	0.01		mg/L
Do (field)	LGW-6	4/2/2020	0.32	0.01		mg/L
Do (field)	LGW-6	4/3/2020	0.32	0.01		mg/L
Do (field)	LGW-6	5/5/2020	0.32	0.01		mg/L
Do (field)	LGW-6	6/2/2020	0.48	0		mg/L
Do (field)	LGW-6	7/9/2020	24.3	0		mg/L
Do (field)	LGW-6	7/9/2020	2.43	0		mg/L
Do (field)	LGW-6	7/9/2020	2.43	0		mg/L
Do (field)	LGW-6	8/3/2020	3.35	0		mg/L
Do (field)	LGW-6	9/2/2020	3.84	0.01		mg/L
Do (field)	LGW-6	10/6/2020	0.3	0.01		mg/L
Do (field)	LGW-6	10/6/2020	0.3	0.01		mg/L
Do (field)	LGW-6	11/3/2020	0.81	0		mg/L
Do (field)	LGW-6	12/3/2020	2.46	0		mg/L
Do (field)	LGW-6	1/18/2021	0.35	0		mg/L
Do (field)	LGW-6	2/9/2021	0.3	0		mg/L
Do (field)	LGW-6	3/2/2021	0.9	0		mg/L
Do (field)	LGW-6	4/6/2021	0.5	0		mg/L
Do (field)	LGW-6	4/6/2021	0.5	0		mg/L
Do (field)	LGW-6	5/5/2021	1	0		mg/L
Do (field)	LGW-6	6/1/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	8/3/2021	0.6	0		mg/L
Do (field)	LGW-6	9/2/2021	0.4	0		mg/L
Do (field)	LGW-6	10/5/2021	0.3	0		mg/L
Do (field)	LGW-6	10/5/2021	0.3	0		mg/L
Do (field)	LGW-6	11/2/2021	0.2	0		mg/L
Do (field)	LGW-6	12/9/2021	0.4	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	2/10/2022	0.4	0		mg/L
Do (field)	LGW-6	3/1/2022	0.3	0		mg/L
Do (field)	LGW-6	4/4/2022	0.2	0		mg/L
Do (field)	LGW-6	4/4/2022	0.2	0		mg/L
Do (field)	LGW-6	5/7/2022	0.3	0		mg/L
Do (field)	LGW-6	6/3/2022	0.3	0		mg/L
Do (field)	LGW-6	7/11/2022	0.2	0		mg/L
Do (field)	LGW-6	8/10/2022	0.3	0		mg/L
Do (field)	LGW-6	9/8/2022	0.4	0		mg/L
Do (field)	LGW-6	10/6/2022	0.3	0		mg/L
Do (field)	LGW-6	10/6/2022	0.3	0		mg/L
Do (field)	LGW-6	11/3/2022	0.8	0		mg/L
Do (field)	LGW-6	12/7/2022	0.3	0		mg/L
Do (field)	LGW-6	1/10/2023	0.5	0		mg/L
Do (field)	LGW-6	2/3/2023	0.5	0		mg/L
Do (field)	LGW-6	3/1/2023	1.1	0		mg/L
Do (field)	LGW-6	4/6/2023	0.3	0		mg/L
Do (field)	LGW-7	9/30/2005	69	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	7/20/2006	48.2	0		mg/L
Do (field)	LGW-7	7/20/2006	48.2	0		mg/L
Do (field)	LGW-7	7/31/2006	46.1	0		mg/L
Do (field)	LGW-7	8/1/2006	45.5	0		mg/L
Do (field)	LGW-7	9/27/2006	47.4	0		mg/L
Do (field)	LGW-7	9/27/2006	47.4	0		mg/L
Do (field)	LGW-7	10/26/2006	4	0		mg/L
Do (field)	LGW-7	10/26/2006	4	0		mg/L
Do (field)	LGW-7	11/21/2006	36.7	0		mg/L
Do (field)	LGW-7	11/21/2006	36.7	0		mg/L
Do (field)	LGW-7	12/22/2006	35	0		mg/L
Do (field)	LGW-7	12/22/2006	35	0		mg/L
Do (field)	LGW-7	1/24/2007	6.3	0		mg/L
Do (field)	LGW-7	1/24/2007	6.3	0		mg/L
Do (field)	LGW-7	1/25/2007	6.3	0		mg/L
Do (field)	LGW-7	2/7/2007	7.8	0		mg/L
Do (field)	LGW-7	2/26/2007	7.8	0		mg/L
Do (field)	LGW-7	2/26/2007	7.8	0		mg/L
Do (field)	LGW-7	3/26/2007	4.7	0		mg/L
Do (field)	LGW-7	3/27/2007	4.7	0		mg/L
Do (field)	LGW-7	3/27/2007	4.7	0		mg/L
Do (field)	LGW-7	4/26/2007	5.4	0		mg/L
Do (field)	LGW-7	4/26/2007	5.4	0		mg/L
Do (field)	LGW-7	6/1/2007	5.49	0		mg/L
Do (field)	LGW-7	6/1/2007	5.49	0		mg/L
Do (field)	LGW-7	6/28/2007	0.95	0		mg/L
Do (field)	LGW-7	6/28/2007	0.95	0		mg/L
Do (field)	LGW-7	7/11/2007	2.94	0		mg/L
Do (field)	LGW-7	7/12/2007	2.94	0		mg/L
Do (field)	LGW-7	10/24/2007	13.69	0		mg/L
Do (field)	LGW-7	10/24/2007	13.69	0		mg/L
Do (field)	LGW-7	3/25/2008	6.87	0		mg/L
Do (field)	LGW-7	5/3/2008	3.58	0		mg/L
Do (field)	LGW-7	5/30/2008	11.09	0		mg/L
Do (field)	LGW-7	6/26/2008	3.94	0		mg/L
Do (field)	LGW-7	7/22/2008	4.96	0.5		mg/L
Do (field)	LGW-7	9/26/2008	4.86	0.5		mg/L
Do (field)	LGW-7	9/26/2008	4.86	0.5		mg/L
Do (field)	LGW-7	10/21/2008	4.78	0.5		mg/L
Do (field)	LGW-7	11/25/2008	4.27	0.5		mg/L
Do (field)	LGW-7	12/19/2008	3.73	0.5		mg/L
Do (field)	LGW-7	2/4/2009	4.26	0.5		mg/L
Do (field)	LGW-7	3/26/2009	3.84	0.5		mg/L
Do (field)	LGW-7	4/16/2009	3.49	0.5		mg/L
Do (field)	LGW-7	5/28/2009	3.72	0.5		mg/L
Do (field)	LGW-7	6/25/2009	3.15	0.5		mg/L
Do (field)	LGW-7	7/31/2009	2.5	0.5		mg/L
Do (field)	LGW-7	8/29/2009	1.09	0.5		mg/L
Do (field)	LGW-7	9/30/2009	1.48	0.5		mg/L
Do (field)	LGW-7	10/21/2009	0.84	0.5		mg/L
Do (field)	LGW-7	11/24/2009	0.38	0.5	ND	mg/L
Do (field)	LGW-7	12/17/2009	0.96	0.5		mg/L
Do (field)	LGW-7	1/27/2010	2.69	0.5		mg/L
Do (field)	LGW-7	2/16/2010	3.32	0		mg/L
Do (field)	LGW-7	3/3/2010	2.61	0		mg/L
Do (field)	LGW-7	4/7/2010	3.13	0		mg/L
Do (field)	LGW-7	5/5/2010	5.1	0		mg/L
Do (field)	LGW-7	6/16/2010	41.6	0		mg/L
Do (field)	LGW-7	7/12/2010	50.6	0		mg/L
Do (field)	LGW-7	8/10/2010	49	0		mg/L
Do (field)	LGW-7	9/2/2010	27.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	9/29/2010	22.9	0		mg/L
Do (field)	LGW-7	11/3/2010	23.2	0		mg/L
Do (field)	LGW-7	12/2/2010	25.7	0		mg/L
Do (field)	LGW-7	1/20/2011	21.3	0		mg/L
Do (field)	LGW-7	2/8/2011	2.1	0		mg/L
Do (field)	LGW-7	3/3/2011	1.99	0		mg/L
Do (field)	LGW-7	4/5/2011	3.15	0		mg/L
Do (field)	LGW-7	5/10/2011	2.7	0		mg/L
Do (field)	LGW-7	6/1/2011	2.59	0		mg/L
Do (field)	LGW-7	7/12/2011	2.58	0		mg/L
Do (field)	LGW-7	8/3/2011	2.96	0		mg/L
Do (field)	LGW-7	9/7/2011	2.96	0		mg/L
Do (field)	LGW-7	10/5/2011	2.76	0		mg/L
Do (field)	LGW-7	11/1/2011	2.9	0		mg/L
Do (field)	LGW-7	12/8/2011	3	0		mg/L
Do (field)	LGW-7	1/5/2012	3.36	0		mg/L
Do (field)	LGW-7	2/1/2012	3.1	0		mg/L
Do (field)	LGW-7	3/6/2012	3.07	0		mg/L
Do (field)	LGW-7	4/5/2012	3.08	0		mg/L
Do (field)	LGW-7	5/1/2012	0.04	0		mg/L
Do (field)	LGW-7	7/10/2012	0	0		mg/L
Do (field)	LGW-7	8/9/2012	0.01	0		mg/L
Do (field)	LGW-7	9/4/2012	0.02	0		mg/L
Do (field)	LGW-7	10/7/2012	0	0		mg/L
Do (field)	LGW-7	4/30/2013	1.48	0		mg/L
Do (field)	LGW-7	6/4/2013	1.43	0		mg/L
Do (field)	LGW-7	7/15/2013	1.72	0		mg/L
Do (field)	LGW-7	8/8/2013	2.41	0		mg/L
Do (field)	LGW-7	9/10/2013	2.58	0		mg/L
Do (field)	LGW-7	10/1/2013	1.97	0		mg/L
Do (field)	LGW-7	11/6/2013	2.47	0		mg/L
Do (field)	LGW-7	12/2/2013	1.55	0		mg/L
Do (field)	LGW-7	1/23/2014	0.91	0		mg/L
Do (field)	LGW-7	2/13/2014	1.41	0		mg/L
Do (field)	LGW-7	3/11/2014	3.09	0		mg/L
Do (field)	LGW-7	4/2/2014	1.92	0		mg/L
Do (field)	LGW-7	5/7/2014	3.73	0		mg/L
Do (field)	LGW-7	6/3/2014	2.3	0		mg/L
Do (field)	LGW-7	7/8/2014	3.15	0		mg/L
Do (field)	LGW-7	8/5/2014	2.12	0		mg/L
Do (field)	LGW-7	9/4/2014	5.7	0		mg/L
Do (field)	LGW-7	10/9/2014	1.9	0		mg/L
Do (field)	LGW-7	11/3/2014	2.24	0		mg/L
Do (field)	LGW-7	1/14/2015	1.66	0		mg/L
Do (field)	LGW-7	2/11/2015	2.15	0		mg/L
Do (field)	LGW-7	3/3/2015	1.47	0		mg/L
Do (field)	LGW-7	4/1/2015	2.36	0		mg/L
Do (field)	LGW-7	5/6/2015	3.86	0		mg/L
Do (field)	LGW-7	6/3/2015	1.94	0		mg/L
Do (field)	LGW-7	7/22/2015	1.78	0		mg/L
Do (field)	LGW-7	8/4/2015	2.64	0		mg/L
Do (field)	LGW-7	9/3/2015	1.87	0		mg/L
Do (field)	LGW-7	10/6/2015	1.68	0		mg/L
Do (field)	LGW-7	11/4/2015	2.81	0		mg/L
Do (field)	LGW-7	12/3/2015	2.48	0		mg/L
Do (field)	LGW-7	1/5/2016	1.81	0		mg/L
Do (field)	LGW-7	2/3/2016	1.5	0		mg/L
Do (field)	LGW-7	2/10/2016	1.33	0		mg/L
Do (field)	LGW-7	3/2/2016	1.87	0		mg/L
Do (field)	LGW-7	4/6/2016	1.54	0		mg/L
Do (field)	LGW-7	5/11/2016	2.17	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	6/1/2016	1.8	0		mg/L
Do (field)	LGW-7	7/20/2016	2.01	0		mg/L
Do (field)	LGW-7	8/10/2016	2.42	0		mg/L
Do (field)	LGW-7	9/6/2016	1.98	0		mg/L
Do (field)	LGW-7	9/6/2016	1.98	0		mg/L
Do (field)	LGW-7	10/6/2016	2.58	0		mg/L
Do (field)	LGW-7	11/2/2016	2.6	0		mg/L
Do (field)	LGW-7	12/1/2016	3.1	0		mg/L
Do (field)	LGW-7	1/11/2017	6.17	0		mg/L
Do (field)	LGW-7	2/7/2017	6.04	0		mg/L
Do (field)	LGW-7	3/2/2017	7.68	0		mg/L
Do (field)	LGW-7	4/4/2017	3.09	0		mg/L
Do (field)	LGW-7	5/2/2017	1.6	0		mg/L
Do (field)	LGW-7	6/6/2017	3.01	0		mg/L
Do (field)	LGW-7	7/18/2017	3.11	0		mg/L
Do (field)	LGW-7	8/1/2017	0.2	0		mg/L
Do (field)	LGW-7	9/5/2017	0.02	0		mg/L
Do (field)	LGW-7	10/5/2017	0.01	0		mg/L
Do (field)	LGW-7	11/1/2017	3.61	0		mg/L
Do (field)	LGW-7	1/24/2018	1.31	0.01		mg/L
Do (field)	LGW-7	2/22/2018	1.82	0.01		mg/L
Do (field)	LGW-7	3/20/2018	1.08	0.01		mg/L
Do (field)	LGW-7	4/11/2018	0.91	0.01		mg/L
Do (field)	LGW-7	4/11/2018	0.91	0.01		mg/L
Do (field)	LGW-7	6/5/2018	1.26	0		mg/L
Do (field)	LGW-7	6/5/2018	1.26	0		mg/L
Do (field)	LGW-7	7/12/2018	1.64	0.01		mg/L
Do (field)	LGW-7	8/2/2018	1.28	0.01		mg/L
Do (field)	LGW-7	9/5/2018	1.84	0		mg/L
Do (field)	LGW-7	10/2/2018	0.91	0		mg/L
Do (field)	LGW-7	10/2/2018	0.91	0		mg/L
Do (field)	LGW-7	11/7/2018	1.75	0.01		mg/L
Do (field)	LGW-7	12/4/2018	1.41	0.01		mg/L
Do (field)	LGW-7	1/7/2019	1.1	0.01		mg/L
Do (field)	LGW-7	2/5/2019	0.94	0		mg/L
Do (field)	LGW-7	3/5/2019	1	0.01		mg/L
Do (field)	LGW-7	4/3/2019	1.32	0.01		mg/L
Do (field)	LGW-7	5/2/2019	1.94	0.01		mg/L
Do (field)	LGW-7	6/4/2019	1.59	0		mg/L
Do (field)	LGW-7	7/10/2019	1.05	0.01		mg/L
Do (field)	LGW-7	7/10/2019	1.05	0		mg/L
Do (field)	LGW-7	8/7/2019	2.72	0.01		mg/L
Do (field)	LGW-7	9/5/2019	2.25	0.01		mg/L
Do (field)	LGW-7	10/3/2019	1.61	0.01		mg/L
Do (field)	LGW-7	10/3/2019	1.61	0.01		mg/L
Do (field)	LGW-7	11/6/2019	1.03	0.01		mg/L
Do (field)	LGW-7	12/3/2019	1.9	0.01		mg/L
Do (field)	LGW-7	1/15/2020	2.01	0		mg/L
Do (field)	LGW-7	3/3/2020	2.36	0.01		mg/L
Do (field)	LGW-7	4/3/2020	1.82	0.01		mg/L
Do (field)	LGW-7	5/5/2020	1.39	0.01		mg/L
Do (field)	LGW-7	6/2/2020	2.07	0		mg/L
Do (field)	LGW-7	7/9/2020	24.2	0		mg/L
Do (field)	LGW-7	7/9/2020	2.42	0		mg/L
Do (field)	LGW-7	7/9/2020	2.42	0		mg/L
Do (field)	LGW-7	8/3/2020	6.13	0		mg/L
Do (field)	LGW-7	9/2/2020	2.9	0.01		mg/L
Do (field)	LGW-7	10/6/2020	2.46	0.01		mg/L
Do (field)	LGW-7	11/4/2020	6.85	0		mg/L
Do (field)	LGW-7	12/3/2020	3.53	0		mg/L
Do (field)	LGW-7	1/18/2021	3.57	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	2/9/2021	3.63	0		mg/L
Do (field)	LGW-7	3/2/2021	4.2	0		mg/L
Do (field)	LGW-7	4/7/2021	3.7	0		mg/L
Do (field)	LGW-7	5/5/2021	3.1	0		mg/L
Do (field)	LGW-7	6/2/2021	3.6	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	8/3/2021	2.8	0		mg/L
Do (field)	LGW-7	9/2/2021	3.6	0		mg/L
Do (field)	LGW-7	10/5/2021	2.9	0		mg/L
Do (field)	LGW-7	10/5/2021	2.9	0		mg/L
Do (field)	LGW-7	11/2/2021	3.1	0		mg/L
Do (field)	LGW-7	12/9/2021	3	0		mg/L
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L
Do (field)	LGW-7	2/10/2022	3.2	0		mg/L
Do (field)	LGW-7	3/2/2022	2.8	0		mg/L
Do (field)	LGW-7	4/4/2022	2	0		mg/L
Do (field)	LGW-7	4/4/2022	2	0		mg/L
Do (field)	LGW-7	5/7/2022	1.8	0		mg/L
Do (field)	LGW-7	6/3/2022	1.6	0		mg/L
Do (field)	LGW-7	7/11/2022	1	0		mg/L
Do (field)	LGW-7	8/10/2022	1.7	0		mg/L
Do (field)	LGW-7	9/8/2022	2	0		mg/L
Do (field)	LGW-7	10/6/2022	3.1	0		mg/L
Do (field)	LGW-7	11/3/2022	3.8	0		mg/L
Do (field)	LGW-7	12/7/2022	2.9	0		mg/L
Do (field)	LGW-7	1/11/2023	3.2	0		mg/L
Do (field)	LGW-7	2/3/2023	3.4	0		mg/L
Do (field)	LGW-7	3/1/2023	2.2	0		mg/L
Do (field)	LGW-7	4/6/2023	1.6	0		mg/L
Do (field)	LGW-8R	9/30/2005	22.5	0		mg/L
Do (field)	LGW-8R	7/20/2006	10.7	0		mg/L
Do (field)	LGW-8R	7/20/2006	10.7	0		mg/L
Do (field)	LGW-8R	9/26/2006	44.6	0		mg/L
Do (field)	LGW-8R	9/26/2006	44.6	0		mg/L
Do (field)	LGW-8R	10/26/2006	10.6	0		mg/L
Do (field)	LGW-8R	10/26/2006	10.6	0		mg/L
Do (field)	LGW-8R	11/21/2006	38.9	0		mg/L
Do (field)	LGW-8R	11/21/2006	38.9	0		mg/L
Do (field)	LGW-8R	12/21/2006	3.3	0		mg/L
Do (field)	LGW-8R	12/21/2006	3.3	0		mg/L
Do (field)	LGW-8R	1/24/2007	2.9	0		mg/L
Do (field)	LGW-8R	1/24/2007	2.9	0		mg/L
Do (field)	LGW-8R	1/25/2007	2.9	0		mg/L
Do (field)	LGW-8R	2/7/2007	3.1	0		mg/L
Do (field)	LGW-8R	2/26/2007	3.1	0		mg/L
Do (field)	LGW-8R	2/26/2007	3.1	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	4/26/2007	2.2	0		mg/L
Do (field)	LGW-8R	4/26/2007	2.2	0		mg/L
Do (field)	LGW-8R	6/1/2007	2.19	0		mg/L
Do (field)	LGW-8R	6/1/2007	2.19	0		mg/L
Do (field)	LGW-8R	6/28/2007	1.06	0		mg/L
Do (field)	LGW-8R	6/28/2007	1.06	0		mg/L
Do (field)	LGW-8R	7/11/2007	1.56	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	7/12/2007	1.56	0		mg/L
Do (field)	LGW-8R	10/23/2007	9.44	0		mg/L
Do (field)	LGW-8R	10/23/2007	9.44	0		mg/L
Do (field)	LGW-8R	8/29/2008	2.58	0.5		mg/L
Do (field)	LGW-8R	9/25/2008	2.08	0.5		mg/L
Do (field)	LGW-8R	9/25/2008	2.08	0.5	ND	mg/L
Do (field)	LGW-8R	10/21/2008	6.62	0.5		mg/L
Do (field)	LGW-8R	11/25/2008	2.31	0.5		mg/L
Do (field)	LGW-8R	12/19/2008	2.89	0.5		mg/L
Do (field)	LGW-8R	2/4/2009	2.01	0.5	ND	mg/L
Do (field)	LGW-8R	3/26/2009	2.29	0.5		mg/L
Do (field)	LGW-8R	4/16/2009	2.19	0.5		mg/L
Do (field)	LGW-8R	5/28/2009	2.37	0.5		mg/L
Do (field)	LGW-8R	6/25/2009	1.91	0.5		mg/L
Do (field)	LGW-8R	7/29/2009	1.58	0.5		mg/L
Do (field)	LGW-8R	8/28/2009	0.68	0.5		mg/L
Do (field)	LGW-8R	9/29/2009	0.86	0.5	ND	mg/L
Do (field)	LGW-8R	10/21/2009	0.51	0.5		mg/L
Do (field)	LGW-8R	11/24/2009	0.27	0.5	ND	mg/L
Do (field)	LGW-8R	12/17/2009	0.65	0.5		mg/L
Do (field)	LGW-8R	1/27/2010	2	0.5		mg/L
Do (field)	LGW-8R	2/15/2010	2.53	0		mg/L
Do (field)	LGW-8R	3/3/2010	1.98	0		mg/L
Do (field)	LGW-8R	4/7/2010	2.16	0		mg/L
Do (field)	LGW-8R	5/5/2010	3.65	0		mg/L
Do (field)	LGW-8R	6/16/2010	28.2	0		mg/L
Do (field)	LGW-8R	7/14/2010	52.6	0		mg/L
Do (field)	LGW-8R	8/10/2010	50.9	0		mg/L
Do (field)	LGW-8R	9/2/2010	25.3	0		mg/L
Do (field)	LGW-8R	9/29/2010	18.1	0		mg/L
Do (field)	LGW-8R	11/3/2010	18.4	0		mg/L
Do (field)	LGW-8R	12/2/2010	21.3	0		mg/L
Do (field)	LGW-8R	1/20/2011	17.4	0		mg/L
Do (field)	LGW-8R	2/7/2011	2.2	0		mg/L
Do (field)	LGW-8R	3/3/2011	1.68	0		mg/L
Do (field)	LGW-8R	4/5/2011	2.56	0		mg/L
Do (field)	LGW-8R	5/10/2011	2.42	0		mg/L
Do (field)	LGW-8R	6/1/2011	2.18	0		mg/L
Do (field)	LGW-8R	7/12/2011	2.22	0		mg/L
Do (field)	LGW-8R	8/3/2011	2.52	0		mg/L
Do (field)	LGW-8R	9/7/2011	2.4	0		mg/L
Do (field)	LGW-8R	10/5/2011	2.33	0		mg/L
Do (field)	LGW-8R	11/1/2011	2.54	0		mg/L
Do (field)	LGW-8R	12/8/2011	2.57	0		mg/L
Do (field)	LGW-8R	1/5/2012	2.84	0		mg/L
Do (field)	LGW-8R	2/1/2012	2.9	0		mg/L
Do (field)	LGW-8R	3/7/2012	2.71	0		mg/L
Do (field)	LGW-8R	4/5/2012	3.24	0		mg/L
Do (field)	LGW-8R	5/1/2012	4.11	0		mg/L
Do (field)	LGW-8R	7/9/2012	0	0		mg/L
Do (field)	LGW-8R	8/9/2012	0.01	0		mg/L
Do (field)	LGW-8R	9/4/2012	0.02	0		mg/L
Do (field)	LGW-8R	10/7/2012	0	0		mg/L
Do (field)	LGW-8R	4/30/2013	3.12	3.12	ND	mg/L
Do (field)	LGW-8R	6/4/2013	5.06	0		mg/L
Do (field)	LGW-8R	7/15/2013	5.19	5.19	ND	mg/L
Do (field)	LGW-8R	8/8/2013	3.19	0		mg/L
Do (field)	LGW-8R	9/10/2013	3.25	0		mg/L
Do (field)	LGW-8R	10/1/2013	3.64	0		mg/L
Do (field)	LGW-8R	11/6/2013	4.1	0		mg/L
Do (field)	LGW-8R	12/2/2013	3.86	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	1/22/2014	5.04	0		mg/L
Do (field)	LGW-8R	2/12/2014	6.29	0		mg/L
Do (field)	LGW-8R	3/11/2014	5.69	0		mg/L
Do (field)	LGW-8R	4/2/2014	2.59	0		mg/L
Do (field)	LGW-8R	5/7/2014	5.36	0		mg/L
Do (field)	LGW-8R	6/3/2014	2.63	0		mg/L
Do (field)	LGW-8R	7/8/2014	3.48	0		mg/L
Do (field)	LGW-8R	8/5/2014	3.78	0		mg/L
Do (field)	LGW-8R	9/4/2014	3.28	0		mg/L
Do (field)	LGW-8R	10/9/2014	2.15	0		mg/L
Do (field)	LGW-8R	11/3/2014	5.01	0		mg/L
Do (field)	LGW-8R	1/14/2015	4.81	0		mg/L
Do (field)	LGW-8R	2/11/2015	1.45	0		mg/L
Do (field)	LGW-8R	3/3/2015	2.01	0		mg/L
Do (field)	LGW-8R	4/1/2015	4.92	0		mg/L
Do (field)	LGW-8R	5/6/2015	2.56	0		mg/L
Do (field)	LGW-8R	6/3/2015	2.5	0		mg/L
Do (field)	LGW-8R	7/22/2015	4.13	0		mg/L
Do (field)	LGW-8R	8/4/2015	2.55	0		mg/L
Do (field)	LGW-8R	9/3/2015	3.48	0		mg/L
Do (field)	LGW-8R	10/6/2015	2.71	0		mg/L
Do (field)	LGW-8R	11/4/2015	4.98	0		mg/L
Do (field)	LGW-8R	12/3/2015	3.69	0		mg/L
Do (field)	LGW-8R	1/5/2016	4.41	0		mg/L
Do (field)	LGW-8R	2/3/2016	4.53	0		mg/L
Do (field)	LGW-8R	3/2/2016	31.2	0		mg/L
Do (field)	LGW-8R	4/5/2016	3.6	0		mg/L
Do (field)	LGW-8R	5/11/2016	3.78	0		mg/L
Do (field)	LGW-8R	6/1/2016	26.4	0		mg/L
Do (field)	LGW-8R	7/20/2016	2.04	0		mg/L
Do (field)	LGW-8R	8/10/2016	2.31	0		mg/L
Do (field)	LGW-8R	9/6/2016	4.27	0		mg/L
Do (field)	LGW-8R	10/6/2016	3.2	0		mg/L
Do (field)	LGW-8R	11/2/2016	1.55	0		mg/L
Do (field)	LGW-8R	12/1/2016	1.95	0		mg/L
Do (field)	LGW-8R	1/11/2017	2.88	0		mg/L
Do (field)	LGW-8R	2/7/2017	1.46	0		mg/L
Do (field)	LGW-8R	3/2/2017	5.26	0		mg/L
Do (field)	LGW-8R	4/4/2017	4.42	0		mg/L
Do (field)	LGW-8R	5/2/2017	4.57	0		mg/L
Do (field)	LGW-8R	6/6/2017	3.01	0		mg/L
Do (field)	LGW-8R	7/18/2017	3.58	0		mg/L
Do (field)	LGW-8R	8/1/2017	0.19	0		mg/L
Do (field)	LGW-8R	9/5/2017	0.02	0		mg/L
Do (field)	LGW-8R	10/5/2017	0	0		mg/L
Do (field)	LGW-8R	11/1/2017	0.76	0		mg/L
Do (field)	LGW-8R	1/25/2018	0.21	0.01		mg/L
Do (field)	LGW-8R	2/23/2018	0.4	0.01		mg/L
Do (field)	LGW-8R	3/19/2018	0.31	0.01		mg/L
Do (field)	LGW-8R	4/11/2018	2.74	0.01		mg/L
Do (field)	LGW-8R	6/5/2018	0.2	0		mg/L
Do (field)	LGW-8R	6/21/2018	0.32	0		mg/L
Do (field)	LGW-8R	7/13/2018	0.5	0.01		mg/L
Do (field)	LGW-8R	8/2/2018	3.23	0.01		mg/L
Do (field)	LGW-8R	9/5/2018	0.53	0		mg/L
Do (field)	LGW-8R	10/2/2018	0.4	0		mg/L
Do (field)	LGW-8R	11/7/2018	0.35	0.01		mg/L
Do (field)	LGW-8R	12/4/2018	0.51	0.01		mg/L
Do (field)	LGW-8R	1/7/2019	0.5	0.01		mg/L
Do (field)	LGW-8R	2/5/2019	0.38	0		mg/L
Do (field)	LGW-8R	3/5/2019	0.4	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	4/3/2019	0.56	0.01		mg/L
Do (field)	LGW-8R	5/1/2019	0.52	0.01		mg/L
Do (field)	LGW-8R	6/4/2019	0.15	0		mg/L
Do (field)	LGW-8R	7/8/2019	0.27	0.01		mg/L
Do (field)	LGW-8R	7/8/2019	0.27	0.01		mg/L
Do (field)	LGW-8R	8/7/2019	0.2	0.01		mg/L
Do (field)	LGW-8R	9/5/2019	0.3	0.01		mg/L
Do (field)	LGW-8R	10/1/2019	0.22	0.01		mg/L
Do (field)	LGW-8R	11/5/2019	0.57	0.01		mg/L
Do (field)	LGW-8R	12/4/2019	3.42	0.01		mg/L
Do (field)	LGW-8R	1/14/2020	0.46	0		mg/L
Do (field)	LGW-8R	3/3/2020	0.4	0.01		mg/L
Do (field)	LGW-8R	4/2/2020	0.37	0.01		mg/L
Do (field)	LGW-8R	5/4/2020	1.05	0.01		mg/L
Do (field)	LGW-8R	6/1/2020	0.8	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	8/3/2020	0.34	0		mg/L
Do (field)	LGW-8R	9/1/2020	0.35	0.01		mg/L
Do (field)	LGW-8R	10/6/2020	0.41	0.01		mg/L
Do (field)	LGW-8R	11/2/2020	0.53	0		mg/L
Do (field)	LGW-8R	12/1/2020	7.31	0		mg/L
Do (field)	LGW-8R	1/17/2021	0.14	0		mg/L
Do (field)	LGW-8R	2/9/2021	0.19	0		mg/L
Do (field)	LGW-8R	3/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	4/7/2021	0.3	0		mg/L
Do (field)	LGW-8R	5/5/2021	0.2	0		mg/L
Do (field)	LGW-8R	6/2/2021	0.3	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	8/3/2021	0.2	0		mg/L
Do (field)	LGW-8R	9/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	10/5/2021	0.2	0		mg/L
Do (field)	LGW-8R	11/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	12/9/2021	0.4	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	2/10/2022	0.3	0		mg/L
Do (field)	LGW-8R	3/2/2022	0.3	0		mg/L
Do (field)	LGW-8R	4/5/2022	0.3	0		mg/L
Do (field)	LGW-8R	5/7/2022	0.2	0		mg/L
Do (field)	LGW-8R	6/3/2022	0.2	0		mg/L
Do (field)	LGW-8R	7/11/2022	0.2	0		mg/L
Do (field)	LGW-8R	8/10/2022	0.2	0		mg/L
Do (field)	LGW-8R	9/8/2022	0.3	0		mg/L
Do (field)	LGW-8R	10/6/2022	0.3	0		mg/L
Do (field)	LGW-8R	10/6/2022	0.3	0		mg/L
Do (field)	LGW-8R	11/3/2022	0.3	0		mg/L
Do (field)	LGW-8R	12/7/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/11/2023	0.3	0		mg/L
Do (field)	LGW-8R	2/3/2023	0.3	0		mg/L
Do (field)	LGW-8R	3/1/2023	0.3	0		mg/L
Do (field)	LGW-8R	4/6/2023	0.3	0		mg/L
Do (field)	LGW-9	9/30/2005	25	0		mg/L
Do (field)	LGW-9	7/20/2006	9.7	0		mg/L
Do (field)	LGW-9	7/20/2006	9.7	0		mg/L
Do (field)	LGW-9	9/27/2006	57.8	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	9/27/2006	57.8	0		mg/L
Do (field)	LGW-9	10/26/2006	11.7	0		mg/L
Do (field)	LGW-9	10/26/2006	11.7	0		mg/L
Do (field)	LGW-9	11/21/2006	62.3	0		mg/L
Do (field)	LGW-9	11/21/2006	62.3	0		mg/L
Do (field)	LGW-9	12/21/2006	2.3	0		mg/L
Do (field)	LGW-9	12/21/2006	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	2/7/2007	2.1	0		mg/L
Do (field)	LGW-9	2/27/2007	2.1	0		mg/L
Do (field)	LGW-9	2/27/2007	2.1	0		mg/L
Do (field)	LGW-9	3/26/2007	2.1	0		mg/L
Do (field)	LGW-9	3/26/2007	2.1	0		mg/L
Do (field)	LGW-9	4/25/2007	1.8	0		mg/L
Do (field)	LGW-9	4/26/2007	1.8	0		mg/L
Do (field)	LGW-9	5/31/2007	3.15	0		mg/L
Do (field)	LGW-9	6/1/2007	3.15	0		mg/L
Do (field)	LGW-9	6/28/2007	0.66	0		mg/L
Do (field)	LGW-9	6/28/2007	0.66	0		mg/L
Do (field)	LGW-9	7/10/2007	0.75	0		mg/L
Do (field)	LGW-9	7/11/2007	0.75	0		mg/L
Do (field)	LGW-9	10/23/2007	9.53	0		mg/L
Do (field)	LGW-9	10/23/2007	9.53	0		mg/L
Do (field)	LGW-9	3/25/2008	6.11	0		mg/L
Do (field)	LGW-9	5/3/2008	0.62	0		mg/L
Do (field)	LGW-9	5/30/2008	3.39	0		mg/L
Do (field)	LGW-9	7/22/2008	0.53	0.5		mg/L
Do (field)	LGW-9	8/29/2008	0.14	0.5	ND	mg/L
Do (field)	LGW-9	9/26/2008	0.34	0.5	ND	mg/L
Do (field)	LGW-9	10/22/2008	0.18	0.5	ND	mg/L
Do (field)	LGW-9	11/24/2008	0.72	0.5		mg/L
Do (field)	LGW-9	12/19/2008	0.44	0.5	ND	mg/L
Do (field)	LGW-9	2/4/2009	0.18	0.5	ND	mg/L
Do (field)	LGW-9	3/26/2009	0.55	0.5		mg/L
Do (field)	LGW-9	4/15/2009	0.34	0.5	ND	mg/L
Do (field)	LGW-9	5/28/2009	0.22	0.5	ND	mg/L
Do (field)	LGW-9	6/24/2009	0.24	0.5	ND	mg/L
Do (field)	LGW-9	7/29/2009	0.12	0.5	ND	mg/L
Do (field)	LGW-9	8/28/2009	0.09	0.5	ND	mg/L
Do (field)	LGW-9	9/29/2009	0.07	0.5	ND	mg/L
Do (field)	LGW-9	10/22/2009	0.09	0.5	ND	mg/L
Do (field)	LGW-9	11/24/2009	0.07	0.5	ND	mg/L
Do (field)	LGW-9	12/17/2009	0.11	0.5	ND	mg/L
Do (field)	LGW-9	1/27/2010	0.13	0.5	ND	mg/L
Do (field)	LGW-9	2/15/2010	0.1	0		mg/L
Do (field)	LGW-9	3/3/2010	0.12	0		mg/L
Do (field)	LGW-9	4/8/2010	0.12	0		mg/L
Do (field)	LGW-9	5/6/2010	0.45	0		mg/L
Do (field)	LGW-9	6/16/2010	11.3	0		mg/L
Do (field)	LGW-9	7/14/2010	4.9	0		mg/L
Do (field)	LGW-9	8/11/2010	3.5	0		mg/L
Do (field)	LGW-9	9/1/2010	6.2	0		mg/L
Do (field)	LGW-9	9/29/2010	6.4	0		mg/L
Do (field)	LGW-9	11/3/2010	11.3	0		mg/L
Do (field)	LGW-9	12/2/2010	8.6	0		mg/L
Do (field)	LGW-9	1/20/2011	4.5	0		mg/L
Do (field)	LGW-9	2/7/2011	0.5	0		mg/L
Do (field)	LGW-9	3/3/2011	1.04	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	4/5/2011	0.28	0		mg/L
Do (field)	LGW-9	5/10/2011	0.53	0		mg/L
Do (field)	LGW-9	6/1/2011	0.71	0		mg/L
Do (field)	LGW-9	7/12/2011	0.24	0		mg/L
Do (field)	LGW-9	8/4/2011	0.34	0		mg/L
Do (field)	LGW-9	9/7/2011	0.32	0		mg/L
Do (field)	LGW-9	10/5/2011	0.72	0		mg/L
Do (field)	LGW-9	11/1/2011	0.44	0		mg/L
Do (field)	LGW-9	12/8/2011	0.53	0		mg/L
Do (field)	LGW-9	1/5/2012	0.29	0		mg/L
Do (field)	LGW-9	2/1/2012	0.68	0		mg/L
Do (field)	LGW-9	3/7/2012	0.45	0		mg/L
Do (field)	LGW-9	4/5/2012	0.53	0		mg/L
Do (field)	LGW-9	5/1/2012	1.2	0		mg/L
Do (field)	LGW-9	7/10/2012	0.42	0		mg/L
Do (field)	LGW-9	8/9/2012	0.44	0		mg/L
Do (field)	LGW-9	9/4/2012	0.03	0		mg/L
Do (field)	LGW-9	10/7/2012	0	0		mg/L
Do (field)	LGW-9	5/1/2013	0.24	0		mg/L
Do (field)	LGW-9	6/4/2013	0.49	0		mg/L
Do (field)	LGW-9	7/15/2013	0.45	0		mg/L
Do (field)	LGW-9	8/8/2013	0.46	0		mg/L
Do (field)	LGW-9	9/10/2013	0.55	0		mg/L
Do (field)	LGW-9	10/1/2013	0.67	0		mg/L
Do (field)	LGW-9	11/6/2013	0.33	0		mg/L
Do (field)	LGW-9	12/2/2013	0.22	0		mg/L
Do (field)	LGW-9	1/23/2014	0.18	0		mg/L
Do (field)	LGW-9	2/13/2014	0.49	0		mg/L
Do (field)	LGW-9	3/11/2014	0.58	0		mg/L
Do (field)	LGW-9	4/2/2014	0.23	0		mg/L
Do (field)	LGW-9	5/7/2014	0.42	0		mg/L
Do (field)	LGW-9	6/3/2014	0.93	0		mg/L
Do (field)	LGW-9	7/8/2014	1.64	0		mg/L
Do (field)	LGW-9	8/5/2014	0.38	0		mg/L
Do (field)	LGW-9	9/4/2014	0.6	0		mg/L
Do (field)	LGW-9	10/9/2014	0.88	0		mg/L
Do (field)	LGW-9	11/3/2014	3.34	0		mg/L
Do (field)	LGW-9	1/14/2015	1.5	0		mg/L
Do (field)	LGW-9	2/11/2015	0.46	0		mg/L
Do (field)	LGW-9	3/3/2015	0.87	0		mg/L
Do (field)	LGW-9	4/1/2015	1.7	0		mg/L
Do (field)	LGW-9	5/7/2015	0.7	0		mg/L
Do (field)	LGW-9	6/3/2015	0.49	0		mg/L
Do (field)	LGW-9	7/13/2015	0.53	0		mg/L
Do (field)	LGW-9	8/4/2015	1.4	0		mg/L
Do (field)	LGW-9	9/3/2015	0.66	0		mg/L
Do (field)	LGW-9	10/6/2015	0.76	0		mg/L
Do (field)	LGW-9	11/4/2015	0.68	0		mg/L
Do (field)	LGW-9	12/3/2015	0.86	0		mg/L
Do (field)	LGW-9	1/5/2016	0.61	0		mg/L
Do (field)	LGW-9	2/3/2016	0.76	0		mg/L
Do (field)	LGW-9	3/2/2016	0.73	0		mg/L
Do (field)	LGW-9	4/5/2016	0.59	0		mg/L
Do (field)	LGW-9	5/11/2016	1.06	0		mg/L
Do (field)	LGW-9	6/1/2016	0.63	0		mg/L
Do (field)	LGW-9	7/21/2016	1.15	0		mg/L
Do (field)	LGW-9	8/10/2016	1.37	0		mg/L
Do (field)	LGW-9	9/6/2016	0.76	0		mg/L
Do (field)	LGW-9	9/6/2016	0.76	0		mg/L
Do (field)	LGW-9	10/6/2016	1.36	0		mg/L
Do (field)	LGW-9	11/2/2016	1.78	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	12/1/2016	2.1	0		mg/L
Do (field)	LGW-9	1/11/2017	3.1	0		mg/L
Do (field)	LGW-9	2/7/2017	1.74	0		mg/L
Do (field)	LGW-9	3/2/2017	2.99	0		mg/L
Do (field)	LGW-9	4/4/2017	0.38	0		mg/L
Do (field)	LGW-9	5/5/2017	0.38	0		mg/L
Do (field)	LGW-9	5/16/2017	0.35	0		mg/L
Do (field)	LGW-9	6/6/2017	0.46	0		mg/L
Do (field)	LGW-9	7/18/2017	0.4	0		mg/L
Do (field)	LGW-9	8/1/2017	0.08	0		mg/L
Do (field)	LGW-9	9/5/2017	0.01	0		mg/L
Do (field)	LGW-9	10/5/2017	0.01	0		mg/L
Do (field)	LGW-9	11/1/2017	0.55	0		mg/L
Do (field)	LGW-9	1/24/2018	0.39	0.01		mg/L
Do (field)	LGW-9	2/22/2018	0.52	0.01		mg/L
Do (field)	LGW-9	3/20/2018	0.73	0.01		mg/L
Do (field)	LGW-9	4/11/2018	0.49	0.01		mg/L
Do (field)	LGW-9	4/11/2018	0.49	0.01		mg/L
Do (field)	LGW-9	6/5/2018	1.26	0		mg/L
Do (field)	LGW-9	6/5/2018	1.26	0		mg/L
Do (field)	LGW-9	7/13/2018	0.39	0.01		mg/L
Do (field)	LGW-9	8/2/2018	0.64	0.01		mg/L
Do (field)	LGW-9	9/5/2018	1.85	0		mg/L
Do (field)	LGW-9	10/2/2018	0.68	0		mg/L
Do (field)	LGW-9	10/2/2018	0.68	0		mg/L
Do (field)	LGW-9	11/6/2018	0.58	0.01		mg/L
Do (field)	LGW-9	12/4/2018	0.58	0.01		mg/L
Do (field)	LGW-9	1/7/2019	0.74	0.01		mg/L
Do (field)	LGW-9	2/6/2019	0.86	0		mg/L
Do (field)	LGW-9	3/5/2019	0.6	0.01		mg/L
Do (field)	LGW-9	4/3/2019	0.49	0.01		mg/L
Do (field)	LGW-9	5/3/2019	0.5	0.01		mg/L
Do (field)	LGW-9	6/4/2019	0.35	0		mg/L
Do (field)	LGW-9	7/10/2019	0.5	0.01		mg/L
Do (field)	LGW-9	7/10/2019	0.5	0		mg/L
Do (field)	LGW-9	8/8/2019	0.46	0.01		mg/L
Do (field)	LGW-9	9/4/2019	1.2	0.01		mg/L
Do (field)	LGW-9	10/3/2019	0.96	0.01		mg/L
Do (field)	LGW-9	10/3/2019	0.96	0.01		mg/L
Do (field)	LGW-9	11/6/2019	0.45	0.01		mg/L
Do (field)	LGW-9	12/3/2019	1.12	0.01		mg/L
Do (field)	LGW-9	1/16/2020	0.46	0		mg/L
Do (field)	LGW-9	3/4/2020	0.32	0.01		mg/L
Do (field)	LGW-9	4/2/2020	0.35	0.01		mg/L
Do (field)	LGW-9	4/2/2020	0.35	0.01		mg/L
Do (field)	LGW-9	5/5/2020	3.44	0.01		mg/L
Do (field)	LGW-9	6/2/2020	2.89	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	8/3/2020	1.07	0		mg/L
Do (field)	LGW-9	9/2/2020	6.45	0.01		mg/L
Do (field)	LGW-9	10/7/2020	0.32	0.01		mg/L
Do (field)	LGW-9	10/7/2020	0.32	0.01		mg/L
Do (field)	LGW-9	11/3/2020	3.79	0		mg/L
Do (field)	LGW-9	12/2/2020	1.56	0		mg/L
Do (field)	LGW-9	1/17/2021	0.26	0		mg/L
Do (field)	LGW-9	2/9/2021	0.59	0		mg/L
Do (field)	LGW-9	3/2/2021	0.5	0		mg/L
Do (field)	LGW-9	4/6/2021	0.4	0		mg/L
Do (field)	LGW-9	4/6/2021	0.4	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	5/5/2021	0.4	0		mg/L
Do (field)	LGW-9	6/2/2021	0.4	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	8/4/2021	0.4	0		mg/L
Do (field)	LGW-9	9/2/2021	0.4	0		mg/L
Do (field)	LGW-9	10/5/2021	0.4	0		mg/L
Do (field)	LGW-9	10/5/2021	0.4	0		mg/L
Do (field)	LGW-9	11/2/2021	0.5	0		mg/L
Do (field)	LGW-9	12/9/2021	0.3	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	2/10/2022	0.4	0		mg/L
Do (field)	LGW-9	3/2/2022	0.4	0		mg/L
Do (field)	LGW-9	4/4/2022	0.3	0		mg/L
Do (field)	LGW-9	4/4/2022	0.3	0		mg/L
Do (field)	LGW-9	5/7/2022	0.2	0		mg/L
Do (field)	LGW-9	6/3/2022	0.3	0		mg/L
Do (field)	LGW-9	7/11/2022	0.3	0		mg/L
Do (field)	LGW-9	8/10/2022	0.3	0		mg/L
Do (field)	LGW-9	9/8/2022	0.3	0		mg/L
Do (field)	LGW-9	10/7/2022	0.4	0		mg/L
Do (field)	LGW-9	10/7/2022	0.4	0		mg/L
Do (field)	LGW-9	11/3/2022	0.3	0		mg/L
Do (field)	LGW-9	12/7/2022	0.5	0		mg/L
Do (field)	LGW-9	1/11/2023	0.4	0		mg/L
Do (field)	LGW-9	2/3/2023	0.6	0		mg/L
Do (field)	LGW-9	3/1/2023	0.3	0		mg/L
Do (field)	LGW-9	4/5/2023	0.6	0		mg/L
Do (field)	MW-10N	1/18/2006	34.8	0		mg/L
Do (field)	MW-10N	7/19/2006	8.8	0		mg/L
Do (field)	MW-10N	7/19/2006	8.8	0		mg/L
Do (field)	MW-10N	10/24/2006	5.5	0		mg/L
Do (field)	MW-10N	10/24/2006	5.5	0		mg/L
Do (field)	MW-10N	1/23/2007	10.4	0		mg/L
Do (field)	MW-10N	1/23/2007	10.4	0		mg/L
Do (field)	MW-10N	7/10/2007	1.05	0		mg/L
Do (field)	MW-10N	7/11/2007	1.05	0		mg/L
Do (field)	MW-10N	7/21/2008	0.12	0.5	ND	mg/L
Do (field)	MW-10N	2/13/2009	1.84	0.5		mg/L
Do (field)	MW-10N	7/31/2009	0.05	0.5	ND	mg/L
Do (field)	MW-10N	1/27/2010	1.51	0.5		mg/L
Do (field)	MW-10N	8/10/2010	1	0		mg/L
Do (field)	MW-10N	1/19/2011	2.4	0		mg/L
Do (field)	MW-10N	7/14/2011	0.14	0		mg/L
Do (field)	MW-10N	1/5/2012	0.64	0		mg/L
Do (field)	MW-10N	7/10/2012	0.64	0		mg/L
Do (field)	MW-10N	5/1/2013	0.72	0		mg/L
Do (field)	MW-10N	1/24/2014	0.19	0		mg/L
Do (field)	MW-10N	7/9/2014	1.68	0		mg/L
Do (field)	MW-10N	2/12/2015	0.99	0		mg/L
Do (field)	MW-10N	7/14/2015	0.69	0		mg/L
Do (field)	MW-10N	1/6/2016	0.43	0		mg/L
Do (field)	MW-10N	7/21/2016	0.86	0		mg/L
Do (field)	MW-10N	1/11/2017	5.72	0		mg/L
Do (field)	MW-10N	7/19/2017	1.68	0		mg/L
Do (field)	MW-10N	1/24/2018	1.04	0.01		mg/L
Do (field)	MW-10N	7/11/2018	0.66	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-10N	1/3/2019	1.6	0.01		mg/L
Do (field)	MW-10N	7/9/2019	0.6	0.01		mg/L
Do (field)	MW-10N	1/16/2020	0.49	0		mg/L
Do (field)	MW-10N	7/8/2020	0.49	0		mg/L
Do (field)	MW-10N	7/8/2020	0.49	0		mg/L
Do (field)	MW-10N	7/5/2021	0.1	0		mg/L
Do (field)	MW-10N	7/5/2021	0.1	0		mg/L
Do (field)	MW-10N	1/11/2023	0.2	0		mg/L
Do (field)	MW-10N	4/8/2023	0.2	0		mg/L
Do (field)	MW-11N	1/18/2006	45.1	0		mg/L
Do (field)	MW-11N	7/18/2006	8.2	0		mg/L
Do (field)	MW-11N	7/18/2006	8.2	0		mg/L
Do (field)	MW-11N	10/24/2006	5.3	0		mg/L
Do (field)	MW-11N	10/24/2006	1.18	0		mg/L
Do (field)	MW-11N	1/23/2007	9.6	0		mg/L
Do (field)	MW-11N	1/23/2007	9.6	0		mg/L
Do (field)	MW-11N	7/10/2007	1.76	0		mg/L
Do (field)	MW-11N	7/11/2007	1.76	0		mg/L
Do (field)	MW-11N	7/23/2008	4.5	0.5		mg/L
Do (field)	MW-11N	2/3/2009	3.22	0.5		mg/L
Do (field)	MW-11N	7/31/2009	2.12	0.5		mg/L
Do (field)	MW-11N	2/3/2010	3.14	0.5		mg/L
Do (field)	MW-11N	2/3/2010	3.14	0.5		mg/L
Do (field)	MW-11N	7/16/2010	56.7	0		mg/L
Do (field)	MW-11N	1/19/2011	25.5	0		mg/L
Do (field)	MW-11N	7/13/2011	2.16	0		mg/L
Do (field)	MW-11N	1/4/2012	4.44	0		mg/L
Do (field)	MW-11N	7/9/2012	0.01	0		mg/L
Do (field)	MW-11N	4/30/2013	5.14	0		mg/L
Do (field)	MW-11N	7/15/2013	5.19	0		mg/L
Do (field)	MW-11N	1/23/2014	5.71	0		mg/L
Do (field)	MW-11N	7/8/2014	4.51	0		mg/L
Do (field)	MW-11N	2/10/2015	3.3	0		mg/L
Do (field)	MW-11N	7/13/2015	1.55	0		mg/L
Do (field)	MW-11N	1/5/2016	4.2	0		mg/L
Do (field)	MW-11N	7/21/2016	4.75	0		mg/L
Do (field)	MW-11N	1/11/2017	6.4	0		mg/L
Do (field)	MW-11N	7/19/2017	3.63	0		mg/L
Do (field)	MW-11N	1/23/2018	5.21	0.01		mg/L
Do (field)	MW-11N	7/17/2018	4.31	0.01		mg/L
Do (field)	MW-11N	1/2/2019	5.6	0.01		mg/L
Do (field)	MW-11N	7/9/2019	4.25	0.01		mg/L
Do (field)	MW-11N	1/14/2020	5.12	0		mg/L
Do (field)	MW-11N	7/6/2020	4.68	0		mg/L
Do (field)	MW-11N	7/6/2020	4.68	0		mg/L
Do (field)	MW-11N	1/18/2021	5.92	0		mg/L
Do (field)	MW-11N	7/6/2021	5.8	0		mg/L
Do (field)	MW-11N	7/6/2021	5.8	0		mg/L
Do (field)	MW-11N	1/18/2022	6.4	0		mg/L
Do (field)	MW-11N	1/18/2022	6.4	0		mg/L
Do (field)	MW-11N	7/13/2022	6.4	0		mg/L
Do (field)	MW-11N	10/6/2022	6.7	0		mg/L
Do (field)	MW-11N	1/10/2023	6.9	0		mg/L
Do (field)	MW-15	6/2/2015	8.52	0		mg/L
Do (field)	MW-15	6/5/2015	8.51	0		mg/L
Do (field)	MW-15	7/15/2015	6.95	0		mg/L
Do (field)	MW-15	8/5/2015	7.92	0		mg/L
Do (field)	MW-15	9/3/2015	8.21	0		mg/L
Do (field)	MW-15	10/6/2015	7.85	0		mg/L
Do (field)	MW-15	11/5/2015	7.9	0		mg/L
Do (field)	MW-15	12/4/2015	8.94	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-15	1/7/2016	8.13	0		mg/L
Do (field)	MW-15	2/4/2016	7	0		mg/L
Do (field)	MW-15	3/2/2016	7.35	0		mg/L
Do (field)	MW-15	4/5/2016	7.14	0		mg/L
Do (field)	MW-15	5/11/2016	7.21	0		mg/L
Do (field)	MW-15	6/1/2016	6.48	0		mg/L
Do (field)	MW-15	7/20/2016	6	0		mg/L
Do (field)	MW-15	8/10/2016	6.39	0		mg/L
Do (field)	MW-15	9/6/2016	6.13	0		mg/L
Do (field)	MW-15	10/6/2016	6.32	0		mg/L
Do (field)	MW-15	11/2/2016	5.55	0		mg/L
Do (field)	MW-15	12/1/2016	6.68	0		mg/L
Do (field)	MW-15	1/10/2017	8.18	0		mg/L
Do (field)	MW-15	2/7/2017	8.92	0		mg/L
Do (field)	MW-15	3/2/2017	9.03	0		mg/L
Do (field)	MW-15	4/4/2017	6.56	0		mg/L
Do (field)	MW-15	5/2/2017	5.88	0		mg/L
Do (field)	MW-15	6/6/2017	1.6	0		mg/L
Do (field)	MW-15	7/18/2017	0.64	0		mg/L
Do (field)	MW-15	8/1/2017	1.76	0		mg/L
Do (field)	MW-15	9/5/2017	0.01	0		mg/L
Do (field)	MW-15	10/6/2017	0	0		mg/L
Do (field)	MW-15	11/1/2017	1.68	0		mg/L
Do (field)	MW-15	1/23/2018	3.81	0.01		mg/L
Do (field)	MW-15	2/22/2018	2.42	0.01		mg/L
Do (field)	MW-15	3/21/2018	1.56	0.01		mg/L
Do (field)	MW-15	4/10/2018	2.62	0.01		mg/L
Do (field)	MW-15	6/5/2018	4.09	0		mg/L
Do (field)	MW-15	7/10/2018	2.68	0.01		mg/L
Do (field)	MW-15	8/1/2018	3.02	0.01		mg/L
Do (field)	MW-15	9/4/2018	6.68	0		mg/L
Do (field)	MW-15	10/2/2018	3.04	0		mg/L
Do (field)	MW-15	10/2/2018	3.04	0		mg/L
Do (field)	MW-15	11/6/2018	2.85	0.01		mg/L
Do (field)	MW-15	12/5/2018	2.68	0.01		mg/L
Do (field)	MW-15	1/3/2019	3.46	0.01		mg/L
Do (field)	MW-15	2/5/2019	3.71	0		mg/L
Do (field)	MW-15	3/6/2019	4.3	0.01		mg/L
Do (field)	MW-15	4/3/2019	4.99	0.01		mg/L
Do (field)	MW-15	5/2/2019	4.65	0.01		mg/L
Do (field)	MW-15	6/4/2019	4.43	0		mg/L
Do (field)	MW-15	7/9/2019	5.4	0.01		mg/L
Do (field)	MW-15	7/9/2019	5.4	0.01		mg/L
Do (field)	MW-15	8/6/2019	7.58	0.01		mg/L
Do (field)	MW-15	9/4/2019	6.06	0.01		mg/L
Do (field)	MW-15	10/1/2019	5.06	0.01		mg/L
Do (field)	MW-15	11/5/2019	6	0.01		mg/L
Do (field)	MW-15	12/3/2019	5.22	0.01		mg/L
Do (field)	MW-15	1/14/2020	5.57	0		mg/L
Do (field)	MW-15	3/3/2020	4.16	0.01		mg/L
Do (field)	MW-15	4/1/2020	5.42	0.01		mg/L
Do (field)	MW-15	5/4/2020	4.01	0.01		mg/L
Do (field)	MW-15	6/2/2020	3.87	0		mg/L
Do (field)	MW-15	7/7/2020	3.97	0		mg/L
Do (field)	MW-15	7/7/2020	3.97	0		mg/L
Do (field)	MW-15	8/3/2020	3.73	0		mg/L
Do (field)	MW-15	8/3/2020	3.73	0		mg/L
Do (field)	MW-15	9/3/2020	5.63	0.01		mg/L
Do (field)	MW-15	10/6/2020	7.68	0.01		mg/L
Do (field)	MW-15	11/4/2020	8.39	0		mg/L
Do (field)	MW-15	12/2/2020	6.7	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-15	1/18/2021	7.34	0		mg/L
Do (field)	MW-15	1/18/2021	7.34	0		mg/L
Do (field)	MW-15	2/10/2021	7.4	0		mg/L
Do (field)	MW-15	3/2/2021	7.9	0		mg/L
Do (field)	MW-15	4/7/2021	6.8	0		mg/L
Do (field)	MW-15	5/4/2021	8.2	0		mg/L
Do (field)	MW-15	6/1/2021	6.3	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	8/3/2021	6.8	0		mg/L
Do (field)	MW-15	9/2/2021	6.6	0		mg/L
Do (field)	MW-15	10/5/2021	6.1	0		mg/L
Do (field)	MW-15	10/5/2021	6.1	0		mg/L
Do (field)	MW-15	11/1/2021	5.6	0		mg/L
Do (field)	MW-15	12/8/2021	5.2	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	2/9/2022	5.2	0		mg/L
Do (field)	MW-15	3/1/2022	5.6	0		mg/L
Do (field)	MW-15	4/5/2022	6.1	0		mg/L
Do (field)	MW-15	5/7/2022	8.7	0		mg/L
Do (field)	MW-15	6/3/2022	6.7	0		mg/L
Do (field)	MW-15	7/10/2022	6.7	0		mg/L
Do (field)	MW-15	8/10/2022	6.2	0		mg/L
Do (field)	MW-15	9/8/2022	5.8	0		mg/L
Do (field)	MW-15	10/6/2022	5.7	0		mg/L
Do (field)	MW-15	10/6/2022	5.7	0		mg/L
Do (field)	MW-15	11/3/2022	5.2	0		mg/L
Do (field)	MW-15	12/7/2022	5.2	0		mg/L
Do (field)	MW-15	1/10/2023	5.5	0		mg/L
Do (field)	MW-15	2/3/2023	5.7	0		mg/L
Do (field)	MW-15	3/1/2023	5.9	0		mg/L
Do (field)	MW-15	4/5/2023	6.1	0		mg/L
Do (field)	MW-16	6/2/2015	8.15	0		mg/L
Do (field)	MW-16	6/5/2015	8.27	0		mg/L
Do (field)	MW-16	7/16/2015	9.9	0		mg/L
Do (field)	MW-16	8/5/2015	6.96	0		mg/L
Do (field)	MW-16	9/3/2015	5.69	0		mg/L
Do (field)	MW-16	10/6/2015	7.29	0		mg/L
Do (field)	MW-16	11/5/2015	7.56	0		mg/L
Do (field)	MW-16	12/4/2015	7.61	0		mg/L
Do (field)	MW-16	1/8/2016	5.97	0		mg/L
Do (field)	MW-16	2/4/2016	8.63	0		mg/L
Do (field)	MW-16	3/2/2016	2.65	0		mg/L
Do (field)	MW-16	4/5/2016	1.76	0		mg/L
Do (field)	MW-16	5/11/2016	3.52	0		mg/L
Do (field)	MW-16	6/2/2016	5.67	0		mg/L
Do (field)	MW-16	7/21/2016	4.5	0		mg/L
Do (field)	MW-16	8/10/2016	4.3	0		mg/L
Do (field)	MW-16	9/6/2016	4.51	0		mg/L
Do (field)	MW-16	10/5/2016	4.43	0		mg/L
Do (field)	MW-16	11/2/2016	4.12	0		mg/L
Do (field)	MW-16	12/1/2016	6.14	0		mg/L
Do (field)	MW-16	1/10/2017	5.01	0		mg/L
Do (field)	MW-16	2/7/2017	6.25	0		mg/L
Do (field)	MW-16	3/2/2017	8.46	0		mg/L
Do (field)	MW-16	4/4/2017	8.15	0		mg/L
Do (field)	MW-16	5/2/2017	3.65	0		mg/L
Do (field)	MW-16	6/6/2017	3.32	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-16	7/18/2017	2.76	0		mg/L
Do (field)	MW-16	8/1/2017	3	0		mg/L
Do (field)	MW-16	9/5/2017	0.02	0		mg/L
Do (field)	MW-16	10/6/2017	0	0		mg/L
Do (field)	MW-16	11/1/2017	3.09	0		mg/L
Do (field)	MW-16	1/23/2018	4.65	0.01		mg/L
Do (field)	MW-16	2/22/2018	6.63	0.01		mg/L
Do (field)	MW-16	3/21/2018	4.6	0.01		mg/L
Do (field)	MW-16	4/10/2018	4.76	0.01		mg/L
Do (field)	MW-16	6/5/2018	3.9	0		mg/L
Do (field)	MW-16	7/11/2018	3.03	0.01		mg/L
Do (field)	MW-16	8/1/2018	4.41	0.01		mg/L
Do (field)	MW-16	9/5/2018	4.09	0		mg/L
Do (field)	MW-16	10/2/2018	4.55	0		mg/L
Do (field)	MW-16	11/6/2018	6.48	0.01		mg/L
Do (field)	MW-16	12/5/2018	3.81	0.01		mg/L
Do (field)	MW-16	1/2/2019	4.9	0.01		mg/L
Do (field)	MW-16	2/5/2019	4.3	0		mg/L
Do (field)	MW-16	3/6/2019	5.2	0.01		mg/L
Do (field)	MW-16	4/3/2019	5.31	0.01		mg/L
Do (field)	MW-16	5/2/2019	3.94	0.01		mg/L
Do (field)	MW-16	6/4/2019	3.46	0		mg/L
Do (field)	MW-16	7/10/2019	4.2	0.01		mg/L
Do (field)	MW-16	7/10/2019	4.2	0.01		mg/L
Do (field)	MW-16	8/6/2019	4.17	0.01		mg/L
Do (field)	MW-16	9/4/2019	3.66	0.01		mg/L
Do (field)	MW-16	10/1/2019	4.28	0.01		mg/L
Do (field)	MW-16	11/5/2019	5.38	0.01		mg/L
Do (field)	MW-16	12/3/2019	4.14	0.01		mg/L
Do (field)	MW-16	1/14/2020	4.49	0		mg/L
Do (field)	MW-16	3/3/2020	4.55	0.01		mg/L
Do (field)	MW-16	4/1/2020	4.38	0.01		mg/L
Do (field)	MW-16	5/4/2020	4.47	0.01		mg/L
Do (field)	MW-16	6/3/2020	8.5	0		mg/L
Do (field)	MW-16	7/7/2020	4.06	0		mg/L
Do (field)	MW-16	7/7/2020	4.06	0		mg/L
Do (field)	MW-16	8/3/2020	3.44	0		mg/L
Do (field)	MW-16	8/3/2020	3.44	0		mg/L
Do (field)	MW-16	9/3/2020	4.98	0.01		mg/L
Do (field)	MW-16	10/6/2020	7.24	0.01		mg/L
Do (field)	MW-16	11/4/2020	7.48	0		mg/L
Do (field)	MW-16	12/3/2020	5.77	0		mg/L
Do (field)	MW-16	1/18/2021	6.71	0		mg/L
Do (field)	MW-16	1/18/2021	6.71	0		mg/L
Do (field)	MW-16	2/10/2021	6.7	0		mg/L
Do (field)	MW-16	3/2/2021	6.4	0		mg/L
Do (field)	MW-16	4/7/2021	5.7	0		mg/L
Do (field)	MW-16	5/4/2021	5.6	0		mg/L
Do (field)	MW-16	6/1/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	8/3/2021	5.6	0		mg/L
Do (field)	MW-16	9/2/2021	5.8	0		mg/L
Do (field)	MW-16	10/5/2021	6.3	0		mg/L
Do (field)	MW-16	11/1/2021	6.5	0		mg/L
Do (field)	MW-16	12/8/2021	6.7	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	2/9/2022	6.7	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-16	3/1/2022	6.7	0		mg/L
Do (field)	MW-16	4/5/2022	6.6	0		mg/L
Do (field)	MW-16	5/7/2022	6.6	0		mg/L
Do (field)	MW-16	6/3/2022	5.5	0		mg/L
Do (field)	MW-16	7/10/2022	5.5	0		mg/L
Do (field)	MW-16	8/10/2022	5.9	0		mg/L
Do (field)	MW-16	9/8/2022	6.5	0		mg/L
Do (field)	MW-16	10/6/2022	6.5	0		mg/L
Do (field)	MW-16	11/3/2022	6.7	0		mg/L
Do (field)	MW-16	12/7/2022	6.8	0		mg/L
Do (field)	MW-16	1/10/2023	6.8	0		mg/L
Do (field)	MW-16	2/3/2023	6.5	0		mg/L
Do (field)	MW-16	3/1/2023	6.7	0		mg/L
Do (field)	MW-16	4/5/2023	6.4	0		mg/L
Do (field)	MW-17	6/2/2015	9.35	0		mg/L
Do (field)	MW-17	6/5/2015	9.67	0		mg/L
Do (field)	MW-17	7/15/2015	7.29	0		mg/L
Do (field)	MW-17	8/4/2015	8.49	0		mg/L
Do (field)	MW-17	9/2/2015	8.25	0		mg/L
Do (field)	MW-17	10/5/2015	7.72	0		mg/L
Do (field)	MW-17	11/5/2015	4.76	0		mg/L
Do (field)	MW-17	12/3/2015	9.15	0		mg/L
Do (field)	MW-17	1/7/2016	7.88	0		mg/L
Do (field)	MW-17	2/3/2016	7.82	0		mg/L
Do (field)	MW-17	3/2/2016	7.87	0		mg/L
Do (field)	MW-17	4/5/2016	7.88	0		mg/L
Do (field)	MW-17	5/12/2016	8.33	0		mg/L
Do (field)	MW-17	6/1/2016	8.32	0		mg/L
Do (field)	MW-17	7/20/2016	7.66	0		mg/L
Do (field)	MW-17	8/11/2016	8.27	0		mg/L
Do (field)	MW-17	9/6/2016	7.37	0		mg/L
Do (field)	MW-17	10/6/2016	6.43	0		mg/L
Do (field)	MW-17	11/3/2016	6.85	0		mg/L
Do (field)	MW-17	12/2/2016	7.28	0		mg/L
Do (field)	MW-17	1/10/2017	9.58	0		mg/L
Do (field)	MW-17	2/7/2017	9.55	0		mg/L
Do (field)	MW-17	3/2/2017	8.88	0		mg/L
Do (field)	MW-17	4/4/2017	6.79	0		mg/L
Do (field)	MW-17	5/2/2017	5.6	0		mg/L
Do (field)	MW-17	5/16/2017	6.55	0		mg/L
Do (field)	MW-17	6/6/2017	5.34	0		mg/L
Do (field)	MW-17	7/18/2017	4.22	0		mg/L
Do (field)	MW-17	8/1/2017	2.45	0		mg/L
Do (field)	MW-17	9/5/2017	0.02	0		mg/L
Do (field)	MW-17	10/6/2017	0	0		mg/L
Do (field)	MW-17	11/1/2017	3.81	0		mg/L
Do (field)	MW-17	1/23/2018	4.6	0.01		mg/L
Do (field)	MW-17	2/22/2018	4.51	0.01		mg/L
Do (field)	MW-17	3/21/2018	3.6	0.01		mg/L
Do (field)	MW-17	4/10/2018	5.23	0.01		mg/L
Do (field)	MW-17	6/5/2018	3.37	0		mg/L
Do (field)	MW-17	7/10/2018	3.27	0.01		mg/L
Do (field)	MW-17	8/1/2018	3.16	0.01		mg/L
Do (field)	MW-17	9/5/2018	4.61	0		mg/L
Do (field)	MW-17	10/1/2018	4.96	0		mg/L
Do (field)	MW-17	10/1/2018	4.96	0		mg/L
Do (field)	MW-17	11/7/2018	2.12	0.01		mg/L
Do (field)	MW-17	12/5/2018	2.32	0.01		mg/L
Do (field)	MW-17	1/3/2019	5.88	0.01		mg/L
Do (field)	MW-17	2/5/2019	5.63	0		mg/L
Do (field)	MW-17	3/6/2019	6.3	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-17	4/3/2019	6.69	0.01		mg/L
Do (field)	MW-17	5/2/2019	3.4	0.01		mg/L
Do (field)	MW-17	6/5/2019	4.21	0		mg/L
Do (field)	MW-17	7/11/2019	4.9	0.01		mg/L
Do (field)	MW-17	7/11/2019	4.9	0.01		mg/L
Do (field)	MW-17	8/6/2019	5.02	0.01		mg/L
Do (field)	MW-17	9/4/2019	5.14	0.01		mg/L
Do (field)	MW-17	10/1/2019	5	0.01		mg/L
Do (field)	MW-17	11/5/2019	7.09	0.01		mg/L
Do (field)	MW-17	12/3/2019	6.21	0.01		mg/L
Do (field)	MW-17	1/14/2020	5.38	0		mg/L
Do (field)	MW-17	3/3/2020	5.13	0.01		mg/L
Do (field)	MW-17	4/1/2020	3.98	0.01		mg/L
Do (field)	MW-17	5/5/2020	3.7	0.01		mg/L
Do (field)	MW-17	6/2/2020	3.75	0		mg/L
Do (field)	MW-17	7/6/2020	3.56	0		mg/L
Do (field)	MW-17	7/6/2020	3.56	0		mg/L
Do (field)	MW-17	8/3/2020	3.92	0		mg/L
Do (field)	MW-17	8/3/2020	3.92	0		mg/L
Do (field)	MW-17	9/3/2020	3.95	0.01		mg/L
Do (field)	MW-17	10/6/2020	4.53	0.01		mg/L
Do (field)	MW-17	11/4/2020	6.67	0		mg/L
Do (field)	MW-17	12/3/2020	8.44	0		mg/L
Do (field)	MW-17	1/14/2021	7.38	0		mg/L
Do (field)	MW-17	2/10/2021	5.3	0		mg/L
Do (field)	MW-17	3/2/2021	6.7	0		mg/L
Do (field)	MW-17	4/7/2021	5.2	0		mg/L
Do (field)	MW-17	5/4/2021	5.3	0		mg/L
Do (field)	MW-17	6/1/2021	6.3	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	8/3/2021	5.1	0		mg/L
Do (field)	MW-17	9/2/2021	7.2	0		mg/L
Do (field)	MW-17	10/5/2021	5.2	0		mg/L
Do (field)	MW-17	10/5/2021	5.2	0		mg/L
Do (field)	MW-17	11/1/2021	5.3	0		mg/L
Do (field)	MW-17	12/8/2021	6.2	0		mg/L
Do (field)	MW-17	1/10/2023	8.5	0		mg/L
Do (field)	MW-17	2/4/2023	7.8	0		mg/L
Do (field)	MW-17	3/1/2023	8	0		mg/L
Do (field)	MW-17	4/5/2023	7.4	0		mg/L
Do (field)	MW-19	6/2/2015	2.69	0		mg/L
Do (field)	MW-19	6/5/2015	7.73	0		mg/L
Do (field)	MW-19	7/16/2015	3.67	0		mg/L
Do (field)	MW-19	8/5/2015	7.13	0		mg/L
Do (field)	MW-19	9/3/2015	7.12	0		mg/L
Do (field)	MW-19	10/6/2015	8.21	0		mg/L
Do (field)	MW-19	11/5/2015	8.61	0		mg/L
Do (field)	MW-19	12/4/2015	8.24	0		mg/L
Do (field)	MW-19	1/7/2016	7.66	0		mg/L
Do (field)	MW-19	2/3/2016	7.22	0		mg/L
Do (field)	MW-19	3/3/2016	6.88	0		mg/L
Do (field)	MW-19	4/5/2016	4.98	0		mg/L
Do (field)	MW-19	5/12/2016	7.62	0		mg/L
Do (field)	MW-19	6/2/2016	7.62	0		mg/L
Do (field)	MW-19	7/21/2016	6.28	0		mg/L
Do (field)	MW-19	8/11/2016	7.75	0		mg/L
Do (field)	MW-19	9/6/2016	4.82	0		mg/L
Do (field)	MW-19	10/5/2016	4.44	0		mg/L
Do (field)	MW-19	11/3/2016	5.87	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-19	12/1/2016	6.27	0		mg/L
Do (field)	MW-19	1/10/2017	6.99	0		mg/L
Do (field)	MW-19	2/7/2017	6.15	0		mg/L
Do (field)	MW-19	3/2/2017	6.93	0		mg/L
Do (field)	MW-19	4/4/2017	6.2	0		mg/L
Do (field)	MW-19	5/2/2017	4	0		mg/L
Do (field)	MW-19	6/6/2017	1.74	0		mg/L
Do (field)	MW-19	7/18/2017	2.7	0		mg/L
Do (field)	MW-19	8/1/2017	1.73	0		mg/L
Do (field)	MW-19	9/5/2017	0.02	0		mg/L
Do (field)	MW-19	10/6/2017	0	0		mg/L
Do (field)	MW-19	11/1/2017	4.64	0		mg/L
Do (field)	MW-19	1/23/2018	6.89	0.01		mg/L
Do (field)	MW-19	2/22/2018	5.27	0.01		mg/L
Do (field)	MW-19	3/20/2018	3.59	0.01		mg/L
Do (field)	MW-19	4/11/2018	3.79	0.01		mg/L
Do (field)	MW-19	6/5/2018	6.69	0		mg/L
Do (field)	MW-19	7/13/2018	5.67	0.01		mg/L
Do (field)	MW-19	8/2/2018	6.16	0.01		mg/L
Do (field)	MW-19	9/5/2018	6.62	0		mg/L
Do (field)	MW-19	10/2/2018	7.18	0		mg/L
Do (field)	MW-19	10/2/2018	7.18	0		mg/L
Do (field)	MW-19	11/7/2018	5.96	0.01		mg/L
Do (field)	MW-19	12/5/2018	5.65	0.01		mg/L
Do (field)	MW-19	1/7/2019	3.36	0.01		mg/L
Do (field)	MW-19	2/6/2019	3.01	0		mg/L
Do (field)	MW-19	3/6/2019	7.7	0.01		mg/L
Do (field)	MW-19	4/3/2019	7.46	0.01		mg/L
Do (field)	MW-19	5/2/2019	5.08	0.01		mg/L
Do (field)	MW-19	6/4/2019	5.5	0		mg/L
Do (field)	MW-19	7/11/2019	6.1	0.01		mg/L
Do (field)	MW-19	7/11/2019	6.1	0.01		mg/L
Do (field)	MW-19	8/6/2019	6.94	0.01		mg/L
Do (field)	MW-19	9/4/2019	5.82	0.01		mg/L
Do (field)	MW-19	10/1/2019	4.74	0.01		mg/L
Do (field)	MW-19	11/5/2019	1.44	0.01		mg/L
Do (field)	MW-19	12/3/2019	1.4	0.01		mg/L
Do (field)	MW-19	3/3/2020	5.54	0.01		mg/L
Do (field)	MW-19	4/2/2020	3.37	0.01		mg/L
Do (field)	MW-19	5/5/2020	4.59	0.01		mg/L
Do (field)	MW-19	6/2/2020	1.85	0		mg/L
Do (field)	MW-19	7/6/2020	3.43	0		mg/L
Do (field)	MW-19	7/6/2020	3.43	0		mg/L
Do (field)	MW-19	8/3/2020	0.53	0		mg/L
Do (field)	MW-19	8/3/2020	0.53	0		mg/L
Do (field)	MW-19	9/3/2020	6.47	0.01		mg/L
Do (field)	MW-19	10/6/2020	8.15	0.01		mg/L
Do (field)	MW-19	11/3/2020	5.24	0		mg/L
Do (field)	MW-19	12/3/2020	6.6	0		mg/L
Do (field)	MW-19	1/14/2021	7.97	0		mg/L
Do (field)	MW-19	2/10/2021	3	0		mg/L
Do (field)	MW-19	3/2/2021	4.8	0		mg/L
Do (field)	MW-19	4/7/2021	2.8	0		mg/L
Do (field)	MW-19	5/4/2021	6.7	0		mg/L
Do (field)	MW-19	6/1/2021	3.3	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	8/3/2021	1.9	0		mg/L
Do (field)	MW-19	9/2/2021	7.6	0		mg/L
Do (field)	MW-19	10/5/2021	7	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-19	11/1/2021	5.1	0		mg/L
Do (field)	MW-19	12/8/2021	4.3	0		mg/L
Do (field)	MW-19	12/7/2022	9.1	0		mg/L
Do (field)	MW-19	1/11/2023	7.9	0		mg/L
Do (field)	MW-19	2/3/2023	7.9	0		mg/L
Do (field)	MW-19	3/1/2023	6.5	0		mg/L
Do (field)	MW-19	4/6/2023	6.2	0		mg/L
Do (field)	MW-1N	1/18/2006	25.4	0		mg/L
Do (field)	MW-1N	7/18/2006	18.3	0		mg/L
Do (field)	MW-1N	7/18/2006	18.3	0		mg/L
Do (field)	MW-1N	10/24/2006	5.1	0		mg/L
Do (field)	MW-1N	10/24/2006	5.1	0		mg/L
Do (field)	MW-1N	1/9/2007	0.65	0		mg/L
Do (field)	MW-1N	1/26/2007	5.2	0		mg/L
Do (field)	MW-1N	1/26/2007	5.2	0		mg/L
Do (field)	MW-1N	7/11/2007	1.23	0		mg/L
Do (field)	MW-1N	7/11/2007	1.23	0		mg/L
Do (field)	MW-1N	7/21/2008	0.25	0.5	ND	mg/L
Do (field)	MW-1N	2/5/2009	0.59	0.5		mg/L
Do (field)	MW-1N	7/31/2009	0.19	0.5	ND	mg/L
Do (field)	MW-1N	1/26/2010	0.31	0.5	ND	mg/L
Do (field)	MW-1N	7/13/2010	5.6	0		mg/L
Do (field)	MW-1N	1/20/2011	6.7	0		mg/L
Do (field)	MW-1N	7/13/2011	0.24	0		mg/L
Do (field)	MW-1N	1/5/2012	0.61	0		mg/L
Do (field)	MW-1N	7/10/2012	5.75	0		mg/L
Do (field)	MW-1N	5/1/2013	1.36	0		mg/L
Do (field)	MW-1N	7/16/2013	1.75	0		mg/L
Do (field)	MW-1N	1/24/2014	2.71	0		mg/L
Do (field)	MW-1N	7/9/2014	4.42	0		mg/L
Do (field)	MW-1N	2/10/2015	3.25	0		mg/L
Do (field)	MW-1N	7/14/2015	3.13	0		mg/L
Do (field)	MW-1N	1/6/2016	2.67	0		mg/L
Do (field)	MW-1N	7/21/2016	4.61	0		mg/L
Do (field)	MW-1N	1/12/2017	3.47	0		mg/L
Do (field)	MW-1N	7/19/2017	1.76	0		mg/L
Do (field)	MW-1N	1/23/2018	2.06	0.01		mg/L
Do (field)	MW-1N	7/10/2018	1.71	0.01		mg/L
Do (field)	MW-1N	10/3/2018	3.64	0		mg/L
Do (field)	MW-1N	1/3/2019	2.62	0.01		mg/L
Do (field)	MW-1N	7/11/2019	0.92	0.01		mg/L
Do (field)	MW-1N	10/2/2019	1.73	0.01		mg/L
Do (field)	MW-1N	4/2/2020	1.8	0.01		mg/L
Do (field)	MW-1N	7/6/2020	0.75	0		mg/L
Do (field)	MW-1N	7/6/2020	0.75	0		mg/L
Do (field)	MW-1N	7/4/2021	6.8	0		mg/L
Do (field)	MW-1N	7/4/2021	6.8	0		mg/L
Do (field)	MW-1N	10/6/2021	3.2	0		mg/L
Do (field)	MW-1N	1/11/2023	1.8	0		mg/L
Do (field)	MW-20	6/2/2015	3.37	0		mg/L
Do (field)	MW-20	6/5/2015	2.73	0		mg/L
Do (field)	MW-20	7/14/2015	1.5	0		mg/L
Do (field)	MW-20	8/4/2015	2.38	0		mg/L
Do (field)	MW-20	9/2/2015	2.09	0		mg/L
Do (field)	MW-20	10/5/2015	1.69	0		mg/L
Do (field)	MW-20	1/7/2016	4.65	0		mg/L
Do (field)	MW-20	4/5/2016	1.58	0		mg/L
Do (field)	MW-20	7/20/2016	1.87	0		mg/L
Do (field)	MW-20	10/5/2016	1.41	0		mg/L
Do (field)	MW-20	1/12/2017	2.09	0		mg/L
Do (field)	MW-20	7/18/2017	0.86	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-20	1/26/2018	1.65	0.01		mg/L
Do (field)	MW-20	7/12/2018	1.24	0.01		mg/L
Do (field)	MW-20	7/11/2019	2.41	0.01		mg/L
Do (field)	MW-20	1/14/2020	2.33	0		mg/L
Do (field)	MW-20	7/7/2020	2.41	0		mg/L
Do (field)	MW-20	7/7/2020	2.41	0		mg/L
Do (field)	MW-20	4/6/2021	4.9	0		mg/L
Do (field)	MW-20	7/4/2021	3.5	0		mg/L
Do (field)	MW-20	7/4/2021	3.5	0		mg/L
Do (field)	MW-20	1/11/2023	3.1	0		mg/L
Do (field)	MW-21	6/2/2015	0.14	0		mg/L
Do (field)	MW-21	6/5/2015	0.19	0		mg/L
Do (field)	MW-21	7/14/2015	0.2	0		mg/L
Do (field)	MW-21	8/4/2015	0.51	0		mg/L
Do (field)	MW-21	9/2/2015	0.29	0		mg/L
Do (field)	MW-21	10/5/2015	0.68	0		mg/L
Do (field)	MW-21	1/7/2016	2.41	0		mg/L
Do (field)	MW-21	2/10/2016	0.57	0		mg/L
Do (field)	MW-21	4/5/2016	0.39	0		mg/L
Do (field)	MW-21	7/20/2016	0.38	0		mg/L
Do (field)	MW-21	10/5/2016	0.29	0		mg/L
Do (field)	MW-21	1/10/2017	0.41	0		mg/L
Do (field)	MW-21	4/5/2017	0.62	0		mg/L
Do (field)	MW-21	7/19/2017	0.1	0		mg/L
Do (field)	MW-21	10/6/2017	0	0		mg/L
Do (field)	MW-21	1/24/2018	0.38	0.01		mg/L
Do (field)	MW-21	4/11/2018	0.49	0.01		mg/L
Do (field)	MW-21	7/11/2018	0.13	0.01		mg/L
Do (field)	MW-21	10/4/2018	0.2	0		mg/L
Do (field)	MW-21	1/3/2019	0.4	0.01		mg/L
Do (field)	MW-21	4/3/2019	0.48	0.01		mg/L
Do (field)	MW-21	4/3/2019	0.48	0.01		mg/L
Do (field)	MW-21	7/11/2019	0.2	0		mg/L
Do (field)	MW-21	10/2/2019	0.11	0.01		mg/L
Do (field)	MW-21	1/16/2020	0.39	0		mg/L
Do (field)	MW-21	4/2/2020	0.2	0.01		mg/L
Do (field)	MW-21	7/8/2020	0.28	0		mg/L
Do (field)	MW-21	7/8/2020	0.28	0		mg/L
Do (field)	MW-21	10/7/2020	0.28	0.01		mg/L
Do (field)	MW-21	4/6/2021	0.2	0		mg/L
Do (field)	MW-21	7/5/2021	0.1	0		mg/L
Do (field)	MW-21	7/5/2021	0.1	0		mg/L
Do (field)	MW-21	10/6/2021	0.9	0		mg/L
Do (field)	MW-21	1/11/2023	0.5	0		mg/L
Do (field)	MW-21	4/8/2023	0.3	0		mg/L
Do (field)	MW-2N	1/19/2006	66	0		mg/L
Do (field)	MW-2N	7/19/2006	95.6	0		mg/L
Do (field)	MW-2N	7/19/2006	95.6	0		mg/L
Do (field)	MW-2N	10/25/2006	4.6	0		mg/L
Do (field)	MW-2N	10/25/2006	4.6	0		mg/L
Do (field)	MW-2N	1/26/2007	4.7	0		mg/L
Do (field)	MW-2N	1/26/2007	4.7	0		mg/L
Do (field)	MW-2N	3/26/2007	12.1	0		mg/L
Do (field)	MW-2N	3/27/2007	12.1	0		mg/L
Do (field)	MW-2N	3/27/2007	12.1	0		mg/L
Do (field)	MW-2N	7/11/2007	1.21	0		mg/L
Do (field)	MW-2N	7/11/2007	1.21	0		mg/L
Do (field)	MW-2N	7/22/2008	7.01	0.5		mg/L
Do (field)	MW-2N	2/4/2009	6.59	0.5		mg/L
Do (field)	MW-2N	7/31/2009	3.98	0.5		mg/L
Do (field)	MW-2N	1/26/2010	5.66	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-2N	7/13/2010	70.8	0		mg/L
Do (field)	MW-2N	1/20/2011	47.8	0		mg/L
Do (field)	MW-2N	7/13/2011	5.78	0		mg/L
Do (field)	MW-2N	1/5/2012	9.2	0		mg/L
Do (field)	MW-2N	7/10/2012	11.76	0		mg/L
Do (field)	MW-2N	5/1/2013	12.17	0		mg/L
Do (field)	MW-2N	7/16/2013	9.21	0		mg/L
Do (field)	MW-2N	1/24/2014	7.33	0		mg/L
Do (field)	MW-2N	7/9/2014	4.9	0		mg/L
Do (field)	MW-2N	2/12/2015	4.11	0		mg/L
Do (field)	MW-2N	7/14/2015	7.2	0		mg/L
Do (field)	MW-2N	1/6/2016	5.76	0		mg/L
Do (field)	MW-2N	7/21/2016	6.78	0		mg/L
Do (field)	MW-2N	1/11/2017	7.54	0		mg/L
Do (field)	MW-2N	7/19/2017	2.91	0		mg/L
Do (field)	MW-2N	1/23/2018	6.18	0.01		mg/L
Do (field)	MW-2N	6/21/2018	4.74	0		mg/L
Do (field)	MW-2N	7/12/2018	5.3	0.01		mg/L
Do (field)	MW-2N	1/3/2019	6.85	0.01		mg/L
Do (field)	MW-2N	4/3/2019	5.3	0.01		mg/L
Do (field)	MW-2N	8/7/2019	2.1	0.01		mg/L
Do (field)	MW-2N	10/1/2019	1.56	0.01		mg/L
Do (field)	MW-2N	7/7/2020	2.28	0		mg/L
Do (field)	MW-2N	7/7/2020	2.28	0		mg/L
Do (field)	MW-2N	10/6/2020	6.03	0.01		mg/L
Do (field)	MW-2N	10/6/2020	6.03	0.01		mg/L
Do (field)	MW-2N	7/5/2021	3	0		mg/L
Do (field)	MW-2N	7/5/2021	3	0		mg/L
Do (field)	MW-2N	10/6/2021	4	0		mg/L
Do (field)	MW-2N	1/11/2023	3.1	0		mg/L
Do (field)	MW-2N	4/8/2023	2.7	0		mg/L
Do (field)	MW-3N	1/19/2006	32.7	0		mg/L
Do (field)	MW-3N	7/19/2006	10.6	0		mg/L
Do (field)	MW-3N	7/19/2006	10.6	0		mg/L
Do (field)	MW-3N	10/25/2006	2.1	0		mg/L
Do (field)	MW-3N	10/25/2006	2.1	0		mg/L
Do (field)	MW-3N	1/26/2007	2.3	0		mg/L
Do (field)	MW-3N	1/26/2007	2.3	0		mg/L
Do (field)	MW-3N	7/11/2007	1.72	0		mg/L
Do (field)	MW-3N	7/11/2007	1.72	0		mg/L
Do (field)	MW-3N	5/3/2008	2.15	0		mg/L
Do (field)	MW-3N	7/22/2008	0.54	0.5		mg/L
Do (field)	MW-3N	2/4/2009	0.18	0.5	ND	mg/L
Do (field)	MW-3N	7/31/2009	0.14	0.5	ND	mg/L
Do (field)	MW-3N	1/26/2010	0.19	0.5	ND	mg/L
Do (field)	MW-3N	7/13/2010	2.5	0		mg/L
Do (field)	MW-3N	1/20/2011	1.7	0		mg/L
Do (field)	MW-3N	7/14/2011	0.21	0		mg/L
Do (field)	MW-3N	1/5/2012	0.32	0		mg/L
Do (field)	MW-3N	7/11/2012	0	0	ND	mg/L
Do (field)	MW-3N	5/1/2013	0.39	0		mg/L
Do (field)	MW-3N	6/4/2013	0.26	0		mg/L
Do (field)	MW-3N	7/16/2013	1.23	0		mg/L
Do (field)	MW-3N	1/24/2014	5.3	0		mg/L
Do (field)	MW-3N	7/9/2014	3.96	0		mg/L
Do (field)	MW-3N	2/12/2015	0.53	0		mg/L
Do (field)	MW-3N	4/1/2015	2.89	0		mg/L
Do (field)	MW-3N	7/14/2015	0.65	0		mg/L
Do (field)	MW-3N	10/5/2015	99.1	0		mg/L
Do (field)	MW-3N	1/6/2016	0.82	0		mg/L
Do (field)	MW-3N	4/6/2016	0.91	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-3N	7/21/2016	0.77	0		mg/L
Do (field)	MW-3N	10/6/2016	1.7	0		mg/L
Do (field)	MW-3N	1/11/2017	1.88	0		mg/L
Do (field)	MW-3N	4/4/2017	0.35	0		mg/L
Do (field)	MW-3N	7/19/2017	1.41	0		mg/L
Do (field)	MW-3N	10/9/2017	0.01	0		mg/L
Do (field)	MW-3N	1/24/2018	1.92	0.01		mg/L
Do (field)	MW-3N	4/10/2018	0.57	0.01		mg/L
Do (field)	MW-3N	6/6/2018	1.25	0		mg/L
Do (field)	MW-3N	7/13/2018	0.24	0.01		mg/L
Do (field)	MW-3N	10/3/2018	0.55	0		mg/L
Do (field)	MW-3N	10/3/2018	0.55	0		mg/L
Do (field)	MW-3N	1/7/2019	0.8	0.01		mg/L
Do (field)	MW-3N	4/3/2019	0.36	0.01		mg/L
Do (field)	MW-3N	7/11/2019	0.2	0		mg/L
Do (field)	MW-3N	10/2/2019	0.22	0.01		mg/L
Do (field)	MW-3N	1/15/2020	0.64	0		mg/L
Do (field)	MW-3N	4/2/2020	0.74	0.01		mg/L
Do (field)	MW-3N	7/7/2020	0.5	0		mg/L
Do (field)	MW-3N	7/7/2020	0.5	0		mg/L
Do (field)	MW-3N	10/7/2020	0.67	0.01		mg/L
Do (field)	MW-3N	4/6/2021	0.5	0		mg/L
Do (field)	MW-3N	7/5/2021	0.3	0		mg/L
Do (field)	MW-3N	7/5/2021	0.3	0		mg/L
Do (field)	MW-3N	10/6/2021	0.3	0		mg/L
Do (field)	MW-3N	1/11/2023	0.5	0		mg/L
Do (field)	MW-7N	1/19/2006	33.4	0		mg/L
Do (field)	MW-7N	7/19/2006	10.3	0		mg/L
Do (field)	MW-7N	7/19/2006	10.3	0		mg/L
Do (field)	MW-7N	9/28/2006	43.9	0		mg/L
Do (field)	MW-7N	9/28/2006	43.9	0		mg/L
Do (field)	MW-7N	10/24/2006	2	0		mg/L
Do (field)	MW-7N	10/24/2006	2	0		mg/L
Do (field)	MW-7N	11/21/2006	52.9	0		mg/L
Do (field)	MW-7N	11/21/2006	52.9	0		mg/L
Do (field)	MW-7N	12/22/2006	13.1	0		mg/L
Do (field)	MW-7N	12/22/2006	13.1	0		mg/L
Do (field)	MW-7N	1/25/2007	4.97	0		mg/L
Do (field)	MW-7N	1/26/2007	7.6	0		mg/L
Do (field)	MW-7N	1/26/2007	7.6	0		mg/L
Do (field)	MW-7N	2/7/2007	9.2	0		mg/L
Do (field)	MW-7N	2/27/2007	9.2	0		mg/L
Do (field)	MW-7N	2/27/2007	9.2	0		mg/L
Do (field)	MW-7N	3/26/2007	2.9	0		mg/L
Do (field)	MW-7N	3/27/2007	2.9	0		mg/L
Do (field)	MW-7N	3/27/2007	2.9	0		mg/L
Do (field)	MW-7N	4/25/2007	1	0		mg/L
Do (field)	MW-7N	4/26/2007	1	0		mg/L
Do (field)	MW-7N	6/1/2007	2.9	0		mg/L
Do (field)	MW-7N	6/1/2007	2.9	0		mg/L
Do (field)	MW-7N	6/28/2007	1.03	0		mg/L
Do (field)	MW-7N	6/28/2007	1.03	0		mg/L
Do (field)	MW-7N	7/10/2007	0.97	0		mg/L
Do (field)	MW-7N	7/11/2007	0.97	0		mg/L
Do (field)	MW-7N	10/24/2007	11.9	0		mg/L
Do (field)	MW-7N	10/24/2007	11.9	0		mg/L
Do (field)	MW-7N	3/24/2008	3.58	0		mg/L
Do (field)	MW-7N	5/3/2008	0.98	0		mg/L
Do (field)	MW-7N	5/30/2008	2.19	0		mg/L
Do (field)	MW-7N	7/21/2008	0.66	0.5		mg/L
Do (field)	MW-7N	8/29/2008	0.41	0.5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	9/25/2008	0.4	0.5	ND	mg/L
Do (field)	MW-7N	10/21/2008	0.58	0.5		mg/L
Do (field)	MW-7N	11/24/2008	0.37	0.5	ND	mg/L
Do (field)	MW-7N	12/18/2008	0.33	0.5	ND	mg/L
Do (field)	MW-7N	2/6/2009	0.46	0.5	ND	mg/L
Do (field)	MW-7N	3/25/2009	0.27	0.5	ND	mg/L
Do (field)	MW-7N	4/15/2009	0.09	0.5	ND	mg/L
Do (field)	MW-7N	6/25/2009	0.18	0.5	ND	mg/L
Do (field)	MW-7N	7/29/2009	0.17	0.5	ND	mg/L
Do (field)	MW-7N	8/28/2009	0.15	0.5	ND	mg/L
Do (field)	MW-7N	9/29/2009	0.2	0.5	ND	mg/L
Do (field)	MW-7N	10/21/2009	0.1	0.5	ND	mg/L
Do (field)	MW-7N	10/26/2009	0.5	0.5	ND	mg/L
Do (field)	MW-7N	11/24/2009	0.1	0.5	ND	mg/L
Do (field)	MW-7N	12/17/2009	0.15	0.5	ND	mg/L
Do (field)	MW-7N	1/26/2010	0.32	0.5	ND	mg/L
Do (field)	MW-7N	2/15/2010	0.38	0		mg/L
Do (field)	MW-7N	3/3/2010	0.41	0		mg/L
Do (field)	MW-7N	4/8/2010	0.34	0		mg/L
Do (field)	MW-7N	5/6/2010	0.7	0		mg/L
Do (field)	MW-7N	6/16/2010	14.2	0		mg/L
Do (field)	MW-7N	7/14/2010	21.1	0		mg/L
Do (field)	MW-7N	8/11/2010	13.7	0		mg/L
Do (field)	MW-7N	9/2/2010	18.6	0		mg/L
Do (field)	MW-7N	9/2/2010	18.6	0		mg/L
Do (field)	MW-7N	9/29/2010	12.6	0		mg/L
Do (field)	MW-7N	11/3/2010	15.8	0		mg/L
Do (field)	MW-7N	12/2/2010	19.9	0		mg/L
Do (field)	MW-7N	1/20/2011	12.2	0		mg/L
Do (field)	MW-7N	2/7/2011	1.2	0		mg/L
Do (field)	MW-7N	3/3/2011	1.12	0		mg/L
Do (field)	MW-7N	4/5/2011	0.95	0		mg/L
Do (field)	MW-7N	5/10/2011	1.4	0		mg/L
Do (field)	MW-7N	6/1/2011	0.81	0		mg/L
Do (field)	MW-7N	7/12/2011	0.99	0		mg/L
Do (field)	MW-7N	8/4/2011	0.91	0		mg/L
Do (field)	MW-7N	9/7/2011	1.12	0		mg/L
Do (field)	MW-7N	10/5/2011	1.15	0		mg/L
Do (field)	MW-7N	11/1/2011	1.52	0		mg/L
Do (field)	MW-7N	12/8/2011	1.58	0		mg/L
Do (field)	MW-7N	1/5/2012	1.86	0		mg/L
Do (field)	MW-7N	2/1/2012	0	0		mg/L
Do (field)	MW-7N	3/7/2012	2.21	0		mg/L
Do (field)	MW-7N	4/5/2012	2.16	0		mg/L
Do (field)	MW-7N	5/1/2012	3.42	0		mg/L
Do (field)	MW-7N	5/10/2012	2.46	0		mg/L
Do (field)	MW-7N	7/10/2012	2.69	0		mg/L
Do (field)	MW-7N	8/9/2012	0.01	0		mg/L
Do (field)	MW-7N	9/4/2012	0.01	0		mg/L
Do (field)	MW-7N	10/7/2012	0	0		mg/L
Do (field)	MW-7N	5/1/2013	0.7	0		mg/L
Do (field)	MW-7N	6/4/2013	2	0		mg/L
Do (field)	MW-7N	6/4/2013	2	0		mg/L
Do (field)	MW-7N	7/15/2013	4.16	0		mg/L
Do (field)	MW-7N	8/8/2013	3.99	0		mg/L
Do (field)	MW-7N	9/10/2013	6.8	0		mg/L
Do (field)	MW-7N	10/1/2013	5.49	0		mg/L
Do (field)	MW-7N	11/6/2013	4.2	0		mg/L
Do (field)	MW-7N	12/2/2013	4.39	0		mg/L
Do (field)	MW-7N	1/30/2014	5.37	0		mg/L
Do (field)	MW-7N	2/13/2014	4.96	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	3/11/2014	4.12	0		mg/L
Do (field)	MW-7N	4/2/2014	4.24	0		mg/L
Do (field)	MW-7N	5/7/2014	5.75	0		mg/L
Do (field)	MW-7N	6/3/2014	3.76	0		mg/L
Do (field)	MW-7N	7/9/2014	4.25	0		mg/L
Do (field)	MW-7N	8/5/2014	4.36	0		mg/L
Do (field)	MW-7N	9/4/2014	4.82	0		mg/L
Do (field)	MW-7N	10/9/2014	4.22	0		mg/L
Do (field)	MW-7N	11/3/2014	4.3	0		mg/L
Do (field)	MW-7N	1/14/2015	5.26	0		mg/L
Do (field)	MW-7N	2/12/2015	2.46	0		mg/L
Do (field)	MW-7N	3/3/2015	4.42	0		mg/L
Do (field)	MW-7N	4/1/2015	9.41	0		mg/L
Do (field)	MW-7N	5/7/2015	8.21	0		mg/L
Do (field)	MW-7N	6/3/2015	5.46	0		mg/L
Do (field)	MW-7N	7/13/2015	4.98	0		mg/L
Do (field)	MW-7N	8/4/2015	7.31	0		mg/L
Do (field)	MW-7N	9/3/2015	6.99	0		mg/L
Do (field)	MW-7N	10/6/2015	4.86	0		mg/L
Do (field)	MW-7N	11/4/2015	7.22	0		mg/L
Do (field)	MW-7N	12/3/2015	6.52	0		mg/L
Do (field)	MW-7N	1/5/2016	7.23	0		mg/L
Do (field)	MW-7N	2/3/2016	7.43	0		mg/L
Do (field)	MW-7N	3/2/2016	6.73	0		mg/L
Do (field)	MW-7N	4/5/2016	4.88	0		mg/L
Do (field)	MW-7N	5/11/2016	5.19	0		mg/L
Do (field)	MW-7N	6/1/2016	6.21	0		mg/L
Do (field)	MW-7N	7/21/2016	6.58	0		mg/L
Do (field)	MW-7N	8/10/2016	6.28	0		mg/L
Do (field)	MW-7N	9/6/2016	7.8	0		mg/L
Do (field)	MW-7N	10/6/2016	6.43	0		mg/L
Do (field)	MW-7N	11/2/2016	2.65	0		mg/L
Do (field)	MW-7N	12/1/2016	2.46	0		mg/L
Do (field)	MW-7N	1/11/2017	3.66	0		mg/L
Do (field)	MW-7N	2/7/2017	3.81	0		mg/L
Do (field)	MW-7N	3/2/2017	1.81	0		mg/L
Do (field)	MW-7N	3/2/2017	1.81	0		mg/L
Do (field)	MW-7N	4/4/2017	3.04	0		mg/L
Do (field)	MW-7N	5/16/2017	1.62	0		mg/L
Do (field)	MW-7N	6/6/2017	1.57	0		mg/L
Do (field)	MW-7N	7/19/2017	0.84	0		mg/L
Do (field)	MW-7N	8/1/2017	0.12	0		mg/L
Do (field)	MW-7N	9/5/2017	0.02	0		mg/L
Do (field)	MW-7N	10/5/2017	0.01	0		mg/L
Do (field)	MW-7N	11/1/2017	8.1	0		mg/L
Do (field)	MW-7N	1/25/2018	1.42	0.01		mg/L
Do (field)	MW-7N	2/22/2018	2.53	0.01		mg/L
Do (field)	MW-7N	3/20/2018	1.3	0.01		mg/L
Do (field)	MW-7N	4/11/2018	1.69	0.01		mg/L
Do (field)	MW-7N	4/11/2018	1.69	0.01		mg/L
Do (field)	MW-7N	6/5/2018	2.87	0		mg/L
Do (field)	MW-7N	6/5/2018	2.87	0		mg/L
Do (field)	MW-7N	7/13/2018	2.24	0.01		mg/L
Do (field)	MW-7N	8/1/2018	2.55	0.01		mg/L
Do (field)	MW-7N	9/5/2018	2.81	0		mg/L
Do (field)	MW-7N	10/4/2018	2.12	0		mg/L
Do (field)	MW-7N	11/6/2018	2.2	0.01		mg/L
Do (field)	MW-7N	12/4/2018	2.4	0.01		mg/L
Do (field)	MW-7N	1/4/2019	3.12	0.01		mg/L
Do (field)	MW-7N	2/5/2019	4.23	0		mg/L
Do (field)	MW-7N	3/5/2019	2.2	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	4/3/2019	2.34	0.01		mg/L
Do (field)	MW-7N	5/3/2019	2.27	0.01		mg/L
Do (field)	MW-7N	6/4/2019	2.31	0		mg/L
Do (field)	MW-7N	7/10/2019	2.68	0.01		mg/L
Do (field)	MW-7N	7/10/2019	2.68	0.01		mg/L
Do (field)	MW-7N	8/8/2019	2.65	0.01		mg/L
Do (field)	MW-7N	9/4/2019	3.61	0.01		mg/L
Do (field)	MW-7N	10/3/2019	2.1	0.01		mg/L
Do (field)	MW-7N	11/6/2019	2.18	0.01		mg/L
Do (field)	MW-7N	12/3/2019	3.05	0.01		mg/L
Do (field)	MW-7N	1/16/2020	4.05	0		mg/L
Do (field)	MW-7N	3/4/2020	3.47	0.01		mg/L
Do (field)	MW-7N	4/2/2020	3.32	0.01		mg/L
Do (field)	MW-7N	5/5/2020	3.34	0.01		mg/L
Do (field)	MW-7N	6/2/2020	3.15	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	8/3/2020	3.02	0		mg/L
Do (field)	MW-7N	9/2/2020	2.67	0.01		mg/L
Do (field)	MW-7N	10/6/2020	2.57	0.01		mg/L
Do (field)	MW-7N	11/3/2020	3.04	0		mg/L
Do (field)	MW-7N	12/2/2020	9.58	0		mg/L
Do (field)	MW-7N	1/16/2021	1.59	0		mg/L
Do (field)	MW-7N	2/9/2021	1.96	0		mg/L
Do (field)	MW-7N	3/2/2021	2	0		mg/L
Do (field)	MW-7N	4/7/2021	2.7	0		mg/L
Do (field)	MW-7N	5/5/2021	3.2	0		mg/L
Do (field)	MW-7N	6/2/2021	3.2	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	8/3/2021	3.7	0		mg/L
Do (field)	MW-7N	9/2/2021	3.3	0		mg/L
Do (field)	MW-7N	10/5/2021	3.9	0		mg/L
Do (field)	MW-7N	10/5/2021	3.9	0		mg/L
Do (field)	MW-7N	11/1/2021	3.6	0		mg/L
Do (field)	MW-7N	12/8/2021	3.1	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	2/9/2022	3.5	0		mg/L
Do (field)	MW-7N	3/1/2022	3.8	0		mg/L
Do (field)	MW-7N	4/4/2022	2.8	0		mg/L
Do (field)	MW-7N	4/4/2022	2.8	0		mg/L
Do (field)	MW-7N	5/7/2022	3.5	0		mg/L
Do (field)	MW-7N	6/3/2022	3.5	0		mg/L
Do (field)	MW-7N	7/10/2022	3.9	0		mg/L
Do (field)	MW-7N	8/10/2022	4.2	0		mg/L
Do (field)	MW-7N	9/8/2022	3.8	0		mg/L
Do (field)	MW-7N	10/6/2022	3.5	0		mg/L
Do (field)	MW-7N	10/6/2022	3.5	0		mg/L
Do (field)	MW-7N	11/3/2022	3	0		mg/L
Do (field)	MW-7N	12/7/2022	2.8	0		mg/L
Do (field)	MW-7N	1/10/2023	3.2	0		mg/L
Do (field)	MW-7N	2/3/2023	2.6	0		mg/L
Do (field)	MW-7N	3/1/2023	2.2	0		mg/L
Do (field)	MW-7N	4/5/2023	3.8	0		mg/L
Do (field)	MW-8N	1/19/2006	39.4	0		mg/L
Do (field)	MW-8N	7/19/2006	13.4	0		mg/L
Do (field)	MW-8N	7/19/2006	13.4	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-8N	10/24/2006	2.7	0		mg/L
Do (field)	MW-8N	10/24/2006	2.7	0		mg/L
Do (field)	MW-8N	12/22/2006	3	0		mg/L
Do (field)	MW-8N	12/22/2006	3	0		mg/L
Do (field)	MW-8N	1/26/2007	3.3	0		mg/L
Do (field)	MW-8N	1/26/2007	3.3	0		mg/L
Do (field)	MW-8N	4/25/2007	1.9	0		mg/L
Do (field)	MW-8N	4/26/2007	1.9	0		mg/L
Do (field)	MW-8N	7/10/2007	1.09	0		mg/L
Do (field)	MW-8N	7/11/2007	1.09	0		mg/L
Do (field)	MW-8N	10/24/2007	17.36	0		mg/L
Do (field)	MW-8N	10/24/2007	17.36	0		mg/L
Do (field)	MW-8N	5/3/2008	1.89	0		mg/L
Do (field)	MW-8N	7/23/2008	1.35	0.5		mg/L
Do (field)	MW-8N	10/21/2008	2.02	0.5		mg/L
Do (field)	MW-8N	2/4/2009	0.76	0.5		mg/L
Do (field)	MW-8N	4/16/2009	0.23	0.5	ND	mg/L
Do (field)	MW-8N	7/31/2009	0.87	0.5		mg/L
Do (field)	MW-8N	10/26/2009	0.14	0.5	ND	mg/L
Do (field)	MW-8N	1/26/2010	1.29	0.5		mg/L
Do (field)	MW-8N	4/8/2010	0.36	0		mg/L
Do (field)	MW-8N	7/16/2010	12.1	0		mg/L
Do (field)	MW-8N	9/2/2010	9.6	0		mg/L
Do (field)	MW-8N	9/30/2010	4.5	0		mg/L
Do (field)	MW-8N	1/19/2011	2	0		mg/L
Do (field)	MW-8N	5/10/2011	1.58	0		mg/L
Do (field)	MW-8N	7/14/2011	0.75	0		mg/L
Do (field)	MW-8N	1/6/2012	0.69	0		mg/L
Do (field)	MW-8N	4/5/2012	0.83	0		mg/L
Do (field)	MW-8N	7/11/2012	1.28	0		mg/L
Do (field)	MW-8N	10/3/2012	0.01	0		mg/L
Do (field)	MW-8N	5/1/2013	1.9	0		mg/L
Do (field)	MW-8N	6/4/2013	0.79	0		mg/L
Do (field)	MW-8N	7/16/2013	0.8	0		mg/L
Do (field)	MW-8N	10/2/2013	0.71	0		mg/L
Do (field)	MW-8N	1/30/2014	1.39	0		mg/L
Do (field)	MW-8N	4/3/2014	4.21	0		mg/L
Do (field)	MW-8N	7/9/2014	2.41	0		mg/L
Do (field)	MW-8N	10/8/2014	2.68	0		mg/L
Do (field)	MW-8N	2/12/2015	1.03	0		mg/L
Do (field)	MW-8N	4/1/2015	0.98	0		mg/L
Do (field)	MW-8N	7/14/2015	2.92	0		mg/L
Do (field)	MW-8N	10/5/2015	1.6	0		mg/L
Do (field)	MW-8N	1/5/2016	1.48	0		mg/L
Do (field)	MW-8N	4/6/2016	2.4	0		mg/L
Do (field)	MW-8N	7/21/2016	1.4	0		mg/L
Do (field)	MW-8N	10/6/2016	1.69	0		mg/L
Do (field)	MW-8N	1/11/2017	2.8	0		mg/L
Do (field)	MW-8N	4/4/2017	0.76	0		mg/L
Do (field)	MW-8N	7/19/2017	2.14	0		mg/L
Do (field)	MW-8N	10/6/2017	0.01	0		mg/L
Do (field)	MW-8N	1/25/2018	0.55	0.01		mg/L
Do (field)	MW-8N	4/10/2018	0.52	0.01		mg/L
Do (field)	MW-8N	6/6/2018	1.68	0		mg/L
Do (field)	MW-8N	7/16/2018	0.42	0.01		mg/L
Do (field)	MW-8N	10/2/2018	0.85	0		mg/L
Do (field)	MW-8N	1/7/2019	0.5	0.01		mg/L
Do (field)	MW-8N	4/3/2019	0.62	0.01		mg/L
Do (field)	MW-8N	7/11/2019	0.3	0		mg/L
Do (field)	MW-8N	10/3/2019	0.22	0.01		mg/L
Do (field)	MW-8N	1/15/2020	0.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-8N	4/2/2020	0.35	0.01		mg/L
Do (field)	MW-8N	7/9/2020	0.3	0		mg/L
Do (field)	MW-8N	7/9/2020	0.3	0		mg/L
Do (field)	MW-8N	10/6/2020	0.43	0.01		mg/L
Do (field)	MW-8N	4/6/2021	0.8	0		mg/L
Do (field)	MW-8N	7/5/2021	0.3	0		mg/L
Do (field)	MW-8N	7/5/2021	0.3	0		mg/L
Do (field)	MW-8N	10/6/2021	0.4	0		mg/L
Do (field)	MW-8N	1/18/2022	0.3	0		mg/L
Do (field)	MW-8N	1/18/2022	0.3	0		mg/L
Do (field)	MW-8N	4/4/2022	0.3	0		mg/L
Do (field)	MW-8N	7/12/2022	0.4	0		mg/L
Do (field)	MW-8N	10/6/2022	0.4	0		mg/L
Do (field)	MW-8N	1/11/2023	0.3	0		mg/L
Do (field)	MW-8N	4/8/2023	0.3	0		mg/L
Do (field)	NE-1	7/18/2006	74.8	0		mg/L
Do (field)	NE-1	7/18/2006	74.8	0		mg/L
Do (field)	NE-1	10/24/2006	3.8	0		mg/L
Do (field)	NE-1	10/24/2006	3.8	0		mg/L
Do (field)	NE-1	1/23/2007	14.5	0		mg/L
Do (field)	NE-1	1/23/2007	14.5	0		mg/L
Do (field)	NE-1	4/23/2007	6.1	0		mg/L
Do (field)	NE-1	4/26/2007	6.1	0		mg/L
Do (field)	NE-1	7/10/2007	1.79	0		mg/L
Do (field)	NE-1	7/11/2007	1.79	0		mg/L
Do (field)	NE-1	10/24/2007	13.65	0		mg/L
Do (field)	NE-1	10/24/2007	13.65	0		mg/L
Do (field)	NE-1	7/21/2008	7.52	0.5		mg/L
Do (field)	NE-1	2/7/2009	4.03	0.5		mg/L
Do (field)	NE-1	7/31/2009	3.64	0.5		mg/L
Do (field)	NE-1	1/26/2010	5.35	0.5		mg/L
Do (field)	NE-1	7/14/2010	83.5	0		mg/L
Do (field)	NE-1	9/2/2010	22.4	0		mg/L
Do (field)	NE-1	9/30/2010	29.2	0		mg/L
Do (field)	NE-1	1/19/2011	24.3	0		mg/L
Do (field)	NE-1	7/13/2011	4.2	0		mg/L
Do (field)	NE-1	1/5/2012	5.25	0		mg/L
Do (field)	NE-1	7/10/2012	0	0		mg/L
Do (field)	NE-1	4/30/2013	9.73	0		mg/L
Do (field)	NE-1	7/16/2013	3.62	0		mg/L
Do (field)	NE-1	1/23/2014	9.69	0		mg/L
Do (field)	NE-1	7/9/2014	5.8	0		mg/L
Do (field)	NE-1	2/11/2015	5.64	0		mg/L
Do (field)	NE-1	7/8/2015	8.92	0		mg/L
Do (field)	NE-1	1/6/2016	6.82	0		mg/L
Do (field)	NE-1	7/20/2016	3.06	0		mg/L
Do (field)	NE-1	1/11/2017	6.61	0		mg/L
Do (field)	NE-1	7/19/2017	3.96	0		mg/L
Do (field)	NE-1	1/24/2018	3.93	0.01		mg/L
Do (field)	NE-1	4/11/2018	6.05	0.01		mg/L
Do (field)	NE-1	7/18/2018	5.12	0.01		mg/L
Do (field)	NE-1	10/2/2018	5.32	0		mg/L
Do (field)	NE-1	1/4/2019	5.2	0.01		mg/L
Do (field)	NE-1	4/2/2019	7.31	0.01		mg/L
Do (field)	NE-1	7/10/2019	4.7	0		mg/L
Do (field)	NE-1	7/10/2019	4.7	0		mg/L
Do (field)	NE-1	10/2/2019	4.68	0.01		mg/L
Do (field)	NE-1	4/2/2020	4.08	0.01		mg/L
Do (field)	NE-1	7/8/2020	2.75	0		mg/L
Do (field)	NE-1	7/8/2020	2.75	0		mg/L
Do (field)	NE-1	10/7/2020	3.39	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-1	4/9/2021	4.7	0		mg/L
Do (field)	NE-1	7/2/2021	5.6	0		mg/L
Do (field)	NE-1	7/2/2021	5.6	0		mg/L
Do (field)	NE-1	10/6/2021	4.6	0		mg/L
Do (field)	NE-1	1/17/2022	6.9	0		mg/L
Do (field)	NE-1	1/17/2022	6.9	0		mg/L
Do (field)	NE-1	4/6/2022	7	0		mg/L
Do (field)	NE-1	7/13/2022	6.7	0		mg/L
Do (field)	NE-1	10/6/2022	5.8	0		mg/L
Do (field)	NE-1	1/5/2023	7.3	0		mg/L
Do (field)	NE-1	4/7/2023	8.4	0		mg/L
Do (field)	NE-10D	11/6/2019	7.01	0		mg/L
Do (field)	NE-10D	4/2/2020	5.8	0.01		mg/L
Do (field)	NE-10D	7/8/2020	6.48	0		mg/L
Do (field)	NE-10D	7/8/2020	6.48	0		mg/L
Do (field)	NE-10D	10/7/2020	6.76	0.01		mg/L
Do (field)	NE-10D	4/9/2021	8.5	0		mg/L
Do (field)	NE-10D	7/2/2021	8	0		mg/L
Do (field)	NE-10D	7/2/2021	8	0		mg/L
Do (field)	NE-10D	10/7/2021	8.6	0		mg/L
Do (field)	NE-10D	1/6/2023	8.4	0		mg/L
Do (field)	NE-10D	4/6/2023	7.5	0		mg/L
Do (field)	NE-11	3/1/2017	2.13	0		mg/L
Do (field)	NE-11	4/6/2017	1.28	0		mg/L
Do (field)	NE-11	7/20/2017	0.7	0		mg/L
Do (field)	NE-11	10/9/2017	0.01	0		mg/L
Do (field)	NE-11	9/30/2019	4.64	0.01		mg/L
Do (field)	NE-11	1/14/2020	2.53	0		mg/L
Do (field)	NE-11	7/7/2020	1.78	0		mg/L
Do (field)	NE-11	7/7/2020	1.78	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	7/12/2022	2.7	0		mg/L
Do (field)	NE-11	1/6/2023	2.5	0		mg/L
Do (field)	NE-12	3/1/2017	8.67	0		mg/L
Do (field)	NE-12	4/6/2017	6.55	0		mg/L
Do (field)	NE-12	7/20/2017	0.4	0		mg/L
Do (field)	NE-12	10/6/2017	0.02	0		mg/L
Do (field)	NE-12	7/9/2019	4.41	0		mg/L
Do (field)	NE-12	8/5/2019	6.67	0.01		mg/L
Do (field)	NE-12	1/13/2020	4.95	0		mg/L
Do (field)	NE-12	7/7/2020	6.22	0		mg/L
Do (field)	NE-12	7/7/2020	6.22	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	7/12/2022	5.5	0		mg/L
Do (field)	NE-12	1/6/2023	4.5	0		mg/L
Do (field)	NE-13	2/5/2019	6.61	0		mg/L
Do (field)	NE-13	7/11/2019	6.1	0		mg/L
Do (field)	NE-13	8/7/2019	4.5	0.01		mg/L
Do (field)	NE-13	1/15/2020	7.49	0		mg/L
Do (field)	NE-13	7/8/2020	25.2	0		mg/L
Do (field)	NE-13	7/8/2020	2.52	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-14D	10/2/2019	2.94	0.01		mg/L
Do (field)	NE-14D	4/3/2020	3.29	0.01		mg/L
Do (field)	NE-14D	7/7/2020	28.3	0		mg/L
Do (field)	NE-14D	7/7/2020	2.83	0		mg/L
Do (field)	NE-14D	10/6/2020	2.15	0.01		mg/L
Do (field)	NE-14D	4/9/2021	2.3	0		mg/L
Do (field)	NE-14D	7/2/2021	2.3	0		mg/L
Do (field)	NE-14D	7/2/2021	2.3	0		mg/L
Do (field)	NE-14D	10/7/2021	1.8	0		mg/L
Do (field)	NE-14D	1/18/2022	1.9	0		mg/L
Do (field)	NE-14D	1/18/2022	1.9	0		mg/L
Do (field)	NE-14D	4/6/2022	1.8	0		mg/L
Do (field)	NE-14D	7/13/2022	2	0		mg/L
Do (field)	NE-14D	10/7/2022	1.4	0		mg/L
Do (field)	NE-14D	1/6/2023	1.3	0		mg/L
Do (field)	NE-14D	4/6/2023	2.1	0		mg/L
Do (field)	NE-14S	10/2/2019	4.84	0.01		mg/L
Do (field)	NE-14S	4/3/2020	5.46	0.01		mg/L
Do (field)	NE-14S	7/7/2020	3.41	0		mg/L
Do (field)	NE-14S	7/7/2020	3.41	0		mg/L
Do (field)	NE-14S	10/6/2020	3.43	0.01		mg/L
Do (field)	NE-14S	4/9/2021	4.2	0		mg/L
Do (field)	NE-14S	7/2/2021	3.3	0		mg/L
Do (field)	NE-14S	7/2/2021	3.3	0		mg/L
Do (field)	NE-14S	10/7/2021	3.4	0		mg/L
Do (field)	NE-14S	1/18/2022	5.1	0		mg/L
Do (field)	NE-14S	1/18/2022	5.1	0		mg/L
Do (field)	NE-14S	4/6/2022	4.3	0		mg/L
Do (field)	NE-14S	7/13/2022	3.1	0		mg/L
Do (field)	NE-14S	10/7/2022	2.8	0		mg/L
Do (field)	NE-14S	1/6/2023	3.4	0		mg/L
Do (field)	NE-14S	4/6/2023	4.5	0		mg/L
Do (field)	NE-15D	9/30/2019	1.24	0.01		mg/L
Do (field)	NE-15D	4/3/2020	4.76	0.01		mg/L
Do (field)	NE-15D	7/7/2020	3.34	0		mg/L
Do (field)	NE-15D	7/7/2020	3.34	0		mg/L
Do (field)	NE-15D	10/6/2020	0.6	0.01		mg/L
Do (field)	NE-15D	4/9/2021	0.7	0		mg/L
Do (field)	NE-15D	7/2/2021	0.7	0		mg/L
Do (field)	NE-15D	7/2/2021	0.7	0		mg/L
Do (field)	NE-15D	10/7/2021	0.5	0		mg/L
Do (field)	NE-15D	1/17/2022	0.6	0		mg/L
Do (field)	NE-15D	1/17/2022	0.6	0		mg/L
Do (field)	NE-15D	4/6/2022	0.8	0		mg/L
Do (field)	NE-15D	7/13/2022	0.4	0		mg/L
Do (field)	NE-15D	10/7/2022	0.5	0		mg/L
Do (field)	NE-15D	1/6/2023	0.6	0		mg/L
Do (field)	NE-15D	4/6/2023	0.9	0		mg/L
Do (field)	NE-15S	4/3/2020	7.19	0.01		mg/L
Do (field)	NE-2	4/24/2007	1.6	0		mg/L
Do (field)	NE-2	4/26/2007	1.6	0		mg/L
Do (field)	NE-2	12/19/2008	2.54	0.5		mg/L
Do (field)	NE-2	10/26/2009	0.15	0.5	ND	mg/L
Do (field)	NE-2	9/2/2010	5.8	0		mg/L
Do (field)	NE-2	9/30/2010	16.6	0		mg/L
Do (field)	NE-2	4/5/2012	2.49	0		mg/L
Do (field)	NE-2	10/1/2013	1.68	0		mg/L
Do (field)	NE-2	10/5/2015	2.66	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-2	10/6/2016	3.49	0		mg/L
Do (field)	NE-2	10/5/2017	0.01	0		mg/L
Do (field)	NE-2	1/25/2018	2.6	0.01		mg/L
Do (field)	NE-2	4/10/2018	0.88	0.01		mg/L
Do (field)	NE-2	7/10/2018	2.83	0.01		mg/L
Do (field)	NE-2	10/1/2018	1.98	0		mg/L
Do (field)	NE-2	1/4/2019	3.2	0.01		mg/L
Do (field)	NE-2	4/2/2019	4.6	0.01		mg/L
Do (field)	NE-2	7/9/2019	1.97	0		mg/L
Do (field)	NE-2	7/9/2019	1.97	0		mg/L
Do (field)	NE-2	10/2/2019	2.05	0.01		mg/L
Do (field)	NE-2	4/1/2020	0.76	0.01		mg/L
Do (field)	NE-2	7/7/2020	1.59	0		mg/L
Do (field)	NE-2	7/7/2020	1.59	0		mg/L
Do (field)	NE-2	10/6/2020	1.87	0.01		mg/L
Do (field)	NE-2	4/9/2021	1.7	0		mg/L
Do (field)	NE-2	7/2/2021	0.3	0		mg/L
Do (field)	NE-2	7/2/2021	0.3	0		mg/L
Do (field)	NE-2	10/6/2021	2.4	0		mg/L
Do (field)	NE-2	1/18/2022	0.4	0		mg/L
Do (field)	NE-2	1/18/2022	0.4	0		mg/L
Do (field)	NE-2	4/6/2022	2.6	0		mg/L
Do (field)	NE-2	7/13/2022	1.5	0		mg/L
Do (field)	NE-2	10/7/2022	2.6	0		mg/L
Do (field)	NE-2	1/5/2023	5.9	0		mg/L
Do (field)	NE-2	4/5/2023	2.9	0		mg/L
Do (field)	NE-3	4/24/2007	3.6	0		mg/L
Do (field)	NE-3	4/26/2007	3.6	0		mg/L
Do (field)	NE-3	9/2/2010	23.3	0		mg/L
Do (field)	NE-3	3/21/2018	6.55	0.01		mg/L
Do (field)	NE-4	7/18/2006	31.5	0		mg/L
Do (field)	NE-4	7/18/2006	34.5	0		mg/L
Do (field)	NE-4	7/31/2006	50.2	0		mg/L
Do (field)	NE-4	8/1/2006	50.2	0		mg/L
Do (field)	NE-4	10/24/2006	2.1	0		mg/L
Do (field)	NE-4	10/24/2006	2.1	0		mg/L
Do (field)	NE-4	1/23/2007	11.7	0		mg/L
Do (field)	NE-4	1/23/2007	11.7	0		mg/L
Do (field)	NE-4	2/24/2007	3.4	0		mg/L
Do (field)	NE-4	4/26/2007	3.4	0		mg/L
Do (field)	NE-4	7/11/2007	3.99	0		mg/L
Do (field)	NE-4	7/12/2007	3.99	0		mg/L
Do (field)	NE-4	7/21/2008	5.81	0.5		mg/L
Do (field)	NE-4	2/7/2009	3.49	0.5		mg/L
Do (field)	NE-4	7/31/2009	3.93	0.5		mg/L
Do (field)	NE-4	1/26/2010	4.47	0.5		mg/L
Do (field)	NE-4	7/14/2010	92.2	0		mg/L
Do (field)	NE-4	1/19/2011	22.1	0		mg/L
Do (field)	NE-4	7/13/2011	5.67	0		mg/L
Do (field)	NE-4	1/5/2012	3.97	0		mg/L
Do (field)	NE-4	7/10/2012	0	0		mg/L
Do (field)	NE-4	4/30/2013	3.59	0		mg/L
Do (field)	NE-4	7/16/2013	2.56	0		mg/L
Do (field)	NE-4	1/23/2014	6.69	0		mg/L
Do (field)	NE-4	7/9/2014	4.04	0		mg/L
Do (field)	NE-4	2/13/2015	5.08	0		mg/L
Do (field)	NE-4	7/8/2015	8.76	0		mg/L
Do (field)	NE-4	1/6/2016	8.25	0		mg/L
Do (field)	NE-4	7/20/2016	6.98	0		mg/L
Do (field)	NE-4	1/11/2017	7.85	0		mg/L
Do (field)	NE-4	7/19/2017	4.28	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-4	1/26/2018	6.93	0.01		mg/L
Do (field)	NE-4	4/10/2018	5.95	0.01		mg/L
Do (field)	NE-4	7/12/2018	5.91	0.01		mg/L
Do (field)	NE-4	10/3/2018	6.39	0		mg/L
Do (field)	NE-4	1/7/2019	6.53	0.01		mg/L
Do (field)	NE-4	4/2/2019	7.92	0.01		mg/L
Do (field)	NE-4	7/8/2019	6.6	0		mg/L
Do (field)	NE-4	7/8/2019	6.6	0		mg/L
Do (field)	NE-4	10/1/2019	5.87	0.01		mg/L
Do (field)	NE-4	4/1/2020	7.43	0.01		mg/L
Do (field)	NE-4	7/6/2020	8.68	0		mg/L
Do (field)	NE-4	7/6/2020	8.68	0		mg/L
Do (field)	NE-4	10/5/2020	6.37	0.01		mg/L
Do (field)	NE-4	4/9/2021	7.1	0		mg/L
Do (field)	NE-4	7/2/2021	8.7	0		mg/L
Do (field)	NE-4	7/2/2021	8.7	0		mg/L
Do (field)	NE-4	10/6/2021	8.5	0		mg/L
Do (field)	NE-4	1/5/2023	8.2	0		mg/L
Do (field)	NE-4	4/6/2023	8.2	0		mg/L
Do (field)	NE-5	7/18/2006	21.3	0		mg/L
Do (field)	NE-5	7/18/2006	21.3	0		mg/L
Do (field)	NE-5	10/24/2006	6.9	0		mg/L
Do (field)	NE-5	10/24/2006	6.9	0		mg/L
Do (field)	NE-5	1/23/2007	7.7	0		mg/L
Do (field)	NE-5	1/23/2007	7.7	0		mg/L
Do (field)	NE-5	2/24/2007	2.4	0		mg/L
Do (field)	NE-5	4/26/2007	2.4	0		mg/L
Do (field)	NE-5	7/11/2007	2.59	0		mg/L
Do (field)	NE-5	7/12/2007	2.59	0		mg/L
Do (field)	NE-5	5/3/2008	1.76	0		mg/L
Do (field)	NE-5	7/22/2008	0.51	0.5		mg/L
Do (field)	NE-5	2/6/2009	3.33	0.5		mg/L
Do (field)	NE-5	7/31/2009	1.27	0.5		mg/L
Do (field)	NE-5	1/26/2010	1.76	0.5		mg/L
Do (field)	NE-5	7/16/2010	57.6	0		mg/L
Do (field)	NE-5	9/2/2010	15.6	0		mg/L
Do (field)	NE-5	1/19/2011	19.9	0		mg/L
Do (field)	NE-5	7/13/2011	2.12	0		mg/L
Do (field)	NE-5	1/5/2012	4.06	0		mg/L
Do (field)	NE-5	7/10/2012	0.1	0		mg/L
Do (field)	NE-5	4/30/2013	27.3	0		mg/L
Do (field)	NE-5	7/16/2013	2.56	0		mg/L
Do (field)	NE-5	1/23/2014	4.99	0		mg/L
Do (field)	NE-5	7/9/2014	2.45	0		mg/L
Do (field)	NE-5	2/11/2015	2.88	0		mg/L
Do (field)	NE-5	7/14/2015	1.54	0		mg/L
Do (field)	NE-5	1/6/2016	2.57	0		mg/L
Do (field)	NE-5	2/11/2016	1.8	0		mg/L
Do (field)	NE-5	7/20/2016	3.38	0		mg/L
Do (field)	NE-5	1/11/2017	2.44	0		mg/L
Do (field)	NE-5	7/19/2017	0.75	0		mg/L
Do (field)	NE-5	1/25/2018	0.71	0.01		mg/L
Do (field)	NE-5	4/10/2018	2.38	0.01		mg/L
Do (field)	NE-5	7/17/2018	1.87	0.01		mg/L
Do (field)	NE-5	10/3/2018	1.59	0		mg/L
Do (field)	NE-5	10/3/2018	1.59	0.01		mg/L
Do (field)	NE-5	1/4/2019	1.6	0.01		mg/L
Do (field)	NE-5	4/2/2019	1.52	0.01		mg/L
Do (field)	NE-5	4/2/2019	1.57	0.01		mg/L
Do (field)	NE-5	7/9/2019	0.4	0		mg/L
Do (field)	NE-5	7/9/2019	0.4	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-5	7/9/2019	0.4	0		mg/L
Do (field)	NE-5	10/3/2019	0.76	0.01		mg/L
Do (field)	NE-5	4/2/2020	1.65	0.01		mg/L
Do (field)	NE-5	7/8/2020	1.33	0		mg/L
Do (field)	NE-5	7/8/2020	1.33	0		mg/L
Do (field)	NE-5	10/6/2020	1.46	0.01		mg/L
Do (field)	NE-5	4/9/2021	0.5	0		mg/L
Do (field)	NE-5	7/2/2021	0.5	0		mg/L
Do (field)	NE-5	7/2/2021	0.5	0		mg/L
Do (field)	NE-5	10/6/2021	0.7	0		mg/L
Do (field)	NE-5	1/18/2022	0.4	0		mg/L
Do (field)	NE-5	1/18/2022	0.4	0		mg/L
Do (field)	NE-5	4/6/2022	0.6	0		mg/L
Do (field)	NE-5	7/13/2022	1.1	0		mg/L
Do (field)	NE-5	10/7/2022	0.5	0		mg/L
Do (field)	NE-5	1/5/2023	1	0		mg/L
Do (field)	NE-5	4/7/2023	0.4	0		mg/L
Do (field)	NE-5E	9/30/2019	2.07	0.01		mg/L
Do (field)	NE-5E	4/1/2020	4.3	0.01		mg/L
Do (field)	NE-5E	7/8/2020	3.84	0		mg/L
Do (field)	NE-5E	7/8/2020	3.84	0		mg/L
Do (field)	NE-5E	10/6/2020	3.12	0.01		mg/L
Do (field)	NE-5E	4/9/2021	4.2	0		mg/L
Do (field)	NE-5E	7/2/2021	3.4	0		mg/L
Do (field)	NE-5E	7/2/2021	3.4	0		mg/L
Do (field)	NE-5E	10/6/2021	3.5	0		mg/L
Do (field)	NE-5E	1/18/2022	3.6	0		mg/L
Do (field)	NE-5E	1/18/2022	3.6	0		mg/L
Do (field)	NE-5E	4/6/2022	3.7	0		mg/L
Do (field)	NE-5E	7/13/2022	1.6	0		mg/L
Do (field)	NE-5E	10/7/2022	0.9	0		mg/L
Do (field)	NE-5E	1/5/2023	1.8	0		mg/L
Do (field)	NE-5E	4/7/2023	1.3	0		mg/L
Do (field)	NE-5W	9/30/2019	1.49	0.01		mg/L
Do (field)	NE-5W	4/2/2020	0.81	0.01		mg/L
Do (field)	NE-5W	7/8/2020	0.4	0		mg/L
Do (field)	NE-5W	7/8/2020	0.4	0		mg/L
Do (field)	NE-5W	10/6/2020	0.7	0.01		mg/L
Do (field)	NE-5W	4/9/2021	1.3	0		mg/L
Do (field)	NE-5W	7/2/2021	0.4	0		mg/L
Do (field)	NE-5W	7/2/2021	0.4	0		mg/L
Do (field)	NE-5W	10/6/2021	0.9	0		mg/L
Do (field)	NE-5W	1/18/2022	0.7	0		mg/L
Do (field)	NE-5W	1/18/2022	0.7	0		mg/L
Do (field)	NE-5W	4/6/2022	0.7	0		mg/L
Do (field)	NE-5W	7/13/2022	0.6	0		mg/L
Do (field)	NE-5W	10/7/2022	0.6	0		mg/L
Do (field)	NE-5W	1/5/2023	1.3	0		mg/L
Do (field)	NE-5W	4/7/2023	1.9	0		mg/L
Do (field)	NE-6	1/12/2017	5.75	0		mg/L
Do (field)	NE-6	4/5/2017	1.96	0		mg/L
Do (field)	NE-6	7/19/2017	2.15	0		mg/L
Do (field)	NE-6	10/6/2017	0.01	0		mg/L
Do (field)	NE-6	2/4/2019	1.11	0		mg/L
Do (field)	NE-6	7/9/2019	1	0		mg/L
Do (field)	NE-6	8/6/2019	5.03	0.01		mg/L
Do (field)	NE-6	1/15/2020	0.96	0		mg/L
Do (field)	NE-6	7/9/2020	6.88	0		mg/L
Do (field)	NE-6	7/9/2020	6.88	0		mg/L
Do (field)	NE-6	7/1/2021	1	0		mg/L
Do (field)	NE-6	7/1/2021	1	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-6	7/1/2021	1	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	7/12/2022	0.3	0		mg/L
Do (field)	NE-6	1/5/2023	0.4	0		mg/L
Do (field)	NE-6D	10/2/2019	1.52	0.01		mg/L
Do (field)	NE-6D	4/2/2020	0.35	0.01		mg/L
Do (field)	NE-6D	7/9/2020	4.69	0		mg/L
Do (field)	NE-6D	7/9/2020	4.69	0		mg/L
Do (field)	NE-6D	10/7/2020	0.47	0.01		mg/L
Do (field)	NE-6D	4/9/2021	2	0		mg/L
Do (field)	NE-6D	7/2/2021	0.3	0		mg/L
Do (field)	NE-6D	7/2/2021	0.3	0		mg/L
Do (field)	NE-6D	10/7/2021	0.8	0		mg/L
Do (field)	NE-6D	1/17/2022	0.3	0		mg/L
Do (field)	NE-6D	1/17/2022	0.3	0		mg/L
Do (field)	NE-6D	4/6/2022	0.4	0		mg/L
Do (field)	NE-6D	7/12/2022	0.8	0		mg/L
Do (field)	NE-6D	10/7/2022	0.7	0		mg/L
Do (field)	NE-6D	1/5/2023	0.6	0		mg/L
Do (field)	NE-6D	4/7/2023	0.6	0		mg/L
Do (field)	NE-7	3/1/2017	8.85	0		mg/L
Do (field)	NE-7	4/6/2017	7.36	0		mg/L
Do (field)	NE-7	7/20/2017	2.23	0		mg/L
Do (field)	NE-7	10/5/2017	0	0		mg/L
Do (field)	NE-7	2/6/2019	4.09	0		mg/L
Do (field)	NE-7	7/10/2019	3.7	0		mg/L
Do (field)	NE-7	8/6/2019	5.94	0.01		mg/L
Do (field)	NE-7	1/16/2020	5.34	0		mg/L
Do (field)	NE-7	7/7/2020	5.24	0		mg/L
Do (field)	NE-7	7/7/2020	5.24	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	7/12/2022	4.7	0		mg/L
Do (field)	NE-7	1/5/2023	3.8	0		mg/L
Do (field)	NE-8	1/12/2017	3.38	0		mg/L
Do (field)	NE-8	4/5/2017	15.2	0		mg/L
Do (field)	NE-8	7/20/2017	0.17	0		mg/L
Do (field)	NE-8	10/6/2017	0	0		mg/L
Do (field)	NE-8	2/4/2019	0.76	0		mg/L
Do (field)	NE-8	7/11/2019	0.2	0		mg/L
Do (field)	NE-8	8/5/2019	0.56	0.01		mg/L
Do (field)	NE-8	1/15/2020	1.05	0		mg/L
Do (field)	NE-8	7/8/2020	0.42	0		mg/L
Do (field)	NE-8	7/8/2020	0.42	0		mg/L
Do (field)	NE-8	10/7/2020	0.8	0.01		mg/L
Do (field)	NE-8	10/7/2020	0.8	0.01		mg/L
Do (field)	NE-8	4/9/2021	0.4	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	10/7/2021	0.4	0		mg/L
Do (field)	NE-8	1/6/2023	0.4	0		mg/L
Do (field)	NE-9	1/12/2017	4.97	0		mg/L
Do (field)	NE-9	4/5/2017	4.96	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-9	7/20/2017	0.34	0		mg/L
Do (field)	NE-9	10/5/2017	0	0		mg/L
Do (field)	NE-9	2/5/2019	1.78	0		mg/L
Do (field)	NE-9	7/8/2019	1.75	0		mg/L
Do (field)	NE-9	8/7/2019	0.55	0.01		mg/L
Do (field)	NE-9	1/15/2020	2.05	0		mg/L
Do (field)	NE-9	7/7/2020	4.33	0		mg/L
Do (field)	NE-9	7/7/2020	4.33	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	7/13/2022	0.3	0		mg/L
Do (field)	NE-9	1/6/2023	0.4	0		mg/L
Do (field)	NE-9	4/8/2023	0.4	0		mg/L
Eh (redox)	LGW-10	8/28/2007	0	0	ND	MV
Eh (redox)	LGW-10	11/28/2007	136	0		MV
Eh (redox)	LGW-10	12/28/2007	137	0		MV
Eh (redox)	LGW-10	5/30/2008	95	0		MV
Eh (redox)	LGW-10	6/25/2008	170.2	0		MV
Eh (redox)	LGW-10	1/15/2020	13.2	0		MV
Eh (redox)	LGW-10	6/2/2020	-26.6	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	8/3/2020	-21.8	0		MV
Eh (redox)	LGW-10	11/4/2020	-36.1	0		MV
Eh (redox)	LGW-10	12/3/2020	2	0		MV
Eh (redox)	LGW-10	1/17/2021	37.9	0		MV
Eh (redox)	LGW-10	2/9/2021	49.7	0		MV
Eh (redox)	LGW-10	3/2/2021	30.8	0		MV
Eh (redox)	LGW-10	4/6/2021	0.7	0		MV
Eh (redox)	LGW-10	4/6/2021	0.7	0		MV
Eh (redox)	LGW-10	5/5/2021	-42.1	0		MV
Eh (redox)	LGW-10	6/1/2021	12.3	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	8/4/2021	-5.9	0		MV
Eh (redox)	LGW-10	9/2/2021	-2.9	0		MV
Eh (redox)	LGW-10	10/5/2021	-12.7	0		MV
Eh (redox)	LGW-10	10/5/2021	-12.7	0		MV
Eh (redox)	LGW-10	11/2/2021	112	0		MV
Eh (redox)	LGW-10	12/9/2021	95.9	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	2/10/2022	44.8	0		MV
Eh (redox)	LGW-10	3/2/2022	51.2	0		MV
Eh (redox)	LGW-10	4/4/2022	161.3	0		MV
Eh (redox)	LGW-10	4/4/2022	161.3	0		MV
Eh (redox)	LGW-10	5/7/2022	101.3	0		MV
Eh (redox)	LGW-10	6/3/2022	38.6	0		MV
Eh (redox)	LGW-10	7/11/2022	142.3	0		MV
Eh (redox)	LGW-10	8/10/2022	169.8	0		MV
Eh (redox)	LGW-10	9/8/2022	191.7	0		MV
Eh (redox)	LGW-10	10/7/2022	180.9	0		MV
Eh (redox)	LGW-10	10/7/2022	180.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-10	11/3/2022	183.2	0		MV
Eh (redox)	LGW-10	12/7/2022	183.8	0		MV
Eh (redox)	LGW-10	1/11/2023	132.1	0		MV
Eh (redox)	LGW-10	2/3/2023	142.9	0		MV
Eh (redox)	LGW-10	3/1/2023	173.1	0		MV
Eh (redox)	LGW-10	4/5/2023	191.3	0		MV
Eh (redox)	LGW-14R	8/29/2007	62.59	0		MV
Eh (redox)	LGW-14R	11/27/2007	59	0		MV
Eh (redox)	LGW-14R	12/27/2007	57	0		MV
Eh (redox)	LGW-14R	3/25/2008	17	0		MV
Eh (redox)	LGW-14R	5/3/2008	143.1	0		MV
Eh (redox)	LGW-14R	5/30/2008	139	0		MV
Eh (redox)	LGW-14R	6/25/2008	16.1	0		MV
Eh (redox)	LGW-14R	1/16/2020	137.3	0		MV
Eh (redox)	LGW-14R	6/2/2020	-19.6	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	8/3/2020	48.9	0		MV
Eh (redox)	LGW-14R	11/3/2020	-43.6	0		MV
Eh (redox)	LGW-14R	12/3/2020	83.3	0		MV
Eh (redox)	LGW-14R	1/18/2021	29.1	0		MV
Eh (redox)	LGW-14R	1/18/2021	29.1	0		MV
Eh (redox)	LGW-14R	2/9/2021	150.2	0		MV
Eh (redox)	LGW-14R	3/2/2021	102.4	0		MV
Eh (redox)	LGW-14R	4/6/2021	118.2	0		MV
Eh (redox)	LGW-14R	4/6/2021	118.2	0		MV
Eh (redox)	LGW-14R	5/4/2021	58.2	0		MV
Eh (redox)	LGW-14R	6/1/2021	64.6	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	8/3/2021	100.2	0		MV
Eh (redox)	LGW-14R	9/2/2021	61.1	0		MV
Eh (redox)	LGW-14R	10/5/2021	44.5	0		MV
Eh (redox)	LGW-14R	10/5/2021	44.5	0		MV
Eh (redox)	LGW-14R	11/2/2021	148.1	0		MV
Eh (redox)	LGW-14R	12/9/2021	116.9	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	2/10/2022	123.9	0		MV
Eh (redox)	LGW-14R	3/1/2022	106.4	0		MV
Eh (redox)	LGW-14R	4/5/2022	221.1	0		MV
Eh (redox)	LGW-14R	5/7/2022	79.4	0		MV
Eh (redox)	LGW-14R	6/3/2022	127.6	0		MV
Eh (redox)	LGW-14R	7/11/2022	153.5	0		MV
Eh (redox)	LGW-14R	8/10/2022	164.2	0		MV
Eh (redox)	LGW-14R	9/8/2022	179.7	0		MV
Eh (redox)	LGW-14R	10/6/2022	165.4	0		MV
Eh (redox)	LGW-14R	11/3/2022	157.8	0		MV
Eh (redox)	LGW-14R	12/7/2022	153.5	0		MV
Eh (redox)	LGW-14R	1/10/2023	135	0		MV
Eh (redox)	LGW-14R	2/3/2023	128.5	0		MV
Eh (redox)	LGW-14R	3/1/2023	151.1	0		MV
Eh (redox)	LGW-14R	4/5/2023	167.6	0		MV
Eh (redox)	LGW-2	8/28/2007	11.8	0		MV
Eh (redox)	LGW-2	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-2	1/26/2008	3	0		MV
Eh (redox)	LGW-2	3/24/2008	49	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-2	5/3/2008	141.2	0		MV
Eh (redox)	LGW-2	5/30/2008	111	0		MV
Eh (redox)	LGW-2	6/26/2008	27.7	0		MV
Eh (redox)	LGW-2	1/13/2020	39.5	0		MV
Eh (redox)	LGW-2	6/2/2020	-33.4	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	8/3/2020	-70.1	0		MV
Eh (redox)	LGW-2	11/3/2020	-80.1	0		MV
Eh (redox)	LGW-2	12/4/2020	-33.7	0		MV
Eh (redox)	LGW-2	1/18/2021	-74.9	0		MV
Eh (redox)	LGW-2	1/18/2021	-74.9	0		MV
Eh (redox)	LGW-2	2/10/2021	162.7	0		MV
Eh (redox)	LGW-2	3/2/2021	34.8	0		MV
Eh (redox)	LGW-2	4/7/2021	109.3	0		MV
Eh (redox)	LGW-2	5/4/2021	124.4	0		MV
Eh (redox)	LGW-2	6/1/2021	129.8	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	8/3/2021	168.6	0		MV
Eh (redox)	LGW-2	9/2/2021	154.8	0		MV
Eh (redox)	LGW-2	10/5/2021	123.5	0		MV
Eh (redox)	LGW-2	10/5/2021	123.5	0		MV
Eh (redox)	LGW-2	11/1/2021	73	0		MV
Eh (redox)	LGW-2	12/8/2021	152.9	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	2/9/2022	150.2	0		MV
Eh (redox)	LGW-2	3/1/2022	164.8	0		MV
Eh (redox)	LGW-2	4/5/2022	225.2	0		MV
Eh (redox)	LGW-2	5/7/2022	134.1	0		MV
Eh (redox)	LGW-2	6/3/2022	177.2	0		MV
Eh (redox)	LGW-2	7/10/2022	256.3	0		MV
Eh (redox)	LGW-2	8/10/2022	183.2	0		MV
Eh (redox)	LGW-2	9/8/2022	195.3	0		MV
Eh (redox)	LGW-2	10/6/2022	176.6	0		MV
Eh (redox)	LGW-2	11/3/2022	155.3	0		MV
Eh (redox)	LGW-2	12/7/2022	153.3	0		MV
Eh (redox)	LGW-2	1/10/2023	148.7	0		MV
Eh (redox)	LGW-2	2/3/2023	128.9	0		MV
Eh (redox)	LGW-2	3/1/2023	147.2	0		MV
Eh (redox)	LGW-2	4/6/2023	156.5	0		MV
Eh (redox)	LGW-3R	8/28/2007	10.5	0		MV
Eh (redox)	LGW-3R	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-3R	12/27/2007	47	0		MV
Eh (redox)	LGW-3R	1/26/2008	29	0		MV
Eh (redox)	LGW-3R	3/24/2008	41	0		MV
Eh (redox)	LGW-3R	5/3/2008	174.4	0		MV
Eh (redox)	LGW-3R	5/30/2008	130	0		MV
Eh (redox)	LGW-3R	6/26/2008	56.6	0		MV
Eh (redox)	LGW-3R	1/14/2020	64.8	0		MV
Eh (redox)	LGW-3R	6/3/2020	-3.3	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	8/3/2020	49.9	0		MV
Eh (redox)	LGW-3R	11/3/2020	-46.1	0		MV
Eh (redox)	LGW-3R	12/4/2020	117	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-3R	1/18/2021	43.3	0		MV
Eh (redox)	LGW-3R	1/18/2021	43.3	0		MV
Eh (redox)	LGW-3R	2/9/2021	187.4	0		MV
Eh (redox)	LGW-3R	3/2/2021	179.5	0		MV
Eh (redox)	LGW-3R	4/6/2021	192.7	0		MV
Eh (redox)	LGW-3R	4/6/2021	192.7	0		MV
Eh (redox)	LGW-3R	5/4/2021	182.3	0		MV
Eh (redox)	LGW-3R	6/2/2021	182.3	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	8/3/2021	210.9	0		MV
Eh (redox)	LGW-3R	9/2/2021	180	0		MV
Eh (redox)	LGW-3R	10/5/2021	154.9	0		MV
Eh (redox)	LGW-3R	11/2/2021	184.6	0		MV
Eh (redox)	LGW-3R	12/9/2021	202.4	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	2/10/2022	225.6	0		MV
Eh (redox)	LGW-3R	3/1/2022	182.7	0		MV
Eh (redox)	LGW-3R	4/5/2022	269	0		MV
Eh (redox)	LGW-3R	5/7/2022	146.9	0		MV
Eh (redox)	LGW-3R	6/3/2022	186.9	0		MV
Eh (redox)	LGW-3R	7/10/2022	287.3	0		MV
Eh (redox)	LGW-3R	8/10/2022	226.5	0		MV
Eh (redox)	LGW-3R	9/8/2022	244.4	0		MV
Eh (redox)	LGW-3R	10/6/2022	227.9	0		MV
Eh (redox)	LGW-3R	11/3/2022	213	0		MV
Eh (redox)	LGW-3R	12/7/2022	210.5	0		MV
Eh (redox)	LGW-3R	1/10/2023	199.7	0		MV
Eh (redox)	LGW-3R	2/3/2023	184.6	0		MV
Eh (redox)	LGW-3R	3/1/2023	215	0		MV
Eh (redox)	LGW-3R	4/6/2023	201.1	0		MV
Eh (redox)	LGW-4	8/28/2007	80	0		MV
Eh (redox)	LGW-4	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-4	12/27/2007	61	0		MV
Eh (redox)	LGW-4	3/25/2008	5	0		MV
Eh (redox)	LGW-4	5/3/2008	144.4	0		MV
Eh (redox)	LGW-4	5/30/2008	115	0		MV
Eh (redox)	LGW-4	1/14/2020	48.2	0		MV
Eh (redox)	LGW-4	6/3/2020	-2.7	0		MV
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	8/3/2020	42.6	0		MV
Eh (redox)	LGW-4	11/3/2020	-35.5	0		MV
Eh (redox)	LGW-4	12/4/2020	122.3	0		MV
Eh (redox)	LGW-4	1/18/2021	-3.1	0		MV
Eh (redox)	LGW-4	1/18/2021	-3.1	0		MV
Eh (redox)	LGW-4	2/9/2021	117	0		MV
Eh (redox)	LGW-4	3/2/2021	181.3	0		MV
Eh (redox)	LGW-4	4/6/2021	129.4	0		MV
Eh (redox)	LGW-4	4/6/2021	129.4	0		MV
Eh (redox)	LGW-4	5/4/2021	140.5	0		MV
Eh (redox)	LGW-4	6/2/2021	144	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	8/3/2021	161	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-4	9/2/2021	157	0		MV
Eh (redox)	LGW-4	10/5/2021	122.4	0		MV
Eh (redox)	LGW-4	10/5/2021	122.4	0		MV
Eh (redox)	LGW-4	11/2/2021	165.8	0		MV
Eh (redox)	LGW-4	12/9/2021	165.4	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	2/10/2022	189.5	0		MV
Eh (redox)	LGW-4	3/1/2022	159.7	0		MV
Eh (redox)	LGW-4	4/5/2022	224.4	0		MV
Eh (redox)	LGW-4	5/7/2022	130.8	0		MV
Eh (redox)	LGW-4	6/3/2022	177.5	0		MV
Eh (redox)	LGW-4	7/11/2022	174.6	0		MV
Eh (redox)	LGW-4	8/10/2022	183.9	0		MV
Eh (redox)	LGW-4	9/8/2022	198.1	0		MV
Eh (redox)	LGW-4	10/6/2022	173.1	0		MV
Eh (redox)	LGW-4	11/3/2022	157.8	0		MV
Eh (redox)	LGW-4	12/7/2022	163.6	0		MV
Eh (redox)	LGW-4	1/10/2023	157.7	0		MV
Eh (redox)	LGW-4	2/3/2023	135.6	0		MV
Eh (redox)	LGW-4	3/1/2023	157.9	0		MV
Eh (redox)	LGW-4	4/6/2023	161.8	0		MV
Eh (redox)	LGW-5	8/28/2007	31.9	0		MV
Eh (redox)	LGW-5	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-5	12/27/2007	162	0		MV
Eh (redox)	LGW-5	3/25/2008	24	0		MV
Eh (redox)	LGW-5	5/3/2008	135.7	0		MV
Eh (redox)	LGW-5	5/30/2008	68	0		MV
Eh (redox)	LGW-5	6/26/2008	43.3	0		MV
Eh (redox)	LGW-5	1/14/2020	22.5	0		MV
Eh (redox)	LGW-5	6/1/2020	-28.9	0		MV
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV
Eh (redox)	LGW-5	8/3/2020	42.2	0		MV
Eh (redox)	LGW-5	11/3/2020	-13.9	0		MV
Eh (redox)	LGW-5	12/3/2020	38.2	0		MV
Eh (redox)	LGW-5	1/18/2021	-46.1	0		MV
Eh (redox)	LGW-5	1/18/2021	-46.1	0		MV
Eh (redox)	LGW-5	2/9/2021	72.9	0		MV
Eh (redox)	LGW-5	3/2/2021	62.2	0		MV
Eh (redox)	LGW-5	4/6/2021	30	0		MV
Eh (redox)	LGW-5	4/6/2021	30	0		MV
Eh (redox)	LGW-5	5/4/2021	41.7	0		MV
Eh (redox)	LGW-5	6/2/2021	55.8	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	8/3/2021	63.3	0		MV
Eh (redox)	LGW-5	9/2/2021	51.8	0		MV
Eh (redox)	LGW-5	10/5/2021	50.9	0		MV
Eh (redox)	LGW-5	10/5/2021	50.9	0		MV
Eh (redox)	LGW-5	11/2/2021	166.8	0		MV
Eh (redox)	LGW-5	12/9/2021	134.8	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	2/10/2022	124	0		MV
Eh (redox)	LGW-5	3/1/2022	112.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-5	4/4/2022	194.6	0		MV
Eh (redox)	LGW-5	4/4/2022	194.6	0		MV
Eh (redox)	LGW-5	5/7/2022	78.6	0		MV
Eh (redox)	LGW-5	6/3/2022	129.8	0		MV
Eh (redox)	LGW-5	7/11/2022	185.4	0		MV
Eh (redox)	LGW-5	8/10/2022	191.2	0		MV
Eh (redox)	LGW-5	9/8/2022	210	0		MV
Eh (redox)	LGW-5	10/6/2022	192.2	0		MV
Eh (redox)	LGW-5	10/6/2022	192.2	0		MV
Eh (redox)	LGW-5	11/3/2022	185.1	0		MV
Eh (redox)	LGW-5	12/7/2022	181.7	0		MV
Eh (redox)	LGW-5	1/10/2023	160.8	0		MV
Eh (redox)	LGW-5	2/3/2023	152.2	0		MV
Eh (redox)	LGW-5	3/1/2023	178.4	0		MV
Eh (redox)	LGW-5	4/6/2023	174	0		MV
Eh (redox)	LGW-6	8/28/2007	28	0		MV
Eh (redox)	LGW-6	11/27/2007	0	0	ND	MV
Eh (redox)	LGW-6	12/27/2007	12	0		MV
Eh (redox)	LGW-6	3/25/2008	5	0		MV
Eh (redox)	LGW-6	5/3/2008	138.5	0		MV
Eh (redox)	LGW-6	5/30/2008	126	0		MV
Eh (redox)	LGW-6	6/26/2008	35.3	0		MV
Eh (redox)	LGW-6	1/16/2020	104.8	0		MV
Eh (redox)	LGW-6	6/2/2020	-21.3	0		MV
Eh (redox)	LGW-6	7/9/2020	66.7	0		MV
Eh (redox)	LGW-6	7/9/2020	66.7	0		MV
Eh (redox)	LGW-6	7/9/2020	68.7	0		MV
Eh (redox)	LGW-6	8/3/2020	52.2	0		MV
Eh (redox)	LGW-6	11/3/2020	-56.2	0		MV
Eh (redox)	LGW-6	12/3/2020	82.5	0		MV
Eh (redox)	LGW-6	1/18/2021	-16.6	0		MV
Eh (redox)	LGW-6	2/9/2021	137.2	0		MV
Eh (redox)	LGW-6	3/2/2021	112.2	0		MV
Eh (redox)	LGW-6	4/6/2021	50.9	0		MV
Eh (redox)	LGW-6	4/6/2021	50.9	0		MV
Eh (redox)	LGW-6	5/5/2021	99.1	0		MV
Eh (redox)	LGW-6	6/1/2021	57.3	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	8/3/2021	101.7	0		MV
Eh (redox)	LGW-6	9/2/2021	92.1	0		MV
Eh (redox)	LGW-6	10/5/2021	67.4	0		MV
Eh (redox)	LGW-6	10/5/2021	67.4	0		MV
Eh (redox)	LGW-6	11/2/2021	162.2	0		MV
Eh (redox)	LGW-6	12/9/2021	133.2	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	2/10/2022	113.2	0		MV
Eh (redox)	LGW-6	3/1/2022	107.2	0		MV
Eh (redox)	LGW-6	4/4/2022	179	0		MV
Eh (redox)	LGW-6	4/4/2022	179	0		MV
Eh (redox)	LGW-6	5/7/2022	81.6	0		MV
Eh (redox)	LGW-6	6/3/2022	137.3	0		MV
Eh (redox)	LGW-6	7/11/2022	172.2	0		MV
Eh (redox)	LGW-6	8/10/2022	180.2	0		MV
Eh (redox)	LGW-6	9/8/2022	198.9	0		MV
Eh (redox)	LGW-6	10/6/2022	182.7	0		MV
Eh (redox)	LGW-6	10/6/2022	182.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-6	11/3/2022	183.1	0		MV
Eh (redox)	LGW-6	12/7/2022	176.7	0		MV
Eh (redox)	LGW-6	1/10/2023	151.4	0		MV
Eh (redox)	LGW-6	2/3/2023	157.2	0		MV
Eh (redox)	LGW-6	3/1/2023	172.9	0		MV
Eh (redox)	LGW-6	4/6/2023	161.2	0		MV
Eh (redox)	LGW-7	8/29/2007	102	0		MV
Eh (redox)	LGW-7	11/27/2007	27	0		MV
Eh (redox)	LGW-7	12/27/2007	25	0		MV
Eh (redox)	LGW-7	3/25/2008	31	0		MV
Eh (redox)	LGW-7	5/3/2008	141.6	0		MV
Eh (redox)	LGW-7	5/30/2008	125	0		MV
Eh (redox)	LGW-7	6/26/2008	24.6	0		MV
Eh (redox)	LGW-7	1/15/2020	46.6	0		MV
Eh (redox)	LGW-7	6/2/2020	-304	0		MV
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	8/3/2020	24.7	0		MV
Eh (redox)	LGW-7	11/4/2020	-42.5	0		MV
Eh (redox)	LGW-7	12/3/2020	65.2	0		MV
Eh (redox)	LGW-7	1/18/2021	18.4	0		MV
Eh (redox)	LGW-7	2/9/2021	157.7	0		MV
Eh (redox)	LGW-7	3/2/2021	126.8	0		MV
Eh (redox)	LGW-7	4/7/2021	188.8	0		MV
Eh (redox)	LGW-7	5/5/2021	91	0		MV
Eh (redox)	LGW-7	6/2/2021	70.4	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	8/3/2021	104.2	0		MV
Eh (redox)	LGW-7	9/2/2021	74.1	0		MV
Eh (redox)	LGW-7	10/5/2021	57.2	0		MV
Eh (redox)	LGW-7	10/5/2021	57.2	0		MV
Eh (redox)	LGW-7	11/2/2021	149.9	0		MV
Eh (redox)	LGW-7	12/9/2021	118.6	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	2/10/2022	113.1	0		MV
Eh (redox)	LGW-7	3/2/2022	180.2	0		MV
Eh (redox)	LGW-7	4/4/2022	171.9	0		MV
Eh (redox)	LGW-7	4/4/2022	171.9	0		MV
Eh (redox)	LGW-7	5/7/2022	92.5	0		MV
Eh (redox)	LGW-7	6/3/2022	138.1	0		MV
Eh (redox)	LGW-7	7/11/2022	165.7	0		MV
Eh (redox)	LGW-7	8/10/2022	172	0		MV
Eh (redox)	LGW-7	9/8/2022	182.4	0		MV
Eh (redox)	LGW-7	10/6/2022	162.5	0		MV
Eh (redox)	LGW-7	11/3/2022	158.8	0		MV
Eh (redox)	LGW-7	12/7/2022	161.9	0		MV
Eh (redox)	LGW-7	1/11/2023	121.8	0		MV
Eh (redox)	LGW-7	2/3/2023	139.4	0		MV
Eh (redox)	LGW-7	3/1/2023	163.8	0		MV
Eh (redox)	LGW-7	4/6/2023	155.9	0		MV
Eh (redox)	LGW-8R	8/29/2007	134	0		MV
Eh (redox)	LGW-8R	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-8R	1/14/2020	20.3	0		MV
Eh (redox)	LGW-8R	6/1/2020	-26.5	0		MV
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV
Eh (redox)	LGW-8R	8/3/2020	43.2	0		MV
Eh (redox)	LGW-8R	11/2/2020	-54.3	0		MV
Eh (redox)	LGW-8R	12/1/2020	62.5	0		MV
Eh (redox)	LGW-8R	1/17/2021	-13	0		MV
Eh (redox)	LGW-8R	2/9/2021	176.9	0		MV
Eh (redox)	LGW-8R	3/2/2021	140.7	0		MV
Eh (redox)	LGW-8R	4/7/2021	180.2	0		MV
Eh (redox)	LGW-8R	5/5/2021	91.9	0		MV
Eh (redox)	LGW-8R	6/2/2021	91.1	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	8/3/2021	112	0		MV
Eh (redox)	LGW-8R	9/2/2021	85.5	0		MV
Eh (redox)	LGW-8R	10/5/2021	65.8	0		MV
Eh (redox)	LGW-8R	11/2/2021	152.9	0		MV
Eh (redox)	LGW-8R	12/9/2021	123.9	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	2/10/2022	123.6	0		MV
Eh (redox)	LGW-8R	3/2/2022	169.4	0		MV
Eh (redox)	LGW-8R	4/5/2022	230.2	0		MV
Eh (redox)	LGW-8R	5/7/2022	95.5	0		MV
Eh (redox)	LGW-8R	6/3/2022	139.1	0		MV
Eh (redox)	LGW-8R	7/11/2022	156.6	0		MV
Eh (redox)	LGW-8R	8/10/2022	165.9	0		MV
Eh (redox)	LGW-8R	9/8/2022	185	0		MV
Eh (redox)	LGW-8R	10/6/2022	167.8	0		MV
Eh (redox)	LGW-8R	10/6/2022	167.8	0		MV
Eh (redox)	LGW-8R	11/3/2022	171.2	0		MV
Eh (redox)	LGW-8R	12/7/2022	167.5	0		MV
Eh (redox)	LGW-8R	1/11/2023	129.8	0		MV
Eh (redox)	LGW-8R	2/3/2023	153.7	0		MV
Eh (redox)	LGW-8R	3/1/2023	161.5	0		MV
Eh (redox)	LGW-8R	4/6/2023	148.6	0		MV
Eh (redox)	LGW-9	8/28/2007	0	0	ND	MV
Eh (redox)	LGW-9	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-9	12/27/2007	163	0		MV
Eh (redox)	LGW-9	3/25/2008	173	0		MV
Eh (redox)	LGW-9	5/3/2008	25.1	0		MV
Eh (redox)	LGW-9	5/30/2008	54	0		MV
Eh (redox)	LGW-9	6/25/2008	71.6	0		MV
Eh (redox)	LGW-9	1/16/2020	99.5	0		MV
Eh (redox)	LGW-9	6/2/2020	-18.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	8/3/2020	227.9	0		MV
Eh (redox)	LGW-9	11/3/2020	-52.8	0		MV
Eh (redox)	LGW-9	12/2/2020	55.5	0		MV
Eh (redox)	LGW-9	1/17/2021	-56	0		MV
Eh (redox)	LGW-9	2/9/2021	137.5	0		MV
Eh (redox)	LGW-9	3/2/2021	154.6	0		MV
Eh (redox)	LGW-9	4/6/2021	123.7	0		MV
Eh (redox)	LGW-9	4/6/2021	123.7	0		MV
Eh (redox)	LGW-9	5/5/2021	87.8	0		MV
Eh (redox)	LGW-9	6/2/2021	113.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	8/4/2021	73.3	0		MV
Eh (redox)	LGW-9	9/2/2021	85.2	0		MV
Eh (redox)	LGW-9	10/5/2021	39	0		MV
Eh (redox)	LGW-9	10/5/2021	39	0		MV
Eh (redox)	LGW-9	11/2/2021	145	0		MV
Eh (redox)	LGW-9	12/9/2021	128.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	2/10/2022	131.6	0		MV
Eh (redox)	LGW-9	3/2/2022	166.9	0		MV
Eh (redox)	LGW-9	4/4/2022	179.8	0		MV
Eh (redox)	LGW-9	4/4/2022	179.8	0		MV
Eh (redox)	LGW-9	5/7/2022	108.4	0		MV
Eh (redox)	LGW-9	6/3/2022	154	0		MV
Eh (redox)	LGW-9	7/11/2022	161.3	0		MV
Eh (redox)	LGW-9	8/10/2022	172.1	0		MV
Eh (redox)	LGW-9	9/8/2022	192.9	0		MV
Eh (redox)	LGW-9	10/7/2022	191.1	0		MV
Eh (redox)	LGW-9	10/7/2022	191.1	0		MV
Eh (redox)	LGW-9	11/3/2022	193.3	0		MV
Eh (redox)	LGW-9	12/7/2022	191.5	0		MV
Eh (redox)	LGW-9	1/11/2023	134.4	0		MV
Eh (redox)	LGW-9	2/3/2023	148.1	0		MV
Eh (redox)	LGW-9	3/1/2023	179.1	0		MV
Eh (redox)	LGW-9	4/5/2023	192.6	0		MV
Eh (redox)	MW-10N	1/16/2020	111.9	0		MV
Eh (redox)	MW-10N	7/8/2020	24.4	0		MV
Eh (redox)	MW-10N	7/8/2020	24.4	0		MV
Eh (redox)	MW-10N	7/5/2021	-175.5	0		MV
Eh (redox)	MW-10N	7/5/2021	-175.5	0		MV
Eh (redox)	MW-10N	1/11/2023	97.4	0		MV
Eh (redox)	MW-10N	4/8/2023	135.6	0		MV
Eh (redox)	MW-11N	1/14/2020	46.4	0		MV
Eh (redox)	MW-11N	7/6/2020	226.8	0		MV
Eh (redox)	MW-11N	7/6/2020	226.8	0		MV
Eh (redox)	MW-11N	1/18/2021	14.3	0		MV
Eh (redox)	MW-11N	7/6/2021	172.3	0		MV
Eh (redox)	MW-11N	7/6/2021	172.3	0		MV
Eh (redox)	MW-11N	1/18/2022	261.2	0		MV
Eh (redox)	MW-11N	1/18/2022	261.2	0		MV
Eh (redox)	MW-11N	7/13/2022	162.3	0		MV
Eh (redox)	MW-11N	10/6/2022	165.6	0		MV
Eh (redox)	MW-11N	1/10/2023	132.4	0		MV
Eh (redox)	MW-15	1/14/2020	203.6	0		MV
Eh (redox)	MW-15	6/2/2020	-25.1	0		MV
Eh (redox)	MW-15	7/7/2020	70.2	0		MV
Eh (redox)	MW-15	7/7/2020	70.2	0		MV
Eh (redox)	MW-15	8/3/2020	121.7	0		MV
Eh (redox)	MW-15	8/3/2020	121.7	0		MV
Eh (redox)	MW-15	11/4/2020	39.4	0		MV
Eh (redox)	MW-15	12/2/2020	105.7	0		MV
Eh (redox)	MW-15	1/18/2021	50.5	0		MV
Eh (redox)	MW-15	1/18/2021	50.5	0		MV
Eh (redox)	MW-15	2/10/2021	252.1	0		MV
Eh (redox)	MW-15	3/2/2021	230.2	0		MV
Eh (redox)	MW-15	4/7/2021	172.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-15	5/4/2021	181.4	0		MV
Eh (redox)	MW-15	6/1/2021	139.9	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	8/3/2021	183.2	0		MV
Eh (redox)	MW-15	9/2/2021	163.3	0		MV
Eh (redox)	MW-15	10/5/2021	131.9	0		MV
Eh (redox)	MW-15	10/5/2021	131.9	0		MV
Eh (redox)	MW-15	11/1/2021	78.1	0		MV
Eh (redox)	MW-15	12/8/2021	160.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	2/9/2022	156.7	0		MV
Eh (redox)	MW-15	3/1/2022	173.9	0		MV
Eh (redox)	MW-15	4/5/2022	233.4	0		MV
Eh (redox)	MW-15	5/7/2022	128.2	0		MV
Eh (redox)	MW-15	6/3/2022	182.1	0		MV
Eh (redox)	MW-15	7/10/2022	272.5	0		MV
Eh (redox)	MW-15	8/10/2022	195.6	0		MV
Eh (redox)	MW-15	9/8/2022	206.8	0		MV
Eh (redox)	MW-15	10/6/2022	189.6	0		MV
Eh (redox)	MW-15	10/6/2022	189.6	0		MV
Eh (redox)	MW-15	11/3/2022	167.3	0		MV
Eh (redox)	MW-15	12/7/2022	163.1	0		MV
Eh (redox)	MW-15	1/10/2023	163	0		MV
Eh (redox)	MW-15	2/3/2023	139.9	0		MV
Eh (redox)	MW-15	3/1/2023	164.1	0		MV
Eh (redox)	MW-15	4/5/2023	178.2	0		MV
Eh (redox)	MW-16	1/14/2020	172.8	0		MV
Eh (redox)	MW-16	6/3/2020	0.7	0		MV
Eh (redox)	MW-16	7/7/2020	65.3	0		MV
Eh (redox)	MW-16	7/7/2020	65.3	0		MV
Eh (redox)	MW-16	8/3/2020	189.5	0		MV
Eh (redox)	MW-16	8/3/2020	189.5	0		MV
Eh (redox)	MW-16	11/4/2020	-2.1	0		MV
Eh (redox)	MW-16	12/3/2020	76.3	0		MV
Eh (redox)	MW-16	1/18/2021	18.1	0		MV
Eh (redox)	MW-16	1/18/2021	18.1	0		MV
Eh (redox)	MW-16	2/10/2021	215	0		MV
Eh (redox)	MW-16	3/2/2021	211.9	0		MV
Eh (redox)	MW-16	4/7/2021	148	0		MV
Eh (redox)	MW-16	5/4/2021	135.7	0		MV
Eh (redox)	MW-16	6/1/2021	125.5	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	8/3/2021	164.4	0		MV
Eh (redox)	MW-16	9/2/2021	143.9	0		MV
Eh (redox)	MW-16	10/5/2021	110.2	0		MV
Eh (redox)	MW-16	11/1/2021	55.6	0		MV
Eh (redox)	MW-16	12/8/2021	141.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	2/9/2022	124.3	0		MV
Eh (redox)	MW-16	3/1/2022	168	0		MV
Eh (redox)	MW-16	4/5/2022	200.4	0		MV
Eh (redox)	MW-16	5/7/2022	124.2	0		MV
Eh (redox)	MW-16	6/3/2022	165.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-16	7/10/2022	239.2	0		MV
Eh (redox)	MW-16	8/10/2022	182.9	0		MV
Eh (redox)	MW-16	9/8/2022	182.6	0		MV
Eh (redox)	MW-16	10/6/2022	170.2	0		MV
Eh (redox)	MW-16	11/3/2022	141	0		MV
Eh (redox)	MW-16	12/7/2022	136.8	0		MV
Eh (redox)	MW-16	1/10/2023	140.1	0		MV
Eh (redox)	MW-16	2/3/2023	118.2	0		MV
Eh (redox)	MW-16	3/1/2023	133.5	0		MV
Eh (redox)	MW-16	4/5/2023	151.2	0		MV
Eh (redox)	MW-17	1/14/2020	199.1	0		MV
Eh (redox)	MW-17	6/2/2020	-30.3	0		MV
Eh (redox)	MW-17	7/6/2020	85.7	0		MV
Eh (redox)	MW-17	7/6/2020	85.7	0		MV
Eh (redox)	MW-17	8/3/2020	234.8	0		MV
Eh (redox)	MW-17	8/3/2020	234.8	0		MV
Eh (redox)	MW-17	11/4/2020	-23	0		MV
Eh (redox)	MW-17	12/3/2020	119.3	0		MV
Eh (redox)	MW-17	1/14/2021	75.3	0		MV
Eh (redox)	MW-17	2/10/2021	236.6	0		MV
Eh (redox)	MW-17	3/2/2021	192.5	0		MV
Eh (redox)	MW-17	4/7/2021	154.9	0		MV
Eh (redox)	MW-17	5/4/2021	147.3	0		MV
Eh (redox)	MW-17	6/1/2021	137.2	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	8/3/2021	180.5	0		MV
Eh (redox)	MW-17	9/2/2021	152.6	0		MV
Eh (redox)	MW-17	10/5/2021	122	0		MV
Eh (redox)	MW-17	10/5/2021	122	0		MV
Eh (redox)	MW-17	11/1/2021	58.8	0		MV
Eh (redox)	MW-17	12/8/2021	152.9	0		MV
Eh (redox)	MW-17	1/10/2023	160.4	0		MV
Eh (redox)	MW-17	2/4/2023	775.3	0		MV
Eh (redox)	MW-17	3/1/2023	165.2	0		MV
Eh (redox)	MW-17	4/5/2023	184	0		MV
Eh (redox)	MW-19	1/14/2020	178.6	0		MV
Eh (redox)	MW-19	6/2/2020	-20.3	0		MV
Eh (redox)	MW-19	7/6/2020	79.8	0		MV
Eh (redox)	MW-19	7/6/2020	79.8	0		MV
Eh (redox)	MW-19	8/3/2020	207.7	0		MV
Eh (redox)	MW-19	8/3/2020	207.7	0		MV
Eh (redox)	MW-19	11/3/2020	-46.1	0		MV
Eh (redox)	MW-19	12/3/2020	109.3	0		MV
Eh (redox)	MW-19	1/14/2021	43.6	0		MV
Eh (redox)	MW-19	2/10/2021	254.6	0		MV
Eh (redox)	MW-19	3/2/2021	190.4	0		MV
Eh (redox)	MW-19	4/7/2021	138.3	0		MV
Eh (redox)	MW-19	5/4/2021	149	0		MV
Eh (redox)	MW-19	6/1/2021	126.6	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	8/3/2021	187.9	0		MV
Eh (redox)	MW-19	9/2/2021	130.9	0		MV
Eh (redox)	MW-19	10/5/2021	128.2	0		MV
Eh (redox)	MW-19	11/1/2021	56.3	0		MV
Eh (redox)	MW-19	12/8/2021	174.7	0		MV
Eh (redox)	MW-19	12/7/2022	128.9	0		MV
Eh (redox)	MW-19	1/11/2023	99.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-19	2/3/2023	116.5	0		MV
Eh (redox)	MW-19	3/1/2023	134.8	0		MV
Eh (redox)	MW-19	4/6/2023	130.2	0		MV
Eh (redox)	MW-1N	7/6/2020	89.3	0		MV
Eh (redox)	MW-1N	7/6/2020	89.3	0		MV
Eh (redox)	MW-1N	7/4/2021	93.5	0		MV
Eh (redox)	MW-1N	7/4/2021	93.5	0		MV
Eh (redox)	MW-1N	10/6/2021	100.6	0		MV
Eh (redox)	MW-1N	1/11/2023	105.9	0		MV
Eh (redox)	MW-20	1/14/2020	187.8	0		MV
Eh (redox)	MW-20	7/7/2020	103.1	0		MV
Eh (redox)	MW-20	7/7/2020	103.1	0		MV
Eh (redox)	MW-20	4/6/2021	89.2	0		MV
Eh (redox)	MW-20	7/4/2021	189.9	0		MV
Eh (redox)	MW-20	7/4/2021	189.9	0		MV
Eh (redox)	MW-20	1/11/2023	139.5	0		MV
Eh (redox)	MW-21	1/16/2020	58	0		MV
Eh (redox)	MW-21	7/8/2020	58.5	0		MV
Eh (redox)	MW-21	7/8/2020	58.5	0		MV
Eh (redox)	MW-21	4/6/2021	95.4	0		MV
Eh (redox)	MW-21	7/5/2021	89.8	0		MV
Eh (redox)	MW-21	7/5/2021	89.8	0		MV
Eh (redox)	MW-21	10/6/2021	156.8	0		MV
Eh (redox)	MW-21	1/11/2023	163.3	0		MV
Eh (redox)	MW-21	4/8/2023	195.9	0		MV
Eh (redox)	MW-2N	7/7/2020	65.5	0		MV
Eh (redox)	MW-2N	7/7/2020	65.5	0		MV
Eh (redox)	MW-2N	7/5/2021	195.8	0		MV
Eh (redox)	MW-2N	7/5/2021	195.8	0		MV
Eh (redox)	MW-2N	10/6/2021	107.5	0		MV
Eh (redox)	MW-2N	1/11/2023	115.9	0		MV
Eh (redox)	MW-2N	4/8/2023	150.9	0		MV
Eh (redox)	MW-3N	5/3/2008	92.3	0		MV
Eh (redox)	MW-3N	1/15/2020	37.4	0		MV
Eh (redox)	MW-3N	7/7/2020	95.9	0		MV
Eh (redox)	MW-3N	7/7/2020	95.9	0		MV
Eh (redox)	MW-3N	4/6/2021	134.8	0		MV
Eh (redox)	MW-3N	7/5/2021	183.4	0		MV
Eh (redox)	MW-3N	7/5/2021	183.4	0		MV
Eh (redox)	MW-3N	10/6/2021	133.2	0		MV
Eh (redox)	MW-3N	1/11/2023	134.4	0		MV
Eh (redox)	MW-7N	8/29/2007	0	0	ND	MV
Eh (redox)	MW-7N	11/27/2007	152	0		MV
Eh (redox)	MW-7N	12/27/2007	152	0		MV
Eh (redox)	MW-7N	3/24/2008	209	0		MV
Eh (redox)	MW-7N	5/3/2008	25.6	0		MV
Eh (redox)	MW-7N	5/30/2008	51	0		MV
Eh (redox)	MW-7N	6/25/2008	31.9	0		MV
Eh (redox)	MW-7N	1/16/2020	85.5	0		MV
Eh (redox)	MW-7N	6/2/2020	-24.7	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	8/3/2020	282.9	0		MV
Eh (redox)	MW-7N	11/3/2020	-47.2	0		MV
Eh (redox)	MW-7N	12/2/2020	38.4	0		MV
Eh (redox)	MW-7N	1/16/2021	40.2	0		MV
Eh (redox)	MW-7N	2/9/2021	161.4	0		MV
Eh (redox)	MW-7N	3/2/2021	162.7	0		MV
Eh (redox)	MW-7N	4/7/2021	164.8	0		MV
Eh (redox)	MW-7N	5/5/2021	93.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-7N	6/2/2021	111.5	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	8/3/2021	126.1	0		MV
Eh (redox)	MW-7N	9/2/2021	160.8	0		MV
Eh (redox)	MW-7N	10/5/2021	146.8	0		MV
Eh (redox)	MW-7N	10/5/2021	146.8	0		MV
Eh (redox)	MW-7N	11/1/2021	50.5	0		MV
Eh (redox)	MW-7N	12/8/2021	186.2	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	2/9/2022	129.6	0		MV
Eh (redox)	MW-7N	3/1/2022	206.7	0		MV
Eh (redox)	MW-7N	4/4/2022	201.6	0		MV
Eh (redox)	MW-7N	4/4/2022	201.6	0		MV
Eh (redox)	MW-7N	5/7/2022	144.1	0		MV
Eh (redox)	MW-7N	6/3/2022	184.9	0		MV
Eh (redox)	MW-7N	7/10/2022	251.8	0		MV
Eh (redox)	MW-7N	8/10/2022	160.9	0		MV
Eh (redox)	MW-7N	9/8/2022	207.8	0		MV
Eh (redox)	MW-7N	10/6/2022	181.4	0		MV
Eh (redox)	MW-7N	10/6/2022	181.4	0		MV
Eh (redox)	MW-7N	11/3/2022	190.4	0		MV
Eh (redox)	MW-7N	12/7/2022	183.6	0		MV
Eh (redox)	MW-7N	1/10/2023	165.2	0		MV
Eh (redox)	MW-7N	2/3/2023	158.2	0		MV
Eh (redox)	MW-7N	3/1/2023	173.8	0		MV
Eh (redox)	MW-7N	4/5/2023	184.9	0		MV
Eh (redox)	MW-8N	5/3/2008	142.6	0		MV
Eh (redox)	MW-8N	1/15/2020	132.1	0		MV
Eh (redox)	MW-8N	7/9/2020	60.8	0		MV
Eh (redox)	MW-8N	7/9/2020	60.8	0		MV
Eh (redox)	MW-8N	4/6/2021	106.2	0		MV
Eh (redox)	MW-8N	7/5/2021	84.5	0		MV
Eh (redox)	MW-8N	7/5/2021	84.5	0		MV
Eh (redox)	MW-8N	10/6/2021	124.3	0		MV
Eh (redox)	MW-8N	1/18/2022	264.7	0		MV
Eh (redox)	MW-8N	1/18/2022	264.7	0		MV
Eh (redox)	MW-8N	4/4/2022	199.3	0		MV
Eh (redox)	MW-8N	7/12/2022	276.4	0		MV
Eh (redox)	MW-8N	10/6/2022	187.3	0		MV
Eh (redox)	MW-8N	1/11/2023	146.9	0		MV
Eh (redox)	MW-8N	4/8/2023	163.4	0		MV
Eh (redox)	NE-1	7/8/2020	61.9	0		MV
Eh (redox)	NE-1	7/8/2020	61.9	0		MV
Eh (redox)	NE-1	4/9/2021	168.6	0		MV
Eh (redox)	NE-1	7/2/2021	206.2	0		MV
Eh (redox)	NE-1	7/2/2021	206.2	0		MV
Eh (redox)	NE-1	10/6/2021	100.2	0		MV
Eh (redox)	NE-1	1/17/2022	254	0		MV
Eh (redox)	NE-1	1/17/2022	254	0		MV
Eh (redox)	NE-1	4/6/2022	180.5	0		MV
Eh (redox)	NE-1	7/13/2022	219.3	0		MV
Eh (redox)	NE-1	10/6/2022	160.6	0		MV
Eh (redox)	NE-1	1/5/2023	134.8	0		MV
Eh (redox)	NE-1	4/7/2023	151.7	0		MV
Eh (redox)	NE-10D	7/8/2020	68.2	0		MV
Eh (redox)	NE-10D	7/8/2020	68.2	0		MV
Eh (redox)	NE-10D	4/9/2021	176.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-10D	7/2/2021	118.2	0		MV
Eh (redox)	NE-10D	7/2/2021	118.2	0		MV
Eh (redox)	NE-10D	10/7/2021	136.2	0		MV
Eh (redox)	NE-10D	1/6/2023	128	0		MV
Eh (redox)	NE-10D	4/6/2023	177.3	0		MV
Eh (redox)	NE-11	1/14/2020	42.1	0		MV
Eh (redox)	NE-11	7/7/2020	174.5	0		MV
Eh (redox)	NE-11	7/7/2020	174.5	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	7/12/2022	269.1	0		MV
Eh (redox)	NE-11	1/6/2023	138.3	0		MV
Eh (redox)	NE-12	1/13/2020	42.9	0		MV
Eh (redox)	NE-12	7/7/2020	272.6	0		MV
Eh (redox)	NE-12	7/7/2020	272.6	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	7/12/2022	261.5	0		MV
Eh (redox)	NE-12	1/6/2023	128.3	0		MV
Eh (redox)	NE-13	1/15/2020	116.9	0		MV
Eh (redox)	NE-13	7/8/2020	211.7	0		MV
Eh (redox)	NE-13	7/8/2020	211.7	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-14D	7/7/2020	285	0		MV
Eh (redox)	NE-14D	7/7/2020	285	0		MV
Eh (redox)	NE-14D	4/9/2021	106.1	0		MV
Eh (redox)	NE-14D	7/2/2021	71.7	0		MV
Eh (redox)	NE-14D	7/2/2021	71.7	0		MV
Eh (redox)	NE-14D	10/7/2021	145.9	0		MV
Eh (redox)	NE-14D	1/18/2022	261.6	0		MV
Eh (redox)	NE-14D	1/18/2022	261.6	0		MV
Eh (redox)	NE-14D	4/6/2022	111.1	0		MV
Eh (redox)	NE-14D	7/13/2022	186.3	0		MV
Eh (redox)	NE-14D	10/7/2022	171.7	0		MV
Eh (redox)	NE-14D	1/6/2023	150.7	0		MV
Eh (redox)	NE-14D	4/6/2023	153.8	0		MV
Eh (redox)	NE-14S	7/7/2020	294	0		MV
Eh (redox)	NE-14S	7/7/2020	294	0		MV
Eh (redox)	NE-14S	4/9/2021	114.1	0		MV
Eh (redox)	NE-14S	7/2/2021	117.7	0		MV
Eh (redox)	NE-14S	7/2/2021	117.7	0		MV
Eh (redox)	NE-14S	10/7/2021	143.1	0		MV
Eh (redox)	NE-14S	1/18/2022	269.8	0		MV
Eh (redox)	NE-14S	1/18/2022	269.8	0		MV
Eh (redox)	NE-14S	4/6/2022	129.9	0		MV
Eh (redox)	NE-14S	7/13/2022	205.3	0		MV
Eh (redox)	NE-14S	10/7/2022	176.8	0		MV
Eh (redox)	NE-14S	1/6/2023	154.8	0		MV
Eh (redox)	NE-14S	4/6/2023	172.6	0		MV
Eh (redox)	NE-15D	7/7/2020	155.1	0		MV
Eh (redox)	NE-15D	7/7/2020	155.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-15D	4/9/2021	89	0		MV
Eh (redox)	NE-15D	7/2/2021	57.8	0		MV
Eh (redox)	NE-15D	7/2/2021	57.8	0		MV
Eh (redox)	NE-15D	10/7/2021	136	0		MV
Eh (redox)	NE-15D	1/17/2022	228.4	0		MV
Eh (redox)	NE-15D	1/17/2022	228.4	0		MV
Eh (redox)	NE-15D	4/6/2022	104.9	0		MV
Eh (redox)	NE-15D	7/13/2022	155	0		MV
Eh (redox)	NE-15D	10/7/2022	170.2	0		MV
Eh (redox)	NE-15D	1/6/2023	138.3	0		MV
Eh (redox)	NE-15D	4/6/2023	149.3	0		MV
Eh (redox)	NE-2	7/7/2020	271.9	0		MV
Eh (redox)	NE-2	7/7/2020	271.9	0		MV
Eh (redox)	NE-2	4/9/2021	165.1	0		MV
Eh (redox)	NE-2	7/2/2021	209.4	0		MV
Eh (redox)	NE-2	7/2/2021	209.4	0		MV
Eh (redox)	NE-2	10/6/2021	111.7	0		MV
Eh (redox)	NE-2	1/18/2022	252.9	0		MV
Eh (redox)	NE-2	1/18/2022	252.9	0		MV
Eh (redox)	NE-2	4/6/2022	184.9	0		MV
Eh (redox)	NE-2	7/13/2022	135.8	0		MV
Eh (redox)	NE-2	10/7/2022	177	0		MV
Eh (redox)	NE-2	1/5/2023	166.1	0		MV
Eh (redox)	NE-2	4/5/2023	202.1	0		MV
Eh (redox)	NE-4	7/6/2020	153.6	0		MV
Eh (redox)	NE-4	7/6/2020	153.6	0		MV
Eh (redox)	NE-4	4/9/2021	199	0		MV
Eh (redox)	NE-4	7/2/2021	107.6	0		MV
Eh (redox)	NE-4	7/2/2021	107.6	0		MV
Eh (redox)	NE-4	10/6/2021	100.3	0		MV
Eh (redox)	NE-4	1/5/2023	138.1	0		MV
Eh (redox)	NE-4	4/6/2023	135.9	0		MV
Eh (redox)	NE-5	5/3/2008	40.7	0		MV
Eh (redox)	NE-5	7/8/2020	-93.5	0		MV
Eh (redox)	NE-5	7/8/2020	-93.5	0		MV
Eh (redox)	NE-5	4/9/2021	-74.8	0		MV
Eh (redox)	NE-5	7/2/2021	-77.3	0		MV
Eh (redox)	NE-5	7/2/2021	-77.3	0		MV
Eh (redox)	NE-5	10/6/2021	-42.7	0		MV
Eh (redox)	NE-5	1/18/2022	177.6	0		MV
Eh (redox)	NE-5	1/18/2022	177.6	0		MV
Eh (redox)	NE-5	4/6/2022	50.6	0		MV
Eh (redox)	NE-5	7/13/2022	156.9	0		MV
Eh (redox)	NE-5	10/7/2022	183.8	0		MV
Eh (redox)	NE-5	1/5/2023	161.1	0		MV
Eh (redox)	NE-5	4/7/2023	169.5	0		MV
Eh (redox)	NE-5E	7/8/2020	157.6	0		MV
Eh (redox)	NE-5E	7/8/2020	157.6	0		MV
Eh (redox)	NE-5E	4/9/2021	49.3	0		MV
Eh (redox)	NE-5E	7/2/2021	33.4	0		MV
Eh (redox)	NE-5E	7/2/2021	33.4	0		MV
Eh (redox)	NE-5E	10/6/2021	13.9	0		MV
Eh (redox)	NE-5E	1/18/2022	184.6	0		MV
Eh (redox)	NE-5E	1/18/2022	184.6	0		MV
Eh (redox)	NE-5E	4/6/2022	79.1	0		MV
Eh (redox)	NE-5E	7/13/2022	182.3	0		MV
Eh (redox)	NE-5E	10/7/2022	187	0		MV
Eh (redox)	NE-5E	1/5/2023	155.2	0		MV
Eh (redox)	NE-5E	4/7/2023	167.8	0		MV
Eh (redox)	NE-5W	7/8/2020	-118.9	0		MV
Eh (redox)	NE-5W	7/8/2020	-118.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-5W	4/9/2021	81.4	0		MV
Eh (redox)	NE-5W	7/2/2021	-54.9	0		MV
Eh (redox)	NE-5W	7/2/2021	-54.9	0		MV
Eh (redox)	NE-5W	10/6/2021	-24.6	0		MV
Eh (redox)	NE-5W	1/18/2022	243.2	0		MV
Eh (redox)	NE-5W	1/18/2022	243.2	0		MV
Eh (redox)	NE-5W	4/6/2022	137.3	0		MV
Eh (redox)	NE-5W	7/13/2022	121.9	0		MV
Eh (redox)	NE-5W	10/7/2022	190.1	0		MV
Eh (redox)	NE-5W	1/5/2023	161.6	0		MV
Eh (redox)	NE-5W	4/7/2023	163.9	0		MV
Eh (redox)	NE-6	1/15/2020	130.2	0		MV
Eh (redox)	NE-6	7/9/2020	64.7	0		MV
Eh (redox)	NE-6	7/9/2020	64.7	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	7/12/2022	255.5	0		MV
Eh (redox)	NE-6	1/5/2023	150.4	0		MV
Eh (redox)	NE-6D	7/9/2020	68.7	0		MV
Eh (redox)	NE-6D	7/9/2020	68.7	0		MV
Eh (redox)	NE-6D	4/9/2021	166.8	0		MV
Eh (redox)	NE-6D	7/2/2021	174.6	0		MV
Eh (redox)	NE-6D	7/2/2021	174.6	0		MV
Eh (redox)	NE-6D	10/7/2021	173.5	0		MV
Eh (redox)	NE-6D	1/17/2022	255.2	0		MV
Eh (redox)	NE-6D	1/17/2022	255.2	0		MV
Eh (redox)	NE-6D	4/6/2022	183.6	0		MV
Eh (redox)	NE-6D	7/12/2022	259.1	0		MV
Eh (redox)	NE-6D	10/7/2022	171.2	0		MV
Eh (redox)	NE-6D	1/5/2023	146.8	0		MV
Eh (redox)	NE-6D	4/7/2023	164.7	0		MV
Eh (redox)	NE-7	1/16/2020	138.2	0		MV
Eh (redox)	NE-7	7/7/2020	310.1	0		MV
Eh (redox)	NE-7	7/7/2020	310.1	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	7/12/2022	288.1	0		MV
Eh (redox)	NE-7	1/5/2023	164.6	0		MV
Eh (redox)	NE-8	1/15/2020	13.1	0		MV
Eh (redox)	NE-8	7/8/2020	47	0		MV
Eh (redox)	NE-8	7/8/2020	47	0		MV
Eh (redox)	NE-8	4/9/2021	180.3	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	10/7/2021	159.1	0		MV
Eh (redox)	NE-8	1/6/2023	160.4	0		MV
Eh (redox)	NE-9	1/15/2020	45.9	0		MV
Eh (redox)	NE-9	7/7/2020	283.8	0		MV
Eh (redox)	NE-9	7/7/2020	283.8	0		MV
Eh (redox)	NE-9	7/1/2021	137.1	0		MV
Eh (redox)	NE-9	7/1/2021	137.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-9	7/1/2021	137.1	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	7/13/2022	212	0		MV
Eh (redox)	NE-9	1/6/2023	154.5	0		MV
Eh (redox)	NE-9	4/8/2023	164.9	0		MV
Endosulfan i	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan i	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan i	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan i	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan i	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan i	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan i	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan i	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-7	2/11/2015	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan i	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan i	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan i	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan i	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan i	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan i	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan i	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan i	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan i	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan i	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan i	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-21	7/5/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan i	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan i	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan i	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan i	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan i	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan i	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/11/2012	0.34	0.047		ug/L
Endosulfan i	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan i	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan i	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan i	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endosulfan i	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan i	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan i	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan i	NE-5	7/9/2019	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan ii	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan ii	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan ii	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan ii	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan ii	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan ii	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan ii	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan ii	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	5/29/2002	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan ii	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan ii	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan ii	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan ii	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endosulfan ii	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan ii	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan ii	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan ii	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	7/11/2019	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan sulfate	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan sulfate	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan sulfate	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endosulfan sulfate	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	2/4/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan sulfate	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan sulfate	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan sulfate	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-3N	10/9/2017	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan sulfate	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan sulfate	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endrin	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endrin aldehyde	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	7/8/2020	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endrin aldehyde	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-10N	7/11/2018	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endrin aldehyde	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	10/14/1998	0.2	0.2	ND	ug/L
Endrin aldehyde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endrin aldehyde	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/15/1998	0.2	0.2	ND	ug/L
Endrin aldehyde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-7N	7/5/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endrin aldehyde	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin ketone	LGW-10	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-2	7/8/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-6	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-7	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-9	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-1N	7/6/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-21	7/8/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-3N	7/7/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-8N	7/9/2020	0.00005	0.00005	ND	mg/L
Ethyl methacrylate	LGW-10	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/9/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/16/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-10	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	10/27/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	2/6/2009	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	LGW-2	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	2/13/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	7/8/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-2	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/6/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	2/4/2009	1.7	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	2/5/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/10/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-6	10/6/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/10/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-7	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/10/2019	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	LGW-9	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-9	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	2/13/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-15	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-15	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-16	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-16	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-17	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-17	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-19	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-19	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	10/14/1998	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-1N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	2/5/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/6/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-20	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-20	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/5/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/6/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/8/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-21	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-3N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-3N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/11/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/9/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/7/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	MW-3N	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	10/15/1998	5	5	ND	ug/L
Ethyl methacrylate	MW-7N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-7N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-7N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-8N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-8N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	1/24/2008	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	5/10/2011	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/11/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/2/2013	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/8/2014	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/16/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	NE-1	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-1	2/7/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-1	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-1	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-1	7/18/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-2	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-4	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-4	2/7/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-4	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-4	2/13/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-4	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-5	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-5	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-5	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/9/2019	3	3	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	10/27/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	LGW-14R	7/17/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	2/13/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-2	2/13/2015	13	13	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/8/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/11/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/6/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	2/5/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-6	2/10/2015	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/10/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	LGW-9	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	2/13/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-11N	2/10/2015	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/17/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/6/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-15	7/10/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-15	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-16	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-17	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-19	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	10/14/1998	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	2/5/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/6/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-20	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-21	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-21	7/8/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-21	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/7/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	10/15/1998	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	MW-7N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/13/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	1/24/2008	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	2/7/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-4	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	NE-4	2/7/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-4	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	NE-5	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	NE-5	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-5	7/9/2019	10	10	ND	ug/L
Ethyl Parathion	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-10	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-6	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-15	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-16	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-17	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-19	7/4/2021	0.05	0.05	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl Parathion	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-20	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-21	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-3N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
Ethylbenzene	LGW-10	1/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-10	5/1/2013	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/30/2014	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/9/2014	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/12/2015	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/21/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/4/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/19/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/9/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/24/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/16/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/4/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/4/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/11/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/2/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/15/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-10	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/10/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/26/2008	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/6/2009	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/30/2009	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/13/2011	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/30/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-2	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/13/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/1/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/8/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/4/2021	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/10/2022	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-4	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2009	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/13/2011	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-4	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-5	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/6/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/5/2009	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	5/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/10/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/17/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-6	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/6/2023	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-7	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/10/2012	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-7	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/20/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/4/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/24/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/15/2020	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-9	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/14/2010	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2012	1	1	ND	ug/L
Ethylbenzene	LGW-9	5/1/2013	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-9	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/21/2016	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	5/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-9	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/13/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/7/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/5/2023	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/28/1998	12	12	ND	ug/L
Ethylbenzene	MW-10N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	7/15/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-10N	7/11/2000	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-10N	4/10/2001	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2002	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2007	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-10N	2/13/2009	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/27/2010	1	1	ND	ug/L
Ethylbenzene	MW-10N	8/10/2010	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-10N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-10N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-10N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/8/2020	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/13/2000	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/10/2000	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/10/2001	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/29/2004	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/13/2005	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/24/2007	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2009	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/16/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/4/2012	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2012	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/30/2013	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/15/2013	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2014	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-11N	2/10/2015	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2015	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/17/2018	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/18/2022	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2022	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-15	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	7/15/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	8/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-15	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-15	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-15	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-15	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-15	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-15	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-15	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-15	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-15	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-15	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-15	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-15	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-16	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	7/16/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	8/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	1/8/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-16	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-16	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-16	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-16	1/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-16	7/10/2019	1	1	ND	ug/L
Ethylbenzene	MW-16	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-16	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-16	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-16	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-16	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-16	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-16	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-17	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	7/15/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-17	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-17	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-17	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-17	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-17	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-17	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-17	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-17	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-17	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-17	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-17	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-19	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	7/16/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	8/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-19	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-19	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-19	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-19	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-19	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-19	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-19	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-19	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-19	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-19	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/20/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	10/14/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	5/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/15/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/12/2000	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/18/2000	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/12/2001	1	1	ND	ug/L
Ethylbenzene	MW-1N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-1N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/3/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-1N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-1N	2/5/2009	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/13/2010	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-1N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-1N	2/10/2015	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/12/2017	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/23/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-20	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	1/12/2017	1	1	ND	ug/L
Ethylbenzene	MW-20	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-20	1/26/2018	1	1	ND	ug/L
Ethylbenzene	MW-20	7/12/2018	1	1	ND	ug/L
Ethylbenzene	MW-20	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-20	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-20	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-20	1/17/2021	1	1	ND	ug/L
Ethylbenzene	MW-20	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-20	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	1/7/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-21	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	4/5/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	10/6/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	4/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	10/4/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	10/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	7/8/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	10/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	4/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-2N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-2N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-2N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/10/2002	1.1	1		ug/L
Ethylbenzene	MW-2N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	3/27/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-2N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/13/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-2N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-2N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-2N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/12/2018	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-2N	8/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/23/2020	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/24/2000	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/11/2000	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-3N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-3N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-3N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/13/2010	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-3N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2012	1	1	ND	ug/L
Ethylbenzene	MW-3N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-3N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/1/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/9/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/3/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/15/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	8/18/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	9/17/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/15/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	11/9/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	4/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/13/2000	6	6	ND	ug/L
Ethylbenzene	MW-7N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/17/2000	1	1		ug/L
Ethylbenzene	MW-7N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/10/2001	0.2	1		ug/L
Ethylbenzene	MW-7N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-7N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/9/2002	0.3	1		ug/L
Ethylbenzene	MW-7N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-7N	4/8/2004	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/26/2004	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2005	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-7N	2/6/2009	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/29/2009	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/14/2010	1	1	ND	ug/L
Ethylbenzene	MW-7N	9/2/2010	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/12/2011	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-7N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/15/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/30/2014	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-7N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/13/2015	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/5/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/25/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/4/2019	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2019	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/16/2021	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/12/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-8N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-8N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-8N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/25/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-8N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2010	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/10/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/6/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/11/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/3/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/2/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/30/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/3/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/8/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/1/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/25/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/2/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/15/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/9/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-8N	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/18/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/4/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/8/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-1	1/27/2004	1	1	ND	ug/L
Ethylbenzene	NE-1	1/12/2005	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2007	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2008	1	1	ND	ug/L
Ethylbenzene	NE-1	7/21/2008	1	1	ND	ug/L
Ethylbenzene	NE-1	2/7/2009	1	1	ND	ug/L
Ethylbenzene	NE-1	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-1	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	7/14/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	9/2/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-1	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-1	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-1	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-1	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-1	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-1	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-1	2/11/2015	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2015	1	1	ND	ug/L
Ethylbenzene	NE-1	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-1	7/20/2016	1	1	ND	ug/L
Ethylbenzene	NE-1	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	4/11/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	7/18/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-1	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	10/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	11/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-11	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	10/9/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-11	1/14/2020	1	1	ND	ug/L
Ethylbenzene	NE-11	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-11	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-12	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	8/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-12	1/13/2020	1	1	ND	ug/L
Ethylbenzene	NE-12	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-12	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-13	2/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-13	8/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-13	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-13	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-13	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-14D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15S	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	10/1/2013	1	1	ND	ug/L
Ethylbenzene	NE-2	10/8/2014	1	1	ND	ug/L
Ethylbenzene	NE-2	10/5/2015	1	1	ND	ug/L
Ethylbenzene	NE-2	10/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-2	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-2	1/25/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	4/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	7/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	10/1/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	1/14/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	1/14/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-2	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-2	4/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-3	7/9/2002	1	1	ND	ug/L
Ethylbenzene	NE-3	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-3	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-3	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-3	9/2/2010	1	1	ND	ug/L
Ethylbenzene	NE-3	3/21/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	7/10/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	10/3/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	4/15/2003	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-4	1/28/2004	1	1	ND	ug/L
Ethylbenzene	NE-4	1/13/2005	1	1	ND	ug/L
Ethylbenzene	NE-4	8/1/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	8/1/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-4	7/12/2007	1	1	ND	ug/L
Ethylbenzene	NE-4	1/24/2008	1	1	ND	ug/L
Ethylbenzene	NE-4	7/21/2008	1	1	ND	ug/L
Ethylbenzene	NE-4	2/7/2009	1	1	ND	ug/L
Ethylbenzene	NE-4	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-4	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-4	7/14/2010	1	1	ND	ug/L
Ethylbenzene	NE-4	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-4	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-4	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-4	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-4	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-4	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-4	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-4	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-4	2/13/2015	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2015	1	1	ND	ug/L
Ethylbenzene	NE-4	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-4	7/20/2016	1	1	ND	ug/L
Ethylbenzene	NE-4	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-4	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-4	1/26/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	4/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	7/12/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	10/3/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	1/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	10/1/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	1/13/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	7/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	10/5/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-4	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-4	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	4/15/2003	1	1	ND	ug/L
Ethylbenzene	NE-5	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-5	1/27/2004	1	1	ND	ug/L
Ethylbenzene	NE-5	1/12/2005	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-5	7/12/2007	1	1	ND	ug/L
Ethylbenzene	NE-5	7/22/2008	1	1	ND	ug/L
Ethylbenzene	NE-5	2/6/2009	1	1	ND	ug/L
Ethylbenzene	NE-5	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-5	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	7/16/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	9/2/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-5	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-5	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-5	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-5	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-5	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-5	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-5	2/11/2015	1	1	ND	ug/L
Ethylbenzene	NE-5	7/14/2015	1	1	ND	ug/L
Ethylbenzene	NE-5	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-5	7/20/2016	1	1	ND	ug/L
Ethylbenzene	NE-5	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-5	1/25/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	4/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	7/17/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	10/3/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	10/3/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-5	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-5W	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-6	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	2/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-6	8/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-6	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-6	7/9/2020	1	1	ND	ug/L
Ethylbenzene	NE-6	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/9/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-6D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-7	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	2/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-7	8/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-7	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-8	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	2/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-8	8/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-8	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-8	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-8	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	2/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-9	8/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-9	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-9	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	4/8/2023	1	1	ND	ug/L
Famphur	LGW-10	10/26/2006	200	200	ND	ug/L
Famphur	LGW-10	7/9/2012	190	190	ND	ug/L
Famphur	LGW-10	2/12/2015	190	190	ND	ug/L
Famphur	LGW-10	10/6/2016	190	190	ND	ug/L
Famphur	LGW-10	10/9/2017	190	190	ND	ug/L
Famphur	LGW-10	7/16/2018	190	190	ND	ug/L
Famphur	LGW-10	7/11/2019	200	200	ND	ug/L
Famphur	LGW-10	7/9/2020	20	20	ND	ug/L
Famphur	LGW-10	7/7/2021	200	200	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	LGW-14R	10/27/2006	200	200	ND	ug/L
Famphur	LGW-14R	2/6/2009	200	200	ND	ug/L
Famphur	LGW-14R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-14R	2/11/2015	200	200	ND	ug/L
Famphur	LGW-14R	7/17/2018	200	200	ND	ug/L
Famphur	LGW-14R	7/7/2021	200	200	ND	ug/L
Famphur	LGW-2	10/26/2006	200	200	ND	ug/L
Famphur	LGW-2	2/13/2009	200	200	ND	ug/L
Famphur	LGW-2	7/9/2012	190	190	ND	ug/L
Famphur	LGW-2	2/13/2015	260	260	ND	ug/L
Famphur	LGW-2	7/12/2018	190	190	ND	ug/L
Famphur	LGW-2	7/8/2020	20	20	ND	ug/L
Famphur	LGW-2	7/4/2021	200	200	ND	ug/L
Famphur	LGW-3R	10/26/2006	200	200	ND	ug/L
Famphur	LGW-3R	2/3/2009	200	200	ND	ug/L
Famphur	LGW-3R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-3R	2/10/2015	190	190	ND	ug/L
Famphur	LGW-3R	7/11/2018	200	200	ND	ug/L
Famphur	LGW-3R	7/6/2021	200	200	ND	ug/L
Famphur	LGW-4	10/26/2006	200	200	ND	ug/L
Famphur	LGW-4	2/3/2009	200	200	ND	ug/L
Famphur	LGW-4	7/9/2012	190	190	ND	ug/L
Famphur	LGW-4	2/11/2015	190	190	ND	ug/L
Famphur	LGW-4	7/11/2018	200	200	ND	ug/L
Famphur	LGW-4	7/7/2021	200	200	ND	ug/L
Famphur	LGW-5	10/26/2006	200	200	ND	ug/L
Famphur	LGW-5	2/4/2009	200	200	ND	ug/L
Famphur	LGW-5	7/9/2012	190	190	ND	ug/L
Famphur	LGW-5	2/10/2015	190	190	ND	ug/L
Famphur	LGW-5	7/12/2018	200	200	ND	ug/L
Famphur	LGW-5	7/7/2021	200	200	ND	ug/L
Famphur	LGW-6	10/26/2006	200	200	ND	ug/L
Famphur	LGW-6	2/5/2009	200	200	ND	ug/L
Famphur	LGW-6	7/9/2012	190	190	ND	ug/L
Famphur	LGW-6	2/10/2015	200	200	ND	ug/L
Famphur	LGW-6	10/6/2016	190	190	ND	ug/L
Famphur	LGW-6	10/5/2017	190	190	ND	ug/L
Famphur	LGW-6	7/17/2018	200	200	ND	ug/L
Famphur	LGW-6	7/10/2019	200	200	ND	ug/L
Famphur	LGW-6	7/9/2020	20	20	ND	ug/L
Famphur	LGW-6	7/7/2021	200	200	ND	ug/L
Famphur	LGW-7	10/26/2006	200	200	ND	ug/L
Famphur	LGW-7	2/4/2009	200	200	ND	ug/L
Famphur	LGW-7	7/10/2012	190	190	ND	ug/L
Famphur	LGW-7	2/11/2015	190	190	ND	ug/L
Famphur	LGW-7	10/6/2016	190	190	ND	ug/L
Famphur	LGW-7	10/5/2017	190	190	ND	ug/L
Famphur	LGW-7	7/12/2018	200	200	ND	ug/L
Famphur	LGW-7	7/10/2019	200	200	ND	ug/L
Famphur	LGW-7	7/9/2020	20	20	ND	ug/L
Famphur	LGW-7	7/7/2021	200	200	ND	ug/L
Famphur	LGW-8R	10/26/2006	200	200	ND	ug/L
Famphur	LGW-8R	2/4/2009	200	200	ND	ug/L
Famphur	LGW-8R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-8R	2/11/2015	200	200	ND	ug/L
Famphur	LGW-8R	7/13/2018	200	200	ND	ug/L
Famphur	LGW-8R	7/7/2021	200	200	ND	ug/L
Famphur	LGW-9	10/26/2006	200	200	ND	ug/L
Famphur	LGW-9	2/4/2009	200	200	ND	ug/L
Famphur	LGW-9	7/10/2012	190	190	ND	ug/L
Famphur	LGW-9	2/11/2015	200	200	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	LGW-9	10/6/2016	190	190	ND	ug/L
Famphur	LGW-9	10/5/2017	190	190	ND	ug/L
Famphur	LGW-9	7/13/2018	190	190	ND	ug/L
Famphur	LGW-9	7/10/2019	200	200	ND	ug/L
Famphur	LGW-9	7/9/2020	20	20	ND	ug/L
Famphur	LGW-9	7/7/2021	200	200	ND	ug/L
Famphur	MW-10N	10/25/2006	200	200	ND	ug/L
Famphur	MW-10N	2/13/2009	200	200	ND	ug/L
Famphur	MW-10N	7/10/2012	190	190	ND	ug/L
Famphur	MW-10N	2/12/2015	190	190	ND	ug/L
Famphur	MW-10N	7/11/2018	190	190	ND	ug/L
Famphur	MW-10N	7/5/2021	200	200	ND	ug/L
Famphur	MW-11N	10/25/2006	200	200	ND	ug/L
Famphur	MW-11N	2/3/2009	200	200	ND	ug/L
Famphur	MW-11N	7/9/2012	190	190	ND	ug/L
Famphur	MW-11N	2/10/2015	200	200	ND	ug/L
Famphur	MW-11N	7/17/2018	200	200	ND	ug/L
Famphur	MW-11N	7/6/2021	200	200	ND	ug/L
Famphur	MW-15	7/10/2018	200	200	ND	ug/L
Famphur	MW-15	7/4/2021	200	200	ND	ug/L
Famphur	MW-16	7/11/2018	190	190	ND	ug/L
Famphur	MW-16	7/4/2021	200	200	ND	ug/L
Famphur	MW-17	7/10/2018	190	190	ND	ug/L
Famphur	MW-17	7/4/2021	200	200	ND	ug/L
Famphur	MW-19	7/13/2018	190	190	ND	ug/L
Famphur	MW-19	7/4/2021	200	200	ND	ug/L
Famphur	MW-1N	10/14/1998	10	10	ND	ug/L
Famphur	MW-1N	5/29/2002	10	10	ND	ug/L
Famphur	MW-1N	5/29/2002	10	10	ND	ug/L
Famphur	MW-1N	10/24/2006	200	200	ND	ug/L
Famphur	MW-1N	2/5/2009	200	200	ND	ug/L
Famphur	MW-1N	7/10/2012	190	190	ND	ug/L
Famphur	MW-1N	2/10/2015	190	190	ND	ug/L
Famphur	MW-1N	7/10/2018	200	200	ND	ug/L
Famphur	MW-1N	7/6/2020	20	20	ND	ug/L
Famphur	MW-1N	7/4/2021	200	200	ND	ug/L
Famphur	MW-20	7/12/2018	190	190	ND	ug/L
Famphur	MW-20	7/4/2021	200	200	ND	ug/L
Famphur	MW-21	10/5/2016	190	190	ND	ug/L
Famphur	MW-21	10/6/2017	190	190	ND	ug/L
Famphur	MW-21	7/11/2018	190	190	ND	ug/L
Famphur	MW-21	7/11/2019	200	200	ND	ug/L
Famphur	MW-21	7/8/2020	20	20	ND	ug/L
Famphur	MW-21	7/5/2021	200	200	ND	ug/L
Famphur	MW-2N	10/25/2006	200	200	ND	ug/L
Famphur	MW-2N	2/4/2009	200	200	ND	ug/L
Famphur	MW-2N	7/10/2012	190	190	ND	ug/L
Famphur	MW-2N	2/12/2015	190	190	ND	ug/L
Famphur	MW-2N	7/12/2018	200	200	ND	ug/L
Famphur	MW-2N	7/5/2021	200	200	ND	ug/L
Famphur	MW-3N	5/29/2002	10	10	ND	ug/L
Famphur	MW-3N	5/29/2002	10	10	ND	ug/L
Famphur	MW-3N	10/25/2006	200	200	ND	ug/L
Famphur	MW-3N	2/4/2009	200	200	ND	ug/L
Famphur	MW-3N	7/11/2012	190	190	ND	ug/L
Famphur	MW-3N	2/12/2015	200	200	ND	ug/L
Famphur	MW-3N	10/6/2016	190	190	ND	ug/L
Famphur	MW-3N	10/9/2017	190	190	ND	ug/L
Famphur	MW-3N	7/13/2018	190	190	ND	ug/L
Famphur	MW-3N	7/11/2019	200	200	ND	ug/L
Famphur	MW-3N	7/7/2020	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	MW-3N	7/5/2021	200	200	ND	ug/L
Famphur	MW-7N	10/15/1998	10	10	ND	ug/L
Famphur	MW-7N	5/29/2002	10	10	ND	ug/L
Famphur	MW-7N	5/29/2002	10	10	ND	ug/L
Famphur	MW-7N	10/24/2006	200	200	ND	ug/L
Famphur	MW-7N	2/6/2009	200	200	ND	ug/L
Famphur	MW-7N	7/10/2012	190	190	ND	ug/L
Famphur	MW-7N	2/12/2015	190	190	ND	ug/L
Famphur	MW-7N	10/5/2017	200	200	ND	ug/L
Famphur	MW-7N	7/13/2018	210	210	ND	ug/L
Famphur	MW-7N	7/5/2021	200	200	ND	ug/L
Famphur	MW-8N	5/29/2002	10	10	ND	ug/L
Famphur	MW-8N	5/29/2002	10	10	ND	ug/L
Famphur	MW-8N	10/24/2006	200	200	ND	ug/L
Famphur	MW-8N	1/24/2008	200	200	ND	ug/L
Famphur	MW-8N	2/4/2009	200	200	ND	ug/L
Famphur	MW-8N	5/10/2011	190	190	ND	ug/L
Famphur	MW-8N	7/11/2012	190	190	ND	ug/L
Famphur	MW-8N	10/2/2013	190	190	ND	ug/L
Famphur	MW-8N	10/8/2014	190	190	ND	ug/L
Famphur	MW-8N	2/12/2015	190	190	ND	ug/L
Famphur	MW-8N	10/6/2016	190	190	ND	ug/L
Famphur	MW-8N	10/6/2017	190	190	ND	ug/L
Famphur	MW-8N	7/16/2018	200	200	ND	ug/L
Famphur	MW-8N	7/11/2019	200	200	ND	ug/L
Famphur	MW-8N	7/9/2020	20	20	ND	ug/L
Famphur	MW-8N	7/5/2021	200	200	ND	ug/L
Famphur	NE-1	10/25/2006	200	200	ND	ug/L
Famphur	NE-1	2/7/2009	200	200	ND	ug/L
Famphur	NE-1	7/10/2012	190	190	ND	ug/L
Famphur	NE-1	2/11/2015	190	190	ND	ug/L
Famphur	NE-1	7/18/2018	190	190	ND	ug/L
Famphur	NE-2	7/10/2018	190	190	ND	ug/L
Famphur	NE-4	10/25/2006	200	200	ND	ug/L
Famphur	NE-4	2/7/2009	200	200	ND	ug/L
Famphur	NE-4	7/10/2012	200	200	ND	ug/L
Famphur	NE-4	2/13/2015	190	190	ND	ug/L
Famphur	NE-4	7/12/2018	210	210	ND	ug/L
Famphur	NE-5	10/25/2006	200	200	ND	ug/L
Famphur	NE-5	2/6/2009	200	200	ND	ug/L
Famphur	NE-5	7/10/2012	190	190	ND	ug/L
Famphur	NE-5	2/11/2015	190	190	ND	ug/L
Famphur	NE-5	7/17/2018	190	190	ND	ug/L
Famphur	NE-5	7/9/2019	200	200	ND	ug/L
Fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L
Fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-3R	2/3/2009	3.2	10	ND	ug/L
Fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L
Fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L
Fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L
Fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-7N	2/6/2009	0.34	10	ND	ug/L
Fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-1	2/7/2009	10	10	ND	ug/L
Fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Fluorene	LGW-10	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Fluorene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Fluorene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Fluorene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Fluorene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Fluorene	LGW-10	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-10	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-14R	10/27/2006	10	10	ND	ug/L
Fluorene	LGW-14R	2/6/2009	10	10	ND	ug/L
Fluorene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Fluorene	LGW-14R	7/17/2018	10	10	ND	ug/L
Fluorene	LGW-14R	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-2	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-2	2/13/2009	10	10	ND	ug/L
Fluorene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-2	2/13/2015	13	13	ND	ug/L
Fluorene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Fluorene	LGW-2	7/8/2020	1	1	ND	ug/L
Fluorene	LGW-2	7/4/2021	10	10	ND	ug/L
Fluorene	LGW-3R	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-3R	2/3/2009	10	10	ND	ug/L
Fluorene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Fluorene	LGW-3R	7/11/2018	10	10	ND	ug/L
Fluorene	LGW-3R	7/6/2021	10	10	ND	ug/L
Fluorene	LGW-4	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-4	2/3/2009	10	10	ND	ug/L
Fluorene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Fluorene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Fluorene	LGW-4	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-5	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-5	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Fluorene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Fluorene	LGW-5	7/12/2018	10	10	ND	ug/L
Fluorene	LGW-5	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-6	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-6	2/5/2009	10	10	ND	ug/L
Fluorene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-6	2/10/2015	10	10	ND	ug/L
Fluorene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Fluorene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Fluorene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Fluorene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Fluorene	LGW-6	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-6	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-7	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-7	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Fluorene	LGW-7	7/12/2018	10	10	ND	ug/L
Fluorene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Fluorene	LGW-7	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-7	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-8R	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-8R	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Fluorene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Fluorene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Fluorene	LGW-8R	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-9	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-9	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Fluorene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Fluorene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Fluorene	LGW-9	7/10/2019	10	10	ND	ug/L
Fluorene	LGW-9	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-9	7/7/2021	10	10	ND	ug/L
Fluorene	MW-10N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-10N	2/13/2009	10	10	ND	ug/L
Fluorene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Fluorene	MW-10N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-11N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-11N	2/3/2009	10	10	ND	ug/L
Fluorene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	MW-11N	2/10/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	MW-11N	7/17/2018	10	10	ND	ug/L
Fluorene	MW-11N	7/6/2021	10	10	ND	ug/L
Fluorene	MW-15	7/10/2018	10	10	ND	ug/L
Fluorene	MW-15	7/4/2021	10	10	ND	ug/L
Fluorene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Fluorene	MW-16	7/4/2021	10	10	ND	ug/L
Fluorene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Fluorene	MW-17	7/4/2021	10	10	ND	ug/L
Fluorene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Fluorene	MW-19	7/4/2021	10	10	ND	ug/L
Fluorene	MW-1N	10/14/1998	10	10	ND	ug/L
Fluorene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-1N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-1N	2/5/2009	10	10	ND	ug/L
Fluorene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Fluorene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Fluorene	MW-1N	7/6/2020	1	1	ND	ug/L
Fluorene	MW-1N	7/4/2021	10	10	ND	ug/L
Fluorene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Fluorene	MW-20	7/4/2021	10	10	ND	ug/L
Fluorene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Fluorene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Fluorene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Fluorene	MW-21	7/11/2019	10	10	ND	ug/L
Fluorene	MW-21	7/8/2020	1	1	ND	ug/L
Fluorene	MW-21	7/5/2021	10	10	ND	ug/L
Fluorene	MW-2N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-2N	2/4/2009	10	10	ND	ug/L
Fluorene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Fluorene	MW-2N	7/12/2018	10	10	ND	ug/L
Fluorene	MW-2N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-3N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-3N	2/4/2009	10	10	ND	ug/L
Fluorene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Fluorene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Fluorene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Fluorene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Fluorene	MW-3N	7/11/2019	10	10	ND	ug/L
Fluorene	MW-3N	7/7/2020	1	1	ND	ug/L
Fluorene	MW-3N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-7N	10/15/1998	10	10	ND	ug/L
Fluorene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-7N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-7N	2/6/2009	10	10	ND	ug/L
Fluorene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Fluorene	MW-7N	7/13/2018	10	10	ND	ug/L
Fluorene	MW-7N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-8N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-8N	1/24/2008	10	10	ND	ug/L
Fluorene	MW-8N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Fluorene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Fluorene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Fluorene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Fluorene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Fluorene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Fluorene	MW-8N	7/11/2019	10	10	ND	ug/L
Fluorene	MW-8N	7/9/2020	1	1	ND	ug/L
Fluorene	MW-8N	7/5/2021	10	10	ND	ug/L
Fluorene	NE-1	10/25/2006	10	10	ND	ug/L
Fluorene	NE-1	2/7/2009	10	10	ND	ug/L
Fluorene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Fluorene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Fluorene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Fluorene	NE-4	10/25/2006	10	10	ND	ug/L
Fluorene	NE-4	2/7/2009	10	10	ND	ug/L
Fluorene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Fluorene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Fluorene	NE-4	7/12/2018	10	10	ND	ug/L
Fluorene	NE-5	10/25/2006	10	10	ND	ug/L
Fluorene	NE-5	2/6/2009	10	10	ND	ug/L
Fluorene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Fluorene	NE-5	7/9/2019	10	10	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/16/2018	0.0072	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-4	7/11/2018	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-17	7/10/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/6/2017	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Gamma-bhc (lindane)	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Heptachlor	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Heptachlor	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Heptachlor	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Heptachlor	LGW-5	7/7/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Heptachlor	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Heptachlor	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Heptachlor	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Heptachlor	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Heptachlor	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Heptachlor	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Heptachlor	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	10/24/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Heptachlor	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Heptachlor	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Heptachlor	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor	NE-1	7/10/2012	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Heptachlor	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Heptachlor	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Heptachlor	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Heptachlor	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Heptachlor	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Heptachlor	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Heptachlor epoxide	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Heptachlor epoxide	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Heptachlor epoxide	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	7/17/2018	0.053	0.053	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Heptachlor epoxide	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Heptachlor epoxide	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-20	7/12/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Heptachlor epoxide	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Heptachlor epoxide	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-4	2/13/2015	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Heptachlor epoxide	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Hexachloro-1,3-butadiene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Hexachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Hexachlorobutadiene	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	2/13/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachlorobutadiene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobutadiene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-10N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-10N	2/13/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-11N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-15	7/10/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-21	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobutadiene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachlorobutadiene	MW-7N	7/13/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachlorobutadiene	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	2/7/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-4	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-4	2/7/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachlorobutadiene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-4	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-5	7/9/2019	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/6/2016	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/9/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/16/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/7/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	LGW-14R	10/27/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	2/11/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/17/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	2/13/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	2/13/2015	65	65	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/12/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/8/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	2/10/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/11/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/6/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/11/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	2/10/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/12/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	2/5/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	2/10/2015	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/17/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/10/2019	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/12/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/10/2019	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	2/11/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/13/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	2/11/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	LGW-9	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/13/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/10/2019	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	2/13/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	2/10/2015	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/17/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/6/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-15	7/10/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	MW-15	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-16	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-16	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-17	7/10/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-17	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-19	7/13/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-19	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	2/5/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	2/10/2015	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/10/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/6/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-20	7/12/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-20	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-21	10/5/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	10/6/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/8/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/12/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/11/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	2/12/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/9/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/13/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/7/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	MW-3N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	2/12/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/5/2017	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/13/2018	52	52	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	1/24/2008	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	5/10/2011	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/11/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/2/2013	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/8/2014	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/6/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/16/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	2/7/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	7/10/2012	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-1	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-1	7/18/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-2	7/10/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-4	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-4	2/7/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-4	7/10/2012	49	49	ND	ug/L
Hexachlorocyclopentadiene	NE-4	2/13/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-4	7/12/2018	52	52	ND	ug/L
Hexachlorocyclopentadiene	NE-5	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-5	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	NE-5	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/17/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/9/2019	50	50	ND	ug/L
Hexachloroethane	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-10	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-10	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachloroethane	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachloroethane	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachloroethane	LGW-14R	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-2	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachloroethane	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-2	7/8/2020	10	10	ND	ug/L
Hexachloroethane	LGW-2	7/4/2021	10	10	ND	ug/L
Hexachloroethane	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachloroethane	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachloroethane	LGW-3R	7/6/2021	10	10	ND	ug/L
Hexachloroethane	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachloroethane	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-4	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachloroethane	LGW-5	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachloroethane	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachloroethane	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-6	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-6	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-7	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-8R	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/7/2021	10	10	ND	ug/L
Hexachloroethane	MW-10N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-10N	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachloroethane	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachloroethane	MW-10N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-11N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/6/2021	10	10	ND	ug/L
Hexachloroethane	MW-15	7/10/2018	10	10	ND	ug/L
Hexachloroethane	MW-15	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-16	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-17	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachloroethane	MW-19	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachloroethane	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachloroethane	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachloroethane	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachloroethane	MW-1N	7/6/2020	10	10	ND	ug/L
Hexachloroethane	MW-1N	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-20	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachloroethane	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-21	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-21	7/8/2020	10	10	ND	ug/L
Hexachloroethane	MW-21	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachloroethane	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachloroethane	MW-2N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachloroethane	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachloroethane	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachloroethane	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/7/2020	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachloroethane	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachloroethane	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-7N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachloroethane	MW-7N	7/13/2018	10	10	ND	ug/L
Hexachloroethane	MW-7N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachloroethane	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Hexachloroethane	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachloroethane	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachloroethane	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachloroethane	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-8N	7/9/2020	10	10	ND	ug/L
Hexachloroethane	MW-8N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	NE-1	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-1	2/7/2009	10	10	ND	ug/L
Hexachloroethane	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachloroethane	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachloroethane	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachloroethane	NE-4	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-4	2/7/2009	10	10	ND	ug/L
Hexachloroethane	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachloroethane	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachloroethane	NE-4	7/12/2018	10	10	ND	ug/L
Hexachloroethane	NE-5	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-5	2/6/2009	10	10	ND	ug/L
Hexachloroethane	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachloroethane	NE-5	7/9/2019	10	10	ND	ug/L
Hexachloropropene	LGW-10	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-10	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-10	2/12/2015	96	96	ND	ug/L
Hexachloropropene	LGW-10	10/6/2016	95	95	ND	ug/L
Hexachloropropene	LGW-10	10/9/2017	96	96	ND	ug/L
Hexachloropropene	LGW-10	7/16/2018	95	95	ND	ug/L
Hexachloropropene	LGW-10	7/11/2019	99	99	ND	ug/L
Hexachloropropene	LGW-10	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-10	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-14R	10/27/2006	100	100	ND	ug/L
Hexachloropropene	LGW-14R	2/6/2009	100	100	ND	ug/L
Hexachloropropene	LGW-14R	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-14R	2/11/2015	99	99	ND	ug/L
Hexachloropropene	LGW-14R	7/17/2018	100	100	ND	ug/L
Hexachloropropene	LGW-14R	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-2	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-2	2/13/2009	100	100	ND	ug/L
Hexachloropropene	LGW-2	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-2	2/13/2015	130	130	ND	ug/L
Hexachloropropene	LGW-2	7/12/2018	97	97	ND	ug/L
Hexachloropropene	LGW-2	7/8/2020	50	50	ND	ug/L
Hexachloropropene	LGW-2	7/4/2021	100	100	ND	ug/L
Hexachloropropene	LGW-3R	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-3R	2/3/2009	100	100	ND	ug/L
Hexachloropropene	LGW-3R	7/9/2012	94	94	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	LGW-3R	2/10/2015	97	97	ND	ug/L
Hexachloropropene	LGW-3R	7/11/2018	100	100	ND	ug/L
Hexachloropropene	LGW-3R	7/6/2021	100	100	ND	ug/L
Hexachloropropene	LGW-4	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-4	2/3/2009	100	100	ND	ug/L
Hexachloropropene	LGW-4	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-4	2/11/2015	97	97	ND	ug/L
Hexachloropropene	LGW-4	7/11/2018	99	99	ND	ug/L
Hexachloropropene	LGW-4	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-5	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-5	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-5	7/9/2012	94	94	ND	ug/L
Hexachloropropene	LGW-5	2/10/2015	95	95	ND	ug/L
Hexachloropropene	LGW-5	7/12/2018	100	100	ND	ug/L
Hexachloropropene	LGW-5	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-6	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-6	2/5/2009	100	100	ND	ug/L
Hexachloropropene	LGW-6	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-6	2/10/2015	100	100	ND	ug/L
Hexachloropropene	LGW-6	10/6/2016	97	97	ND	ug/L
Hexachloropropene	LGW-6	10/5/2017	95	95	ND	ug/L
Hexachloropropene	LGW-6	7/17/2018	99	99	ND	ug/L
Hexachloropropene	LGW-6	7/10/2019	99	99	ND	ug/L
Hexachloropropene	LGW-6	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-6	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-7	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-7	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-7	7/10/2012	95	95	ND	ug/L
Hexachloropropene	LGW-7	2/11/2015	96	96	ND	ug/L
Hexachloropropene	LGW-7	10/6/2016	96	96	ND	ug/L
Hexachloropropene	LGW-7	10/5/2017	96	96	ND	ug/L
Hexachloropropene	LGW-7	7/12/2018	100	100	ND	ug/L
Hexachloropropene	LGW-7	7/10/2019	98	98	ND	ug/L
Hexachloropropene	LGW-7	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-7	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-8R	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-8R	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-8R	7/9/2012	94	94	ND	ug/L
Hexachloropropene	LGW-8R	2/11/2015	98	98	ND	ug/L
Hexachloropropene	LGW-8R	7/13/2018	98	98	ND	ug/L
Hexachloropropene	LGW-8R	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-9	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-9	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-9	7/10/2012	95	95	ND	ug/L
Hexachloropropene	LGW-9	2/11/2015	98	98	ND	ug/L
Hexachloropropene	LGW-9	10/6/2016	96	96	ND	ug/L
Hexachloropropene	LGW-9	10/5/2017	95	95	ND	ug/L
Hexachloropropene	LGW-9	7/13/2018	95	95	ND	ug/L
Hexachloropropene	LGW-9	7/10/2019	100	100	ND	ug/L
Hexachloropropene	LGW-9	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-9	7/7/2021	100	100	ND	ug/L
Hexachloropropene	MW-10N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-10N	2/13/2009	100	100	ND	ug/L
Hexachloropropene	MW-10N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-10N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-10N	7/11/2018	97	97	ND	ug/L
Hexachloropropene	MW-10N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-11N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-11N	2/3/2009	100	100	ND	ug/L
Hexachloropropene	MW-11N	7/9/2012	95	95	ND	ug/L
Hexachloropropene	MW-11N	2/10/2015	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	MW-11N	7/17/2018	100	100	ND	ug/L
Hexachloropropene	MW-11N	7/6/2021	100	100	ND	ug/L
Hexachloropropene	MW-15	7/10/2018	100	100	ND	ug/L
Hexachloropropene	MW-15	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-16	7/11/2018	95	95	ND	ug/L
Hexachloropropene	MW-16	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-17	7/10/2018	95	95	ND	ug/L
Hexachloropropene	MW-17	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-19	7/13/2018	96	96	ND	ug/L
Hexachloropropene	MW-19	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachloropropene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-1N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-1N	2/5/2009	100	100	ND	ug/L
Hexachloropropene	MW-1N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-1N	2/10/2015	95	95	ND	ug/L
Hexachloropropene	MW-1N	7/10/2018	99	99	ND	ug/L
Hexachloropropene	MW-1N	7/6/2020	50	50	ND	ug/L
Hexachloropropene	MW-1N	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-20	7/12/2018	95	95	ND	ug/L
Hexachloropropene	MW-20	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-21	10/5/2016	96	96	ND	ug/L
Hexachloropropene	MW-21	10/6/2017	96	96	ND	ug/L
Hexachloropropene	MW-21	7/11/2018	95	95	ND	ug/L
Hexachloropropene	MW-21	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-21	7/8/2020	50	50	ND	ug/L
Hexachloropropene	MW-21	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-2N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-2N	2/4/2009	100	100	ND	ug/L
Hexachloropropene	MW-2N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-2N	2/12/2015	96	96	ND	ug/L
Hexachloropropene	MW-2N	7/12/2018	100	100	ND	ug/L
Hexachloropropene	MW-2N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-3N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-3N	2/4/2009	100	100	ND	ug/L
Hexachloropropene	MW-3N	7/11/2012	94	94	ND	ug/L
Hexachloropropene	MW-3N	2/12/2015	98	98	ND	ug/L
Hexachloropropene	MW-3N	10/6/2016	96	96	ND	ug/L
Hexachloropropene	MW-3N	10/9/2017	95	95	ND	ug/L
Hexachloropropene	MW-3N	7/13/2018	95	95	ND	ug/L
Hexachloropropene	MW-3N	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-3N	7/7/2020	50	50	ND	ug/L
Hexachloropropene	MW-3N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachloropropene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-7N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-7N	2/6/2009	100	100	ND	ug/L
Hexachloropropene	MW-7N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-7N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-7N	10/5/2017	99	99	ND	ug/L
Hexachloropropene	MW-7N	7/13/2018	100	100	ND	ug/L
Hexachloropropene	MW-7N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-8N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-8N	1/24/2008	100	100	ND	ug/L
Hexachloropropene	MW-8N	2/4/2009	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	MW-8N	5/10/2011	96	96	ND	ug/L
Hexachloropropene	MW-8N	7/11/2012	95	95	ND	ug/L
Hexachloropropene	MW-8N	10/2/2013	95	95	ND	ug/L
Hexachloropropene	MW-8N	10/8/2014	96	96	ND	ug/L
Hexachloropropene	MW-8N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-8N	10/6/2016	96	96	ND	ug/L
Hexachloropropene	MW-8N	10/6/2017	97	97	ND	ug/L
Hexachloropropene	MW-8N	7/16/2018	98	98	ND	ug/L
Hexachloropropene	MW-8N	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-8N	7/9/2020	50	50	ND	ug/L
Hexachloropropene	MW-8N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	NE-1	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-1	2/7/2009	100	100	ND	ug/L
Hexachloropropene	NE-1	7/10/2012	96	96	ND	ug/L
Hexachloropropene	NE-1	2/11/2015	96	96	ND	ug/L
Hexachloropropene	NE-1	7/18/2018	96	96	ND	ug/L
Hexachloropropene	NE-2	7/10/2018	95	95	ND	ug/L
Hexachloropropene	NE-4	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-4	2/7/2009	100	100	ND	ug/L
Hexachloropropene	NE-4	7/10/2012	98	98	ND	ug/L
Hexachloropropene	NE-4	2/13/2015	95	95	ND	ug/L
Hexachloropropene	NE-4	7/12/2018	100	100	ND	ug/L
Hexachloropropene	NE-5	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-5	2/6/2009	100	100	ND	ug/L
Hexachloropropene	NE-5	7/10/2012	95	95	ND	ug/L
Hexachloropropene	NE-5	2/11/2015	96	96	ND	ug/L
Hexachloropropene	NE-5	7/17/2018	96	96	ND	ug/L
Hexachloropropene	NE-5	7/9/2019	100	100	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	LGW-4	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-15	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-17	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	MW-8N	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	2/7/2009	2.7	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Iodomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Iodomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Iodomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2014	0.4	1	ND	ug/L
Iodomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Iodomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Iodomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Iodomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Iodomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Iodomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Iodomethane	LGW-10	1/24/2018	1.4	1		ug/L
Iodomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Iodomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Iodomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Iodomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Iodomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Iodomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Iodomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Iodomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Iodomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Iodomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Iodomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Iodomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Iodomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Iodomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Iodomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Iodomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Iodomethane	LGW-2	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Iodomethane	LGW-2	7/8/2014	0.31	1	ND	ug/L
Iodomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Iodomethane	LGW-2	7/8/2015	0.29	1	ND	ug/L
Iodomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-2	1/23/2018	0.27	1	ND	ug/L
Iodomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Iodomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Iodomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Iodomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Iodomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Iodomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Iodomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Iodomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Iodomethane	LGW-3R	7/8/2014	0.29	1	ND	ug/L
Iodomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Iodomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Iodomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-3R	1/23/2018	0.24	1	ND	ug/L
Iodomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Iodomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-3R	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Iodomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Iodomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Iodomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Iodomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Iodomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-4	1/19/2011	1	1		ug/L
Iodomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-4	7/8/2014	0.26	1	ND	ug/L
Iodomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-4	7/8/2015	0.31	1	ND	ug/L
Iodomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Iodomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-5	1/19/2011	0.97	1	ND	ug/L
Iodomethane	LGW-5	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-5	7/8/2014	0.29	1	ND	ug/L
Iodomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-5	7/8/2015	0.33	1	ND	ug/L
Iodomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Iodomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Iodomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Iodomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-6	1/19/2011	0.74	1	ND	ug/L
Iodomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-6	7/8/2014	0.28	1	ND	ug/L
Iodomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Iodomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2018	0.25	1	ND	ug/L
Iodomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Iodomethane	LGW-6	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Iodomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Iodomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Iodomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Iodomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-7	1/20/2011	0.61	1	ND	ug/L
Iodomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Iodomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Iodomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Iodomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Iodomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Iodomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Iodomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-7	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Iodomethane	LGW-8R	1/20/2011	0.46	1	ND	ug/L
Iodomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Iodomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Iodomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Iodomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Iodomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Iodomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Iodomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Iodomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Iodomethane	LGW-9	1/20/2011	0.34	1	ND	ug/L
Iodomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Iodomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Iodomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-9	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-9	7/13/2015	0.81	1	ND	ug/L
Iodomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Iodomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Iodomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Iodomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Iodomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Iodomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Iodomethane	MW-10N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-10N	1/22/1998	10	10	ND	ug/L
Iodomethane	MW-10N	4/28/1998	20	20	ND	ug/L
Iodomethane	MW-10N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-10N	1/14/1999	10	10	ND	ug/L
Iodomethane	MW-10N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-10N	7/15/1999	10	10	ND	ug/L
Iodomethane	MW-10N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-10N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-10N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Iodomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Iodomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Iodomethane	MW-10N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Iodomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Iodomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Iodomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-10N	7/9/2014	0.42	1	ND	ug/L
Iodomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-10N	7/14/2015	0.51	1	ND	ug/L
Iodomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Iodomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-11N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-11N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-11N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-11N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-11N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-11N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-11N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-11N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-11N	1/13/2000	10	10	ND	ug/L
Iodomethane	MW-11N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Iodomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Iodomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Iodomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Iodomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Iodomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Iodomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Iodomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Iodomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Iodomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Iodomethane	MW-11N	7/8/2014	0.28	1	ND	ug/L
Iodomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2015	0.31	1	ND	ug/L
Iodomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Iodomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Iodomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Iodomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Iodomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-15	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-15	7/15/2015	0.58	1	ND	ug/L
Iodomethane	MW-15	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-15	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-15	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-15	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-15	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-15	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-15	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-15	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-15	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-15	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-15	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-15	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-15	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-15	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-15	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-15	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-15	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-15	7/10/2022	1	1	ND	ug/L
Iodomethane	MW-15	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-16	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-16	7/16/2015	0.66	1	ND	ug/L
Iodomethane	MW-16	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-16	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-16	1/8/2016	1	1	ND	ug/L
Iodomethane	MW-16	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-16	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-16	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-16	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-16	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-16	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-16	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-16	1/2/2019	1	1	ND	ug/L
Iodomethane	MW-16	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-16	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-16	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-16	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-16	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-16	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-16	7/10/2022	1	1	ND	ug/L
Iodomethane	MW-16	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-17	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-17	7/15/2015	0.62	1	ND	ug/L
Iodomethane	MW-17	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-17	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-17	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-17	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-17	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-17	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-17	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-17	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-17	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-17	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-17	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-17	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-17	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-17	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-17	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-17	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-17	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-19	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-19	7/16/2015	1	1	ND	ug/L
Iodomethane	MW-19	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-19	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-19	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-19	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-19	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-19	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-19	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-19	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-19	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-19	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-19	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-19	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-19	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-19	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-19	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-19	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-19	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-1N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-1N	1/20/1998	10	10	ND	ug/L
Iodomethane	MW-1N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-1N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-1N	10/14/1998	10	10	ND	ug/L
Iodomethane	MW-1N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-1N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-1N	5/19/1999	10	10	ND	ug/L
Iodomethane	MW-1N	7/15/1999	10	10	ND	ug/L
Iodomethane	MW-1N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-1N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-1N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Iodomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-1N	4/12/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-1N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Iodomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Iodomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Iodomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-1N	7/9/2014	0.33	1	ND	ug/L
Iodomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Iodomethane	MW-1N	7/14/2015	0.67	1	ND	ug/L
Iodomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Iodomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-1N	1/23/2020	1.89	1.89	ND	ug/L
Iodomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Iodomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-20	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-20	7/14/2015	0.44	1	ND	ug/L
Iodomethane	MW-20	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-20	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-20	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-20	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-20	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-20	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-20	1/12/2017	1	1	ND	ug/L
Iodomethane	MW-20	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-20	1/26/2018	1	1	ND	ug/L
Iodomethane	MW-20	7/12/2018	1	1	ND	ug/L
Iodomethane	MW-20	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-20	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-20	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-20	1/17/2021	1	1	ND	ug/L
Iodomethane	MW-20	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-20	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-21	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-21	7/14/2015	0.44	1	ND	ug/L
Iodomethane	MW-21	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-21	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-21	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-21	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-21	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-21	4/5/2017	1	1	ND	ug/L
Iodomethane	MW-21	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-21	10/6/2017	1	1	ND	ug/L
Iodomethane	MW-21	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-21	4/11/2018	1	1	ND	ug/L
Iodomethane	MW-21	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-21	10/4/2018	1	1	ND	ug/L
Iodomethane	MW-21	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-21	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-21	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-21	10/2/2019	1	1	ND	ug/L
Iodomethane	MW-21	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-21	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-21	7/8/2020	1	1	ND	ug/L
Iodomethane	MW-21	10/7/2020	1	1	ND	ug/L
Iodomethane	MW-21	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-21	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-21	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-21	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-21	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-21	4/8/2023	1	1	ND	ug/L
Iodomethane	MW-2N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-2N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-2N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-2N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-2N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-2N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-2N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-2N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-2N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-2N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Iodomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Iodomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Iodomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-2N	7/9/2014	0.46	1	ND	ug/L
Iodomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-2N	7/14/2015	0.55	1	ND	ug/L
Iodomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Iodomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Iodomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Iodomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-3N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-3N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-3N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-3N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-3N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-3N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-3N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-3N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-3N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-3N	4/24/2000	10	10	ND	ug/L
Iodomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Iodomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Iodomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-3N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-3N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Iodomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Iodomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-3N	7/9/2014	0.51	1	ND	ug/L
Iodomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Iodomethane	MW-3N	7/14/2015	0.53	1	ND	ug/L
Iodomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Iodomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Iodomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Iodomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Iodomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Iodomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Iodomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Iodomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-7N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-7N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-7N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-7N	8/18/1998	10	10	ND	ug/L
Iodomethane	MW-7N	9/17/1998	10	10	ND	ug/L
Iodomethane	MW-7N	10/15/1998	10	10	ND	ug/L
Iodomethane	MW-7N	11/9/1998	10	10	ND	ug/L
Iodomethane	MW-7N	1/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	4/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-7N	1/13/2000	10	10	ND	ug/L
Iodomethane	MW-7N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-7N	1/23/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-7N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Iodomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Iodomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Iodomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Iodomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Iodomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Iodomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Iodomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Iodomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Iodomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Iodomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Iodomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Iodomethane	MW-7N	7/9/2014	0.3	1	ND	ug/L
Iodomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Iodomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Iodomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Iodomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Iodomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Iodomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Iodomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Iodomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-8N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-8N	1/22/1998	10	10	ND	ug/L
Iodomethane	MW-8N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-8N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-8N	1/12/1999	10	10	ND	ug/L
Iodomethane	MW-8N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-8N	7/14/1999	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-8N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-8N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-8N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Iodomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-8N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Iodomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Iodomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Iodomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Iodomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Iodomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Iodomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Iodomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Iodomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Iodomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Iodomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Iodomethane	MW-8N	7/9/2014	0.42	1	ND	ug/L
Iodomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Iodomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Iodomethane	MW-8N	7/14/2015	0.52	1	ND	ug/L
Iodomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Iodomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Iodomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Iodomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Iodomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Iodomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Iodomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Iodomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Iodomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Iodomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Iodomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Iodomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2002	1	1	ND	ug/L
Iodomethane	NE-1	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-1	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-1	1/27/2004	1	1	ND	ug/L
Iodomethane	NE-1	1/12/2005	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-1	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2007	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2008	1	1	ND	ug/L
Iodomethane	NE-1	7/21/2008	1	1	ND	ug/L
Iodomethane	NE-1	2/7/2009	1	1	ND	ug/L
Iodomethane	NE-1	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-1	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-1	7/14/2010	1	1	ND	ug/L
Iodomethane	NE-1	9/2/2010	1	1	ND	ug/L
Iodomethane	NE-1	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-1	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-1	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-1	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-1	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-1	1/23/2014	1	1	ND	ug/L
Iodomethane	NE-1	7/9/2014	0.44	1	ND	ug/L
Iodomethane	NE-1	2/11/2015	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2015	0.25	1	ND	ug/L
Iodomethane	NE-1	1/6/2016	1	1	ND	ug/L
Iodomethane	NE-1	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-1	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2018	1	1	ND	ug/L
Iodomethane	NE-1	4/11/2018	1	1	ND	ug/L
Iodomethane	NE-1	7/18/2018	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2018	1	1	ND	ug/L
Iodomethane	NE-1	1/4/2019	1	1	ND	ug/L
Iodomethane	NE-1	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2019	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2019	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-1	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-1	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-1	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-1	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-1	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-1	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-1	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-1	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-1	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-1	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-1	10/6/2022	1	1	ND	ug/L
Iodomethane	NE-1	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-1	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Iodomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-11	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-11	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-11	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-11	10/9/2017	1	1	ND	ug/L
Iodomethane	NE-11	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-11	1/14/2020	1	1	ND	ug/L
Iodomethane	NE-11	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-11	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-11	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-11	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-11	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-11	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-11	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-11	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-11	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-12	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-12	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-12	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-12	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-12	8/5/2019	1	1	ND	ug/L
Iodomethane	NE-12	1/13/2020	1	1	ND	ug/L
Iodomethane	NE-12	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-12	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-12	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-12	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-12	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-12	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-12	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-12	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-12	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-13	2/5/2019	1	1	ND	ug/L
Iodomethane	NE-13	8/7/2019	1	1	ND	ug/L
Iodomethane	NE-13	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-13	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-13	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-13	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-13	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-13	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2002	1	1	ND	ug/L
Iodomethane	NE-2	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-2	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-2	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-2	10/1/2013	1	1	ND	ug/L
Iodomethane	NE-2	10/8/2014	1	1	ND	ug/L
Iodomethane	NE-2	10/5/2015	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2016	1	1	ND	ug/L
Iodomethane	NE-2	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-2	1/25/2018	1	1	ND	ug/L
Iodomethane	NE-2	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-2	7/10/2018	1	1	ND	ug/L
Iodomethane	NE-2	10/1/2018	1	1	ND	ug/L
Iodomethane	NE-2	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-2	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-2	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-2	1/14/2020	1	1	ND	ug/L
Iodomethane	NE-2	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-2	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-2	1/14/2021	1	1	ND	ug/L
Iodomethane	NE-2	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-2	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-2	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-2	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-2	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-2	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-2	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-2	4/5/2023	1	1	ND	ug/L
Iodomethane	NE-3	7/9/2002	1	1	ND	ug/L
Iodomethane	NE-3	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-3	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-3	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-3	9/2/2010	1	1	ND	ug/L
Iodomethane	NE-3	3/21/2018	1	1	ND	ug/L
Iodomethane	NE-4	7/10/2002	1	1	ND	ug/L
Iodomethane	NE-4	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-4	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-4	10/3/2002	1	1	ND	ug/L
Iodomethane	NE-4	4/15/2003	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-4	1/28/2004	1	1	ND	ug/L
Iodomethane	NE-4	1/13/2005	1	1	ND	ug/L
Iodomethane	NE-4	8/1/2006	1	1	ND	ug/L
Iodomethane	NE-4	8/1/2006	1	1	ND	ug/L
Iodomethane	NE-4	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-4	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-4	7/12/2007	1	1	ND	ug/L
Iodomethane	NE-4	1/24/2008	1	1	ND	ug/L
Iodomethane	NE-4	7/21/2008	1	1	ND	ug/L
Iodomethane	NE-4	2/7/2009	1	1	ND	ug/L
Iodomethane	NE-4	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-4	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-4	7/14/2010	1	1	ND	ug/L
Iodomethane	NE-4	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-4	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-4	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-4	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-4	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-4	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-4	1/23/2014	1	1	ND	ug/L
Iodomethane	NE-4	7/9/2014	1	1	ND	ug/L
Iodomethane	NE-4	2/13/2015	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2015	1	1	ND	ug/L
Iodomethane	NE-4	1/6/2016	1	1	ND	ug/L
Iodomethane	NE-4	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-4	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-4	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-4	1/26/2018	0.28	1	ND	ug/L
Iodomethane	NE-4	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-4	7/12/2018	1	1	ND	ug/L
Iodomethane	NE-4	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-4	1/7/2019	1	1	ND	ug/L
Iodomethane	NE-4	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2019	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2019	1	1	ND	ug/L
Iodomethane	NE-4	10/1/2019	1	1	ND	ug/L
Iodomethane	NE-4	1/13/2020	1	1	ND	ug/L
Iodomethane	NE-4	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-4	7/6/2020	1	1	ND	ug/L
Iodomethane	NE-4	10/5/2020	1	1	ND	ug/L
Iodomethane	NE-4	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-4	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-4	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-4	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-4	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-4	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2002	1	1	ND	ug/L
Iodomethane	NE-5	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-5	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-5	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-5	4/15/2003	1	1	ND	ug/L
Iodomethane	NE-5	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-5	1/27/2004	1	1	ND	ug/L
Iodomethane	NE-5	1/12/2005	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-5	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-5	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-5	7/12/2007	1	1	ND	ug/L
Iodomethane	NE-5	7/22/2008	1	1	ND	ug/L
Iodomethane	NE-5	2/6/2009	1	1	ND	ug/L
Iodomethane	NE-5	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-5	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-5	7/16/2010	1	1	ND	ug/L
Iodomethane	NE-5	9/2/2010	1	1	ND	ug/L
Iodomethane	NE-5	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-5	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-5	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-5	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-5	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-5	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-5	1/23/2014	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2014	0.25	1	ND	ug/L
Iodomethane	NE-5	2/11/2015	1	1	ND	ug/L
Iodomethane	NE-5	7/14/2015	0.35	1	ND	ug/L
Iodomethane	NE-5	1/6/2016	1	1	ND	ug/L
Iodomethane	NE-5	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-5	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-5	1/25/2018	1	1	ND	ug/L
Iodomethane	NE-5	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-5	7/17/2018	1	1	ND	ug/L
Iodomethane	NE-5	10/3/2018	1	1	ND	ug/L
Iodomethane	NE-5	1/4/2019	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	10/3/2019	1	1	ND	ug/L
Iodomethane	NE-5	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-5	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-5	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-6	1/12/2017	1	1	ND	ug/L
Iodomethane	NE-6	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-6	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-6	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-6	2/4/2019	1	1	ND	ug/L
Iodomethane	NE-6	8/6/2019	1	1	ND	ug/L
Iodomethane	NE-6	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-6	7/9/2020	1	1	ND	ug/L
Iodomethane	NE-6	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-6	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-6	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-6	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-6	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-6	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-6D	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-7	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-7	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-7	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-7	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-7	2/6/2019	1	1	ND	ug/L
Iodomethane	NE-7	8/6/2019	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-7	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-7	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-7	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-7	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-7	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-7	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-7	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-8	1/12/2017	1	1	ND	ug/L
Iodomethane	NE-8	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-8	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-8	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-8	2/4/2019	1	1	ND	ug/L
Iodomethane	NE-8	8/5/2019	1	1	ND	ug/L
Iodomethane	NE-8	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-8	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-8	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-8	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-8	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-8	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-9	1/12/2017	1	1	ND	ug/L
Iodomethane	NE-9	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-9	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-9	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-9	2/5/2019	1	1	ND	ug/L
Iodomethane	NE-9	8/7/2019	1	1	ND	ug/L
Iodomethane	NE-9	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-9	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-9	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-9	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-9	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-9	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-9	4/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, dissolved	LGW-14R	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-2	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-4	1/24/2006	60	60	ND	ug/L
Iron, dissolved	LGW-5	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-6	1/24/2006	60	60	ND	ug/L
Iron, dissolved	LGW-7	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-8R	1/24/2006	60	60	ND	ug/L
Iron, dissolved	MW-10N	7/11/2000	96	60		ug/L
Iron, dissolved	MW-10N	7/10/2002	120	50		ug/L
Iron, dissolved	MW-10N	10/2/2002	190	50		ug/L
Iron, dissolved	MW-11N	7/10/2000	500	60		ug/L
Iron, dissolved	MW-11N	7/9/2002	230	50		ug/L
Iron, dissolved	MW-11N	10/2/2002	180	50		ug/L
Iron, dissolved	MW-1N	10/19/1999	3700	60		ug/L
Iron, dissolved	MW-1N	7/12/2000	2700	60		ug/L
Iron, dissolved	MW-1N	7/9/2002	2000	50		ug/L
Iron, dissolved	MW-1N	10/3/2002	740	50		ug/L
Iron, dissolved	MW-2N	7/11/2000	60	60	ND	ug/L
Iron, dissolved	MW-2N	7/10/2002	50	50	ND	ug/L
Iron, dissolved	MW-2N	10/2/2002	50	50	ND	ug/L
Iron, dissolved	MW-3N	7/11/2000	950	60		ug/L
Iron, dissolved	MW-3N	7/9/2002	1900	50		ug/L
Iron, dissolved	MW-3N	10/2/2002	3400	50		ug/L
Iron, dissolved	MW-7N	10/19/1999	790	60		ug/L
Iron, dissolved	MW-7N	7/11/2000	3400	60		ug/L
Iron, dissolved	MW-7N	7/9/2002	4300	50		ug/L
Iron, dissolved	MW-7N	10/2/2002	4800	50		ug/L
Iron, dissolved	MW-7N	9/2/2010	1200	60		ug/L
Iron, dissolved	MW-8N	10/19/1999	7400	60		ug/L
Iron, dissolved	MW-8N	7/11/2000	13100	60		ug/L
Iron, dissolved	MW-8N	7/9/2002	16300	50		ug/L
Iron, dissolved	MW-8N	10/2/2002	15300	50		ug/L
Iron, dissolved	MW-8N	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-1	7/10/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	8/6/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	10/2/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-2	7/9/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	8/6/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	10/2/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-3	7/9/2002	10500	50		ug/L
Iron, dissolved	NE-3	8/6/2002	5000	50		ug/L
Iron, dissolved	NE-3	9/4/2002	2000	50		ug/L
Iron, dissolved	NE-3	10/2/2002	630	50		ug/L
Iron, dissolved	NE-3	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-4	7/10/2002	380	50		ug/L
Iron, dissolved	NE-4	8/6/2002	93	50		ug/L
Iron, dissolved	NE-4	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-4	10/3/2002	340	50		ug/L
Iron, dissolved	NE-5	7/9/2002	3600	50		ug/L
Iron, dissolved	NE-5	8/6/2002	4900	50		ug/L
Iron, dissolved	NE-5	9/4/2002	6200	50		ug/L
Iron, dissolved	NE-5	10/2/2002	2600	50		ug/L
Iron, dissolved	NE-5	9/2/2010	21000	60		ug/L
Iron, total	LGW-10	1/26/2006	950	60		ug/L
Iron, total	LGW-10	8/1/2006	5100	60		ug/L
Iron, total	LGW-10	8/1/2006	5100	60		ug/L
Iron, total	LGW-10	10/26/2006	5200	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-10	1/25/2007	3700	60		ug/L
Iron, total	LGW-10	4/26/2007	1800	60		ug/L
Iron, total	LGW-10	7/12/2007	4700	60		ug/L
Iron, total	LGW-10	1/23/2008	2400	60		ug/L
Iron, total	LGW-10	7/22/2008	8900	60		ug/L
Iron, total	LGW-10	7/29/2009	7300	60		ug/L
Iron, total	LGW-10	2/3/2010	7600	60		ug/L
Iron, total	LGW-10	2/3/2010	7600	60		ug/L
Iron, total	LGW-10	7/16/2010	17000	60		ug/L
Iron, total	LGW-10	1/19/2011	5500	60		ug/L
Iron, total	LGW-10	7/12/2011	14000	60		ug/L
Iron, total	LGW-10	1/5/2012	28000	60		ug/L
Iron, total	LGW-10	7/9/2012	13000	60		ug/L
Iron, total	LGW-10	5/1/2013	18000	60		ug/L
Iron, total	LGW-10	1/30/2014	17000	60		ug/L
Iron, total	LGW-10	7/9/2014	21000	60		ug/L
Iron, total	LGW-10	2/12/2015	21000	60		ug/L
Iron, total	LGW-10	7/13/2015	16000	60		ug/L
Iron, total	LGW-10	1/5/2016	6200	60		ug/L
Iron, total	LGW-10	4/6/2016	16000	60		ug/L
Iron, total	LGW-10	7/21/2016	15000	60		ug/L
Iron, total	LGW-10	10/6/2016	10000	60		ug/L
Iron, total	LGW-10	1/11/2017	7500	60		ug/L
Iron, total	LGW-10	4/4/2017	7400	60		ug/L
Iron, total	LGW-10	7/19/2017	33000	60		ug/L
Iron, total	LGW-10	10/9/2017	19000	60		ug/L
Iron, total	LGW-10	1/24/2018	3100	60		ug/L
Iron, total	LGW-10	4/11/2018	9400	60		ug/L
Iron, total	LGW-10	7/16/2018	7600	60		ug/L
Iron, total	LGW-10	10/4/2018	4000	60		ug/L
Iron, total	LGW-10	1/4/2019	5700	60		ug/L
Iron, total	LGW-10	4/3/2019	4300	60		ug/L
Iron, total	LGW-10	7/11/2019	880	60		ug/L
Iron, total	LGW-10	10/2/2019	9300	60		ug/L
Iron, total	LGW-10	1/15/2020	21100	60		ug/L
Iron, total	LGW-10	4/2/2020	12000	60		ug/L
Iron, total	LGW-10	7/9/2020	11600	60		ug/L
Iron, total	LGW-10	10/7/2020	2370	60		ug/L
Iron, total	LGW-10	1/17/2021	136	60		ug/L
Iron, total	LGW-10	4/6/2021	6820	60		ug/L
Iron, total	LGW-10	7/7/2021	12400	60		ug/L
Iron, total	LGW-10	10/5/2021	4580	60		ug/L
Iron, total	LGW-10	1/13/2022	6600	60		ug/L
Iron, total	LGW-10	4/4/2022	6280	60		ug/L
Iron, total	LGW-10	7/11/2022	15300	60		ug/L
Iron, total	LGW-10	10/7/2022	5500	60		ug/L
Iron, total	LGW-10	1/11/2023	7440	60		ug/L
Iron, total	LGW-10	4/5/2023	12400	60		ug/L
Iron, total	LGW-14R	1/25/2006	54700	60		ug/L
Iron, total	LGW-14R	8/2/2006	13000	60		ug/L
Iron, total	LGW-14R	8/2/2006	13000	60		ug/L
Iron, total	LGW-14R	10/27/2006	610	60		ug/L
Iron, total	LGW-14R	1/24/2007	730	60		ug/L
Iron, total	LGW-14R	4/24/2007	5400	60		ug/L
Iron, total	LGW-14R	7/11/2007	17000	60		ug/L
Iron, total	LGW-14R	1/23/2008	280	60		ug/L
Iron, total	LGW-14R	7/22/2008	33	60	ND	ug/L
Iron, total	LGW-14R	2/6/2009	1300	60		ug/L
Iron, total	LGW-14R	7/29/2009	32	60	ND	ug/L
Iron, total	LGW-14R	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-14R	2/3/2010	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-14R	7/12/2010	60	60	ND	ug/L
Iron, total	LGW-14R	1/19/2011	34	60	ND	ug/L
Iron, total	LGW-14R	7/12/2011	120	60		ug/L
Iron, total	LGW-14R	1/5/2012	30	60	ND	ug/L
Iron, total	LGW-14R	7/9/2012	46	60	ND	ug/L
Iron, total	LGW-14R	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-14R	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-14R	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-14R	2/11/2015	35	60	ND	ug/L
Iron, total	LGW-14R	7/22/2015	57	60	ND	ug/L
Iron, total	LGW-14R	1/5/2016	60	60	ND	ug/L
Iron, total	LGW-14R	7/19/2016	31	60	ND	ug/L
Iron, total	LGW-14R	1/11/2017	60	60	ND	ug/L
Iron, total	LGW-14R	7/18/2017	47	60	ND	ug/L
Iron, total	LGW-14R	1/25/2018	48	60	ND	ug/L
Iron, total	LGW-14R	7/17/2018	43	60	ND	ug/L
Iron, total	LGW-14R	1/3/2019	60	60	ND	ug/L
Iron, total	LGW-14R	7/10/2019	60	60	ND	ug/L
Iron, total	LGW-14R	1/16/2020	60	60	ND	ug/L
Iron, total	LGW-14R	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-14R	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-14R	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-14R	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-14R	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-14R	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-2	1/25/2006	1500	60		ug/L
Iron, total	LGW-2	8/1/2006	260	60		ug/L
Iron, total	LGW-2	8/1/2006	260	60		ug/L
Iron, total	LGW-2	10/26/2006	150	60		ug/L
Iron, total	LGW-2	1/25/2007	340	60		ug/L
Iron, total	LGW-2	4/26/2007	210	60		ug/L
Iron, total	LGW-2	7/10/2007	63	60		ug/L
Iron, total	LGW-2	1/26/2008	680	60		ug/L
Iron, total	LGW-2	7/23/2008	170	60		ug/L
Iron, total	LGW-2	2/6/2009	1000	60		ug/L
Iron, total	LGW-2	7/30/2009	510	60		ug/L
Iron, total	LGW-2	2/3/2010	40	60	ND	ug/L
Iron, total	LGW-2	2/3/2010	40	60	ND	ug/L
Iron, total	LGW-2	7/12/2010	120	60		ug/L
Iron, total	LGW-2	1/19/2011	110	60		ug/L
Iron, total	LGW-2	7/13/2011	64	60		ug/L
Iron, total	LGW-2	1/4/2012	86	60		ug/L
Iron, total	LGW-2	7/9/2012	130	60		ug/L
Iron, total	LGW-2	4/30/2013	82	60		ug/L
Iron, total	LGW-2	7/15/2013	170	60		ug/L
Iron, total	LGW-2	1/30/2014	200	60		ug/L
Iron, total	LGW-2	7/8/2014	70	60		ug/L
Iron, total	LGW-2	2/13/2015	250	60		ug/L
Iron, total	LGW-2	7/8/2015	140	60		ug/L
Iron, total	LGW-2	1/5/2016	100	60		ug/L
Iron, total	LGW-2	7/19/2016	130	60		ug/L
Iron, total	LGW-2	1/11/2017	460	60		ug/L
Iron, total	LGW-2	7/18/2017	7800	60		ug/L
Iron, total	LGW-2	1/23/2018	4200	60		ug/L
Iron, total	LGW-2	6/21/2018	10000	60		ug/L
Iron, total	LGW-2	7/12/2018	17000	60		ug/L
Iron, total	LGW-2	1/3/2019	5600	60		ug/L
Iron, total	LGW-2	7/9/2019	3100	60		ug/L
Iron, total	LGW-2	1/13/2020	4680	60		ug/L
Iron, total	LGW-2	4/1/2020	2320	60		ug/L
Iron, total	LGW-2	7/8/2020	1160	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-2	1/18/2021	149	60		ug/L
Iron, total	LGW-2	7/4/2021	60	60	ND	ug/L
Iron, total	LGW-2	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-2	7/10/2022	60	60	ND	ug/L
Iron, total	LGW-2	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-3R	1/24/2006	60	60	ND	ug/L
Iron, total	LGW-3R	7/20/2006	240	60		ug/L
Iron, total	LGW-3R	7/20/2006	240	60		ug/L
Iron, total	LGW-3R	10/26/2006	7500	60		ug/L
Iron, total	LGW-3R	1/25/2007	190	60		ug/L
Iron, total	LGW-3R	4/26/2007	250	60		ug/L
Iron, total	LGW-3R	7/11/2007	210	60		ug/L
Iron, total	LGW-3R	1/26/2008	1100	60		ug/L
Iron, total	LGW-3R	7/23/2008	290	60		ug/L
Iron, total	LGW-3R	2/3/2009	420	60		ug/L
Iron, total	LGW-3R	7/31/2009	3700	60		ug/L
Iron, total	LGW-3R	2/3/2010	150	60		ug/L
Iron, total	LGW-3R	2/3/2010	150	60		ug/L
Iron, total	LGW-3R	7/16/2010	95	60		ug/L
Iron, total	LGW-3R	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-3R	7/13/2011	120	60		ug/L
Iron, total	LGW-3R	1/4/2012	120	60		ug/L
Iron, total	LGW-3R	7/9/2012	83	60		ug/L
Iron, total	LGW-3R	4/30/2013	1200	60		ug/L
Iron, total	LGW-3R	7/15/2013	540	60		ug/L
Iron, total	LGW-3R	1/22/2014	260	60		ug/L
Iron, total	LGW-3R	7/8/2014	84	60		ug/L
Iron, total	LGW-3R	2/10/2015	320	60		ug/L
Iron, total	LGW-3R	7/16/2015	580	60		ug/L
Iron, total	LGW-3R	1/8/2016	62	60		ug/L
Iron, total	LGW-3R	7/21/2016	3600	60		ug/L
Iron, total	LGW-3R	1/11/2017	590	60		ug/L
Iron, total	LGW-3R	7/18/2017	210	60		ug/L
Iron, total	LGW-3R	1/23/2018	290	60		ug/L
Iron, total	LGW-3R	7/11/2018	29	60	ND	ug/L
Iron, total	LGW-3R	1/3/2019	60	60	ND	ug/L
Iron, total	LGW-3R	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-3R	1/14/2020	769	60		ug/L
Iron, total	LGW-3R	7/6/2020	308	60		ug/L
Iron, total	LGW-3R	1/18/2021	389	60		ug/L
Iron, total	LGW-3R	7/6/2021	898	60		ug/L
Iron, total	LGW-3R	1/12/2022	164	60		ug/L
Iron, total	LGW-3R	7/10/2022	621	60		ug/L
Iron, total	LGW-3R	1/10/2023	127	60		ug/L
Iron, total	LGW-4	1/24/2006	260	60		ug/L
Iron, total	LGW-4	7/20/2006	200	60		ug/L
Iron, total	LGW-4	7/20/2006	200	60		ug/L
Iron, total	LGW-4	10/26/2006	1400	60		ug/L
Iron, total	LGW-4	1/25/2007	260	60		ug/L
Iron, total	LGW-4	4/26/2007	260	60		ug/L
Iron, total	LGW-4	7/11/2007	150	60		ug/L
Iron, total	LGW-4	1/22/2008	150	60		ug/L
Iron, total	LGW-4	7/23/2008	38	60	ND	ug/L
Iron, total	LGW-4	2/3/2009	70	60		ug/L
Iron, total	LGW-4	7/31/2009	42	60	ND	ug/L
Iron, total	LGW-4	2/3/2010	27	60	ND	ug/L
Iron, total	LGW-4	2/3/2010	27	60	ND	ug/L
Iron, total	LGW-4	7/16/2010	110	60		ug/L
Iron, total	LGW-4	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-4	7/13/2011	110	60		ug/L
Iron, total	LGW-4	1/4/2012	36	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-4	7/9/2012	55	60	ND	ug/L
Iron, total	LGW-4	4/30/2013	72	60		ug/L
Iron, total	LGW-4	7/15/2013	150	60		ug/L
Iron, total	LGW-4	1/23/2014	100	60		ug/L
Iron, total	LGW-4	7/8/2014	44	60	ND	ug/L
Iron, total	LGW-4	2/11/2015	110	60		ug/L
Iron, total	LGW-4	7/8/2015	41	60	ND	ug/L
Iron, total	LGW-4	1/5/2016	63	60		ug/L
Iron, total	LGW-4	7/19/2016	50	60	ND	ug/L
Iron, total	LGW-4	1/11/2017	74	60		ug/L
Iron, total	LGW-4	7/18/2017	48	60	ND	ug/L
Iron, total	LGW-4	1/23/2018	30	60	ND	ug/L
Iron, total	LGW-4	7/11/2018	60	60	ND	ug/L
Iron, total	LGW-4	1/3/2019	24	60	ND	ug/L
Iron, total	LGW-4	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-4	1/14/2020	60	60	ND	ug/L
Iron, total	LGW-4	7/6/2020	60	60	ND	ug/L
Iron, total	LGW-4	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-4	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-4	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-4	7/11/2022	66	60		ug/L
Iron, total	LGW-4	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-5	1/25/2006	200	60		ug/L
Iron, total	LGW-5	8/1/2006	620	60		ug/L
Iron, total	LGW-5	10/26/2006	850	60		ug/L
Iron, total	LGW-5	1/25/2007	210	60		ug/L
Iron, total	LGW-5	4/26/2007	25	60	ND	ug/L
Iron, total	LGW-5	7/11/2007	26	60	ND	ug/L
Iron, total	LGW-5	1/23/2008	60	60	ND	ug/L
Iron, total	LGW-5	7/23/2008	60	60	ND	ug/L
Iron, total	LGW-5	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-5	7/29/2009	60	60	ND	ug/L
Iron, total	LGW-5	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-5	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-5	7/12/2010	35	60	ND	ug/L
Iron, total	LGW-5	1/19/2011	23	60	ND	ug/L
Iron, total	LGW-5	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-5	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-5	7/9/2012	53	60	ND	ug/L
Iron, total	LGW-5	4/30/2013	43	60	ND	ug/L
Iron, total	LGW-5	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-5	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-5	7/8/2014	43	60	ND	ug/L
Iron, total	LGW-5	2/10/2015	60	60	ND	ug/L
Iron, total	LGW-5	7/8/2015	180	60		ug/L
Iron, total	LGW-5	1/5/2016	79	60		ug/L
Iron, total	LGW-5	7/19/2016	40	60	ND	ug/L
Iron, total	LGW-5	1/11/2017	23	60	ND	ug/L
Iron, total	LGW-5	7/18/2017	89	60		ug/L
Iron, total	LGW-5	1/23/2018	60	60	ND	ug/L
Iron, total	LGW-5	7/12/2018	33	60	ND	ug/L
Iron, total	LGW-5	1/3/2019	220	60		ug/L
Iron, total	LGW-5	4/3/2019	230	60		ug/L
Iron, total	LGW-5	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-5	1/14/2020	121	60		ug/L
Iron, total	LGW-5	7/6/2020	760	60		ug/L
Iron, total	LGW-5	1/18/2021	1140	60		ug/L
Iron, total	LGW-5	4/6/2021	1010	60		ug/L
Iron, total	LGW-5	7/7/2021	1230	60		ug/L
Iron, total	LGW-5	10/5/2021	1510	60		ug/L
Iron, total	LGW-5	1/12/2022	1470	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-5	4/4/2022	1570	60		ug/L
Iron, total	LGW-5	7/11/2022	1760	60		ug/L
Iron, total	LGW-5	10/6/2022	2650	60		ug/L
Iron, total	LGW-5	1/10/2023	392	60		ug/L
Iron, total	LGW-6	1/24/2006	60	60	ND	ug/L
Iron, total	LGW-6	7/20/2006	56	60	ND	ug/L
Iron, total	LGW-6	7/20/2006	56	60	ND	ug/L
Iron, total	LGW-6	10/26/2006	1200	60		ug/L
Iron, total	LGW-6	1/24/2007	230	60		ug/L
Iron, total	LGW-6	4/26/2007	61	60		ug/L
Iron, total	LGW-6	7/11/2007	33	60	ND	ug/L
Iron, total	LGW-6	1/23/2008	60	60	ND	ug/L
Iron, total	LGW-6	7/23/2008	60	60	ND	ug/L
Iron, total	LGW-6	2/5/2009	160	60		ug/L
Iron, total	LGW-6	7/29/2009	33	60	ND	ug/L
Iron, total	LGW-6	2/3/2010	29	60	ND	ug/L
Iron, total	LGW-6	2/3/2010	29	60	ND	ug/L
Iron, total	LGW-6	7/12/2010	60	60	ND	ug/L
Iron, total	LGW-6	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-6	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-6	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-6	7/9/2012	43	60	ND	ug/L
Iron, total	LGW-6	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-6	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-6	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-6	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-6	2/10/2015	60	60	ND	ug/L
Iron, total	LGW-6	7/22/2015	120	60		ug/L
Iron, total	LGW-6	1/5/2016	27	60	ND	ug/L
Iron, total	LGW-6	7/19/2016	28	60	ND	ug/L
Iron, total	LGW-6	10/6/2016	41	60	ND	ug/L
Iron, total	LGW-6	1/11/2017	60	60	ND	ug/L
Iron, total	LGW-6	5/5/2017	34	60	ND	ug/L
Iron, total	LGW-6	7/18/2017	57	60	ND	ug/L
Iron, total	LGW-6	10/5/2017	26	60	ND	ug/L
Iron, total	LGW-6	1/23/2018	34	60	ND	ug/L
Iron, total	LGW-6	4/10/2018	60	60	ND	ug/L
Iron, total	LGW-6	7/17/2018	28	60	ND	ug/L
Iron, total	LGW-6	10/2/2018	27	60	ND	ug/L
Iron, total	LGW-6	1/7/2019	34	60	ND	ug/L
Iron, total	LGW-6	4/3/2019	34	60	ND	ug/L
Iron, total	LGW-6	7/10/2019	41	60	ND	ug/L
Iron, total	LGW-6	10/3/2019	26	60	ND	ug/L
Iron, total	LGW-6	1/16/2020	68.4	60		ug/L
Iron, total	LGW-6	4/2/2020	60	60	ND	ug/L
Iron, total	LGW-6	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-6	10/6/2020	182	70.5		ug/L
Iron, total	LGW-6	1/18/2021	111	60		ug/L
Iron, total	LGW-6	4/6/2021	125	60		ug/L
Iron, total	LGW-6	7/7/2021	326	60		ug/L
Iron, total	LGW-6	10/5/2021	474	60		ug/L
Iron, total	LGW-6	1/12/2022	652	60		ug/L
Iron, total	LGW-6	4/4/2022	742	60		ug/L
Iron, total	LGW-6	7/11/2022	682	60		ug/L
Iron, total	LGW-6	10/6/2022	1010	60		ug/L
Iron, total	LGW-6	1/10/2023	897	60		ug/L
Iron, total	LGW-6	4/6/2023	1410	60		ug/L
Iron, total	LGW-7	1/25/2006	66	60		ug/L
Iron, total	LGW-7	8/1/2006	320	60		ug/L
Iron, total	LGW-7	10/26/2006	600	60		ug/L
Iron, total	LGW-7	1/24/2007	27	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-7	4/26/2007	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2007	60	60	ND	ug/L
Iron, total	LGW-7	7/22/2008	60	60	ND	ug/L
Iron, total	LGW-7	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-7	7/31/2009	60	60	ND	ug/L
Iron, total	LGW-7	1/27/2010	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2010	28	60	ND	ug/L
Iron, total	LGW-7	1/20/2011	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-7	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-7	7/10/2012	50	60	ND	ug/L
Iron, total	LGW-7	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-7	7/15/2013	39	60	ND	ug/L
Iron, total	LGW-7	1/23/2014	52	60	ND	ug/L
Iron, total	LGW-7	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-7	2/11/2015	33	60	ND	ug/L
Iron, total	LGW-7	7/22/2015	60	60	ND	ug/L
Iron, total	LGW-7	1/5/2016	60	60	ND	ug/L
Iron, total	LGW-7	4/6/2016	60	60	ND	ug/L
Iron, total	LGW-7	7/20/2016	60	60	ND	ug/L
Iron, total	LGW-7	10/6/2016	60	60	ND	ug/L
Iron, total	LGW-7	1/11/2017	25	60	ND	ug/L
Iron, total	LGW-7	4/4/2017	60	60	ND	ug/L
Iron, total	LGW-7	7/18/2017	50	60	ND	ug/L
Iron, total	LGW-7	10/5/2017	60	60	ND	ug/L
Iron, total	LGW-7	1/24/2018	60	60	ND	ug/L
Iron, total	LGW-7	4/11/2018	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2018	60	60	ND	ug/L
Iron, total	LGW-7	10/2/2018	60	60	ND	ug/L
Iron, total	LGW-7	1/7/2019	60	60	ND	ug/L
Iron, total	LGW-7	4/3/2019	60	60	ND	ug/L
Iron, total	LGW-7	7/10/2019	60	60	ND	ug/L
Iron, total	LGW-7	10/3/2019	60	60	ND	ug/L
Iron, total	LGW-7	1/15/2020	60	60	ND	ug/L
Iron, total	LGW-7	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-7	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-7	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-7	10/5/2021	60	60	ND	ug/L
Iron, total	LGW-7	1/13/2022	98.3	60		ug/L
Iron, total	LGW-7	4/4/2022	60	60	ND	ug/L
Iron, total	LGW-7	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-7	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-8R	1/24/2006	400	60		ug/L
Iron, total	LGW-8R	7/20/2006	77	60		ug/L
Iron, total	LGW-8R	7/20/2006	77	60		ug/L
Iron, total	LGW-8R	10/26/2006	930	60		ug/L
Iron, total	LGW-8R	1/24/2007	210	60		ug/L
Iron, total	LGW-8R	4/25/2007	67	60		ug/L
Iron, total	LGW-8R	7/12/2007	52	60	ND	ug/L
Iron, total	LGW-8R	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-8R	7/29/2009	60	60	ND	ug/L
Iron, total	LGW-8R	1/27/2010	60	60	ND	ug/L
Iron, total	LGW-8R	7/14/2010	60	60	ND	ug/L
Iron, total	LGW-8R	1/20/2011	60	60	ND	ug/L
Iron, total	LGW-8R	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-8R	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-8R	7/9/2012	60	60	ND	ug/L
Iron, total	LGW-8R	4/30/2013	49	60	ND	ug/L
Iron, total	LGW-8R	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-8R	1/22/2014	60	60	ND	ug/L
Iron, total	LGW-8R	7/8/2014	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-8R	2/11/2015	60	60	ND	ug/L
Iron, total	LGW-8R	7/22/2015	45	60	ND	ug/L
Iron, total	LGW-8R	1/5/2016	33	60	ND	ug/L
Iron, total	LGW-8R	7/20/2016	60	60	ND	ug/L
Iron, total	LGW-8R	1/11/2017	22	60	ND	ug/L
Iron, total	LGW-8R	7/18/2017	52	60	ND	ug/L
Iron, total	LGW-8R	1/25/2018	60	60	ND	ug/L
Iron, total	LGW-8R	7/13/2018	60	60	ND	ug/L
Iron, total	LGW-8R	1/7/2019	60	60	ND	ug/L
Iron, total	LGW-8R	7/8/2019	60	60	ND	ug/L
Iron, total	LGW-8R	1/14/2020	60	60	ND	ug/L
Iron, total	LGW-8R	7/7/2020	60	60	ND	ug/L
Iron, total	LGW-8R	1/17/2021	60	60	ND	ug/L
Iron, total	LGW-8R	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-8R	1/13/2022	60	60	ND	ug/L
Iron, total	LGW-8R	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-8R	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-9	1/25/2006	7800	60		ug/L
Iron, total	LGW-9	7/20/2006	5800	60		ug/L
Iron, total	LGW-9	7/20/2006	5800	60		ug/L
Iron, total	LGW-9	10/26/2006	4800	60		ug/L
Iron, total	LGW-9	1/25/2007	5700	60		ug/L
Iron, total	LGW-9	4/25/2007	5800	60		ug/L
Iron, total	LGW-9	7/10/2007	4600	60		ug/L
Iron, total	LGW-9	7/22/2008	4400	60		ug/L
Iron, total	LGW-9	2/4/2009	2500	60		ug/L
Iron, total	LGW-9	7/29/2009	550	60		ug/L
Iron, total	LGW-9	1/27/2010	540	60		ug/L
Iron, total	LGW-9	7/14/2010	1200	60		ug/L
Iron, total	LGW-9	1/20/2011	2400	60		ug/L
Iron, total	LGW-9	7/12/2011	5400	60		ug/L
Iron, total	LGW-9	1/5/2012	8300	60		ug/L
Iron, total	LGW-9	7/10/2012	11000	60		ug/L
Iron, total	LGW-9	5/1/2013	13000	60		ug/L
Iron, total	LGW-9	7/15/2013	11000	60		ug/L
Iron, total	LGW-9	1/23/2014	8300	60		ug/L
Iron, total	LGW-9	7/8/2014	6200	60		ug/L
Iron, total	LGW-9	2/11/2015	7100	60		ug/L
Iron, total	LGW-9	7/13/2015	9200	60		ug/L
Iron, total	LGW-9	1/5/2016	6400	60		ug/L
Iron, total	LGW-9	7/21/2016	57	60	ND	ug/L
Iron, total	LGW-9	10/6/2016	40	60	ND	ug/L
Iron, total	LGW-9	1/11/2017	930	60		ug/L
Iron, total	LGW-9	5/5/2017	59	60	ND	ug/L
Iron, total	LGW-9	7/18/2017	47	60	ND	ug/L
Iron, total	LGW-9	10/5/2017	60	60	ND	ug/L
Iron, total	LGW-9	1/24/2018	24	60	ND	ug/L
Iron, total	LGW-9	4/11/2018	60	60	ND	ug/L
Iron, total	LGW-9	7/13/2018	60	60	ND	ug/L
Iron, total	LGW-9	10/2/2018	60	60	ND	ug/L
Iron, total	LGW-9	1/7/2019	850	60		ug/L
Iron, total	LGW-9	4/3/2019	6900	60		ug/L
Iron, total	LGW-9	7/10/2019	6800	60		ug/L
Iron, total	LGW-9	10/3/2019	5300	60		ug/L
Iron, total	LGW-9	1/16/2020	60	60	ND	ug/L
Iron, total	LGW-9	4/2/2020	60	60	ND	ug/L
Iron, total	LGW-9	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-9	10/7/2020	60	60	ND	ug/L
Iron, total	LGW-9	1/17/2021	10500	60		ug/L
Iron, total	LGW-9	4/6/2021	60	60	ND	ug/L
Iron, total	LGW-9	7/7/2021	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-9	10/5/2021	1120	60		ug/L
Iron, total	LGW-9	1/13/2022	60	60	ND	ug/L
Iron, total	LGW-9	4/4/2022	60	60	ND	ug/L
Iron, total	LGW-9	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-9	10/7/2022	60	60	ND	ug/L
Iron, total	LGW-9	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-9	4/5/2023	60	60	ND	ug/L
Iron, total	MW-10N	10/22/1997	5000	60		ug/L
Iron, total	MW-10N	1/22/1998	1600	60		ug/L
Iron, total	MW-10N	4/28/1998	1900	60		ug/L
Iron, total	MW-10N	7/23/1998	310	60		ug/L
Iron, total	MW-10N	1/14/1999	1400	60		ug/L
Iron, total	MW-10N	4/13/1999	700	60		ug/L
Iron, total	MW-10N	7/15/1999	250	60		ug/L
Iron, total	MW-10N	10/20/1999	1300	60		ug/L
Iron, total	MW-10N	1/14/2000	1400	60		ug/L
Iron, total	MW-10N	4/25/2000	1400	60		ug/L
Iron, total	MW-10N	7/11/2000	630	60		ug/L
Iron, total	MW-10N	10/17/2000	1500	60		ug/L
Iron, total	MW-10N	1/24/2001	1800	60		ug/L
Iron, total	MW-10N	4/10/2001	700	60		ug/L
Iron, total	MW-10N	7/10/2002	660	50		ug/L
Iron, total	MW-10N	10/2/2002	580	50		ug/L
Iron, total	MW-10N	1/22/2003	3000	60		ug/L
Iron, total	MW-10N	4/15/2003	840	60		ug/L
Iron, total	MW-10N	7/8/2003	350	60		ug/L
Iron, total	MW-10N	1/28/2004	610	60		ug/L
Iron, total	MW-10N	7/27/2004	2300	60		ug/L
Iron, total	MW-10N	1/12/2005	390	60		ug/L
Iron, total	MW-10N	7/20/2005	580	60		ug/L
Iron, total	MW-10N	1/19/2006	2000	60		ug/L
Iron, total	MW-10N	7/19/2006	1400	60		ug/L
Iron, total	MW-10N	7/19/2006	1400	60		ug/L
Iron, total	MW-10N	10/25/2006	2100	60		ug/L
Iron, total	MW-10N	1/24/2007	1200	60		ug/L
Iron, total	MW-10N	7/10/2007	170	60		ug/L
Iron, total	MW-10N	1/23/2008	300	60		ug/L
Iron, total	MW-10N	7/21/2008	610	60		ug/L
Iron, total	MW-10N	2/13/2009	1000	60		ug/L
Iron, total	MW-10N	7/31/2009	200	60		ug/L
Iron, total	MW-10N	1/27/2010	380	60		ug/L
Iron, total	MW-10N	8/10/2010	780	60		ug/L
Iron, total	MW-10N	1/19/2011	510	60		ug/L
Iron, total	MW-10N	7/14/2011	360	60		ug/L
Iron, total	MW-10N	1/5/2012	680	60		ug/L
Iron, total	MW-10N	7/10/2012	200	60		ug/L
Iron, total	MW-10N	5/1/2013	900	60		ug/L
Iron, total	MW-10N	1/24/2014	840	60		ug/L
Iron, total	MW-10N	7/9/2014	320	60		ug/L
Iron, total	MW-10N	2/12/2015	440	60		ug/L
Iron, total	MW-10N	7/14/2015	1200	60		ug/L
Iron, total	MW-10N	1/6/2016	1000	60		ug/L
Iron, total	MW-10N	7/21/2016	260	60		ug/L
Iron, total	MW-10N	1/11/2017	510	60		ug/L
Iron, total	MW-10N	7/19/2017	970	60		ug/L
Iron, total	MW-10N	1/24/2018	960	60		ug/L
Iron, total	MW-10N	7/11/2018	240	60		ug/L
Iron, total	MW-10N	1/3/2019	930	60		ug/L
Iron, total	MW-10N	7/9/2019	320	60		ug/L
Iron, total	MW-10N	1/16/2020	1760	60		ug/L
Iron, total	MW-10N	7/8/2020	691	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-10N	1/13/2021	551	60		ug/L
Iron, total	MW-10N	7/5/2021	478	60		ug/L
Iron, total	MW-10N	1/11/2023	992	60		ug/L
Iron, total	MW-11N	10/22/1997	4000	60		ug/L
Iron, total	MW-11N	1/21/1998	2600	60		ug/L
Iron, total	MW-11N	4/28/1998	1500	60		ug/L
Iron, total	MW-11N	7/23/1998	1700	60		ug/L
Iron, total	MW-11N	1/13/1999	680	60		ug/L
Iron, total	MW-11N	4/13/1999	600	60		ug/L
Iron, total	MW-11N	7/14/1999	310	60		ug/L
Iron, total	MW-11N	10/20/1999	610	60		ug/L
Iron, total	MW-11N	1/13/2000	500	60		ug/L
Iron, total	MW-11N	4/25/2000	460	60		ug/L
Iron, total	MW-11N	7/10/2000	630	60		ug/L
Iron, total	MW-11N	10/17/2000	510	60		ug/L
Iron, total	MW-11N	1/24/2001	480	60		ug/L
Iron, total	MW-11N	4/10/2001	930	60		ug/L
Iron, total	MW-11N	7/9/2002	600	50		ug/L
Iron, total	MW-11N	10/2/2002	520	50		ug/L
Iron, total	MW-11N	1/23/2003	870	60		ug/L
Iron, total	MW-11N	4/15/2003	60	60	ND	ug/L
Iron, total	MW-11N	7/8/2003	1100	60		ug/L
Iron, total	MW-11N	1/29/2004	700	60		ug/L
Iron, total	MW-11N	7/27/2004	320	60		ug/L
Iron, total	MW-11N	1/13/2005	60	60	ND	ug/L
Iron, total	MW-11N	7/20/2005	150	60		ug/L
Iron, total	MW-11N	1/19/2006	460	60		ug/L
Iron, total	MW-11N	7/18/2006	130	60		ug/L
Iron, total	MW-11N	7/18/2006	130	60		ug/L
Iron, total	MW-11N	10/25/2006	61	60		ug/L
Iron, total	MW-11N	1/24/2007	120	60		ug/L
Iron, total	MW-11N	7/10/2007	47	60	ND	ug/L
Iron, total	MW-11N	1/22/2008	60	60	ND	ug/L
Iron, total	MW-11N	7/23/2008	60	60	ND	ug/L
Iron, total	MW-11N	2/3/2009	60	60	ND	ug/L
Iron, total	MW-11N	7/31/2009	60	60	ND	ug/L
Iron, total	MW-11N	2/3/2010	33	60	ND	ug/L
Iron, total	MW-11N	2/3/2010	33	60	ND	ug/L
Iron, total	MW-11N	7/16/2010	60	60	ND	ug/L
Iron, total	MW-11N	1/19/2011	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2011	60	60	ND	ug/L
Iron, total	MW-11N	1/4/2012	60	60	ND	ug/L
Iron, total	MW-11N	7/9/2012	60	60	ND	ug/L
Iron, total	MW-11N	4/30/2013	190	60		ug/L
Iron, total	MW-11N	7/15/2013	60	60	ND	ug/L
Iron, total	MW-11N	1/23/2014	160	60		ug/L
Iron, total	MW-11N	7/8/2014	60	60	ND	ug/L
Iron, total	MW-11N	2/10/2015	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2015	140	60		ug/L
Iron, total	MW-11N	1/5/2016	60	60	ND	ug/L
Iron, total	MW-11N	7/21/2016	60	60	ND	ug/L
Iron, total	MW-11N	1/11/2017	60	60	ND	ug/L
Iron, total	MW-11N	7/19/2017	81	60		ug/L
Iron, total	MW-11N	1/23/2018	60	60	ND	ug/L
Iron, total	MW-11N	7/17/2018	60	60	ND	ug/L
Iron, total	MW-11N	1/2/2019	23	60	ND	ug/L
Iron, total	MW-11N	7/9/2019	60	60	ND	ug/L
Iron, total	MW-11N	1/14/2020	60	60	ND	ug/L
Iron, total	MW-11N	7/6/2020	60	60	ND	ug/L
Iron, total	MW-11N	1/18/2021	60	60	ND	ug/L
Iron, total	MW-11N	7/6/2021	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-11N	1/18/2022	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2022	60	60	ND	ug/L
Iron, total	MW-11N	1/10/2023	60	60	ND	ug/L
Iron, total	MW-15	6/5/2015	60	60	ND	ug/L
Iron, total	MW-15	7/15/2015	86	60		ug/L
Iron, total	MW-15	8/5/2015	1200	60		ug/L
Iron, total	MW-15	9/3/2015	60	60	ND	ug/L
Iron, total	MW-15	1/7/2016	130	60		ug/L
Iron, total	MW-15	4/5/2016	34	60	ND	ug/L
Iron, total	MW-15	7/20/2016	35	60	ND	ug/L
Iron, total	MW-15	10/6/2016	37	60	ND	ug/L
Iron, total	MW-15	1/10/2017	440	60		ug/L
Iron, total	MW-15	7/18/2017	120	60		ug/L
Iron, total	MW-15	1/23/2018	36	60	ND	ug/L
Iron, total	MW-15	7/10/2018	60	60	ND	ug/L
Iron, total	MW-15	1/3/2019	150	60		ug/L
Iron, total	MW-15	7/9/2019	60	60	ND	ug/L
Iron, total	MW-15	1/14/2020	60	60	ND	ug/L
Iron, total	MW-15	8/3/2020	60	60	ND	ug/L
Iron, total	MW-15	1/18/2021	60	60	ND	ug/L
Iron, total	MW-15	7/4/2021	60	60	ND	ug/L
Iron, total	MW-15	1/12/2022	60	60	ND	ug/L
Iron, total	MW-15	7/10/2022	60	60	ND	ug/L
Iron, total	MW-15	1/10/2023	60	60	ND	ug/L
Iron, total	MW-16	6/5/2015	150	60		ug/L
Iron, total	MW-16	7/16/2015	79	60		ug/L
Iron, total	MW-16	8/5/2015	43	60	ND	ug/L
Iron, total	MW-16	9/3/2015	60	60	ND	ug/L
Iron, total	MW-16	1/8/2016	93	60		ug/L
Iron, total	MW-16	4/5/2016	38	60	ND	ug/L
Iron, total	MW-16	7/21/2016	44	60	ND	ug/L
Iron, total	MW-16	10/5/2016	270	60		ug/L
Iron, total	MW-16	1/10/2017	37	60	ND	ug/L
Iron, total	MW-16	7/18/2017	60	60	ND	ug/L
Iron, total	MW-16	1/23/2018	23	60	ND	ug/L
Iron, total	MW-16	7/11/2018	60	60	ND	ug/L
Iron, total	MW-16	1/2/2019	60	60	ND	ug/L
Iron, total	MW-16	7/10/2019	60	60	ND	ug/L
Iron, total	MW-16	1/14/2020	60	60	ND	ug/L
Iron, total	MW-16	8/3/2020	60	60	ND	ug/L
Iron, total	MW-16	1/18/2021	60	60	ND	ug/L
Iron, total	MW-16	7/4/2021	60	60	ND	ug/L
Iron, total	MW-16	1/12/2022	60	60	ND	ug/L
Iron, total	MW-16	7/10/2022	60	60	ND	ug/L
Iron, total	MW-16	1/10/2023	60	60	ND	ug/L
Iron, total	MW-17	6/5/2015	590	60		ug/L
Iron, total	MW-17	7/15/2015	76	60		ug/L
Iron, total	MW-17	8/4/2015	58	60	ND	ug/L
Iron, total	MW-17	9/2/2015	39	60	ND	ug/L
Iron, total	MW-17	1/7/2016	330	60		ug/L
Iron, total	MW-17	4/5/2016	48	60	ND	ug/L
Iron, total	MW-17	7/20/2016	120	60		ug/L
Iron, total	MW-17	10/6/2016	49	60	ND	ug/L
Iron, total	MW-17	1/10/2017	260	60		ug/L
Iron, total	MW-17	7/18/2017	37	60	ND	ug/L
Iron, total	MW-17	1/23/2018	60	60	ND	ug/L
Iron, total	MW-17	7/10/2018	60	60	ND	ug/L
Iron, total	MW-17	1/3/2019	60	60	ND	ug/L
Iron, total	MW-17	7/11/2019	60	60	ND	ug/L
Iron, total	MW-17	1/14/2020	60	60	ND	ug/L
Iron, total	MW-17	8/3/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-17	1/14/2021	60	60	ND	ug/L
Iron, total	MW-17	7/4/2021	60	60	ND	ug/L
Iron, total	MW-17	1/10/2023	159	60		ug/L
Iron, total	MW-19	6/5/2015	720	60		ug/L
Iron, total	MW-19	7/16/2015	420	60		ug/L
Iron, total	MW-19	8/5/2015	78	60		ug/L
Iron, total	MW-19	9/3/2015	60	60	ND	ug/L
Iron, total	MW-19	1/7/2016	86	60		ug/L
Iron, total	MW-19	4/5/2016	430	60		ug/L
Iron, total	MW-19	7/21/2016	37	60	ND	ug/L
Iron, total	MW-19	10/5/2016	170	60		ug/L
Iron, total	MW-19	1/10/2017	64	60		ug/L
Iron, total	MW-19	7/18/2017	190	60		ug/L
Iron, total	MW-19	1/23/2018	87	60		ug/L
Iron, total	MW-19	7/13/2018	34	60	ND	ug/L
Iron, total	MW-19	1/7/2019	60	60	ND	ug/L
Iron, total	MW-19	7/11/2019	60	60	ND	ug/L
Iron, total	MW-19	1/14/2020	60	60	ND	ug/L
Iron, total	MW-19	8/3/2020	60	60	ND	ug/L
Iron, total	MW-19	1/14/2021	60	60	ND	ug/L
Iron, total	MW-19	7/4/2021	60	60	ND	ug/L
Iron, total	MW-19	1/11/2023	60	60	ND	ug/L
Iron, total	MW-1N	10/22/1997	720	60		ug/L
Iron, total	MW-1N	1/20/1998	920	60		ug/L
Iron, total	MW-1N	4/28/1998	470	60		ug/L
Iron, total	MW-1N	7/23/1998	1200	60		ug/L
Iron, total	MW-1N	1/13/1999	1400	60		ug/L
Iron, total	MW-1N	4/13/1999	6300	60		ug/L
Iron, total	MW-1N	7/15/1999	4000	60		ug/L
Iron, total	MW-1N	10/19/1999	4200	60		ug/L
Iron, total	MW-1N	1/14/2000	2900	60		ug/L
Iron, total	MW-1N	4/25/2000	2000	60		ug/L
Iron, total	MW-1N	7/12/2000	2800	60		ug/L
Iron, total	MW-1N	10/18/2000	8000	60		ug/L
Iron, total	MW-1N	1/24/2001	450	60		ug/L
Iron, total	MW-1N	4/12/2001	2700	60		ug/L
Iron, total	MW-1N	5/29/2002	2100	60		ug/L
Iron, total	MW-1N	5/29/2002	2100	60		ug/L
Iron, total	MW-1N	7/9/2002	1900	50		ug/L
Iron, total	MW-1N	10/3/2002	830	50		ug/L
Iron, total	MW-1N	1/22/2003	860	60		ug/L
Iron, total	MW-1N	4/15/2003	1500	60		ug/L
Iron, total	MW-1N	7/8/2003	2200	60		ug/L
Iron, total	MW-1N	1/28/2004	3900	60		ug/L
Iron, total	MW-1N	7/27/2004	6400	60		ug/L
Iron, total	MW-1N	1/12/2005	3400	60		ug/L
Iron, total	MW-1N	7/20/2005	2000	60		ug/L
Iron, total	MW-1N	1/18/2006	1400	60		ug/L
Iron, total	MW-1N	7/18/2006	880	60		ug/L
Iron, total	MW-1N	7/18/2006	880	60		ug/L
Iron, total	MW-1N	10/24/2006	810	60		ug/L
Iron, total	MW-1N	1/26/2007	350	60		ug/L
Iron, total	MW-1N	7/11/2007	470	60		ug/L
Iron, total	MW-1N	1/24/2008	350	60		ug/L
Iron, total	MW-1N	7/21/2008	380	60		ug/L
Iron, total	MW-1N	2/5/2009	280	60		ug/L
Iron, total	MW-1N	7/31/2009	390	60		ug/L
Iron, total	MW-1N	1/26/2010	340	60		ug/L
Iron, total	MW-1N	7/13/2010	400	60		ug/L
Iron, total	MW-1N	1/20/2011	55	60	ND	ug/L
Iron, total	MW-1N	7/13/2011	390	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-1N	1/5/2012	300	60		ug/L
Iron, total	MW-1N	7/10/2012	170	60		ug/L
Iron, total	MW-1N	5/1/2013	150	60		ug/L
Iron, total	MW-1N	7/16/2013	99	60		ug/L
Iron, total	MW-1N	1/24/2014	71	60		ug/L
Iron, total	MW-1N	7/9/2014	60	60	ND	ug/L
Iron, total	MW-1N	2/10/2015	60	60	ND	ug/L
Iron, total	MW-1N	7/14/2015	180	60		ug/L
Iron, total	MW-1N	1/6/2016	60	60	ND	ug/L
Iron, total	MW-1N	7/21/2016	36	60	ND	ug/L
Iron, total	MW-1N	1/12/2017	34	60	ND	ug/L
Iron, total	MW-1N	7/19/2017	300	60		ug/L
Iron, total	MW-1N	1/23/2018	220	60		ug/L
Iron, total	MW-1N	7/10/2018	60	60	ND	ug/L
Iron, total	MW-1N	1/3/2019	60	60	ND	ug/L
Iron, total	MW-1N	7/11/2019	1600	60		ug/L
Iron, total	MW-1N	1/23/2020	9260	60		ug/L
Iron, total	MW-1N	4/2/2020	196	60		ug/L
Iron, total	MW-1N	7/6/2020	60	60	ND	ug/L
Iron, total	MW-1N	1/14/2021	60	60	ND	ug/L
Iron, total	MW-1N	7/4/2021	172	60		ug/L
Iron, total	MW-1N	1/11/2023	88.1	60		ug/L
Iron, total	MW-20	6/5/2015	460	60		ug/L
Iron, total	MW-20	7/14/2015	440	60		ug/L
Iron, total	MW-20	8/4/2015	160	60		ug/L
Iron, total	MW-20	9/2/2015	330	60		ug/L
Iron, total	MW-20	1/7/2016	3100	60		ug/L
Iron, total	MW-20	4/5/2016	230	60		ug/L
Iron, total	MW-20	7/20/2016	410	60		ug/L
Iron, total	MW-20	10/5/2016	780	60		ug/L
Iron, total	MW-20	1/12/2017	1400	60		ug/L
Iron, total	MW-20	7/18/2017	100	60		ug/L
Iron, total	MW-20	1/26/2018	72	60		ug/L
Iron, total	MW-20	7/12/2018	58	60	ND	ug/L
Iron, total	MW-20	7/11/2019	82	60		ug/L
Iron, total	MW-20	1/14/2020	393	60		ug/L
Iron, total	MW-20	7/7/2020	598	60		ug/L
Iron, total	MW-20	1/17/2021	2320	60		ug/L
Iron, total	MW-20	7/4/2021	623	60		ug/L
Iron, total	MW-20	1/11/2023	60	60	ND	ug/L
Iron, total	MW-21	6/5/2015	12000	60		ug/L
Iron, total	MW-21	7/14/2015	12000	60		ug/L
Iron, total	MW-21	8/4/2015	11000	60		ug/L
Iron, total	MW-21	9/2/2015	11000	60		ug/L
Iron, total	MW-21	1/7/2016	170	60		ug/L
Iron, total	MW-21	4/5/2016	11000	60		ug/L
Iron, total	MW-21	7/20/2016	9200	60		ug/L
Iron, total	MW-21	10/5/2016	1400	60		ug/L
Iron, total	MW-21	10/5/2016	1400	60		ug/L
Iron, total	MW-21	1/10/2017	3900	60		ug/L
Iron, total	MW-21	4/5/2017	6400	60		ug/L
Iron, total	MW-21	7/19/2017	9400	60		ug/L
Iron, total	MW-21	10/6/2017	7400	60		ug/L
Iron, total	MW-21	1/24/2018	870	60		ug/L
Iron, total	MW-21	4/11/2018	18000	60		ug/L
Iron, total	MW-21	7/11/2018	7600	60		ug/L
Iron, total	MW-21	10/4/2018	2600	60		ug/L
Iron, total	MW-21	1/3/2019	15000	60		ug/L
Iron, total	MW-21	4/3/2019	10000	60		ug/L
Iron, total	MW-21	7/11/2019	7600	60		ug/L
Iron, total	MW-21	10/2/2019	9700	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-21	1/16/2020	8340	60		ug/L
Iron, total	MW-21	4/2/2020	6620	60		ug/L
Iron, total	MW-21	7/8/2020	2150	60		ug/L
Iron, total	MW-21	10/7/2020	1100	60		ug/L
Iron, total	MW-21	1/13/2021	10500	60		ug/L
Iron, total	MW-21	4/6/2021	1420	60		ug/L
Iron, total	MW-21	7/5/2021	4540	60		ug/L
Iron, total	MW-21	10/6/2021	387	60		ug/L
Iron, total	MW-21	1/11/2023	1150	60		ug/L
Iron, total	MW-21	4/8/2023	893	60		ug/L
Iron, total	MW-2N	10/22/1997	500	60		ug/L
Iron, total	MW-2N	1/21/1998	320	60		ug/L
Iron, total	MW-2N	4/28/1998	160	60		ug/L
Iron, total	MW-2N	7/22/1998	96	60		ug/L
Iron, total	MW-2N	1/13/1999	140	60		ug/L
Iron, total	MW-2N	4/13/1999	190	60		ug/L
Iron, total	MW-2N	7/14/1999	60	60	ND	ug/L
Iron, total	MW-2N	10/20/1999	60	60	ND	ug/L
Iron, total	MW-2N	1/14/2000	60	60	ND	ug/L
Iron, total	MW-2N	4/25/2000	60	60	ND	ug/L
Iron, total	MW-2N	10/17/2000	60	60	ND	ug/L
Iron, total	MW-2N	1/24/2001	60	60	ND	ug/L
Iron, total	MW-2N	4/11/2001	60	60	ND	ug/L
Iron, total	MW-2N	7/10/2002	50	50	ND	ug/L
Iron, total	MW-2N	10/2/2002	50	50	ND	ug/L
Iron, total	MW-2N	1/22/2003	60	60	ND	ug/L
Iron, total	MW-2N	4/14/2003	60	60	ND	ug/L
Iron, total	MW-2N	7/7/2003	60	60	ND	ug/L
Iron, total	MW-2N	1/28/2004	60	60	ND	ug/L
Iron, total	MW-2N	7/27/2004	60	60	ND	ug/L
Iron, total	MW-2N	1/12/2005	60	60	ND	ug/L
Iron, total	MW-2N	7/20/2005	60	60	ND	ug/L
Iron, total	MW-2N	1/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	7/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	7/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	10/25/2006	60	60	ND	ug/L
Iron, total	MW-2N	1/26/2007	520	60		ug/L
Iron, total	MW-2N	7/11/2007	29	60		ug/L
Iron, total	MW-2N	1/24/2008	60	60	ND	ug/L
Iron, total	MW-2N	7/22/2008	60	60	ND	ug/L
Iron, total	MW-2N	2/4/2009	60	60	ND	ug/L
Iron, total	MW-2N	7/31/2009	24	60	ND	ug/L
Iron, total	MW-2N	1/26/2010	60	60	ND	ug/L
Iron, total	MW-2N	7/13/2010	44	60	ND	ug/L
Iron, total	MW-2N	1/20/2011	60	60	ND	ug/L
Iron, total	MW-2N	7/13/2011	60	60	ND	ug/L
Iron, total	MW-2N	1/5/2012	60	60	ND	ug/L
Iron, total	MW-2N	7/10/2012	60	60	ND	ug/L
Iron, total	MW-2N	5/1/2013	60	60	ND	ug/L
Iron, total	MW-2N	7/16/2013	60	60	ND	ug/L
Iron, total	MW-2N	1/24/2014	60	60	ND	ug/L
Iron, total	MW-2N	7/9/2014	60	60	ND	ug/L
Iron, total	MW-2N	2/12/2015	60	60	ND	ug/L
Iron, total	MW-2N	7/14/2015	80	60		ug/L
Iron, total	MW-2N	1/6/2016	60	60	ND	ug/L
Iron, total	MW-2N	7/21/2016	39	60	ND	ug/L
Iron, total	MW-2N	1/11/2017	31	60	ND	ug/L
Iron, total	MW-2N	7/19/2017	60	60	ND	ug/L
Iron, total	MW-2N	1/23/2018	60	60	ND	ug/L
Iron, total	MW-2N	7/12/2018	60	60	ND	ug/L
Iron, total	MW-2N	1/3/2019	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-2N	8/7/2019	610	60		ug/L
Iron, total	MW-2N	10/1/2019	520	60		ug/L
Iron, total	MW-2N	1/23/2020	495	60		ug/L
Iron, total	MW-2N	7/7/2020	199	60		ug/L
Iron, total	MW-2N	1/14/2021	60	60	ND	ug/L
Iron, total	MW-2N	7/5/2021	60	60	ND	ug/L
Iron, total	MW-2N	1/11/2023	62.5	60		ug/L
Iron, total	MW-3N	10/21/1997	820	60		ug/L
Iron, total	MW-3N	1/21/1998	990	60		ug/L
Iron, total	MW-3N	4/28/1998	1800	60		ug/L
Iron, total	MW-3N	7/23/1998	2400	60		ug/L
Iron, total	MW-3N	1/13/1999	2200	60		ug/L
Iron, total	MW-3N	4/13/1999	2200	60		ug/L
Iron, total	MW-3N	7/14/1999	1700	60		ug/L
Iron, total	MW-3N	10/20/1999	1200	60		ug/L
Iron, total	MW-3N	1/14/2000	1300	60		ug/L
Iron, total	MW-3N	4/24/2000	1000	60		ug/L
Iron, total	MW-3N	7/11/2000	1100	60		ug/L
Iron, total	MW-3N	10/17/2000	740	60		ug/L
Iron, total	MW-3N	1/23/2001	68	60		ug/L
Iron, total	MW-3N	4/11/2001	4300	60		ug/L
Iron, total	MW-3N	5/29/2002	1500	60		ug/L
Iron, total	MW-3N	5/29/2002	1500	60		ug/L
Iron, total	MW-3N	7/9/2002	2100	50		ug/L
Iron, total	MW-3N	10/2/2002	3500	50		ug/L
Iron, total	MW-3N	1/22/2003	1600	60		ug/L
Iron, total	MW-3N	4/14/2003	2100	60		ug/L
Iron, total	MW-3N	7/7/2003	2900	60		ug/L
Iron, total	MW-3N	1/28/2004	2000	60		ug/L
Iron, total	MW-3N	7/27/2004	2100	60		ug/L
Iron, total	MW-3N	1/12/2005	1200	60		ug/L
Iron, total	MW-3N	7/20/2005	1400	60		ug/L
Iron, total	MW-3N	1/18/2006	1400	60		ug/L
Iron, total	MW-3N	7/19/2006	890	60		ug/L
Iron, total	MW-3N	7/19/2006	890	60		ug/L
Iron, total	MW-3N	10/25/2006	1000	60		ug/L
Iron, total	MW-3N	1/26/2007	850	60		ug/L
Iron, total	MW-3N	7/11/2007	1700	60		ug/L
Iron, total	MW-3N	1/24/2008	1500	60		ug/L
Iron, total	MW-3N	7/22/2008	980	60		ug/L
Iron, total	MW-3N	2/4/2009	1100	60		ug/L
Iron, total	MW-3N	7/31/2009	1900	60		ug/L
Iron, total	MW-3N	1/26/2010	1700	60		ug/L
Iron, total	MW-3N	7/13/2010	2900	60		ug/L
Iron, total	MW-3N	1/20/2011	1300	60		ug/L
Iron, total	MW-3N	7/14/2011	1500	60		ug/L
Iron, total	MW-3N	1/5/2012	550	60		ug/L
Iron, total	MW-3N	7/11/2012	670	60		ug/L
Iron, total	MW-3N	5/1/2013	720	60		ug/L
Iron, total	MW-3N	6/4/2013	540	60		ug/L
Iron, total	MW-3N	7/16/2013	1300	60		ug/L
Iron, total	MW-3N	1/24/2014	660	60		ug/L
Iron, total	MW-3N	7/9/2014	930	60		ug/L
Iron, total	MW-3N	2/12/2015	980	60		ug/L
Iron, total	MW-3N	4/1/2015	840	60		ug/L
Iron, total	MW-3N	7/14/2015	1100	60		ug/L
Iron, total	MW-3N	10/5/2015	570	60		ug/L
Iron, total	MW-3N	1/6/2016	680	60		ug/L
Iron, total	MW-3N	4/6/2016	200	60		ug/L
Iron, total	MW-3N	7/21/2016	650	60		ug/L
Iron, total	MW-3N	10/6/2016	1200	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-3N	1/11/2017	360	60		ug/L
Iron, total	MW-3N	4/4/2017	550	60		ug/L
Iron, total	MW-3N	7/19/2017	630	60		ug/L
Iron, total	MW-3N	10/9/2017	240	60		ug/L
Iron, total	MW-3N	1/24/2018	150	60		ug/L
Iron, total	MW-3N	4/10/2018	29	60	ND	ug/L
Iron, total	MW-3N	7/13/2018	32	60	ND	ug/L
Iron, total	MW-3N	10/3/2018	870	60		ug/L
Iron, total	MW-3N	1/7/2019	1100	60		ug/L
Iron, total	MW-3N	4/3/2019	370	60		ug/L
Iron, total	MW-3N	7/11/2019	280	60		ug/L
Iron, total	MW-3N	10/2/2019	32	60	ND	ug/L
Iron, total	MW-3N	1/15/2020	60	60	ND	ug/L
Iron, total	MW-3N	4/2/2020	61.2	60		ug/L
Iron, total	MW-3N	7/7/2020	60	60	ND	ug/L
Iron, total	MW-3N	10/7/2020	83.6	60		ug/L
Iron, total	MW-3N	1/13/2021	60	60	ND	ug/L
Iron, total	MW-3N	4/6/2021	60	60	ND	ug/L
Iron, total	MW-3N	7/5/2021	220	60		ug/L
Iron, total	MW-3N	10/6/2021	366	60		ug/L
Iron, total	MW-3N	1/11/2023	70	60		ug/L
Iron, total	MW-7N	10/21/1997	110	60		ug/L
Iron, total	MW-7N	1/21/1998	360	60		ug/L
Iron, total	MW-7N	7/22/1998	460	60		ug/L
Iron, total	MW-7N	8/18/1998	500	60		ug/L
Iron, total	MW-7N	9/17/1998	620	60		ug/L
Iron, total	MW-7N	11/9/1998	820	60		ug/L
Iron, total	MW-7N	1/14/1999	940	60		ug/L
Iron, total	MW-7N	4/14/1999	1100	60		ug/L
Iron, total	MW-7N	7/14/1999	320	60		ug/L
Iron, total	MW-7N	10/19/1999	860	60		ug/L
Iron, total	MW-7N	1/13/2000	2600	60		ug/L
Iron, total	MW-7N	4/25/2000	3500	60		ug/L
Iron, total	MW-7N	7/11/2000	2900	60		ug/L
Iron, total	MW-7N	10/17/2000	3300	60		ug/L
Iron, total	MW-7N	1/23/2001	1300	60		ug/L
Iron, total	MW-7N	4/10/2001	3600	60		ug/L
Iron, total	MW-7N	5/29/2002	4000	60		ug/L
Iron, total	MW-7N	5/29/2002	4000	60		ug/L
Iron, total	MW-7N	7/9/2002	4300	50		ug/L
Iron, total	MW-7N	10/2/2002	5000	50		ug/L
Iron, total	MW-7N	1/23/2003	5900	60		ug/L
Iron, total	MW-7N	4/14/2003	8200	60		ug/L
Iron, total	MW-7N	7/7/2003	7400	60		ug/L
Iron, total	MW-7N	1/27/2004	10300	60		ug/L
Iron, total	MW-7N	4/8/2004	9300	60		ug/L
Iron, total	MW-7N	7/26/2004	7100	60		ug/L
Iron, total	MW-7N	1/12/2005	7800	60		ug/L
Iron, total	MW-7N	7/19/2005	11800	60		ug/L
Iron, total	MW-7N	1/19/2006	12900	60		ug/L
Iron, total	MW-7N	7/19/2006	14000	60		ug/L
Iron, total	MW-7N	7/19/2006	14000	60		ug/L
Iron, total	MW-7N	10/24/2006	14000	60		ug/L
Iron, total	MW-7N	1/26/2007	13000	60		ug/L
Iron, total	MW-7N	7/10/2007	8300	60		ug/L
Iron, total	MW-7N	7/21/2008	7200	60		ug/L
Iron, total	MW-7N	2/6/2009	7700	60		ug/L
Iron, total	MW-7N	7/29/2009	60	60	ND	ug/L
Iron, total	MW-7N	1/26/2010	4600	60		ug/L
Iron, total	MW-7N	7/14/2010	3800	60		ug/L
Iron, total	MW-7N	1/20/2011	1200	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-7N	7/12/2011	450	60		ug/L
Iron, total	MW-7N	1/5/2012	610	60		ug/L
Iron, total	MW-7N	7/10/2012	440	60		ug/L
Iron, total	MW-7N	5/1/2013	11000	60		ug/L
Iron, total	MW-7N	6/4/2013	7600	60		ug/L
Iron, total	MW-7N	7/15/2013	2000	60		ug/L
Iron, total	MW-7N	1/30/2014	1700	60		ug/L
Iron, total	MW-7N	7/9/2014	670	60		ug/L
Iron, total	MW-7N	2/12/2015	3200	60		ug/L
Iron, total	MW-7N	7/13/2015	440	60		ug/L
Iron, total	MW-7N	1/5/2016	200	60		ug/L
Iron, total	MW-7N	7/21/2016	110	60		ug/L
Iron, total	MW-7N	1/11/2017	1300	60		ug/L
Iron, total	MW-7N	4/4/2017	470	60		ug/L
Iron, total	MW-7N	7/19/2017	2800	60		ug/L
Iron, total	MW-7N	10/5/2017	1500	60		ug/L
Iron, total	MW-7N	1/25/2018	2200	60		ug/L
Iron, total	MW-7N	4/11/2018	2400	60		ug/L
Iron, total	MW-7N	7/13/2018	320	60		ug/L
Iron, total	MW-7N	1/4/2019	450	60		ug/L
Iron, total	MW-7N	7/10/2019	40	60	ND	ug/L
Iron, total	MW-7N	1/16/2020	554	60		ug/L
Iron, total	MW-7N	7/7/2020	176	60		ug/L
Iron, total	MW-7N	1/16/2021	310	60		ug/L
Iron, total	MW-7N	7/5/2021	252	60		ug/L
Iron, total	MW-7N	1/12/2022	60	60	ND	ug/L
Iron, total	MW-7N	7/10/2022	121	60		ug/L
Iron, total	MW-7N	1/10/2023	60	60	ND	ug/L
Iron, total	MW-8N	10/21/1997	440	60		ug/L
Iron, total	MW-8N	1/22/1998	2800	60		ug/L
Iron, total	MW-8N	4/28/1998	3500	60		ug/L
Iron, total	MW-8N	7/22/1998	3000	60		ug/L
Iron, total	MW-8N	1/12/1999	2200	60		ug/L
Iron, total	MW-8N	4/13/1999	9500	60		ug/L
Iron, total	MW-8N	7/14/1999	18100	60		ug/L
Iron, total	MW-8N	10/19/1999	10800	60		ug/L
Iron, total	MW-8N	1/14/2000	10100	60		ug/L
Iron, total	MW-8N	4/25/2000	6500	60		ug/L
Iron, total	MW-8N	10/17/2000	8000	60		ug/L
Iron, total	MW-8N	1/23/2001	8500	60		ug/L
Iron, total	MW-8N	4/11/2001	15100	60		ug/L
Iron, total	MW-8N	5/29/2002	15400	60		ug/L
Iron, total	MW-8N	5/29/2002	15400	60		ug/L
Iron, total	MW-8N	7/9/2002	14800	50		ug/L
Iron, total	MW-8N	10/2/2002	16300	50		ug/L
Iron, total	MW-8N	1/23/2003	20400	60		ug/L
Iron, total	MW-8N	4/14/2003	21000	60		ug/L
Iron, total	MW-8N	7/7/2003	21100	60		ug/L
Iron, total	MW-8N	1/28/2004	20600	60		ug/L
Iron, total	MW-8N	7/27/2004	23600	60		ug/L
Iron, total	MW-8N	1/12/2005	23800	60		ug/L
Iron, total	MW-8N	7/20/2005	16000	60		ug/L
Iron, total	MW-8N	1/19/2006	14300	60		ug/L
Iron, total	MW-8N	7/19/2006	14000	60		ug/L
Iron, total	MW-8N	7/19/2006	14000	60		ug/L
Iron, total	MW-8N	10/24/2006	2900	60		ug/L
Iron, total	MW-8N	1/26/2007	250	60		ug/L
Iron, total	MW-8N	4/25/2007	42	60	ND	ug/L
Iron, total	MW-8N	7/10/2007	120	60		ug/L
Iron, total	MW-8N	1/24/2008	70	60		ug/L
Iron, total	MW-8N	7/23/2008	90	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-8N	2/4/2009	67	60		ug/L
Iron, total	MW-8N	7/31/2009	50	60	ND	ug/L
Iron, total	MW-8N	1/26/2010	60	60	ND	ug/L
Iron, total	MW-8N	7/16/2010	43	60	ND	ug/L
Iron, total	MW-8N	1/19/2011	60	60	ND	ug/L
Iron, total	MW-8N	5/10/2011	38	60	ND	ug/L
Iron, total	MW-8N	7/14/2011	210	60		ug/L
Iron, total	MW-8N	1/6/2012	60	60	ND	ug/L
Iron, total	MW-8N	4/5/2012	60	60	ND	ug/L
Iron, total	MW-8N	7/11/2012	60	60	ND	ug/L
Iron, total	MW-8N	10/3/2012	1400	60		ug/L
Iron, total	MW-8N	5/1/2013	220	60		ug/L
Iron, total	MW-8N	6/4/2013	130	60		ug/L
Iron, total	MW-8N	7/16/2013	270	60		ug/L
Iron, total	MW-8N	10/2/2013	330	60		ug/L
Iron, total	MW-8N	1/30/2014	350	60		ug/L
Iron, total	MW-8N	4/3/2014	27	60	ND	ug/L
Iron, total	MW-8N	7/9/2014	130	60		ug/L
Iron, total	MW-8N	10/8/2014	59	60	ND	ug/L
Iron, total	MW-8N	2/12/2015	90	60		ug/L
Iron, total	MW-8N	4/1/2015	63	60		ug/L
Iron, total	MW-8N	7/14/2015	160	60		ug/L
Iron, total	MW-8N	10/5/2015	220	60		ug/L
Iron, total	MW-8N	1/5/2016	260	60		ug/L
Iron, total	MW-8N	4/6/2016	170	60		ug/L
Iron, total	MW-8N	7/21/2016	150	60		ug/L
Iron, total	MW-8N	10/6/2016	190	60		ug/L
Iron, total	MW-8N	1/11/2017	120	60		ug/L
Iron, total	MW-8N	4/4/2017	320	60		ug/L
Iron, total	MW-8N	7/19/2017	240	60		ug/L
Iron, total	MW-8N	10/6/2017	97	60		ug/L
Iron, total	MW-8N	1/25/2018	110	60		ug/L
Iron, total	MW-8N	4/10/2018	60	60	ND	ug/L
Iron, total	MW-8N	7/16/2018	60	60	ND	ug/L
Iron, total	MW-8N	10/2/2018	30	60	ND	ug/L
Iron, total	MW-8N	1/7/2019	80	60		ug/L
Iron, total	MW-8N	4/3/2019	500	60		ug/L
Iron, total	MW-8N	7/11/2019	34	60	ND	ug/L
Iron, total	MW-8N	10/3/2019	37	60	ND	ug/L
Iron, total	MW-8N	1/15/2020	60	60	ND	ug/L
Iron, total	MW-8N	4/2/2020	60	60	ND	ug/L
Iron, total	MW-8N	7/9/2020	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2020	60	60	ND	ug/L
Iron, total	MW-8N	1/15/2021	60	60	ND	ug/L
Iron, total	MW-8N	4/6/2021	60	60	ND	ug/L
Iron, total	MW-8N	7/5/2021	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2021	60	60	ND	ug/L
Iron, total	MW-8N	1/18/2022	60	60	ND	ug/L
Iron, total	MW-8N	4/4/2022	60	60	ND	ug/L
Iron, total	MW-8N	7/12/2022	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2022	60	60	ND	ug/L
Iron, total	MW-8N	1/11/2023	60	60	ND	ug/L
Iron, total	MW-8N	4/8/2023	60	60	ND	ug/L
Iron, total	NE-1	7/10/2002	57	50		ug/L
Iron, total	NE-1	8/6/2002	250	50		ug/L
Iron, total	NE-1	9/4/2002	50	50	ND	ug/L
Iron, total	NE-1	10/2/2002	50	50	ND	ug/L
Iron, total	NE-1	7/8/2003	60	60	ND	ug/L
Iron, total	NE-1	1/27/2004	640	60		ug/L
Iron, total	NE-1	1/12/2005	140	60		ug/L
Iron, total	NE-1	7/19/2006	250	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-1	7/19/2006	250	60		ug/L
Iron, total	NE-1	10/25/2006	60	60	ND	ug/L
Iron, total	NE-1	1/24/2007	59	60	ND	ug/L
Iron, total	NE-1	7/10/2007	430	60		ug/L
Iron, total	NE-1	1/24/2008	30	60	ND	ug/L
Iron, total	NE-1	7/21/2008	92	60		ug/L
Iron, total	NE-1	2/7/2009	550	60		ug/L
Iron, total	NE-1	7/31/2009	38	60	ND	ug/L
Iron, total	NE-1	1/26/2010	40	60	ND	ug/L
Iron, total	NE-1	7/14/2010	840	60		ug/L
Iron, total	NE-1	1/19/2011	60	60	ND	ug/L
Iron, total	NE-1	7/13/2011	37	60	ND	ug/L
Iron, total	NE-1	1/5/2012	25	60	ND	ug/L
Iron, total	NE-1	7/10/2012	260	60		ug/L
Iron, total	NE-1	4/30/2013	36	60	ND	ug/L
Iron, total	NE-1	7/16/2013	60	60	ND	ug/L
Iron, total	NE-1	1/23/2014	90	60		ug/L
Iron, total	NE-1	7/9/2014	58	60	ND	ug/L
Iron, total	NE-1	2/11/2015	60	60	ND	ug/L
Iron, total	NE-1	7/8/2015	30	60	ND	ug/L
Iron, total	NE-1	1/6/2016	60	60	ND	ug/L
Iron, total	NE-1	7/20/2016	34	60	ND	ug/L
Iron, total	NE-1	1/11/2017	39	60	ND	ug/L
Iron, total	NE-1	7/19/2017	73	60		ug/L
Iron, total	NE-1	1/24/2018	60	60	ND	ug/L
Iron, total	NE-1	4/11/2018	60	60	ND	ug/L
Iron, total	NE-1	7/18/2018	60	60	ND	ug/L
Iron, total	NE-1	10/2/2018	67	60		ug/L
Iron, total	NE-1	1/4/2019	26	60	ND	ug/L
Iron, total	NE-1	4/2/2019	60	60	ND	ug/L
Iron, total	NE-1	7/10/2019	60	60	ND	ug/L
Iron, total	NE-1	7/10/2019	60	60	ND	ug/L
Iron, total	NE-1	10/2/2019	60	60	ND	ug/L
Iron, total	NE-1	1/15/2020	60	60	ND	ug/L
Iron, total	NE-1	4/2/2020	60	60	ND	ug/L
Iron, total	NE-1	7/8/2020	60	60	ND	ug/L
Iron, total	NE-1	10/7/2020	431	60		ug/L
Iron, total	NE-1	1/13/2021	60	60	ND	ug/L
Iron, total	NE-1	4/9/2021	60	60	ND	ug/L
Iron, total	NE-1	7/2/2021	60	60	ND	ug/L
Iron, total	NE-1	10/6/2021	60	60	ND	ug/L
Iron, total	NE-1	1/17/2022	60	60	ND	ug/L
Iron, total	NE-1	4/6/2022	60	60	ND	ug/L
Iron, total	NE-1	7/13/2022	60	60	ND	ug/L
Iron, total	NE-1	10/6/2022	60	60	ND	ug/L
Iron, total	NE-1	1/5/2023	60	60	ND	ug/L
Iron, total	NE-1	4/7/2023	60	60	ND	ug/L
Iron, total	NE-10D	11/6/2019	280	60		ug/L
Iron, total	NE-10D	1/16/2020	194	60		ug/L
Iron, total	NE-10D	4/2/2020	60	60	ND	ug/L
Iron, total	NE-10D	7/8/2020	97.1	60		ug/L
Iron, total	NE-10D	10/7/2020	60	60	ND	ug/L
Iron, total	NE-10D	1/13/2021	60	60	ND	ug/L
Iron, total	NE-10D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-10D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-10D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-10D	1/6/2023	651	60		ug/L
Iron, total	NE-10D	4/6/2023	187	60		ug/L
Iron, total	NE-11	3/1/2017	55	60	ND	ug/L
Iron, total	NE-11	4/6/2017	570	60		ug/L
Iron, total	NE-11	7/20/2017	270	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-11	10/9/2017	310	60		ug/L
Iron, total	NE-11	9/30/2019	150	60		ug/L
Iron, total	NE-11	1/14/2020	79.7	60		ug/L
Iron, total	NE-11	7/7/2020	60	60	ND	ug/L
Iron, total	NE-11	1/16/2021	60	60	ND	ug/L
Iron, total	NE-11	1/16/2021	60	60	ND	ug/L
Iron, total	NE-11	7/1/2021	60	60	ND	ug/L
Iron, total	NE-11	1/17/2022	60	60	ND	ug/L
Iron, total	NE-11	1/17/2022	60	60	ND	ug/L
Iron, total	NE-11	7/12/2022	60	60	ND	ug/L
Iron, total	NE-11	1/6/2023	60	60	ND	ug/L
Iron, total	NE-12	3/1/2017	150	60		ug/L
Iron, total	NE-12	4/6/2017	160	60		ug/L
Iron, total	NE-12	7/20/2017	110	60		ug/L
Iron, total	NE-12	10/6/2017	91	60		ug/L
Iron, total	NE-12	8/5/2019	60	60	ND	ug/L
Iron, total	NE-12	1/13/2020	60	60	ND	ug/L
Iron, total	NE-12	7/7/2020	60	60	ND	ug/L
Iron, total	NE-12	1/15/2021	60	60	ND	ug/L
Iron, total	NE-12	1/15/2021	60	60	ND	ug/L
Iron, total	NE-12	7/1/2021	60	60	ND	ug/L
Iron, total	NE-12	1/17/2022	60	60	ND	ug/L
Iron, total	NE-12	1/17/2022	60	60	ND	ug/L
Iron, total	NE-12	7/12/2022	60	60	ND	ug/L
Iron, total	NE-12	1/6/2023	60	60	ND	ug/L
Iron, total	NE-13	2/5/2019	44	60	ND	ug/L
Iron, total	NE-13	8/7/2019	73	60		ug/L
Iron, total	NE-13	1/15/2020	94.2	60		ug/L
Iron, total	NE-13	7/8/2020	447	60		ug/L
Iron, total	NE-13	1/17/2021	549	60		ug/L
Iron, total	NE-13	1/17/2021	253	60		ug/L
Iron, total	NE-13	7/1/2021	60	60	ND	ug/L
Iron, total	NE-14D	10/2/2019	60	60	ND	ug/L
Iron, total	NE-14D	1/16/2020	60	60	ND	ug/L
Iron, total	NE-14D	4/3/2020	60	60	ND	ug/L
Iron, total	NE-14D	7/7/2020	60	60	ND	ug/L
Iron, total	NE-14D	10/6/2020	60	60	ND	ug/L
Iron, total	NE-14D	1/17/2021	60	60	ND	ug/L
Iron, total	NE-14D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-14D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-14D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-14D	1/18/2022	60	60	ND	ug/L
Iron, total	NE-14D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-14D	7/13/2022	60	60	ND	ug/L
Iron, total	NE-14D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-14D	1/6/2023	60	60	ND	ug/L
Iron, total	NE-14D	4/6/2023	60	60	ND	ug/L
Iron, total	NE-14S	10/2/2019	60	60	ND	ug/L
Iron, total	NE-14S	1/16/2020	60	60	ND	ug/L
Iron, total	NE-14S	4/3/2020	60	60	ND	ug/L
Iron, total	NE-14S	7/7/2020	60	60	ND	ug/L
Iron, total	NE-14S	10/6/2020	60	60	ND	ug/L
Iron, total	NE-14S	1/17/2021	60	60	ND	ug/L
Iron, total	NE-14S	4/9/2021	60	60	ND	ug/L
Iron, total	NE-14S	7/2/2021	60	60	ND	ug/L
Iron, total	NE-14S	10/7/2021	60	60	ND	ug/L
Iron, total	NE-14S	1/18/2022	60	60	ND	ug/L
Iron, total	NE-14S	4/6/2022	60	60	ND	ug/L
Iron, total	NE-14S	7/13/2022	60	60	ND	ug/L
Iron, total	NE-14S	10/7/2022	60	60	ND	ug/L
Iron, total	NE-14S	1/6/2023	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-14S	4/6/2023	60	60	ND	ug/L
Iron, total	NE-15D	9/30/2019	72	60		ug/L
Iron, total	NE-15D	1/16/2020	60	60	ND	ug/L
Iron, total	NE-15D	4/3/2020	61.7	60		ug/L
Iron, total	NE-15D	7/7/2020	60	60	ND	ug/L
Iron, total	NE-15D	10/6/2020	60	60	ND	ug/L
Iron, total	NE-15D	1/17/2021	60	60	ND	ug/L
Iron, total	NE-15D	4/9/2021	62.3	60		ug/L
Iron, total	NE-15D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-15D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-15D	1/17/2022	60	60	ND	ug/L
Iron, total	NE-15D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-15D	7/13/2022	60	60	ND	ug/L
Iron, total	NE-15D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-15D	1/6/2023	60	60	ND	ug/L
Iron, total	NE-15D	4/6/2023	60	60	ND	ug/L
Iron, total	NE-15S	4/3/2020	679	60		ug/L
Iron, total	NE-2	7/9/2002	3400	50		ug/L
Iron, total	NE-2	8/6/2002	110	50		ug/L
Iron, total	NE-2	9/4/2002	50	50	ND	ug/L
Iron, total	NE-2	10/2/2002	56	50		ug/L
Iron, total	NE-2	10/1/2013	60	60	ND	ug/L
Iron, total	NE-2	10/8/2014	240	60		ug/L
Iron, total	NE-2	10/5/2015	100	60		ug/L
Iron, total	NE-2	10/6/2016	60	60	ND	ug/L
Iron, total	NE-2	10/5/2017	200	60		ug/L
Iron, total	NE-2	1/25/2018	83	60		ug/L
Iron, total	NE-2	4/10/2018	110	60		ug/L
Iron, total	NE-2	7/10/2018	60	60	ND	ug/L
Iron, total	NE-2	10/1/2018	60	60	ND	ug/L
Iron, total	NE-2	1/4/2019	45	60	ND	ug/L
Iron, total	NE-2	4/2/2019	60	60	ND	ug/L
Iron, total	NE-2	7/9/2019	60	60	ND	ug/L
Iron, total	NE-2	7/9/2019	60	60	ND	ug/L
Iron, total	NE-2	10/2/2019	60	60	ND	ug/L
Iron, total	NE-2	1/14/2020	84.1	60		ug/L
Iron, total	NE-2	4/1/2020	60	60	ND	ug/L
Iron, total	NE-2	7/7/2020	60	60	ND	ug/L
Iron, total	NE-2	10/6/2020	60	60	ND	ug/L
Iron, total	NE-2	1/14/2021	60	60	ND	ug/L
Iron, total	NE-2	4/9/2021	60	60	ND	ug/L
Iron, total	NE-2	7/2/2021	60	60	ND	ug/L
Iron, total	NE-2	10/6/2021	60	60	ND	ug/L
Iron, total	NE-2	1/18/2022	60	60	ND	ug/L
Iron, total	NE-2	4/6/2022	60	60	ND	ug/L
Iron, total	NE-2	7/13/2022	60	60	ND	ug/L
Iron, total	NE-2	10/7/2022	154	60		ug/L
Iron, total	NE-2	1/5/2023	60	60	ND	ug/L
Iron, total	NE-2	4/5/2023	60	60	ND	ug/L
Iron, total	NE-3	7/9/2002	16700	50		ug/L
Iron, total	NE-3	8/6/2002	6100	50		ug/L
Iron, total	NE-3	9/4/2002	3200	50		ug/L
Iron, total	NE-3	10/2/2002	1200	50		ug/L
Iron, total	NE-3	3/21/2018	60	60	ND	ug/L
Iron, total	NE-4	7/10/2002	410	50		ug/L
Iron, total	NE-4	8/6/2002	110	50		ug/L
Iron, total	NE-4	9/4/2002	50	50	ND	ug/L
Iron, total	NE-4	10/3/2002	340	50		ug/L
Iron, total	NE-4	7/8/2003	290	60		ug/L
Iron, total	NE-4	1/28/2004	90	60		ug/L
Iron, total	NE-4	1/13/2005	160	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-4	8/1/2006	670	60		ug/L
Iron, total	NE-4	8/1/2006	670	60		ug/L
Iron, total	NE-4	10/25/2006	60	60	ND	ug/L
Iron, total	NE-4	1/24/2007	210	60		ug/L
Iron, total	NE-4	7/12/2007	280	60		ug/L
Iron, total	NE-4	1/24/2008	170	60		ug/L
Iron, total	NE-4	7/21/2008	37	60	ND	ug/L
Iron, total	NE-4	2/7/2009	950	60		ug/L
Iron, total	NE-4	7/31/2009	63	60		ug/L
Iron, total	NE-4	1/26/2010	54	60	ND	ug/L
Iron, total	NE-4	7/14/2010	950	60		ug/L
Iron, total	NE-4	1/19/2011	25	60	ND	ug/L
Iron, total	NE-4	7/13/2011	28	60	ND	ug/L
Iron, total	NE-4	1/5/2012	78	60		ug/L
Iron, total	NE-4	7/10/2012	3000	60		ug/L
Iron, total	NE-4	4/30/2013	230	60		ug/L
Iron, total	NE-4	7/16/2013	94	60		ug/L
Iron, total	NE-4	1/23/2014	200	60		ug/L
Iron, total	NE-4	7/9/2014	130	60		ug/L
Iron, total	NE-4	2/13/2015	250	60		ug/L
Iron, total	NE-4	7/8/2015	23	60	ND	ug/L
Iron, total	NE-4	1/6/2016	39	60	ND	ug/L
Iron, total	NE-4	7/20/2016	150	60		ug/L
Iron, total	NE-4	1/11/2017	160	60		ug/L
Iron, total	NE-4	7/19/2017	260	60		ug/L
Iron, total	NE-4	1/26/2018	23	60	ND	ug/L
Iron, total	NE-4	4/10/2018	23	60	ND	ug/L
Iron, total	NE-4	7/12/2018	24	60	ND	ug/L
Iron, total	NE-4	10/3/2018	31	60	ND	ug/L
Iron, total	NE-4	1/7/2019	60	60	ND	ug/L
Iron, total	NE-4	4/2/2019	60	60	ND	ug/L
Iron, total	NE-4	7/8/2019	60	60	ND	ug/L
Iron, total	NE-4	7/8/2019	60	60	ND	ug/L
Iron, total	NE-4	10/1/2019	60	60	ND	ug/L
Iron, total	NE-4	1/13/2020	60	60	ND	ug/L
Iron, total	NE-4	4/1/2020	60	60	ND	ug/L
Iron, total	NE-4	7/6/2020	60	60	ND	ug/L
Iron, total	NE-4	10/5/2020	60	60	ND	ug/L
Iron, total	NE-4	1/15/2021	63.3	60		ug/L
Iron, total	NE-4	4/9/2021	60	60	ND	ug/L
Iron, total	NE-4	7/2/2021	92.4	60		ug/L
Iron, total	NE-4	10/6/2021	60	60	ND	ug/L
Iron, total	NE-4	1/5/2023	78.7	60		ug/L
Iron, total	NE-4	4/6/2023	98.39999	60		ug/L
Iron, total	NE-5	7/9/2002	5800	50		ug/L
Iron, total	NE-5	8/6/2002	8900	50		ug/L
Iron, total	NE-5	9/4/2002	10900	50		ug/L
Iron, total	NE-5	10/2/2002	4800	50		ug/L
Iron, total	NE-5	7/8/2003	5000	60		ug/L
Iron, total	NE-5	1/27/2004	40700	60		ug/L
Iron, total	NE-5	1/12/2005	5200	60		ug/L
Iron, total	NE-5	7/19/2006	35000	60		ug/L
Iron, total	NE-5	7/19/2006	35000	60		ug/L
Iron, total	NE-5	10/25/2006	12000	60		ug/L
Iron, total	NE-5	1/24/2007	2800	60		ug/L
Iron, total	NE-5	7/12/2007	1900	60		ug/L
Iron, total	NE-5	7/22/2008	3000	60		ug/L
Iron, total	NE-5	2/6/2009	5600	60		ug/L
Iron, total	NE-5	7/31/2009	8100	60		ug/L
Iron, total	NE-5	1/26/2010	2900	60		ug/L
Iron, total	NE-5	7/16/2010	14000	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-5	1/19/2011	6200	60		ug/L
Iron, total	NE-5	7/13/2011	14000	60		ug/L
Iron, total	NE-5	1/5/2012	8900	60		ug/L
Iron, total	NE-5	7/10/2012	6300	60		ug/L
Iron, total	NE-5	4/30/2013	13000	60		ug/L
Iron, total	NE-5	7/16/2013	9300	60		ug/L
Iron, total	NE-5	1/23/2014	11000	60		ug/L
Iron, total	NE-5	7/9/2014	12000	60		ug/L
Iron, total	NE-5	2/11/2015	14000	60		ug/L
Iron, total	NE-5	7/14/2015	10000	60		ug/L
Iron, total	NE-5	1/6/2016	12000	60		ug/L
Iron, total	NE-5	7/20/2016	3700	60		ug/L
Iron, total	NE-5	1/11/2017	4200	60		ug/L
Iron, total	NE-5	7/19/2017	11000	60		ug/L
Iron, total	NE-5	1/25/2018	16000	60		ug/L
Iron, total	NE-5	4/10/2018	13000	60		ug/L
Iron, total	NE-5	7/17/2018	14000	60		ug/L
Iron, total	NE-5	10/3/2018	15000	60		ug/L
Iron, total	NE-5	1/4/2019	20000	60		ug/L
Iron, total	NE-5	4/2/2019	19000	60		ug/L
Iron, total	NE-5	4/2/2019	19000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	10/3/2019	11000	60		ug/L
Iron, total	NE-5	1/16/2020	12900	60		ug/L
Iron, total	NE-5	4/2/2020	9270	60		ug/L
Iron, total	NE-5	7/8/2020	9040	60		ug/L
Iron, total	NE-5	10/6/2020	7230	60		ug/L
Iron, total	NE-5	1/15/2021	9260	60		ug/L
Iron, total	NE-5	4/9/2021	11900	60		ug/L
Iron, total	NE-5	7/2/2021	8740	60		ug/L
Iron, total	NE-5	10/6/2021	5470	60		ug/L
Iron, total	NE-5	1/18/2022	9540	60		ug/L
Iron, total	NE-5	4/6/2022	8400	60		ug/L
Iron, total	NE-5	7/13/2022	7040	60		ug/L
Iron, total	NE-5	10/7/2022	4470	60		ug/L
Iron, total	NE-5	1/5/2023	10400	60		ug/L
Iron, total	NE-5	4/7/2023	12300	60		ug/L
Iron, total	NE-5E	9/30/2019	39	60	ND	ug/L
Iron, total	NE-5E	1/16/2020	436	60		ug/L
Iron, total	NE-5E	4/1/2020	425	60		ug/L
Iron, total	NE-5E	7/8/2020	208	60		ug/L
Iron, total	NE-5E	10/6/2020	60	60	ND	ug/L
Iron, total	NE-5E	1/15/2021	60	60	ND	ug/L
Iron, total	NE-5E	4/9/2021	60	60	ND	ug/L
Iron, total	NE-5E	7/2/2021	227	60		ug/L
Iron, total	NE-5E	10/6/2021	144	60		ug/L
Iron, total	NE-5E	1/18/2022	60	60	ND	ug/L
Iron, total	NE-5E	4/6/2022	75.4	60		ug/L
Iron, total	NE-5E	7/13/2022	2020	60		ug/L
Iron, total	NE-5E	10/7/2022	3410	60		ug/L
Iron, total	NE-5E	1/5/2023	1950	60		ug/L
Iron, total	NE-5E	4/7/2023	3210	60		ug/L
Iron, total	NE-5W	9/30/2019	180	60		ug/L
Iron, total	NE-5W	1/16/2020	1700	60		ug/L
Iron, total	NE-5W	4/2/2020	13800	60		ug/L
Iron, total	NE-5W	7/8/2020	8940	60		ug/L
Iron, total	NE-5W	10/6/2020	9090	60		ug/L
Iron, total	NE-5W	1/15/2021	570	60		ug/L
Iron, total	NE-5W	4/9/2021	635	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-5W	7/2/2021	4870	60		ug/L
Iron, total	NE-5W	10/6/2021	4970	60		ug/L
Iron, total	NE-5W	1/18/2022	770	60		ug/L
Iron, total	NE-5W	4/6/2022	2940	60		ug/L
Iron, total	NE-5W	7/13/2022	5430	60		ug/L
Iron, total	NE-5W	10/7/2022	4210	60		ug/L
Iron, total	NE-5W	1/5/2023	391	60		ug/L
Iron, total	NE-5W	4/7/2023	491	60		ug/L
Iron, total	NE-6	1/12/2017	210	60		ug/L
Iron, total	NE-6	4/5/2017	57	60	ND	ug/L
Iron, total	NE-6	7/19/2017	32	60	ND	ug/L
Iron, total	NE-6	10/6/2017	190	60		ug/L
Iron, total	NE-6	2/4/2019	160	60		ug/L
Iron, total	NE-6	8/6/2019	55	60	ND	ug/L
Iron, total	NE-6	1/15/2020	91.6	60		ug/L
Iron, total	NE-6	7/9/2020	69.3	60		ug/L
Iron, total	NE-6	1/16/2021	530	60		ug/L
Iron, total	NE-6	1/16/2021	618	60		ug/L
Iron, total	NE-6	7/1/2021	61.2	60		ug/L
Iron, total	NE-6	1/17/2022	289	60		ug/L
Iron, total	NE-6	1/17/2022	331	60		ug/L
Iron, total	NE-6	7/12/2022	60	60	ND	ug/L
Iron, total	NE-6	1/5/2023	60	60	ND	ug/L
Iron, total	NE-6D	10/2/2019	60	60	ND	ug/L
Iron, total	NE-6D	1/15/2020	70.5	60		ug/L
Iron, total	NE-6D	4/2/2020	60	60	ND	ug/L
Iron, total	NE-6D	7/9/2020	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2020	60	60	ND	ug/L
Iron, total	NE-6D	1/15/2021	60	60	ND	ug/L
Iron, total	NE-6D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-6D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-6D	1/17/2022	60	60	ND	ug/L
Iron, total	NE-6D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-6D	7/12/2022	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-6D	1/5/2023	60	60	ND	ug/L
Iron, total	NE-6D	4/7/2023	60	60	ND	ug/L
Iron, total	NE-7	3/1/2017	78	60		ug/L
Iron, total	NE-7	4/6/2017	420	60		ug/L
Iron, total	NE-7	7/20/2017	130	60		ug/L
Iron, total	NE-7	10/5/2017	290	60		ug/L
Iron, total	NE-7	2/6/2019	170	60		ug/L
Iron, total	NE-7	8/6/2019	380	60		ug/L
Iron, total	NE-7	1/16/2020	248	60		ug/L
Iron, total	NE-7	7/7/2020	67	60		ug/L
Iron, total	NE-7	1/16/2021	77.8	60		ug/L
Iron, total	NE-7	1/16/2021	217	60		ug/L
Iron, total	NE-7	7/1/2021	158	60		ug/L
Iron, total	NE-7	1/17/2022	295	60		ug/L
Iron, total	NE-7	1/17/2022	87.6	60		ug/L
Iron, total	NE-7	7/12/2022	60	60	ND	ug/L
Iron, total	NE-7	1/5/2023	99.7	60		ug/L
Iron, total	NE-8	1/12/2017	38	60	ND	ug/L
Iron, total	NE-8	4/5/2017	54	60	ND	ug/L
Iron, total	NE-8	7/20/2017	42	60	ND	ug/L
Iron, total	NE-8	10/6/2017	60	60	ND	ug/L
Iron, total	NE-8	2/4/2019	60	60	ND	ug/L
Iron, total	NE-8	8/5/2019	60	60	ND	ug/L
Iron, total	NE-8	1/15/2020	60	60	ND	ug/L
Iron, total	NE-8	7/8/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-8	1/13/2021	60	60	ND	ug/L
Iron, total	NE-8	1/13/2021	60	60	ND	ug/L
Iron, total	NE-8	4/9/2021	60	60	ND	ug/L
Iron, total	NE-8	7/1/2021	60	60	ND	ug/L
Iron, total	NE-8	7/1/2021	60	60	ND	ug/L
Iron, total	NE-8	10/7/2021	60	60	ND	ug/L
Iron, total	NE-8	1/6/2023	60	60	ND	ug/L
Iron, total	NE-9	1/12/2017	57	60	ND	ug/L
Iron, total	NE-9	4/5/2017	43	60	ND	ug/L
Iron, total	NE-9	7/20/2017	26	60	ND	ug/L
Iron, total	NE-9	10/5/2017	60	60	ND	ug/L
Iron, total	NE-9	2/5/2019	60	60	ND	ug/L
Iron, total	NE-9	8/7/2019	60	60	ND	ug/L
Iron, total	NE-9	1/15/2020	60	60	ND	ug/L
Iron, total	NE-9	7/7/2020	60	60	ND	ug/L
Iron, total	NE-9	1/17/2021	60	60	ND	ug/L
Iron, total	NE-9	1/17/2021	60	60	ND	ug/L
Iron, total	NE-9	7/1/2021	60	60	ND	ug/L
Iron, total	NE-9	1/17/2022	60	60	ND	ug/L
Iron, total	NE-9	1/17/2022	60	60	ND	ug/L
Iron, total	NE-9	7/13/2022	60	60	ND	ug/L
Iron, total	NE-9	1/6/2023	60	60	ND	ug/L
Iron, total	NE-9	4/8/2023	60	60	ND	ug/L
Isobutanol	LGW-10	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-10	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-10	2/12/2015	110	110	ND	ug/L
Isobutanol	LGW-10	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-10	10/9/2017	110	110	ND	ug/L
Isobutanol	LGW-10	7/16/2018	110	110	ND	ug/L
Isobutanol	LGW-10	7/11/2019	110	110	ND	ug/L
Isobutanol	LGW-10	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-10	10/7/2020	110	110	ND	ug/L
Isobutanol	LGW-10	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-10	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-14R	10/27/2006	110	110	ND	ug/L
Isobutanol	LGW-14R	2/6/2009	110	110	ND	ug/L
Isobutanol	LGW-14R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-14R	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-14R	7/17/2018	110	110	ND	ug/L
Isobutanol	LGW-14R	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-2	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-2	2/6/2009	110	110	ND	ug/L
Isobutanol	LGW-2	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-2	2/13/2015	110	110	ND	ug/L
Isobutanol	LGW-2	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-2	7/8/2020	100	100	ND	ug/L
Isobutanol	LGW-2	7/4/2021	110	110	ND	ug/L
Isobutanol	LGW-3R	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-3R	2/3/2009	110	110	ND	ug/L
Isobutanol	LGW-3R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-3R	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-3R	7/11/2018	110	110	ND	ug/L
Isobutanol	LGW-3R	7/6/2021	110	110	ND	ug/L
Isobutanol	LGW-4	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-4	2/3/2009	110	110	ND	ug/L
Isobutanol	LGW-4	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-4	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-4	7/11/2018	110	110	ND	ug/L
Isobutanol	LGW-4	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-5	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-5	2/4/2009	110	110	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	LGW-5	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-5	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-5	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-5	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-5	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-6	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-6	2/5/2009	110	110	ND	ug/L
Isobutanol	LGW-6	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-6	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-6	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-6	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-6	7/17/2018	110	110	ND	ug/L
Isobutanol	LGW-6	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-6	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-6	10/6/2020	110	110	ND	ug/L
Isobutanol	LGW-6	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-6	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-7	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-7	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-7	7/10/2012	110	110	ND	ug/L
Isobutanol	LGW-7	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-7	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-7	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-7	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-7	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-7	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-7	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-7	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-8R	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-8R	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-8R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-8R	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-8R	7/13/2018	110	110	ND	ug/L
Isobutanol	LGW-8R	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-9	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-9	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-9	7/10/2012	110	110	ND	ug/L
Isobutanol	LGW-9	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-9	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-9	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-9	7/13/2018	110	110	ND	ug/L
Isobutanol	LGW-9	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-9	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-9	10/7/2020	110	110	ND	ug/L
Isobutanol	LGW-9	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-9	10/5/2021	110	110	ND	ug/L
Isobutanol	MW-10N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-10N	2/13/2009	110	110	ND	ug/L
Isobutanol	MW-10N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-10N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-10N	7/11/2018	110	110	ND	ug/L
Isobutanol	MW-10N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-11N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-11N	2/3/2009	110	110	ND	ug/L
Isobutanol	MW-11N	7/9/2012	110	110	ND	ug/L
Isobutanol	MW-11N	2/10/2015	110	110	ND	ug/L
Isobutanol	MW-11N	7/17/2018	110	110	ND	ug/L
Isobutanol	MW-11N	7/6/2021	110	110	ND	ug/L
Isobutanol	MW-15	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-15	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-16	7/11/2018	110	110	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	MW-16	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-17	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-17	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-19	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-19	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-1N	10/14/1998	200	200	ND	ug/L
Isobutanol	MW-1N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-1N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-1N	10/24/2006	110	110	ND	ug/L
Isobutanol	MW-1N	2/5/2009	110	110	ND	ug/L
Isobutanol	MW-1N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-1N	2/10/2015	110	110	ND	ug/L
Isobutanol	MW-1N	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-1N	7/6/2020	100	100	ND	ug/L
Isobutanol	MW-1N	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-20	7/12/2018	110	110	ND	ug/L
Isobutanol	MW-20	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-21	10/5/2016	110	110	ND	ug/L
Isobutanol	MW-21	10/6/2017	110	110	ND	ug/L
Isobutanol	MW-21	7/11/2018	110	110	ND	ug/L
Isobutanol	MW-21	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-21	7/8/2020	100	100	ND	ug/L
Isobutanol	MW-21	10/7/2020	110	110	ND	ug/L
Isobutanol	MW-21	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-21	10/6/2021	110	110	ND	ug/L
Isobutanol	MW-2N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-2N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-2N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-2N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-2N	7/12/2018	110	110	ND	ug/L
Isobutanol	MW-2N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-3N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-3N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-3N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-3N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-3N	7/11/2012	110	110	ND	ug/L
Isobutanol	MW-3N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-3N	10/6/2016	110	110	ND	ug/L
Isobutanol	MW-3N	10/9/2017	110	110	ND	ug/L
Isobutanol	MW-3N	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-3N	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-3N	7/7/2020	100	100	ND	ug/L
Isobutanol	MW-3N	10/7/2020	110	110	ND	ug/L
Isobutanol	MW-3N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-3N	10/6/2021	110	110	ND	ug/L
Isobutanol	MW-7N	10/15/1998	200	200	ND	ug/L
Isobutanol	MW-7N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-7N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-7N	10/24/2006	110	110	ND	ug/L
Isobutanol	MW-7N	2/6/2009	110	110	ND	ug/L
Isobutanol	MW-7N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-7N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-7N	10/5/2017	110	110	ND	ug/L
Isobutanol	MW-7N	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-7N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-8N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-8N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-8N	10/24/2006	110	110	ND	ug/L
Isobutanol	MW-8N	1/24/2008	110	110	ND	ug/L
Isobutanol	MW-8N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-8N	5/10/2011	110	110	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	MW-8N	7/11/2012	110	110	ND	ug/L
Isobutanol	MW-8N	10/2/2013	110	110	ND	ug/L
Isobutanol	MW-8N	10/8/2014	110	110	ND	ug/L
Isobutanol	MW-8N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2016	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2017	110	110	ND	ug/L
Isobutanol	MW-8N	7/16/2018	110	110	ND	ug/L
Isobutanol	MW-8N	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-8N	7/9/2020	100	100	ND	ug/L
Isobutanol	MW-8N	10/6/2020	110	110	ND	ug/L
Isobutanol	MW-8N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2021	110	110	ND	ug/L
Isobutanol	NE-1	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-1	2/7/2009	110	110	ND	ug/L
Isobutanol	NE-1	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-1	2/11/2015	110	110	ND	ug/L
Isobutanol	NE-1	7/18/2018	110	110	ND	ug/L
Isobutanol	NE-2	7/10/2018	110	110	ND	ug/L
Isobutanol	NE-4	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-4	2/7/2009	110	110	ND	ug/L
Isobutanol	NE-4	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-4	2/13/2015	110	110	ND	ug/L
Isobutanol	NE-4	7/12/2018	110	110	ND	ug/L
Isobutanol	NE-5	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-5	2/6/2009	110	110	ND	ug/L
Isobutanol	NE-5	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-5	2/11/2015	110	110	ND	ug/L
Isobutanol	NE-5	7/17/2018	110	110	ND	ug/L
Isobutanol	NE-5	7/9/2019	110	110	ND	ug/L
Isodrin	LGW-10	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Isodrin	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Isodrin	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Isodrin	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Isodrin	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Isodrin	LGW-10	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-10	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-14R	10/27/2006	10	10	ND	ug/L
Isodrin	LGW-14R	2/6/2009	10	10	ND	ug/L
Isodrin	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Isodrin	LGW-14R	7/17/2018	10	10	ND	ug/L
Isodrin	LGW-14R	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-2	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-2	2/13/2009	10	10	ND	ug/L
Isodrin	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-2	2/13/2015	13	13	ND	ug/L
Isodrin	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Isodrin	LGW-2	7/8/2020	10	10	ND	ug/L
Isodrin	LGW-2	7/4/2021	10	10	ND	ug/L
Isodrin	LGW-3R	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-3R	2/3/2009	10	10	ND	ug/L
Isodrin	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Isodrin	LGW-3R	7/11/2018	10	10	ND	ug/L
Isodrin	LGW-3R	7/6/2021	10	10	ND	ug/L
Isodrin	LGW-4	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-4	2/3/2009	10	10	ND	ug/L
Isodrin	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-4	2/11/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Isodrin	LGW-4	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-5	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-5	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Isodrin	LGW-5	7/12/2018	10	10	ND	ug/L
Isodrin	LGW-5	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-6	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-6	2/5/2009	10	10	ND	ug/L
Isodrin	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-6	2/10/2015	10	10	ND	ug/L
Isodrin	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Isodrin	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Isodrin	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Isodrin	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Isodrin	LGW-6	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-6	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-7	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-7	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Isodrin	LGW-7	7/12/2018	10	10	ND	ug/L
Isodrin	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Isodrin	LGW-7	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-7	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-8R	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-8R	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Isodrin	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Isodrin	LGW-8R	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-9	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-9	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Isodrin	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Isodrin	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Isodrin	LGW-9	7/10/2019	10	10	ND	ug/L
Isodrin	LGW-9	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-9	7/7/2021	10	10	ND	ug/L
Isodrin	MW-10N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-10N	2/13/2009	10	10	ND	ug/L
Isodrin	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Isodrin	MW-10N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-11N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-11N	2/3/2009	10	10	ND	ug/L
Isodrin	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	MW-11N	2/10/2015	10	10	ND	ug/L
Isodrin	MW-11N	7/17/2018	10	10	ND	ug/L
Isodrin	MW-11N	7/6/2021	10	10	ND	ug/L
Isodrin	MW-15	7/10/2018	10	10	ND	ug/L
Isodrin	MW-15	7/4/2021	10	10	ND	ug/L
Isodrin	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Isodrin	MW-16	7/4/2021	10	10	ND	ug/L
Isodrin	MW-17	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	MW-17	7/4/2021	10	10	ND	ug/L
Isodrin	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Isodrin	MW-19	7/4/2021	10	10	ND	ug/L
Isodrin	MW-1N	10/14/1998	10	10	ND	ug/L
Isodrin	MW-1N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-1N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-1N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-1N	2/5/2009	10	10	ND	ug/L
Isodrin	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Isodrin	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Isodrin	MW-1N	7/6/2020	10	10	ND	ug/L
Isodrin	MW-1N	7/4/2021	10	10	ND	ug/L
Isodrin	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Isodrin	MW-20	7/4/2021	10	10	ND	ug/L
Isodrin	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Isodrin	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Isodrin	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Isodrin	MW-21	7/11/2019	10	10	ND	ug/L
Isodrin	MW-21	7/8/2020	10	10	ND	ug/L
Isodrin	MW-21	7/5/2021	10	10	ND	ug/L
Isodrin	MW-2N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-2N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Isodrin	MW-2N	7/12/2018	10	10	ND	ug/L
Isodrin	MW-2N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-3N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-3N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-3N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-3N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Isodrin	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Isodrin	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Isodrin	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Isodrin	MW-3N	7/11/2019	10	10	ND	ug/L
Isodrin	MW-3N	7/7/2020	10	10	ND	ug/L
Isodrin	MW-3N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-7N	10/15/1998	10	10	ND	ug/L
Isodrin	MW-7N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-7N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-7N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-7N	2/6/2009	10	10	ND	ug/L
Isodrin	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Isodrin	MW-7N	7/13/2018	10	10	ND	ug/L
Isodrin	MW-7N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-8N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-8N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-8N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-8N	1/24/2008	10	10	ND	ug/L
Isodrin	MW-8N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Isodrin	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Isodrin	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Isodrin	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Isodrin	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Isodrin	MW-8N	7/11/2019	10	10	ND	ug/L
Isodrin	MW-8N	7/9/2020	10	10	ND	ug/L
Isodrin	MW-8N	7/5/2021	10	10	ND	ug/L
Isodrin	NE-1	10/25/2006	10	10	ND	ug/L
Isodrin	NE-1	2/7/2009	10	10	ND	ug/L
Isodrin	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Isodrin	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Isodrin	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Isodrin	NE-4	10/25/2006	10	10	ND	ug/L
Isodrin	NE-4	2/7/2009	10	10	ND	ug/L
Isodrin	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Isodrin	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Isodrin	NE-4	7/12/2018	10	10	ND	ug/L
Isodrin	NE-5	10/25/2006	10	10	ND	ug/L
Isodrin	NE-5	2/6/2009	10	10	ND	ug/L
Isodrin	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Isodrin	NE-5	7/9/2019	10	10	ND	ug/L
Isophorone	LGW-10	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Isophorone	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Isophorone	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Isophorone	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Isophorone	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Isophorone	LGW-10	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-10	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-14R	10/27/2006	10	10	ND	ug/L
Isophorone	LGW-14R	2/6/2009	10	10	ND	ug/L
Isophorone	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Isophorone	LGW-14R	7/17/2018	10	10	ND	ug/L
Isophorone	LGW-14R	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-2	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-2	2/13/2009	10	10	ND	ug/L
Isophorone	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-2	2/13/2015	13	13	ND	ug/L
Isophorone	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Isophorone	LGW-2	7/8/2020	10	10	ND	ug/L
Isophorone	LGW-2	7/4/2021	10	10	ND	ug/L
Isophorone	LGW-3R	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-3R	2/3/2009	10	10	ND	ug/L
Isophorone	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Isophorone	LGW-3R	7/11/2018	10	10	ND	ug/L
Isophorone	LGW-3R	7/6/2021	10	10	ND	ug/L
Isophorone	LGW-4	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-4	2/3/2009	10	10	ND	ug/L
Isophorone	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Isophorone	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Isophorone	LGW-4	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-5	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-5	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Isophorone	LGW-5	7/12/2018	10	10	ND	ug/L
Isophorone	LGW-5	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	LGW-6	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-6	2/5/2009	10	10	ND	ug/L
Isophorone	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-6	2/10/2015	10	10	ND	ug/L
Isophorone	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Isophorone	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Isophorone	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Isophorone	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Isophorone	LGW-6	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-6	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-7	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-7	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Isophorone	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Isophorone	LGW-7	7/12/2018	10	10	ND	ug/L
Isophorone	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Isophorone	LGW-7	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-7	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-8R	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-8R	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Isophorone	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Isophorone	LGW-8R	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-9	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-9	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Isophorone	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Isophorone	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Isophorone	LGW-9	7/10/2019	10	10	ND	ug/L
Isophorone	LGW-9	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-9	7/7/2021	10	10	ND	ug/L
Isophorone	MW-10N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-10N	2/13/2009	10	10	ND	ug/L
Isophorone	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Isophorone	MW-10N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-11N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-11N	2/3/2009	10	10	ND	ug/L
Isophorone	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	MW-11N	2/10/2015	10	10	ND	ug/L
Isophorone	MW-11N	7/17/2018	10	10	ND	ug/L
Isophorone	MW-11N	7/6/2021	10	10	ND	ug/L
Isophorone	MW-15	7/10/2018	10	10	ND	ug/L
Isophorone	MW-15	7/4/2021	10	10	ND	ug/L
Isophorone	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Isophorone	MW-16	7/4/2021	10	10	ND	ug/L
Isophorone	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Isophorone	MW-17	7/4/2021	10	10	ND	ug/L
Isophorone	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Isophorone	MW-19	7/4/2021	10	10	ND	ug/L
Isophorone	MW-1N	10/14/1998	10	10	ND	ug/L
Isophorone	MW-1N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-1N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-1N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-1N	2/5/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Isophorone	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Isophorone	MW-1N	7/6/2020	10	10	ND	ug/L
Isophorone	MW-1N	7/4/2021	10	10	ND	ug/L
Isophorone	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Isophorone	MW-20	7/4/2021	10	10	ND	ug/L
Isophorone	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Isophorone	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Isophorone	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Isophorone	MW-21	7/11/2019	10	10	ND	ug/L
Isophorone	MW-21	7/8/2020	10	10	ND	ug/L
Isophorone	MW-21	7/5/2021	10	10	ND	ug/L
Isophorone	MW-2N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-2N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Isophorone	MW-2N	7/12/2018	10	10	ND	ug/L
Isophorone	MW-2N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-3N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-3N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-3N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-3N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Isophorone	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Isophorone	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Isophorone	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Isophorone	MW-3N	7/11/2019	10	10	ND	ug/L
Isophorone	MW-3N	7/7/2020	10	10	ND	ug/L
Isophorone	MW-3N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-7N	10/15/1998	10	10	ND	ug/L
Isophorone	MW-7N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-7N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-7N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-7N	2/6/2009	10	10	ND	ug/L
Isophorone	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Isophorone	MW-7N	7/13/2018	10	10	ND	ug/L
Isophorone	MW-7N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-8N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-8N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-8N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-8N	1/24/2008	10	10	ND	ug/L
Isophorone	MW-8N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Isophorone	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Isophorone	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Isophorone	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Isophorone	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Isophorone	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Isophorone	MW-8N	7/11/2019	10	10	ND	ug/L
Isophorone	MW-8N	7/9/2020	10	10	ND	ug/L
Isophorone	MW-8N	7/5/2021	10	10	ND	ug/L
Isophorone	NE-1	10/25/2006	10	10	ND	ug/L
Isophorone	NE-1	2/7/2009	10	10	ND	ug/L
Isophorone	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Isophorone	NE-1	2/11/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Isophorone	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Isophorone	NE-4	10/25/2006	10	10	ND	ug/L
Isophorone	NE-4	2/7/2009	10	10	ND	ug/L
Isophorone	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Isophorone	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Isophorone	NE-4	7/12/2018	10	10	ND	ug/L
Isophorone	NE-5	10/25/2006	10	10	ND	ug/L
Isophorone	NE-5	2/6/2009	10	10	ND	ug/L
Isophorone	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Isophorone	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Isophorone	NE-5	7/9/2019	10	10	ND	ug/L
Isosafrole	LGW-10	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-10	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-10	2/12/2015	19	19	ND	ug/L
Isosafrole	LGW-10	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-10	10/9/2017	19	19	ND	ug/L
Isosafrole	LGW-10	7/16/2018	19	19	ND	ug/L
Isosafrole	LGW-10	7/11/2019	20	20	ND	ug/L
Isosafrole	LGW-10	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-10	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-14R	10/27/2006	20	20	ND	ug/L
Isosafrole	LGW-14R	2/6/2009	20	20	ND	ug/L
Isosafrole	LGW-14R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-14R	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-14R	7/17/2018	20	20	ND	ug/L
Isosafrole	LGW-14R	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-2	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-2	2/13/2009	20	20	ND	ug/L
Isosafrole	LGW-2	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-2	2/13/2015	26	26	ND	ug/L
Isosafrole	LGW-2	7/12/2018	19	19	ND	ug/L
Isosafrole	LGW-2	7/8/2020	10	10	ND	ug/L
Isosafrole	LGW-2	7/4/2021	20	20	ND	ug/L
Isosafrole	LGW-3R	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-3R	2/3/2009	20	20	ND	ug/L
Isosafrole	LGW-3R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-3R	2/10/2015	19	19	ND	ug/L
Isosafrole	LGW-3R	7/11/2018	20	20	ND	ug/L
Isosafrole	LGW-3R	7/6/2021	20	20	ND	ug/L
Isosafrole	LGW-4	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-4	2/3/2009	20	20	ND	ug/L
Isosafrole	LGW-4	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-4	2/11/2015	19	19	ND	ug/L
Isosafrole	LGW-4	7/11/2018	20	20	ND	ug/L
Isosafrole	LGW-4	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-5	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-5	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-5	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-5	2/10/2015	19	19	ND	ug/L
Isosafrole	LGW-5	7/12/2018	20	20	ND	ug/L
Isosafrole	LGW-5	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-6	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-6	2/5/2009	20	20	ND	ug/L
Isosafrole	LGW-6	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-6	2/10/2015	20	20	ND	ug/L
Isosafrole	LGW-6	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-6	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-6	7/17/2018	20	20	ND	ug/L
Isosafrole	LGW-6	7/10/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	LGW-6	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-6	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-7	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-7	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-7	7/10/2012	19	19	ND	ug/L
Isosafrole	LGW-7	2/11/2015	19	19	ND	ug/L
Isosafrole	LGW-7	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-7	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-7	7/12/2018	20	20	ND	ug/L
Isosafrole	LGW-7	7/10/2019	20	20	ND	ug/L
Isosafrole	LGW-7	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-7	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-8R	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-8R	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-8R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-8R	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-8R	7/13/2018	20	20	ND	ug/L
Isosafrole	LGW-8R	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-9	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-9	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-9	7/10/2012	19	19	ND	ug/L
Isosafrole	LGW-9	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-9	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-9	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-9	7/13/2018	19	19	ND	ug/L
Isosafrole	LGW-9	7/10/2019	20	20	ND	ug/L
Isosafrole	LGW-9	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-9	7/7/2021	20	20	ND	ug/L
Isosafrole	MW-10N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-10N	2/13/2009	20	20	ND	ug/L
Isosafrole	MW-10N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-10N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-10N	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-10N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-11N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-11N	2/3/2009	20	20	ND	ug/L
Isosafrole	MW-11N	7/9/2012	19	19	ND	ug/L
Isosafrole	MW-11N	2/10/2015	20	20	ND	ug/L
Isosafrole	MW-11N	7/17/2018	20	20	ND	ug/L
Isosafrole	MW-11N	7/6/2021	20	20	ND	ug/L
Isosafrole	MW-15	7/10/2018	20	20	ND	ug/L
Isosafrole	MW-15	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-16	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-16	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-17	7/10/2018	19	19	ND	ug/L
Isosafrole	MW-17	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-19	7/13/2018	19	19	ND	ug/L
Isosafrole	MW-19	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-1N	10/14/1998	10	10	ND	ug/L
Isosafrole	MW-1N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-1N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-1N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-1N	2/5/2009	20	20	ND	ug/L
Isosafrole	MW-1N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-1N	2/10/2015	19	19	ND	ug/L
Isosafrole	MW-1N	7/10/2018	20	20	ND	ug/L
Isosafrole	MW-1N	7/6/2020	10	10	ND	ug/L
Isosafrole	MW-1N	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-20	7/12/2018	19	19	ND	ug/L
Isosafrole	MW-20	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-21	10/5/2016	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	MW-21	10/6/2017	19	19	ND	ug/L
Isosafrole	MW-21	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-21	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-21	7/8/2020	10	10	ND	ug/L
Isosafrole	MW-21	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-2N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-2N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-2N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-2N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-2N	7/12/2018	20	20	ND	ug/L
Isosafrole	MW-2N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-3N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-3N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-3N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-3N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-3N	7/11/2012	19	19	ND	ug/L
Isosafrole	MW-3N	2/12/2015	20	20	ND	ug/L
Isosafrole	MW-3N	10/6/2016	19	19	ND	ug/L
Isosafrole	MW-3N	10/9/2017	19	19	ND	ug/L
Isosafrole	MW-3N	7/13/2018	19	19	ND	ug/L
Isosafrole	MW-3N	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-3N	7/7/2020	10	10	ND	ug/L
Isosafrole	MW-3N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-7N	10/15/1998	10	10	ND	ug/L
Isosafrole	MW-7N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-7N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-7N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-7N	2/6/2009	20	20	ND	ug/L
Isosafrole	MW-7N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-7N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-7N	10/5/2017	20	20	ND	ug/L
Isosafrole	MW-7N	7/13/2018	21	21	ND	ug/L
Isosafrole	MW-7N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-8N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-8N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-8N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-8N	1/24/2008	20	20	ND	ug/L
Isosafrole	MW-8N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-8N	5/10/2011	19	19	ND	ug/L
Isosafrole	MW-8N	7/11/2012	19	19	ND	ug/L
Isosafrole	MW-8N	10/2/2013	19	19	ND	ug/L
Isosafrole	MW-8N	10/8/2014	19	19	ND	ug/L
Isosafrole	MW-8N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-8N	10/6/2016	19	19	ND	ug/L
Isosafrole	MW-8N	10/6/2017	19	19	ND	ug/L
Isosafrole	MW-8N	7/16/2018	20	20	ND	ug/L
Isosafrole	MW-8N	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-8N	7/9/2020	10	10	ND	ug/L
Isosafrole	MW-8N	7/5/2021	20	20	ND	ug/L
Isosafrole	NE-1	10/25/2006	20	20	ND	ug/L
Isosafrole	NE-1	2/7/2009	20	20	ND	ug/L
Isosafrole	NE-1	7/10/2012	19	19	ND	ug/L
Isosafrole	NE-1	2/11/2015	19	19	ND	ug/L
Isosafrole	NE-1	7/18/2018	19	19	ND	ug/L
Isosafrole	NE-2	7/10/2018	19	19	ND	ug/L
Isosafrole	NE-4	10/25/2006	20	20	ND	ug/L
Isosafrole	NE-4	2/7/2009	20	20	ND	ug/L
Isosafrole	NE-4	7/10/2012	20	20	ND	ug/L
Isosafrole	NE-4	2/13/2015	19	19	ND	ug/L
Isosafrole	NE-4	7/12/2018	21	21	ND	ug/L
Isosafrole	NE-5	10/25/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	NE-5	2/6/2009	20	20	ND	ug/L
Isosafrole	NE-5	7/10/2012	19	19	ND	ug/L
Isosafrole	NE-5	2/11/2015	19	19	ND	ug/L
Isosafrole	NE-5	7/17/2018	19	19	ND	ug/L
Isosafrole	NE-5	7/9/2019	20	20	ND	ug/L
Kepone	LGW-10	10/26/2006	1	1	ND	ug/L
Kepone	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Kepone	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Kepone	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
Kepone	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Kepone	LGW-10	7/11/2019	1	1	ND	ug/L
Kepone	LGW-10	7/9/2020	20	20	ND	ug/L
Kepone	LGW-10	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-14R	10/27/2006	1	1	ND	ug/L
Kepone	LGW-14R	2/6/2009	1	1	ND	ug/L
Kepone	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Kepone	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Kepone	LGW-14R	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-2	10/26/2006	1	1	ND	ug/L
Kepone	LGW-2	2/6/2009	1	1	ND	ug/L
Kepone	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Kepone	LGW-2	7/12/2018	1	1	ND	ug/L
Kepone	LGW-2	7/8/2020	20	20	ND	ug/L
Kepone	LGW-2	7/4/2021	1.88	1.88	ND	ug/L
Kepone	LGW-3R	10/26/2006	1	1	ND	ug/L
Kepone	LGW-3R	2/3/2009	1	1	ND	ug/L
Kepone	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Kepone	LGW-3R	7/11/2018	1	1	ND	ug/L
Kepone	LGW-3R	7/6/2021	1.88	1.88	ND	ug/L
Kepone	LGW-4	10/26/2006	1	1	ND	ug/L
Kepone	LGW-4	2/3/2009	1	1	ND	ug/L
Kepone	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Kepone	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Kepone	LGW-4	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-5	10/26/2006	1	1	ND	ug/L
Kepone	LGW-5	2/4/2009	1	1	ND	ug/L
Kepone	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-5	2/10/2015	1	1	ND	ug/L
Kepone	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Kepone	LGW-5	7/7/2021	1.97	1.97	ND	ug/L
Kepone	LGW-6	10/26/2006	1	1	ND	ug/L
Kepone	LGW-6	2/5/2009	1	1	ND	ug/L
Kepone	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Kepone	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Kepone	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Kepone	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Kepone	LGW-6	7/10/2019	0.99	0.99	ND	ug/L
Kepone	LGW-6	7/9/2020	20	20	ND	ug/L
Kepone	LGW-6	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-7	10/26/2006	1	1	ND	ug/L
Kepone	LGW-7	2/4/2009	1	1	ND	ug/L
Kepone	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Kepone	LGW-7	2/11/2015	1	1	ND	ug/L
Kepone	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Kepone	LGW-7	10/5/2017	0.96	0.96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Kepone	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Kepone	LGW-7	7/10/2019	0.98	0.98	ND	ug/L
Kepone	LGW-7	7/9/2020	20	20	ND	ug/L
Kepone	LGW-7	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-8R	10/26/2006	1	1	ND	ug/L
Kepone	LGW-8R	2/4/2009	1	1	ND	ug/L
Kepone	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Kepone	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Kepone	LGW-8R	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-9	10/26/2006	1	1	ND	ug/L
Kepone	LGW-9	2/4/2009	1	1	ND	ug/L
Kepone	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Kepone	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Kepone	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Kepone	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Kepone	LGW-9	7/13/2018	1	1	ND	ug/L
Kepone	LGW-9	7/10/2019	1.1	1.1	ND	ug/L
Kepone	LGW-9	7/9/2020	20	20	ND	ug/L
Kepone	LGW-9	7/7/2021	1.88	1.88	ND	ug/L
Kepone	MW-10N	10/25/2006	1	1	ND	ug/L
Kepone	MW-10N	2/13/2009	1	1	ND	ug/L
Kepone	MW-10N	2/13/2009	1	1	ND	ug/L
Kepone	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Kepone	MW-10N	7/11/2018	1	1	ND	ug/L
Kepone	MW-10N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-11N	10/25/2006	1	1	ND	ug/L
Kepone	MW-11N	2/3/2009	1	1	ND	ug/L
Kepone	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Kepone	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Kepone	MW-11N	7/17/2018	1	1	ND	ug/L
Kepone	MW-11N	7/6/2021	1.88	1.88	ND	ug/L
Kepone	MW-15	7/10/2018	1	1	ND	ug/L
Kepone	MW-15	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Kepone	MW-16	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Kepone	MW-17	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-19	7/13/2018	1	1	ND	ug/L
Kepone	MW-19	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-1N	10/14/1998	10	10	ND	ug/L
Kepone	MW-1N	5/29/2002	10	10	ND	ug/L
Kepone	MW-1N	5/29/2002	10	10	ND	ug/L
Kepone	MW-1N	10/24/2006	1	1	ND	ug/L
Kepone	MW-1N	2/5/2009	1	1	ND	ug/L
Kepone	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Kepone	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Kepone	MW-1N	7/6/2020	20	20	ND	ug/L
Kepone	MW-1N	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Kepone	MW-20	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Kepone	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Kepone	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Kepone	MW-21	7/11/2019	1.1	1.1	ND	ug/L
Kepone	MW-21	7/8/2020	20	20	ND	ug/L
Kepone	MW-21	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-2N	10/25/2006	1	1	ND	ug/L
Kepone	MW-2N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Kepone	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Kepone	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Kepone	MW-2N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-3N	5/29/2002	10	10	ND	ug/L
Kepone	MW-3N	5/29/2002	10	10	ND	ug/L
Kepone	MW-3N	10/25/2006	1	1	ND	ug/L
Kepone	MW-3N	2/4/2009	1	1	ND	ug/L
Kepone	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Kepone	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Kepone	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Kepone	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Kepone	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Kepone	MW-3N	7/11/2019	1	1	ND	ug/L
Kepone	MW-3N	7/7/2020	20	20	ND	ug/L
Kepone	MW-3N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-7N	10/15/1998	10	10	ND	ug/L
Kepone	MW-7N	5/29/2002	10	10	ND	ug/L
Kepone	MW-7N	5/29/2002	10	10	ND	ug/L
Kepone	MW-7N	10/24/2006	1	1	ND	ug/L
Kepone	MW-7N	2/6/2009	1	1	ND	ug/L
Kepone	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-7N	2/12/2015	1	1	ND	ug/L
Kepone	MW-7N	10/5/2017	1	1	ND	ug/L
Kepone	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Kepone	MW-7N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-8N	5/29/2002	10	10	ND	ug/L
Kepone	MW-8N	5/29/2002	10	10	ND	ug/L
Kepone	MW-8N	10/24/2006	1	1	ND	ug/L
Kepone	MW-8N	1/24/2008	1	1	ND	ug/L
Kepone	MW-8N	2/4/2009	1	1	ND	ug/L
Kepone	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Kepone	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Kepone	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Kepone	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Kepone	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Kepone	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Kepone	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Kepone	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Kepone	MW-8N	7/11/2019	1	1	ND	ug/L
Kepone	MW-8N	7/9/2020	20	20	ND	ug/L
Kepone	MW-8N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	NE-1	10/25/2006	1	1	ND	ug/L
Kepone	NE-1	2/7/2009	1	1	ND	ug/L
Kepone	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Kepone	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Kepone	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Kepone	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Kepone	NE-4	10/25/2006	1	1	ND	ug/L
Kepone	NE-4	2/7/2009	1	1	ND	ug/L
Kepone	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Kepone	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Kepone	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Kepone	NE-5	10/25/2006	1	1	ND	ug/L
Kepone	NE-5	2/6/2009	1	1	ND	ug/L
Kepone	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Kepone	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Kepone	NE-5	7/17/2018	1	1	ND	ug/L
Kepone	NE-5	7/9/2019	1	1	ND	ug/L
Lead, dissolved	LGW-14R	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-14R	8/24/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, dissolved	LGW-2	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-4	1/24/2006	5	5	ND	ug/L
Lead, dissolved	LGW-5	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-6	1/24/2006	5	5	ND	ug/L
Lead, dissolved	LGW-7	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-8R	1/24/2006	5	5	ND	ug/L
Lead, dissolved	MW-10N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-10N	7/10/2002	5	5	ND	ug/L
Lead, dissolved	MW-10N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-11N	7/10/2000	5	5	ND	ug/L
Lead, dissolved	MW-11N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-11N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-1N	10/19/1999	5	5	ND	ug/L
Lead, dissolved	MW-1N	7/12/2000	5	5	ND	ug/L
Lead, dissolved	MW-1N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-1N	10/3/2002	1	1	ND	ug/L
Lead, dissolved	MW-2N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-2N	7/10/2002	5	5	ND	ug/L
Lead, dissolved	MW-2N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-3N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-3N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-3N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-7N	10/19/1999	5.9	5		ug/L
Lead, dissolved	MW-7N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-7N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-7N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-8N	10/19/1999	5	5	ND	ug/L
Lead, dissolved	MW-8N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-8N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-8N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-1	7/10/2002	5	5	ND	ug/L
Lead, dissolved	NE-1	8/6/2002	3.2	1		ug/L
Lead, dissolved	NE-1	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-1	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	7/9/2002	5	5	ND	ug/L
Lead, dissolved	NE-2	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-3	7/9/2002	5	5	ND	ug/L
Lead, dissolved	NE-3	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-3	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-3	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	7/10/2002	5	5	ND	ug/L
Lead, dissolved	NE-4	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	10/3/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	7/9/2002	5	5	ND	ug/L
Lead, dissolved	NE-5	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	10/2/2002	1	1	ND	ug/L
Lead, total	LGW-10	1/26/2006	5	5	ND	ug/L
Lead, total	LGW-10	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-10	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-10	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-10	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-10	4/26/2007	3.1	5	ND	ug/L
Lead, total	LGW-10	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-10	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-10	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-10	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-10	2/3/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-10	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-10	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-10	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-10	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-10	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-10	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-10	5/1/2013	5	5	ND	ug/L
Lead, total	LGW-10	1/30/2014	5	5	ND	ug/L
Lead, total	LGW-10	7/9/2014	5	5	ND	ug/L
Lead, total	LGW-10	2/12/2015	5	5	ND	ug/L
Lead, total	LGW-10	7/13/2015	5	5	ND	ug/L
Lead, total	LGW-10	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-10	4/6/2016	5	5	ND	ug/L
Lead, total	LGW-10	7/21/2016	3.3	5	ND	ug/L
Lead, total	LGW-10	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-10	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-10	4/4/2017	3	5	ND	ug/L
Lead, total	LGW-10	7/19/2017	5	5	ND	ug/L
Lead, total	LGW-10	10/9/2017	5	5	ND	ug/L
Lead, total	LGW-10	1/24/2018	5	5	ND	ug/L
Lead, total	LGW-10	4/11/2018	5	5	ND	ug/L
Lead, total	LGW-10	7/16/2018	5	5	ND	ug/L
Lead, total	LGW-10	10/4/2018	5	5	ND	ug/L
Lead, total	LGW-10	1/4/2019	5	5	ND	ug/L
Lead, total	LGW-10	4/3/2019	5	5	ND	ug/L
Lead, total	LGW-10	7/11/2019	3.1	5	ND	ug/L
Lead, total	LGW-10	10/2/2019	3.2	5	ND	ug/L
Lead, total	LGW-10	1/15/2020	5	5	ND	ug/L
Lead, total	LGW-10	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-10	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-10	10/7/2020	5	5	ND	ug/L
Lead, total	LGW-10	1/17/2021	5	5	ND	ug/L
Lead, total	LGW-10	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-10	7/7/2021	5.58	5		ug/L
Lead, total	LGW-10	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-10	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-10	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-10	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-10	10/7/2022	5	5	ND	ug/L
Lead, total	LGW-10	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-10	4/5/2023	5	5	ND	ug/L
Lead, total	LGW-14R	1/25/2006	49	5		ug/L
Lead, total	LGW-14R	8/2/2006	21	5		ug/L
Lead, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Lead, total	LGW-14R	1/24/2007	2.9	5	ND	ug/L
Lead, total	LGW-14R	4/24/2007	12	5		ug/L
Lead, total	LGW-14R	7/11/2007	15	5		ug/L
Lead, total	LGW-14R	8/24/2007	3.9	5	ND	ug/L
Lead, total	LGW-14R	10/23/2007	5	5	ND	ug/L
Lead, total	LGW-14R	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-14R	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-14R	2/6/2009	5	5	ND	ug/L
Lead, total	LGW-14R	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-14R	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-14R	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-14R	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-14R	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-14R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-14R	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-14R	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-14R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-14R	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-14R	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-14R	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-14R	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-14R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-14R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-14R	1/25/2018	5	5	ND	ug/L
Lead, total	LGW-14R	7/17/2018	5	5	ND	ug/L
Lead, total	LGW-14R	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-14R	7/10/2019	3.3	5	ND	ug/L
Lead, total	LGW-14R	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-14R	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-14R	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-14R	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-14R	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-14R	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-2	1/25/2006	12	5		ug/L
Lead, total	LGW-2	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-2	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-2	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-2	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-2	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-2	7/10/2007	5	5	ND	ug/L
Lead, total	LGW-2	1/26/2008	3.6	5	ND	ug/L
Lead, total	LGW-2	7/23/2008	3.2	5	ND	ug/L
Lead, total	LGW-2	2/6/2009	3.4	5	ND	ug/L
Lead, total	LGW-2	7/30/2009	5	5	ND	ug/L
Lead, total	LGW-2	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-2	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-2	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-2	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-2	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-2	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-2	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-2	4/30/2013	2.8	5	ND	ug/L
Lead, total	LGW-2	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-2	1/30/2014	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-2	2/13/2015	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2015	5	5	ND	ug/L
Lead, total	LGW-2	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-2	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-2	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-2	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-2	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-2	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-2	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-2	7/9/2019	3.7	5	ND	ug/L
Lead, total	LGW-2	1/13/2020	5	5	ND	ug/L
Lead, total	LGW-2	4/1/2020	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2020	5	5	ND	ug/L
Lead, total	LGW-2	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-2	7/4/2021	5	5	ND	ug/L
Lead, total	LGW-2	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-2	7/10/2022	5	5	ND	ug/L
Lead, total	LGW-2	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-3R	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-3R	7/20/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-3R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-3R	10/26/2006	7.7	5		ug/L
Lead, total	LGW-3R	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-3R	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-3R	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-3R	1/26/2008	5	5	ND	ug/L
Lead, total	LGW-3R	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-3R	2/3/2009	5	5	ND	ug/L
Lead, total	LGW-3R	7/31/2009	4.1	5	ND	ug/L
Lead, total	LGW-3R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-3R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-3R	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-3R	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-3R	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-3R	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-3R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-3R	4/30/2013	3.1	5	ND	ug/L
Lead, total	LGW-3R	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-3R	1/22/2014	5	5	ND	ug/L
Lead, total	LGW-3R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-3R	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-3R	7/16/2015	5	5	ND	ug/L
Lead, total	LGW-3R	1/8/2016	5	5	ND	ug/L
Lead, total	LGW-3R	7/21/2016	4.7	5	ND	ug/L
Lead, total	LGW-3R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-3R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-3R	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-3R	7/11/2018	5	5	ND	ug/L
Lead, total	LGW-3R	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-3R	7/9/2019	5	5	ND	ug/L
Lead, total	LGW-3R	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-3R	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-3R	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-3R	7/6/2021	5	5	ND	ug/L
Lead, total	LGW-3R	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-3R	7/10/2022	5	5	ND	ug/L
Lead, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-4	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-4	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-4	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-4	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-4	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-4	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-4	1/22/2008	5	5	ND	ug/L
Lead, total	LGW-4	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2009	5	5	ND	ug/L
Lead, total	LGW-4	7/31/2009	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-4	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-4	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-4	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-4	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-4	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-4	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-4	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-4	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-4	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-4	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-4	7/8/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-4	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-4	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-4	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-4	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-4	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2018	5	5	ND	ug/L
Lead, total	LGW-4	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-4	7/9/2019	2.3	5	ND	ug/L
Lead, total	LGW-4	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-4	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-4	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-4	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-4	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-4	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-5	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-5	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-5	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-5	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-5	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-5	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-5	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-5	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-5	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-5	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-5	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-5	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-5	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-5	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-5	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-5	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-5	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-5	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-5	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-5	7/8/2015	5	5	ND	ug/L
Lead, total	LGW-5	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-5	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-5	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-5	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-5	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-5	7/9/2019	2.8	5	ND	ug/L
Lead, total	LGW-5	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-5	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-5	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-5	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-5	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-5	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-5	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-5	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-5	7/11/2022	5.37	5		ug/L
Lead, total	LGW-5	10/6/2022	5	5	ND	ug/L
Lead, total	LGW-5	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-6	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-6	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-6	7/20/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-6	10/26/2006	6.2	5		ug/L
Lead, total	LGW-6	1/24/2007	5	5	ND	ug/L
Lead, total	LGW-6	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-6	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-6	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-6	7/23/2008	2.6	5	ND	ug/L
Lead, total	LGW-6	2/5/2009	5	5	ND	ug/L
Lead, total	LGW-6	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-6	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-6	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-6	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-6	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-6	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-6	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-6	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-6	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-6	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-6	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-6	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-6	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-6	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-6	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-6	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-6	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-6	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-6	5/5/2017	3.1	5	ND	ug/L
Lead, total	LGW-6	7/18/2017	3.1	5	ND	ug/L
Lead, total	LGW-6	10/5/2017	4.3	5	ND	ug/L
Lead, total	LGW-6	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-6	4/10/2018	3.2	5	ND	ug/L
Lead, total	LGW-6	7/17/2018	4.4	5	ND	ug/L
Lead, total	LGW-6	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-6	1/7/2019	3.7	5	ND	ug/L
Lead, total	LGW-6	4/3/2019	3.3	5	ND	ug/L
Lead, total	LGW-6	7/10/2019	4.3	5	ND	ug/L
Lead, total	LGW-6	10/3/2019	4.3	5	ND	ug/L
Lead, total	LGW-6	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-6	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-6	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-6	10/6/2020	9.5	9.5	ND	ug/L
Lead, total	LGW-6	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-6	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-6	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-6	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-6	1/12/2022	5.67	5		ug/L
Lead, total	LGW-6	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-6	7/11/2022	5.72	5		ug/L
Lead, total	LGW-6	10/6/2022	5	5	ND	ug/L
Lead, total	LGW-6	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-6	4/6/2023	5	5	ND	ug/L
Lead, total	LGW-7	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-7	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-7	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-7	10/26/2006	3.8	5	ND	ug/L
Lead, total	LGW-7	1/24/2007	5	5	ND	ug/L
Lead, total	LGW-7	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-7	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-7	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-7	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-7	7/31/2009	5	5	ND	ug/L
Lead, total	LGW-7	1/27/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-7	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-7	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-7	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-7	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-7	7/10/2012	5	5	ND	ug/L
Lead, total	LGW-7	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-7	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-7	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-7	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-7	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-7	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-7	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-7	4/6/2016	5	5	ND	ug/L
Lead, total	LGW-7	7/20/2016	5	5	ND	ug/L
Lead, total	LGW-7	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-7	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-7	4/4/2017	3.3	5	ND	ug/L
Lead, total	LGW-7	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-7	10/5/2017	4.3	5	ND	ug/L
Lead, total	LGW-7	1/24/2018	4.7	5	ND	ug/L
Lead, total	LGW-7	4/11/2018	2.8	5	ND	ug/L
Lead, total	LGW-7	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-7	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-7	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-7	4/3/2019	5	5	ND	ug/L
Lead, total	LGW-7	7/10/2019	4	5	ND	ug/L
Lead, total	LGW-7	10/3/2019	5	5	ND	ug/L
Lead, total	LGW-7	1/15/2020	5	5	ND	ug/L
Lead, total	LGW-7	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-7	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-7	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-7	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-7	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-7	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-7	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-8R	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-8R	1/24/2007	5	5	ND	ug/L
Lead, total	LGW-8R	4/25/2007	5	5	ND	ug/L
Lead, total	LGW-8R	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-8R	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-8R	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-8R	1/27/2010	5	5	ND	ug/L
Lead, total	LGW-8R	7/14/2010	5	5	ND	ug/L
Lead, total	LGW-8R	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-8R	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-8R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-8R	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-8R	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-8R	1/22/2014	5	5	ND	ug/L
Lead, total	LGW-8R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-8R	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-8R	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-8R	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2016	5	5	ND	ug/L
Lead, total	LGW-8R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-8R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-8R	1/25/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Lead, total	LGW-8R	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-8R	7/8/2019	5	5	ND	ug/L
Lead, total	LGW-8R	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Lead, total	LGW-8R	1/17/2021	5	5	ND	ug/L
Lead, total	LGW-8R	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-8R	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-8R	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-9	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-9	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-9	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-9	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-9	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-9	4/25/2007	5	5	ND	ug/L
Lead, total	LGW-9	7/10/2007	5	5	ND	ug/L
Lead, total	LGW-9	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-9	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-9	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-9	1/27/2010	5	5	ND	ug/L
Lead, total	LGW-9	7/14/2010	5	5	ND	ug/L
Lead, total	LGW-9	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-9	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-9	1/5/2012	2.7	5	ND	ug/L
Lead, total	LGW-9	7/10/2012	5	5	ND	ug/L
Lead, total	LGW-9	5/1/2013	4.3	5	ND	ug/L
Lead, total	LGW-9	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-9	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-9	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-9	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-9	7/13/2015	5	5	ND	ug/L
Lead, total	LGW-9	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-9	7/21/2016	5	5	ND	ug/L
Lead, total	LGW-9	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-9	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-9	5/5/2017	5	5	ND	ug/L
Lead, total	LGW-9	7/18/2017	3.8	5	ND	ug/L
Lead, total	LGW-9	10/5/2017	3.3	5	ND	ug/L
Lead, total	LGW-9	1/24/2018	5	5	ND	ug/L
Lead, total	LGW-9	4/11/2018	5	5	ND	ug/L
Lead, total	LGW-9	7/13/2018	5	5	ND	ug/L
Lead, total	LGW-9	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-9	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-9	4/3/2019	3.4	5	ND	ug/L
Lead, total	LGW-9	7/10/2019	5	5	ND	ug/L
Lead, total	LGW-9	10/3/2019	2.7	5	ND	ug/L
Lead, total	LGW-9	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-9	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-9	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-9	10/7/2020	5	5	ND	ug/L
Lead, total	LGW-9	1/17/2021	5.46	5		ug/L
Lead, total	LGW-9	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-9	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-9	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-9	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-9	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-9	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-9	10/7/2022	5	5	ND	ug/L
Lead, total	LGW-9	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-9	4/5/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-10N	10/22/1997	19	5		ug/L
Lead, total	MW-10N	1/22/1998	5	5	ND	ug/L
Lead, total	MW-10N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-10N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-10N	1/14/1999	5	5	ND	ug/L
Lead, total	MW-10N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-10N	7/15/1999	5	5	ND	ug/L
Lead, total	MW-10N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-10N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-10N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-10N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-10N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-10N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2002	5	5	ND	ug/L
Lead, total	MW-10N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-10N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-10N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-10N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-10N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-10N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-10N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-10N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-10N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2007	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-10N	1/23/2008	5	5	ND	ug/L
Lead, total	MW-10N	7/21/2008	5	5	ND	ug/L
Lead, total	MW-10N	2/13/2009	5	5	ND	ug/L
Lead, total	MW-10N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-10N	1/27/2010	5	5	ND	ug/L
Lead, total	MW-10N	8/10/2010	5	5	ND	ug/L
Lead, total	MW-10N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-10N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-10N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-10N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-10N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-10N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-10N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-10N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-10N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-10N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2018	5	5	ND	ug/L
Lead, total	MW-10N	7/11/2018	5	5	ND	ug/L
Lead, total	MW-10N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-10N	7/9/2019	2.9	5	ND	ug/L
Lead, total	MW-10N	1/16/2020	5	5	ND	ug/L
Lead, total	MW-10N	7/8/2020	5	5	ND	ug/L
Lead, total	MW-10N	1/13/2021	5	5	ND	ug/L
Lead, total	MW-10N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-10N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-11N	10/22/1997	14	5		ug/L
Lead, total	MW-11N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-11N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-11N	7/23/1998	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-11N	1/13/1999	6.4	5		ug/L
Lead, total	MW-11N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-11N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-11N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-11N	1/13/2000	5	5	ND	ug/L
Lead, total	MW-11N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-11N	7/10/2000	5	5	ND	ug/L
Lead, total	MW-11N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-11N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-11N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-11N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-11N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-11N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-11N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-11N	1/29/2004	5	5	ND	ug/L
Lead, total	MW-11N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-11N	1/13/2005	5	5	ND	ug/L
Lead, total	MW-11N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-11N	1/19/2006	16	5		ug/L
Lead, total	MW-11N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-11N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-11N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-11N	1/24/2007	5	5	ND	ug/L
Lead, total	MW-11N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-11N	1/22/2008	5	5	ND	ug/L
Lead, total	MW-11N	7/23/2008	5	5	ND	ug/L
Lead, total	MW-11N	2/3/2009	5	5	ND	ug/L
Lead, total	MW-11N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-11N	2/3/2010	5	5	ND	ug/L
Lead, total	MW-11N	2/3/2010	5	5	ND	ug/L
Lead, total	MW-11N	7/16/2010	5	5	ND	ug/L
Lead, total	MW-11N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-11N	1/4/2012	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2012	5	5	ND	ug/L
Lead, total	MW-11N	4/30/2013	5	5	ND	ug/L
Lead, total	MW-11N	7/15/2013	5	5	ND	ug/L
Lead, total	MW-11N	1/23/2014	5	5	ND	ug/L
Lead, total	MW-11N	7/8/2014	5	5	ND	ug/L
Lead, total	MW-11N	2/10/2015	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2015	5	5	ND	ug/L
Lead, total	MW-11N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-11N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-11N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-11N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-11N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-11N	7/17/2018	5	5	ND	ug/L
Lead, total	MW-11N	1/2/2019	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2019	5	5	ND	ug/L
Lead, total	MW-11N	1/14/2020	5	5	ND	ug/L
Lead, total	MW-11N	7/6/2020	5	5	ND	ug/L
Lead, total	MW-11N	1/18/2021	5	5	ND	ug/L
Lead, total	MW-11N	7/6/2021	5	5	ND	ug/L
Lead, total	MW-11N	1/18/2022	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2022	5	5	ND	ug/L
Lead, total	MW-11N	1/10/2023	5	5	ND	ug/L
Lead, total	MW-15	6/5/2015	5	5	ND	ug/L
Lead, total	MW-15	7/15/2015	5	5	ND	ug/L
Lead, total	MW-15	8/5/2015	5	5	ND	ug/L
Lead, total	MW-15	9/3/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-15	1/7/2016	5	5	ND	ug/L
Lead, total	MW-15	4/5/2016	5	5	ND	ug/L
Lead, total	MW-15	7/20/2016	5	5	ND	ug/L
Lead, total	MW-15	10/6/2016	5	5	ND	ug/L
Lead, total	MW-15	1/10/2017	5	5	ND	ug/L
Lead, total	MW-15	7/18/2017	5	5	ND	ug/L
Lead, total	MW-15	1/23/2018	5	5	ND	ug/L
Lead, total	MW-15	7/10/2018	5	5	ND	ug/L
Lead, total	MW-15	1/3/2019	5	5	ND	ug/L
Lead, total	MW-15	7/9/2019	2.3	5	ND	ug/L
Lead, total	MW-15	1/14/2020	5	5	ND	ug/L
Lead, total	MW-15	8/3/2020	5	5	ND	ug/L
Lead, total	MW-15	1/18/2021	5	5	ND	ug/L
Lead, total	MW-15	7/4/2021	5	5	ND	ug/L
Lead, total	MW-15	1/12/2022	5	5	ND	ug/L
Lead, total	MW-15	7/10/2022	5	5	ND	ug/L
Lead, total	MW-15	1/10/2023	5	5	ND	ug/L
Lead, total	MW-16	6/5/2015	5	5	ND	ug/L
Lead, total	MW-16	7/16/2015	5	5	ND	ug/L
Lead, total	MW-16	8/5/2015	5	5	ND	ug/L
Lead, total	MW-16	9/3/2015	5	5	ND	ug/L
Lead, total	MW-16	1/8/2016	5	5	ND	ug/L
Lead, total	MW-16	4/5/2016	5	5	ND	ug/L
Lead, total	MW-16	7/21/2016	5	5	ND	ug/L
Lead, total	MW-16	10/5/2016	2.7	5	ND	ug/L
Lead, total	MW-16	1/10/2017	5	5	ND	ug/L
Lead, total	MW-16	7/18/2017	5	5	ND	ug/L
Lead, total	MW-16	1/23/2018	5	5	ND	ug/L
Lead, total	MW-16	7/11/2018	5	5	ND	ug/L
Lead, total	MW-16	1/2/2019	5	5	ND	ug/L
Lead, total	MW-16	7/10/2019	2.4	5	ND	ug/L
Lead, total	MW-16	1/14/2020	5	5	ND	ug/L
Lead, total	MW-16	8/3/2020	5	5	ND	ug/L
Lead, total	MW-16	1/18/2021	5	5	ND	ug/L
Lead, total	MW-16	7/4/2021	5	5	ND	ug/L
Lead, total	MW-16	1/12/2022	5	5	ND	ug/L
Lead, total	MW-16	7/10/2022	5	5	ND	ug/L
Lead, total	MW-16	1/10/2023	5	5	ND	ug/L
Lead, total	MW-17	6/5/2015	5	5	ND	ug/L
Lead, total	MW-17	7/15/2015	5	5	ND	ug/L
Lead, total	MW-17	8/4/2015	5	5	ND	ug/L
Lead, total	MW-17	9/2/2015	5	5	ND	ug/L
Lead, total	MW-17	1/7/2016	5	5	ND	ug/L
Lead, total	MW-17	4/5/2016	5	5	ND	ug/L
Lead, total	MW-17	7/20/2016	5	5	ND	ug/L
Lead, total	MW-17	10/6/2016	5	5	ND	ug/L
Lead, total	MW-17	1/10/2017	5	5	ND	ug/L
Lead, total	MW-17	7/18/2017	5	5	ND	ug/L
Lead, total	MW-17	1/23/2018	5	5	ND	ug/L
Lead, total	MW-17	7/10/2018	5	5	ND	ug/L
Lead, total	MW-17	1/3/2019	5	5	ND	ug/L
Lead, total	MW-17	7/11/2019	2.6	5	ND	ug/L
Lead, total	MW-17	1/14/2020	5	5	ND	ug/L
Lead, total	MW-17	8/3/2020	5	5	ND	ug/L
Lead, total	MW-17	1/14/2021	5	5	ND	ug/L
Lead, total	MW-17	7/4/2021	5	5	ND	ug/L
Lead, total	MW-17	1/10/2023	5	5	ND	ug/L
Lead, total	MW-19	6/5/2015	5	5	ND	ug/L
Lead, total	MW-19	7/16/2015	5	5	ND	ug/L
Lead, total	MW-19	8/5/2015	5	5	ND	ug/L
Lead, total	MW-19	9/3/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-19	1/7/2016	5	5	ND	ug/L
Lead, total	MW-19	4/5/2016	5	5	ND	ug/L
Lead, total	MW-19	7/21/2016	5	5	ND	ug/L
Lead, total	MW-19	10/5/2016	5	5	ND	ug/L
Lead, total	MW-19	1/10/2017	5	5	ND	ug/L
Lead, total	MW-19	7/18/2017	5	5	ND	ug/L
Lead, total	MW-19	1/23/2018	5	5	ND	ug/L
Lead, total	MW-19	7/13/2018	5	5	ND	ug/L
Lead, total	MW-19	1/7/2019	5	5	ND	ug/L
Lead, total	MW-19	7/11/2019	2.7	5	ND	ug/L
Lead, total	MW-19	1/14/2020	5	5	ND	ug/L
Lead, total	MW-19	8/3/2020	5	5	ND	ug/L
Lead, total	MW-19	1/14/2021	5	5	ND	ug/L
Lead, total	MW-19	7/4/2021	5	5	ND	ug/L
Lead, total	MW-19	1/11/2023	5	5	ND	ug/L
Lead, total	MW-1N	10/22/1997	5	5	ND	ug/L
Lead, total	MW-1N	1/20/1998	5	5	ND	ug/L
Lead, total	MW-1N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-1N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-1N	10/14/1998	5	5	ND	ug/L
Lead, total	MW-1N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-1N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-1N	7/15/1999	5	5	ND	ug/L
Lead, total	MW-1N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-1N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-1N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-1N	7/12/2000	5	5	ND	ug/L
Lead, total	MW-1N	10/18/2000	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-1N	4/12/2001	5	5	ND	ug/L
Lead, total	MW-1N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-1N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-1N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-1N	10/3/2002	1	1	ND	ug/L
Lead, total	MW-1N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-1N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-1N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-1N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-1N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-1N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-1N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-1N	1/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-1N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-1N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2008	3.5	5	ND	ug/L
Lead, total	MW-1N	7/21/2008	5	5	ND	ug/L
Lead, total	MW-1N	2/5/2009	5	5	ND	ug/L
Lead, total	MW-1N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-1N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-1N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-1N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-1N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-1N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-1N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-1N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-1N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-1N	7/9/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-1N	2/10/2015	5	5	ND	ug/L
Lead, total	MW-1N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-1N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-1N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-1N	1/12/2017	5	5	ND	ug/L
Lead, total	MW-1N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-1N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-1N	7/10/2018	5	5	ND	ug/L
Lead, total	MW-1N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-1N	7/11/2019	3.2	5	ND	ug/L
Lead, total	MW-1N	1/23/2020	5.82	5		ug/L
Lead, total	MW-1N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-1N	7/6/2020	5	5	ND	ug/L
Lead, total	MW-1N	1/14/2021	5	5	ND	ug/L
Lead, total	MW-1N	7/4/2021	5	5	ND	ug/L
Lead, total	MW-1N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-20	6/5/2015	5	5	ND	ug/L
Lead, total	MW-20	7/14/2015	5	5	ND	ug/L
Lead, total	MW-20	8/4/2015	5	5	ND	ug/L
Lead, total	MW-20	9/2/2015	5	5	ND	ug/L
Lead, total	MW-20	1/7/2016	7.3	5		ug/L
Lead, total	MW-20	4/5/2016	5	5	ND	ug/L
Lead, total	MW-20	7/20/2016	5	5	ND	ug/L
Lead, total	MW-20	10/5/2016	5	5	ND	ug/L
Lead, total	MW-20	1/12/2017	5	5	ND	ug/L
Lead, total	MW-20	7/18/2017	5	5	ND	ug/L
Lead, total	MW-20	1/26/2018	5	5	ND	ug/L
Lead, total	MW-20	7/12/2018	5	5	ND	ug/L
Lead, total	MW-20	7/11/2019	4.2	5	ND	ug/L
Lead, total	MW-20	1/14/2020	5	5	ND	ug/L
Lead, total	MW-20	7/7/2020	5	5	ND	ug/L
Lead, total	MW-20	1/17/2021	6.33	5		ug/L
Lead, total	MW-20	7/4/2021	5	5	ND	ug/L
Lead, total	MW-20	1/11/2023	5	5	ND	ug/L
Lead, total	MW-21	6/5/2015	5	5	ND	ug/L
Lead, total	MW-21	7/14/2015	3.1	5	ND	ug/L
Lead, total	MW-21	8/4/2015	5	5	ND	ug/L
Lead, total	MW-21	9/2/2015	5	5	ND	ug/L
Lead, total	MW-21	1/7/2016	5	5	ND	ug/L
Lead, total	MW-21	4/5/2016	5	5	ND	ug/L
Lead, total	MW-21	7/20/2016	5	5	ND	ug/L
Lead, total	MW-21	10/5/2016	5	5	ND	ug/L
Lead, total	MW-21	10/5/2016	5	5	ND	ug/L
Lead, total	MW-21	1/10/2017	5	5	ND	ug/L
Lead, total	MW-21	4/5/2017	5	5	ND	ug/L
Lead, total	MW-21	7/19/2017	5	5	ND	ug/L
Lead, total	MW-21	10/6/2017	2.9	5	ND	ug/L
Lead, total	MW-21	1/24/2018	5	5	ND	ug/L
Lead, total	MW-21	4/11/2018	5	5	ND	ug/L
Lead, total	MW-21	7/11/2018	5	5	ND	ug/L
Lead, total	MW-21	10/4/2018	5	5	ND	ug/L
Lead, total	MW-21	1/3/2019	5	5	ND	ug/L
Lead, total	MW-21	4/3/2019	5	5	ND	ug/L
Lead, total	MW-21	7/11/2019	5	5	ND	ug/L
Lead, total	MW-21	10/2/2019	5	5	ND	ug/L
Lead, total	MW-21	1/16/2020	5	5	ND	ug/L
Lead, total	MW-21	4/2/2020	5	5	ND	ug/L
Lead, total	MW-21	7/8/2020	5	5	ND	ug/L
Lead, total	MW-21	10/7/2020	5	5	ND	ug/L
Lead, total	MW-21	1/13/2021	5	5	ND	ug/L
Lead, total	MW-21	4/6/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-21	7/5/2021	5	5	ND	ug/L
Lead, total	MW-21	10/6/2021	5	5	ND	ug/L
Lead, total	MW-21	1/11/2023	5	5	ND	ug/L
Lead, total	MW-21	4/8/2023	5	5	ND	ug/L
Lead, total	MW-2N	10/22/1997	5	5	ND	ug/L
Lead, total	MW-2N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-2N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-2N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-2N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-2N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-2N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-2N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-2N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-2N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-2N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-2N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-2N	7/10/2002	5	5	ND	ug/L
Lead, total	MW-2N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-2N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-2N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-2N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-2N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-2N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-2N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-2N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-2N	1/19/2006	120	5		ug/L
Lead, total	MW-2N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-2N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-2N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-2N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-2N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-2N	7/22/2008	5	5	ND	ug/L
Lead, total	MW-2N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-2N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-2N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-2N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-2N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-2N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-2N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-2N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-2N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-2N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-2N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-2N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-2N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-2N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-2N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-2N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-2N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-2N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-2N	7/12/2018	5	5	ND	ug/L
Lead, total	MW-2N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-2N	8/7/2019	5	5	ND	ug/L
Lead, total	MW-2N	1/23/2020	5	5	ND	ug/L
Lead, total	MW-2N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-2N	1/14/2021	5	5	ND	ug/L
Lead, total	MW-2N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-2N	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-3N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-3N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-3N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-3N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-3N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-3N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-3N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-3N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-3N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-3N	4/24/2000	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-3N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-3N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-3N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-3N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-3N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-3N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-3N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-3N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-3N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-3N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-3N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-3N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-3N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-3N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-3N	1/18/2006	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-3N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-3N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-3N	7/22/2008	5	5	ND	ug/L
Lead, total	MW-3N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-3N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-3N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-3N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-3N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-3N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-3N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2012	5	5	ND	ug/L
Lead, total	MW-3N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-3N	6/4/2013	5	5	ND	ug/L
Lead, total	MW-3N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-3N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-3N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-3N	4/1/2015	5	5	ND	ug/L
Lead, total	MW-3N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-3N	10/5/2015	5	5	ND	ug/L
Lead, total	MW-3N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	4/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-3N	10/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-3N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-3N	10/9/2017	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2018	5	5	ND	ug/L
Lead, total	MW-3N	4/10/2018	5	5	ND	ug/L
Lead, total	MW-3N	7/13/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-3N	10/3/2018	5	5	ND	ug/L
Lead, total	MW-3N	1/7/2019	5	5	ND	ug/L
Lead, total	MW-3N	4/3/2019	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2019	5	5	ND	ug/L
Lead, total	MW-3N	10/2/2019	5	5	ND	ug/L
Lead, total	MW-3N	1/15/2020	5	5	ND	ug/L
Lead, total	MW-3N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-3N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-3N	10/7/2020	5	5	ND	ug/L
Lead, total	MW-3N	1/13/2021	5	5	ND	ug/L
Lead, total	MW-3N	4/6/2021	5	5	ND	ug/L
Lead, total	MW-3N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-3N	10/6/2021	5	5	ND	ug/L
Lead, total	MW-3N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-7N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-7N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-7N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-7N	8/18/1998	5	5	ND	ug/L
Lead, total	MW-7N	9/17/1998	5	5	ND	ug/L
Lead, total	MW-7N	10/15/1998	5	5	ND	ug/L
Lead, total	MW-7N	11/9/1998	7.6	5		ug/L
Lead, total	MW-7N	1/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	4/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-7N	1/13/2000	5	5	ND	ug/L
Lead, total	MW-7N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-7N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-7N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-7N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-7N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-7N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-7N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-7N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-7N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-7N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-7N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-7N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-7N	1/27/2004	5	5	ND	ug/L
Lead, total	MW-7N	4/8/2004	5	5	ND	ug/L
Lead, total	MW-7N	7/26/2004	5	5	ND	ug/L
Lead, total	MW-7N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2005	5	5	ND	ug/L
Lead, total	MW-7N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-7N	1/26/2007	3.2	5	ND	ug/L
Lead, total	MW-7N	7/10/2007	3.3	5	ND	ug/L
Lead, total	MW-7N	7/21/2008	5	5	ND	ug/L
Lead, total	MW-7N	2/6/2009	5	5	ND	ug/L
Lead, total	MW-7N	7/29/2009	5	5	ND	ug/L
Lead, total	MW-7N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-7N	7/14/2010	5	5	ND	ug/L
Lead, total	MW-7N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-7N	7/12/2011	5	5	ND	ug/L
Lead, total	MW-7N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-7N	5/1/2013	4.1	5	ND	ug/L
Lead, total	MW-7N	6/4/2013	5	5	ND	ug/L
Lead, total	MW-7N	7/15/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-7N	1/30/2014	5	5	ND	ug/L
Lead, total	MW-7N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-7N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-7N	7/13/2015	5	5	ND	ug/L
Lead, total	MW-7N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-7N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-7N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-7N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-7N	10/5/2017	3.5	5	ND	ug/L
Lead, total	MW-7N	1/25/2018	5	5	ND	ug/L
Lead, total	MW-7N	4/11/2018	5	5	ND	ug/L
Lead, total	MW-7N	7/13/2018	5	5	ND	ug/L
Lead, total	MW-7N	1/4/2019	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2019	4	5	ND	ug/L
Lead, total	MW-7N	1/16/2020	5	5	ND	ug/L
Lead, total	MW-7N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-7N	1/16/2021	5	5	ND	ug/L
Lead, total	MW-7N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-7N	1/12/2022	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2022	5	5	ND	ug/L
Lead, total	MW-7N	1/10/2023	5	5	ND	ug/L
Lead, total	MW-8N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-8N	1/22/1998	5	5	ND	ug/L
Lead, total	MW-8N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-8N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-8N	1/12/1999	5	5	ND	ug/L
Lead, total	MW-8N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-8N	7/14/1999	13	5		ug/L
Lead, total	MW-8N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-8N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-8N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-8N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-8N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-8N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-8N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-8N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-8N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-8N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-8N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-8N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-8N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-8N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-8N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-8N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-8N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-8N	4/25/2007	5	5	ND	ug/L
Lead, total	MW-8N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-8N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-8N	7/23/2008	5	5	ND	ug/L
Lead, total	MW-8N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-8N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-8N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-8N	7/16/2010	5	5	ND	ug/L
Lead, total	MW-8N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-8N	5/10/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-8N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-8N	1/6/2012	5	5	ND	ug/L
Lead, total	MW-8N	4/5/2012	5	5	ND	ug/L
Lead, total	MW-8N	7/11/2012	5	5	ND	ug/L
Lead, total	MW-8N	10/3/2012	5	5	ND	ug/L
Lead, total	MW-8N	5/1/2013	4.8	5	ND	ug/L
Lead, total	MW-8N	6/4/2013	3.2	5	ND	ug/L
Lead, total	MW-8N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2013	5	5	ND	ug/L
Lead, total	MW-8N	1/30/2014	5	5	ND	ug/L
Lead, total	MW-8N	4/3/2014	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-8N	10/8/2014	5	5	ND	ug/L
Lead, total	MW-8N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-8N	4/1/2015	5	5	ND	ug/L
Lead, total	MW-8N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-8N	10/5/2015	5	5	ND	ug/L
Lead, total	MW-8N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-8N	4/6/2016	5	5	ND	ug/L
Lead, total	MW-8N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2016	5	5	ND	ug/L
Lead, total	MW-8N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-8N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2017	5	5	ND	ug/L
Lead, total	MW-8N	1/25/2018	5	5	ND	ug/L
Lead, total	MW-8N	4/10/2018	5	5	ND	ug/L
Lead, total	MW-8N	7/16/2018	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2018	5	5	ND	ug/L
Lead, total	MW-8N	1/7/2019	5	5	ND	ug/L
Lead, total	MW-8N	4/3/2019	3.2	5	ND	ug/L
Lead, total	MW-8N	7/11/2019	5	5	ND	ug/L
Lead, total	MW-8N	10/3/2019	5	5	ND	ug/L
Lead, total	MW-8N	1/15/2020	5	5	ND	ug/L
Lead, total	MW-8N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2020	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2020	5	5	ND	ug/L
Lead, total	MW-8N	1/15/2021	5	5	ND	ug/L
Lead, total	MW-8N	4/6/2021	5	5	ND	ug/L
Lead, total	MW-8N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2021	5	5	ND	ug/L
Lead, total	MW-8N	1/18/2022	5	5	ND	ug/L
Lead, total	MW-8N	4/4/2022	5	5	ND	ug/L
Lead, total	MW-8N	7/12/2022	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2022	5	5	ND	ug/L
Lead, total	MW-8N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-8N	4/8/2023	5	5	ND	ug/L
Lead, total	NE-1	7/10/2002	5	5	ND	ug/L
Lead, total	NE-1	8/6/2002	1	1	ND	ug/L
Lead, total	NE-1	9/4/2002	1	1	ND	ug/L
Lead, total	NE-1	10/2/2002	1	1	ND	ug/L
Lead, total	NE-1	7/8/2003	5	5	ND	ug/L
Lead, total	NE-1	1/27/2004	5	5	ND	ug/L
Lead, total	NE-1	1/12/2005	5	5	ND	ug/L
Lead, total	NE-1	7/19/2006	5	5	ND	ug/L
Lead, total	NE-1	7/19/2006	5	5	ND	ug/L
Lead, total	NE-1	10/25/2006	5	5	ND	ug/L
Lead, total	NE-1	1/24/2007	5	5	ND	ug/L
Lead, total	NE-1	7/10/2007	5	5	ND	ug/L
Lead, total	NE-1	1/24/2008	5	5	ND	ug/L
Lead, total	NE-1	7/21/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-1	2/7/2009	5	5	ND	ug/L
Lead, total	NE-1	7/31/2009	5	5	ND	ug/L
Lead, total	NE-1	1/26/2010	5	5	ND	ug/L
Lead, total	NE-1	7/14/2010	3.6	5	ND	ug/L
Lead, total	NE-1	1/19/2011	5	5	ND	ug/L
Lead, total	NE-1	7/13/2011	5	5	ND	ug/L
Lead, total	NE-1	1/5/2012	5	5	ND	ug/L
Lead, total	NE-1	7/10/2012	5	5	ND	ug/L
Lead, total	NE-1	4/30/2013	5	5	ND	ug/L
Lead, total	NE-1	7/16/2013	5	5	ND	ug/L
Lead, total	NE-1	1/23/2014	5	5	ND	ug/L
Lead, total	NE-1	7/9/2014	5	5	ND	ug/L
Lead, total	NE-1	2/11/2015	5	5	ND	ug/L
Lead, total	NE-1	7/8/2015	5	5	ND	ug/L
Lead, total	NE-1	1/6/2016	5	5	ND	ug/L
Lead, total	NE-1	7/20/2016	5	5	ND	ug/L
Lead, total	NE-1	1/11/2017	5	5	ND	ug/L
Lead, total	NE-1	7/19/2017	5	5	ND	ug/L
Lead, total	NE-1	1/24/2018	5	5	ND	ug/L
Lead, total	NE-1	4/11/2018	5	5	ND	ug/L
Lead, total	NE-1	7/18/2018	5	5	ND	ug/L
Lead, total	NE-1	10/2/2018	5	5	ND	ug/L
Lead, total	NE-1	1/4/2019	5	5	ND	ug/L
Lead, total	NE-1	4/2/2019	5	5	ND	ug/L
Lead, total	NE-1	7/10/2019	5	5	ND	ug/L
Lead, total	NE-1	7/10/2019	5	5	ND	ug/L
Lead, total	NE-1	10/2/2019	5	5	ND	ug/L
Lead, total	NE-1	1/15/2020	5	5	ND	ug/L
Lead, total	NE-1	4/2/2020	5	5	ND	ug/L
Lead, total	NE-1	7/8/2020	5	5	ND	ug/L
Lead, total	NE-1	10/7/2020	5	5	ND	ug/L
Lead, total	NE-1	1/13/2021	5	5	ND	ug/L
Lead, total	NE-1	4/9/2021	5	5	ND	ug/L
Lead, total	NE-1	7/2/2021	5	5	ND	ug/L
Lead, total	NE-1	10/6/2021	5	5	ND	ug/L
Lead, total	NE-1	1/17/2022	5	5	ND	ug/L
Lead, total	NE-1	4/6/2022	5	5	ND	ug/L
Lead, total	NE-1	7/13/2022	5	5	ND	ug/L
Lead, total	NE-1	10/6/2022	5	5	ND	ug/L
Lead, total	NE-1	1/5/2023	5	5	ND	ug/L
Lead, total	NE-1	4/7/2023	5	5	ND	ug/L
Lead, total	NE-10D	11/6/2019	5	5	ND	ug/L
Lead, total	NE-10D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-10D	4/2/2020	5	5	ND	ug/L
Lead, total	NE-10D	7/8/2020	5	5	ND	ug/L
Lead, total	NE-10D	10/7/2020	5	5	ND	ug/L
Lead, total	NE-10D	1/13/2021	5	5	ND	ug/L
Lead, total	NE-10D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-10D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-10D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-10D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-10D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-11	3/1/2017	5	5	ND	ug/L
Lead, total	NE-11	4/6/2017	5	5	ND	ug/L
Lead, total	NE-11	7/20/2017	5	5	ND	ug/L
Lead, total	NE-11	10/9/2017	5	5	ND	ug/L
Lead, total	NE-11	9/30/2019	5	5	ND	ug/L
Lead, total	NE-11	1/14/2020	5	5	ND	ug/L
Lead, total	NE-11	7/7/2020	5	5	ND	ug/L
Lead, total	NE-11	1/16/2021	5	5	ND	ug/L
Lead, total	NE-11	1/16/2021	8.68	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-11	7/1/2021	5	5	ND	ug/L
Lead, total	NE-11	1/17/2022	5	5	ND	ug/L
Lead, total	NE-11	1/17/2022	5	5	ND	ug/L
Lead, total	NE-11	7/12/2022	5	5	ND	ug/L
Lead, total	NE-11	1/6/2023	5	5	ND	ug/L
Lead, total	NE-12	3/1/2017	5	5	ND	ug/L
Lead, total	NE-12	4/6/2017	5	5	ND	ug/L
Lead, total	NE-12	7/20/2017	5	5	ND	ug/L
Lead, total	NE-12	10/6/2017	5	5	ND	ug/L
Lead, total	NE-12	8/5/2019	5	5	ND	ug/L
Lead, total	NE-12	1/13/2020	5	5	ND	ug/L
Lead, total	NE-12	7/7/2020	5	5	ND	ug/L
Lead, total	NE-12	1/15/2021	5	5	ND	ug/L
Lead, total	NE-12	1/15/2021	5	5	ND	ug/L
Lead, total	NE-12	7/1/2021	5	5	ND	ug/L
Lead, total	NE-12	1/17/2022	5	5	ND	ug/L
Lead, total	NE-12	1/17/2022	5	5	ND	ug/L
Lead, total	NE-12	7/12/2022	5	5	ND	ug/L
Lead, total	NE-12	1/6/2023	5	5	ND	ug/L
Lead, total	NE-13	2/5/2019	5	5	ND	ug/L
Lead, total	NE-13	8/7/2019	5	5	ND	ug/L
Lead, total	NE-13	1/15/2020	5	5	ND	ug/L
Lead, total	NE-13	7/8/2020	5	5	ND	ug/L
Lead, total	NE-13	1/17/2021	5	5	ND	ug/L
Lead, total	NE-13	1/17/2021	5	5	ND	ug/L
Lead, total	NE-13	7/1/2021	5	5	ND	ug/L
Lead, total	NE-14D	10/2/2019	5	5	ND	ug/L
Lead, total	NE-14D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-14D	4/3/2020	5	5	ND	ug/L
Lead, total	NE-14D	7/7/2020	5	5	ND	ug/L
Lead, total	NE-14D	10/6/2020	5	5	ND	ug/L
Lead, total	NE-14D	1/17/2021	5	5	ND	ug/L
Lead, total	NE-14D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-14D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-14D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-14D	1/18/2022	5	5	ND	ug/L
Lead, total	NE-14D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-14D	7/13/2022	5	5	ND	ug/L
Lead, total	NE-14D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-14D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-14D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-14S	10/2/2019	5	5	ND	ug/L
Lead, total	NE-14S	1/16/2020	5	5	ND	ug/L
Lead, total	NE-14S	4/3/2020	5	5	ND	ug/L
Lead, total	NE-14S	7/7/2020	5	5	ND	ug/L
Lead, total	NE-14S	10/6/2020	5	5	ND	ug/L
Lead, total	NE-14S	1/17/2021	5	5	ND	ug/L
Lead, total	NE-14S	4/9/2021	5	5	ND	ug/L
Lead, total	NE-14S	7/2/2021	5	5	ND	ug/L
Lead, total	NE-14S	10/7/2021	5	5	ND	ug/L
Lead, total	NE-14S	1/18/2022	5	5	ND	ug/L
Lead, total	NE-14S	4/6/2022	5	5	ND	ug/L
Lead, total	NE-14S	7/13/2022	5	5	ND	ug/L
Lead, total	NE-14S	10/7/2022	5	5	ND	ug/L
Lead, total	NE-14S	1/6/2023	5	5	ND	ug/L
Lead, total	NE-14S	4/6/2023	5	5	ND	ug/L
Lead, total	NE-15D	9/30/2019	5	5	ND	ug/L
Lead, total	NE-15D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-15D	4/3/2020	5	5	ND	ug/L
Lead, total	NE-15D	7/7/2020	5	5	ND	ug/L
Lead, total	NE-15D	10/6/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-15D	1/17/2021	5	5	ND	ug/L
Lead, total	NE-15D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-15D	7/2/2021	11.4	5		ug/L
Lead, total	NE-15D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-15D	1/17/2022	5	5	ND	ug/L
Lead, total	NE-15D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-15D	7/13/2022	5	5	ND	ug/L
Lead, total	NE-15D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-15D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-15D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-15S	4/3/2020	5	5	ND	ug/L
Lead, total	NE-2	7/9/2002	5.3	5		ug/L
Lead, total	NE-2	8/6/2002	1	1	ND	ug/L
Lead, total	NE-2	9/4/2002	1	1	ND	ug/L
Lead, total	NE-2	10/2/2002	1	1	ND	ug/L
Lead, total	NE-2	10/1/2013	5	5	ND	ug/L
Lead, total	NE-2	10/8/2014	5	5	ND	ug/L
Lead, total	NE-2	10/5/2015	5	5	ND	ug/L
Lead, total	NE-2	10/6/2016	5	5	ND	ug/L
Lead, total	NE-2	10/5/2017	5	5	ND	ug/L
Lead, total	NE-2	1/25/2018	5	5	ND	ug/L
Lead, total	NE-2	4/10/2018	5	5	ND	ug/L
Lead, total	NE-2	7/10/2018	5	5	ND	ug/L
Lead, total	NE-2	10/1/2018	5	5	ND	ug/L
Lead, total	NE-2	1/4/2019	5	5	ND	ug/L
Lead, total	NE-2	4/2/2019	5	5	ND	ug/L
Lead, total	NE-2	7/9/2019	5	5	ND	ug/L
Lead, total	NE-2	7/9/2019	5	5	ND	ug/L
Lead, total	NE-2	10/2/2019	5	5	ND	ug/L
Lead, total	NE-2	1/14/2020	5	5	ND	ug/L
Lead, total	NE-2	4/1/2020	5	5	ND	ug/L
Lead, total	NE-2	7/7/2020	5	5	ND	ug/L
Lead, total	NE-2	10/6/2020	5	5	ND	ug/L
Lead, total	NE-2	1/14/2021	5	5	ND	ug/L
Lead, total	NE-2	4/9/2021	5	5	ND	ug/L
Lead, total	NE-2	7/2/2021	5	5	ND	ug/L
Lead, total	NE-2	10/6/2021	5	5	ND	ug/L
Lead, total	NE-2	1/18/2022	5	5	ND	ug/L
Lead, total	NE-2	4/6/2022	5	5	ND	ug/L
Lead, total	NE-2	7/13/2022	5	5	ND	ug/L
Lead, total	NE-2	10/7/2022	5	5	ND	ug/L
Lead, total	NE-2	1/5/2023	5	5	ND	ug/L
Lead, total	NE-2	4/5/2023	5	5	ND	ug/L
Lead, total	NE-3	7/9/2002	5	5	ND	ug/L
Lead, total	NE-3	8/6/2002	2.6	1		ug/L
Lead, total	NE-3	9/4/2002	1	1	ND	ug/L
Lead, total	NE-3	10/2/2002	1	1	ND	ug/L
Lead, total	NE-3	3/21/2018	5	5	ND	ug/L
Lead, total	NE-4	7/10/2002	5	5	ND	ug/L
Lead, total	NE-4	8/6/2002	1	1	ND	ug/L
Lead, total	NE-4	9/4/2002	1	1	ND	ug/L
Lead, total	NE-4	10/3/2002	1	1	ND	ug/L
Lead, total	NE-4	7/8/2003	5	5	ND	ug/L
Lead, total	NE-4	1/28/2004	5	5	ND	ug/L
Lead, total	NE-4	1/13/2005	5	5	ND	ug/L
Lead, total	NE-4	8/1/2006	5	5	ND	ug/L
Lead, total	NE-4	8/1/2006	5	5	ND	ug/L
Lead, total	NE-4	10/25/2006	5	5	ND	ug/L
Lead, total	NE-4	1/24/2007	5	5	ND	ug/L
Lead, total	NE-4	7/12/2007	5	5	ND	ug/L
Lead, total	NE-4	1/24/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-4	7/21/2008	5	5	ND	ug/L
Lead, total	NE-4	2/7/2009	5	5	ND	ug/L
Lead, total	NE-4	7/31/2009	5	5	ND	ug/L
Lead, total	NE-4	1/26/2010	5	5	ND	ug/L
Lead, total	NE-4	7/14/2010	5	5	ND	ug/L
Lead, total	NE-4	1/19/2011	5	5	ND	ug/L
Lead, total	NE-4	7/13/2011	5	5	ND	ug/L
Lead, total	NE-4	1/5/2012	5	5	ND	ug/L
Lead, total	NE-4	7/10/2012	4.5	5	ND	ug/L
Lead, total	NE-4	4/30/2013	5	5	ND	ug/L
Lead, total	NE-4	7/16/2013	5	5	ND	ug/L
Lead, total	NE-4	1/23/2014	5	5	ND	ug/L
Lead, total	NE-4	7/9/2014	5	5	ND	ug/L
Lead, total	NE-4	2/13/2015	5	5	ND	ug/L
Lead, total	NE-4	7/8/2015	5	5	ND	ug/L
Lead, total	NE-4	1/6/2016	5	5	ND	ug/L
Lead, total	NE-4	7/20/2016	5	5	ND	ug/L
Lead, total	NE-4	1/11/2017	5	5	ND	ug/L
Lead, total	NE-4	7/19/2017	5	5	ND	ug/L
Lead, total	NE-4	1/26/2018	5	5	ND	ug/L
Lead, total	NE-4	4/10/2018	5	5	ND	ug/L
Lead, total	NE-4	7/12/2018	5	5	ND	ug/L
Lead, total	NE-4	10/3/2018	5	5	ND	ug/L
Lead, total	NE-4	1/7/2019	5	5	ND	ug/L
Lead, total	NE-4	4/2/2019	5	5	ND	ug/L
Lead, total	NE-4	7/8/2019	5	5	ND	ug/L
Lead, total	NE-4	7/8/2019	5	5	ND	ug/L
Lead, total	NE-4	10/1/2019	5	5	ND	ug/L
Lead, total	NE-4	1/13/2020	5	5	ND	ug/L
Lead, total	NE-4	4/1/2020	5	5	ND	ug/L
Lead, total	NE-4	7/6/2020	5	5	ND	ug/L
Lead, total	NE-4	10/5/2020	5	5	ND	ug/L
Lead, total	NE-4	1/15/2021	5	5	ND	ug/L
Lead, total	NE-4	4/9/2021	5	5	ND	ug/L
Lead, total	NE-4	7/2/2021	5	5	ND	ug/L
Lead, total	NE-4	10/6/2021	5	5	ND	ug/L
Lead, total	NE-4	1/5/2023	5	5	ND	ug/L
Lead, total	NE-4	4/6/2023	5	5	ND	ug/L
Lead, total	NE-5	7/9/2002	5	5	ND	ug/L
Lead, total	NE-5	8/6/2002	1.2	1		ug/L
Lead, total	NE-5	9/4/2002	2.1	1		ug/L
Lead, total	NE-5	10/2/2002	1	1	ND	ug/L
Lead, total	NE-5	7/8/2003	5	5	ND	ug/L
Lead, total	NE-5	1/27/2004	5	5	ND	ug/L
Lead, total	NE-5	1/12/2005	5	5	ND	ug/L
Lead, total	NE-5	7/19/2006	5	5	ND	ug/L
Lead, total	NE-5	7/19/2006	5	5	ND	ug/L
Lead, total	NE-5	10/25/2006	5	5	ND	ug/L
Lead, total	NE-5	1/24/2007	5	5	ND	ug/L
Lead, total	NE-5	7/12/2007	5	5	ND	ug/L
Lead, total	NE-5	7/22/2008	5	5	ND	ug/L
Lead, total	NE-5	2/6/2009	5	5	ND	ug/L
Lead, total	NE-5	7/31/2009	5	5	ND	ug/L
Lead, total	NE-5	1/26/2010	5	5	ND	ug/L
Lead, total	NE-5	7/16/2010	5	5	ND	ug/L
Lead, total	NE-5	1/19/2011	5	5	ND	ug/L
Lead, total	NE-5	7/13/2011	5	5	ND	ug/L
Lead, total	NE-5	1/5/2012	5	5	ND	ug/L
Lead, total	NE-5	7/10/2012	5	5	ND	ug/L
Lead, total	NE-5	4/30/2013	5	5	ND	ug/L
Lead, total	NE-5	7/16/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-5	1/23/2014	5	5	ND	ug/L
Lead, total	NE-5	7/9/2014	5	5	ND	ug/L
Lead, total	NE-5	2/11/2015	5	5	ND	ug/L
Lead, total	NE-5	7/14/2015	5	5	ND	ug/L
Lead, total	NE-5	1/6/2016	5	5	ND	ug/L
Lead, total	NE-5	7/20/2016	5	5	ND	ug/L
Lead, total	NE-5	1/11/2017	5	5	ND	ug/L
Lead, total	NE-5	7/19/2017	5	5	ND	ug/L
Lead, total	NE-5	1/25/2018	5	5	ND	ug/L
Lead, total	NE-5	4/10/2018	5	5	ND	ug/L
Lead, total	NE-5	7/17/2018	5	5	ND	ug/L
Lead, total	NE-5	10/3/2018	5	5	ND	ug/L
Lead, total	NE-5	1/4/2019	5	5	ND	ug/L
Lead, total	NE-5	4/2/2019	5	5	ND	ug/L
Lead, total	NE-5	4/2/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	10/3/2019	5	5	ND	ug/L
Lead, total	NE-5	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5	4/2/2020	5	5	ND	ug/L
Lead, total	NE-5	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5E	9/30/2019	5	5	ND	ug/L
Lead, total	NE-5E	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5E	4/1/2020	5	5	ND	ug/L
Lead, total	NE-5E	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5E	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5E	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5E	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5E	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5E	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5E	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5E	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5E	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5E	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5E	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5E	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5W	9/30/2019	5	5	ND	ug/L
Lead, total	NE-5W	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5W	4/2/2020	5	5	ND	ug/L
Lead, total	NE-5W	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5W	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5W	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5W	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5W	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5W	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5W	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5W	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5W	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5W	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5W	9/30/2019	5	5	ND	ug/L
Lead, total	NE-5W	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5W	4/2/2020	5	5	ND	ug/L
Lead, total	NE-5W	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5W	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5W	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5W	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5W	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5W	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5W	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5W	10/7/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-5W	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5W	4/7/2023	5	5	ND	ug/L
Lead, total	NE-6	1/12/2017	5	5	ND	ug/L
Lead, total	NE-6	4/5/2017	2.7	5	ND	ug/L
Lead, total	NE-6	7/19/2017	5	5	ND	ug/L
Lead, total	NE-6	10/6/2017	5	5	ND	ug/L
Lead, total	NE-6	2/4/2019	5	5	ND	ug/L
Lead, total	NE-6	8/6/2019	5	5	ND	ug/L
Lead, total	NE-6	1/15/2020	5	5	ND	ug/L
Lead, total	NE-6	7/9/2020	5	5	ND	ug/L
Lead, total	NE-6	1/16/2021	5	5	ND	ug/L
Lead, total	NE-6	1/16/2021	5	5	ND	ug/L
Lead, total	NE-6	7/1/2021	5	5	ND	ug/L
Lead, total	NE-6	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6	7/12/2022	5	5	ND	ug/L
Lead, total	NE-6	1/5/2023	5	5	ND	ug/L
Lead, total	NE-6D	10/2/2019	5	5	ND	ug/L
Lead, total	NE-6D	1/15/2020	5	5	ND	ug/L
Lead, total	NE-6D	4/2/2020	5	5	ND	ug/L
Lead, total	NE-6D	7/9/2020	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2020	5	5	ND	ug/L
Lead, total	NE-6D	1/15/2021	5	5	ND	ug/L
Lead, total	NE-6D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-6D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-6D	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-6D	7/12/2022	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-6D	1/5/2023	5	5	ND	ug/L
Lead, total	NE-6D	4/7/2023	5	5	ND	ug/L
Lead, total	NE-7	3/1/2017	5	5	ND	ug/L
Lead, total	NE-7	4/6/2017	5	5	ND	ug/L
Lead, total	NE-7	7/20/2017	5	5	ND	ug/L
Lead, total	NE-7	10/5/2017	5	5	ND	ug/L
Lead, total	NE-7	2/6/2019	5	5	ND	ug/L
Lead, total	NE-7	8/6/2019	5	5	ND	ug/L
Lead, total	NE-7	1/16/2020	5	5	ND	ug/L
Lead, total	NE-7	7/7/2020	5	5	ND	ug/L
Lead, total	NE-7	1/16/2021	5	5	ND	ug/L
Lead, total	NE-7	1/16/2021	5	5	ND	ug/L
Lead, total	NE-7	7/1/2021	5	5	ND	ug/L
Lead, total	NE-7	1/17/2022	5	5	ND	ug/L
Lead, total	NE-7	1/17/2022	5	5	ND	ug/L
Lead, total	NE-7	7/12/2022	5	5	ND	ug/L
Lead, total	NE-7	1/5/2023	5	5	ND	ug/L
Lead, total	NE-8	1/12/2017	5	5	ND	ug/L
Lead, total	NE-8	4/5/2017	5	5	ND	ug/L
Lead, total	NE-8	7/20/2017	5	5	ND	ug/L
Lead, total	NE-8	10/6/2017	5	5	ND	ug/L
Lead, total	NE-8	2/4/2019	5	5	ND	ug/L
Lead, total	NE-8	8/5/2019	5	5	ND	ug/L
Lead, total	NE-8	1/15/2020	5	5	ND	ug/L
Lead, total	NE-8	7/8/2020	5	5	ND	ug/L
Lead, total	NE-8	1/13/2021	5	5	ND	ug/L
Lead, total	NE-8	1/13/2021	5	5	ND	ug/L
Lead, total	NE-8	4/9/2021	5	5	ND	ug/L
Lead, total	NE-8	7/1/2021	5	5	ND	ug/L
Lead, total	NE-8	7/1/2021	5	5	ND	ug/L
Lead, total	NE-8	10/7/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-8	1/6/2023	5	5	ND	ug/L
Lead, total	NE-9	1/12/2017	5	5	ND	ug/L
Lead, total	NE-9	4/5/2017	5	5	ND	ug/L
Lead, total	NE-9	7/20/2017	5	5	ND	ug/L
Lead, total	NE-9	10/5/2017	5	5	ND	ug/L
Lead, total	NE-9	2/5/2019	5	5	ND	ug/L
Lead, total	NE-9	8/7/2019	5	5	ND	ug/L
Lead, total	NE-9	1/15/2020	5	5	ND	ug/L
Lead, total	NE-9	7/7/2020	5	5	ND	ug/L
Lead, total	NE-9	1/17/2021	5	5	ND	ug/L
Lead, total	NE-9	1/17/2021	5	5	ND	ug/L
Lead, total	NE-9	7/1/2021	5	5	ND	ug/L
Lead, total	NE-9	1/17/2022	5	5	ND	ug/L
Lead, total	NE-9	1/17/2022	5	5	ND	ug/L
Lead, total	NE-9	7/13/2022	5	5	ND	ug/L
Lead, total	NE-9	1/6/2023	5	5	ND	ug/L
Lead, total	NE-9	4/8/2023	5	5	ND	ug/L
Magnesium, dissolved	LGW-14R	1/25/2006	1.2	0.05		mg/L
Magnesium, dissolved	LGW-2	1/25/2006	5.6	0.05		mg/L
Magnesium, dissolved	LGW-4	1/24/2006	1.9	0.05		mg/L
Magnesium, dissolved	LGW-5	1/25/2006	1.3	0.05		mg/L
Magnesium, dissolved	LGW-6	1/24/2006	2.2	0.05		mg/L
Magnesium, dissolved	LGW-7	1/25/2006	1.8	0.05		mg/L
Magnesium, dissolved	LGW-8R	1/24/2006	2.6	0.05		mg/L
Magnesium, dissolved	MW-10N	7/10/2002	15.5	0.05		mg/L
Magnesium, dissolved	MW-10N	10/2/2002	15.9	0.05		mg/L
Magnesium, dissolved	MW-11N	7/9/2002	0.9	0.05		mg/L
Magnesium, dissolved	MW-11N	10/2/2002	0.85	0.05		mg/L
Magnesium, dissolved	MW-1N	7/9/2002	5	0.05		mg/L
Magnesium, dissolved	MW-1N	10/3/2002	3.9	0.05		mg/L
Magnesium, dissolved	MW-2N	7/10/2002	0.72	0.05		mg/L
Magnesium, dissolved	MW-2N	10/2/2002	0.68	0.05		mg/L
Magnesium, dissolved	MW-3N	7/9/2002	4	0.05		mg/L
Magnesium, dissolved	MW-3N	10/2/2002	4.6	0.05		mg/L
Magnesium, dissolved	MW-7N	7/9/2002	4.2	0.05		mg/L
Magnesium, dissolved	MW-7N	10/2/2002	4.2	0.05		mg/L
Magnesium, dissolved	MW-8N	7/9/2002	3.9	0.05		mg/L
Magnesium, dissolved	MW-8N	10/2/2002	4.4	0.12		mg/L
Magnesium, dissolved	NE-1	7/10/2002	2	0.05		mg/L
Magnesium, dissolved	NE-1	8/6/2002	2	0.05		mg/L
Magnesium, dissolved	NE-1	9/4/2002	1.9	0.05		mg/L
Magnesium, dissolved	NE-1	10/2/2002	2.2	0.05		mg/L
Magnesium, dissolved	NE-2	7/9/2002	8.1	0.05		mg/L
Magnesium, dissolved	NE-2	8/6/2002	5.4	0.05		mg/L
Magnesium, dissolved	NE-2	9/4/2002	4.2	0.05		mg/L
Magnesium, dissolved	NE-2	10/2/2002	5.6	0.05		mg/L
Magnesium, dissolved	NE-3	7/9/2002	3	0.05		mg/L
Magnesium, dissolved	NE-3	8/6/2002	2.9	0.05		mg/L
Magnesium, dissolved	NE-3	9/4/2002	2.7	0.05		mg/L
Magnesium, dissolved	NE-3	10/2/2002	3.3	0.12		mg/L
Magnesium, dissolved	NE-4	7/10/2002	3.5	0.05		mg/L
Magnesium, dissolved	NE-4	8/6/2002	3.4	0.05		mg/L
Magnesium, dissolved	NE-4	9/4/2002	3.2	0.05		mg/L
Magnesium, dissolved	NE-4	10/3/2002	3.6	0.05		mg/L
Magnesium, dissolved	NE-5	7/9/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	8/6/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	9/4/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	10/2/2002	1.6	0.05		mg/L
Magnesium, total	LGW-10	1/26/2006	3.6	1		mg/L
Magnesium, total	LGW-10	8/1/2006	3.8	0.2		mg/L
Magnesium, total	LGW-10	8/1/2006	3.8	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-10	1/25/2007	3.5	0.2		mg/L
Magnesium, total	LGW-10	4/26/2007	3.8	0.2		mg/L
Magnesium, total	LGW-10	7/12/2007	3.7	0.2		mg/L
Magnesium, total	LGW-10	1/23/2008	3.7	0.2		mg/L
Magnesium, total	LGW-10	7/22/2008	3.9	0.2		mg/L
Magnesium, total	LGW-10	7/29/2009	4.5	0.2		mg/L
Magnesium, total	LGW-10	2/3/2010	4.3	0.2		mg/L
Magnesium, total	LGW-10	2/3/2010	4.3	0.2		mg/L
Magnesium, total	LGW-10	7/16/2010	4	0.2		mg/L
Magnesium, total	LGW-10	1/19/2011	4.7	0.2		mg/L
Magnesium, total	LGW-10	7/12/2011	4	0.2		mg/L
Magnesium, total	LGW-10	1/5/2012	4.5	0.2		mg/L
Magnesium, total	LGW-10	7/9/2012	4.5	0.2		mg/L
Magnesium, total	LGW-10	5/1/2013	4.3	0.2		mg/L
Magnesium, total	LGW-10	1/30/2014	4.4	0.2		mg/L
Magnesium, total	LGW-10	7/9/2014	4.2	0.2		mg/L
Magnesium, total	LGW-10	2/12/2015	4.3	0.2		mg/L
Magnesium, total	LGW-10	7/13/2015	3.9	0.2		mg/L
Magnesium, total	LGW-10	1/5/2016	4	0.2		mg/L
Magnesium, total	LGW-10	4/6/2016	4	0.2		mg/L
Magnesium, total	LGW-10	7/21/2016	3.6	0.2		mg/L
Magnesium, total	LGW-10	10/6/2016	4.1	0.2		mg/L
Magnesium, total	LGW-10	1/11/2017	3.8	0.2		mg/L
Magnesium, total	LGW-10	4/4/2017	3.7	0.2		mg/L
Magnesium, total	LGW-10	7/19/2017	3.9	0.2		mg/L
Magnesium, total	LGW-10	10/9/2017	3.7	0.2		mg/L
Magnesium, total	LGW-10	1/24/2018	4	0.2		mg/L
Magnesium, total	LGW-10	4/11/2018	4	0.2		mg/L
Magnesium, total	LGW-10	7/16/2018	3	0.2		mg/L
Magnesium, total	LGW-10	10/4/2018	3.7	0.2		mg/L
Magnesium, total	LGW-10	1/4/2019	4	0.2		mg/L
Magnesium, total	LGW-10	4/3/2019	3.6	0.2		mg/L
Magnesium, total	LGW-10	7/11/2019	3.6	0.2		mg/L
Magnesium, total	LGW-10	7/11/2019	3.4	0.2		mg/L
Magnesium, total	LGW-10	10/2/2019	3.3	0.2		mg/L
Magnesium, total	LGW-10	1/15/2020	3.67	0.2		mg/L
Magnesium, total	LGW-10	7/9/2020	3.56	0.2		mg/L
Magnesium, total	LGW-10	1/17/2021	9.38	0.2		mg/L
Magnesium, total	LGW-10	7/7/2021	3.46	0.2		mg/L
Magnesium, total	LGW-10	7/7/2021	3.43	0.2		mg/L
Magnesium, total	LGW-10	1/13/2022	3.63	0.2		mg/L
Magnesium, total	LGW-10	7/11/2022	3.42	0.2		mg/L
Magnesium, total	LGW-10	1/11/2023	3.6	0.2		mg/L
Magnesium, total	LGW-14R	1/25/2006	6.2	1		mg/L
Magnesium, total	LGW-14R	8/2/2006	2.4	0.2		mg/L
Magnesium, total	LGW-14R	8/2/2006	2.4	0.2		mg/L
Magnesium, total	LGW-14R	1/24/2007	1.1	0.2		mg/L
Magnesium, total	LGW-14R	4/24/2007	1.6	0.2		mg/L
Magnesium, total	LGW-14R	7/11/2007	2.7	0.2		mg/L
Magnesium, total	LGW-14R	1/23/2008	1.1	0.2		mg/L
Magnesium, total	LGW-14R	7/22/2008	1.2	0.2		mg/L
Magnesium, total	LGW-14R	2/6/2009	1.1	0.2		mg/L
Magnesium, total	LGW-14R	7/29/2009	0.83	0.2		mg/L
Magnesium, total	LGW-14R	2/3/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	2/3/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	7/12/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	1/19/2011	0.88	0.2		mg/L
Magnesium, total	LGW-14R	7/12/2011	0.75	0.2		mg/L
Magnesium, total	LGW-14R	1/5/2012	0.81	0.2		mg/L
Magnesium, total	LGW-14R	7/9/2012	0.92	0.2		mg/L
Magnesium, total	LGW-14R	4/30/2013	0.8	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-14R	1/23/2014	0.77	0.2		mg/L
Magnesium, total	LGW-14R	7/8/2014	0.84	0.2		mg/L
Magnesium, total	LGW-14R	2/11/2015	0.87	0.2		mg/L
Magnesium, total	LGW-14R	7/22/2015	0.96	0.2		mg/L
Magnesium, total	LGW-14R	1/5/2016	0.95	0.2		mg/L
Magnesium, total	LGW-14R	7/19/2016	0.94	0.2		mg/L
Magnesium, total	LGW-14R	1/11/2017	0.94	0.2		mg/L
Magnesium, total	LGW-14R	7/18/2017	0.98	0.2		mg/L
Magnesium, total	LGW-14R	1/25/2018	0.95	0.2		mg/L
Magnesium, total	LGW-14R	7/17/2018	0.89	0.2		mg/L
Magnesium, total	LGW-14R	1/3/2019	1	0.2		mg/L
Magnesium, total	LGW-14R	7/10/2019	1.1	0.2		mg/L
Magnesium, total	LGW-14R	1/16/2020	1.04	0.2		mg/L
Magnesium, total	LGW-14R	7/9/2020	1.08	0.2		mg/L
Magnesium, total	LGW-14R	1/18/2021	1.14	0.2		mg/L
Magnesium, total	LGW-14R	1/18/2021	1.14	0.2		mg/L
Magnesium, total	LGW-14R	7/7/2021	1.16	0.2		mg/L
Magnesium, total	LGW-14R	7/7/2021	1.15	0.2		mg/L
Magnesium, total	LGW-14R	1/12/2022	1.25	0.2		mg/L
Magnesium, total	LGW-14R	7/11/2022	1.2	0.2		mg/L
Magnesium, total	LGW-14R	1/10/2023	1.33	0.2		mg/L
Magnesium, total	LGW-2	1/25/2006	6.5	1		mg/L
Magnesium, total	LGW-2	8/1/2006	4.4	0.2		mg/L
Magnesium, total	LGW-2	8/1/2006	4.4	0.2		mg/L
Magnesium, total	LGW-2	1/25/2007	1.7	0.2		mg/L
Magnesium, total	LGW-2	4/26/2007	1.3	0.2		mg/L
Magnesium, total	LGW-2	7/10/2007	4.4	0.2		mg/L
Magnesium, total	LGW-2	1/26/2008	3.1	0.2		mg/L
Magnesium, total	LGW-2	7/23/2008	6.9	0.2		mg/L
Magnesium, total	LGW-2	2/6/2009	6.4	0.2		mg/L
Magnesium, total	LGW-2	7/30/2009	5.2	0.2		mg/L
Magnesium, total	LGW-2	2/3/2010	4.2	0.2		mg/L
Magnesium, total	LGW-2	2/3/2010	4.2	0.2		mg/L
Magnesium, total	LGW-2	7/12/2010	4.6	0.2		mg/L
Magnesium, total	LGW-2	1/19/2011	5.2	0.2		mg/L
Magnesium, total	LGW-2	7/13/2011	1.8	0.2		mg/L
Magnesium, total	LGW-2	1/4/2012	2.1	0.2		mg/L
Magnesium, total	LGW-2	7/9/2012	3.2	0.2		mg/L
Magnesium, total	LGW-2	4/30/2013	1.5	0.2		mg/L
Magnesium, total	LGW-2	7/15/2013	1.3	0.2		mg/L
Magnesium, total	LGW-2	1/30/2014	3.8	0.2		mg/L
Magnesium, total	LGW-2	7/8/2014	3.5	0.2		mg/L
Magnesium, total	LGW-2	2/13/2015	3.3	0.2		mg/L
Magnesium, total	LGW-2	7/8/2015	1.1	0.2		mg/L
Magnesium, total	LGW-2	1/5/2016	1.4	0.2		mg/L
Magnesium, total	LGW-2	7/19/2016	1.4	0.2		mg/L
Magnesium, total	LGW-2	1/11/2017	3.6	0.2		mg/L
Magnesium, total	LGW-2	7/18/2017	1.7	0.2		mg/L
Magnesium, total	LGW-2	1/23/2018	1.8	0.2		mg/L
Magnesium, total	LGW-2	7/12/2018	1.8	0.2		mg/L
Magnesium, total	LGW-2	1/3/2019	1.7	0.2		mg/L
Magnesium, total	LGW-2	7/9/2019	1.7	0.2		mg/L
Magnesium, total	LGW-2	1/13/2020	1.08	0.2		mg/L
Magnesium, total	LGW-2	7/8/2020	0.994	0.2		mg/L
Magnesium, total	LGW-2	1/18/2021	1.1	0.2		mg/L
Magnesium, total	LGW-2	1/18/2021	1.1	0.2		mg/L
Magnesium, total	LGW-2	7/4/2021	1.18	0.2		mg/L
Magnesium, total	LGW-2	7/4/2021	1.06	0.2		mg/L
Magnesium, total	LGW-2	1/12/2022	1.12	0.2		mg/L
Magnesium, total	LGW-2	7/10/2022	1.09	0.2		mg/L
Magnesium, total	LGW-2	1/10/2023	0.994	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-3R	1/24/2006	2.8	1		mg/L
Magnesium, total	LGW-3R	7/20/2006	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/20/2006	2.6	0.2		mg/L
Magnesium, total	LGW-3R	1/25/2007	1.6	0.2		mg/L
Magnesium, total	LGW-3R	4/26/2007	2.3	0.2		mg/L
Magnesium, total	LGW-3R	7/11/2007	2.2	0.2		mg/L
Magnesium, total	LGW-3R	1/26/2008	2.4	0.2		mg/L
Magnesium, total	LGW-3R	7/23/2008	1.3	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2009	2.2	0.2		mg/L
Magnesium, total	LGW-3R	7/31/2009	2	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2010	2.1	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2010	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/16/2010	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/19/2011	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/13/2011	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/4/2012	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/9/2012	2.5	0.2		mg/L
Magnesium, total	LGW-3R	4/30/2013	1.4	0.2		mg/L
Magnesium, total	LGW-3R	7/15/2013	1.9	0.2		mg/L
Magnesium, total	LGW-3R	1/22/2014	2	0.2		mg/L
Magnesium, total	LGW-3R	7/8/2014	2.1	0.2		mg/L
Magnesium, total	LGW-3R	2/10/2015	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/16/2015	2	0.2		mg/L
Magnesium, total	LGW-3R	1/8/2016	0.82	0.2		mg/L
Magnesium, total	LGW-3R	7/21/2016	1.4	0.2		mg/L
Magnesium, total	LGW-3R	1/11/2017	2.4	0.2		mg/L
Magnesium, total	LGW-3R	7/18/2017	2.2	0.2		mg/L
Magnesium, total	LGW-3R	1/23/2018	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/11/2018	2.1	0.2		mg/L
Magnesium, total	LGW-3R	1/3/2019	2.5	0.2		mg/L
Magnesium, total	LGW-3R	7/9/2019	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/14/2020	1.29	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2020	1.53	0.2		mg/L
Magnesium, total	LGW-3R	1/18/2021	1.61	0.2		mg/L
Magnesium, total	LGW-3R	1/18/2021	1.61	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2021	1.67	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2021	1.56	0.2		mg/L
Magnesium, total	LGW-3R	1/12/2022	1.44	0.2		mg/L
Magnesium, total	LGW-3R	7/10/2022	1.22	0.2		mg/L
Magnesium, total	LGW-3R	1/10/2023	1.07	0.2		mg/L
Magnesium, total	LGW-4	1/24/2006	1.9	1		mg/L
Magnesium, total	LGW-4	7/20/2006	2	0.2		mg/L
Magnesium, total	LGW-4	7/20/2006	2	0.2		mg/L
Magnesium, total	LGW-4	1/25/2007	2	0.2		mg/L
Magnesium, total	LGW-4	4/26/2007	1.9	0.2		mg/L
Magnesium, total	LGW-4	7/11/2007	2.3	0.2		mg/L
Magnesium, total	LGW-4	1/22/2008	2	0.2		mg/L
Magnesium, total	LGW-4	7/23/2008	2.1	0.2		mg/L
Magnesium, total	LGW-4	2/3/2009	2.4	0.2		mg/L
Magnesium, total	LGW-4	7/31/2009	1.7	0.2		mg/L
Magnesium, total	LGW-4	2/3/2010	1.7	0.2		mg/L
Magnesium, total	LGW-4	2/3/2010	1.7	0.2		mg/L
Magnesium, total	LGW-4	7/16/2010	1.6	0.2		mg/L
Magnesium, total	LGW-4	1/19/2011	1.8	0.2		mg/L
Magnesium, total	LGW-4	7/13/2011	0.81	0.2		mg/L
Magnesium, total	LGW-4	1/4/2012	1.6	0.2		mg/L
Magnesium, total	LGW-4	7/9/2012	1.8	0.2		mg/L
Magnesium, total	LGW-4	4/30/2013	1.1	0.2		mg/L
Magnesium, total	LGW-4	7/15/2013	1.2	0.2		mg/L
Magnesium, total	LGW-4	1/23/2014	1.4	0.2		mg/L
Magnesium, total	LGW-4	7/8/2014	1.6	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-4	2/11/2015	1.7	0.2		mg/L
Magnesium, total	LGW-4	7/8/2015	1.5	0.2		mg/L
Magnesium, total	LGW-4	1/5/2016	1	0.2		mg/L
Magnesium, total	LGW-4	7/19/2016	1.5	0.2		mg/L
Magnesium, total	LGW-4	1/11/2017	1.8	0.2		mg/L
Magnesium, total	LGW-4	7/18/2017	1.9	0.2		mg/L
Magnesium, total	LGW-4	1/23/2018	2.4	0.2		mg/L
Magnesium, total	LGW-4	7/11/2018	2	0.2		mg/L
Magnesium, total	LGW-4	1/3/2019	2	0.2		mg/L
Magnesium, total	LGW-4	7/9/2019	1.4	0.2		mg/L
Magnesium, total	LGW-4	1/14/2020	1.02	0.2		mg/L
Magnesium, total	LGW-4	7/6/2020	0.973	0.2		mg/L
Magnesium, total	LGW-4	1/18/2021	2.13	0.2		mg/L
Magnesium, total	LGW-4	1/18/2021	2.13	0.2		mg/L
Magnesium, total	LGW-4	7/7/2021	2.07	0.2		mg/L
Magnesium, total	LGW-4	7/7/2021	2.02	0.2		mg/L
Magnesium, total	LGW-4	1/12/2022	1.43	0.2		mg/L
Magnesium, total	LGW-4	7/11/2022	1.37	0.2		mg/L
Magnesium, total	LGW-4	1/10/2023	2.28	0.2		mg/L
Magnesium, total	LGW-5	1/25/2006	1.3	1		mg/L
Magnesium, total	LGW-5	8/1/2006	1.1	0.2		mg/L
Magnesium, total	LGW-5	8/1/2006	1.1	0.2		mg/L
Magnesium, total	LGW-5	1/25/2007	1.8	0.2		mg/L
Magnesium, total	LGW-5	4/26/2007	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/11/2007	2.1	0.2		mg/L
Magnesium, total	LGW-5	1/23/2008	1.1	0.2		mg/L
Magnesium, total	LGW-5	7/23/2008	1.8	0.2		mg/L
Magnesium, total	LGW-5	2/4/2009	1.9	0.2		mg/L
Magnesium, total	LGW-5	7/29/2009	1.7	0.2		mg/L
Magnesium, total	LGW-5	2/3/2010	1.8	0.2		mg/L
Magnesium, total	LGW-5	2/3/2010	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/12/2010	1.6	0.2		mg/L
Magnesium, total	LGW-5	1/19/2011	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/12/2011	1.4	0.2		mg/L
Magnesium, total	LGW-5	1/5/2012	1.5	0.2		mg/L
Magnesium, total	LGW-5	7/9/2012	1.7	0.2		mg/L
Magnesium, total	LGW-5	4/30/2013	1.6	0.2		mg/L
Magnesium, total	LGW-5	7/15/2013	1.4	0.2		mg/L
Magnesium, total	LGW-5	1/23/2014	1.4	0.2		mg/L
Magnesium, total	LGW-5	7/8/2014	2	0.2		mg/L
Magnesium, total	LGW-5	2/10/2015	2.6	0.2		mg/L
Magnesium, total	LGW-5	7/8/2015	2	0.2		mg/L
Magnesium, total	LGW-5	1/5/2016	2.1	0.2		mg/L
Magnesium, total	LGW-5	7/19/2016	2.4	0.2		mg/L
Magnesium, total	LGW-5	1/11/2017	2.5	0.2		mg/L
Magnesium, total	LGW-5	7/18/2017	2.4	0.2		mg/L
Magnesium, total	LGW-5	1/23/2018	2.7	0.2		mg/L
Magnesium, total	LGW-5	7/12/2018	2.5	0.2		mg/L
Magnesium, total	LGW-5	1/3/2019	3	0.2		mg/L
Magnesium, total	LGW-5	7/9/2019	3	0.2		mg/L
Magnesium, total	LGW-5	1/14/2020	3.39	0.2		mg/L
Magnesium, total	LGW-5	7/6/2020	3.42	0.2		mg/L
Magnesium, total	LGW-5	1/18/2021	4.25	0.2		mg/L
Magnesium, total	LGW-5	1/18/2021	4.25	0.2		mg/L
Magnesium, total	LGW-5	7/7/2021	4.24	0.2		mg/L
Magnesium, total	LGW-5	7/7/2021	4.33	0.2		mg/L
Magnesium, total	LGW-5	1/12/2022	4.34	0.2		mg/L
Magnesium, total	LGW-5	7/11/2022	4.04	0.2		mg/L
Magnesium, total	LGW-5	1/10/2023	4.18	0.2		mg/L
Magnesium, total	LGW-6	1/24/2006	2.3	1		mg/L
Magnesium, total	LGW-6	7/20/2006	2.2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-6	7/20/2006	2.2	0.2		mg/L
Magnesium, total	LGW-6	1/24/2007	1.8	0.2		mg/L
Magnesium, total	LGW-6	4/26/2007	1.8	0.2		mg/L
Magnesium, total	LGW-6	7/11/2007	2.1	0.2		mg/L
Magnesium, total	LGW-6	1/23/2008	1.9	0.2		mg/L
Magnesium, total	LGW-6	7/23/2008	2	0.2		mg/L
Magnesium, total	LGW-6	2/5/2009	2.1	0.2		mg/L
Magnesium, total	LGW-6	7/29/2009	2.1	0.2		mg/L
Magnesium, total	LGW-6	2/3/2010	2	0.2		mg/L
Magnesium, total	LGW-6	2/3/2010	2	0.2		mg/L
Magnesium, total	LGW-6	7/12/2010	1.9	0.2		mg/L
Magnesium, total	LGW-6	1/19/2011	2	0.2		mg/L
Magnesium, total	LGW-6	7/12/2011	1.8	0.2		mg/L
Magnesium, total	LGW-6	1/5/2012	2	0.2		mg/L
Magnesium, total	LGW-6	7/9/2012	2	0.2		mg/L
Magnesium, total	LGW-6	4/30/2013	2	0.2		mg/L
Magnesium, total	LGW-6	7/15/2013	1.9	0.2		mg/L
Magnesium, total	LGW-6	1/23/2014	2	0.2		mg/L
Magnesium, total	LGW-6	7/8/2014	1.9	0.2		mg/L
Magnesium, total	LGW-6	2/10/2015	2.2	0.2		mg/L
Magnesium, total	LGW-6	7/22/2015	2.2	0.2		mg/L
Magnesium, total	LGW-6	1/5/2016	2.3	0.2		mg/L
Magnesium, total	LGW-6	7/19/2016	3	0.2		mg/L
Magnesium, total	LGW-6	10/6/2016	3.7	0.2		mg/L
Magnesium, total	LGW-6	1/11/2017	3.2	0.2		mg/L
Magnesium, total	LGW-6	5/5/2017	3.8	1		mg/L
Magnesium, total	LGW-6	7/18/2017	3.2	0.2		mg/L
Magnesium, total	LGW-6	10/5/2017	2.7	0.4		mg/L
Magnesium, total	LGW-6	1/23/2018	3.5	1		mg/L
Magnesium, total	LGW-6	4/10/2018	3.4	0.2		mg/L
Magnesium, total	LGW-6	7/17/2018	3.4	0.2		mg/L
Magnesium, total	LGW-6	10/2/2018	3.8	0.4		mg/L
Magnesium, total	LGW-6	1/7/2019	3.7	0.2		mg/L
Magnesium, total	LGW-6	4/3/2019	3.7	0.2		mg/L
Magnesium, total	LGW-6	7/10/2019	3.9	0.2		mg/L
Magnesium, total	LGW-6	7/10/2019	3.8	0.2		mg/L
Magnesium, total	LGW-6	10/3/2019	3.6	0.2		mg/L
Magnesium, total	LGW-6	1/16/2020	4.27	0.2		mg/L
Magnesium, total	LGW-6	7/9/2020	4.65	0.2		mg/L
Magnesium, total	LGW-6	1/18/2021	5.1	0.2		mg/L
Magnesium, total	LGW-6	7/7/2021	4.51	0.2		mg/L
Magnesium, total	LGW-6	7/7/2021	4.68	0.2		mg/L
Magnesium, total	LGW-6	1/12/2022	4.51	0.2		mg/L
Magnesium, total	LGW-6	7/11/2022	4.44	0.2		mg/L
Magnesium, total	LGW-6	1/10/2023	4.46	0.2		mg/L
Magnesium, total	LGW-7	1/25/2006	1.8	1		mg/L
Magnesium, total	LGW-7	8/1/2006	1.6	0.2		mg/L
Magnesium, total	LGW-7	8/1/2006	1.6	0.2		mg/L
Magnesium, total	LGW-7	1/24/2007	2.2	0.2		mg/L
Magnesium, total	LGW-7	4/26/2007	2.1	0.2		mg/L
Magnesium, total	LGW-7	7/12/2007	2.3	0.2		mg/L
Magnesium, total	LGW-7	7/22/2008	2.1	0.2		mg/L
Magnesium, total	LGW-7	2/4/2009	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/31/2009	2	0.2		mg/L
Magnesium, total	LGW-7	1/27/2010	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/12/2010	1.9	0.2		mg/L
Magnesium, total	LGW-7	1/20/2011	2.4	0.2		mg/L
Magnesium, total	LGW-7	7/12/2011	1.9	0.2		mg/L
Magnesium, total	LGW-7	1/5/2012	2.3	0.2		mg/L
Magnesium, total	LGW-7	7/10/2012	2.5	0.2		mg/L
Magnesium, total	LGW-7	4/30/2013	2.2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-7	7/15/2013	2.3	0.2		mg/L
Magnesium, total	LGW-7	1/23/2014	2.8	0.2		mg/L
Magnesium, total	LGW-7	7/8/2014	3.1	0.2		mg/L
Magnesium, total	LGW-7	2/11/2015	4	0.2		mg/L
Magnesium, total	LGW-7	7/22/2015	3.9	0.2		mg/L
Magnesium, total	LGW-7	1/5/2016	4.4	0.2		mg/L
Magnesium, total	LGW-7	4/6/2016	5.1	0.2		mg/L
Magnesium, total	LGW-7	7/20/2016	4.6	0.2		mg/L
Magnesium, total	LGW-7	10/6/2016	4.6	0.2		mg/L
Magnesium, total	LGW-7	1/11/2017	2.3	0.2		mg/L
Magnesium, total	LGW-7	4/4/2017	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/18/2017	1.2	0.2		mg/L
Magnesium, total	LGW-7	10/5/2017	3.5	0.4		mg/L
Magnesium, total	LGW-7	1/24/2018	4	1		mg/L
Magnesium, total	LGW-7	4/11/2018	3.9	0.2		mg/L
Magnesium, total	LGW-7	7/12/2018	3.4	0.2		mg/L
Magnesium, total	LGW-7	10/2/2018	3.8	0.2		mg/L
Magnesium, total	LGW-7	1/7/2019	3.4	0.2		mg/L
Magnesium, total	LGW-7	4/3/2019	3.2	0.2		mg/L
Magnesium, total	LGW-7	7/10/2019	3.4	0.2		mg/L
Magnesium, total	LGW-7	7/10/2019	3.7	0.2		mg/L
Magnesium, total	LGW-7	10/3/2019	2.6	0.2		mg/L
Magnesium, total	LGW-7	1/15/2020	2.79	0.2		mg/L
Magnesium, total	LGW-7	7/9/2020	1.71	0.2		mg/L
Magnesium, total	LGW-7	1/18/2021	1.65	0.2		mg/L
Magnesium, total	LGW-7	7/7/2021	1.88	0.2		mg/L
Magnesium, total	LGW-7	7/7/2021	2.06	0.2		mg/L
Magnesium, total	LGW-7	1/13/2022	1.67	0.2		mg/L
Magnesium, total	LGW-7	7/11/2022	3.03	0.2		mg/L
Magnesium, total	LGW-7	1/11/2023	1.64	0.2		mg/L
Magnesium, total	LGW-8R	1/24/2006	2.7	1		mg/L
Magnesium, total	LGW-8R	7/20/2006	2.8	0.2		mg/L
Magnesium, total	LGW-8R	7/20/2006	2.8	0.2		mg/L
Magnesium, total	LGW-8R	1/24/2007	2.8	0.2		mg/L
Magnesium, total	LGW-8R	4/25/2007	2.9	0.2		mg/L
Magnesium, total	LGW-8R	7/12/2007	3.1	0.2		mg/L
Magnesium, total	LGW-8R	2/4/2009	2.1	0.2	ND	mg/L
Magnesium, total	LGW-8R	7/29/2009	2	0.2		mg/L
Magnesium, total	LGW-8R	1/27/2010	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/14/2010	1.9	0.2		mg/L
Magnesium, total	LGW-8R	1/20/2011	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/12/2011	1.8	0.2		mg/L
Magnesium, total	LGW-8R	1/5/2012	2.2	0.2		mg/L
Magnesium, total	LGW-8R	7/9/2012	2.1	0.2		mg/L
Magnesium, total	LGW-8R	4/30/2013	2.1	0.2	ND	mg/L
Magnesium, total	LGW-8R	7/15/2013	1.8	0.2	ND	mg/L
Magnesium, total	LGW-8R	1/22/2014	1.9	0.2		mg/L
Magnesium, total	LGW-8R	7/8/2014	1.9	0.2		mg/L
Magnesium, total	LGW-8R	2/11/2015	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/22/2015	2.2	0.2		mg/L
Magnesium, total	LGW-8R	1/5/2016	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/20/2016	2.3	0.2		mg/L
Magnesium, total	LGW-8R	1/11/2017	2.2	0.2		mg/L
Magnesium, total	LGW-8R	7/18/2017	2.5	0.2		mg/L
Magnesium, total	LGW-8R	1/25/2018	2.6	0.2		mg/L
Magnesium, total	LGW-8R	7/13/2018	2.4	0.2		mg/L
Magnesium, total	LGW-8R	1/7/2019	2.6	0.2		mg/L
Magnesium, total	LGW-8R	7/8/2019	2.7	0.2		mg/L
Magnesium, total	LGW-8R	1/14/2020	2.67	0.2		mg/L
Magnesium, total	LGW-8R	7/7/2020	2.68	0.2		mg/L
Magnesium, total	LGW-8R	1/17/2021	2.86	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-8R	7/7/2021	2.92	0.2		mg/L
Magnesium, total	LGW-8R	7/7/2021	3.05	0.2		mg/L
Magnesium, total	LGW-8R	1/13/2022	3.07	0.2		mg/L
Magnesium, total	LGW-8R	7/11/2022	3.02	0.2		mg/L
Magnesium, total	LGW-8R	1/11/2023	3.1	0.2		mg/L
Magnesium, total	LGW-9	1/25/2006	4.8	1		mg/L
Magnesium, total	LGW-9	7/20/2006	4.4	0.2		mg/L
Magnesium, total	LGW-9	7/20/2006	4.4	0.2		mg/L
Magnesium, total	LGW-9	1/25/2007	4	0.2		mg/L
Magnesium, total	LGW-9	4/25/2007	4.4	0.2		mg/L
Magnesium, total	LGW-9	7/10/2007	4.5	0.2		mg/L
Magnesium, total	LGW-9	7/22/2008	4.4	0.2		mg/L
Magnesium, total	LGW-9	2/4/2009	3.9	0.2		mg/L
Magnesium, total	LGW-9	7/29/2009	3.8	0.2		mg/L
Magnesium, total	LGW-9	1/27/2010	4.3	0.2		mg/L
Magnesium, total	LGW-9	7/14/2010	4.2	0.2		mg/L
Magnesium, total	LGW-9	1/20/2011	4.8	0.2		mg/L
Magnesium, total	LGW-9	7/12/2011	4.6	0.2		mg/L
Magnesium, total	LGW-9	1/5/2012	4.9	0.2		mg/L
Magnesium, total	LGW-9	7/10/2012	4.8	0.2		mg/L
Magnesium, total	LGW-9	5/1/2013	5.1	0.2		mg/L
Magnesium, total	LGW-9	7/15/2013	4	0.2		mg/L
Magnesium, total	LGW-9	1/23/2014	3.6	0.2		mg/L
Magnesium, total	LGW-9	7/8/2014	3.9	0.2		mg/L
Magnesium, total	LGW-9	2/11/2015	5.5	0.2		mg/L
Magnesium, total	LGW-9	7/13/2015	4.5	0.2		mg/L
Magnesium, total	LGW-9	1/5/2016	4.6	0.2		mg/L
Magnesium, total	LGW-9	7/21/2016	5.8	0.2		mg/L
Magnesium, total	LGW-9	10/6/2016	6.8	0.2		mg/L
Magnesium, total	LGW-9	1/11/2017	6.9	0.2		mg/L
Magnesium, total	LGW-9	5/5/2017	7.4	0.2		mg/L
Magnesium, total	LGW-9	7/18/2017	7.9	0.2		mg/L
Magnesium, total	LGW-9	10/5/2017	6.8	0.2		mg/L
Magnesium, total	LGW-9	1/24/2018	8	0.2		mg/L
Magnesium, total	LGW-9	4/11/2018	9.8	0.2		mg/L
Magnesium, total	LGW-9	7/13/2018	9.1	0.2		mg/L
Magnesium, total	LGW-9	10/2/2018	8.9	0.2		mg/L
Magnesium, total	LGW-9	1/7/2019	8.5	0.2		mg/L
Magnesium, total	LGW-9	4/3/2019	9.7	0.2		mg/L
Magnesium, total	LGW-9	7/10/2019	7.9	0.2		mg/L
Magnesium, total	LGW-9	7/10/2019	7.8	0.2		mg/L
Magnesium, total	LGW-9	10/3/2019	6.1	0.2		mg/L
Magnesium, total	LGW-9	1/16/2020	6.75	0.2		mg/L
Magnesium, total	LGW-9	7/9/2020	6.67	0.2		mg/L
Magnesium, total	LGW-9	1/17/2021	3.72	0.2		mg/L
Magnesium, total	LGW-9	7/7/2021	9.68	0.2		mg/L
Magnesium, total	LGW-9	7/7/2021	9.45	0.2		mg/L
Magnesium, total	LGW-9	1/13/2022	7.92	0.2		mg/L
Magnesium, total	LGW-9	7/11/2022	8.13	0.2		mg/L
Magnesium, total	LGW-9	1/11/2023	7.45	0.2		mg/L
Magnesium, total	MW-10N	10/22/1997	15.3	0.05		mg/L
Magnesium, total	MW-10N	1/22/1998	13.9	0.05		mg/L
Magnesium, total	MW-10N	4/28/1998	15.2	0.05		mg/L
Magnesium, total	MW-10N	7/23/1998	16.1	0.05		mg/L
Magnesium, total	MW-10N	7/8/2003	15	1		mg/L
Magnesium, total	MW-10N	1/28/2004	15.7	1		mg/L
Magnesium, total	MW-10N	7/27/2004	15.9	1		mg/L
Magnesium, total	MW-10N	1/12/2005	14.4	1		mg/L
Magnesium, total	MW-10N	7/20/2005	11.9	1		mg/L
Magnesium, total	MW-10N	1/19/2006	16.2	1		mg/L
Magnesium, total	MW-10N	7/19/2006	14	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-10N	7/19/2006	14	0.2		mg/L
Magnesium, total	MW-10N	1/24/2007	14	0.2		mg/L
Magnesium, total	MW-10N	7/10/2007	11	0.2		mg/L
Magnesium, total	MW-10N	1/23/2008	12	0.2		mg/L
Magnesium, total	MW-10N	7/21/2008	12	0.2		mg/L
Magnesium, total	MW-10N	2/13/2009	14	0.2		mg/L
Magnesium, total	MW-10N	7/31/2009	13	0.2		mg/L
Magnesium, total	MW-10N	1/27/2010	14	0.2		mg/L
Magnesium, total	MW-10N	8/10/2010	13	0.2		mg/L
Magnesium, total	MW-10N	1/19/2011	13	0.2		mg/L
Magnesium, total	MW-10N	7/14/2011	11	0.2		mg/L
Magnesium, total	MW-10N	1/5/2012	12	0.2		mg/L
Magnesium, total	MW-10N	7/10/2012	11	0.2		mg/L
Magnesium, total	MW-10N	5/1/2013	12	0.2		mg/L
Magnesium, total	MW-10N	1/24/2014	11	0.2		mg/L
Magnesium, total	MW-10N	7/9/2014	12	0.2		mg/L
Magnesium, total	MW-10N	2/12/2015	12	0.2		mg/L
Magnesium, total	MW-10N	7/14/2015	12	0.2		mg/L
Magnesium, total	MW-10N	1/6/2016	12	0.2		mg/L
Magnesium, total	MW-10N	7/21/2016	12	0.2		mg/L
Magnesium, total	MW-10N	1/11/2017	12	0.2		mg/L
Magnesium, total	MW-10N	7/19/2017	11	0.2		mg/L
Magnesium, total	MW-10N	1/24/2018	13	0.2		mg/L
Magnesium, total	MW-10N	7/11/2018	11	0.2		mg/L
Magnesium, total	MW-10N	1/3/2019	12	0.2		mg/L
Magnesium, total	MW-10N	7/9/2019	11	0.2		mg/L
Magnesium, total	MW-10N	1/16/2020	11.7	0.2		mg/L
Magnesium, total	MW-10N	7/8/2020	10.3	0.2		mg/L
Magnesium, total	MW-10N	1/13/2021	10.3	0.2		mg/L
Magnesium, total	MW-10N	7/5/2021	10.2	0.2		mg/L
Magnesium, total	MW-10N	7/5/2021	10.8	0.2		mg/L
Magnesium, total	MW-10N	1/11/2023	10.3	0.2		mg/L
Magnesium, total	MW-11N	10/22/1997	3.6	0.05		mg/L
Magnesium, total	MW-11N	1/21/1998	1.3	0.05		mg/L
Magnesium, total	MW-11N	4/28/1998	1.3	0.05		mg/L
Magnesium, total	MW-11N	7/23/1998	1	0.05		mg/L
Magnesium, total	MW-11N	7/8/2003	1	1		mg/L
Magnesium, total	MW-11N	1/29/2004	1	1		mg/L
Magnesium, total	MW-11N	7/27/2004	1	1		mg/L
Magnesium, total	MW-11N	1/13/2005	1	1	ND	mg/L
Magnesium, total	MW-11N	7/20/2005	1	1	ND	mg/L
Magnesium, total	MW-11N	1/19/2006	1.1	1		mg/L
Magnesium, total	MW-11N	7/18/2006	1	0.2		mg/L
Magnesium, total	MW-11N	7/18/2006	1	0.2		mg/L
Magnesium, total	MW-11N	1/24/2007	0.86	0.2		mg/L
Magnesium, total	MW-11N	7/10/2007	0.78	0.2		mg/L
Magnesium, total	MW-11N	1/22/2008	0.69	0.2		mg/L
Magnesium, total	MW-11N	7/23/2008	0.63	0.2		mg/L
Magnesium, total	MW-11N	2/3/2009	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/31/2009	0.69	0.2		mg/L
Magnesium, total	MW-11N	2/3/2010	0.63	0.2		mg/L
Magnesium, total	MW-11N	2/3/2010	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/16/2010	0.61	0.2		mg/L
Magnesium, total	MW-11N	1/19/2011	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/13/2011	0.58	0.2		mg/L
Magnesium, total	MW-11N	1/4/2012	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/9/2012	0.7	0.2		mg/L
Magnesium, total	MW-11N	4/30/2013	0.73	0.2		mg/L
Magnesium, total	MW-11N	7/15/2013	0.62	0.2		mg/L
Magnesium, total	MW-11N	1/23/2014	0.64	0.2		mg/L
Magnesium, total	MW-11N	7/8/2014	0.74	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-11N	2/10/2015	0.66	0.2		mg/L
Magnesium, total	MW-11N	7/13/2015	0.72	0.2		mg/L
Magnesium, total	MW-11N	1/5/2016	0.65	0.2		mg/L
Magnesium, total	MW-11N	7/21/2016	0.7	0.2		mg/L
Magnesium, total	MW-11N	1/11/2017	0.69	0.2		mg/L
Magnesium, total	MW-11N	7/19/2017	0.75	0.2		mg/L
Magnesium, total	MW-11N	1/23/2018	0.71	0.2		mg/L
Magnesium, total	MW-11N	7/17/2018	0.66	0.2		mg/L
Magnesium, total	MW-11N	1/2/2019	0.73	0.2		mg/L
Magnesium, total	MW-11N	7/9/2019	0.7	0.2		mg/L
Magnesium, total	MW-11N	1/14/2020	0.66	0.2		mg/L
Magnesium, total	MW-11N	7/6/2020	0.658	0.2		mg/L
Magnesium, total	MW-11N	1/18/2021	0.622	0.2		mg/L
Magnesium, total	MW-11N	1/18/2021	0.622	0.2		mg/L
Magnesium, total	MW-11N	7/6/2021	0.661	0.2		mg/L
Magnesium, total	MW-11N	7/6/2021	0.68	0.2		mg/L
Magnesium, total	MW-11N	1/18/2022	0.664	0.2		mg/L
Magnesium, total	MW-11N	7/13/2022	0.66	0.2		mg/L
Magnesium, total	MW-11N	1/10/2023	0.604	0.2		mg/L
Magnesium, total	MW-15	6/5/2015	1.4	0.2		mg/L
Magnesium, total	MW-15	7/15/2015	1.1	0.2		mg/L
Magnesium, total	MW-15	8/5/2015	1.6	0.2		mg/L
Magnesium, total	MW-15	9/3/2015	1.3	0.2		mg/L
Magnesium, total	MW-15	1/7/2016	1.9	0.2		mg/L
Magnesium, total	MW-15	4/5/2016	1.5	0.2		mg/L
Magnesium, total	MW-15	7/20/2016	1.4	0.2		mg/L
Magnesium, total	MW-15	10/6/2016	1.3	0.2		mg/L
Magnesium, total	MW-15	1/10/2017	1.3	0.2		mg/L
Magnesium, total	MW-15	7/18/2017	2.2	0.2		mg/L
Magnesium, total	MW-15	1/23/2018	2.2	0.2		mg/L
Magnesium, total	MW-15	7/10/2018	2.1	0.2		mg/L
Magnesium, total	MW-15	1/3/2019	2.3	0.2		mg/L
Magnesium, total	MW-15	7/9/2019	1.6	0.2		mg/L
Magnesium, total	MW-15	1/14/2020	1.99	0.2		mg/L
Magnesium, total	MW-15	7/7/2020	2.19	0.2		mg/L
Magnesium, total	MW-15	1/18/2021	3.23	0.2		mg/L
Magnesium, total	MW-15	1/18/2021	3.23	0.2		mg/L
Magnesium, total	MW-15	7/4/2021	3.64	0.2		mg/L
Magnesium, total	MW-15	7/4/2021	3.74	0.2		mg/L
Magnesium, total	MW-15	1/12/2022	4.68	0.2		mg/L
Magnesium, total	MW-15	7/10/2022	3.99	0.2		mg/L
Magnesium, total	MW-15	1/10/2023	4.24	0.2		mg/L
Magnesium, total	MW-16	6/5/2015	1.8	0.2		mg/L
Magnesium, total	MW-16	7/16/2015	1.6	0.2		mg/L
Magnesium, total	MW-16	8/5/2015	1.9	0.2		mg/L
Magnesium, total	MW-16	9/3/2015	2.3	0.2		mg/L
Magnesium, total	MW-16	1/8/2016	2.1	0.2		mg/L
Magnesium, total	MW-16	4/5/2016	2.4	0.2		mg/L
Magnesium, total	MW-16	7/21/2016	1.8	0.2		mg/L
Magnesium, total	MW-16	10/5/2016	1.6	0.2		mg/L
Magnesium, total	MW-16	1/10/2017	1.9	0.2		mg/L
Magnesium, total	MW-16	7/18/2017	2	0.2		mg/L
Magnesium, total	MW-16	1/23/2018	1.4	0.2		mg/L
Magnesium, total	MW-16	7/11/2018	1.4	0.2		mg/L
Magnesium, total	MW-16	1/2/2019	1.4	0.2		mg/L
Magnesium, total	MW-16	7/10/2019	1.3	0.2		mg/L
Magnesium, total	MW-16	1/14/2020	1.58	0.2		mg/L
Magnesium, total	MW-16	7/7/2020	1.46	0.2		mg/L
Magnesium, total	MW-16	1/18/2021	1.21	0.2		mg/L
Magnesium, total	MW-16	1/18/2021	1.21	0.2		mg/L
Magnesium, total	MW-16	7/4/2021	1.36	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-16	7/4/2021	1.31	0.2		mg/L
Magnesium, total	MW-16	1/12/2022	1.21	0.2		mg/L
Magnesium, total	MW-16	7/10/2022	1.39	0.2		mg/L
Magnesium, total	MW-16	1/10/2023	1.13	0.2		mg/L
Magnesium, total	MW-17	6/5/2015	1.3	0.2		mg/L
Magnesium, total	MW-17	7/15/2015	1.2	0.2		mg/L
Magnesium, total	MW-17	8/4/2015	1.3	0.2		mg/L
Magnesium, total	MW-17	9/2/2015	1.4	0.2		mg/L
Magnesium, total	MW-17	1/7/2016	0.44	0.2		mg/L
Magnesium, total	MW-17	4/5/2016	1.1	0.2		mg/L
Magnesium, total	MW-17	7/20/2016	1.2	0.2		mg/L
Magnesium, total	MW-17	10/6/2016	3.1	0.2		mg/L
Magnesium, total	MW-17	1/10/2017	3	0.2		mg/L
Magnesium, total	MW-17	7/18/2017	3.3	0.2		mg/L
Magnesium, total	MW-17	1/23/2018	2.1	0.2		mg/L
Magnesium, total	MW-17	7/10/2018	2.5	0.2		mg/L
Magnesium, total	MW-17	1/3/2019	2.6	0.2		mg/L
Magnesium, total	MW-17	7/11/2019	3.1	0.2		mg/L
Magnesium, total	MW-17	1/14/2020	3.88	0.2		mg/L
Magnesium, total	MW-17	7/6/2020	3.89	0.2		mg/L
Magnesium, total	MW-17	1/14/2021	2.59	0.2		mg/L
Magnesium, total	MW-17	7/4/2021	4.32	0.2		mg/L
Magnesium, total	MW-17	7/4/2021	4.4	0.2		mg/L
Magnesium, total	MW-17	1/10/2023	3.05	0.2		mg/L
Magnesium, total	MW-19	6/5/2015	2.2	0.2		mg/L
Magnesium, total	MW-19	7/16/2015	2.9	0.2		mg/L
Magnesium, total	MW-19	8/5/2015	1.9	0.2		mg/L
Magnesium, total	MW-19	9/3/2015	2	0.2		mg/L
Magnesium, total	MW-19	1/7/2016	2.1	0.2		mg/L
Magnesium, total	MW-19	4/5/2016	2.2	0.2		mg/L
Magnesium, total	MW-19	7/21/2016	1.5	0.2		mg/L
Magnesium, total	MW-19	10/5/2016	2	0.2		mg/L
Magnesium, total	MW-19	1/10/2017	1.8	0.2		mg/L
Magnesium, total	MW-19	7/18/2017	5.6	0.2		mg/L
Magnesium, total	MW-19	1/23/2018	2	0.2		mg/L
Magnesium, total	MW-19	7/13/2018	1.5	0.2		mg/L
Magnesium, total	MW-19	1/7/2019	1.5	0.2		mg/L
Magnesium, total	MW-19	7/11/2019	2.1	0.2		mg/L
Magnesium, total	MW-19	1/14/2020	3.53	0.2		mg/L
Magnesium, total	MW-19	7/6/2020	3.24	0.2		mg/L
Magnesium, total	MW-19	1/14/2021	3.34	0.2		mg/L
Magnesium, total	MW-19	7/4/2021	2.84	0.2		mg/L
Magnesium, total	MW-19	7/4/2021	2.96	0.2		mg/L
Magnesium, total	MW-19	1/11/2023	1.69	0.2		mg/L
Magnesium, total	MW-1N	10/22/1997	2.8	0.05		mg/L
Magnesium, total	MW-1N	1/20/1998	3.7	0.05		mg/L
Magnesium, total	MW-1N	4/28/1998	3	0.05		mg/L
Magnesium, total	MW-1N	7/23/1998	3.8	0.05		mg/L
Magnesium, total	MW-1N	7/8/2003	2.5	1		mg/L
Magnesium, total	MW-1N	1/28/2004	3	1		mg/L
Magnesium, total	MW-1N	7/27/2004	3.3	1		mg/L
Magnesium, total	MW-1N	1/12/2005	3.2	1		mg/L
Magnesium, total	MW-1N	7/20/2005	3.1	1		mg/L
Magnesium, total	MW-1N	1/18/2006	3.6	1		mg/L
Magnesium, total	MW-1N	7/18/2006	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/18/2006	3.3	0.2		mg/L
Magnesium, total	MW-1N	1/26/2007	3.4	0.2		mg/L
Magnesium, total	MW-1N	7/11/2007	3.4	0.2		mg/L
Magnesium, total	MW-1N	1/24/2008	3.2	0.2		mg/L
Magnesium, total	MW-1N	7/21/2008	3.1	0.2		mg/L
Magnesium, total	MW-1N	2/5/2009	3.2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-1N	7/31/2009	3.1	0.2		mg/L
Magnesium, total	MW-1N	1/26/2010	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/13/2010	2.9	0.2		mg/L
Magnesium, total	MW-1N	1/20/2011	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/13/2011	2.3	0.2		mg/L
Magnesium, total	MW-1N	1/5/2012	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/10/2012	2.8	0.2		mg/L
Magnesium, total	MW-1N	5/1/2013	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/16/2013	2.9	0.2		mg/L
Magnesium, total	MW-1N	1/24/2014	2.9	0.2		mg/L
Magnesium, total	MW-1N	7/9/2014	3.1	0.2		mg/L
Magnesium, total	MW-1N	2/10/2015	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/14/2015	2.7	0.2		mg/L
Magnesium, total	MW-1N	1/6/2016	2.5	0.2		mg/L
Magnesium, total	MW-1N	7/21/2016	3	0.2		mg/L
Magnesium, total	MW-1N	1/12/2017	3.4	0.2		mg/L
Magnesium, total	MW-1N	7/19/2017	3.6	0.2		mg/L
Magnesium, total	MW-1N	1/23/2018	3.2	0.2		mg/L
Magnesium, total	MW-1N	7/10/2018	3	0.2		mg/L
Magnesium, total	MW-1N	1/3/2019	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/11/2019	3.2	0.2		mg/L
Magnesium, total	MW-1N	1/23/2020	3.6	0.2		mg/L
Magnesium, total	MW-1N	7/6/2020	3.54	0.2		mg/L
Magnesium, total	MW-1N	1/14/2021	3.15	0.2		mg/L
Magnesium, total	MW-1N	7/4/2021	3.27	0.2		mg/L
Magnesium, total	MW-1N	7/4/2021	3.28	0.2		mg/L
Magnesium, total	MW-1N	1/11/2023	3.23	0.2		mg/L
Magnesium, total	MW-20	6/5/2015	3.1	0.2		mg/L
Magnesium, total	MW-20	7/14/2015	3	0.2		mg/L
Magnesium, total	MW-20	8/4/2015	3.3	0.2		mg/L
Magnesium, total	MW-20	9/2/2015	3.2	0.2		mg/L
Magnesium, total	MW-20	1/7/2016	4.4	0.2		mg/L
Magnesium, total	MW-20	4/5/2016	2.6	0.2		mg/L
Magnesium, total	MW-20	7/20/2016	2.3	0.2		mg/L
Magnesium, total	MW-20	10/5/2016	2.1	0.2		mg/L
Magnesium, total	MW-20	1/12/2017	2.2	0.2		mg/L
Magnesium, total	MW-20	7/18/2017	2.6	0.2		mg/L
Magnesium, total	MW-20	1/26/2018	2.8	0.2		mg/L
Magnesium, total	MW-20	7/12/2018	2.3	0.2		mg/L
Magnesium, total	MW-20	7/11/2019	3.2	0.2		mg/L
Magnesium, total	MW-20	1/14/2020	2.63	0.2		mg/L
Magnesium, total	MW-20	7/7/2020	2.61	0.2		mg/L
Magnesium, total	MW-20	1/17/2021	2.76	0.2		mg/L
Magnesium, total	MW-20	7/4/2021	2.89	0.2		mg/L
Magnesium, total	MW-20	7/4/2021	2.9	0.2		mg/L
Magnesium, total	MW-20	1/11/2023	2.69	0.2		mg/L
Magnesium, total	MW-21	6/5/2015	11	0.2		mg/L
Magnesium, total	MW-21	7/14/2015	11	0.2		mg/L
Magnesium, total	MW-21	8/4/2015	11	0.2		mg/L
Magnesium, total	MW-21	9/2/2015	11	0.2		mg/L
Magnesium, total	MW-21	1/7/2016	8	0.2		mg/L
Magnesium, total	MW-21	4/5/2016	9.8	0.2		mg/L
Magnesium, total	MW-21	7/20/2016	9.5	0.2		mg/L
Magnesium, total	MW-21	10/5/2016	8.3	0.2		mg/L
Magnesium, total	MW-21	10/5/2016	8.2	0.2		mg/L
Magnesium, total	MW-21	1/10/2017	8.5	0.2		mg/L
Magnesium, total	MW-21	4/5/2017	8.8	0.2		mg/L
Magnesium, total	MW-21	7/19/2017	9	0.2		mg/L
Magnesium, total	MW-21	10/6/2017	8.3	0.2		mg/L
Magnesium, total	MW-21	1/24/2018	8.1	0.2		mg/L
Magnesium, total	MW-21	4/11/2018	11	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-21	7/11/2018	8.7	0.2		mg/L
Magnesium, total	MW-21	10/4/2018	8.7	0.2		mg/L
Magnesium, total	MW-21	1/3/2019	11	0.2		mg/L
Magnesium, total	MW-21	4/3/2019	9.4	0.2		mg/L
Magnesium, total	MW-21	7/11/2019	8.9	0.2		mg/L
Magnesium, total	MW-21	7/11/2019	8.8	0.2		mg/L
Magnesium, total	MW-21	10/2/2019	8.3	0.2		mg/L
Magnesium, total	MW-21	1/16/2020	8.7	0.2		mg/L
Magnesium, total	MW-21	7/8/2020	8.35	0.2		mg/L
Magnesium, total	MW-21	1/13/2021	7.56	0.2		mg/L
Magnesium, total	MW-21	7/5/2021	7.26	0.2		mg/L
Magnesium, total	MW-21	7/5/2021	7.21	0.2		mg/L
Magnesium, total	MW-21	1/11/2023	5.69	0.2		mg/L
Magnesium, total	MW-2N	10/22/1997	0.98	0.05		mg/L
Magnesium, total	MW-2N	1/21/1998	0.73	0.05		mg/L
Magnesium, total	MW-2N	4/28/1998	0.7	0.05		mg/L
Magnesium, total	MW-2N	7/22/1998	0.72	0.05		mg/L
Magnesium, total	MW-2N	7/7/2003	1	1	ND	mg/L
Magnesium, total	MW-2N	1/28/2004	1	1	ND	mg/L
Magnesium, total	MW-2N	7/27/2004	1	1	ND	mg/L
Magnesium, total	MW-2N	1/12/2005	1	1	ND	mg/L
Magnesium, total	MW-2N	7/20/2005	1	1	ND	mg/L
Magnesium, total	MW-2N	1/19/2006	1	1	ND	mg/L
Magnesium, total	MW-2N	7/19/2006	0.62	0.2		mg/L
Magnesium, total	MW-2N	7/19/2006	0.62	0.2		mg/L
Magnesium, total	MW-2N	1/26/2007	0.67	0.2		mg/L
Magnesium, total	MW-2N	7/11/2007	0.67	0.2		mg/L
Magnesium, total	MW-2N	1/24/2008	0.72	0.2		mg/L
Magnesium, total	MW-2N	7/22/2008	0.66	0.2		mg/L
Magnesium, total	MW-2N	2/4/2009	0.69	0.2		mg/L
Magnesium, total	MW-2N	7/31/2009	0.71	0.2		mg/L
Magnesium, total	MW-2N	1/26/2010	0.68	0.2		mg/L
Magnesium, total	MW-2N	7/13/2010	0.67	0.2		mg/L
Magnesium, total	MW-2N	1/20/2011	0.72	0.2		mg/L
Magnesium, total	MW-2N	7/13/2011	0.65	0.2		mg/L
Magnesium, total	MW-2N	1/5/2012	0.7	0.2		mg/L
Magnesium, total	MW-2N	7/10/2012	0.66	0.2		mg/L
Magnesium, total	MW-2N	5/1/2013	0.7	0.2		mg/L
Magnesium, total	MW-2N	7/16/2013	0.68	0.2		mg/L
Magnesium, total	MW-2N	1/24/2014	0.74	0.2		mg/L
Magnesium, total	MW-2N	7/9/2014	0.84	0.2		mg/L
Magnesium, total	MW-2N	2/12/2015	0.78	0.2		mg/L
Magnesium, total	MW-2N	7/14/2015	1.6	0.2		mg/L
Magnesium, total	MW-2N	1/6/2016	0.85	0.2		mg/L
Magnesium, total	MW-2N	7/21/2016	0.96	0.2		mg/L
Magnesium, total	MW-2N	1/11/2017	0.84	0.2		mg/L
Magnesium, total	MW-2N	7/19/2017	0.95	0.2		mg/L
Magnesium, total	MW-2N	1/23/2018	0.86	0.2		mg/L
Magnesium, total	MW-2N	7/12/2018	0.8	0.2		mg/L
Magnesium, total	MW-2N	1/3/2019	0.93	0.2		mg/L
Magnesium, total	MW-2N	7/11/2019	1	0.2		mg/L
Magnesium, total	MW-2N	1/24/2020	1.34	0.2		mg/L
Magnesium, total	MW-2N	7/7/2020	1.32	0.2		mg/L
Magnesium, total	MW-2N	1/14/2021	1.32	0.2		mg/L
Magnesium, total	MW-2N	7/5/2021	1.36	0.2		mg/L
Magnesium, total	MW-2N	7/5/2021	1.36	0.2		mg/L
Magnesium, total	MW-2N	1/11/2023	1.37	0.2		mg/L
Magnesium, total	MW-3N	10/21/1997	3.2	0.05		mg/L
Magnesium, total	MW-3N	1/21/1998	3.2	0.05		mg/L
Magnesium, total	MW-3N	4/28/1998	3.2	0.05		mg/L
Magnesium, total	MW-3N	7/23/1998	3.6	0.05		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-3N	7/7/2003	4.4	1		mg/L
Magnesium, total	MW-3N	1/28/2004	4.5	1		mg/L
Magnesium, total	MW-3N	7/27/2004	4.6	1		mg/L
Magnesium, total	MW-3N	1/12/2005	4.4	1		mg/L
Magnesium, total	MW-3N	7/20/2005	4.4	1		mg/L
Magnesium, total	MW-3N	1/18/2006	4.6	1		mg/L
Magnesium, total	MW-3N	7/19/2006	4.5	0.2		mg/L
Magnesium, total	MW-3N	7/19/2006	4.5	0.2		mg/L
Magnesium, total	MW-3N	1/26/2007	4.3	0.2		mg/L
Magnesium, total	MW-3N	7/11/2007	4.6	0.2		mg/L
Magnesium, total	MW-3N	1/24/2008	4.6	0.2		mg/L
Magnesium, total	MW-3N	7/22/2008	4.3	0.2		mg/L
Magnesium, total	MW-3N	2/4/2009	4.5	0.2		mg/L
Magnesium, total	MW-3N	7/31/2009	4.4	0.2		mg/L
Magnesium, total	MW-3N	1/26/2010	4.3	0.2		mg/L
Magnesium, total	MW-3N	7/13/2010	4.2	0.2		mg/L
Magnesium, total	MW-3N	1/20/2011	4.2	0.2		mg/L
Magnesium, total	MW-3N	7/14/2011	3.7	0.2		mg/L
Magnesium, total	MW-3N	1/5/2012	4.1	0.2		mg/L
Magnesium, total	MW-3N	7/11/2012	3.9	0.2		mg/L
Magnesium, total	MW-3N	5/1/2013	3.8	0.2		mg/L
Magnesium, total	MW-3N	6/4/2013	4.1	0.2		mg/L
Magnesium, total	MW-3N	7/16/2013	3.7	0.2		mg/L
Magnesium, total	MW-3N	1/24/2014	3.7	0.2		mg/L
Magnesium, total	MW-3N	7/9/2014	3.9	0.2		mg/L
Magnesium, total	MW-3N	2/12/2015	3.9	0.2		mg/L
Magnesium, total	MW-3N	4/1/2015	3.8	0.2		mg/L
Magnesium, total	MW-3N	7/14/2015	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/5/2015	3.9	0.2		mg/L
Magnesium, total	MW-3N	1/6/2016	3.8	0.2		mg/L
Magnesium, total	MW-3N	4/6/2016	3.9	0.2		mg/L
Magnesium, total	MW-3N	7/21/2016	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/6/2016	4	0.2		mg/L
Magnesium, total	MW-3N	1/11/2017	4.2	0.2		mg/L
Magnesium, total	MW-3N	4/4/2017	4	0.2		mg/L
Magnesium, total	MW-3N	7/19/2017	3.9	0.2		mg/L
Magnesium, total	MW-3N	10/9/2017	3.6	0.2		mg/L
Magnesium, total	MW-3N	1/24/2018	4.5	0.2		mg/L
Magnesium, total	MW-3N	4/10/2018	3.7	0.2		mg/L
Magnesium, total	MW-3N	7/13/2018	3.6	0.2		mg/L
Magnesium, total	MW-3N	10/3/2018	3.8	0.2		mg/L
Magnesium, total	MW-3N	1/7/2019	4	0.2		mg/L
Magnesium, total	MW-3N	4/3/2019	4	0.2		mg/L
Magnesium, total	MW-3N	7/11/2019	3.8	0.2		mg/L
Magnesium, total	MW-3N	7/11/2019	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/2/2019	4.2	0.2		mg/L
Magnesium, total	MW-3N	1/21/2020	3.85	0.2		mg/L
Magnesium, total	MW-3N	7/7/2020	3.71	0.2		mg/L
Magnesium, total	MW-3N	1/13/2021	4.31	0.2		mg/L
Magnesium, total	MW-3N	7/5/2021	3.74	0.2		mg/L
Magnesium, total	MW-3N	7/5/2021	3.83	0.2		mg/L
Magnesium, total	MW-3N	1/11/2023	3.65	0.2		mg/L
Magnesium, total	MW-7N	10/21/1997	2.1	0.05		mg/L
Magnesium, total	MW-7N	1/21/1998	6.4	0.05		mg/L
Magnesium, total	MW-7N	7/22/1998	3.2	0.05		mg/L
Magnesium, total	MW-7N	8/18/1998	2.8	0.05		mg/L
Magnesium, total	MW-7N	9/17/1998	2.9	0.05		mg/L
Magnesium, total	MW-7N	11/9/1998	3	0.05		mg/L
Magnesium, total	MW-7N	7/7/2003	3.8	1		mg/L
Magnesium, total	MW-7N	1/27/2004	4.3	1		mg/L
Magnesium, total	MW-7N	4/8/2004	4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-7N	7/26/2004	4.4	1		mg/L
Magnesium, total	MW-7N	1/12/2005	4	1		mg/L
Magnesium, total	MW-7N	7/19/2005	4	1		mg/L
Magnesium, total	MW-7N	1/19/2006	4.1	1		mg/L
Magnesium, total	MW-7N	7/19/2006	4	0.2		mg/L
Magnesium, total	MW-7N	7/19/2006	4	0.2		mg/L
Magnesium, total	MW-7N	1/26/2007	3.3	0.2		mg/L
Magnesium, total	MW-7N	7/10/2007	3.4	0.2		mg/L
Magnesium, total	MW-7N	7/21/2008	2.1	0.2		mg/L
Magnesium, total	MW-7N	2/6/2009	2.2	0.2		mg/L
Magnesium, total	MW-7N	7/29/2009	0.85	0.2		mg/L
Magnesium, total	MW-7N	1/26/2010	2.6	0.2		mg/L
Magnesium, total	MW-7N	7/14/2010	2.7	0.2		mg/L
Magnesium, total	MW-7N	1/20/2011	2.8	0.2		mg/L
Magnesium, total	MW-7N	7/12/2011	3.2	0.2		mg/L
Magnesium, total	MW-7N	1/5/2012	3.6	0.2		mg/L
Magnesium, total	MW-7N	7/10/2012	3.9	0.2		mg/L
Magnesium, total	MW-7N	5/1/2013	4.1	0.2		mg/L
Magnesium, total	MW-7N	6/4/2013	4.3	0.2		mg/L
Magnesium, total	MW-7N	7/15/2013	3.6	0.2		mg/L
Magnesium, total	MW-7N	1/30/2014	4.1	0.2		mg/L
Magnesium, total	MW-7N	7/9/2014	4.2	0.2		mg/L
Magnesium, total	MW-7N	2/12/2015	4.5	0.2		mg/L
Magnesium, total	MW-7N	7/13/2015	4.7	0.2		mg/L
Magnesium, total	MW-7N	1/5/2016	5.3	0.2		mg/L
Magnesium, total	MW-7N	7/21/2016	5.4	0.2		mg/L
Magnesium, total	MW-7N	1/11/2017	4.6	0.2		mg/L
Magnesium, total	MW-7N	4/4/2017	2.9	0.2		mg/L
Magnesium, total	MW-7N	7/19/2017	2.8	0.2		mg/L
Magnesium, total	MW-7N	10/5/2017	5.3	0.2		mg/L
Magnesium, total	MW-7N	1/25/2018	5.5	0.2		mg/L
Magnesium, total	MW-7N	4/11/2018	5.3	0.2		mg/L
Magnesium, total	MW-7N	7/13/2018	5.7	0.2		mg/L
Magnesium, total	MW-7N	1/4/2019	4.8	0.2		mg/L
Magnesium, total	MW-7N	7/10/2019	6.7	0.2		mg/L
Magnesium, total	MW-7N	1/16/2020	7.09	0.2		mg/L
Magnesium, total	MW-7N	7/7/2020	7.65	0.2		mg/L
Magnesium, total	MW-7N	1/16/2021	7.84	0.2		mg/L
Magnesium, total	MW-7N	7/5/2021	7.34	0.2		mg/L
Magnesium, total	MW-7N	7/5/2021	7.17	0.2		mg/L
Magnesium, total	MW-7N	1/12/2022	6.06	0.2		mg/L
Magnesium, total	MW-7N	7/10/2022	5.1	0.2		mg/L
Magnesium, total	MW-7N	1/10/2023	4.54	0.2		mg/L
Magnesium, total	MW-8N	10/21/1997	2.5	0.05		mg/L
Magnesium, total	MW-8N	1/22/1998	3.4	0.05		mg/L
Magnesium, total	MW-8N	4/28/1998	3	0.05		mg/L
Magnesium, total	MW-8N	7/22/1998	2.9	0.05		mg/L
Magnesium, total	MW-8N	7/7/2003	4	1		mg/L
Magnesium, total	MW-8N	1/28/2004	4	1		mg/L
Magnesium, total	MW-8N	7/27/2004	4.8	1		mg/L
Magnesium, total	MW-8N	1/12/2005	5	1		mg/L
Magnesium, total	MW-8N	7/20/2005	4.9	1		mg/L
Magnesium, total	MW-8N	1/19/2006	4.5	1		mg/L
Magnesium, total	MW-8N	7/19/2006	4.7	0.2		mg/L
Magnesium, total	MW-8N	7/19/2006	4.7	0.2		mg/L
Magnesium, total	MW-8N	1/26/2007	5.2	0.2		mg/L
Magnesium, total	MW-8N	4/25/2007	4.8	0.2		mg/L
Magnesium, total	MW-8N	7/10/2007	4.8	0.2		mg/L
Magnesium, total	MW-8N	1/24/2008	4.8	0.2		mg/L
Magnesium, total	MW-8N	7/23/2008	4.5	0.2		mg/L
Magnesium, total	MW-8N	2/4/2009	4.3	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-8N	7/31/2009	4.8	0.2		mg/L
Magnesium, total	MW-8N	1/26/2010	4.6	0.2		mg/L
Magnesium, total	MW-8N	7/16/2010	4.4	0.2		mg/L
Magnesium, total	MW-8N	1/19/2011	4.4	0.2		mg/L
Magnesium, total	MW-8N	5/10/2011	4.8	0.2		mg/L
Magnesium, total	MW-8N	7/14/2011	4.5	0.2		mg/L
Magnesium, total	MW-8N	1/6/2012	4.8	0.2		mg/L
Magnesium, total	MW-8N	4/5/2012	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/11/2012	4.6	0.2		mg/L
Magnesium, total	MW-8N	10/3/2012	4.6	0.2		mg/L
Magnesium, total	MW-8N	5/1/2013	5.3	0.2		mg/L
Magnesium, total	MW-8N	6/4/2013	5.1	0.2		mg/L
Magnesium, total	MW-8N	7/16/2013	4.7	0.2		mg/L
Magnesium, total	MW-8N	10/2/2013	4.7	0.2		mg/L
Magnesium, total	MW-8N	1/30/2014	5.3	0.2		mg/L
Magnesium, total	MW-8N	4/3/2014	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/9/2014	4.9	0.2		mg/L
Magnesium, total	MW-8N	10/8/2014	4.5	0.2		mg/L
Magnesium, total	MW-8N	2/12/2015	4.9	0.2		mg/L
Magnesium, total	MW-8N	4/1/2015	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/14/2015	4.6	0.2		mg/L
Magnesium, total	MW-8N	10/5/2015	5.3	0.2		mg/L
Magnesium, total	MW-8N	1/5/2016	5.5	0.2		mg/L
Magnesium, total	MW-8N	4/6/2016	5.9	0.2		mg/L
Magnesium, total	MW-8N	7/21/2016	6	0.2		mg/L
Magnesium, total	MW-8N	10/6/2016	6.2	0.2		mg/L
Magnesium, total	MW-8N	1/11/2017	5.7	0.2		mg/L
Magnesium, total	MW-8N	4/4/2017	4.6	0.2		mg/L
Magnesium, total	MW-8N	7/19/2017	6.9	0.2		mg/L
Magnesium, total	MW-8N	10/6/2017	6.8	0.2		mg/L
Magnesium, total	MW-8N	1/25/2018	7.5	0.2		mg/L
Magnesium, total	MW-8N	4/10/2018	7.8	0.2		mg/L
Magnesium, total	MW-8N	7/16/2018	7	0.2		mg/L
Magnesium, total	MW-8N	10/2/2018	7.9	0.2		mg/L
Magnesium, total	MW-8N	1/7/2019	8	0.2		mg/L
Magnesium, total	MW-8N	4/3/2019	8.2	0.2		mg/L
Magnesium, total	MW-8N	7/11/2019	8.3	0.2		mg/L
Magnesium, total	MW-8N	7/11/2019	8.1	0.2		mg/L
Magnesium, total	MW-8N	10/3/2019	8.8	0.2		mg/L
Magnesium, total	MW-8N	1/15/2020	8.89	0.2		mg/L
Magnesium, total	MW-8N	7/9/2020	9.23	0.2		mg/L
Magnesium, total	MW-8N	1/15/2021	9.39	0.2		mg/L
Magnesium, total	MW-8N	7/5/2021	9	0.2		mg/L
Magnesium, total	MW-8N	7/5/2021	9.1	0.2		mg/L
Magnesium, total	MW-8N	1/18/2022	9.16	0.2		mg/L
Magnesium, total	MW-8N	7/12/2022	8.89	0.2		mg/L
Magnesium, total	MW-8N	1/11/2023	8.36	0.2		mg/L
Magnesium, total	NE-1	7/8/2003	1.3	1		mg/L
Magnesium, total	NE-1	1/27/2004	1.1	1		mg/L
Magnesium, total	NE-1	1/12/2005	1.1	1		mg/L
Magnesium, total	NE-1	7/19/2006	0.91	0.2		mg/L
Magnesium, total	NE-1	7/19/2006	0.91	0.2		mg/L
Magnesium, total	NE-1	1/24/2007	0.91	0.2		mg/L
Magnesium, total	NE-1	7/10/2007	1.2	0.2		mg/L
Magnesium, total	NE-1	1/24/2008	1.2	0.2		mg/L
Magnesium, total	NE-1	7/21/2008	0.79	0.2		mg/L
Magnesium, total	NE-1	2/7/2009	1.5	0.2		mg/L
Magnesium, total	NE-1	7/31/2009	1.3	0.2		mg/L
Magnesium, total	NE-1	1/26/2010	2.2	0.2		mg/L
Magnesium, total	NE-1	7/14/2010	2.5	0.2		mg/L
Magnesium, total	NE-1	1/19/2011	3	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-1	7/13/2011	2.2	0.2		mg/L
Magnesium, total	NE-1	1/5/2012	2.7	0.2		mg/L
Magnesium, total	NE-1	7/10/2012	2.6	0.2		mg/L
Magnesium, total	NE-1	4/30/2013	3	0.2		mg/L
Magnesium, total	NE-1	7/16/2013	1.6	0.2		mg/L
Magnesium, total	NE-1	1/23/2014	3.9	0.2		mg/L
Magnesium, total	NE-1	7/9/2014	4.9	0.2		mg/L
Magnesium, total	NE-1	2/11/2015	5.2	0.2		mg/L
Magnesium, total	NE-1	7/8/2015	4.5	0.2		mg/L
Magnesium, total	NE-1	1/6/2016	7.5	0.2		mg/L
Magnesium, total	NE-1	7/20/2016	8.5	0.2		mg/L
Magnesium, total	NE-1	1/11/2017	8.2	0.2		mg/L
Magnesium, total	NE-1	7/19/2017	7.9	0.2		mg/L
Magnesium, total	NE-1	1/24/2018	6.9	0.2		mg/L
Magnesium, total	NE-1	4/11/2018	6.9	0.2		mg/L
Magnesium, total	NE-1	7/18/2018	5.4	0.2		mg/L
Magnesium, total	NE-1	10/2/2018	6.5	0.2		mg/L
Magnesium, total	NE-1	1/4/2019	6.4	0.2		mg/L
Magnesium, total	NE-1	7/10/2019	5	0.2		mg/L
Magnesium, total	NE-1	1/15/2020	5.65	0.2		mg/L
Magnesium, total	NE-1	7/8/2020	6.22	0.2		mg/L
Magnesium, total	NE-1	1/13/2021	6.3	0.2		mg/L
Magnesium, total	NE-1	7/2/2021	5.55	0.2		mg/L
Magnesium, total	NE-1	1/17/2022	6.01	0.2		mg/L
Magnesium, total	NE-1	7/13/2022	4.95	0.2		mg/L
Magnesium, total	NE-1	1/5/2023	5.51	0.2		mg/L
Magnesium, total	NE-10D	11/6/2019	1.5	0.2		mg/L
Magnesium, total	NE-10D	1/16/2020	1.29	0.2		mg/L
Magnesium, total	NE-10D	7/8/2020	1.18	0.2		mg/L
Magnesium, total	NE-10D	1/13/2021	1.05	0.2		mg/L
Magnesium, total	NE-10D	7/2/2021	1.11	0.2		mg/L
Magnesium, total	NE-10D	1/6/2023	1.08	0.2		mg/L
Magnesium, total	NE-11	3/1/2017	2.1	0.2		mg/L
Magnesium, total	NE-11	4/6/2017	2.8	0.2		mg/L
Magnesium, total	NE-11	7/20/2017	2.9	0.2		mg/L
Magnesium, total	NE-11	10/9/2017	3	0.2		mg/L
Magnesium, total	NE-11	9/30/2019	2	0.2		mg/L
Magnesium, total	NE-11	1/14/2020	3.82	0.2		mg/L
Magnesium, total	NE-11	7/7/2020	3.81	0.2		mg/L
Magnesium, total	NE-11	1/16/2021	3.91	0.2		mg/L
Magnesium, total	NE-11	1/16/2021	3.68	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.51	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.53	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.51	0.2		mg/L
Magnesium, total	NE-11	1/17/2022	3.77	0.2		mg/L
Magnesium, total	NE-11	1/17/2022	3.75	0.2		mg/L
Magnesium, total	NE-11	7/12/2022	3.7	0.2		mg/L
Magnesium, total	NE-11	1/6/2023	3.71	0.2		mg/L
Magnesium, total	NE-12	3/1/2017	2.5	0.2		mg/L
Magnesium, total	NE-12	4/6/2017	3.8	0.2		mg/L
Magnesium, total	NE-12	7/20/2017	2.4	0.2		mg/L
Magnesium, total	NE-12	10/6/2017	2	0.2		mg/L
Magnesium, total	NE-12	7/9/2019	3.4	0.2		mg/L
Magnesium, total	NE-12	8/5/2019	1.4	0.2		mg/L
Magnesium, total	NE-12	1/13/2020	2.67	0.2		mg/L
Magnesium, total	NE-12	7/7/2020	1.31	0.2		mg/L
Magnesium, total	NE-12	1/15/2021	3.44	0.2		mg/L
Magnesium, total	NE-12	1/15/2021	3.61	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.58	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.58	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-12	1/17/2022	2.75	0.2		mg/L
Magnesium, total	NE-12	1/17/2022	2.72	0.2		mg/L
Magnesium, total	NE-12	7/12/2022	1.45	0.2		mg/L
Magnesium, total	NE-12	1/6/2023	2.34	0.2		mg/L
Magnesium, total	NE-13	2/5/2019	1.8	0.2		mg/L
Magnesium, total	NE-13	7/11/2019	1.6	0.2		mg/L
Magnesium, total	NE-13	8/7/2019	2.8	0.2		mg/L
Magnesium, total	NE-13	1/15/2020	2.33	0.2		mg/L
Magnesium, total	NE-13	7/8/2020	3.76	0.2		mg/L
Magnesium, total	NE-13	1/17/2021	3.37	0.2		mg/L
Magnesium, total	NE-13	1/17/2021	3.45	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	10.3	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	9.91	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	10.3	0.2		mg/L
Magnesium, total	NE-14D	10/2/2019	1.5	0.2		mg/L
Magnesium, total	NE-14D	1/16/2020	1.54	0.2		mg/L
Magnesium, total	NE-14D	7/7/2020	1.61	0.2		mg/L
Magnesium, total	NE-14D	1/17/2021	1.82	0.2		mg/L
Magnesium, total	NE-14D	7/2/2021	1.82	0.2		mg/L
Magnesium, total	NE-14D	1/18/2022	2.02	0.2		mg/L
Magnesium, total	NE-14D	7/13/2022	1.94	0.2		mg/L
Magnesium, total	NE-14D	1/6/2023	2.03	0.2		mg/L
Magnesium, total	NE-14S	10/2/2019	2.8	0.2		mg/L
Magnesium, total	NE-14S	1/16/2020	2.38	0.2		mg/L
Magnesium, total	NE-14S	7/7/2020	3.36	0.2		mg/L
Magnesium, total	NE-14S	1/17/2021	3.36	0.2		mg/L
Magnesium, total	NE-14S	7/2/2021	3.41	0.2		mg/L
Magnesium, total	NE-14S	1/18/2022	3.46	0.2		mg/L
Magnesium, total	NE-14S	7/13/2022	3.88	0.2		mg/L
Magnesium, total	NE-14S	1/6/2023	2.75	0.2		mg/L
Magnesium, total	NE-15D	9/30/2019	1.7	0.2		mg/L
Magnesium, total	NE-15D	1/16/2020	1.89	0.2		mg/L
Magnesium, total	NE-15D	7/7/2020	1.96	0.2		mg/L
Magnesium, total	NE-15D	1/17/2021	2.02	0.2		mg/L
Magnesium, total	NE-15D	7/2/2021	1.99	0.2		mg/L
Magnesium, total	NE-15D	1/17/2022	70.7	0.2		mg/L
Magnesium, total	NE-15D	7/13/2022	2.14	0.2		mg/L
Magnesium, total	NE-15D	1/6/2023	2.02	0.2		mg/L
Magnesium, total	NE-2	10/1/2013	6.1	0.2		mg/L
Magnesium, total	NE-2	10/8/2014	6.2	0.2		mg/L
Magnesium, total	NE-2	10/5/2015	6.2	0.2		mg/L
Magnesium, total	NE-2	10/6/2016	5.4	0.2		mg/L
Magnesium, total	NE-2	10/5/2017	6.7	0.2		mg/L
Magnesium, total	NE-2	1/25/2018	6.1	0.2		mg/L
Magnesium, total	NE-2	4/10/2018	5.3	0.2		mg/L
Magnesium, total	NE-2	7/10/2018	6.6	0.2		mg/L
Magnesium, total	NE-2	10/1/2018	7.3	0.2		mg/L
Magnesium, total	NE-2	1/4/2019	5.9	0.2		mg/L
Magnesium, total	NE-2	7/9/2019	5.3	0.2		mg/L
Magnesium, total	NE-2	1/14/2020	4.67	0.2		mg/L
Magnesium, total	NE-2	7/7/2020	7.17	0.2		mg/L
Magnesium, total	NE-2	1/14/2021	5.69	0.2		mg/L
Magnesium, total	NE-2	7/2/2021	5.65	0.2		mg/L
Magnesium, total	NE-2	1/18/2022	5.83	0.2		mg/L
Magnesium, total	NE-2	7/13/2022	5.26	0.2		mg/L
Magnesium, total	NE-2	1/5/2023	6.2	0.2		mg/L
Magnesium, total	NE-3	3/21/2018	1.9	0.2		mg/L
Magnesium, total	NE-4	7/8/2003	2.6	1		mg/L
Magnesium, total	NE-4	1/28/2004	2.5	1		mg/L
Magnesium, total	NE-4	1/13/2005	1.5	1		mg/L
Magnesium, total	NE-4	8/1/2006	4	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-4	8/1/2006	4	0.2		mg/L
Magnesium, total	NE-4	1/24/2007	1.6	0.2		mg/L
Magnesium, total	NE-4	7/12/2007	3.5	0.2		mg/L
Magnesium, total	NE-4	1/24/2008	3.8	0.2		mg/L
Magnesium, total	NE-4	7/21/2008	1.5	0.2		mg/L
Magnesium, total	NE-4	2/7/2009	2.2	0.2		mg/L
Magnesium, total	NE-4	7/31/2009	2.2	0.2		mg/L
Magnesium, total	NE-4	1/26/2010	3.8	0.2		mg/L
Magnesium, total	NE-4	7/14/2010	5	0.2		mg/L
Magnesium, total	NE-4	1/19/2011	2.9	0.2		mg/L
Magnesium, total	NE-4	7/13/2011	1.5	0.2		mg/L
Magnesium, total	NE-4	1/5/2012	3.6	0.2		mg/L
Magnesium, total	NE-4	7/10/2012	4.3	0.2		mg/L
Magnesium, total	NE-4	4/30/2013	5.3	0.2		mg/L
Magnesium, total	NE-4	7/16/2013	4.5	0.2		mg/L
Magnesium, total	NE-4	1/23/2014	5.1	0.2		mg/L
Magnesium, total	NE-4	7/9/2014	3.4	0.2		mg/L
Magnesium, total	NE-4	2/13/2015	4.9	0.2		mg/L
Magnesium, total	NE-4	7/8/2015	2.3	0.2		mg/L
Magnesium, total	NE-4	1/6/2016	0.76	0.2		mg/L
Magnesium, total	NE-4	7/20/2016	5.2	0.2		mg/L
Magnesium, total	NE-4	1/11/2017	3.6	0.2		mg/L
Magnesium, total	NE-4	7/19/2017	1.8	0.2		mg/L
Magnesium, total	NE-4	1/26/2018	2	0.2		mg/L
Magnesium, total	NE-4	4/10/2018	2	0.2		mg/L
Magnesium, total	NE-4	7/12/2018	3.9	0.2		mg/L
Magnesium, total	NE-4	10/3/2018	2.2	0.2		mg/L
Magnesium, total	NE-4	1/7/2019	2.5	0.2		mg/L
Magnesium, total	NE-4	7/8/2019	1.1	0.2		mg/L
Magnesium, total	NE-4	1/13/2020	1.81	0.2		mg/L
Magnesium, total	NE-4	7/6/2020	1.54	0.2		mg/L
Magnesium, total	NE-4	1/15/2021	3.93	0.2		mg/L
Magnesium, total	NE-4	7/2/2021	3.29	0.2		mg/L
Magnesium, total	NE-4	1/5/2023	2.61	0.2		mg/L
Magnesium, total	NE-5	7/8/2003	1.6	1		mg/L
Magnesium, total	NE-5	1/27/2004	2.2	1		mg/L
Magnesium, total	NE-5	1/12/2005	1.6	1		mg/L
Magnesium, total	NE-5	7/19/2006	1.5	0.2		mg/L
Magnesium, total	NE-5	7/19/2006	1.5	0.2		mg/L
Magnesium, total	NE-5	1/24/2007	1.2	0.2		mg/L
Magnesium, total	NE-5	7/12/2007	1.4	0.2		mg/L
Magnesium, total	NE-5	7/22/2008	1.4	0.2		mg/L
Magnesium, total	NE-5	2/6/2009	1.5	0.2		mg/L
Magnesium, total	NE-5	7/31/2009	1.4	0.2		mg/L
Magnesium, total	NE-5	1/26/2010	1.5	0.2		mg/L
Magnesium, total	NE-5	7/16/2010	1.4	0.2		mg/L
Magnesium, total	NE-5	1/19/2011	1.3	0.2		mg/L
Magnesium, total	NE-5	7/13/2011	1.3	0.2		mg/L
Magnesium, total	NE-5	1/5/2012	1.3	0.2		mg/L
Magnesium, total	NE-5	7/10/2012	1.3	0.2		mg/L
Magnesium, total	NE-5	4/30/2013	1.5	0.2		mg/L
Magnesium, total	NE-5	7/16/2013	1.4	0.2		mg/L
Magnesium, total	NE-5	1/23/2014	1.5	0.2		mg/L
Magnesium, total	NE-5	7/9/2014	1.5	0.2		mg/L
Magnesium, total	NE-5	2/11/2015	1.5	0.2		mg/L
Magnesium, total	NE-5	7/14/2015	1.5	0.2		mg/L
Magnesium, total	NE-5	1/6/2016	1.5	0.2		mg/L
Magnesium, total	NE-5	7/20/2016	1.4	0.2		mg/L
Magnesium, total	NE-5	1/11/2017	1.3	0.2		mg/L
Magnesium, total	NE-5	7/19/2017	1.7	0.2		mg/L
Magnesium, total	NE-5	1/25/2018	1.3	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-5	4/10/2018	1.4	0.2		mg/L
Magnesium, total	NE-5	7/17/2018	1.3	0.2		mg/L
Magnesium, total	NE-5	10/3/2018	1.5	0.2		mg/L
Magnesium, total	NE-5	1/4/2019	1.5	0.2		mg/L
Magnesium, total	NE-5	4/2/2019	1.5	0.2		mg/L
Magnesium, total	NE-5	7/9/2019	1.3	0.2		mg/L
Magnesium, total	NE-5	7/9/2019	1.4	0.2		mg/L
Magnesium, total	NE-5	1/16/2020	1.3	0.2		mg/L
Magnesium, total	NE-5	7/8/2020	1.27	0.2		mg/L
Magnesium, total	NE-5	1/15/2021	1.5	0.2		mg/L
Magnesium, total	NE-5	7/2/2021	1.34	0.2		mg/L
Magnesium, total	NE-5	1/18/2022	1.48	0.2		mg/L
Magnesium, total	NE-5	7/13/2022	1.55	0.2		mg/L
Magnesium, total	NE-5	1/5/2023	1.52	0.2		mg/L
Magnesium, total	NE-5E	9/30/2019	1.3	0.2		mg/L
Magnesium, total	NE-5E	1/16/2020	1.61	0.2		mg/L
Magnesium, total	NE-5E	7/8/2020	1.99	0.2		mg/L
Magnesium, total	NE-5E	1/15/2021	1.83	0.2		mg/L
Magnesium, total	NE-5E	7/2/2021	1.63	0.2		mg/L
Magnesium, total	NE-5E	1/18/2022	1.87	0.2		mg/L
Magnesium, total	NE-5E	7/13/2022	4.04	0.2		mg/L
Magnesium, total	NE-5E	1/5/2023	3.63	0.2		mg/L
Magnesium, total	NE-5W	9/30/2019	1.5	0.2		mg/L
Magnesium, total	NE-5W	1/16/2020	1.55	0.2		mg/L
Magnesium, total	NE-5W	7/8/2020	1.45	0.2		mg/L
Magnesium, total	NE-5W	1/15/2021	1.65	0.2		mg/L
Magnesium, total	NE-5W	7/2/2021	1.55	0.2		mg/L
Magnesium, total	NE-5W	1/18/2022	1.67	0.2		mg/L
Magnesium, total	NE-5W	7/13/2022	1.64	0.2		mg/L
Magnesium, total	NE-5W	1/5/2023	1.78	0.2		mg/L
Magnesium, total	NE-6	1/12/2017	2.3	0.2		mg/L
Magnesium, total	NE-6	4/5/2017	1.9	0.2		mg/L
Magnesium, total	NE-6	7/19/2017	2.4	0.2		mg/L
Magnesium, total	NE-6	10/6/2017	1.9	0.2		mg/L
Magnesium, total	NE-6	2/4/2019	2.3	0.2		mg/L
Magnesium, total	NE-6	7/9/2019	2.4	0.2		mg/L
Magnesium, total	NE-6	8/6/2019	2.5	0.2		mg/L
Magnesium, total	NE-6	1/15/2020	1.89	0.2		mg/L
Magnesium, total	NE-6	7/9/2020	2.04	0.2		mg/L
Magnesium, total	NE-6	1/16/2021	2.21	0.2		mg/L
Magnesium, total	NE-6	1/16/2021	2.31	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.19	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.24	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.24	0.2		mg/L
Magnesium, total	NE-6	1/17/2022	2.29	0.2		mg/L
Magnesium, total	NE-6	1/17/2022	2.17	0.2		mg/L
Magnesium, total	NE-6	7/12/2022	2.35	0.2		mg/L
Magnesium, total	NE-6	1/5/2023	2	0.2		mg/L
Magnesium, total	NE-6D	10/2/2019	7.2	0.2		mg/L
Magnesium, total	NE-6D	1/15/2020	8.4	0.2		mg/L
Magnesium, total	NE-6D	7/9/2020	8.58	0.2		mg/L
Magnesium, total	NE-6D	1/15/2021	9.15	0.2		mg/L
Magnesium, total	NE-6D	7/2/2021	8.76	0.2		mg/L
Magnesium, total	NE-6D	1/17/2022	8.84	0.2		mg/L
Magnesium, total	NE-6D	7/12/2022	8.69	0.2		mg/L
Magnesium, total	NE-6D	1/5/2023	8.34	0.2		mg/L
Magnesium, total	NE-7	3/1/2017	4	0.2		mg/L
Magnesium, total	NE-7	4/6/2017	2	0.2		mg/L
Magnesium, total	NE-7	7/20/2017	3.5	0.2		mg/L
Magnesium, total	NE-7	10/5/2017	2.9	0.2		mg/L
Magnesium, total	NE-7	2/6/2019	2.9	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-7	7/10/2019	2.8	0.2		mg/L
Magnesium, total	NE-7	8/6/2019	2.8	0.2		mg/L
Magnesium, total	NE-7	1/16/2020	2.82	0.2		mg/L
Magnesium, total	NE-7	7/7/2020	2.43	0.2		mg/L
Magnesium, total	NE-7	1/16/2021	3.83	0.2		mg/L
Magnesium, total	NE-7	1/16/2021	4.02	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.59	0.2		mg/L
Magnesium, total	NE-7	1/17/2022	2.94	0.2		mg/L
Magnesium, total	NE-7	1/17/2022	2.96	0.2		mg/L
Magnesium, total	NE-7	7/12/2022	2.86	0.2		mg/L
Magnesium, total	NE-7	1/5/2023	2.87	0.2		mg/L
Magnesium, total	NE-8	1/12/2017	3.1	0.2		mg/L
Magnesium, total	NE-8	4/5/2017	3.2	0.2		mg/L
Magnesium, total	NE-8	7/20/2017	5.4	0.2		mg/L
Magnesium, total	NE-8	10/6/2017	5.1	0.2		mg/L
Magnesium, total	NE-8	2/4/2019	3.6	0.2		mg/L
Magnesium, total	NE-8	7/11/2019	4.7	0.2		mg/L
Magnesium, total	NE-8	8/5/2019	4.9	0.2		mg/L
Magnesium, total	NE-8	1/15/2020	5.26	0.2		mg/L
Magnesium, total	NE-8	7/8/2020	5.38	0.2		mg/L
Magnesium, total	NE-8	1/13/2021	4.17	0.2		mg/L
Magnesium, total	NE-8	1/13/2021	4.27	0.2		mg/L
Magnesium, total	NE-8	7/1/2021	5.19	0.2		mg/L
Magnesium, total	NE-8	7/1/2021	5.19	0.2		mg/L
Magnesium, total	NE-8	7/1/2021	5.15	0.2		mg/L
Magnesium, total	NE-8	1/6/2023	4.04	0.2		mg/L
Magnesium, total	NE-9	1/12/2017	2.2	0.2		mg/L
Magnesium, total	NE-9	4/5/2017	2.1	0.2		mg/L
Magnesium, total	NE-9	7/20/2017	2.5	0.2		mg/L
Magnesium, total	NE-9	10/5/2017	2.4	0.2		mg/L
Magnesium, total	NE-9	2/5/2019	2.7	0.2		mg/L
Magnesium, total	NE-9	7/8/2019	2.9	0.2		mg/L
Magnesium, total	NE-9	8/7/2019	2.8	0.2		mg/L
Magnesium, total	NE-9	1/15/2020	2.51	0.2		mg/L
Magnesium, total	NE-9	7/7/2020	2.15	0.2		mg/L
Magnesium, total	NE-9	1/17/2021	3.2	0.2		mg/L
Magnesium, total	NE-9	1/17/2021	3.26	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.54	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.48	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.54	0.2		mg/L
Magnesium, total	NE-9	1/17/2022	3.68	0.2		mg/L
Magnesium, total	NE-9	1/17/2022	3.62	0.2		mg/L
Magnesium, total	NE-9	7/13/2022	3.93	0.2		mg/L
Magnesium, total	NE-9	1/6/2023	3.82	0.2		mg/L
Manganese, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Manganese, dissolved	LGW-2	1/25/2006	42	1		ug/L
Manganese, dissolved	LGW-4	1/24/2006	4.4	1		ug/L
Manganese, dissolved	LGW-5	1/25/2006	87	1		ug/L
Manganese, dissolved	LGW-6	1/24/2006	4	1		ug/L
Manganese, dissolved	LGW-7	1/25/2006	2.3	1		ug/L
Manganese, dissolved	LGW-8R	1/24/2006	380	1		ug/L
Manganese, dissolved	MW-10N	7/10/2002	20	2		ug/L
Manganese, dissolved	MW-10N	10/2/2002	25	2		ug/L
Manganese, dissolved	MW-11N	7/9/2002	30	2		ug/L
Manganese, dissolved	MW-11N	10/2/2002	22	2		ug/L
Manganese, dissolved	MW-1N	10/19/1999	270	1		ug/L
Manganese, dissolved	MW-1N	7/9/2002	6000	2		ug/L
Manganese, dissolved	MW-1N	10/3/2002	5900	2		ug/L
Manganese, dissolved	MW-2N	7/10/2002	17	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, dissolved	MW-2N	10/2/2002	3	2		ug/L
Manganese, dissolved	MW-3N	7/9/2002	2100	2		ug/L
Manganese, dissolved	MW-3N	10/2/2002	3800	2		ug/L
Manganese, dissolved	MW-7N	10/19/1999	35900	10		ug/L
Manganese, dissolved	MW-7N	7/9/2002	37600	10		ug/L
Manganese, dissolved	MW-7N	10/2/2002	43000	4		ug/L
Manganese, dissolved	MW-7N	9/2/2010	3600	3		ug/L
Manganese, dissolved	MW-8N	10/19/1999	9900	1		ug/L
Manganese, dissolved	MW-8N	7/9/2002	18400	2		ug/L
Manganese, dissolved	MW-8N	10/2/2002	21600	4		ug/L
Manganese, dissolved	MW-8N	9/2/2010	7600	3		ug/L
Manganese, dissolved	NE-1	7/10/2002	23700	10		ug/L
Manganese, dissolved	NE-1	8/6/2002	25200	4		ug/L
Manganese, dissolved	NE-1	9/4/2002	23500	4		ug/L
Manganese, dissolved	NE-1	10/2/2002	26900	4		ug/L
Manganese, dissolved	NE-1	9/2/2010	4	3		ug/L
Manganese, dissolved	NE-2	7/9/2002	4500	2		ug/L
Manganese, dissolved	NE-2	8/6/2002	1600	2		ug/L
Manganese, dissolved	NE-2	9/4/2002	140	2		ug/L
Manganese, dissolved	NE-2	10/2/2002	120	2		ug/L
Manganese, dissolved	NE-2	9/2/2010	19000	3		ug/L
Manganese, dissolved	NE-3	7/9/2002	33300	10		ug/L
Manganese, dissolved	NE-3	8/6/2002	25800	4		ug/L
Manganese, dissolved	NE-3	9/4/2002	20100	4		ug/L
Manganese, dissolved	NE-3	10/2/2002	27200	4		ug/L
Manganese, dissolved	NE-3	9/2/2010	7.2	3		ug/L
Manganese, dissolved	NE-4	7/10/2002	3600	2		ug/L
Manganese, dissolved	NE-4	8/6/2002	3400	2		ug/L
Manganese, dissolved	NE-4	9/4/2002	2800	2		ug/L
Manganese, dissolved	NE-4	10/3/2002	3400	2		ug/L
Manganese, dissolved	NE-5	7/9/2002	5700	2		ug/L
Manganese, dissolved	NE-5	8/6/2002	7100	2		ug/L
Manganese, dissolved	NE-5	9/4/2002	6400	2		ug/L
Manganese, dissolved	NE-5	10/2/2002	7100	2		ug/L
Manganese, dissolved	NE-5	9/2/2010	3600	3		ug/L
Manganese, total	LGW-10	1/26/2006	4500	1		ug/L
Manganese, total	LGW-10	8/1/2006	9600	3		ug/L
Manganese, total	LGW-10	8/1/2006	9600	3		ug/L
Manganese, total	LGW-10	10/26/2006	5000	3		ug/L
Manganese, total	LGW-10	1/25/2007	6300	3		ug/L
Manganese, total	LGW-10	4/26/2007	6900	3		ug/L
Manganese, total	LGW-10	7/12/2007	7100	3		ug/L
Manganese, total	LGW-10	1/23/2008	4000	3		ug/L
Manganese, total	LGW-10	7/22/2008	8900	3		ug/L
Manganese, total	LGW-10	7/29/2009	9400	3		ug/L
Manganese, total	LGW-10	2/3/2010	4800	3		ug/L
Manganese, total	LGW-10	2/3/2010	4800	3		ug/L
Manganese, total	LGW-10	7/16/2010	10000	3		ug/L
Manganese, total	LGW-10	1/19/2011	3900	3		ug/L
Manganese, total	LGW-10	7/12/2011	13000	3		ug/L
Manganese, total	LGW-10	1/5/2012	11000	3		ug/L
Manganese, total	LGW-10	7/9/2012	6700	3		ug/L
Manganese, total	LGW-10	5/1/2013	13000	3		ug/L
Manganese, total	LGW-10	1/30/2014	9800	3		ug/L
Manganese, total	LGW-10	7/9/2014	10000	3		ug/L
Manganese, total	LGW-10	2/12/2015	7500	3		ug/L
Manganese, total	LGW-10	7/13/2015	15000	3		ug/L
Manganese, total	LGW-10	1/5/2016	17000	3		ug/L
Manganese, total	LGW-10	4/6/2016	10000	3		ug/L
Manganese, total	LGW-10	7/21/2016	12000	3		ug/L
Manganese, total	LGW-10	10/6/2016	6900	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-10	1/11/2017	4400	3		ug/L
Manganese, total	LGW-10	4/4/2017	11000	3		ug/L
Manganese, total	LGW-10	7/19/2017	12000	3		ug/L
Manganese, total	LGW-10	10/9/2017	9200	3		ug/L
Manganese, total	LGW-10	1/24/2018	4500	3		ug/L
Manganese, total	LGW-10	4/11/2018	11000	3		ug/L
Manganese, total	LGW-10	7/16/2018	6900	3		ug/L
Manganese, total	LGW-10	10/4/2018	4600	3		ug/L
Manganese, total	LGW-10	1/4/2019	6500	3		ug/L
Manganese, total	LGW-10	4/3/2019	8800	3		ug/L
Manganese, total	LGW-10	7/11/2019	3300	3		ug/L
Manganese, total	LGW-10	10/2/2019	8500	3		ug/L
Manganese, total	LGW-10	1/15/2020	9520	3		ug/L
Manganese, total	LGW-10	4/2/2020	8280	3		ug/L
Manganese, total	LGW-10	7/9/2020	8870	3		ug/L
Manganese, total	LGW-10	10/7/2020	2550	3		ug/L
Manganese, total	LGW-10	1/17/2021	6200	3		ug/L
Manganese, total	LGW-10	4/6/2021	8020	3		ug/L
Manganese, total	LGW-10	7/7/2021	10400	6		ug/L
Manganese, total	LGW-10	10/5/2021	3370	3		ug/L
Manganese, total	LGW-10	1/13/2022	6050	3		ug/L
Manganese, total	LGW-10	4/4/2022	7930	3		ug/L
Manganese, total	LGW-10	7/11/2022	8800	3		ug/L
Manganese, total	LGW-10	10/7/2022	3160	3		ug/L
Manganese, total	LGW-10	1/11/2023	7720	3		ug/L
Manganese, total	LGW-10	4/5/2023	11000	3		ug/L
Manganese, total	LGW-14R	1/25/2006	7500	1		ug/L
Manganese, total	LGW-14R	8/2/2006	1900	3		ug/L
Manganese, total	LGW-14R	8/2/2006	1900	3		ug/L
Manganese, total	LGW-14R	10/27/2006	75	3		ug/L
Manganese, total	LGW-14R	1/24/2007	84	3		ug/L
Manganese, total	LGW-14R	4/24/2007	790	3		ug/L
Manganese, total	LGW-14R	7/11/2007	1800	3		ug/L
Manganese, total	LGW-14R	1/23/2008	28	3		ug/L
Manganese, total	LGW-14R	7/22/2008	6.9	3		ug/L
Manganese, total	LGW-14R	2/6/2009	120	3		ug/L
Manganese, total	LGW-14R	7/29/2009	2	3	ND	ug/L
Manganese, total	LGW-14R	2/3/2010	1.3	3	ND	ug/L
Manganese, total	LGW-14R	2/3/2010	1.3	3	ND	ug/L
Manganese, total	LGW-14R	7/12/2010	2.1	3	ND	ug/L
Manganese, total	LGW-14R	1/19/2011	4.4	3		ug/L
Manganese, total	LGW-14R	7/12/2011	2	3	ND	ug/L
Manganese, total	LGW-14R	1/5/2012	4.4	3		ug/L
Manganese, total	LGW-14R	7/9/2012	3	3		ug/L
Manganese, total	LGW-14R	4/30/2013	1.5	3	ND	ug/L
Manganese, total	LGW-14R	1/23/2014	1.6	3	ND	ug/L
Manganese, total	LGW-14R	7/8/2014	0.7	3	ND	ug/L
Manganese, total	LGW-14R	2/11/2015	1	3	ND	ug/L
Manganese, total	LGW-14R	7/22/2015	1.7	3	ND	ug/L
Manganese, total	LGW-14R	1/5/2016	2.3	3	ND	ug/L
Manganese, total	LGW-14R	7/19/2016	14	3		ug/L
Manganese, total	LGW-14R	1/11/2017	11	3		ug/L
Manganese, total	LGW-14R	7/18/2017	13	3		ug/L
Manganese, total	LGW-14R	1/25/2018	4.2	3		ug/L
Manganese, total	LGW-14R	7/17/2018	2	3	ND	ug/L
Manganese, total	LGW-14R	1/3/2019	2.1	3	ND	ug/L
Manganese, total	LGW-14R	7/10/2019	3	3	ND	ug/L
Manganese, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Manganese, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Manganese, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Manganese, total	LGW-14R	7/7/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Manganese, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Manganese, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Manganese, total	LGW-2	1/25/2006	260	1		ug/L
Manganese, total	LGW-2	8/1/2006	40	3		ug/L
Manganese, total	LGW-2	8/1/2006	40	3		ug/L
Manganese, total	LGW-2	10/26/2006	16	3		ug/L
Manganese, total	LGW-2	1/25/2007	22	3		ug/L
Manganese, total	LGW-2	4/26/2007	16	3		ug/L
Manganese, total	LGW-2	7/10/2007	5.1	3		ug/L
Manganese, total	LGW-2	1/26/2008	61	3		ug/L
Manganese, total	LGW-2	7/23/2008	12	3		ug/L
Manganese, total	LGW-2	2/6/2009	92	3		ug/L
Manganese, total	LGW-2	7/30/2009	39	3		ug/L
Manganese, total	LGW-2	2/3/2010	4.9	3		ug/L
Manganese, total	LGW-2	2/3/2010	4.9	3		ug/L
Manganese, total	LGW-2	7/12/2010	8.9	3		ug/L
Manganese, total	LGW-2	1/19/2011	44	3		ug/L
Manganese, total	LGW-2	7/13/2011	6.9	3		ug/L
Manganese, total	LGW-2	1/4/2012	8.3	3		ug/L
Manganese, total	LGW-2	7/9/2012	12	3		ug/L
Manganese, total	LGW-2	4/30/2013	31	3		ug/L
Manganese, total	LGW-2	7/15/2013	17	3		ug/L
Manganese, total	LGW-2	1/30/2014	9.9	3		ug/L
Manganese, total	LGW-2	7/8/2014	8.6	3		ug/L
Manganese, total	LGW-2	2/13/2015	18	3		ug/L
Manganese, total	LGW-2	7/8/2015	12	3		ug/L
Manganese, total	LGW-2	1/5/2016	9.4	3		ug/L
Manganese, total	LGW-2	7/19/2016	10	3		ug/L
Manganese, total	LGW-2	1/11/2017	170	3		ug/L
Manganese, total	LGW-2	7/18/2017	440	3		ug/L
Manganese, total	LGW-2	1/23/2018	120	3		ug/L
Manganese, total	LGW-2	7/12/2018	200	3		ug/L
Manganese, total	LGW-2	1/3/2019	120	3		ug/L
Manganese, total	LGW-2	7/9/2019	89	3		ug/L
Manganese, total	LGW-2	1/13/2020	62.3	3		ug/L
Manganese, total	LGW-2	4/1/2020	46.5	3		ug/L
Manganese, total	LGW-2	7/8/2020	23.4	3		ug/L
Manganese, total	LGW-2	1/18/2021	5.44	3		ug/L
Manganese, total	LGW-2	7/4/2021	3	3	ND	ug/L
Manganese, total	LGW-2	1/12/2022	3	3	ND	ug/L
Manganese, total	LGW-2	7/10/2022	3	3	ND	ug/L
Manganese, total	LGW-2	1/10/2023	3	3	ND	ug/L
Manganese, total	LGW-3R	1/24/2006	12	1		ug/L
Manganese, total	LGW-3R	7/20/2006	19	3		ug/L
Manganese, total	LGW-3R	7/20/2006	19	3		ug/L
Manganese, total	LGW-3R	10/26/2006	630	3		ug/L
Manganese, total	LGW-3R	1/25/2007	19	3		ug/L
Manganese, total	LGW-3R	4/26/2007	23	3		ug/L
Manganese, total	LGW-3R	7/11/2007	22	3		ug/L
Manganese, total	LGW-3R	1/26/2008	91	3		ug/L
Manganese, total	LGW-3R	7/23/2008	36	3		ug/L
Manganese, total	LGW-3R	2/3/2009	40	3		ug/L
Manganese, total	LGW-3R	7/31/2009	360	3		ug/L
Manganese, total	LGW-3R	2/3/2010	32	3		ug/L
Manganese, total	LGW-3R	2/3/2010	32	3		ug/L
Manganese, total	LGW-3R	7/16/2010	5	3		ug/L
Manganese, total	LGW-3R	1/19/2011	10	3		ug/L
Manganese, total	LGW-3R	7/13/2011	17	3		ug/L
Manganese, total	LGW-3R	1/4/2012	17	3		ug/L
Manganese, total	LGW-3R	7/9/2012	9.4	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-3R	4/30/2013	120	3		ug/L
Manganese, total	LGW-3R	7/15/2013	120	3		ug/L
Manganese, total	LGW-3R	1/22/2014	28	3		ug/L
Manganese, total	LGW-3R	7/8/2014	36	3		ug/L
Manganese, total	LGW-3R	2/10/2015	22	3		ug/L
Manganese, total	LGW-3R	7/16/2015	400	3		ug/L
Manganese, total	LGW-3R	1/8/2016	11	3		ug/L
Manganese, total	LGW-3R	7/21/2016	370	3		ug/L
Manganese, total	LGW-3R	1/11/2017	41	3		ug/L
Manganese, total	LGW-3R	7/18/2017	23	3		ug/L
Manganese, total	LGW-3R	1/23/2018	11	3		ug/L
Manganese, total	LGW-3R	7/11/2018	1.2	3	ND	ug/L
Manganese, total	LGW-3R	1/3/2019	18	3		ug/L
Manganese, total	LGW-3R	7/9/2019	1.6	3	ND	ug/L
Manganese, total	LGW-3R	1/14/2020	42.9	3		ug/L
Manganese, total	LGW-3R	7/6/2020	22.1	3		ug/L
Manganese, total	LGW-3R	1/18/2021	59.8	3		ug/L
Manganese, total	LGW-3R	7/6/2021	77.5	3		ug/L
Manganese, total	LGW-3R	1/12/2022	25.6	3		ug/L
Manganese, total	LGW-3R	7/10/2022	53.6	3		ug/L
Manganese, total	LGW-3R	1/10/2023	26.4	3		ug/L
Manganese, total	LGW-4	1/24/2006	23	1		ug/L
Manganese, total	LGW-4	7/20/2006	14	3		ug/L
Manganese, total	LGW-4	7/20/2006	14	3		ug/L
Manganese, total	LGW-4	10/26/2006	110	3		ug/L
Manganese, total	LGW-4	1/25/2007	27	3		ug/L
Manganese, total	LGW-4	4/26/2007	22	3		ug/L
Manganese, total	LGW-4	7/11/2007	14	3		ug/L
Manganese, total	LGW-4	1/22/2008	20	3		ug/L
Manganese, total	LGW-4	7/23/2008	5.8	3		ug/L
Manganese, total	LGW-4	2/3/2009	6.5	3		ug/L
Manganese, total	LGW-4	7/31/2009	4.8	3		ug/L
Manganese, total	LGW-4	2/3/2010	5.4	3		ug/L
Manganese, total	LGW-4	2/3/2010	5.4	3		ug/L
Manganese, total	LGW-4	7/16/2010	5.1	3		ug/L
Manganese, total	LGW-4	1/19/2011	4.9	3		ug/L
Manganese, total	LGW-4	7/13/2011	8.6	3		ug/L
Manganese, total	LGW-4	1/4/2012	4.2	3		ug/L
Manganese, total	LGW-4	7/9/2012	6	3		ug/L
Manganese, total	LGW-4	4/30/2013	20	3		ug/L
Manganese, total	LGW-4	7/15/2013	12	3		ug/L
Manganese, total	LGW-4	1/23/2014	9.4	3		ug/L
Manganese, total	LGW-4	7/8/2014	8.8	3		ug/L
Manganese, total	LGW-4	2/11/2015	7.8	3		ug/L
Manganese, total	LGW-4	7/8/2015	3.3	3		ug/L
Manganese, total	LGW-4	1/5/2016	9.4	3		ug/L
Manganese, total	LGW-4	7/19/2016	6.7	3		ug/L
Manganese, total	LGW-4	1/11/2017	9.2	3		ug/L
Manganese, total	LGW-4	7/18/2017	10	3		ug/L
Manganese, total	LGW-4	1/23/2018	5.4	3		ug/L
Manganese, total	LGW-4	7/11/2018	38	3		ug/L
Manganese, total	LGW-4	1/3/2019	41	3		ug/L
Manganese, total	LGW-4	4/3/2019	240	3		ug/L
Manganese, total	LGW-4	7/9/2019	220	3		ug/L
Manganese, total	LGW-4	1/14/2020	66.7	3		ug/L
Manganese, total	LGW-4	7/6/2020	67.6	3		ug/L
Manganese, total	LGW-4	1/18/2021	1670	3		ug/L
Manganese, total	LGW-4	7/7/2021	236	3		ug/L
Manganese, total	LGW-4	1/12/2022	55.1	3		ug/L
Manganese, total	LGW-4	7/11/2022	50.4	3		ug/L
Manganese, total	LGW-4	1/10/2023	179	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-5	1/25/2006	170	1		ug/L
Manganese, total	LGW-5	8/1/2006	110	3		ug/L
Manganese, total	LGW-5	8/1/2006	110	3		ug/L
Manganese, total	LGW-5	10/26/2006	48	3		ug/L
Manganese, total	LGW-5	1/25/2007	4.8	3		ug/L
Manganese, total	LGW-5	4/26/2007	3	3	ND	ug/L
Manganese, total	LGW-5	7/11/2007	1.9	3	ND	ug/L
Manganese, total	LGW-5	1/23/2008	3.4	3		ug/L
Manganese, total	LGW-5	7/23/2008	1.2	3	ND	ug/L
Manganese, total	LGW-5	2/4/2009	4.1	3		ug/L
Manganese, total	LGW-5	7/29/2009	0.4	3	ND	ug/L
Manganese, total	LGW-5	2/3/2010	1.7	3	ND	ug/L
Manganese, total	LGW-5	2/3/2010	1.7	3	ND	ug/L
Manganese, total	LGW-5	7/12/2010	1.2	3	ND	ug/L
Manganese, total	LGW-5	1/19/2011	1.7	3	ND	ug/L
Manganese, total	LGW-5	7/12/2011	3	3	ND	ug/L
Manganese, total	LGW-5	1/5/2012	3	3	ND	ug/L
Manganese, total	LGW-5	7/9/2012	2.5	3	ND	ug/L
Manganese, total	LGW-5	4/30/2013	2.9	3	ND	ug/L
Manganese, total	LGW-5	7/15/2013	51	3		ug/L
Manganese, total	LGW-5	1/23/2014	4.7	3		ug/L
Manganese, total	LGW-5	7/8/2014	79	3		ug/L
Manganese, total	LGW-5	2/10/2015	250	3		ug/L
Manganese, total	LGW-5	7/8/2015	2000	3		ug/L
Manganese, total	LGW-5	1/5/2016	950	3		ug/L
Manganese, total	LGW-5	7/19/2016	720	3		ug/L
Manganese, total	LGW-5	1/11/2017	630	3		ug/L
Manganese, total	LGW-5	7/18/2017	600	3		ug/L
Manganese, total	LGW-5	1/23/2018	830	3		ug/L
Manganese, total	LGW-5	7/12/2018	1100	3		ug/L
Manganese, total	LGW-5	1/3/2019	2400	3		ug/L
Manganese, total	LGW-5	4/3/2019	3200	3		ug/L
Manganese, total	LGW-5	7/9/2019	4200	3		ug/L
Manganese, total	LGW-5	1/14/2020	7110	3		ug/L
Manganese, total	LGW-5	7/6/2020	9960	3		ug/L
Manganese, total	LGW-5	1/18/2021	15900	3		ug/L
Manganese, total	LGW-5	4/6/2021	14900	3		ug/L
Manganese, total	LGW-5	7/7/2021	17700	3		ug/L
Manganese, total	LGW-5	10/5/2021	16600	6		ug/L
Manganese, total	LGW-5	1/12/2022	15800	3		ug/L
Manganese, total	LGW-5	4/4/2022	15600	3		ug/L
Manganese, total	LGW-5	7/11/2022	15700	3		ug/L
Manganese, total	LGW-5	10/6/2022	17600	12		ug/L
Manganese, total	LGW-5	1/10/2023	10900	12		ug/L
Manganese, total	LGW-6	1/24/2006	16	1		ug/L
Manganese, total	LGW-6	7/20/2006	7.8	3		ug/L
Manganese, total	LGW-6	7/20/2006	7.8	3		ug/L
Manganese, total	LGW-6	10/26/2006	310	3		ug/L
Manganese, total	LGW-6	1/24/2007	56	3		ug/L
Manganese, total	LGW-6	4/26/2007	20	3		ug/L
Manganese, total	LGW-6	7/11/2007	8.3	3		ug/L
Manganese, total	LGW-6	1/23/2008	3.3	3		ug/L
Manganese, total	LGW-6	7/23/2008	4.6	3		ug/L
Manganese, total	LGW-6	2/5/2009	40	3		ug/L
Manganese, total	LGW-6	7/29/2009	4.7	3		ug/L
Manganese, total	LGW-6	2/3/2010	17	3		ug/L
Manganese, total	LGW-6	2/3/2010	17	3		ug/L
Manganese, total	LGW-6	7/12/2010	5.5	3		ug/L
Manganese, total	LGW-6	1/19/2011	6.3	3		ug/L
Manganese, total	LGW-6	7/12/2011	4.6	3		ug/L
Manganese, total	LGW-6	1/5/2012	2.9	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-6	7/9/2012	5.6	3		ug/L
Manganese, total	LGW-6	4/30/2013	2.9	3	ND	ug/L
Manganese, total	LGW-6	7/15/2013	4.2	3		ug/L
Manganese, total	LGW-6	1/23/2014	3.5	3		ug/L
Manganese, total	LGW-6	7/8/2014	5.9	3		ug/L
Manganese, total	LGW-6	2/10/2015	3.5	3		ug/L
Manganese, total	LGW-6	7/22/2015	6.7	3		ug/L
Manganese, total	LGW-6	1/5/2016	3.8	3		ug/L
Manganese, total	LGW-6	7/19/2016	4100	3		ug/L
Manganese, total	LGW-6	10/6/2016	18000	3		ug/L
Manganese, total	LGW-6	1/11/2017	16000	3		ug/L
Manganese, total	LGW-6	5/5/2017	24000	15		ug/L
Manganese, total	LGW-6	7/18/2017	20000	3		ug/L
Manganese, total	LGW-6	10/5/2017	23000	6		ug/L
Manganese, total	LGW-6	1/23/2018	26000	15		ug/L
Manganese, total	LGW-6	4/10/2018	22000	6		ug/L
Manganese, total	LGW-6	7/17/2018	18000	6		ug/L
Manganese, total	LGW-6	10/2/2018	25000	6		ug/L
Manganese, total	LGW-6	1/7/2019	28000	6		ug/L
Manganese, total	LGW-6	4/3/2019	24000	15		ug/L
Manganese, total	LGW-6	7/10/2019	27000	15		ug/L
Manganese, total	LGW-6	10/3/2019	30000	15		ug/L
Manganese, total	LGW-6	1/16/2020	30400	6		ug/L
Manganese, total	LGW-6	4/2/2020	30300	6		ug/L
Manganese, total	LGW-6	7/9/2020	36500	6		ug/L
Manganese, total	LGW-6	10/6/2020	34200	6		ug/L
Manganese, total	LGW-6	1/18/2021	40900	6		ug/L
Manganese, total	LGW-6	4/6/2021	38700	6		ug/L
Manganese, total	LGW-6	7/7/2021	38400	6		ug/L
Manganese, total	LGW-6	10/5/2021	42700	6		ug/L
Manganese, total	LGW-6	1/12/2022	43400	6		ug/L
Manganese, total	LGW-6	4/4/2022	42300	6		ug/L
Manganese, total	LGW-6	7/11/2022	34700	6		ug/L
Manganese, total	LGW-6	10/6/2022	44100	24		ug/L
Manganese, total	LGW-6	1/10/2023	34500	24		ug/L
Manganese, total	LGW-6	4/6/2023	38400	6		ug/L
Manganese, total	LGW-7	1/25/2006	21	1		ug/L
Manganese, total	LGW-7	8/1/2006	67	3		ug/L
Manganese, total	LGW-7	8/1/2006	67	3		ug/L
Manganese, total	LGW-7	10/26/2006	81	3		ug/L
Manganese, total	LGW-7	1/24/2007	5.4	3		ug/L
Manganese, total	LGW-7	4/26/2007	2.1	3	ND	ug/L
Manganese, total	LGW-7	7/12/2007	3	3		ug/L
Manganese, total	LGW-7	7/22/2008	0.8	3	ND	ug/L
Manganese, total	LGW-7	2/4/2009	0.9	3	ND	ug/L
Manganese, total	LGW-7	7/31/2009	0.6	3	ND	ug/L
Manganese, total	LGW-7	1/27/2010	0.6	3	ND	ug/L
Manganese, total	LGW-7	7/12/2010	6.6	3		ug/L
Manganese, total	LGW-7	1/20/2011	3	3		ug/L
Manganese, total	LGW-7	7/12/2011	3.8	3		ug/L
Manganese, total	LGW-7	1/5/2012	1.7	3	ND	ug/L
Manganese, total	LGW-7	7/10/2012	1.9	3	ND	ug/L
Manganese, total	LGW-7	4/30/2013	4.6	3		ug/L
Manganese, total	LGW-7	7/15/2013	4.3	3		ug/L
Manganese, total	LGW-7	1/23/2014	8.2	3		ug/L
Manganese, total	LGW-7	7/8/2014	4.3	3		ug/L
Manganese, total	LGW-7	2/11/2015	2.2	3	ND	ug/L
Manganese, total	LGW-7	7/22/2015	18	3		ug/L
Manganese, total	LGW-7	1/5/2016	2800	3		ug/L
Manganese, total	LGW-7	4/6/2016	6300	3		ug/L
Manganese, total	LGW-7	7/20/2016	12000	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-7	10/6/2016	19000	3		ug/L
Manganese, total	LGW-7	1/11/2017	3900	3		ug/L
Manganese, total	LGW-7	4/4/2017	7200	3		ug/L
Manganese, total	LGW-7	7/18/2017	130	3		ug/L
Manganese, total	LGW-7	10/5/2017	26000	6		ug/L
Manganese, total	LGW-7	1/24/2018	35000	15		ug/L
Manganese, total	LGW-7	4/11/2018	19000	3		ug/L
Manganese, total	LGW-7	7/12/2018	14000	3		ug/L
Manganese, total	LGW-7	10/2/2018	13000	6		ug/L
Manganese, total	LGW-7	1/7/2019	6400	3		ug/L
Manganese, total	LGW-7	4/3/2019	3100	3		ug/L
Manganese, total	LGW-7	7/10/2019	9800	3		ug/L
Manganese, total	LGW-7	10/3/2019	830	3		ug/L
Manganese, total	LGW-7	1/15/2020	76.2	3		ug/L
Manganese, total	LGW-7	7/9/2020	9.97	3		ug/L
Manganese, total	LGW-7	1/18/2021	14.2	3		ug/L
Manganese, total	LGW-7	7/7/2021	50.6	3		ug/L
Manganese, total	LGW-7	10/5/2021	15.2	3		ug/L
Manganese, total	LGW-7	1/13/2022	6.63	3		ug/L
Manganese, total	LGW-7	7/11/2022	103	3		ug/L
Manganese, total	LGW-7	1/11/2023	5.83	3		ug/L
Manganese, total	LGW-8R	1/24/2006	470	1		ug/L
Manganese, total	LGW-8R	7/20/2006	650	3		ug/L
Manganese, total	LGW-8R	7/20/2006	650	3		ug/L
Manganese, total	LGW-8R	10/26/2006	1700	3		ug/L
Manganese, total	LGW-8R	1/24/2007	1300	3		ug/L
Manganese, total	LGW-8R	4/25/2007	710	3		ug/L
Manganese, total	LGW-8R	7/12/2007	620	3		ug/L
Manganese, total	LGW-8R	2/4/2009	1.4	3	ND	ug/L
Manganese, total	LGW-8R	7/29/2009	0.4	3	ND	ug/L
Manganese, total	LGW-8R	1/27/2010	1	3	ND	ug/L
Manganese, total	LGW-8R	7/14/2010	0.4	3	ND	ug/L
Manganese, total	LGW-8R	1/20/2011	1.4	3	ND	ug/L
Manganese, total	LGW-8R	7/12/2011	3	3	ND	ug/L
Manganese, total	LGW-8R	1/5/2012	1.5	3	ND	ug/L
Manganese, total	LGW-8R	7/9/2012	0.3	3	ND	ug/L
Manganese, total	LGW-8R	4/30/2013	7.7	3	ND	ug/L
Manganese, total	LGW-8R	7/15/2013	1.2	3	ND	ug/L
Manganese, total	LGW-8R	1/22/2014	1.7	3	ND	ug/L
Manganese, total	LGW-8R	7/8/2014	1	3	ND	ug/L
Manganese, total	LGW-8R	2/11/2015	0.9	3	ND	ug/L
Manganese, total	LGW-8R	7/22/2015	1.8	3	ND	ug/L
Manganese, total	LGW-8R	1/5/2016	4.4	3		ug/L
Manganese, total	LGW-8R	7/20/2016	7	3		ug/L
Manganese, total	LGW-8R	1/11/2017	6.2	3		ug/L
Manganese, total	LGW-8R	7/18/2017	22	3		ug/L
Manganese, total	LGW-8R	1/25/2018	0.26	3	ND	ug/L
Manganese, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Manganese, total	LGW-8R	1/7/2019	1.1	3	ND	ug/L
Manganese, total	LGW-8R	7/8/2019	0.8	3	ND	ug/L
Manganese, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Manganese, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Manganese, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Manganese, total	LGW-8R	7/7/2021	3.95	3		ug/L
Manganese, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Manganese, total	LGW-8R	7/11/2022	24	3		ug/L
Manganese, total	LGW-8R	10/6/2022	37.6	3		ug/L
Manganese, total	LGW-8R	1/11/2023	26.3	3		ug/L
Manganese, total	LGW-9	1/25/2006	15700	1		ug/L
Manganese, total	LGW-9	7/20/2006	12000	3		ug/L
Manganese, total	LGW-9	7/20/2006	12000	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-9	10/26/2006	11000	3		ug/L
Manganese, total	LGW-9	1/25/2007	11000	3		ug/L
Manganese, total	LGW-9	4/25/2007	11000	3		ug/L
Manganese, total	LGW-9	7/10/2007	10000	3		ug/L
Manganese, total	LGW-9	7/22/2008	10000	3		ug/L
Manganese, total	LGW-9	2/4/2009	8600	3		ug/L
Manganese, total	LGW-9	7/29/2009	7700	3		ug/L
Manganese, total	LGW-9	1/27/2010	8300	3		ug/L
Manganese, total	LGW-9	7/14/2010	8000	3		ug/L
Manganese, total	LGW-9	1/20/2011	10000	3		ug/L
Manganese, total	LGW-9	7/12/2011	11000	3		ug/L
Manganese, total	LGW-9	1/5/2012	12000	3		ug/L
Manganese, total	LGW-9	7/10/2012	12000	3		ug/L
Manganese, total	LGW-9	5/1/2013	15000	3		ug/L
Manganese, total	LGW-9	7/15/2013	12000	3		ug/L
Manganese, total	LGW-9	1/23/2014	9900	3		ug/L
Manganese, total	LGW-9	7/8/2014	7900	3		ug/L
Manganese, total	LGW-9	2/11/2015	11000	3		ug/L
Manganese, total	LGW-9	7/13/2015	9100	3		ug/L
Manganese, total	LGW-9	1/5/2016	9100	3		ug/L
Manganese, total	LGW-9	7/21/2016	9500	3		ug/L
Manganese, total	LGW-9	10/6/2016	11000	3		ug/L
Manganese, total	LGW-9	1/11/2017	12000	3		ug/L
Manganese, total	LGW-9	5/5/2017	12000	3		ug/L
Manganese, total	LGW-9	7/18/2017	12000	3		ug/L
Manganese, total	LGW-9	10/5/2017	11000	3		ug/L
Manganese, total	LGW-9	1/24/2018	9900	3		ug/L
Manganese, total	LGW-9	4/11/2018	11000	3		ug/L
Manganese, total	LGW-9	7/13/2018	11000	3		ug/L
Manganese, total	LGW-9	10/2/2018	11000	6		ug/L
Manganese, total	LGW-9	1/7/2019	11000	3		ug/L
Manganese, total	LGW-9	4/3/2019	14000	3		ug/L
Manganese, total	LGW-9	7/10/2019	11000	6		ug/L
Manganese, total	LGW-9	10/3/2019	8200	3		ug/L
Manganese, total	LGW-9	1/16/2020	6920	3		ug/L
Manganese, total	LGW-9	4/2/2020	5940	3		ug/L
Manganese, total	LGW-9	7/9/2020	6330	3		ug/L
Manganese, total	LGW-9	10/7/2020	6490	3		ug/L
Manganese, total	LGW-9	1/17/2021	9110	3		ug/L
Manganese, total	LGW-9	4/6/2021	5870	3		ug/L
Manganese, total	LGW-9	7/7/2021	6270	3		ug/L
Manganese, total	LGW-9	10/5/2021	7010	3		ug/L
Manganese, total	LGW-9	1/13/2022	5820	3		ug/L
Manganese, total	LGW-9	4/4/2022	5900	3		ug/L
Manganese, total	LGW-9	7/11/2022	5400	3		ug/L
Manganese, total	LGW-9	10/7/2022	5680	3		ug/L
Manganese, total	LGW-9	1/11/2023	4250	3		ug/L
Manganese, total	LGW-9	4/5/2023	3000	3		ug/L
Manganese, total	MW-10N	10/22/1997	92	1		ug/L
Manganese, total	MW-10N	4/28/1998	500	1		ug/L
Manganese, total	MW-10N	7/23/1998	110	1		ug/L
Manganese, total	MW-10N	1/14/1999	540	1		ug/L
Manganese, total	MW-10N	4/13/1999	90	1		ug/L
Manganese, total	MW-10N	7/15/1999	18	1		ug/L
Manganese, total	MW-10N	10/20/1999	66	1		ug/L
Manganese, total	MW-10N	1/14/2000	10	1		ug/L
Manganese, total	MW-10N	4/25/2000	81	1		ug/L
Manganese, total	MW-10N	7/11/2000	19	1		ug/L
Manganese, total	MW-10N	10/17/2000	62	1		ug/L
Manganese, total	MW-10N	1/24/2001	41	1		ug/L
Manganese, total	MW-10N	4/10/2001	45	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-10N	7/10/2002	21	2		ug/L
Manganese, total	MW-10N	10/2/2002	23	2		ug/L
Manganese, total	MW-10N	1/22/2003	39	1		ug/L
Manganese, total	MW-10N	4/15/2003	23	1		ug/L
Manganese, total	MW-10N	7/8/2003	16	1		ug/L
Manganese, total	MW-10N	1/28/2004	27	1		ug/L
Manganese, total	MW-10N	7/27/2004	54	1		ug/L
Manganese, total	MW-10N	1/12/2005	11	1		ug/L
Manganese, total	MW-10N	7/20/2005	32	1		ug/L
Manganese, total	MW-10N	1/19/2006	53	1		ug/L
Manganese, total	MW-10N	7/19/2006	47	3		ug/L
Manganese, total	MW-10N	7/19/2006	47	3		ug/L
Manganese, total	MW-10N	10/25/2006	47	3		ug/L
Manganese, total	MW-10N	1/24/2007	32	3		ug/L
Manganese, total	MW-10N	7/10/2007	8.7	3		ug/L
Manganese, total	MW-10N	1/23/2008	34	3		ug/L
Manganese, total	MW-10N	7/21/2008	46	3		ug/L
Manganese, total	MW-10N	2/13/2009	43	3		ug/L
Manganese, total	MW-10N	7/31/2009	33	3		ug/L
Manganese, total	MW-10N	1/27/2010	14	3		ug/L
Manganese, total	MW-10N	8/10/2010	31	3		ug/L
Manganese, total	MW-10N	1/19/2011	26	3		ug/L
Manganese, total	MW-10N	7/14/2011	30	3		ug/L
Manganese, total	MW-10N	1/5/2012	32	3		ug/L
Manganese, total	MW-10N	7/10/2012	30	3		ug/L
Manganese, total	MW-10N	5/1/2013	35	3		ug/L
Manganese, total	MW-10N	1/24/2014	30	3		ug/L
Manganese, total	MW-10N	7/9/2014	25	3		ug/L
Manganese, total	MW-10N	2/12/2015	24	3		ug/L
Manganese, total	MW-10N	7/14/2015	32	3		ug/L
Manganese, total	MW-10N	1/6/2016	32	3		ug/L
Manganese, total	MW-10N	7/21/2016	30	3		ug/L
Manganese, total	MW-10N	1/11/2017	33	3		ug/L
Manganese, total	MW-10N	7/19/2017	29	3		ug/L
Manganese, total	MW-10N	1/24/2018	25	3		ug/L
Manganese, total	MW-10N	7/11/2018	25	3		ug/L
Manganese, total	MW-10N	1/3/2019	24	3		ug/L
Manganese, total	MW-10N	7/9/2019	26	3		ug/L
Manganese, total	MW-10N	1/16/2020	25.8	3		ug/L
Manganese, total	MW-10N	7/8/2020	23.8	3		ug/L
Manganese, total	MW-10N	1/13/2021	23.7	3		ug/L
Manganese, total	MW-10N	7/5/2021	24.7	3		ug/L
Manganese, total	MW-10N	1/11/2023	101	3		ug/L
Manganese, total	MW-10N	4/8/2023	49	3		ug/L
Manganese, total	MW-11N	10/22/1997	370	1		ug/L
Manganese, total	MW-11N	4/28/1998	90	1		ug/L
Manganese, total	MW-11N	7/23/1998	160	1		ug/L
Manganese, total	MW-11N	1/13/1999	270	1		ug/L
Manganese, total	MW-11N	4/13/1999	27	1		ug/L
Manganese, total	MW-11N	7/14/1999	16	1		ug/L
Manganese, total	MW-11N	10/20/1999	24	1		ug/L
Manganese, total	MW-11N	1/13/2000	62	1		ug/L
Manganese, total	MW-11N	4/25/2000	19	1		ug/L
Manganese, total	MW-11N	7/10/2000	66	1		ug/L
Manganese, total	MW-11N	10/17/2000	12	1		ug/L
Manganese, total	MW-11N	1/24/2001	9	1		ug/L
Manganese, total	MW-11N	4/10/2001	64	1		ug/L
Manganese, total	MW-11N	7/9/2002	30	2		ug/L
Manganese, total	MW-11N	10/2/2002	21	2		ug/L
Manganese, total	MW-11N	1/23/2003	81	1		ug/L
Manganese, total	MW-11N	4/15/2003	20	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-11N	7/8/2003	12	1		ug/L
Manganese, total	MW-11N	1/29/2004	32	1		ug/L
Manganese, total	MW-11N	7/27/2004	18	1		ug/L
Manganese, total	MW-11N	1/13/2005	17	1		ug/L
Manganese, total	MW-11N	7/20/2005	9	1		ug/L
Manganese, total	MW-11N	1/19/2006	35	1		ug/L
Manganese, total	MW-11N	7/18/2006	30	3		ug/L
Manganese, total	MW-11N	7/18/2006	30	3		ug/L
Manganese, total	MW-11N	10/25/2006	22	3		ug/L
Manganese, total	MW-11N	1/24/2007	19	3		ug/L
Manganese, total	MW-11N	7/10/2007	13	3		ug/L
Manganese, total	MW-11N	1/22/2008	3	3	ND	ug/L
Manganese, total	MW-11N	7/23/2008	0.9	3	ND	ug/L
Manganese, total	MW-11N	2/3/2009	0.6	3	ND	ug/L
Manganese, total	MW-11N	7/31/2009	0.8	3	ND	ug/L
Manganese, total	MW-11N	2/3/2010	4.5	3		ug/L
Manganese, total	MW-11N	2/3/2010	4.5	3		ug/L
Manganese, total	MW-11N	7/16/2010	0.4	3	ND	ug/L
Manganese, total	MW-11N	1/19/2011	1	3	ND	ug/L
Manganese, total	MW-11N	7/13/2011	2.2	3	ND	ug/L
Manganese, total	MW-11N	1/4/2012	1.6	3	ND	ug/L
Manganese, total	MW-11N	7/9/2012	2.8	3	ND	ug/L
Manganese, total	MW-11N	4/30/2013	36	3		ug/L
Manganese, total	MW-11N	7/15/2013	1.6	3	ND	ug/L
Manganese, total	MW-11N	1/23/2014	38	3		ug/L
Manganese, total	MW-11N	7/8/2014	1	3	ND	ug/L
Manganese, total	MW-11N	2/10/2015	0.3	3	ND	ug/L
Manganese, total	MW-11N	7/13/2015	19	3		ug/L
Manganese, total	MW-11N	1/5/2016	1.4	3	ND	ug/L
Manganese, total	MW-11N	7/21/2016	14	3		ug/L
Manganese, total	MW-11N	1/11/2017	2.1	3	ND	ug/L
Manganese, total	MW-11N	7/19/2017	10	3		ug/L
Manganese, total	MW-11N	1/23/2018	1.1	3	ND	ug/L
Manganese, total	MW-11N	7/17/2018	3	3	ND	ug/L
Manganese, total	MW-11N	1/2/2019	1.1	3	ND	ug/L
Manganese, total	MW-11N	7/9/2019	3	3	ND	ug/L
Manganese, total	MW-11N	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-11N	7/6/2020	3	3	ND	ug/L
Manganese, total	MW-11N	1/18/2021	3	3	ND	ug/L
Manganese, total	MW-11N	7/6/2021	3	3	ND	ug/L
Manganese, total	MW-11N	1/18/2022	3	3	ND	ug/L
Manganese, total	MW-11N	7/13/2022	3	3	ND	ug/L
Manganese, total	MW-11N	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-15	6/5/2015	28	3		ug/L
Manganese, total	MW-15	7/15/2015	32	3		ug/L
Manganese, total	MW-15	8/5/2015	230	3		ug/L
Manganese, total	MW-15	9/3/2015	1.9	3	ND	ug/L
Manganese, total	MW-15	1/7/2016	17	3		ug/L
Manganese, total	MW-15	4/5/2016	9.8	3		ug/L
Manganese, total	MW-15	7/20/2016	12	3		ug/L
Manganese, total	MW-15	10/6/2016	7.3	3		ug/L
Manganese, total	MW-15	1/10/2017	100	3		ug/L
Manganese, total	MW-15	7/18/2017	2500	3		ug/L
Manganese, total	MW-15	1/23/2018	7.8	3		ug/L
Manganese, total	MW-15	7/10/2018	2.3	3	ND	ug/L
Manganese, total	MW-15	1/3/2019	11	3		ug/L
Manganese, total	MW-15	7/9/2019	5.8	3		ug/L
Manganese, total	MW-15	1/14/2020	6.34	3		ug/L
Manganese, total	MW-15	8/3/2020	40.9	3		ug/L
Manganese, total	MW-15	1/18/2021	18.3	3		ug/L
Manganese, total	MW-15	7/4/2021	6.19	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-15	1/12/2022	5.84	3		ug/L
Manganese, total	MW-15	7/10/2022	3	3	ND	ug/L
Manganese, total	MW-15	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-16	6/5/2015	41	3		ug/L
Manganese, total	MW-16	7/16/2015	22	3		ug/L
Manganese, total	MW-16	8/5/2015	4.6	3		ug/L
Manganese, total	MW-16	9/3/2015	2.9	3	ND	ug/L
Manganese, total	MW-16	1/8/2016	11	3		ug/L
Manganese, total	MW-16	4/5/2016	5.5	3		ug/L
Manganese, total	MW-16	7/21/2016	2.4	3	ND	ug/L
Manganese, total	MW-16	10/5/2016	14	3		ug/L
Manganese, total	MW-16	1/10/2017	7.4	3		ug/L
Manganese, total	MW-16	7/18/2017	30	3		ug/L
Manganese, total	MW-16	1/23/2018	1.4	3	ND	ug/L
Manganese, total	MW-16	7/11/2018	3	3	ND	ug/L
Manganese, total	MW-16	1/2/2019	0.76	3	ND	ug/L
Manganese, total	MW-16	7/10/2019	3	3	ND	ug/L
Manganese, total	MW-16	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-16	8/3/2020	3	3	ND	ug/L
Manganese, total	MW-16	1/18/2021	3	3	ND	ug/L
Manganese, total	MW-16	7/4/2021	3	3	ND	ug/L
Manganese, total	MW-16	1/12/2022	3	3	ND	ug/L
Manganese, total	MW-16	7/10/2022	3	3	ND	ug/L
Manganese, total	MW-16	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-17	6/5/2015	120	3		ug/L
Manganese, total	MW-17	7/15/2015	38	3		ug/L
Manganese, total	MW-17	8/4/2015	13	3		ug/L
Manganese, total	MW-17	9/2/2015	11	3		ug/L
Manganese, total	MW-17	1/7/2016	4.9	3		ug/L
Manganese, total	MW-17	4/5/2016	8.1	3		ug/L
Manganese, total	MW-17	7/20/2016	16	3		ug/L
Manganese, total	MW-17	10/6/2016	5.1	3		ug/L
Manganese, total	MW-17	1/10/2017	36	3		ug/L
Manganese, total	MW-17	7/18/2017	9.6	3		ug/L
Manganese, total	MW-17	1/23/2018	1.8	3	ND	ug/L
Manganese, total	MW-17	7/10/2018	0.34	3	ND	ug/L
Manganese, total	MW-17	1/3/2019	0.6	3	ND	ug/L
Manganese, total	MW-17	7/11/2019	0.4	3	ND	ug/L
Manganese, total	MW-17	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-17	8/3/2020	3	3	ND	ug/L
Manganese, total	MW-17	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-17	7/4/2021	3	3	ND	ug/L
Manganese, total	MW-17	1/10/2023	77.2	3		ug/L
Manganese, total	MW-19	6/5/2015	120	3		ug/L
Manganese, total	MW-19	7/16/2015	210	3		ug/L
Manganese, total	MW-19	8/5/2015	7.9	3		ug/L
Manganese, total	MW-19	9/3/2015	1	3	ND	ug/L
Manganese, total	MW-19	1/7/2016	1.3	3	ND	ug/L
Manganese, total	MW-19	4/5/2016	42	3		ug/L
Manganese, total	MW-19	7/21/2016	2.7	3	ND	ug/L
Manganese, total	MW-19	10/5/2016	20	3		ug/L
Manganese, total	MW-19	1/10/2017	9.9	3		ug/L
Manganese, total	MW-19	7/18/2017	630	3		ug/L
Manganese, total	MW-19	1/23/2018	11	3		ug/L
Manganese, total	MW-19	7/13/2018	4.6	3		ug/L
Manganese, total	MW-19	1/7/2019	1.3	3	ND	ug/L
Manganese, total	MW-19	7/11/2019	1	3	ND	ug/L
Manganese, total	MW-19	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-19	8/3/2020	14.2	3		ug/L
Manganese, total	MW-19	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-19	7/4/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-19	1/11/2023	8.99	3		ug/L
Manganese, total	MW-1N	10/22/1997	52	1		ug/L
Manganese, total	MW-1N	4/28/1998	120	1		ug/L
Manganese, total	MW-1N	7/23/1998	120	1		ug/L
Manganese, total	MW-1N	1/13/1999	80	1		ug/L
Manganese, total	MW-1N	4/13/1999	1300	1		ug/L
Manganese, total	MW-1N	7/15/1999	630	1		ug/L
Manganese, total	MW-1N	10/19/1999	310	1		ug/L
Manganese, total	MW-1N	1/14/2000	240	1		ug/L
Manganese, total	MW-1N	4/25/2000	150	1		ug/L
Manganese, total	MW-1N	7/12/2000	2500	1		ug/L
Manganese, total	MW-1N	10/18/2000	1600	1		ug/L
Manganese, total	MW-1N	1/24/2001	920	1		ug/L
Manganese, total	MW-1N	4/12/2001	4700	1		ug/L
Manganese, total	MW-1N	7/9/2002	5700	2		ug/L
Manganese, total	MW-1N	10/3/2002	5700	2		ug/L
Manganese, total	MW-1N	1/22/2003	5500	1		ug/L
Manganese, total	MW-1N	4/15/2003	4700	1		ug/L
Manganese, total	MW-1N	7/8/2003	1500	1		ug/L
Manganese, total	MW-1N	1/28/2004	1400	1		ug/L
Manganese, total	MW-1N	7/27/2004	1500	1		ug/L
Manganese, total	MW-1N	1/12/2005	1100	1		ug/L
Manganese, total	MW-1N	7/20/2005	880	1		ug/L
Manganese, total	MW-1N	1/18/2006	570	1		ug/L
Manganese, total	MW-1N	7/18/2006	370	3		ug/L
Manganese, total	MW-1N	7/18/2006	370	3		ug/L
Manganese, total	MW-1N	10/24/2006	410	3		ug/L
Manganese, total	MW-1N	1/26/2007	290	3		ug/L
Manganese, total	MW-1N	7/11/2007	240	3		ug/L
Manganese, total	MW-1N	1/24/2008	200	3		ug/L
Manganese, total	MW-1N	7/21/2008	230	3		ug/L
Manganese, total	MW-1N	2/5/2009	150	3		ug/L
Manganese, total	MW-1N	7/31/2009	220	3		ug/L
Manganese, total	MW-1N	1/26/2010	170	3		ug/L
Manganese, total	MW-1N	7/13/2010	160	3		ug/L
Manganese, total	MW-1N	1/20/2011	44	3		ug/L
Manganese, total	MW-1N	7/13/2011	380	3		ug/L
Manganese, total	MW-1N	1/5/2012	260	3		ug/L
Manganese, total	MW-1N	7/10/2012	120	3		ug/L
Manganese, total	MW-1N	5/1/2013	140	3		ug/L
Manganese, total	MW-1N	7/16/2013	54	3		ug/L
Manganese, total	MW-1N	1/24/2014	38	3		ug/L
Manganese, total	MW-1N	7/9/2014	18	3		ug/L
Manganese, total	MW-1N	2/10/2015	21	3		ug/L
Manganese, total	MW-1N	7/14/2015	200	3		ug/L
Manganese, total	MW-1N	1/6/2016	47	3		ug/L
Manganese, total	MW-1N	7/21/2016	29	3		ug/L
Manganese, total	MW-1N	1/12/2017	4.7	3		ug/L
Manganese, total	MW-1N	7/19/2017	160	3		ug/L
Manganese, total	MW-1N	1/23/2018	6.9	3		ug/L
Manganese, total	MW-1N	7/10/2018	1.4	3	ND	ug/L
Manganese, total	MW-1N	1/3/2019	0.73	3	ND	ug/L
Manganese, total	MW-1N	7/11/2019	380	3		ug/L
Manganese, total	MW-1N	1/23/2020	402	3		ug/L
Manganese, total	MW-1N	4/2/2020	56.9	3		ug/L
Manganese, total	MW-1N	7/6/2020	22.4	3		ug/L
Manganese, total	MW-1N	1/14/2021	3.58	3		ug/L
Manganese, total	MW-1N	7/4/2021	33.9	3		ug/L
Manganese, total	MW-1N	1/11/2023	17.6	3		ug/L
Manganese, total	MW-20	6/5/2015	860	3		ug/L
Manganese, total	MW-20	7/14/2015	960	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-20	8/4/2015	700	3		ug/L
Manganese, total	MW-20	9/2/2015	100	3		ug/L
Manganese, total	MW-20	1/7/2016	190	3		ug/L
Manganese, total	MW-20	4/5/2016	88	3		ug/L
Manganese, total	MW-20	7/20/2016	93	3		ug/L
Manganese, total	MW-20	10/5/2016	240	3		ug/L
Manganese, total	MW-20	1/12/2017	370	3		ug/L
Manganese, total	MW-20	7/18/2017	200	3		ug/L
Manganese, total	MW-20	1/26/2018	300	3		ug/L
Manganese, total	MW-20	7/12/2018	56	3		ug/L
Manganese, total	MW-20	7/11/2019	230	3		ug/L
Manganese, total	MW-20	1/14/2020	149	3		ug/L
Manganese, total	MW-20	7/7/2020	56.8	3		ug/L
Manganese, total	MW-20	1/17/2021	1040	3		ug/L
Manganese, total	MW-20	7/4/2021	132	3		ug/L
Manganese, total	MW-20	1/11/2023	27.3	3		ug/L
Manganese, total	MW-21	6/5/2015	18000	3		ug/L
Manganese, total	MW-21	7/14/2015	18000	3		ug/L
Manganese, total	MW-21	8/4/2015	17000	3		ug/L
Manganese, total	MW-21	9/2/2015	17000	3		ug/L
Manganese, total	MW-21	1/7/2016	13000	3		ug/L
Manganese, total	MW-21	4/5/2016	15000	3		ug/L
Manganese, total	MW-21	7/20/2016	15000	3		ug/L
Manganese, total	MW-21	10/5/2016	12000	3		ug/L
Manganese, total	MW-21	10/5/2016	12000	3		ug/L
Manganese, total	MW-21	1/10/2017	13000	3		ug/L
Manganese, total	MW-21	4/5/2017	14000	3		ug/L
Manganese, total	MW-21	7/19/2017	13000	3		ug/L
Manganese, total	MW-21	10/6/2017	13000	3		ug/L
Manganese, total	MW-21	1/24/2018	9000	3		ug/L
Manganese, total	MW-21	4/11/2018	19000	3		ug/L
Manganese, total	MW-21	7/11/2018	13000	3		ug/L
Manganese, total	MW-21	10/4/2018	11000	6		ug/L
Manganese, total	MW-21	1/3/2019	16000	3		ug/L
Manganese, total	MW-21	4/3/2019	14000	3		ug/L
Manganese, total	MW-21	7/11/2019	13000	6		ug/L
Manganese, total	MW-21	10/2/2019	12000	3		ug/L
Manganese, total	MW-21	1/16/2020	11600	3		ug/L
Manganese, total	MW-21	4/2/2020	11600	6		ug/L
Manganese, total	MW-21	7/8/2020	10800	3		ug/L
Manganese, total	MW-21	10/7/2020	9120	3		ug/L
Manganese, total	MW-21	1/13/2021	10600	3		ug/L
Manganese, total	MW-21	4/6/2021	9500	3		ug/L
Manganese, total	MW-21	7/5/2021	8910	3		ug/L
Manganese, total	MW-21	10/6/2021	7530	3		ug/L
Manganese, total	MW-21	1/11/2023	7820	3		ug/L
Manganese, total	MW-21	4/8/2023	5710	3		ug/L
Manganese, total	MW-2N	10/22/1997	160	1		ug/L
Manganese, total	MW-2N	4/28/1998	35	1		ug/L
Manganese, total	MW-2N	7/22/1998	17	1		ug/L
Manganese, total	MW-2N	1/13/1999	99	1		ug/L
Manganese, total	MW-2N	4/13/1999	14	1		ug/L
Manganese, total	MW-2N	7/14/1999	2	1		ug/L
Manganese, total	MW-2N	10/20/1999	1.2	1		ug/L
Manganese, total	MW-2N	1/14/2000	4.3	1		ug/L
Manganese, total	MW-2N	4/25/2000	5.6	1		ug/L
Manganese, total	MW-2N	10/17/2000	1	1	ND	ug/L
Manganese, total	MW-2N	1/24/2001	1	1	ND	ug/L
Manganese, total	MW-2N	4/11/2001	1	1	ND	ug/L
Manganese, total	MW-2N	7/10/2002	17	2		ug/L
Manganese, total	MW-2N	10/2/2002	3	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-2N	1/22/2003	1.5	1		ug/L
Manganese, total	MW-2N	4/14/2003	3.6	1		ug/L
Manganese, total	MW-2N	7/7/2003	1	1	ND	ug/L
Manganese, total	MW-2N	1/28/2004	1	1	ND	ug/L
Manganese, total	MW-2N	7/27/2004	1.4	1		ug/L
Manganese, total	MW-2N	1/12/2005	10	1		ug/L
Manganese, total	MW-2N	7/20/2005	1.7	1		ug/L
Manganese, total	MW-2N	1/19/2006	13	1		ug/L
Manganese, total	MW-2N	7/19/2006	24	3		ug/L
Manganese, total	MW-2N	10/25/2006	3	3	ND	ug/L
Manganese, total	MW-2N	1/26/2007	3.3	3		ug/L
Manganese, total	MW-2N	7/11/2007	3	3	ND	ug/L
Manganese, total	MW-2N	1/24/2008	12	3		ug/L
Manganese, total	MW-2N	7/22/2008	0.6	3	ND	ug/L
Manganese, total	MW-2N	2/4/2009	2.4	3	ND	ug/L
Manganese, total	MW-2N	7/31/2009	8.8	3		ug/L
Manganese, total	MW-2N	1/26/2010	3.2	3		ug/L
Manganese, total	MW-2N	7/13/2010	3.8	3		ug/L
Manganese, total	MW-2N	1/20/2011	1.5	3	ND	ug/L
Manganese, total	MW-2N	7/13/2011	2.1	3	ND	ug/L
Manganese, total	MW-2N	1/5/2012	3	3	ND	ug/L
Manganese, total	MW-2N	7/10/2012	0.9	3	ND	ug/L
Manganese, total	MW-2N	5/1/2013	5	3		ug/L
Manganese, total	MW-2N	7/16/2013	3.1	3		ug/L
Manganese, total	MW-2N	1/24/2014	1.8	3	ND	ug/L
Manganese, total	MW-2N	7/9/2014	1.1	3	ND	ug/L
Manganese, total	MW-2N	2/12/2015	1.7	3	ND	ug/L
Manganese, total	MW-2N	7/14/2015	3.4	3		ug/L
Manganese, total	MW-2N	1/6/2016	3.5	3		ug/L
Manganese, total	MW-2N	7/21/2016	5.6	3		ug/L
Manganese, total	MW-2N	1/11/2017	3.3	3		ug/L
Manganese, total	MW-2N	7/19/2017	7.2	3		ug/L
Manganese, total	MW-2N	1/23/2018	0.35	3	ND	ug/L
Manganese, total	MW-2N	7/12/2018	3	3	ND	ug/L
Manganese, total	MW-2N	1/3/2019	0.36	3	ND	ug/L
Manganese, total	MW-2N	8/7/2019	81	3		ug/L
Manganese, total	MW-2N	10/1/2019	110	3		ug/L
Manganese, total	MW-2N	1/23/2020	8.92	3		ug/L
Manganese, total	MW-2N	7/7/2020	7.07	3		ug/L
Manganese, total	MW-2N	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-2N	7/5/2021	3	3	ND	ug/L
Manganese, total	MW-2N	1/11/2023	3.98	3		ug/L
Manganese, total	MW-3N	10/21/1997	1300	1		ug/L
Manganese, total	MW-3N	4/28/1998	4200	1		ug/L
Manganese, total	MW-3N	7/23/1998	3200	1		ug/L
Manganese, total	MW-3N	1/13/1999	2500	1		ug/L
Manganese, total	MW-3N	4/13/1999	2000	1		ug/L
Manganese, total	MW-3N	7/14/1999	1600	1		ug/L
Manganese, total	MW-3N	10/20/1999	1400	1		ug/L
Manganese, total	MW-3N	1/14/2000	1400	1		ug/L
Manganese, total	MW-3N	4/24/2000	1200	1		ug/L
Manganese, total	MW-3N	7/11/2000	1400	1		ug/L
Manganese, total	MW-3N	10/17/2000	950	1		ug/L
Manganese, total	MW-3N	1/23/2001	700	1		ug/L
Manganese, total	MW-3N	4/11/2001	1500	1		ug/L
Manganese, total	MW-3N	7/9/2002	2000	2		ug/L
Manganese, total	MW-3N	10/2/2002	3600	2		ug/L
Manganese, total	MW-3N	1/22/2003	2700	1		ug/L
Manganese, total	MW-3N	4/14/2003	2500	1		ug/L
Manganese, total	MW-3N	7/7/2003	3400	1		ug/L
Manganese, total	MW-3N	1/28/2004	2800	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-3N	7/27/2004	3700	1		ug/L
Manganese, total	MW-3N	1/12/2005	3000	1		ug/L
Manganese, total	MW-3N	7/20/2005	3600	1		ug/L
Manganese, total	MW-3N	1/18/2006	4200	1		ug/L
Manganese, total	MW-3N	7/19/2006	2700	3		ug/L
Manganese, total	MW-3N	7/19/2006	2700	3		ug/L
Manganese, total	MW-3N	10/25/2006	3300	3		ug/L
Manganese, total	MW-3N	1/26/2007	3200	3		ug/L
Manganese, total	MW-3N	7/11/2007	5500	3		ug/L
Manganese, total	MW-3N	1/24/2008	4900	3		ug/L
Manganese, total	MW-3N	7/22/2008	4400	3		ug/L
Manganese, total	MW-3N	2/4/2009	4600	3		ug/L
Manganese, total	MW-3N	7/31/2009	5100	3		ug/L
Manganese, total	MW-3N	1/26/2010	4700	3		ug/L
Manganese, total	MW-3N	7/13/2010	4600	3		ug/L
Manganese, total	MW-3N	1/20/2011	4700	3		ug/L
Manganese, total	MW-3N	7/14/2011	4600	3		ug/L
Manganese, total	MW-3N	1/5/2012	4400	3		ug/L
Manganese, total	MW-3N	7/11/2012	4100	3		ug/L
Manganese, total	MW-3N	5/1/2013	3300	3		ug/L
Manganese, total	MW-3N	6/4/2013	3400	3		ug/L
Manganese, total	MW-3N	7/16/2013	4000	3		ug/L
Manganese, total	MW-3N	1/24/2014	3800	3		ug/L
Manganese, total	MW-3N	7/9/2014	3900	3		ug/L
Manganese, total	MW-3N	2/12/2015	3300	3		ug/L
Manganese, total	MW-3N	4/1/2015	4200	3		ug/L
Manganese, total	MW-3N	7/14/2015	3800	3		ug/L
Manganese, total	MW-3N	10/5/2015	3700	3		ug/L
Manganese, total	MW-3N	1/6/2016	4000	3		ug/L
Manganese, total	MW-3N	4/6/2016	3100	3		ug/L
Manganese, total	MW-3N	7/21/2016	3200	3		ug/L
Manganese, total	MW-3N	10/6/2016	2600	3		ug/L
Manganese, total	MW-3N	1/11/2017	70	3		ug/L
Manganese, total	MW-3N	4/4/2017	360	3		ug/L
Manganese, total	MW-3N	7/19/2017	3600	3		ug/L
Manganese, total	MW-3N	10/9/2017	3200	3		ug/L
Manganese, total	MW-3N	1/24/2018	360	3		ug/L
Manganese, total	MW-3N	4/10/2018	1800	3		ug/L
Manganese, total	MW-3N	7/13/2018	1500	3		ug/L
Manganese, total	MW-3N	10/3/2018	1900	3		ug/L
Manganese, total	MW-3N	1/7/2019	1600	3		ug/L
Manganese, total	MW-3N	4/3/2019	2000	3		ug/L
Manganese, total	MW-3N	7/11/2019	2300	3		ug/L
Manganese, total	MW-3N	10/2/2019	770	3		ug/L
Manganese, total	MW-3N	1/15/2020	1460	3		ug/L
Manganese, total	MW-3N	4/2/2020	1460	3		ug/L
Manganese, total	MW-3N	7/7/2020	2550	3		ug/L
Manganese, total	MW-3N	10/7/2020	2990	3		ug/L
Manganese, total	MW-3N	1/13/2021	970	3		ug/L
Manganese, total	MW-3N	4/6/2021	721	3		ug/L
Manganese, total	MW-3N	7/5/2021	2470	3		ug/L
Manganese, total	MW-3N	10/6/2021	3020	3		ug/L
Manganese, total	MW-3N	1/11/2023	774	3		ug/L
Manganese, total	MW-7N	10/21/1997	14	1		ug/L
Manganese, total	MW-7N	7/22/1998	20700	1		ug/L
Manganese, total	MW-7N	8/18/1998	22700	10		ug/L
Manganese, total	MW-7N	9/17/1998	23600	10		ug/L
Manganese, total	MW-7N	11/9/1998	24000	7.2		ug/L
Manganese, total	MW-7N	1/14/1999	22500	1		ug/L
Manganese, total	MW-7N	4/14/1999	24800	5		ug/L
Manganese, total	MW-7N	7/14/1999	45400	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-7N	10/19/1999	37000	10		ug/L
Manganese, total	MW-7N	1/13/2000	40000	10		ug/L
Manganese, total	MW-7N	4/25/2000	43000	10		ug/L
Manganese, total	MW-7N	10/17/2000	45700	8		ug/L
Manganese, total	MW-7N	1/23/2001	43600	8		ug/L
Manganese, total	MW-7N	4/10/2001	49000	8		ug/L
Manganese, total	MW-7N	7/9/2002	43600	20		ug/L
Manganese, total	MW-7N	10/2/2002	43700	2		ug/L
Manganese, total	MW-7N	1/23/2003	13000	1		ug/L
Manganese, total	MW-7N	4/14/2003	38600	1.2		ug/L
Manganese, total	MW-7N	7/7/2003	22200	2.4		ug/L
Manganese, total	MW-7N	1/27/2004	35700	3.3		ug/L
Manganese, total	MW-7N	4/8/2004	33900	3.3		ug/L
Manganese, total	MW-7N	7/26/2004	38500	3.3		ug/L
Manganese, total	MW-7N	1/12/2005	33600	1.6		ug/L
Manganese, total	MW-7N	7/19/2005	35500	1.6		ug/L
Manganese, total	MW-7N	1/19/2006	18400	1		ug/L
Manganese, total	MW-7N	7/19/2006	32000	15		ug/L
Manganese, total	MW-7N	7/19/2006	32000	15		ug/L
Manganese, total	MW-7N	10/24/2006	26000	3		ug/L
Manganese, total	MW-7N	1/26/2007	19000	3		ug/L
Manganese, total	MW-7N	7/10/2007	19000	3		ug/L
Manganese, total	MW-7N	7/21/2008	13000	3		ug/L
Manganese, total	MW-7N	2/6/2009	11000	3		ug/L
Manganese, total	MW-7N	7/29/2009	10000	3		ug/L
Manganese, total	MW-7N	1/26/2010	6800	3		ug/L
Manganese, total	MW-7N	7/14/2010	5800	3		ug/L
Manganese, total	MW-7N	1/20/2011	2400	3		ug/L
Manganese, total	MW-7N	7/12/2011	1700	3		ug/L
Manganese, total	MW-7N	1/5/2012	1800	3		ug/L
Manganese, total	MW-7N	7/10/2012	970	3		ug/L
Manganese, total	MW-7N	5/1/2013	15000	3		ug/L
Manganese, total	MW-7N	6/4/2013	8800	3		ug/L
Manganese, total	MW-7N	7/15/2013	2500	3		ug/L
Manganese, total	MW-7N	1/30/2014	2200	3		ug/L
Manganese, total	MW-7N	7/9/2014	1100	3		ug/L
Manganese, total	MW-7N	2/12/2015	2300	3		ug/L
Manganese, total	MW-7N	7/13/2015	180	3		ug/L
Manganese, total	MW-7N	1/5/2016	82	3		ug/L
Manganese, total	MW-7N	7/21/2016	540	3		ug/L
Manganese, total	MW-7N	1/11/2017	13000	3		ug/L
Manganese, total	MW-7N	4/4/2017	3400	3		ug/L
Manganese, total	MW-7N	7/19/2017	5400	3		ug/L
Manganese, total	MW-7N	10/5/2017	4000	3		ug/L
Manganese, total	MW-7N	1/25/2018	4000	3		ug/L
Manganese, total	MW-7N	4/11/2018	3600	3		ug/L
Manganese, total	MW-7N	7/13/2018	1200	3		ug/L
Manganese, total	MW-7N	1/4/2019	1400	3		ug/L
Manganese, total	MW-7N	7/10/2019	240	3		ug/L
Manganese, total	MW-7N	1/16/2020	386	3		ug/L
Manganese, total	MW-7N	7/7/2020	105	3		ug/L
Manganese, total	MW-7N	1/16/2021	151	3		ug/L
Manganese, total	MW-7N	7/5/2021	95	3		ug/L
Manganese, total	MW-7N	1/12/2022	30.3	3		ug/L
Manganese, total	MW-7N	7/10/2022	43.4	3		ug/L
Manganese, total	MW-7N	1/10/2023	10.9	3		ug/L
Manganese, total	MW-8N	10/21/1997	2100	1		ug/L
Manganese, total	MW-8N	4/28/1998	14200	1		ug/L
Manganese, total	MW-8N	7/22/1998	10500	1		ug/L
Manganese, total	MW-8N	1/12/1999	8800	1		ug/L
Manganese, total	MW-8N	4/13/1999	12200	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-8N	7/14/1999	19000	10		ug/L
Manganese, total	MW-8N	10/19/1999	10900	5		ug/L
Manganese, total	MW-8N	1/14/2000	13100	3		ug/L
Manganese, total	MW-8N	4/25/2000	10100	1		ug/L
Manganese, total	MW-8N	10/17/2000	11200	1		ug/L
Manganese, total	MW-8N	1/23/2001	13800	1		ug/L
Manganese, total	MW-8N	4/11/2001	14500	1		ug/L
Manganese, total	MW-8N	7/9/2002	19300	10		ug/L
Manganese, total	MW-8N	10/2/2002	17300	2		ug/L
Manganese, total	MW-8N	1/23/2003	19600	1		ug/L
Manganese, total	MW-8N	4/14/2003	19100	1		ug/L
Manganese, total	MW-8N	7/7/2003	19200	1		ug/L
Manganese, total	MW-8N	1/28/2004	18700	1		ug/L
Manganese, total	MW-8N	7/27/2004	24300	3.3		ug/L
Manganese, total	MW-8N	1/12/2005	23900	1.6		ug/L
Manganese, total	MW-8N	7/20/2005	20700	1.6		ug/L
Manganese, total	MW-8N	1/19/2006	14900	1		ug/L
Manganese, total	MW-8N	7/19/2006	16000	3		ug/L
Manganese, total	MW-8N	7/19/2006	16000	3		ug/L
Manganese, total	MW-8N	10/24/2006	15000	3		ug/L
Manganese, total	MW-8N	1/26/2007	13000	3		ug/L
Manganese, total	MW-8N	4/25/2007	11000	3		ug/L
Manganese, total	MW-8N	7/10/2007	9500	3		ug/L
Manganese, total	MW-8N	1/24/2008	9700	3		ug/L
Manganese, total	MW-8N	7/23/2008	9200	3		ug/L
Manganese, total	MW-8N	2/4/2009	6800	3		ug/L
Manganese, total	MW-8N	7/31/2009	7800	3		ug/L
Manganese, total	MW-8N	1/26/2010	7100	3		ug/L
Manganese, total	MW-8N	7/16/2010	7800	3		ug/L
Manganese, total	MW-8N	1/19/2011	7400	3		ug/L
Manganese, total	MW-8N	5/10/2011	9700	3		ug/L
Manganese, total	MW-8N	7/14/2011	8000	3		ug/L
Manganese, total	MW-8N	1/6/2012	8300	3		ug/L
Manganese, total	MW-8N	4/5/2012	9100	3		ug/L
Manganese, total	MW-8N	7/11/2012	7800	3		ug/L
Manganese, total	MW-8N	10/3/2012	8300	3		ug/L
Manganese, total	MW-8N	5/1/2013	9800	3		ug/L
Manganese, total	MW-8N	6/4/2013	9100	3		ug/L
Manganese, total	MW-8N	7/16/2013	8200	3		ug/L
Manganese, total	MW-8N	10/2/2013	7600	3		ug/L
Manganese, total	MW-8N	1/30/2014	7600	3		ug/L
Manganese, total	MW-8N	4/3/2014	7900	3		ug/L
Manganese, total	MW-8N	7/9/2014	7500	3		ug/L
Manganese, total	MW-8N	10/8/2014	5400	3		ug/L
Manganese, total	MW-8N	2/12/2015	7300	3		ug/L
Manganese, total	MW-8N	4/1/2015	7600	3		ug/L
Manganese, total	MW-8N	7/14/2015	6900	3		ug/L
Manganese, total	MW-8N	10/5/2015	7000	3		ug/L
Manganese, total	MW-8N	1/5/2016	7800	3		ug/L
Manganese, total	MW-8N	4/6/2016	7000	3		ug/L
Manganese, total	MW-8N	7/21/2016	6800	3		ug/L
Manganese, total	MW-8N	10/6/2016	6100	3		ug/L
Manganese, total	MW-8N	1/11/2017	6200	3		ug/L
Manganese, total	MW-8N	4/4/2017	5800	3		ug/L
Manganese, total	MW-8N	7/19/2017	7900	3		ug/L
Manganese, total	MW-8N	10/6/2017	7900	3		ug/L
Manganese, total	MW-8N	1/25/2018	6700	3		ug/L
Manganese, total	MW-8N	4/10/2018	8100	3		ug/L
Manganese, total	MW-8N	7/16/2018	6800	3		ug/L
Manganese, total	MW-8N	10/2/2018	6400	3		ug/L
Manganese, total	MW-8N	1/7/2019	6800	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-8N	4/3/2019	7200	3		ug/L
Manganese, total	MW-8N	7/11/2019	6600	3		ug/L
Manganese, total	MW-8N	10/3/2019	5900	3		ug/L
Manganese, total	MW-8N	1/15/2020	5130	3		ug/L
Manganese, total	MW-8N	4/2/2020	4340	3		ug/L
Manganese, total	MW-8N	7/9/2020	4350	3		ug/L
Manganese, total	MW-8N	10/6/2020	3820	3		ug/L
Manganese, total	MW-8N	1/15/2021	4060	3		ug/L
Manganese, total	MW-8N	4/6/2021	3040	3		ug/L
Manganese, total	MW-8N	7/5/2021	3320	3		ug/L
Manganese, total	MW-8N	10/6/2021	2950	3		ug/L
Manganese, total	MW-8N	1/18/2022	3120	3		ug/L
Manganese, total	MW-8N	4/4/2022	3120	3		ug/L
Manganese, total	MW-8N	7/12/2022	2890	3		ug/L
Manganese, total	MW-8N	10/6/2022	2830	3		ug/L
Manganese, total	MW-8N	1/11/2023	2530	3		ug/L
Manganese, total	MW-8N	4/8/2023	2750	3		ug/L
Manganese, total	NE-1	7/10/2002	26100	10		ug/L
Manganese, total	NE-1	8/6/2002	26500	2		ug/L
Manganese, total	NE-1	9/4/2002	24400	2		ug/L
Manganese, total	NE-1	10/2/2002	31700	2		ug/L
Manganese, total	NE-1	7/8/2003	1100	1		ug/L
Manganese, total	NE-1	1/27/2004	15800	1		ug/L
Manganese, total	NE-1	1/12/2005	860	1		ug/L
Manganese, total	NE-1	7/19/2006	600	3		ug/L
Manganese, total	NE-1	7/19/2006	600	3		ug/L
Manganese, total	NE-1	10/25/2006	67	3		ug/L
Manganese, total	NE-1	1/24/2007	900	3		ug/L
Manganese, total	NE-1	7/10/2007	2600	3		ug/L
Manganese, total	NE-1	1/24/2008	200	3		ug/L
Manganese, total	NE-1	7/21/2008	420	3		ug/L
Manganese, total	NE-1	2/7/2009	2500	3		ug/L
Manganese, total	NE-1	7/31/2009	110	3		ug/L
Manganese, total	NE-1	1/26/2010	31	3		ug/L
Manganese, total	NE-1	7/14/2010	2900	3		ug/L
Manganese, total	NE-1	1/19/2011	80	3		ug/L
Manganese, total	NE-1	7/13/2011	21	3		ug/L
Manganese, total	NE-1	1/5/2012	41	3		ug/L
Manganese, total	NE-1	7/10/2012	1100	3		ug/L
Manganese, total	NE-1	4/30/2013	34	3		ug/L
Manganese, total	NE-1	7/16/2013	14	3		ug/L
Manganese, total	NE-1	1/23/2014	85	3		ug/L
Manganese, total	NE-1	7/9/2014	120	3		ug/L
Manganese, total	NE-1	2/11/2015	28	3		ug/L
Manganese, total	NE-1	7/8/2015	12	3		ug/L
Manganese, total	NE-1	1/6/2016	10	3		ug/L
Manganese, total	NE-1	7/20/2016	31	3		ug/L
Manganese, total	NE-1	1/11/2017	74	3		ug/L
Manganese, total	NE-1	7/19/2017	87	3		ug/L
Manganese, total	NE-1	1/24/2018	4.2	3		ug/L
Manganese, total	NE-1	4/11/2018	0.39	3	ND	ug/L
Manganese, total	NE-1	7/18/2018	3	3	ND	ug/L
Manganese, total	NE-1	10/2/2018	0.99	3	ND	ug/L
Manganese, total	NE-1	1/4/2019	1.1	3	ND	ug/L
Manganese, total	NE-1	4/2/2019	3	3	ND	ug/L
Manganese, total	NE-1	7/10/2019	4.7	3		ug/L
Manganese, total	NE-1	7/10/2019	4.7	3		ug/L
Manganese, total	NE-1	10/2/2019	3	3	ND	ug/L
Manganese, total	NE-1	1/15/2020	3.19	3		ug/L
Manganese, total	NE-1	4/2/2020	17.2	3		ug/L
Manganese, total	NE-1	7/8/2020	4.4	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-1	10/7/2020	59.8	3		ug/L
Manganese, total	NE-1	1/13/2021	8.929999	3		ug/L
Manganese, total	NE-1	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-1	7/2/2021	4.53	3		ug/L
Manganese, total	NE-1	10/6/2021	4.48	3		ug/L
Manganese, total	NE-1	1/17/2022	9.73	3		ug/L
Manganese, total	NE-1	4/6/2022	3.78	3		ug/L
Manganese, total	NE-1	7/13/2022	9.35	3		ug/L
Manganese, total	NE-1	10/6/2022	12.7	3		ug/L
Manganese, total	NE-1	1/5/2023	18.3	3		ug/L
Manganese, total	NE-1	4/7/2023	7.56	3		ug/L
Manganese, total	NE-10D	11/6/2019	15	3		ug/L
Manganese, total	NE-10D	1/16/2020	7.65	3		ug/L
Manganese, total	NE-10D	4/2/2020	7.58	3		ug/L
Manganese, total	NE-10D	7/8/2020	7.94	3		ug/L
Manganese, total	NE-10D	10/7/2020	3	3	ND	ug/L
Manganese, total	NE-10D	1/13/2021	3	3	ND	ug/L
Manganese, total	NE-10D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-10D	7/2/2021	3.1	3		ug/L
Manganese, total	NE-10D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-10D	1/6/2023	97.2	3		ug/L
Manganese, total	NE-10D	4/6/2023	40.3	3		ug/L
Manganese, total	NE-11	3/1/2017	1600	3		ug/L
Manganese, total	NE-11	4/6/2017	320	3		ug/L
Manganese, total	NE-11	7/20/2017	220	3		ug/L
Manganese, total	NE-11	10/9/2017	98	3		ug/L
Manganese, total	NE-11	9/30/2019	370	3		ug/L
Manganese, total	NE-11	1/14/2020	366	3		ug/L
Manganese, total	NE-11	7/7/2020	355	3		ug/L
Manganese, total	NE-11	1/16/2021	361	3		ug/L
Manganese, total	NE-11	1/16/2021	207	3		ug/L
Manganese, total	NE-11	7/1/2021	258	3		ug/L
Manganese, total	NE-11	1/17/2022	183	3		ug/L
Manganese, total	NE-11	1/17/2022	196	3		ug/L
Manganese, total	NE-11	7/12/2022	106	3		ug/L
Manganese, total	NE-11	1/6/2023	95.3	3		ug/L
Manganese, total	NE-12	3/1/2017	750	3		ug/L
Manganese, total	NE-12	4/6/2017	10	3		ug/L
Manganese, total	NE-12	7/20/2017	10	3		ug/L
Manganese, total	NE-12	10/6/2017	7.4	3		ug/L
Manganese, total	NE-12	8/5/2019	1	3	ND	ug/L
Manganese, total	NE-12	1/13/2020	3	3	ND	ug/L
Manganese, total	NE-12	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-12	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-12	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-12	7/1/2021	3	3	ND	ug/L
Manganese, total	NE-12	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-12	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-12	7/12/2022	3	3	ND	ug/L
Manganese, total	NE-12	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-13	2/5/2019	4.9	3		ug/L
Manganese, total	NE-13	8/7/2019	7.6	3		ug/L
Manganese, total	NE-13	1/15/2020	6	3		ug/L
Manganese, total	NE-13	7/8/2020	12.9	3		ug/L
Manganese, total	NE-13	1/17/2021	11.7	3		ug/L
Manganese, total	NE-13	1/17/2021	8.82	3		ug/L
Manganese, total	NE-13	7/1/2021	10.3	3		ug/L
Manganese, total	NE-14D	10/2/2019	3.2	3		ug/L
Manganese, total	NE-14D	1/16/2020	3	3	ND	ug/L
Manganese, total	NE-14D	4/3/2020	3	3	ND	ug/L
Manganese, total	NE-14D	7/7/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-14D	10/6/2020	3	3	ND	ug/L
Manganese, total	NE-14D	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-14D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-14D	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-14D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-14D	1/18/2022	3	3	ND	ug/L
Manganese, total	NE-14D	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-14D	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-14D	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-14D	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-14D	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-14S	10/2/2019	2.4	3	ND	ug/L
Manganese, total	NE-14S	1/16/2020	3	3	ND	ug/L
Manganese, total	NE-14S	4/3/2020	3	3	ND	ug/L
Manganese, total	NE-14S	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-14S	10/6/2020	5.89	3		ug/L
Manganese, total	NE-14S	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-14S	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-14S	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-14S	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-14S	1/18/2022	3	3	ND	ug/L
Manganese, total	NE-14S	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-14S	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-14S	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-14S	1/6/2023	3.28	3		ug/L
Manganese, total	NE-14S	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-15D	9/30/2019	16	3		ug/L
Manganese, total	NE-15D	1/16/2020	4.81	3		ug/L
Manganese, total	NE-15D	4/3/2020	3.9	3		ug/L
Manganese, total	NE-15D	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-15D	10/6/2020	3.56	3		ug/L
Manganese, total	NE-15D	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-15D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-15D	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-15D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-15D	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-15D	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-15D	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-15D	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-15D	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-15D	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-15S	4/3/2020	178	3		ug/L
Manganese, total	NE-2	7/9/2002	5000	2		ug/L
Manganese, total	NE-2	8/6/2002	1700	2		ug/L
Manganese, total	NE-2	9/4/2002	140	2		ug/L
Manganese, total	NE-2	10/2/2002	120	2		ug/L
Manganese, total	NE-2	10/1/2013	5.9	3		ug/L
Manganese, total	NE-2	10/8/2014	690	3		ug/L
Manganese, total	NE-2	10/5/2015	230	3		ug/L
Manganese, total	NE-2	10/6/2016	27	3		ug/L
Manganese, total	NE-2	10/5/2017	210	3		ug/L
Manganese, total	NE-2	1/25/2018	11	3		ug/L
Manganese, total	NE-2	4/10/2018	0.89	3	ND	ug/L
Manganese, total	NE-2	7/10/2018	0.55	3	ND	ug/L
Manganese, total	NE-2	10/1/2018	1.7	3	ND	ug/L
Manganese, total	NE-2	1/4/2019	7.7	3		ug/L
Manganese, total	NE-2	4/2/2019	2.7	3	ND	ug/L
Manganese, total	NE-2	7/9/2019	1.6	3	ND	ug/L
Manganese, total	NE-2	7/9/2019	1.6	3	ND	ug/L
Manganese, total	NE-2	10/2/2019	3	3	ND	ug/L
Manganese, total	NE-2	1/14/2020	10.5	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-2	4/1/2020	35.6	3		ug/L
Manganese, total	NE-2	7/7/2020	3.83	3		ug/L
Manganese, total	NE-2	10/6/2020	9.809999	3		ug/L
Manganese, total	NE-2	1/14/2021	12.3	3		ug/L
Manganese, total	NE-2	4/9/2021	11.9	3		ug/L
Manganese, total	NE-2	7/2/2021	4.29	3		ug/L
Manganese, total	NE-2	10/6/2021	18.9	3		ug/L
Manganese, total	NE-2	1/18/2022	5.94	3		ug/L
Manganese, total	NE-2	4/6/2022	28.7	3		ug/L
Manganese, total	NE-2	7/13/2022	13	3		ug/L
Manganese, total	NE-2	10/7/2022	23.5	3		ug/L
Manganese, total	NE-2	1/5/2023	11.7	3		ug/L
Manganese, total	NE-2	4/5/2023	14.3	3		ug/L
Manganese, total	NE-3	7/9/2002	37400	10		ug/L
Manganese, total	NE-3	8/6/2002	25200	2		ug/L
Manganese, total	NE-3	9/4/2002	21900	2		ug/L
Manganese, total	NE-3	10/2/2002	30800	2		ug/L
Manganese, total	NE-3	3/21/2018	6.2	3		ug/L
Manganese, total	NE-4	7/10/2002	3600	2		ug/L
Manganese, total	NE-4	8/6/2002	3600	2		ug/L
Manganese, total	NE-4	9/4/2002	2800	2		ug/L
Manganese, total	NE-4	10/3/2002	3300	2		ug/L
Manganese, total	NE-4	7/8/2003	81	1		ug/L
Manganese, total	NE-4	1/28/2004	130	1		ug/L
Manganese, total	NE-4	1/13/2005	16	1		ug/L
Manganese, total	NE-4	8/1/2006	64	3		ug/L
Manganese, total	NE-4	8/1/2006	64	3		ug/L
Manganese, total	NE-4	10/25/2006	3	3	ND	ug/L
Manganese, total	NE-4	1/24/2007	15	3		ug/L
Manganese, total	NE-4	7/12/2007	26	3		ug/L
Manganese, total	NE-4	1/24/2008	32	3		ug/L
Manganese, total	NE-4	7/21/2008	7.1	3		ug/L
Manganese, total	NE-4	2/7/2009	140	3		ug/L
Manganese, total	NE-4	7/31/2009	10	3		ug/L
Manganese, total	NE-4	1/26/2010	12	3		ug/L
Manganese, total	NE-4	7/14/2010	79	3		ug/L
Manganese, total	NE-4	1/19/2011	2.2	3	ND	ug/L
Manganese, total	NE-4	7/13/2011	3	3		ug/L
Manganese, total	NE-4	1/5/2012	2.5	3	ND	ug/L
Manganese, total	NE-4	7/10/2012	210	3		ug/L
Manganese, total	NE-4	4/30/2013	10	3		ug/L
Manganese, total	NE-4	7/16/2013	4.5	3		ug/L
Manganese, total	NE-4	1/23/2014	8.7	3		ug/L
Manganese, total	NE-4	7/9/2014	15	3		ug/L
Manganese, total	NE-4	2/13/2015	13	3		ug/L
Manganese, total	NE-4	7/8/2015	0.9	3	ND	ug/L
Manganese, total	NE-4	1/6/2016	3	3		ug/L
Manganese, total	NE-4	7/20/2016	4.7	3		ug/L
Manganese, total	NE-4	1/11/2017	7.2	3		ug/L
Manganese, total	NE-4	7/19/2017	42	3		ug/L
Manganese, total	NE-4	1/26/2018	1.4	3	ND	ug/L
Manganese, total	NE-4	4/10/2018	2.2	3	ND	ug/L
Manganese, total	NE-4	7/12/2018	1.6	3	ND	ug/L
Manganese, total	NE-4	10/3/2018	3	3		ug/L
Manganese, total	NE-4	1/7/2019	0.9	3	ND	ug/L
Manganese, total	NE-4	4/2/2019	2.5	3	ND	ug/L
Manganese, total	NE-4	7/8/2019	0.7	3	ND	ug/L
Manganese, total	NE-4	7/8/2019	0.7	3	ND	ug/L
Manganese, total	NE-4	10/1/2019	3	3	ND	ug/L
Manganese, total	NE-4	1/13/2020	3	3	ND	ug/L
Manganese, total	NE-4	4/1/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-4	7/6/2020	3	3	ND	ug/L
Manganese, total	NE-4	10/5/2020	6.55	3		ug/L
Manganese, total	NE-4	1/15/2021	5.72	3		ug/L
Manganese, total	NE-4	4/9/2021	4.27	3		ug/L
Manganese, total	NE-4	7/2/2021	22.6	3		ug/L
Manganese, total	NE-4	10/6/2021	4.48	3		ug/L
Manganese, total	NE-4	1/5/2023	21.6	3		ug/L
Manganese, total	NE-4	4/6/2023	11.4	3		ug/L
Manganese, total	NE-5	7/9/2002	5500	2		ug/L
Manganese, total	NE-5	8/6/2002	8000	2		ug/L
Manganese, total	NE-5	9/4/2002	7000	2		ug/L
Manganese, total	NE-5	10/2/2002	6900	2		ug/L
Manganese, total	NE-5	7/8/2003	7600	1		ug/L
Manganese, total	NE-5	1/27/2004	7400	1		ug/L
Manganese, total	NE-5	1/12/2005	4100	1		ug/L
Manganese, total	NE-5	7/19/2006	4100	3		ug/L
Manganese, total	NE-5	7/19/2006	4100	3		ug/L
Manganese, total	NE-5	10/25/2006	2100	3		ug/L
Manganese, total	NE-5	1/24/2007	2700	3		ug/L
Manganese, total	NE-5	7/12/2007	3600	3		ug/L
Manganese, total	NE-5	7/22/2008	3500	3		ug/L
Manganese, total	NE-5	2/6/2009	3400	3		ug/L
Manganese, total	NE-5	7/31/2009	4000	3		ug/L
Manganese, total	NE-5	1/26/2010	3000	3		ug/L
Manganese, total	NE-5	7/16/2010	3800	3		ug/L
Manganese, total	NE-5	1/19/2011	2900	3		ug/L
Manganese, total	NE-5	7/13/2011	2900	3		ug/L
Manganese, total	NE-5	1/5/2012	2700	3		ug/L
Manganese, total	NE-5	7/10/2012	2600	3		ug/L
Manganese, total	NE-5	4/30/2013	1700	3		ug/L
Manganese, total	NE-5	7/16/2013	2200	3		ug/L
Manganese, total	NE-5	1/23/2014	2200	3		ug/L
Manganese, total	NE-5	7/9/2014	2900	3		ug/L
Manganese, total	NE-5	2/11/2015	2400	3		ug/L
Manganese, total	NE-5	7/14/2015	1300	3		ug/L
Manganese, total	NE-5	1/6/2016	1800	3		ug/L
Manganese, total	NE-5	7/20/2016	2500	3		ug/L
Manganese, total	NE-5	1/11/2017	2000	3		ug/L
Manganese, total	NE-5	7/19/2017	1900	3		ug/L
Manganese, total	NE-5	1/25/2018	2400	3		ug/L
Manganese, total	NE-5	4/10/2018	1200	3		ug/L
Manganese, total	NE-5	7/17/2018	2000	3		ug/L
Manganese, total	NE-5	10/3/2018	2200	3		ug/L
Manganese, total	NE-5	1/4/2019	2000	3		ug/L
Manganese, total	NE-5	4/2/2019	2100	3		ug/L
Manganese, total	NE-5	4/2/2019	2100	3		ug/L
Manganese, total	NE-5	7/9/2019	2200	3		ug/L
Manganese, total	NE-5	7/9/2019	2200	3		ug/L
Manganese, total	NE-5	7/9/2019	2300	3		ug/L
Manganese, total	NE-5	10/3/2019	1500	3		ug/L
Manganese, total	NE-5	1/16/2020	1920	3		ug/L
Manganese, total	NE-5	4/2/2020	1780	3		ug/L
Manganese, total	NE-5	7/8/2020	1550	3		ug/L
Manganese, total	NE-5	10/6/2020	1320	3		ug/L
Manganese, total	NE-5	1/15/2021	1380	3		ug/L
Manganese, total	NE-5	4/9/2021	2090	3		ug/L
Manganese, total	NE-5	7/2/2021	1520	3		ug/L
Manganese, total	NE-5	10/6/2021	1140	3		ug/L
Manganese, total	NE-5	1/18/2022	1640	3		ug/L
Manganese, total	NE-5	4/6/2022	1500	3		ug/L
Manganese, total	NE-5	7/13/2022	1360	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-5	10/7/2022	1000	3		ug/L
Manganese, total	NE-5	1/5/2023	1530	3		ug/L
Manganese, total	NE-5	4/7/2023	1680	3		ug/L
Manganese, total	NE-5E	9/30/2019	23	3		ug/L
Manganese, total	NE-5E	1/16/2020	12.8	3		ug/L
Manganese, total	NE-5E	4/1/2020	12.5	3		ug/L
Manganese, total	NE-5E	7/8/2020	8.650001	3		ug/L
Manganese, total	NE-5E	10/6/2020	7.97	3		ug/L
Manganese, total	NE-5E	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-5E	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-5E	7/2/2021	30.8	3		ug/L
Manganese, total	NE-5E	10/6/2021	11.2	3		ug/L
Manganese, total	NE-5E	1/18/2022	9.940001	3		ug/L
Manganese, total	NE-5E	4/6/2022	28.8	3		ug/L
Manganese, total	NE-5E	7/13/2022	82.9	3		ug/L
Manganese, total	NE-5E	10/7/2022	308	3		ug/L
Manganese, total	NE-5E	1/5/2023	121	3		ug/L
Manganese, total	NE-5E	4/7/2023	124	3		ug/L
Manganese, total	NE-5W	9/30/2019	320	3		ug/L
Manganese, total	NE-5W	1/16/2020	141	3		ug/L
Manganese, total	NE-5W	4/2/2020	1020	3		ug/L
Manganese, total	NE-5W	7/8/2020	875	3		ug/L
Manganese, total	NE-5W	10/6/2020	884	3		ug/L
Manganese, total	NE-5W	1/15/2021	116	3		ug/L
Manganese, total	NE-5W	4/9/2021	60.3	3		ug/L
Manganese, total	NE-5W	7/2/2021	563	3		ug/L
Manganese, total	NE-5W	10/6/2021	534	3		ug/L
Manganese, total	NE-5W	1/18/2022	151	3		ug/L
Manganese, total	NE-5W	4/6/2022	318	3		ug/L
Manganese, total	NE-5W	7/13/2022	614	3		ug/L
Manganese, total	NE-5W	10/7/2022	635	3		ug/L
Manganese, total	NE-5W	1/5/2023	92.5	3		ug/L
Manganese, total	NE-5W	4/7/2023	34	3		ug/L
Manganese, total	NE-6	1/12/2017	450	3		ug/L
Manganese, total	NE-6	4/5/2017	310	3		ug/L
Manganese, total	NE-6	7/19/2017	320	3		ug/L
Manganese, total	NE-6	10/6/2017	210	3		ug/L
Manganese, total	NE-6	2/4/2019	360	3		ug/L
Manganese, total	NE-6	8/6/2019	150	3		ug/L
Manganese, total	NE-6	1/15/2020	44.7	3		ug/L
Manganese, total	NE-6	7/9/2020	132	3		ug/L
Manganese, total	NE-6	1/16/2021	283	3		ug/L
Manganese, total	NE-6	1/16/2021	241	3		ug/L
Manganese, total	NE-6	7/1/2021	257	3		ug/L
Manganese, total	NE-6	1/17/2022	189	3		ug/L
Manganese, total	NE-6	1/17/2022	184	3		ug/L
Manganese, total	NE-6	7/12/2022	132	3		ug/L
Manganese, total	NE-6	1/5/2023	134	3		ug/L
Manganese, total	NE-6D	10/2/2019	3400	3		ug/L
Manganese, total	NE-6D	1/15/2020	5140	3		ug/L
Manganese, total	NE-6D	4/2/2020	4890	3		ug/L
Manganese, total	NE-6D	7/9/2020	4410	3		ug/L
Manganese, total	NE-6D	10/7/2020	3110	3		ug/L
Manganese, total	NE-6D	1/15/2021	3820	3		ug/L
Manganese, total	NE-6D	4/9/2021	2830	3		ug/L
Manganese, total	NE-6D	7/2/2021	3930	3		ug/L
Manganese, total	NE-6D	10/7/2021	2810	3		ug/L
Manganese, total	NE-6D	1/17/2022	2960	3		ug/L
Manganese, total	NE-6D	4/6/2022	3230	3		ug/L
Manganese, total	NE-6D	7/12/2022	2970	3		ug/L
Manganese, total	NE-6D	10/7/2022	2040	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-6D	1/5/2023	2570	3		ug/L
Manganese, total	NE-6D	4/7/2023	2460	3		ug/L
Manganese, total	NE-7	3/1/2017	480	3		ug/L
Manganese, total	NE-7	4/6/2017	37	3		ug/L
Manganese, total	NE-7	7/20/2017	16	3		ug/L
Manganese, total	NE-7	10/5/2017	13	3		ug/L
Manganese, total	NE-7	2/6/2019	8.6	3		ug/L
Manganese, total	NE-7	8/6/2019	18	3		ug/L
Manganese, total	NE-7	1/16/2020	19.9	3		ug/L
Manganese, total	NE-7	7/7/2020	12.9	3		ug/L
Manganese, total	NE-7	1/16/2021	18.9	3		ug/L
Manganese, total	NE-7	1/16/2021	13	3		ug/L
Manganese, total	NE-7	7/1/2021	20.4	3		ug/L
Manganese, total	NE-7	1/17/2022	43.9	3		ug/L
Manganese, total	NE-7	1/17/2022	33	3		ug/L
Manganese, total	NE-7	7/12/2022	16.5	3		ug/L
Manganese, total	NE-7	1/5/2023	19.3	3		ug/L
Manganese, total	NE-8	1/12/2017	11	3		ug/L
Manganese, total	NE-8	4/5/2017	140	3		ug/L
Manganese, total	NE-8	7/20/2017	150	3		ug/L
Manganese, total	NE-8	10/6/2017	440	3		ug/L
Manganese, total	NE-8	2/4/2019	3	3	ND	ug/L
Manganese, total	NE-8	8/5/2019	530	3		ug/L
Manganese, total	NE-8	1/15/2020	1080	3		ug/L
Manganese, total	NE-8	7/8/2020	2620	3		ug/L
Manganese, total	NE-8	1/13/2021	32.6	3		ug/L
Manganese, total	NE-8	1/13/2021	37.7	3		ug/L
Manganese, total	NE-8	4/9/2021	19.8	3		ug/L
Manganese, total	NE-8	7/1/2021	452	3		ug/L
Manganese, total	NE-8	7/1/2021	434	3		ug/L
Manganese, total	NE-8	10/7/2021	1280	3		ug/L
Manganese, total	NE-8	1/6/2023	1250	3		ug/L
Manganese, total	NE-9	1/12/2017	14	3		ug/L
Manganese, total	NE-9	4/5/2017	4.7	3		ug/L
Manganese, total	NE-9	7/20/2017	1.4	3	ND	ug/L
Manganese, total	NE-9	10/5/2017	3.7	3		ug/L
Manganese, total	NE-9	2/5/2019	240	3		ug/L
Manganese, total	NE-9	8/7/2019	300	3		ug/L
Manganese, total	NE-9	1/15/2020	16.2	3		ug/L
Manganese, total	NE-9	7/7/2020	75.2	3		ug/L
Manganese, total	NE-9	1/17/2021	101	3		ug/L
Manganese, total	NE-9	1/17/2021	133	3		ug/L
Manganese, total	NE-9	7/1/2021	424	3		ug/L
Manganese, total	NE-9	1/17/2022	723	3		ug/L
Manganese, total	NE-9	1/17/2022	568	3		ug/L
Manganese, total	NE-9	7/13/2022	1520	3		ug/L
Manganese, total	NE-9	1/6/2023	2160	3		ug/L
Manganese, total	NE-9	4/8/2023	2230	3		ug/L
M-dinitrobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-2	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
M-dinitrobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
M-dinitrobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-15	7/10/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
M-dinitrobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-1N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-21	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-3N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-7N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
M-dinitrobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-8N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
M-dinitrobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	NE-1	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-1	2/7/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-4	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-4	2/7/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
M-dinitrobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-4	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	NE-5	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-5	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Mercury, total	LGW-10	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-10	10/9/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-10	7/16/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-10	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	LGW-10	7/9/2020	0.0713	0.049		ug/L
Mercury, total	LGW-10	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	10/27/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-14R	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-14R	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	2/13/2015	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-2	7/8/2020	0.049	0.049	ND	ug/L
Mercury, total	LGW-2	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	2/3/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	2/10/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-3R	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-3R	7/6/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	2/3/2009	0	0.2	ND	ug/L
Mercury, total	LGW-4	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-4	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-4	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-5	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	2/10/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-5	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-5	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	2/5/2009	0	0.2	ND	ug/L
Mercury, total	LGW-6	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	2/10/2015	0	0.2	ND	ug/L
Mercury, total	LGW-6	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-6	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-6	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-6	7/10/2019	0.11	0.25	ND	ug/L
Mercury, total	LGW-6	7/9/2020	0.049	0.049	ND	ug/L
Mercury, total	LGW-6	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-7	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-7	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-7	7/10/2012	0.2	0.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	LGW-7	2/11/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-7	10/6/2016	0	0.3	ND	ug/L
Mercury, total	LGW-7	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-7	7/12/2018	0.087	0.33	ND	ug/L
Mercury, total	LGW-7	7/10/2019	0.16	0.25	ND	ug/L
Mercury, total	LGW-7	7/9/2020	0.133	0.049		ug/L
Mercury, total	LGW-7	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-8R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-8R	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-8R	7/7/2021	0.212	0.2		ug/L
Mercury, total	LGW-9	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-9	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-9	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-9	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-9	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-9	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-9	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-9	7/10/2019	0.25	0.25	ND	ug/L
Mercury, total	LGW-9	7/9/2020	0.0785	0.049		ug/L
Mercury, total	LGW-9	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	2/13/2009	0	0.2	ND	ug/L
Mercury, total	MW-10N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-10N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	2/3/2009	0	0.2	ND	ug/L
Mercury, total	MW-11N	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	2/10/2015	0	0.2	ND	ug/L
Mercury, total	MW-11N	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-11N	7/6/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-15	7/10/2018	0.037	0.33	ND	ug/L
Mercury, total	MW-15	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-16	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-16	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-17	7/10/2018	0.045	0.33	ND	ug/L
Mercury, total	MW-17	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-19	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-19	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	10/14/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	2/5/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-1N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	2/10/2015	0	0.2	ND	ug/L
Mercury, total	MW-1N	7/10/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-1N	7/6/2020	0.0708	0.049		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	MW-1N	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-20	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-20	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-21	10/5/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-21	10/6/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-21	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-21	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-21	7/8/2020	7.38E-02	0.049		ug/L
Mercury, total	MW-21	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	2/4/2009	0	0.2	ND	ug/L
Mercury, total	MW-2N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-2N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	2/4/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-3N	7/11/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-3N	10/9/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-3N	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-3N	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-3N	7/7/2020	0.0722	0.049		ug/L
Mercury, total	MW-3N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	8/18/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	9/17/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	10/15/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	11/9/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-7N	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-7N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	1/24/2008	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	2/4/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-8N	5/10/2011	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	7/11/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/2/2013	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/8/2014	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	2/12/2015	0.2	0.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	MW-8N	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-8N	10/6/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-8N	7/16/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-8N	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-8N	7/9/2020	0.0802	0.049		ug/L
Mercury, total	MW-8N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	NE-1	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-1	2/7/2009	0.1	0.2	ND	ug/L
Mercury, total	NE-1	7/10/2012	0.1	0.2	ND	ug/L
Mercury, total	NE-1	2/11/2015	0.1	0.2	ND	ug/L
Mercury, total	NE-1	7/18/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-2	7/10/2018	0.033	0.33	ND	ug/L
Mercury, total	NE-4	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-4	2/7/2009	0.1	0.2	ND	ug/L
Mercury, total	NE-4	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	NE-4	2/13/2015	0.2	0.2	ND	ug/L
Mercury, total	NE-4	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-5	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-5	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	NE-5	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	NE-5	2/11/2015	0	0.2	ND	ug/L
Mercury, total	NE-5	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-5	7/9/2019	0.25	0.25	ND	ug/L
Meta & para-cresol	LGW-10	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-14R	10/27/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-14R	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-14R	7/17/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-2	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-2	2/13/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-2	2/13/2015	13	13	ND	ug/L
Meta & para-cresol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-3R	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-3R	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-3R	7/11/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-4	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-4	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-5	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-5	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-5	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-6	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-6	2/5/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-6	2/10/2015	10	10	ND	ug/L
Meta & para-cresol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Meta & para-cresol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-7	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-7	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-8R	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-8R	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-9	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-9	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	7/10/2019	10	10	ND	ug/L
Meta & para-cresol	MW-10N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-10N	2/13/2009	10	10	ND	ug/L
Meta & para-cresol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-11N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-11N	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-11N	2/10/2015	10	10	ND	ug/L
Meta & para-cresol	MW-11N	7/17/2018	10	10	ND	ug/L
Meta & para-cresol	MW-15	7/10/2018	10	10	ND	ug/L
Meta & para-cresol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-1N	10/24/2006	10	10	ND	ug/L
Meta & para-cresol	MW-1N	2/5/2009	10	10	ND	ug/L
Meta & para-cresol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-21	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	MW-2N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-2N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-2N	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	MW-3N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-3N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-3N	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	MW-7N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Meta & para-cresol	MW-7N	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Meta & para-cresol	MW-7N	7/13/2018	10	10	ND	ug/L
Meta & para-cresol	MW-8N	10/24/2006	10	10	ND	ug/L
Meta & para-cresol	MW-8N	1/24/2008	10	10	ND	ug/L
Meta & para-cresol	MW-8N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Meta & para-cresol	MW-8N	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	NE-1	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-1	2/7/2009	10	10	ND	ug/L
Meta & para-cresol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-4	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-4	2/7/2009	10	10	ND	ug/L
Meta & para-cresol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Meta & para-cresol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-4	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	NE-5	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-5	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-5	7/9/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-10	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/9/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/16/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-10	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-10	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-10	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-14R	10/27/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-2	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-2	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-2	2/13/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/8/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-2	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-3R	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/9/2012	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	LGW-3R	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/6/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-4	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-4	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-4	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-5	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-5	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-5	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-5	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-6	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-6	2/5/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-6	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-6	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-6	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-6	10/6/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-6	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-6	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-7	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-7	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-7	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-7	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-7	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-7	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-7	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-8R	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-9	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-9	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-9	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-9	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-9	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-9	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-9	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-9	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-10N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-10N	2/13/2009	10	10	ND	ug/L
Methacrylonitrile	MW-10N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-10N	2/12/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	MW-10N	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-10N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-11N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-11N	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	MW-11N	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-15	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-15	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-16	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-16	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-17	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-17	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-19	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-19	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-1N	10/14/1998	5	5	ND	ug/L
Methacrylonitrile	MW-1N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-1N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-1N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-1N	2/5/2009	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-1N	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/6/2020	50	50	ND	ug/L
Methacrylonitrile	MW-1N	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-20	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	MW-20	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-21	10/5/2016	10	10	ND	ug/L
Methacrylonitrile	MW-21	10/6/2017	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/8/2020	50	50	ND	ug/L
Methacrylonitrile	MW-21	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	MW-21	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-21	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-2N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-2N	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	MW-2N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-2N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-2N	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	MW-2N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-3N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-3N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-3N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-3N	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/11/2012	10	10	ND	ug/L
Methacrylonitrile	MW-3N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-3N	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	MW-3N	10/9/2017	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/7/2020	50	50	ND	ug/L
Methacrylonitrile	MW-3N	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	MW-3N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-3N	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-7N	10/15/1998	5	5	ND	ug/L
Methacrylonitrile	MW-7N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-7N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-7N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-7N	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	MW-7N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-7N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-7N	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	MW-7N	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-7N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-8N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-8N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-8N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-8N	1/24/2008	10	10	ND	ug/L
Methacrylonitrile	MW-8N	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	MW-8N	5/10/2011	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/11/2012	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/2/2013	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/8/2014	10	10	ND	ug/L
Methacrylonitrile	MW-8N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2017	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/16/2018	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2020	13	13	ND	ug/L
Methacrylonitrile	MW-8N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	NE-1	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-1	2/7/2009	10	10	ND	ug/L
Methacrylonitrile	NE-1	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-1	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	NE-1	7/18/2018	10	10	ND	ug/L
Methacrylonitrile	NE-2	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	NE-4	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-4	2/7/2009	10	10	ND	ug/L
Methacrylonitrile	NE-4	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-4	2/13/2015	10	10	ND	ug/L
Methacrylonitrile	NE-4	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	NE-5	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-5	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-5	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/9/2019	10	10	ND	ug/L
Methane	LGW-3R	1/3/2019	56	5		ug/L
Methane	LGW-6	6/5/2018	350	5		ug/L
Methane	LGW-7	6/5/2018	430	5		ug/L
Methane	LGW-9	6/5/2018	110	5		ug/L
Methane	MW-11N	1/2/2019	5	5	ND	ug/L
Methane	MW-15	1/3/2019	5	5	ND	ug/L
Methane	MW-16	1/2/2019	5	5	ND	ug/L
Methane	MW-3N	6/6/2018	11	5		ug/L
Methane	MW-7N	6/5/2018	150	5		ug/L
Methane	MW-8N	6/6/2018	12	5		ug/L
Methapyrilene	LGW-10	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-10	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-10	2/12/2015	48	48	ND	ug/L
Methapyrilene	LGW-10	10/6/2016	47	47	ND	ug/L
Methapyrilene	LGW-10	10/9/2017	48	48	ND	ug/L
Methapyrilene	LGW-10	7/16/2018	48	48	ND	ug/L
Methapyrilene	LGW-10	7/11/2019	50	50	ND	ug/L
Methapyrilene	LGW-10	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-10	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-14R	10/27/2006	50	50	ND	ug/L
Methapyrilene	LGW-14R	2/6/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	LGW-14R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-14R	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-14R	7/17/2018	51	51	ND	ug/L
Methapyrilene	LGW-14R	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-2	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-2	2/13/2009	50	50	ND	ug/L
Methapyrilene	LGW-2	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-2	2/13/2015	65	65	ND	ug/L
Methapyrilene	LGW-2	7/12/2018	49	49	ND	ug/L
Methapyrilene	LGW-2	7/8/2020	50	50	ND	ug/L
Methapyrilene	LGW-2	7/4/2021	50	50	ND	ug/L
Methapyrilene	LGW-3R	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-3R	2/3/2009	50	50	ND	ug/L
Methapyrilene	LGW-3R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-3R	2/10/2015	49	49	ND	ug/L
Methapyrilene	LGW-3R	7/11/2018	50	50	ND	ug/L
Methapyrilene	LGW-3R	7/6/2021	50	50	ND	ug/L
Methapyrilene	LGW-4	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-4	2/3/2009	50	50	ND	ug/L
Methapyrilene	LGW-4	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-4	2/11/2015	48	48	ND	ug/L
Methapyrilene	LGW-4	7/11/2018	50	50	ND	ug/L
Methapyrilene	LGW-4	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-5	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-5	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-5	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-5	2/10/2015	48	48	ND	ug/L
Methapyrilene	LGW-5	7/12/2018	50	50	ND	ug/L
Methapyrilene	LGW-5	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-6	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-6	2/5/2009	50	50	ND	ug/L
Methapyrilene	LGW-6	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-6	2/10/2015	50	50	ND	ug/L
Methapyrilene	LGW-6	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-6	10/5/2017	48	48	ND	ug/L
Methapyrilene	LGW-6	7/17/2018	49	49	ND	ug/L
Methapyrilene	LGW-6	7/10/2019	49	49	ND	ug/L
Methapyrilene	LGW-6	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-6	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-7	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-7	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-7	7/10/2012	47	47	ND	ug/L
Methapyrilene	LGW-7	2/11/2015	48	48	ND	ug/L
Methapyrilene	LGW-7	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-7	10/5/2017	48	48	ND	ug/L
Methapyrilene	LGW-7	7/12/2018	51	51	ND	ug/L
Methapyrilene	LGW-7	7/10/2019	49	49	ND	ug/L
Methapyrilene	LGW-7	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-7	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-8R	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-8R	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-8R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-8R	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-8R	7/13/2018	49	49	ND	ug/L
Methapyrilene	LGW-8R	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-9	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-9	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-9	7/10/2012	47	47	ND	ug/L
Methapyrilene	LGW-9	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-9	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-9	10/5/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	LGW-9	7/13/2018	47	47	ND	ug/L
Methapyrilene	LGW-9	7/10/2019	51	51	ND	ug/L
Methapyrilene	LGW-9	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-9	7/7/2021	50	50	ND	ug/L
Methapyrilene	MW-10N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-10N	2/13/2009	50	50	ND	ug/L
Methapyrilene	MW-10N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-10N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-10N	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-10N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-11N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-11N	2/3/2009	50	50	ND	ug/L
Methapyrilene	MW-11N	7/9/2012	47	47	ND	ug/L
Methapyrilene	MW-11N	2/10/2015	50	50	ND	ug/L
Methapyrilene	MW-11N	7/17/2018	50	50	ND	ug/L
Methapyrilene	MW-11N	7/6/2021	50	50	ND	ug/L
Methapyrilene	MW-15	7/10/2018	51	51	ND	ug/L
Methapyrilene	MW-15	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-16	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-16	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-17	7/10/2018	47	47	ND	ug/L
Methapyrilene	MW-17	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-19	7/13/2018	48	48	ND	ug/L
Methapyrilene	MW-19	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-1N	10/14/1998	10	10	ND	ug/L
Methapyrilene	MW-1N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-1N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-1N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-1N	2/5/2009	50	50	ND	ug/L
Methapyrilene	MW-1N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-1N	2/10/2015	47	47	ND	ug/L
Methapyrilene	MW-1N	7/10/2018	49	49	ND	ug/L
Methapyrilene	MW-1N	7/6/2020	50	50	ND	ug/L
Methapyrilene	MW-1N	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-20	7/12/2018	47	47	ND	ug/L
Methapyrilene	MW-20	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-21	10/5/2016	48	48	ND	ug/L
Methapyrilene	MW-21	10/6/2017	48	48	ND	ug/L
Methapyrilene	MW-21	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-21	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-21	7/8/2020	50	50	ND	ug/L
Methapyrilene	MW-21	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-2N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-2N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-2N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-2N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-2N	7/12/2018	51	51	ND	ug/L
Methapyrilene	MW-2N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-3N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-3N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-3N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-3N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-3N	7/11/2012	47	47	ND	ug/L
Methapyrilene	MW-3N	2/12/2015	49	49	ND	ug/L
Methapyrilene	MW-3N	10/6/2016	48	48	ND	ug/L
Methapyrilene	MW-3N	10/9/2017	48	48	ND	ug/L
Methapyrilene	MW-3N	7/13/2018	47	47	ND	ug/L
Methapyrilene	MW-3N	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-3N	7/7/2020	50	50	ND	ug/L
Methapyrilene	MW-3N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-7N	10/15/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	MW-7N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-7N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-7N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-7N	2/6/2009	50	50	ND	ug/L
Methapyrilene	MW-7N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-7N	2/12/2015	49	49	ND	ug/L
Methapyrilene	MW-7N	10/5/2017	49	49	ND	ug/L
Methapyrilene	MW-7N	7/13/2018	52	52	ND	ug/L
Methapyrilene	MW-7N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-8N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-8N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-8N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-8N	1/24/2008	50	50	ND	ug/L
Methapyrilene	MW-8N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-8N	5/10/2011	48	48	ND	ug/L
Methapyrilene	MW-8N	7/11/2012	47	47	ND	ug/L
Methapyrilene	MW-8N	10/2/2013	48	48	ND	ug/L
Methapyrilene	MW-8N	10/8/2014	48	48	ND	ug/L
Methapyrilene	MW-8N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-8N	10/6/2016	48	48	ND	ug/L
Methapyrilene	MW-8N	10/6/2017	48	48	ND	ug/L
Methapyrilene	MW-8N	7/16/2018	49	49	ND	ug/L
Methapyrilene	MW-8N	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-8N	7/9/2020	50	50	ND	ug/L
Methapyrilene	MW-8N	7/5/2021	50	50	ND	ug/L
Methapyrilene	NE-1	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-1	2/7/2009	50	50	ND	ug/L
Methapyrilene	NE-1	7/10/2012	48	48	ND	ug/L
Methapyrilene	NE-1	2/11/2015	48	48	ND	ug/L
Methapyrilene	NE-1	7/18/2018	48	48	ND	ug/L
Methapyrilene	NE-2	7/10/2018	48	48	ND	ug/L
Methapyrilene	NE-4	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-4	2/7/2009	50	50	ND	ug/L
Methapyrilene	NE-4	7/10/2012	49	49	ND	ug/L
Methapyrilene	NE-4	2/13/2015	48	48	ND	ug/L
Methapyrilene	NE-4	7/12/2018	52	52	ND	ug/L
Methapyrilene	NE-5	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-5	2/6/2009	50	50	ND	ug/L
Methapyrilene	NE-5	7/10/2012	47	47	ND	ug/L
Methapyrilene	NE-5	2/11/2015	48	48	ND	ug/L
Methapyrilene	NE-5	7/17/2018	48	48	ND	ug/L
Methapyrilene	NE-5	7/9/2019	50	50	ND	ug/L
Methoxychlor	LGW-10	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-10	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-10	2/12/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-10	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	LGW-10	10/9/2017	0.096	0.096	ND	ug/L
Methoxychlor	LGW-10	7/16/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-10	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-10	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-14R	10/27/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-14R	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-14R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-14R	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	LGW-14R	7/17/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-14R	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-2	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-2	2/13/2015	0.095	0.095	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	LGW-2	7/12/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-2	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-3R	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-3R	2/10/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-3R	7/11/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	7/6/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-4	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-4	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-4	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-4	2/11/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-4	7/11/2018	0.099	0.099	ND	ug/L
Methoxychlor	LGW-4	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-5	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-5	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-5	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-5	2/10/2015	0.1	0.1	ND	ug/L
Methoxychlor	LGW-5	7/12/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-5	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-6	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-6	2/5/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-6	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-6	2/10/2015	0.097	0.097	ND	ug/L
Methoxychlor	LGW-6	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	LGW-6	10/5/2017	0.098	0.098	ND	ug/L
Methoxychlor	LGW-6	7/17/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-6	7/10/2019	0.099	0.099	ND	ug/L
Methoxychlor	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-6	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-7	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-7	2/11/2015	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	LGW-7	10/5/2017	0.096	0.096	ND	ug/L
Methoxychlor	LGW-7	7/12/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-7	7/10/2019	0.098	0.098	ND	ug/L
Methoxychlor	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-7	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-8R	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-8R	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-8R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-8R	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	LGW-8R	7/13/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-8R	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	LGW-9	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-9	2/11/2015	0.097	0.097	ND	ug/L
Methoxychlor	LGW-9	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	LGW-9	10/5/2017	0.097	0.097	ND	ug/L
Methoxychlor	LGW-9	7/13/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	7/10/2019	0.11	0.11	ND	ug/L
Methoxychlor	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-9	7/7/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-10N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	2/13/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	2/13/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	7/10/2012	0.095	0.095	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	MW-10N	2/12/2015	0.099	0.099	ND	ug/L
Methoxychlor	MW-10N	7/11/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-11N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-11N	2/10/2015	0.097	0.097	ND	ug/L
Methoxychlor	MW-11N	7/17/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	7/6/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-15	7/10/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-15	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-16	7/11/2018	0.098	0.098	ND	ug/L
Methoxychlor	MW-16	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-17	7/10/2018	0.096	0.096	ND	ug/L
Methoxychlor	MW-17	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-19	7/13/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-19	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Methoxychlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-1N	2/5/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-1N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	2/10/2015	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	7/10/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-20	7/12/2018	0.099	0.099	ND	ug/L
Methoxychlor	MW-20	7/4/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-21	10/5/2016	0.097	0.097	ND	ug/L
Methoxychlor	MW-21	10/6/2017	0.096	0.096	ND	ug/L
Methoxychlor	MW-21	7/11/2018	0.096	0.096	ND	ug/L
Methoxychlor	MW-21	7/11/2019	0.11	0.11	ND	ug/L
Methoxychlor	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-21	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-2N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-2N	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-2N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-2N	2/12/2015	0.097	0.097	ND	ug/L
Methoxychlor	MW-2N	7/12/2018	0.097	0.097	ND	ug/L
Methoxychlor	MW-2N	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	7/11/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	2/12/2015	0.099	0.099	ND	ug/L
Methoxychlor	MW-3N	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	MW-3N	10/9/2017	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	7/13/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Methoxychlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-7N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-7N	2/12/2015	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	10/5/2017	0.1	0.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	MW-7N	7/13/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-7N	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	1/24/2008	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	5/10/2011	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	7/11/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	10/2/2013	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	10/8/2014	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	2/12/2015	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	MW-8N	10/6/2017	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	7/16/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	7/5/2021	1.00E-01	1.00E-01	ND	ug/L
Methoxychlor	NE-1	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-1	2/7/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-1	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	NE-1	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	NE-1	7/18/2018	0.099	0.099	ND	ug/L
Methoxychlor	NE-2	7/10/2018	0.098	0.098	ND	ug/L
Methoxychlor	NE-4	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-4	2/7/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-4	7/10/2012	0.096	0.096	ND	ug/L
Methoxychlor	NE-4	2/13/2015	0.095	0.095	ND	ug/L
Methoxychlor	NE-4	7/12/2018	0.11	0.11	ND	ug/L
Methoxychlor	NE-5	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	NE-5	2/11/2015	0.095	0.095	ND	ug/L
Methoxychlor	NE-5	7/17/2018	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	7/9/2019	0.1	0.1	ND	ug/L
Methyl ethyl ketone	LGW-10	1/26/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-10	1/25/2007	9.3	5		ug/L
Methyl ethyl ketone	LGW-10	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/6/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-10	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/16/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/4/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	10/27/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	4/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/7/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-14R	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-2	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/26/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/30/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/26/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/9/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-3R	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/22/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/8/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-4	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/25/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-5	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-6	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/5/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-6	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	5/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-7	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-7	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	4/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/22/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-9	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/25/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-9	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	5/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/28/1998	19	19	ND	ug/L
Methyl ethyl ketone	MW-10N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	7/15/1999	80	9.7		ug/L
Methyl ethyl ketone	MW-10N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	7/11/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	4/10/2001	7.5	5		ug/L
Methyl ethyl ketone	MW-10N	7/10/2002	50	5		ug/L
Methyl ethyl ketone	MW-10N	10/2/2002	5.1	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-10N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	2/13/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	8/10/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/10/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/10/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/29/2004	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-11N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-11N	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/15/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/10/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-15	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/8/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/15/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	8/4/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/22/1997	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-1N	1/20/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	10/14/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	5/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/15/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/12/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/18/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	4/12/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/3/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-1N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	2/5/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/23/2020	6.4	6.4	ND	ug/L
Methyl ethyl ketone	MW-1N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/4/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-1N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	8/4/2015	3.2	5	ND	ug/L
Methyl ethyl ketone	MW-20	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/26/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	8/4/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/4/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	10/17/2000	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-2N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	4/11/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-2N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	3/27/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/23/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/24/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/11/2001	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-3N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/1/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-7N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/21/1998	92	9.7		ug/L
Methyl ethyl ketone	MW-7N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	8/18/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	9/17/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/15/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	11/9/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	4/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/13/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/10/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/8/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/26/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-7N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/4/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-7N	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/12/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/11/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-8N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/10/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/6/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/11/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/3/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/3/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-8N	4/1/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	2/7/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/14/2010	8.3	5		ug/L
Methyl ethyl ketone	NE-1	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/5/2012	2.5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	2/11/2015	3.9	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-1	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/18/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	11/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	8/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/7/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	2/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-15S	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/1/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-3	7/9/2002	2.2	5		ug/L
Methyl ethyl ketone	NE-3	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-3	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-3	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-3	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-3	3/21/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/3/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/13/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-4	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	2/7/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/5/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-4	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	2/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/26/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/1/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/5/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-5	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	2/11/2015	4.2	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/20/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-5	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	10/6/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-6	2/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	8/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	2/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	8/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	2/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	8/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	4/5/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-9	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	2/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/16/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/4/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/5/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-10	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	10/27/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	4/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/26/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/30/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/4/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-2	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/26/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/22/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/8/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/10/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-3R	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-5	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/5/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	5/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/3/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-6	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/24/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/22/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-9	5/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/28/1998	6	6	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/15/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/11/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	2/13/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	8/10/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/19/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-10N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/10/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/29/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-11N	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/15/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/8/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/12/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-16	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/15/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/20/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/14/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/15/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/12/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/18/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/12/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/3/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/22/2003	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-1N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	2/5/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/23/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/26/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	6/5/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-21	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/4/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	3/27/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/22/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-2N	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/23/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/24/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/23/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	2/4/2009	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-3N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/1/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/21/1998	8	3		ug/L
Methyl isobutyl ketone	MW-7N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	8/18/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	9/17/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/15/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	11/9/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/13/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/23/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/2/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-7N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/8/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/26/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/12/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/23/2001	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-8N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/10/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/6/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/11/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/3/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/3/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/1/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/15/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-8N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	2/7/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/18/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/9/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-1	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	11/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	8/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	2/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/7/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-14D	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15S	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/1/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/14/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-2	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-3	3/21/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/3/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/13/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	2/7/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	2/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/26/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/1/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-4	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/5/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/2/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-5	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	2/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	8/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/2/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-6D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	2/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	8/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	2/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	8/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	2/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	4/8/2023	5	5	ND	ug/L
Methyl methacrylate	LGW-10	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-10	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/9/2017	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	LGW-10	7/16/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-10	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	10/27/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-2	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-2	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-2	2/13/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/8/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-2	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/6/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-4	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-4	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-4	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-5	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-5	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-5	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-5	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-6	2/5/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-6	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/10/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-6	10/6/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-7	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-7	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/10/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-7	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/5/2021	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	LGW-8R	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-9	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-9	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/10/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-9	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-10N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-10N	2/13/2009	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-10N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-11N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-11N	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	MW-11N	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-15	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-15	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-16	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-16	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-17	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-17	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-19	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-19	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-1N	10/14/1998	5	5	ND	ug/L
Methyl methacrylate	MW-1N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-1N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-1N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-1N	2/5/2009	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-1N	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/6/2020	50	50	ND	ug/L
Methyl methacrylate	MW-1N	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-20	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	MW-20	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/5/2016	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/6/2017	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/8/2020	50	50	ND	ug/L
Methyl methacrylate	MW-21	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-2N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-2N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/10/2012	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	MW-2N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-3N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-3N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-3N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/11/2012	4	4	ND	ug/L
Methyl methacrylate	MW-3N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/9/2017	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/7/2020	50	50	ND	ug/L
Methyl methacrylate	MW-3N	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-7N	10/15/1998	5	5	ND	ug/L
Methyl methacrylate	MW-7N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-7N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-7N	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-7N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-7N	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-8N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-8N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-8N	1/24/2008	4	4	ND	ug/L
Methyl methacrylate	MW-8N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-8N	5/10/2011	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/11/2012	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/2/2013	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/8/2014	4	4	ND	ug/L
Methyl methacrylate	MW-8N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2017	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/16/2018	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2020	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	NE-1	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-1	2/7/2009	4	4	ND	ug/L
Methyl methacrylate	NE-1	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-1	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	NE-1	7/18/2018	4	4	ND	ug/L
Methyl methacrylate	NE-2	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	NE-4	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-4	2/7/2009	4	4	ND	ug/L
Methyl methacrylate	NE-4	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-4	2/13/2015	4	4	ND	ug/L
Methyl methacrylate	NE-4	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	NE-5	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-5	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	NE-5	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-5	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	NE-5	7/17/2018	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	NE-5	7/9/2019	4	4	ND	ug/L
Methyl methanesulfonate	LGW-10	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-10	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-10	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	10/27/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/17/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	2/13/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-2	2/13/2015	13	13	ND	ug/L
Methyl methanesulfonate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-2	7/8/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-2	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/11/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/6/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-4	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-5	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	2/5/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-6	2/10/2015	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-6	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-6	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-7	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-7	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methanesulfonate	LGW-8R	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-8R	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	7/10/2019	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-9	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-10N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-10N	2/13/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-10N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-11N	2/10/2015	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	7/17/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	7/6/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-15	7/10/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-15	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-16	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-17	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-19	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	10/14/1998	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	10/24/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	2/5/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	MW-1N	7/6/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-1N	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-20	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-21	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-21	7/8/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-21	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-2N	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methanesulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-3N	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	7/7/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-3N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	10/15/1998	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	10/24/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Methyl methanesulfonate	MW-7N	7/13/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	10/24/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	1/24/2008	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Methyl methanesulfonate	MW-8N	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-8N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	NE-1	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-1	2/7/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-4	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-4	2/7/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Methyl methanesulfonate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-4	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-5	7/9/2019	10	10	ND	ug/L
Methyl parathion	LGW-10	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-10	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-10	2/12/2015	48	48	ND	ug/L
Methyl parathion	LGW-10	10/6/2016	47	47	ND	ug/L
Methyl parathion	LGW-10	10/9/2017	48	48	ND	ug/L
Methyl parathion	LGW-10	7/16/2018	48	48	ND	ug/L
Methyl parathion	LGW-10	7/11/2019	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	LGW-10	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-10	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-14R	10/27/2006	50	50	ND	ug/L
Methyl parathion	LGW-14R	2/6/2009	50	50	ND	ug/L
Methyl parathion	LGW-14R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-14R	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-14R	7/17/2018	51	51	ND	ug/L
Methyl parathion	LGW-14R	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-2	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-2	2/13/2009	50	50	ND	ug/L
Methyl parathion	LGW-2	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-2	2/13/2015	65	65	ND	ug/L
Methyl parathion	LGW-2	7/12/2018	49	49	ND	ug/L
Methyl parathion	LGW-2	7/8/2020	10	10	ND	ug/L
Methyl parathion	LGW-2	7/4/2021	50	50	ND	ug/L
Methyl parathion	LGW-3R	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-3R	2/3/2009	50	50	ND	ug/L
Methyl parathion	LGW-3R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-3R	2/10/2015	49	49	ND	ug/L
Methyl parathion	LGW-3R	7/11/2018	50	50	ND	ug/L
Methyl parathion	LGW-3R	7/6/2021	50	50	ND	ug/L
Methyl parathion	LGW-4	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-4	2/3/2009	50	50	ND	ug/L
Methyl parathion	LGW-4	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-4	2/11/2015	48	48	ND	ug/L
Methyl parathion	LGW-4	7/11/2018	50	50	ND	ug/L
Methyl parathion	LGW-4	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-5	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-5	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-5	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-5	2/10/2015	48	48	ND	ug/L
Methyl parathion	LGW-5	7/12/2018	50	50	ND	ug/L
Methyl parathion	LGW-5	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-6	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-6	2/5/2009	50	50	ND	ug/L
Methyl parathion	LGW-6	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-6	2/10/2015	50	50	ND	ug/L
Methyl parathion	LGW-6	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-6	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-6	7/17/2018	49	49	ND	ug/L
Methyl parathion	LGW-6	7/10/2019	49	49	ND	ug/L
Methyl parathion	LGW-6	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-6	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-7	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-7	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-7	7/10/2012	47	47	ND	ug/L
Methyl parathion	LGW-7	2/11/2015	48	48	ND	ug/L
Methyl parathion	LGW-7	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-7	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-7	7/12/2018	51	51	ND	ug/L
Methyl parathion	LGW-7	7/10/2019	49	49	ND	ug/L
Methyl parathion	LGW-7	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-7	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-8R	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-8R	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-8R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-8R	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-8R	7/13/2018	49	49	ND	ug/L
Methyl parathion	LGW-8R	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-9	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-9	2/4/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	LGW-9	7/10/2012	47	47	ND	ug/L
Methyl parathion	LGW-9	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-9	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-9	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-9	7/13/2018	47	47	ND	ug/L
Methyl parathion	LGW-9	7/10/2019	51	51	ND	ug/L
Methyl parathion	LGW-9	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-9	7/7/2021	50	50	ND	ug/L
Methyl parathion	MW-10N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-10N	2/13/2009	50	50	ND	ug/L
Methyl parathion	MW-10N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-10N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-10N	7/11/2018	48	48	ND	ug/L
Methyl parathion	MW-10N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-11N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-11N	2/3/2009	50	50	ND	ug/L
Methyl parathion	MW-11N	7/9/2012	47	47	ND	ug/L
Methyl parathion	MW-11N	2/10/2015	50	50	ND	ug/L
Methyl parathion	MW-11N	7/17/2018	50	50	ND	ug/L
Methyl parathion	MW-11N	7/6/2021	50	50	ND	ug/L
Methyl parathion	MW-15	7/10/2018	51	51	ND	ug/L
Methyl parathion	MW-15	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-16	7/11/2018	48	48	ND	ug/L
Methyl parathion	MW-16	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-17	7/10/2018	47	47	ND	ug/L
Methyl parathion	MW-17	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-19	7/13/2018	48	48	ND	ug/L
Methyl parathion	MW-19	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-1N	10/14/1998	10	10	ND	ug/L
Methyl parathion	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-1N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-1N	2/5/2009	50	50	ND	ug/L
Methyl parathion	MW-1N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-1N	2/10/2015	47	47	ND	ug/L
Methyl parathion	MW-1N	7/10/2018	49	49	ND	ug/L
Methyl parathion	MW-1N	7/6/2020	10	10	ND	ug/L
Methyl parathion	MW-1N	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-20	7/12/2018	47	47	ND	ug/L
Methyl parathion	MW-20	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-21	10/5/2016	48	48	ND	ug/L
Methyl parathion	MW-21	10/6/2017	48	48	ND	ug/L
Methyl parathion	MW-21	7/11/2018	48	48	ND	ug/L
Methyl parathion	MW-21	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-21	7/8/2020	10	10	ND	ug/L
Methyl parathion	MW-21	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-2N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-2N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-2N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-2N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-2N	7/12/2018	51	51	ND	ug/L
Methyl parathion	MW-2N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-3N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-3N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-3N	7/11/2012	47	47	ND	ug/L
Methyl parathion	MW-3N	2/12/2015	49	49	ND	ug/L
Methyl parathion	MW-3N	10/6/2016	48	48	ND	ug/L
Methyl parathion	MW-3N	10/9/2017	48	48	ND	ug/L
Methyl parathion	MW-3N	7/13/2018	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	MW-3N	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-3N	7/7/2020	10	10	ND	ug/L
Methyl parathion	MW-3N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-7N	10/15/1998	10	10	ND	ug/L
Methyl parathion	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-7N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-7N	2/6/2009	50	50	ND	ug/L
Methyl parathion	MW-7N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-7N	2/12/2015	49	49	ND	ug/L
Methyl parathion	MW-7N	10/5/2017	49	49	ND	ug/L
Methyl parathion	MW-7N	7/13/2018	52	52	ND	ug/L
Methyl parathion	MW-7N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-8N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-8N	1/24/2008	50	50	ND	ug/L
Methyl parathion	MW-8N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-8N	5/10/2011	48	48	ND	ug/L
Methyl parathion	MW-8N	7/11/2012	47	47	ND	ug/L
Methyl parathion	MW-8N	10/2/2013	48	48	ND	ug/L
Methyl parathion	MW-8N	10/8/2014	48	48	ND	ug/L
Methyl parathion	MW-8N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-8N	10/6/2016	48	48	ND	ug/L
Methyl parathion	MW-8N	10/6/2017	48	48	ND	ug/L
Methyl parathion	MW-8N	7/16/2018	49	49	ND	ug/L
Methyl parathion	MW-8N	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-8N	7/9/2020	10	10	ND	ug/L
Methyl parathion	MW-8N	7/5/2021	50	50	ND	ug/L
Methyl parathion	NE-1	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-1	2/7/2009	50	50	ND	ug/L
Methyl parathion	NE-1	7/10/2012	48	48	ND	ug/L
Methyl parathion	NE-1	2/11/2015	48	48	ND	ug/L
Methyl parathion	NE-1	7/18/2018	48	48	ND	ug/L
Methyl parathion	NE-2	7/10/2018	48	48	ND	ug/L
Methyl parathion	NE-4	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-4	2/7/2009	50	50	ND	ug/L
Methyl parathion	NE-4	7/10/2012	49	49	ND	ug/L
Methyl parathion	NE-4	2/13/2015	48	48	ND	ug/L
Methyl parathion	NE-4	7/12/2018	52	52	ND	ug/L
Methyl parathion	NE-5	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-5	2/6/2009	50	50	ND	ug/L
Methyl parathion	NE-5	7/10/2012	47	47	ND	ug/L
Methyl parathion	NE-5	2/11/2015	48	48	ND	ug/L
Methyl parathion	NE-5	7/17/2018	48	48	ND	ug/L
Methyl parathion	NE-5	7/9/2019	50	50	ND	ug/L
Methylene chloride	LGW-10	1/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-10	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-10	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-10	7/16/2010	0.35	1	ND	ug/L
Methylene chloride	LGW-10	1/19/2011	0.43	1	ND	ug/L
Methylene chloride	LGW-10	7/12/2011	0.36	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-10	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-10	7/9/2012	0.43	1	ND	ug/L
Methylene chloride	LGW-10	5/1/2013	1	1	ND	ug/L
Methylene chloride	LGW-10	1/30/2014	1	1	ND	ug/L
Methylene chloride	LGW-10	7/9/2014	1	1	ND	ug/L
Methylene chloride	LGW-10	2/12/2015	1	1	ND	ug/L
Methylene chloride	LGW-10	7/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-10	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	4/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	4/4/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	7/19/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	10/9/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	7/16/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	10/4/2018	0.4	1	ND	ug/L
Methylene chloride	LGW-10	1/4/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	7/11/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	10/2/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/6/2009	0.45	1	ND	ug/L
Methylene chloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/19/2011	0.41	1	ND	ug/L
Methylene chloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-14R	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	7/10/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	1/26/2008	1	1	ND	ug/L
Methylene chloride	LGW-2	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-2	2/6/2009	0.42	1	ND	ug/L
Methylene chloride	LGW-2	7/30/2009	1	1	ND	ug/L
Methylene chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	1/19/2011	0.52	1	ND	ug/L
Methylene chloride	LGW-2	7/13/2011	1	1	ND	ug/L
Methylene chloride	LGW-2	1/4/2012	0.36	1	ND	ug/L
Methylene chloride	LGW-2	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-2	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-2	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-2	1/30/2014	1	1	ND	ug/L
Methylene chloride	LGW-2	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-2	2/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-2	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-2	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-2	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-2	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-2	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-2	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-2	7/12/2018	0.4	1	ND	ug/L
Methylene chloride	LGW-2	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-2	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-3R	1/26/2008	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/19/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-3R	7/13/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	1/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-4	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-4	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	7/16/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	1/19/2011	0.43	1	ND	ug/L
Methylene chloride	LGW-4	7/13/2011	1	1	ND	ug/L
Methylene chloride	LGW-4	1/4/2012	1	1	ND	ug/L
Methylene chloride	LGW-4	7/9/2012	0.43	1	ND	ug/L
Methylene chloride	LGW-4	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-4	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-4	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-4	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-4	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-4	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-4	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-4	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-4	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-4	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-4	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-4	7/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-4	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-4	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-4	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-5	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-5	2/4/2009	1	1	ND	ug/L
Methylene chloride	LGW-5	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	1/19/2011	0.41	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-5	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-5	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	LGW-5	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-5	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-5	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-5	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-5	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-5	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-5	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-5	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-5	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2018	0.33	1	ND	ug/L
Methylene chloride	LGW-5	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-5	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-6	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-6	2/5/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-6	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	1/19/2011	0.38	1	ND	ug/L
Methylene chloride	LGW-6	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-6	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-6	7/9/2012	0.36	1	ND	ug/L
Methylene chloride	LGW-6	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-6	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-6	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-6	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-6	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-6	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	5/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	10/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	4/10/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	7/17/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	10/2/2018	0.39	1	ND	ug/L
Methylene chloride	LGW-6	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-7	2/4/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-7	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-7	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-7	1/20/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-7	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-7	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-7	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-7	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-7	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-7	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-7	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-7	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-7	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	4/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	7/20/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	4/4/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	10/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	10/2/2018	0.36	1	ND	ug/L
Methylene chloride	LGW-7	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	2/4/2009	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/20/2011	0.36	1	ND	ug/L
Methylene chloride	LGW-8R	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/7/2020	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-8R	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	4/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-9	2/4/2009	1	1	ND	ug/L
Methylene chloride	LGW-9	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-9	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-9	7/14/2010	1	1	ND	ug/L
Methylene chloride	LGW-9	1/20/2011	0.35	1	ND	ug/L
Methylene chloride	LGW-9	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-9	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2012	1	1	ND	ug/L
Methylene chloride	LGW-9	5/1/2013	1	1	ND	ug/L
Methylene chloride	LGW-9	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-9	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-9	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-9	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-9	7/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-9	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	5/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	10/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	7/13/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	10/2/2018	0.32	1	ND	ug/L
Methylene chloride	LGW-9	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	4/28/1998	8.2	8.2	ND	ug/L
Methylene chloride	MW-10N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/14/1999	4.1	4.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-10N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	7/15/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/14/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	7/11/2000	1	1	ND	ug/L
Methylene chloride	MW-10N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-10N	4/10/2001	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2002	1	1	ND	ug/L
Methylene chloride	MW-10N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-10N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-10N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-10N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-10N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-10N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2007	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-10N	1/23/2008	1	1	ND	ug/L
Methylene chloride	MW-10N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-10N	2/13/2009	1	1	ND	ug/L
Methylene chloride	MW-10N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-10N	1/27/2010	1	1	ND	ug/L
Methylene chloride	MW-10N	8/10/2010	1	1	ND	ug/L
Methylene chloride	MW-10N	1/19/2011	0.36	1	ND	ug/L
Methylene chloride	MW-10N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-10N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-10N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-10N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-10N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-10N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-10N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-10N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-10N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-10N	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-10N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-10N	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-10N	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	4/28/1998	1.9	4.1		ug/L
Methylene chloride	MW-11N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	10/20/1999	0.66	4.1		ug/L
Methylene chloride	MW-11N	1/13/2000	4.1	4.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-11N	4/25/2000	0.57	4.1		ug/L
Methylene chloride	MW-11N	7/10/2000	1	1	ND	ug/L
Methylene chloride	MW-11N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-11N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-11N	4/10/2001	1	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2002	1.2	1		ug/L
Methylene chloride	MW-11N	10/2/2002	0.87	1		ug/L
Methylene chloride	MW-11N	1/23/2003	1.4	1		ug/L
Methylene chloride	MW-11N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-11N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-11N	1/29/2004	1	1	ND	ug/L
Methylene chloride	MW-11N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-11N	1/13/2005	1	1	ND	ug/L
Methylene chloride	MW-11N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-11N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	1/24/2007	1	1	ND	ug/L
Methylene chloride	MW-11N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-11N	1/22/2008	1	1	ND	ug/L
Methylene chloride	MW-11N	7/23/2008	1	1	ND	ug/L
Methylene chloride	MW-11N	2/3/2009	1	1	ND	ug/L
Methylene chloride	MW-11N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Methylene chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Methylene chloride	MW-11N	7/16/2010	1	1	ND	ug/L
Methylene chloride	MW-11N	1/19/2011	1	1	ND	ug/L
Methylene chloride	MW-11N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-11N	1/4/2012	0.33	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	MW-11N	4/30/2013	1	1	ND	ug/L
Methylene chloride	MW-11N	7/15/2013	1	1	ND	ug/L
Methylene chloride	MW-11N	1/23/2014	1	1	ND	ug/L
Methylene chloride	MW-11N	7/8/2014	1	1	ND	ug/L
Methylene chloride	MW-11N	2/10/2015	1	1	ND	ug/L
Methylene chloride	MW-11N	7/13/2015	1	1	ND	ug/L
Methylene chloride	MW-11N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-11N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-11N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-11N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-11N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-11N	7/17/2018	1	1	ND	ug/L
Methylene chloride	MW-11N	1/2/2019	1	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-11N	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-15	7/15/2015	1	1	ND	ug/L
Methylene chloride	MW-15	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-15	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-15	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-15	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-15	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-15	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-15	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-15	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-15	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-15	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-15	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-15	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-15	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-16	7/16/2015	1	1	ND	ug/L
Methylene chloride	MW-16	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-16	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-16	1/8/2016	1	1	ND	ug/L
Methylene chloride	MW-16	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-16	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-16	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-16	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-16	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-16	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-16	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-16	1/2/2019	1	1	ND	ug/L
Methylene chloride	MW-16	7/10/2019	1	1	ND	ug/L
Methylene chloride	MW-16	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-17	7/15/2015	1	1	ND	ug/L
Methylene chloride	MW-17	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-17	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-17	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-17	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-17	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-17	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-17	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-17	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-17	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-17	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-17	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-17	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-17	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-19	7/16/2015	1	1	ND	ug/L
Methylene chloride	MW-19	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-19	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-19	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-19	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-19	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-19	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-19	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-19	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-19	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-19	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-19	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-19	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-19	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/20/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	4/28/1998	0.53	4.1		ug/L
Methylene chloride	MW-1N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	10/14/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	5/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	7/15/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/14/2000	0.48	4.1		ug/L
Methylene chloride	MW-1N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	7/12/2000	0.54	1		ug/L
Methylene chloride	MW-1N	10/18/2000	0.34	1		ug/L
Methylene chloride	MW-1N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-1N	4/12/2001	1.2	1		ug/L
Methylene chloride	MW-1N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	10/3/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-1N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-1N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-1N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-1N	1/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-1N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-1N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-1N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-1N	2/5/2009	1	1	ND	ug/L
Methylene chloride	MW-1N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-1N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-1N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-1N	1/20/2011	0.36	1	ND	ug/L
Methylene chloride	MW-1N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-1N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-1N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-1N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-1N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-1N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-1N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-1N	2/10/2015	1	1	ND	ug/L
Methylene chloride	MW-1N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-1N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-1N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-1N	1/12/2017	1	1	ND	ug/L
Methylene chloride	MW-1N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-1N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-1N	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-1N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-1N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-1N	1/23/2020	5.35	5.35	ND	ug/L
Methylene chloride	MW-1N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-20	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-20	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-20	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-20	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-20	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-20	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-20	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-20	1/12/2017	1	1	ND	ug/L
Methylene chloride	MW-20	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-20	1/26/2018	1	1	ND	ug/L
Methylene chloride	MW-20	7/12/2018	1	1	ND	ug/L
Methylene chloride	MW-20	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-20	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-21	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-21	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-21	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-21	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-21	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-21	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-21	4/5/2017	1	1	ND	ug/L
Methylene chloride	MW-21	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-21	10/6/2017	1	1	ND	ug/L
Methylene chloride	MW-21	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-21	4/11/2018	1	1	ND	ug/L
Methylene chloride	MW-21	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-21	10/4/2018	0.37	1	ND	ug/L
Methylene chloride	MW-21	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-21	4/3/2019	1	1	ND	ug/L
Methylene chloride	MW-21	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-21	10/2/2019	1	1	ND	ug/L
Methylene chloride	MW-21	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/8/2023	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-2N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	4/28/1998	1.6	4.1		ug/L
Methylene chloride	MW-2N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/14/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-2N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-2N	7/10/2002	1	1	ND	ug/L
Methylene chloride	MW-2N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-2N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-2N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-2N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-2N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-2N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	3/27/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-2N	7/22/2008	1	1	ND	ug/L
Methylene chloride	MW-2N	2/4/2009	1	1	ND	ug/L
Methylene chloride	MW-2N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-2N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-2N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-2N	1/20/2011	0.38	1	ND	ug/L
Methylene chloride	MW-2N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-2N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-2N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-2N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-2N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-2N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-2N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-2N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-2N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-2N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-2N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-2N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-2N	7/12/2018	1	1	ND	ug/L
Methylene chloride	MW-2N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-2N	8/7/2019	1	1	ND	ug/L
Methylene chloride	MW-2N	1/23/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	4/28/1998	0.7	4.1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-3N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	1/14/2000	0.37	4.1		ug/L
Methylene chloride	MW-3N	4/24/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	7/11/2000	1	1	ND	ug/L
Methylene chloride	MW-3N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-3N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-3N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-3N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-3N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-3N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-3N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-3N	1/18/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-3N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-3N	7/22/2008	1	1	ND	ug/L
Methylene chloride	MW-3N	2/4/2009	0.39	1	ND	ug/L
Methylene chloride	MW-3N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-3N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-3N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-3N	1/20/2011	0.35	1	ND	ug/L
Methylene chloride	MW-3N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-3N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-3N	7/11/2012	1	1	ND	ug/L
Methylene chloride	MW-3N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-3N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-3N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	4/1/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	10/5/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	4/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	10/9/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	4/10/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	10/3/2018	0.37	1	ND	ug/L
Methylene chloride	MW-3N	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-3N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	10/2/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	8/18/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	9/17/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/15/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	11/9/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	4/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/13/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-7N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-7N	4/10/2001	0.43	1		ug/L
Methylene chloride	MW-7N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	1/23/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	1/27/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	4/8/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	7/26/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2005	1	1	ND	ug/L
Methylene chloride	MW-7N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-7N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-7N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-7N	2/6/2009	0.5	1	ND	ug/L
Methylene chloride	MW-7N	7/29/2009	1	1	ND	ug/L
Methylene chloride	MW-7N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	7/14/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	9/2/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	1/20/2011	0.34	1	ND	ug/L
Methylene chloride	MW-7N	7/12/2011	1	1	ND	ug/L
Methylene chloride	MW-7N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-7N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-7N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	7/15/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	1/30/2014	1	1	ND	ug/L
Methylene chloride	MW-7N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-7N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-7N	7/13/2015	1	1	ND	ug/L
Methylene chloride	MW-7N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-7N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-7N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	10/5/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	1/25/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	4/11/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	1/4/2019	1	1	ND	ug/L
Methylene chloride	MW-7N	7/10/2019	1	1	ND	ug/L
Methylene chloride	MW-7N	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	4/28/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/12/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/14/2000	0.48	4.1		ug/L
Methylene chloride	MW-8N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-8N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-8N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-8N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	1/23/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-8N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-8N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-8N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-8N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-8N	4/25/2007	1	1	ND	ug/L
Methylene chloride	MW-8N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-8N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-8N	7/23/2008	1	1	ND	ug/L
Methylene chloride	MW-8N	2/4/2009	1	1	ND	ug/L
Methylene chloride	MW-8N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-8N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2010	1	1	ND	ug/L
Methylene chloride	MW-8N	1/19/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	5/10/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	1/6/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	4/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-8N	7/11/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	10/3/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	1/30/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	4/3/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	10/8/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	4/1/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	10/5/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	4/6/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	10/6/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	1/25/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	4/10/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2018	0.33	1	ND	ug/L
Methylene chloride	MW-8N	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	4/3/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	10/3/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/10/2002	1	1	ND	ug/L
Methylene chloride	NE-1	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-1	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-1	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-1	1/27/2004	1	1	ND	ug/L
Methylene chloride	NE-1	1/12/2005	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-1	10/25/2006	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2007	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2008	1	1	ND	ug/L
Methylene chloride	NE-1	7/21/2008	1	1	ND	ug/L
Methylene chloride	NE-1	2/7/2009	1	1	ND	ug/L
Methylene chloride	NE-1	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-1	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-1	7/14/2010	1	1	ND	ug/L
Methylene chloride	NE-1	9/2/2010	1	1	ND	ug/L
Methylene chloride	NE-1	1/19/2011	1	1	ND	ug/L
Methylene chloride	NE-1	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-1	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-1	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-1	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-1	1/23/2014	1	1	ND	ug/L
Methylene chloride	NE-1	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-1	2/11/2015	1	1	ND	ug/L
Methylene chloride	NE-1	7/8/2015	1	1	ND	ug/L
Methylene chloride	NE-1	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-1	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-1	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2018	1	1	ND	ug/L
Methylene chloride	NE-1	4/11/2018	1	1	ND	ug/L
Methylene chloride	NE-1	7/18/2018	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2018	0.35	1	ND	ug/L
Methylene chloride	NE-1	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-1	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2019	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2019	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-1	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	11/6/2019	1	1	ND	ug/L
Methylene chloride	NE-10D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-11	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-11	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-11	10/9/2017	1	1	ND	ug/L
Methylene chloride	NE-11	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-11	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/1/2021	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-11	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-12	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-12	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-12	10/6/2017	1	1	ND	ug/L
Methylene chloride	NE-12	8/5/2019	1	1	ND	ug/L
Methylene chloride	NE-12	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	2/5/2019	1	1	ND	ug/L
Methylene chloride	NE-13	8/7/2019	1	1	ND	ug/L
Methylene chloride	NE-13	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-14D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-14S	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-15D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/7/2020	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-15D	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15S	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/9/2002	1	1	ND	ug/L
Methylene chloride	NE-2	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-2	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-2	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-2	10/1/2013	1	1	ND	ug/L
Methylene chloride	NE-2	10/8/2014	1	1	ND	ug/L
Methylene chloride	NE-2	10/5/2015	1	1	ND	ug/L
Methylene chloride	NE-2	10/6/2016	1	1	ND	ug/L
Methylene chloride	NE-2	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-2	1/25/2018	1	1	ND	ug/L
Methylene chloride	NE-2	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-2	7/10/2018	1	1	ND	ug/L
Methylene chloride	NE-2	10/1/2018	0.34	1	ND	ug/L
Methylene chloride	NE-2	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-2	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-2	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-2	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-3	7/9/2002	0.89	1		ug/L
Methylene chloride	NE-3	8/6/2002	0.71	1		ug/L
Methylene chloride	NE-3	9/4/2002	0.38	1		ug/L
Methylene chloride	NE-3	10/2/2002	0.63	1		ug/L
Methylene chloride	NE-3	9/2/2010	1	1	ND	ug/L
Methylene chloride	NE-3	3/21/2018	1	1	ND	ug/L
Methylene chloride	NE-4	7/10/2002	1	1	ND	ug/L
Methylene chloride	NE-4	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-4	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-4	10/3/2002	1	1	ND	ug/L
Methylene chloride	NE-4	4/15/2003	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-4	1/28/2004	1	1	ND	ug/L
Methylene chloride	NE-4	1/13/2005	1	1	ND	ug/L
Methylene chloride	NE-4	8/1/2006	1	1	ND	ug/L
Methylene chloride	NE-4	8/1/2006	1	1	ND	ug/L
Methylene chloride	NE-4	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-4	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-4	7/12/2007	1	1	ND	ug/L
Methylene chloride	NE-4	1/24/2008	1	1	ND	ug/L
Methylene chloride	NE-4	7/21/2008	1	1	ND	ug/L
Methylene chloride	NE-4	2/7/2009	1	1	ND	ug/L
Methylene chloride	NE-4	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-4	1/26/2010	1	1	ND	ug/L
Methylene chloride	NE-4	7/14/2010	1	1	ND	ug/L
Methylene chloride	NE-4	1/19/2011	1	1	ND	ug/L
Methylene chloride	NE-4	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-4	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-4	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-4	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-4	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-4	1/23/2014	0.37	1	ND	ug/L
Methylene chloride	NE-4	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-4	2/13/2015	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2015	1	1	ND	ug/L
Methylene chloride	NE-4	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-4	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-4	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-4	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-4	1/26/2018	1	1	ND	ug/L
Methylene chloride	NE-4	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-4	7/12/2018	1	1	ND	ug/L
Methylene chloride	NE-4	10/3/2018	0.47	1	ND	ug/L
Methylene chloride	NE-4	1/7/2019	1	1	ND	ug/L
Methylene chloride	NE-4	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2019	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2019	1	1	ND	ug/L
Methylene chloride	NE-4	10/1/2019	1	1	ND	ug/L
Methylene chloride	NE-4	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	10/5/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/9/2002	1	1	ND	ug/L
Methylene chloride	NE-5	8/6/2002	0.34	1		ug/L
Methylene chloride	NE-5	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-5	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-5	4/15/2003	1	1	ND	ug/L
Methylene chloride	NE-5	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-5	1/27/2004	1	1	ND	ug/L
Methylene chloride	NE-5	1/12/2005	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-5	10/25/2006	1	1	ND	ug/L
Methylene chloride	NE-5	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-5	7/12/2007	1.3	1		ug/L
Methylene chloride	NE-5	7/22/2008	1	1	ND	ug/L
Methylene chloride	NE-5	2/6/2009	0.43	1	ND	ug/L
Methylene chloride	NE-5	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-5	1/26/2010	1	1	ND	ug/L
Methylene chloride	NE-5	7/16/2010	1	1	ND	ug/L
Methylene chloride	NE-5	9/2/2010	1	1	ND	ug/L
Methylene chloride	NE-5	1/19/2011	0.48	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-5	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-5	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-5	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-5	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-5	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-5	1/23/2014	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-5	2/11/2015	1	1	ND	ug/L
Methylene chloride	NE-5	7/14/2015	1	1	ND	ug/L
Methylene chloride	NE-5	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-5	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-5	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-5	1/25/2018	1	1	ND	ug/L
Methylene chloride	NE-5	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-5	7/17/2018	1	1	ND	ug/L
Methylene chloride	NE-5	10/3/2018	0.44	1	ND	ug/L
Methylene chloride	NE-5	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-5	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-5	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	10/3/2019	1	1	ND	ug/L
Methylene chloride	NE-5	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-5E	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-5W	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/2/2021	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-5W	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-6	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-6	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-6	10/6/2017	1	1	ND	ug/L
Methylene chloride	NE-6	2/4/2019	1	1	ND	ug/L
Methylene chloride	NE-6	8/6/2019	1	1	ND	ug/L
Methylene chloride	NE-6	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-6D	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-7	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-7	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-7	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-7	2/6/2019	1	1	ND	ug/L
Methylene chloride	NE-7	8/6/2019	1	1	ND	ug/L
Methylene chloride	NE-7	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-8	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-8	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-8	10/6/2017	1	1	ND	ug/L
Methylene chloride	NE-8	2/4/2019	1	1	ND	ug/L
Methylene chloride	NE-8	8/5/2019	1	1	ND	ug/L
Methylene chloride	NE-8	1/15/2020	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-8	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-9	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-9	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-9	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-9	2/5/2019	1	1	ND	ug/L
Methylene chloride	NE-9	8/7/2019	1	1	ND	ug/L
Methylene chloride	NE-9	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	4/8/2023	1.07	1.07	ND	ug/L
Naphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Naphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Naphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Naphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
Naphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
Naphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Naphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
Naphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-2	2/13/2009	10	10	ND	ug/L
Naphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
Naphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Naphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
Naphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
Naphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
Naphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Naphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
Naphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
Naphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
Naphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Naphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Naphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Naphthalene	LGW-5	7/12/2018	10	10	ND	ug/L
Naphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
Naphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
Naphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Naphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Naphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Naphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Naphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
Naphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Naphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Naphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Naphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Naphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
Naphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
Naphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
Naphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Naphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
Naphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
Naphthalene	MW-11N	7/17/2018	10	10	ND	ug/L
Naphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
Naphthalene	MW-15	7/10/2018	10	10	ND	ug/L
Naphthalene	MW-15	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-16	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-17	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Naphthalene	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
Naphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-1N	10/24/2006	10	10	ND	ug/L
Naphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
Naphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Naphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Naphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
Naphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-20	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Naphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-21	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-21	7/8/2020	1	1	ND	ug/L
Naphthalene	MW-21	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Naphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
Naphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Naphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Naphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Naphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-3N	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
Naphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
Naphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
Naphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
Naphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Naphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
Naphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-8N	10/24/2006	10	10	ND	ug/L
Naphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
Naphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Naphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Naphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Naphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-8N	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
Naphthalene	NE-1	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-1	2/7/2009	10	10	ND	ug/L
Naphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Naphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Naphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Naphthalene	NE-4	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-4	2/7/2009	10	10	ND	ug/L
Naphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Naphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Naphthalene	NE-4	7/12/2018	10	10	ND	ug/L
Naphthalene	NE-5	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-5	2/6/2009	10	10	ND	ug/L
Naphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Naphthalene	NE-5	7/9/2019	10	10	ND	ug/L
Nickel, dissolved	LGW-14R	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-2	1/25/2006	7.1	4		ug/L
Nickel, dissolved	LGW-4	1/24/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-5	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-6	1/24/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-7	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-8R	1/24/2006	9.2	4		ug/L
Nickel, dissolved	MW-10N	7/11/2000	6.5	4		ug/L
Nickel, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Nickel, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-11N	7/10/2000	4	4	ND	ug/L
Nickel, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-1N	10/19/1999	12	4		ug/L
Nickel, dissolved	MW-1N	7/12/2000	4	4	ND	ug/L
Nickel, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Nickel, dissolved	MW-2N	7/11/2000	4	4	ND	ug/L
Nickel, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Nickel, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-3N	7/11/2000	4.8	4		ug/L
Nickel, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-7N	10/19/1999	220	4		ug/L
Nickel, dissolved	MW-7N	7/11/2000	270	4		ug/L
Nickel, dissolved	MW-7N	7/9/2002	300	10		ug/L
Nickel, dissolved	MW-7N	10/2/2002	300	10		ug/L
Nickel, dissolved	MW-8N	10/19/1999	96	4		ug/L
Nickel, dissolved	MW-8N	7/11/2000	150	4		ug/L
Nickel, dissolved	MW-8N	7/9/2002	120	10		ug/L
Nickel, dissolved	MW-8N	10/2/2002	120	10		ug/L
Nickel, dissolved	NE-1	7/10/2002	380	10		ug/L
Nickel, dissolved	NE-1	8/6/2002	310	10		ug/L
Nickel, dissolved	NE-1	9/4/2002	310	10		ug/L
Nickel, dissolved	NE-1	10/2/2002	300	10		ug/L
Nickel, dissolved	NE-2	7/9/2002	60	10		ug/L
Nickel, dissolved	NE-2	8/6/2002	36	10		ug/L
Nickel, dissolved	NE-2	9/4/2002	15	10		ug/L
Nickel, dissolved	NE-2	10/2/2002	11	10		ug/L
Nickel, dissolved	NE-3	7/9/2002	810	10		ug/L
Nickel, dissolved	NE-3	8/6/2002	940	10		ug/L
Nickel, dissolved	NE-3	9/4/2002	890	10		ug/L
Nickel, dissolved	NE-3	10/2/2002	950	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, dissolved	NE-4	7/10/2002	59	10		ug/L
Nickel, dissolved	NE-4	8/6/2002	59	10		ug/L
Nickel, dissolved	NE-4	9/4/2002	50	10		ug/L
Nickel, dissolved	NE-4	10/3/2002	56	10		ug/L
Nickel, dissolved	NE-5	7/9/2002	170	10		ug/L
Nickel, dissolved	NE-5	8/6/2002	230	10		ug/L
Nickel, dissolved	NE-5	9/4/2002	190	10		ug/L
Nickel, dissolved	NE-5	10/2/2002	200	10		ug/L
Nickel, total	LGW-10	1/26/2006	130	4		ug/L
Nickel, total	LGW-10	8/1/2006	170	4		ug/L
Nickel, total	LGW-10	8/1/2006	170	4		ug/L
Nickel, total	LGW-10	10/26/2006	110	40		ug/L
Nickel, total	LGW-10	1/9/2007	140	4		ug/L
Nickel, total	LGW-10	1/25/2007	90	4		ug/L
Nickel, total	LGW-10	4/26/2007	120	4		ug/L
Nickel, total	LGW-10	7/12/2007	160	4		ug/L
Nickel, total	LGW-10	1/23/2008	120	4		ug/L
Nickel, total	LGW-10	7/22/2008	180	4		ug/L
Nickel, total	LGW-10	7/29/2009	190	4		ug/L
Nickel, total	LGW-10	2/3/2010	140	4		ug/L
Nickel, total	LGW-10	2/3/2010	140	4		ug/L
Nickel, total	LGW-10	7/16/2010	220	4		ug/L
Nickel, total	LGW-10	1/19/2011	130	4		ug/L
Nickel, total	LGW-10	7/12/2011	280	4		ug/L
Nickel, total	LGW-10	1/5/2012	260	4		ug/L
Nickel, total	LGW-10	7/9/2012	200	4		ug/L
Nickel, total	LGW-10	5/1/2013	270	4		ug/L
Nickel, total	LGW-10	1/30/2014	230	4		ug/L
Nickel, total	LGW-10	7/9/2014	220	4		ug/L
Nickel, total	LGW-10	2/12/2015	190	4		ug/L
Nickel, total	LGW-10	7/13/2015	240	4		ug/L
Nickel, total	LGW-10	1/5/2016	190	4		ug/L
Nickel, total	LGW-10	4/6/2016	230	4		ug/L
Nickel, total	LGW-10	7/21/2016	220	4		ug/L
Nickel, total	LGW-10	10/6/2016	170	4		ug/L
Nickel, total	LGW-10	1/11/2017	150	4		ug/L
Nickel, total	LGW-10	4/4/2017	210	4		ug/L
Nickel, total	LGW-10	7/19/2017	240	4		ug/L
Nickel, total	LGW-10	10/9/2017	230	4		ug/L
Nickel, total	LGW-10	1/24/2018	100	4		ug/L
Nickel, total	LGW-10	4/11/2018	200	4		ug/L
Nickel, total	LGW-10	7/16/2018	180	4		ug/L
Nickel, total	LGW-10	10/4/2018	110	4		ug/L
Nickel, total	LGW-10	1/4/2019	150	4		ug/L
Nickel, total	LGW-10	4/3/2019	150	4		ug/L
Nickel, total	LGW-10	7/11/2019	170	8		ug/L
Nickel, total	LGW-10	10/2/2019	150	4		ug/L
Nickel, total	LGW-10	1/15/2020	218	4		ug/L
Nickel, total	LGW-10	4/2/2020	162	4		ug/L
Nickel, total	LGW-10	7/9/2020	166	4		ug/L
Nickel, total	LGW-10	10/7/2020	73.3	4		ug/L
Nickel, total	LGW-10	1/17/2021	36	4		ug/L
Nickel, total	LGW-10	4/6/2021	141	4		ug/L
Nickel, total	LGW-10	7/7/2021	185	4		ug/L
Nickel, total	LGW-10	10/5/2021	102	4		ug/L
Nickel, total	LGW-10	1/13/2022	131	4		ug/L
Nickel, total	LGW-10	4/4/2022	151	4		ug/L
Nickel, total	LGW-10	7/11/2022	188	4		ug/L
Nickel, total	LGW-10	10/7/2022	135	4		ug/L
Nickel, total	LGW-10	1/11/2023	150	4		ug/L
Nickel, total	LGW-10	4/5/2023	171	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-14R	1/25/2006	120	4		ug/L
Nickel, total	LGW-14R	8/2/2006	33	4		ug/L
Nickel, total	LGW-14R	8/2/2006	33	4		ug/L
Nickel, total	LGW-14R	10/27/2006	40	40	ND	ug/L
Nickel, total	LGW-14R	1/9/2007	24	4		ug/L
Nickel, total	LGW-14R	1/24/2007	9.5	4		ug/L
Nickel, total	LGW-14R	4/24/2007	45	4		ug/L
Nickel, total	LGW-14R	7/11/2007	51	4		ug/L
Nickel, total	LGW-14R	1/23/2008	8.4	4		ug/L
Nickel, total	LGW-14R	7/22/2008	4.3	4		ug/L
Nickel, total	LGW-14R	2/6/2009	42	4		ug/L
Nickel, total	LGW-14R	7/29/2009	1.5	4	ND	ug/L
Nickel, total	LGW-14R	2/3/2010	0.9	4	ND	ug/L
Nickel, total	LGW-14R	2/3/2010	0.9	4	ND	ug/L
Nickel, total	LGW-14R	7/12/2010	1.2	4	ND	ug/L
Nickel, total	LGW-14R	1/19/2011	2.1	4	ND	ug/L
Nickel, total	LGW-14R	7/12/2011	4	4	ND	ug/L
Nickel, total	LGW-14R	1/5/2012	0.7	4	ND	ug/L
Nickel, total	LGW-14R	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-14R	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-14R	1/23/2014	4	4	ND	ug/L
Nickel, total	LGW-14R	7/8/2014	4	4	ND	ug/L
Nickel, total	LGW-14R	2/11/2015	0.3	4	ND	ug/L
Nickel, total	LGW-14R	7/22/2015	4	4	ND	ug/L
Nickel, total	LGW-14R	1/5/2016	4	4	ND	ug/L
Nickel, total	LGW-14R	7/19/2016	4	4	ND	ug/L
Nickel, total	LGW-14R	1/11/2017	0.4	4	ND	ug/L
Nickel, total	LGW-14R	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-14R	1/25/2018	0.45	4	ND	ug/L
Nickel, total	LGW-14R	7/17/2018	1.3	4	ND	ug/L
Nickel, total	LGW-14R	1/3/2019	4	4	ND	ug/L
Nickel, total	LGW-14R	7/10/2019	8	8	ND	ug/L
Nickel, total	LGW-14R	1/16/2020	4	4	ND	ug/L
Nickel, total	LGW-14R	7/9/2020	4	4	ND	ug/L
Nickel, total	LGW-14R	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-14R	7/7/2021	4	4	ND	ug/L
Nickel, total	LGW-14R	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-14R	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-14R	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-2	1/25/2006	8.6	4		ug/L
Nickel, total	LGW-2	8/1/2006	12	4		ug/L
Nickel, total	LGW-2	8/1/2006	12	4		ug/L
Nickel, total	LGW-2	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-2	1/9/2007	6.5	4		ug/L
Nickel, total	LGW-2	1/25/2007	4.4	4		ug/L
Nickel, total	LGW-2	4/26/2007	3	4	ND	ug/L
Nickel, total	LGW-2	7/10/2007	13	4		ug/L
Nickel, total	LGW-2	1/26/2008	46	4		ug/L
Nickel, total	LGW-2	7/23/2008	12	4		ug/L
Nickel, total	LGW-2	2/6/2009	15	4		ug/L
Nickel, total	LGW-2	7/30/2009	16	4		ug/L
Nickel, total	LGW-2	2/3/2010	6.3	4		ug/L
Nickel, total	LGW-2	2/3/2010	6.3	4		ug/L
Nickel, total	LGW-2	7/12/2010	18	4		ug/L
Nickel, total	LGW-2	1/19/2011	16	4		ug/L
Nickel, total	LGW-2	7/13/2011	3.5	4	ND	ug/L
Nickel, total	LGW-2	1/4/2012	3.1	4	ND	ug/L
Nickel, total	LGW-2	7/9/2012	5.4	4		ug/L
Nickel, total	LGW-2	4/30/2013	2.8	4	ND	ug/L
Nickel, total	LGW-2	7/15/2013	2.6	4	ND	ug/L
Nickel, total	LGW-2	1/30/2014	13	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-2	7/8/2014	5.7	4		ug/L
Nickel, total	LGW-2	2/13/2015	12	4		ug/L
Nickel, total	LGW-2	7/8/2015	1.7	4	ND	ug/L
Nickel, total	LGW-2	1/5/2016	1.7	4	ND	ug/L
Nickel, total	LGW-2	7/19/2016	1.3	4	ND	ug/L
Nickel, total	LGW-2	1/11/2017	13	4		ug/L
Nickel, total	LGW-2	7/18/2017	10	4		ug/L
Nickel, total	LGW-2	1/23/2018	3.4	4	ND	ug/L
Nickel, total	LGW-2	7/12/2018	1	4	ND	ug/L
Nickel, total	LGW-2	1/3/2019	1.4	4	ND	ug/L
Nickel, total	LGW-2	7/9/2019	32	8		ug/L
Nickel, total	LGW-2	1/13/2020	4	4	ND	ug/L
Nickel, total	LGW-2	4/1/2020	4	4	ND	ug/L
Nickel, total	LGW-2	7/8/2020	4	4	ND	ug/L
Nickel, total	LGW-2	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-2	7/4/2021	4	4	ND	ug/L
Nickel, total	LGW-2	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-2	7/10/2022	4	4	ND	ug/L
Nickel, total	LGW-2	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-3R	1/24/2006	4	4	ND	ug/L
Nickel, total	LGW-3R	7/20/2006	3.7	4	ND	ug/L
Nickel, total	LGW-3R	7/20/2006	3.7	4	ND	ug/L
Nickel, total	LGW-3R	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-3R	1/8/2007	4.9	4		ug/L
Nickel, total	LGW-3R	1/25/2007	1.1	4	ND	ug/L
Nickel, total	LGW-3R	4/26/2007	1.5	4	ND	ug/L
Nickel, total	LGW-3R	7/11/2007	4.9	4		ug/L
Nickel, total	LGW-3R	1/26/2008	6.9	4		ug/L
Nickel, total	LGW-3R	7/23/2008	1	4	ND	ug/L
Nickel, total	LGW-3R	2/3/2009	1.2	4	ND	ug/L
Nickel, total	LGW-3R	7/31/2009	6.5	4		ug/L
Nickel, total	LGW-3R	2/3/2010	1	4	ND	ug/L
Nickel, total	LGW-3R	2/3/2010	1	4	ND	ug/L
Nickel, total	LGW-3R	7/16/2010	0.7	4	ND	ug/L
Nickel, total	LGW-3R	1/19/2011	2.3	4	ND	ug/L
Nickel, total	LGW-3R	7/13/2011	0.9	4	ND	ug/L
Nickel, total	LGW-3R	1/4/2012	0.7	4	ND	ug/L
Nickel, total	LGW-3R	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-3R	4/30/2013	1.7	4	ND	ug/L
Nickel, total	LGW-3R	7/15/2013	2	4	ND	ug/L
Nickel, total	LGW-3R	1/22/2014	0.7	4	ND	ug/L
Nickel, total	LGW-3R	7/8/2014	0.9	4	ND	ug/L
Nickel, total	LGW-3R	2/10/2015	0.8	4	ND	ug/L
Nickel, total	LGW-3R	7/16/2015	6.2	4		ug/L
Nickel, total	LGW-3R	1/8/2016	0.3	4	ND	ug/L
Nickel, total	LGW-3R	7/21/2016	4.5	4		ug/L
Nickel, total	LGW-3R	1/11/2017	1.4	4	ND	ug/L
Nickel, total	LGW-3R	7/18/2017	0.7	4	ND	ug/L
Nickel, total	LGW-3R	1/23/2018	0.72	4	ND	ug/L
Nickel, total	LGW-3R	7/11/2018	0.46	4	ND	ug/L
Nickel, total	LGW-3R	1/3/2019	1.7	4	ND	ug/L
Nickel, total	LGW-3R	7/9/2019	8	8	ND	ug/L
Nickel, total	LGW-3R	1/14/2020	4	4	ND	ug/L
Nickel, total	LGW-3R	7/6/2020	4	4	ND	ug/L
Nickel, total	LGW-3R	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-3R	7/6/2021	4	4	ND	ug/L
Nickel, total	LGW-3R	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-3R	7/10/2022	4	4	ND	ug/L
Nickel, total	LGW-3R	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-4	1/24/2006	4	4	ND	ug/L
Nickel, total	LGW-4	7/20/2006	3.1	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-4	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-4	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-4	1/9/2007	3.4	4	ND	ug/L
Nickel, total	LGW-4	1/25/2007	1.2	4	ND	ug/L
Nickel, total	LGW-4	4/26/2007	0.9	4	ND	ug/L
Nickel, total	LGW-4	7/11/2007	5.3	4		ug/L
Nickel, total	LGW-4	1/22/2008	4	4		ug/L
Nickel, total	LGW-4	7/23/2008	0.8	4	ND	ug/L
Nickel, total	LGW-4	2/3/2009	0.6	4	ND	ug/L
Nickel, total	LGW-4	7/31/2009	1	4	ND	ug/L
Nickel, total	LGW-4	2/3/2010	0.6	4	ND	ug/L
Nickel, total	LGW-4	2/3/2010	0.6	4	ND	ug/L
Nickel, total	LGW-4	7/16/2010	0.7	4	ND	ug/L
Nickel, total	LGW-4	1/19/2011	1.9	4	ND	ug/L
Nickel, total	LGW-4	7/13/2011	0.6	4	ND	ug/L
Nickel, total	LGW-4	1/4/2012	0.4	4	ND	ug/L
Nickel, total	LGW-4	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-4	4/30/2013	0.7	4	ND	ug/L
Nickel, total	LGW-4	7/15/2013	0.4	4	ND	ug/L
Nickel, total	LGW-4	1/23/2014	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-4	2/11/2015	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/8/2015	0.4	4	ND	ug/L
Nickel, total	LGW-4	1/5/2016	4	4	ND	ug/L
Nickel, total	LGW-4	7/19/2016	4	4	ND	ug/L
Nickel, total	LGW-4	1/11/2017	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/18/2017	0.5	4	ND	ug/L
Nickel, total	LGW-4	1/23/2018	0.64	4	ND	ug/L
Nickel, total	LGW-4	7/11/2018	2	4	ND	ug/L
Nickel, total	LGW-4	1/3/2019	1.2	4	ND	ug/L
Nickel, total	LGW-4	7/9/2019	3.2	8	ND	ug/L
Nickel, total	LGW-4	1/14/2020	4	4	ND	ug/L
Nickel, total	LGW-4	7/6/2020	4	4	ND	ug/L
Nickel, total	LGW-4	1/18/2021	17.7	4		ug/L
Nickel, total	LGW-4	4/6/2021	4	4	ND	ug/L
Nickel, total	LGW-4	7/7/2021	5.42	4		ug/L
Nickel, total	LGW-4	10/5/2021	4	4	ND	ug/L
Nickel, total	LGW-4	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-4	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-4	1/10/2023	7.99	4		ug/L
Nickel, total	LGW-4	4/6/2023	15.1	4		ug/L
Nickel, total	LGW-5	1/25/2006	4	4	ND	ug/L
Nickel, total	LGW-5	8/1/2006	3.5	4	ND	ug/L
Nickel, total	LGW-5	8/1/2006	3.5	4	ND	ug/L
Nickel, total	LGW-5	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-5	1/9/2007	3.1	4	ND	ug/L
Nickel, total	LGW-5	1/25/2007	1.4	4	ND	ug/L
Nickel, total	LGW-5	4/26/2007	1.3	4	ND	ug/L
Nickel, total	LGW-5	7/11/2007	5.5	4		ug/L
Nickel, total	LGW-5	1/23/2008	3.9	4	ND	ug/L
Nickel, total	LGW-5	7/23/2008	0.9	4	ND	ug/L
Nickel, total	LGW-5	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-5	7/29/2009	0.9	4	ND	ug/L
Nickel, total	LGW-5	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-5	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-5	7/12/2010	0.9	4	ND	ug/L
Nickel, total	LGW-5	1/19/2011	2	4	ND	ug/L
Nickel, total	LGW-5	7/12/2011	0.5	4	ND	ug/L
Nickel, total	LGW-5	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-5	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-5	4/30/2013	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-5	7/15/2013	0.9	4	ND	ug/L
Nickel, total	LGW-5	1/23/2014	0.5	4	ND	ug/L
Nickel, total	LGW-5	7/8/2014	2	4	ND	ug/L
Nickel, total	LGW-5	2/10/2015	6.7	4		ug/L
Nickel, total	LGW-5	7/8/2015	14	4		ug/L
Nickel, total	LGW-5	1/5/2016	9.7	4		ug/L
Nickel, total	LGW-5	7/19/2016	5.5	4		ug/L
Nickel, total	LGW-5	1/11/2017	5.9	4		ug/L
Nickel, total	LGW-5	7/18/2017	5.8	4		ug/L
Nickel, total	LGW-5	1/23/2018	8.2	4		ug/L
Nickel, total	LGW-5	7/12/2018	12	4		ug/L
Nickel, total	LGW-5	1/3/2019	19	4		ug/L
Nickel, total	LGW-5	4/3/2019	25	4		ug/L
Nickel, total	LGW-5	7/9/2019	30	8		ug/L
Nickel, total	LGW-5	1/14/2020	52.4	4		ug/L
Nickel, total	LGW-5	7/6/2020	65.9	4		ug/L
Nickel, total	LGW-5	1/18/2021	82.1	4		ug/L
Nickel, total	LGW-5	4/6/2021	73.7	4		ug/L
Nickel, total	LGW-5	7/7/2021	80.6	4		ug/L
Nickel, total	LGW-5	10/5/2021	80	4		ug/L
Nickel, total	LGW-5	1/12/2022	77	4		ug/L
Nickel, total	LGW-5	4/4/2022	75.6	4		ug/L
Nickel, total	LGW-5	7/11/2022	82.6	4		ug/L
Nickel, total	LGW-5	10/6/2022	80.7	4		ug/L
Nickel, total	LGW-5	1/10/2023	77.2	4		ug/L
Nickel, total	LGW-6	1/24/2006	4	4	ND	ug/L
Nickel, total	LGW-6	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-6	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-6	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-6	1/9/2007	3.5	4	ND	ug/L
Nickel, total	LGW-6	1/24/2007	2	4	ND	ug/L
Nickel, total	LGW-6	4/26/2007	1.5	4	ND	ug/L
Nickel, total	LGW-6	7/11/2007	4.8	4		ug/L
Nickel, total	LGW-6	1/23/2008	4.1	4		ug/L
Nickel, total	LGW-6	7/23/2008	0.9	4	ND	ug/L
Nickel, total	LGW-6	2/5/2009	0.8	4	ND	ug/L
Nickel, total	LGW-6	7/29/2009	1.2	4	ND	ug/L
Nickel, total	LGW-6	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-6	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-6	7/12/2010	1.2	4	ND	ug/L
Nickel, total	LGW-6	1/19/2011	2.4	4	ND	ug/L
Nickel, total	LGW-6	7/12/2011	0.6	4	ND	ug/L
Nickel, total	LGW-6	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-6	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-6	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-6	7/15/2013	4	4	ND	ug/L
Nickel, total	LGW-6	1/23/2014	0.3	4	ND	ug/L
Nickel, total	LGW-6	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-6	2/10/2015	0.3	4	ND	ug/L
Nickel, total	LGW-6	7/22/2015	2.2	4	ND	ug/L
Nickel, total	LGW-6	1/5/2016	0.4	4	ND	ug/L
Nickel, total	LGW-6	7/19/2016	52	4		ug/L
Nickel, total	LGW-6	9/6/2016	130	4		ug/L
Nickel, total	LGW-6	10/6/2016	120	4		ug/L
Nickel, total	LGW-6	1/11/2017	130	4		ug/L
Nickel, total	LGW-6	5/5/2017	120	4		ug/L
Nickel, total	LGW-6	7/18/2017	120	4		ug/L
Nickel, total	LGW-6	10/5/2017	120	4		ug/L
Nickel, total	LGW-6	1/23/2018	130	4		ug/L
Nickel, total	LGW-6	4/10/2018	150	4		ug/L
Nickel, total	LGW-6	7/17/2018	140	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-6	10/2/2018	140	4		ug/L
Nickel, total	LGW-6	1/7/2019	140	4		ug/L
Nickel, total	LGW-6	4/3/2019	130	4		ug/L
Nickel, total	LGW-6	7/10/2019	130	8		ug/L
Nickel, total	LGW-6	10/3/2019	120	4		ug/L
Nickel, total	LGW-6	1/16/2020	136	4		ug/L
Nickel, total	LGW-6	4/2/2020	142	4		ug/L
Nickel, total	LGW-6	7/9/2020	137	4		ug/L
Nickel, total	LGW-6	10/6/2020	156	4		ug/L
Nickel, total	LGW-6	1/18/2021	145	4		ug/L
Nickel, total	LGW-6	4/6/2021	154	4		ug/L
Nickel, total	LGW-6	7/7/2021	152	4		ug/L
Nickel, total	LGW-6	10/5/2021	159	4		ug/L
Nickel, total	LGW-6	1/12/2022	154	4		ug/L
Nickel, total	LGW-6	4/4/2022	152	4		ug/L
Nickel, total	LGW-6	7/11/2022	147	4		ug/L
Nickel, total	LGW-6	10/6/2022	152	4		ug/L
Nickel, total	LGW-6	1/10/2023	157	4		ug/L
Nickel, total	LGW-6	4/6/2023	163	4		ug/L
Nickel, total	LGW-7	1/25/2006	4	4	ND	ug/L
Nickel, total	LGW-7	8/1/2006	5.1	4		ug/L
Nickel, total	LGW-7	8/1/2006	5.1	4		ug/L
Nickel, total	LGW-7	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-7	1/9/2007	2.9	4	ND	ug/L
Nickel, total	LGW-7	1/24/2007	1.8	4	ND	ug/L
Nickel, total	LGW-7	4/26/2007	1.3	4	ND	ug/L
Nickel, total	LGW-7	7/12/2007	5	4		ug/L
Nickel, total	LGW-7	7/22/2008	1.1	4	ND	ug/L
Nickel, total	LGW-7	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-7	7/31/2009	1.3	4	ND	ug/L
Nickel, total	LGW-7	1/27/2010	1.2	4	ND	ug/L
Nickel, total	LGW-7	7/12/2010	1.4	4	ND	ug/L
Nickel, total	LGW-7	1/20/2011	2.5	4	ND	ug/L
Nickel, total	LGW-7	7/12/2011	1	4	ND	ug/L
Nickel, total	LGW-7	1/5/2012	0.9	4	ND	ug/L
Nickel, total	LGW-7	7/10/2012	1.5	4	ND	ug/L
Nickel, total	LGW-7	4/30/2013	0.7	4	ND	ug/L
Nickel, total	LGW-7	7/15/2013	1.1	4	ND	ug/L
Nickel, total	LGW-7	1/23/2014	1.6	4	ND	ug/L
Nickel, total	LGW-7	7/8/2014	1.4	4	ND	ug/L
Nickel, total	LGW-7	2/11/2015	1	4	ND	ug/L
Nickel, total	LGW-7	7/22/2015	6.1	4		ug/L
Nickel, total	LGW-7	1/5/2016	160	4		ug/L
Nickel, total	LGW-7	4/6/2016	200	4		ug/L
Nickel, total	LGW-7	7/20/2016	200	4		ug/L
Nickel, total	LGW-7	9/6/2016	200	4		ug/L
Nickel, total	LGW-7	10/6/2016	170	4		ug/L
Nickel, total	LGW-7	1/11/2017	39	4		ug/L
Nickel, total	LGW-7	4/4/2017	46	4		ug/L
Nickel, total	LGW-7	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-7	10/5/2017	120	4		ug/L
Nickel, total	LGW-7	1/24/2018	130	4		ug/L
Nickel, total	LGW-7	4/11/2018	96	4		ug/L
Nickel, total	LGW-7	7/12/2018	70	4		ug/L
Nickel, total	LGW-7	10/2/2018	74	4		ug/L
Nickel, total	LGW-7	1/7/2019	50	4		ug/L
Nickel, total	LGW-7	4/3/2019	36	4		ug/L
Nickel, total	LGW-7	7/10/2019	70	8		ug/L
Nickel, total	LGW-7	10/3/2019	15	4		ug/L
Nickel, total	LGW-7	1/15/2020	7.03	4		ug/L
Nickel, total	LGW-7	7/9/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-7	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-7	7/7/2021	7.1	4		ug/L
Nickel, total	LGW-7	10/5/2021	4	4	ND	ug/L
Nickel, total	LGW-7	1/13/2022	4	4	ND	ug/L
Nickel, total	LGW-7	7/11/2022	5.85	4		ug/L
Nickel, total	LGW-7	1/11/2023	4	4	ND	ug/L
Nickel, total	LGW-8R	1/24/2006	10	4		ug/L
Nickel, total	LGW-8R	7/20/2006	11	4		ug/L
Nickel, total	LGW-8R	7/20/2006	11	4		ug/L
Nickel, total	LGW-8R	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-8R	1/9/2007	20	4		ug/L
Nickel, total	LGW-8R	1/24/2007	21	4		ug/L
Nickel, total	LGW-8R	4/25/2007	14	4		ug/L
Nickel, total	LGW-8R	7/12/2007	16	4		ug/L
Nickel, total	LGW-8R	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-8R	7/29/2009	1.2	4	ND	ug/L
Nickel, total	LGW-8R	1/27/2010	1.1	4	ND	ug/L
Nickel, total	LGW-8R	7/14/2010	1.2	4	ND	ug/L
Nickel, total	LGW-8R	1/20/2011	2.6	4	ND	ug/L
Nickel, total	LGW-8R	7/12/2011	4	4	ND	ug/L
Nickel, total	LGW-8R	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-8R	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-8R	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-8R	7/15/2013	4	4	ND	ug/L
Nickel, total	LGW-8R	1/22/2014	4	4	ND	ug/L
Nickel, total	LGW-8R	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-8R	2/11/2015	4	4	ND	ug/L
Nickel, total	LGW-8R	7/22/2015	4	4	ND	ug/L
Nickel, total	LGW-8R	1/5/2016	0.3	4	ND	ug/L
Nickel, total	LGW-8R	7/20/2016	0.3	4	ND	ug/L
Nickel, total	LGW-8R	1/11/2017	0.3	4	ND	ug/L
Nickel, total	LGW-8R	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-8R	1/25/2018	4	4	ND	ug/L
Nickel, total	LGW-8R	7/13/2018	4	4	ND	ug/L
Nickel, total	LGW-8R	1/7/2019	0.35	4	ND	ug/L
Nickel, total	LGW-8R	7/8/2019	8	8	ND	ug/L
Nickel, total	LGW-8R	1/14/2020	4	4	ND	ug/L
Nickel, total	LGW-8R	7/7/2020	4	4	ND	ug/L
Nickel, total	LGW-8R	1/17/2021	4	4	ND	ug/L
Nickel, total	LGW-8R	7/7/2021	4	4	ND	ug/L
Nickel, total	LGW-8R	1/13/2022	4	4	ND	ug/L
Nickel, total	LGW-8R	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-8R	1/11/2023	4	4	ND	ug/L
Nickel, total	LGW-9	1/25/2006	75	4		ug/L
Nickel, total	LGW-9	7/20/2006	66	4		ug/L
Nickel, total	LGW-9	7/20/2006	66	4		ug/L
Nickel, total	LGW-9	10/26/2006	70	40		ug/L
Nickel, total	LGW-9	1/9/2007	84	4		ug/L
Nickel, total	LGW-9	1/25/2007	76	4		ug/L
Nickel, total	LGW-9	4/25/2007	67	4		ug/L
Nickel, total	LGW-9	7/10/2007	76	4		ug/L
Nickel, total	LGW-9	7/22/2008	67	4		ug/L
Nickel, total	LGW-9	2/4/2009	48	4		ug/L
Nickel, total	LGW-9	7/29/2009	43	4		ug/L
Nickel, total	LGW-9	1/27/2010	55	4		ug/L
Nickel, total	LGW-9	7/14/2010	50	4		ug/L
Nickel, total	LGW-9	1/20/2011	60	4		ug/L
Nickel, total	LGW-9	7/12/2011	71	4		ug/L
Nickel, total	LGW-9	1/5/2012	74	4		ug/L
Nickel, total	LGW-9	7/10/2012	78	4		ug/L
Nickel, total	LGW-9	5/1/2013	74	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-9	7/15/2013	68	4		ug/L
Nickel, total	LGW-9	1/23/2014	55	4		ug/L
Nickel, total	LGW-9	7/8/2014	51	4		ug/L
Nickel, total	LGW-9	2/11/2015	62	4		ug/L
Nickel, total	LGW-9	7/13/2015	65	4		ug/L
Nickel, total	LGW-9	1/5/2016	55	4		ug/L
Nickel, total	LGW-9	7/21/2016	54	4		ug/L
Nickel, total	LGW-9	9/6/2016	55	4		ug/L
Nickel, total	LGW-9	10/6/2016	53	4		ug/L
Nickel, total	LGW-9	1/11/2017	69	4		ug/L
Nickel, total	LGW-9	5/5/2017	54	4		ug/L
Nickel, total	LGW-9	7/18/2017	58	4		ug/L
Nickel, total	LGW-9	10/5/2017	51	4		ug/L
Nickel, total	LGW-9	1/24/2018	51	4		ug/L
Nickel, total	LGW-9	4/11/2018	55	4		ug/L
Nickel, total	LGW-9	7/13/2018	53	4		ug/L
Nickel, total	LGW-9	10/2/2018	52	4		ug/L
Nickel, total	LGW-9	1/7/2019	63	4		ug/L
Nickel, total	LGW-9	4/3/2019	74	4		ug/L
Nickel, total	LGW-9	7/10/2019	61	8		ug/L
Nickel, total	LGW-9	10/3/2019	52	4		ug/L
Nickel, total	LGW-9	1/16/2020	37.7	4		ug/L
Nickel, total	LGW-9	4/2/2020	33	4		ug/L
Nickel, total	LGW-9	7/9/2020	32.3	4		ug/L
Nickel, total	LGW-9	10/7/2020	35.8	4		ug/L
Nickel, total	LGW-9	1/17/2021	203	4		ug/L
Nickel, total	LGW-9	4/6/2021	35.3	4		ug/L
Nickel, total	LGW-9	7/7/2021	35.8	4		ug/L
Nickel, total	LGW-9	10/5/2021	41.7	4		ug/L
Nickel, total	LGW-9	1/13/2022	34.5	4		ug/L
Nickel, total	LGW-9	4/4/2022	35.8	4		ug/L
Nickel, total	LGW-9	7/11/2022	29.7	4		ug/L
Nickel, total	LGW-9	10/7/2022	31	4		ug/L
Nickel, total	LGW-9	1/11/2023	24.7	4		ug/L
Nickel, total	LGW-9	4/5/2023	20.5	4		ug/L
Nickel, total	MW-10N	10/22/1997	13	4		ug/L
Nickel, total	MW-10N	1/22/1998	6.2	4		ug/L
Nickel, total	MW-10N	4/28/1998	14	4		ug/L
Nickel, total	MW-10N	7/23/1998	11	4		ug/L
Nickel, total	MW-10N	1/14/1999	22	4		ug/L
Nickel, total	MW-10N	4/13/1999	4.1	4		ug/L
Nickel, total	MW-10N	7/15/1999	4	4	ND	ug/L
Nickel, total	MW-10N	10/20/1999	4.3	4		ug/L
Nickel, total	MW-10N	1/14/2000	6.7	4		ug/L
Nickel, total	MW-10N	4/25/2000	4.3	4		ug/L
Nickel, total	MW-10N	7/11/2000	8.2	4		ug/L
Nickel, total	MW-10N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-10N	4/10/2001	4	4	ND	ug/L
Nickel, total	MW-10N	7/10/2002	10	10	ND	ug/L
Nickel, total	MW-10N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-10N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-10N	4/15/2003	5.4	4		ug/L
Nickel, total	MW-10N	7/8/2003	6.6	4		ug/L
Nickel, total	MW-10N	1/28/2004	4.5	4		ug/L
Nickel, total	MW-10N	7/27/2004	4	4	ND	ug/L
Nickel, total	MW-10N	1/12/2005	4	4	ND	ug/L
Nickel, total	MW-10N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-10N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-10N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-10N	7/19/2006	1.3	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-10N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-10N	1/10/2007	2.1	4	ND	ug/L
Nickel, total	MW-10N	1/24/2007	3.1	4	ND	ug/L
Nickel, total	MW-10N	7/10/2007	4.1	4		ug/L
Nickel, total	MW-10N	1/23/2008	2.7	4	ND	ug/L
Nickel, total	MW-10N	7/21/2008	0.6	4	ND	ug/L
Nickel, total	MW-10N	2/13/2009	3.3	4	ND	ug/L
Nickel, total	MW-10N	7/31/2009	0.8	4	ND	ug/L
Nickel, total	MW-10N	1/27/2010	1.5	4	ND	ug/L
Nickel, total	MW-10N	8/10/2010	0.5	4	ND	ug/L
Nickel, total	MW-10N	1/19/2011	1	4	ND	ug/L
Nickel, total	MW-10N	7/14/2011	4	4	ND	ug/L
Nickel, total	MW-10N	1/5/2012	4	4	ND	ug/L
Nickel, total	MW-10N	7/10/2012	0.6	4	ND	ug/L
Nickel, total	MW-10N	5/1/2013	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2014	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/9/2014	4	4	ND	ug/L
Nickel, total	MW-10N	2/12/2015	4	4	ND	ug/L
Nickel, total	MW-10N	7/14/2015	4	4	ND	ug/L
Nickel, total	MW-10N	1/6/2016	4	4	ND	ug/L
Nickel, total	MW-10N	7/21/2016	0.4	4	ND	ug/L
Nickel, total	MW-10N	1/11/2017	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2018	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/11/2018	0.45	4	ND	ug/L
Nickel, total	MW-10N	1/3/2019	4	4	ND	ug/L
Nickel, total	MW-10N	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-10N	1/16/2020	4	4	ND	ug/L
Nickel, total	MW-10N	7/8/2020	4	4	ND	ug/L
Nickel, total	MW-10N	1/13/2021	4	4	ND	ug/L
Nickel, total	MW-10N	7/5/2021	4	4	ND	ug/L
Nickel, total	MW-10N	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-11N	10/22/1997	6.2	4		ug/L
Nickel, total	MW-11N	1/21/1998	4	4	ND	ug/L
Nickel, total	MW-11N	4/28/1998	4	4	ND	ug/L
Nickel, total	MW-11N	7/23/1998	4	4	ND	ug/L
Nickel, total	MW-11N	1/13/1999	8.1	4		ug/L
Nickel, total	MW-11N	4/13/1999	6.5	4		ug/L
Nickel, total	MW-11N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-11N	10/20/1999	4	4	ND	ug/L
Nickel, total	MW-11N	1/13/2000	9.5	4		ug/L
Nickel, total	MW-11N	4/25/2000	4	4	ND	ug/L
Nickel, total	MW-11N	7/10/2000	4	4	ND	ug/L
Nickel, total	MW-11N	10/17/2000	6.2	4		ug/L
Nickel, total	MW-11N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-11N	4/10/2001	4	4	ND	ug/L
Nickel, total	MW-11N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-11N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-11N	1/23/2003	4	4	ND	ug/L
Nickel, total	MW-11N	4/15/2003	4	4	ND	ug/L
Nickel, total	MW-11N	7/8/2003	21	4		ug/L
Nickel, total	MW-11N	1/29/2004	23	4		ug/L
Nickel, total	MW-11N	7/27/2004	9.1	4		ug/L
Nickel, total	MW-11N	1/13/2005	4	4	ND	ug/L
Nickel, total	MW-11N	7/20/2005	4.2	4		ug/L
Nickel, total	MW-11N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-11N	7/18/2006	2.7	4	ND	ug/L
Nickel, total	MW-11N	7/18/2006	2.7	4	ND	ug/L
Nickel, total	MW-11N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-11N	1/9/2007	6.5	4		ug/L
Nickel, total	MW-11N	1/24/2007	9.7	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-11N	7/10/2007	8.3	4		ug/L
Nickel, total	MW-11N	1/22/2008	5.3	4		ug/L
Nickel, total	MW-11N	7/23/2008	2.7	4	ND	ug/L
Nickel, total	MW-11N	2/3/2009	2.4	4	ND	ug/L
Nickel, total	MW-11N	7/31/2009	2.7	4	ND	ug/L
Nickel, total	MW-11N	2/3/2010	2.6	4	ND	ug/L
Nickel, total	MW-11N	2/3/2010	2.6	4	ND	ug/L
Nickel, total	MW-11N	7/16/2010	2.3	4	ND	ug/L
Nickel, total	MW-11N	1/19/2011	3.2	4	ND	ug/L
Nickel, total	MW-11N	7/13/2011	1.7	4	ND	ug/L
Nickel, total	MW-11N	1/4/2012	1.8	4	ND	ug/L
Nickel, total	MW-11N	7/9/2012	2	4	ND	ug/L
Nickel, total	MW-11N	4/30/2013	3.4	4	ND	ug/L
Nickel, total	MW-11N	7/15/2013	1.4	4	ND	ug/L
Nickel, total	MW-11N	1/23/2014	2.8	4	ND	ug/L
Nickel, total	MW-11N	7/8/2014	1.5	4	ND	ug/L
Nickel, total	MW-11N	2/10/2015	1.4	4	ND	ug/L
Nickel, total	MW-11N	7/13/2015	2.1	4	ND	ug/L
Nickel, total	MW-11N	1/5/2016	1.5	4	ND	ug/L
Nickel, total	MW-11N	7/21/2016	2	4	ND	ug/L
Nickel, total	MW-11N	1/11/2017	2.1	4	ND	ug/L
Nickel, total	MW-11N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-11N	1/23/2018	1.4	4	ND	ug/L
Nickel, total	MW-11N	7/17/2018	1.4	4	ND	ug/L
Nickel, total	MW-11N	1/2/2019	1.2	4	ND	ug/L
Nickel, total	MW-11N	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-11N	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-11N	7/6/2020	4	4	ND	ug/L
Nickel, total	MW-11N	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-11N	7/6/2021	4	4	ND	ug/L
Nickel, total	MW-11N	1/18/2022	4	4	ND	ug/L
Nickel, total	MW-11N	7/13/2022	4	4	ND	ug/L
Nickel, total	MW-11N	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-15	6/5/2015	0.7	4	ND	ug/L
Nickel, total	MW-15	7/15/2015	1	4	ND	ug/L
Nickel, total	MW-15	8/5/2015	4	4		ug/L
Nickel, total	MW-15	9/3/2015	0.7	4	ND	ug/L
Nickel, total	MW-15	1/7/2016	1.1	4	ND	ug/L
Nickel, total	MW-15	4/5/2016	1.7	4	ND	ug/L
Nickel, total	MW-15	7/20/2016	4	4	ND	ug/L
Nickel, total	MW-15	10/6/2016	0.8	4	ND	ug/L
Nickel, total	MW-15	1/10/2017	1.7	4	ND	ug/L
Nickel, total	MW-15	7/18/2017	5.4	4		ug/L
Nickel, total	MW-15	1/23/2018	0.52	4	ND	ug/L
Nickel, total	MW-15	7/10/2018	4	4	ND	ug/L
Nickel, total	MW-15	1/3/2019	0.65	4	ND	ug/L
Nickel, total	MW-15	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-15	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-15	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-15	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-15	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-15	1/12/2022	4	4	ND	ug/L
Nickel, total	MW-15	7/10/2022	4	4	ND	ug/L
Nickel, total	MW-15	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-16	6/5/2015	1.4	4	ND	ug/L
Nickel, total	MW-16	7/16/2015	3.8	4	ND	ug/L
Nickel, total	MW-16	8/5/2015	3.1	4	ND	ug/L
Nickel, total	MW-16	9/3/2015	1.9	4	ND	ug/L
Nickel, total	MW-16	1/8/2016	2.5	4	ND	ug/L
Nickel, total	MW-16	4/5/2016	1.8	4	ND	ug/L
Nickel, total	MW-16	7/21/2016	0.6	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-16	10/5/2016	1.5	4	ND	ug/L
Nickel, total	MW-16	1/10/2017	1.3	4	ND	ug/L
Nickel, total	MW-16	7/18/2017	0.6	4	ND	ug/L
Nickel, total	MW-16	1/23/2018	0.74	4	ND	ug/L
Nickel, total	MW-16	7/11/2018	0.55	4	ND	ug/L
Nickel, total	MW-16	1/2/2019	0.79	4	ND	ug/L
Nickel, total	MW-16	7/10/2019	8	8	ND	ug/L
Nickel, total	MW-16	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-16	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-16	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-16	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-16	1/12/2022	4	4	ND	ug/L
Nickel, total	MW-16	7/10/2022	4	4	ND	ug/L
Nickel, total	MW-16	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-17	6/5/2015	1.9	4	ND	ug/L
Nickel, total	MW-17	7/15/2015	0.4	4	ND	ug/L
Nickel, total	MW-17	8/4/2015	2.1	4	ND	ug/L
Nickel, total	MW-17	9/2/2015	1	4	ND	ug/L
Nickel, total	MW-17	1/7/2016	0.4	4	ND	ug/L
Nickel, total	MW-17	4/5/2016	0.6	4	ND	ug/L
Nickel, total	MW-17	7/20/2016	4	4	ND	ug/L
Nickel, total	MW-17	10/6/2016	1	4	ND	ug/L
Nickel, total	MW-17	1/10/2017	2.7	4	ND	ug/L
Nickel, total	MW-17	7/18/2017	0.7	4	ND	ug/L
Nickel, total	MW-17	1/23/2018	1.2	4	ND	ug/L
Nickel, total	MW-17	7/10/2018	0.79	4	ND	ug/L
Nickel, total	MW-17	1/3/2019	1.3	4	ND	ug/L
Nickel, total	MW-17	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-17	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-17	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-17	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-17	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-17	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-19	6/5/2015	2.5	4	ND	ug/L
Nickel, total	MW-19	7/16/2015	5.2	4		ug/L
Nickel, total	MW-19	8/5/2015	0.4	4	ND	ug/L
Nickel, total	MW-19	9/3/2015	4	4	ND	ug/L
Nickel, total	MW-19	1/7/2016	0.5	4	ND	ug/L
Nickel, total	MW-19	4/5/2016	2.3	4	ND	ug/L
Nickel, total	MW-19	7/21/2016	4	4	ND	ug/L
Nickel, total	MW-19	10/5/2016	1	4	ND	ug/L
Nickel, total	MW-19	1/10/2017	0.5	4	ND	ug/L
Nickel, total	MW-19	7/18/2017	9.8	4		ug/L
Nickel, total	MW-19	1/23/2018	0.47	4	ND	ug/L
Nickel, total	MW-19	7/13/2018	0.32	4	ND	ug/L
Nickel, total	MW-19	1/7/2019	0.38	4	ND	ug/L
Nickel, total	MW-19	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-19	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-19	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-19	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-19	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-19	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-1N	10/22/1997	4.1	4		ug/L
Nickel, total	MW-1N	1/20/1998	13	4		ug/L
Nickel, total	MW-1N	4/28/1998	12	4		ug/L
Nickel, total	MW-1N	7/23/1998	12	4		ug/L
Nickel, total	MW-1N	10/14/1998	12	4		ug/L
Nickel, total	MW-1N	1/13/1999	19	4		ug/L
Nickel, total	MW-1N	4/13/1999	8.9	4		ug/L
Nickel, total	MW-1N	7/15/1999	4	4	ND	ug/L
Nickel, total	MW-1N	10/19/1999	13	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-1N	1/14/2000	11	4		ug/L
Nickel, total	MW-1N	4/25/2000	14	4		ug/L
Nickel, total	MW-1N	7/12/2000	4	4	ND	ug/L
Nickel, total	MW-1N	10/18/2000	4	4	ND	ug/L
Nickel, total	MW-1N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-1N	4/12/2001	4	4	ND	ug/L
Nickel, total	MW-1N	5/29/2002	4	4	ND	ug/L
Nickel, total	MW-1N	5/29/2002	4	4	ND	ug/L
Nickel, total	MW-1N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-1N	10/3/2002	10	10	ND	ug/L
Nickel, total	MW-1N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-1N	4/15/2003	4	4	ND	ug/L
Nickel, total	MW-1N	7/8/2003	68	4		ug/L
Nickel, total	MW-1N	1/28/2004	73	4		ug/L
Nickel, total	MW-1N	7/27/2004	7	4		ug/L
Nickel, total	MW-1N	1/12/2005	8.4	4		ug/L
Nickel, total	MW-1N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-1N	1/18/2006	4	4	ND	ug/L
Nickel, total	MW-1N	7/18/2006	3.6	4	ND	ug/L
Nickel, total	MW-1N	7/18/2006	3.6	4	ND	ug/L
Nickel, total	MW-1N	10/24/2006	40	40	ND	ug/L
Nickel, total	MW-1N	1/9/2007	4.9	4		ug/L
Nickel, total	MW-1N	1/26/2007	3.5	4	ND	ug/L
Nickel, total	MW-1N	7/11/2007	10	4		ug/L
Nickel, total	MW-1N	1/24/2008	22	4		ug/L
Nickel, total	MW-1N	7/21/2008	9.8	4		ug/L
Nickel, total	MW-1N	2/5/2009	23	4		ug/L
Nickel, total	MW-1N	7/31/2009	23	4		ug/L
Nickel, total	MW-1N	1/26/2010	25	4		ug/L
Nickel, total	MW-1N	7/13/2010	21	4		ug/L
Nickel, total	MW-1N	1/20/2011	24	4		ug/L
Nickel, total	MW-1N	7/13/2011	7.1	4		ug/L
Nickel, total	MW-1N	1/5/2012	12	4		ug/L
Nickel, total	MW-1N	7/10/2012	17	4		ug/L
Nickel, total	MW-1N	5/1/2013	9.5	4		ug/L
Nickel, total	MW-1N	7/16/2013	9.1	4		ug/L
Nickel, total	MW-1N	1/24/2014	13	4		ug/L
Nickel, total	MW-1N	7/9/2014	8.8	4		ug/L
Nickel, total	MW-1N	2/10/2015	6.7	4		ug/L
Nickel, total	MW-1N	7/14/2015	2.3	4	ND	ug/L
Nickel, total	MW-1N	1/6/2016	4.1	4		ug/L
Nickel, total	MW-1N	7/21/2016	9	4		ug/L
Nickel, total	MW-1N	1/12/2017	6.4	4		ug/L
Nickel, total	MW-1N	7/19/2017	11	4		ug/L
Nickel, total	MW-1N	1/23/2018	5.2	4		ug/L
Nickel, total	MW-1N	7/10/2018	4.7	4		ug/L
Nickel, total	MW-1N	1/3/2019	5.3	4		ug/L
Nickel, total	MW-1N	7/11/2019	29	8		ug/L
Nickel, total	MW-1N	1/23/2020	736	4		ug/L
Nickel, total	MW-1N	4/2/2020	40.1	4		ug/L
Nickel, total	MW-1N	7/6/2020	11.1	4		ug/L
Nickel, total	MW-1N	1/14/2021	7.64	4		ug/L
Nickel, total	MW-1N	7/4/2021	14	4		ug/L
Nickel, total	MW-1N	1/11/2023	8.089999	4		ug/L
Nickel, total	MW-20	6/5/2015	4.4	4		ug/L
Nickel, total	MW-20	7/14/2015	4.7	4		ug/L
Nickel, total	MW-20	8/4/2015	3.6	4	ND	ug/L
Nickel, total	MW-20	9/2/2015	2.7	4	ND	ug/L
Nickel, total	MW-20	1/7/2016	3.1	4	ND	ug/L
Nickel, total	MW-20	4/5/2016	1.1	4	ND	ug/L
Nickel, total	MW-20	7/20/2016	2	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-20	10/5/2016	2.7	4	ND	ug/L
Nickel, total	MW-20	1/12/2017	9.9	4		ug/L
Nickel, total	MW-20	7/18/2017	1	4	ND	ug/L
Nickel, total	MW-20	1/26/2018	1	4	ND	ug/L
Nickel, total	MW-20	7/12/2018	1.2	4	ND	ug/L
Nickel, total	MW-20	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-20	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-20	7/7/2020	4	4	ND	ug/L
Nickel, total	MW-20	1/17/2021	6.83	4		ug/L
Nickel, total	MW-20	4/6/2021	4	4	ND	ug/L
Nickel, total	MW-20	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-20	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-21	6/5/2015	71	4		ug/L
Nickel, total	MW-21	7/14/2015	66	4		ug/L
Nickel, total	MW-21	8/4/2015	69	4		ug/L
Nickel, total	MW-21	9/2/2015	70	4		ug/L
Nickel, total	MW-21	1/7/2016	50	4		ug/L
Nickel, total	MW-21	4/5/2016	60	4		ug/L
Nickel, total	MW-21	7/20/2016	52	4		ug/L
Nickel, total	MW-21	10/5/2016	53	4		ug/L
Nickel, total	MW-21	10/5/2016	52	4		ug/L
Nickel, total	MW-21	1/10/2017	56	4		ug/L
Nickel, total	MW-21	4/5/2017	66	4		ug/L
Nickel, total	MW-21	7/19/2017	60	4		ug/L
Nickel, total	MW-21	10/6/2017	50	4		ug/L
Nickel, total	MW-21	1/24/2018	44	4		ug/L
Nickel, total	MW-21	4/11/2018	74	4		ug/L
Nickel, total	MW-21	7/11/2018	53	4		ug/L
Nickel, total	MW-21	10/4/2018	52	4		ug/L
Nickel, total	MW-21	1/3/2019	61	4		ug/L
Nickel, total	MW-21	4/3/2019	57	4		ug/L
Nickel, total	MW-21	7/11/2019	48	8		ug/L
Nickel, total	MW-21	10/2/2019	47	4		ug/L
Nickel, total	MW-21	1/16/2020	48.5	4		ug/L
Nickel, total	MW-21	4/2/2020	44.2	4		ug/L
Nickel, total	MW-21	7/8/2020	42.2	4		ug/L
Nickel, total	MW-21	10/7/2020	38.3	4		ug/L
Nickel, total	MW-21	1/13/2021	48.6	4		ug/L
Nickel, total	MW-21	4/6/2021	38.3	4		ug/L
Nickel, total	MW-21	7/5/2021	40.4	4		ug/L
Nickel, total	MW-21	10/6/2021	31.3	4		ug/L
Nickel, total	MW-21	1/11/2023	35.4	4		ug/L
Nickel, total	MW-21	4/8/2023	25.8	4		ug/L
Nickel, total	MW-2N	10/22/1997	3800	4		ug/L
Nickel, total	MW-2N	1/21/1998	4	4	ND	ug/L
Nickel, total	MW-2N	4/28/1998	4	4	ND	ug/L
Nickel, total	MW-2N	7/22/1998	4	4	ND	ug/L
Nickel, total	MW-2N	1/13/1999	4.4	4		ug/L
Nickel, total	MW-2N	4/13/1999	4	4	ND	ug/L
Nickel, total	MW-2N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-2N	10/20/1999	4	4	ND	ug/L
Nickel, total	MW-2N	1/14/2000	4	4	ND	ug/L
Nickel, total	MW-2N	4/25/2000	4	4	ND	ug/L
Nickel, total	MW-2N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-2N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-2N	4/11/2001	4	4	ND	ug/L
Nickel, total	MW-2N	7/10/2002	10	10	ND	ug/L
Nickel, total	MW-2N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-2N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-2N	4/14/2003	4	4	ND	ug/L
Nickel, total	MW-2N	7/7/2003	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-2N	1/28/2004	4	4	ND	ug/L
Nickel, total	MW-2N	7/27/2004	4	4	ND	ug/L
Nickel, total	MW-2N	1/12/2005	4	4	ND	ug/L
Nickel, total	MW-2N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-2N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-2N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-2N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-2N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-2N	1/10/2007	2.3	4	ND	ug/L
Nickel, total	MW-2N	1/26/2007	2.1	4	ND	ug/L
Nickel, total	MW-2N	7/11/2007	2.8	4	ND	ug/L
Nickel, total	MW-2N	1/24/2008	2.2	4	ND	ug/L
Nickel, total	MW-2N	7/22/2008	0.5	4	ND	ug/L
Nickel, total	MW-2N	2/4/2009	4	4	ND	ug/L
Nickel, total	MW-2N	7/31/2009	1	4	ND	ug/L
Nickel, total	MW-2N	1/26/2010	0.6	4	ND	ug/L
Nickel, total	MW-2N	7/13/2010	0.7	4	ND	ug/L
Nickel, total	MW-2N	1/20/2011	1.3	4	ND	ug/L
Nickel, total	MW-2N	7/13/2011	4	4	ND	ug/L
Nickel, total	MW-2N	1/5/2012	0.4	4	ND	ug/L
Nickel, total	MW-2N	7/10/2012	0.7	4	ND	ug/L
Nickel, total	MW-2N	5/1/2013	4	4	ND	ug/L
Nickel, total	MW-2N	7/16/2013	4	4	ND	ug/L
Nickel, total	MW-2N	1/24/2014	0.3	4	ND	ug/L
Nickel, total	MW-2N	7/9/2014	0.3	4	ND	ug/L
Nickel, total	MW-2N	2/12/2015	4	4	ND	ug/L
Nickel, total	MW-2N	7/14/2015	0.4	4	ND	ug/L
Nickel, total	MW-2N	1/6/2016	0.5	4	ND	ug/L
Nickel, total	MW-2N	7/21/2016	0.5	4	ND	ug/L
Nickel, total	MW-2N	1/11/2017	0.6	4	ND	ug/L
Nickel, total	MW-2N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-2N	1/23/2018	0.39	4	ND	ug/L
Nickel, total	MW-2N	7/12/2018	4	4	ND	ug/L
Nickel, total	MW-2N	1/3/2019	0.34	4	ND	ug/L
Nickel, total	MW-2N	8/7/2019	17	8		ug/L
Nickel, total	MW-2N	10/1/2019	13	4		ug/L
Nickel, total	MW-2N	1/23/2020	6.77	4		ug/L
Nickel, total	MW-2N	7/7/2020	4	4	ND	ug/L
Nickel, total	MW-2N	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-2N	7/5/2021	4	4	ND	ug/L
Nickel, total	MW-2N	1/11/2023	4.31	4		ug/L
Nickel, total	MW-2N	4/8/2023	4	4	ND	ug/L
Nickel, total	MW-3N	10/21/1997	26	4		ug/L
Nickel, total	MW-3N	1/21/1998	4.4	4		ug/L
Nickel, total	MW-3N	4/28/1998	7.2	4		ug/L
Nickel, total	MW-3N	7/23/1998	4	4	ND	ug/L
Nickel, total	MW-3N	1/13/1999	4.3	4		ug/L
Nickel, total	MW-3N	4/13/1999	4	4	ND	ug/L
Nickel, total	MW-3N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-3N	10/20/1999	4.8	4		ug/L
Nickel, total	MW-3N	1/14/2000	6.2	4		ug/L
Nickel, total	MW-3N	4/24/2000	7	4		ug/L
Nickel, total	MW-3N	7/11/2000	4	4	ND	ug/L
Nickel, total	MW-3N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-3N	1/23/2001	4	4	ND	ug/L
Nickel, total	MW-3N	4/11/2001	4	4	ND	ug/L
Nickel, total	MW-3N	5/29/2002	5.6	4		ug/L
Nickel, total	MW-3N	5/29/2002	5.6	4		ug/L
Nickel, total	MW-3N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-3N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-3N	1/22/2003	13	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-3N	4/14/2003	9.8	4		ug/L
Nickel, total	MW-3N	7/7/2003	13	4		ug/L
Nickel, total	MW-3N	1/28/2004	17	4		ug/L
Nickel, total	MW-3N	7/27/2004	24	4		ug/L
Nickel, total	MW-3N	1/12/2005	27	4		ug/L
Nickel, total	MW-3N	7/20/2005	28	4		ug/L
Nickel, total	MW-3N	1/18/2006	34	4		ug/L
Nickel, total	MW-3N	7/19/2006	30	4		ug/L
Nickel, total	MW-3N	7/19/2006	30	4		ug/L
Nickel, total	MW-3N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-3N	1/10/2007	52	4		ug/L
Nickel, total	MW-3N	1/26/2007	39	4		ug/L
Nickel, total	MW-3N	7/11/2007	57	4		ug/L
Nickel, total	MW-3N	1/24/2008	50	4		ug/L
Nickel, total	MW-3N	7/22/2008	49	4		ug/L
Nickel, total	MW-3N	2/4/2009	43	4		ug/L
Nickel, total	MW-3N	7/31/2009	50	4		ug/L
Nickel, total	MW-3N	1/26/2010	53	4		ug/L
Nickel, total	MW-3N	7/13/2010	46	4		ug/L
Nickel, total	MW-3N	1/20/2011	51	4		ug/L
Nickel, total	MW-3N	7/14/2011	46	4		ug/L
Nickel, total	MW-3N	1/5/2012	45	4		ug/L
Nickel, total	MW-3N	7/11/2012	42	4		ug/L
Nickel, total	MW-3N	5/1/2013	28	4		ug/L
Nickel, total	MW-3N	6/4/2013	32	4		ug/L
Nickel, total	MW-3N	7/16/2013	33	4		ug/L
Nickel, total	MW-3N	1/24/2014	30	4		ug/L
Nickel, total	MW-3N	7/9/2014	36	4		ug/L
Nickel, total	MW-3N	2/12/2015	27	4		ug/L
Nickel, total	MW-3N	4/1/2015	34	4		ug/L
Nickel, total	MW-3N	7/14/2015	50	4		ug/L
Nickel, total	MW-3N	10/5/2015	52	4		ug/L
Nickel, total	MW-3N	1/6/2016	55	4		ug/L
Nickel, total	MW-3N	4/6/2016	58	4		ug/L
Nickel, total	MW-3N	7/21/2016	45	4		ug/L
Nickel, total	MW-3N	10/6/2016	50	4		ug/L
Nickel, total	MW-3N	1/11/2017	41	4		ug/L
Nickel, total	MW-3N	4/4/2017	41	4		ug/L
Nickel, total	MW-3N	7/19/2017	59	4		ug/L
Nickel, total	MW-3N	10/9/2017	41	4		ug/L
Nickel, total	MW-3N	1/24/2018	14	4		ug/L
Nickel, total	MW-3N	4/10/2018	54	4		ug/L
Nickel, total	MW-3N	7/13/2018	37	4		ug/L
Nickel, total	MW-3N	10/3/2018	37	4		ug/L
Nickel, total	MW-3N	1/7/2019	22	4		ug/L
Nickel, total	MW-3N	4/3/2019	47	4		ug/L
Nickel, total	MW-3N	7/11/2019	62	8		ug/L
Nickel, total	MW-3N	10/2/2019	28	4		ug/L
Nickel, total	MW-3N	1/15/2020	40.3	4		ug/L
Nickel, total	MW-3N	4/2/2020	56.6	4		ug/L
Nickel, total	MW-3N	7/7/2020	61	4		ug/L
Nickel, total	MW-3N	10/7/2020	57	4		ug/L
Nickel, total	MW-3N	1/13/2021	29.6	4		ug/L
Nickel, total	MW-3N	4/6/2021	22.7	4		ug/L
Nickel, total	MW-3N	7/5/2021	65.5	4		ug/L
Nickel, total	MW-3N	10/6/2021	56.7	4		ug/L
Nickel, total	MW-3N	1/11/2023	49	4		ug/L
Nickel, total	MW-7N	10/21/1997	4	4	ND	ug/L
Nickel, total	MW-7N	1/21/1998	120	4		ug/L
Nickel, total	MW-7N	7/22/1998	140	4		ug/L
Nickel, total	MW-7N	8/18/1998	120	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-7N	9/17/1998	130	4		ug/L
Nickel, total	MW-7N	10/15/1998	130	4		ug/L
Nickel, total	MW-7N	11/9/1998	140	4		ug/L
Nickel, total	MW-7N	1/14/1999	140	4		ug/L
Nickel, total	MW-7N	4/14/1999	130	4		ug/L
Nickel, total	MW-7N	7/14/1999	200	4		ug/L
Nickel, total	MW-7N	10/19/1999	230	4		ug/L
Nickel, total	MW-7N	1/13/2000	240	4		ug/L
Nickel, total	MW-7N	4/25/2000	250	4		ug/L
Nickel, total	MW-7N	7/11/2000	280	4		ug/L
Nickel, total	MW-7N	10/17/2000	280	4		ug/L
Nickel, total	MW-7N	1/23/2001	270	4		ug/L
Nickel, total	MW-7N	4/10/2001	300	4		ug/L
Nickel, total	MW-7N	5/29/2002	300	4		ug/L
Nickel, total	MW-7N	5/29/2002	300	4		ug/L
Nickel, total	MW-7N	7/9/2002	310	10		ug/L
Nickel, total	MW-7N	10/2/2002	300	10		ug/L
Nickel, total	MW-7N	1/23/2003	130	4		ug/L
Nickel, total	MW-7N	4/14/2003	280	4		ug/L
Nickel, total	MW-7N	7/7/2003	150	4		ug/L
Nickel, total	MW-7N	1/27/2004	260	4		ug/L
Nickel, total	MW-7N	4/8/2004	240	4		ug/L
Nickel, total	MW-7N	7/26/2004	280	4		ug/L
Nickel, total	MW-7N	1/12/2005	260	4		ug/L
Nickel, total	MW-7N	7/19/2005	280	4		ug/L
Nickel, total	MW-7N	1/19/2006	190	4		ug/L
Nickel, total	MW-7N	7/19/2006	240	4		ug/L
Nickel, total	MW-7N	7/19/2006	240	4		ug/L
Nickel, total	MW-7N	10/24/2006	240	40		ug/L
Nickel, total	MW-7N	1/10/2007	230	4		ug/L
Nickel, total	MW-7N	1/26/2007	240	4		ug/L
Nickel, total	MW-7N	7/10/2007	210	4		ug/L
Nickel, total	MW-7N	7/21/2008	120	4		ug/L
Nickel, total	MW-7N	2/6/2009	95	4		ug/L
Nickel, total	MW-7N	7/29/2009	91	4		ug/L
Nickel, total	MW-7N	1/26/2010	69	4		ug/L
Nickel, total	MW-7N	7/14/2010	58	4		ug/L
Nickel, total	MW-7N	1/20/2011	25	4		ug/L
Nickel, total	MW-7N	7/12/2011	18	4		ug/L
Nickel, total	MW-7N	1/5/2012	17	4		ug/L
Nickel, total	MW-7N	7/10/2012	11	4		ug/L
Nickel, total	MW-7N	5/1/2013	120	4		ug/L
Nickel, total	MW-7N	6/4/2013	71	4		ug/L
Nickel, total	MW-7N	7/15/2013	24	4		ug/L
Nickel, total	MW-7N	1/30/2014	18	4		ug/L
Nickel, total	MW-7N	7/9/2014	8.3	4		ug/L
Nickel, total	MW-7N	2/12/2015	17	4		ug/L
Nickel, total	MW-7N	7/13/2015	3	4	ND	ug/L
Nickel, total	MW-7N	1/5/2016	2.4	4	ND	ug/L
Nickel, total	MW-7N	7/21/2016	10	4		ug/L
Nickel, total	MW-7N	1/11/2017	92	4		ug/L
Nickel, total	MW-7N	4/4/2017	38	4		ug/L
Nickel, total	MW-7N	7/19/2017	37	4		ug/L
Nickel, total	MW-7N	10/5/2017	37	4		ug/L
Nickel, total	MW-7N	1/25/2018	24	4		ug/L
Nickel, total	MW-7N	4/11/2018	26	4		ug/L
Nickel, total	MW-7N	7/13/2018	9.5	4		ug/L
Nickel, total	MW-7N	1/4/2019	13	4		ug/L
Nickel, total	MW-7N	7/10/2019	5.3	8	ND	ug/L
Nickel, total	MW-7N	1/16/2020	7.51	4		ug/L
Nickel, total	MW-7N	7/7/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-7N	1/16/2021	4.43	4		ug/L
Nickel, total	MW-7N	7/5/2021	4.48	4		ug/L
Nickel, total	MW-7N	1/12/2022	4.03	4		ug/L
Nickel, total	MW-7N	7/10/2022	4.06	4		ug/L
Nickel, total	MW-7N	1/10/2023	4	4		ug/L
Nickel, total	MW-8N	10/21/1997	70	4		ug/L
Nickel, total	MW-8N	1/22/1998	66	4		ug/L
Nickel, total	MW-8N	4/28/1998	290	4		ug/L
Nickel, total	MW-8N	7/22/1998	210	4		ug/L
Nickel, total	MW-8N	1/12/1999	340	4		ug/L
Nickel, total	MW-8N	4/13/1999	240	4		ug/L
Nickel, total	MW-8N	7/14/1999	520	4		ug/L
Nickel, total	MW-8N	10/19/1999	110	4		ug/L
Nickel, total	MW-8N	1/14/2000	120	4		ug/L
Nickel, total	MW-8N	4/25/2000	140	4		ug/L
Nickel, total	MW-8N	10/17/2000	200	4		ug/L
Nickel, total	MW-8N	1/23/2001	150	4		ug/L
Nickel, total	MW-8N	4/11/2001	120	4		ug/L
Nickel, total	MW-8N	5/29/2002	130	4		ug/L
Nickel, total	MW-8N	5/29/2002	130	4		ug/L
Nickel, total	MW-8N	7/9/2002	110	10		ug/L
Nickel, total	MW-8N	10/2/2002	120	10		ug/L
Nickel, total	MW-8N	1/23/2003	160	4		ug/L
Nickel, total	MW-8N	4/14/2003	160	4		ug/L
Nickel, total	MW-8N	7/7/2003	160	4		ug/L
Nickel, total	MW-8N	1/28/2004	170	4		ug/L
Nickel, total	MW-8N	7/27/2004	180	4		ug/L
Nickel, total	MW-8N	1/12/2005	230	4		ug/L
Nickel, total	MW-8N	7/20/2005	220	4		ug/L
Nickel, total	MW-8N	1/19/2006	210	4		ug/L
Nickel, total	MW-8N	7/19/2006	210	4		ug/L
Nickel, total	MW-8N	7/19/2006	210	4		ug/L
Nickel, total	MW-8N	10/24/2006	190	40		ug/L
Nickel, total	MW-8N	1/10/2007	200	4		ug/L
Nickel, total	MW-8N	1/26/2007	220	4		ug/L
Nickel, total	MW-8N	4/25/2007	150	4		ug/L
Nickel, total	MW-8N	7/10/2007	130	4		ug/L
Nickel, total	MW-8N	1/24/2008	110	4		ug/L
Nickel, total	MW-8N	7/23/2008	88	4		ug/L
Nickel, total	MW-8N	2/4/2009	66	4		ug/L
Nickel, total	MW-8N	7/31/2009	66	4		ug/L
Nickel, total	MW-8N	1/26/2010	59	4		ug/L
Nickel, total	MW-8N	7/16/2010	59	4		ug/L
Nickel, total	MW-8N	1/19/2011	56	4		ug/L
Nickel, total	MW-8N	5/10/2011	66	4		ug/L
Nickel, total	MW-8N	7/14/2011	58	4		ug/L
Nickel, total	MW-8N	1/6/2012	61	4		ug/L
Nickel, total	MW-8N	4/5/2012	60	4		ug/L
Nickel, total	MW-8N	7/11/2012	57	4		ug/L
Nickel, total	MW-8N	10/3/2012	60	4		ug/L
Nickel, total	MW-8N	5/1/2013	55	4		ug/L
Nickel, total	MW-8N	6/4/2013	59	4		ug/L
Nickel, total	MW-8N	7/16/2013	51	4		ug/L
Nickel, total	MW-8N	10/2/2013	52	4		ug/L
Nickel, total	MW-8N	1/30/2014	50	4		ug/L
Nickel, total	MW-8N	4/3/2014	49	4		ug/L
Nickel, total	MW-8N	7/9/2014	47	4		ug/L
Nickel, total	MW-8N	10/8/2014	40	4		ug/L
Nickel, total	MW-8N	2/12/2015	40	4		ug/L
Nickel, total	MW-8N	4/1/2015	45	4		ug/L
Nickel, total	MW-8N	7/14/2015	41	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-8N	10/5/2015	40	4		ug/L
Nickel, total	MW-8N	1/5/2016	41	4		ug/L
Nickel, total	MW-8N	4/6/2016	44	4		ug/L
Nickel, total	MW-8N	7/21/2016	40	4		ug/L
Nickel, total	MW-8N	10/6/2016	40	4		ug/L
Nickel, total	MW-8N	1/11/2017	46	4		ug/L
Nickel, total	MW-8N	4/4/2017	47	4		ug/L
Nickel, total	MW-8N	7/19/2017	44	4		ug/L
Nickel, total	MW-8N	10/6/2017	40	4		ug/L
Nickel, total	MW-8N	1/25/2018	38	4		ug/L
Nickel, total	MW-8N	4/10/2018	45	4		ug/L
Nickel, total	MW-8N	7/16/2018	44	4		ug/L
Nickel, total	MW-8N	10/2/2018	41	4		ug/L
Nickel, total	MW-8N	1/7/2019	38	4		ug/L
Nickel, total	MW-8N	4/3/2019	39	4		ug/L
Nickel, total	MW-8N	7/11/2019	36	8		ug/L
Nickel, total	MW-8N	10/3/2019	25	4		ug/L
Nickel, total	MW-8N	1/15/2020	26.4	4		ug/L
Nickel, total	MW-8N	4/2/2020	25	4		ug/L
Nickel, total	MW-8N	7/9/2020	24.5	4		ug/L
Nickel, total	MW-8N	10/6/2020	23.3	4		ug/L
Nickel, total	MW-8N	1/15/2021	24.3	4		ug/L
Nickel, total	MW-8N	4/6/2021	22.6	4		ug/L
Nickel, total	MW-8N	7/5/2021	22.9	4		ug/L
Nickel, total	MW-8N	10/6/2021	19.8	4		ug/L
Nickel, total	MW-8N	1/18/2022	23	4		ug/L
Nickel, total	MW-8N	4/4/2022	22	4		ug/L
Nickel, total	MW-8N	7/12/2022	20.7	4		ug/L
Nickel, total	MW-8N	10/6/2022	19.8	4		ug/L
Nickel, total	MW-8N	1/11/2023	19.3	4		ug/L
Nickel, total	MW-8N	4/8/2023	21.3	4		ug/L
Nickel, total	NE-1	7/10/2002	390	10		ug/L
Nickel, total	NE-1	8/6/2002	360	10		ug/L
Nickel, total	NE-1	9/4/2002	340	10		ug/L
Nickel, total	NE-1	10/2/2002	320	10		ug/L
Nickel, total	NE-1	7/8/2003	9.1	4		ug/L
Nickel, total	NE-1	1/27/2004	120	4		ug/L
Nickel, total	NE-1	1/12/2005	9.7	4		ug/L
Nickel, total	NE-1	7/19/2006	9.7	4		ug/L
Nickel, total	NE-1	7/19/2006	9.7	4		ug/L
Nickel, total	NE-1	10/25/2006	40	40	ND	ug/L
Nickel, total	NE-1	1/24/2007	8	4		ug/L
Nickel, total	NE-1	7/10/2007	48	4		ug/L
Nickel, total	NE-1	1/24/2008	7.5	4		ug/L
Nickel, total	NE-1	7/21/2008	7.6	4		ug/L
Nickel, total	NE-1	2/7/2009	67	4		ug/L
Nickel, total	NE-1	7/31/2009	1.9	4	ND	ug/L
Nickel, total	NE-1	1/26/2010	1.4	4	ND	ug/L
Nickel, total	NE-1	7/14/2010	46	4		ug/L
Nickel, total	NE-1	1/19/2011	2.7	4	ND	ug/L
Nickel, total	NE-1	7/13/2011	0.4	4	ND	ug/L
Nickel, total	NE-1	1/5/2012	1	4	ND	ug/L
Nickel, total	NE-1	7/10/2012	13	4		ug/L
Nickel, total	NE-1	4/30/2013	0.8	4	ND	ug/L
Nickel, total	NE-1	7/16/2013	0.8	4	ND	ug/L
Nickel, total	NE-1	1/23/2014	2.1	4	ND	ug/L
Nickel, total	NE-1	7/9/2014	3	4	ND	ug/L
Nickel, total	NE-1	2/11/2015	1.1	4	ND	ug/L
Nickel, total	NE-1	7/8/2015	1.3	4	ND	ug/L
Nickel, total	NE-1	1/6/2016	1.8	4	ND	ug/L
Nickel, total	NE-1	7/20/2016	3.2	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-1	1/11/2017	4.6	4		ug/L
Nickel, total	NE-1	7/19/2017	1.5	4	ND	ug/L
Nickel, total	NE-1	1/24/2018	2.3	4	ND	ug/L
Nickel, total	NE-1	4/11/2018	2.4	4	ND	ug/L
Nickel, total	NE-1	7/18/2018	1.9	4	ND	ug/L
Nickel, total	NE-1	10/2/2018	1.7	4	ND	ug/L
Nickel, total	NE-1	1/4/2019	1.8	4	ND	ug/L
Nickel, total	NE-1	4/2/2019	1.5	4	ND	ug/L
Nickel, total	NE-1	7/10/2019	2.5	8	ND	ug/L
Nickel, total	NE-1	7/10/2019	2.5	8	ND	ug/L
Nickel, total	NE-1	10/2/2019	1.1	4	ND	ug/L
Nickel, total	NE-1	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-1	4/2/2020	4	4	ND	ug/L
Nickel, total	NE-1	7/8/2020	4	4	ND	ug/L
Nickel, total	NE-1	10/7/2020	4	4	ND	ug/L
Nickel, total	NE-1	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-1	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-1	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-1	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-1	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-1	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-1	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-1	10/6/2022	4	4	ND	ug/L
Nickel, total	NE-1	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-1	4/7/2023	4	4	ND	ug/L
Nickel, total	NE-10D	11/6/2019	2.7	4	ND	ug/L
Nickel, total	NE-10D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-10D	4/2/2020	4	4	ND	ug/L
Nickel, total	NE-10D	7/8/2020	4	4	ND	ug/L
Nickel, total	NE-10D	10/7/2020	4	4	ND	ug/L
Nickel, total	NE-10D	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-10D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-10D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-10D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-10D	1/6/2023	5.02	4		ug/L
Nickel, total	NE-10D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-11	3/1/2017	11	4		ug/L
Nickel, total	NE-11	4/6/2017	8.7	4		ug/L
Nickel, total	NE-11	7/20/2017	2.5	4	ND	ug/L
Nickel, total	NE-11	10/9/2017	2.2	4	ND	ug/L
Nickel, total	NE-11	9/30/2019	6.7	4		ug/L
Nickel, total	NE-11	1/14/2020	6.19	4		ug/L
Nickel, total	NE-11	7/7/2020	7.96	4		ug/L
Nickel, total	NE-11	1/16/2021	6.49	4		ug/L
Nickel, total	NE-11	1/16/2021	4.75	4		ug/L
Nickel, total	NE-11	7/1/2021	7.24	4.9		ug/L
Nickel, total	NE-11	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-11	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-11	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-11	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-12	3/1/2017	16	4		ug/L
Nickel, total	NE-12	4/6/2017	2.5	4	ND	ug/L
Nickel, total	NE-12	7/20/2017	1.1	4	ND	ug/L
Nickel, total	NE-12	10/6/2017	0.9	4	ND	ug/L
Nickel, total	NE-12	8/5/2019	4	8	ND	ug/L
Nickel, total	NE-12	1/13/2020	4	4	ND	ug/L
Nickel, total	NE-12	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-12	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-12	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-12	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-12	1/17/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-12	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-12	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-12	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-13	2/5/2019	3.3	4	ND	ug/L
Nickel, total	NE-13	8/7/2019	6.6	8	ND	ug/L
Nickel, total	NE-13	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-13	7/8/2020	28.1	4		ug/L
Nickel, total	NE-13	1/17/2021	22.1	4		ug/L
Nickel, total	NE-13	1/17/2021	14.3	4		ug/L
Nickel, total	NE-13	7/1/2021	5.96	4.9		ug/L
Nickel, total	NE-14D	10/2/2019	0.5	4	ND	ug/L
Nickel, total	NE-14D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-14D	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-14D	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-14D	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-14D	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-14D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-14D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-14D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-14D	1/18/2022	4	4	ND	ug/L
Nickel, total	NE-14D	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-14D	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-14D	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-14D	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-14D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-14S	10/2/2019	0.38	4	ND	ug/L
Nickel, total	NE-14S	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-14S	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-14S	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-14S	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-14S	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-14S	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-14S	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-14S	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-14S	1/18/2022	4	4	ND	ug/L
Nickel, total	NE-14S	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-14S	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-14S	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-14S	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-14S	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-15D	9/30/2019	0.88	4	ND	ug/L
Nickel, total	NE-15D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-15D	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-15D	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-15D	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-15D	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-15D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-15D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-15D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-15D	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-15D	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-15D	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-15D	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-15D	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-15D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-15S	4/3/2020	11.3	4		ug/L
Nickel, total	NE-2	7/9/2002	66	10		ug/L
Nickel, total	NE-2	8/6/2002	38	10		ug/L
Nickel, total	NE-2	9/4/2002	13	10		ug/L
Nickel, total	NE-2	10/2/2002	11	10		ug/L
Nickel, total	NE-2	10/1/2013	3.4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-2	10/8/2014	4.2	4		ug/L
Nickel, total	NE-2	10/5/2015	3.7	4	ND	ug/L
Nickel, total	NE-2	10/6/2016	1.4	4	ND	ug/L
Nickel, total	NE-2	10/5/2017	3.6	4	ND	ug/L
Nickel, total	NE-2	1/25/2018	3.6	4	ND	ug/L
Nickel, total	NE-2	4/10/2018	2.5	4	ND	ug/L
Nickel, total	NE-2	7/10/2018	3.3	4	ND	ug/L
Nickel, total	NE-2	10/1/2018	3.2	4	ND	ug/L
Nickel, total	NE-2	1/4/2019	3.1	4	ND	ug/L
Nickel, total	NE-2	4/2/2019	4	4		ug/L
Nickel, total	NE-2	7/9/2019	3.3	8	ND	ug/L
Nickel, total	NE-2	7/9/2019	3.3	8	ND	ug/L
Nickel, total	NE-2	10/2/2019	2.5	4	ND	ug/L
Nickel, total	NE-2	1/14/2020	4	4	ND	ug/L
Nickel, total	NE-2	4/1/2020	4	4	ND	ug/L
Nickel, total	NE-2	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-2	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-2	1/14/2021	4.24	4		ug/L
Nickel, total	NE-2	4/9/2021	4.02	4		ug/L
Nickel, total	NE-2	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-2	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-2	1/18/2022	4.1	4		ug/L
Nickel, total	NE-2	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-2	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-2	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-2	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-2	4/5/2023	4	4	ND	ug/L
Nickel, total	NE-3	7/9/2002	780	10		ug/L
Nickel, total	NE-3	8/6/2002	1000	10		ug/L
Nickel, total	NE-3	9/4/2002	930	10		ug/L
Nickel, total	NE-3	10/2/2002	980	10		ug/L
Nickel, total	NE-3	3/21/2018	0.71	4	ND	ug/L
Nickel, total	NE-4	7/10/2002	57	10		ug/L
Nickel, total	NE-4	8/6/2002	62	10		ug/L
Nickel, total	NE-4	9/4/2002	49	10		ug/L
Nickel, total	NE-4	10/3/2002	56	10		ug/L
Nickel, total	NE-4	7/8/2003	6.8	4		ug/L
Nickel, total	NE-4	1/28/2004	17	4		ug/L
Nickel, total	NE-4	1/13/2005	4	4	ND	ug/L
Nickel, total	NE-4	8/1/2006	12	4		ug/L
Nickel, total	NE-4	8/1/2006	12	4		ug/L
Nickel, total	NE-4	10/25/2006	40	40	ND	ug/L
Nickel, total	NE-4	1/24/2007	3.7	4	ND	ug/L
Nickel, total	NE-4	7/12/2007	18	4		ug/L
Nickel, total	NE-4	1/24/2008	31	4		ug/L
Nickel, total	NE-4	7/21/2008	4	4		ug/L
Nickel, total	NE-4	2/7/2009	23	4		ug/L
Nickel, total	NE-4	7/31/2009	5.4	4		ug/L
Nickel, total	NE-4	1/26/2010	14	4		ug/L
Nickel, total	NE-4	7/14/2010	22	4		ug/L
Nickel, total	NE-4	1/19/2011	8.8	4		ug/L
Nickel, total	NE-4	7/13/2011	2	4	ND	ug/L
Nickel, total	NE-4	1/5/2012	5.8	4		ug/L
Nickel, total	NE-4	7/10/2012	27	4		ug/L
Nickel, total	NE-4	4/30/2013	7.6	4		ug/L
Nickel, total	NE-4	7/16/2013	8.3	4		ug/L
Nickel, total	NE-4	1/23/2014	9.5	4		ug/L
Nickel, total	NE-4	7/9/2014	5	4		ug/L
Nickel, total	NE-4	2/13/2015	13	4		ug/L
Nickel, total	NE-4	7/8/2015	3.6	4	ND	ug/L
Nickel, total	NE-4	1/6/2016	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-4	7/20/2016	7.6	4		ug/L
Nickel, total	NE-4	1/11/2017	7.4	4		ug/L
Nickel, total	NE-4	7/19/2017	0.9	4	ND	ug/L
Nickel, total	NE-4	1/26/2018	3.1	4	ND	ug/L
Nickel, total	NE-4	4/10/2018	2.8	4	ND	ug/L
Nickel, total	NE-4	7/12/2018	12	4		ug/L
Nickel, total	NE-4	10/3/2018	4.9	4		ug/L
Nickel, total	NE-4	1/7/2019	9.3	4		ug/L
Nickel, total	NE-4	4/2/2019	2.9	4	ND	ug/L
Nickel, total	NE-4	7/8/2019	8	8	ND	ug/L
Nickel, total	NE-4	7/8/2019	8	8	ND	ug/L
Nickel, total	NE-4	10/1/2019	1.1	4	ND	ug/L
Nickel, total	NE-4	1/13/2020	4	4	ND	ug/L
Nickel, total	NE-4	4/1/2020	4	4	ND	ug/L
Nickel, total	NE-4	7/6/2020	4	4	ND	ug/L
Nickel, total	NE-4	10/5/2020	4	4	ND	ug/L
Nickel, total	NE-4	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-4	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-4	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-4	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-4	1/5/2023	13.7	4		ug/L
Nickel, total	NE-4	4/6/2023	17.3	4		ug/L
Nickel, total	NE-5	7/9/2002	170	10		ug/L
Nickel, total	NE-5	8/6/2002	260	10		ug/L
Nickel, total	NE-5	9/4/2002	210	10		ug/L
Nickel, total	NE-5	10/2/2002	220	10		ug/L
Nickel, total	NE-5	7/8/2003	260	4		ug/L
Nickel, total	NE-5	1/27/2004	360	4		ug/L
Nickel, total	NE-5	1/12/2005	170	4		ug/L
Nickel, total	NE-5	7/19/2006	290	4		ug/L
Nickel, total	NE-5	7/19/2006	290	4		ug/L
Nickel, total	NE-5	10/25/2006	140	40		ug/L
Nickel, total	NE-5	1/10/2007	180	4		ug/L
Nickel, total	NE-5	1/24/2007	160	4		ug/L
Nickel, total	NE-5	7/12/2007	180	4		ug/L
Nickel, total	NE-5	7/22/2008	180	4		ug/L
Nickel, total	NE-5	2/6/2009	170	4		ug/L
Nickel, total	NE-5	7/31/2009	170	4		ug/L
Nickel, total	NE-5	1/26/2010	160	4		ug/L
Nickel, total	NE-5	7/16/2010	190	4		ug/L
Nickel, total	NE-5	1/19/2011	150	4		ug/L
Nickel, total	NE-5	7/13/2011	180	4		ug/L
Nickel, total	NE-5	1/5/2012	160	4		ug/L
Nickel, total	NE-5	7/10/2012	150	4		ug/L
Nickel, total	NE-5	4/30/2013	150	4		ug/L
Nickel, total	NE-5	7/16/2013	230	4		ug/L
Nickel, total	NE-5	1/23/2014	300	4		ug/L
Nickel, total	NE-5	7/9/2014	140	4		ug/L
Nickel, total	NE-5	2/11/2015	400	4		ug/L
Nickel, total	NE-5	7/14/2015	140	4		ug/L
Nickel, total	NE-5	1/6/2016	190	4		ug/L
Nickel, total	NE-5	7/20/2016	97	4		ug/L
Nickel, total	NE-5	1/11/2017	230	40		ug/L
Nickel, total	NE-5	7/19/2017	120	4		ug/L
Nickel, total	NE-5	1/25/2018	130	4		ug/L
Nickel, total	NE-5	4/10/2018	120	4		ug/L
Nickel, total	NE-5	7/17/2018	120	4		ug/L
Nickel, total	NE-5	10/3/2018	130	4		ug/L
Nickel, total	NE-5	1/4/2019	170	4		ug/L
Nickel, total	NE-5	4/2/2019	170	4		ug/L
Nickel, total	NE-5	4/2/2019	170	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-5	7/9/2019	160	8		ug/L
Nickel, total	NE-5	10/3/2019	120	4		ug/L
Nickel, total	NE-5	1/16/2020	131	4		ug/L
Nickel, total	NE-5	4/2/2020	97.8	4		ug/L
Nickel, total	NE-5	7/8/2020	87.2	4		ug/L
Nickel, total	NE-5	10/6/2020	65.7	4		ug/L
Nickel, total	NE-5	1/15/2021	108	4		ug/L
Nickel, total	NE-5	4/9/2021	140	4		ug/L
Nickel, total	NE-5	7/2/2021	98.39999	4		ug/L
Nickel, total	NE-5	10/6/2021	60.8	4		ug/L
Nickel, total	NE-5	1/18/2022	108	4		ug/L
Nickel, total	NE-5	4/6/2022	93.7	4		ug/L
Nickel, total	NE-5	7/13/2022	75.2	4		ug/L
Nickel, total	NE-5	10/7/2022	55.9	4		ug/L
Nickel, total	NE-5	1/5/2023	125	4		ug/L
Nickel, total	NE-5	4/7/2023	139	4		ug/L
Nickel, total	NE-5E	9/30/2019	27	4		ug/L
Nickel, total	NE-5E	1/16/2020	18	4		ug/L
Nickel, total	NE-5E	4/1/2020	21.9	4		ug/L
Nickel, total	NE-5E	7/8/2020	15.4	4		ug/L
Nickel, total	NE-5E	10/6/2020	13.7	4		ug/L
Nickel, total	NE-5E	1/15/2021	14.3	4		ug/L
Nickel, total	NE-5E	4/9/2021	11.5	4		ug/L
Nickel, total	NE-5E	7/2/2021	18.8	4		ug/L
Nickel, total	NE-5E	10/6/2021	12.7	4		ug/L
Nickel, total	NE-5E	1/18/2022	9.09	4		ug/L
Nickel, total	NE-5E	4/6/2022	12.7	4		ug/L
Nickel, total	NE-5E	7/13/2022	22.2	4		ug/L
Nickel, total	NE-5E	10/7/2022	42.1	4		ug/L
Nickel, total	NE-5E	1/5/2023	23.3	4		ug/L
Nickel, total	NE-5E	4/7/2023	24.9	4		ug/L
Nickel, total	NE-5W	9/30/2019	35	4		ug/L
Nickel, total	NE-5W	1/16/2020	23	4		ug/L
Nickel, total	NE-5W	4/2/2020	98.7	4		ug/L
Nickel, total	NE-5W	7/8/2020	99.8	4		ug/L
Nickel, total	NE-5W	10/6/2020	89.10001	4		ug/L
Nickel, total	NE-5W	1/15/2021	23.7	4		ug/L
Nickel, total	NE-5W	4/9/2021	24	4		ug/L
Nickel, total	NE-5W	7/2/2021	61.5	4		ug/L
Nickel, total	NE-5W	10/6/2021	70.2	4		ug/L
Nickel, total	NE-5W	1/18/2022	37.2	4		ug/L
Nickel, total	NE-5W	4/6/2022	47.2	4		ug/L
Nickel, total	NE-5W	7/13/2022	67.7	4		ug/L
Nickel, total	NE-5W	10/7/2022	82.4	4		ug/L
Nickel, total	NE-5W	1/5/2023	22.7	4		ug/L
Nickel, total	NE-5W	4/7/2023	14.5	4		ug/L
Nickel, total	NE-6	1/12/2017	14	4		ug/L
Nickel, total	NE-6	4/5/2017	7.8	4		ug/L
Nickel, total	NE-6	7/19/2017	5.1	4		ug/L
Nickel, total	NE-6	10/6/2017	3.8	4	ND	ug/L
Nickel, total	NE-6	2/4/2019	4.7	4		ug/L
Nickel, total	NE-6	8/6/2019	52	8		ug/L
Nickel, total	NE-6	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-6	7/9/2020	4	4	ND	ug/L
Nickel, total	NE-6	1/16/2021	5.83	4		ug/L
Nickel, total	NE-6	1/16/2021	7.67	4		ug/L
Nickel, total	NE-6	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-6	1/17/2022	4.08	4		ug/L
Nickel, total	NE-6	1/17/2022	5.57	4		ug/L
Nickel, total	NE-6	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-6	1/5/2023	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-6D	10/2/2019	19	4		ug/L
Nickel, total	NE-6D	1/15/2020	26.8	4		ug/L
Nickel, total	NE-6D	4/2/2020	26.1	4		ug/L
Nickel, total	NE-6D	7/9/2020	25	4		ug/L
Nickel, total	NE-6D	10/7/2020	20.1	4		ug/L
Nickel, total	NE-6D	1/15/2021	23.6	4		ug/L
Nickel, total	NE-6D	4/9/2021	19.2	4		ug/L
Nickel, total	NE-6D	7/2/2021	24.1	4		ug/L
Nickel, total	NE-6D	10/7/2021	18	4		ug/L
Nickel, total	NE-6D	1/17/2022	21	4		ug/L
Nickel, total	NE-6D	4/6/2022	22	4		ug/L
Nickel, total	NE-6D	7/12/2022	20.2	4		ug/L
Nickel, total	NE-6D	10/7/2022	14.5	4		ug/L
Nickel, total	NE-6D	1/5/2023	17.7	4		ug/L
Nickel, total	NE-6D	4/7/2023	18.5	4		ug/L
Nickel, total	NE-7	3/1/2017	18	4		ug/L
Nickel, total	NE-7	4/6/2017	2	4	ND	ug/L
Nickel, total	NE-7	7/20/2017	1	4	ND	ug/L
Nickel, total	NE-7	10/5/2017	18	4		ug/L
Nickel, total	NE-7	2/6/2019	0.77	4	ND	ug/L
Nickel, total	NE-7	8/6/2019	3.4	8	ND	ug/L
Nickel, total	NE-7	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-7	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-7	1/16/2021	4	4	ND	ug/L
Nickel, total	NE-7	1/16/2021	4	4	ND	ug/L
Nickel, total	NE-7	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-7	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-7	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-7	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-7	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-8	1/12/2017	2.3	4	ND	ug/L
Nickel, total	NE-8	4/5/2017	2	4	ND	ug/L
Nickel, total	NE-8	7/20/2017	9.6	4		ug/L
Nickel, total	NE-8	10/6/2017	4	4	ND	ug/L
Nickel, total	NE-8	2/4/2019	3.4	4	ND	ug/L
Nickel, total	NE-8	8/5/2019	21	8		ug/L
Nickel, total	NE-8	1/15/2020	31.4	4		ug/L
Nickel, total	NE-8	7/8/2020	54.1	4		ug/L
Nickel, total	NE-8	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-8	1/13/2021	4.97	4		ug/L
Nickel, total	NE-8	4/9/2021	6.3	4		ug/L
Nickel, total	NE-8	7/1/2021	19.2	4.9		ug/L
Nickel, total	NE-8	7/1/2021	19.3	4		ug/L
Nickel, total	NE-8	10/7/2021	36.3	4		ug/L
Nickel, total	NE-8	1/6/2023	46.1	4		ug/L
Nickel, total	NE-9	1/12/2017	1.7	4	ND	ug/L
Nickel, total	NE-9	4/5/2017	0.9	4	ND	ug/L
Nickel, total	NE-9	7/20/2017	0.5	4	ND	ug/L
Nickel, total	NE-9	10/5/2017	4.1	4		ug/L
Nickel, total	NE-9	2/5/2019	4.7	4		ug/L
Nickel, total	NE-9	8/7/2019	10	8		ug/L
Nickel, total	NE-9	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-9	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-9	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-9	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-9	7/1/2021	12.2	4.9		ug/L
Nickel, total	NE-9	1/17/2022	16.4	4		ug/L
Nickel, total	NE-9	1/17/2022	14.6	4		ug/L
Nickel, total	NE-9	7/13/2022	31	4		ug/L
Nickel, total	NE-9	1/6/2023	40.9	4		ug/L
Nickel, total	NE-9	4/8/2023	40.6	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate (as n)	LGW-10	1/15/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-14R	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-2	1/13/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-3R	1/14/2020	2.9	0.1		mg/L
Nitrate (as n)	LGW-4	1/14/2020	3.87	0.1		mg/L
Nitrate (as n)	LGW-5	1/14/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-6	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-7	1/15/2020	2.44	0.1		mg/L
Nitrate (as n)	LGW-8R	1/14/2020	1.75	0.1		mg/L
Nitrate (as n)	LGW-9	1/16/2020	0.205	0.1		mg/L
Nitrate (as n)	MW-10N	10/22/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	MW-11N	10/22/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/13/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/14/2020	0.456	0.1		mg/L
Nitrate (as n)	MW-15	1/14/2020	2.09	0.1		mg/L
Nitrate (as n)	MW-16	1/14/2020	0.155	0.1		mg/L
Nitrate (as n)	MW-17	1/14/2020	1.69	0.1		mg/L
Nitrate (as n)	MW-19	1/14/2020	3.73	0.1		mg/L
Nitrate (as n)	MW-1N	10/22/1997	0.061	0.05		mg/L
Nitrate (as n)	MW-1N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	10/14/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-1N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-1N	1/18/2006	0.28	0.2		mg/L
Nitrate (as n)	MW-1N	1/23/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	MW-20	1/14/2020	1.84	0.1		mg/L
Nitrate (as n)	MW-21	1/16/2020	1.06	0.1		mg/L
Nitrate (as n)	MW-2N	10/22/1997	0.96	0.05		mg/L
Nitrate (as n)	MW-2N	4/28/1998	0.85	0.05		mg/L
Nitrate (as n)	MW-2N	7/22/1998	0.89	0.05		mg/L
Nitrate (as n)	MW-2N	7/7/2003	2.4	0.2		mg/L
Nitrate (as n)	MW-2N	1/12/2005	2.4	0.2		mg/L
Nitrate (as n)	MW-2N	1/19/2006	2.6	0.2		mg/L
Nitrate (as n)	MW-2N	1/24/2020	3.36	0.1		mg/L
Nitrate (as n)	MW-3N	10/21/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/18/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/15/2020	0.275	0.1		mg/L
Nitrate (as n)	MW-7N	10/21/1997	4	0.05		mg/L
Nitrate (as n)	MW-7N	7/22/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	8/18/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	9/17/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	10/15/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	11/9/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	7/19/2005	0.2	0.2	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate (as n)	MW-7N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	1/16/2020	6.75	0.1		mg/L
Nitrate (as n)	MW-8N	10/21/1997	0.15	0.05		mg/L
Nitrate (as n)	MW-8N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-8N	7/22/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-8N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/15/2020	2.04	0.1		mg/L
Nitrate (as n)	NE-1	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-1	1/12/2005	0.51	0.2		mg/L
Nitrate (as n)	NE-1	1/15/2020	1.53	0.1		mg/L
Nitrate (as n)	NE-10D	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-11	1/14/2020	0.802	0.1		mg/L
Nitrate (as n)	NE-12	1/13/2020	7.24	0.1		mg/L
Nitrate (as n)	NE-13	1/15/2020	2.45	0.1		mg/L
Nitrate (as n)	NE-14D	1/16/2020	4.88	0.1		mg/L
Nitrate (as n)	NE-14S	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-15D	1/16/2020	3.15	0.1		mg/L
Nitrate (as n)	NE-2	1/14/2020	13.9	0.114		mg/L
Nitrate (as n)	NE-4	7/8/2003	6.7	0.4		mg/L
Nitrate (as n)	NE-4	1/13/2005	5.7	0.4		mg/L
Nitrate (as n)	NE-4	1/13/2020	2.36	0.1		mg/L
Nitrate (as n)	NE-5	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-5	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-5	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-5E	1/16/2020	1.34	0.1		mg/L
Nitrate (as n)	NE-5W	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-6	1/15/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-6D	1/15/2020	1.83	0.1		mg/L
Nitrate (as n)	NE-7	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-8	1/15/2020	1.62	0.1		mg/L
Nitrate (as n)	NE-9	1/15/2020	2.22	0.1		mg/L
Nitrate-nitrite (as n)	LGW-10	7/11/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/9/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-14R	7/10/2019	2.8	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/9/2020	0.327	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/18/2021	2.03	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/18/2021	2.03	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/7/2021	1.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/12/2022	1.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/11/2022	1.87	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/10/2023	1.78	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/9/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-2	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-2	1/18/2021	0.65	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/18/2021	0.65	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/4/2021	0.823	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/12/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/10/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/10/2023	1.31	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/9/2019	2.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/6/2020	2.91	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/18/2021	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/18/2021	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/6/2021	2.11	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	LGW-3R	1/12/2022	2.11	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/10/2022	1.75	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/10/2023	1.86	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/9/2019	3.5	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/6/2020	2.95	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/18/2021	1.22	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/18/2021	1.22	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/7/2021	1.4	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/12/2022	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/11/2022	2.86	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/10/2023	2.35	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	7/9/2019	0.72	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	7/6/2020	1.67	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/12/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/10/2019	0.18	0.1		mg/L
Nitrate-nitrite (as n)	LGW-6	7/9/2020	3.37	0.1		mg/L
Nitrate-nitrite (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	1/12/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	1/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-7	7/10/2019	1.1	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-7	1/18/2021	3.33	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/7/2021	2.75	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	1/13/2022	2.98	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/11/2022	1.28	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	1/11/2023	3.13	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/8/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/7/2020	1.44	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/17/2021	1.18	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/7/2021	1.08	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/13/2022	0.96	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/11/2022	0.949	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/11/2023	0.784	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	7/10/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	7/9/2020	1.15	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	1/17/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	1/13/2022	0.74	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	7/11/2022	0.43	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	1/11/2023	1.25	0.1		mg/L
Nitrate-nitrite (as n)	MW-10N	7/9/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	7/8/2020	0.17	0.1		mg/L
Nitrate-nitrite (as n)	MW-10N	1/13/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-11N	7/9/2019	0.17	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/6/2020	2.9	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2021	0.248	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2021	0.248	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/6/2021	0.3	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2022	0.355	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/13/2022	0.378	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/10/2023	0.407	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/9/2019	4.5	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	MW-15	7/7/2020	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/18/2021	0.893	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/18/2021	0.893	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/4/2021	0.94	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/12/2022	1.51	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/10/2022	1.14	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/10/2023	1.99	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/10/2019	0.2	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/7/2020	2.83	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/18/2021	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/18/2021	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/4/2021	0.252	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/12/2022	0.21	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/10/2022	0.221	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/10/2023	0.226	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/11/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/6/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-17	1/14/2021	1.64	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/4/2021	2.32	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	1/10/2023	1.5	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/11/2019	5.6	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/6/2020	0.758	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	1/14/2021	4.89	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/4/2021	4.04	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	1/11/2023	4.38	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	7/11/2019	0.11	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	7/6/2020	0.467	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	1/14/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-1N	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-20	7/11/2019	2	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	7/7/2020	2.11	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	1/17/2021	0.678	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	7/4/2021	0.573	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	1/11/2023	0.61	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/11/2019	0.49	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/8/2020	3.29	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	1/13/2021	1.41	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/5/2021	2.66	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	1/11/2023	2.32	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/11/2019	3.1	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/7/2020	0.713	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	1/14/2021	3.13	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/5/2021	3.05	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	1/11/2023	2.77	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/11/2019	0.54	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/7/2020	0.716	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	1/13/2021	0.343	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/5/2021	0.623	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	1/11/2023	0.594	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/10/2019	3.2	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/7/2020	5.86	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/16/2021	4.84	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/5/2021	9.55	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/12/2022	8.49	0.197		mg/L
Nitrate-nitrite (as n)	MW-7N	7/10/2022	5.95	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/10/2023	4.54	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/11/2019	2.5	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/9/2020	1.36	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	1/15/2021	0.988	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/5/2021	0.952	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	MW-8N	1/18/2022	1.23	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/12/2022	1.68	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	1/11/2023	1.83	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/10/2019	2	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/8/2020	1.12	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/13/2021	1.27	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/2/2021	1.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/17/2022	1.48	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/13/2022	1.89	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/5/2023	1.24	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	7/8/2020	0.801	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	1/13/2021	0.699	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	7/2/2021	0.857	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	1/6/2023	0.744	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/7/2020	0.993	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/16/2021	1.05	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/1/2021	1.17	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/17/2022	1.13	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/12/2022	1.26	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/6/2023	1.09	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/9/2019	4.4	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	8/5/2019	1.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/7/2020	0.888	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/15/2021	10.8	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/1/2021	5.45	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/17/2022	6	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/12/2022	1.51	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/6/2023	4.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/11/2019	1.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	8/7/2019	1.9	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/8/2020	1.48	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	1/17/2021	2.44	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/1/2021	0.79	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/7/2020	4.38	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/17/2021	3.58	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/2/2021	3.28	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/18/2022	2.9	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/13/2022	2.93	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/6/2023	2.34	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/7/2020	1.36	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/17/2021	1.47	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/2/2021	0.815	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/18/2022	1.26	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/13/2022	0.734	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/6/2023	1.85	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/7/2020	2.94	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/17/2021	2.82	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/2/2021	2.68	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/17/2022	2.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/13/2022	2.43	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/6/2023	2.28	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/9/2019	11	0.2		mg/L
Nitrate-nitrite (as n)	NE-2	7/7/2020	18.4	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	1/14/2021	13.1	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/2/2021	9.33	0.197		mg/L
Nitrate-nitrite (as n)	NE-2	1/18/2022	6.72	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/13/2022	6.6	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	1/5/2023	16.9	0.197		mg/L
Nitrate-nitrite (as n)	NE-4	7/8/2019	2.6	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	7/6/2020	1.93	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	1/15/2021	9.04	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	NE-4	7/2/2021	6.95	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	1/5/2023	10.1	0.197		mg/L
Nitrate-nitrite (as n)	NE-5	7/9/2019	0.023	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/15/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/2/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/18/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5E	7/8/2020	1.21	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/15/2021	0.635	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	7/2/2021	1.16	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/18/2022	0.941	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	7/13/2022	0.685	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/5/2023	0.503	0.1		mg/L
Nitrate-nitrite (as n)	NE-5W	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/15/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	7/2/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/18/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	7/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/9/2019	0.047	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	8/6/2019	0.036	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/9/2020	0.109	0.1		mg/L
Nitrate-nitrite (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/12/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6D	7/9/2020	1.37	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/15/2021	1.01	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	7/2/2021	0.842	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/17/2022	1.13	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	7/12/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/5/2023	1.58	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/10/2019	2.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	8/6/2019	2.3	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/7/2020	2.12	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/16/2021	2.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/1/2021	2.02	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/17/2022	2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/12/2022	1.74	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/5/2023	1.61	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/11/2019	1.7	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	8/5/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/8/2020	1.43	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	1/13/2021	1.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/1/2021	1.57	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	1/6/2023	1.38	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/8/2019	1.1	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	8/7/2019	1.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/7/2020	3.36	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/17/2021	1.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/1/2021	0.833	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/17/2022	0.895	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/13/2022	0.551	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/6/2023	0.434	0.1		mg/L
Nitrobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Nitrobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Nitrobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Nitrobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Nitrobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Nitrobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
Nitrobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
Nitrobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Nitrobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Nitrobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Nitrobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Nitrobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Nitrobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Nitrobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Nitrobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Nitrobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Nitrobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Nitrobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Nitrobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Nitrobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Nitrobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Nitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Nitrobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Nitrobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Nitrobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Nitrobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Nitrobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Nitrobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Nitrobenzene	MW-21	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Nitrobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Nitrobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Nitrobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Nitrobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Nitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Nitrobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Nitrobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Nitrobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Nitrobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Nitrobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Nitrobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Nitrobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Nitrobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Nitrobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Nitrobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Nitrobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Nitrobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Nitrobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Nitrobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Nitrobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Nitrobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Nitrobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Nitrobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-5	2/6/2009	10	10	ND	ug/L
Nitrobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Nitrobenzene	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-15	7/10/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	10/14/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-6	2/10/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/6/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-4	2/7/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	NE-5	7/9/2019	10	10	ND	ug/L
n-Nitrosomorpholine	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-21	7/8/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
N-nitrosopiperidine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosopiperidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-21	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosopiperidine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosopiperidine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosopiperidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopyrrolidine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopyrrolidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/9/2019	10	10	ND	ug/L
Orp (field)	LGW-10	5/31/2007	0	0	ND	MV
Orp (field)	LGW-10	6/1/2007	0	0	ND	MV
Orp (field)	LGW-10	6/28/2007	0	0	ND	MV
Orp (field)	LGW-10	6/28/2007	0	0	ND	MV
Orp (field)	LGW-10	7/10/2007	0	0	ND	MV
Orp (field)	LGW-10	7/12/2007	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-10	8/28/2007	0	0	ND	MV
Orp (field)	LGW-10	9/28/2007	0	0	ND	MV
Orp (field)	LGW-10	10/23/2007	0	0	ND	MV
Orp (field)	LGW-10	10/23/2007	0	0	ND	MV
Orp (field)	LGW-10	11/28/2007	0	0	ND	MV
Orp (field)	LGW-10	12/28/2007	0	0	ND	MV
Orp (field)	LGW-10	1/23/2008	0	0	ND	MV
Orp (field)	LGW-10	7/22/2008	74	0		MV
Orp (field)	LGW-10	8/28/2009	0	0	ND	MV
Orp (field)	LGW-10	10/21/2009	2.5	0		MV
Orp (field)	LGW-10	2/16/2010	0	0	ND	MV
Orp (field)	LGW-10	3/3/2010	0	0	ND	MV
Orp (field)	LGW-10	4/8/2010	0	0	ND	MV
Orp (field)	LGW-10	5/6/2010	0	0	ND	MV
Orp (field)	LGW-10	6/15/2010	0	0	ND	MV
Orp (field)	LGW-10	7/16/2010	0	0	ND	MV
Orp (field)	LGW-10	8/10/2010	0	0	ND	MV
Orp (field)	LGW-10	9/1/2010	0	0	ND	MV
Orp (field)	LGW-10	9/29/2010	0	0	ND	MV
Orp (field)	LGW-10	11/3/2010	20.6	0		MV
Orp (field)	LGW-10	12/2/2010	23.3	0		MV
Orp (field)	LGW-10	1/19/2011	0	0	ND	MV
Orp (field)	LGW-10	2/7/2011	15.5	0		MV
Orp (field)	LGW-10	3/3/2011	0	0	ND	MV
Orp (field)	LGW-10	4/5/2011	0	0	ND	MV
Orp (field)	LGW-10	5/10/2011	0	0	ND	MV
Orp (field)	LGW-10	6/1/2011	5.1	0		MV
Orp (field)	LGW-10	7/12/2011	0	0	ND	MV
Orp (field)	LGW-10	8/3/2011	0	0	ND	MV
Orp (field)	LGW-10	9/7/2011	0	0	ND	MV
Orp (field)	LGW-10	10/5/2011	0	0	ND	MV
Orp (field)	LGW-10	11/1/2011	0	0	ND	MV
Orp (field)	LGW-10	12/7/2011	0	0	ND	MV
Orp (field)	LGW-10	1/5/2012	0	0	ND	MV
Orp (field)	LGW-10	2/1/2012	0	0	ND	MV
Orp (field)	LGW-10	3/6/2012	0	0	ND	MV
Orp (field)	LGW-10	4/5/2012	0	0	ND	MV
Orp (field)	LGW-10	5/1/2012	0	0	ND	MV
Orp (field)	LGW-10	6/5/2012	0	0	ND	MV
Orp (field)	LGW-10	7/9/2012	0	0	ND	MV
Orp (field)	LGW-10	8/9/2012	17.9	0		MV
Orp (field)	LGW-10	9/4/2012	12.3	0		MV
Orp (field)	LGW-10	10/7/2012	0	0	ND	MV
Orp (field)	LGW-10	5/1/2013	0	0	ND	MV
Orp (field)	LGW-10	6/4/2013	0	0	ND	MV
Orp (field)	LGW-10	8/8/2013	11.5	0		MV
Orp (field)	LGW-10	9/10/2013	0	0	ND	MV
Orp (field)	LGW-10	10/1/2013	88.1	0		MV
Orp (field)	LGW-10	11/6/2013	61.9	0		MV
Orp (field)	LGW-10	12/2/2013	72	0		MV
Orp (field)	LGW-10	1/30/2014	1.3	0		MV
Orp (field)	LGW-10	2/13/2014	29.7	0		MV
Orp (field)	LGW-10	3/12/2014	35.6	0		MV
Orp (field)	LGW-10	4/2/2014	115.3	0		MV
Orp (field)	LGW-10	5/7/2014	83.9	0		MV
Orp (field)	LGW-10	6/3/2014	62.3	0		MV
Orp (field)	LGW-10	7/9/2014	0	0	ND	MV
Orp (field)	LGW-10	8/5/2014	95.4	0		MV
Orp (field)	LGW-10	9/4/2014	62	0		MV
Orp (field)	LGW-10	10/9/2014	3.8	0		MV
Orp (field)	LGW-10	11/3/2014	147	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-10	1/14/2015	170.1	0		MV
Orp (field)	LGW-10	2/12/2015	0	0		MV
Orp (field)	LGW-10	3/3/2015	30.9	0		MV
Orp (field)	LGW-10	4/1/2015	0	0	ND	MV
Orp (field)	LGW-10	5/7/2015	0	0	ND	MV
Orp (field)	LGW-10	6/3/2015	22.4	0		MV
Orp (field)	LGW-10	7/13/2015	9.2	0		MV
Orp (field)	LGW-10	8/5/2015	5.6	0		MV
Orp (field)	LGW-10	9/3/2015	5.4	0		MV
Orp (field)	LGW-10	10/6/2015	36.6	0		MV
Orp (field)	LGW-10	11/4/2015	54.9	0		MV
Orp (field)	LGW-10	12/3/2015	31.3	0		MV
Orp (field)	LGW-10	1/5/2016	21.3	0		MV
Orp (field)	LGW-10	2/3/2016	4.6	0		MV
Orp (field)	LGW-10	2/10/2016	36.8	0		MV
Orp (field)	LGW-10	3/2/2016	56.8	0		MV
Orp (field)	LGW-10	4/6/2016	37.2	0		MV
Orp (field)	LGW-10	5/11/2016	34.6	0		MV
Orp (field)	LGW-10	6/1/2016	39.3	0		MV
Orp (field)	LGW-10	7/21/2016	13.8	0		MV
Orp (field)	LGW-10	8/10/2016	43.6	0		MV
Orp (field)	LGW-10	9/6/2016	62.1	0		MV
Orp (field)	LGW-10	10/6/2016	69.2	0		MV
Orp (field)	LGW-10	11/2/2016	46.9	0		MV
Orp (field)	LGW-10	12/1/2016	111.7	0		MV
Orp (field)	LGW-10	1/11/2017	14.4	0		MV
Orp (field)	LGW-10	2/7/2017	19.5	0		MV
Orp (field)	LGW-10	3/2/2017	42.2	0		MV
Orp (field)	LGW-10	4/4/2017	0	0	ND	MV
Orp (field)	LGW-10	5/16/2017	52.2	0		MV
Orp (field)	LGW-10	6/6/2017	4.1	0		MV
Orp (field)	LGW-10	7/19/2017	0	0	ND	MV
Orp (field)	LGW-10	8/1/2017	10.7	0		MV
Orp (field)	LGW-10	9/5/2017	40.3	0		MV
Orp (field)	LGW-10	10/9/2017	85.2	0		MV
Orp (field)	LGW-10	11/1/2017	56.4	0		MV
Orp (field)	LGW-10	6/6/2018	0	0	ND	MV
Orp (field)	LGW-10	9/4/2018	24.1	0		MV
Orp (field)	LGW-10	10/4/2018	0	0	ND	MV
Orp (field)	LGW-10	10/4/2018	0	0	ND	MV
Orp (field)	LGW-10	2/6/2019	15.7	0		MV
Orp (field)	LGW-10	6/4/2019	0	0	ND	MV
Orp (field)	LGW-10	7/11/2019	36.6	0		MV
Orp (field)	LGW-14R	5/31/2007	175	0		MV
Orp (field)	LGW-14R	6/1/2007	175	0		MV
Orp (field)	LGW-14R	6/28/2007	156	0		MV
Orp (field)	LGW-14R	6/28/2007	156	0		MV
Orp (field)	LGW-14R	7/10/2007	80	0		MV
Orp (field)	LGW-14R	7/11/2007	80	0		MV
Orp (field)	LGW-14R	8/28/2007	57	0		MV
Orp (field)	LGW-14R	9/28/2007	72	0		MV
Orp (field)	LGW-14R	10/23/2007	0	0	ND	MV
Orp (field)	LGW-14R	10/23/2007	0	0	ND	MV
Orp (field)	LGW-14R	11/27/2007	59	0		MV
Orp (field)	LGW-14R	12/27/2007	57	0		MV
Orp (field)	LGW-14R	1/23/2008	0	0	ND	MV
Orp (field)	LGW-14R	7/22/2008	124.5	0		MV
Orp (field)	LGW-14R	8/29/2008	138.5	0		MV
Orp (field)	LGW-14R	9/26/2008	161.1	0		MV
Orp (field)	LGW-14R	12/19/2008	77.7	0		MV
Orp (field)	LGW-14R	8/28/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-14R	10/22/2009	126	0		MV
Orp (field)	LGW-14R	12/18/2009	30.8	0		MV
Orp (field)	LGW-14R	2/16/2010	0	0	ND	MV
Orp (field)	LGW-14R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-14R	4/7/2010	15.4	0		MV
Orp (field)	LGW-14R	5/6/2010	124.3	0		MV
Orp (field)	LGW-14R	6/16/2010	0	0	ND	MV
Orp (field)	LGW-14R	7/12/2010	40.5	0		MV
Orp (field)	LGW-14R	8/10/2010	0	0	ND	MV
Orp (field)	LGW-14R	9/2/2010	47.4	0		MV
Orp (field)	LGW-14R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-14R	11/3/2010	44.4	0		MV
Orp (field)	LGW-14R	12/2/2010	37.9	0		MV
Orp (field)	LGW-14R	1/19/2011	0	0	ND	MV
Orp (field)	LGW-14R	2/7/2011	41.7	0		MV
Orp (field)	LGW-14R	3/3/2011	28.5	0		MV
Orp (field)	LGW-14R	4/5/2011	17.9	0		MV
Orp (field)	LGW-14R	5/10/2011	10.9	0		MV
Orp (field)	LGW-14R	6/1/2011	47.9	0		MV
Orp (field)	LGW-14R	7/12/2011	0	0	ND	MV
Orp (field)	LGW-14R	8/3/2011	17.3	0		MV
Orp (field)	LGW-14R	9/7/2011	45.1	0		MV
Orp (field)	LGW-14R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-14R	11/1/2011	21.1	0		MV
Orp (field)	LGW-14R	12/7/2011	0	0	ND	MV
Orp (field)	LGW-14R	1/5/2012	0	0	ND	MV
Orp (field)	LGW-14R	2/1/2012	21.5	0		MV
Orp (field)	LGW-14R	3/6/2012	32.3	0		MV
Orp (field)	LGW-14R	4/5/2012	13.3	0		MV
Orp (field)	LGW-14R	5/1/2012	55	0		MV
Orp (field)	LGW-14R	6/5/2012	57.3	0		MV
Orp (field)	LGW-14R	7/9/2012	59	0		MV
Orp (field)	LGW-14R	8/9/2012	62.8	0		MV
Orp (field)	LGW-14R	9/4/2012	75.3	0		MV
Orp (field)	LGW-14R	10/7/2012	37.3	0		MV
Orp (field)	LGW-14R	11/6/2012	34.9	0		MV
Orp (field)	LGW-14R	11/6/2012	34.9	0		MV
Orp (field)	LGW-14R	12/6/2012	175.2	0		MV
Orp (field)	LGW-14R	12/6/2012	175.2	0		MV
Orp (field)	LGW-14R	1/23/2013	125.7	0		MV
Orp (field)	LGW-14R	1/23/2013	125.7	0		MV
Orp (field)	LGW-14R	2/5/2013	188.3	0		MV
Orp (field)	LGW-14R	2/5/2013	188.3	0		MV
Orp (field)	LGW-14R	3/5/2013	306	0		MV
Orp (field)	LGW-14R	3/5/2013	306	0		MV
Orp (field)	LGW-14R	4/30/2013	101.5	0		MV
Orp (field)	LGW-14R	6/4/2013	208.4	0		MV
Orp (field)	LGW-14R	8/8/2013	178.8	0		MV
Orp (field)	LGW-14R	9/10/2013	170.9	0		MV
Orp (field)	LGW-14R	10/1/2013	156.7	0		MV
Orp (field)	LGW-14R	11/6/2013	166.4	0		MV
Orp (field)	LGW-14R	12/2/2013	131.6	0		MV
Orp (field)	LGW-14R	1/23/2014	66.8	0		MV
Orp (field)	LGW-14R	2/12/2014	129.3	0		MV
Orp (field)	LGW-14R	3/11/2014	112.7	0		MV
Orp (field)	LGW-14R	4/2/2014	135.5	0		MV
Orp (field)	LGW-14R	5/7/2014	127.1	0		MV
Orp (field)	LGW-14R	6/3/2014	97.3	0		MV
Orp (field)	LGW-14R	7/8/2014	60.2	0		MV
Orp (field)	LGW-14R	8/5/2014	99.4	0		MV
Orp (field)	LGW-14R	9/4/2014	40	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-14R	10/9/2014	0	0	ND	MV
Orp (field)	LGW-14R	11/3/2014	144.8	0		MV
Orp (field)	LGW-14R	1/14/2015	161.1	0		MV
Orp (field)	LGW-14R	2/11/2015	105.6	0		MV
Orp (field)	LGW-14R	3/3/2015	293.2	0		MV
Orp (field)	LGW-14R	4/1/2015	119.1	0		MV
Orp (field)	LGW-14R	5/6/2015	113.6	0		MV
Orp (field)	LGW-14R	6/3/2015	135.9	0		MV
Orp (field)	LGW-14R	7/22/2015	61.7	0		MV
Orp (field)	LGW-14R	8/4/2015	61.5	0		MV
Orp (field)	LGW-14R	9/3/2015	66.3	0		MV
Orp (field)	LGW-14R	10/6/2015	76.6	0		MV
Orp (field)	LGW-14R	11/4/2015	91.5	0		MV
Orp (field)	LGW-14R	12/3/2015	67.4	0		MV
Orp (field)	LGW-14R	1/5/2016	53.9	0		MV
Orp (field)	LGW-14R	2/3/2016	31.1	0		MV
Orp (field)	LGW-14R	3/2/2016	80.8	0		MV
Orp (field)	LGW-14R	4/5/2016	5.3	0		MV
Orp (field)	LGW-14R	5/11/2016	32.2	0		MV
Orp (field)	LGW-14R	6/1/2016	35.8	0		MV
Orp (field)	LGW-14R	7/19/2016	106.1	0		MV
Orp (field)	LGW-14R	8/10/2016	41.5	0		MV
Orp (field)	LGW-14R	9/6/2016	59.3	0		MV
Orp (field)	LGW-14R	10/6/2016	53.8	0		MV
Orp (field)	LGW-14R	11/2/2016	32.4	0		MV
Orp (field)	LGW-14R	12/1/2016	111.7	0		MV
Orp (field)	LGW-14R	1/11/2017	0	0	ND	MV
Orp (field)	LGW-14R	2/7/2017	24.8	0		MV
Orp (field)	LGW-14R	3/2/2017	47.7	0		MV
Orp (field)	LGW-14R	4/4/2017	110.3	0		MV
Orp (field)	LGW-14R	5/2/2017	66.2	0		MV
Orp (field)	LGW-14R	6/6/2017	96.3	0		MV
Orp (field)	LGW-14R	7/18/2017	57	0		MV
Orp (field)	LGW-14R	8/1/2017	44.7	0		MV
Orp (field)	LGW-14R	9/5/2017	60	0		MV
Orp (field)	LGW-14R	10/5/2017	77.5	0		MV
Orp (field)	LGW-14R	11/1/2017	44	0		MV
Orp (field)	LGW-14R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-14R	6/21/2018	0	0	ND	MV
Orp (field)	LGW-14R	9/4/2018	232	0		MV
Orp (field)	LGW-14R	10/2/2018	126.7	0		MV
Orp (field)	LGW-14R	10/2/2018	126.7	0		MV
Orp (field)	LGW-14R	2/6/2019	127.8	0		MV
Orp (field)	LGW-14R	6/4/2019	351.1	0		MV
Orp (field)	LGW-2	6/1/2007	172	0		MV
Orp (field)	LGW-2	6/1/2007	172	0		MV
Orp (field)	LGW-2	6/28/2007	140	0		MV
Orp (field)	LGW-2	6/28/2007	140	0		MV
Orp (field)	LGW-2	7/10/2007	181	0		MV
Orp (field)	LGW-2	7/10/2007	181	0		MV
Orp (field)	LGW-2	8/28/2007	118	0		MV
Orp (field)	LGW-2	9/28/2007	90	0		MV
Orp (field)	LGW-2	10/24/2007	15	0		MV
Orp (field)	LGW-2	10/24/2007	15	0		MV
Orp (field)	LGW-2	11/28/2007	0	0	ND	MV
Orp (field)	LGW-2	1/26/2008	0	0	ND	MV
Orp (field)	LGW-2	7/23/2008	202.3	0		MV
Orp (field)	LGW-2	8/29/2008	178.5	0		MV
Orp (field)	LGW-2	9/26/2008	92.1	0		MV
Orp (field)	LGW-2	9/26/2008	92.1	0		MV
Orp (field)	LGW-2	10/21/2008	59.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-2	12/19/2008	60.3	0		MV
Orp (field)	LGW-2	2/6/2009	13.9	0		MV
Orp (field)	LGW-2	2/13/2009	26.5	0		MV
Orp (field)	LGW-2	3/26/2009	13.5	0		MV
Orp (field)	LGW-2	4/16/2009	2.4	0		MV
Orp (field)	LGW-2	8/29/2009	0	0	ND	MV
Orp (field)	LGW-2	10/22/2009	137.9	0		MV
Orp (field)	LGW-2	12/18/2009	7.5	0		MV
Orp (field)	LGW-2	2/17/2010	0	0	ND	MV
Orp (field)	LGW-2	3/4/2010	0	0	ND	MV
Orp (field)	LGW-2	4/8/2010	21.1	0		MV
Orp (field)	LGW-2	5/6/2010	156.3	0		MV
Orp (field)	LGW-2	6/15/2010	0	0	ND	MV
Orp (field)	LGW-2	7/12/2010	51.7	0		MV
Orp (field)	LGW-2	8/10/2010	72.6	0		MV
Orp (field)	LGW-2	9/1/2010	0	0	ND	MV
Orp (field)	LGW-2	9/29/2010	0	0	ND	MV
Orp (field)	LGW-2	11/3/2010	145.2	0		MV
Orp (field)	LGW-2	12/2/2010	382.6	0		MV
Orp (field)	LGW-2	1/19/2011	9.5	0		MV
Orp (field)	LGW-2	2/7/2011	123.4	0		MV
Orp (field)	LGW-2	3/3/2011	46.4	0		MV
Orp (field)	LGW-2	4/5/2011	76.4	0		MV
Orp (field)	LGW-2	5/10/2011	25.3	0		MV
Orp (field)	LGW-2	6/1/2011	194.8	0		MV
Orp (field)	LGW-2	7/13/2011	0	0	ND	MV
Orp (field)	LGW-2	8/3/2011	142.4	0		MV
Orp (field)	LGW-2	9/7/2011	174.3	0		MV
Orp (field)	LGW-2	10/5/2011	0	0	ND	MV
Orp (field)	LGW-2	11/1/2011	107.9	0		MV
Orp (field)	LGW-2	12/7/2011	84.1	0		MV
Orp (field)	LGW-2	1/4/2012	0	0	ND	MV
Orp (field)	LGW-2	2/1/2012	42.6	0		MV
Orp (field)	LGW-2	3/6/2012	87.7	0		MV
Orp (field)	LGW-2	4/5/2012	78.6	0		MV
Orp (field)	LGW-2	5/1/2012	76.3	0		MV
Orp (field)	LGW-2	6/5/2012	68.3	0		MV
Orp (field)	LGW-2	7/9/2012	64.8	0		MV
Orp (field)	LGW-2	8/9/2012	151.9	0		MV
Orp (field)	LGW-2	9/4/2012	85.6	0		MV
Orp (field)	LGW-2	10/7/2012	18.5	0		MV
Orp (field)	LGW-2	4/30/2013	93.1	0		MV
Orp (field)	LGW-2	6/4/2013	223.3	0		MV
Orp (field)	LGW-2	7/15/2013	156.8	0		MV
Orp (field)	LGW-2	8/8/2013	243.6	0		MV
Orp (field)	LGW-2	9/10/2013	197.3	0		MV
Orp (field)	LGW-2	10/1/2013	163.4	0		MV
Orp (field)	LGW-2	11/6/2013	152.4	0		MV
Orp (field)	LGW-2	12/2/2013	134.9	0		MV
Orp (field)	LGW-2	1/30/2014	74.6	0		MV
Orp (field)	LGW-2	2/13/2014	140.1	0		MV
Orp (field)	LGW-2	3/12/2014	127.3	0		MV
Orp (field)	LGW-2	4/3/2014	138.6	0		MV
Orp (field)	LGW-2	5/7/2014	142.1	0		MV
Orp (field)	LGW-2	6/3/2014	148.6	0		MV
Orp (field)	LGW-2	7/8/2014	54.4	0		MV
Orp (field)	LGW-2	8/5/2014	158.7	0		MV
Orp (field)	LGW-2	9/4/2014	71.8	0		MV
Orp (field)	LGW-2	10/9/2014	0	0	ND	MV
Orp (field)	LGW-2	11/3/2014	124.1	0		MV
Orp (field)	LGW-2	1/14/2015	126.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-2	2/13/2015	111.9	0		MV
Orp (field)	LGW-2	3/3/2015	284.6	0		MV
Orp (field)	LGW-2	4/1/2015	174.6	0		MV
Orp (field)	LGW-2	5/6/2015	105.6	0		MV
Orp (field)	LGW-2	6/3/2015	148.3	0		MV
Orp (field)	LGW-2	7/8/2015	64.8	0		MV
Orp (field)	LGW-2	8/4/2015	62.8	0		MV
Orp (field)	LGW-2	9/2/2015	55.8	0		MV
Orp (field)	LGW-2	10/5/2015	73.7	0		MV
Orp (field)	LGW-2	11/4/2015	104.3	0		MV
Orp (field)	LGW-2	12/3/2015	101.6	0		MV
Orp (field)	LGW-2	1/5/2016	63.4	0		MV
Orp (field)	LGW-2	2/3/2016	88.2	0		MV
Orp (field)	LGW-2	3/2/2016	99.8	0		MV
Orp (field)	LGW-2	4/5/2016	39.8	0		MV
Orp (field)	LGW-2	5/11/2016	68.7	0		MV
Orp (field)	LGW-2	6/1/2016	59.3	0		MV
Orp (field)	LGW-2	7/19/2016	132.3	0		MV
Orp (field)	LGW-2	8/10/2016	76.8	0		MV
Orp (field)	LGW-2	9/6/2016	74	0		MV
Orp (field)	LGW-2	10/6/2016	63.3	0		MV
Orp (field)	LGW-2	11/2/2016	38	0		MV
Orp (field)	LGW-2	12/1/2016	132	0		MV
Orp (field)	LGW-2	1/11/2017	25.1	0		MV
Orp (field)	LGW-2	2/7/2017	57.1	0		MV
Orp (field)	LGW-2	3/2/2017	65.2	0		MV
Orp (field)	LGW-2	4/4/2017	0	0	ND	MV
Orp (field)	LGW-2	5/16/2017	0	0	ND	MV
Orp (field)	LGW-2	6/6/2017	48.8	0		MV
Orp (field)	LGW-2	7/18/2017	7.4	0		MV
Orp (field)	LGW-2	8/1/2017	37.6	0		MV
Orp (field)	LGW-2	9/5/2017	27.6	0		MV
Orp (field)	LGW-2	10/6/2017	31.5	0		MV
Orp (field)	LGW-2	11/1/2017	61.4	0		MV
Orp (field)	LGW-2	6/5/2018	0	0	ND	MV
Orp (field)	LGW-2	6/21/2018	0	0	ND	MV
Orp (field)	LGW-2	9/4/2018	0	0	ND	MV
Orp (field)	LGW-2	10/2/2018	0	0	ND	MV
Orp (field)	LGW-2	10/2/2018	0	0	ND	MV
Orp (field)	LGW-2	2/5/2019	0	0	ND	MV
Orp (field)	LGW-2	6/5/2019	0	0	ND	MV
Orp (field)	LGW-3R	6/1/2007	154	0		MV
Orp (field)	LGW-3R	6/1/2007	154	0		MV
Orp (field)	LGW-3R	6/28/2007	138	0		MV
Orp (field)	LGW-3R	6/28/2007	138	0		MV
Orp (field)	LGW-3R	7/10/2007	146	0		MV
Orp (field)	LGW-3R	7/11/2007	146	0		MV
Orp (field)	LGW-3R	8/28/2007	105	0		MV
Orp (field)	LGW-3R	9/28/2007	90	0		MV
Orp (field)	LGW-3R	10/24/2007	37	0		MV
Orp (field)	LGW-3R	10/24/2007	37	0		MV
Orp (field)	LGW-3R	11/28/2007	0	0	ND	MV
Orp (field)	LGW-3R	12/28/2007	0	0	ND	MV
Orp (field)	LGW-3R	1/26/2008	0	0	ND	MV
Orp (field)	LGW-3R	7/23/2008	174.3	0		MV
Orp (field)	LGW-3R	8/29/2008	61.2	0		MV
Orp (field)	LGW-3R	9/26/2008	111.4	0		MV
Orp (field)	LGW-3R	9/26/2008	111.4	0		MV
Orp (field)	LGW-3R	10/22/2008	64.6	0		MV
Orp (field)	LGW-3R	12/19/2008	72.7	0		MV
Orp (field)	LGW-3R	2/3/2009	58.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-3R	3/26/2009	37.5	0		MV
Orp (field)	LGW-3R	4/16/2009	43.5	0		MV
Orp (field)	LGW-3R	8/29/2009	0	0	ND	MV
Orp (field)	LGW-3R	10/22/2009	145.6	0		MV
Orp (field)	LGW-3R	11/24/2009	4.6	0		MV
Orp (field)	LGW-3R	12/18/2009	39.8	0		MV
Orp (field)	LGW-3R	2/17/2010	0	0	ND	MV
Orp (field)	LGW-3R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-3R	4/8/2010	29.7	0		MV
Orp (field)	LGW-3R	5/5/2010	126.2	0		MV
Orp (field)	LGW-3R	6/15/2010	0	0	ND	MV
Orp (field)	LGW-3R	7/16/2010	0	0	ND	MV
Orp (field)	LGW-3R	8/11/2010	0	0	ND	MV
Orp (field)	LGW-3R	9/1/2010	0	0	ND	MV
Orp (field)	LGW-3R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-3R	11/3/2010	103.7	0		MV
Orp (field)	LGW-3R	12/3/2010	140.4	0		MV
Orp (field)	LGW-3R	1/19/2011	12.7	0		MV
Orp (field)	LGW-3R	2/7/2011	123	0		MV
Orp (field)	LGW-3R	3/3/2011	56.7	0		MV
Orp (field)	LGW-3R	4/5/2011	66.8	0		MV
Orp (field)	LGW-3R	5/10/2011	54.7	0		MV
Orp (field)	LGW-3R	6/1/2011	153.2	0		MV
Orp (field)	LGW-3R	7/13/2011	0	0	ND	MV
Orp (field)	LGW-3R	8/3/2011	92.3	0		MV
Orp (field)	LGW-3R	9/7/2011	128.6	0		MV
Orp (field)	LGW-3R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-3R	11/1/2011	103	0		MV
Orp (field)	LGW-3R	12/7/2011	71.1	0		MV
Orp (field)	LGW-3R	1/4/2012	0	0	ND	MV
Orp (field)	LGW-3R	2/1/2012	52.3	0		MV
Orp (field)	LGW-3R	3/6/2012	77.4	0		MV
Orp (field)	LGW-3R	4/5/2012	80.8	0		MV
Orp (field)	LGW-3R	5/1/2012	74.7	0		MV
Orp (field)	LGW-3R	6/5/2012	89.3	0		MV
Orp (field)	LGW-3R	7/9/2012	83.6	0		MV
Orp (field)	LGW-3R	8/9/2012	154.8	0		MV
Orp (field)	LGW-3R	9/4/2012	121.3	0		MV
Orp (field)	LGW-3R	11/8/2012	9	0		MV
Orp (field)	LGW-3R	12/6/2012	164.2	0		MV
Orp (field)	LGW-3R	12/6/2012	164.2	0		MV
Orp (field)	LGW-3R	1/23/2013	139.9	0		MV
Orp (field)	LGW-3R	1/23/2013	139.9	0		MV
Orp (field)	LGW-3R	2/5/2013	190.2	0		MV
Orp (field)	LGW-3R	2/5/2013	190.2	0		MV
Orp (field)	LGW-3R	3/5/2013	321.5	0		MV
Orp (field)	LGW-3R	3/5/2013	321.5	0		MV
Orp (field)	LGW-3R	4/30/2013	83	0		MV
Orp (field)	LGW-3R	6/4/2013	204.5	0		MV
Orp (field)	LGW-3R	7/15/2013	127.2	0		MV
Orp (field)	LGW-3R	8/8/2013	165.6	0		MV
Orp (field)	LGW-3R	9/10/2013	135.3	0		MV
Orp (field)	LGW-3R	10/1/2013	147.8	0		MV
Orp (field)	LGW-3R	11/6/2013	108.4	0		MV
Orp (field)	LGW-3R	12/2/2013	136.3	0		MV
Orp (field)	LGW-3R	1/22/2014	135.9	0		MV
Orp (field)	LGW-3R	2/12/2014	130.2	0		MV
Orp (field)	LGW-3R	3/11/2014	123.7	0		MV
Orp (field)	LGW-3R	4/2/2014	143.9	0		MV
Orp (field)	LGW-3R	5/7/2014	154.4	0		MV
Orp (field)	LGW-3R	6/3/2014	142.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-3R	7/8/2014	65.4	0		MV
Orp (field)	LGW-3R	8/5/2014	156.5	0		MV
Orp (field)	LGW-3R	9/4/2014	78.5	0		MV
Orp (field)	LGW-3R	10/9/2014	2	0		MV
Orp (field)	LGW-3R	11/3/2014	144.5	0		MV
Orp (field)	LGW-3R	1/14/2015	149.5	0		MV
Orp (field)	LGW-3R	2/10/2015	81.7	0		MV
Orp (field)	LGW-3R	3/3/2015	280.2	0		MV
Orp (field)	LGW-3R	4/1/2015	145.8	0		MV
Orp (field)	LGW-3R	5/6/2015	94.6	0		MV
Orp (field)	LGW-3R	6/3/2015	169.1	0		MV
Orp (field)	LGW-3R	7/16/2015	52.1	0		MV
Orp (field)	LGW-3R	8/5/2015	71.2	0		MV
Orp (field)	LGW-3R	9/3/2015	65	0		MV
Orp (field)	LGW-3R	10/6/2015	133.3	0		MV
Orp (field)	LGW-3R	11/5/2015	69.5	0		MV
Orp (field)	LGW-3R	12/4/2015	102.4	0		MV
Orp (field)	LGW-3R	1/8/2016	68.6	0		MV
Orp (field)	LGW-3R	2/4/2016	22.8	0		MV
Orp (field)	LGW-3R	3/3/2016	26.5	0		MV
Orp (field)	LGW-3R	4/6/2016	78.5	0		MV
Orp (field)	LGW-3R	5/12/2016	0	0	ND	MV
Orp (field)	LGW-3R	6/2/2016	100.7	0		MV
Orp (field)	LGW-3R	7/21/2016	39.9	0		MV
Orp (field)	LGW-3R	8/11/2016	60.1	0		MV
Orp (field)	LGW-3R	9/7/2016	105.2	0		MV
Orp (field)	LGW-3R	10/7/2016	89.8	0		MV
Orp (field)	LGW-3R	11/3/2016	98	0		MV
Orp (field)	LGW-3R	12/2/2016	149.7	0		MV
Orp (field)	LGW-3R	1/11/2017	41.5	0		MV
Orp (field)	LGW-3R	2/7/2017	61.4	0		MV
Orp (field)	LGW-3R	3/2/2017	75.2	0		MV
Orp (field)	LGW-3R	4/4/2017	69.3	0		MV
Orp (field)	LGW-3R	5/2/2017	27.6	0		MV
Orp (field)	LGW-3R	6/6/2017	64.2	0		MV
Orp (field)	LGW-3R	7/18/2017	16.3	0		MV
Orp (field)	LGW-3R	8/1/2017	25.8	0		MV
Orp (field)	LGW-3R	9/5/2017	37.4	0		MV
Orp (field)	LGW-3R	10/6/2017	16.8	0		MV
Orp (field)	LGW-3R	11/1/2017	32.4	0		MV
Orp (field)	LGW-3R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-3R	9/5/2018	82	0		MV
Orp (field)	LGW-3R	10/3/2018	111.2	0		MV
Orp (field)	LGW-3R	2/5/2019	32.2	0		MV
Orp (field)	LGW-3R	6/5/2019	366.3	0		MV
Orp (field)	LGW-4	5/31/2007	186	0		MV
Orp (field)	LGW-4	6/1/2007	186	0		MV
Orp (field)	LGW-4	6/28/2007	171	0		MV
Orp (field)	LGW-4	6/28/2007	171	0		MV
Orp (field)	LGW-4	7/10/2007	153	0		MV
Orp (field)	LGW-4	7/11/2007	153	0		MV
Orp (field)	LGW-4	8/28/2007	80	0		MV
Orp (field)	LGW-4	9/28/2007	52	0		MV
Orp (field)	LGW-4	10/24/2007	36	0		MV
Orp (field)	LGW-4	10/24/2007	36	0		MV
Orp (field)	LGW-4	11/28/2007	0	0	ND	MV
Orp (field)	LGW-4	12/27/2007	0	0	ND	MV
Orp (field)	LGW-4	7/23/2008	171.4	0		MV
Orp (field)	LGW-4	8/29/2008	82.3	0		MV
Orp (field)	LGW-4	9/26/2008	116.7	0		MV
Orp (field)	LGW-4	9/26/2008	116.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-4	10/22/2008	85.4	0		MV
Orp (field)	LGW-4	12/19/2008	64.2	0		MV
Orp (field)	LGW-4	2/3/2009	45.2	0		MV
Orp (field)	LGW-4	3/26/2009	25	0		MV
Orp (field)	LGW-4	4/16/2009	30.4	0		MV
Orp (field)	LGW-4	8/29/2009	0	0	ND	MV
Orp (field)	LGW-4	10/22/2009	158	0		MV
Orp (field)	LGW-4	2/17/2010	0	0	ND	MV
Orp (field)	LGW-4	3/3/2010	0	0	ND	MV
Orp (field)	LGW-4	4/8/2010	19.8	0		MV
Orp (field)	LGW-4	5/5/2010	116.9	0		MV
Orp (field)	LGW-4	6/15/2010	0	0	ND	MV
Orp (field)	LGW-4	7/16/2010	0	0	ND	MV
Orp (field)	LGW-4	8/11/2010	0	0	ND	MV
Orp (field)	LGW-4	9/1/2010	0	0	ND	MV
Orp (field)	LGW-4	9/29/2010	0	0	ND	MV
Orp (field)	LGW-4	11/3/2010	101.7	0		MV
Orp (field)	LGW-4	12/3/2010	143.9	0		MV
Orp (field)	LGW-4	1/19/2011	24	0		MV
Orp (field)	LGW-4	2/7/2011	117.9	0		MV
Orp (field)	LGW-4	3/3/2011	49.2	0		MV
Orp (field)	LGW-4	4/5/2011	51.8	0		MV
Orp (field)	LGW-4	5/10/2011	21.5	0		MV
Orp (field)	LGW-4	6/1/2011	130.1	0		MV
Orp (field)	LGW-4	7/13/2011	0	0	ND	MV
Orp (field)	LGW-4	8/3/2011	71.6	0		MV
Orp (field)	LGW-4	9/7/2011	98.9	0		MV
Orp (field)	LGW-4	10/5/2011	0	0	ND	MV
Orp (field)	LGW-4	11/1/2011	94.6	0		MV
Orp (field)	LGW-4	12/7/2011	56.8	0		MV
Orp (field)	LGW-4	1/4/2012	0	0	ND	MV
Orp (field)	LGW-4	2/1/2012	45.9	0		MV
Orp (field)	LGW-4	3/6/2012	65.9	0		MV
Orp (field)	LGW-4	4/5/2012	73	0		MV
Orp (field)	LGW-4	5/1/2012	65.5	0		MV
Orp (field)	LGW-4	6/5/2012	95.1	0		MV
Orp (field)	LGW-4	7/9/2012	89.1	0		MV
Orp (field)	LGW-4	8/9/2012	138.7	0		MV
Orp (field)	LGW-4	9/4/2012	117.6	0		MV
Orp (field)	LGW-4	10/7/2012	49.9	0		MV
Orp (field)	LGW-4	4/30/2013	85.8	0		MV
Orp (field)	LGW-4	6/4/2013	211.6	0		MV
Orp (field)	LGW-4	7/15/2013	123.2	0		MV
Orp (field)	LGW-4	8/8/2013	155.2	0		MV
Orp (field)	LGW-4	9/10/2013	138.3	0		MV
Orp (field)	LGW-4	10/1/2013	146.3	0		MV
Orp (field)	LGW-4	11/6/2013	112	0		MV
Orp (field)	LGW-4	12/2/2013	134.5	0		MV
Orp (field)	LGW-4	1/23/2014	132.4	0		MV
Orp (field)	LGW-4	2/12/2014	128.8	0		MV
Orp (field)	LGW-4	3/11/2014	118.5	0		MV
Orp (field)	LGW-4	4/2/2014	141.5	0		MV
Orp (field)	LGW-4	5/7/2014	146.4	0		MV
Orp (field)	LGW-4	6/3/2014	100.5	0		MV
Orp (field)	LGW-4	7/8/2014	60	0		MV
Orp (field)	LGW-4	8/5/2014	147.6	0		MV
Orp (field)	LGW-4	9/4/2014	91.3	0		MV
Orp (field)	LGW-4	10/9/2014	0	0	ND	MV
Orp (field)	LGW-4	11/3/2014	138.1	0		MV
Orp (field)	LGW-4	1/14/2015	139.9	0		MV
Orp (field)	LGW-4	2/11/2015	124.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-4	3/3/2015	287.4	0		MV
Orp (field)	LGW-4	4/1/2015	140.1	0		MV
Orp (field)	LGW-4	5/6/2015	118.1	0		MV
Orp (field)	LGW-4	6/3/2015	179.6	0		MV
Orp (field)	LGW-4	7/8/2015	73.8	0		MV
Orp (field)	LGW-4	8/4/2015	48.8	0		MV
Orp (field)	LGW-4	9/2/2015	69.8	0		MV
Orp (field)	LGW-4	10/5/2015	61	0		MV
Orp (field)	LGW-4	11/4/2015	95.6	0		MV
Orp (field)	LGW-4	12/3/2015	82.6	0		MV
Orp (field)	LGW-4	1/5/2016	41.3	0		MV
Orp (field)	LGW-4	2/3/2016	42.9	0		MV
Orp (field)	LGW-4	3/2/2016	72	0		MV
Orp (field)	LGW-4	4/5/2016	17.6	0		MV
Orp (field)	LGW-4	5/11/2016	35.7	0		MV
Orp (field)	LGW-4	6/1/2016	40.6	0		MV
Orp (field)	LGW-4	7/19/2016	108.8	0		MV
Orp (field)	LGW-4	8/10/2016	58.8	0		MV
Orp (field)	LGW-4	9/6/2016	78.2	0		MV
Orp (field)	LGW-4	10/6/2016	57.7	0		MV
Orp (field)	LGW-4	11/2/2016	41.3	0		MV
Orp (field)	LGW-4	12/1/2016	146.8	0		MV
Orp (field)	LGW-4	1/11/2017	21.2	0		MV
Orp (field)	LGW-4	2/7/2017	43.3	0		MV
Orp (field)	LGW-4	3/2/2017	59.1	0		MV
Orp (field)	LGW-4	4/4/2017	105.4	0		MV
Orp (field)	LGW-4	5/2/2017	37.3	0		MV
Orp (field)	LGW-4	5/16/2017	116.3	0		MV
Orp (field)	LGW-4	6/6/2017	81.1	0		MV
Orp (field)	LGW-4	7/18/2017	43.9	0		MV
Orp (field)	LGW-4	8/1/2017	41.3	0		MV
Orp (field)	LGW-4	9/5/2017	61.9	0		MV
Orp (field)	LGW-4	10/6/2017	30	0		MV
Orp (field)	LGW-4	11/1/2017	55.8	0		MV
Orp (field)	LGW-4	6/5/2018	0	0	ND	MV
Orp (field)	LGW-4	9/5/2018	35.8	0		MV
Orp (field)	LGW-4	10/3/2018	103	0		MV
Orp (field)	LGW-4	2/5/2019	36.8	0		MV
Orp (field)	LGW-4	6/5/2019	399.2	0		MV
Orp (field)	LGW-5	5/31/2007	106	0		MV
Orp (field)	LGW-5	6/1/2007	106	0		MV
Orp (field)	LGW-5	6/28/2007	113	0		MV
Orp (field)	LGW-5	6/28/2007	113	0		MV
Orp (field)	LGW-5	7/10/2007	144	0		MV
Orp (field)	LGW-5	7/11/2007	144	0		MV
Orp (field)	LGW-5	8/28/2007	319	0		MV
Orp (field)	LGW-5	9/28/2007	41	0		MV
Orp (field)	LGW-5	10/24/2007	0	0	ND	MV
Orp (field)	LGW-5	10/24/2007	0	0	ND	MV
Orp (field)	LGW-5	11/28/2007	0	0	ND	MV
Orp (field)	LGW-5	12/27/2007	0	0	ND	MV
Orp (field)	LGW-5	1/23/2008	0	0	ND	MV
Orp (field)	LGW-5	7/23/2008	96.6	0		MV
Orp (field)	LGW-5	9/26/2008	59.8	0		MV
Orp (field)	LGW-5	9/26/2008	59.8	0		MV
Orp (field)	LGW-5	10/21/2008	124.6	0		MV
Orp (field)	LGW-5	12/19/2008	66.5	0		MV
Orp (field)	LGW-5	2/4/2009	32.9	0		MV
Orp (field)	LGW-5	3/26/2009	33.8	0		MV
Orp (field)	LGW-5	4/16/2009	33.6	0		MV
Orp (field)	LGW-5	8/28/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-5	10/21/2009	83.9	0		MV
Orp (field)	LGW-5	12/17/2009	22.8	0		MV
Orp (field)	LGW-5	2/16/2010	0	0	ND	MV
Orp (field)	LGW-5	3/3/2010	0	0	ND	MV
Orp (field)	LGW-5	4/7/2010	10.4	0		MV
Orp (field)	LGW-5	5/5/2010	138	0		MV
Orp (field)	LGW-5	6/15/2010	0	0	ND	MV
Orp (field)	LGW-5	7/12/2010	42.4	0		MV
Orp (field)	LGW-5	8/10/2010	0	0	ND	MV
Orp (field)	LGW-5	9/2/2010	56.1	0		MV
Orp (field)	LGW-5	9/29/2010	0	0	ND	MV
Orp (field)	LGW-5	11/3/2010	81.5	0		MV
Orp (field)	LGW-5	12/2/2010	61.3	0		MV
Orp (field)	LGW-5	1/19/2011	13.2	0		MV
Orp (field)	LGW-5	2/7/2011	65.6	0		MV
Orp (field)	LGW-5	3/3/2011	41.6	0		MV
Orp (field)	LGW-5	4/5/2011	48.9	0		MV
Orp (field)	LGW-5	5/10/2011	36	0		MV
Orp (field)	LGW-5	6/1/2011	58.2	0		MV
Orp (field)	LGW-5	7/12/2011	0	0	ND	MV
Orp (field)	LGW-5	8/3/2011	21.1	0		MV
Orp (field)	LGW-5	9/7/2011	38.4	0		MV
Orp (field)	LGW-5	10/5/2011	0	0	ND	MV
Orp (field)	LGW-5	11/1/2011	46.5	0		MV
Orp (field)	LGW-5	12/7/2011	0	0	ND	MV
Orp (field)	LGW-5	1/5/2012	0	0	ND	MV
Orp (field)	LGW-5	2/1/2012	15.2	0		MV
Orp (field)	LGW-5	3/6/2012	14.6	0		MV
Orp (field)	LGW-5	4/5/2012	44.2	0		MV
Orp (field)	LGW-5	5/1/2012	50.8	0		MV
Orp (field)	LGW-5	6/5/2012	52.7	0		MV
Orp (field)	LGW-5	7/9/2012	39	0		MV
Orp (field)	LGW-5	8/9/2012	59.4	0		MV
Orp (field)	LGW-5	9/4/2012	64.6	0		MV
Orp (field)	LGW-5	10/7/2012	24	0		MV
Orp (field)	LGW-5	4/30/2013	94.2	0		MV
Orp (field)	LGW-5	6/4/2013	198.4	0		MV
Orp (field)	LGW-5	7/15/2013	121.7	0		MV
Orp (field)	LGW-5	8/8/2013	218.6	0		MV
Orp (field)	LGW-5	9/10/2013	144.9	0		MV
Orp (field)	LGW-5	10/1/2013	136.4	0		MV
Orp (field)	LGW-5	11/6/2013	168.1	0		MV
Orp (field)	LGW-5	12/3/2013	0	0	ND	MV
Orp (field)	LGW-5	1/23/2014	70.2	0		MV
Orp (field)	LGW-5	2/12/2014	125.9	0		MV
Orp (field)	LGW-5	3/11/2014	105.9	0		MV
Orp (field)	LGW-5	4/2/2014	139.7	0		MV
Orp (field)	LGW-5	5/7/2014	137.4	0		MV
Orp (field)	LGW-5	6/3/2014	78.6	0		MV
Orp (field)	LGW-5	7/8/2014	55.6	0		MV
Orp (field)	LGW-5	8/5/2014	124.4	0		MV
Orp (field)	LGW-5	9/4/2014	74.7	0		MV
Orp (field)	LGW-5	10/9/2014	0	0	ND	MV
Orp (field)	LGW-5	11/3/2014	143.9	0		MV
Orp (field)	LGW-5	1/14/2015	157.9	0		MV
Orp (field)	LGW-5	2/10/2015	94.2	0		MV
Orp (field)	LGW-5	3/3/2015	290.5	0		MV
Orp (field)	LGW-5	4/1/2015	119.8	0		MV
Orp (field)	LGW-5	5/6/2015	94.6	0		MV
Orp (field)	LGW-5	6/3/2015	82.3	0		MV
Orp (field)	LGW-5	7/8/2015	66.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-5	8/4/2015	69.8	0		MV
Orp (field)	LGW-5	9/2/2015	75.6	0		MV
Orp (field)	LGW-5	10/5/2015	76.1	0		MV
Orp (field)	LGW-5	11/4/2015	109.5	0		MV
Orp (field)	LGW-5	12/3/2015	84.9	0		MV
Orp (field)	LGW-5	1/5/2016	58.3	0		MV
Orp (field)	LGW-5	2/3/2016	55.2	0		MV
Orp (field)	LGW-5	3/2/2016	94.6	0		MV
Orp (field)	LGW-5	4/5/2016	30.7	0		MV
Orp (field)	LGW-5	5/11/2016	57.3	0		MV
Orp (field)	LGW-5	6/1/2016	58.2	0		MV
Orp (field)	LGW-5	7/19/2016	118.2	0		MV
Orp (field)	LGW-5	8/10/2016	68.3	0		MV
Orp (field)	LGW-5	9/6/2016	86.2	0		MV
Orp (field)	LGW-5	10/6/2016	65.8	0		MV
Orp (field)	LGW-5	11/2/2016	44	0		MV
Orp (field)	LGW-5	12/1/2016	153.9	0		MV
Orp (field)	LGW-5	1/11/2017	20.3	0		MV
Orp (field)	LGW-5	2/7/2017	45.1	0		MV
Orp (field)	LGW-5	3/2/2017	64.7	0		MV
Orp (field)	LGW-5	4/4/2017	140	0		MV
Orp (field)	LGW-5	5/16/2017	108.1	0		MV
Orp (field)	LGW-5	6/6/2017	104.1	0		MV
Orp (field)	LGW-5	7/18/2017	51.7	0		MV
Orp (field)	LGW-5	8/1/2017	53	0		MV
Orp (field)	LGW-5	9/5/2017	66.9	0		MV
Orp (field)	LGW-5	10/5/2017	84.2	0		MV
Orp (field)	LGW-5	11/1/2017	53.6	0		MV
Orp (field)	LGW-5	6/5/2018	0	0	ND	MV
Orp (field)	LGW-5	9/4/2018	219.5	0		MV
Orp (field)	LGW-5	10/3/2018	137.2	0		MV
Orp (field)	LGW-5	2/5/2019	26.7	0		MV
Orp (field)	LGW-5	6/4/2019	399.2	0		MV
Orp (field)	LGW-6	5/31/2007	191	0		MV
Orp (field)	LGW-6	6/1/2007	191	0		MV
Orp (field)	LGW-6	6/28/2007	158	0		MV
Orp (field)	LGW-6	6/28/2007	158	0		MV
Orp (field)	LGW-6	7/10/2007	107	0		MV
Orp (field)	LGW-6	7/11/2007	107	0		MV
Orp (field)	LGW-6	8/28/2007	280	0		MV
Orp (field)	LGW-6	9/27/2007	133	0		MV
Orp (field)	LGW-6	10/23/2007	7	0		MV
Orp (field)	LGW-6	10/23/2007	7	0		MV
Orp (field)	LGW-6	11/27/2007	1	0		MV
Orp (field)	LGW-6	12/27/2007	12	0		MV
Orp (field)	LGW-6	1/23/2008	0	0	ND	MV
Orp (field)	LGW-6	7/23/2008	121.6	0		MV
Orp (field)	LGW-6	8/29/2008	82.3	0		MV
Orp (field)	LGW-6	9/26/2008	61.6	0		MV
Orp (field)	LGW-6	9/26/2008	61.6	0		MV
Orp (field)	LGW-6	10/21/2008	125.7	0		MV
Orp (field)	LGW-6	12/19/2008	56	0		MV
Orp (field)	LGW-6	2/5/2009	21.8	0		MV
Orp (field)	LGW-6	3/26/2009	44.4	0		MV
Orp (field)	LGW-6	8/28/2009	0	0	ND	MV
Orp (field)	LGW-6	10/22/2009	123.9	0		MV
Orp (field)	LGW-6	12/17/2009	24.7	0		MV
Orp (field)	LGW-6	2/16/2010	0	0	ND	MV
Orp (field)	LGW-6	3/3/2010	0	0	ND	MV
Orp (field)	LGW-6	4/7/2010	16.9	0		MV
Orp (field)	LGW-6	5/5/2010	123	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-6	6/15/2010	0	0	ND	MV
Orp (field)	LGW-6	7/12/2010	34.4	0		MV
Orp (field)	LGW-6	8/10/2010	0	0	ND	MV
Orp (field)	LGW-6	9/2/2010	46.1	0		MV
Orp (field)	LGW-6	9/29/2010	0	0	ND	MV
Orp (field)	LGW-6	11/3/2010	87.6	0		MV
Orp (field)	LGW-6	12/2/2010	68.1	0		MV
Orp (field)	LGW-6	1/19/2011	18.5	0		MV
Orp (field)	LGW-6	2/7/2011	70.6	0		MV
Orp (field)	LGW-6	3/3/2011	36.4	0		MV
Orp (field)	LGW-6	4/5/2011	40	0		MV
Orp (field)	LGW-6	5/10/2011	26.7	0		MV
Orp (field)	LGW-6	6/1/2011	61.2	0		MV
Orp (field)	LGW-6	7/12/2011	0	0	ND	MV
Orp (field)	LGW-6	8/3/2011	15.3	0		MV
Orp (field)	LGW-6	9/7/2011	43.9	0		MV
Orp (field)	LGW-6	10/5/2011	0	0	ND	MV
Orp (field)	LGW-6	11/1/2011	46.2	0		MV
Orp (field)	LGW-6	12/7/2011	20.8	0		MV
Orp (field)	LGW-6	1/5/2012	0	0	ND	MV
Orp (field)	LGW-6	2/1/2012	3.9	0		MV
Orp (field)	LGW-6	3/6/2012	43	0		MV
Orp (field)	LGW-6	4/5/2012	49.8	0		MV
Orp (field)	LGW-6	5/1/2012	43.5	0		MV
Orp (field)	LGW-6	6/5/2012	40.1	0		MV
Orp (field)	LGW-6	7/9/2012	56.6	0		MV
Orp (field)	LGW-6	8/9/2012	79.2	0		MV
Orp (field)	LGW-6	9/4/2012	92.2	0		MV
Orp (field)	LGW-6	10/7/2012	61	0		MV
Orp (field)	LGW-6	11/6/2012	56	0		MV
Orp (field)	LGW-6	11/6/2012	56	0		MV
Orp (field)	LGW-6	12/6/2012	166	0		MV
Orp (field)	LGW-6	12/6/2012	166	0		MV
Orp (field)	LGW-6	1/23/2013	147.4	0		MV
Orp (field)	LGW-6	1/23/2013	147.4	0		MV
Orp (field)	LGW-6	2/5/2013	185.1	0		MV
Orp (field)	LGW-6	2/5/2013	185.1	0		MV
Orp (field)	LGW-6	3/5/2013	302.9	0		MV
Orp (field)	LGW-6	3/5/2013	302.9	0		MV
Orp (field)	LGW-6	4/30/2013	106.1	0		MV
Orp (field)	LGW-6	6/4/2013	205.6	0		MV
Orp (field)	LGW-6	7/15/2013	140.1	0		MV
Orp (field)	LGW-6	8/8/2013	211.9	0		MV
Orp (field)	LGW-6	9/10/2013	178.4	0		MV
Orp (field)	LGW-6	10/1/2013	159.7	0		MV
Orp (field)	LGW-6	11/6/2013	162.8	0		MV
Orp (field)	LGW-6	12/2/2013	133.9	0		MV
Orp (field)	LGW-6	1/23/2014	78.4	0		MV
Orp (field)	LGW-6	2/12/2014	128.3	0		MV
Orp (field)	LGW-6	3/11/2014	106	0		MV
Orp (field)	LGW-6	4/2/2014	135.3	0		MV
Orp (field)	LGW-6	5/7/2014	133.3	0		MV
Orp (field)	LGW-6	6/3/2014	97.4	0		MV
Orp (field)	LGW-6	7/8/2014	56.3	0		MV
Orp (field)	LGW-6	8/5/2014	113.3	0		MV
Orp (field)	LGW-6	9/4/2014	37.3	0		MV
Orp (field)	LGW-6	10/9/2014	1.2	0		MV
Orp (field)	LGW-6	11/3/2014	145.7	0		MV
Orp (field)	LGW-6	1/14/2015	155.9	0		MV
Orp (field)	LGW-6	2/10/2015	96.4	0		MV
Orp (field)	LGW-6	3/3/2015	286	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-6	4/1/2015	106.2	0		MV
Orp (field)	LGW-6	5/6/2015	94.6	0		MV
Orp (field)	LGW-6	6/3/2015	125.7	0		MV
Orp (field)	LGW-6	7/22/2015	61.2	0		MV
Orp (field)	LGW-6	8/4/2015	66.5	0		MV
Orp (field)	LGW-6	9/2/2015	83.7	0		MV
Orp (field)	LGW-6	10/6/2015	84.3	0		MV
Orp (field)	LGW-6	11/4/2015	100.2	0		MV
Orp (field)	LGW-6	12/3/2015	79.3	0		MV
Orp (field)	LGW-6	1/5/2016	52.4	0		MV
Orp (field)	LGW-6	2/3/2016	42.6	0		MV
Orp (field)	LGW-6	3/2/2016	87.2	0		MV
Orp (field)	LGW-6	4/5/2016	21.2	0		MV
Orp (field)	LGW-6	5/11/2016	40.9	0		MV
Orp (field)	LGW-6	6/1/2016	51	0		MV
Orp (field)	LGW-6	7/19/2016	129.5	0		MV
Orp (field)	LGW-6	8/10/2016	65.9	0		MV
Orp (field)	LGW-6	9/6/2016	81	0		MV
Orp (field)	LGW-6	9/6/2016	81	0		MV
Orp (field)	LGW-6	10/6/2016	56.4	0		MV
Orp (field)	LGW-6	11/2/2016	40.3	0		MV
Orp (field)	LGW-6	12/1/2016	122.2	0		MV
Orp (field)	LGW-6	1/11/2017	12.2	0		MV
Orp (field)	LGW-6	2/7/2017	38.4	0		MV
Orp (field)	LGW-6	3/2/2017	60.2	0		MV
Orp (field)	LGW-6	4/4/2017	47.9	0		MV
Orp (field)	LGW-6	5/2/2017	60.3	0		MV
Orp (field)	LGW-6	5/5/2017	50.3	0		MV
Orp (field)	LGW-6	6/6/2017	95.4	0		MV
Orp (field)	LGW-6	7/18/2017	42.9	0		MV
Orp (field)	LGW-6	8/1/2017	54.3	0		MV
Orp (field)	LGW-6	9/5/2017	57.1	0		MV
Orp (field)	LGW-6	10/5/2017	101.4	0		MV
Orp (field)	LGW-6	11/1/2017	64.8	0		MV
Orp (field)	LGW-6	6/5/2018	0	0	ND	MV
Orp (field)	LGW-6	6/5/2018	0	0	ND	MV
Orp (field)	LGW-6	9/5/2018	0.3	0		MV
Orp (field)	LGW-6	10/2/2018	38.5	0		MV
Orp (field)	LGW-6	10/2/2018	38.5	0		MV
Orp (field)	LGW-6	2/5/2019	20	0		MV
Orp (field)	LGW-6	6/4/2019	189.3	0		MV
Orp (field)	LGW-6	7/10/2019	0	0	ND	MV
Orp (field)	LGW-7	6/1/2007	155	0		MV
Orp (field)	LGW-7	6/1/2007	155	0		MV
Orp (field)	LGW-7	6/28/2007	187	0		MV
Orp (field)	LGW-7	6/28/2007	187	0		MV
Orp (field)	LGW-7	7/10/2007	141	0		MV
Orp (field)	LGW-7	7/12/2007	141	0		MV
Orp (field)	LGW-7	8/29/2007	102	0		MV
Orp (field)	LGW-7	9/28/2007	91	0		MV
Orp (field)	LGW-7	10/24/2007	20	0		MV
Orp (field)	LGW-7	10/24/2007	20	0		MV
Orp (field)	LGW-7	11/27/2007	27	0		MV
Orp (field)	LGW-7	12/27/2007	25	0		MV
Orp (field)	LGW-7	1/25/2008	107	0		MV
Orp (field)	LGW-7	7/22/2008	116.4	0		MV
Orp (field)	LGW-7	9/26/2008	92	0		MV
Orp (field)	LGW-7	9/26/2008	92	0		MV
Orp (field)	LGW-7	10/21/2008	102.5	0		MV
Orp (field)	LGW-7	12/19/2008	57	0		MV
Orp (field)	LGW-7	2/4/2009	44.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-7	3/26/2009	30	0		MV
Orp (field)	LGW-7	4/16/2009	8	0		MV
Orp (field)	LGW-7	8/29/2009	0	0	ND	MV
Orp (field)	LGW-7	10/21/2009	68.7	0		MV
Orp (field)	LGW-7	12/17/2009	20.4	0		MV
Orp (field)	LGW-7	2/16/2010	0	0	ND	MV
Orp (field)	LGW-7	3/3/2010	0	0	ND	MV
Orp (field)	LGW-7	4/7/2010	21.3	0		MV
Orp (field)	LGW-7	5/5/2010	143.6	0		MV
Orp (field)	LGW-7	6/16/2010	0	0	ND	MV
Orp (field)	LGW-7	7/12/2010	27.9	0		MV
Orp (field)	LGW-7	8/10/2010	0	0	ND	MV
Orp (field)	LGW-7	9/2/2010	51.8	0		MV
Orp (field)	LGW-7	9/29/2010	0	0	ND	MV
Orp (field)	LGW-7	11/3/2010	106.5	0		MV
Orp (field)	LGW-7	12/2/2010	72.8	0		MV
Orp (field)	LGW-7	1/20/2011	0	0	ND	MV
Orp (field)	LGW-7	2/8/2011	62.4	0		MV
Orp (field)	LGW-7	3/3/2011	39.6	0		MV
Orp (field)	LGW-7	4/5/2011	48.9	0		MV
Orp (field)	LGW-7	5/10/2011	23	0		MV
Orp (field)	LGW-7	6/1/2011	70	0		MV
Orp (field)	LGW-7	7/12/2011	0	0	ND	MV
Orp (field)	LGW-7	8/3/2011	2.1	0		MV
Orp (field)	LGW-7	9/7/2011	50.6	0		MV
Orp (field)	LGW-7	10/5/2011	0	0	ND	MV
Orp (field)	LGW-7	11/1/2011	49.8	0		MV
Orp (field)	LGW-7	12/8/2011	0	0	ND	MV
Orp (field)	LGW-7	1/5/2012	0	0	ND	MV
Orp (field)	LGW-7	2/1/2012	19.6	0		MV
Orp (field)	LGW-7	3/6/2012	44.5	0		MV
Orp (field)	LGW-7	4/5/2012	58.9	0		MV
Orp (field)	LGW-7	5/1/2012	43.3	0		MV
Orp (field)	LGW-7	6/5/2012	5.4	0		MV
Orp (field)	LGW-7	7/10/2012	63.3	0		MV
Orp (field)	LGW-7	8/9/2012	30.1	0		MV
Orp (field)	LGW-7	9/4/2012	91.9	0		MV
Orp (field)	LGW-7	10/7/2012	63.4	0		MV
Orp (field)	LGW-7	4/30/2013	112.9	0		MV
Orp (field)	LGW-7	6/4/2013	208.7	0		MV
Orp (field)	LGW-7	7/15/2013	141.7	0		MV
Orp (field)	LGW-7	8/8/2013	90.3	0		MV
Orp (field)	LGW-7	9/10/2013	190.5	0		MV
Orp (field)	LGW-7	10/1/2013	159	0		MV
Orp (field)	LGW-7	11/6/2013	159.7	0		MV
Orp (field)	LGW-7	12/2/2013	133	0		MV
Orp (field)	LGW-7	1/23/2014	90.1	0		MV
Orp (field)	LGW-7	2/13/2014	135.3	0		MV
Orp (field)	LGW-7	3/11/2014	111	0		MV
Orp (field)	LGW-7	4/2/2014	142.3	0		MV
Orp (field)	LGW-7	5/7/2014	129.8	0		MV
Orp (field)	LGW-7	6/3/2014	74.9	0		MV
Orp (field)	LGW-7	7/8/2014	64.9	0		MV
Orp (field)	LGW-7	8/5/2014	98.9	0		MV
Orp (field)	LGW-7	9/4/2014	53.1	0		MV
Orp (field)	LGW-7	10/9/2014	0.9	0		MV
Orp (field)	LGW-7	11/3/2014	132.2	0		MV
Orp (field)	LGW-7	1/14/2015	167.8	0		MV
Orp (field)	LGW-7	2/11/2015	118.1	0		MV
Orp (field)	LGW-7	3/3/2015	298.3	0		MV
Orp (field)	LGW-7	4/1/2015	121.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-7	5/6/2015	104.1	0		MV
Orp (field)	LGW-7	6/3/2015	45.6	0		MV
Orp (field)	LGW-7	7/22/2015	63.3	0		MV
Orp (field)	LGW-7	8/4/2015	72.8	0		MV
Orp (field)	LGW-7	9/3/2015	69	0		MV
Orp (field)	LGW-7	10/6/2015	74.1	0		MV
Orp (field)	LGW-7	11/4/2015	99.1	0		MV
Orp (field)	LGW-7	12/3/2015	76.4	0		MV
Orp (field)	LGW-7	1/5/2016	52.3	0		MV
Orp (field)	LGW-7	2/3/2016	30.1	0		MV
Orp (field)	LGW-7	2/10/2016	48.8	0		MV
Orp (field)	LGW-7	3/2/2016	87.4	0		MV
Orp (field)	LGW-7	4/6/2016	40.7	0		MV
Orp (field)	LGW-7	5/11/2016	44.8	0		MV
Orp (field)	LGW-7	6/1/2016	59.6	0		MV
Orp (field)	LGW-7	7/20/2016	65.9	0		MV
Orp (field)	LGW-7	8/10/2016	63.5	0		MV
Orp (field)	LGW-7	9/6/2016	80.8	0		MV
Orp (field)	LGW-7	9/6/2016	80.8	0		MV
Orp (field)	LGW-7	10/6/2016	55.4	0		MV
Orp (field)	LGW-7	11/2/2016	39.1	0		MV
Orp (field)	LGW-7	12/1/2016	65.4	0		MV
Orp (field)	LGW-7	1/11/2017	5.7	0		MV
Orp (field)	LGW-7	2/7/2017	63.1	0		MV
Orp (field)	LGW-7	3/2/2017	53.6	0		MV
Orp (field)	LGW-7	4/4/2017	138.4	0		MV
Orp (field)	LGW-7	5/2/2017	92.4	0		MV
Orp (field)	LGW-7	6/6/2017	117.6	0		MV
Orp (field)	LGW-7	7/18/2017	80.6	0		MV
Orp (field)	LGW-7	8/1/2017	60.7	0		MV
Orp (field)	LGW-7	9/5/2017	61.4	0		MV
Orp (field)	LGW-7	10/5/2017	80.4	0		MV
Orp (field)	LGW-7	11/1/2017	52.7	0		MV
Orp (field)	LGW-7	6/5/2018	0	0	ND	MV
Orp (field)	LGW-7	6/5/2018	0	0	ND	MV
Orp (field)	LGW-7	9/5/2018	27.6	0		MV
Orp (field)	LGW-7	10/2/2018	154.8	0		MV
Orp (field)	LGW-7	10/2/2018	154.8	0		MV
Orp (field)	LGW-7	2/5/2019	32.3	0		MV
Orp (field)	LGW-7	6/4/2019	424.3	0		MV
Orp (field)	LGW-7	7/10/2019	0	0	ND	MV
Orp (field)	LGW-8R	6/1/2007	177	0		MV
Orp (field)	LGW-8R	6/1/2007	177	0		MV
Orp (field)	LGW-8R	6/28/2007	207	0		MV
Orp (field)	LGW-8R	6/28/2007	207	0		MV
Orp (field)	LGW-8R	7/10/2007	172	0		MV
Orp (field)	LGW-8R	7/12/2007	172	0		MV
Orp (field)	LGW-8R	8/29/2007	134	0		MV
Orp (field)	LGW-8R	9/28/2007	120	0		MV
Orp (field)	LGW-8R	10/23/2007	81	0		MV
Orp (field)	LGW-8R	10/23/2007	81	0		MV
Orp (field)	LGW-8R	11/28/2007	0	0	ND	MV
Orp (field)	LGW-8R	8/29/2008	90.5	0		MV
Orp (field)	LGW-8R	9/25/2008	42.9	0		MV
Orp (field)	LGW-8R	9/25/2008	42.9	42.9	ND	MV
Orp (field)	LGW-8R	10/21/2008	85.5	0		MV
Orp (field)	LGW-8R	12/19/2008	50.5	0		MV
Orp (field)	LGW-8R	2/4/2009	52.5	52.5	ND	MV
Orp (field)	LGW-8R	3/26/2009	22.8	0		MV
Orp (field)	LGW-8R	4/16/2009	29.6	0		MV
Orp (field)	LGW-8R	8/28/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-8R	10/21/2009	72	0		MV
Orp (field)	LGW-8R	12/17/2009	4.6	0		MV
Orp (field)	LGW-8R	2/15/2010	0	0	ND	MV
Orp (field)	LGW-8R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-8R	4/7/2010	14.8	0		MV
Orp (field)	LGW-8R	5/5/2010	141.9	0		MV
Orp (field)	LGW-8R	6/16/2010	0	0	ND	MV
Orp (field)	LGW-8R	7/14/2010	0	0	ND	MV
Orp (field)	LGW-8R	8/10/2010	0	0	ND	MV
Orp (field)	LGW-8R	9/2/2010	40	0		MV
Orp (field)	LGW-8R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-8R	11/3/2010	115.4	0		MV
Orp (field)	LGW-8R	12/2/2010	85	0		MV
Orp (field)	LGW-8R	1/20/2011	0	0	ND	MV
Orp (field)	LGW-8R	2/7/2011	43.5	0		MV
Orp (field)	LGW-8R	3/3/2011	45.5	0		MV
Orp (field)	LGW-8R	4/5/2011	44.5	0		MV
Orp (field)	LGW-8R	5/10/2011	48.2	0		MV
Orp (field)	LGW-8R	6/1/2011	57	0		MV
Orp (field)	LGW-8R	7/12/2011	0	0	ND	MV
Orp (field)	LGW-8R	8/3/2011	0	0	ND	MV
Orp (field)	LGW-8R	9/7/2011	26.7	0		MV
Orp (field)	LGW-8R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-8R	11/1/2011	41	0		MV
Orp (field)	LGW-8R	12/8/2011	0	0	ND	MV
Orp (field)	LGW-8R	1/5/2012	0	0	ND	MV
Orp (field)	LGW-8R	2/1/2012	15.1	0		MV
Orp (field)	LGW-8R	3/7/2012	0	0	ND	MV
Orp (field)	LGW-8R	4/5/2012	50.3	0		MV
Orp (field)	LGW-8R	5/1/2012	43.5	0		MV
Orp (field)	LGW-8R	6/5/2012	53.9	0		MV
Orp (field)	LGW-8R	7/9/2012	70.2	0		MV
Orp (field)	LGW-8R	8/9/2012	66.1	0		MV
Orp (field)	LGW-8R	9/4/2012	100.7	0		MV
Orp (field)	LGW-8R	10/7/2012	71.4	0		MV
Orp (field)	LGW-8R	4/30/2013	83.1	83.1	ND	MV
Orp (field)	LGW-8R	6/4/2013	209	0		MV
Orp (field)	LGW-8R	7/15/2013	163.5	163.5	ND	MV
Orp (field)	LGW-8R	8/8/2013	179.7	0		MV
Orp (field)	LGW-8R	9/10/2013	202.3	0		MV
Orp (field)	LGW-8R	10/1/2013	163.8	0		MV
Orp (field)	LGW-8R	11/6/2013	153.8	0		MV
Orp (field)	LGW-8R	12/2/2013	136	0		MV
Orp (field)	LGW-8R	1/22/2014	116	0		MV
Orp (field)	LGW-8R	2/12/2014	126.4	0		MV
Orp (field)	LGW-8R	3/11/2014	127	0		MV
Orp (field)	LGW-8R	4/2/2014	141.1	0		MV
Orp (field)	LGW-8R	5/7/2014	120.9	0		MV
Orp (field)	LGW-8R	6/3/2014	79.8	0		MV
Orp (field)	LGW-8R	7/8/2014	62.1	0		MV
Orp (field)	LGW-8R	8/5/2014	111	0		MV
Orp (field)	LGW-8R	9/4/2014	68.7	0		MV
Orp (field)	LGW-8R	10/9/2014	0	0	ND	MV
Orp (field)	LGW-8R	11/3/2014	128.5	0		MV
Orp (field)	LGW-8R	1/14/2015	152.8	0		MV
Orp (field)	LGW-8R	2/11/2015	101.1	0		MV
Orp (field)	LGW-8R	3/3/2015	298.6	0		MV
Orp (field)	LGW-8R	4/1/2015	116.3	0		MV
Orp (field)	LGW-8R	5/6/2015	146.7	0		MV
Orp (field)	LGW-8R	6/3/2015	68.3	0		MV
Orp (field)	LGW-8R	7/22/2015	60.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-8R	8/4/2015	79.6	0		MV
Orp (field)	LGW-8R	9/3/2015	72.7	0		MV
Orp (field)	LGW-8R	10/6/2015	77.3	0		MV
Orp (field)	LGW-8R	11/4/2015	103.8	0		MV
Orp (field)	LGW-8R	12/3/2015	92.4	0		MV
Orp (field)	LGW-8R	1/5/2016	54.6	0		MV
Orp (field)	LGW-8R	2/3/2016	36.3	0		MV
Orp (field)	LGW-8R	3/2/2016	100.2	0		MV
Orp (field)	LGW-8R	4/5/2016	24.5	0		MV
Orp (field)	LGW-8R	5/11/2016	53	0		MV
Orp (field)	LGW-8R	6/1/2016	62.9	0		MV
Orp (field)	LGW-8R	7/20/2016	62.7	0		MV
Orp (field)	LGW-8R	8/10/2016	69.8	0		MV
Orp (field)	LGW-8R	9/6/2016	87.5	0		MV
Orp (field)	LGW-8R	10/6/2016	64.9	0		MV
Orp (field)	LGW-8R	11/2/2016	57.9	0		MV
Orp (field)	LGW-8R	12/1/2016	101.4	0		MV
Orp (field)	LGW-8R	1/11/2017	20.4	0		MV
Orp (field)	LGW-8R	2/7/2017	54.7	0		MV
Orp (field)	LGW-8R	3/2/2017	66.4	0		MV
Orp (field)	LGW-8R	4/4/2017	156.1	0		MV
Orp (field)	LGW-8R	5/2/2017	102.9	0		MV
Orp (field)	LGW-8R	6/6/2017	112.7	0		MV
Orp (field)	LGW-8R	7/18/2017	79.6	0		MV
Orp (field)	LGW-8R	8/1/2017	64.7	0		MV
Orp (field)	LGW-8R	9/5/2017	73.3	0		MV
Orp (field)	LGW-8R	10/5/2017	82.9	0		MV
Orp (field)	LGW-8R	11/1/2017	70.7	0		MV
Orp (field)	LGW-8R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-8R	6/21/2018	4.9	0		MV
Orp (field)	LGW-8R	9/5/2018	18.2	0		MV
Orp (field)	LGW-8R	10/2/2018	155.7	0		MV
Orp (field)	LGW-8R	2/5/2019	9	0		MV
Orp (field)	LGW-8R	6/4/2019	215.7	0		MV
Orp (field)	LGW-9	5/31/2007	20	0		MV
Orp (field)	LGW-9	6/1/2007	20	0		MV
Orp (field)	LGW-9	6/28/2007	0	0	ND	MV
Orp (field)	LGW-9	6/28/2007	0	0	ND	MV
Orp (field)	LGW-9	7/10/2007	0	0	ND	MV
Orp (field)	LGW-9	7/10/2007	0	0	ND	MV
Orp (field)	LGW-9	8/28/2007	0	0	ND	MV
Orp (field)	LGW-9	9/28/2007	0	0	ND	MV
Orp (field)	LGW-9	10/23/2007	0	0	ND	MV
Orp (field)	LGW-9	10/23/2007	0	0	ND	MV
Orp (field)	LGW-9	11/28/2007	0	0	ND	MV
Orp (field)	LGW-9	12/27/2007	0	0	ND	MV
Orp (field)	LGW-9	1/25/2008	0	0	ND	MV
Orp (field)	LGW-9	7/22/2008	42.8	0		MV
Orp (field)	LGW-9	8/28/2009	0	0	ND	MV
Orp (field)	LGW-9	10/22/2009	29.3	0		MV
Orp (field)	LGW-9	2/15/2010	0	0	ND	MV
Orp (field)	LGW-9	3/3/2010	0	0	ND	MV
Orp (field)	LGW-9	4/8/2010	0	0	ND	MV
Orp (field)	LGW-9	5/6/2010	22.1	0		MV
Orp (field)	LGW-9	6/16/2010	0	0	ND	MV
Orp (field)	LGW-9	7/14/2010	0	0	ND	MV
Orp (field)	LGW-9	8/11/2010	0	0	ND	MV
Orp (field)	LGW-9	9/1/2010	0	0	ND	MV
Orp (field)	LGW-9	9/29/2010	0	0	ND	MV
Orp (field)	LGW-9	11/3/2010	29.2	0		MV
Orp (field)	LGW-9	12/2/2010	27.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-9	1/20/2011	0	0	ND	MV
Orp (field)	LGW-9	2/7/2011	19.2	0		MV
Orp (field)	LGW-9	3/3/2011	0	0	ND	MV
Orp (field)	LGW-9	4/5/2011	0	0	ND	MV
Orp (field)	LGW-9	5/10/2011	0	0	ND	MV
Orp (field)	LGW-9	6/1/2011	16.8	0		MV
Orp (field)	LGW-9	7/12/2011	0	0	ND	MV
Orp (field)	LGW-9	8/4/2011	0	0	ND	MV
Orp (field)	LGW-9	9/7/2011	0	0	ND	MV
Orp (field)	LGW-9	10/5/2011	0	0	ND	MV
Orp (field)	LGW-9	11/1/2011	0	0	ND	MV
Orp (field)	LGW-9	12/8/2011	0	0	ND	MV
Orp (field)	LGW-9	1/5/2012	0	0	ND	MV
Orp (field)	LGW-9	2/1/2012	0	0	ND	MV
Orp (field)	LGW-9	3/7/2012	0	0	ND	MV
Orp (field)	LGW-9	4/5/2012	0	0	ND	MV
Orp (field)	LGW-9	5/1/2012	0	0	ND	MV
Orp (field)	LGW-9	6/5/2012	0	0	ND	MV
Orp (field)	LGW-9	7/10/2012	0	0	ND	MV
Orp (field)	LGW-9	8/9/2012	0	0	ND	MV
Orp (field)	LGW-9	9/4/2012	0	0	ND	MV
Orp (field)	LGW-9	10/7/2012	0	0	ND	MV
Orp (field)	LGW-9	5/1/2013	0	0	ND	MV
Orp (field)	LGW-9	6/4/2013	0	0	ND	MV
Orp (field)	LGW-9	7/15/2013	0	0	ND	MV
Orp (field)	LGW-9	8/8/2013	0	0	ND	MV
Orp (field)	LGW-9	9/10/2013	0	0	ND	MV
Orp (field)	LGW-9	10/1/2013	0	0	ND	MV
Orp (field)	LGW-9	11/6/2013	0	0	ND	MV
Orp (field)	LGW-9	12/2/2013	0	0	ND	MV
Orp (field)	LGW-9	1/23/2014	0	0	ND	MV
Orp (field)	LGW-9	2/13/2014	30	0		MV
Orp (field)	LGW-9	3/11/2014	30.1	0		MV
Orp (field)	LGW-9	4/2/2014	17.5	0		MV
Orp (field)	LGW-9	5/7/2014	57.5	0		MV
Orp (field)	LGW-9	6/3/2014	44.2	0		MV
Orp (field)	LGW-9	7/8/2014	29.7	0		MV
Orp (field)	LGW-9	8/5/2014	74.2	0		MV
Orp (field)	LGW-9	9/4/2014	54.5	0		MV
Orp (field)	LGW-9	10/9/2014	0	0	ND	MV
Orp (field)	LGW-9	11/3/2014	133	0		MV
Orp (field)	LGW-9	1/14/2015	110.3	0		MV
Orp (field)	LGW-9	2/11/2015	104.3	0		MV
Orp (field)	LGW-9	3/3/2015	41.2	0		MV
Orp (field)	LGW-9	4/1/2015	0	0	ND	MV
Orp (field)	LGW-9	5/7/2015	0	0	ND	MV
Orp (field)	LGW-9	6/3/2015	0	0	ND	MV
Orp (field)	LGW-9	7/13/2015	0	0	ND	MV
Orp (field)	LGW-9	8/4/2015	33.8	0		MV
Orp (field)	LGW-9	9/3/2015	12	0		MV
Orp (field)	LGW-9	10/6/2015	67.6	0		MV
Orp (field)	LGW-9	11/4/2015	79.2	0		MV
Orp (field)	LGW-9	12/3/2015	76.2	0		MV
Orp (field)	LGW-9	1/5/2016	64.8	0		MV
Orp (field)	LGW-9	2/3/2016	34.9	0		MV
Orp (field)	LGW-9	3/2/2016	106.4	0		MV
Orp (field)	LGW-9	4/5/2016	45.7	0		MV
Orp (field)	LGW-9	5/11/2016	73.4	0		MV
Orp (field)	LGW-9	6/1/2016	82.6	0		MV
Orp (field)	LGW-9	7/21/2016	68.8	0		MV
Orp (field)	LGW-9	8/10/2016	88.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-9	9/6/2016	106.7	0		MV
Orp (field)	LGW-9	9/6/2016	106.7	0		MV
Orp (field)	LGW-9	10/6/2016	10.35	0		MV
Orp (field)	LGW-9	11/2/2016	87.2	0		MV
Orp (field)	LGW-9	12/1/2016	137.3	0		MV
Orp (field)	LGW-9	1/11/2017	36.4	0		MV
Orp (field)	LGW-9	2/7/2017	62.1	0		MV
Orp (field)	LGW-9	3/2/2017	81.4	0		MV
Orp (field)	LGW-9	4/4/2017	14.8	0		MV
Orp (field)	LGW-9	5/5/2017	36.5	0		MV
Orp (field)	LGW-9	5/16/2017	111.8	0		MV
Orp (field)	LGW-9	6/6/2017	143.9	0		MV
Orp (field)	LGW-9	7/18/2017	67.2	0		MV
Orp (field)	LGW-9	8/1/2017	82	0		MV
Orp (field)	LGW-9	9/5/2017	95	0		MV
Orp (field)	LGW-9	10/5/2017	89.3	0		MV
Orp (field)	LGW-9	11/1/2017	88.1	0		MV
Orp (field)	LGW-9	6/5/2018	131.6	0		MV
Orp (field)	LGW-9	6/5/2018	131.6	0		MV
Orp (field)	LGW-9	9/5/2018	9	0		MV
Orp (field)	LGW-9	10/2/2018	63.3	0		MV
Orp (field)	LGW-9	10/2/2018	63.3	0		MV
Orp (field)	LGW-9	2/6/2019	0	0	ND	MV
Orp (field)	LGW-9	6/4/2019	6.2	0		MV
Orp (field)	LGW-9	7/10/2019	0	0	ND	MV
Orp (field)	MW-10N	7/10/2007	0	0	ND	MV
Orp (field)	MW-10N	7/10/2007	0	0	ND	MV
Orp (field)	MW-10N	1/23/2008	0	0	ND	MV
Orp (field)	MW-10N	7/21/2008	127.8	0		MV
Orp (field)	MW-10N	8/10/2010	0	0	ND	MV
Orp (field)	MW-10N	1/19/2011	0	0	ND	MV
Orp (field)	MW-10N	7/14/2011	0	0	ND	MV
Orp (field)	MW-10N	1/5/2012	0	0	ND	MV
Orp (field)	MW-10N	7/10/2012	0	0	ND	MV
Orp (field)	MW-10N	5/1/2013	0	0	ND	MV
Orp (field)	MW-10N	1/24/2014	0	0	ND	MV
Orp (field)	MW-10N	7/9/2014	42	0		MV
Orp (field)	MW-10N	2/12/2015	139.7	0		MV
Orp (field)	MW-10N	7/14/2015	0	0	ND	MV
Orp (field)	MW-10N	1/6/2016	53.8	0		MV
Orp (field)	MW-10N	7/21/2016	70.8	0		MV
Orp (field)	MW-10N	1/11/2017	45.7	0		MV
Orp (field)	MW-10N	7/19/2017	30.7	0		MV
Orp (field)	MW-11N	7/10/2007	0	0	ND	MV
Orp (field)	MW-11N	7/10/2007	0	0	ND	MV
Orp (field)	MW-11N	7/23/2008	14.33	0		MV
Orp (field)	MW-11N	2/3/2009	34	0		MV
Orp (field)	MW-11N	7/16/2010	0	0	ND	MV
Orp (field)	MW-11N	1/19/2011	0	0	ND	MV
Orp (field)	MW-11N	7/13/2011	0	0	ND	MV
Orp (field)	MW-11N	1/4/2012	0	0	ND	MV
Orp (field)	MW-11N	7/9/2012	70.7	0		MV
Orp (field)	MW-11N	4/30/2013	74.6	0		MV
Orp (field)	MW-11N	7/15/2013	147.5	0		MV
Orp (field)	MW-11N	1/23/2014	132.8	0		MV
Orp (field)	MW-11N	7/8/2014	71.6	0		MV
Orp (field)	MW-11N	2/10/2015	103.8	0		MV
Orp (field)	MW-11N	7/13/2015	30.2	0		MV
Orp (field)	MW-11N	1/5/2016	50.9	0		MV
Orp (field)	MW-11N	7/21/2016	13.9	0		MV
Orp (field)	MW-11N	1/11/2017	77.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-11N	7/19/2017	43.4	0		MV
Orp (field)	MW-15	6/2/2015	108	0		MV
Orp (field)	MW-15	6/5/2015	144.4	0		MV
Orp (field)	MW-15	7/15/2015	71.3	0		MV
Orp (field)	MW-15	8/5/2015	149	0		MV
Orp (field)	MW-15	9/3/2015	133.1	0		MV
Orp (field)	MW-15	10/6/2015	126.7	0		MV
Orp (field)	MW-15	11/5/2015	106.7	0		MV
Orp (field)	MW-15	12/4/2015	94.6	0		MV
Orp (field)	MW-15	1/7/2016	84.6	0		MV
Orp (field)	MW-15	2/4/2016	54.1	0		MV
Orp (field)	MW-15	3/2/2016	89.2	0		MV
Orp (field)	MW-15	4/5/2016	59	0		MV
Orp (field)	MW-15	5/11/2016	80.6	0		MV
Orp (field)	MW-15	6/1/2016	107.4	0		MV
Orp (field)	MW-15	7/20/2016	90.3	0		MV
Orp (field)	MW-15	8/10/2016	90.1	0		MV
Orp (field)	MW-15	9/6/2016	92.5	0		MV
Orp (field)	MW-15	10/6/2016	93	0		MV
Orp (field)	MW-15	11/2/2016	71.2	0		MV
Orp (field)	MW-15	12/1/2016	223.8	0		MV
Orp (field)	MW-15	1/10/2017	79.1	0		MV
Orp (field)	MW-15	2/7/2017	77.1	0		MV
Orp (field)	MW-15	3/2/2017	98.8	0		MV
Orp (field)	MW-15	4/4/2017	82.9	0		MV
Orp (field)	MW-15	5/2/2017	33.8	0		MV
Orp (field)	MW-15	6/6/2017	80.3	0		MV
Orp (field)	MW-15	7/18/2017	81.9	0		MV
Orp (field)	MW-15	8/1/2017	102.1	0		MV
Orp (field)	MW-15	9/5/2017	100.5	0		MV
Orp (field)	MW-15	10/6/2017	80.6	0		MV
Orp (field)	MW-15	11/1/2017	79.3	0		MV
Orp (field)	MW-15	6/5/2018	95	0		MV
Orp (field)	MW-15	9/4/2018	90.2	0		MV
Orp (field)	MW-15	10/2/2018	139	0		MV
Orp (field)	MW-15	10/2/2018	139	0		MV
Orp (field)	MW-15	2/5/2019	0	0	ND	MV
Orp (field)	MW-15	6/4/2019	499.8	0		MV
Orp (field)	MW-16	6/2/2015	132.5	0		MV
Orp (field)	MW-16	6/5/2015	141.1	0		MV
Orp (field)	MW-16	7/16/2015	180.4	0		MV
Orp (field)	MW-16	8/5/2015	107.1	0		MV
Orp (field)	MW-16	9/3/2015	87.9	0		MV
Orp (field)	MW-16	10/6/2015	114.7	0		MV
Orp (field)	MW-16	11/5/2015	90.1	0		MV
Orp (field)	MW-16	12/4/2015	78.5	0		MV
Orp (field)	MW-16	1/8/2016	87.1	0		MV
Orp (field)	MW-16	2/4/2016	41.2	0		MV
Orp (field)	MW-16	3/2/2016	87.8	0		MV
Orp (field)	MW-16	4/5/2016	24.3	0		MV
Orp (field)	MW-16	5/11/2016	58.2	0		MV
Orp (field)	MW-16	6/2/2016	130	0		MV
Orp (field)	MW-16	7/21/2016	79.3	0		MV
Orp (field)	MW-16	8/10/2016	68.6	0		MV
Orp (field)	MW-16	9/6/2016	84.8	0		MV
Orp (field)	MW-16	10/5/2016	98.1	0		MV
Orp (field)	MW-16	11/2/2016	54.7	0		MV
Orp (field)	MW-16	12/1/2016	138.5	0		MV
Orp (field)	MW-16	1/10/2017	49.9	0		MV
Orp (field)	MW-16	2/7/2017	72.5	0		MV
Orp (field)	MW-16	3/2/2017	83.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-16	4/4/2017	117.7	0		MV
Orp (field)	MW-16	5/2/2017	42.4	0		MV
Orp (field)	MW-16	6/6/2017	85.2	0		MV
Orp (field)	MW-16	7/18/2017	43.6	0		MV
Orp (field)	MW-16	8/1/2017	35.2	0		MV
Orp (field)	MW-16	9/5/2017	43.5	0		MV
Orp (field)	MW-16	10/6/2017	47.3	0		MV
Orp (field)	MW-16	11/1/2017	56.4	0		MV
Orp (field)	MW-16	6/5/2018	101.1	0		MV
Orp (field)	MW-16	9/5/2018	89.8	0		MV
Orp (field)	MW-16	10/2/2018	100.5	0		MV
Orp (field)	MW-16	2/5/2019	20.7	0		MV
Orp (field)	MW-16	6/4/2019	435.1	0		MV
Orp (field)	MW-17	6/2/2015	148.7	0		MV
Orp (field)	MW-17	6/5/2015	128.9	0		MV
Orp (field)	MW-17	7/15/2015	97.6	0		MV
Orp (field)	MW-17	8/4/2015	134	0		MV
Orp (field)	MW-17	9/2/2015	89.9	0		MV
Orp (field)	MW-17	10/5/2015	96.2	0		MV
Orp (field)	MW-17	11/5/2015	84.2	0		MV
Orp (field)	MW-17	12/3/2015	47.3	0		MV
Orp (field)	MW-17	1/7/2016	116.6	0		MV
Orp (field)	MW-17	2/3/2016	111.6	0		MV
Orp (field)	MW-17	3/2/2016	89	0		MV
Orp (field)	MW-17	4/5/2016	19.3	0		MV
Orp (field)	MW-17	5/12/2016	2.9	0		MV
Orp (field)	MW-17	6/1/2016	45.9	0		MV
Orp (field)	MW-17	7/20/2016	71.4	0		MV
Orp (field)	MW-17	8/11/2016	86.3	0		MV
Orp (field)	MW-17	9/6/2016	69.9	0		MV
Orp (field)	MW-17	10/6/2016	113.4	0		MV
Orp (field)	MW-17	11/3/2016	98.8	0		MV
Orp (field)	MW-17	12/2/2016	175.9	0		MV
Orp (field)	MW-17	1/10/2017	38	0		MV
Orp (field)	MW-17	2/7/2017	56.7	0		MV
Orp (field)	MW-17	3/2/2017	72.4	0		MV
Orp (field)	MW-17	4/4/2017	121.1	0		MV
Orp (field)	MW-17	5/2/2017	47.2	0		MV
Orp (field)	MW-17	5/16/2017	55.9	0		MV
Orp (field)	MW-17	6/6/2017	98.8	0		MV
Orp (field)	MW-17	7/18/2017	24.1	0		MV
Orp (field)	MW-17	8/1/2017	28.6	0		MV
Orp (field)	MW-17	9/5/2017	42.1	0		MV
Orp (field)	MW-17	10/6/2017	51.6	0		MV
Orp (field)	MW-17	11/1/2017	51.6	0		MV
Orp (field)	MW-17	6/5/2018	129.3	0		MV
Orp (field)	MW-17	9/5/2018	113.3	0		MV
Orp (field)	MW-17	10/1/2018	131.9	0		MV
Orp (field)	MW-17	10/1/2018	131.9	0		MV
Orp (field)	MW-17	2/5/2019	0	0	ND	MV
Orp (field)	MW-17	6/5/2019	296.1	0		MV
Orp (field)	MW-19	6/2/2015	170.2	0		MV
Orp (field)	MW-19	6/5/2015	117.6	0		MV
Orp (field)	MW-19	7/16/2015	143.5	0		MV
Orp (field)	MW-19	8/5/2015	87.1	0		MV
Orp (field)	MW-19	9/3/2015	53.9	0		MV
Orp (field)	MW-19	10/6/2015	92.5	0		MV
Orp (field)	MW-19	11/5/2015	74.1	0		MV
Orp (field)	MW-19	12/4/2015	105.1	0		MV
Orp (field)	MW-19	1/7/2016	71.6	0		MV
Orp (field)	MW-19	2/3/2016	70.2	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-19	3/3/2016	45.9	0		MV
Orp (field)	MW-19	4/5/2016	3.3	0		MV
Orp (field)	MW-19	5/12/2016	7.62	0		MV
Orp (field)	MW-19	6/2/2016	132.5	0		MV
Orp (field)	MW-19	7/21/2016	54.9	0		MV
Orp (field)	MW-19	8/11/2016	61.6	0		MV
Orp (field)	MW-19	9/6/2016	61.4	0		MV
Orp (field)	MW-19	10/5/2016	51.8	0		MV
Orp (field)	MW-19	11/3/2016	73.3	0		MV
Orp (field)	MW-19	12/1/2016	173.5	0		MV
Orp (field)	MW-19	1/10/2017	14.1	0		MV
Orp (field)	MW-19	2/7/2017	41.2	0		MV
Orp (field)	MW-19	3/2/2017	52.3	0		MV
Orp (field)	MW-19	4/4/2017	122.5	0		MV
Orp (field)	MW-19	5/2/2017	62.4	0		MV
Orp (field)	MW-19	6/6/2017	95.6	0		MV
Orp (field)	MW-19	7/18/2017	40.9	0		MV
Orp (field)	MW-19	8/1/2017	35.6	0		MV
Orp (field)	MW-19	9/5/2017	37.1	0		MV
Orp (field)	MW-19	10/6/2017	57.1	0		MV
Orp (field)	MW-19	11/1/2017	43.8	0		MV
Orp (field)	MW-19	6/5/2018	120.9	0		MV
Orp (field)	MW-19	9/5/2018	77	0		MV
Orp (field)	MW-19	10/2/2018	89.9	0		MV
Orp (field)	MW-19	10/2/2018	89.9	0		MV
Orp (field)	MW-19	2/6/2019	24.5	0		MV
Orp (field)	MW-19	6/4/2019	421.1	0		MV
Orp (field)	MW-1N	7/10/2007	0	0	ND	MV
Orp (field)	MW-1N	7/11/2007	0	0	ND	MV
Orp (field)	MW-1N	1/24/2008	0	0	ND	MV
Orp (field)	MW-1N	7/21/2008	94	0		MV
Orp (field)	MW-1N	7/13/2010	0	0	ND	MV
Orp (field)	MW-1N	1/20/2011	0	0	ND	MV
Orp (field)	MW-1N	7/13/2011	0	0	ND	MV
Orp (field)	MW-1N	1/5/2012	0	0	ND	MV
Orp (field)	MW-1N	7/10/2012	0	0	ND	MV
Orp (field)	MW-1N	5/1/2013	0	0	ND	MV
Orp (field)	MW-1N	7/16/2013	0	0	ND	MV
Orp (field)	MW-1N	1/24/2014	59.7	0		MV
Orp (field)	MW-1N	7/9/2014	32.2	0		MV
Orp (field)	MW-1N	2/10/2015	120.8	0		MV
Orp (field)	MW-1N	7/14/2015	0	0	ND	MV
Orp (field)	MW-1N	1/6/2016	37.1	0		MV
Orp (field)	MW-1N	7/21/2016	30.9	0		MV
Orp (field)	MW-1N	1/12/2017	2.6	0		MV
Orp (field)	MW-1N	7/19/2017	21.3	0		MV
Orp (field)	MW-1N	10/3/2018	81.8	0		MV
Orp (field)	MW-20	6/2/2015	171.7	0		MV
Orp (field)	MW-20	6/5/2015	158.5	0		MV
Orp (field)	MW-20	7/14/2015	33.7	0		MV
Orp (field)	MW-20	8/4/2015	136.3	0		MV
Orp (field)	MW-20	9/2/2015	105.2	0		MV
Orp (field)	MW-20	10/5/2015	105	0		MV
Orp (field)	MW-20	1/7/2016	94.8	0		MV
Orp (field)	MW-20	4/5/2016	23.2	0		MV
Orp (field)	MW-20	7/20/2016	75.6	0		MV
Orp (field)	MW-20	10/5/2016	38.1	0		MV
Orp (field)	MW-20	1/12/2017	0	0	ND	MV
Orp (field)	MW-20	7/18/2017	50.2	0		MV
Orp (field)	MW-21	6/2/2015	14.7	0		MV
Orp (field)	MW-21	6/5/2015	17.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-21	7/14/2015	6	0		MV
Orp (field)	MW-21	8/4/2015	49.6	0		MV
Orp (field)	MW-21	9/2/2015	38.6	0		MV
Orp (field)	MW-21	10/5/2015	53.8	0		MV
Orp (field)	MW-21	1/7/2016	63.5	0		MV
Orp (field)	MW-21	2/10/2016	22	0		MV
Orp (field)	MW-21	4/5/2016	24.8	0		MV
Orp (field)	MW-21	7/20/2016	56.5	0		MV
Orp (field)	MW-21	10/5/2016	62.5	0		MV
Orp (field)	MW-21	1/10/2017	46.5	0		MV
Orp (field)	MW-21	4/5/2017	19.2	0		MV
Orp (field)	MW-21	7/19/2017	17.1	0		MV
Orp (field)	MW-21	10/6/2017	51.6	0		MV
Orp (field)	MW-21	10/4/2018	1.9	0		MV
Orp (field)	MW-21	7/11/2019	0	0	ND	MV
Orp (field)	MW-2N	7/10/2007	28	0		MV
Orp (field)	MW-2N	7/11/2007	28	0		MV
Orp (field)	MW-2N	1/24/2008	0	0	ND	MV
Orp (field)	MW-2N	7/22/2008	111.6	0		MV
Orp (field)	MW-2N	7/13/2010	0	0	ND	MV
Orp (field)	MW-2N	1/20/2011	3.1	0		MV
Orp (field)	MW-2N	7/13/2011	0	0	ND	MV
Orp (field)	MW-2N	1/5/2012	0	0	ND	MV
Orp (field)	MW-2N	7/10/2012	57.2	0		MV
Orp (field)	MW-2N	5/1/2013	14.1	0		MV
Orp (field)	MW-2N	7/16/2013	93.1	0		MV
Orp (field)	MW-2N	1/24/2014	73	0		MV
Orp (field)	MW-2N	7/9/2014	47.6	0		MV
Orp (field)	MW-2N	2/12/2015	153.8	0		MV
Orp (field)	MW-2N	7/14/2015	45.3	0		MV
Orp (field)	MW-2N	1/6/2016	27.6	0		MV
Orp (field)	MW-2N	7/21/2016	34.1	0		MV
Orp (field)	MW-2N	1/11/2017	16.6	0		MV
Orp (field)	MW-2N	7/19/2017	42	0		MV
Orp (field)	MW-2N	6/21/2018	0	0	ND	MV
Orp (field)	MW-3N	7/10/2007	23	0		MV
Orp (field)	MW-3N	7/11/2007	23	0		MV
Orp (field)	MW-3N	1/24/2008	0	0	ND	MV
Orp (field)	MW-3N	7/22/2008	12.8	0		MV
Orp (field)	MW-3N	7/13/2010	0	0	ND	MV
Orp (field)	MW-3N	1/20/2011	0	0	ND	MV
Orp (field)	MW-3N	7/14/2011	0	0	ND	MV
Orp (field)	MW-3N	1/5/2012	0	0	ND	MV
Orp (field)	MW-3N	7/11/2012	24.9	0		MV
Orp (field)	MW-3N	5/1/2013	37.9	0		MV
Orp (field)	MW-3N	6/4/2013	40.1	0		MV
Orp (field)	MW-3N	7/16/2013	55.7	0		MV
Orp (field)	MW-3N	1/24/2014	66.1	0		MV
Orp (field)	MW-3N	7/9/2014	50.5	0		MV
Orp (field)	MW-3N	2/12/2015	178.6	0		MV
Orp (field)	MW-3N	4/1/2015	44.1	0		MV
Orp (field)	MW-3N	7/14/2015	56.9	0		MV
Orp (field)	MW-3N	10/5/2015	57.4	0		MV
Orp (field)	MW-3N	1/6/2016	3.3	0		MV
Orp (field)	MW-3N	4/6/2016	38.2	0		MV
Orp (field)	MW-3N	7/21/2016	20.1	0		MV
Orp (field)	MW-3N	10/6/2016	53.9	0		MV
Orp (field)	MW-3N	1/11/2017	0	0	ND	MV
Orp (field)	MW-3N	4/4/2017	136	0		MV
Orp (field)	MW-3N	7/19/2017	35.9	0		MV
Orp (field)	MW-3N	10/9/2017	47.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-3N	6/6/2018	138	0		MV
Orp (field)	MW-3N	10/3/2018	21.3	0		MV
Orp (field)	MW-3N	10/3/2018	21.3	0		MV
Orp (field)	MW-3N	7/11/2019	0	0	ND	MV
Orp (field)	MW-7N	6/1/2007	24	0		MV
Orp (field)	MW-7N	6/1/2007	24	0		MV
Orp (field)	MW-7N	6/28/2007	2	0		MV
Orp (field)	MW-7N	6/28/2007	2	0		MV
Orp (field)	MW-7N	7/10/2007	0	0	ND	MV
Orp (field)	MW-7N	7/10/2007	0	0	ND	MV
Orp (field)	MW-7N	9/27/2007	0	0	ND	MV
Orp (field)	MW-7N	10/24/2007	0	0	ND	MV
Orp (field)	MW-7N	10/24/2007	0	0	ND	MV
Orp (field)	MW-7N	11/27/2007	0	0	ND	MV
Orp (field)	MW-7N	12/27/2007	0	0	ND	MV
Orp (field)	MW-7N	1/25/2008	0	0	ND	MV
Orp (field)	MW-7N	7/21/2008	18.1	0		MV
Orp (field)	MW-7N	8/28/2009	0	0	ND	MV
Orp (field)	MW-7N	2/15/2010	0	0	ND	MV
Orp (field)	MW-7N	3/3/2010	0	0	ND	MV
Orp (field)	MW-7N	4/8/2010	0	0	ND	MV
Orp (field)	MW-7N	5/6/2010	22.4	0		MV
Orp (field)	MW-7N	6/16/2010	0	0	ND	MV
Orp (field)	MW-7N	7/14/2010	0	0	ND	MV
Orp (field)	MW-7N	8/11/2010	0	0	ND	MV
Orp (field)	MW-7N	9/2/2010	33	0		MV
Orp (field)	MW-7N	9/2/2010	33	0		MV
Orp (field)	MW-7N	9/29/2010	0	0	ND	MV
Orp (field)	MW-7N	11/3/2010	82.8	0		MV
Orp (field)	MW-7N	12/2/2010	64.5	0		MV
Orp (field)	MW-7N	1/20/2011	0	0	ND	MV
Orp (field)	MW-7N	2/7/2011	46.1	0		MV
Orp (field)	MW-7N	3/3/2011	27.1	0		MV
Orp (field)	MW-7N	4/5/2011	27.8	0		MV
Orp (field)	MW-7N	5/10/2011	1.8	0		MV
Orp (field)	MW-7N	6/1/2011	43.8	0		MV
Orp (field)	MW-7N	7/12/2011	0	0	ND	MV
Orp (field)	MW-7N	8/4/2011	0	0	ND	MV
Orp (field)	MW-7N	9/7/2011	8.8	0		MV
Orp (field)	MW-7N	10/5/2011	0	0	ND	MV
Orp (field)	MW-7N	11/1/2011	29.8	0		MV
Orp (field)	MW-7N	12/8/2011	8.3	0		MV
Orp (field)	MW-7N	1/5/2012	0	0	ND	MV
Orp (field)	MW-7N	2/1/2012	16.7	0		MV
Orp (field)	MW-7N	3/7/2012	27	0		MV
Orp (field)	MW-7N	4/5/2012	51.5	0		MV
Orp (field)	MW-7N	5/1/2012	60.4	0		MV
Orp (field)	MW-7N	5/10/2012	43.7	0		MV
Orp (field)	MW-7N	6/5/2012	16.6	0		MV
Orp (field)	MW-7N	7/10/2012	62.3	0		MV
Orp (field)	MW-7N	8/9/2012	82.9	0		MV
Orp (field)	MW-7N	9/4/2012	91.5	0		MV
Orp (field)	MW-7N	10/7/2012	53.8	0		MV
Orp (field)	MW-7N	5/1/2013	0	0	ND	MV
Orp (field)	MW-7N	6/4/2013	9	0		MV
Orp (field)	MW-7N	6/4/2013	9	0		MV
Orp (field)	MW-7N	7/15/2013	60.8	0		MV
Orp (field)	MW-7N	8/8/2013	46	0		MV
Orp (field)	MW-7N	9/10/2013	68.6	0		MV
Orp (field)	MW-7N	10/1/2013	883	0		MV
Orp (field)	MW-7N	11/6/2013	80.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-7N	12/2/2013	65.4	0		MV
Orp (field)	MW-7N	1/30/2014	53.1	0		MV
Orp (field)	MW-7N	2/13/2014	80	0		MV
Orp (field)	MW-7N	3/11/2014	60.2	0		MV
Orp (field)	MW-7N	4/2/2014	83.2	0		MV
Orp (field)	MW-7N	5/7/2014	108.5	0		MV
Orp (field)	MW-7N	6/3/2014	89.1	0		MV
Orp (field)	MW-7N	7/9/2014	77.8	0		MV
Orp (field)	MW-7N	8/5/2014	76.3	0		MV
Orp (field)	MW-7N	9/4/2014	57	0		MV
Orp (field)	MW-7N	10/9/2014	0	0	ND	MV
Orp (field)	MW-7N	11/3/2014	124.8	0		MV
Orp (field)	MW-7N	1/14/2015	117.9	0		MV
Orp (field)	MW-7N	2/12/2015	90.9	0		MV
Orp (field)	MW-7N	3/3/2015	125.3	0		MV
Orp (field)	MW-7N	4/1/2015	55.4	0		MV
Orp (field)	MW-7N	5/7/2015	49.6	0		MV
Orp (field)	MW-7N	6/3/2015	66.2	0		MV
Orp (field)	MW-7N	7/13/2015	43.2	0		MV
Orp (field)	MW-7N	8/4/2015	21.6	0		MV
Orp (field)	MW-7N	9/3/2015	5.6	0		MV
Orp (field)	MW-7N	10/6/2015	31	0		MV
Orp (field)	MW-7N	11/4/2015	48.8	0		MV
Orp (field)	MW-7N	12/3/2015	34.2	0		MV
Orp (field)	MW-7N	1/5/2016	9.2	0		MV
Orp (field)	MW-7N	2/3/2016	1.1	0		MV
Orp (field)	MW-7N	3/2/2016	70.9	0		MV
Orp (field)	MW-7N	4/5/2016	25.5	0		MV
Orp (field)	MW-7N	5/11/2016	47.3	0		MV
Orp (field)	MW-7N	6/1/2016	44.2	0		MV
Orp (field)	MW-7N	7/21/2016	36.5	0		MV
Orp (field)	MW-7N	8/10/2016	58.7	0		MV
Orp (field)	MW-7N	9/6/2016	79.6	0		MV
Orp (field)	MW-7N	10/6/2016	74.1	0		MV
Orp (field)	MW-7N	11/2/2016	84.6	0		MV
Orp (field)	MW-7N	12/1/2016	126.3	0		MV
Orp (field)	MW-7N	1/11/2017	48.4	0		MV
Orp (field)	MW-7N	2/7/2017	43.7	0		MV
Orp (field)	MW-7N	3/2/2017	78.2	0		MV
Orp (field)	MW-7N	3/2/2017	78.2	0		MV
Orp (field)	MW-7N	4/4/2017	79.8	0		MV
Orp (field)	MW-7N	5/16/2017	113.1	0		MV
Orp (field)	MW-7N	6/6/2017	120.6	0		MV
Orp (field)	MW-7N	7/19/2017	52	0		MV
Orp (field)	MW-7N	8/1/2017	67.1	0		MV
Orp (field)	MW-7N	9/5/2017	71.5	0		MV
Orp (field)	MW-7N	10/5/2017	89.5	0		MV
Orp (field)	MW-7N	11/1/2017	64.2	0		MV
Orp (field)	MW-7N	6/5/2018	52.8	0		MV
Orp (field)	MW-7N	6/5/2018	52.8	0		MV
Orp (field)	MW-7N	9/5/2018	12.9	0		MV
Orp (field)	MW-7N	10/4/2018	99.5	0		MV
Orp (field)	MW-7N	2/5/2019	25.6	0		MV
Orp (field)	MW-7N	6/4/2019	379.5	0		MV
Orp (field)	MW-8N	7/10/2007	128	0		MV
Orp (field)	MW-8N	7/10/2007	128	0		MV
Orp (field)	MW-8N	10/24/2007	122	0		MV
Orp (field)	MW-8N	10/24/2007	122	0		MV
Orp (field)	MW-8N	1/24/2008	0	0	ND	MV
Orp (field)	MW-8N	7/23/2008	216.4	0		MV
Orp (field)	MW-8N	10/21/2008	128.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-8N	2/4/2009	103.3	0		MV
Orp (field)	MW-8N	4/16/2009	90.9	0		MV
Orp (field)	MW-8N	10/26/2009	67	0		MV
Orp (field)	MW-8N	4/8/2010	14.2	0		MV
Orp (field)	MW-8N	7/16/2010	2.9	0		MV
Orp (field)	MW-8N	9/2/2010	0	0	ND	MV
Orp (field)	MW-8N	9/30/2010	0	0	ND	MV
Orp (field)	MW-8N	1/19/2011	0	0	ND	MV
Orp (field)	MW-8N	5/10/2011	5.3	0		MV
Orp (field)	MW-8N	7/14/2011	0	0	ND	MV
Orp (field)	MW-8N	1/6/2012	0	0	ND	MV
Orp (field)	MW-8N	4/5/2012	68	0		MV
Orp (field)	MW-8N	7/11/2012	20.5	0		MV
Orp (field)	MW-8N	10/3/2012	118.3	0		MV
Orp (field)	MW-8N	5/1/2013	65.2	0		MV
Orp (field)	MW-8N	6/4/2013	150.3	0		MV
Orp (field)	MW-8N	7/16/2013	122.6	0		MV
Orp (field)	MW-8N	10/2/2013	162.9	0		MV
Orp (field)	MW-8N	1/30/2014	50.6	0		MV
Orp (field)	MW-8N	4/3/2014	114.5	0		MV
Orp (field)	MW-8N	7/9/2014	52.7	0		MV
Orp (field)	MW-8N	10/8/2014	25.3	0		MV
Orp (field)	MW-8N	2/12/2015	126.3	0		MV
Orp (field)	MW-8N	4/1/2015	74.4	0		MV
Orp (field)	MW-8N	7/14/2015	32.8	0		MV
Orp (field)	MW-8N	10/5/2015	84	0		MV
Orp (field)	MW-8N	1/5/2016	35.8	0		MV
Orp (field)	MW-8N	4/6/2016	67.3	0		MV
Orp (field)	MW-8N	7/21/2016	38.7	0		MV
Orp (field)	MW-8N	10/6/2016	94.7	0		MV
Orp (field)	MW-8N	1/11/2017	32.6	0		MV
Orp (field)	MW-8N	4/4/2017	68.5	0		MV
Orp (field)	MW-8N	7/19/2017	88.5	0		MV
Orp (field)	MW-8N	10/6/2017	130.8	0		MV
Orp (field)	MW-8N	6/6/2018	120.3	0		MV
Orp (field)	MW-8N	10/2/2018	179.3	0		MV
Orp (field)	MW-8N	7/11/2019	0	0	ND	MV
Orp (field)	NE-1	7/10/2007	113	0		MV
Orp (field)	NE-1	7/10/2007	113	0		MV
Orp (field)	NE-1	10/24/2007	20	0		MV
Orp (field)	NE-1	10/24/2007	20	0		MV
Orp (field)	NE-1	1/24/2008	0	0	ND	MV
Orp (field)	NE-1	7/21/2008	105.7	0		MV
Orp (field)	NE-1	2/7/2009	2.2	0		MV
Orp (field)	NE-1	7/14/2010	0	0	ND	MV
Orp (field)	NE-1	9/2/2010	0	0	ND	MV
Orp (field)	NE-1	9/30/2010	0	0	ND	MV
Orp (field)	NE-1	1/19/2011	60.8	0		MV
Orp (field)	NE-1	7/13/2011	0	0	ND	MV
Orp (field)	NE-1	1/5/2012	0	0	ND	MV
Orp (field)	NE-1	7/10/2012	57.6	0		MV
Orp (field)	NE-1	4/30/2013	56.5	0		MV
Orp (field)	NE-1	7/16/2013	101.9	0		MV
Orp (field)	NE-1	1/23/2014	131.6	0		MV
Orp (field)	NE-1	7/9/2014	80	0		MV
Orp (field)	NE-1	2/11/2015	89.6	0		MV
Orp (field)	NE-1	7/8/2015	89.8	0		MV
Orp (field)	NE-1	1/6/2016	76.5	0		MV
Orp (field)	NE-1	7/20/2016	114.5	0		MV
Orp (field)	NE-1	1/11/2017	61.3	0		MV
Orp (field)	NE-1	7/19/2017	74.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	NE-1	10/2/2018	158	0		MV
Orp (field)	NE-1	7/10/2019	0	0	ND	MV
Orp (field)	NE-1	7/10/2019	0	0	ND	MV
Orp (field)	NE-10D	11/6/2019	95.6	0		MV
Orp (field)	NE-11	3/1/2017	109.7	0		MV
Orp (field)	NE-11	4/6/2017	151.1	0		MV
Orp (field)	NE-11	7/20/2017	51.2	0		MV
Orp (field)	NE-11	10/9/2017	35.2	0		MV
Orp (field)	NE-12	3/1/2017	100.7	0		MV
Orp (field)	NE-12	4/6/2017	147.6	0		MV
Orp (field)	NE-12	7/20/2017	85.6	0		MV
Orp (field)	NE-12	10/6/2017	86.9	0		MV
Orp (field)	NE-12	7/9/2019	37.7	0		MV
Orp (field)	NE-13	2/5/2019	137.1	0		MV
Orp (field)	NE-13	7/11/2019	110	0		MV
Orp (field)	NE-2	10/26/2009	89.6	0		MV
Orp (field)	NE-2	9/2/2010	0	0	ND	MV
Orp (field)	NE-2	9/30/2010	0	0	ND	MV
Orp (field)	NE-2	4/5/2012	68.7	0		MV
Orp (field)	NE-2	10/1/2013	116.1	0		MV
Orp (field)	NE-2	10/5/2015	103.1	0		MV
Orp (field)	NE-2	10/6/2016	109.3	0		MV
Orp (field)	NE-2	10/5/2017	116.8	0		MV
Orp (field)	NE-2	10/1/2018	13.93	0		MV
Orp (field)	NE-2	7/9/2019	58.9	0		MV
Orp (field)	NE-2	7/9/2019	58.9	0		MV
Orp (field)	NE-3	9/2/2010	18.5	0		MV
Orp (field)	NE-4	7/10/2007	121	0		MV
Orp (field)	NE-4	7/12/2007	121	0		MV
Orp (field)	NE-4	1/24/2008	0	0	ND	MV
Orp (field)	NE-4	7/21/2008	120.2	0		MV
Orp (field)	NE-4	2/7/2009	8.4	0		MV
Orp (field)	NE-4	7/14/2010	0	0	ND	MV
Orp (field)	NE-4	1/19/2011	35.2	0		MV
Orp (field)	NE-4	7/13/2011	0	0	ND	MV
Orp (field)	NE-4	1/5/2012	0	0	ND	MV
Orp (field)	NE-4	7/10/2012	57	0		MV
Orp (field)	NE-4	4/30/2013	94.3	0		MV
Orp (field)	NE-4	7/16/2013	148.4	0		MV
Orp (field)	NE-4	1/23/2014	137.9	0		MV
Orp (field)	NE-4	7/9/2014	58.5	0		MV
Orp (field)	NE-4	2/13/2015	101.6	0		MV
Orp (field)	NE-4	7/8/2015	135.1	0		MV
Orp (field)	NE-4	1/6/2016	64.3	0		MV
Orp (field)	NE-4	7/20/2016	122.9	0		MV
Orp (field)	NE-4	1/11/2017	52.9	0		MV
Orp (field)	NE-4	7/19/2017	92.4	0		MV
Orp (field)	NE-4	10/3/2018	100.3	0		MV
Orp (field)	NE-4	7/8/2019	0	0	ND	MV
Orp (field)	NE-4	7/8/2019	0	0	ND	MV
Orp (field)	NE-5	7/10/2007	67	0		MV
Orp (field)	NE-5	7/12/2007	67	0		MV
Orp (field)	NE-5	1/25/2008	0	0	ND	MV
Orp (field)	NE-5	7/22/2008	77.8	0		MV
Orp (field)	NE-5	7/16/2010	0	0	ND	MV
Orp (field)	NE-5	9/2/2010	0	0	ND	MV
Orp (field)	NE-5	1/19/2011	10.7	0		MV
Orp (field)	NE-5	7/13/2011	0	0	ND	MV
Orp (field)	NE-5	1/5/2012	0	0	ND	MV
Orp (field)	NE-5	7/10/2012	0	0	ND	MV
Orp (field)	NE-5	4/30/2013	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	NE-5	7/16/2013	0	0	ND	MV
Orp (field)	NE-5	1/23/2014	136.8	0		MV
Orp (field)	NE-5	7/9/2014	69	0		MV
Orp (field)	NE-5	2/11/2015	113.6	0		MV
Orp (field)	NE-5	7/14/2015	8.5	0		MV
Orp (field)	NE-5	1/6/2016	34.1	0		MV
Orp (field)	NE-5	2/11/2016	85.5	0		MV
Orp (field)	NE-5	7/20/2016	93.6	0		MV
Orp (field)	NE-5	1/11/2017	55.7	0		MV
Orp (field)	NE-5	7/19/2017	0	0	ND	MV
Orp (field)	NE-5	10/3/2018	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-6	1/12/2017	13.9	0		MV
Orp (field)	NE-6	4/5/2017	76.3	0		MV
Orp (field)	NE-6	7/19/2017	66.4	0		MV
Orp (field)	NE-6	10/6/2017	74.9	0		MV
Orp (field)	NE-6	2/4/2019	0	0	ND	MV
Orp (field)	NE-6	7/9/2019	0	0	ND	MV
Orp (field)	NE-7	3/1/2017	98.2	0		MV
Orp (field)	NE-7	4/6/2017	135.2	0		MV
Orp (field)	NE-7	7/20/2017	59.6	0		MV
Orp (field)	NE-7	10/5/2017	104.9	0		MV
Orp (field)	NE-7	2/6/2019	173.9	0		MV
Orp (field)	NE-7	7/10/2019	72.8	0		MV
Orp (field)	NE-8	1/12/2017	12.5	0		MV
Orp (field)	NE-8	4/5/2017	116.4	0		MV
Orp (field)	NE-8	7/20/2017	114.3	0		MV
Orp (field)	NE-8	10/6/2017	37	0		MV
Orp (field)	NE-8	2/4/2019	22.3	0		MV
Orp (field)	NE-8	7/11/2019	0	0	ND	MV
Orp (field)	NE-9	1/12/2017	13.3	0		MV
Orp (field)	NE-9	4/5/2017	83.7	0		MV
Orp (field)	NE-9	7/20/2017	102.4	0		MV
Orp (field)	NE-9	10/5/2017	83	0		MV
Orp (field)	NE-9	2/5/2019	32.3	0		MV
Orp (field)	NE-9	7/8/2019	13.3	0		MV
O-toluidine	LGW-10	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
O-toluidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
O-toluidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
O-toluidine	LGW-10	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-10	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-14R	10/27/2006	10	10	ND	ug/L
O-toluidine	LGW-14R	2/6/2009	10	10	ND	ug/L
O-toluidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
O-toluidine	LGW-14R	7/17/2018	10	10	ND	ug/L
O-toluidine	LGW-14R	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-2	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-2	2/13/2009	10	10	ND	ug/L
O-toluidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-2	2/13/2015	13	13	ND	ug/L
O-toluidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
O-toluidine	LGW-2	7/8/2020	10	10	ND	ug/L
O-toluidine	LGW-2	7/4/2021	10	10	ND	ug/L
O-toluidine	LGW-3R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	LGW-3R	2/3/2009	10	10	ND	ug/L
O-toluidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
O-toluidine	LGW-3R	7/11/2018	10	10	ND	ug/L
O-toluidine	LGW-3R	7/6/2021	10	10	ND	ug/L
O-toluidine	LGW-4	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-4	2/3/2009	10	10	ND	ug/L
O-toluidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
O-toluidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
O-toluidine	LGW-4	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-5	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-5	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
O-toluidine	LGW-5	7/12/2018	10	10	ND	ug/L
O-toluidine	LGW-5	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-6	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-6	2/5/2009	10	10	ND	ug/L
O-toluidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-6	2/10/2015	10	10	ND	ug/L
O-toluidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
O-toluidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
O-toluidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
O-toluidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
O-toluidine	LGW-6	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-6	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-7	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-7	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	7/12/2018	10	10	ND	ug/L
O-toluidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
O-toluidine	LGW-7	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-7	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-8R	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-8R	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
O-toluidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
O-toluidine	LGW-8R	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-9	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-9	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
O-toluidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	7/10/2019	10	10	ND	ug/L
O-toluidine	LGW-9	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-9	7/7/2021	10	10	ND	ug/L
O-toluidine	MW-10N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-10N	2/13/2009	10	10	ND	ug/L
O-toluidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
O-toluidine	MW-10N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-11N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-11N	2/10/2015	10	10	ND	ug/L
O-toluidine	MW-11N	7/17/2018	10	10	ND	ug/L
O-toluidine	MW-11N	7/6/2021	10	10	ND	ug/L
O-toluidine	MW-15	7/10/2018	10	10	ND	ug/L
O-toluidine	MW-15	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-16	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-17	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
O-toluidine	MW-19	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-1N	10/14/1998	10	10	ND	ug/L
O-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-1N	10/24/2006	10	10	ND	ug/L
O-toluidine	MW-1N	2/5/2009	10	10	ND	ug/L
O-toluidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
O-toluidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
O-toluidine	MW-1N	7/6/2020	10	10	ND	ug/L
O-toluidine	MW-1N	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-20	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
O-toluidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-21	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-21	7/8/2020	10	10	ND	ug/L
O-toluidine	MW-21	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-2N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-2N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
O-toluidine	MW-2N	7/12/2018	10	10	ND	ug/L
O-toluidine	MW-2N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-3N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-3N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
O-toluidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
O-toluidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
O-toluidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-3N	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-3N	7/7/2020	10	10	ND	ug/L
O-toluidine	MW-3N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-7N	10/15/1998	10	10	ND	ug/L
O-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-7N	10/24/2006	10	10	ND	ug/L
O-toluidine	MW-7N	2/6/2009	10	10	ND	ug/L
O-toluidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
O-toluidine	MW-7N	7/13/2018	10	10	ND	ug/L
O-toluidine	MW-7N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	MW-8N	1/24/2008	10	10	ND	ug/L
O-toluidine	MW-8N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
O-toluidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
O-toluidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
O-toluidine	MW-8N	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-8N	7/9/2020	10	10	ND	ug/L
O-toluidine	MW-8N	7/5/2021	10	10	ND	ug/L
O-toluidine	NE-1	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-1	2/7/2009	10	10	ND	ug/L
O-toluidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
O-toluidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
O-toluidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
O-toluidine	NE-4	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-4	2/7/2009	10	10	ND	ug/L
O-toluidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
O-toluidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
O-toluidine	NE-4	7/12/2018	10	10	ND	ug/L
O-toluidine	NE-5	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-5	2/6/2009	10	10	ND	ug/L
O-toluidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
O-toluidine	NE-5	7/9/2019	10	10	ND	ug/L
Parathion	LGW-10	10/26/2006	50	50	ND	ug/L
Parathion	LGW-10	7/9/2012	47	47	ND	ug/L
Parathion	LGW-10	2/12/2015	48	48	ND	ug/L
Parathion	LGW-10	10/6/2016	47	47	ND	ug/L
Parathion	LGW-10	10/9/2017	48	48	ND	ug/L
Parathion	LGW-10	7/16/2018	48	48	ND	ug/L
Parathion	LGW-10	7/11/2019	50	50	ND	ug/L
Parathion	LGW-14R	10/27/2006	50	50	ND	ug/L
Parathion	LGW-14R	2/6/2009	50	50	ND	ug/L
Parathion	LGW-14R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-14R	2/11/2015	49	49	ND	ug/L
Parathion	LGW-14R	7/17/2018	51	51	ND	ug/L
Parathion	LGW-2	10/26/2006	50	50	ND	ug/L
Parathion	LGW-2	2/13/2009	50	50	ND	ug/L
Parathion	LGW-2	7/9/2012	47	47	ND	ug/L
Parathion	LGW-2	2/13/2015	65	65	ND	ug/L
Parathion	LGW-2	7/12/2018	49	49	ND	ug/L
Parathion	LGW-3R	10/26/2006	50	50	ND	ug/L
Parathion	LGW-3R	2/3/2009	50	50	ND	ug/L
Parathion	LGW-3R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-3R	2/10/2015	49	49	ND	ug/L
Parathion	LGW-3R	7/11/2018	50	50	ND	ug/L
Parathion	LGW-4	10/26/2006	50	50	ND	ug/L
Parathion	LGW-4	2/3/2009	50	50	ND	ug/L
Parathion	LGW-4	7/9/2012	47	47	ND	ug/L
Parathion	LGW-4	2/11/2015	48	48	ND	ug/L
Parathion	LGW-4	7/11/2018	50	50	ND	ug/L
Parathion	LGW-5	10/26/2006	50	50	ND	ug/L
Parathion	LGW-5	2/4/2009	50	50	ND	ug/L
Parathion	LGW-5	7/9/2012	47	47	ND	ug/L
Parathion	LGW-5	2/10/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Parathion	LGW-5	7/12/2018	50	50	ND	ug/L
Parathion	LGW-6	10/26/2006	50	50	ND	ug/L
Parathion	LGW-6	2/5/2009	50	50	ND	ug/L
Parathion	LGW-6	7/9/2012	47	47	ND	ug/L
Parathion	LGW-6	2/10/2015	50	50	ND	ug/L
Parathion	LGW-6	10/6/2016	48	48	ND	ug/L
Parathion	LGW-6	10/5/2017	48	48	ND	ug/L
Parathion	LGW-6	7/17/2018	49	49	ND	ug/L
Parathion	LGW-6	7/10/2019	49	49	ND	ug/L
Parathion	LGW-7	10/26/2006	50	50	ND	ug/L
Parathion	LGW-7	2/4/2009	50	50	ND	ug/L
Parathion	LGW-7	7/10/2012	47	47	ND	ug/L
Parathion	LGW-7	2/11/2015	48	48	ND	ug/L
Parathion	LGW-7	10/6/2016	48	48	ND	ug/L
Parathion	LGW-7	10/5/2017	48	48	ND	ug/L
Parathion	LGW-7	7/12/2018	51	51	ND	ug/L
Parathion	LGW-7	7/10/2019	49	49	ND	ug/L
Parathion	LGW-8R	10/26/2006	50	50	ND	ug/L
Parathion	LGW-8R	2/4/2009	50	50	ND	ug/L
Parathion	LGW-8R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-8R	2/11/2015	49	49	ND	ug/L
Parathion	LGW-8R	7/13/2018	49	49	ND	ug/L
Parathion	LGW-9	10/26/2006	50	50	ND	ug/L
Parathion	LGW-9	2/4/2009	50	50	ND	ug/L
Parathion	LGW-9	7/10/2012	47	47	ND	ug/L
Parathion	LGW-9	2/11/2015	49	49	ND	ug/L
Parathion	LGW-9	10/6/2016	48	48	ND	ug/L
Parathion	LGW-9	10/5/2017	48	48	ND	ug/L
Parathion	LGW-9	7/13/2018	47	47	ND	ug/L
Parathion	LGW-9	7/10/2019	51	51	ND	ug/L
Parathion	MW-10N	10/25/2006	50	50	ND	ug/L
Parathion	MW-10N	2/13/2009	50	50	ND	ug/L
Parathion	MW-10N	7/10/2012	47	47	ND	ug/L
Parathion	MW-10N	2/12/2015	48	48	ND	ug/L
Parathion	MW-10N	7/11/2018	48	48	ND	ug/L
Parathion	MW-11N	10/25/2006	50	50	ND	ug/L
Parathion	MW-11N	2/3/2009	50	50	ND	ug/L
Parathion	MW-11N	7/9/2012	47	47	ND	ug/L
Parathion	MW-11N	2/10/2015	50	50	ND	ug/L
Parathion	MW-11N	7/17/2018	50	50	ND	ug/L
Parathion	MW-15	7/10/2018	51	51	ND	ug/L
Parathion	MW-16	7/11/2018	48	48	ND	ug/L
Parathion	MW-17	7/10/2018	47	47	ND	ug/L
Parathion	MW-19	7/13/2018	48	48	ND	ug/L
Parathion	MW-1N	10/14/1998	10	10	ND	ug/L
Parathion	MW-1N	5/29/2002	20	20	ND	ug/L
Parathion	MW-1N	5/29/2002	20	20	ND	ug/L
Parathion	MW-1N	10/24/2006	50	50	ND	ug/L
Parathion	MW-1N	2/5/2009	50	50	ND	ug/L
Parathion	MW-1N	7/10/2012	47	47	ND	ug/L
Parathion	MW-1N	2/10/2015	47	47	ND	ug/L
Parathion	MW-1N	7/10/2018	49	49	ND	ug/L
Parathion	MW-20	7/12/2018	47	47	ND	ug/L
Parathion	MW-21	10/5/2016	48	48	ND	ug/L
Parathion	MW-21	10/6/2017	48	48	ND	ug/L
Parathion	MW-21	7/11/2018	48	48	ND	ug/L
Parathion	MW-21	7/11/2019	50	50	ND	ug/L
Parathion	MW-2N	10/25/2006	50	50	ND	ug/L
Parathion	MW-2N	2/4/2009	50	50	ND	ug/L
Parathion	MW-2N	7/10/2012	47	47	ND	ug/L
Parathion	MW-2N	2/12/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Parathion	MW-2N	7/12/2018	51	51	ND	ug/L
Parathion	MW-3N	5/29/2002	20	20	ND	ug/L
Parathion	MW-3N	5/29/2002	20	20	ND	ug/L
Parathion	MW-3N	10/25/2006	50	50	ND	ug/L
Parathion	MW-3N	2/4/2009	50	50	ND	ug/L
Parathion	MW-3N	7/11/2012	47	47	ND	ug/L
Parathion	MW-3N	2/12/2015	49	49	ND	ug/L
Parathion	MW-3N	10/6/2016	48	48	ND	ug/L
Parathion	MW-3N	10/9/2017	48	48	ND	ug/L
Parathion	MW-3N	7/13/2018	47	47	ND	ug/L
Parathion	MW-3N	7/11/2019	50	50	ND	ug/L
Parathion	MW-7N	10/15/1998	10	10	ND	ug/L
Parathion	MW-7N	5/29/2002	20	20	ND	ug/L
Parathion	MW-7N	5/29/2002	20	20	ND	ug/L
Parathion	MW-7N	10/24/2006	50	50	ND	ug/L
Parathion	MW-7N	2/6/2009	50	50	ND	ug/L
Parathion	MW-7N	7/10/2012	47	47	ND	ug/L
Parathion	MW-7N	2/12/2015	49	49	ND	ug/L
Parathion	MW-7N	10/5/2017	49	49	ND	ug/L
Parathion	MW-7N	7/13/2018	52	52	ND	ug/L
Parathion	MW-8N	5/29/2002	20	20	ND	ug/L
Parathion	MW-8N	5/29/2002	20	20	ND	ug/L
Parathion	MW-8N	10/24/2006	50	50	ND	ug/L
Parathion	MW-8N	1/24/2008	50	50	ND	ug/L
Parathion	MW-8N	2/4/2009	50	50	ND	ug/L
Parathion	MW-8N	5/10/2011	48	48	ND	ug/L
Parathion	MW-8N	7/11/2012	47	47	ND	ug/L
Parathion	MW-8N	10/2/2013	48	48	ND	ug/L
Parathion	MW-8N	10/8/2014	48	48	ND	ug/L
Parathion	MW-8N	2/12/2015	48	48	ND	ug/L
Parathion	MW-8N	10/6/2016	48	48	ND	ug/L
Parathion	MW-8N	10/6/2017	48	48	ND	ug/L
Parathion	MW-8N	7/16/2018	49	49	ND	ug/L
Parathion	MW-8N	7/11/2019	50	50	ND	ug/L
Parathion	NE-1	10/25/2006	50	50	ND	ug/L
Parathion	NE-1	2/7/2009	50	50	ND	ug/L
Parathion	NE-1	7/10/2012	48	48	ND	ug/L
Parathion	NE-1	2/11/2015	48	48	ND	ug/L
Parathion	NE-1	7/18/2018	48	48	ND	ug/L
Parathion	NE-2	7/10/2018	48	48	ND	ug/L
Parathion	NE-4	10/25/2006	50	50	ND	ug/L
Parathion	NE-4	2/7/2009	50	50	ND	ug/L
Parathion	NE-4	7/10/2012	49	49	ND	ug/L
Parathion	NE-4	2/13/2015	48	48	ND	ug/L
Parathion	NE-4	7/12/2018	52	52	ND	ug/L
Parathion	NE-5	10/25/2006	50	50	ND	ug/L
Parathion	NE-5	2/6/2009	50	50	ND	ug/L
Parathion	NE-5	7/10/2012	47	47	ND	ug/L
Parathion	NE-5	2/11/2015	48	48	ND	ug/L
Parathion	NE-5	7/17/2018	48	48	ND	ug/L
Parathion	NE-5	7/9/2019	50	50	ND	ug/L
Pcb 1016	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-14R	10/27/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1016	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1016	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1016	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1016	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1016	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1016	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1016	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1016	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1016	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1016	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1016	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1016	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1016	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1016	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1016	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1016	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1016	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1016	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1016	LGW-9	10/6/2016	0.99	0.99	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1016	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1016	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1016	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1016	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1016	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1016	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1016	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1016	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1016	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1016	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1016	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1016	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1016	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1016	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1016	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1016	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1016	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1016	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1016	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1016	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1016	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1016	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1016	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1016	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1016	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1016	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1016	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1016	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1016	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1016	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1016	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1016	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1016	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1016	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1016	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1016	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1016	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1016	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1016	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1016	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1016	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1221	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1221	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1221	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1221	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1221	LGW-2	7/9/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1221	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1221	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1221	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1221	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1221	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1221	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1221	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1221	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1221	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1221	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1221	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1221	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1221	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1221	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1221	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1221	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1221	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1221	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1221	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1221	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1221	MW-10N	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1221	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1221	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1221	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1221	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1221	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1221	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1221	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1221	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1221	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1221	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1221	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1221	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1221	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1221	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1221	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1221	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1221	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1221	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1221	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1221	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1221	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1221	MW-7N	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1221	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1221	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1221	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1221	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1221	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1221	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1221	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1221	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1221	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1221	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1221	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1221	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1221	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1232	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1232	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1232	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1232	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1232	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1232	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1232	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1232	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1232	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1232	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1232	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1232	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1232	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1232	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1232	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1232	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1232	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1232	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1232	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1232	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1232	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1232	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1232	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1232	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1232	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1232	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1232	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1232	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1232	MW-11N	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1232	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1232	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1232	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1232	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1232	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1232	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1232	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1232	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1232	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1232	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1232	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1232	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1232	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1232	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1232	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1232	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1232	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1232	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-8N	5/10/2011	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1232	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1232	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1232	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1232	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1232	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1232	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1232	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1232	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1232	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1232	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1232	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1232	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1232	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1232	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1242	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1242	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1242	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1242	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1242	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1242	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1242	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1242	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1242	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1242	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1242	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1242	LGW-4	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1242	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1242	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1242	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1242	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1242	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1242	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1242	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1242	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1242	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1242	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1242	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1242	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1242	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1242	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1242	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1242	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1242	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1242	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1242	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1242	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1242	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1242	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1242	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-19	7/13/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1242	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1242	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1242	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1242	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1242	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1242	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1242	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1242	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1242	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1242	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1242	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1242	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1242	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1242	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	7/11/2019	0.51	0.51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1242	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1242	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1242	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1242	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1242	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1242	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1242	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1242	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1242	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1242	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1242	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1248	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1248	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1248	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1248	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1248	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1248	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1248	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1248	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1248	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1248	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1248	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1248	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-6	2/5/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1248	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1248	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1248	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1248	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1248	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1248	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1248	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1248	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1248	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1248	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1248	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1248	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1248	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1248	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1248	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1248	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1248	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1248	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1248	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1248	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1248	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1248	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1248	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-1N	2/10/2015	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1248	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1248	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1248	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1248	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1248	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1248	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1248	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1248	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1248	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1248	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1248	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1248	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1248	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1248	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1248	NE-2	7/10/2018	0.98	0.98	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1248	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1248	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1248	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1248	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1248	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1248	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1248	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1254	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1254	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1254	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1254	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1254	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1254	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1254	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1254	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1254	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1254	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1254	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1254	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1254	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1254	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1254	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1254	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-6	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1254	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1254	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1254	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1254	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1254	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1254	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1254	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1254	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1254	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1254	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1254	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1254	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1254	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1254	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1254	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1254	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1254	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1254	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1254	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-1N	10/14/1998	1	1	ND	ug/L
Pcb 1254	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1254	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1254	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1254	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1254	MW-21	7/11/2018	0.96	0.96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1254	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1254	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1254	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1254	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-7N	10/15/1998	1	1	ND	ug/L
Pcb 1254	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1254	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1254	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1254	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1254	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1254	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1254	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1254	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1254	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1254	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1254	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1254	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1254	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1254	NE-5	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1254	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1254	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1260	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1260	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1260	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1260	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1260	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1260	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1260	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1260	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1260	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1260	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1260	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1260	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1260	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1260	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1260	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1260	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1260	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1260	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1260	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-7	7/10/2019	0.49	0.49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1260	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1260	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1260	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1260	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1260	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1260	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1260	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1260	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1260	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1260	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1260	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1260	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1260	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1260	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1260	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1260	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1260	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1260	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-1N	10/14/1998	1	1	ND	ug/L
Pcb 1260	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1260	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1260	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1260	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1260	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1260	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1260	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1260	MW-2N	7/12/2018	0.97	0.97	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1260	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1260	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-7N	10/15/1998	1	1	ND	ug/L
Pcb 1260	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1260	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1260	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1260	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1260	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1260	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1260	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1260	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1260	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1260	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1260	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1260	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1260	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1260	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1260	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1260	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1260	NE-5	7/9/2019	0.5	0.5	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/9/2017	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	LGW-10	7/16/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	10/27/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	2/13/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	2/13/2015	26	26	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/12/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/11/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/6/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/11/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	2/5/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	2/10/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/13/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/7/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	LGW-9	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	2/13/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	2/10/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/6/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-15	7/10/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-15	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-16	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-16	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-17	7/10/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-17	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-19	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-19	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	2/5/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/10/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-20	7/12/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-20	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-21	10/5/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	10/6/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/8/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/11/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	2/12/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	10/6/2016	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	MW-3N	10/9/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/5/2017	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/13/2018	21	21	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	1/24/2008	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/10/2011	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/11/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/2/2013	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/8/2014	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/6/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/16/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	2/7/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-1	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-1	7/18/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-2	7/10/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-4	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	2/7/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	7/10/2012	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	2/13/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-4	7/12/2018	21	21	ND	ug/L
P-dimethylaminoazobenzene	NE-5	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-5	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/17/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/9/2019	20	20	ND	ug/L
Pentachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Pentachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Pentachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Pentachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Pentachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Pentachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Pentachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
Pentachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-10	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/6/2016	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/9/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/16/2018	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	10/27/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-14R	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/17/2018	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	2/13/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-2	2/13/2015	65	65	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/12/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	LGW-2	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-3R	2/10/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/11/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/6/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-4	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/11/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-5	2/10/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/12/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	2/5/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-6	2/10/2015	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/17/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/10/2019	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-7	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-7	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/12/2018	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/10/2019	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-8R	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/13/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-9	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/13/2018	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/10/2019	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	2/13/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-10N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/5/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	MW-11N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-11N	2/10/2015	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/17/2018	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/6/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-15	7/10/2018	51	51	ND	ug/L
Pentachloronitrobenzene	MW-15	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-16	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-16	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-17	7/10/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-17	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-19	7/13/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-19	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	2/5/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-1N	2/10/2015	47	47	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/10/2018	49	49	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-20	7/12/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-20	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-21	10/5/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	10/6/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-21	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-2N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/12/2018	51	51	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/11/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-3N	2/12/2015	49	49	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/9/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/13/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-7N	2/12/2015	49	49	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/5/2017	49	49	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/13/2018	52	52	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	1/24/2008	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	5/10/2011	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/11/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/2/2013	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/8/2014	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/6/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/16/2018	49	49	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	2/7/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	7/10/2012	48	48	ND	ug/L
Pentachloronitrobenzene	NE-1	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-1	7/18/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-2	7/10/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-4	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	NE-4	2/7/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-4	7/10/2012	49	49	ND	ug/L
Pentachloronitrobenzene	NE-4	2/13/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-4	7/12/2018	52	52	ND	ug/L
Pentachloronitrobenzene	NE-5	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	NE-5	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-5	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	NE-5	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-5	7/17/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-5	7/9/2019	50	50	ND	ug/L
Pentachlorophenol	LGW-10	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-10	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-10	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-10	10/6/2016	47	47	ND	ug/L
Pentachlorophenol	LGW-10	10/9/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-10	7/16/2018	48	48	ND	ug/L
Pentachlorophenol	LGW-10	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-10	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
Pentachlorophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-2	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-2	2/13/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-2	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-2	2/13/2015	65	65	ND	ug/L
Pentachlorophenol	LGW-2	7/12/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-2	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-4	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	LGW-4	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-4	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-4	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-4	7/11/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-4	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-5	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-5	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-5	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-5	2/10/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-5	7/12/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-5	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-6	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-6	2/5/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-6	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-6	2/10/2015	50	50	ND	ug/L
Pentachlorophenol	LGW-6	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-6	10/5/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-6	7/17/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-6	7/10/2019	49	49	ND	ug/L
Pentachlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-6	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-7	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-7	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-7	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-7	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-7	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-7	10/5/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-7	7/12/2018	51	51	ND	ug/L
Pentachlorophenol	LGW-7	7/10/2019	49	49	ND	ug/L
Pentachlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-7	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-9	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-9	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-9	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-9	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-9	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-9	10/5/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-9	7/13/2018	47	47	ND	ug/L
Pentachlorophenol	LGW-9	7/10/2019	51	51	ND	ug/L
Pentachlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-9	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	MW-10N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-10N	2/13/2009	50	50	ND	ug/L
Pentachlorophenol	MW-10N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-10N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-10N	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-10N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-11N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-11N	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	MW-11N	2/10/2015	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/17/2018	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/6/2021	50	50	ND	ug/L
Pentachlorophenol	MW-15	7/10/2018	51	51	ND	ug/L
Pentachlorophenol	MW-15	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	MW-16	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-16	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-17	7/10/2018	47	47	ND	ug/L
Pentachlorophenol	MW-17	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-19	7/13/2018	48	48	ND	ug/L
Pentachlorophenol	MW-19	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-1N	10/14/1998	50	50	ND	ug/L
Pentachlorophenol	MW-1N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-1N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-1N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-1N	2/5/2009	50	50	ND	ug/L
Pentachlorophenol	MW-1N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-1N	2/10/2015	47	47	ND	ug/L
Pentachlorophenol	MW-1N	7/10/2018	49	49	ND	ug/L
Pentachlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachlorophenol	MW-1N	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-20	7/12/2018	47	47	ND	ug/L
Pentachlorophenol	MW-20	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-21	10/5/2016	48	48	ND	ug/L
Pentachlorophenol	MW-21	10/6/2017	48	48	ND	ug/L
Pentachlorophenol	MW-21	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-21	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
Pentachlorophenol	MW-21	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-2N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-2N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-2N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-2N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-2N	7/12/2018	51	51	ND	ug/L
Pentachlorophenol	MW-2N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-3N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-3N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-3N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-3N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-3N	7/11/2012	47	47	ND	ug/L
Pentachlorophenol	MW-3N	2/12/2015	49	49	ND	ug/L
Pentachlorophenol	MW-3N	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	MW-3N	10/9/2017	48	48	ND	ug/L
Pentachlorophenol	MW-3N	7/13/2018	47	47	ND	ug/L
Pentachlorophenol	MW-3N	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachlorophenol	MW-3N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-7N	10/15/1998	50	50	ND	ug/L
Pentachlorophenol	MW-7N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-7N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-7N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-7N	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	MW-7N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-7N	2/12/2015	49	49	ND	ug/L
Pentachlorophenol	MW-7N	10/5/2017	49	49	ND	ug/L
Pentachlorophenol	MW-7N	7/13/2018	52	52	ND	ug/L
Pentachlorophenol	MW-7N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-8N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-8N	1/24/2008	50	50	ND	ug/L
Pentachlorophenol	MW-8N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/10/2011	48	48	ND	ug/L
Pentachlorophenol	MW-8N	7/11/2012	47	47	ND	ug/L
Pentachlorophenol	MW-8N	10/2/2013	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/8/2014	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	MW-8N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/6/2017	48	48	ND	ug/L
Pentachlorophenol	MW-8N	7/16/2018	49	49	ND	ug/L
Pentachlorophenol	MW-8N	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	MW-8N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	NE-1	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	NE-1	2/7/2009	50	50	ND	ug/L
Pentachlorophenol	NE-1	7/10/2012	48	48	ND	ug/L
Pentachlorophenol	NE-1	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	NE-1	7/18/2018	48	48	ND	ug/L
Pentachlorophenol	NE-1	7/10/2018	48	48	ND	ug/L
Pentachlorophenol	NE-2	7/10/2018	48	48	ND	ug/L
Pentachlorophenol	NE-4	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	NE-4	2/7/2009	50	50	ND	ug/L
Pentachlorophenol	NE-4	7/10/2012	49	49	ND	ug/L
Pentachlorophenol	NE-4	2/13/2015	48	48	ND	ug/L
Pentachlorophenol	NE-4	7/12/2018	52	52	ND	ug/L
Pentachlorophenol	NE-5	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	NE-5	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	NE-5	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	NE-5	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	NE-5	7/17/2018	48	48	ND	ug/L
Pentachlorophenol	NE-5	7/9/2019	50	50	ND	ug/L
pH (Field)	LGW-10	9/30/2005	7.25	0		S.U.
pH (Field)	LGW-10	7/20/2006	6.93	0		S.U.
pH (Field)	LGW-10	7/20/2006	6.93	0		S.U.
pH (Field)	LGW-10	7/31/2006	6.72	0		S.U.
pH (Field)	LGW-10	8/1/2006	6.72	0		S.U.
pH (Field)	LGW-10	8/1/2006	6.72	0		S.U.
pH (Field)	LGW-10	9/27/2006	7.15	0		S.U.
pH (Field)	LGW-10	9/28/2006	7.15	0		S.U.
pH (Field)	LGW-10	10/26/2006	7.33	0		S.U.
pH (Field)	LGW-10	10/26/2006	7.33	0		S.U.
pH (Field)	LGW-10	11/20/2006	7.38	0		S.U.
pH (Field)	LGW-10	11/20/2006	7.38	0		S.U.
pH (Field)	LGW-10	12/21/2006	6.55	0		S.U.
pH (Field)	LGW-10	12/21/2006	6.55	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	2/7/2007	6.71	0		S.U.
pH (Field)	LGW-10	2/27/2007	6.71	0		S.U.
pH (Field)	LGW-10	2/27/2007	6.71	0		S.U.
pH (Field)	LGW-10	3/26/2007	6.47	0		S.U.
pH (Field)	LGW-10	3/27/2007	6.47	0		S.U.
pH (Field)	LGW-10	3/27/2007	6.47	0		S.U.
pH (Field)	LGW-10	4/26/2007	6.38	0		S.U.
pH (Field)	LGW-10	4/26/2007	6.38	0		S.U.
pH (Field)	LGW-10	5/31/2007	6.22	0		S.U.
pH (Field)	LGW-10	6/1/2007	6.22	0		S.U.
pH (Field)	LGW-10	6/28/2007	6.55	0		S.U.
pH (Field)	LGW-10	6/28/2007	6.55	0		S.U.
pH (Field)	LGW-10	7/10/2007	6.35	0		S.U.
pH (Field)	LGW-10	7/12/2007	6.35	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.89	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.89	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.95	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	8/28/2007	6.95	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.96	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.26	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.29	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.44	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.14	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.07	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.09	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.13	0		S.U.
pH (Field)	LGW-10	1/23/2008	6.67	0		S.U.
pH (Field)	LGW-10	2/28/2008	6.65	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.44	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.45	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.48	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.53	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.54	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.31	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.32	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.4	0		S.U.
pH (Field)	LGW-10	7/22/2008	6.48	0.1		S.U.
pH (Field)	LGW-10	8/29/2008	6.45	0.1		S.U.
pH (Field)	LGW-10	9/26/2008	6.47	0.1		S.U.
pH (Field)	LGW-10	11/25/2008	6.56	0.1		S.U.
pH (Field)	LGW-10	12/19/2008	6.53	0.1		S.U.
pH (Field)	LGW-10	3/26/2009	6.13	0.1		S.U.
pH (Field)	LGW-10	4/16/2009	6.01	0.1		S.U.
pH (Field)	LGW-10	5/29/2009	6.5	0.1		S.U.
pH (Field)	LGW-10	6/24/2009	6.45	0.1		S.U.
pH (Field)	LGW-10	7/29/2009	5.49	0.1		S.U.
pH (Field)	LGW-10	8/28/2009	5.55	0.1		S.U.
pH (Field)	LGW-10	10/21/2009	6.06	0.1		S.U.
pH (Field)	LGW-10	12/17/2009	6.33	0.1		S.U.
pH (Field)	LGW-10	2/3/2010	6.41	0.1		S.U.
pH (Field)	LGW-10	2/3/2010	6.41	0.1		S.U.
pH (Field)	LGW-10	2/16/2010	6.48	0		S.U.
pH (Field)	LGW-10	3/3/2010	6.44	0		S.U.
pH (Field)	LGW-10	4/8/2010	6.3	0		S.U.
pH (Field)	LGW-10	5/6/2010	7.29	0		S.U.
pH (Field)	LGW-10	6/15/2010	6.5	0		S.U.
pH (Field)	LGW-10	7/16/2010	6.92	0		S.U.
pH (Field)	LGW-10	8/10/2010	6.44	0		S.U.
pH (Field)	LGW-10	9/1/2010	6.58	0		S.U.
pH (Field)	LGW-10	9/29/2010	6.35	0		S.U.
pH (Field)	LGW-10	11/3/2010	6.36	0		S.U.
pH (Field)	LGW-10	12/2/2010	6.52	0		S.U.
pH (Field)	LGW-10	1/19/2011	6.53	0		S.U.
pH (Field)	LGW-10	2/7/2011	6.48	0		S.U.
pH (Field)	LGW-10	3/3/2011	6.49	0		S.U.
pH (Field)	LGW-10	4/5/2011	6.61	0		S.U.
pH (Field)	LGW-10	5/10/2011	6.42	0		S.U.
pH (Field)	LGW-10	6/1/2011	6.34	0		S.U.
pH (Field)	LGW-10	7/12/2011	6.52	0		S.U.
pH (Field)	LGW-10	8/3/2011	6.44	0		S.U.
pH (Field)	LGW-10	9/7/2011	6.51	0		S.U.
pH (Field)	LGW-10	10/5/2011	6.53	0		S.U.
pH (Field)	LGW-10	11/1/2011	6.45	0		S.U.
pH (Field)	LGW-10	12/7/2011	6.57	0		S.U.
pH (Field)	LGW-10	1/5/2012	6.56	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	2/1/2012	6.42	0		S.U.
pH (Field)	LGW-10	3/6/2012	6.54	0		S.U.
pH (Field)	LGW-10	4/5/2012	6.58	0		S.U.
pH (Field)	LGW-10	5/1/2012	6.78	0		S.U.
pH (Field)	LGW-10	6/5/2012	6.93	0		S.U.
pH (Field)	LGW-10	7/9/2012	6.5	0		S.U.
pH (Field)	LGW-10	8/9/2012	6.7	0		S.U.
pH (Field)	LGW-10	9/4/2012	6.4	0		S.U.
pH (Field)	LGW-10	10/7/2012	6.63	0		S.U.
pH (Field)	LGW-10	5/1/2013	6.34	0		S.U.
pH (Field)	LGW-10	6/4/2013	6.16	0		S.U.
pH (Field)	LGW-10	8/8/2013	6.43	0		S.U.
pH (Field)	LGW-10	9/10/2013	6.28	0		S.U.
pH (Field)	LGW-10	10/1/2013	6.52	0		S.U.
pH (Field)	LGW-10	11/6/2013	6.51	0		S.U.
pH (Field)	LGW-10	12/2/2013	6.35	0		S.U.
pH (Field)	LGW-10	1/30/2014	6.66	0		S.U.
pH (Field)	LGW-10	2/13/2014	6.3	0		S.U.
pH (Field)	LGW-10	3/12/2014	6.73	0		S.U.
pH (Field)	LGW-10	4/2/2014	6.49	0		S.U.
pH (Field)	LGW-10	5/7/2014	6.49	0		S.U.
pH (Field)	LGW-10	6/3/2014	6.05	0		S.U.
pH (Field)	LGW-10	7/9/2014	6.7	0		S.U.
pH (Field)	LGW-10	8/5/2014	6.23	0		S.U.
pH (Field)	LGW-10	9/4/2014	6.65	0		S.U.
pH (Field)	LGW-10	10/9/2014	6.45	0		S.U.
pH (Field)	LGW-10	11/3/2014	6.89	0		S.U.
pH (Field)	LGW-10	1/14/2015	5.56	0		S.U.
pH (Field)	LGW-10	2/12/2015	6	0		S.U.
pH (Field)	LGW-10	3/3/2015	6.5	0		S.U.
pH (Field)	LGW-10	4/1/2015	6.59	0		S.U.
pH (Field)	LGW-10	5/7/2015	6.59	0		S.U.
pH (Field)	LGW-10	6/3/2015	6.34	0		S.U.
pH (Field)	LGW-10	7/13/2015	6.27	0		S.U.
pH (Field)	LGW-10	8/5/2015	6.35	0		S.U.
pH (Field)	LGW-10	9/3/2015	6.81	0		S.U.
pH (Field)	LGW-10	10/6/2015	7.02	0		S.U.
pH (Field)	LGW-10	11/4/2015	6.98	0		S.U.
pH (Field)	LGW-10	12/3/2015	7.41	0		S.U.
pH (Field)	LGW-10	1/5/2016	6.59	0		S.U.
pH (Field)	LGW-10	2/3/2016	7.48	0		S.U.
pH (Field)	LGW-10	2/10/2016	6.76	0		S.U.
pH (Field)	LGW-10	3/2/2016	7.09	0		S.U.
pH (Field)	LGW-10	4/6/2016	6.85	0		S.U.
pH (Field)	LGW-10	5/11/2016	6.52	0		S.U.
pH (Field)	LGW-10	6/1/2016	6.94	0		S.U.
pH (Field)	LGW-10	7/21/2016	6.2	0		S.U.
pH (Field)	LGW-10	8/10/2016	7.22	0		S.U.
pH (Field)	LGW-10	9/6/2016	6.78	0		S.U.
pH (Field)	LGW-10	10/6/2016	6.94	0		S.U.
pH (Field)	LGW-10	11/2/2016	6.72	0		S.U.
pH (Field)	LGW-10	12/1/2016	7.45	0		S.U.
pH (Field)	LGW-10	1/11/2017	5.48	0		S.U.
pH (Field)	LGW-10	2/7/2017	7.68	0		S.U.
pH (Field)	LGW-10	3/2/2017	6.12	0		S.U.
pH (Field)	LGW-10	4/4/2017	6.47	0		S.U.
pH (Field)	LGW-10	5/16/2017	6.38	0		S.U.
pH (Field)	LGW-10	6/6/2017	6.4	0		S.U.
pH (Field)	LGW-10	7/19/2017	6.38	0		S.U.
pH (Field)	LGW-10	8/1/2017	6.58	0		S.U.
pH (Field)	LGW-10	9/5/2017	7.05	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	10/9/2017	7	0		S.U.
pH (Field)	LGW-10	11/1/2017	6.46	0		S.U.
pH (Field)	LGW-10	1/24/2018	6.46	0.01		S.U.
pH (Field)	LGW-10	2/23/2018	6.84	0.01		S.U.
pH (Field)	LGW-10	3/21/2018	6.37	0.01		S.U.
pH (Field)	LGW-10	4/11/2018	6.42	0.01		S.U.
pH (Field)	LGW-10	4/11/2018	6.42	0.01		S.U.
pH (Field)	LGW-10	6/6/2018	6.33	0		S.U.
pH (Field)	LGW-10	7/16/2018	6.6	0.01		S.U.
pH (Field)	LGW-10	8/2/2018	6.61	0.01		S.U.
pH (Field)	LGW-10	9/4/2018	6.82	0		S.U.
pH (Field)	LGW-10	10/4/2018	6.41	0		S.U.
pH (Field)	LGW-10	10/4/2018	6.41	0		S.U.
pH (Field)	LGW-10	11/6/2018	6.47	0.01		S.U.
pH (Field)	LGW-10	12/4/2018	6.48	0.01		S.U.
pH (Field)	LGW-10	1/4/2019	6.5	0.01		S.U.
pH (Field)	LGW-10	2/6/2019	6.41	0		S.U.
pH (Field)	LGW-10	3/5/2019	6.13	0.01		S.U.
pH (Field)	LGW-10	4/3/2019	6.41	0.01		S.U.
pH (Field)	LGW-10	4/3/2019	6.41	0.01		S.U.
pH (Field)	LGW-10	5/3/2019	6.53	0.01		S.U.
pH (Field)	LGW-10	6/4/2019	6.38	0		S.U.
pH (Field)	LGW-10	7/11/2019	6.75	0.01		S.U.
pH (Field)	LGW-10	7/11/2019	6.75	0		S.U.
pH (Field)	LGW-10	8/7/2019	6.52	0.01		S.U.
pH (Field)	LGW-10	9/4/2019	6.6	0.01		S.U.
pH (Field)	LGW-10	10/2/2019	6.55	0.01		S.U.
pH (Field)	LGW-10	10/2/2019	6.55	0.01		S.U.
pH (Field)	LGW-10	11/5/2019	6.47	0.01		S.U.
pH (Field)	LGW-10	12/3/2019	6.54	0.01		S.U.
pH (Field)	LGW-10	1/15/2020	6.6	0		S.U.
pH (Field)	LGW-10	2/4/2020	6.56	0		S.U.
pH (Field)	LGW-10	3/4/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	4/2/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	4/2/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-10	6/2/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	8/3/2020	6.46	0		S.U.
pH (Field)	LGW-10	9/2/2020	6.43	0.01		S.U.
pH (Field)	LGW-10	10/7/2020	6.62	0.01		S.U.
pH (Field)	LGW-10	10/7/2020	6.62	0.01		S.U.
pH (Field)	LGW-10	11/4/2020	6.64	0		S.U.
pH (Field)	LGW-10	12/3/2020	6.41	0		S.U.
pH (Field)	LGW-10	1/17/2021	6.09	0		S.U.
pH (Field)	LGW-10	2/9/2021	6.56	0		S.U.
pH (Field)	LGW-10	3/2/2021	6.35	0		S.U.
pH (Field)	LGW-10	4/6/2021	6.43	0		S.U.
pH (Field)	LGW-10	4/6/2021	6.43	0		S.U.
pH (Field)	LGW-10	5/5/2021	6.28	0		S.U.
pH (Field)	LGW-10	6/1/2021	6.35	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	8/4/2021	6.36	0		S.U.
pH (Field)	LGW-10	9/2/2021	6.38	0		S.U.
pH (Field)	LGW-10	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-10	10/5/2021	6.5	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	11/2/2021	6.42	0		S.U.
pH (Field)	LGW-10	12/9/2021	6.43	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	2/10/2022	6.49	0		S.U.
pH (Field)	LGW-10	3/2/2022	6.44	0		S.U.
pH (Field)	LGW-10	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-10	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-10	5/7/2022	6.6	0		S.U.
pH (Field)	LGW-10	6/3/2022	6.09	0		S.U.
pH (Field)	LGW-10	7/11/2022	6.11	0		S.U.
pH (Field)	LGW-10	8/10/2022	6.07	0		S.U.
pH (Field)	LGW-10	9/8/2022	6.16	0		S.U.
pH (Field)	LGW-10	10/7/2022	6.37	0		S.U.
pH (Field)	LGW-10	10/7/2022	6.37	0		S.U.
pH (Field)	LGW-10	11/3/2022	6.21	0		S.U.
pH (Field)	LGW-10	12/7/2022	6.16	0		S.U.
pH (Field)	LGW-10	1/11/2023	6.46	0		S.U.
pH (Field)	LGW-10	2/3/2023	6.31	0		S.U.
pH (Field)	LGW-10	3/1/2023	6.1	0		S.U.
pH (Field)	LGW-10	4/5/2023	5.93	0		S.U.
pH (Field)	LGW-14R	9/28/2005	7.72	0		S.U.
pH (Field)	LGW-14R	7/21/2006	8.38	0		S.U.
pH (Field)	LGW-14R	7/21/2006	8.38	0		S.U.
pH (Field)	LGW-14R	8/1/2006	8.11	0		S.U.
pH (Field)	LGW-14R	8/1/2006	8.11	0		S.U.
pH (Field)	LGW-14R	8/2/2006	8.11	0		S.U.
pH (Field)	LGW-14R	9/28/2006	8.53	0		S.U.
pH (Field)	LGW-14R	9/28/2006	8.53	0		S.U.
pH (Field)	LGW-14R	10/27/2006	8.55	0		S.U.
pH (Field)	LGW-14R	10/27/2006	8.55	0		S.U.
pH (Field)	LGW-14R	11/21/2006	8.69	0		S.U.
pH (Field)	LGW-14R	11/21/2006	8.69	0		S.U.
pH (Field)	LGW-14R	12/21/2006	7	0		S.U.
pH (Field)	LGW-14R	12/21/2006	7	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/24/2007	7.81	0		S.U.
pH (Field)	LGW-14R	1/24/2007	7.81	0		S.U.
pH (Field)	LGW-14R	1/25/2007	7.81	0		S.U.
pH (Field)	LGW-14R	2/7/2007	7.35	0		S.U.
pH (Field)	LGW-14R	2/26/2007	7.35	0		S.U.
pH (Field)	LGW-14R	2/26/2007	7.35	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.
pH (Field)	LGW-14R	4/24/2007	7.74	0		S.U.
pH (Field)	LGW-14R	4/26/2007	7.74	0		S.U.
pH (Field)	LGW-14R	5/31/2007	7.73	0		S.U.
pH (Field)	LGW-14R	6/1/2007	7.73	0		S.U.
pH (Field)	LGW-14R	6/28/2007	7.54	0		S.U.
pH (Field)	LGW-14R	6/28/2007	7.54	0		S.U.
pH (Field)	LGW-14R	7/10/2007	7.38	0		S.U.
pH (Field)	LGW-14R	7/11/2007	7.38	0		S.U.
pH (Field)	LGW-14R	8/28/2007	7.6	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.69	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.82	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.57	0		S.U.
pH (Field)	LGW-14R	9/28/2007	8	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	9/28/2007	7.74	0		S.U.
pH (Field)	LGW-14R	9/28/2007	7.99	0		S.U.
pH (Field)	LGW-14R	9/28/2007	7.98	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.63	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.58	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.57	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.1	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.59	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.4	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-14R	1/23/2008	7.88	0		S.U.
pH (Field)	LGW-14R	2/28/2008	7.79	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.41	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.49	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.5	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.38	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.65	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.51	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.7	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.68	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.55	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.5	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.7	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.51	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.47	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.43	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.26	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.26	0		S.U.
pH (Field)	LGW-14R	7/22/2008	7.54	0.1		S.U.
pH (Field)	LGW-14R	8/29/2008	7.63	0.1		S.U.
pH (Field)	LGW-14R	9/26/2008	7.73	0.1		S.U.
pH (Field)	LGW-14R	11/25/2008	7.65	0.1		S.U.
pH (Field)	LGW-14R	12/19/2008	7.77	0.1		S.U.
pH (Field)	LGW-14R	2/6/2009	8.06	0.1		S.U.
pH (Field)	LGW-14R	3/26/2009	7.41	0.1		S.U.
pH (Field)	LGW-14R	6/25/2009	7.31	0.1		S.U.
pH (Field)	LGW-14R	7/29/2009	6.37	0.1		S.U.
pH (Field)	LGW-14R	8/28/2009	6.26	0.1		S.U.
pH (Field)	LGW-14R	10/22/2009	6.97	0.1		S.U.
pH (Field)	LGW-14R	12/18/2009	7.27	0.1		S.U.
pH (Field)	LGW-14R	2/3/2010	7.41	0.1		S.U.
pH (Field)	LGW-14R	2/3/2010	7.41	0.1		S.U.
pH (Field)	LGW-14R	2/16/2010	7.52	0		S.U.
pH (Field)	LGW-14R	3/3/2010	7.35	0		S.U.
pH (Field)	LGW-14R	4/7/2010	7.03	0		S.U.
pH (Field)	LGW-14R	5/6/2010	8.31	0		S.U.
pH (Field)	LGW-14R	6/16/2010	7.38	0		S.U.
pH (Field)	LGW-14R	7/12/2010	7.37	0		S.U.
pH (Field)	LGW-14R	8/10/2010	7.3	0		S.U.
pH (Field)	LGW-14R	9/2/2010	7.48	0		S.U.
pH (Field)	LGW-14R	9/29/2010	7.35	0		S.U.
pH (Field)	LGW-14R	11/3/2010	7.37	0		S.U.
pH (Field)	LGW-14R	12/2/2010	7.39	0		S.U.
pH (Field)	LGW-14R	1/19/2011	7.45	0		S.U.
pH (Field)	LGW-14R	2/7/2011	7.46	0		S.U.
pH (Field)	LGW-14R	3/3/2011	7.47	0		S.U.
pH (Field)	LGW-14R	4/5/2011	7.53	0		S.U.
pH (Field)	LGW-14R	5/10/2011	7.38	0		S.U.
pH (Field)	LGW-14R	6/1/2011	7.36	0		S.U.
pH (Field)	LGW-14R	7/12/2011	7.41	0		S.U.
pH (Field)	LGW-14R	8/3/2011	7.4	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	9/7/2011	7.48	0		S.U.
pH (Field)	LGW-14R	10/5/2011	7.49	0		S.U.
pH (Field)	LGW-14R	11/1/2011	7.46	0		S.U.
pH (Field)	LGW-14R	12/7/2011	7.59	0		S.U.
pH (Field)	LGW-14R	1/5/2012	7.64	0		S.U.
pH (Field)	LGW-14R	2/1/2012	7.43	0		S.U.
pH (Field)	LGW-14R	3/6/2012	7.53	0		S.U.
pH (Field)	LGW-14R	4/5/2012	7.73	0		S.U.
pH (Field)	LGW-14R	5/1/2012	7.92	0		S.U.
pH (Field)	LGW-14R	6/5/2012	8	0		S.U.
pH (Field)	LGW-14R	7/9/2012	7.37	0		S.U.
pH (Field)	LGW-14R	8/9/2012	7.52	0		S.U.
pH (Field)	LGW-14R	9/4/2012	7.16	0		S.U.
pH (Field)	LGW-14R	10/7/2012	7.47	0		S.U.
pH (Field)	LGW-14R	11/6/2012	7.31	0		S.U.
pH (Field)	LGW-14R	11/6/2012	7.31	0		S.U.
pH (Field)	LGW-14R	12/6/2012	7.3	0		S.U.
pH (Field)	LGW-14R	12/6/2012	7.3	0		S.U.
pH (Field)	LGW-14R	1/23/2013	7.6	0		S.U.
pH (Field)	LGW-14R	1/23/2013	7.6	0		S.U.
pH (Field)	LGW-14R	2/5/2013	7.53	0		S.U.
pH (Field)	LGW-14R	2/5/2013	7.53	0		S.U.
pH (Field)	LGW-14R	3/5/2013	7.45	0		S.U.
pH (Field)	LGW-14R	3/5/2013	7.45	0		S.U.
pH (Field)	LGW-14R	4/30/2013	7.3	0		S.U.
pH (Field)	LGW-14R	6/4/2013	7.14	0		S.U.
pH (Field)	LGW-14R	8/8/2013	7.36	0		S.U.
pH (Field)	LGW-14R	9/10/2013	7.43	0		S.U.
pH (Field)	LGW-14R	10/1/2013	7.64	0		S.U.
pH (Field)	LGW-14R	11/6/2013	7.39	0		S.U.
pH (Field)	LGW-14R	12/2/2013	7.11	0		S.U.
pH (Field)	LGW-14R	1/23/2014	7.3	0		S.U.
pH (Field)	LGW-14R	2/12/2014	7.45	0		S.U.
pH (Field)	LGW-14R	3/11/2014	7.64	0		S.U.
pH (Field)	LGW-14R	4/2/2014	7.61	0		S.U.
pH (Field)	LGW-14R	5/7/2014	7.52	0		S.U.
pH (Field)	LGW-14R	6/3/2014	7.19	0		S.U.
pH (Field)	LGW-14R	7/8/2014	7.47	0		S.U.
pH (Field)	LGW-14R	8/5/2014	7.42	0		S.U.
pH (Field)	LGW-14R	9/4/2014	7.25	0		S.U.
pH (Field)	LGW-14R	10/9/2014	7.49	0		S.U.
pH (Field)	LGW-14R	11/3/2014	7.46	0		S.U.
pH (Field)	LGW-14R	1/14/2015	5.81	0		S.U.
pH (Field)	LGW-14R	2/11/2015	7.48	0		S.U.
pH (Field)	LGW-14R	3/3/2015	7.44	0		S.U.
pH (Field)	LGW-14R	4/1/2015	7.32	0		S.U.
pH (Field)	LGW-14R	5/6/2015	7.62	0		S.U.
pH (Field)	LGW-14R	6/3/2015	7.9	0		S.U.
pH (Field)	LGW-14R	7/22/2015	7.99	0		S.U.
pH (Field)	LGW-14R	8/4/2015	7.78	0		S.U.
pH (Field)	LGW-14R	9/3/2015	7.86	0		S.U.
pH (Field)	LGW-14R	10/6/2015	7.86	0		S.U.
pH (Field)	LGW-14R	11/4/2015	7.42	0		S.U.
pH (Field)	LGW-14R	12/3/2015	7.54	0		S.U.
pH (Field)	LGW-14R	1/5/2016	7.29	0		S.U.
pH (Field)	LGW-14R	2/3/2016	8.17	0		S.U.
pH (Field)	LGW-14R	3/2/2016	7.84	0		S.U.
pH (Field)	LGW-14R	4/5/2016	8.08	0		S.U.
pH (Field)	LGW-14R	5/11/2016	7.63	0		S.U.
pH (Field)	LGW-14R	6/1/2016	7.88	0		S.U.
pH (Field)	LGW-14R	7/19/2016	7.16	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	8/10/2016	8.33	0		S.U.
pH (Field)	LGW-14R	9/6/2016	7.51	0		S.U.
pH (Field)	LGW-14R	10/6/2016	7.21	0		S.U.
pH (Field)	LGW-14R	11/2/2016	7.27	0		S.U.
pH (Field)	LGW-14R	12/1/2016	8.09	0		S.U.
pH (Field)	LGW-14R	1/11/2017	6.47	0		S.U.
pH (Field)	LGW-14R	2/7/2017	6.64	0		S.U.
pH (Field)	LGW-14R	3/2/2017	6.26	0		S.U.
pH (Field)	LGW-14R	4/4/2017	7.44	0		S.U.
pH (Field)	LGW-14R	5/2/2017	7.49	0		S.U.
pH (Field)	LGW-14R	6/6/2017	7.54	0		S.U.
pH (Field)	LGW-14R	7/18/2017	7.27	0		S.U.
pH (Field)	LGW-14R	8/1/2017	7.41	0		S.U.
pH (Field)	LGW-14R	9/5/2017	7.18	0		S.U.
pH (Field)	LGW-14R	10/5/2017	7.2	0		S.U.
pH (Field)	LGW-14R	11/1/2017	7.38	0		S.U.
pH (Field)	LGW-14R	1/25/2018	7.33	0.01		S.U.
pH (Field)	LGW-14R	2/22/2018	7.25	0.01		S.U.
pH (Field)	LGW-14R	3/20/2018	7.23	0.01		S.U.
pH (Field)	LGW-14R	4/10/2018	7.22	0.01		S.U.
pH (Field)	LGW-14R	6/5/2018	7.43	0		S.U.
pH (Field)	LGW-14R	6/21/2018	7.32	0		S.U.
pH (Field)	LGW-14R	7/17/2018	7.4	0.01		S.U.
pH (Field)	LGW-14R	8/1/2018	7.18	0.01		S.U.
pH (Field)	LGW-14R	9/4/2018	7	0		S.U.
pH (Field)	LGW-14R	10/2/2018	7.17	0		S.U.
pH (Field)	LGW-14R	10/2/2018	7.17	0		S.U.
pH (Field)	LGW-14R	11/6/2018	7.22	0.01		S.U.
pH (Field)	LGW-14R	12/4/2018	7.33	0.01		S.U.
pH (Field)	LGW-14R	1/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-14R	2/6/2019	7.11	0		S.U.
pH (Field)	LGW-14R	3/5/2019	6.82	0.01		S.U.
pH (Field)	LGW-14R	4/3/2019	7.02	0.01		S.U.
pH (Field)	LGW-14R	5/2/2019	7.49	0.01		S.U.
pH (Field)	LGW-14R	6/4/2019	7.15	0		S.U.
pH (Field)	LGW-14R	7/10/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	7/10/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	8/7/2019	7.33	0.01		S.U.
pH (Field)	LGW-14R	9/5/2019	7.02	0.01		S.U.
pH (Field)	LGW-14R	10/3/2019	7.29	0.01		S.U.
pH (Field)	LGW-14R	11/5/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	12/4/2019	7.42	0.01		S.U.
pH (Field)	LGW-14R	1/16/2020	7.33	0		S.U.
pH (Field)	LGW-14R	2/4/2020	7.33	0		S.U.
pH (Field)	LGW-14R	3/3/2020	7.22	0.01		S.U.
pH (Field)	LGW-14R	4/3/2020	7	0.01		S.U.
pH (Field)	LGW-14R	5/5/2020	7.14	0.01		S.U.
pH (Field)	LGW-14R	6/2/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	8/3/2020	7.1	0		S.U.
pH (Field)	LGW-14R	9/2/2020	7.07	0.01		S.U.
pH (Field)	LGW-14R	10/7/2020	7.17	0.01		S.U.
pH (Field)	LGW-14R	11/3/2020	7.27	0		S.U.
pH (Field)	LGW-14R	12/3/2020	7.11	0		S.U.
pH (Field)	LGW-14R	1/18/2021	6.83	0		S.U.
pH (Field)	LGW-14R	1/18/2021	6.83	0		S.U.
pH (Field)	LGW-14R	2/9/2021	7.26	0		S.U.
pH (Field)	LGW-14R	3/2/2021	7.07	0		S.U.
pH (Field)	LGW-14R	4/6/2021	7.11	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	4/6/2021	7.11	0		S.U.
pH (Field)	LGW-14R	5/4/2021	7.06	0		S.U.
pH (Field)	LGW-14R	6/1/2021	7	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	8/3/2021	7.08	0		S.U.
pH (Field)	LGW-14R	9/2/2021	7.05	0		S.U.
pH (Field)	LGW-14R	10/5/2021	7.1	0		S.U.
pH (Field)	LGW-14R	10/5/2021	7.1	0		S.U.
pH (Field)	LGW-14R	11/2/2021	7.03	0		S.U.
pH (Field)	LGW-14R	12/9/2021	7.05	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	2/10/2022	7.1	0		S.U.
pH (Field)	LGW-14R	3/1/2022	7.02	0		S.U.
pH (Field)	LGW-14R	4/5/2022	6.93	0		S.U.
pH (Field)	LGW-14R	5/7/2022	6.92	0		S.U.
pH (Field)	LGW-14R	6/3/2022	6.77	0		S.U.
pH (Field)	LGW-14R	7/11/2022	6.76	0		S.U.
pH (Field)	LGW-14R	8/10/2022	6.73	0		S.U.
pH (Field)	LGW-14R	9/8/2022	6.69	0		S.U.
pH (Field)	LGW-14R	10/6/2022	6.38	0		S.U.
pH (Field)	LGW-14R	11/3/2022	6.9	0		S.U.
pH (Field)	LGW-14R	12/7/2022	6.72	0		S.U.
pH (Field)	LGW-14R	1/10/2023	6.98	0		S.U.
pH (Field)	LGW-14R	2/3/2023	6.94	0		S.U.
pH (Field)	LGW-14R	3/1/2023	6.66	0		S.U.
pH (Field)	LGW-14R	4/5/2023	6.48	0		S.U.
pH (Field)	LGW-2	9/30/2005	8.58	0		S.U.
pH (Field)	LGW-2	7/31/2006	7.58	0		S.U.
pH (Field)	LGW-2	7/31/2006	7.58	0		S.U.
pH (Field)	LGW-2	8/1/2006	7.58	0		S.U.
pH (Field)	LGW-2	8/1/2006	7.58	0		S.U.
pH (Field)	LGW-2	9/20/2006	7.97	0		S.U.
pH (Field)	LGW-2	9/26/2006	7.87	0		S.U.
pH (Field)	LGW-2	9/26/2006	7.87	0		S.U.
pH (Field)	LGW-2	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-2	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-2	11/3/2006	8.1	0		S.U.
pH (Field)	LGW-2	11/3/2006	8.81	0		S.U.
pH (Field)	LGW-2	11/21/2006	7.84	0		S.U.
pH (Field)	LGW-2	11/21/2006	7.78	0		S.U.
pH (Field)	LGW-2	12/21/2006	7.44	0		S.U.
pH (Field)	LGW-2	12/21/2006	7.44	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	2/7/2007	7.57	0		S.U.
pH (Field)	LGW-2	2/27/2007	7.57	0		S.U.
pH (Field)	LGW-2	2/27/2007	7.57	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	4/26/2007	7.03	0		S.U.
pH (Field)	LGW-2	4/26/2007	7.03	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	6/1/2007	7.15	0		S.U.
pH (Field)	LGW-2	6/1/2007	7.15	0		S.U.
pH (Field)	LGW-2	6/28/2007	7.42	0		S.U.
pH (Field)	LGW-2	6/28/2007	7.42	0		S.U.
pH (Field)	LGW-2	7/10/2007	7.1	0		S.U.
pH (Field)	LGW-2	7/10/2007	7.1	0		S.U.
pH (Field)	LGW-2	8/28/2007	7.55	0		S.U.
pH (Field)	LGW-2	8/28/2007	7.55	0		S.U.
pH (Field)	LGW-2	9/28/2007	8.25	0		S.U.
pH (Field)	LGW-2	9/28/2007	8.27	0		S.U.
pH (Field)	LGW-2	9/28/2007	7.86	0		S.U.
pH (Field)	LGW-2	10/24/2007	9.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.6	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.67	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.58	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.6	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.56	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.71	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.32	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.09	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.09	0		S.U.
pH (Field)	LGW-2	2/28/2008	7.68	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.96	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.93	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.9	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.94	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.51	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.5	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.49	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.62	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.88	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.98	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.92	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.97	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.89	0		S.U.
pH (Field)	LGW-2	6/26/2008	7.05	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.95	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.87	0		S.U.
pH (Field)	LGW-2	7/23/2008	7.13	0.1		S.U.
pH (Field)	LGW-2	8/29/2008	7.05	0.1		S.U.
pH (Field)	LGW-2	9/26/2008	7.3	0.1		S.U.
pH (Field)	LGW-2	9/26/2008	7.3	0.1		S.U.
pH (Field)	LGW-2	10/21/2008	7.35	0.1		S.U.
pH (Field)	LGW-2	11/25/2008	7.36	0.1		S.U.
pH (Field)	LGW-2	12/19/2008	7.57	0.1		S.U.
pH (Field)	LGW-2	2/6/2009	7.3	0.1		S.U.
pH (Field)	LGW-2	2/13/2009	7.36	0.1		S.U.
pH (Field)	LGW-2	3/26/2009	7.34	0.1		S.U.
pH (Field)	LGW-2	4/16/2009	7.01	0.1		S.U.
pH (Field)	LGW-2	5/29/2009	7.6	0.1		S.U.
pH (Field)	LGW-2	6/25/2009	7.31	0.1		S.U.
pH (Field)	LGW-2	7/30/2009	6.61	0.1		S.U.
pH (Field)	LGW-2	8/29/2009	6.46	0.1		S.U.
pH (Field)	LGW-2	9/30/2009	6.21	0.1		S.U.
pH (Field)	LGW-2	10/22/2009	6.86	0.1		S.U.
pH (Field)	LGW-2	11/24/2009	6.85	0.1		S.U.
pH (Field)	LGW-2	12/18/2009	6.86	0.1		S.U.
pH (Field)	LGW-2	2/3/2010	7.16	0.1		S.U.
pH (Field)	LGW-2	2/3/2010	7.16	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	2/17/2010	6.79	0		S.U.
pH (Field)	LGW-2	3/4/2010	7.3	0		S.U.
pH (Field)	LGW-2	4/8/2010	7.12	0		S.U.
pH (Field)	LGW-2	5/6/2010	8.06	0		S.U.
pH (Field)	LGW-2	6/15/2010	7.11	0		S.U.
pH (Field)	LGW-2	7/12/2010	7.08	0		S.U.
pH (Field)	LGW-2	8/10/2010	7.06	0		S.U.
pH (Field)	LGW-2	9/1/2010	7.35	0		S.U.
pH (Field)	LGW-2	9/29/2010	7.03	0		S.U.
pH (Field)	LGW-2	11/3/2010	6.95	0		S.U.
pH (Field)	LGW-2	12/2/2010	7.08	0		S.U.
pH (Field)	LGW-2	1/19/2011	6.76	0		S.U.
pH (Field)	LGW-2	2/7/2011	7.04	0		S.U.
pH (Field)	LGW-2	3/3/2011	7.1	0		S.U.
pH (Field)	LGW-2	4/5/2011	7.2	0		S.U.
pH (Field)	LGW-2	5/10/2011	6.95	0		S.U.
pH (Field)	LGW-2	6/1/2011	6.86	0		S.U.
pH (Field)	LGW-2	7/13/2011	7.09	0		S.U.
pH (Field)	LGW-2	8/3/2011	6.98	0		S.U.
pH (Field)	LGW-2	9/7/2011	7.07	0		S.U.
pH (Field)	LGW-2	10/5/2011	7.09	0		S.U.
pH (Field)	LGW-2	11/1/2011	6.89	0		S.U.
pH (Field)	LGW-2	12/7/2011	7.12	0		S.U.
pH (Field)	LGW-2	1/4/2012	7.13	0		S.U.
pH (Field)	LGW-2	2/1/2012	6.84	0		S.U.
pH (Field)	LGW-2	3/6/2012	7.01	0		S.U.
pH (Field)	LGW-2	4/5/2012	6.97	0		S.U.
pH (Field)	LGW-2	5/1/2012	7.22	0		S.U.
pH (Field)	LGW-2	6/5/2012	7.22	0		S.U.
pH (Field)	LGW-2	7/9/2012	7.05	0		S.U.
pH (Field)	LGW-2	8/9/2012	6.71	0		S.U.
pH (Field)	LGW-2	9/4/2012	6.71	0		S.U.
pH (Field)	LGW-2	10/7/2012	7.13	0		S.U.
pH (Field)	LGW-2	4/30/2013	6.91	0		S.U.
pH (Field)	LGW-2	6/4/2013	6.85	0		S.U.
pH (Field)	LGW-2	7/15/2013	6.93	0		S.U.
pH (Field)	LGW-2	8/8/2013	7.12	0		S.U.
pH (Field)	LGW-2	9/10/2013	7	0		S.U.
pH (Field)	LGW-2	10/1/2013	7.23	0		S.U.
pH (Field)	LGW-2	11/6/2013	6.99	0		S.U.
pH (Field)	LGW-2	12/2/2013	7.04	0		S.U.
pH (Field)	LGW-2	1/30/2014	6.83	0		S.U.
pH (Field)	LGW-2	2/13/2014	8.03	0		S.U.
pH (Field)	LGW-2	3/12/2014	7.35	0		S.U.
pH (Field)	LGW-2	4/3/2014	7.19	0		S.U.
pH (Field)	LGW-2	5/7/2014	7.13	0		S.U.
pH (Field)	LGW-2	6/3/2014	6.91	0		S.U.
pH (Field)	LGW-2	7/8/2014	7.21	0		S.U.
pH (Field)	LGW-2	8/5/2014	6.8	0		S.U.
pH (Field)	LGW-2	9/4/2014	7.03	0		S.U.
pH (Field)	LGW-2	10/9/2014	7.65	0		S.U.
pH (Field)	LGW-2	11/3/2014	6.57	0		S.U.
pH (Field)	LGW-2	1/14/2015	5.74	0		S.U.
pH (Field)	LGW-2	2/13/2015	7.7	0		S.U.
pH (Field)	LGW-2	3/3/2015	7.09	0		S.U.
pH (Field)	LGW-2	4/1/2015	6.88	0		S.U.
pH (Field)	LGW-2	5/6/2015	7.17	0		S.U.
pH (Field)	LGW-2	6/3/2015	7.14	0		S.U.
pH (Field)	LGW-2	7/8/2015	7.19	0		S.U.
pH (Field)	LGW-2	8/4/2015	7.5	0		S.U.
pH (Field)	LGW-2	9/2/2015	7.2	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	10/5/2015	7.75	0		S.U.
pH (Field)	LGW-2	11/4/2015	7.06	0		S.U.
pH (Field)	LGW-2	12/3/2015	7.06	0		S.U.
pH (Field)	LGW-2	1/5/2016	6.9	0		S.U.
pH (Field)	LGW-2	2/3/2016	7.24	0		S.U.
pH (Field)	LGW-2	3/2/2016	7.55	0		S.U.
pH (Field)	LGW-2	4/5/2016	7.28	0		S.U.
pH (Field)	LGW-2	5/11/2016	6.94	0		S.U.
pH (Field)	LGW-2	6/1/2016	7.38	0		S.U.
pH (Field)	LGW-2	7/19/2016	7.39	0		S.U.
pH (Field)	LGW-2	8/10/2016	8.47	0		S.U.
pH (Field)	LGW-2	9/6/2016	7.4	0		S.U.
pH (Field)	LGW-2	10/6/2016	7.4	0		S.U.
pH (Field)	LGW-2	11/2/2016	6.85	0		S.U.
pH (Field)	LGW-2	12/1/2016	7.6	0		S.U.
pH (Field)	LGW-2	1/11/2017	5.08	0		S.U.
pH (Field)	LGW-2	2/7/2017	6.27	0		S.U.
pH (Field)	LGW-2	3/2/2017	6.47	0		S.U.
pH (Field)	LGW-2	4/4/2017	6.79	0		S.U.
pH (Field)	LGW-2	5/16/2017	6.69	0		S.U.
pH (Field)	LGW-2	6/6/2017	6.76	0		S.U.
pH (Field)	LGW-2	7/18/2017	6.46	0		S.U.
pH (Field)	LGW-2	8/1/2017	6.77	0		S.U.
pH (Field)	LGW-2	9/5/2017	6.68	0		S.U.
pH (Field)	LGW-2	10/6/2017	6.23	0		S.U.
pH (Field)	LGW-2	11/1/2017	6.69	0		S.U.
pH (Field)	LGW-2	1/23/2018	6.49	0.01		S.U.
pH (Field)	LGW-2	2/22/2018	6.44	0.01		S.U.
pH (Field)	LGW-2	3/21/2018	6.57	0.01		S.U.
pH (Field)	LGW-2	4/10/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	6/5/2018	6.54	0		S.U.
pH (Field)	LGW-2	6/21/2018	6.6	0		S.U.
pH (Field)	LGW-2	7/12/2018	6.51	0.01		S.U.
pH (Field)	LGW-2	8/1/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	9/4/2018	6.41	0		S.U.
pH (Field)	LGW-2	10/2/2018	6.37	0		S.U.
pH (Field)	LGW-2	10/2/2018	6.37	0		S.U.
pH (Field)	LGW-2	11/6/2018	6.34	0.01		S.U.
pH (Field)	LGW-2	12/4/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	1/3/2019	6.39	0.01		S.U.
pH (Field)	LGW-2	2/5/2019	6.54	0		S.U.
pH (Field)	LGW-2	3/6/2019	6.55	0.01		S.U.
pH (Field)	LGW-2	4/3/2019	6.47	0.01		S.U.
pH (Field)	LGW-2	5/2/2019	6.53	0.01		S.U.
pH (Field)	LGW-2	6/5/2019	6.31	0		S.U.
pH (Field)	LGW-2	7/9/2019	6.69	0.01		S.U.
pH (Field)	LGW-2	7/9/2019	6.69	0.01		S.U.
pH (Field)	LGW-2	8/6/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	9/4/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	10/1/2019	6.99	0.01		S.U.
pH (Field)	LGW-2	11/6/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	12/3/2019	6.67	0.01		S.U.
pH (Field)	LGW-2	1/13/2020	6.55	0		S.U.
pH (Field)	LGW-2	2/4/2020	6.7	0		S.U.
pH (Field)	LGW-2	3/3/2020	6.72	0.01		S.U.
pH (Field)	LGW-2	4/1/2020	6.65	0.01		S.U.
pH (Field)	LGW-2	4/1/2020	6.65	0.01		S.U.
pH (Field)	LGW-2	5/5/2020	6.62	0.01		S.U.
pH (Field)	LGW-2	6/2/2020	6.81	0		S.U.
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.
pH (Field)	LGW-2	8/3/2020	6.75	0		S.U.
pH (Field)	LGW-2	9/3/2020	6.87	0.01		S.U.
pH (Field)	LGW-2	10/7/2020	6.84	0.01		S.U.
pH (Field)	LGW-2	11/3/2020	6.81	0		S.U.
pH (Field)	LGW-2	12/4/2020	6.69	0		S.U.
pH (Field)	LGW-2	1/18/2021	6.36	0		S.U.
pH (Field)	LGW-2	1/18/2021	6.36	0		S.U.
pH (Field)	LGW-2	2/10/2021	6.81	0		S.U.
pH (Field)	LGW-2	3/2/2021	6.66	0		S.U.
pH (Field)	LGW-2	4/7/2021	6.84	0		S.U.
pH (Field)	LGW-2	5/4/2021	6.8	0		S.U.
pH (Field)	LGW-2	6/1/2021	6.67	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	8/3/2021	6.88	0		S.U.
pH (Field)	LGW-2	9/2/2021	6.82	0		S.U.
pH (Field)	LGW-2	10/5/2021	6.87	0		S.U.
pH (Field)	LGW-2	10/5/2021	6.87	0		S.U.
pH (Field)	LGW-2	11/1/2021	6.76	0		S.U.
pH (Field)	LGW-2	12/8/2021	6.84	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	2/9/2022	6.89	0		S.U.
pH (Field)	LGW-2	3/1/2022	6.82	0		S.U.
pH (Field)	LGW-2	4/5/2022	6.73	0		S.U.
pH (Field)	LGW-2	5/7/2022	6.75	0		S.U.
pH (Field)	LGW-2	6/3/2022	6.54	0		S.U.
pH (Field)	LGW-2	7/10/2022	6.5	0		S.U.
pH (Field)	LGW-2	8/10/2022	6.46	0		S.U.
pH (Field)	LGW-2	9/8/2022	6.55	0		S.U.
pH (Field)	LGW-2	10/6/2022	6.31	0		S.U.
pH (Field)	LGW-2	11/3/2022	6.74	0		S.U.
pH (Field)	LGW-2	12/7/2022	6.57	0		S.U.
pH (Field)	LGW-2	1/10/2023	6.94	0		S.U.
pH (Field)	LGW-2	2/3/2023	6.77	0		S.U.
pH (Field)	LGW-2	3/1/2023	6.59	0		S.U.
pH (Field)	LGW-2	4/6/2023	6.71	0		S.U.
pH (Field)	LGW-3R	9/28/2005	6.95	0		S.U.
pH (Field)	LGW-3R	7/20/2006	7.33	0		S.U.
pH (Field)	LGW-3R	7/20/2006	7.33	0		S.U.
pH (Field)	LGW-3R	9/26/2006	7.38	0		S.U.
pH (Field)	LGW-3R	9/26/2006	7.38	0		S.U.
pH (Field)	LGW-3R	10/26/2006	7.69	0		S.U.
pH (Field)	LGW-3R	10/26/2006	7.69	0		S.U.
pH (Field)	LGW-3R	11/21/2006	7.92	0		S.U.
pH (Field)	LGW-3R	11/21/2006	7.92	0		S.U.
pH (Field)	LGW-3R	12/21/2006	7.08	0		S.U.
pH (Field)	LGW-3R	12/21/2006	7.08	0		S.U.
pH (Field)	LGW-3R	1/8/2007	6.78	0		S.U.
pH (Field)	LGW-3R	1/8/2007	6.98	0		S.U.
pH (Field)	LGW-3R	1/9/2007	6.78	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	2/7/2007	7.38	0		S.U.
pH (Field)	LGW-3R	2/27/2007	7.38	0		S.U.
pH (Field)	LGW-3R	2/27/2007	7.38	0		S.U.
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.
pH (Field)	LGW-3R	4/26/2007	6.82	0		S.U.
pH (Field)	LGW-3R	4/26/2007	6.82	0		S.U.
pH (Field)	LGW-3R	6/1/2007	6.86	0		S.U.
pH (Field)	LGW-3R	6/1/2007	6.68	0		S.U.
pH (Field)	LGW-3R	6/28/2007	7.04	0		S.U.
pH (Field)	LGW-3R	6/28/2007	7.04	0		S.U.
pH (Field)	LGW-3R	7/10/2007	6.65	0		S.U.
pH (Field)	LGW-3R	7/11/2007	6.65	0		S.U.
pH (Field)	LGW-3R	8/28/2007	7.21	0		S.U.
pH (Field)	LGW-3R	8/28/2007	7.21	0		S.U.
pH (Field)	LGW-3R	9/28/2007	7.4	0		S.U.
pH (Field)	LGW-3R	10/24/2007	9.56	0	ND	S.U.
pH (Field)	LGW-3R	11/28/2007	6.39	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.38	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.36	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.34	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.57	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.76	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.52	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.55	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.65	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.69	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.65	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.68	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.75	0		S.U.
pH (Field)	LGW-3R	2/27/2008	7.21	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.8	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.62	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.54	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.76	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.31	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.08	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.08	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.1	0		S.U.
pH (Field)	LGW-3R	5/30/2008	7.29	0		S.U.
pH (Field)	LGW-3R	5/30/2008	7	0		S.U.
pH (Field)	LGW-3R	5/30/2008	6.9	0		S.U.
pH (Field)	LGW-3R	5/30/2008	6.85	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.67	0		S.U.
pH (Field)	LGW-3R	6/26/2008	7.09	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.57	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.58	0		S.U.
pH (Field)	LGW-3R	7/23/2008	6.67	0.1		S.U.
pH (Field)	LGW-3R	8/29/2008	6.78	0.1		S.U.
pH (Field)	LGW-3R	9/26/2008	7.04	0.1		S.U.
pH (Field)	LGW-3R	9/26/2008	7.04	0.1		S.U.
pH (Field)	LGW-3R	10/22/2008	7.21	0.1		S.U.
pH (Field)	LGW-3R	11/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-3R	12/19/2008	6.98	0.1		S.U.
pH (Field)	LGW-3R	2/3/2009	6.97	0.1		S.U.
pH (Field)	LGW-3R	3/26/2009	6.8	0.1		S.U.
pH (Field)	LGW-3R	4/16/2009	6.31	0.1		S.U.
pH (Field)	LGW-3R	5/28/2009	7.41	0.1		S.U.
pH (Field)	LGW-3R	6/25/2009	7.03	0.1		S.U.
pH (Field)	LGW-3R	7/31/2009	6.06	0.1		S.U.
pH (Field)	LGW-3R	8/29/2009	5.9	0.1		S.U.
pH (Field)	LGW-3R	9/30/2009	5.82	0.1		S.U.
pH (Field)	LGW-3R	10/22/2009	6.41	0.1		S.U.
pH (Field)	LGW-3R	11/24/2009	6.49	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	12/18/2009	6.75	0.1		S.U.
pH (Field)	LGW-3R	2/3/2010	6.73	0.1		S.U.
pH (Field)	LGW-3R	2/3/2010	6.73	0.1		S.U.
pH (Field)	LGW-3R	2/17/2010	6.95	0		S.U.
pH (Field)	LGW-3R	3/3/2010	6.81	0		S.U.
pH (Field)	LGW-3R	4/8/2010	6.87	0		S.U.
pH (Field)	LGW-3R	5/5/2010	7.89	0		S.U.
pH (Field)	LGW-3R	6/15/2010	6.96	0		S.U.
pH (Field)	LGW-3R	7/16/2010	6.8	0		S.U.
pH (Field)	LGW-3R	8/11/2010	6.73	0		S.U.
pH (Field)	LGW-3R	9/1/2010	6.95	0		S.U.
pH (Field)	LGW-3R	9/29/2010	6.75	0		S.U.
pH (Field)	LGW-3R	11/3/2010	6.77	0		S.U.
pH (Field)	LGW-3R	12/3/2010	6.81	0		S.U.
pH (Field)	LGW-3R	1/19/2011	6.86	0		S.U.
pH (Field)	LGW-3R	2/7/2011	6.82	0		S.U.
pH (Field)	LGW-3R	3/3/2011	6.86	0		S.U.
pH (Field)	LGW-3R	4/5/2011	6.97	0		S.U.
pH (Field)	LGW-3R	5/10/2011	6.82	0		S.U.
pH (Field)	LGW-3R	6/1/2011	6.65	0		S.U.
pH (Field)	LGW-3R	7/13/2011	6.85	0		S.U.
pH (Field)	LGW-3R	8/3/2011	6.81	0		S.U.
pH (Field)	LGW-3R	9/7/2011	6.93	0		S.U.
pH (Field)	LGW-3R	10/5/2011	7	0		S.U.
pH (Field)	LGW-3R	11/1/2011	6.9	0		S.U.
pH (Field)	LGW-3R	12/7/2011	7.08	0		S.U.
pH (Field)	LGW-3R	1/4/2012	7.06	0		S.U.
pH (Field)	LGW-3R	2/1/2012	6.84	0		S.U.
pH (Field)	LGW-3R	3/6/2012	7.07	0		S.U.
pH (Field)	LGW-3R	4/5/2012	7.21	0		S.U.
pH (Field)	LGW-3R	5/1/2012	7.27	0		S.U.
pH (Field)	LGW-3R	6/5/2012	7.22	0		S.U.
pH (Field)	LGW-3R	7/9/2012	7.03	0		S.U.
pH (Field)	LGW-3R	8/9/2012	6.94	0		S.U.
pH (Field)	LGW-3R	9/4/2012	6.72	0		S.U.
pH (Field)	LGW-3R	11/8/2012	6.99	0		S.U.
pH (Field)	LGW-3R	12/6/2012	6.83	0		S.U.
pH (Field)	LGW-3R	12/6/2012	6.83	0		S.U.
pH (Field)	LGW-3R	1/23/2013	7	0		S.U.
pH (Field)	LGW-3R	1/23/2013	7	0		S.U.
pH (Field)	LGW-3R	2/5/2013	7.01	0		S.U.
pH (Field)	LGW-3R	2/5/2013	7.01	0		S.U.
pH (Field)	LGW-3R	3/5/2013	6.95	0		S.U.
pH (Field)	LGW-3R	3/5/2013	6.95	0		S.U.
pH (Field)	LGW-3R	4/30/2013	7.09	0		S.U.
pH (Field)	LGW-3R	6/4/2013	6.72	0		S.U.
pH (Field)	LGW-3R	7/15/2013	6.85	0		S.U.
pH (Field)	LGW-3R	8/8/2013	7	0		S.U.
pH (Field)	LGW-3R	9/10/2013	6.88	0		S.U.
pH (Field)	LGW-3R	10/1/2013	7.23	0		S.U.
pH (Field)	LGW-3R	11/6/2013	6.8	0		S.U.
pH (Field)	LGW-3R	12/2/2013	6.9	0		S.U.
pH (Field)	LGW-3R	1/22/2014	6.75	0		S.U.
pH (Field)	LGW-3R	2/12/2014	6.99	0		S.U.
pH (Field)	LGW-3R	3/11/2014	7.12	0		S.U.
pH (Field)	LGW-3R	4/2/2014	7.69	0		S.U.
pH (Field)	LGW-3R	5/7/2014	7.07	0		S.U.
pH (Field)	LGW-3R	6/3/2014	7	0		S.U.
pH (Field)	LGW-3R	7/8/2014	7.1	0		S.U.
pH (Field)	LGW-3R	8/5/2014	7.05	0		S.U.
pH (Field)	LGW-3R	9/4/2014	6.97	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	10/9/2014	7.23	0		S.U.
pH (Field)	LGW-3R	11/3/2014	6.85	0		S.U.
pH (Field)	LGW-3R	1/14/2015	5.67	0		S.U.
pH (Field)	LGW-3R	2/10/2015	6.99	0		S.U.
pH (Field)	LGW-3R	3/3/2015	7.03	0		S.U.
pH (Field)	LGW-3R	4/1/2015	6.83	0		S.U.
pH (Field)	LGW-3R	5/6/2015	7.07	0		S.U.
pH (Field)	LGW-3R	6/3/2015	7.36	0		S.U.
pH (Field)	LGW-3R	7/16/2015	7.37	0		S.U.
pH (Field)	LGW-3R	8/5/2015	8.34	0		S.U.
pH (Field)	LGW-3R	9/3/2015	8.25	0		S.U.
pH (Field)	LGW-3R	10/6/2015	8.47	0		S.U.
pH (Field)	LGW-3R	11/5/2015	8.38	0		S.U.
pH (Field)	LGW-3R	12/4/2015	9.02	0		S.U.
pH (Field)	LGW-3R	1/8/2016	7.8	0		S.U.
pH (Field)	LGW-3R	2/4/2016	8.33	0		S.U.
pH (Field)	LGW-3R	3/3/2016	8.13	0		S.U.
pH (Field)	LGW-3R	4/6/2016	8.13	0		S.U.
pH (Field)	LGW-3R	5/12/2016	7.86	0		S.U.
pH (Field)	LGW-3R	6/2/2016	8.85	0		S.U.
pH (Field)	LGW-3R	7/21/2016	7.6	0		S.U.
pH (Field)	LGW-3R	8/11/2016	7.82	0		S.U.
pH (Field)	LGW-3R	9/7/2016	7.23	0		S.U.
pH (Field)	LGW-3R	10/7/2016	7.13	0		S.U.
pH (Field)	LGW-3R	11/3/2016	8.89	0		S.U.
pH (Field)	LGW-3R	12/2/2016	7.11	0		S.U.
pH (Field)	LGW-3R	1/11/2017	5.87	0		S.U.
pH (Field)	LGW-3R	2/7/2017	6.54	0		S.U.
pH (Field)	LGW-3R	3/2/2017	6.36	0		S.U.
pH (Field)	LGW-3R	4/4/2017	6.93	0		S.U.
pH (Field)	LGW-3R	5/2/2017	7.15	0		S.U.
pH (Field)	LGW-3R	6/6/2017	7.4	0		S.U.
pH (Field)	LGW-3R	7/18/2017	6.86	0		S.U.
pH (Field)	LGW-3R	8/1/2017	6.96	0		S.U.
pH (Field)	LGW-3R	9/5/2017	6.7	0		S.U.
pH (Field)	LGW-3R	10/6/2017	6.67	0		S.U.
pH (Field)	LGW-3R	11/1/2017	6.93	0		S.U.
pH (Field)	LGW-3R	1/23/2018	6.7	0.01		S.U.
pH (Field)	LGW-3R	2/22/2018	6.77	0.01		S.U.
pH (Field)	LGW-3R	3/19/2018	6.66	0.01		S.U.
pH (Field)	LGW-3R	4/10/2018	6.82	0.01		S.U.
pH (Field)	LGW-3R	6/5/2018	6.91	0		S.U.
pH (Field)	LGW-3R	7/11/2018	6.65	0.01		S.U.
pH (Field)	LGW-3R	8/1/2018	6.64	0.01		S.U.
pH (Field)	LGW-3R	9/5/2018	6.37	0		S.U.
pH (Field)	LGW-3R	10/3/2018	6.7	0		S.U.
pH (Field)	LGW-3R	11/7/2018	6.68	0.01		S.U.
pH (Field)	LGW-3R	12/4/2018	6.79	0.01		S.U.
pH (Field)	LGW-3R	1/3/2019	6.17	0.01		S.U.
pH (Field)	LGW-3R	2/5/2019	6.77	0		S.U.
pH (Field)	LGW-3R	3/4/2019	6.32	0.01		S.U.
pH (Field)	LGW-3R	4/3/2019	6.75	0.01		S.U.
pH (Field)	LGW-3R	5/1/2019	7.5	0.01		S.U.
pH (Field)	LGW-3R	6/5/2019	6.84	0		S.U.
pH (Field)	LGW-3R	7/9/2019	6.61	0.01		S.U.
pH (Field)	LGW-3R	7/9/2019	6.61	0.01		S.U.
pH (Field)	LGW-3R	8/5/2019	7.71	0.01		S.U.
pH (Field)	LGW-3R	9/3/2019	7.48	0.01		S.U.
pH (Field)	LGW-3R	10/1/2019	6.99	0.01		S.U.
pH (Field)	LGW-3R	11/6/2019	6.45	0.01		S.U.
pH (Field)	LGW-3R	12/2/2019	6.54	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	1/14/2020	6.34	0		S.U.
pH (Field)	LGW-3R	2/4/2020	6.09	0		S.U.
pH (Field)	LGW-3R	3/2/2020	6.51	0.01		S.U.
pH (Field)	LGW-3R	4/1/2020	6.63	0.01		S.U.
pH (Field)	LGW-3R	5/5/2020	6.23	0.01		S.U.
pH (Field)	LGW-3R	6/3/2020	6.42	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	8/3/2020	6.14	0		S.U.
pH (Field)	LGW-3R	9/2/2020	6.15	0.01		S.U.
pH (Field)	LGW-3R	10/5/2020	5.65	0.01		S.U.
pH (Field)	LGW-3R	11/3/2020	6.16	0		S.U.
pH (Field)	LGW-3R	12/4/2020	6.07	0		S.U.
pH (Field)	LGW-3R	1/18/2021	6.05	0		S.U.
pH (Field)	LGW-3R	1/18/2021	6.05	0		S.U.
pH (Field)	LGW-3R	2/9/2021	5.85	0		S.U.
pH (Field)	LGW-3R	3/2/2021	5.59	0		S.U.
pH (Field)	LGW-3R	4/6/2021	5.44	0		S.U.
pH (Field)	LGW-3R	4/6/2021	5.44	0		S.U.
pH (Field)	LGW-3R	5/4/2021	5.98	0		S.U.
pH (Field)	LGW-3R	6/2/2021	5.59	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	8/3/2021	5.52	0		S.U.
pH (Field)	LGW-3R	9/2/2021	5.43	0		S.U.
pH (Field)	LGW-3R	10/5/2021	5.67	0		S.U.
pH (Field)	LGW-3R	11/2/2021	6.56	0		S.U.
pH (Field)	LGW-3R	12/9/2021	5.54	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	2/10/2022	5.61	0		S.U.
pH (Field)	LGW-3R	3/1/2022	5.78	0		S.U.
pH (Field)	LGW-3R	4/5/2022	5.48	0		S.U.
pH (Field)	LGW-3R	5/7/2022	5.73	0		S.U.
pH (Field)	LGW-3R	6/3/2022	5.76	0		S.U.
pH (Field)	LGW-3R	7/10/2022	5.57	0		S.U.
pH (Field)	LGW-3R	8/10/2022	5.15	0		S.U.
pH (Field)	LGW-3R	9/8/2022	5.14	0		S.U.
pH (Field)	LGW-3R	10/6/2022	4.73	0		S.U.
pH (Field)	LGW-3R	11/3/2022	5.16	0		S.U.
pH (Field)	LGW-3R	12/7/2022	5.07	0		S.U.
pH (Field)	LGW-3R	1/10/2023	5.45	0		S.U.
pH (Field)	LGW-3R	2/3/2023	5.33	0		S.U.
pH (Field)	LGW-3R	3/1/2023	5.04	0		S.U.
pH (Field)	LGW-3R	4/6/2023	5.44	0		S.U.
pH (Field)	LGW-4	9/28/2005	6.98	0		S.U.
pH (Field)	LGW-4	7/20/2006	7.54	0		S.U.
pH (Field)	LGW-4	7/20/2006	7.54	0		S.U.
pH (Field)	LGW-4	9/26/2006	7.73	0		S.U.
pH (Field)	LGW-4	9/26/2006	7.73	0		S.U.
pH (Field)	LGW-4	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-4	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-4	11/21/2006	7.96	0		S.U.
pH (Field)	LGW-4	11/21/2006	7.96	0		S.U.
pH (Field)	LGW-4	12/21/2006	7.25	0		S.U.
pH (Field)	LGW-4	12/21/2006	7.25	0		S.U.
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	2/7/2007	7.48	0		S.U.
pH (Field)	LGW-4	2/27/2007	7.48	0		S.U.
pH (Field)	LGW-4	2/27/2007	7.48	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	4/26/2007	6.91	0		S.U.
pH (Field)	LGW-4	4/26/2007	6.91	0		S.U.
pH (Field)	LGW-4	5/31/2007	7.19	0		S.U.
pH (Field)	LGW-4	6/1/2007	7.19	0		S.U.
pH (Field)	LGW-4	6/28/2007	7.02	0		S.U.
pH (Field)	LGW-4	6/28/2007	7.02	0		S.U.
pH (Field)	LGW-4	7/10/2007	7.08	0		S.U.
pH (Field)	LGW-4	7/11/2007	7.08	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.36	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.36	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.32	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.47	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.62	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.64	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.48	0		S.U.
pH (Field)	LGW-4	10/24/2007	9.57	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.45	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.53	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.63	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.47	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.65	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.76	0		S.U.
pH (Field)	LGW-4	1/22/2008	7.2	0		S.U.
pH (Field)	LGW-4	2/27/2008	7.28	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.92	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.78	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.85	0		S.U.
pH (Field)	LGW-4	3/25/2008	7.21	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.29	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.29	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.38	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.41	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.41	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.38	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.24	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.35	0		S.U.
pH (Field)	LGW-4	7/23/2008	6.86	0.1		S.U.
pH (Field)	LGW-4	8/29/2008	8.23	0.1		S.U.
pH (Field)	LGW-4	9/26/2008	7.29	0.1		S.U.
pH (Field)	LGW-4	9/26/2008	7.29	0.1		S.U.
pH (Field)	LGW-4	10/22/2008	7.15	0.1		S.U.
pH (Field)	LGW-4	11/25/2008	7.17	0.1		S.U.
pH (Field)	LGW-4	12/19/2008	7.1	0.1		S.U.
pH (Field)	LGW-4	2/3/2009	7.29	0.1		S.U.
pH (Field)	LGW-4	3/26/2009	6.9	0.1		S.U.
pH (Field)	LGW-4	4/16/2009	6.61	0.1		S.U.
pH (Field)	LGW-4	5/28/2009	7.47	0.1		S.U.
pH (Field)	LGW-4	6/25/2009	7.14	0.1		S.U.
pH (Field)	LGW-4	7/31/2009	6.07	0.1		S.U.
pH (Field)	LGW-4	8/29/2009	5.93	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	10/22/2009	6.47	0.1		S.U.
pH (Field)	LGW-4	11/24/2009	6.65	0.1		S.U.
pH (Field)	LGW-4	2/3/2010	7.05	0.1		S.U.
pH (Field)	LGW-4	2/3/2010	7.05	0.1		S.U.
pH (Field)	LGW-4	2/17/2010	7.07	0		S.U.
pH (Field)	LGW-4	3/3/2010	7.06	0		S.U.
pH (Field)	LGW-4	4/8/2010	6.99	0		S.U.
pH (Field)	LGW-4	5/5/2010	8.2	0		S.U.
pH (Field)	LGW-4	6/15/2010	7.36	0		S.U.
pH (Field)	LGW-4	7/16/2010	6.96	0		S.U.
pH (Field)	LGW-4	8/11/2010	7.01	0		S.U.
pH (Field)	LGW-4	9/1/2010	7.13	0		S.U.
pH (Field)	LGW-4	9/29/2010	7.05	0		S.U.
pH (Field)	LGW-4	11/3/2010	7.06	0		S.U.
pH (Field)	LGW-4	12/3/2010	7.05	0		S.U.
pH (Field)	LGW-4	1/19/2011	7.06	0		S.U.
pH (Field)	LGW-4	2/7/2011	7.05	0		S.U.
pH (Field)	LGW-4	3/3/2011	7.07	0		S.U.
pH (Field)	LGW-4	4/5/2011	7.22	0		S.U.
pH (Field)	LGW-4	5/10/2011	7.23	0		S.U.
pH (Field)	LGW-4	6/1/2011	7.05	0		S.U.
pH (Field)	LGW-4	7/13/2011	7.42	0		S.U.
pH (Field)	LGW-4	8/3/2011	7.13	0		S.U.
pH (Field)	LGW-4	9/7/2011	7.21	0		S.U.
pH (Field)	LGW-4	10/5/2011	7.27	0		S.U.
pH (Field)	LGW-4	11/1/2011	7.06	0		S.U.
pH (Field)	LGW-4	12/7/2011	7.35	0		S.U.
pH (Field)	LGW-4	1/4/2012	7.28	0		S.U.
pH (Field)	LGW-4	2/1/2012	7.07	0		S.U.
pH (Field)	LGW-4	3/6/2012	7.28	0		S.U.
pH (Field)	LGW-4	4/5/2012	7.47	0		S.U.
pH (Field)	LGW-4	5/1/2012	7.71	0		S.U.
pH (Field)	LGW-4	6/5/2012	7.45	0		S.U.
pH (Field)	LGW-4	7/9/2012	7.28	0		S.U.
pH (Field)	LGW-4	8/9/2012	7.16	0		S.U.
pH (Field)	LGW-4	9/4/2012	6.92	0		S.U.
pH (Field)	LGW-4	10/7/2012	7.4	0		S.U.
pH (Field)	LGW-4	4/30/2013	7.16	0		S.U.
pH (Field)	LGW-4	6/4/2013	7.19	0		S.U.
pH (Field)	LGW-4	7/15/2013	7.23	0		S.U.
pH (Field)	LGW-4	8/8/2013	7.34	0		S.U.
pH (Field)	LGW-4	9/10/2013	7.33	0		S.U.
pH (Field)	LGW-4	10/1/2013	7.63	0		S.U.
pH (Field)	LGW-4	11/6/2013	7.29	0		S.U.
pH (Field)	LGW-4	12/2/2013	7.05	0		S.U.
pH (Field)	LGW-4	1/23/2014	7.14	0		S.U.
pH (Field)	LGW-4	2/12/2014	7.28	0		S.U.
pH (Field)	LGW-4	3/11/2014	7.49	0		S.U.
pH (Field)	LGW-4	4/2/2014	7.5	0		S.U.
pH (Field)	LGW-4	5/7/2014	7.4	0		S.U.
pH (Field)	LGW-4	6/3/2014	7.15	0		S.U.
pH (Field)	LGW-4	7/8/2014	7.49	0		S.U.
pH (Field)	LGW-4	8/5/2014	7.26	0		S.U.
pH (Field)	LGW-4	9/4/2014	7.05	0		S.U.
pH (Field)	LGW-4	10/9/2014	7.67	0		S.U.
pH (Field)	LGW-4	11/3/2014	7.17	0		S.U.
pH (Field)	LGW-4	1/14/2015	5.95	0		S.U.
pH (Field)	LGW-4	2/11/2015	7.2	0		S.U.
pH (Field)	LGW-4	3/3/2015	7.09	0		S.U.
pH (Field)	LGW-4	4/1/2015	7.11	0		S.U.
pH (Field)	LGW-4	5/6/2015	7.15	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	6/3/2015	7.8	0		S.U.
pH (Field)	LGW-4	7/8/2015	7.27	0		S.U.
pH (Field)	LGW-4	8/4/2015	7.74	0		S.U.
pH (Field)	LGW-4	9/2/2015	7.55	0		S.U.
pH (Field)	LGW-4	10/5/2015	7.91	0		S.U.
pH (Field)	LGW-4	11/4/2015	7.57	0		S.U.
pH (Field)	LGW-4	12/3/2015	7.87	0		S.U.
pH (Field)	LGW-4	1/5/2016	7.21	0		S.U.
pH (Field)	LGW-4	2/3/2016	7.98	0		S.U.
pH (Field)	LGW-4	3/2/2016	7.9	0		S.U.
pH (Field)	LGW-4	4/5/2016	7.78	0		S.U.
pH (Field)	LGW-4	5/11/2016	7.58	0		S.U.
pH (Field)	LGW-4	6/1/2016	7.9	0		S.U.
pH (Field)	LGW-4	7/19/2016	7.43	0		S.U.
pH (Field)	LGW-4	8/10/2016	8.15	0		S.U.
pH (Field)	LGW-4	9/6/2016	7.18	0		S.U.
pH (Field)	LGW-4	10/6/2016	7.1	0		S.U.
pH (Field)	LGW-4	11/2/2016	7.2	0		S.U.
pH (Field)	LGW-4	12/1/2016	7.91	0		S.U.
pH (Field)	LGW-4	1/11/2017	6.19	0		S.U.
pH (Field)	LGW-4	2/7/2017	6.39	0		S.U.
pH (Field)	LGW-4	3/2/2017	6.39	0		S.U.
pH (Field)	LGW-4	4/4/2017	7.16	0		S.U.
pH (Field)	LGW-4	5/2/2017	7.26	0		S.U.
pH (Field)	LGW-4	5/16/2017	7	0		S.U.
pH (Field)	LGW-4	6/6/2017	7.16	0		S.U.
pH (Field)	LGW-4	7/18/2017	7.03	0		S.U.
pH (Field)	LGW-4	8/1/2017	7.16	0		S.U.
pH (Field)	LGW-4	9/5/2017	7.12	0		S.U.
pH (Field)	LGW-4	10/6/2017	6.71	0		S.U.
pH (Field)	LGW-4	11/1/2017	6.95	0		S.U.
pH (Field)	LGW-4	1/23/2018	6.63	0.01		S.U.
pH (Field)	LGW-4	2/22/2018	6.71	0.01		S.U.
pH (Field)	LGW-4	3/19/2018	6.56	0.01		S.U.
pH (Field)	LGW-4	4/10/2018	6.69	0.01		S.U.
pH (Field)	LGW-4	6/5/2018	7.07	0		S.U.
pH (Field)	LGW-4	7/11/2018	6.51	0.01		S.U.
pH (Field)	LGW-4	8/1/2018	6.72	0.01		S.U.
pH (Field)	LGW-4	9/5/2018	6.41	0		S.U.
pH (Field)	LGW-4	10/3/2018	6.71	0		S.U.
pH (Field)	LGW-4	11/7/2018	6.65	0.01		S.U.
pH (Field)	LGW-4	12/4/2018	6.81	0.01		S.U.
pH (Field)	LGW-4	1/3/2019	6.25	0.01		S.U.
pH (Field)	LGW-4	2/5/2019	6.84	0		S.U.
pH (Field)	LGW-4	3/4/2019	6.53	0.01		S.U.
pH (Field)	LGW-4	4/3/2019	6.49	0.01		S.U.
pH (Field)	LGW-4	4/3/2019	6.49	0.01		S.U.
pH (Field)	LGW-4	5/1/2019	7.18	0.01		S.U.
pH (Field)	LGW-4	6/5/2019	6.88	0		S.U.
pH (Field)	LGW-4	7/9/2019	7.1	0.01		S.U.
pH (Field)	LGW-4	7/9/2019	7.1	0.01		S.U.
pH (Field)	LGW-4	8/5/2019	7.54	0.01		S.U.
pH (Field)	LGW-4	9/3/2019	8.01	0.01		S.U.
pH (Field)	LGW-4	10/1/2019	7.02	0.01		S.U.
pH (Field)	LGW-4	11/6/2019	6.71	0.01		S.U.
pH (Field)	LGW-4	12/4/2019	7.38	0.01		S.U.
pH (Field)	LGW-4	1/14/2020	7.34	0		S.U.
pH (Field)	LGW-4	2/4/2020	7.17	0		S.U.
pH (Field)	LGW-4	3/2/2020	7.31	0.01		S.U.
pH (Field)	LGW-4	4/1/2020	7.4	0.01		S.U.
pH (Field)	LGW-4	5/5/2020	7.24	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	6/3/2020	7.19	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	8/3/2020	7.18	0		S.U.
pH (Field)	LGW-4	9/2/2020	6.98	0.01		S.U.
pH (Field)	LGW-4	10/5/2020	6.98	0.01		S.U.
pH (Field)	LGW-4	11/3/2020	7.46	0		S.U.
pH (Field)	LGW-4	12/4/2020	7.2	0		S.U.
pH (Field)	LGW-4	1/18/2021	6.26	0		S.U.
pH (Field)	LGW-4	1/18/2021	6.26	0		S.U.
pH (Field)	LGW-4	2/9/2021	7.27	0		S.U.
pH (Field)	LGW-4	3/2/2021	6.98	0		S.U.
pH (Field)	LGW-4	4/6/2021	7.19	0		S.U.
pH (Field)	LGW-4	4/6/2021	7.19	0		S.U.
pH (Field)	LGW-4	5/4/2021	7.13	0		S.U.
pH (Field)	LGW-4	6/2/2021	7.09	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	8/3/2021	7.13	0		S.U.
pH (Field)	LGW-4	9/2/2021	7.04	0		S.U.
pH (Field)	LGW-4	10/5/2021	7.09	0		S.U.
pH (Field)	LGW-4	10/5/2021	7.09	0		S.U.
pH (Field)	LGW-4	11/2/2021	7.05	0		S.U.
pH (Field)	LGW-4	12/9/2021	7.03	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	2/10/2022	7.06	0		S.U.
pH (Field)	LGW-4	3/1/2022	6.97	0		S.U.
pH (Field)	LGW-4	4/5/2022	6.84	0		S.U.
pH (Field)	LGW-4	5/7/2022	6.85	0		S.U.
pH (Field)	LGW-4	6/3/2022	6.48	0		S.U.
pH (Field)	LGW-4	7/11/2022	6.6	0		S.U.
pH (Field)	LGW-4	8/10/2022	6.45	0		S.U.
pH (Field)	LGW-4	9/8/2022	6.44	0		S.U.
pH (Field)	LGW-4	10/6/2022	6.34	0		S.U.
pH (Field)	LGW-4	11/3/2022	6.6	0		S.U.
pH (Field)	LGW-4	12/7/2022	6.42	0		S.U.
pH (Field)	LGW-4	1/10/2023	6.73	0		S.U.
pH (Field)	LGW-4	2/3/2023	6.66	0		S.U.
pH (Field)	LGW-4	3/1/2023	6.33	0		S.U.
pH (Field)	LGW-4	4/6/2023	6.43	0		S.U.
pH (Field)	LGW-5	9/29/2005	7.55	0		S.U.
pH (Field)	LGW-5	7/20/2006	8	0		S.U.
pH (Field)	LGW-5	7/20/2006	8	0		S.U.
pH (Field)	LGW-5	7/31/2006	7.73	0		S.U.
pH (Field)	LGW-5	8/1/2006	7.73	0		S.U.
pH (Field)	LGW-5	8/1/2006	7.73	0		S.U.
pH (Field)	LGW-5	9/27/2006	7.94	0		S.U.
pH (Field)	LGW-5	9/27/2006	7.94	0		S.U.
pH (Field)	LGW-5	10/26/2006	8.2	0		S.U.
pH (Field)	LGW-5	10/26/2006	8.2	0		S.U.
pH (Field)	LGW-5	11/21/2006	7.99	0		S.U.
pH (Field)	LGW-5	11/21/2006	7.99	0		S.U.
pH (Field)	LGW-5	12/21/2006	7.16	0		S.U.
pH (Field)	LGW-5	12/21/2006	7.16	0		S.U.
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	2/7/2007	7.42	0		S.U.
pH (Field)	LGW-5	2/26/2007	7.42	0		S.U.
pH (Field)	LGW-5	2/27/2007	7.42	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	4/26/2007	6.9	0		S.U.
pH (Field)	LGW-5	4/26/2007	6.9	0		S.U.
pH (Field)	LGW-5	5/31/2007	6.88	0		S.U.
pH (Field)	LGW-5	6/1/2007	6.88	0		S.U.
pH (Field)	LGW-5	6/28/2007	7.36	0		S.U.
pH (Field)	LGW-5	6/28/2007	7.36	0		S.U.
pH (Field)	LGW-5	7/10/2007	6.98	0		S.U.
pH (Field)	LGW-5	7/11/2007	6.98	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.57	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.33	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.45	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.33	0		S.U.
pH (Field)	LGW-5	9/28/2007	8.05	0		S.U.
pH (Field)	LGW-5	9/28/2007	8.05	0		S.U.
pH (Field)	LGW-5	9/28/2007	8	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.59	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.68	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.75	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.89	0		S.U.
pH (Field)	LGW-5	12/27/2007	6.82	0		S.U.
pH (Field)	LGW-5	12/27/2007	6.85	0		S.U.
pH (Field)	LGW-5	12/27/2007	6.89	0		S.U.
pH (Field)	LGW-5	1/23/2008	7.96	0		S.U.
pH (Field)	LGW-5	2/28/2008	7.59	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.89	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.88	0		S.U.
pH (Field)	LGW-5	3/25/2008	7.2	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.9	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.39	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.39	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.53	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.44	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.14	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.09	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.17	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.27	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.74	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.84	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.76	0		S.U.
pH (Field)	LGW-5	6/26/2008	7.28	0		S.U.
pH (Field)	LGW-5	7/23/2008	6.74	0.1		S.U.
pH (Field)	LGW-5	9/26/2008	7.03	0.1		S.U.
pH (Field)	LGW-5	9/26/2008	7.03	0.1		S.U.
pH (Field)	LGW-5	10/21/2008	6.92	0.1		S.U.
pH (Field)	LGW-5	11/25/2008	7.12	0.1		S.U.
pH (Field)	LGW-5	12/19/2008	7.07	0.1		S.U.
pH (Field)	LGW-5	2/4/2009	7.24	0.1		S.U.
pH (Field)	LGW-5	3/26/2009	6.67	0.1		S.U.
pH (Field)	LGW-5	4/16/2009	6.84	0.1		S.U.
pH (Field)	LGW-5	5/29/2009	7.35	0.1		S.U.
pH (Field)	LGW-5	6/24/2009	7.1	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	7/29/2009	5.92	0.1		S.U.
pH (Field)	LGW-5	8/28/2009	6.05	0.1		S.U.
pH (Field)	LGW-5	9/29/2009	5.98	0.1		S.U.
pH (Field)	LGW-5	10/21/2009	6.51	0.1		S.U.
pH (Field)	LGW-5	11/24/2009	6.67	0.1		S.U.
pH (Field)	LGW-5	12/17/2009	6.78	0.1		S.U.
pH (Field)	LGW-5	2/3/2010	6.91	0.1		S.U.
pH (Field)	LGW-5	2/3/2010	6.91	0.1		S.U.
pH (Field)	LGW-5	2/16/2010	7.16	0		S.U.
pH (Field)	LGW-5	3/3/2010	7.08	0		S.U.
pH (Field)	LGW-5	4/7/2010	6.81	0		S.U.
pH (Field)	LGW-5	5/5/2010	7.81	0		S.U.
pH (Field)	LGW-5	6/15/2010	7.11	0		S.U.
pH (Field)	LGW-5	7/12/2010	7.05	0		S.U.
pH (Field)	LGW-5	8/10/2010	7	0		S.U.
pH (Field)	LGW-5	9/2/2010	7.15	0		S.U.
pH (Field)	LGW-5	9/29/2010	6.91	0		S.U.
pH (Field)	LGW-5	11/3/2010	6.99	0		S.U.
pH (Field)	LGW-5	12/2/2010	7.03	0		S.U.
pH (Field)	LGW-5	1/19/2011	7.05	0		S.U.
pH (Field)	LGW-5	2/7/2011	7.06	0		S.U.
pH (Field)	LGW-5	3/3/2011	7.08	0		S.U.
pH (Field)	LGW-5	4/5/2011	7.19	0		S.U.
pH (Field)	LGW-5	5/10/2011	7.06	0		S.U.
pH (Field)	LGW-5	6/1/2011	7	0		S.U.
pH (Field)	LGW-5	7/12/2011	7.08	0		S.U.
pH (Field)	LGW-5	8/3/2011	7.06	0		S.U.
pH (Field)	LGW-5	9/7/2011	7.2	0		S.U.
pH (Field)	LGW-5	10/5/2011	7.28	0		S.U.
pH (Field)	LGW-5	11/1/2011	7.22	0		S.U.
pH (Field)	LGW-5	12/7/2011	7.31	0		S.U.
pH (Field)	LGW-5	1/5/2012	7.29	0		S.U.
pH (Field)	LGW-5	2/1/2012	7.06	0		S.U.
pH (Field)	LGW-5	3/6/2012	7.34	0		S.U.
pH (Field)	LGW-5	4/5/2012	7.58	0		S.U.
pH (Field)	LGW-5	5/1/2012	7.78	0		S.U.
pH (Field)	LGW-5	6/5/2012	7.87	0		S.U.
pH (Field)	LGW-5	7/9/2012	7.21	0		S.U.
pH (Field)	LGW-5	8/9/2012	7.21	0		S.U.
pH (Field)	LGW-5	9/4/2012	6.9	0		S.U.
pH (Field)	LGW-5	10/7/2012	7.35	0		S.U.
pH (Field)	LGW-5	4/30/2013	6.93	0		S.U.
pH (Field)	LGW-5	6/4/2013	6.81	0		S.U.
pH (Field)	LGW-5	7/15/2013	6.98	0		S.U.
pH (Field)	LGW-5	8/8/2013	6.99	0		S.U.
pH (Field)	LGW-5	9/10/2013	6.98	0		S.U.
pH (Field)	LGW-5	10/1/2013	7.31	0		S.U.
pH (Field)	LGW-5	11/6/2013	7.16	0		S.U.
pH (Field)	LGW-5	12/3/2013	7.89	0		S.U.
pH (Field)	LGW-5	1/23/2014	6.86	0		S.U.
pH (Field)	LGW-5	2/12/2014	6.97	0		S.U.
pH (Field)	LGW-5	3/11/2014	6.93	0		S.U.
pH (Field)	LGW-5	4/2/2014	6.98	0		S.U.
pH (Field)	LGW-5	5/7/2014	6.92	0		S.U.
pH (Field)	LGW-5	6/3/2014	6.84	0		S.U.
pH (Field)	LGW-5	7/8/2014	7.07	0		S.U.
pH (Field)	LGW-5	8/5/2014	7.23	0		S.U.
pH (Field)	LGW-5	9/4/2014	6.91	0		S.U.
pH (Field)	LGW-5	10/9/2014	7.28	0		S.U.
pH (Field)	LGW-5	11/3/2014	7.26	0		S.U.
pH (Field)	LGW-5	1/14/2015	5.78	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	2/10/2015	6.68	0		S.U.
pH (Field)	LGW-5	3/3/2015	6.98	0		S.U.
pH (Field)	LGW-5	4/1/2015	6.51	0		S.U.
pH (Field)	LGW-5	5/6/2015	6.76	0		S.U.
pH (Field)	LGW-5	6/3/2015	6.36	0		S.U.
pH (Field)	LGW-5	7/8/2015	6.84	0		S.U.
pH (Field)	LGW-5	8/4/2015	7.1	0		S.U.
pH (Field)	LGW-5	9/2/2015	7.56	0		S.U.
pH (Field)	LGW-5	10/5/2015	7.61	0		S.U.
pH (Field)	LGW-5	11/4/2015	7.18	0		S.U.
pH (Field)	LGW-5	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-5	1/5/2016	7.07	0		S.U.
pH (Field)	LGW-5	2/3/2016	7.51	0		S.U.
pH (Field)	LGW-5	3/2/2016	7.48	0		S.U.
pH (Field)	LGW-5	4/5/2016	7.29	0		S.U.
pH (Field)	LGW-5	5/11/2016	6.9	0		S.U.
pH (Field)	LGW-5	6/1/2016	7.3	0		S.U.
pH (Field)	LGW-5	7/19/2016	6.95	0		S.U.
pH (Field)	LGW-5	8/10/2016	7.88	0		S.U.
pH (Field)	LGW-5	9/6/2016	6.79	0		S.U.
pH (Field)	LGW-5	10/6/2016	6.92	0		S.U.
pH (Field)	LGW-5	11/2/2016	6.8	0		S.U.
pH (Field)	LGW-5	12/1/2016	7.61	0		S.U.
pH (Field)	LGW-5	1/11/2017	5.67	0		S.U.
pH (Field)	LGW-5	2/7/2017	6.26	0		S.U.
pH (Field)	LGW-5	3/2/2017	6.12	0		S.U.
pH (Field)	LGW-5	4/4/2017	6.82	0		S.U.
pH (Field)	LGW-5	5/16/2017	6.77	0		S.U.
pH (Field)	LGW-5	6/6/2017	7.09	0		S.U.
pH (Field)	LGW-5	7/18/2017	6.71	0		S.U.
pH (Field)	LGW-5	8/1/2017	7.2	0		S.U.
pH (Field)	LGW-5	9/5/2017	6.88	0		S.U.
pH (Field)	LGW-5	10/5/2017	7.22	0		S.U.
pH (Field)	LGW-5	11/1/2017	6.76	0		S.U.
pH (Field)	LGW-5	1/23/2018	6.54	0.01		S.U.
pH (Field)	LGW-5	2/23/2018	6.56	0.01		S.U.
pH (Field)	LGW-5	3/20/2018	6.54	0.01		S.U.
pH (Field)	LGW-5	4/10/2018	6.58	0.01		S.U.
pH (Field)	LGW-5	6/5/2018	7.5	0		S.U.
pH (Field)	LGW-5	7/12/2018	6.23	0.01		S.U.
pH (Field)	LGW-5	8/1/2018	6.42	0.01		S.U.
pH (Field)	LGW-5	9/4/2018	6.49	0		S.U.
pH (Field)	LGW-5	10/3/2018	6.53	0		S.U.
pH (Field)	LGW-5	11/7/2018	6.49	0.01		S.U.
pH (Field)	LGW-5	12/4/2018	6.61	0.01		S.U.
pH (Field)	LGW-5	1/3/2019	6.08	0.01		S.U.
pH (Field)	LGW-5	2/5/2019	6.56	0		S.U.
pH (Field)	LGW-5	3/5/2019	5.85	0.01		S.U.
pH (Field)	LGW-5	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-5	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-5	5/1/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	6/4/2019	6.5	0		S.U.
pH (Field)	LGW-5	7/9/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	7/9/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	8/5/2019	7.32	0.01		S.U.
pH (Field)	LGW-5	9/3/2019	7.51	0.01		S.U.
pH (Field)	LGW-5	10/1/2019	6.85	0.01		S.U.
pH (Field)	LGW-5	11/5/2019	6.49	0.01		S.U.
pH (Field)	LGW-5	12/2/2019	6.62	0.01		S.U.
pH (Field)	LGW-5	1/14/2020	6.54	0		S.U.
pH (Field)	LGW-5	2/3/2020	6.57	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	3/2/2020	6.53	0.01		S.U.
pH (Field)	LGW-5	4/1/2020	6.57	0.01		S.U.
pH (Field)	LGW-5	5/4/2020	6.09	0.01		S.U.
pH (Field)	LGW-5	6/1/2020	6.41	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.46	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.4	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.46	0		S.U.
pH (Field)	LGW-5	8/3/2020	6.41	0		S.U.
pH (Field)	LGW-5	9/1/2020	6.44	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	11/3/2020	6.49	0		S.U.
pH (Field)	LGW-5	12/3/2020	6.38	0		S.U.
pH (Field)	LGW-5	1/18/2021	6.07	0		S.U.
pH (Field)	LGW-5	1/18/2021	6.07	0		S.U.
pH (Field)	LGW-5	2/9/2021	6.55	0		S.U.
pH (Field)	LGW-5	3/2/2021	6.32	0		S.U.
pH (Field)	LGW-5	4/6/2021	6.38	0		S.U.
pH (Field)	LGW-5	4/6/2021	6.38	0		S.U.
pH (Field)	LGW-5	5/4/2021	6.32	0		S.U.
pH (Field)	LGW-5	6/2/2021	6.33	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	8/3/2021	6.38	0		S.U.
pH (Field)	LGW-5	9/2/2021	6.32	0		S.U.
pH (Field)	LGW-5	10/5/2021	6.39	0		S.U.
pH (Field)	LGW-5	10/5/2021	6.39	0		S.U.
pH (Field)	LGW-5	11/2/2021	6.34	0		S.U.
pH (Field)	LGW-5	12/9/2021	6.36	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	2/10/2022	6.39	0		S.U.
pH (Field)	LGW-5	3/1/2022	6.33	0		S.U.
pH (Field)	LGW-5	4/4/2022	6.26	0		S.U.
pH (Field)	LGW-5	4/4/2022	6.26	0		S.U.
pH (Field)	LGW-5	5/7/2022	6.14	0		S.U.
pH (Field)	LGW-5	6/3/2022	5.95	0		S.U.
pH (Field)	LGW-5	7/11/2022	6.05	0		S.U.
pH (Field)	LGW-5	8/10/2022	5.97	0		S.U.
pH (Field)	LGW-5	9/8/2022	6.03	0		S.U.
pH (Field)	LGW-5	10/6/2022	5.73	0		S.U.
pH (Field)	LGW-5	10/6/2022	5.73	0		S.U.
pH (Field)	LGW-5	11/3/2022	6.17	0		S.U.
pH (Field)	LGW-5	12/7/2022	6.11	0		S.U.
pH (Field)	LGW-5	1/10/2023	6.35	0		S.U.
pH (Field)	LGW-5	2/3/2023	6.29	0		S.U.
pH (Field)	LGW-5	3/1/2023	5.95	0		S.U.
pH (Field)	LGW-5	4/6/2023	6.1	0		S.U.
pH (Field)	LGW-6	9/30/2005	7.6	0		S.U.
pH (Field)	LGW-6	7/20/2006	7.53	0		S.U.
pH (Field)	LGW-6	7/20/2006	7.53	0		S.U.
pH (Field)	LGW-6	9/27/2006	7.85	0		S.U.
pH (Field)	LGW-6	9/27/2006	7.85	0		S.U.
pH (Field)	LGW-6	10/26/2006	7.91	0		S.U.
pH (Field)	LGW-6	10/26/2006	7.91	0		S.U.
pH (Field)	LGW-6	11/21/2006	7.78	0		S.U.
pH (Field)	LGW-6	11/21/2006	7.78	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	12/21/2006	7.1	0		S.U.
pH (Field)	LGW-6	12/21/2006	7.1	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/24/2007	7.31	0		S.U.
pH (Field)	LGW-6	1/24/2007	7.31	0		S.U.
pH (Field)	LGW-6	1/25/2007	7.31	0		S.U.
pH (Field)	LGW-6	2/7/2007	7.38	0		S.U.
pH (Field)	LGW-6	2/26/2007	7.38	0		S.U.
pH (Field)	LGW-6	2/26/2007	7.38	0		S.U.
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.
pH (Field)	LGW-6	4/26/2007	7.02	0		S.U.
pH (Field)	LGW-6	4/26/2007	7.02	0		S.U.
pH (Field)	LGW-6	5/31/2007	7.29	0		S.U.
pH (Field)	LGW-6	6/1/2007	7.29	0		S.U.
pH (Field)	LGW-6	6/28/2007	6.93	0		S.U.
pH (Field)	LGW-6	6/28/2007	6.93	0		S.U.
pH (Field)	LGW-6	7/10/2007	6.61	0		S.U.
pH (Field)	LGW-6	7/11/2007	6.61	0		S.U.
pH (Field)	LGW-6	8/28/2007	7.38	0		S.U.
pH (Field)	LGW-6	8/28/2007	7.38	0		S.U.
pH (Field)	LGW-6	9/27/2007	7.37	0		S.U.
pH (Field)	LGW-6	10/23/2007	8.97	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.35	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.47	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.51	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.29	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.7	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-6	1/23/2008	7.38	0		S.U.
pH (Field)	LGW-6	2/28/2008	7.22	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.78	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.85	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.75	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.97	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.24	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.24	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.28	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.4	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.23	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.34	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.61	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.09	0		S.U.
pH (Field)	LGW-6	6/26/2008	7.22	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.76	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.68	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.91	0		S.U.
pH (Field)	LGW-6	7/23/2008	6.65	0.1		S.U.
pH (Field)	LGW-6	8/29/2008	7.13	0.1		S.U.
pH (Field)	LGW-6	9/26/2008	7.15	0.1		S.U.
pH (Field)	LGW-6	9/26/2008	7.15	0.1		S.U.
pH (Field)	LGW-6	10/21/2008	6.82	0.1		S.U.
pH (Field)	LGW-6	11/25/2008	7.01	0.1		S.U.
pH (Field)	LGW-6	12/19/2008	7.12	0.1		S.U.
pH (Field)	LGW-6	2/5/2009	6.98	0.1		S.U.
pH (Field)	LGW-6	3/26/2009	6.57	0.1		S.U.
pH (Field)	LGW-6	5/29/2009	7.56	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	6/24/2009	7.04	0.1		S.U.
pH (Field)	LGW-6	7/29/2009	5.94	0.1		S.U.
pH (Field)	LGW-6	8/28/2009	5.97	0.1		S.U.
pH (Field)	LGW-6	9/29/2009	5.86	0.1		S.U.
pH (Field)	LGW-6	10/22/2009	6.47	0.1		S.U.
pH (Field)	LGW-6	11/24/2009	6.61	0.1		S.U.
pH (Field)	LGW-6	12/17/2009	6.65	0.1		S.U.
pH (Field)	LGW-6	2/3/2010	6.71	0.1		S.U.
pH (Field)	LGW-6	2/3/2010	6.71	0.1		S.U.
pH (Field)	LGW-6	2/16/2010	6.98	0		S.U.
pH (Field)	LGW-6	3/3/2010	6.99	0		S.U.
pH (Field)	LGW-6	4/7/2010	6.95	0		S.U.
pH (Field)	LGW-6	5/5/2010	7.85	0		S.U.
pH (Field)	LGW-6	6/15/2010	7.3	0		S.U.
pH (Field)	LGW-6	7/12/2010	7.03	0		S.U.
pH (Field)	LGW-6	8/10/2010	6.97	0		S.U.
pH (Field)	LGW-6	9/2/2010	7.27	0		S.U.
pH (Field)	LGW-6	9/29/2010	6.99	0		S.U.
pH (Field)	LGW-6	11/3/2010	7.02	0		S.U.
pH (Field)	LGW-6	12/2/2010	7	0		S.U.
pH (Field)	LGW-6	1/19/2011	7.02	0		S.U.
pH (Field)	LGW-6	2/7/2011	7.15	0		S.U.
pH (Field)	LGW-6	3/3/2011	7.04	0		S.U.
pH (Field)	LGW-6	4/5/2011	7.24	0		S.U.
pH (Field)	LGW-6	5/10/2011	7.15	0		S.U.
pH (Field)	LGW-6	6/1/2011	7.06	0		S.U.
pH (Field)	LGW-6	7/12/2011	6.97	0		S.U.
pH (Field)	LGW-6	8/3/2011	7.05	0		S.U.
pH (Field)	LGW-6	9/7/2011	7.2	0		S.U.
pH (Field)	LGW-6	10/5/2011	7.3	0		S.U.
pH (Field)	LGW-6	11/1/2011	7.23	0		S.U.
pH (Field)	LGW-6	12/7/2011	7.41	0		S.U.
pH (Field)	LGW-6	1/5/2012	7.28	0		S.U.
pH (Field)	LGW-6	2/1/2012	7.26	0		S.U.
pH (Field)	LGW-6	3/6/2012	7.4	0		S.U.
pH (Field)	LGW-6	4/5/2012	7.57	0		S.U.
pH (Field)	LGW-6	5/1/2012	7.93	0		S.U.
pH (Field)	LGW-6	6/5/2012	7.84	0		S.U.
pH (Field)	LGW-6	7/9/2012	7.25	0		S.U.
pH (Field)	LGW-6	8/9/2012	7.47	0		S.U.
pH (Field)	LGW-6	9/4/2012	7.08	0		S.U.
pH (Field)	LGW-6	10/7/2012	7.49	0		S.U.
pH (Field)	LGW-6	11/6/2012	7.51	0		S.U.
pH (Field)	LGW-6	11/6/2012	7.51	0		S.U.
pH (Field)	LGW-6	12/6/2012	7.02	0		S.U.
pH (Field)	LGW-6	12/6/2012	7.02	0		S.U.
pH (Field)	LGW-6	1/23/2013	7.16	0		S.U.
pH (Field)	LGW-6	1/23/2013	7.16	0		S.U.
pH (Field)	LGW-6	2/5/2013	7.21	0		S.U.
pH (Field)	LGW-6	2/5/2013	7.21	0		S.U.
pH (Field)	LGW-6	3/5/2013	7.18	0		S.U.
pH (Field)	LGW-6	3/5/2013	7.18	0		S.U.
pH (Field)	LGW-6	4/30/2013	7.11	0		S.U.
pH (Field)	LGW-6	6/4/2013	7.02	0		S.U.
pH (Field)	LGW-6	7/15/2013	6.95	0		S.U.
pH (Field)	LGW-6	8/8/2013	7.1	0		S.U.
pH (Field)	LGW-6	9/10/2013	7.08	0		S.U.
pH (Field)	LGW-6	10/1/2013	7.38	0		S.U.
pH (Field)	LGW-6	11/6/2013	7.2	0		S.U.
pH (Field)	LGW-6	12/2/2013	6.91	0		S.U.
pH (Field)	LGW-6	1/23/2014	6.83	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	2/12/2014	7.19	0		S.U.
pH (Field)	LGW-6	3/11/2014	7.36	0		S.U.
pH (Field)	LGW-6	4/2/2014	7.35	0		S.U.
pH (Field)	LGW-6	5/7/2014	7.19	0		S.U.
pH (Field)	LGW-6	6/3/2014	7.05	0		S.U.
pH (Field)	LGW-6	7/8/2014	7.28	0		S.U.
pH (Field)	LGW-6	8/5/2014	7.42	0		S.U.
pH (Field)	LGW-6	9/4/2014	7.23	0		S.U.
pH (Field)	LGW-6	10/9/2014	7.48	0		S.U.
pH (Field)	LGW-6	11/3/2014	7.37	0		S.U.
pH (Field)	LGW-6	1/14/2015	5.73	0		S.U.
pH (Field)	LGW-6	2/10/2015	6.97	0		S.U.
pH (Field)	LGW-6	3/3/2015	7.25	0		S.U.
pH (Field)	LGW-6	4/1/2015	6.96	0		S.U.
pH (Field)	LGW-6	5/6/2015	7.2	0		S.U.
pH (Field)	LGW-6	6/3/2015	7.44	0		S.U.
pH (Field)	LGW-6	7/22/2015	7.14	0		S.U.
pH (Field)	LGW-6	8/4/2015	7.37	0		S.U.
pH (Field)	LGW-6	9/2/2015	7.67	0		S.U.
pH (Field)	LGW-6	10/6/2015	8.33	0		S.U.
pH (Field)	LGW-6	11/4/2015	7.21	0		S.U.
pH (Field)	LGW-6	12/3/2015	7.29	0		S.U.
pH (Field)	LGW-6	1/5/2016	7.17	0		S.U.
pH (Field)	LGW-6	2/3/2016	8.05	0		S.U.
pH (Field)	LGW-6	3/2/2016	7.67	0		S.U.
pH (Field)	LGW-6	4/5/2016	7.53	0		S.U.
pH (Field)	LGW-6	5/11/2016	7.21	0		S.U.
pH (Field)	LGW-6	6/1/2016	7.35	0		S.U.
pH (Field)	LGW-6	7/19/2016	7.65	0		S.U.
pH (Field)	LGW-6	8/10/2016	8.5	0		S.U.
pH (Field)	LGW-6	9/6/2016	6.85	0		S.U.
pH (Field)	LGW-6	9/6/2016	6.85	0		S.U.
pH (Field)	LGW-6	10/6/2016	6.95	0		S.U.
pH (Field)	LGW-6	11/2/2016	6.77	0		S.U.
pH (Field)	LGW-6	12/1/2016	7.73	0		S.U.
pH (Field)	LGW-6	1/11/2017	5.4	0		S.U.
pH (Field)	LGW-6	2/7/2017	6.13	0		S.U.
pH (Field)	LGW-6	3/2/2017	6.09	0		S.U.
pH (Field)	LGW-6	4/4/2017	6.83	0		S.U.
pH (Field)	LGW-6	5/2/2017	7.03	0		S.U.
pH (Field)	LGW-6	5/5/2017	6.87	0		S.U.
pH (Field)	LGW-6	6/6/2017	6.9	0		S.U.
pH (Field)	LGW-6	7/18/2017	6.62	0		S.U.
pH (Field)	LGW-6	8/1/2017	7.22	0		S.U.
pH (Field)	LGW-6	9/5/2017	6.5	0		S.U.
pH (Field)	LGW-6	10/5/2017	6.67	0		S.U.
pH (Field)	LGW-6	11/1/2017	6.71	0		S.U.
pH (Field)	LGW-6	1/23/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	2/22/2018	6.82	0.01		S.U.
pH (Field)	LGW-6	3/20/2018	6.58	0.01		S.U.
pH (Field)	LGW-6	4/10/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	4/10/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	6/5/2018	6.88	0		S.U.
pH (Field)	LGW-6	6/5/2018	6.88	0		S.U.
pH (Field)	LGW-6	7/17/2018	6.57	0.01		S.U.
pH (Field)	LGW-6	8/1/2018	6.41	0.01		S.U.
pH (Field)	LGW-6	9/5/2018	6.29	0		S.U.
pH (Field)	LGW-6	10/2/2018	6.18	0		S.U.
pH (Field)	LGW-6	10/2/2018	6.18	0		S.U.
pH (Field)	LGW-6	11/6/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	12/4/2018	6.59	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	1/7/2019	6.43	0.01		S.U.
pH (Field)	LGW-6	2/5/2019	6.54	0		S.U.
pH (Field)	LGW-6	3/4/2019	6.21	0.01		S.U.
pH (Field)	LGW-6	4/3/2019	6.43	0.01		S.U.
pH (Field)	LGW-6	5/2/2019	6.76	0.01		S.U.
pH (Field)	LGW-6	6/4/2019	6.4	0		S.U.
pH (Field)	LGW-6	7/10/2019	6.44	0.01		S.U.
pH (Field)	LGW-6	7/10/2019	6.44	0		S.U.
pH (Field)	LGW-6	8/8/2019	6.31	0.01		S.U.
pH (Field)	LGW-6	9/5/2019	6.35	0.01		S.U.
pH (Field)	LGW-6	10/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-6	10/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-6	11/5/2019	6.53	0.01		S.U.
pH (Field)	LGW-6	12/4/2019	6.69	0.01		S.U.
pH (Field)	LGW-6	1/16/2020	6.21	0		S.U.
pH (Field)	LGW-6	2/4/2020	6.54	0		S.U.
pH (Field)	LGW-6	3/4/2020	6.52	0.01		S.U.
pH (Field)	LGW-6	4/2/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	4/3/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-6	6/2/2020	6.42	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	8/3/2020	6.45	0		S.U.
pH (Field)	LGW-6	9/2/2020	6.43	0.01		S.U.
pH (Field)	LGW-6	10/6/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	10/6/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	11/3/2020	6.58	0		S.U.
pH (Field)	LGW-6	12/3/2020	6.44	0		S.U.
pH (Field)	LGW-6	1/18/2021	6.17	0		S.U.
pH (Field)	LGW-6	2/9/2021	6.6	0		S.U.
pH (Field)	LGW-6	3/2/2021	6.41	0		S.U.
pH (Field)	LGW-6	4/6/2021	6.49	0		S.U.
pH (Field)	LGW-6	4/6/2021	6.49	0		S.U.
pH (Field)	LGW-6	5/5/2021	6.35	0		S.U.
pH (Field)	LGW-6	6/1/2021	6.37	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	8/3/2021	6.48	0		S.U.
pH (Field)	LGW-6	9/2/2021	6.44	0		S.U.
pH (Field)	LGW-6	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-6	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-6	11/2/2021	6.42	0		S.U.
pH (Field)	LGW-6	12/9/2021	6.47	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	2/10/2022	6.51	0		S.U.
pH (Field)	LGW-6	3/1/2022	6.46	0		S.U.
pH (Field)	LGW-6	4/4/2022	6.42	0		S.U.
pH (Field)	LGW-6	4/4/2022	6.42	0		S.U.
pH (Field)	LGW-6	5/7/2022	6.32	0		S.U.
pH (Field)	LGW-6	6/3/2022	6.11	0		S.U.
pH (Field)	LGW-6	7/11/2022	6.13	0		S.U.
pH (Field)	LGW-6	8/10/2022	6.07	0		S.U.
pH (Field)	LGW-6	9/8/2022	6.06	0		S.U.
pH (Field)	LGW-6	10/6/2022	5.74	0		S.U.
pH (Field)	LGW-6	10/6/2022	5.74	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	11/3/2022	6.22	0		S.U.
pH (Field)	LGW-6	12/7/2022	6.12	0		S.U.
pH (Field)	LGW-6	1/10/2023	6.43	0		S.U.
pH (Field)	LGW-6	2/3/2023	6.34	0		S.U.
pH (Field)	LGW-6	3/1/2023	6.1	0		S.U.
pH (Field)	LGW-6	4/6/2023	6.25	0		S.U.
pH (Field)	LGW-7	9/30/2005	7.31	0		S.U.
pH (Field)	LGW-7	7/20/2006	8.11	0		S.U.
pH (Field)	LGW-7	7/20/2006	8.11	0		S.U.
pH (Field)	LGW-7	7/31/2006	7.66	0		S.U.
pH (Field)	LGW-7	8/1/2006	7.66	0		S.U.
pH (Field)	LGW-7	8/1/2006	7.66	0		S.U.
pH (Field)	LGW-7	9/27/2006	7.99	0		S.U.
pH (Field)	LGW-7	9/27/2006	7.99	0		S.U.
pH (Field)	LGW-7	10/26/2006	8.11	0		S.U.
pH (Field)	LGW-7	10/26/2006	8.11	0		S.U.
pH (Field)	LGW-7	11/21/2006	8.18	0		S.U.
pH (Field)	LGW-7	11/21/2006	8.18	0		S.U.
pH (Field)	LGW-7	12/22/2006	7.17	0		S.U.
pH (Field)	LGW-7	12/22/2006	7.17	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/24/2007	7.58	0		S.U.
pH (Field)	LGW-7	1/24/2007	7.58	0		S.U.
pH (Field)	LGW-7	1/25/2007	7.58	0		S.U.
pH (Field)	LGW-7	2/7/2007	7.46	0		S.U.
pH (Field)	LGW-7	2/26/2007	7.46	0		S.U.
pH (Field)	LGW-7	2/26/2007	7.46	0		S.U.
pH (Field)	LGW-7	3/26/2007	7.11	0		S.U.
pH (Field)	LGW-7	3/27/2007	7.11	0		S.U.
pH (Field)	LGW-7	3/27/2007	7.11	0		S.U.
pH (Field)	LGW-7	4/26/2007	6.84	0		S.U.
pH (Field)	LGW-7	4/26/2007	6.84	0		S.U.
pH (Field)	LGW-7	6/1/2007	7.11	0		S.U.
pH (Field)	LGW-7	6/1/2007	7.11	0		S.U.
pH (Field)	LGW-7	6/28/2007	7.18	0		S.U.
pH (Field)	LGW-7	6/28/2007	7.18	0		S.U.
pH (Field)	LGW-7	7/10/2007	6.84	0		S.U.
pH (Field)	LGW-7	7/12/2007	6.84	0		S.U.
pH (Field)	LGW-7	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-7	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-7	9/28/2007	7.62	0		S.U.
pH (Field)	LGW-7	10/24/2007	9.7	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.28	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.42	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.2	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.44	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.58	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.59	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.61	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.71	0		S.U.
pH (Field)	LGW-7	1/25/2008	7.2	0		S.U.
pH (Field)	LGW-7	2/28/2008	7.23	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.75	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.73	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.89	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.77	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.17	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.05	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.11	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	5/3/2008	7.25	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.05	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.14	0		S.U.
pH (Field)	LGW-7	5/30/2008	6.98	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.38	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.95	0		S.U.
pH (Field)	LGW-7	6/26/2008	7.3	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.82	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.77	0		S.U.
pH (Field)	LGW-7	7/22/2008	6.77	0.1		S.U.
pH (Field)	LGW-7	9/26/2008	7.05	0.1		S.U.
pH (Field)	LGW-7	9/26/2008	7.05	0.1		S.U.
pH (Field)	LGW-7	10/21/2008	6.89	0.1		S.U.
pH (Field)	LGW-7	11/25/2008	6.87	0.1		S.U.
pH (Field)	LGW-7	12/19/2008	7.12	0.1		S.U.
pH (Field)	LGW-7	2/4/2009	7.26	0.1		S.U.
pH (Field)	LGW-7	3/26/2009	6.75	0.1		S.U.
pH (Field)	LGW-7	4/16/2009	6.39	0.1		S.U.
pH (Field)	LGW-7	5/28/2009	7.25	0.1		S.U.
pH (Field)	LGW-7	6/25/2009	7.05	0.1		S.U.
pH (Field)	LGW-7	7/31/2009	6.34	0.1		S.U.
pH (Field)	LGW-7	8/29/2009	5.97	0.1		S.U.
pH (Field)	LGW-7	9/30/2009	5.83	0.1		S.U.
pH (Field)	LGW-7	10/21/2009	6.36	0.1		S.U.
pH (Field)	LGW-7	11/24/2009	6.55	0.1		S.U.
pH (Field)	LGW-7	12/17/2009	6.63	0.1		S.U.
pH (Field)	LGW-7	1/27/2010	6.78	0.1		S.U.
pH (Field)	LGW-7	2/16/2010	6.91	0		S.U.
pH (Field)	LGW-7	3/3/2010	6.82	0		S.U.
pH (Field)	LGW-7	4/7/2010	6.68	0		S.U.
pH (Field)	LGW-7	5/5/2010	7.78	0		S.U.
pH (Field)	LGW-7	6/16/2010	6.77	0		S.U.
pH (Field)	LGW-7	7/12/2010	6.74	0		S.U.
pH (Field)	LGW-7	8/10/2010	6.72	0		S.U.
pH (Field)	LGW-7	9/2/2010	6.88	0		S.U.
pH (Field)	LGW-7	9/29/2010	6.68	0		S.U.
pH (Field)	LGW-7	11/3/2010	6.69	0		S.U.
pH (Field)	LGW-7	12/2/2010	6.76	0		S.U.
pH (Field)	LGW-7	1/20/2011	6.82	0		S.U.
pH (Field)	LGW-7	2/8/2011	6.84	0		S.U.
pH (Field)	LGW-7	3/3/2011	6.84	0		S.U.
pH (Field)	LGW-7	4/5/2011	6.99	0		S.U.
pH (Field)	LGW-7	5/10/2011	6.77	0		S.U.
pH (Field)	LGW-7	6/1/2011	6.67	0		S.U.
pH (Field)	LGW-7	7/12/2011	6.72	0		S.U.
pH (Field)	LGW-7	8/3/2011	6.83	0		S.U.
pH (Field)	LGW-7	9/7/2011	6.84	0		S.U.
pH (Field)	LGW-7	10/5/2011	6.94	0		S.U.
pH (Field)	LGW-7	11/1/2011	6.85	0		S.U.
pH (Field)	LGW-7	12/8/2011	7.13	0		S.U.
pH (Field)	LGW-7	1/5/2012	6.92	0		S.U.
pH (Field)	LGW-7	2/1/2012	6.83	0		S.U.
pH (Field)	LGW-7	3/6/2012	6.96	0		S.U.
pH (Field)	LGW-7	4/5/2012	7.15	0		S.U.
pH (Field)	LGW-7	5/1/2012	7.38	0		S.U.
pH (Field)	LGW-7	6/5/2012	7.94	0		S.U.
pH (Field)	LGW-7	7/10/2012	7.03	0		S.U.
pH (Field)	LGW-7	8/9/2012	7.21	0		S.U.
pH (Field)	LGW-7	9/4/2012	6.81	0		S.U.
pH (Field)	LGW-7	10/7/2012	7.32	0		S.U.
pH (Field)	LGW-7	4/30/2013	6.48	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	6/4/2013	6.31	0		S.U.
pH (Field)	LGW-7	7/15/2013	6.61	0		S.U.
pH (Field)	LGW-7	8/8/2013	6.78	0		S.U.
pH (Field)	LGW-7	9/10/2013	6.64	0		S.U.
pH (Field)	LGW-7	10/1/2013	6.92	0		S.U.
pH (Field)	LGW-7	11/6/2013	7.05	0		S.U.
pH (Field)	LGW-7	12/2/2013	6.78	0		S.U.
pH (Field)	LGW-7	1/23/2014	6.36	0		S.U.
pH (Field)	LGW-7	2/13/2014	6.6	0		S.U.
pH (Field)	LGW-7	3/11/2014	7.09	0		S.U.
pH (Field)	LGW-7	4/2/2014	6.83	0		S.U.
pH (Field)	LGW-7	5/7/2014	7.25	0		S.U.
pH (Field)	LGW-7	6/3/2014	6.74	0		S.U.
pH (Field)	LGW-7	7/8/2014	7.22	0		S.U.
pH (Field)	LGW-7	8/5/2014	6.79	0		S.U.
pH (Field)	LGW-7	9/4/2014	7.13	0		S.U.
pH (Field)	LGW-7	10/9/2014	7.11	0		S.U.
pH (Field)	LGW-7	11/3/2014	7.22	0		S.U.
pH (Field)	LGW-7	1/14/2015	5.6	0		S.U.
pH (Field)	LGW-7	2/11/2015	6.39	0		S.U.
pH (Field)	LGW-7	3/3/2015	6.77	0		S.U.
pH (Field)	LGW-7	4/1/2015	6.56	0		S.U.
pH (Field)	LGW-7	5/6/2015	6.82	0		S.U.
pH (Field)	LGW-7	6/3/2015	7.35	0		S.U.
pH (Field)	LGW-7	7/22/2015	7.29	0		S.U.
pH (Field)	LGW-7	8/4/2015	7.38	0		S.U.
pH (Field)	LGW-7	9/3/2015	7.98	0		S.U.
pH (Field)	LGW-7	10/6/2015	7.69	0		S.U.
pH (Field)	LGW-7	11/4/2015	7.2	0		S.U.
pH (Field)	LGW-7	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-7	1/5/2016	7.28	0		S.U.
pH (Field)	LGW-7	2/3/2016	8.09	0		S.U.
pH (Field)	LGW-7	2/10/2016	6.65	0		S.U.
pH (Field)	LGW-7	3/2/2016	7.42	0		S.U.
pH (Field)	LGW-7	4/6/2016	7.13	0		S.U.
pH (Field)	LGW-7	5/11/2016	6.84	0		S.U.
pH (Field)	LGW-7	6/1/2016	7.05	0		S.U.
pH (Field)	LGW-7	7/20/2016	6.42	0		S.U.
pH (Field)	LGW-7	8/10/2016	7.51	0		S.U.
pH (Field)	LGW-7	9/6/2016	6.86	0		S.U.
pH (Field)	LGW-7	9/6/2016	6.86	0		S.U.
pH (Field)	LGW-7	10/6/2016	6.98	0		S.U.
pH (Field)	LGW-7	11/2/2016	6.82	0		S.U.
pH (Field)	LGW-7	12/1/2016	7.89	0		S.U.
pH (Field)	LGW-7	1/11/2017	6.2	0		S.U.
pH (Field)	LGW-7	2/7/2017	7.5	0		S.U.
pH (Field)	LGW-7	3/2/2017	6.31	0		S.U.
pH (Field)	LGW-7	4/4/2017	6.94	0		S.U.
pH (Field)	LGW-7	5/2/2017	6.74	0		S.U.
pH (Field)	LGW-7	6/6/2017	7.37	0		S.U.
pH (Field)	LGW-7	7/18/2017	7.08	0		S.U.
pH (Field)	LGW-7	8/1/2017	7.36	0		S.U.
pH (Field)	LGW-7	9/5/2017	7.31	0		S.U.
pH (Field)	LGW-7	10/5/2017	7.45	0		S.U.
pH (Field)	LGW-7	11/1/2017	7.26	0		S.U.
pH (Field)	LGW-7	1/24/2018	6.48	0.01		S.U.
pH (Field)	LGW-7	2/22/2018	6.7	0.01		S.U.
pH (Field)	LGW-7	3/20/2018	6.47	0.01		S.U.
pH (Field)	LGW-7	4/11/2018	6.52	0.01		S.U.
pH (Field)	LGW-7	4/11/2018	6.52	0.01		S.U.
pH (Field)	LGW-7	6/5/2018	6.72	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	6/5/2018	6.72	0		S.U.
pH (Field)	LGW-7	7/12/2018	6.65	0.01		S.U.
pH (Field)	LGW-7	8/2/2018	6.47	0.01		S.U.
pH (Field)	LGW-7	9/5/2018	6.31	0		S.U.
pH (Field)	LGW-7	10/2/2018	6.44	0		S.U.
pH (Field)	LGW-7	10/2/2018	6.44	0		S.U.
pH (Field)	LGW-7	11/7/2018	6.48	0.01		S.U.
pH (Field)	LGW-7	12/4/2018	6.51	0.01		S.U.
pH (Field)	LGW-7	1/7/2019	6.32	0.01		S.U.
pH (Field)	LGW-7	2/5/2019	6.4	0		S.U.
pH (Field)	LGW-7	3/5/2019	5.9	0.01		S.U.
pH (Field)	LGW-7	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-7	5/2/2019	6.9	0.01		S.U.
pH (Field)	LGW-7	6/4/2019	6.55	0		S.U.
pH (Field)	LGW-7	7/10/2019	6.37	0.01		S.U.
pH (Field)	LGW-7	7/10/2019	6.37	0		S.U.
pH (Field)	LGW-7	8/7/2019	7.26	0.01		S.U.
pH (Field)	LGW-7	9/5/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	10/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	10/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	11/6/2019	6.48	0.01		S.U.
pH (Field)	LGW-7	12/3/2019	6.71	0.01		S.U.
pH (Field)	LGW-7	1/15/2020	6.67	0		S.U.
pH (Field)	LGW-7	2/4/2020	6.9	0		S.U.
pH (Field)	LGW-7	3/3/2020	6.98	0.01		S.U.
pH (Field)	LGW-7	4/3/2020	6.64	0.01		S.U.
pH (Field)	LGW-7	5/5/2020	6.57	0.01		S.U.
pH (Field)	LGW-7	6/2/2020	6.91	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	8/3/2020	7.23	0		S.U.
pH (Field)	LGW-7	9/2/2020	6.94	0.01		S.U.
pH (Field)	LGW-7	10/6/2020	6.95	0.01		S.U.
pH (Field)	LGW-7	11/4/2020	7.28	0		S.U.
pH (Field)	LGW-7	12/3/2020	6.91	0		S.U.
pH (Field)	LGW-7	1/18/2021	6.73	0		S.U.
pH (Field)	LGW-7	2/9/2021	7.17	0		S.U.
pH (Field)	LGW-7	3/2/2021	7.08	0		S.U.
pH (Field)	LGW-7	4/7/2021	7.09	0		S.U.
pH (Field)	LGW-7	5/5/2021	6.62	0		S.U.
pH (Field)	LGW-7	6/2/2021	6.85	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	8/3/2021	6.93	0		S.U.
pH (Field)	LGW-7	9/2/2021	7.02	0		S.U.
pH (Field)	LGW-7	10/5/2021	6.97	0		S.U.
pH (Field)	LGW-7	10/5/2021	6.97	0		S.U.
pH (Field)	LGW-7	11/2/2021	6.96	0		S.U.
pH (Field)	LGW-7	12/9/2021	6.96	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	2/10/2022	7.05	0		S.U.
pH (Field)	LGW-7	3/2/2022	6.77	0		S.U.
pH (Field)	LGW-7	4/4/2022	6.64	0		S.U.
pH (Field)	LGW-7	4/4/2022	6.64	0		S.U.
pH (Field)	LGW-7	5/7/2022	6.39	0		S.U.
pH (Field)	LGW-7	6/3/2022	6.29	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	7/11/2022	6.15	0		S.U.
pH (Field)	LGW-7	8/10/2022	6.28	0		S.U.
pH (Field)	LGW-7	9/8/2022	6.5	0		S.U.
pH (Field)	LGW-7	10/6/2022	6.31	0		S.U.
pH (Field)	LGW-7	11/3/2022	6.92	0		S.U.
pH (Field)	LGW-7	12/7/2022	6.71	0		S.U.
pH (Field)	LGW-7	1/11/2023	7.05	0		S.U.
pH (Field)	LGW-7	2/3/2023	6.94	0		S.U.
pH (Field)	LGW-7	3/1/2023	6.51	0		S.U.
pH (Field)	LGW-7	4/6/2023	6.47	0		S.U.
pH (Field)	LGW-8R	9/30/2005	6.89	0		S.U.
pH (Field)	LGW-8R	7/20/2006	7.15	0		S.U.
pH (Field)	LGW-8R	7/20/2006	7.15	0		S.U.
pH (Field)	LGW-8R	9/26/2006	7.1	0		S.U.
pH (Field)	LGW-8R	9/26/2006	7.1	0		S.U.
pH (Field)	LGW-8R	10/26/2006	7.22	0		S.U.
pH (Field)	LGW-8R	10/26/2006	7.22	0		S.U.
pH (Field)	LGW-8R	11/21/2006	7.24	0		S.U.
pH (Field)	LGW-8R	11/21/2006	7.24	0		S.U.
pH (Field)	LGW-8R	12/21/2006	6.76	0		S.U.
pH (Field)	LGW-8R	12/21/2006	6.76	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/24/2007	7.1	0		S.U.
pH (Field)	LGW-8R	1/24/2007	7.1	0		S.U.
pH (Field)	LGW-8R	1/25/2007	7.1	0		S.U.
pH (Field)	LGW-8R	2/7/2007	7.04	0		S.U.
pH (Field)	LGW-8R	2/26/2007	7.04	0		S.U.
pH (Field)	LGW-8R	2/26/2007	7.04	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	4/26/2007	6.29	0		S.U.
pH (Field)	LGW-8R	4/26/2007	6.29	0		S.U.
pH (Field)	LGW-8R	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-8R	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-8R	6/28/2007	6.75	0		S.U.
pH (Field)	LGW-8R	6/28/2007	6.75	0		S.U.
pH (Field)	LGW-8R	7/10/2007	6.45	0		S.U.
pH (Field)	LGW-8R	7/12/2007	6.45	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.3	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.35	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.46	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.5	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.39	0		S.U.
pH (Field)	LGW-8R	10/23/2007	9.27	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.33	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.31	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.64	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.39	0		S.U.
pH (Field)	LGW-8R	8/29/2008	6.98	0.1		S.U.
pH (Field)	LGW-8R	9/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-8R	9/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-8R	10/21/2008	7.13	0.1		S.U.
pH (Field)	LGW-8R	11/25/2008	7.13	0.1		S.U.
pH (Field)	LGW-8R	12/19/2008	7.15	0.1		S.U.
pH (Field)	LGW-8R	2/4/2009	7.26	0.1		S.U.
pH (Field)	LGW-8R	3/26/2009	6.65	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	4/16/2009	6.62	0.1		S.U.
pH (Field)	LGW-8R	5/28/2009	7.22	0.1		S.U.
pH (Field)	LGW-8R	6/25/2009	7.08	0.1		S.U.
pH (Field)	LGW-8R	7/29/2009	6.02	0.1		S.U.
pH (Field)	LGW-8R	8/28/2009	6.08	0.1		S.U.
pH (Field)	LGW-8R	9/29/2009	5.97	0.1		S.U.
pH (Field)	LGW-8R	10/21/2009	6.64	0.1		S.U.
pH (Field)	LGW-8R	11/24/2009	6.77	0.1		S.U.
pH (Field)	LGW-8R	12/17/2009	6.93	0.1		S.U.
pH (Field)	LGW-8R	1/27/2010	7	0.1		S.U.
pH (Field)	LGW-8R	2/15/2010	7.17	0		S.U.
pH (Field)	LGW-8R	3/3/2010	7	0		S.U.
pH (Field)	LGW-8R	4/7/2010	6.92	0		S.U.
pH (Field)	LGW-8R	5/5/2010	7.99	0		S.U.
pH (Field)	LGW-8R	6/16/2010	7.1	0		S.U.
pH (Field)	LGW-8R	7/14/2010	7.07	0		S.U.
pH (Field)	LGW-8R	8/10/2010	7.05	0		S.U.
pH (Field)	LGW-8R	9/2/2010	7.21	0		S.U.
pH (Field)	LGW-8R	9/29/2010	6.98	0		S.U.
pH (Field)	LGW-8R	11/3/2010	7.03	0		S.U.
pH (Field)	LGW-8R	12/2/2010	7.01	0		S.U.
pH (Field)	LGW-8R	1/20/2011	7.06	0		S.U.
pH (Field)	LGW-8R	2/7/2011	7.06	0		S.U.
pH (Field)	LGW-8R	3/3/2011	7.03	0		S.U.
pH (Field)	LGW-8R	4/5/2011	7.16	0		S.U.
pH (Field)	LGW-8R	5/10/2011	7.09	0		S.U.
pH (Field)	LGW-8R	6/1/2011	7	0		S.U.
pH (Field)	LGW-8R	7/12/2011	7.1	0		S.U.
pH (Field)	LGW-8R	8/3/2011	7.07	0		S.U.
pH (Field)	LGW-8R	9/7/2011	7.22	0		S.U.
pH (Field)	LGW-8R	10/5/2011	7.27	0		S.U.
pH (Field)	LGW-8R	11/1/2011	7.11	0		S.U.
pH (Field)	LGW-8R	12/8/2011	7.33	0		S.U.
pH (Field)	LGW-8R	1/5/2012	7.14	0		S.U.
pH (Field)	LGW-8R	2/1/2012	7.08	0		S.U.
pH (Field)	LGW-8R	3/7/2012	7.34	0		S.U.
pH (Field)	LGW-8R	4/5/2012	7.44	0		S.U.
pH (Field)	LGW-8R	5/1/2012	7.73	0		S.U.
pH (Field)	LGW-8R	6/5/2012	7.76	0		S.U.
pH (Field)	LGW-8R	7/9/2012	7.2	0		S.U.
pH (Field)	LGW-8R	8/9/2012	7.23	0		S.U.
pH (Field)	LGW-8R	9/4/2012	6.9	0		S.U.
pH (Field)	LGW-8R	10/7/2012	7.29	0		S.U.
pH (Field)	LGW-8R	4/30/2013	6.99	6.99	ND	S.U.
pH (Field)	LGW-8R	6/4/2013	6.82	0		S.U.
pH (Field)	LGW-8R	7/15/2013	7.07	7.07	ND	S.U.
pH (Field)	LGW-8R	8/8/2013	7.18	0		S.U.
pH (Field)	LGW-8R	9/10/2013	7.19	0		S.U.
pH (Field)	LGW-8R	10/1/2013	7.46	0		S.U.
pH (Field)	LGW-8R	11/6/2013	7.24	0		S.U.
pH (Field)	LGW-8R	12/2/2013	7.1	0		S.U.
pH (Field)	LGW-8R	1/22/2014	7.02	0		S.U.
pH (Field)	LGW-8R	2/12/2014	7.32	0		S.U.
pH (Field)	LGW-8R	3/11/2014	7.53	0		S.U.
pH (Field)	LGW-8R	4/2/2014	7.22	0		S.U.
pH (Field)	LGW-8R	5/7/2014	7.2	0		S.U.
pH (Field)	LGW-8R	6/3/2014	6.95	0		S.U.
pH (Field)	LGW-8R	7/8/2014	7.25	0		S.U.
pH (Field)	LGW-8R	8/5/2014	6.94	0		S.U.
pH (Field)	LGW-8R	9/4/2014	6.86	0		S.U.
pH (Field)	LGW-8R	10/9/2014	7.46	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	11/3/2014	7.48	0		S.U.
pH (Field)	LGW-8R	1/14/2015	5.97	0		S.U.
pH (Field)	LGW-8R	2/11/2015	6.72	0		S.U.
pH (Field)	LGW-8R	3/3/2015	7.08	0		S.U.
pH (Field)	LGW-8R	4/1/2015	7.04	0		S.U.
pH (Field)	LGW-8R	5/6/2015	7.3	0		S.U.
pH (Field)	LGW-8R	6/3/2015	7.66	0		S.U.
pH (Field)	LGW-8R	7/22/2015	7.27	0		S.U.
pH (Field)	LGW-8R	8/4/2015	7.51	0		S.U.
pH (Field)	LGW-8R	9/3/2015	7.61	0		S.U.
pH (Field)	LGW-8R	10/6/2015	7.88	0		S.U.
pH (Field)	LGW-8R	11/4/2015	7.23	0		S.U.
pH (Field)	LGW-8R	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-8R	1/5/2016	7.07	0		S.U.
pH (Field)	LGW-8R	2/3/2016	7.92	0		S.U.
pH (Field)	LGW-8R	3/2/2016	7.5	0		S.U.
pH (Field)	LGW-8R	4/5/2016	7.84	0		S.U.
pH (Field)	LGW-8R	5/11/2016	7.3	0		S.U.
pH (Field)	LGW-8R	6/1/2016	7.37	0		S.U.
pH (Field)	LGW-8R	7/20/2016	6.69	0		S.U.
pH (Field)	LGW-8R	8/10/2016	7.68	0		S.U.
pH (Field)	LGW-8R	9/6/2016	7.08	0		S.U.
pH (Field)	LGW-8R	10/6/2016	6.96	0		S.U.
pH (Field)	LGW-8R	11/2/2016	7.2	0		S.U.
pH (Field)	LGW-8R	12/1/2016	7.81	0		S.U.
pH (Field)	LGW-8R	1/11/2017	5.78	0		S.U.
pH (Field)	LGW-8R	2/7/2017	7.81	0		S.U.
pH (Field)	LGW-8R	3/2/2017	6.21	0		S.U.
pH (Field)	LGW-8R	4/4/2017	7	0		S.U.
pH (Field)	LGW-8R	5/2/2017	7.15	0		S.U.
pH (Field)	LGW-8R	6/6/2017	7.18	0		S.U.
pH (Field)	LGW-8R	7/18/2017	7.01	0		S.U.
pH (Field)	LGW-8R	8/1/2017	7.26	0		S.U.
pH (Field)	LGW-8R	9/5/2017	7.02	0		S.U.
pH (Field)	LGW-8R	10/5/2017	7.7	0		S.U.
pH (Field)	LGW-8R	11/1/2017	7.02	0		S.U.
pH (Field)	LGW-8R	1/25/2018	6.77	0.01		S.U.
pH (Field)	LGW-8R	2/23/2018	6.83	0.01		S.U.
pH (Field)	LGW-8R	3/19/2018	6.78	0.01		S.U.
pH (Field)	LGW-8R	4/11/2018	6.87	0.01		S.U.
pH (Field)	LGW-8R	6/5/2018	7.05	0		S.U.
pH (Field)	LGW-8R	6/21/2018	6.91	0		S.U.
pH (Field)	LGW-8R	7/13/2018	6.52	0.01		S.U.
pH (Field)	LGW-8R	8/2/2018	6.41	0.01		S.U.
pH (Field)	LGW-8R	9/5/2018	6.56	0		S.U.
pH (Field)	LGW-8R	10/2/2018	6.84	0		S.U.
pH (Field)	LGW-8R	11/7/2018	6.77	0.01		S.U.
pH (Field)	LGW-8R	12/4/2018	6.88	0.01		S.U.
pH (Field)	LGW-8R	1/7/2019	6.64	0.01		S.U.
pH (Field)	LGW-8R	2/5/2019	6.88	0		S.U.
pH (Field)	LGW-8R	3/5/2019	6.22	0.01		S.U.
pH (Field)	LGW-8R	4/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-8R	5/1/2019	7.04	0.01		S.U.
pH (Field)	LGW-8R	6/4/2019	6.7	0		S.U.
pH (Field)	LGW-8R	7/8/2019	7.05	0.01		S.U.
pH (Field)	LGW-8R	7/8/2019	7.05	0.01		S.U.
pH (Field)	LGW-8R	8/7/2019	7.15	0.01		S.U.
pH (Field)	LGW-8R	9/5/2019	6.65	0.01		S.U.
pH (Field)	LGW-8R	10/1/2019	6.9	0.01		S.U.
pH (Field)	LGW-8R	11/5/2019	6.75	0.01		S.U.
pH (Field)	LGW-8R	12/4/2019	6.91	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	1/14/2020	6.82	0		S.U.
pH (Field)	LGW-8R	2/4/2020	6.69	0		S.U.
pH (Field)	LGW-8R	3/3/2020	6.83	0.01		S.U.
pH (Field)	LGW-8R	4/2/2020	6.74	0.01		S.U.
pH (Field)	LGW-8R	5/4/2020	6.72	0.01		S.U.
pH (Field)	LGW-8R	6/1/2020	7.1	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	8/3/2020	6.49	0		S.U.
pH (Field)	LGW-8R	9/1/2020	6.61	0.01		S.U.
pH (Field)	LGW-8R	10/6/2020	6.77	0.01		S.U.
pH (Field)	LGW-8R	11/2/2020	6.69	0		S.U.
pH (Field)	LGW-8R	12/1/2020	6.57	0		S.U.
pH (Field)	LGW-8R	1/17/2021	6.35	0		S.U.
pH (Field)	LGW-8R	2/9/2021	6.87	0		S.U.
pH (Field)	LGW-8R	3/2/2021	6.71	0		S.U.
pH (Field)	LGW-8R	4/7/2021	6.79	0		S.U.
pH (Field)	LGW-8R	5/5/2021	6.66	0		S.U.
pH (Field)	LGW-8R	6/2/2021	6.73	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	8/3/2021	6.81	0		S.U.
pH (Field)	LGW-8R	9/2/2021	6.75	0		S.U.
pH (Field)	LGW-8R	10/5/2021	6.8	0		S.U.
pH (Field)	LGW-8R	11/2/2021	6.7	0		S.U.
pH (Field)	LGW-8R	12/9/2021	6.76	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	2/10/2022	6.78	0		S.U.
pH (Field)	LGW-8R	3/2/2022	6.72	0		S.U.
pH (Field)	LGW-8R	4/5/2022	6.63	0		S.U.
pH (Field)	LGW-8R	5/7/2022	6.63	0		S.U.
pH (Field)	LGW-8R	6/3/2022	6.46	0		S.U.
pH (Field)	LGW-8R	7/11/2022	6.44	0		S.U.
pH (Field)	LGW-8R	8/10/2022	6.33	0		S.U.
pH (Field)	LGW-8R	9/8/2022	6.39	0		S.U.
pH (Field)	LGW-8R	10/6/2022	6.03	0		S.U.
pH (Field)	LGW-8R	10/6/2022	6.03	0		S.U.
pH (Field)	LGW-8R	11/3/2022	6.52	0		S.U.
pH (Field)	LGW-8R	12/7/2022	6.46	0		S.U.
pH (Field)	LGW-8R	1/11/2023	6.75	0		S.U.
pH (Field)	LGW-8R	2/3/2023	6.67	0		S.U.
pH (Field)	LGW-8R	3/1/2023	6.39	0		S.U.
pH (Field)	LGW-8R	4/6/2023	6.53	0		S.U.
pH (Field)	LGW-9	9/30/2005	6.61	0		S.U.
pH (Field)	LGW-9	7/20/2006	7.03	0		S.U.
pH (Field)	LGW-9	7/20/2006	7.03	0		S.U.
pH (Field)	LGW-9	9/27/2006	7.23	0		S.U.
pH (Field)	LGW-9	9/27/2006	7.23	0		S.U.
pH (Field)	LGW-9	10/26/2006	7.37	0		S.U.
pH (Field)	LGW-9	10/26/2006	7.37	0		S.U.
pH (Field)	LGW-9	11/21/2006	7.34	0		S.U.
pH (Field)	LGW-9	11/21/2006	7.34	0		S.U.
pH (Field)	LGW-9	12/21/2006	6.58	0		S.U.
pH (Field)	LGW-9	12/21/2006	6.58	0		S.U.
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	2/7/2007	6.76	0		S.U.
pH (Field)	LGW-9	2/27/2007	6.76	0		S.U.
pH (Field)	LGW-9	2/27/2007	6.76	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	4/25/2007	6.24	0		S.U.
pH (Field)	LGW-9	4/26/2007	6.24	0		S.U.
pH (Field)	LGW-9	5/31/2007	6.29	0		S.U.
pH (Field)	LGW-9	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-9	6/28/2007	6.65	0		S.U.
pH (Field)	LGW-9	6/28/2007	6.65	0		S.U.
pH (Field)	LGW-9	7/10/2007	6.55	0		S.U.
pH (Field)	LGW-9	7/10/2007	6.55	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.07	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.06	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.07	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.13	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.15	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.48	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.45	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.27	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.3	0		S.U.
pH (Field)	LGW-9	10/23/2007	9	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.26	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.2	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.21	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.19	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.31	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.33	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.34	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.38	0		S.U.
pH (Field)	LGW-9	1/25/2008	6.75	0		S.U.
pH (Field)	LGW-9	2/28/2008	6.87	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.42	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.37	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.45	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.35	0		S.U.
pH (Field)	LGW-9	5/3/2008	7.05	0		S.U.
pH (Field)	LGW-9	5/3/2008	6.92	0		S.U.
pH (Field)	LGW-9	5/3/2008	7.01	0		S.U.
pH (Field)	LGW-9	5/3/2008	6.89	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.55	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.59	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.54	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.73	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.72	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.54	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.47	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.45	0		S.U.
pH (Field)	LGW-9	7/22/2008	6.54	0.1		S.U.
pH (Field)	LGW-9	8/29/2008	6.57	0.1		S.U.
pH (Field)	LGW-9	9/26/2008	6.62	0.1		S.U.
pH (Field)	LGW-9	9/26/2008	6.62	0.1		S.U.
pH (Field)	LGW-9	10/22/2008	6.65	0.1		S.U.
pH (Field)	LGW-9	11/24/2008	6.67	0.1		S.U.
pH (Field)	LGW-9	12/19/2008	6.58	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	2/4/2009	6.86	0.1		S.U.
pH (Field)	LGW-9	3/26/2009	6.35	0.1		S.U.
pH (Field)	LGW-9	4/15/2009	6.13	0.1		S.U.
pH (Field)	LGW-9	5/28/2009	6.7	0.1		S.U.
pH (Field)	LGW-9	6/24/2009	6.79	0.1		S.U.
pH (Field)	LGW-9	7/29/2009	5.74	0.1		S.U.
pH (Field)	LGW-9	8/28/2009	5.68	0.1		S.U.
pH (Field)	LGW-9	9/29/2009	5.69	0.1		S.U.
pH (Field)	LGW-9	10/22/2009	6.4	0.1		S.U.
pH (Field)	LGW-9	11/24/2009	6.42	0.1		S.U.
pH (Field)	LGW-9	12/17/2009	6.5	0.1		S.U.
pH (Field)	LGW-9	1/27/2010	6.58	0.1		S.U.
pH (Field)	LGW-9	2/15/2010	6.79	0		S.U.
pH (Field)	LGW-9	3/3/2010	6.62	0		S.U.
pH (Field)	LGW-9	4/8/2010	6.58	0		S.U.
pH (Field)	LGW-9	5/6/2010	7.44	0		S.U.
pH (Field)	LGW-9	6/16/2010	6.66	0		S.U.
pH (Field)	LGW-9	7/14/2010	6.63	0		S.U.
pH (Field)	LGW-9	8/11/2010	6.58	0		S.U.
pH (Field)	LGW-9	9/1/2010	6.73	0		S.U.
pH (Field)	LGW-9	9/29/2010	6.57	0		S.U.
pH (Field)	LGW-9	11/3/2010	6.57	0		S.U.
pH (Field)	LGW-9	12/2/2010	6.59	0		S.U.
pH (Field)	LGW-9	1/20/2011	6.61	0		S.U.
pH (Field)	LGW-9	2/7/2011	6.62	0		S.U.
pH (Field)	LGW-9	3/3/2011	6.64	0		S.U.
pH (Field)	LGW-9	4/5/2011	6.71	0		S.U.
pH (Field)	LGW-9	5/10/2011	6.51	0		S.U.
pH (Field)	LGW-9	6/1/2011	6.53	0		S.U.
pH (Field)	LGW-9	7/12/2011	6.6	0		S.U.
pH (Field)	LGW-9	8/4/2011	6.47	0		S.U.
pH (Field)	LGW-9	9/7/2011	6.62	0		S.U.
pH (Field)	LGW-9	10/5/2011	6.67	0		S.U.
pH (Field)	LGW-9	11/1/2011	6.61	0		S.U.
pH (Field)	LGW-9	12/8/2011	6.77	0		S.U.
pH (Field)	LGW-9	1/5/2012	6.71	0		S.U.
pH (Field)	LGW-9	2/1/2012	6.64	0		S.U.
pH (Field)	LGW-9	3/7/2012	6.75	0		S.U.
pH (Field)	LGW-9	4/5/2012	6.84	0		S.U.
pH (Field)	LGW-9	5/1/2012	7.11	0		S.U.
pH (Field)	LGW-9	6/5/2012	7.1	0		S.U.
pH (Field)	LGW-9	7/10/2012	6.55	0		S.U.
pH (Field)	LGW-9	8/9/2012	6.77	0		S.U.
pH (Field)	LGW-9	9/4/2012	6.37	0		S.U.
pH (Field)	LGW-9	10/7/2012	6.68	0		S.U.
pH (Field)	LGW-9	5/1/2013	6.39	0		S.U.
pH (Field)	LGW-9	6/4/2013	6.27	0		S.U.
pH (Field)	LGW-9	7/15/2013	6.4	0		S.U.
pH (Field)	LGW-9	8/8/2013	6.65	0		S.U.
pH (Field)	LGW-9	9/10/2013	6.37	0		S.U.
pH (Field)	LGW-9	10/1/2013	6.78	0		S.U.
pH (Field)	LGW-9	11/6/2013	6.64	0		S.U.
pH (Field)	LGW-9	12/2/2013	6.55	0		S.U.
pH (Field)	LGW-9	1/23/2014	6.39	0		S.U.
pH (Field)	LGW-9	2/13/2014	6.57	0		S.U.
pH (Field)	LGW-9	3/11/2014	6.68	0		S.U.
pH (Field)	LGW-9	4/2/2014	6.65	0		S.U.
pH (Field)	LGW-9	5/7/2014	6.82	0		S.U.
pH (Field)	LGW-9	6/3/2014	6.59	0		S.U.
pH (Field)	LGW-9	7/8/2014	6.93	0		S.U.
pH (Field)	LGW-9	8/5/2014	6.23	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	9/4/2014	6.69	0		S.U.
pH (Field)	LGW-9	10/9/2014	6.65	0		S.U.
pH (Field)	LGW-9	11/3/2014	7.3	0		S.U.
pH (Field)	LGW-9	1/14/2015	5.84	0		S.U.
pH (Field)	LGW-9	2/11/2015	6.32	0		S.U.
pH (Field)	LGW-9	3/3/2015	6.66	0		S.U.
pH (Field)	LGW-9	4/1/2015	6.73	0		S.U.
pH (Field)	LGW-9	5/7/2015	6.25	0		S.U.
pH (Field)	LGW-9	6/3/2015	6.77	0		S.U.
pH (Field)	LGW-9	7/13/2015	6.49	0		S.U.
pH (Field)	LGW-9	8/4/2015	6.46	0		S.U.
pH (Field)	LGW-9	9/3/2015	6.62	0		S.U.
pH (Field)	LGW-9	10/6/2015	6.99	0		S.U.
pH (Field)	LGW-9	11/4/2015	6.69	0		S.U.
pH (Field)	LGW-9	12/3/2015	6.92	0		S.U.
pH (Field)	LGW-9	1/5/2016	6.84	0		S.U.
pH (Field)	LGW-9	2/3/2016	7.86	0		S.U.
pH (Field)	LGW-9	3/2/2016	7.18	0		S.U.
pH (Field)	LGW-9	4/5/2016	7.19	0		S.U.
pH (Field)	LGW-9	5/11/2016	6.68	0		S.U.
pH (Field)	LGW-9	6/1/2016	6.94	0		S.U.
pH (Field)	LGW-9	7/21/2016	6.48	0		S.U.
pH (Field)	LGW-9	8/10/2016	7.38	0		S.U.
pH (Field)	LGW-9	9/6/2016	6.61	0		S.U.
pH (Field)	LGW-9	9/6/2016	6.61	0		S.U.
pH (Field)	LGW-9	10/6/2016	7.01	0		S.U.
pH (Field)	LGW-9	11/2/2016	6.73	0		S.U.
pH (Field)	LGW-9	12/1/2016	7.81	0		S.U.
pH (Field)	LGW-9	1/11/2017	5.39	0		S.U.
pH (Field)	LGW-9	2/7/2017	7.63	0		S.U.
pH (Field)	LGW-9	3/2/2017	6.01	0		S.U.
pH (Field)	LGW-9	4/4/2017	6.66	0		S.U.
pH (Field)	LGW-9	5/5/2017	6.56	0		S.U.
pH (Field)	LGW-9	5/16/2017	6.47	0		S.U.
pH (Field)	LGW-9	6/6/2017	6.86	0		S.U.
pH (Field)	LGW-9	7/18/2017	6.66	0		S.U.
pH (Field)	LGW-9	8/1/2017	6.98	0		S.U.
pH (Field)	LGW-9	9/5/2017	7.36	0		S.U.
pH (Field)	LGW-9	10/5/2017	7.1	0		S.U.
pH (Field)	LGW-9	11/1/2017	6.61	0		S.U.
pH (Field)	LGW-9	1/24/2018	6.44	0.01		S.U.
pH (Field)	LGW-9	2/22/2018	6.51	0.01		S.U.
pH (Field)	LGW-9	3/20/2018	6.42	0.01		S.U.
pH (Field)	LGW-9	4/11/2018	6.45	0.01		S.U.
pH (Field)	LGW-9	4/11/2018	6.45	0.01		S.U.
pH (Field)	LGW-9	6/5/2018	6.37	0		S.U.
pH (Field)	LGW-9	6/5/2018	6.37	0		S.U.
pH (Field)	LGW-9	7/13/2018	6.44	0.01		S.U.
pH (Field)	LGW-9	8/2/2018	6.27	0.01		S.U.
pH (Field)	LGW-9	9/5/2018	6.51	0		S.U.
pH (Field)	LGW-9	10/2/2018	6.19	0		S.U.
pH (Field)	LGW-9	10/2/2018	6.19	0		S.U.
pH (Field)	LGW-9	11/6/2018	6.47	0.01		S.U.
pH (Field)	LGW-9	12/4/2018	6.47	0.01		S.U.
pH (Field)	LGW-9	1/7/2019	6.58	0.01		S.U.
pH (Field)	LGW-9	2/6/2019	6.43	0		S.U.
pH (Field)	LGW-9	3/5/2019	6.16	0.01		S.U.
pH (Field)	LGW-9	4/3/2019	6.43	0.01		S.U.
pH (Field)	LGW-9	5/3/2019	6.61	0.01		S.U.
pH (Field)	LGW-9	6/4/2019	6.42	0		S.U.
pH (Field)	LGW-9	7/10/2019	6.52	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	7/10/2019	6.52	0		S.U.
pH (Field)	LGW-9	8/8/2019	6.41	0.01		S.U.
pH (Field)	LGW-9	9/4/2019	6.42	0.01		S.U.
pH (Field)	LGW-9	10/3/2019	6.64	0.01		S.U.
pH (Field)	LGW-9	10/3/2019	6.64	0.01		S.U.
pH (Field)	LGW-9	11/6/2019	6.53	0.01		S.U.
pH (Field)	LGW-9	12/3/2019	6.69	0.01		S.U.
pH (Field)	LGW-9	1/16/2020	6.05	0		S.U.
pH (Field)	LGW-9	2/4/2020	6.59	0		S.U.
pH (Field)	LGW-9	3/4/2020	6.66	0.01		S.U.
pH (Field)	LGW-9	4/2/2020	6.6	0.01		S.U.
pH (Field)	LGW-9	4/2/2020	6.6	0.01		S.U.
pH (Field)	LGW-9	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-9	6/2/2020	6.48	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	8/3/2020	6.55	0		S.U.
pH (Field)	LGW-9	9/2/2020	6.45	0.01		S.U.
pH (Field)	LGW-9	10/7/2020	6.55	0.01		S.U.
pH (Field)	LGW-9	11/3/2020	6.7	0		S.U.
pH (Field)	LGW-9	12/2/2020	6.44	0		S.U.
pH (Field)	LGW-9	1/17/2021	6.07	0		S.U.
pH (Field)	LGW-9	2/9/2021	6.58	0		S.U.
pH (Field)	LGW-9	3/2/2021	6.36	0		S.U.
pH (Field)	LGW-9	4/6/2021	6.41	0		S.U.
pH (Field)	LGW-9	4/6/2021	6.41	0		S.U.
pH (Field)	LGW-9	5/5/2021	6.3	0		S.U.
pH (Field)	LGW-9	6/2/2021	6.36	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	8/4/2021	6.44	0		S.U.
pH (Field)	LGW-9	9/2/2021	6.41	0		S.U.
pH (Field)	LGW-9	10/5/2021	6.46	0		S.U.
pH (Field)	LGW-9	10/5/2021	6.46	0		S.U.
pH (Field)	LGW-9	11/2/2021	6.4	0		S.U.
pH (Field)	LGW-9	12/9/2021	6.46	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	2/10/2022	6.49	0		S.U.
pH (Field)	LGW-9	3/2/2022	6.43	0		S.U.
pH (Field)	LGW-9	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-9	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-9	5/7/2022	6.3	0		S.U.
pH (Field)	LGW-9	6/3/2022	6.11	0		S.U.
pH (Field)	LGW-9	7/11/2022	6.13	0		S.U.
pH (Field)	LGW-9	8/10/2022	6.06	0		S.U.
pH (Field)	LGW-9	9/8/2022	6.08	0		S.U.
pH (Field)	LGW-9	10/7/2022	6.18	0		S.U.
pH (Field)	LGW-9	10/7/2022	6.18	0		S.U.
pH (Field)	LGW-9	11/3/2022	6.07	0		S.U.
pH (Field)	LGW-9	12/7/2022	6.11	0		S.U.
pH (Field)	LGW-9	1/11/2023	6.52	0		S.U.
pH (Field)	LGW-9	2/3/2023	6.36	0		S.U.
pH (Field)	LGW-9	3/1/2023	6.12	0		S.U.
pH (Field)	LGW-9	4/5/2023	6.06	0		S.U.
pH (Field)	MW-10N	10/2/2002	7.54	0		S.U.
pH (Field)	MW-10N	1/18/2006	7.24	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-10N	7/19/2006	9.72	0		S.U.
pH (Field)	MW-10N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-10N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/23/2007	7.75	0		S.U.
pH (Field)	MW-10N	1/23/2007	7.75	0		S.U.
pH (Field)	MW-10N	7/10/2007	7.32	0		S.U.
pH (Field)	MW-10N	7/10/2007	7.32	0		S.U.
pH (Field)	MW-10N	1/23/2008	7.3	0		S.U.
pH (Field)	MW-10N	7/21/2008	6.92	0.1		S.U.
pH (Field)	MW-10N	2/13/2009	7.91	0.1		S.U.
pH (Field)	MW-10N	7/31/2009	6.18	0.1		S.U.
pH (Field)	MW-10N	1/27/2010	7.52	0.1		S.U.
pH (Field)	MW-10N	8/10/2010	7.45	0		S.U.
pH (Field)	MW-10N	1/19/2011	7.45	0		S.U.
pH (Field)	MW-10N	7/14/2011	7.45	0		S.U.
pH (Field)	MW-10N	1/5/2012	7.54	0		S.U.
pH (Field)	MW-10N	7/10/2012	7.34	0		S.U.
pH (Field)	MW-10N	5/1/2013	7.4	0		S.U.
pH (Field)	MW-10N	1/24/2014	7.29	0		S.U.
pH (Field)	MW-10N	7/9/2014	7.82	0		S.U.
pH (Field)	MW-10N	2/12/2015	7.19	0		S.U.
pH (Field)	MW-10N	7/14/2015	7.31	0		S.U.
pH (Field)	MW-10N	1/6/2016	7.61	0		S.U.
pH (Field)	MW-10N	7/21/2016	6.99	0		S.U.
pH (Field)	MW-10N	1/11/2017	6.88	0		S.U.
pH (Field)	MW-10N	7/19/2017	7.6	0		S.U.
pH (Field)	MW-10N	1/24/2018	7.57	0.01		S.U.
pH (Field)	MW-10N	7/11/2018	7.4	0.01		S.U.
pH (Field)	MW-10N	1/3/2019	7.01	0.01		S.U.
pH (Field)	MW-10N	7/9/2019	7.49	0.01		S.U.
pH (Field)	MW-10N	1/16/2020	7.22	0		S.U.
pH (Field)	MW-10N	7/8/2020	7.54	0		S.U.
pH (Field)	MW-10N	7/8/2020	7.54	0		S.U.
pH (Field)	MW-10N	7/5/2021	7.49	0		S.U.
pH (Field)	MW-10N	7/5/2021	7.49	0		S.U.
pH (Field)	MW-10N	1/11/2023	7.35	0		S.U.
pH (Field)	MW-10N	4/8/2023	7.11	0		S.U.
pH (Field)	MW-11N	10/2/2002	7.3	0		S.U.
pH (Field)	MW-11N	1/18/2006	7.23	0		S.U.
pH (Field)	MW-11N	7/18/2006	7.87	0		S.U.
pH (Field)	MW-11N	7/18/2006	7.87	0		S.U.
pH (Field)	MW-11N	10/24/2006	8.2	0		S.U.
pH (Field)	MW-11N	10/24/2006	8.2	0		S.U.
pH (Field)	MW-11N	1/8/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/8/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/9/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/23/2007	7.58	0		S.U.
pH (Field)	MW-11N	1/23/2007	7.58	0		S.U.
pH (Field)	MW-11N	7/10/2007	7.21	0		S.U.
pH (Field)	MW-11N	7/10/2007	7.21	0		S.U.
pH (Field)	MW-11N	1/22/2008	7.31	0		S.U.
pH (Field)	MW-11N	7/23/2008	7.26	0.1		S.U.
pH (Field)	MW-11N	2/3/2009	7.51	0.1		S.U.
pH (Field)	MW-11N	7/31/2009	5.82	0.1		S.U.
pH (Field)	MW-11N	2/3/2010	7.25	0.1		S.U.
pH (Field)	MW-11N	2/3/2010	7.25	0.1		S.U.
pH (Field)	MW-11N	7/16/2010	7.36	0		S.U.
pH (Field)	MW-11N	1/19/2011	7.38	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-11N	7/13/2011	7.39	0		S.U.
pH (Field)	MW-11N	1/4/2012	7.4	0		S.U.
pH (Field)	MW-11N	7/9/2012	7.3	0		S.U.
pH (Field)	MW-11N	4/30/2013	7.26	0		S.U.
pH (Field)	MW-11N	7/15/2013	7.19	0		S.U.
pH (Field)	MW-11N	1/23/2014	7.45	0		S.U.
pH (Field)	MW-11N	7/8/2014	7.3	0		S.U.
pH (Field)	MW-11N	2/10/2015	7.05	0		S.U.
pH (Field)	MW-11N	7/13/2015	7.28	0		S.U.
pH (Field)	MW-11N	1/5/2016	7.01	0		S.U.
pH (Field)	MW-11N	7/21/2016	7.32	0		S.U.
pH (Field)	MW-11N	1/11/2017	7.34	0		S.U.
pH (Field)	MW-11N	7/19/2017	7.5	0		S.U.
pH (Field)	MW-11N	1/23/2018	7.21	0.01		S.U.
pH (Field)	MW-11N	7/17/2018	7.37	0.01		S.U.
pH (Field)	MW-11N	1/2/2019	6.58	0.01		S.U.
pH (Field)	MW-11N	7/9/2019	7.3	0.01		S.U.
pH (Field)	MW-11N	1/14/2020	7.41	0		S.U.
pH (Field)	MW-11N	7/6/2020	7.34	0		S.U.
pH (Field)	MW-11N	7/6/2020	7.34	0		S.U.
pH (Field)	MW-11N	1/18/2021	6.99	0		S.U.
pH (Field)	MW-11N	7/6/2021	7.31	0		S.U.
pH (Field)	MW-11N	7/6/2021	7.31	0		S.U.
pH (Field)	MW-11N	1/18/2022	7.32	0		S.U.
pH (Field)	MW-11N	1/18/2022	7.32	0		S.U.
pH (Field)	MW-11N	7/13/2022	7.08	0		S.U.
pH (Field)	MW-11N	10/6/2022	6.62	0		S.U.
pH (Field)	MW-11N	1/10/2023	7.19	0		S.U.
pH (Field)	MW-15	6/2/2015	7.23	0		S.U.
pH (Field)	MW-15	6/5/2015	7.21	0		S.U.
pH (Field)	MW-15	7/15/2015	7.2	0		S.U.
pH (Field)	MW-15	8/5/2015	7.92	0		S.U.
pH (Field)	MW-15	9/3/2015	8.73	0		S.U.
pH (Field)	MW-15	10/6/2015	8.59	0		S.U.
pH (Field)	MW-15	11/5/2015	8.07	0		S.U.
pH (Field)	MW-15	12/4/2015	8.72	0		S.U.
pH (Field)	MW-15	1/7/2016	7.32	0		S.U.
pH (Field)	MW-15	2/4/2016	7.81	0		S.U.
pH (Field)	MW-15	3/2/2016	7.37	0		S.U.
pH (Field)	MW-15	4/5/2016	7.25	0		S.U.
pH (Field)	MW-15	5/11/2016	6.27	0		S.U.
pH (Field)	MW-15	6/1/2016	6.3	0		S.U.
pH (Field)	MW-15	7/20/2016	6.06	0		S.U.
pH (Field)	MW-15	8/10/2016	6.76	0		S.U.
pH (Field)	MW-15	9/6/2016	6.31	0		S.U.
pH (Field)	MW-15	10/6/2016	6.75	0		S.U.
pH (Field)	MW-15	11/2/2016	6.05	0		S.U.
pH (Field)	MW-15	12/1/2016	6.26	0		S.U.
pH (Field)	MW-15	1/10/2017	6.48	0		S.U.
pH (Field)	MW-15	2/7/2017	6.55	0		S.U.
pH (Field)	MW-15	3/2/2017	6.9	0		S.U.
pH (Field)	MW-15	4/4/2017	6.88	0		S.U.
pH (Field)	MW-15	5/2/2017	7.22	0		S.U.
pH (Field)	MW-15	6/6/2017	7.4	0		S.U.
pH (Field)	MW-15	7/18/2017	6.51	0		S.U.
pH (Field)	MW-15	8/1/2017	6.35	0		S.U.
pH (Field)	MW-15	9/5/2017	6.3	0		S.U.
pH (Field)	MW-15	10/6/2017	7.08	0		S.U.
pH (Field)	MW-15	11/1/2017	7.22	0		S.U.
pH (Field)	MW-15	1/23/2018	6.88	0.01		S.U.
pH (Field)	MW-15	2/22/2018	6.92	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-15	3/21/2018	66.4	0.01		S.U.
pH (Field)	MW-15	4/10/2018	6.75	0.01		S.U.
pH (Field)	MW-15	6/5/2018	6.59	0		S.U.
pH (Field)	MW-15	7/10/2018	6.93	0.01		S.U.
pH (Field)	MW-15	8/1/2018	6.48	0.01		S.U.
pH (Field)	MW-15	9/4/2018	6.74	0		S.U.
pH (Field)	MW-15	10/2/2018	6.14	0		S.U.
pH (Field)	MW-15	10/2/2018	6.14	0		S.U.
pH (Field)	MW-15	11/6/2018	6.7	0.01		S.U.
pH (Field)	MW-15	12/5/2018	6.74	0.01		S.U.
pH (Field)	MW-15	1/3/2019	6.8	0.01		S.U.
pH (Field)	MW-15	2/5/2019	6.55	0		S.U.
pH (Field)	MW-15	3/6/2019	6.74	0.01		S.U.
pH (Field)	MW-15	4/3/2019	6.54	0.01		S.U.
pH (Field)	MW-15	5/2/2019	6.74	0.01		S.U.
pH (Field)	MW-15	6/4/2019	6.55	0		S.U.
pH (Field)	MW-15	7/9/2019	6.65	0.01		S.U.
pH (Field)	MW-15	7/9/2019	6.65	0.01		S.U.
pH (Field)	MW-15	8/6/2019	6.82	0.01		S.U.
pH (Field)	MW-15	9/4/2019	6.29	0.01		S.U.
pH (Field)	MW-15	10/1/2019	6.89	0.01		S.U.
pH (Field)	MW-15	11/5/2019	6.42	0.01		S.U.
pH (Field)	MW-15	12/3/2019	6.99	0.01		S.U.
pH (Field)	MW-15	1/14/2020	6.6	0		S.U.
pH (Field)	MW-15	2/4/2020	6.71	0		S.U.
pH (Field)	MW-15	3/3/2020	6.93	0.01		S.U.
pH (Field)	MW-15	4/1/2020	6.58	0.01		S.U.
pH (Field)	MW-15	5/4/2020	6.43	0.01		S.U.
pH (Field)	MW-15	6/2/2020	6.85	0		S.U.
pH (Field)	MW-15	7/7/2020	6.86	0		S.U.
pH (Field)	MW-15	7/7/2020	6.86	0		S.U.
pH (Field)	MW-15	8/3/2020	6.69	0		S.U.
pH (Field)	MW-15	8/3/2020	6.69	0		S.U.
pH (Field)	MW-15	9/3/2020	6.2	0.01		S.U.
pH (Field)	MW-15	10/6/2020	6.26	0.01		S.U.
pH (Field)	MW-15	11/4/2020	6.76	0		S.U.
pH (Field)	MW-15	12/2/2020	6.45	0		S.U.
pH (Field)	MW-15	1/18/2021	6.14	0		S.U.
pH (Field)	MW-15	1/18/2021	6.14	0		S.U.
pH (Field)	MW-15	2/10/2021	6.62	0		S.U.
pH (Field)	MW-15	3/2/2021	6.58	0		S.U.
pH (Field)	MW-15	4/7/2021	6.52	0		S.U.
pH (Field)	MW-15	5/4/2021	6.57	0		S.U.
pH (Field)	MW-15	6/1/2021	6.58	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	8/3/2021	6.54	0		S.U.
pH (Field)	MW-15	9/2/2021	6.46	0		S.U.
pH (Field)	MW-15	10/5/2021	6.54	0		S.U.
pH (Field)	MW-15	10/5/2021	6.54	0		S.U.
pH (Field)	MW-15	11/1/2021	6.4	0		S.U.
pH (Field)	MW-15	12/8/2021	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	2/9/2022	6.55	0		S.U.
pH (Field)	MW-15	3/1/2022	6.49	0		S.U.
pH (Field)	MW-15	4/5/2022	6.39	0		S.U.
pH (Field)	MW-15	5/7/2022	6.86	0		S.U.
pH (Field)	MW-15	6/3/2022	6.08	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-15	7/10/2022	6.07	0		S.U.
pH (Field)	MW-15	8/10/2022	6.05	0		S.U.
pH (Field)	MW-15	9/8/2022	6.12	0		S.U.
pH (Field)	MW-15	10/6/2022	5.77	0		S.U.
pH (Field)	MW-15	10/6/2022	5.77	0		S.U.
pH (Field)	MW-15	11/3/2022	6.35	0		S.U.
pH (Field)	MW-15	12/7/2022	6.26	0		S.U.
pH (Field)	MW-15	1/10/2023	6.56	0		S.U.
pH (Field)	MW-15	2/3/2023	6.45	0		S.U.
pH (Field)	MW-15	3/1/2023	6.24	0		S.U.
pH (Field)	MW-15	4/5/2023	6.16	0		S.U.
pH (Field)	MW-16	6/2/2015	7.81	0		S.U.
pH (Field)	MW-16	6/5/2015	2.85	0		S.U.
pH (Field)	MW-16	7/16/2015	7.91	0		S.U.
pH (Field)	MW-16	8/5/2015	7.72	0		S.U.
pH (Field)	MW-16	9/3/2015	7.78	0		S.U.
pH (Field)	MW-16	10/6/2015	8.66	0		S.U.
pH (Field)	MW-16	11/5/2015	8.17	0		S.U.
pH (Field)	MW-16	12/4/2015	8.67	0		S.U.
pH (Field)	MW-16	1/8/2016	7.84	0		S.U.
pH (Field)	MW-16	2/4/2016	8.23	0		S.U.
pH (Field)	MW-16	3/2/2016	7.67	0		S.U.
pH (Field)	MW-16	4/5/2016	7.83	0		S.U.
pH (Field)	MW-16	5/11/2016	6.74	0		S.U.
pH (Field)	MW-16	6/2/2016	8.5	0		S.U.
pH (Field)	MW-16	7/21/2016	7.28	0		S.U.
pH (Field)	MW-16	8/10/2016	7.58	0		S.U.
pH (Field)	MW-16	9/6/2016	6.99	0		S.U.
pH (Field)	MW-16	10/5/2016	7.92	0		S.U.
pH (Field)	MW-16	11/2/2016	7	0		S.U.
pH (Field)	MW-16	12/1/2016	6.73	0		S.U.
pH (Field)	MW-16	1/10/2017	6.56	0		S.U.
pH (Field)	MW-16	2/7/2017	6.73	0		S.U.
pH (Field)	MW-16	3/2/2017	6.79	0		S.U.
pH (Field)	MW-16	4/4/2017	7.62	0		S.U.
pH (Field)	MW-16	5/2/2017	7.65	0		S.U.
pH (Field)	MW-16	6/6/2017	7.55	0		S.U.
pH (Field)	MW-16	7/18/2017	6.9	0		S.U.
pH (Field)	MW-16	8/1/2017	7.02	0		S.U.
pH (Field)	MW-16	9/5/2017	7.12	0		S.U.
pH (Field)	MW-16	10/6/2017	7.27	0		S.U.
pH (Field)	MW-16	11/1/2017	7.62	0		S.U.
pH (Field)	MW-16	1/23/2018	7.44	0.01		S.U.
pH (Field)	MW-16	2/22/2018	7.99	0.01		S.U.
pH (Field)	MW-16	3/21/2018	7.31	0.01		S.U.
pH (Field)	MW-16	4/10/2018	7.26	0.01		S.U.
pH (Field)	MW-16	6/5/2018	7.31	0		S.U.
pH (Field)	MW-16	7/11/2018	7.45	0.01		S.U.
pH (Field)	MW-16	8/1/2018	7.11	0.01		S.U.
pH (Field)	MW-16	9/5/2018	7.43	0		S.U.
pH (Field)	MW-16	10/2/2018	7.06	0		S.U.
pH (Field)	MW-16	11/6/2018	7.26	0.01		S.U.
pH (Field)	MW-16	12/5/2018	7.28	0.01		S.U.
pH (Field)	MW-16	1/2/2019	7.01	0.01		S.U.
pH (Field)	MW-16	2/5/2019	7.23	0		S.U.
pH (Field)	MW-16	3/6/2019	7.39	0.01		S.U.
pH (Field)	MW-16	4/3/2019	7.31	0.01		S.U.
pH (Field)	MW-16	5/2/2019	7.46	0.01		S.U.
pH (Field)	MW-16	6/4/2019	7.32	0		S.U.
pH (Field)	MW-16	7/10/2019	7.41	0.01		S.U.
pH (Field)	MW-16	7/10/2019	7.41	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-16	8/6/2019	7.31	0.01		S.U.
pH (Field)	MW-16	9/4/2019	7.3	0.01		S.U.
pH (Field)	MW-16	10/1/2019	7.55	0.01		S.U.
pH (Field)	MW-16	11/5/2019	7.4	0.01		S.U.
pH (Field)	MW-16	12/3/2019	7.46	0.01		S.U.
pH (Field)	MW-16	1/14/2020	7.81	0		S.U.
pH (Field)	MW-16	2/4/2020	7.53	0		S.U.
pH (Field)	MW-16	3/3/2020	7.49	0.01		S.U.
pH (Field)	MW-16	4/1/2020	7.3	0.01		S.U.
pH (Field)	MW-16	5/4/2020	7.28	0.01		S.U.
pH (Field)	MW-16	6/3/2020	7.05	0		S.U.
pH (Field)	MW-16	7/7/2020	7.34	0		S.U.
pH (Field)	MW-16	7/7/2020	7.34	0		S.U.
pH (Field)	MW-16	8/3/2020	7.28	0		S.U.
pH (Field)	MW-16	8/3/2020	7.28	0		S.U.
pH (Field)	MW-16	9/3/2020	7.3	0.01		S.U.
pH (Field)	MW-16	10/6/2020	7.27	0.01		S.U.
pH (Field)	MW-16	11/4/2020	7.48	0		S.U.
pH (Field)	MW-16	12/3/2020	7.45	0		S.U.
pH (Field)	MW-16	1/18/2021	7.06	0		S.U.
pH (Field)	MW-16	1/18/2021	7.06	0		S.U.
pH (Field)	MW-16	2/10/2021	7.48	0		S.U.
pH (Field)	MW-16	3/2/2021	7.34	0		S.U.
pH (Field)	MW-16	4/7/2021	7.39	0		S.U.
pH (Field)	MW-16	5/4/2021	7.33	0		S.U.
pH (Field)	MW-16	6/1/2021	7.19	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	8/3/2021	7.43	0		S.U.
pH (Field)	MW-16	9/2/2021	7.38	0		S.U.
pH (Field)	MW-16	10/5/2021	7.41	0		S.U.
pH (Field)	MW-16	11/1/2021	7.24	0		S.U.
pH (Field)	MW-16	12/8/2021	7.39	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.
pH (Field)	MW-16	2/9/2022	7.44	0		S.U.
pH (Field)	MW-16	3/1/2022	7.36	0		S.U.
pH (Field)	MW-16	4/5/2022	7.25	0		S.U.
pH (Field)	MW-16	5/7/2022	7.34	0		S.U.
pH (Field)	MW-16	6/3/2022	7.04	0		S.U.
pH (Field)	MW-16	7/10/2022	7.01	0		S.U.
pH (Field)	MW-16	8/10/2022	6.88	0		S.U.
pH (Field)	MW-16	9/8/2022	6.97	0		S.U.
pH (Field)	MW-16	10/6/2022	6.58	0		S.U.
pH (Field)	MW-16	11/3/2022	7.19	0		S.U.
pH (Field)	MW-16	12/7/2022	7.09	0		S.U.
pH (Field)	MW-16	1/10/2023	7.35	0		S.U.
pH (Field)	MW-16	2/3/2023	7.13	0		S.U.
pH (Field)	MW-16	3/1/2023	6.98	0		S.U.
pH (Field)	MW-16	4/5/2023	6.8	0		S.U.
pH (Field)	MW-17	6/2/2015	7.07	0		S.U.
pH (Field)	MW-17	6/5/2015	7.19	0		S.U.
pH (Field)	MW-17	7/15/2015	7.1	0		S.U.
pH (Field)	MW-17	8/4/2015	7.17	0		S.U.
pH (Field)	MW-17	9/2/2015	7.21	0		S.U.
pH (Field)	MW-17	10/5/2015	7.68	0		S.U.
pH (Field)	MW-17	11/5/2015	8.28	0		S.U.
pH (Field)	MW-17	12/3/2015	8.91	0		S.U.
pH (Field)	MW-17	1/7/2016	7.21	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-17	2/3/2016	7.42	0		S.U.
pH (Field)	MW-17	3/2/2016	7.38	0		S.U.
pH (Field)	MW-17	4/5/2016	7.32	0		S.U.
pH (Field)	MW-17	5/12/2016	7.96	0		S.U.
pH (Field)	MW-17	6/1/2016	7.47	0		S.U.
pH (Field)	MW-17	7/20/2016	6.9	0		S.U.
pH (Field)	MW-17	8/11/2016	7.84	0		S.U.
pH (Field)	MW-17	9/6/2016	6.9	0		S.U.
pH (Field)	MW-17	10/6/2016	7.33	0		S.U.
pH (Field)	MW-17	11/3/2016	7.51	0		S.U.
pH (Field)	MW-17	12/2/2016	6.53	0		S.U.
pH (Field)	MW-17	1/10/2017	6.62	0		S.U.
pH (Field)	MW-17	2/7/2017	6.97	0		S.U.
pH (Field)	MW-17	3/2/2017	6.74	0		S.U.
pH (Field)	MW-17	4/4/2017	7.36	0		S.U.
pH (Field)	MW-17	5/2/2017	7.4	0		S.U.
pH (Field)	MW-17	5/16/2017	7.26	0		S.U.
pH (Field)	MW-17	6/6/2017	7.56	0		S.U.
pH (Field)	MW-17	7/18/2017	7.2	0		S.U.
pH (Field)	MW-17	8/1/2017	7.32	0		S.U.
pH (Field)	MW-17	9/5/2017	7.28	0		S.U.
pH (Field)	MW-17	10/6/2017	7.13	0		S.U.
pH (Field)	MW-17	11/1/2017	7.5	0		S.U.
pH (Field)	MW-17	1/23/2018	6.92	0.01		S.U.
pH (Field)	MW-17	2/22/2018	7.35	0.01		S.U.
pH (Field)	MW-17	3/21/2018	6.42	0.01		S.U.
pH (Field)	MW-17	4/10/2018	6.39	0.01		S.U.
pH (Field)	MW-17	6/5/2018	6.51	0		S.U.
pH (Field)	MW-17	7/10/2018	6.95	0.01		S.U.
pH (Field)	MW-17	8/1/2018	6.65	0.01		S.U.
pH (Field)	MW-17	9/5/2018	6.8	0		S.U.
pH (Field)	MW-17	10/1/2018	6.3	0		S.U.
pH (Field)	MW-17	10/1/2018	6.3	0		S.U.
pH (Field)	MW-17	11/7/2018	6.98	0.01		S.U.
pH (Field)	MW-17	12/5/2018	6.97	0.01		S.U.
pH (Field)	MW-17	1/3/2019	6.84	0.01		S.U.
pH (Field)	MW-17	2/5/2019	6.71	0		S.U.
pH (Field)	MW-17	3/6/2019	6.81	0.01		S.U.
pH (Field)	MW-17	4/3/2019	6.73	0.01		S.U.
pH (Field)	MW-17	5/2/2019	7.2	0.01		S.U.
pH (Field)	MW-17	6/5/2019	6.81	0		S.U.
pH (Field)	MW-17	7/11/2019	6.71	0.01		S.U.
pH (Field)	MW-17	7/11/2019	6.71	0.01		S.U.
pH (Field)	MW-17	8/6/2019	7.37	0.01		S.U.
pH (Field)	MW-17	9/4/2019	6.64	0.01		S.U.
pH (Field)	MW-17	10/1/2019	7.09	0.01		S.U.
pH (Field)	MW-17	11/5/2019	6.39	0.01		S.U.
pH (Field)	MW-17	12/3/2019	6.45	0.01		S.U.
pH (Field)	MW-17	1/14/2020	6.73	0		S.U.
pH (Field)	MW-17	2/4/2020	7.09	0		S.U.
pH (Field)	MW-17	3/3/2020	6.42	0.01		S.U.
pH (Field)	MW-17	4/1/2020	6.98	0.01		S.U.
pH (Field)	MW-17	5/5/2020	6.94	0.01		S.U.
pH (Field)	MW-17	6/2/2020	6.97	0		S.U.
pH (Field)	MW-17	7/6/2020	7.05	0		S.U.
pH (Field)	MW-17	7/6/2020	7.05	0		S.U.
pH (Field)	MW-17	8/3/2020	6.96	0		S.U.
pH (Field)	MW-17	8/3/2020	6.96	0		S.U.
pH (Field)	MW-17	9/3/2020	6.85	0.01		S.U.
pH (Field)	MW-17	10/6/2020	6.94	0.01		S.U.
pH (Field)	MW-17	11/4/2020	7.14	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-17	12/3/2020	6.75	0		S.U.
pH (Field)	MW-17	1/14/2021	6.57	0		S.U.
pH (Field)	MW-17	2/10/2021	7.19	0		S.U.
pH (Field)	MW-17	3/2/2021	6.63	0		S.U.
pH (Field)	MW-17	4/7/2021	7.18	0		S.U.
pH (Field)	MW-17	5/4/2021	7.13	0		S.U.
pH (Field)	MW-17	6/1/2021	6.81	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	8/3/2021	7.06	0		S.U.
pH (Field)	MW-17	9/2/2021	6.66	0		S.U.
pH (Field)	MW-17	10/5/2021	7.07	0		S.U.
pH (Field)	MW-17	10/5/2021	7.07	0		S.U.
pH (Field)	MW-17	11/1/2021	6.96	0		S.U.
pH (Field)	MW-17	12/8/2021	7.19	0		S.U.
pH (Field)	MW-17	1/10/2023	6.87	0		S.U.
pH (Field)	MW-17	2/4/2023	6.65	0		S.U.
pH (Field)	MW-17	3/1/2023	6.47	0		S.U.
pH (Field)	MW-17	4/5/2023	6.23	0		S.U.
pH (Field)	MW-19	6/2/2015	6.98	0		S.U.
pH (Field)	MW-19	6/5/2015	7.71	0		S.U.
pH (Field)	MW-19	7/16/2015	7.85	0		S.U.
pH (Field)	MW-19	8/5/2015	8.15	0		S.U.
pH (Field)	MW-19	9/3/2015	8.41	0		S.U.
pH (Field)	MW-19	10/6/2015	8.79	0		S.U.
pH (Field)	MW-19	11/5/2015	8.27	0		S.U.
pH (Field)	MW-19	12/4/2015	9.15	0		S.U.
pH (Field)	MW-19	1/7/2016	8.38	0		S.U.
pH (Field)	MW-19	2/3/2016	8.22	0		S.U.
pH (Field)	MW-19	3/3/2016	7.95	0		S.U.
pH (Field)	MW-19	4/5/2016	7.55	0		S.U.
pH (Field)	MW-19	5/12/2016	7.77	0		S.U.
pH (Field)	MW-19	6/2/2016	9.03	0		S.U.
pH (Field)	MW-19	7/21/2016	7.65	0		S.U.
pH (Field)	MW-19	8/11/2016	7.25	0		S.U.
pH (Field)	MW-19	9/6/2016	7.35	0		S.U.
pH (Field)	MW-19	10/5/2016	7.17	0		S.U.
pH (Field)	MW-19	11/3/2016	7.39	0		S.U.
pH (Field)	MW-19	12/1/2016	7.35	0		S.U.
pH (Field)	MW-19	1/10/2017	6.93	0		S.U.
pH (Field)	MW-19	2/7/2017	7	0		S.U.
pH (Field)	MW-19	3/2/2017	6.81	0		S.U.
pH (Field)	MW-19	4/4/2017	7.74	0		S.U.
pH (Field)	MW-19	5/2/2017	7.67	0		S.U.
pH (Field)	MW-19	6/6/2017	7.01	0		S.U.
pH (Field)	MW-19	7/18/2017	7.06	0		S.U.
pH (Field)	MW-19	8/1/2017	7.11	0		S.U.
pH (Field)	MW-19	9/5/2017	7.38	0		S.U.
pH (Field)	MW-19	10/6/2017	7.34	0		S.U.
pH (Field)	MW-19	11/1/2017	7.51	0		S.U.
pH (Field)	MW-19	1/23/2018	7.56	0.01		S.U.
pH (Field)	MW-19	2/22/2018	7.43	0.01		S.U.
pH (Field)	MW-19	3/20/2018	7.04	0.01		S.U.
pH (Field)	MW-19	4/11/2018	7.27	0.01		S.U.
pH (Field)	MW-19	6/5/2018	7.63	0		S.U.
pH (Field)	MW-19	7/13/2018	7.78	0.01		S.U.
pH (Field)	MW-19	8/2/2018	7.37	0.01		S.U.
pH (Field)	MW-19	9/5/2018	7.93	0		S.U.
pH (Field)	MW-19	10/2/2018	7.23	0		S.U.
pH (Field)	MW-19	10/2/2018	7.23	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-19	11/7/2018	7.53	0.01		S.U.
pH (Field)	MW-19	12/5/2018	7.5	0.01		S.U.
pH (Field)	MW-19	1/7/2019	7.53	0.01		S.U.
pH (Field)	MW-19	2/6/2019	7.44	0		S.U.
pH (Field)	MW-19	3/6/2019	7.6	0.01		S.U.
pH (Field)	MW-19	4/3/2019	7.49	0.01		S.U.
pH (Field)	MW-19	5/2/2019	7.65	0.01		S.U.
pH (Field)	MW-19	6/4/2019	7.61	0		S.U.
pH (Field)	MW-19	7/11/2019	7.56	0.01		S.U.
pH (Field)	MW-19	7/11/2019	7.56	0.01		S.U.
pH (Field)	MW-19	8/6/2019	7.82	0.01		S.U.
pH (Field)	MW-19	9/4/2019	7.55	0.01		S.U.
pH (Field)	MW-19	10/1/2019	7.34	0.01		S.U.
pH (Field)	MW-19	11/5/2019	6.82	0.01		S.U.
pH (Field)	MW-19	12/3/2019	7.02	0.01		S.U.
pH (Field)	MW-19	1/14/2020	7.37	0		S.U.
pH (Field)	MW-19	2/4/2020	6.9	0		S.U.
pH (Field)	MW-19	3/3/2020	7.16	0.01		S.U.
pH (Field)	MW-19	4/2/2020	6.89	0.01		S.U.
pH (Field)	MW-19	5/5/2020	7.06	0.01		S.U.
pH (Field)	MW-19	6/2/2020	7.21	0		S.U.
pH (Field)	MW-19	7/6/2020	6.91	0		S.U.
pH (Field)	MW-19	7/6/2020	6.91	0		S.U.
pH (Field)	MW-19	8/3/2020	7.17	0		S.U.
pH (Field)	MW-19	8/3/2020	7.17	0		S.U.
pH (Field)	MW-19	9/3/2020	7.67	0.01		S.U.
pH (Field)	MW-19	10/6/2020	7.54	0.01		S.U.
pH (Field)	MW-19	11/3/2020	7.19	0		S.U.
pH (Field)	MW-19	12/3/2020	7.47	0		S.U.
pH (Field)	MW-19	1/14/2021	7.25	0		S.U.
pH (Field)	MW-19	2/10/2021	7.35	0		S.U.
pH (Field)	MW-19	3/2/2021	7.28	0		S.U.
pH (Field)	MW-19	4/7/2021	7.35	0		S.U.
pH (Field)	MW-19	5/4/2021	7.33	0		S.U.
pH (Field)	MW-19	6/1/2021	7.26	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	8/3/2021	7.32	0		S.U.
pH (Field)	MW-19	9/2/2021	7.7	0		S.U.
pH (Field)	MW-19	10/5/2021	7.11	0		S.U.
pH (Field)	MW-19	11/1/2021	6.8	0		S.U.
pH (Field)	MW-19	12/8/2021	6.77	0		S.U.
pH (Field)	MW-19	12/7/2022	7.55	0		S.U.
pH (Field)	MW-19	1/11/2023	7.79	0		S.U.
pH (Field)	MW-19	2/3/2023	7.31	0		S.U.
pH (Field)	MW-19	3/1/2023	7.14	0		S.U.
pH (Field)	MW-19	4/6/2023	7.38	0		S.U.
pH (Field)	MW-1N	10/3/2002	6.97	0		S.U.
pH (Field)	MW-1N	1/18/2006	7.08	0		S.U.
pH (Field)	MW-1N	7/18/2006	7.6	0		S.U.
pH (Field)	MW-1N	7/18/2006	7.6	0		S.U.
pH (Field)	MW-1N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-1N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/26/2007	7.51	0		S.U.
pH (Field)	MW-1N	1/26/2007	7.51	0		S.U.
pH (Field)	MW-1N	7/10/2007	7.07	0		S.U.
pH (Field)	MW-1N	7/11/2007	7.07	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-1N	1/24/2008	7.26	0		S.U.
pH (Field)	MW-1N	7/21/2008	7.23	0.1		S.U.
pH (Field)	MW-1N	2/5/2009	7.34	0.1		S.U.
pH (Field)	MW-1N	7/31/2009	6.17	0.1		S.U.
pH (Field)	MW-1N	1/26/2010	7.15	0.1		S.U.
pH (Field)	MW-1N	7/13/2010	7.19	0		S.U.
pH (Field)	MW-1N	1/20/2011	7.33	0		S.U.
pH (Field)	MW-1N	7/13/2011	7.57	0		S.U.
pH (Field)	MW-1N	1/5/2012	7.45	0		S.U.
pH (Field)	MW-1N	7/10/2012	7.2	0		S.U.
pH (Field)	MW-1N	5/1/2013	7.27	0		S.U.
pH (Field)	MW-1N	7/16/2013	7.39	0		S.U.
pH (Field)	MW-1N	1/24/2014	7.22	0		S.U.
pH (Field)	MW-1N	7/9/2014	7.8	0		S.U.
pH (Field)	MW-1N	2/10/2015	6.86	0		S.U.
pH (Field)	MW-1N	7/14/2015	7.65	0		S.U.
pH (Field)	MW-1N	1/6/2016	7.9	0		S.U.
pH (Field)	MW-1N	7/21/2016	7.68	0		S.U.
pH (Field)	MW-1N	1/12/2017	6.47	0		S.U.
pH (Field)	MW-1N	7/19/2017	7.41	0		S.U.
pH (Field)	MW-1N	1/23/2018	7.37	0.01		S.U.
pH (Field)	MW-1N	7/10/2018	7.27	0.01		S.U.
pH (Field)	MW-1N	10/3/2018	6.83	0		S.U.
pH (Field)	MW-1N	1/3/2019	7.24	0.01		S.U.
pH (Field)	MW-1N	7/11/2019	7.25	0.01		S.U.
pH (Field)	MW-1N	10/2/2019	7.35	0.01		S.U.
pH (Field)	MW-1N	4/2/2020	7.36	0.01		S.U.
pH (Field)	MW-1N	7/6/2020	7.2	0		S.U.
pH (Field)	MW-1N	7/6/2020	7.2	0		S.U.
pH (Field)	MW-1N	7/4/2021	7.51	0		S.U.
pH (Field)	MW-1N	7/4/2021	7.51	0		S.U.
pH (Field)	MW-1N	10/6/2021	7.26	0		S.U.
pH (Field)	MW-1N	1/11/2023	7.36	0		S.U.
pH (Field)	MW-20	6/2/2015	6.5	0		S.U.
pH (Field)	MW-20	6/5/2015	6.52	0		S.U.
pH (Field)	MW-20	7/14/2015	6.75	0		S.U.
pH (Field)	MW-20	8/4/2015	6.77	0		S.U.
pH (Field)	MW-20	9/2/2015	6.64	0		S.U.
pH (Field)	MW-20	10/5/2015	7.11	0		S.U.
pH (Field)	MW-20	1/7/2016	7.71	0		S.U.
pH (Field)	MW-20	4/5/2016	6.71	0		S.U.
pH (Field)	MW-20	7/20/2016	6.19	0		S.U.
pH (Field)	MW-20	10/5/2016	6.16	0		S.U.
pH (Field)	MW-20	1/12/2017	5.99	0		S.U.
pH (Field)	MW-20	7/18/2017	6.56	0		S.U.
pH (Field)	MW-20	1/26/2018	6.7	0.01		S.U.
pH (Field)	MW-20	7/12/2018	6.77	0.01		S.U.
pH (Field)	MW-20	7/11/2019	6.4	0.01		S.U.
pH (Field)	MW-20	1/14/2020	7.39	0		S.U.
pH (Field)	MW-20	7/7/2020	6.45	0		S.U.
pH (Field)	MW-20	7/7/2020	6.45	0		S.U.
pH (Field)	MW-20	4/6/2021	6.56	0		S.U.
pH (Field)	MW-20	7/4/2021	6.54	0		S.U.
pH (Field)	MW-20	7/4/2021	6.54	0		S.U.
pH (Field)	MW-20	1/11/2023	6.45	0		S.U.
pH (Field)	MW-21	6/2/2015	5.94	0		S.U.
pH (Field)	MW-21	6/5/2015	5.87	0		S.U.
pH (Field)	MW-21	7/14/2015	6.2	0		S.U.
pH (Field)	MW-21	8/4/2015	6.13	0		S.U.
pH (Field)	MW-21	9/2/2015	6.1	0		S.U.
pH (Field)	MW-21	10/5/2015	6.27	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-21	1/7/2016	7.52	0		S.U.
pH (Field)	MW-21	2/10/2016	6.58	0		S.U.
pH (Field)	MW-21	4/5/2016	6.14	0		S.U.
pH (Field)	MW-21	7/20/2016	5.68	0		S.U.
pH (Field)	MW-21	10/5/2016	5.55	0		S.U.
pH (Field)	MW-21	1/10/2017	4.73	0		S.U.
pH (Field)	MW-21	4/5/2017	6.18	0		S.U.
pH (Field)	MW-21	7/19/2017	6.01	0		S.U.
pH (Field)	MW-21	10/6/2017	6.48	0		S.U.
pH (Field)	MW-21	1/24/2018	5.92	0.01		S.U.
pH (Field)	MW-21	4/11/2018	6.24	0.01		S.U.
pH (Field)	MW-21	7/11/2018	6.5	0.01		S.U.
pH (Field)	MW-21	10/4/2018	5.6	0		S.U.
pH (Field)	MW-21	1/3/2019	5.76	0.01		S.U.
pH (Field)	MW-21	4/3/2019	5.85	0.01		S.U.
pH (Field)	MW-21	7/11/2019	6.13	0		S.U.
pH (Field)	MW-21	10/2/2019	6.56	0.01		S.U.
pH (Field)	MW-21	1/16/2020	5.58	0		S.U.
pH (Field)	MW-21	4/2/2020	5.97	0.01		S.U.
pH (Field)	MW-21	7/8/2020	6	0		S.U.
pH (Field)	MW-21	7/8/2020	6	0		S.U.
pH (Field)	MW-21	10/7/2020	5.72	0.01		S.U.
pH (Field)	MW-21	4/6/2021	5.88	0		S.U.
pH (Field)	MW-21	7/5/2021	5.74	0		S.U.
pH (Field)	MW-21	7/5/2021	5.74	0		S.U.
pH (Field)	MW-21	10/6/2021	5.71	0		S.U.
pH (Field)	MW-21	1/11/2023	5.85	0		S.U.
pH (Field)	MW-21	4/8/2023	5.74	0		S.U.
pH (Field)	MW-2N	10/2/2002	7.93	0		S.U.
pH (Field)	MW-2N	1/19/2006	7.61	0		S.U.
pH (Field)	MW-2N	7/19/2006	8.59	0		S.U.
pH (Field)	MW-2N	7/19/2006	8.59	0		S.U.
pH (Field)	MW-2N	10/25/2006	8.69	0		S.U.
pH (Field)	MW-2N	10/25/2006	8.69	0		S.U.
pH (Field)	MW-2N	1/9/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/10/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/10/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/26/2007	7.94	0		S.U.
pH (Field)	MW-2N	1/26/2007	7.94	0		S.U.
pH (Field)	MW-2N	3/26/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.39	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.5	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.52	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	7/10/2007	7.41	0		S.U.
pH (Field)	MW-2N	7/11/2007	7.41	0		S.U.
pH (Field)	MW-2N	1/24/2008	7.62	0		S.U.
pH (Field)	MW-2N	7/22/2008	7.55	0.1		S.U.
pH (Field)	MW-2N	2/4/2009	8.02	0.1		S.U.
pH (Field)	MW-2N	7/31/2009	6.68	0.1		S.U.
pH (Field)	MW-2N	1/26/2010	7.93	0.1		S.U.
pH (Field)	MW-2N	7/13/2010	7.65	0		S.U.
pH (Field)	MW-2N	1/20/2011	7.96	0		S.U.
pH (Field)	MW-2N	7/13/2011	7.88	0		S.U.
pH (Field)	MW-2N	1/5/2012	7.99	0		S.U.
pH (Field)	MW-2N	7/10/2012	7.49	0		S.U.
pH (Field)	MW-2N	5/1/2013	7.9	0		S.U.
pH (Field)	MW-2N	7/16/2013	8.02	0		S.U.
pH (Field)	MW-2N	1/24/2014	7.44	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-2N	7/9/2014	8.07	0		S.U.
pH (Field)	MW-2N	2/12/2015	7.12	0		S.U.
pH (Field)	MW-2N	7/14/2015	7.86	0		S.U.
pH (Field)	MW-2N	1/6/2016	7.55	0		S.U.
pH (Field)	MW-2N	7/21/2016	7.26	0		S.U.
pH (Field)	MW-2N	1/11/2017	7.09	0		S.U.
pH (Field)	MW-2N	7/19/2017	7.53	0		S.U.
pH (Field)	MW-2N	1/23/2018	7.54	0.01		S.U.
pH (Field)	MW-2N	6/21/2018	7.47	0		S.U.
pH (Field)	MW-2N	7/12/2018	7.48	0.01		S.U.
pH (Field)	MW-2N	1/3/2019	7.42	0.01		S.U.
pH (Field)	MW-2N	4/3/2019	7.11	0.01		S.U.
pH (Field)	MW-2N	8/7/2019	7.36	0.01		S.U.
pH (Field)	MW-2N	10/1/2019	7.34	0.01		S.U.
pH (Field)	MW-2N	7/7/2020	7.2	0		S.U.
pH (Field)	MW-2N	7/7/2020	7.2	0		S.U.
pH (Field)	MW-2N	10/6/2020	7.04	0.01		S.U.
pH (Field)	MW-2N	10/6/2020	7.04	0.01		S.U.
pH (Field)	MW-2N	7/5/2021	7.11	0		S.U.
pH (Field)	MW-2N	7/5/2021	7.11	0		S.U.
pH (Field)	MW-2N	10/6/2021	7.09	0		S.U.
pH (Field)	MW-2N	1/11/2023	7.15	0		S.U.
pH (Field)	MW-2N	4/8/2023	6.91	0		S.U.
pH (Field)	MW-3N	10/2/2002	6.57	0		S.U.
pH (Field)	MW-3N	1/19/2006	6.42	0		S.U.
pH (Field)	MW-3N	7/19/2006	7.27	0		S.U.
pH (Field)	MW-3N	7/19/2006	7.27	0		S.U.
pH (Field)	MW-3N	10/25/2006	7.25	0		S.U.
pH (Field)	MW-3N	10/25/2006	7.25	0		S.U.
pH (Field)	MW-3N	1/9/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/10/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/10/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/26/2007	6.75	0		S.U.
pH (Field)	MW-3N	1/26/2007	6.75	0		S.U.
pH (Field)	MW-3N	7/10/2007	6.36	0		S.U.
pH (Field)	MW-3N	7/11/2007	6.36	0		S.U.
pH (Field)	MW-3N	1/24/2008	6.53	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.13	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.21	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.08	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.08	0		S.U.
pH (Field)	MW-3N	7/22/2008	6.47	0.1		S.U.
pH (Field)	MW-3N	2/4/2009	6.5	0.1		S.U.
pH (Field)	MW-3N	7/31/2009	5.46	0.1		S.U.
pH (Field)	MW-3N	1/26/2010	6.25	0.1		S.U.
pH (Field)	MW-3N	7/13/2010	6.42	0		S.U.
pH (Field)	MW-3N	1/20/2011	6.45	0		S.U.
pH (Field)	MW-3N	7/14/2011	6.36	0		S.U.
pH (Field)	MW-3N	1/5/2012	6.58	0		S.U.
pH (Field)	MW-3N	7/11/2012	6.01	0		S.U.
pH (Field)	MW-3N	5/1/2013	6.41	0		S.U.
pH (Field)	MW-3N	6/4/2013	6.17	0		S.U.
pH (Field)	MW-3N	7/16/2013	6.36	0		S.U.
pH (Field)	MW-3N	1/24/2014	6.38	0		S.U.
pH (Field)	MW-3N	7/9/2014	7.01	0		S.U.
pH (Field)	MW-3N	2/12/2015	6.27	0		S.U.
pH (Field)	MW-3N	4/1/2015	6.53	0		S.U.
pH (Field)	MW-3N	7/14/2015	6.61	0		S.U.
pH (Field)	MW-3N	10/5/2015	6.96	0		S.U.
pH (Field)	MW-3N	1/6/2016	7.06	0		S.U.
pH (Field)	MW-3N	4/6/2016	6.76	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-3N	7/21/2016	6.21	0		S.U.
pH (Field)	MW-3N	10/6/2016	6.98	0		S.U.
pH (Field)	MW-3N	1/11/2017	6.8	0		S.U.
pH (Field)	MW-3N	4/4/2017	6.68	0		S.U.
pH (Field)	MW-3N	7/19/2017	6.69	0		S.U.
pH (Field)	MW-3N	10/9/2017	6.96	0		S.U.
pH (Field)	MW-3N	1/24/2018	6.76	0.01		S.U.
pH (Field)	MW-3N	4/10/2018	6.41	0.01		S.U.
pH (Field)	MW-3N	6/6/2018	6.41	0		S.U.
pH (Field)	MW-3N	7/13/2018	6.47	0.01		S.U.
pH (Field)	MW-3N	10/3/2018	6.15	0		S.U.
pH (Field)	MW-3N	10/3/2018	6.15	0		S.U.
pH (Field)	MW-3N	1/7/2019	6.48	0.01		S.U.
pH (Field)	MW-3N	4/3/2019	6.43	0.01		S.U.
pH (Field)	MW-3N	7/11/2019	6.57	0		S.U.
pH (Field)	MW-3N	10/2/2019	6.92	0.01		S.U.
pH (Field)	MW-3N	1/15/2020	6.64	0		S.U.
pH (Field)	MW-3N	4/2/2020	6.5	0.01		S.U.
pH (Field)	MW-3N	7/7/2020	6.66	0		S.U.
pH (Field)	MW-3N	7/7/2020	6.66	0		S.U.
pH (Field)	MW-3N	10/7/2020	6.28	0.01		S.U.
pH (Field)	MW-3N	4/6/2021	6.53	0		S.U.
pH (Field)	MW-3N	7/5/2021	6.52	0		S.U.
pH (Field)	MW-3N	7/5/2021	6.52	0		S.U.
pH (Field)	MW-3N	10/6/2021	6.43	0		S.U.
pH (Field)	MW-3N	1/11/2023	6.67	0		S.U.
pH (Field)	MW-7N	10/2/2002	6.24	0		S.U.
pH (Field)	MW-7N	1/19/2006	6.32	0		S.U.
pH (Field)	MW-7N	7/19/2006	7.58	0		S.U.
pH (Field)	MW-7N	7/19/2006	7.58	0		S.U.
pH (Field)	MW-7N	9/28/2006	7.17	0		S.U.
pH (Field)	MW-7N	9/28/2006	7.17	0		S.U.
pH (Field)	MW-7N	10/24/2006	6.95	0		S.U.
pH (Field)	MW-7N	10/24/2006	6.95	0		S.U.
pH (Field)	MW-7N	11/21/2006	6.81	0		S.U.
pH (Field)	MW-7N	11/21/2006	6.81	0		S.U.
pH (Field)	MW-7N	12/22/2006	6.91	0		S.U.
pH (Field)	MW-7N	12/22/2006	6.91	0		S.U.
pH (Field)	MW-7N	1/9/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/10/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/10/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/25/2007	6.78	0		S.U.
pH (Field)	MW-7N	1/26/2007	6.78	0		S.U.
pH (Field)	MW-7N	1/26/2007	6.78	0		S.U.
pH (Field)	MW-7N	2/7/2007	6.95	0		S.U.
pH (Field)	MW-7N	2/27/2007	6.95	0		S.U.
pH (Field)	MW-7N	2/27/2007	6.95	0		S.U.
pH (Field)	MW-7N	3/26/2007	6.24	0		S.U.
pH (Field)	MW-7N	3/27/2007	6.24	0		S.U.
pH (Field)	MW-7N	3/27/2007	6.24	0		S.U.
pH (Field)	MW-7N	4/25/2007	6.51	0		S.U.
pH (Field)	MW-7N	4/26/2007	6.51	0		S.U.
pH (Field)	MW-7N	6/1/2007	5.95	0		S.U.
pH (Field)	MW-7N	6/1/2007	5.95	0		S.U.
pH (Field)	MW-7N	6/28/2007	6.45	0		S.U.
pH (Field)	MW-7N	6/28/2007	6.45	0		S.U.
pH (Field)	MW-7N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-7N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-7N	8/29/2007	6.68	0		S.U.
pH (Field)	MW-7N	8/29/2007	6.68	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.21	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	9/28/2007	7.24	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.06	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.09	0		S.U.
pH (Field)	MW-7N	10/24/2007	8.78	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.95	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.97	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.97	0		S.U.
pH (Field)	MW-7N	11/27/2007	6.05	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.12	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.16	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.08	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.16	0		S.U.
pH (Field)	MW-7N	1/25/2008	6.32	0		S.U.
pH (Field)	MW-7N	2/28/2008	6.6	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.46	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.62	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.73	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.82	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.74	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.81	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.75	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.75	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.34	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.36	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.37	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.45	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.25	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.46	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.21	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.49	0		S.U.
pH (Field)	MW-7N	7/21/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	8/29/2008	6.37	0.1		S.U.
pH (Field)	MW-7N	9/25/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	9/25/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	10/21/2008	6.4	0.1		S.U.
pH (Field)	MW-7N	11/24/2008	6.5	0.1		S.U.
pH (Field)	MW-7N	12/18/2008	6.45	0.1		S.U.
pH (Field)	MW-7N	2/6/2009	6.58	0.1		S.U.
pH (Field)	MW-7N	3/25/2009	6.2	0.1		S.U.
pH (Field)	MW-7N	4/15/2009	5.93	0.1		S.U.
pH (Field)	MW-7N	6/25/2009	6.08	0.1		S.U.
pH (Field)	MW-7N	7/29/2009	5.52	0.1		S.U.
pH (Field)	MW-7N	8/28/2009	5.52	0.1		S.U.
pH (Field)	MW-7N	9/29/2009	5.54	0.1		S.U.
pH (Field)	MW-7N	10/21/2009	6.05	0.1		S.U.
pH (Field)	MW-7N	10/26/2009	6.04	0.1		S.U.
pH (Field)	MW-7N	11/24/2009	6.21	0.1		S.U.
pH (Field)	MW-7N	12/17/2009	6.22	0.1		S.U.
pH (Field)	MW-7N	1/26/2010	6.27	0.1		S.U.
pH (Field)	MW-7N	2/15/2010	6.56	0		S.U.
pH (Field)	MW-7N	3/3/2010	6.4	0		S.U.
pH (Field)	MW-7N	4/8/2010	6.28	0		S.U.
pH (Field)	MW-7N	5/6/2010	7.11	0		S.U.
pH (Field)	MW-7N	6/16/2010	6.33	0		S.U.
pH (Field)	MW-7N	7/14/2010	6.36	0		S.U.
pH (Field)	MW-7N	8/11/2010	6.24	0		S.U.
pH (Field)	MW-7N	9/2/2010	6.37	0		S.U.
pH (Field)	MW-7N	9/2/2010	6.37	0		S.U.
pH (Field)	MW-7N	9/29/2010	6.22	0		S.U.
pH (Field)	MW-7N	11/3/2010	6.17	0		S.U.
pH (Field)	MW-7N	12/2/2010	6.27	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	1/20/2011	6.33	0		S.U.
pH (Field)	MW-7N	2/7/2011	6.34	0		S.U.
pH (Field)	MW-7N	3/3/2011	6.31	0		S.U.
pH (Field)	MW-7N	4/5/2011	6.36	0		S.U.
pH (Field)	MW-7N	5/10/2011	6.41	0		S.U.
pH (Field)	MW-7N	6/1/2011	6.21	0		S.U.
pH (Field)	MW-7N	7/12/2011	6.31	0		S.U.
pH (Field)	MW-7N	8/4/2011	6.31	0		S.U.
pH (Field)	MW-7N	9/7/2011	6.37	0		S.U.
pH (Field)	MW-7N	10/5/2011	6.38	0		S.U.
pH (Field)	MW-7N	11/1/2011	6.34	0		S.U.
pH (Field)	MW-7N	12/8/2011	6.51	0		S.U.
pH (Field)	MW-7N	1/5/2012	6.42	0		S.U.
pH (Field)	MW-7N	2/1/2012	6.34	0		S.U.
pH (Field)	MW-7N	3/7/2012	6.47	0		S.U.
pH (Field)	MW-7N	4/5/2012	6.67	0		S.U.
pH (Field)	MW-7N	5/1/2012	6.75	0		S.U.
pH (Field)	MW-7N	5/10/2012	6.86	0		S.U.
pH (Field)	MW-7N	6/5/2012	7.07	0		S.U.
pH (Field)	MW-7N	7/10/2012	6.34	0		S.U.
pH (Field)	MW-7N	8/9/2012	6.37	0		S.U.
pH (Field)	MW-7N	9/4/2012	6.15	0		S.U.
pH (Field)	MW-7N	10/7/2012	6.56	0		S.U.
pH (Field)	MW-7N	5/1/2013	6.3	0		S.U.
pH (Field)	MW-7N	6/4/2013	6.13	0		S.U.
pH (Field)	MW-7N	6/4/2013	6.13	0		S.U.
pH (Field)	MW-7N	7/15/2013	6.34	0		S.U.
pH (Field)	MW-7N	8/8/2013	6.49	0		S.U.
pH (Field)	MW-7N	9/10/2013	6.22	0		S.U.
pH (Field)	MW-7N	10/1/2013	6.48	0		S.U.
pH (Field)	MW-7N	11/6/2013	6.45	0		S.U.
pH (Field)	MW-7N	12/2/2013	6.46	0		S.U.
pH (Field)	MW-7N	1/30/2014	6.73	0		S.U.
pH (Field)	MW-7N	2/13/2014	6.46	0		S.U.
pH (Field)	MW-7N	3/11/2014	6.71	0		S.U.
pH (Field)	MW-7N	4/2/2014	6.35	0		S.U.
pH (Field)	MW-7N	5/7/2014	6.85	0		S.U.
pH (Field)	MW-7N	6/3/2014	6.15	0		S.U.
pH (Field)	MW-7N	7/9/2014	6.87	0		S.U.
pH (Field)	MW-7N	8/5/2014	5.92	0		S.U.
pH (Field)	MW-7N	9/4/2014	6.61	0		S.U.
pH (Field)	MW-7N	10/9/2014	6.96	0		S.U.
pH (Field)	MW-7N	11/3/2014	7.52	0		S.U.
pH (Field)	MW-7N	1/14/2015	5.73	0		S.U.
pH (Field)	MW-7N	2/12/2015	6.12	0		S.U.
pH (Field)	MW-7N	3/3/2015	6.85	0		S.U.
pH (Field)	MW-7N	4/1/2015	6.4	0		S.U.
pH (Field)	MW-7N	5/7/2015	6.83	0		S.U.
pH (Field)	MW-7N	6/3/2015	6.87	0		S.U.
pH (Field)	MW-7N	7/13/2015	6.52	0		S.U.
pH (Field)	MW-7N	8/4/2015	7.2	0		S.U.
pH (Field)	MW-7N	9/3/2015	7.35	0		S.U.
pH (Field)	MW-7N	10/6/2015	7.26	0		S.U.
pH (Field)	MW-7N	11/4/2015	7.06	0		S.U.
pH (Field)	MW-7N	12/3/2015	7.18	0		S.U.
pH (Field)	MW-7N	1/5/2016	7.26	0		S.U.
pH (Field)	MW-7N	2/3/2016	7.97	0		S.U.
pH (Field)	MW-7N	3/2/2016	7.47	0		S.U.
pH (Field)	MW-7N	4/5/2016	7.32	0		S.U.
pH (Field)	MW-7N	5/11/2016	6.48	0		S.U.
pH (Field)	MW-7N	6/1/2016	7.53	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	7/21/2016	7.1	0		S.U.
pH (Field)	MW-7N	8/10/2016	7.37	0		S.U.
pH (Field)	MW-7N	9/6/2016	7.27	0		S.U.
pH (Field)	MW-7N	10/6/2016	7.11	0		S.U.
pH (Field)	MW-7N	11/2/2016	6.45	0		S.U.
pH (Field)	MW-7N	12/1/2016	7.68	0		S.U.
pH (Field)	MW-7N	1/11/2017	7.26	0		S.U.
pH (Field)	MW-7N	2/7/2017	7.83	0		S.U.
pH (Field)	MW-7N	3/2/2017	5.9	0		S.U.
pH (Field)	MW-7N	3/2/2017	5.9	0		S.U.
pH (Field)	MW-7N	4/4/2017	6.83	0		S.U.
pH (Field)	MW-7N	5/16/2017	6.57	0		S.U.
pH (Field)	MW-7N	6/6/2017	6.76	0		S.U.
pH (Field)	MW-7N	7/19/2017	6.62	0		S.U.
pH (Field)	MW-7N	8/1/2017	6.88	0		S.U.
pH (Field)	MW-7N	9/5/2017	7.31	0		S.U.
pH (Field)	MW-7N	10/5/2017	7.19	0		S.U.
pH (Field)	MW-7N	11/1/2017	7.25	0		S.U.
pH (Field)	MW-7N	1/25/2018	6.54	0.01		S.U.
pH (Field)	MW-7N	2/22/2018	6.38	0.01		S.U.
pH (Field)	MW-7N	3/20/2018	6.4	0.01		S.U.
pH (Field)	MW-7N	4/11/2018	6.42	0.01		S.U.
pH (Field)	MW-7N	4/11/2018	6.42	0.01		S.U.
pH (Field)	MW-7N	6/5/2018	6.32	0		S.U.
pH (Field)	MW-7N	6/5/2018	6.32	0		S.U.
pH (Field)	MW-7N	7/13/2018	6.45	0.01		S.U.
pH (Field)	MW-7N	8/1/2018	6.36	0.01		S.U.
pH (Field)	MW-7N	9/5/2018	6.64	0		S.U.
pH (Field)	MW-7N	10/4/2018	6.04	0		S.U.
pH (Field)	MW-7N	11/6/2018	6.35	0.01		S.U.
pH (Field)	MW-7N	12/4/2018	6.35	0.01		S.U.
pH (Field)	MW-7N	1/4/2019	6.61	0.01		S.U.
pH (Field)	MW-7N	2/5/2019	6.38	0		S.U.
pH (Field)	MW-7N	3/5/2019	6.06	0.01		S.U.
pH (Field)	MW-7N	4/3/2019	6.28	0.01		S.U.
pH (Field)	MW-7N	5/3/2019	6.66	0.01		S.U.
pH (Field)	MW-7N	6/4/2019	6.19	0		S.U.
pH (Field)	MW-7N	7/10/2019	6.33	0.01		S.U.
pH (Field)	MW-7N	7/10/2019	6.33	0.01		S.U.
pH (Field)	MW-7N	8/8/2019	6.37	0.01		S.U.
pH (Field)	MW-7N	9/4/2019	6.37	0.01		S.U.
pH (Field)	MW-7N	10/3/2019	6.95	0.01		S.U.
pH (Field)	MW-7N	11/6/2019	6.53	0.01		S.U.
pH (Field)	MW-7N	12/3/2019	6.6	0.01		S.U.
pH (Field)	MW-7N	1/16/2020	6.57	0		S.U.
pH (Field)	MW-7N	2/4/2020	6.36	0		S.U.
pH (Field)	MW-7N	3/4/2020	6.57	0.01		S.U.
pH (Field)	MW-7N	4/2/2020	6.54	0.01		S.U.
pH (Field)	MW-7N	5/5/2020	6.57	0.01		S.U.
pH (Field)	MW-7N	6/2/2020	6.56	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	8/3/2020	6.51	0		S.U.
pH (Field)	MW-7N	9/2/2020	6.36	0.01		S.U.
pH (Field)	MW-7N	10/6/2020	6.52	0.01		S.U.
pH (Field)	MW-7N	11/3/2020	6.63	0		S.U.
pH (Field)	MW-7N	12/2/2020	6.45	0		S.U.
pH (Field)	MW-7N	1/16/2021	6.26	0		S.U.
pH (Field)	MW-7N	2/9/2021	6.71	0		S.U.
pH (Field)	MW-7N	3/2/2021	6.54	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	4/7/2021	6.65	0		S.U.
pH (Field)	MW-7N	5/5/2021	6.54	0		S.U.
pH (Field)	MW-7N	6/2/2021	6.61	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	8/3/2021	6.76	0		S.U.
pH (Field)	MW-7N	9/2/2021	6.61	0		S.U.
pH (Field)	MW-7N	10/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	10/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	11/1/2021	6.53	0		S.U.
pH (Field)	MW-7N	12/8/2021	6.68	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	2/9/2022	6.78	0		S.U.
pH (Field)	MW-7N	3/1/2022	6.69	0		S.U.
pH (Field)	MW-7N	4/4/2022	6.63	0		S.U.
pH (Field)	MW-7N	4/4/2022	6.63	0		S.U.
pH (Field)	MW-7N	5/7/2022	6.59	0		S.U.
pH (Field)	MW-7N	6/3/2022	6.3	0		S.U.
pH (Field)	MW-7N	7/10/2022	6.42	0		S.U.
pH (Field)	MW-7N	8/10/2022	6.42	0		S.U.
pH (Field)	MW-7N	9/8/2022	6.35	0		S.U.
pH (Field)	MW-7N	10/6/2022	5.98	0		S.U.
pH (Field)	MW-7N	10/6/2022	5.98	0		S.U.
pH (Field)	MW-7N	11/3/2022	6.35	0		S.U.
pH (Field)	MW-7N	12/7/2022	6.46	0		S.U.
pH (Field)	MW-7N	1/10/2023	6.7	0		S.U.
pH (Field)	MW-7N	2/3/2023	6.78	0		S.U.
pH (Field)	MW-7N	3/1/2023	6.42	0		S.U.
pH (Field)	MW-7N	4/5/2023	6.46	0		S.U.
pH (Field)	MW-8N	10/2/2002	6.49	0		S.U.
pH (Field)	MW-8N	1/19/2006	6.37	0		S.U.
pH (Field)	MW-8N	7/19/2006	9.33	0		S.U.
pH (Field)	MW-8N	7/19/2006	9.33	0		S.U.
pH (Field)	MW-8N	10/24/2006	6.83	0		S.U.
pH (Field)	MW-8N	10/24/2006	6.83	0		S.U.
pH (Field)	MW-8N	12/22/2006	6.19	0		S.U.
pH (Field)	MW-8N	12/22/2006	6.19	0		S.U.
pH (Field)	MW-8N	1/9/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/26/2007	6.2	0		S.U.
pH (Field)	MW-8N	1/26/2007	6.2	0		S.U.
pH (Field)	MW-8N	4/25/2007	5.72	0		S.U.
pH (Field)	MW-8N	4/26/2007	5.72	0		S.U.
pH (Field)	MW-8N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	10/24/2007	9.04	0		S.U.
pH (Field)	MW-8N	1/24/2008	6.27	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.68	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.51	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.51	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.54	0		S.U.
pH (Field)	MW-8N	7/23/2008	5.87	0.1		S.U.
pH (Field)	MW-8N	10/21/2008	5.97	0.1		S.U.
pH (Field)	MW-8N	2/4/2009	6.32	0.1		S.U.
pH (Field)	MW-8N	4/16/2009	5.62	0.1		S.U.
pH (Field)	MW-8N	7/31/2009	5.44	0.1		S.U.
pH (Field)	MW-8N	10/26/2009	5.8	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-8N	1/26/2010	5.99	0.1		S.U.
pH (Field)	MW-8N	4/8/2010	5.86	0		S.U.
pH (Field)	MW-8N	7/16/2010	6.06	0		S.U.
pH (Field)	MW-8N	9/2/2010	6.35	0		S.U.
pH (Field)	MW-8N	9/30/2010	6.08	0		S.U.
pH (Field)	MW-8N	1/19/2011	6.22	0		S.U.
pH (Field)	MW-8N	5/10/2011	6.23	0		S.U.
pH (Field)	MW-8N	7/14/2011	6.28	0		S.U.
pH (Field)	MW-8N	1/6/2012	6.41	0		S.U.
pH (Field)	MW-8N	4/5/2012	6.6	0		S.U.
pH (Field)	MW-8N	7/11/2012	6.28	0		S.U.
pH (Field)	MW-8N	10/3/2012	6.25	0		S.U.
pH (Field)	MW-8N	5/1/2013	6.21	0		S.U.
pH (Field)	MW-8N	6/4/2013	5.86	0		S.U.
pH (Field)	MW-8N	7/16/2013	6.21	0		S.U.
pH (Field)	MW-8N	10/2/2013	7.4	0		S.U.
pH (Field)	MW-8N	1/30/2014	6.7	0		S.U.
pH (Field)	MW-8N	4/3/2014	6.27	0		S.U.
pH (Field)	MW-8N	7/9/2014	7.09	0		S.U.
pH (Field)	MW-8N	10/8/2014	6.75	0		S.U.
pH (Field)	MW-8N	2/12/2015	6.98	0		S.U.
pH (Field)	MW-8N	4/1/2015	6.59	0		S.U.
pH (Field)	MW-8N	7/14/2015	6.79	0		S.U.
pH (Field)	MW-8N	10/5/2015	7.08	0		S.U.
pH (Field)	MW-8N	1/5/2016	6.87	0		S.U.
pH (Field)	MW-8N	4/6/2016	7.1	0		S.U.
pH (Field)	MW-8N	7/21/2016	6.64	0		S.U.
pH (Field)	MW-8N	10/6/2016	6.8	0		S.U.
pH (Field)	MW-8N	1/11/2017	6.8	0		S.U.
pH (Field)	MW-8N	4/4/2017	6.75	0		S.U.
pH (Field)	MW-8N	7/19/2017	7.27	0		S.U.
pH (Field)	MW-8N	10/6/2017	7.43	0		S.U.
pH (Field)	MW-8N	1/25/2018	6.45	0.01		S.U.
pH (Field)	MW-8N	4/10/2018	6.28	0.01		S.U.
pH (Field)	MW-8N	6/6/2018	6.3	0		S.U.
pH (Field)	MW-8N	7/16/2018	6.73	0.01		S.U.
pH (Field)	MW-8N	10/2/2018	6.39	0		S.U.
pH (Field)	MW-8N	1/7/2019	6.06	0.01		S.U.
pH (Field)	MW-8N	4/3/2019	6.22	0.01		S.U.
pH (Field)	MW-8N	7/11/2019	6.46	0		S.U.
pH (Field)	MW-8N	10/3/2019	6.58	0.01		S.U.
pH (Field)	MW-8N	1/15/2020	6.8	0		S.U.
pH (Field)	MW-8N	4/2/2020	6.4	0.01		S.U.
pH (Field)	MW-8N	7/9/2020	6.3	0		S.U.
pH (Field)	MW-8N	7/9/2020	6.3	0		S.U.
pH (Field)	MW-8N	10/6/2020	6.37	0.01		S.U.
pH (Field)	MW-8N	4/6/2021	6.42	0		S.U.
pH (Field)	MW-8N	7/5/2021	6.42	0		S.U.
pH (Field)	MW-8N	7/5/2021	6.42	0		S.U.
pH (Field)	MW-8N	10/6/2021	6.43	0		S.U.
pH (Field)	MW-8N	1/18/2022	6.43	0		S.U.
pH (Field)	MW-8N	1/18/2022	6.43	0		S.U.
pH (Field)	MW-8N	4/4/2022	6.37	0		S.U.
pH (Field)	MW-8N	7/12/2022	6.01	0		S.U.
pH (Field)	MW-8N	10/6/2022	5.82	0		S.U.
pH (Field)	MW-8N	1/11/2023	6.53	0		S.U.
pH (Field)	MW-8N	4/8/2023	6.3	0		S.U.
pH (Field)	NE-1	10/2/2002	7.05	0		S.U.
pH (Field)	NE-1	7/18/2006	8.35	0		S.U.
pH (Field)	NE-1	7/18/2006	8.35	0		S.U.
pH (Field)	NE-1	10/24/2006	8.52	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-1	10/24/2006	8.52	0		S.U.
pH (Field)	NE-1	1/23/2007	7.01	0		S.U.
pH (Field)	NE-1	1/23/2007	7.01	0		S.U.
pH (Field)	NE-1	4/23/2007	8.03	0		S.U.
pH (Field)	NE-1	4/26/2007	8.03	0		S.U.
pH (Field)	NE-1	7/10/2007	7.26	0		S.U.
pH (Field)	NE-1	7/10/2007	7.26	0		S.U.
pH (Field)	NE-1	10/24/2007	10.06	0		S.U.
pH (Field)	NE-1	1/24/2008	7.18	0		S.U.
pH (Field)	NE-1	7/21/2008	7.68	0.1		S.U.
pH (Field)	NE-1	2/7/2009	8.25	0.1		S.U.
pH (Field)	NE-1	7/31/2009	6.69	0.1		S.U.
pH (Field)	NE-1	1/26/2010	7.75	0.1		S.U.
pH (Field)	NE-1	7/14/2010	7.8	0		S.U.
pH (Field)	NE-1	9/2/2010	7.73	0		S.U.
pH (Field)	NE-1	9/30/2010	6.58	0		S.U.
pH (Field)	NE-1	1/19/2011	7.11	0		S.U.
pH (Field)	NE-1	7/13/2011	7.61	0		S.U.
pH (Field)	NE-1	1/5/2012	7.68	0		S.U.
pH (Field)	NE-1	7/10/2012	7.85	0		S.U.
pH (Field)	NE-1	4/30/2013	7.66	0		S.U.
pH (Field)	NE-1	7/16/2013	8.19	0		S.U.
pH (Field)	NE-1	1/23/2014	7.63	0		S.U.
pH (Field)	NE-1	7/9/2014	7.84	0		S.U.
pH (Field)	NE-1	2/11/2015	8.24	0		S.U.
pH (Field)	NE-1	7/8/2015	8.26	0		S.U.
pH (Field)	NE-1	1/6/2016	6.68	0		S.U.
pH (Field)	NE-1	7/20/2016	6.99	0		S.U.
pH (Field)	NE-1	1/11/2017	5.18	0		S.U.
pH (Field)	NE-1	7/19/2017	7.3	0		S.U.
pH (Field)	NE-1	1/24/2018	7.23	0.01		S.U.
pH (Field)	NE-1	4/11/2018	7.08	0.01		S.U.
pH (Field)	NE-1	7/18/2018	7.08	0.01		S.U.
pH (Field)	NE-1	10/2/2018	7.03	0		S.U.
pH (Field)	NE-1	1/4/2019	6.58	0.01		S.U.
pH (Field)	NE-1	4/2/2019	7.12	0.01		S.U.
pH (Field)	NE-1	7/10/2019	7.24	0		S.U.
pH (Field)	NE-1	7/10/2019	7.24	0		S.U.
pH (Field)	NE-1	10/2/2019	7.62	0.01		S.U.
pH (Field)	NE-1	4/2/2020	7.01	0.01		S.U.
pH (Field)	NE-1	7/8/2020	7.16	0		S.U.
pH (Field)	NE-1	7/8/2020	7.16	0		S.U.
pH (Field)	NE-1	10/7/2020	7.14	0.01		S.U.
pH (Field)	NE-1	1/13/2021	6.8	0		S.U.
pH (Field)	NE-1	4/9/2021	7.06	0		S.U.
pH (Field)	NE-1	7/2/2021	6.99	0		S.U.
pH (Field)	NE-1	7/2/2021	6.99	0		S.U.
pH (Field)	NE-1	10/6/2021	7.18	0		S.U.
pH (Field)	NE-1	1/17/2022	7.19	0		S.U.
pH (Field)	NE-1	1/17/2022	7.19	0		S.U.
pH (Field)	NE-1	4/6/2022	7.13	0		S.U.
pH (Field)	NE-1	7/13/2022	6.92	0		S.U.
pH (Field)	NE-1	10/6/2022	6.69	0		S.U.
pH (Field)	NE-1	1/5/2023	7.19	0		S.U.
pH (Field)	NE-1	4/7/2023	7.11	0		S.U.
pH (Field)	NE-10D	11/6/2019	7.12	0		S.U.
pH (Field)	NE-10D	4/2/2020	7.25	0.01		S.U.
pH (Field)	NE-10D	7/8/2020	7.07	0		S.U.
pH (Field)	NE-10D	7/8/2020	7.07	0		S.U.
pH (Field)	NE-10D	10/7/2020	6.86	0.01		S.U.
pH (Field)	NE-10D	1/13/2021	6.77	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-10D	4/9/2021	7.01	0		S.U.
pH (Field)	NE-10D	7/2/2021	6.93	0		S.U.
pH (Field)	NE-10D	7/2/2021	6.93	0		S.U.
pH (Field)	NE-10D	10/7/2021	7.05	0		S.U.
pH (Field)	NE-10D	1/6/2023	6.74	0		S.U.
pH (Field)	NE-10D	4/6/2023	6.48	0		S.U.
pH (Field)	NE-11	3/1/2017	6.95	0		S.U.
pH (Field)	NE-11	4/6/2017	6.89	0		S.U.
pH (Field)	NE-11	7/20/2017	6.66	0		S.U.
pH (Field)	NE-11	10/9/2017	5.11	0		S.U.
pH (Field)	NE-11	9/30/2019	6.59	0.01		S.U.
pH (Field)	NE-11	1/14/2020	6.77	0		S.U.
pH (Field)	NE-11	7/7/2020	6.73	0		S.U.
pH (Field)	NE-11	7/7/2020	6.73	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	7/12/2022	6.15	0		S.U.
pH (Field)	NE-11	1/6/2023	6.34	0		S.U.
pH (Field)	NE-12	3/1/2017	6.97	0		S.U.
pH (Field)	NE-12	4/6/2017	7.4	0		S.U.
pH (Field)	NE-12	7/20/2017	7.13	0		S.U.
pH (Field)	NE-12	10/6/2017	7.68	0		S.U.
pH (Field)	NE-12	7/9/2019	6.84	0		S.U.
pH (Field)	NE-12	8/5/2019	7.81	0.01		S.U.
pH (Field)	NE-12	1/13/2020	6.95	0		S.U.
pH (Field)	NE-12	7/7/2020	7.11	0		S.U.
pH (Field)	NE-12	7/7/2020	7.11	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	7/12/2022	6.66	0		S.U.
pH (Field)	NE-12	1/6/2023	6.73	0		S.U.
pH (Field)	NE-13	2/5/2019	5.53	0		S.U.
pH (Field)	NE-13	7/11/2019	5.38	0		S.U.
pH (Field)	NE-13	8/7/2019	5.61	0.01		S.U.
pH (Field)	NE-13	1/15/2020	5.37	0		S.U.
pH (Field)	NE-13	7/8/2020	5.68	0		S.U.
pH (Field)	NE-13	7/8/2020	5.68	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-14D	10/2/2019	7.23	0.01		S.U.
pH (Field)	NE-14D	4/3/2020	7.15	0.01		S.U.
pH (Field)	NE-14D	7/7/2020	7.12	0		S.U.
pH (Field)	NE-14D	7/7/2020	7.12	0		S.U.
pH (Field)	NE-14D	10/6/2020	7.03	0.01		S.U.
pH (Field)	NE-14D	1/17/2021	6.68	0		S.U.
pH (Field)	NE-14D	4/9/2021	6.96	0		S.U.
pH (Field)	NE-14D	7/2/2021	6.89	0		S.U.
pH (Field)	NE-14D	7/2/2021	6.89	0		S.U.
pH (Field)	NE-14D	10/7/2021	6.95	0		S.U.
pH (Field)	NE-14D	1/18/2022	6.97	0		S.U.
pH (Field)	NE-14D	1/18/2022	6.97	0		S.U.
pH (Field)	NE-14D	4/6/2022	6.92	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-14D	7/13/2022	6.68	0		S.U.
pH (Field)	NE-14D	10/7/2022	6.73	0		S.U.
pH (Field)	NE-14D	1/6/2023	6.54	0		S.U.
pH (Field)	NE-14D	4/6/2023	6.7	0		S.U.
pH (Field)	NE-14S	10/2/2019	6.7	0.01		S.U.
pH (Field)	NE-14S	4/3/2020	6.48	0.01		S.U.
pH (Field)	NE-14S	7/7/2020	6.41	0		S.U.
pH (Field)	NE-14S	7/7/2020	6.41	0		S.U.
pH (Field)	NE-14S	10/6/2020	6.97	0.01		S.U.
pH (Field)	NE-14S	1/17/2021	6.22	0		S.U.
pH (Field)	NE-14S	4/9/2021	6.54	0		S.U.
pH (Field)	NE-14S	7/2/2021	6.25	0		S.U.
pH (Field)	NE-14S	7/2/2021	6.25	0		S.U.
pH (Field)	NE-14S	10/7/2021	6.81	0		S.U.
pH (Field)	NE-14S	1/18/2022	6.56	0		S.U.
pH (Field)	NE-14S	1/18/2022	6.56	0		S.U.
pH (Field)	NE-14S	4/6/2022	6.37	0		S.U.
pH (Field)	NE-14S	7/13/2022	6.06	0		S.U.
pH (Field)	NE-14S	10/7/2022	6.53	0		S.U.
pH (Field)	NE-14S	1/6/2023	6.39	0		S.U.
pH (Field)	NE-14S	4/6/2023	6.13	0		S.U.
pH (Field)	NE-15D	9/30/2019	7.1	0.01		S.U.
pH (Field)	NE-15D	4/3/2020	6.98	0.01		S.U.
pH (Field)	NE-15D	7/7/2020	7.05	0		S.U.
pH (Field)	NE-15D	7/7/2020	7.05	0		S.U.
pH (Field)	NE-15D	10/6/2020	6.96	0.01		S.U.
pH (Field)	NE-15D	1/17/2021	6.62	0		S.U.
pH (Field)	NE-15D	4/9/2021	6.9	0		S.U.
pH (Field)	NE-15D	7/2/2021	6.87	0		S.U.
pH (Field)	NE-15D	7/2/2021	6.87	0		S.U.
pH (Field)	NE-15D	10/7/2021	6.95	0		S.U.
pH (Field)	NE-15D	1/17/2022	6.98	0		S.U.
pH (Field)	NE-15D	1/17/2022	6.98	0		S.U.
pH (Field)	NE-15D	4/6/2022	6.91	0		S.U.
pH (Field)	NE-15D	7/13/2022	6.61	0		S.U.
pH (Field)	NE-15D	10/7/2022	6.76	0		S.U.
pH (Field)	NE-15D	1/6/2023	6.58	0		S.U.
pH (Field)	NE-15D	4/6/2023	6.64	0		S.U.
pH (Field)	NE-15S	4/3/2020	6.98	0.01		S.U.
pH (Field)	NE-2	10/2/2002	6.47	0		S.U.
pH (Field)	NE-2	4/24/2007	6.16	0		S.U.
pH (Field)	NE-2	4/26/2007	6.16	0		S.U.
pH (Field)	NE-2	12/19/2008	6.67	0.1		S.U.
pH (Field)	NE-2	10/26/2009	5.97	0.1		S.U.
pH (Field)	NE-2	9/2/2010	6.4	0		S.U.
pH (Field)	NE-2	9/30/2010	6.09	0		S.U.
pH (Field)	NE-2	4/5/2012	7.05	0		S.U.
pH (Field)	NE-2	10/1/2013	6.58	0		S.U.
pH (Field)	NE-2	10/8/2014	6.93	0		S.U.
pH (Field)	NE-2	10/5/2015	7.54	0		S.U.
pH (Field)	NE-2	10/6/2016	7.68	0		S.U.
pH (Field)	NE-2	10/5/2017	7.75	0		S.U.
pH (Field)	NE-2	1/25/2018	6.4	0.01		S.U.
pH (Field)	NE-2	4/10/2018	6.49	0.01		S.U.
pH (Field)	NE-2	7/10/2018	6.34	0.01		S.U.
pH (Field)	NE-2	10/1/2018	6.27	0		S.U.
pH (Field)	NE-2	1/4/2019	5.8	0.01		S.U.
pH (Field)	NE-2	4/2/2019	6.27	0.01		S.U.
pH (Field)	NE-2	7/9/2019	6.02	0		S.U.
pH (Field)	NE-2	7/9/2019	6.02	0		S.U.
pH (Field)	NE-2	10/2/2019	6.51	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-2	4/1/2020	6.53	0.01		S.U.
pH (Field)	NE-2	7/7/2020	6.43	0		S.U.
pH (Field)	NE-2	7/7/2020	6.43	0		S.U.
pH (Field)	NE-2	10/6/2020	6.59	0.01		S.U.
pH (Field)	NE-2	1/14/2021	6.38	0		S.U.
pH (Field)	NE-2	4/9/2021	6.46	0		S.U.
pH (Field)	NE-2	7/2/2021	6.29	0		S.U.
pH (Field)	NE-2	7/2/2021	6.29	0		S.U.
pH (Field)	NE-2	10/6/2021	6.56	0		S.U.
pH (Field)	NE-2	1/18/2022	6.55	0		S.U.
pH (Field)	NE-2	1/18/2022	6.55	0		S.U.
pH (Field)	NE-2	4/6/2022	6.47	0		S.U.
pH (Field)	NE-2	7/13/2022	6.22	0		S.U.
pH (Field)	NE-2	10/7/2022	6.43	0		S.U.
pH (Field)	NE-2	1/5/2023	6.43	0		S.U.
pH (Field)	NE-2	4/5/2023	5.62	0		S.U.
pH (Field)	NE-3	10/2/2002	6.74	0		S.U.
pH (Field)	NE-3	4/24/2007	6.55	0		S.U.
pH (Field)	NE-3	4/26/2007	6.55	0		S.U.
pH (Field)	NE-3	9/2/2010	7.09	0		S.U.
pH (Field)	NE-3	3/21/2018	7.01	0.01		S.U.
pH (Field)	NE-4	10/3/2002	6.45	0		S.U.
pH (Field)	NE-4	7/18/2006	7.55	0		S.U.
pH (Field)	NE-4	7/18/2006	7.55	0		S.U.
pH (Field)	NE-4	7/31/2006	7.28	0		S.U.
pH (Field)	NE-4	8/1/2006	7.28	0		S.U.
pH (Field)	NE-4	8/1/2006	7.28	0		S.U.
pH (Field)	NE-4	10/24/2006	7.58	0		S.U.
pH (Field)	NE-4	10/24/2006	7.58	0		S.U.
pH (Field)	NE-4	1/23/2007	7.63	0		S.U.
pH (Field)	NE-4	1/23/2007	7.63	0		S.U.
pH (Field)	NE-4	2/24/2007	6.5	0		S.U.
pH (Field)	NE-4	4/26/2007	6.5	0		S.U.
pH (Field)	NE-4	7/10/2007	7	0		S.U.
pH (Field)	NE-4	7/12/2007	7	0		S.U.
pH (Field)	NE-4	1/24/2008	6.97	0		S.U.
pH (Field)	NE-4	7/21/2008	6.84	0.1		S.U.
pH (Field)	NE-4	2/7/2009	7.21	0.1		S.U.
pH (Field)	NE-4	7/31/2009	6.43	0.1		S.U.
pH (Field)	NE-4	1/26/2010	6.9	0.1		S.U.
pH (Field)	NE-4	7/14/2010	6.99	0		S.U.
pH (Field)	NE-4	1/19/2011	7.18	0		S.U.
pH (Field)	NE-4	7/13/2011	6.79	0		S.U.
pH (Field)	NE-4	1/5/2012	7.04	0		S.U.
pH (Field)	NE-4	7/10/2012	7.08	0		S.U.
pH (Field)	NE-4	4/30/2013	7.13	0		S.U.
pH (Field)	NE-4	7/16/2013	7.2	0		S.U.
pH (Field)	NE-4	1/23/2014	7.24	0		S.U.
pH (Field)	NE-4	7/9/2014	7.91	0		S.U.
pH (Field)	NE-4	2/13/2015	7.81	0		S.U.
pH (Field)	NE-4	7/8/2015	7.73	0		S.U.
pH (Field)	NE-4	1/6/2016	6.43	0		S.U.
pH (Field)	NE-4	7/20/2016	6.9	0		S.U.
pH (Field)	NE-4	1/11/2017	5.29	0		S.U.
pH (Field)	NE-4	7/19/2017	7.36	0		S.U.
pH (Field)	NE-4	1/26/2018	7	0.01		S.U.
pH (Field)	NE-4	4/10/2018	7.18	0.01		S.U.
pH (Field)	NE-4	7/12/2018	7.2	0.01		S.U.
pH (Field)	NE-4	10/3/2018	7.09	0		S.U.
pH (Field)	NE-4	1/7/2019	7.17	0.01		S.U.
pH (Field)	NE-4	4/2/2019	7.05	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-4	7/8/2019	7.08	0		S.U.
pH (Field)	NE-4	7/8/2019	7.08	0		S.U.
pH (Field)	NE-4	10/1/2019	7.5	0.01		S.U.
pH (Field)	NE-4	4/1/2020	6.9	0.01		S.U.
pH (Field)	NE-4	7/6/2020	6.73	0		S.U.
pH (Field)	NE-4	7/6/2020	6.73	0		S.U.
pH (Field)	NE-4	10/5/2020	7.13	0.01		S.U.
pH (Field)	NE-4	1/15/2021	6.84	0		S.U.
pH (Field)	NE-4	4/9/2021	7.08	0		S.U.
pH (Field)	NE-4	7/2/2021	7.51	0		S.U.
pH (Field)	NE-4	7/2/2021	7.51	0		S.U.
pH (Field)	NE-4	10/6/2021	7.4	0		S.U.
pH (Field)	NE-4	1/5/2023	7.03	0		S.U.
pH (Field)	NE-4	4/6/2023	6.99	0		S.U.
pH (Field)	NE-5	10/2/2002	6.85	0		S.U.
pH (Field)	NE-5	7/18/2006	7.34	0		S.U.
pH (Field)	NE-5	7/18/2006	7.34	0		S.U.
pH (Field)	NE-5	10/24/2006	7.57	0		S.U.
pH (Field)	NE-5	10/24/2006	7.57	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/23/2007	6.86	0		S.U.
pH (Field)	NE-5	1/23/2007	6.86	0		S.U.
pH (Field)	NE-5	2/24/2007	6.29	0		S.U.
pH (Field)	NE-5	4/26/2007	6.29	0		S.U.
pH (Field)	NE-5	7/10/2007	6.89	0		S.U.
pH (Field)	NE-5	7/12/2007	6.89	0		S.U.
pH (Field)	NE-5	1/25/2008	6.69	0		S.U.
pH (Field)	NE-5	5/3/2008	6.69	0		S.U.
pH (Field)	NE-5	5/3/2008	6.67	0		S.U.
pH (Field)	NE-5	5/3/2008	6.61	0		S.U.
pH (Field)	NE-5	5/3/2008	6.6	0		S.U.
pH (Field)	NE-5	7/22/2008	6.88	0.1		S.U.
pH (Field)	NE-5	2/6/2009	6.93	0.1		S.U.
pH (Field)	NE-5	7/31/2009	6.16	0.1		S.U.
pH (Field)	NE-5	1/26/2010	6.65	0.1		S.U.
pH (Field)	NE-5	7/16/2010	6.73	0		S.U.
pH (Field)	NE-5	9/2/2010	6.89	0		S.U.
pH (Field)	NE-5	1/19/2011	6.68	0		S.U.
pH (Field)	NE-5	7/13/2011	6.74	0		S.U.
pH (Field)	NE-5	1/5/2012	7.11	0		S.U.
pH (Field)	NE-5	7/10/2012	7.73	0		S.U.
pH (Field)	NE-5	4/30/2013	6.7	0		S.U.
pH (Field)	NE-5	7/16/2013	7.16	0		S.U.
pH (Field)	NE-5	1/23/2014	7.33	0		S.U.
pH (Field)	NE-5	7/9/2014	7.35	0		S.U.
pH (Field)	NE-5	2/11/2015	7.6	0		S.U.
pH (Field)	NE-5	7/14/2015	6.79	0		S.U.
pH (Field)	NE-5	1/6/2016	6.92	0		S.U.
pH (Field)	NE-5	2/11/2016	7.33	0		S.U.
pH (Field)	NE-5	7/20/2016	6.66	0		S.U.
pH (Field)	NE-5	1/11/2017	4.33	0		S.U.
pH (Field)	NE-5	7/19/2017	6.67	0		S.U.
pH (Field)	NE-5	1/25/2018	6.89	0.01		S.U.
pH (Field)	NE-5	4/10/2018	6.79	0.01		S.U.
pH (Field)	NE-5	7/17/2018	6.78	0.01		S.U.
pH (Field)	NE-5	10/3/2018	6.72	0		S.U.
pH (Field)	NE-5	10/3/2018	6.72	0.01		S.U.
pH (Field)	NE-5	1/4/2019	6.46	0.01		S.U.
pH (Field)	NE-5	4/2/2019	6.65	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-5	4/2/2019	6.65	0.01		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	10/3/2019	6.96	0.01		S.U.
pH (Field)	NE-5	4/2/2020	6.9	0.01		S.U.
pH (Field)	NE-5	7/8/2020	6.92	0		S.U.
pH (Field)	NE-5	7/8/2020	6.92	0		S.U.
pH (Field)	NE-5	10/6/2020	6.9	0.01		S.U.
pH (Field)	NE-5	1/15/2021	6.46	0		S.U.
pH (Field)	NE-5	4/9/2021	6.68	0		S.U.
pH (Field)	NE-5	7/2/2021	6.71	0		S.U.
pH (Field)	NE-5	7/2/2021	6.71	0		S.U.
pH (Field)	NE-5	10/6/2021	6.83	0		S.U.
pH (Field)	NE-5	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5	4/6/2022	6.71	0		S.U.
pH (Field)	NE-5	7/13/2022	6.42	0		S.U.
pH (Field)	NE-5	10/7/2022	6.46	0		S.U.
pH (Field)	NE-5	1/5/2023	6.62	0		S.U.
pH (Field)	NE-5	4/7/2023	6.5	0		S.U.
pH (Field)	NE-5E	9/30/2019	7.32	0.01		S.U.
pH (Field)	NE-5E	4/1/2020	7.02	0.01		S.U.
pH (Field)	NE-5E	7/8/2020	6.95	0		S.U.
pH (Field)	NE-5E	7/8/2020	6.95	0		S.U.
pH (Field)	NE-5E	10/6/2020	6.92	0.01		S.U.
pH (Field)	NE-5E	1/15/2021	6.58	0		S.U.
pH (Field)	NE-5E	4/9/2021	6.91	0		S.U.
pH (Field)	NE-5E	7/2/2021	6.84	0		S.U.
pH (Field)	NE-5E	7/2/2021	6.84	0		S.U.
pH (Field)	NE-5E	10/6/2021	6.9	0		S.U.
pH (Field)	NE-5E	1/18/2022	6.98	0		S.U.
pH (Field)	NE-5E	1/18/2022	6.98	0		S.U.
pH (Field)	NE-5E	4/6/2022	6.88	0		S.U.
pH (Field)	NE-5E	7/13/2022	6.31	0		S.U.
pH (Field)	NE-5E	10/7/2022	6.38	0		S.U.
pH (Field)	NE-5E	1/5/2023	6.67	0		S.U.
pH (Field)	NE-5E	4/7/2023	6.58	0		S.U.
pH (Field)	NE-5W	9/30/2019	7.34	0.01		S.U.
pH (Field)	NE-5W	4/2/2020	6.86	0.01		S.U.
pH (Field)	NE-5W	7/8/2020	6.81	0		S.U.
pH (Field)	NE-5W	7/8/2020	6.81	0		S.U.
pH (Field)	NE-5W	10/6/2020	6.77	0.01		S.U.
pH (Field)	NE-5W	1/15/2021	6.5	0		S.U.
pH (Field)	NE-5W	4/9/2021	6.74	0		S.U.
pH (Field)	NE-5W	7/2/2021	6.66	0		S.U.
pH (Field)	NE-5W	7/2/2021	6.66	0		S.U.
pH (Field)	NE-5W	10/6/2021	6.72	0		S.U.
pH (Field)	NE-5W	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5W	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5W	4/6/2022	6.65	0		S.U.
pH (Field)	NE-5W	7/13/2022	6.39	0		S.U.
pH (Field)	NE-5W	10/7/2022	6.34	0		S.U.
pH (Field)	NE-5W	1/5/2023	6.71	0		S.U.
pH (Field)	NE-5W	4/7/2023	6.69	0		S.U.
pH (Field)	NE-6	1/12/2017	6.84	0		S.U.
pH (Field)	NE-6	4/5/2017	7.02	0		S.U.
pH (Field)	NE-6	7/19/2017	7.33	0		S.U.
pH (Field)	NE-6	10/6/2017	7.51	0		S.U.
pH (Field)	NE-6	2/4/2019	6.9	0		S.U.
pH (Field)	NE-6	7/9/2019	6.95	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-6	8/6/2019	7.03	0.01		S.U.
pH (Field)	NE-6	1/15/2020	7.28	0		S.U.
pH (Field)	NE-6	7/9/2020	6.88	0		S.U.
pH (Field)	NE-6	7/9/2020	6.88	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	7/12/2022	6.64	0		S.U.
pH (Field)	NE-6	1/5/2023	6.82	0		S.U.
pH (Field)	NE-6D	10/2/2019	7.01	0.01		S.U.
pH (Field)	NE-6D	4/2/2020	6.78	0.01		S.U.
pH (Field)	NE-6D	7/9/2020	6.8	0		S.U.
pH (Field)	NE-6D	7/9/2020	6.8	0		S.U.
pH (Field)	NE-6D	10/7/2020	6.67	0.01		S.U.
pH (Field)	NE-6D	1/15/2021	6.47	0		S.U.
pH (Field)	NE-6D	4/9/2021	6.84	0		S.U.
pH (Field)	NE-6D	7/2/2021	6.66	0		S.U.
pH (Field)	NE-6D	7/2/2021	6.66	0		S.U.
pH (Field)	NE-6D	10/7/2021	6.79	0		S.U.
pH (Field)	NE-6D	1/17/2022	6.85	0		S.U.
pH (Field)	NE-6D	1/17/2022	6.85	0		S.U.
pH (Field)	NE-6D	4/6/2022	6.69	0		S.U.
pH (Field)	NE-6D	7/12/2022	6.5	0		S.U.
pH (Field)	NE-6D	10/7/2022	6.68	0		S.U.
pH (Field)	NE-6D	1/5/2023	6.78	0		S.U.
pH (Field)	NE-6D	4/7/2023	6.7	0		S.U.
pH (Field)	NE-7	3/1/2017	6.8	0		S.U.
pH (Field)	NE-7	4/6/2017	7.18	0		S.U.
pH (Field)	NE-7	7/20/2017	6.44	0		S.U.
pH (Field)	NE-7	10/5/2017	7.41	0		S.U.
pH (Field)	NE-7	2/6/2019	6.52	0		S.U.
pH (Field)	NE-7	7/10/2019	6.47	0		S.U.
pH (Field)	NE-7	8/6/2019	7.1	0.01		S.U.
pH (Field)	NE-7	1/16/2020	6.34	0		S.U.
pH (Field)	NE-7	7/7/2020	6.33	0		S.U.
pH (Field)	NE-7	7/7/2020	6.33	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.
pH (Field)	NE-7	7/12/2022	5.7	0		S.U.
pH (Field)	NE-7	1/5/2023	6.19	0		S.U.
pH (Field)	NE-8	1/12/2017	6.93	0		S.U.
pH (Field)	NE-8	4/5/2017	7.4	0		S.U.
pH (Field)	NE-8	7/20/2017	7.15	0		S.U.
pH (Field)	NE-8	10/6/2017	7.38	0		S.U.
pH (Field)	NE-8	2/4/2019	7.21	0		S.U.
pH (Field)	NE-8	7/11/2019	7.09	0		S.U.
pH (Field)	NE-8	8/5/2019	7.77	0.01		S.U.
pH (Field)	NE-8	1/15/2020	7.02	0		S.U.
pH (Field)	NE-8	7/8/2020	7	0		S.U.
pH (Field)	NE-8	7/8/2020	7	0		S.U.
pH (Field)	NE-8	10/7/2020	7.01	0.01		S.U.
pH (Field)	NE-8	10/7/2020	7.01	0.01		S.U.
pH (Field)	NE-8	4/9/2021	6.91	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	10/7/2021	6.78	0		S.U.
pH (Field)	NE-8	1/6/2023	6.55	0		S.U.
pH (Field)	NE-9	1/12/2017	6.7	0		S.U.
pH (Field)	NE-9	4/5/2017	6.77	0		S.U.
pH (Field)	NE-9	7/20/2017	6.75	0		S.U.
pH (Field)	NE-9	10/5/2017	7.79	0		S.U.
pH (Field)	NE-9	2/5/2019	6.52	0		S.U.
pH (Field)	NE-9	7/8/2019	6.42	0		S.U.
pH (Field)	NE-9	8/7/2019	6.78	0.01		S.U.
pH (Field)	NE-9	1/15/2020	6.69	0		S.U.
pH (Field)	NE-9	7/7/2020	6.56	0		S.U.
pH (Field)	NE-9	7/7/2020	6.56	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	7/13/2022	6.04	0		S.U.
pH (Field)	NE-9	1/6/2023	6.06	0		S.U.
pH (Field)	NE-9	4/8/2023	6.24	0		S.U.
pH (Lab Test)	MW-10N	10/22/1997	7.62	0		S.U.
pH (Lab Test)	MW-10N	4/28/1998	7.4	0		S.U.
pH (Lab Test)	MW-10N	7/23/1998	7.02	0		S.U.
pH (Lab Test)	MW-10N	4/13/1999	7.39	0		S.U.
pH (Lab Test)	MW-11N	10/22/1997	7.27	0		S.U.
pH (Lab Test)	MW-11N	4/28/1998	7.39	0		S.U.
pH (Lab Test)	MW-11N	7/23/1998	6.84	0		S.U.
pH (Lab Test)	MW-11N	4/13/1999	7.3	0		S.U.
pH (Lab Test)	MW-1N	10/22/1997	7.61	0		S.U.
pH (Lab Test)	MW-1N	4/28/1998	7.64	0		S.U.
pH (Lab Test)	MW-1N	7/23/1998	7	0		S.U.
pH (Lab Test)	MW-1N	4/13/1999	6.81	0		S.U.
pH (Lab Test)	MW-2N	10/22/1997	7.67	0		S.U.
pH (Lab Test)	MW-2N	4/28/1998	7.58	0		S.U.
pH (Lab Test)	MW-2N	7/22/1998	7.14	0		S.U.
pH (Lab Test)	MW-2N	4/13/1999	7.52	0		S.U.
pH (Lab Test)	MW-3N	10/21/1997	7.08	0		S.U.
pH (Lab Test)	MW-3N	4/28/1998	6.87	0		S.U.
pH (Lab Test)	MW-3N	7/23/1998	6.39	0		S.U.
pH (Lab Test)	MW-3N	4/13/1999	6.89	0		S.U.
pH (Lab Test)	MW-7N	10/21/1997	6.89	0		S.U.
pH (Lab Test)	MW-7N	7/22/1998	6.01	0		S.U.
pH (Lab Test)	MW-7N	8/18/1998	6.07	0		S.U.
pH (Lab Test)	MW-7N	9/17/1998	6.6	0		S.U.
pH (Lab Test)	MW-7N	11/9/1998	6.44	0		S.U.
pH (Lab Test)	MW-7N	4/14/1999	6.46	0		S.U.
pH (Lab Test)	MW-8N	10/21/1997	6.56	0		S.U.
pH (Lab Test)	MW-8N	4/28/1998	6.7	0		S.U.
pH (Lab Test)	MW-8N	7/22/1998	6.59	0		S.U.
pH (Lab Test)	MW-8N	4/13/1999	6.74	0		S.U.
Phenacetin	LGW-10	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-10	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-10	2/12/2015	19	19	ND	ug/L
Phenacetin	LGW-10	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-10	10/9/2017	19	19	ND	ug/L
Phenacetin	LGW-10	7/16/2018	19	19	ND	ug/L
Phenacetin	LGW-10	7/11/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	LGW-10	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-10	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-14R	10/27/2006	20	20	ND	ug/L
Phenacetin	LGW-14R	2/6/2009	20	20	ND	ug/L
Phenacetin	LGW-14R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-14R	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-14R	7/17/2018	20	20	ND	ug/L
Phenacetin	LGW-14R	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-2	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-2	2/13/2009	20	20	ND	ug/L
Phenacetin	LGW-2	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-2	2/13/2015	26	26	ND	ug/L
Phenacetin	LGW-2	7/12/2018	19	19	ND	ug/L
Phenacetin	LGW-2	7/8/2020	10	10	ND	ug/L
Phenacetin	LGW-2	7/4/2021	20	20	ND	ug/L
Phenacetin	LGW-3R	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-3R	2/3/2009	20	20	ND	ug/L
Phenacetin	LGW-3R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-3R	2/10/2015	19	19	ND	ug/L
Phenacetin	LGW-3R	7/11/2018	20	20	ND	ug/L
Phenacetin	LGW-3R	7/6/2021	20	20	ND	ug/L
Phenacetin	LGW-4	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-4	2/3/2009	20	20	ND	ug/L
Phenacetin	LGW-4	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-4	2/11/2015	19	19	ND	ug/L
Phenacetin	LGW-4	7/11/2018	20	20	ND	ug/L
Phenacetin	LGW-4	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-5	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-5	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-5	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-5	2/10/2015	19	19	ND	ug/L
Phenacetin	LGW-5	7/12/2018	20	20	ND	ug/L
Phenacetin	LGW-5	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-6	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-6	2/5/2009	20	20	ND	ug/L
Phenacetin	LGW-6	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-6	2/10/2015	20	20	ND	ug/L
Phenacetin	LGW-6	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-6	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-6	7/17/2018	20	20	ND	ug/L
Phenacetin	LGW-6	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-6	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-6	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-7	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-7	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-7	7/10/2012	19	19	ND	ug/L
Phenacetin	LGW-7	2/11/2015	19	19	ND	ug/L
Phenacetin	LGW-7	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-7	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-7	7/12/2018	20	20	ND	ug/L
Phenacetin	LGW-7	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-7	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-7	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-8R	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-8R	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-8R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-8R	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-8R	7/13/2018	20	20	ND	ug/L
Phenacetin	LGW-8R	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-9	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-9	2/4/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	LGW-9	7/10/2012	19	19	ND	ug/L
Phenacetin	LGW-9	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-9	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-9	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-9	7/13/2018	19	19	ND	ug/L
Phenacetin	LGW-9	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-9	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-9	7/7/2021	20	20	ND	ug/L
Phenacetin	MW-10N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-10N	2/13/2009	20	20	ND	ug/L
Phenacetin	MW-10N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-10N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-10N	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-10N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-11N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-11N	2/3/2009	20	20	ND	ug/L
Phenacetin	MW-11N	7/9/2012	19	19	ND	ug/L
Phenacetin	MW-11N	2/10/2015	20	20	ND	ug/L
Phenacetin	MW-11N	7/17/2018	20	20	ND	ug/L
Phenacetin	MW-11N	7/6/2021	20	20	ND	ug/L
Phenacetin	MW-15	7/10/2018	20	20	ND	ug/L
Phenacetin	MW-15	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-16	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-16	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-17	7/10/2018	19	19	ND	ug/L
Phenacetin	MW-17	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-19	7/13/2018	19	19	ND	ug/L
Phenacetin	MW-19	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-1N	10/14/1998	10	10	ND	ug/L
Phenacetin	MW-1N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-1N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-1N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-1N	2/5/2009	20	20	ND	ug/L
Phenacetin	MW-1N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-1N	2/10/2015	19	19	ND	ug/L
Phenacetin	MW-1N	7/10/2018	20	20	ND	ug/L
Phenacetin	MW-1N	7/6/2020	10	10	ND	ug/L
Phenacetin	MW-1N	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-20	7/12/2018	19	19	ND	ug/L
Phenacetin	MW-20	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-21	10/5/2016	19	19	ND	ug/L
Phenacetin	MW-21	10/6/2017	19	19	ND	ug/L
Phenacetin	MW-21	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-21	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-21	7/8/2020	10	10	ND	ug/L
Phenacetin	MW-21	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-2N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-2N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-2N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-2N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-2N	7/12/2018	20	20	ND	ug/L
Phenacetin	MW-2N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-3N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-3N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-3N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-3N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-3N	7/11/2012	19	19	ND	ug/L
Phenacetin	MW-3N	2/12/2015	20	20	ND	ug/L
Phenacetin	MW-3N	10/6/2016	19	19	ND	ug/L
Phenacetin	MW-3N	10/9/2017	19	19	ND	ug/L
Phenacetin	MW-3N	7/13/2018	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	MW-3N	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-3N	7/7/2020	10	10	ND	ug/L
Phenacetin	MW-3N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-7N	10/15/1998	10	10	ND	ug/L
Phenacetin	MW-7N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-7N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-7N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-7N	2/6/2009	20	20	ND	ug/L
Phenacetin	MW-7N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-7N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-7N	10/5/2017	20	20	ND	ug/L
Phenacetin	MW-7N	7/13/2018	21	21	ND	ug/L
Phenacetin	MW-7N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-8N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-8N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-8N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-8N	1/24/2008	20	20	ND	ug/L
Phenacetin	MW-8N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-8N	5/10/2011	19	19	ND	ug/L
Phenacetin	MW-8N	7/11/2012	19	19	ND	ug/L
Phenacetin	MW-8N	10/2/2013	19	19	ND	ug/L
Phenacetin	MW-8N	10/8/2014	19	19	ND	ug/L
Phenacetin	MW-8N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-8N	10/6/2016	19	19	ND	ug/L
Phenacetin	MW-8N	10/6/2017	19	19	ND	ug/L
Phenacetin	MW-8N	7/16/2018	20	20	ND	ug/L
Phenacetin	MW-8N	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-8N	7/9/2020	10	10	ND	ug/L
Phenacetin	MW-8N	7/5/2021	20	20	ND	ug/L
Phenacetin	NE-1	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-1	2/7/2009	20	20	ND	ug/L
Phenacetin	NE-1	7/10/2012	19	19	ND	ug/L
Phenacetin	NE-1	2/11/2015	19	19	ND	ug/L
Phenacetin	NE-1	7/18/2018	19	19	ND	ug/L
Phenacetin	NE-2	7/10/2018	19	19	ND	ug/L
Phenacetin	NE-4	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-4	2/7/2009	20	20	ND	ug/L
Phenacetin	NE-4	7/10/2012	20	20	ND	ug/L
Phenacetin	NE-4	2/13/2015	19	19	ND	ug/L
Phenacetin	NE-4	7/12/2018	21	21	ND	ug/L
Phenacetin	NE-5	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-5	2/6/2009	20	20	ND	ug/L
Phenacetin	NE-5	7/10/2012	19	19	ND	ug/L
Phenacetin	NE-5	2/11/2015	19	19	ND	ug/L
Phenacetin	NE-5	7/17/2018	19	19	ND	ug/L
Phenacetin	NE-5	7/9/2019	20	20	ND	ug/L
Phenanthrene	LGW-10	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Phenanthrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Phenanthrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Phenanthrene	LGW-10	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-10	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Phenanthrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Phenanthrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Phenanthrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Phenanthrene	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	LGW-2	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-2	2/13/2009	10	10	ND	ug/L
Phenanthrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-2	2/13/2015	13	13	ND	ug/L
Phenanthrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Phenanthrene	LGW-2	7/8/2020	1	1	ND	ug/L
Phenanthrene	LGW-2	7/4/2021	10	10	ND	ug/L
Phenanthrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-3R	2/3/2009	2.6	10	ND	ug/L
Phenanthrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Phenanthrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Phenanthrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Phenanthrene	LGW-4	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-4	2/3/2009	10	10	ND	ug/L
Phenanthrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Phenanthrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Phenanthrene	LGW-4	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-5	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-5	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Phenanthrene	LGW-5	7/12/2018	10	10	ND	ug/L
Phenanthrene	LGW-5	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-6	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-6	2/5/2009	10	10	ND	ug/L
Phenanthrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-6	2/10/2015	10	10	ND	ug/L
Phenanthrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Phenanthrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Phenanthrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Phenanthrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Phenanthrene	LGW-6	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-6	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-7	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-7	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	7/12/2018	10	10	ND	ug/L
Phenanthrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Phenanthrene	LGW-7	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-7	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Phenanthrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Phenanthrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-9	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-9	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Phenanthrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	7/10/2019	10	10	ND	ug/L
Phenanthrene	LGW-9	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-9	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	MW-10N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-10N	2/13/2009	10	10	ND	ug/L
Phenanthrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Phenanthrene	MW-10N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-11N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-11N	2/3/2009	10	10	ND	ug/L
Phenanthrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-11N	2/10/2015	10	10	ND	ug/L
Phenanthrene	MW-11N	7/17/2018	10	10	ND	ug/L
Phenanthrene	MW-11N	7/6/2021	10	10	ND	ug/L
Phenanthrene	MW-15	7/10/2018	10	10	ND	ug/L
Phenanthrene	MW-15	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-16	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-17	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Phenanthrene	MW-19	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-1N	10/14/1998	10	10	ND	ug/L
Phenanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-1N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-1N	2/5/2009	10	10	ND	ug/L
Phenanthrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Phenanthrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Phenanthrene	MW-1N	7/6/2020	1	1	ND	ug/L
Phenanthrene	MW-1N	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-20	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Phenanthrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-21	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-21	7/8/2020	1	1	ND	ug/L
Phenanthrene	MW-21	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-2N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-2N	2/4/2009	10	10	ND	ug/L
Phenanthrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Phenanthrene	MW-2N	7/12/2018	10	10	ND	ug/L
Phenanthrene	MW-2N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-3N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-3N	2/4/2009	10	10	ND	ug/L
Phenanthrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Phenanthrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Phenanthrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Phenanthrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-3N	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-3N	7/7/2020	1	1	ND	ug/L
Phenanthrene	MW-3N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-7N	10/15/1998	10	10	ND	ug/L
Phenanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-7N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-7N	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Phenanthrene	MW-7N	7/13/2018	10	10	ND	ug/L
Phenanthrene	MW-7N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-8N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-8N	1/24/2008	10	10	ND	ug/L
Phenanthrene	MW-8N	2/4/2009	10	10	ND	ug/L
Phenanthrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Phenanthrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Phenanthrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Phenanthrene	MW-8N	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-8N	7/9/2020	1	1	ND	ug/L
Phenanthrene	MW-8N	7/5/2021	10	10	ND	ug/L
Phenanthrene	NE-1	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-1	2/7/2009	10	10	ND	ug/L
Phenanthrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Phenanthrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Phenanthrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Phenanthrene	NE-4	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-4	2/7/2009	10	10	ND	ug/L
Phenanthrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Phenanthrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Phenanthrene	NE-4	7/12/2018	10	10	ND	ug/L
Phenanthrene	NE-5	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-5	2/6/2009	10	10	ND	ug/L
Phenanthrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Phenanthrene	NE-5	7/9/2019	10	10	ND	ug/L
Phenol	LGW-10	10/26/2006	10	10	ND	ug/L
Phenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Phenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Phenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Phenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Phenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Phenol	LGW-10	7/9/2020	10	10	ND	ug/L
Phenol	LGW-10	7/7/2021	10	10	ND	ug/L
Phenol	LGW-14R	10/27/2006	10	10	ND	ug/L
Phenol	LGW-14R	2/6/2009	10	10	ND	ug/L
Phenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Phenol	LGW-14R	7/17/2018	10	10	ND	ug/L
Phenol	LGW-14R	7/7/2021	10	10	ND	ug/L
Phenol	LGW-2	10/26/2006	10	10	ND	ug/L
Phenol	LGW-2	2/13/2009	10	10	ND	ug/L
Phenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-2	2/13/2015	13	13	ND	ug/L
Phenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Phenol	LGW-2	7/8/2020	10	10	ND	ug/L
Phenol	LGW-2	7/4/2021	10	10	ND	ug/L
Phenol	LGW-3R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	LGW-3R	2/3/2009	10	10	ND	ug/L
Phenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Phenol	LGW-3R	7/11/2018	10	10	ND	ug/L
Phenol	LGW-3R	7/6/2021	10	10	ND	ug/L
Phenol	LGW-4	10/26/2006	10	10	ND	ug/L
Phenol	LGW-4	2/3/2009	10	10	ND	ug/L
Phenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Phenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Phenol	LGW-4	7/7/2021	10	10	ND	ug/L
Phenol	LGW-5	10/26/2006	10	10	ND	ug/L
Phenol	LGW-5	2/4/2009	10	10	ND	ug/L
Phenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Phenol	LGW-5	7/12/2018	10	10	ND	ug/L
Phenol	LGW-5	7/7/2021	10	10	ND	ug/L
Phenol	LGW-6	10/26/2006	10	10	ND	ug/L
Phenol	LGW-6	2/5/2009	10	10	ND	ug/L
Phenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-6	2/10/2015	10	10	ND	ug/L
Phenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Phenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Phenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Phenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Phenol	LGW-6	7/9/2020	10	10	ND	ug/L
Phenol	LGW-6	7/7/2021	10	10	ND	ug/L
Phenol	LGW-7	10/26/2006	10	10	ND	ug/L
Phenol	LGW-7	2/4/2009	10	10	ND	ug/L
Phenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Phenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Phenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Phenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Phenol	LGW-7	7/12/2018	10	10	ND	ug/L
Phenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Phenol	LGW-7	7/9/2020	10	10	ND	ug/L
Phenol	LGW-7	7/7/2021	10	10	ND	ug/L
Phenol	LGW-8R	10/26/2006	10	10	ND	ug/L
Phenol	LGW-8R	2/4/2009	10	10	ND	ug/L
Phenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Phenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Phenol	LGW-8R	7/7/2021	10	10	ND	ug/L
Phenol	LGW-9	10/26/2006	10	10	ND	ug/L
Phenol	LGW-9	2/4/2009	10	10	ND	ug/L
Phenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Phenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Phenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Phenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Phenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Phenol	LGW-9	7/10/2019	10	10	ND	ug/L
Phenol	LGW-9	7/9/2020	10	10	ND	ug/L
Phenol	LGW-9	7/7/2021	10	10	ND	ug/L
Phenol	MW-10N	10/25/2006	10	10	ND	ug/L
Phenol	MW-10N	2/13/2009	10	10	ND	ug/L
Phenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Phenol	MW-10N	7/5/2021	10	10	ND	ug/L
Phenol	MW-11N	10/25/2006	10	10	ND	ug/L
Phenol	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Phenol	MW-11N	2/10/2015	10	10	ND	ug/L
Phenol	MW-11N	7/17/2018	10	10	ND	ug/L
Phenol	MW-11N	7/6/2021	10	10	ND	ug/L
Phenol	MW-15	7/10/2018	10	10	ND	ug/L
Phenol	MW-15	7/4/2021	10	10	ND	ug/L
Phenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Phenol	MW-16	7/4/2021	10	10	ND	ug/L
Phenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Phenol	MW-17	7/4/2021	10	10	ND	ug/L
Phenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Phenol	MW-19	7/4/2021	10	10	ND	ug/L
Phenol	MW-1N	10/14/1998	10	10	ND	ug/L
Phenol	MW-1N	5/29/2002	10	10	ND	ug/L
Phenol	MW-1N	5/29/2002	10	10	ND	ug/L
Phenol	MW-1N	10/24/2006	10	10	ND	ug/L
Phenol	MW-1N	2/5/2009	10	10	ND	ug/L
Phenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Phenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Phenol	MW-1N	7/6/2020	10	10	ND	ug/L
Phenol	MW-1N	7/4/2021	10	10	ND	ug/L
Phenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Phenol	MW-20	7/4/2021	10	10	ND	ug/L
Phenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Phenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Phenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Phenol	MW-21	7/11/2019	10	10	ND	ug/L
Phenol	MW-21	7/8/2020	10	10	ND	ug/L
Phenol	MW-21	7/5/2021	10	10	ND	ug/L
Phenol	MW-2N	10/25/2006	10	10	ND	ug/L
Phenol	MW-2N	2/4/2009	10	10	ND	ug/L
Phenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Phenol	MW-2N	7/12/2018	10	10	ND	ug/L
Phenol	MW-2N	7/5/2021	10	10	ND	ug/L
Phenol	MW-3N	5/29/2002	10	10	ND	ug/L
Phenol	MW-3N	5/29/2002	10	10	ND	ug/L
Phenol	MW-3N	10/25/2006	10	10	ND	ug/L
Phenol	MW-3N	2/4/2009	10	10	ND	ug/L
Phenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Phenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Phenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Phenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Phenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Phenol	MW-3N	7/11/2019	10	10	ND	ug/L
Phenol	MW-3N	7/7/2020	10	10	ND	ug/L
Phenol	MW-3N	7/5/2021	10	10	ND	ug/L
Phenol	MW-7N	10/15/1998	10	10	ND	ug/L
Phenol	MW-7N	5/29/2002	10	10	ND	ug/L
Phenol	MW-7N	5/29/2002	10	10	ND	ug/L
Phenol	MW-7N	10/24/2006	10	10	ND	ug/L
Phenol	MW-7N	2/6/2009	10	10	ND	ug/L
Phenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Phenol	MW-7N	7/13/2018	10	10	ND	ug/L
Phenol	MW-7N	7/5/2021	10	10	ND	ug/L
Phenol	MW-8N	5/29/2002	10	10	ND	ug/L
Phenol	MW-8N	5/29/2002	10	10	ND	ug/L
Phenol	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	MW-8N	1/24/2008	10	10	ND	ug/L
Phenol	MW-8N	2/4/2009	10	10	ND	ug/L
Phenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Phenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Phenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Phenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Phenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Phenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Phenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Phenol	MW-8N	7/11/2019	10	10	ND	ug/L
Phenol	MW-8N	7/9/2020	10	10	ND	ug/L
Phenol	MW-8N	7/5/2021	10	10	ND	ug/L
Phenol	NE-1	10/25/2006	10	10	ND	ug/L
Phenol	NE-1	2/7/2009	10	10	ND	ug/L
Phenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Phenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Phenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Phenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Phenol	NE-4	10/25/2006	10	10	ND	ug/L
Phenol	NE-4	2/7/2009	10	10	ND	ug/L
Phenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Phenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Phenol	NE-4	7/12/2018	10	10	ND	ug/L
Phenol	NE-5	10/25/2006	10	10	ND	ug/L
Phenol	NE-5	2/6/2009	10	10	ND	ug/L
Phenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Phenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Phenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Phenol	NE-5	7/9/2019	10	10	ND	ug/L
Phorate	LGW-10	10/26/2006	50	50	ND	ug/L
Phorate	LGW-10	7/9/2012	47	47	ND	ug/L
Phorate	LGW-10	2/12/2015	48	48	ND	ug/L
Phorate	LGW-10	10/6/2016	47	47	ND	ug/L
Phorate	LGW-10	10/9/2017	48	48	ND	ug/L
Phorate	LGW-10	7/16/2018	48	48	ND	ug/L
Phorate	LGW-10	7/11/2019	50	50	ND	ug/L
Phorate	LGW-10	7/9/2020	50	50	ND	ug/L
Phorate	LGW-10	7/7/2021	50	50	ND	ug/L
Phorate	LGW-14R	10/27/2006	50	50	ND	ug/L
Phorate	LGW-14R	2/6/2009	50	50	ND	ug/L
Phorate	LGW-14R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-14R	2/11/2015	49	49	ND	ug/L
Phorate	LGW-14R	7/17/2018	51	51	ND	ug/L
Phorate	LGW-14R	7/7/2021	50	50	ND	ug/L
Phorate	LGW-2	10/26/2006	50	50	ND	ug/L
Phorate	LGW-2	2/13/2009	50	50	ND	ug/L
Phorate	LGW-2	7/9/2012	47	47	ND	ug/L
Phorate	LGW-2	2/13/2015	65	65	ND	ug/L
Phorate	LGW-2	7/12/2018	49	49	ND	ug/L
Phorate	LGW-2	7/8/2020	50	50	ND	ug/L
Phorate	LGW-2	7/4/2021	50	50	ND	ug/L
Phorate	LGW-3R	10/26/2006	50	50	ND	ug/L
Phorate	LGW-3R	2/3/2009	50	50	ND	ug/L
Phorate	LGW-3R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-3R	2/10/2015	49	49	ND	ug/L
Phorate	LGW-3R	7/11/2018	50	50	ND	ug/L
Phorate	LGW-3R	7/6/2021	50	50	ND	ug/L
Phorate	LGW-4	10/26/2006	50	50	ND	ug/L
Phorate	LGW-4	2/3/2009	50	50	ND	ug/L
Phorate	LGW-4	7/9/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	LGW-4	2/11/2015	48	48	ND	ug/L
Phorate	LGW-4	7/11/2018	50	50	ND	ug/L
Phorate	LGW-4	7/7/2021	50	50	ND	ug/L
Phorate	LGW-5	10/26/2006	50	50	ND	ug/L
Phorate	LGW-5	2/4/2009	50	50	ND	ug/L
Phorate	LGW-5	7/9/2012	47	47	ND	ug/L
Phorate	LGW-5	2/10/2015	48	48	ND	ug/L
Phorate	LGW-5	7/12/2018	50	50	ND	ug/L
Phorate	LGW-5	7/7/2021	50	50	ND	ug/L
Phorate	LGW-6	10/26/2006	50	50	ND	ug/L
Phorate	LGW-6	2/5/2009	50	50	ND	ug/L
Phorate	LGW-6	7/9/2012	47	47	ND	ug/L
Phorate	LGW-6	2/10/2015	50	50	ND	ug/L
Phorate	LGW-6	10/6/2016	48	48	ND	ug/L
Phorate	LGW-6	10/5/2017	48	48	ND	ug/L
Phorate	LGW-6	7/17/2018	49	49	ND	ug/L
Phorate	LGW-6	7/10/2019	49	49	ND	ug/L
Phorate	LGW-6	7/9/2020	50	50	ND	ug/L
Phorate	LGW-6	7/7/2021	50	50	ND	ug/L
Phorate	LGW-7	10/26/2006	50	50	ND	ug/L
Phorate	LGW-7	2/4/2009	50	50	ND	ug/L
Phorate	LGW-7	7/10/2012	47	47	ND	ug/L
Phorate	LGW-7	2/11/2015	48	48	ND	ug/L
Phorate	LGW-7	10/6/2016	48	48	ND	ug/L
Phorate	LGW-7	10/5/2017	48	48	ND	ug/L
Phorate	LGW-7	7/12/2018	51	51	ND	ug/L
Phorate	LGW-7	7/10/2019	49	49	ND	ug/L
Phorate	LGW-7	7/9/2020	50	50	ND	ug/L
Phorate	LGW-7	7/7/2021	50	50	ND	ug/L
Phorate	LGW-8R	10/26/2006	50	50	ND	ug/L
Phorate	LGW-8R	2/4/2009	50	50	ND	ug/L
Phorate	LGW-8R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-8R	2/11/2015	49	49	ND	ug/L
Phorate	LGW-8R	7/13/2018	49	49	ND	ug/L
Phorate	LGW-8R	7/7/2021	50	50	ND	ug/L
Phorate	LGW-9	10/26/2006	50	50	ND	ug/L
Phorate	LGW-9	2/4/2009	50	50	ND	ug/L
Phorate	LGW-9	7/10/2012	47	47	ND	ug/L
Phorate	LGW-9	2/11/2015	49	49	ND	ug/L
Phorate	LGW-9	10/6/2016	48	48	ND	ug/L
Phorate	LGW-9	10/5/2017	48	48	ND	ug/L
Phorate	LGW-9	7/13/2018	47	47	ND	ug/L
Phorate	LGW-9	7/10/2019	51	51	ND	ug/L
Phorate	LGW-9	7/9/2020	50	50	ND	ug/L
Phorate	LGW-9	7/7/2021	50	50	ND	ug/L
Phorate	MW-10N	10/25/2006	50	50	ND	ug/L
Phorate	MW-10N	2/13/2009	50	50	ND	ug/L
Phorate	MW-10N	7/10/2012	47	47	ND	ug/L
Phorate	MW-10N	2/12/2015	48	48	ND	ug/L
Phorate	MW-10N	7/11/2018	48	48	ND	ug/L
Phorate	MW-10N	7/5/2021	50	50	ND	ug/L
Phorate	MW-11N	10/25/2006	50	50	ND	ug/L
Phorate	MW-11N	2/3/2009	50	50	ND	ug/L
Phorate	MW-11N	7/9/2012	47	47	ND	ug/L
Phorate	MW-11N	2/10/2015	50	50	ND	ug/L
Phorate	MW-11N	7/17/2018	50	50	ND	ug/L
Phorate	MW-11N	7/6/2021	50	50	ND	ug/L
Phorate	MW-15	7/10/2018	51	51	ND	ug/L
Phorate	MW-15	7/4/2021	50	50	ND	ug/L
Phorate	MW-16	7/11/2018	48	48	ND	ug/L
Phorate	MW-16	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	MW-17	7/10/2018	47	47	ND	ug/L
Phorate	MW-17	7/4/2021	50	50	ND	ug/L
Phorate	MW-19	7/13/2018	48	48	ND	ug/L
Phorate	MW-19	7/4/2021	50	50	ND	ug/L
Phorate	MW-1N	10/14/1998	10	10	ND	ug/L
Phorate	MW-1N	5/29/2002	10	10	ND	ug/L
Phorate	MW-1N	5/29/2002	10	10	ND	ug/L
Phorate	MW-1N	10/24/2006	50	50	ND	ug/L
Phorate	MW-1N	2/5/2009	50	50	ND	ug/L
Phorate	MW-1N	7/10/2012	47	47	ND	ug/L
Phorate	MW-1N	2/10/2015	47	47	ND	ug/L
Phorate	MW-1N	7/10/2018	49	49	ND	ug/L
Phorate	MW-1N	7/6/2020	50	50	ND	ug/L
Phorate	MW-1N	7/4/2021	50	50	ND	ug/L
Phorate	MW-20	7/12/2018	47	47	ND	ug/L
Phorate	MW-20	7/4/2021	50	50	ND	ug/L
Phorate	MW-21	10/5/2016	48	48	ND	ug/L
Phorate	MW-21	10/6/2017	48	48	ND	ug/L
Phorate	MW-21	7/11/2018	48	48	ND	ug/L
Phorate	MW-21	7/11/2019	50	50	ND	ug/L
Phorate	MW-21	7/8/2020	50	50	ND	ug/L
Phorate	MW-21	7/5/2021	50	50	ND	ug/L
Phorate	MW-2N	10/25/2006	50	50	ND	ug/L
Phorate	MW-2N	2/4/2009	50	50	ND	ug/L
Phorate	MW-2N	7/10/2012	47	47	ND	ug/L
Phorate	MW-2N	2/12/2015	48	48	ND	ug/L
Phorate	MW-2N	7/12/2018	51	51	ND	ug/L
Phorate	MW-2N	7/5/2021	50	50	ND	ug/L
Phorate	MW-3N	5/29/2002	10	10	ND	ug/L
Phorate	MW-3N	5/29/2002	10	10	ND	ug/L
Phorate	MW-3N	10/25/2006	50	50	ND	ug/L
Phorate	MW-3N	2/4/2009	50	50	ND	ug/L
Phorate	MW-3N	7/11/2012	47	47	ND	ug/L
Phorate	MW-3N	2/12/2015	49	49	ND	ug/L
Phorate	MW-3N	10/6/2016	48	48	ND	ug/L
Phorate	MW-3N	10/9/2017	48	48	ND	ug/L
Phorate	MW-3N	7/13/2018	47	47	ND	ug/L
Phorate	MW-3N	7/11/2019	50	50	ND	ug/L
Phorate	MW-3N	7/7/2020	50	50	ND	ug/L
Phorate	MW-3N	7/5/2021	50	50	ND	ug/L
Phorate	MW-7N	10/15/1998	10	10	ND	ug/L
Phorate	MW-7N	5/29/2002	10	10	ND	ug/L
Phorate	MW-7N	5/29/2002	10	10	ND	ug/L
Phorate	MW-7N	10/24/2006	50	50	ND	ug/L
Phorate	MW-7N	2/6/2009	50	50	ND	ug/L
Phorate	MW-7N	7/10/2012	47	47	ND	ug/L
Phorate	MW-7N	2/12/2015	49	49	ND	ug/L
Phorate	MW-7N	10/5/2017	49	49	ND	ug/L
Phorate	MW-7N	7/13/2018	52	52	ND	ug/L
Phorate	MW-7N	7/5/2021	50	50	ND	ug/L
Phorate	MW-8N	5/29/2002	10	10	ND	ug/L
Phorate	MW-8N	5/29/2002	10	10	ND	ug/L
Phorate	MW-8N	10/24/2006	50	50	ND	ug/L
Phorate	MW-8N	1/24/2008	50	50	ND	ug/L
Phorate	MW-8N	2/4/2009	50	50	ND	ug/L
Phorate	MW-8N	5/10/2011	48	48	ND	ug/L
Phorate	MW-8N	7/11/2012	47	47	ND	ug/L
Phorate	MW-8N	10/2/2013	48	48	ND	ug/L
Phorate	MW-8N	10/8/2014	48	48	ND	ug/L
Phorate	MW-8N	2/12/2015	48	48	ND	ug/L
Phorate	MW-8N	10/6/2016	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	MW-8N	10/6/2017	48	48	ND	ug/L
Phorate	MW-8N	7/16/2018	49	49	ND	ug/L
Phorate	MW-8N	7/11/2019	50	50	ND	ug/L
Phorate	MW-8N	7/9/2020	50	50	ND	ug/L
Phorate	MW-8N	7/5/2021	50	50	ND	ug/L
Phorate	NE-1	10/25/2006	50	50	ND	ug/L
Phorate	NE-1	2/7/2009	50	50	ND	ug/L
Phorate	NE-1	7/10/2012	48	48	ND	ug/L
Phorate	NE-1	2/11/2015	48	48	ND	ug/L
Phorate	NE-1	7/18/2018	48	48	ND	ug/L
Phorate	NE-2	7/10/2018	48	48	ND	ug/L
Phorate	NE-4	10/25/2006	50	50	ND	ug/L
Phorate	NE-4	2/7/2009	50	50	ND	ug/L
Phorate	NE-4	7/10/2012	49	49	ND	ug/L
Phorate	NE-4	2/13/2015	48	48	ND	ug/L
Phorate	NE-4	7/12/2018	52	52	ND	ug/L
Phorate	NE-5	10/25/2006	50	50	ND	ug/L
Phorate	NE-5	2/6/2009	50	50	ND	ug/L
Phorate	NE-5	7/10/2012	47	47	ND	ug/L
Phorate	NE-5	2/11/2015	48	48	ND	ug/L
Phorate	NE-5	7/17/2018	48	48	ND	ug/L
Phorate	NE-5	7/9/2019	50	50	ND	ug/L
Potassium, dissolved	LGW-14R	1/25/2006	1.3	0.15		mg/L
Potassium, dissolved	LGW-2	1/25/2006	2.1	0.15		mg/L
Potassium, dissolved	LGW-4	1/24/2006	1.8	0.15		mg/L
Potassium, dissolved	LGW-5	1/25/2006	1.7	0.15		mg/L
Potassium, dissolved	LGW-6	1/24/2006	1.9	0.15		mg/L
Potassium, dissolved	LGW-7	1/25/2006	1	0.15		mg/L
Potassium, dissolved	LGW-8R	1/24/2006	2.7	0.15		mg/L
Potassium, dissolved	MW-10N	7/10/2002	2	0.15		mg/L
Potassium, dissolved	MW-10N	10/2/2002	1.4	0.15		mg/L
Potassium, dissolved	MW-11N	7/9/2002	1.1	0.15		mg/L
Potassium, dissolved	MW-11N	10/2/2002	0.84	0.15		mg/L
Potassium, dissolved	MW-1N	7/9/2002	1.9	0.15		mg/L
Potassium, dissolved	MW-1N	10/3/2002	1.2	0.15		mg/L
Potassium, dissolved	MW-2N	7/10/2002	1.2	0.15		mg/L
Potassium, dissolved	MW-2N	10/2/2002	0.98	0.15		mg/L
Potassium, dissolved	MW-3N	7/9/2002	3.1	0.15		mg/L
Potassium, dissolved	MW-3N	10/2/2002	3.1	0.15		mg/L
Potassium, dissolved	MW-7N	7/9/2002	4.2	0.15		mg/L
Potassium, dissolved	MW-7N	10/2/2002	4.4	0.15		mg/L
Potassium, dissolved	MW-8N	7/9/2002	1.4	0.15		mg/L
Potassium, dissolved	MW-8N	10/2/2002	1.1	0.15		mg/L
Potassium, dissolved	NE-1	7/10/2002	0.82	0.15		mg/L
Potassium, dissolved	NE-1	8/6/2002	0.52	0.15		mg/L
Potassium, dissolved	NE-1	9/4/2002	0.65	0.15		mg/L
Potassium, dissolved	NE-1	10/2/2002	0.71	0.15		mg/L
Potassium, dissolved	NE-2	7/9/2002	13	0.15		mg/L
Potassium, dissolved	NE-2	8/6/2002	7.9	0.15		mg/L
Potassium, dissolved	NE-2	9/4/2002	14.4	0.15		mg/L
Potassium, dissolved	NE-2	10/2/2002	10.9	0.15		mg/L
Potassium, dissolved	NE-3	7/9/2002	1.3	0.15		mg/L
Potassium, dissolved	NE-3	8/6/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-3	9/4/2002	1.6	0.15		mg/L
Potassium, dissolved	NE-3	10/2/2002	1.9	0.15		mg/L
Potassium, dissolved	NE-4	7/10/2002	1.4	0.15		mg/L
Potassium, dissolved	NE-4	8/6/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-4	9/4/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-4	10/3/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-5	7/9/2002	0.83	0.15		mg/L
Potassium, dissolved	NE-5	8/6/2002	0.77	0.15		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, dissolved	NE-5	9/4/2002	1.4	0.15		mg/L
Potassium, dissolved	NE-5	10/2/2002	1.2	0.15		mg/L
Potassium, total	LGW-10	1/26/2006	1	1		mg/L
Potassium, total	LGW-10	8/1/2006	2	3	ND	mg/L
Potassium, total	LGW-10	8/1/2006	2	3	ND	mg/L
Potassium, total	LGW-10	1/25/2007	1.6	3	ND	mg/L
Potassium, total	LGW-10	4/26/2007	2.1	3	ND	mg/L
Potassium, total	LGW-10	7/12/2007	1.7	3	ND	mg/L
Potassium, total	LGW-10	1/23/2008	1.3	3	ND	mg/L
Potassium, total	LGW-10	7/22/2008	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/29/2009	1.5	3	ND	mg/L
Potassium, total	LGW-10	2/3/2010	1.5	3	ND	mg/L
Potassium, total	LGW-10	2/3/2010	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/16/2010	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/19/2011	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/12/2011	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/5/2012	1.2	3	ND	mg/L
Potassium, total	LGW-10	7/9/2012	1.2	3	ND	mg/L
Potassium, total	LGW-10	5/1/2013	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/30/2014	1.2	3	ND	mg/L
Potassium, total	LGW-10	7/9/2014	1.3	3	ND	mg/L
Potassium, total	LGW-10	2/12/2015	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/13/2015	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/5/2016	1.3	3	ND	mg/L
Potassium, total	LGW-10	4/6/2016	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/21/2016	0.95	3	ND	mg/L
Potassium, total	LGW-10	10/6/2016	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/11/2017	1.1	3	ND	mg/L
Potassium, total	LGW-10	4/4/2017	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/19/2017	0.72	3	ND	mg/L
Potassium, total	LGW-10	10/9/2017	0.98	3	ND	mg/L
Potassium, total	LGW-10	1/24/2018	1.1	3	ND	mg/L
Potassium, total	LGW-10	4/11/2018	0.54	3	ND	mg/L
Potassium, total	LGW-10	7/16/2018	0.94	3	ND	mg/L
Potassium, total	LGW-10	10/4/2018	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/4/2019	1.2	3	ND	mg/L
Potassium, total	LGW-10	4/3/2019	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/11/2019	1.3	3	ND	mg/L
Potassium, total	LGW-10	7/11/2019	1.1	3	ND	mg/L
Potassium, total	LGW-10	10/2/2019	1	3	ND	mg/L
Potassium, total	LGW-10	1/15/2020	3	3	ND	mg/L
Potassium, total	LGW-10	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-10	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-10	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-10	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-10	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-10	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-10	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-14R	1/25/2006	7.7	1		mg/L
Potassium, total	LGW-14R	8/2/2006	3	3		mg/L
Potassium, total	LGW-14R	8/2/2006	3	3		mg/L
Potassium, total	LGW-14R	1/24/2007	1.9	3	ND	mg/L
Potassium, total	LGW-14R	4/24/2007	2.9	3	ND	mg/L
Potassium, total	LGW-14R	7/11/2007	4	3		mg/L
Potassium, total	LGW-14R	1/23/2008	1.8	3	ND	mg/L
Potassium, total	LGW-14R	7/22/2008	1.5	3	ND	mg/L
Potassium, total	LGW-14R	2/6/2009	1.2	3	ND	mg/L
Potassium, total	LGW-14R	7/29/2009	0.75	3	ND	mg/L
Potassium, total	LGW-14R	2/3/2010	0.75	3	ND	mg/L
Potassium, total	LGW-14R	2/3/2010	0.75	3	ND	mg/L
Potassium, total	LGW-14R	7/12/2010	0.88	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-14R	1/19/2011	1.1	3	ND	mg/L
Potassium, total	LGW-14R	7/12/2011	1	3	ND	mg/L
Potassium, total	LGW-14R	1/5/2012	0.63	3	ND	mg/L
Potassium, total	LGW-14R	7/9/2012	1.1	3	ND	mg/L
Potassium, total	LGW-14R	4/30/2013	0.8	3	ND	mg/L
Potassium, total	LGW-14R	1/23/2014	0.7	3	ND	mg/L
Potassium, total	LGW-14R	7/8/2014	0.97	3	ND	mg/L
Potassium, total	LGW-14R	2/11/2015	0.92	3	ND	mg/L
Potassium, total	LGW-14R	7/22/2015	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/5/2016	1.3	3	ND	mg/L
Potassium, total	LGW-14R	7/19/2016	1.2	3	ND	mg/L
Potassium, total	LGW-14R	1/11/2017	1.4	3	ND	mg/L
Potassium, total	LGW-14R	7/18/2017	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/25/2018	2	3	ND	mg/L
Potassium, total	LGW-14R	7/17/2018	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/3/2019	1.5	3	ND	mg/L
Potassium, total	LGW-14R	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-14R	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-14R	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-14R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-14R	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-14R	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-2	1/25/2006	2.3	1		mg/L
Potassium, total	LGW-2	8/1/2006	4.3	3		mg/L
Potassium, total	LGW-2	8/1/2006	4.3	3		mg/L
Potassium, total	LGW-2	1/25/2007	5.8	3		mg/L
Potassium, total	LGW-2	4/26/2007	4	3		mg/L
Potassium, total	LGW-2	7/10/2007	5.5	3		mg/L
Potassium, total	LGW-2	1/26/2008	2	3	ND	mg/L
Potassium, total	LGW-2	7/23/2008	3.7	3		mg/L
Potassium, total	LGW-2	2/6/2009	2.8	3	ND	mg/L
Potassium, total	LGW-2	7/30/2009	2.3	3	ND	mg/L
Potassium, total	LGW-2	2/3/2010	2	3	ND	mg/L
Potassium, total	LGW-2	2/3/2010	2	3	ND	mg/L
Potassium, total	LGW-2	7/12/2010	1.9	3	ND	mg/L
Potassium, total	LGW-2	1/19/2011	2.5	3	ND	mg/L
Potassium, total	LGW-2	7/13/2011	1.2	3	ND	mg/L
Potassium, total	LGW-2	1/4/2012	0.55	3	ND	mg/L
Potassium, total	LGW-2	7/9/2012	0.76	3	ND	mg/L
Potassium, total	LGW-2	4/30/2013	0.55	3	ND	mg/L
Potassium, total	LGW-2	7/15/2013	0.56	3	ND	mg/L
Potassium, total	LGW-2	1/30/2014	0.82	3	ND	mg/L
Potassium, total	LGW-2	7/8/2014	1.1	3	ND	mg/L
Potassium, total	LGW-2	2/13/2015	0.61	3	ND	mg/L
Potassium, total	LGW-2	7/8/2015	0.8	3	ND	mg/L
Potassium, total	LGW-2	1/5/2016	0.66	3	ND	mg/L
Potassium, total	LGW-2	7/19/2016	0.42	3	ND	mg/L
Potassium, total	LGW-2	1/11/2017	0.78	3	ND	mg/L
Potassium, total	LGW-2	7/18/2017	3	3	ND	mg/L
Potassium, total	LGW-2	1/23/2018	0.47	3	ND	mg/L
Potassium, total	LGW-2	7/12/2018	0.5	3	ND	mg/L
Potassium, total	LGW-2	1/3/2019	0.54	3	ND	mg/L
Potassium, total	LGW-2	7/9/2019	0.61	3	ND	mg/L
Potassium, total	LGW-2	1/13/2020	3	3	ND	mg/L
Potassium, total	LGW-2	7/8/2020	3	3	ND	mg/L
Potassium, total	LGW-2	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-2	1/18/2021	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-2	7/4/2021	3	3	ND	mg/L
Potassium, total	LGW-2	7/4/2021	3	3	ND	mg/L
Potassium, total	LGW-2	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-2	7/10/2022	3	3	ND	mg/L
Potassium, total	LGW-2	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-3R	1/24/2006	1.3	1		mg/L
Potassium, total	LGW-3R	7/20/2006	1.4	3	ND	mg/L
Potassium, total	LGW-3R	7/20/2006	1.4	3	ND	mg/L
Potassium, total	LGW-3R	1/25/2007	2.8	3	ND	mg/L
Potassium, total	LGW-3R	4/26/2007	3.2	3		mg/L
Potassium, total	LGW-3R	7/11/2007	3.4	3		mg/L
Potassium, total	LGW-3R	1/26/2008	1.6	3	ND	mg/L
Potassium, total	LGW-3R	7/23/2008	1.8	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2009	2.6	3	ND	mg/L
Potassium, total	LGW-3R	7/31/2009	2.5	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-3R	7/16/2010	2.5	3	ND	mg/L
Potassium, total	LGW-3R	1/19/2011	2.2	3	ND	mg/L
Potassium, total	LGW-3R	7/13/2011	1.9	3	ND	mg/L
Potassium, total	LGW-3R	1/4/2012	2.1	3	ND	mg/L
Potassium, total	LGW-3R	7/9/2012	1.9	3	ND	mg/L
Potassium, total	LGW-3R	4/30/2013	1.6	3	ND	mg/L
Potassium, total	LGW-3R	7/15/2013	2.1	3	ND	mg/L
Potassium, total	LGW-3R	1/22/2014	2	3	ND	mg/L
Potassium, total	LGW-3R	7/8/2014	1.8	3	ND	mg/L
Potassium, total	LGW-3R	2/10/2015	1.4	3	ND	mg/L
Potassium, total	LGW-3R	7/16/2015	2.5	3	ND	mg/L
Potassium, total	LGW-3R	1/8/2016	0.56	3	ND	mg/L
Potassium, total	LGW-3R	7/21/2016	0.71	3	ND	mg/L
Potassium, total	LGW-3R	1/11/2017	1.9	3	ND	mg/L
Potassium, total	LGW-3R	7/18/2017	0.75	3	ND	mg/L
Potassium, total	LGW-3R	1/23/2018	2.1	3	ND	mg/L
Potassium, total	LGW-3R	7/11/2018	1.6	3	ND	mg/L
Potassium, total	LGW-3R	1/3/2019	1.9	3	ND	mg/L
Potassium, total	LGW-3R	7/9/2019	1.1	3	ND	mg/L
Potassium, total	LGW-3R	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-3R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-3R	7/10/2022	3	3	ND	mg/L
Potassium, total	LGW-3R	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-4	1/24/2006	1.8	1		mg/L
Potassium, total	LGW-4	7/20/2006	2.2	3	ND	mg/L
Potassium, total	LGW-4	7/20/2006	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/25/2007	5.8	3		mg/L
Potassium, total	LGW-4	4/26/2007	3.4	3		mg/L
Potassium, total	LGW-4	7/11/2007	4.1	3		mg/L
Potassium, total	LGW-4	1/22/2008	2.4	3	ND	mg/L
Potassium, total	LGW-4	7/23/2008	3.9	3		mg/L
Potassium, total	LGW-4	2/3/2009	4.4	3		mg/L
Potassium, total	LGW-4	7/31/2009	2.4	3	ND	mg/L
Potassium, total	LGW-4	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-4	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-4	7/16/2010	3.9	3		mg/L
Potassium, total	LGW-4	1/19/2011	2.3	3	ND	mg/L
Potassium, total	LGW-4	7/13/2011	0.9	3	ND	mg/L
Potassium, total	LGW-4	1/4/2012	2	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-4	7/9/2012	2.1	3	ND	mg/L
Potassium, total	LGW-4	4/30/2013	1.5	3	ND	mg/L
Potassium, total	LGW-4	7/15/2013	1.4	3	ND	mg/L
Potassium, total	LGW-4	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-4	7/8/2014	2.1	3	ND	mg/L
Potassium, total	LGW-4	2/11/2015	1.7	3	ND	mg/L
Potassium, total	LGW-4	7/8/2015	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/5/2016	1.2	3	ND	mg/L
Potassium, total	LGW-4	7/19/2016	1.6	3	ND	mg/L
Potassium, total	LGW-4	1/11/2017	2	3	ND	mg/L
Potassium, total	LGW-4	7/18/2017	0.88	3	ND	mg/L
Potassium, total	LGW-4	1/23/2018	2.5	3	ND	mg/L
Potassium, total	LGW-4	7/11/2018	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/3/2019	2.2	3	ND	mg/L
Potassium, total	LGW-4	7/9/2019	1.5	3	ND	mg/L
Potassium, total	LGW-4	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-4	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-4	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-4	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-4	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-4	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-4	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-4	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-4	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-5	1/25/2006	1.6	1		mg/L
Potassium, total	LGW-5	8/1/2006	1.6	3	ND	mg/L
Potassium, total	LGW-5	8/1/2006	1.6	3	ND	mg/L
Potassium, total	LGW-5	1/25/2007	2.6	3	ND	mg/L
Potassium, total	LGW-5	4/26/2007	3.3	3		mg/L
Potassium, total	LGW-5	7/11/2007	3.2	3		mg/L
Potassium, total	LGW-5	1/23/2008	1.6	3	ND	mg/L
Potassium, total	LGW-5	7/23/2008	2.7	3	ND	mg/L
Potassium, total	LGW-5	2/4/2009	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/29/2009	2.4	3	ND	mg/L
Potassium, total	LGW-5	2/3/2010	2.8	3	ND	mg/L
Potassium, total	LGW-5	2/3/2010	2.8	3	ND	mg/L
Potassium, total	LGW-5	7/12/2010	2.3	3	ND	mg/L
Potassium, total	LGW-5	1/19/2011	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/12/2011	2.1	3	ND	mg/L
Potassium, total	LGW-5	1/5/2012	1.8	3	ND	mg/L
Potassium, total	LGW-5	7/9/2012	2.2	3	ND	mg/L
Potassium, total	LGW-5	4/30/2013	2.2	3	ND	mg/L
Potassium, total	LGW-5	7/15/2013	1.8	3	ND	mg/L
Potassium, total	LGW-5	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-5	7/8/2014	2.4	3	ND	mg/L
Potassium, total	LGW-5	2/10/2015	2.7	3	ND	mg/L
Potassium, total	LGW-5	7/8/2015	2.5	3	ND	mg/L
Potassium, total	LGW-5	1/5/2016	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/19/2016	2.8	3	ND	mg/L
Potassium, total	LGW-5	1/11/2017	2.9	3	ND	mg/L
Potassium, total	LGW-5	7/18/2017	1.6	3	ND	mg/L
Potassium, total	LGW-5	1/23/2018	2.9	3	ND	mg/L
Potassium, total	LGW-5	7/12/2018	2.7	3	ND	mg/L
Potassium, total	LGW-5	1/3/2019	2.8	3	ND	mg/L
Potassium, total	LGW-5	7/9/2019	2.9	3	ND	mg/L
Potassium, total	LGW-5	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-5	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-5	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-5	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-5	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-5	7/7/2021	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-5	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-5	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-5	1/10/2023	3.08	3		mg/L
Potassium, total	LGW-6	1/24/2006	1.9	1		mg/L
Potassium, total	LGW-6	7/20/2006	2	3	ND	mg/L
Potassium, total	LGW-6	7/20/2006	2	3	ND	mg/L
Potassium, total	LGW-6	1/24/2007	2	3	ND	mg/L
Potassium, total	LGW-6	4/26/2007	2.7	3	ND	mg/L
Potassium, total	LGW-6	7/11/2007	2.2	3	ND	mg/L
Potassium, total	LGW-6	1/23/2008	1.6	3	ND	mg/L
Potassium, total	LGW-6	7/23/2008	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/5/2009	1.8	3	ND	mg/L
Potassium, total	LGW-6	7/29/2009	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/3/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/3/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	7/12/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	1/19/2011	2.1	3	ND	mg/L
Potassium, total	LGW-6	7/12/2011	2	3	ND	mg/L
Potassium, total	LGW-6	1/5/2012	1.8	3	ND	mg/L
Potassium, total	LGW-6	7/9/2012	2	3	ND	mg/L
Potassium, total	LGW-6	4/30/2013	2.1	3	ND	mg/L
Potassium, total	LGW-6	7/15/2013	2	3	ND	mg/L
Potassium, total	LGW-6	1/23/2014	2	3	ND	mg/L
Potassium, total	LGW-6	7/8/2014	2.1	3	ND	mg/L
Potassium, total	LGW-6	2/10/2015	2.2	3	ND	mg/L
Potassium, total	LGW-6	7/22/2015	2.1	3	ND	mg/L
Potassium, total	LGW-6	1/5/2016	2.4	3	ND	mg/L
Potassium, total	LGW-6	7/19/2016	2.2	3	ND	mg/L
Potassium, total	LGW-6	10/6/2016	2.7	3	ND	mg/L
Potassium, total	LGW-6	1/11/2017	2.4	3	ND	mg/L
Potassium, total	LGW-6	5/5/2017	2.5	3	ND	mg/L
Potassium, total	LGW-6	7/18/2017	1.3	3	ND	mg/L
Potassium, total	LGW-6	10/5/2017	2.5	3	ND	mg/L
Potassium, total	LGW-6	1/23/2018	2.6	3	ND	mg/L
Potassium, total	LGW-6	4/10/2018	1.5	3	ND	mg/L
Potassium, total	LGW-6	7/17/2018	2.4	3	ND	mg/L
Potassium, total	LGW-6	10/2/2018	2.4	3	ND	mg/L
Potassium, total	LGW-6	1/7/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	4/3/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	7/10/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	7/10/2019	2.4	3	ND	mg/L
Potassium, total	LGW-6	10/3/2019	2.2	3	ND	mg/L
Potassium, total	LGW-6	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-6	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-6	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-6	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-6	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-6	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-6	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-6	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-7	1/25/2006	1	1	ND	mg/L
Potassium, total	LGW-7	8/1/2006	1.2	3	ND	mg/L
Potassium, total	LGW-7	8/1/2006	1.2	3	ND	mg/L
Potassium, total	LGW-7	1/24/2007	1.3	3	ND	mg/L
Potassium, total	LGW-7	4/26/2007	2.1	3	ND	mg/L
Potassium, total	LGW-7	7/12/2007	1.5	3	ND	mg/L
Potassium, total	LGW-7	7/22/2008	1.1	3	ND	mg/L
Potassium, total	LGW-7	2/4/2009	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/31/2009	1.2	3	ND	mg/L
Potassium, total	LGW-7	1/27/2010	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/12/2010	1.2	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-7	1/20/2011	1.3	3	ND	mg/L
Potassium, total	LGW-7	7/12/2011	1.3	3	ND	mg/L
Potassium, total	LGW-7	1/5/2012	1.3	3	ND	mg/L
Potassium, total	LGW-7	7/10/2012	1.6	3	ND	mg/L
Potassium, total	LGW-7	4/30/2013	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/15/2013	1.3	3	ND	mg/L
Potassium, total	LGW-7	1/23/2014	1.4	3	ND	mg/L
Potassium, total	LGW-7	7/8/2014	1.5	3	ND	mg/L
Potassium, total	LGW-7	2/11/2015	1.4	3	ND	mg/L
Potassium, total	LGW-7	7/22/2015	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/5/2016	1.7	3	ND	mg/L
Potassium, total	LGW-7	4/6/2016	1.6	3	ND	mg/L
Potassium, total	LGW-7	7/20/2016	1.4	3	ND	mg/L
Potassium, total	LGW-7	10/6/2016	1.9	3	ND	mg/L
Potassium, total	LGW-7	1/11/2017	1.5	3	ND	mg/L
Potassium, total	LGW-7	4/4/2017	2.4	3	ND	mg/L
Potassium, total	LGW-7	7/18/2017	0.86	3	ND	mg/L
Potassium, total	LGW-7	10/5/2017	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/24/2018	1.7	3	ND	mg/L
Potassium, total	LGW-7	4/11/2018	0.92	3	ND	mg/L
Potassium, total	LGW-7	7/12/2018	1.4	3	ND	mg/L
Potassium, total	LGW-7	10/2/2018	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/7/2019	1.4	3	ND	mg/L
Potassium, total	LGW-7	4/3/2019	1.6	3	ND	mg/L
Potassium, total	LGW-7	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-7	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-7	10/3/2019	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/15/2020	3	3	ND	mg/L
Potassium, total	LGW-7	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-7	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-7	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-7	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-7	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-7	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-7	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-8R	1/24/2006	2.8	1		mg/L
Potassium, total	LGW-8R	7/20/2006	2.8	3	ND	mg/L
Potassium, total	LGW-8R	7/20/2006	2.8	3	ND	mg/L
Potassium, total	LGW-8R	1/24/2007	3.6	3		mg/L
Potassium, total	LGW-8R	4/25/2007	4.1	3		mg/L
Potassium, total	LGW-8R	7/12/2007	3.2	3		mg/L
Potassium, total	LGW-8R	2/4/2009	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/29/2009	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/27/2010	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/14/2010	2.1	3	ND	mg/L
Potassium, total	LGW-8R	1/20/2011	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/12/2011	2.3	3	ND	mg/L
Potassium, total	LGW-8R	1/5/2012	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/9/2012	2.2	3	ND	mg/L
Potassium, total	LGW-8R	4/30/2013	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/15/2013	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/22/2014	2	3	ND	mg/L
Potassium, total	LGW-8R	7/8/2014	2.2	3	ND	mg/L
Potassium, total	LGW-8R	2/11/2015	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/22/2015	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/5/2016	2.8	3	ND	mg/L
Potassium, total	LGW-8R	7/20/2016	2.5	3	ND	mg/L
Potassium, total	LGW-8R	1/11/2017	2.5	3	ND	mg/L
Potassium, total	LGW-8R	7/18/2017	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/25/2018	3.7	3		mg/L
Potassium, total	LGW-8R	7/13/2018	2.6	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-8R	1/7/2019	2.7	3	ND	mg/L
Potassium, total	LGW-8R	7/8/2019	2.8	3	ND	mg/L
Potassium, total	LGW-8R	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2020	3	3	ND	mg/L
Potassium, total	LGW-8R	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-8R	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-8R	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-9	1/25/2006	1.7	1		mg/L
Potassium, total	LGW-9	7/20/2006	1.7	3	ND	mg/L
Potassium, total	LGW-9	7/20/2006	1.7	3	ND	mg/L
Potassium, total	LGW-9	1/25/2007	2.1	3	ND	mg/L
Potassium, total	LGW-9	4/25/2007	2.6	3	ND	mg/L
Potassium, total	LGW-9	7/10/2007	2	3	ND	mg/L
Potassium, total	LGW-9	7/22/2008	1.6	3	ND	mg/L
Potassium, total	LGW-9	2/4/2009	1.6	3	ND	mg/L
Potassium, total	LGW-9	7/29/2009	1.8	3	ND	mg/L
Potassium, total	LGW-9	1/27/2010	1.9	3	ND	mg/L
Potassium, total	LGW-9	7/14/2010	2	3	ND	mg/L
Potassium, total	LGW-9	1/20/2011	2.2	3	ND	mg/L
Potassium, total	LGW-9	7/12/2011	2.2	3	ND	mg/L
Potassium, total	LGW-9	1/5/2012	2	3	ND	mg/L
Potassium, total	LGW-9	7/10/2012	2.3	3	ND	mg/L
Potassium, total	LGW-9	5/1/2013	2.2	3	ND	mg/L
Potassium, total	LGW-9	7/15/2013	1.9	3	ND	mg/L
Potassium, total	LGW-9	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-9	7/8/2014	1.9	3	ND	mg/L
Potassium, total	LGW-9	2/11/2015	1.5	3	ND	mg/L
Potassium, total	LGW-9	7/13/2015	1.9	3	ND	mg/L
Potassium, total	LGW-9	1/5/2016	2.4	3	ND	mg/L
Potassium, total	LGW-9	7/21/2016	2.8	3	ND	mg/L
Potassium, total	LGW-9	10/6/2016	2.8	3	ND	mg/L
Potassium, total	LGW-9	1/11/2017	2.6	3	ND	mg/L
Potassium, total	LGW-9	5/5/2017	2.8	3	ND	mg/L
Potassium, total	LGW-9	7/18/2017	2.5	3	ND	mg/L
Potassium, total	LGW-9	10/5/2017	2.8	3	ND	mg/L
Potassium, total	LGW-9	1/24/2018	3.2	3		mg/L
Potassium, total	LGW-9	4/11/2018	1.9	3	ND	mg/L
Potassium, total	LGW-9	7/13/2018	2.5	3	ND	mg/L
Potassium, total	LGW-9	10/2/2018	2.3	3	ND	mg/L
Potassium, total	LGW-9	1/7/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	4/3/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	7/10/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	7/10/2019	2.4	3	ND	mg/L
Potassium, total	LGW-9	10/3/2019	2	3	ND	mg/L
Potassium, total	LGW-9	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-9	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-9	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-9	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-9	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-9	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-9	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-9	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-10N	10/22/1997	2.4	0.15		mg/L
Potassium, total	MW-10N	1/22/1998	1.1	0.15		mg/L
Potassium, total	MW-10N	4/28/1998	1.1	0.15		mg/L
Potassium, total	MW-10N	7/23/1998	0.42	0.15		mg/L
Potassium, total	MW-10N	7/8/2003	1	1	ND	mg/L
Potassium, total	MW-10N	1/28/2004	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-10N	7/27/2004	1	1		mg/L
Potassium, total	MW-10N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-10N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-10N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-10N	7/19/2006	0.68	3	ND	mg/L
Potassium, total	MW-10N	7/19/2006	0.68	3	ND	mg/L
Potassium, total	MW-10N	1/24/2007	0.8	3	ND	mg/L
Potassium, total	MW-10N	7/10/2007	0.93	3	ND	mg/L
Potassium, total	MW-10N	1/23/2008	0.49	3	ND	mg/L
Potassium, total	MW-10N	7/21/2008	0.41	3	ND	mg/L
Potassium, total	MW-10N	2/13/2009	0.76	3	ND	mg/L
Potassium, total	MW-10N	7/31/2009	0.7	3	ND	mg/L
Potassium, total	MW-10N	1/27/2010	0.75	3	ND	mg/L
Potassium, total	MW-10N	8/10/2010	0.55	3	ND	mg/L
Potassium, total	MW-10N	1/19/2011	0.7	3	ND	mg/L
Potassium, total	MW-10N	7/14/2011	0.78	3	ND	mg/L
Potassium, total	MW-10N	1/5/2012	0.59	3	ND	mg/L
Potassium, total	MW-10N	7/10/2012	0.76	3	ND	mg/L
Potassium, total	MW-10N	5/1/2013	0.71	3	ND	mg/L
Potassium, total	MW-10N	1/24/2014	0.69	3	ND	mg/L
Potassium, total	MW-10N	7/9/2014	0.82	3	ND	mg/L
Potassium, total	MW-10N	2/12/2015	0.62	3	ND	mg/L
Potassium, total	MW-10N	7/14/2015	0.61	3	ND	mg/L
Potassium, total	MW-10N	1/6/2016	0.65	3	ND	mg/L
Potassium, total	MW-10N	7/21/2016	0.6	3	ND	mg/L
Potassium, total	MW-10N	1/11/2017	0.7	3	ND	mg/L
Potassium, total	MW-10N	7/19/2017	0.36	3	ND	mg/L
Potassium, total	MW-10N	1/24/2018	0.9	3	ND	mg/L
Potassium, total	MW-10N	7/11/2018	0.62	3	ND	mg/L
Potassium, total	MW-10N	1/3/2019	0.64	3	ND	mg/L
Potassium, total	MW-10N	7/9/2019	0.77	3	ND	mg/L
Potassium, total	MW-10N	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-10N	7/8/2020	3	3	ND	mg/L
Potassium, total	MW-10N	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-10N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-10N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-10N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-11N	10/22/1997	2.1	0.15		mg/L
Potassium, total	MW-11N	1/21/1998	0.6	0.15		mg/L
Potassium, total	MW-11N	4/28/1998	1	0.15		mg/L
Potassium, total	MW-11N	7/23/1998	0.57	0.15		mg/L
Potassium, total	MW-11N	7/8/2003	1	1		mg/L
Potassium, total	MW-11N	1/29/2004	2.9	1		mg/L
Potassium, total	MW-11N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-11N	1/13/2005	1	1	ND	mg/L
Potassium, total	MW-11N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-11N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-11N	7/18/2006	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/18/2006	0.8	3	ND	mg/L
Potassium, total	MW-11N	1/24/2007	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/10/2007	0.94	3	ND	mg/L
Potassium, total	MW-11N	1/22/2008	0.64	3	ND	mg/L
Potassium, total	MW-11N	7/23/2008	0.46	3	ND	mg/L
Potassium, total	MW-11N	2/3/2009	0.48	3	ND	mg/L
Potassium, total	MW-11N	7/31/2009	0.71	3	ND	mg/L
Potassium, total	MW-11N	2/3/2010	0.69	3	ND	mg/L
Potassium, total	MW-11N	2/3/2010	0.69	3	ND	mg/L
Potassium, total	MW-11N	7/16/2010	0.72	3	ND	mg/L
Potassium, total	MW-11N	1/19/2011	0.6	3	ND	mg/L
Potassium, total	MW-11N	7/13/2011	0.77	3	ND	mg/L
Potassium, total	MW-11N	1/4/2012	0.52	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-11N	7/9/2012	0.73	3	ND	mg/L
Potassium, total	MW-11N	4/30/2013	0.48	3	ND	mg/L
Potassium, total	MW-11N	7/15/2013	0.55	3	ND	mg/L
Potassium, total	MW-11N	1/23/2014	0.54	3	ND	mg/L
Potassium, total	MW-11N	7/8/2014	1	3	ND	mg/L
Potassium, total	MW-11N	2/10/2015	0.63	3	ND	mg/L
Potassium, total	MW-11N	7/13/2015	0.58	3	ND	mg/L
Potassium, total	MW-11N	1/5/2016	0.59	3	ND	mg/L
Potassium, total	MW-11N	7/21/2016	0.59	3	ND	mg/L
Potassium, total	MW-11N	1/11/2017	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/19/2017	0.45	3	ND	mg/L
Potassium, total	MW-11N	1/23/2018	0.65	3	ND	mg/L
Potassium, total	MW-11N	7/17/2018	0.56	3	ND	mg/L
Potassium, total	MW-11N	1/2/2019	0.64	3	ND	mg/L
Potassium, total	MW-11N	7/9/2019	0.69	3	ND	mg/L
Potassium, total	MW-11N	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2021	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2021	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2022	3	3	ND	mg/L
Potassium, total	MW-11N	7/13/2022	3	3	ND	mg/L
Potassium, total	MW-11N	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-15	6/5/2015	0.37	3	ND	mg/L
Potassium, total	MW-15	7/15/2015	0.49	3	ND	mg/L
Potassium, total	MW-15	8/5/2015	1.7	3	ND	mg/L
Potassium, total	MW-15	9/3/2015	0.61	3	ND	mg/L
Potassium, total	MW-15	1/7/2016	0.71	3	ND	mg/L
Potassium, total	MW-15	4/5/2016	0.63	3	ND	mg/L
Potassium, total	MW-15	7/20/2016	0.48	3	ND	mg/L
Potassium, total	MW-15	10/6/2016	0.39	3	ND	mg/L
Potassium, total	MW-15	1/10/2017	0.8	3	ND	mg/L
Potassium, total	MW-15	7/18/2017	0.49	3	ND	mg/L
Potassium, total	MW-15	1/23/2018	0.76	3	ND	mg/L
Potassium, total	MW-15	7/10/2018	1	3	ND	mg/L
Potassium, total	MW-15	1/3/2019	1	3	ND	mg/L
Potassium, total	MW-15	7/9/2019	0.59	3	ND	mg/L
Potassium, total	MW-15	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-15	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-15	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-15	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-15	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-15	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-15	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-15	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-15	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-16	6/5/2015	0.76	3	ND	mg/L
Potassium, total	MW-16	7/16/2015	0.76	3	ND	mg/L
Potassium, total	MW-16	8/5/2015	1.8	3	ND	mg/L
Potassium, total	MW-16	9/3/2015	1	3	ND	mg/L
Potassium, total	MW-16	1/8/2016	0.77	3	ND	mg/L
Potassium, total	MW-16	4/5/2016	0.82	3	ND	mg/L
Potassium, total	MW-16	7/21/2016	0.48	3	ND	mg/L
Potassium, total	MW-16	10/5/2016	0.37	3	ND	mg/L
Potassium, total	MW-16	1/10/2017	0.77	3	ND	mg/L
Potassium, total	MW-16	7/18/2017	0.53	3	ND	mg/L
Potassium, total	MW-16	1/23/2018	0.45	3	ND	mg/L
Potassium, total	MW-16	7/11/2018	0.39	3	ND	mg/L
Potassium, total	MW-16	1/2/2019	0.76	3	ND	mg/L
Potassium, total	MW-16	7/10/2019	0.42	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-16	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-16	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-16	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-16	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-16	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-16	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-16	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-16	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-16	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-17	6/5/2015	0.37	3	ND	mg/L
Potassium, total	MW-17	7/15/2015	0.51	3	ND	mg/L
Potassium, total	MW-17	8/4/2015	1.4	3	ND	mg/L
Potassium, total	MW-17	9/2/2015	0.63	3	ND	mg/L
Potassium, total	MW-17	1/7/2016	1	3	ND	mg/L
Potassium, total	MW-17	4/5/2016	0.52	3	ND	mg/L
Potassium, total	MW-17	7/20/2016	0.38	3	ND	mg/L
Potassium, total	MW-17	10/6/2016	0.52	3	ND	mg/L
Potassium, total	MW-17	1/10/2017	0.82	3	ND	mg/L
Potassium, total	MW-17	7/18/2017	0.45	3	ND	mg/L
Potassium, total	MW-17	1/23/2018	0.67	3	ND	mg/L
Potassium, total	MW-17	7/10/2018	1.3	3	ND	mg/L
Potassium, total	MW-17	1/3/2019	0.95	3	ND	mg/L
Potassium, total	MW-17	7/11/2019	0.74	3	ND	mg/L
Potassium, total	MW-17	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-17	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-17	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-17	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-17	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-17	1/10/2023	3.14	3		mg/L
Potassium, total	MW-19	6/5/2015	0.8	3	ND	mg/L
Potassium, total	MW-19	7/16/2015	1.6	3	ND	mg/L
Potassium, total	MW-19	8/5/2015	1.6	3	ND	mg/L
Potassium, total	MW-19	9/3/2015	0.81	3	ND	mg/L
Potassium, total	MW-19	1/7/2016	1.4	3	ND	mg/L
Potassium, total	MW-19	4/5/2016	1.1	3	ND	mg/L
Potassium, total	MW-19	7/21/2016	0.66	3	ND	mg/L
Potassium, total	MW-19	10/5/2016	0.77	3	ND	mg/L
Potassium, total	MW-19	1/10/2017	1	3	ND	mg/L
Potassium, total	MW-19	7/18/2017	1.6	3	ND	mg/L
Potassium, total	MW-19	1/23/2018	1.2	3	ND	mg/L
Potassium, total	MW-19	7/13/2018	0.73	3	ND	mg/L
Potassium, total	MW-19	1/7/2019	0.76	3	ND	mg/L
Potassium, total	MW-19	7/11/2019	0.8	3	ND	mg/L
Potassium, total	MW-19	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-19	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-19	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-19	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-19	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-19	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-1N	10/22/1997	0.64	0.15		mg/L
Potassium, total	MW-1N	1/20/1998	6.6	0.15		mg/L
Potassium, total	MW-1N	4/28/1998	2.8	0.15		mg/L
Potassium, total	MW-1N	7/23/1998	2	0.15		mg/L
Potassium, total	MW-1N	7/8/2003	1	1		mg/L
Potassium, total	MW-1N	1/28/2004	1	1	ND	mg/L
Potassium, total	MW-1N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-1N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-1N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-1N	1/18/2006	1	1	ND	mg/L
Potassium, total	MW-1N	7/18/2006	0.48	3	ND	mg/L
Potassium, total	MW-1N	7/18/2006	0.48	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-1N	1/26/2007	0.83	3	ND	mg/L
Potassium, total	MW-1N	7/11/2007	0.68	3	ND	mg/L
Potassium, total	MW-1N	1/24/2008	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/21/2008	0.37	3	ND	mg/L
Potassium, total	MW-1N	2/5/2009	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/31/2009	0.43	3	ND	mg/L
Potassium, total	MW-1N	1/26/2010	0.4	3	ND	mg/L
Potassium, total	MW-1N	7/13/2010	0.52	3	ND	mg/L
Potassium, total	MW-1N	1/20/2011	0.42	3	ND	mg/L
Potassium, total	MW-1N	7/13/2011	0.86	3	ND	mg/L
Potassium, total	MW-1N	1/5/2012	0.5	3	ND	mg/L
Potassium, total	MW-1N	7/10/2012	0.49	3	ND	mg/L
Potassium, total	MW-1N	5/1/2013	1.5	3	ND	mg/L
Potassium, total	MW-1N	7/16/2013	1.1	3	ND	mg/L
Potassium, total	MW-1N	1/24/2014	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/9/2014	0.56	3	ND	mg/L
Potassium, total	MW-1N	2/10/2015	0.45	3	ND	mg/L
Potassium, total	MW-1N	7/14/2015	1.2	3	ND	mg/L
Potassium, total	MW-1N	1/6/2016	1.6	3	ND	mg/L
Potassium, total	MW-1N	7/21/2016	0.7	3	ND	mg/L
Potassium, total	MW-1N	1/12/2017	0.6	3	ND	mg/L
Potassium, total	MW-1N	7/19/2017	0.39	3	ND	mg/L
Potassium, total	MW-1N	1/23/2018	0.9	3	ND	mg/L
Potassium, total	MW-1N	7/10/2018	1.3	3	ND	mg/L
Potassium, total	MW-1N	1/3/2019	0.46	3	ND	mg/L
Potassium, total	MW-1N	7/11/2019	0.63	3	ND	mg/L
Potassium, total	MW-1N	1/23/2020	3	3	ND	mg/L
Potassium, total	MW-1N	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-1N	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-1N	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-1N	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-1N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-20	6/5/2015	1.6	3	ND	mg/L
Potassium, total	MW-20	7/14/2015	1.6	3	ND	mg/L
Potassium, total	MW-20	8/4/2015	2.7	3	ND	mg/L
Potassium, total	MW-20	9/2/2015	1.9	3	ND	mg/L
Potassium, total	MW-20	1/7/2016	2.4	3	ND	mg/L
Potassium, total	MW-20	4/5/2016	1.3	3	ND	mg/L
Potassium, total	MW-20	7/20/2016	1.2	3	ND	mg/L
Potassium, total	MW-20	10/5/2016	1.1	3	ND	mg/L
Potassium, total	MW-20	1/12/2017	1.6	3	ND	mg/L
Potassium, total	MW-20	7/18/2017	3	3	ND	mg/L
Potassium, total	MW-20	1/26/2018	1.6	3	ND	mg/L
Potassium, total	MW-20	7/12/2018	1.1	3	ND	mg/L
Potassium, total	MW-20	7/11/2019	1.3	3	ND	mg/L
Potassium, total	MW-20	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-20	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-20	1/17/2021	3	3	ND	mg/L
Potassium, total	MW-20	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-20	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-20	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-21	6/5/2015	2.6	3	ND	mg/L
Potassium, total	MW-21	7/14/2015	2.8	3	ND	mg/L
Potassium, total	MW-21	8/4/2015	3.7	3		mg/L
Potassium, total	MW-21	9/2/2015	3.2	3		mg/L
Potassium, total	MW-21	1/7/2016	2.6	3	ND	mg/L
Potassium, total	MW-21	4/5/2016	3	3		mg/L
Potassium, total	MW-21	7/20/2016	2.6	3	ND	mg/L
Potassium, total	MW-21	10/5/2016	2.2	3	ND	mg/L
Potassium, total	MW-21	10/5/2016	2.4	3	ND	mg/L
Potassium, total	MW-21	1/10/2017	2.8	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-21	4/5/2017	2.2	3	ND	mg/L
Potassium, total	MW-21	7/19/2017	1.5	3	ND	mg/L
Potassium, total	MW-21	10/6/2017	2.8	3	ND	mg/L
Potassium, total	MW-21	1/24/2018	2.9	3	ND	mg/L
Potassium, total	MW-21	4/11/2018	2.2	3	ND	mg/L
Potassium, total	MW-21	7/11/2018	2.7	3	ND	mg/L
Potassium, total	MW-21	10/4/2018	2.5	3	ND	mg/L
Potassium, total	MW-21	1/3/2019	3.3	3		mg/L
Potassium, total	MW-21	4/3/2019	3	3		mg/L
Potassium, total	MW-21	7/11/2019	2.9	3	ND	mg/L
Potassium, total	MW-21	7/11/2019	3	3		mg/L
Potassium, total	MW-21	10/2/2019	2.8	3	ND	mg/L
Potassium, total	MW-21	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-21	7/8/2020	3	3	ND	mg/L
Potassium, total	MW-21	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-21	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-21	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-21	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-2N	10/22/1997	1.1	0.15		mg/L
Potassium, total	MW-2N	1/21/1998	0.74	0.15		mg/L
Potassium, total	MW-2N	4/28/1998	0.87	0.15		mg/L
Potassium, total	MW-2N	7/22/1998	0.84	0.15		mg/L
Potassium, total	MW-2N	7/7/2003	1	1	ND	mg/L
Potassium, total	MW-2N	1/28/2004	1	1	ND	mg/L
Potassium, total	MW-2N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-2N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-2N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-2N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-2N	7/19/2006	0.82	3	ND	mg/L
Potassium, total	MW-2N	7/19/2006	0.82	3	ND	mg/L
Potassium, total	MW-2N	1/26/2007	1.2	3	ND	mg/L
Potassium, total	MW-2N	7/11/2007	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/24/2008	0.82	3	ND	mg/L
Potassium, total	MW-2N	7/22/2008	0.88	3	ND	mg/L
Potassium, total	MW-2N	2/4/2009	0.85	3	ND	mg/L
Potassium, total	MW-2N	7/31/2009	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/26/2010	1	3	ND	mg/L
Potassium, total	MW-2N	7/13/2010	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/20/2011	1.2	3	ND	mg/L
Potassium, total	MW-2N	7/13/2011	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/5/2012	0.92	3	ND	mg/L
Potassium, total	MW-2N	7/10/2012	1.1	3	ND	mg/L
Potassium, total	MW-2N	5/1/2013	0.93	3	ND	mg/L
Potassium, total	MW-2N	7/16/2013	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/24/2014	0.94	3	ND	mg/L
Potassium, total	MW-2N	7/9/2014	1.3	3	ND	mg/L
Potassium, total	MW-2N	2/12/2015	1	3	ND	mg/L
Potassium, total	MW-2N	7/14/2015	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/6/2016	1.3	3	ND	mg/L
Potassium, total	MW-2N	7/21/2016	1.3	3	ND	mg/L
Potassium, total	MW-2N	1/11/2017	1.4	3	ND	mg/L
Potassium, total	MW-2N	7/19/2017	0.84	3	ND	mg/L
Potassium, total	MW-2N	1/23/2018	1.7	3	ND	mg/L
Potassium, total	MW-2N	7/12/2018	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/3/2019	1.3	3	ND	mg/L
Potassium, total	MW-2N	7/11/2019	1.5	3	ND	mg/L
Potassium, total	MW-2N	1/24/2020	3	3	ND	mg/L
Potassium, total	MW-2N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-2N	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-2N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-2N	7/5/2021	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-2N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-3N	10/21/1997	2.4	0.15		mg/L
Potassium, total	MW-3N	1/21/1998	1.8	0.15		mg/L
Potassium, total	MW-3N	4/28/1998	1.9	0.15		mg/L
Potassium, total	MW-3N	7/23/1998	2.1	0.15		mg/L
Potassium, total	MW-3N	7/7/2003	2.7	1		mg/L
Potassium, total	MW-3N	1/28/2004	2.7	1		mg/L
Potassium, total	MW-3N	7/27/2004	2.8	1		mg/L
Potassium, total	MW-3N	1/12/2005	2.8	1		mg/L
Potassium, total	MW-3N	7/20/2005	2.8	1		mg/L
Potassium, total	MW-3N	1/18/2006	2.8	1		mg/L
Potassium, total	MW-3N	7/19/2006	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/19/2006	2.6	3	ND	mg/L
Potassium, total	MW-3N	1/26/2007	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/11/2007	3	3		mg/L
Potassium, total	MW-3N	1/24/2008	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/22/2008	2.6	3	ND	mg/L
Potassium, total	MW-3N	2/4/2009	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/31/2009	2.9	3	ND	mg/L
Potassium, total	MW-3N	1/26/2010	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/13/2010	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/20/2011	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/14/2011	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/5/2012	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/11/2012	2.6	3	ND	mg/L
Potassium, total	MW-3N	5/1/2013	2.7	3	ND	mg/L
Potassium, total	MW-3N	6/4/2013	2.5	3	ND	mg/L
Potassium, total	MW-3N	7/16/2013	2.5	3	ND	mg/L
Potassium, total	MW-3N	1/24/2014	2.2	3	ND	mg/L
Potassium, total	MW-3N	7/9/2014	2.9	3	ND	mg/L
Potassium, total	MW-3N	2/12/2015	2.4	3	ND	mg/L
Potassium, total	MW-3N	4/1/2015	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/14/2015	2.5	3	ND	mg/L
Potassium, total	MW-3N	10/5/2015	2.8	3	ND	mg/L
Potassium, total	MW-3N	1/6/2016	2.8	3	ND	mg/L
Potassium, total	MW-3N	4/6/2016	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/21/2016	2.8	3	ND	mg/L
Potassium, total	MW-3N	10/6/2016	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/11/2017	2.3	3	ND	mg/L
Potassium, total	MW-3N	4/4/2017	1.9	3	ND	mg/L
Potassium, total	MW-3N	7/19/2017	1.9	3	ND	mg/L
Potassium, total	MW-3N	10/9/2017	2.6	3	ND	mg/L
Potassium, total	MW-3N	1/24/2018	2.6	3	ND	mg/L
Potassium, total	MW-3N	4/10/2018	1.9	3	ND	mg/L
Potassium, total	MW-3N	7/13/2018	2.6	3	ND	mg/L
Potassium, total	MW-3N	10/3/2018	2.5	3	ND	mg/L
Potassium, total	MW-3N	1/7/2019	2	3	ND	mg/L
Potassium, total	MW-3N	4/3/2019	2.7	3	ND	mg/L
Potassium, total	MW-3N	7/11/2019	2.7	3	ND	mg/L
Potassium, total	MW-3N	7/11/2019	2.8	3	ND	mg/L
Potassium, total	MW-3N	10/2/2019	2.4	3	ND	mg/L
Potassium, total	MW-3N	1/21/2020	3	3	ND	mg/L
Potassium, total	MW-3N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-3N	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-3N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-3N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-3N	1/11/2023	3.11	3		mg/L
Potassium, total	MW-7N	10/21/1997	3	0.15		mg/L
Potassium, total	MW-7N	1/21/1998	6.6	0.15		mg/L
Potassium, total	MW-7N	7/22/1998	1.8	0.15		mg/L
Potassium, total	MW-7N	8/18/1998	1.6	0.15		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-7N	9/17/1998	1.5	0.15		mg/L
Potassium, total	MW-7N	11/9/1998	1.8	0.15		mg/L
Potassium, total	MW-7N	7/7/2003	13.6	1		mg/L
Potassium, total	MW-7N	1/27/2004	8.2	1		mg/L
Potassium, total	MW-7N	4/8/2004	11.3	1		mg/L
Potassium, total	MW-7N	7/26/2004	2.3	1		mg/L
Potassium, total	MW-7N	1/12/2005	2.7	1		mg/L
Potassium, total	MW-7N	7/19/2005	2.1	1		mg/L
Potassium, total	MW-7N	1/19/2006	5.6	1		mg/L
Potassium, total	MW-7N	7/19/2006	2.4	3	ND	mg/L
Potassium, total	MW-7N	7/19/2006	2.4	3	ND	mg/L
Potassium, total	MW-7N	1/26/2007	3.1	3		mg/L
Potassium, total	MW-7N	7/10/2007	2.4	3	ND	mg/L
Potassium, total	MW-7N	7/21/2008	1.5	3	ND	mg/L
Potassium, total	MW-7N	2/6/2009	1.5	3	ND	mg/L
Potassium, total	MW-7N	7/29/2009	0.78	3	ND	mg/L
Potassium, total	MW-7N	1/26/2010	1.3	3	ND	mg/L
Potassium, total	MW-7N	7/14/2010	1.1	3	ND	mg/L
Potassium, total	MW-7N	1/20/2011	1.1	3	ND	mg/L
Potassium, total	MW-7N	7/12/2011	0.74	3	ND	mg/L
Potassium, total	MW-7N	1/5/2012	0.64	3	ND	mg/L
Potassium, total	MW-7N	7/10/2012	0.76	3	ND	mg/L
Potassium, total	MW-7N	5/1/2013	1.7	3	ND	mg/L
Potassium, total	MW-7N	6/4/2013	1.1	3	ND	mg/L
Potassium, total	MW-7N	7/15/2013	0.73	3	ND	mg/L
Potassium, total	MW-7N	1/30/2014	0.75	3	ND	mg/L
Potassium, total	MW-7N	7/9/2014	0.8	3	ND	mg/L
Potassium, total	MW-7N	2/12/2015	0.72	3	ND	mg/L
Potassium, total	MW-7N	7/13/2015	0.46	3	ND	mg/L
Potassium, total	MW-7N	1/5/2016	0.44	3	ND	mg/L
Potassium, total	MW-7N	7/21/2016	0.76	3	ND	mg/L
Potassium, total	MW-7N	1/11/2017	2.8	3	ND	mg/L
Potassium, total	MW-7N	4/4/2017	1.3	3	ND	mg/L
Potassium, total	MW-7N	7/19/2017	1.3	3	ND	mg/L
Potassium, total	MW-7N	10/5/2017	1.7	3	ND	mg/L
Potassium, total	MW-7N	1/25/2018	2.5	3	ND	mg/L
Potassium, total	MW-7N	4/11/2018	0.56	3	ND	mg/L
Potassium, total	MW-7N	7/13/2018	1.1	3	ND	mg/L
Potassium, total	MW-7N	1/4/2019	1.7	3	ND	mg/L
Potassium, total	MW-7N	7/10/2019	1	3	ND	mg/L
Potassium, total	MW-7N	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-7N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-7N	1/16/2021	3	3	ND	mg/L
Potassium, total	MW-7N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-7N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-7N	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-7N	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-7N	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-8N	10/21/1997	0.75	0.15		mg/L
Potassium, total	MW-8N	1/22/1998	1.1	0.15		mg/L
Potassium, total	MW-8N	4/28/1998	1.4	0.15		mg/L
Potassium, total	MW-8N	7/22/1998	1.2	0.15		mg/L
Potassium, total	MW-8N	7/7/2003	1	1	ND	mg/L
Potassium, total	MW-8N	1/28/2004	1.4	1		mg/L
Potassium, total	MW-8N	7/27/2004	1.1	1		mg/L
Potassium, total	MW-8N	1/12/2005	1.4	1		mg/L
Potassium, total	MW-8N	7/20/2005	1.5	1		mg/L
Potassium, total	MW-8N	1/19/2006	1.3	1		mg/L
Potassium, total	MW-8N	7/19/2006	1.4	3	ND	mg/L
Potassium, total	MW-8N	7/19/2006	1.4	3	ND	mg/L
Potassium, total	MW-8N	1/26/2007	1.9	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-8N	4/25/2007	2.3	3	ND	mg/L
Potassium, total	MW-8N	7/10/2007	2.3	3	ND	mg/L
Potassium, total	MW-8N	1/24/2008	1.4	3	ND	mg/L
Potassium, total	MW-8N	7/23/2008	1.2	3	ND	mg/L
Potassium, total	MW-8N	2/4/2009	1.3	3	ND	mg/L
Potassium, total	MW-8N	7/31/2009	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/26/2010	1.3	3	ND	mg/L
Potassium, total	MW-8N	7/16/2010	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/19/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	5/10/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	7/14/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/6/2012	1.8	3	ND	mg/L
Potassium, total	MW-8N	4/5/2012	1.5	3	ND	mg/L
Potassium, total	MW-8N	7/11/2012	1.4	3	ND	mg/L
Potassium, total	MW-8N	10/3/2012	1.6	3	ND	mg/L
Potassium, total	MW-8N	5/1/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	6/4/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	7/16/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	10/2/2013	1.7	3	ND	mg/L
Potassium, total	MW-8N	1/30/2014	1.7	3	ND	mg/L
Potassium, total	MW-8N	4/3/2014	1.8	3	ND	mg/L
Potassium, total	MW-8N	7/9/2014	1.9	3	ND	mg/L
Potassium, total	MW-8N	10/8/2014	1.9	3	ND	mg/L
Potassium, total	MW-8N	2/12/2015	1.8	3	ND	mg/L
Potassium, total	MW-8N	4/1/2015	2	3	ND	mg/L
Potassium, total	MW-8N	7/14/2015	1.9	3	ND	mg/L
Potassium, total	MW-8N	10/5/2015	2.1	3	ND	mg/L
Potassium, total	MW-8N	1/5/2016	2.3	3	ND	mg/L
Potassium, total	MW-8N	4/6/2016	2.3	3	ND	mg/L
Potassium, total	MW-8N	7/21/2016	2.2	3	ND	mg/L
Potassium, total	MW-8N	10/6/2016	2.2	3	ND	mg/L
Potassium, total	MW-8N	1/11/2017	2.4	3	ND	mg/L
Potassium, total	MW-8N	4/4/2017	2	3	ND	mg/L
Potassium, total	MW-8N	7/19/2017	2	3	ND	mg/L
Potassium, total	MW-8N	10/6/2017	2.7	3	ND	mg/L
Potassium, total	MW-8N	1/25/2018	3.2	3		mg/L
Potassium, total	MW-8N	4/10/2018	2.2	3	ND	mg/L
Potassium, total	MW-8N	7/16/2018	2.8	3	ND	mg/L
Potassium, total	MW-8N	10/2/2018	2.9	3	ND	mg/L
Potassium, total	MW-8N	1/7/2019	3.2	3		mg/L
Potassium, total	MW-8N	4/3/2019	3.3	3		mg/L
Potassium, total	MW-8N	7/11/2019	3.3	3		mg/L
Potassium, total	MW-8N	7/11/2019	3.4	3		mg/L
Potassium, total	MW-8N	10/3/2019	3.2	3		mg/L
Potassium, total	MW-8N	1/15/2020	3.06	3		mg/L
Potassium, total	MW-8N	7/9/2020	3.17	3		mg/L
Potassium, total	MW-8N	1/15/2021	3.41	3		mg/L
Potassium, total	MW-8N	7/5/2021	3.42	3		mg/L
Potassium, total	MW-8N	7/5/2021	3.56	3		mg/L
Potassium, total	MW-8N	1/18/2022	3.48	3		mg/L
Potassium, total	MW-8N	7/12/2022	3.76	3		mg/L
Potassium, total	MW-8N	1/11/2023	4.26	3		mg/L
Potassium, total	NE-1	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-1	1/27/2004	1	1	ND	mg/L
Potassium, total	NE-1	1/12/2005	1	1	ND	mg/L
Potassium, total	NE-1	7/19/2006	1.1	3	ND	mg/L
Potassium, total	NE-1	7/19/2006	1.1	3	ND	mg/L
Potassium, total	NE-1	1/24/2007	1.1	3	ND	mg/L
Potassium, total	NE-1	7/10/2007	0.99	3	ND	mg/L
Potassium, total	NE-1	1/24/2008	0.57	3	ND	mg/L
Potassium, total	NE-1	7/21/2008	0.43	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-1	2/7/2009	0.79	3	ND	mg/L
Potassium, total	NE-1	7/31/2009	0.35	3	ND	mg/L
Potassium, total	NE-1	1/26/2010	0.54	3	ND	mg/L
Potassium, total	NE-1	7/14/2010	1	3	ND	mg/L
Potassium, total	NE-1	1/19/2011	1.2	3	ND	mg/L
Potassium, total	NE-1	7/13/2011	1.2	3	ND	mg/L
Potassium, total	NE-1	1/5/2012	0.97	3	ND	mg/L
Potassium, total	NE-1	7/10/2012	1.4	3	ND	mg/L
Potassium, total	NE-1	4/30/2013	1.3	3	ND	mg/L
Potassium, total	NE-1	7/16/2013	1.1	3	ND	mg/L
Potassium, total	NE-1	1/23/2014	2	3	ND	mg/L
Potassium, total	NE-1	7/9/2014	2.4	3	ND	mg/L
Potassium, total	NE-1	2/11/2015	2.3	3	ND	mg/L
Potassium, total	NE-1	7/8/2015	2.8	3	ND	mg/L
Potassium, total	NE-1	1/6/2016	3.8	3		mg/L
Potassium, total	NE-1	7/20/2016	4.9	3		mg/L
Potassium, total	NE-1	1/11/2017	5	3		mg/L
Potassium, total	NE-1	7/19/2017	4.5	3		mg/L
Potassium, total	NE-1	1/24/2018	4.8	3		mg/L
Potassium, total	NE-1	4/11/2018	4.4	3		mg/L
Potassium, total	NE-1	7/18/2018	4.2	3		mg/L
Potassium, total	NE-1	10/2/2018	4.7	3		mg/L
Potassium, total	NE-1	1/4/2019	4.5	3		mg/L
Potassium, total	NE-1	7/10/2019	4.4	3		mg/L
Potassium, total	NE-1	1/15/2020	4.22	3		mg/L
Potassium, total	NE-1	7/8/2020	4.77	3		mg/L
Potassium, total	NE-1	1/13/2021	5.45	3		mg/L
Potassium, total	NE-1	7/2/2021	5.09	3		mg/L
Potassium, total	NE-1	1/17/2022	5.12	3		mg/L
Potassium, total	NE-1	7/13/2022	4.68	3		mg/L
Potassium, total	NE-1	1/5/2023	4.98	3		mg/L
Potassium, total	NE-10D	11/6/2019	0.97	3	ND	mg/L
Potassium, total	NE-10D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-10D	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-10D	1/13/2021	3	3	ND	mg/L
Potassium, total	NE-10D	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-10D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-11	3/1/2017	0.42	3	ND	mg/L
Potassium, total	NE-11	4/6/2017	0.31	3	ND	mg/L
Potassium, total	NE-11	7/20/2017	1.6	3	ND	mg/L
Potassium, total	NE-11	10/9/2017	0.55	3	ND	mg/L
Potassium, total	NE-11	9/30/2019	0.5	3	ND	mg/L
Potassium, total	NE-11	1/14/2020	3	3	ND	mg/L
Potassium, total	NE-11	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-11	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-11	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-11	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-11	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-11	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-12	3/1/2017	1.6	3	ND	mg/L
Potassium, total	NE-12	4/6/2017	5	3		mg/L
Potassium, total	NE-12	7/20/2017	3.4	3		mg/L
Potassium, total	NE-12	10/6/2017	2	3	ND	mg/L
Potassium, total	NE-12	7/9/2019	4.7	3		mg/L
Potassium, total	NE-12	8/5/2019	1.1	3	ND	mg/L
Potassium, total	NE-12	1/13/2020	3.68	3		mg/L
Potassium, total	NE-12	7/7/2020	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-12	1/15/2021	4.43	3		mg/L
Potassium, total	NE-12	1/15/2021	4.61	3		mg/L
Potassium, total	NE-12	7/1/2021	3.01	3		mg/L
Potassium, total	NE-12	7/1/2021	3.03	3		mg/L
Potassium, total	NE-12	7/1/2021	3.01	3		mg/L
Potassium, total	NE-12	1/17/2022	3.56	3		mg/L
Potassium, total	NE-12	1/17/2022	3.27	3		mg/L
Potassium, total	NE-12	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-12	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-13	2/5/2019	2	3	ND	mg/L
Potassium, total	NE-13	7/11/2019	1.8	3	ND	mg/L
Potassium, total	NE-13	8/7/2019	2.2	3	ND	mg/L
Potassium, total	NE-13	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-13	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-13	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-13	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-13	7/1/2021	5.2	3		mg/L
Potassium, total	NE-13	7/1/2021	5.08	3		mg/L
Potassium, total	NE-13	7/1/2021	5.2	3		mg/L
Potassium, total	NE-14D	10/2/2019	1.7	3	ND	mg/L
Potassium, total	NE-14D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-14D	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-14D	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-14D	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-14D	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-14D	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-14D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-14S	10/2/2019	1.6	3	ND	mg/L
Potassium, total	NE-14S	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-14S	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-14S	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-14S	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-14S	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-14S	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-14S	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-15D	9/30/2019	1.6	3	ND	mg/L
Potassium, total	NE-15D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-15D	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-15D	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-15D	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-15D	1/17/2022	38.2	3		mg/L
Potassium, total	NE-15D	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-15D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-2	10/1/2013	12	3		mg/L
Potassium, total	NE-2	10/8/2014	11	3		mg/L
Potassium, total	NE-2	10/5/2015	12	3		mg/L
Potassium, total	NE-2	10/6/2016	8.3	3		mg/L
Potassium, total	NE-2	10/5/2017	11	3		mg/L
Potassium, total	NE-2	1/25/2018	15	3		mg/L
Potassium, total	NE-2	4/10/2018	9.8	3		mg/L
Potassium, total	NE-2	7/10/2018	15	3		mg/L
Potassium, total	NE-2	10/1/2018	15	3		mg/L
Potassium, total	NE-2	1/4/2019	13	3		mg/L
Potassium, total	NE-2	7/9/2019	15	3		mg/L
Potassium, total	NE-2	1/14/2020	9.89	3		mg/L
Potassium, total	NE-2	7/7/2020	12.4	3		mg/L
Potassium, total	NE-2	1/14/2021	11.3	3		mg/L
Potassium, total	NE-2	7/2/2021	12.5	3		mg/L
Potassium, total	NE-2	1/18/2022	11.5	3		mg/L
Potassium, total	NE-2	7/13/2022	8.02	3		mg/L
Potassium, total	NE-2	1/5/2023	11.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-3	3/21/2018	0.63	3	ND	mg/L
Potassium, total	NE-4	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-4	1/28/2004	1.1	1		mg/L
Potassium, total	NE-4	1/13/2005	1	1	ND	mg/L
Potassium, total	NE-4	8/1/2006	1.3	3	ND	mg/L
Potassium, total	NE-4	8/1/2006	1.3	3	ND	mg/L
Potassium, total	NE-4	1/24/2007	0.96	3	ND	mg/L
Potassium, total	NE-4	7/12/2007	1.5	3	ND	mg/L
Potassium, total	NE-4	1/24/2008	0.94	3	ND	mg/L
Potassium, total	NE-4	7/21/2008	0.88	3	ND	mg/L
Potassium, total	NE-4	2/7/2009	1.6	3	ND	mg/L
Potassium, total	NE-4	7/31/2009	1.4	3	ND	mg/L
Potassium, total	NE-4	1/26/2010	1.4	3	ND	mg/L
Potassium, total	NE-4	7/14/2010	1.6	3	ND	mg/L
Potassium, total	NE-4	1/19/2011	1.4	3	ND	mg/L
Potassium, total	NE-4	7/13/2011	1.2	3	ND	mg/L
Potassium, total	NE-4	1/5/2012	1.3	3	ND	mg/L
Potassium, total	NE-4	7/10/2012	3	3		mg/L
Potassium, total	NE-4	4/30/2013	25	3		mg/L
Potassium, total	NE-4	7/16/2013	10	3		mg/L
Potassium, total	NE-4	1/23/2014	3.3	3		mg/L
Potassium, total	NE-4	7/9/2014	1.8	3	ND	mg/L
Potassium, total	NE-4	2/13/2015	1.8	3	ND	mg/L
Potassium, total	NE-4	7/8/2015	2	3	ND	mg/L
Potassium, total	NE-4	1/6/2016	0.98	3	ND	mg/L
Potassium, total	NE-4	7/20/2016	1.4	3	ND	mg/L
Potassium, total	NE-4	1/11/2017	1.7	3	ND	mg/L
Potassium, total	NE-4	7/19/2017	0.98	3	ND	mg/L
Potassium, total	NE-4	1/26/2018	1.5	3	ND	mg/L
Potassium, total	NE-4	4/10/2018	0.59	3	ND	mg/L
Potassium, total	NE-4	7/12/2018	0.98	3	ND	mg/L
Potassium, total	NE-4	10/3/2018	0.79	3	ND	mg/L
Potassium, total	NE-4	1/7/2019	1.1	3	ND	mg/L
Potassium, total	NE-4	7/8/2019	1.2	3	ND	mg/L
Potassium, total	NE-4	1/13/2020	3	3	ND	mg/L
Potassium, total	NE-4	7/6/2020	3	3	ND	mg/L
Potassium, total	NE-4	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-4	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-4	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-5	1/27/2004	2.6	1		mg/L
Potassium, total	NE-5	1/12/2005	1.2	1		mg/L
Potassium, total	NE-5	7/19/2006	0.4	3	ND	mg/L
Potassium, total	NE-5	7/19/2006	0.4	3	ND	mg/L
Potassium, total	NE-5	1/24/2007	0.47	3	ND	mg/L
Potassium, total	NE-5	7/12/2007	0.67	3	ND	mg/L
Potassium, total	NE-5	7/22/2008	0.25	3	ND	mg/L
Potassium, total	NE-5	2/6/2009	0.53	3	ND	mg/L
Potassium, total	NE-5	7/31/2009	0.37	3	ND	mg/L
Potassium, total	NE-5	1/26/2010	0.29	3	ND	mg/L
Potassium, total	NE-5	7/16/2010	0.78	3	ND	mg/L
Potassium, total	NE-5	1/19/2011	0.63	3	ND	mg/L
Potassium, total	NE-5	7/13/2011	0.44	3	ND	mg/L
Potassium, total	NE-5	1/5/2012	0.42	3	ND	mg/L
Potassium, total	NE-5	7/10/2012	0.64	3	ND	mg/L
Potassium, total	NE-5	4/30/2013	0.53	3	ND	mg/L
Potassium, total	NE-5	7/16/2013	0.74	3	ND	mg/L
Potassium, total	NE-5	1/23/2014	0.4	3	ND	mg/L
Potassium, total	NE-5	7/9/2014	0.94	3	ND	mg/L
Potassium, total	NE-5	2/11/2015	0.56	3	ND	mg/L
Potassium, total	NE-5	7/14/2015	0.28	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-5	1/6/2016	0.44	3	ND	mg/L
Potassium, total	NE-5	7/20/2016	0.97	3	ND	mg/L
Potassium, total	NE-5	1/11/2017	1.2	3	ND	mg/L
Potassium, total	NE-5	7/19/2017	0.46	3	ND	mg/L
Potassium, total	NE-5	1/25/2018	1.3	3	ND	mg/L
Potassium, total	NE-5	4/10/2018	3	3	ND	mg/L
Potassium, total	NE-5	7/17/2018	0.31	3	ND	mg/L
Potassium, total	NE-5	10/3/2018	0.24	3	ND	mg/L
Potassium, total	NE-5	1/4/2019	0.34	3	ND	mg/L
Potassium, total	NE-5	4/2/2019	0.32	3	ND	mg/L
Potassium, total	NE-5	7/9/2019	0.37	3	ND	mg/L
Potassium, total	NE-5	7/9/2019	0.54	3	ND	mg/L
Potassium, total	NE-5	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-5	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5E	9/30/2019	0.52	3	ND	mg/L
Potassium, total	NE-5E	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5E	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-5E	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5E	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5E	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5E	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5E	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5W	9/30/2019	0.54	3	ND	mg/L
Potassium, total	NE-5W	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5W	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-5W	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5W	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5W	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5W	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5W	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-6	1/12/2017	3.8	3		mg/L
Potassium, total	NE-6	4/5/2017	2.9	3	ND	mg/L
Potassium, total	NE-6	7/19/2017	4	3		mg/L
Potassium, total	NE-6	10/6/2017	3.1	3		mg/L
Potassium, total	NE-6	2/4/2019	3.7	3		mg/L
Potassium, total	NE-6	7/9/2019	3.7	3		mg/L
Potassium, total	NE-6	8/6/2019	3	3		mg/L
Potassium, total	NE-6	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-6	7/9/2020	3	3	ND	mg/L
Potassium, total	NE-6	1/16/2021	3.22	3		mg/L
Potassium, total	NE-6	1/16/2021	3.33	3		mg/L
Potassium, total	NE-6	7/1/2021	3.47	3		mg/L
Potassium, total	NE-6	7/1/2021	3.39	3		mg/L
Potassium, total	NE-6	7/1/2021	3.47	3		mg/L
Potassium, total	NE-6	1/17/2022	3.42	3		mg/L
Potassium, total	NE-6	1/17/2022	3.1	3		mg/L
Potassium, total	NE-6	7/12/2022	3.97	3		mg/L
Potassium, total	NE-6	1/5/2023	3.34	3		mg/L
Potassium, total	NE-6D	10/2/2019	3.3	3		mg/L
Potassium, total	NE-6D	1/15/2020	3.29	3		mg/L
Potassium, total	NE-6D	7/9/2020	3.11	3		mg/L
Potassium, total	NE-6D	1/15/2021	3.57	3		mg/L
Potassium, total	NE-6D	7/2/2021	3.67	3		mg/L
Potassium, total	NE-6D	1/17/2022	3.41	3		mg/L
Potassium, total	NE-6D	7/12/2022	3.84	3		mg/L
Potassium, total	NE-6D	1/5/2023	3.9	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-7	3/1/2017	1.3	3	ND	mg/L
Potassium, total	NE-7	4/6/2017	0.29	3	ND	mg/L
Potassium, total	NE-7	7/20/2017	1.5	3	ND	mg/L
Potassium, total	NE-7	10/5/2017	0.81	3	ND	mg/L
Potassium, total	NE-7	2/6/2019	0.92	3	ND	mg/L
Potassium, total	NE-7	7/10/2019	0.75	3	ND	mg/L
Potassium, total	NE-7	8/6/2019	0.74	3	ND	mg/L
Potassium, total	NE-7	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-7	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-7	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-7	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-7	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-7	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-7	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-8	1/12/2017	3.9	3		mg/L
Potassium, total	NE-8	4/5/2017	2.7	3	ND	mg/L
Potassium, total	NE-8	7/20/2017	6.1	3		mg/L
Potassium, total	NE-8	10/6/2017	6.1	3		mg/L
Potassium, total	NE-8	2/4/2019	4.2	3		mg/L
Potassium, total	NE-8	7/11/2019	5.5	3		mg/L
Potassium, total	NE-8	8/5/2019	5.1	3		mg/L
Potassium, total	NE-8	1/15/2020	4.61	3		mg/L
Potassium, total	NE-8	7/8/2020	3.87	3		mg/L
Potassium, total	NE-8	1/13/2021	3.21	3		mg/L
Potassium, total	NE-8	1/13/2021	3.22	3		mg/L
Potassium, total	NE-8	7/1/2021	4.02	3		mg/L
Potassium, total	NE-8	7/1/2021	4.12	3		mg/L
Potassium, total	NE-8	7/1/2021	4.02	3		mg/L
Potassium, total	NE-8	1/6/2023	3.01	3		mg/L
Potassium, total	NE-9	1/12/2017	2	3	ND	mg/L
Potassium, total	NE-9	4/5/2017	1.2	3	ND	mg/L
Potassium, total	NE-9	7/20/2017	2.3	3	ND	mg/L
Potassium, total	NE-9	10/5/2017	1.8	3	ND	mg/L
Potassium, total	NE-9	2/5/2019	2	3	ND	mg/L
Potassium, total	NE-9	7/8/2019	2	3	ND	mg/L
Potassium, total	NE-9	8/7/2019	1.8	3	ND	mg/L
Potassium, total	NE-9	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-9	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-9	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-9	1/6/2023	3	3	ND	mg/L
P-phenylenediamine	LGW-10	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-10	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-10	2/12/2015	96	96	ND	ug/L
P-phenylenediamine	LGW-10	10/6/2016	95	95	ND	ug/L
P-phenylenediamine	LGW-10	10/9/2017	96	96	ND	ug/L
P-phenylenediamine	LGW-10	7/16/2018	95	95	ND	ug/L
P-phenylenediamine	LGW-10	7/11/2019	99	99	ND	ug/L
P-phenylenediamine	LGW-10	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-10	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-14R	10/27/2006	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	LGW-14R	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-14R	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-14R	2/11/2015	99	99	ND	ug/L
P-phenylenediamine	LGW-14R	7/17/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-14R	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-2	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-2	2/13/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-2	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-2	2/13/2015	130	130	ND	ug/L
P-phenylenediamine	LGW-2	7/12/2018	97	97	ND	ug/L
P-phenylenediamine	LGW-2	7/8/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-2	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-3R	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-3R	2/10/2015	97	97	ND	ug/L
P-phenylenediamine	LGW-3R	7/11/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	7/6/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-4	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-4	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-4	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-4	2/11/2015	97	97	ND	ug/L
P-phenylenediamine	LGW-4	7/11/2018	99	99	ND	ug/L
P-phenylenediamine	LGW-4	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-5	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-5	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-5	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-5	2/10/2015	95	95	ND	ug/L
P-phenylenediamine	LGW-5	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-5	7/7/2021	406	406	ND	ug/L
P-phenylenediamine	LGW-6	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-6	2/5/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-6	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-6	2/10/2015	100	100	ND	ug/L
P-phenylenediamine	LGW-6	10/6/2016	97	97	ND	ug/L
P-phenylenediamine	LGW-6	10/5/2017	95	95	ND	ug/L
P-phenylenediamine	LGW-6	7/17/2018	99	99	ND	ug/L
P-phenylenediamine	LGW-6	7/10/2019	99	99	ND	ug/L
P-phenylenediamine	LGW-6	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-6	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-7	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-7	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-7	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-7	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	LGW-7	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	LGW-7	10/5/2017	96	96	ND	ug/L
P-phenylenediamine	LGW-7	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-7	7/10/2019	98	98	ND	ug/L
P-phenylenediamine	LGW-7	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-7	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-8R	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-8R	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-8R	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-8R	2/11/2015	98	98	ND	ug/L
P-phenylenediamine	LGW-8R	7/13/2018	98	98	ND	ug/L
P-phenylenediamine	LGW-8R	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-9	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-9	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-9	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-9	2/11/2015	98	98	ND	ug/L
P-phenylenediamine	LGW-9	10/6/2016	96	96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	LGW-9	10/5/2017	95	95	ND	ug/L
P-phenylenediamine	LGW-9	7/13/2018	95	95	ND	ug/L
P-phenylenediamine	LGW-9	7/10/2019	100	100	ND	ug/L
P-phenylenediamine	LGW-9	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-9	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	MW-10N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-10N	2/13/2009	100	100	ND	ug/L
P-phenylenediamine	MW-10N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-10N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-10N	7/11/2018	97	97	ND	ug/L
P-phenylenediamine	MW-10N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-11N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-11N	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	MW-11N	2/10/2015	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/17/2018	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/6/2021	387	387	ND	ug/L
P-phenylenediamine	MW-15	7/10/2018	100	100	ND	ug/L
P-phenylenediamine	MW-15	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-16	7/11/2018	95	95	ND	ug/L
P-phenylenediamine	MW-16	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-17	7/10/2018	95	95	ND	ug/L
P-phenylenediamine	MW-17	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-19	7/13/2018	96	96	ND	ug/L
P-phenylenediamine	MW-19	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-1N	10/14/1998	10	10	ND	ug/L
P-phenylenediamine	MW-1N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-1N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-1N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-1N	2/5/2009	100	100	ND	ug/L
P-phenylenediamine	MW-1N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-1N	2/10/2015	95	95	ND	ug/L
P-phenylenediamine	MW-1N	7/10/2018	99	99	ND	ug/L
P-phenylenediamine	MW-1N	7/6/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-1N	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-20	7/12/2018	95	95	ND	ug/L
P-phenylenediamine	MW-20	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-21	10/5/2016	96	96	ND	ug/L
P-phenylenediamine	MW-21	10/6/2017	96	96	ND	ug/L
P-phenylenediamine	MW-21	7/11/2018	95	95	ND	ug/L
P-phenylenediamine	MW-21	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-21	7/8/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-21	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-2N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-2N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-2N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-2N	2/12/2015	96	96	ND	ug/L
P-phenylenediamine	MW-2N	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	MW-2N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-3N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-3N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-3N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-3N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-3N	7/11/2012	94	94	ND	ug/L
P-phenylenediamine	MW-3N	2/12/2015	98	98	ND	ug/L
P-phenylenediamine	MW-3N	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	MW-3N	10/9/2017	95	95	ND	ug/L
P-phenylenediamine	MW-3N	7/13/2018	95	95	ND	ug/L
P-phenylenediamine	MW-3N	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-3N	7/7/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-3N	7/5/2021	387	387	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	MW-7N	10/15/1998	10	10	ND	ug/L
P-phenylenediamine	MW-7N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-7N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-7N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-7N	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	MW-7N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-7N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-7N	10/5/2017	99	99	ND	ug/L
P-phenylenediamine	MW-7N	7/13/2018	100	100	ND	ug/L
P-phenylenediamine	MW-7N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-8N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-8N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-8N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-8N	1/24/2008	100	100	ND	ug/L
P-phenylenediamine	MW-8N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-8N	5/10/2011	96	96	ND	ug/L
P-phenylenediamine	MW-8N	7/11/2012	95	95	ND	ug/L
P-phenylenediamine	MW-8N	10/2/2013	95	95	ND	ug/L
P-phenylenediamine	MW-8N	10/8/2014	96	96	ND	ug/L
P-phenylenediamine	MW-8N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-8N	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	MW-8N	10/6/2017	97	97	ND	ug/L
P-phenylenediamine	MW-8N	7/16/2018	98	98	ND	ug/L
P-phenylenediamine	MW-8N	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-8N	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-8N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	NE-1	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-1	2/7/2009	100	100	ND	ug/L
P-phenylenediamine	NE-1	7/10/2012	96	96	ND	ug/L
P-phenylenediamine	NE-1	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	NE-1	7/18/2018	96	96	ND	ug/L
P-phenylenediamine	NE-2	7/10/2018	95	95	ND	ug/L
P-phenylenediamine	NE-4	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-4	2/7/2009	100	100	ND	ug/L
P-phenylenediamine	NE-4	7/10/2012	98	98	ND	ug/L
P-phenylenediamine	NE-4	2/13/2015	95	95	ND	ug/L
P-phenylenediamine	NE-4	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	NE-5	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-5	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	NE-5	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	NE-5	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	NE-5	7/17/2018	96	96	ND	ug/L
P-phenylenediamine	NE-5	7/9/2019	100	100	ND	ug/L
Pronamide	LGW-10	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-10	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-10	2/12/2015	19	19	ND	ug/L
Pronamide	LGW-10	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-10	10/9/2017	19	19	ND	ug/L
Pronamide	LGW-10	7/16/2018	19	19	ND	ug/L
Pronamide	LGW-10	7/11/2019	20	20	ND	ug/L
Pronamide	LGW-10	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-10	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-14R	10/27/2006	20	20	ND	ug/L
Pronamide	LGW-14R	2/6/2009	20	20	ND	ug/L
Pronamide	LGW-14R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-14R	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-14R	7/17/2018	20	20	ND	ug/L
Pronamide	LGW-14R	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-2	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-2	2/13/2009	20	20	ND	ug/L
Pronamide	LGW-2	7/9/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	LGW-2	2/13/2015	26	26	ND	ug/L
Pronamide	LGW-2	7/12/2018	19	19	ND	ug/L
Pronamide	LGW-2	7/8/2020	10	10	ND	ug/L
Pronamide	LGW-2	7/4/2021	20	20	ND	ug/L
Pronamide	LGW-3R	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-3R	2/3/2009	20	20	ND	ug/L
Pronamide	LGW-3R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-3R	2/10/2015	19	19	ND	ug/L
Pronamide	LGW-3R	7/11/2018	20	20	ND	ug/L
Pronamide	LGW-3R	7/6/2021	20	20	ND	ug/L
Pronamide	LGW-4	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-4	2/3/2009	20	20	ND	ug/L
Pronamide	LGW-4	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-4	2/11/2015	19	19	ND	ug/L
Pronamide	LGW-4	7/11/2018	20	20	ND	ug/L
Pronamide	LGW-4	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-5	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-5	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-5	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-5	2/10/2015	19	19	ND	ug/L
Pronamide	LGW-5	7/12/2018	20	20	ND	ug/L
Pronamide	LGW-5	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-6	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-6	2/5/2009	20	20	ND	ug/L
Pronamide	LGW-6	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-6	2/10/2015	20	20	ND	ug/L
Pronamide	LGW-6	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-6	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-6	7/17/2018	20	20	ND	ug/L
Pronamide	LGW-6	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-6	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-6	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-7	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-7	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-7	7/10/2012	19	19	ND	ug/L
Pronamide	LGW-7	2/11/2015	19	19	ND	ug/L
Pronamide	LGW-7	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-7	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-7	7/12/2018	20	20	ND	ug/L
Pronamide	LGW-7	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-7	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-7	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-8R	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-8R	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-8R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-8R	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-8R	7/13/2018	20	20	ND	ug/L
Pronamide	LGW-8R	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-9	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-9	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-9	7/10/2012	19	19	ND	ug/L
Pronamide	LGW-9	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-9	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-9	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-9	7/13/2018	19	19	ND	ug/L
Pronamide	LGW-9	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-9	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-9	7/7/2021	20	20	ND	ug/L
Pronamide	MW-10N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-10N	2/13/2009	20	20	ND	ug/L
Pronamide	MW-10N	7/10/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	MW-10N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-10N	7/11/2018	19	19	ND	ug/L
Pronamide	MW-10N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-11N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-11N	2/3/2009	20	20	ND	ug/L
Pronamide	MW-11N	7/9/2012	19	19	ND	ug/L
Pronamide	MW-11N	2/10/2015	20	20	ND	ug/L
Pronamide	MW-11N	7/17/2018	20	20	ND	ug/L
Pronamide	MW-11N	7/6/2021	20	20	ND	ug/L
Pronamide	MW-15	7/10/2018	20	20	ND	ug/L
Pronamide	MW-15	7/4/2021	20	20	ND	ug/L
Pronamide	MW-16	7/11/2018	19	19	ND	ug/L
Pronamide	MW-16	7/4/2021	20	20	ND	ug/L
Pronamide	MW-17	7/10/2018	19	19	ND	ug/L
Pronamide	MW-17	7/4/2021	20	20	ND	ug/L
Pronamide	MW-19	7/13/2018	19	19	ND	ug/L
Pronamide	MW-19	7/4/2021	20	20	ND	ug/L
Pronamide	MW-1N	10/14/1998	10	10	ND	ug/L
Pronamide	MW-1N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-1N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-1N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-1N	2/5/2009	20	20	ND	ug/L
Pronamide	MW-1N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-1N	2/10/2015	19	19	ND	ug/L
Pronamide	MW-1N	7/10/2018	20	20	ND	ug/L
Pronamide	MW-1N	7/6/2020	10	10	ND	ug/L
Pronamide	MW-1N	7/4/2021	20	20	ND	ug/L
Pronamide	MW-20	7/12/2018	19	19	ND	ug/L
Pronamide	MW-20	7/4/2021	20	20	ND	ug/L
Pronamide	MW-21	10/5/2016	19	19	ND	ug/L
Pronamide	MW-21	10/6/2017	19	19	ND	ug/L
Pronamide	MW-21	7/11/2018	19	19	ND	ug/L
Pronamide	MW-21	7/11/2019	20	20	ND	ug/L
Pronamide	MW-21	7/8/2020	10	10	ND	ug/L
Pronamide	MW-21	7/5/2021	20	20	ND	ug/L
Pronamide	MW-2N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-2N	2/4/2009	20	20	ND	ug/L
Pronamide	MW-2N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-2N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-2N	7/12/2018	20	20	ND	ug/L
Pronamide	MW-2N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-3N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-3N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-3N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-3N	2/4/2009	20	20	ND	ug/L
Pronamide	MW-3N	7/11/2012	19	19	ND	ug/L
Pronamide	MW-3N	2/12/2015	20	20	ND	ug/L
Pronamide	MW-3N	10/6/2016	19	19	ND	ug/L
Pronamide	MW-3N	10/9/2017	19	19	ND	ug/L
Pronamide	MW-3N	7/13/2018	19	19	ND	ug/L
Pronamide	MW-3N	7/11/2019	20	20	ND	ug/L
Pronamide	MW-3N	7/7/2020	10	10	ND	ug/L
Pronamide	MW-3N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-7N	10/15/1998	10	10	ND	ug/L
Pronamide	MW-7N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-7N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-7N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-7N	2/6/2009	20	20	ND	ug/L
Pronamide	MW-7N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-7N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-7N	10/5/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	MW-7N	7/13/2018	21	21	ND	ug/L
Pronamide	MW-7N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-8N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-8N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-8N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-8N	1/24/2008	20	20	ND	ug/L
Pronamide	MW-8N	2/4/2009	20	20	ND	ug/L
Pronamide	MW-8N	5/10/2011	19	19	ND	ug/L
Pronamide	MW-8N	7/11/2012	19	19	ND	ug/L
Pronamide	MW-8N	10/2/2013	19	19	ND	ug/L
Pronamide	MW-8N	10/8/2014	19	19	ND	ug/L
Pronamide	MW-8N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-8N	10/6/2016	19	19	ND	ug/L
Pronamide	MW-8N	10/6/2017	19	19	ND	ug/L
Pronamide	MW-8N	7/16/2018	20	20	ND	ug/L
Pronamide	MW-8N	7/11/2019	20	20	ND	ug/L
Pronamide	MW-8N	7/9/2020	10	10	ND	ug/L
Pronamide	MW-8N	7/5/2021	20	20	ND	ug/L
Pronamide	NE-1	10/25/2006	20	20	ND	ug/L
Pronamide	NE-1	2/7/2009	20	20	ND	ug/L
Pronamide	NE-1	7/10/2012	19	19	ND	ug/L
Pronamide	NE-1	2/11/2015	19	19	ND	ug/L
Pronamide	NE-1	7/18/2018	19	19	ND	ug/L
Pronamide	NE-2	7/10/2018	19	19	ND	ug/L
Pronamide	NE-4	10/25/2006	20	20	ND	ug/L
Pronamide	NE-4	2/7/2009	20	20	ND	ug/L
Pronamide	NE-4	7/10/2012	20	20	ND	ug/L
Pronamide	NE-4	2/13/2015	19	19	ND	ug/L
Pronamide	NE-4	7/12/2018	21	21	ND	ug/L
Pronamide	NE-5	10/25/2006	20	20	ND	ug/L
Pronamide	NE-5	2/6/2009	20	20	ND	ug/L
Pronamide	NE-5	7/10/2012	19	19	ND	ug/L
Pronamide	NE-5	2/11/2015	19	19	ND	ug/L
Pronamide	NE-5	7/17/2018	19	19	ND	ug/L
Pronamide	NE-5	7/9/2019	20	20	ND	ug/L
Propionitrile	LGW-10	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-10	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-10	2/12/2015	20	20	ND	ug/L
Propionitrile	LGW-10	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-10	10/9/2017	20	20	ND	ug/L
Propionitrile	LGW-10	7/16/2018	20	20	ND	ug/L
Propionitrile	LGW-10	7/11/2019	20	20	ND	ug/L
Propionitrile	LGW-10	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-10	10/7/2020	20	20	ND	ug/L
Propionitrile	LGW-10	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-10	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-14R	10/27/2006	20	20	ND	ug/L
Propionitrile	LGW-14R	2/6/2009	20	20	ND	ug/L
Propionitrile	LGW-14R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-14R	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-14R	7/17/2018	20	20	ND	ug/L
Propionitrile	LGW-14R	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-2	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-2	2/6/2009	20	20	ND	ug/L
Propionitrile	LGW-2	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-2	2/13/2015	20	20	ND	ug/L
Propionitrile	LGW-2	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-2	7/8/2020	50	50	ND	ug/L
Propionitrile	LGW-2	7/4/2021	20	20	ND	ug/L
Propionitrile	LGW-3R	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-3R	2/3/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	LGW-3R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-3R	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-3R	7/11/2018	20	20	ND	ug/L
Propionitrile	LGW-3R	7/6/2021	20	20	ND	ug/L
Propionitrile	LGW-4	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-4	2/3/2009	20	20	ND	ug/L
Propionitrile	LGW-4	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-4	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-4	7/11/2018	20	20	ND	ug/L
Propionitrile	LGW-4	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-5	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-5	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-5	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-5	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-5	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-5	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-5	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-6	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-6	2/5/2009	20	20	ND	ug/L
Propionitrile	LGW-6	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-6	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-6	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-6	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-6	7/17/2018	20	20	ND	ug/L
Propionitrile	LGW-6	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-6	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-6	10/6/2020	20	20	ND	ug/L
Propionitrile	LGW-6	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-6	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-7	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-7	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-7	7/10/2012	20	20	ND	ug/L
Propionitrile	LGW-7	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-7	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-7	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-7	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-7	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-7	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-7	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-7	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-8R	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-8R	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-8R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-8R	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-8R	7/13/2018	20	20	ND	ug/L
Propionitrile	LGW-8R	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-9	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-9	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-9	7/10/2012	20	20	ND	ug/L
Propionitrile	LGW-9	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-9	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-9	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-9	7/13/2018	20	20	ND	ug/L
Propionitrile	LGW-9	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-9	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-9	10/7/2020	20	20	ND	ug/L
Propionitrile	LGW-9	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-9	10/5/2021	20	20	ND	ug/L
Propionitrile	MW-10N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-10N	2/13/2009	20	20	ND	ug/L
Propionitrile	MW-10N	7/10/2012	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	MW-10N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-10N	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-10N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-11N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-11N	2/3/2009	20	20	ND	ug/L
Propionitrile	MW-11N	7/9/2012	20	20	ND	ug/L
Propionitrile	MW-11N	2/10/2015	20	20	ND	ug/L
Propionitrile	MW-11N	7/17/2018	20	20	ND	ug/L
Propionitrile	MW-11N	7/6/2021	20	20	ND	ug/L
Propionitrile	MW-15	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-15	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-16	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-16	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-17	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-17	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-19	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-19	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-1N	10/14/1998	100	100	ND	ug/L
Propionitrile	MW-1N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-1N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-1N	10/24/2006	20	20	ND	ug/L
Propionitrile	MW-1N	2/5/2009	20	20	ND	ug/L
Propionitrile	MW-1N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-1N	2/10/2015	20	20	ND	ug/L
Propionitrile	MW-1N	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-1N	7/6/2020	50	50	ND	ug/L
Propionitrile	MW-1N	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-20	7/12/2018	20	20	ND	ug/L
Propionitrile	MW-20	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-21	10/5/2016	20	20	ND	ug/L
Propionitrile	MW-21	10/6/2017	20	20	ND	ug/L
Propionitrile	MW-21	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-21	7/11/2019	20	20	ND	ug/L
Propionitrile	MW-21	7/8/2020	50	50	ND	ug/L
Propionitrile	MW-21	10/7/2020	20	20	ND	ug/L
Propionitrile	MW-21	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-21	10/6/2021	20	20	ND	ug/L
Propionitrile	MW-2N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-2N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-2N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-2N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-2N	7/12/2018	20	20	ND	ug/L
Propionitrile	MW-2N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-3N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-3N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-3N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-3N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-3N	7/11/2012	20	20	ND	ug/L
Propionitrile	MW-3N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-3N	10/6/2016	20	20	ND	ug/L
Propionitrile	MW-3N	10/9/2017	20	20	ND	ug/L
Propionitrile	MW-3N	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-3N	7/11/2019	20	20	ND	ug/L
Propionitrile	MW-3N	7/7/2020	50	50	ND	ug/L
Propionitrile	MW-3N	10/7/2020	20	20	ND	ug/L
Propionitrile	MW-3N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-3N	10/6/2021	20	20	ND	ug/L
Propionitrile	MW-7N	10/15/1998	100	100	ND	ug/L
Propionitrile	MW-7N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-7N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-7N	10/24/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	MW-7N	2/6/2009	20	20	ND	ug/L
Propionitrile	MW-7N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-7N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-7N	10/5/2017	20	20	ND	ug/L
Propionitrile	MW-7N	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-7N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-8N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-8N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-8N	10/24/2006	20	20	ND	ug/L
Propionitrile	MW-8N	1/24/2008	20	20	ND	ug/L
Propionitrile	MW-8N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-8N	5/10/2011	20	20	ND	ug/L
Propionitrile	MW-8N	7/11/2012	20	20	ND	ug/L
Propionitrile	MW-8N	10/2/2013	20	20	ND	ug/L
Propionitrile	MW-8N	10/8/2014	20	20	ND	ug/L
Propionitrile	MW-8N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2016	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2017	20	20	ND	ug/L
Propionitrile	MW-8N	7/16/2018	20	20	ND	ug/L
Propionitrile	MW-8N	7/11/2019	20	20	ND	ug/L
Propionitrile	MW-8N	7/9/2020	50	50	ND	ug/L
Propionitrile	MW-8N	10/6/2020	20	20	ND	ug/L
Propionitrile	MW-8N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2021	20	20	ND	ug/L
Propionitrile	NE-1	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-1	2/7/2009	20	20	ND	ug/L
Propionitrile	NE-1	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-1	2/11/2015	20	20	ND	ug/L
Propionitrile	NE-1	7/18/2018	20	20	ND	ug/L
Propionitrile	NE-2	7/10/2018	20	20	ND	ug/L
Propionitrile	NE-4	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-4	2/7/2009	20	20	ND	ug/L
Propionitrile	NE-4	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-4	2/13/2015	20	20	ND	ug/L
Propionitrile	NE-4	7/12/2018	20	20	ND	ug/L
Propionitrile	NE-5	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-5	2/6/2009	20	20	ND	ug/L
Propionitrile	NE-5	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-5	2/11/2015	20	20	ND	ug/L
Propionitrile	NE-5	7/17/2018	20	20	ND	ug/L
Propionitrile	NE-5	7/9/2019	20	20	ND	ug/L
Pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-2	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-3R	2/3/2009	0.54	10	ND	ug/L
Pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Pyrene	LGW-4	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-5	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Pyrene	MW-15	7/4/2021	10	10	ND	ug/L
Pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Pyrene	MW-17	7/4/2021	10	10	ND	ug/L
Pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-7N	2/6/2009	0.5	10	ND	ug/L
Pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Pyrene	MW-7N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Pyrene	MW-8N	7/11/2019	10	10	ND	ug/L
Pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Pyrene	NE-1	10/25/2006	10	10	ND	ug/L
Pyrene	NE-1	2/7/2009	10	10	ND	ug/L
Pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Safrole	LGW-10	10/26/2006	50	50	ND	ug/L
Safrole	LGW-10	7/9/2012	47	47	ND	ug/L
Safrole	LGW-10	2/12/2015	48	48	ND	ug/L
Safrole	LGW-10	10/6/2016	47	47	ND	ug/L
Safrole	LGW-10	10/9/2017	48	48	ND	ug/L
Safrole	LGW-10	7/16/2018	48	48	ND	ug/L
Safrole	LGW-10	7/11/2019	50	50	ND	ug/L
Safrole	LGW-10	7/9/2020	10	10	ND	ug/L
Safrole	LGW-10	7/7/2021	50	50	ND	ug/L
Safrole	LGW-14R	10/27/2006	50	50	ND	ug/L
Safrole	LGW-14R	2/6/2009	50	50	ND	ug/L
Safrole	LGW-14R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-14R	2/11/2015	49	49	ND	ug/L
Safrole	LGW-14R	7/17/2018	51	51	ND	ug/L
Safrole	LGW-14R	7/7/2021	50	50	ND	ug/L
Safrole	LGW-2	10/26/2006	50	50	ND	ug/L
Safrole	LGW-2	2/13/2009	50	50	ND	ug/L
Safrole	LGW-2	7/9/2012	47	47	ND	ug/L
Safrole	LGW-2	2/13/2015	65	65	ND	ug/L
Safrole	LGW-2	7/12/2018	49	49	ND	ug/L
Safrole	LGW-2	7/8/2020	10	10	ND	ug/L
Safrole	LGW-2	7/4/2021	50	50	ND	ug/L
Safrole	LGW-3R	10/26/2006	50	50	ND	ug/L
Safrole	LGW-3R	2/3/2009	50	50	ND	ug/L
Safrole	LGW-3R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-3R	2/10/2015	49	49	ND	ug/L
Safrole	LGW-3R	7/11/2018	50	50	ND	ug/L
Safrole	LGW-3R	7/6/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	LGW-4	10/26/2006	50	50	ND	ug/L
Safrole	LGW-4	2/3/2009	50	50	ND	ug/L
Safrole	LGW-4	7/9/2012	47	47	ND	ug/L
Safrole	LGW-4	2/11/2015	48	48	ND	ug/L
Safrole	LGW-4	7/11/2018	50	50	ND	ug/L
Safrole	LGW-4	7/7/2021	50	50	ND	ug/L
Safrole	LGW-5	10/26/2006	50	50	ND	ug/L
Safrole	LGW-5	2/4/2009	50	50	ND	ug/L
Safrole	LGW-5	7/9/2012	47	47	ND	ug/L
Safrole	LGW-5	2/10/2015	48	48	ND	ug/L
Safrole	LGW-5	7/12/2018	50	50	ND	ug/L
Safrole	LGW-5	7/7/2021	50	50	ND	ug/L
Safrole	LGW-6	10/26/2006	50	50	ND	ug/L
Safrole	LGW-6	2/5/2009	50	50	ND	ug/L
Safrole	LGW-6	7/9/2012	47	47	ND	ug/L
Safrole	LGW-6	2/10/2015	50	50	ND	ug/L
Safrole	LGW-6	10/6/2016	48	48	ND	ug/L
Safrole	LGW-6	10/5/2017	48	48	ND	ug/L
Safrole	LGW-6	7/17/2018	49	49	ND	ug/L
Safrole	LGW-6	7/10/2019	49	49	ND	ug/L
Safrole	LGW-6	7/9/2020	10	10	ND	ug/L
Safrole	LGW-6	7/7/2021	50	50	ND	ug/L
Safrole	LGW-7	10/26/2006	50	50	ND	ug/L
Safrole	LGW-7	2/4/2009	50	50	ND	ug/L
Safrole	LGW-7	7/10/2012	47	47	ND	ug/L
Safrole	LGW-7	2/11/2015	48	48	ND	ug/L
Safrole	LGW-7	10/6/2016	48	48	ND	ug/L
Safrole	LGW-7	10/5/2017	48	48	ND	ug/L
Safrole	LGW-7	7/12/2018	51	51	ND	ug/L
Safrole	LGW-7	7/10/2019	49	49	ND	ug/L
Safrole	LGW-7	7/9/2020	10	10	ND	ug/L
Safrole	LGW-7	7/7/2021	50	50	ND	ug/L
Safrole	LGW-8R	10/26/2006	50	50	ND	ug/L
Safrole	LGW-8R	2/4/2009	50	50	ND	ug/L
Safrole	LGW-8R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-8R	2/11/2015	49	49	ND	ug/L
Safrole	LGW-8R	7/13/2018	49	49	ND	ug/L
Safrole	LGW-8R	7/7/2021	50	50	ND	ug/L
Safrole	LGW-9	10/26/2006	50	50	ND	ug/L
Safrole	LGW-9	2/4/2009	50	50	ND	ug/L
Safrole	LGW-9	7/10/2012	47	47	ND	ug/L
Safrole	LGW-9	2/11/2015	49	49	ND	ug/L
Safrole	LGW-9	10/6/2016	48	48	ND	ug/L
Safrole	LGW-9	10/5/2017	48	48	ND	ug/L
Safrole	LGW-9	7/13/2018	47	47	ND	ug/L
Safrole	LGW-9	7/10/2019	51	51	ND	ug/L
Safrole	LGW-9	7/9/2020	10	10	ND	ug/L
Safrole	LGW-9	7/7/2021	50	50	ND	ug/L
Safrole	MW-10N	10/25/2006	50	50	ND	ug/L
Safrole	MW-10N	2/13/2009	50	50	ND	ug/L
Safrole	MW-10N	7/10/2012	47	47	ND	ug/L
Safrole	MW-10N	2/12/2015	48	48	ND	ug/L
Safrole	MW-10N	7/11/2018	48	48	ND	ug/L
Safrole	MW-10N	7/5/2021	50	50	ND	ug/L
Safrole	MW-11N	10/25/2006	50	50	ND	ug/L
Safrole	MW-11N	2/3/2009	50	50	ND	ug/L
Safrole	MW-11N	7/9/2012	47	47	ND	ug/L
Safrole	MW-11N	2/10/2015	50	50	ND	ug/L
Safrole	MW-11N	7/17/2018	50	50	ND	ug/L
Safrole	MW-11N	7/6/2021	50	50	ND	ug/L
Safrole	MW-15	7/10/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	MW-15	7/4/2021	50	50	ND	ug/L
Safrole	MW-16	7/11/2018	48	48	ND	ug/L
Safrole	MW-16	7/4/2021	50	50	ND	ug/L
Safrole	MW-17	7/10/2018	47	47	ND	ug/L
Safrole	MW-17	7/4/2021	50	50	ND	ug/L
Safrole	MW-19	7/13/2018	48	48	ND	ug/L
Safrole	MW-19	7/4/2021	50	50	ND	ug/L
Safrole	MW-1N	10/14/1998	10	10	ND	ug/L
Safrole	MW-1N	5/29/2002	10	10	ND	ug/L
Safrole	MW-1N	5/29/2002	10	10	ND	ug/L
Safrole	MW-1N	10/24/2006	50	50	ND	ug/L
Safrole	MW-1N	2/5/2009	50	50	ND	ug/L
Safrole	MW-1N	7/10/2012	47	47	ND	ug/L
Safrole	MW-1N	2/10/2015	47	47	ND	ug/L
Safrole	MW-1N	7/10/2018	49	49	ND	ug/L
Safrole	MW-1N	7/6/2020	10	10	ND	ug/L
Safrole	MW-1N	7/4/2021	50	50	ND	ug/L
Safrole	MW-20	7/12/2018	47	47	ND	ug/L
Safrole	MW-20	7/4/2021	50	50	ND	ug/L
Safrole	MW-21	10/5/2016	48	48	ND	ug/L
Safrole	MW-21	10/6/2017	48	48	ND	ug/L
Safrole	MW-21	7/11/2018	48	48	ND	ug/L
Safrole	MW-21	7/11/2019	50	50	ND	ug/L
Safrole	MW-21	7/8/2020	10	10	ND	ug/L
Safrole	MW-21	7/5/2021	50	50	ND	ug/L
Safrole	MW-2N	10/25/2006	50	50	ND	ug/L
Safrole	MW-2N	2/4/2009	50	50	ND	ug/L
Safrole	MW-2N	7/10/2012	47	47	ND	ug/L
Safrole	MW-2N	2/12/2015	48	48	ND	ug/L
Safrole	MW-2N	7/12/2018	51	51	ND	ug/L
Safrole	MW-2N	7/5/2021	50	50	ND	ug/L
Safrole	MW-3N	5/29/2002	10	10	ND	ug/L
Safrole	MW-3N	5/29/2002	10	10	ND	ug/L
Safrole	MW-3N	10/25/2006	50	50	ND	ug/L
Safrole	MW-3N	2/4/2009	50	50	ND	ug/L
Safrole	MW-3N	7/11/2012	47	47	ND	ug/L
Safrole	MW-3N	2/12/2015	49	49	ND	ug/L
Safrole	MW-3N	10/6/2016	48	48	ND	ug/L
Safrole	MW-3N	10/9/2017	48	48	ND	ug/L
Safrole	MW-3N	7/13/2018	47	47	ND	ug/L
Safrole	MW-3N	7/11/2019	50	50	ND	ug/L
Safrole	MW-3N	7/7/2020	10	10	ND	ug/L
Safrole	MW-3N	7/5/2021	50	50	ND	ug/L
Safrole	MW-7N	10/15/1998	10	10	ND	ug/L
Safrole	MW-7N	5/29/2002	10	10	ND	ug/L
Safrole	MW-7N	5/29/2002	10	10	ND	ug/L
Safrole	MW-7N	10/24/2006	50	50	ND	ug/L
Safrole	MW-7N	2/6/2009	50	50	ND	ug/L
Safrole	MW-7N	7/10/2012	47	47	ND	ug/L
Safrole	MW-7N	2/12/2015	49	49	ND	ug/L
Safrole	MW-7N	10/5/2017	49	49	ND	ug/L
Safrole	MW-7N	7/13/2018	52	52	ND	ug/L
Safrole	MW-7N	7/5/2021	50	50	ND	ug/L
Safrole	MW-8N	5/29/2002	10	10	ND	ug/L
Safrole	MW-8N	5/29/2002	10	10	ND	ug/L
Safrole	MW-8N	10/24/2006	50	50	ND	ug/L
Safrole	MW-8N	1/24/2008	50	50	ND	ug/L
Safrole	MW-8N	2/4/2009	50	50	ND	ug/L
Safrole	MW-8N	5/10/2011	48	48	ND	ug/L
Safrole	MW-8N	7/11/2012	47	47	ND	ug/L
Safrole	MW-8N	10/2/2013	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	MW-8N	10/8/2014	48	48	ND	ug/L
Safrole	MW-8N	2/12/2015	48	48	ND	ug/L
Safrole	MW-8N	10/6/2016	48	48	ND	ug/L
Safrole	MW-8N	10/6/2017	48	48	ND	ug/L
Safrole	MW-8N	7/16/2018	49	49	ND	ug/L
Safrole	MW-8N	7/11/2019	50	50	ND	ug/L
Safrole	MW-8N	7/9/2020	10	10	ND	ug/L
Safrole	MW-8N	7/5/2021	50	50	ND	ug/L
Safrole	NE-1	10/25/2006	50	50	ND	ug/L
Safrole	NE-1	2/7/2009	50	50	ND	ug/L
Safrole	NE-1	7/10/2012	48	48	ND	ug/L
Safrole	NE-1	2/11/2015	48	48	ND	ug/L
Safrole	NE-1	7/18/2018	48	48	ND	ug/L
Safrole	NE-2	7/10/2018	48	48	ND	ug/L
Safrole	NE-4	10/25/2006	50	50	ND	ug/L
Safrole	NE-4	2/7/2009	50	50	ND	ug/L
Safrole	NE-4	7/10/2012	49	49	ND	ug/L
Safrole	NE-4	2/13/2015	48	48	ND	ug/L
Safrole	NE-4	7/12/2018	52	52	ND	ug/L
Safrole	NE-5	10/25/2006	50	50	ND	ug/L
Safrole	NE-5	2/6/2009	50	50	ND	ug/L
Safrole	NE-5	7/10/2012	47	47	ND	ug/L
Safrole	NE-5	2/11/2015	48	48	ND	ug/L
Safrole	NE-5	7/17/2018	48	48	ND	ug/L
Safrole	NE-5	7/9/2019	50	50	ND	ug/L
Selenium, dissolved	LGW-14R	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-2	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-4	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-5	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-6	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-7	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-8R	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	MW-10N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-10N	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	MW-10N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-11N	7/10/2000	10	10	ND	ug/L
Selenium, dissolved	MW-11N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-11N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-1N	10/19/1999	10	10	ND	ug/L
Selenium, dissolved	MW-1N	7/12/2000	10	10	ND	ug/L
Selenium, dissolved	MW-1N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-1N	10/3/2002	5	5	ND	ug/L
Selenium, dissolved	MW-2N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-2N	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	MW-2N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-3N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-3N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-3N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-7N	10/19/1999	24	10		ug/L
Selenium, dissolved	MW-7N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-7N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-7N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-8N	10/19/1999	10	10	ND	ug/L
Selenium, dissolved	MW-8N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-8N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-8N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	NE-1	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	7/9/2002	25	25	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, dissolved	NE-2	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-3	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	NE-3	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-3	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-3	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	NE-4	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	10/3/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	NE-5	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	10/2/2002	5	5	ND	ug/L
Selenium, total	LGW-10	1/26/2006	10	10	ND	ug/L
Selenium, total	LGW-10	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-10	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-10	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-10	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-10	7/12/2007	10	10	ND	ug/L
Selenium, total	LGW-10	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-10	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-10	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-10	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-10	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-10	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-10	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-10	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-10	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-10	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-10	5/1/2013	9.7	10	ND	ug/L
Selenium, total	LGW-10	1/30/2014	10	10	ND	ug/L
Selenium, total	LGW-10	7/9/2014	10	10	ND	ug/L
Selenium, total	LGW-10	2/12/2015	5.9	10	ND	ug/L
Selenium, total	LGW-10	7/13/2015	22	10		ug/L
Selenium, total	LGW-10	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-10	4/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	7/21/2016	6	10	ND	ug/L
Selenium, total	LGW-10	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-10	4/4/2017	10	10	ND	ug/L
Selenium, total	LGW-10	7/19/2017	7.6	10	ND	ug/L
Selenium, total	LGW-10	10/9/2017	10	10	ND	ug/L
Selenium, total	LGW-10	10/9/2017	10	10	ND	ug/L
Selenium, total	LGW-10	1/24/2018	10	10	ND	ug/L
Selenium, total	LGW-10	4/11/2018	10	10	ND	ug/L
Selenium, total	LGW-10	7/16/2018	10	10	ND	ug/L
Selenium, total	LGW-10	10/4/2018	10	10	ND	ug/L
Selenium, total	LGW-10	1/4/2019	10	10	ND	ug/L
Selenium, total	LGW-10	4/3/2019	10	10	ND	ug/L
Selenium, total	LGW-10	7/11/2019	10	10	ND	ug/L
Selenium, total	LGW-10	10/2/2019	10	10	ND	ug/L
Selenium, total	LGW-10	1/15/2020	10	10	ND	ug/L
Selenium, total	LGW-10	4/2/2020	10.9	10		ug/L
Selenium, total	LGW-10	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-10	10/7/2020	10	10	ND	ug/L
Selenium, total	LGW-10	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-10	4/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-10	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-10	10/5/2021	12	10		ug/L
Selenium, total	LGW-10	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-10	4/4/2022	10	10	ND	ug/L
Selenium, total	LGW-10	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-10	10/7/2022	10	10	ND	ug/L
Selenium, total	LGW-10	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-10	4/5/2023	10	10	ND	ug/L
Selenium, total	LGW-14R	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	8/2/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	8/2/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	4/24/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-14R	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-14R	2/6/2009	10	10	ND	ug/L
Selenium, total	LGW-14R	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-14R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-14R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-14R	7/12/2010	6	10	ND	ug/L
Selenium, total	LGW-14R	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-14R	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-14R	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-14R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-14R	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-14R	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-14R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-14R	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-14R	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-14R	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-14R	7/19/2016	7.7	10	ND	ug/L
Selenium, total	LGW-14R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-14R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-14R	1/25/2018	10	10	ND	ug/L
Selenium, total	LGW-14R	7/17/2018	10	10	ND	ug/L
Selenium, total	LGW-14R	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-14R	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-14R	1/16/2020	10	10	ND	ug/L
Selenium, total	LGW-14R	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-14R	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-14R	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-14R	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-14R	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-14R	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-2	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-2	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-2	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-2	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-2	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-2	7/10/2007	10	10	ND	ug/L
Selenium, total	LGW-2	1/26/2008	10	10	ND	ug/L
Selenium, total	LGW-2	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-2	2/6/2009	10	10	ND	ug/L
Selenium, total	LGW-2	7/30/2009	10	10	ND	ug/L
Selenium, total	LGW-2	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-2	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-2	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-2	1/19/2011	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-2	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-2	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-2	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-2	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-2	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-2	1/30/2014	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-2	2/13/2015	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-2	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-2	7/19/2016	5	10	ND	ug/L
Selenium, total	LGW-2	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-2	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-2	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-2	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-2	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-2	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-2	1/13/2020	10	10	ND	ug/L
Selenium, total	LGW-2	4/1/2020	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2020	10	10	ND	ug/L
Selenium, total	LGW-2	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-2	7/4/2021	10	10	ND	ug/L
Selenium, total	LGW-2	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-2	7/10/2022	10	10	ND	ug/L
Selenium, total	LGW-2	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-3R	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	1/26/2008	10	10	ND	ug/L
Selenium, total	LGW-3R	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2009	10	10	ND	ug/L
Selenium, total	LGW-3R	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-3R	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-3R	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-3R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-3R	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-3R	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-3R	1/22/2014	10	10	ND	ug/L
Selenium, total	LGW-3R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-3R	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-3R	7/16/2015	16	10		ug/L
Selenium, total	LGW-3R	1/8/2016	10	10	ND	ug/L
Selenium, total	LGW-3R	7/21/2016	10	10	ND	ug/L
Selenium, total	LGW-3R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-3R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-3R	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-3R	7/11/2018	10	10	ND	ug/L
Selenium, total	LGW-3R	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-3R	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-3R	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-3R	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-3R	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-3R	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-3R	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-3R	7/10/2022	10	10	ND	ug/L
Selenium, total	LGW-3R	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-4	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-4	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-4	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-4	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-4	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-4	1/22/2008	10	10	ND	ug/L
Selenium, total	LGW-4	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2009	10	10	ND	ug/L
Selenium, total	LGW-4	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-4	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-4	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-4	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-4	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-4	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-4	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-4	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-4	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-4	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-4	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-4	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-4	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-4	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-4	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-4	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-4	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2018	10	10	ND	ug/L
Selenium, total	LGW-4	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-4	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-4	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-4	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-4	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-4	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-4	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-4	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-5	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-5	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-5	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-5	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-5	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-5	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-5	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-5	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-5	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-5	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-5	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-5	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-5	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-5	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-5	4/30/2013	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-5	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-5	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-5	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-5	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-5	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-5	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-5	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-5	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-5	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-5	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-5	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-5	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-5	1/18/2021	13.5	10		ug/L
Selenium, total	LGW-5	4/6/2021	19.2	10		ug/L
Selenium, total	LGW-5	7/7/2021	14.8	10		ug/L
Selenium, total	LGW-5	10/5/2021	10	10	ND	ug/L
Selenium, total	LGW-5	1/12/2022	14	10		ug/L
Selenium, total	LGW-5	4/4/2022	11.3	10		ug/L
Selenium, total	LGW-5	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-5	10/6/2022	10	10	ND	ug/L
Selenium, total	LGW-5	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-6	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-6	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-6	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-6	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-6	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-6	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-6	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-6	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-6	2/5/2009	10	10	ND	ug/L
Selenium, total	LGW-6	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-6	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-6	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-6	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-6	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-6	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-6	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-6	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-6	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-6	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-6	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-6	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-6	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-6	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-6	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-6	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-6	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-6	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-6	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-6	5/5/2017	50	50	ND	ug/L
Selenium, total	LGW-6	7/18/2017	20	20	ND	ug/L
Selenium, total	LGW-6	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-6	10/5/2017	20	20	ND	ug/L
Selenium, total	LGW-6	1/23/2018	50	50	ND	ug/L
Selenium, total	LGW-6	4/10/2018	14	10		ug/L
Selenium, total	LGW-6	7/17/2018	20	20	ND	ug/L
Selenium, total	LGW-6	10/2/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-6	1/7/2019	20	20	ND	ug/L
Selenium, total	LGW-6	4/3/2019	50	50	ND	ug/L
Selenium, total	LGW-6	7/10/2019	6.1	10	ND	ug/L
Selenium, total	LGW-6	10/3/2019	50	50	ND	ug/L
Selenium, total	LGW-6	1/16/2020	14.9	10		ug/L
Selenium, total	LGW-6	4/2/2020	18.4	10		ug/L
Selenium, total	LGW-6	7/9/2020	37	37	ND	ug/L
Selenium, total	LGW-6	10/6/2020	37	37	ND	ug/L
Selenium, total	LGW-6	1/18/2021	19.1	10		ug/L
Selenium, total	LGW-6	4/6/2021	38.2	10		ug/L
Selenium, total	LGW-6	7/7/2021	24	10		ug/L
Selenium, total	LGW-6	10/5/2021	33.3	10		ug/L
Selenium, total	LGW-6	1/12/2022	24	10		ug/L
Selenium, total	LGW-6	4/4/2022	27.7	10		ug/L
Selenium, total	LGW-6	7/11/2022	12.6	10		ug/L
Selenium, total	LGW-6	10/6/2022	18.6	10		ug/L
Selenium, total	LGW-6	1/10/2023	14	10		ug/L
Selenium, total	LGW-6	4/6/2023	10	10	ND	ug/L
Selenium, total	LGW-7	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-7	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-7	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-7	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-7	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2007	10	10	ND	ug/L
Selenium, total	LGW-7	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-7	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-7	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-7	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-7	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-7	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-7	7/10/2012	10	10	ND	ug/L
Selenium, total	LGW-7	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-7	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-7	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-7	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-7	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-7	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-7	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-7	4/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	7/20/2016	10	10	ND	ug/L
Selenium, total	LGW-7	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-7	4/4/2017	10	10	ND	ug/L
Selenium, total	LGW-7	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2017	20	20	ND	ug/L
Selenium, total	LGW-7	1/24/2018	50	50	ND	ug/L
Selenium, total	LGW-7	4/11/2018	10	10		ug/L
Selenium, total	LGW-7	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-7	10/2/2018	10	10	ND	ug/L
Selenium, total	LGW-7	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-7	4/3/2019	10	10	ND	ug/L
Selenium, total	LGW-7	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-7	10/3/2019	10	10	ND	ug/L
Selenium, total	LGW-7	1/15/2020	10	10	ND	ug/L
Selenium, total	LGW-7	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-7	1/18/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-7	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2021	10	10	ND	ug/L
Selenium, total	LGW-7	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-7	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-7	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-8R	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	4/25/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	7/12/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-8R	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-8R	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-8R	7/14/2010	10	10	ND	ug/L
Selenium, total	LGW-8R	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-8R	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-8R	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-8R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-8R	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-8R	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-8R	1/22/2014	10	10	ND	ug/L
Selenium, total	LGW-8R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-8R	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-8R	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-8R	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2016	10	10	ND	ug/L
Selenium, total	LGW-8R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-8R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-8R	1/25/2018	10	10	ND	ug/L
Selenium, total	LGW-8R	7/13/2018	10	10	ND	ug/L
Selenium, total	LGW-8R	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-8R	7/8/2019	10	10	ND	ug/L
Selenium, total	LGW-8R	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-8R	7/7/2020	10	10	ND	ug/L
Selenium, total	LGW-8R	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-8R	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-8R	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-8R	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-8R	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-9	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-9	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-9	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-9	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-9	4/25/2007	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2007	10	10	ND	ug/L
Selenium, total	LGW-9	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-9	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-9	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-9	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-9	7/14/2010	10	10	ND	ug/L
Selenium, total	LGW-9	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-9	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-9	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2012	10	10	ND	ug/L
Selenium, total	LGW-9	5/1/2013	10	10	ND	ug/L
Selenium, total	LGW-9	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-9	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-9	7/8/2014	6.9	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-9	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-9	7/13/2015	19	10		ug/L
Selenium, total	LGW-9	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-9	7/21/2016	10	10	ND	ug/L
Selenium, total	LGW-9	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-9	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-9	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-9	5/5/2017	10	10	ND	ug/L
Selenium, total	LGW-9	7/18/2017	6.4	10	ND	ug/L
Selenium, total	LGW-9	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-9	10/5/2017	1.3	10	ND	ug/L
Selenium, total	LGW-9	1/24/2018	10	10	ND	ug/L
Selenium, total	LGW-9	4/11/2018	10	10	ND	ug/L
Selenium, total	LGW-9	7/13/2018	10	10	ND	ug/L
Selenium, total	LGW-9	10/2/2018	10	10	ND	ug/L
Selenium, total	LGW-9	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-9	4/3/2019	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-9	10/3/2019	10	10	ND	ug/L
Selenium, total	LGW-9	1/16/2020	10	10	ND	ug/L
Selenium, total	LGW-9	4/2/2020	10	10	ND	ug/L
Selenium, total	LGW-9	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-9	10/7/2020	10	10	ND	ug/L
Selenium, total	LGW-9	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-9	4/6/2021	12.1	10		ug/L
Selenium, total	LGW-9	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-9	10/5/2021	18.2	10		ug/L
Selenium, total	LGW-9	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-9	4/4/2022	10	10	ND	ug/L
Selenium, total	LGW-9	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-9	10/7/2022	10	10	ND	ug/L
Selenium, total	LGW-9	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-9	4/5/2023	10	10	ND	ug/L
Selenium, total	MW-10N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-10N	1/22/1998	10	10	ND	ug/L
Selenium, total	MW-10N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-10N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-10N	1/14/1999	10	10	ND	ug/L
Selenium, total	MW-10N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-10N	7/15/1999	10	10	ND	ug/L
Selenium, total	MW-10N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-10N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-10N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-10N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-10N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-10N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-10N	7/10/2002	25	25	ND	ug/L
Selenium, total	MW-10N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-10N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-10N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-10N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-10N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-10N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-10N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-10N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-10N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2007	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-10N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-10N	1/23/2008	10	10	ND	ug/L
Selenium, total	MW-10N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-10N	2/13/2009	10	10	ND	ug/L
Selenium, total	MW-10N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-10N	1/27/2010	10	10	ND	ug/L
Selenium, total	MW-10N	8/10/2010	10	10	ND	ug/L
Selenium, total	MW-10N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-10N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-10N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-10N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-10N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-10N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-10N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-10N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-10N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-10N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-10N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-10N	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-10N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-10N	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-10N	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-10N	7/8/2020	10	10	ND	ug/L
Selenium, total	MW-10N	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-10N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-10N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-11N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-11N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-11N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-11N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-11N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-11N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-11N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/2000	10	10	ND	ug/L
Selenium, total	MW-11N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-11N	7/10/2000	10	10	ND	ug/L
Selenium, total	MW-11N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-11N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-11N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-11N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-11N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-11N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-11N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-11N	1/29/2004	10	10	ND	ug/L
Selenium, total	MW-11N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/2005	10	10	ND	ug/L
Selenium, total	MW-11N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-11N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-11N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-11N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-11N	1/24/2007	10	10	ND	ug/L
Selenium, total	MW-11N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-11N	1/22/2008	10	10	ND	ug/L
Selenium, total	MW-11N	7/23/2008	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-11N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2010	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2010	10	10	ND	ug/L
Selenium, total	MW-11N	7/16/2010	10	10	ND	ug/L
Selenium, total	MW-11N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-11N	1/4/2012	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2012	10	10	ND	ug/L
Selenium, total	MW-11N	4/30/2013	10	10	ND	ug/L
Selenium, total	MW-11N	7/15/2013	10	10	ND	ug/L
Selenium, total	MW-11N	1/23/2014	10	10	ND	ug/L
Selenium, total	MW-11N	7/8/2014	10	10	ND	ug/L
Selenium, total	MW-11N	2/10/2015	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2015	10	10	ND	ug/L
Selenium, total	MW-11N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-11N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-11N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-11N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-11N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-11N	7/17/2018	10	10	ND	ug/L
Selenium, total	MW-11N	1/2/2019	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-11N	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-11N	7/6/2020	10	10	ND	ug/L
Selenium, total	MW-11N	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-11N	7/6/2021	10	10	ND	ug/L
Selenium, total	MW-11N	1/18/2022	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2022	10	10	ND	ug/L
Selenium, total	MW-11N	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-15	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-15	7/15/2015	17	10		ug/L
Selenium, total	MW-15	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-15	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-15	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-15	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-15	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-15	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-15	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-15	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-15	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-15	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-15	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-15	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-15	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-15	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-15	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-15	7/4/2021	14.6	10		ug/L
Selenium, total	MW-15	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-15	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-15	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-16	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-16	7/16/2015	16	10		ug/L
Selenium, total	MW-16	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-16	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-16	1/8/2016	10	10	ND	ug/L
Selenium, total	MW-16	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-16	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-16	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-16	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-16	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-16	1/23/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-16	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-16	1/2/2019	10	10	ND	ug/L
Selenium, total	MW-16	7/10/2019	3.4	10	ND	ug/L
Selenium, total	MW-16	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-16	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-16	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-16	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-16	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-16	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-16	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-17	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-17	7/15/2015	12	10		ug/L
Selenium, total	MW-17	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-17	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-17	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-17	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-17	7/20/2016	6.5	10	ND	ug/L
Selenium, total	MW-17	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-17	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-17	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-17	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-17	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-17	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-17	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-17	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-17	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-17	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-17	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-17	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-19	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-19	7/16/2015	18	10		ug/L
Selenium, total	MW-19	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-19	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-19	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-19	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-19	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-19	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-19	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-19	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-19	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-19	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-19	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-19	7/11/2019	5.5	10	ND	ug/L
Selenium, total	MW-19	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-19	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-19	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-19	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-19	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-1N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-1N	1/20/1998	10	10	ND	ug/L
Selenium, total	MW-1N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-1N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-1N	10/14/1998	10	10	ND	ug/L
Selenium, total	MW-1N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-1N	4/13/1999	13	10		ug/L
Selenium, total	MW-1N	7/15/1999	10	10	ND	ug/L
Selenium, total	MW-1N	10/19/1999	10	10	ND	ug/L
Selenium, total	MW-1N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-1N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-1N	7/12/2000	10	10	ND	ug/L
Selenium, total	MW-1N	10/18/2000	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-1N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-1N	4/12/2001	10	10	ND	ug/L
Selenium, total	MW-1N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-1N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-1N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-1N	10/3/2002	5	5	ND	ug/L
Selenium, total	MW-1N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-1N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-1N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-1N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-1N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-1N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-1N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-1N	1/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-1N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-1N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-1N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-1N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-1N	2/5/2009	10	10	ND	ug/L
Selenium, total	MW-1N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-1N	1/26/2010	4.9	10	ND	ug/L
Selenium, total	MW-1N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-1N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-1N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-1N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-1N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-1N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-1N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-1N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-1N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-1N	2/10/2015	10	10	ND	ug/L
Selenium, total	MW-1N	7/14/2015	12	10		ug/L
Selenium, total	MW-1N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-1N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-1N	1/12/2017	10	10	ND	ug/L
Selenium, total	MW-1N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-1N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-1N	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-1N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-1N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-1N	1/23/2020	10	10	ND	ug/L
Selenium, total	MW-1N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-1N	7/6/2020	10	10	ND	ug/L
Selenium, total	MW-1N	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-1N	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-1N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-20	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-20	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-20	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-20	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-20	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-20	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-20	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-20	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-20	1/12/2017	10	10	ND	ug/L
Selenium, total	MW-20	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-20	1/26/2018	10	10	ND	ug/L
Selenium, total	MW-20	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-20	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-20	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-20	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-20	1/17/2021	10	10	ND	ug/L
Selenium, total	MW-20	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-20	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-21	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-21	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-21	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-21	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-21	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-21	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	9.5	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	1/10/2017	5.8	10	ND	ug/L
Selenium, total	MW-21	4/5/2017	4.9	10	ND	ug/L
Selenium, total	MW-21	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-21	10/6/2017	0.8	10	ND	ug/L
Selenium, total	MW-21	10/6/2017	10	10	ND	ug/L
Selenium, total	MW-21	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-21	4/11/2018	8.1	10	ND	ug/L
Selenium, total	MW-21	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-21	10/4/2018	10	10	ND	ug/L
Selenium, total	MW-21	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-21	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-21	7/11/2019	4.8	10	ND	ug/L
Selenium, total	MW-21	10/2/2019	10	10	ND	ug/L
Selenium, total	MW-21	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-21	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-21	7/8/2020	10	10	ND	ug/L
Selenium, total	MW-21	10/7/2020	10	10	ND	ug/L
Selenium, total	MW-21	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-21	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-21	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-21	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-21	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-21	4/8/2023	10	10	ND	ug/L
Selenium, total	MW-2N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-2N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-2N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-2N	7/22/1998	10	10	ND	ug/L
Selenium, total	MW-2N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-2N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-2N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-2N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-2N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-2N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-2N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-2N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-2N	7/10/2002	25	25	ND	ug/L
Selenium, total	MW-2N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-2N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-2N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-2N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-2N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-2N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-2N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-2N	7/20/2005	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-2N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-2N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-2N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-2N	7/22/2008	10	10	ND	ug/L
Selenium, total	MW-2N	2/4/2009	10	10	ND	ug/L
Selenium, total	MW-2N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-2N	1/26/2010	6.6	10	ND	ug/L
Selenium, total	MW-2N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-2N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-2N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-2N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-2N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-2N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-2N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-2N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-2N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-2N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-2N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-2N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-2N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-2N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-2N	7/12/2018	10	10	ND	ug/L
Selenium, total	MW-2N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-2N	8/7/2019	10	10	ND	ug/L
Selenium, total	MW-2N	1/23/2020	10	10	ND	ug/L
Selenium, total	MW-2N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-2N	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-2N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-2N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-3N	10/21/1997	10	10	ND	ug/L
Selenium, total	MW-3N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-3N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-3N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-3N	1/13/1999	19	10		ug/L
Selenium, total	MW-3N	4/13/1999	13	10		ug/L
Selenium, total	MW-3N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-3N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-3N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-3N	4/24/2000	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-3N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-3N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-3N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-3N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-3N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-3N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-3N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-3N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-3N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-3N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-3N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-3N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-3N	1/18/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-3N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-3N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-3N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-3N	7/22/2008	10	10	ND	ug/L
Selenium, total	MW-3N	2/4/2009	10	10	ND	ug/L
Selenium, total	MW-3N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-3N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-3N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-3N	1/20/2011	6.6	10	ND	ug/L
Selenium, total	MW-3N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-3N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2012	10	10	ND	ug/L
Selenium, total	MW-3N	5/1/2013	7.6	10	ND	ug/L
Selenium, total	MW-3N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-3N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-3N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-3N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-3N	4/1/2015	10	10	ND	ug/L
Selenium, total	MW-3N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-3N	10/5/2015	7.4	10	ND	ug/L
Selenium, total	MW-3N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	4/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-3N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-3N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-3N	10/9/2017	10	10	ND	ug/L
Selenium, total	MW-3N	10/9/2017	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-3N	4/10/2018	10	10	ND	ug/L
Selenium, total	MW-3N	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-3N	10/3/2018	10	10	ND	ug/L
Selenium, total	MW-3N	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-3N	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-3N	10/2/2019	10	10	ND	ug/L
Selenium, total	MW-3N	1/15/2020	10	10	ND	ug/L
Selenium, total	MW-3N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-3N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-3N	10/7/2020	10	10	ND	ug/L
Selenium, total	MW-3N	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-3N	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-3N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-3N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-7N	10/21/1997	10	10	ND	ug/L
Selenium, total	MW-7N	1/21/1998	11	10		ug/L
Selenium, total	MW-7N	7/22/1998	10	10		ug/L
Selenium, total	MW-7N	8/18/1998	10	10		ug/L
Selenium, total	MW-7N	9/17/1998	13	10		ug/L
Selenium, total	MW-7N	10/15/1998	10	10	ND	ug/L
Selenium, total	MW-7N	11/9/1998	10	10	ND	ug/L
Selenium, total	MW-7N	1/14/1999	140	10		ug/L
Selenium, total	MW-7N	4/14/1999	150	10		ug/L
Selenium, total	MW-7N	7/14/1999	12	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-7N	10/19/1999	15	10		ug/L
Selenium, total	MW-7N	1/13/2000	10	10	ND	ug/L
Selenium, total	MW-7N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-7N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-7N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-7N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-7N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-7N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-7N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-7N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-7N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-7N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-7N	1/27/2004	10	10	ND	ug/L
Selenium, total	MW-7N	4/8/2004	10	10	ND	ug/L
Selenium, total	MW-7N	7/26/2004	10	10	ND	ug/L
Selenium, total	MW-7N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2005	10	10	ND	ug/L
Selenium, total	MW-7N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-7N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-7N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-7N	2/6/2009	10	10	ND	ug/L
Selenium, total	MW-7N	7/29/2009	10	10	ND	ug/L
Selenium, total	MW-7N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-7N	7/14/2010	10	10	ND	ug/L
Selenium, total	MW-7N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-7N	7/12/2011	10	10	ND	ug/L
Selenium, total	MW-7N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-7N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-7N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-7N	7/15/2013	10	10	ND	ug/L
Selenium, total	MW-7N	1/30/2014	10	10	ND	ug/L
Selenium, total	MW-7N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-7N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-7N	7/13/2015	13	10		ug/L
Selenium, total	MW-7N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-7N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-7N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-7N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-7N	10/5/2017	1.1	10	ND	ug/L
Selenium, total	MW-7N	10/5/2017	10	10	ND	ug/L
Selenium, total	MW-7N	1/25/2018	10	10	ND	ug/L
Selenium, total	MW-7N	4/11/2018	10	10	ND	ug/L
Selenium, total	MW-7N	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-7N	1/4/2019	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2019	10	10	ND	ug/L
Selenium, total	MW-7N	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-7N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-7N	1/16/2021	10	10	ND	ug/L
Selenium, total	MW-7N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-7N	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-7N	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-8N	10/21/1997	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-8N	1/22/1998	10	10	ND	ug/L
Selenium, total	MW-8N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-8N	7/22/1998	10	10	ND	ug/L
Selenium, total	MW-8N	1/12/1999	60	10		ug/L
Selenium, total	MW-8N	4/13/1999	75	10		ug/L
Selenium, total	MW-8N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-8N	10/19/1999	10	10	ND	ug/L
Selenium, total	MW-8N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-8N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-8N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-8N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-8N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-8N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-8N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-8N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-8N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-8N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-8N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-8N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-8N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-8N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-8N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-8N	4/25/2007	10	10	ND	ug/L
Selenium, total	MW-8N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-8N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-8N	7/23/2008	10	10	ND	ug/L
Selenium, total	MW-8N	2/4/2009	10	10	ND	ug/L
Selenium, total	MW-8N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-8N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2010	10	10	ND	ug/L
Selenium, total	MW-8N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-8N	5/10/2011	10	10	ND	ug/L
Selenium, total	MW-8N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-8N	1/6/2012	10	10	ND	ug/L
Selenium, total	MW-8N	4/5/2012	10	10	ND	ug/L
Selenium, total	MW-8N	7/11/2012	10	10	ND	ug/L
Selenium, total	MW-8N	10/3/2012	10	10	ND	ug/L
Selenium, total	MW-8N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-8N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2013	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2013	10	10	ND	ug/L
Selenium, total	MW-8N	1/30/2014	10	10	ND	ug/L
Selenium, total	MW-8N	4/3/2014	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-8N	10/8/2014	10	10	ND	ug/L
Selenium, total	MW-8N	10/8/2014	10	10	ND	ug/L
Selenium, total	MW-8N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-8N	4/1/2015	10	10	ND	ug/L
Selenium, total	MW-8N	7/14/2015	15	10		ug/L
Selenium, total	MW-8N	10/5/2015	11	10		ug/L
Selenium, total	MW-8N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-8N	4/6/2016	8.4	10	ND	ug/L
Selenium, total	MW-8N	7/21/2016	4.9	10	ND	ug/L
Selenium, total	MW-8N	10/6/2016	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-8N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-8N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-8N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2017	1.2	10	ND	ug/L
Selenium, total	MW-8N	10/6/2017	10	10	ND	ug/L
Selenium, total	MW-8N	1/25/2018	10	10	ND	ug/L
Selenium, total	MW-8N	4/10/2018	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2018	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2018	10	10	ND	ug/L
Selenium, total	MW-8N	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-8N	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-8N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-8N	10/3/2019	10	10	ND	ug/L
Selenium, total	MW-8N	1/15/2020	10	10	ND	ug/L
Selenium, total	MW-8N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2020	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2020	10	10	ND	ug/L
Selenium, total	MW-8N	1/15/2021	10	10	ND	ug/L
Selenium, total	MW-8N	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-8N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-8N	1/18/2022	10	10	ND	ug/L
Selenium, total	MW-8N	4/4/2022	10	10	ND	ug/L
Selenium, total	MW-8N	7/12/2022	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2022	10	10	ND	ug/L
Selenium, total	MW-8N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-8N	4/8/2023	11.1	10		ug/L
Selenium, total	NE-1	7/10/2002	25	25	ND	ug/L
Selenium, total	NE-1	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-1	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-1	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-1	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-1	1/27/2004	10	10	ND	ug/L
Selenium, total	NE-1	1/12/2005	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-1	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2007	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2008	10	10	ND	ug/L
Selenium, total	NE-1	7/21/2008	10	10	ND	ug/L
Selenium, total	NE-1	2/7/2009	10	10	ND	ug/L
Selenium, total	NE-1	7/31/2009	6.7	10	ND	ug/L
Selenium, total	NE-1	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-1	7/14/2010	10	10	ND	ug/L
Selenium, total	NE-1	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-1	7/13/2011	10	10	ND	ug/L
Selenium, total	NE-1	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-1	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-1	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-1	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-1	7/9/2014	10	10	ND	ug/L
Selenium, total	NE-1	2/11/2015	10	10	ND	ug/L
Selenium, total	NE-1	7/8/2015	10	10	ND	ug/L
Selenium, total	NE-1	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-1	7/20/2016	10	10	ND	ug/L
Selenium, total	NE-1	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-1	4/11/2018	10	10	ND	ug/L
Selenium, total	NE-1	7/18/2018	10	10	ND	ug/L
Selenium, total	NE-1	10/2/2018	10	10	ND	ug/L
Selenium, total	NE-1	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-1	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2019	3.4	10	ND	ug/L
Selenium, total	NE-1	7/10/2019	3.4	10	ND	ug/L
Selenium, total	NE-1	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-1	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-1	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-1	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-1	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-1	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-1	4/9/2021	10.1	10		ug/L
Selenium, total	NE-1	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-1	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-1	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-1	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-1	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-1	10/6/2022	10	10	ND	ug/L
Selenium, total	NE-1	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-1	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-10D	11/6/2019	10	10	ND	ug/L
Selenium, total	NE-10D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-10D	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-10D	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-10D	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-10D	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-10D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-10D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-10D	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-10D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-10D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-11	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-11	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-11	7/20/2017	7.5	10	ND	ug/L
Selenium, total	NE-11	10/9/2017	10	10	ND	ug/L
Selenium, total	NE-11	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-11	1/14/2020	10	10	ND	ug/L
Selenium, total	NE-11	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-11	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-11	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-11	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-11	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-11	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-11	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-11	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-12	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-12	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-12	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-12	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-12	8/5/2019	10	10	ND	ug/L
Selenium, total	NE-12	1/13/2020	10	10	ND	ug/L
Selenium, total	NE-12	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-12	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-12	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-12	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-12	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-12	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-12	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-12	1/6/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-13	2/5/2019	10	10	ND	ug/L
Selenium, total	NE-13	8/7/2019	10	10	ND	ug/L
Selenium, total	NE-13	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-13	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-13	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-13	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-13	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-14D	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-14D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-14D	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-14D	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-14D	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-14D	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-14D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-14D	7/2/2021	11.1	10		ug/L
Selenium, total	NE-14D	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-14D	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-14D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-14D	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-14D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-14D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-14D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-14S	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-14S	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-14S	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-14S	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-14S	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-14S	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-14S	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-14S	7/2/2021	11.1	10		ug/L
Selenium, total	NE-14S	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-14S	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-14S	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-14S	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-14S	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-14S	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-14S	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-15D	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-15D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-15D	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-15D	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-15D	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-15D	1/17/2021	10.2	10		ug/L
Selenium, total	NE-15D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-15D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-15D	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-15D	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-15D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-15D	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-15D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-15D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-15D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-15S	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-2	7/9/2002	25	25	ND	ug/L
Selenium, total	NE-2	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-2	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-2	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-2	10/1/2013	10	10	ND	ug/L
Selenium, total	NE-2	10/8/2014	10	10	ND	ug/L
Selenium, total	NE-2	10/5/2015	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2016	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-2	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-2	1/25/2018	10	10	ND	ug/L
Selenium, total	NE-2	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-2	7/10/2018	10	10	ND	ug/L
Selenium, total	NE-2	10/1/2018	10	10	ND	ug/L
Selenium, total	NE-2	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-2	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-2	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-2	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-2	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-2	1/14/2020	10	10	ND	ug/L
Selenium, total	NE-2	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-2	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-2	1/14/2021	10	10	ND	ug/L
Selenium, total	NE-2	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-2	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2021	11.4	10		ug/L
Selenium, total	NE-2	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-2	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-2	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-2	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-2	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-2	4/5/2023	10	10	ND	ug/L
Selenium, total	NE-3	7/9/2002	25	25	ND	ug/L
Selenium, total	NE-3	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-3	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-3	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-3	3/21/2018	10	10	ND	ug/L
Selenium, total	NE-4	7/10/2002	25	25	ND	ug/L
Selenium, total	NE-4	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-4	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-4	10/3/2002	5	5	ND	ug/L
Selenium, total	NE-4	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-4	1/28/2004	10	10	ND	ug/L
Selenium, total	NE-4	1/13/2005	10	10	ND	ug/L
Selenium, total	NE-4	8/1/2006	10	10	ND	ug/L
Selenium, total	NE-4	8/1/2006	10	10	ND	ug/L
Selenium, total	NE-4	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-4	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-4	7/12/2007	10	10	ND	ug/L
Selenium, total	NE-4	1/24/2008	10	10	ND	ug/L
Selenium, total	NE-4	7/21/2008	10	10	ND	ug/L
Selenium, total	NE-4	2/7/2009	10	10	ND	ug/L
Selenium, total	NE-4	7/31/2009	10	10	ND	ug/L
Selenium, total	NE-4	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-4	7/14/2010	10	10	ND	ug/L
Selenium, total	NE-4	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-4	7/13/2011	10	10	ND	ug/L
Selenium, total	NE-4	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-4	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-4	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-4	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-4	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-4	7/9/2014	10	10	ND	ug/L
Selenium, total	NE-4	2/13/2015	10	10	ND	ug/L
Selenium, total	NE-4	7/8/2015	10	10	ND	ug/L
Selenium, total	NE-4	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-4	7/20/2016	7.9	10	ND	ug/L
Selenium, total	NE-4	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-4	7/19/2017	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-4	1/26/2018	10	10	ND	ug/L
Selenium, total	NE-4	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-4	7/12/2018	10	10	ND	ug/L
Selenium, total	NE-4	10/3/2018	10	10	ND	ug/L
Selenium, total	NE-4	1/7/2019	10	10	ND	ug/L
Selenium, total	NE-4	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-4	7/8/2019	10	10	ND	ug/L
Selenium, total	NE-4	7/8/2019	10	10	ND	ug/L
Selenium, total	NE-4	10/1/2019	10	10	ND	ug/L
Selenium, total	NE-4	1/13/2020	10	10	ND	ug/L
Selenium, total	NE-4	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-4	7/6/2020	10	10	ND	ug/L
Selenium, total	NE-4	10/5/2020	10	10	ND	ug/L
Selenium, total	NE-4	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-4	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-4	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-4	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-4	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-4	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2002	25	25	ND	ug/L
Selenium, total	NE-5	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-5	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-5	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-5	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-5	1/27/2004	10	10	ND	ug/L
Selenium, total	NE-5	1/12/2005	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-5	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-5	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-5	7/12/2007	10	10	ND	ug/L
Selenium, total	NE-5	7/22/2008	10	10	ND	ug/L
Selenium, total	NE-5	2/6/2009	10	10	ND	ug/L
Selenium, total	NE-5	7/31/2009	10	10	ND	ug/L
Selenium, total	NE-5	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-5	7/16/2010	9.2	10	ND	ug/L
Selenium, total	NE-5	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-5	7/13/2011	5.8	10	ND	ug/L
Selenium, total	NE-5	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-5	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-5	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-5	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-5	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2014	5	10	ND	ug/L
Selenium, total	NE-5	2/11/2015	10	10	ND	ug/L
Selenium, total	NE-5	7/14/2015	10	10	ND	ug/L
Selenium, total	NE-5	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-5	7/20/2016	10	10	ND	ug/L
Selenium, total	NE-5	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-5	1/25/2018	10	10	ND	ug/L
Selenium, total	NE-5	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-5	7/17/2018	10	10	ND	ug/L
Selenium, total	NE-5	10/3/2018	10	10	ND	ug/L
Selenium, total	NE-5	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	10/3/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-5	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-5	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5	10/6/2021	14.4	10		ug/L
Selenium, total	NE-5	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-5E	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-5E	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5E	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-5E	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5E	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5E	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5E	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5E	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5E	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-5E	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5E	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5E	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5E	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5E	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5E	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-5W	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-5W	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5W	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-5W	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5W	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5W	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5W	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5W	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5W	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-5W	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5W	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5W	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5W	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5W	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5W	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-6	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-6	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-6	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-6	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-6	2/4/2019	10	10	ND	ug/L
Selenium, total	NE-6	8/6/2019	10	10	ND	ug/L
Selenium, total	NE-6	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-6	7/9/2020	10	10	ND	ug/L
Selenium, total	NE-6	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-6	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-6	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-6	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-6	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-6D	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-6D	1/15/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-6D	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-6D	7/9/2020	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-6D	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-6D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-6D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2021	14	10		ug/L
Selenium, total	NE-6D	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-6D	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-6D	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-6D	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-7	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-7	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-7	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-7	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-7	2/6/2019	10	10	ND	ug/L
Selenium, total	NE-7	8/6/2019	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-7	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-7	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-7	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-7	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-7	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-7	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-8	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-8	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-8	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-8	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-8	2/4/2019	10	10	ND	ug/L
Selenium, total	NE-8	8/5/2019	10	10	ND	ug/L
Selenium, total	NE-8	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-8	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-8	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-8	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-8	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-8	7/1/2021	10.3	10		ug/L
Selenium, total	NE-8	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-8	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-8	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-9	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-9	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-9	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-9	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-9	2/5/2019	10	10	ND	ug/L
Selenium, total	NE-9	8/7/2019	10	10	ND	ug/L
Selenium, total	NE-9	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-9	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-9	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-9	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-9	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-9	4/8/2023	10	10	ND	ug/L
Silver, dissolved	LGW-14R	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-2	1/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, dissolved	LGW-4	1/24/2006	50	50	ND	ug/L
Silver, dissolved	LGW-5	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-6	1/24/2006	50	50	ND	ug/L
Silver, dissolved	LGW-7	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-8R	1/24/2006	50	50	ND	ug/L
Silver, dissolved	MW-10N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-10N	7/10/2002	7	7	ND	ug/L
Silver, dissolved	MW-10N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-11N	7/10/2000	50	50	ND	ug/L
Silver, dissolved	MW-11N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-11N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-1N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-1N	7/12/2000	50	50	ND	ug/L
Silver, dissolved	MW-1N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-1N	10/3/2002	7	7	ND	ug/L
Silver, dissolved	MW-2N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-2N	7/10/2002	7	7	ND	ug/L
Silver, dissolved	MW-2N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-3N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-3N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-3N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-7N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-7N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-7N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-7N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-8N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-8N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-8N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-8N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	7/10/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	7/9/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-3	7/9/2002	7	7	ND	ug/L
Silver, dissolved	NE-3	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-3	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-3	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	7/10/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	10/3/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	7/9/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	10/2/2002	7	7	ND	ug/L
Silver, total	LGW-10	1/26/2006	50	50	ND	ug/L
Silver, total	LGW-10	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-10	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-10	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-10	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-10	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-10	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-10	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-10	7/22/2008	1.4	50	ND	ug/L
Silver, total	LGW-10	7/29/2009	3.7	50	ND	ug/L
Silver, total	LGW-10	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-10	2/3/2010	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-10	7/16/2010	1.8	50	ND	ug/L
Silver, total	LGW-10	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-10	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-10	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2012	2.6	50	ND	ug/L
Silver, total	LGW-10	5/1/2013	3.7	50	ND	ug/L
Silver, total	LGW-10	1/30/2014	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2014	1.7	50	ND	ug/L
Silver, total	LGW-10	2/12/2015	50	50	ND	ug/L
Silver, total	LGW-10	7/13/2015	50	50	ND	ug/L
Silver, total	LGW-10	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-10	4/6/2016	50	50	ND	ug/L
Silver, total	LGW-10	7/21/2016	1.1	50	ND	ug/L
Silver, total	LGW-10	10/6/2016	50	50	ND	ug/L
Silver, total	LGW-10	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-10	4/4/2017	50	50	ND	ug/L
Silver, total	LGW-10	7/19/2017	2	50	ND	ug/L
Silver, total	LGW-10	10/9/2017	2.3	50	ND	ug/L
Silver, total	LGW-10	1/24/2018	50	50	ND	ug/L
Silver, total	LGW-10	4/11/2018	2.1	50	ND	ug/L
Silver, total	LGW-10	7/16/2018	1.7	50	ND	ug/L
Silver, total	LGW-10	10/4/2018	50	50	ND	ug/L
Silver, total	LGW-10	1/4/2019	50	50	ND	ug/L
Silver, total	LGW-10	4/3/2019	1.1	50	ND	ug/L
Silver, total	LGW-10	7/11/2019	50	50	ND	ug/L
Silver, total	LGW-10	10/2/2019	3.8	50	ND	ug/L
Silver, total	LGW-10	1/15/2020	50	50	ND	ug/L
Silver, total	LGW-10	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-10	10/7/2020	50	50	ND	ug/L
Silver, total	LGW-10	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-10	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-10	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-10	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-10	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-10	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-10	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-10	10/7/2022	50	50	ND	ug/L
Silver, total	LGW-10	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-10	4/5/2023	50	50	ND	ug/L
Silver, total	LGW-14R	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-14R	8/2/2006	3.9	50	ND	ug/L
Silver, total	LGW-14R	8/2/2006	3.9	50	ND	ug/L
Silver, total	LGW-14R	10/27/2006	50	50	ND	ug/L
Silver, total	LGW-14R	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-14R	4/24/2007	8.6	50	ND	ug/L
Silver, total	LGW-14R	7/11/2007	12	50	ND	ug/L
Silver, total	LGW-14R	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-14R	7/22/2008	50	50	ND	ug/L
Silver, total	LGW-14R	2/6/2009	50	50	ND	ug/L
Silver, total	LGW-14R	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-14R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-14R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-14R	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-14R	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-14R	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-14R	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-14R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-14R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-14R	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-14R	7/8/2014	1	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-14R	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-14R	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-14R	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-14R	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-14R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-14R	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-14R	1/25/2018	50	50	ND	ug/L
Silver, total	LGW-14R	7/17/2018	50	50	ND	ug/L
Silver, total	LGW-14R	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-14R	7/10/2019	50	50	ND	ug/L
Silver, total	LGW-14R	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-14R	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-14R	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-14R	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-14R	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-14R	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-14R	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-2	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-2	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-2	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-2	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-2	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-2	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-2	7/10/2007	50	50	ND	ug/L
Silver, total	LGW-2	1/26/2008	50	50	ND	ug/L
Silver, total	LGW-2	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-2	2/6/2009	50	50	ND	ug/L
Silver, total	LGW-2	7/30/2009	50	50	ND	ug/L
Silver, total	LGW-2	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-2	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-2	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-2	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-2	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-2	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-2	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-2	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-2	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-2	1/30/2014	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-2	2/13/2015	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-2	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-2	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-2	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-2	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-2	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-2	7/12/2018	50	50	ND	ug/L
Silver, total	LGW-2	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-2	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-2	1/13/2020	50	50	ND	ug/L
Silver, total	LGW-2	4/1/2020	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2020	50	50	ND	ug/L
Silver, total	LGW-2	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-2	7/4/2021	50	50	ND	ug/L
Silver, total	LGW-2	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-2	7/10/2022	50	50	ND	ug/L
Silver, total	LGW-2	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-3R	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-3R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-3R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-3R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-3R	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-3R	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-3R	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-3R	1/26/2008	50	50	ND	ug/L
Silver, total	LGW-3R	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2009	50	50	ND	ug/L
Silver, total	LGW-3R	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-3R	7/16/2010	1.2	50	ND	ug/L
Silver, total	LGW-3R	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-3R	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-3R	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-3R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-3R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-3R	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-3R	1/22/2014	50	50	ND	ug/L
Silver, total	LGW-3R	7/8/2014	1	50	ND	ug/L
Silver, total	LGW-3R	2/10/2015	50	50	ND	ug/L
Silver, total	LGW-3R	7/16/2015	50	50	ND	ug/L
Silver, total	LGW-3R	1/8/2016	50	50	ND	ug/L
Silver, total	LGW-3R	7/21/2016	50	50	ND	ug/L
Silver, total	LGW-3R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-3R	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-3R	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-3R	7/11/2018	50	50	ND	ug/L
Silver, total	LGW-3R	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-3R	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-3R	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-3R	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-3R	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-3R	7/6/2021	50	50	ND	ug/L
Silver, total	LGW-3R	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-3R	7/10/2022	50	50	ND	ug/L
Silver, total	LGW-3R	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-4	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-4	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-4	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-4	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-4	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-4	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-4	1/22/2008	50	50	ND	ug/L
Silver, total	LGW-4	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2009	50	50	ND	ug/L
Silver, total	LGW-4	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-4	7/16/2010	50	50	ND	ug/L
Silver, total	LGW-4	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-4	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-4	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-4	7/9/2012	1.2	50	ND	ug/L
Silver, total	LGW-4	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-4	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-4	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-4	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-4	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-4	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-4	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-4	7/19/2016	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-4	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-4	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-4	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2018	50	50	ND	ug/L
Silver, total	LGW-4	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-4	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-4	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-4	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-4	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-4	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-4	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-4	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-5	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-5	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-5	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-5	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-5	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-5	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-5	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-5	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-5	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-5	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-5	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-5	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-5	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-5	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-5	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-5	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-5	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2014	1.1	50	ND	ug/L
Silver, total	LGW-5	7/8/2014	1.1	50	ND	ug/L
Silver, total	LGW-5	2/10/2015	0.9	50	ND	ug/L
Silver, total	LGW-5	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-5	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-5	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-5	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-5	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2018	50	50	ND	ug/L
Silver, total	LGW-5	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-5	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-5	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-5	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-5	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-5	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-5	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-5	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-5	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-5	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-5	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-5	10/6/2022	50	50	ND	ug/L
Silver, total	LGW-5	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-6	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-6	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-6	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-6	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-6	1/24/2007	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-6	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-6	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-6	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-6	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-6	2/5/2009	50	50	ND	ug/L
Silver, total	LGW-6	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-6	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-6	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-6	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-6	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-6	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-6	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-6	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-6	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-6	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-6	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-6	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-6	2/10/2015	50	50	ND	ug/L
Silver, total	LGW-6	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-6	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-6	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2016	2.4	50	ND	ug/L
Silver, total	LGW-6	1/11/2017	1.5	50	ND	ug/L
Silver, total	LGW-6	5/5/2017	250	250	ND	ug/L
Silver, total	LGW-6	7/18/2017	1.5	50	ND	ug/L
Silver, total	LGW-6	10/5/2017	5.5	100	ND	ug/L
Silver, total	LGW-6	1/23/2018	250	250	ND	ug/L
Silver, total	LGW-6	4/10/2018	4	50	ND	ug/L
Silver, total	LGW-6	7/17/2018	1.4	50	ND	ug/L
Silver, total	LGW-6	10/2/2018	3.4	100	ND	ug/L
Silver, total	LGW-6	1/7/2019	2.4	50	ND	ug/L
Silver, total	LGW-6	4/3/2019	3.1	50	ND	ug/L
Silver, total	LGW-6	7/10/2019	5	50	ND	ug/L
Silver, total	LGW-6	10/3/2019	5	50	ND	ug/L
Silver, total	LGW-6	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-6	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-6	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2020	50	50	ND	ug/L
Silver, total	LGW-6	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-6	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-6	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-6	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-6	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-6	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-6	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2022	50	50	ND	ug/L
Silver, total	LGW-6	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-6	4/6/2023	50	50	ND	ug/L
Silver, total	LGW-7	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-7	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-7	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-7	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-7	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-7	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-7	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-7	7/22/2008	50	50	ND	ug/L
Silver, total	LGW-7	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-7	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-7	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-7	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-7	1/20/2011	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-7	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-7	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-7	7/10/2012	50	50	ND	ug/L
Silver, total	LGW-7	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-7	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-7	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-7	7/8/2014	1.2	50	ND	ug/L
Silver, total	LGW-7	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-7	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-7	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-7	4/6/2016	50	50	ND	ug/L
Silver, total	LGW-7	7/20/2016	1.2	50	ND	ug/L
Silver, total	LGW-7	10/6/2016	2.7	50	ND	ug/L
Silver, total	LGW-7	1/11/2017	1.1	50	ND	ug/L
Silver, total	LGW-7	4/4/2017	50	50	ND	ug/L
Silver, total	LGW-7	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-7	10/5/2017	4.9	100	ND	ug/L
Silver, total	LGW-7	1/24/2018	250	250	ND	ug/L
Silver, total	LGW-7	4/11/2018	3.2	50	ND	ug/L
Silver, total	LGW-7	7/12/2018	1.1	50	ND	ug/L
Silver, total	LGW-7	10/2/2018	50	50	ND	ug/L
Silver, total	LGW-7	1/7/2019	50	50	ND	ug/L
Silver, total	LGW-7	4/3/2019	50	50	ND	ug/L
Silver, total	LGW-7	7/10/2019	3.1	50	ND	ug/L
Silver, total	LGW-7	10/3/2019	3.2	50	ND	ug/L
Silver, total	LGW-7	1/15/2020	50	50	ND	ug/L
Silver, total	LGW-7	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-7	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-7	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-7	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-7	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-7	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-7	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-8R	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-8R	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-8R	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-8R	4/25/2007	50	50	ND	ug/L
Silver, total	LGW-8R	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-8R	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-8R	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-8R	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-8R	7/14/2010	50	50	ND	ug/L
Silver, total	LGW-8R	1/20/2011	50	50	ND	ug/L
Silver, total	LGW-8R	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-8R	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-8R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-8R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-8R	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-8R	1/22/2014	50	50	ND	ug/L
Silver, total	LGW-8R	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-8R	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-8R	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-8R	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2016	50	50	ND	ug/L
Silver, total	LGW-8R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-8R	7/18/2017	1.3	50	ND	ug/L
Silver, total	LGW-8R	1/25/2018	50	50	ND	ug/L
Silver, total	LGW-8R	7/13/2018	50	50	ND	ug/L
Silver, total	LGW-8R	1/7/2019	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-8R	7/8/2019	50	50	ND	ug/L
Silver, total	LGW-8R	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-8R	7/7/2020	50	50	ND	ug/L
Silver, total	LGW-8R	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-8R	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-8R	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-8R	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-8R	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-9	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-9	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-9	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-9	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-9	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-9	4/25/2007	50	50	ND	ug/L
Silver, total	LGW-9	7/10/2007	50	50	ND	ug/L
Silver, total	LGW-9	7/22/2008	1.3	50	ND	ug/L
Silver, total	LGW-9	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-9	7/29/2009	3.3	50	ND	ug/L
Silver, total	LGW-9	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-9	7/14/2010	0.9	50	ND	ug/L
Silver, total	LGW-9	1/20/2011	50	50	ND	ug/L
Silver, total	LGW-9	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-9	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-9	7/10/2012	2.1	50	ND	ug/L
Silver, total	LGW-9	5/1/2013	3.6	50	ND	ug/L
Silver, total	LGW-9	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-9	1/23/2014	2.3	50	ND	ug/L
Silver, total	LGW-9	7/8/2014	1.4	50	ND	ug/L
Silver, total	LGW-9	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-9	7/13/2015	50	50	ND	ug/L
Silver, total	LGW-9	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-9	7/21/2016	1	50	ND	ug/L
Silver, total	LGW-9	10/6/2016	1.5	50	ND	ug/L
Silver, total	LGW-9	1/11/2017	1	50	ND	ug/L
Silver, total	LGW-9	5/5/2017	1.4	50	ND	ug/L
Silver, total	LGW-9	7/18/2017	1.8	50	ND	ug/L
Silver, total	LGW-9	10/5/2017	2.8	50	ND	ug/L
Silver, total	LGW-9	1/24/2018	50	50	ND	ug/L
Silver, total	LGW-9	4/11/2018	2.1	50	ND	ug/L
Silver, total	LGW-9	7/13/2018	1.1	50	ND	ug/L
Silver, total	LGW-9	10/2/2018	50	50	ND	ug/L
Silver, total	LGW-9	1/7/2019	0.97	50	ND	ug/L
Silver, total	LGW-9	4/3/2019	1.5	50	ND	ug/L
Silver, total	LGW-9	7/10/2019	2.3	50	ND	ug/L
Silver, total	LGW-9	10/3/2019	3.8	50	ND	ug/L
Silver, total	LGW-9	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-9	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-9	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-9	10/7/2020	50	50	ND	ug/L
Silver, total	LGW-9	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-9	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-9	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-9	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-9	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-9	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-9	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-9	10/7/2022	50	50	ND	ug/L
Silver, total	LGW-9	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-9	4/5/2023	50	50	ND	ug/L
Silver, total	MW-10N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-10N	1/22/1998	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-10N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-10N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-10N	1/14/1999	50	50	ND	ug/L
Silver, total	MW-10N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-10N	7/15/1999	50	50	ND	ug/L
Silver, total	MW-10N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-10N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-10N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-10N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-10N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-10N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2002	7	7	ND	ug/L
Silver, total	MW-10N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-10N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-10N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-10N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-10N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-10N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-10N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-10N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-10N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2007	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-10N	1/23/2008	50	50	ND	ug/L
Silver, total	MW-10N	7/21/2008	50	50	ND	ug/L
Silver, total	MW-10N	2/13/2009	50	50	ND	ug/L
Silver, total	MW-10N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-10N	1/27/2010	50	50	ND	ug/L
Silver, total	MW-10N	8/10/2010	50	50	ND	ug/L
Silver, total	MW-10N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-10N	7/14/2011	50	50	ND	ug/L
Silver, total	MW-10N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-10N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-10N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-10N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-10N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-10N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-10N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-10N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2018	50	50	ND	ug/L
Silver, total	MW-10N	7/11/2018	50	50	ND	ug/L
Silver, total	MW-10N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-10N	7/9/2019	50	50	ND	ug/L
Silver, total	MW-10N	1/16/2020	50	50	ND	ug/L
Silver, total	MW-10N	7/8/2020	50	50	ND	ug/L
Silver, total	MW-10N	1/13/2021	50	50	ND	ug/L
Silver, total	MW-10N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-10N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-11N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-11N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-11N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-11N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-11N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-11N	4/13/1999	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-11N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-11N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-11N	1/13/2000	50	50	ND	ug/L
Silver, total	MW-11N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-11N	7/10/2000	50	50	ND	ug/L
Silver, total	MW-11N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-11N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-11N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-11N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-11N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-11N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-11N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-11N	1/29/2004	50	50	ND	ug/L
Silver, total	MW-11N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-11N	1/13/2005	50	50	ND	ug/L
Silver, total	MW-11N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-11N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-11N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-11N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-11N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-11N	1/24/2007	50	50	ND	ug/L
Silver, total	MW-11N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-11N	1/22/2008	50	50	ND	ug/L
Silver, total	MW-11N	7/23/2008	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2009	50	50	ND	ug/L
Silver, total	MW-11N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2010	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2010	50	50	ND	ug/L
Silver, total	MW-11N	7/16/2010	50	50	ND	ug/L
Silver, total	MW-11N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-11N	1/4/2012	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2012	50	50	ND	ug/L
Silver, total	MW-11N	4/30/2013	50	50	ND	ug/L
Silver, total	MW-11N	7/15/2013	50	50	ND	ug/L
Silver, total	MW-11N	1/23/2014	50	50	ND	ug/L
Silver, total	MW-11N	7/8/2014	50	50	ND	ug/L
Silver, total	MW-11N	2/10/2015	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2015	50	50	ND	ug/L
Silver, total	MW-11N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-11N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-11N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-11N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-11N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-11N	7/17/2018	50	50	ND	ug/L
Silver, total	MW-11N	1/2/2019	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2019	50	50	ND	ug/L
Silver, total	MW-11N	1/14/2020	50	50	ND	ug/L
Silver, total	MW-11N	7/6/2020	50	50	ND	ug/L
Silver, total	MW-11N	1/18/2021	50	50	ND	ug/L
Silver, total	MW-11N	7/6/2021	50	50	ND	ug/L
Silver, total	MW-11N	1/18/2022	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2022	50	50	ND	ug/L
Silver, total	MW-11N	1/10/2023	50	50	ND	ug/L
Silver, total	MW-15	6/5/2015	50	50	ND	ug/L
Silver, total	MW-15	7/15/2015	50	50	ND	ug/L
Silver, total	MW-15	8/5/2015	50	50	ND	ug/L
Silver, total	MW-15	9/3/2015	50	50	ND	ug/L
Silver, total	MW-15	1/7/2016	50	50	ND	ug/L
Silver, total	MW-15	4/5/2016	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-15	7/20/2016	50	50	ND	ug/L
Silver, total	MW-15	10/6/2016	50	50	ND	ug/L
Silver, total	MW-15	1/10/2017	50	50	ND	ug/L
Silver, total	MW-15	7/18/2017	1	50	ND	ug/L
Silver, total	MW-15	1/23/2018	50	50	ND	ug/L
Silver, total	MW-15	7/10/2018	50	50	ND	ug/L
Silver, total	MW-15	1/3/2019	50	50	ND	ug/L
Silver, total	MW-15	7/9/2019	50	50	ND	ug/L
Silver, total	MW-15	1/14/2020	50	50	ND	ug/L
Silver, total	MW-15	8/3/2020	50	50	ND	ug/L
Silver, total	MW-15	1/18/2021	50	50	ND	ug/L
Silver, total	MW-15	7/4/2021	50	50	ND	ug/L
Silver, total	MW-15	1/12/2022	50	50	ND	ug/L
Silver, total	MW-15	7/10/2022	50	50	ND	ug/L
Silver, total	MW-15	1/10/2023	50	50	ND	ug/L
Silver, total	MW-16	6/5/2015	50	50	ND	ug/L
Silver, total	MW-16	7/16/2015	50	50	ND	ug/L
Silver, total	MW-16	8/5/2015	50	50	ND	ug/L
Silver, total	MW-16	9/3/2015	50	50	ND	ug/L
Silver, total	MW-16	1/8/2016	50	50	ND	ug/L
Silver, total	MW-16	4/5/2016	50	50	ND	ug/L
Silver, total	MW-16	7/21/2016	50	50	ND	ug/L
Silver, total	MW-16	10/5/2016	50	50	ND	ug/L
Silver, total	MW-16	1/10/2017	50	50	ND	ug/L
Silver, total	MW-16	7/18/2017	50	50	ND	ug/L
Silver, total	MW-16	1/23/2018	50	50	ND	ug/L
Silver, total	MW-16	7/11/2018	50	50	ND	ug/L
Silver, total	MW-16	1/2/2019	50	50	ND	ug/L
Silver, total	MW-16	7/10/2019	50	50	ND	ug/L
Silver, total	MW-16	1/14/2020	50	50	ND	ug/L
Silver, total	MW-16	8/3/2020	50	50	ND	ug/L
Silver, total	MW-16	1/18/2021	50	50	ND	ug/L
Silver, total	MW-16	7/4/2021	50	50	ND	ug/L
Silver, total	MW-16	1/12/2022	50	50	ND	ug/L
Silver, total	MW-16	7/10/2022	50	50	ND	ug/L
Silver, total	MW-16	1/10/2023	50	50	ND	ug/L
Silver, total	MW-17	6/5/2015	50	50	ND	ug/L
Silver, total	MW-17	7/15/2015	50	50	ND	ug/L
Silver, total	MW-17	8/4/2015	50	50	ND	ug/L
Silver, total	MW-17	9/2/2015	50	50	ND	ug/L
Silver, total	MW-17	1/7/2016	50	50	ND	ug/L
Silver, total	MW-17	4/5/2016	50	50	ND	ug/L
Silver, total	MW-17	7/20/2016	50	50	ND	ug/L
Silver, total	MW-17	10/6/2016	50	50	ND	ug/L
Silver, total	MW-17	1/10/2017	50	50	ND	ug/L
Silver, total	MW-17	7/18/2017	50	50	ND	ug/L
Silver, total	MW-17	1/23/2018	50	50	ND	ug/L
Silver, total	MW-17	7/10/2018	50	50	ND	ug/L
Silver, total	MW-17	1/3/2019	50	50	ND	ug/L
Silver, total	MW-17	7/11/2019	50	50	ND	ug/L
Silver, total	MW-17	1/14/2020	50	50	ND	ug/L
Silver, total	MW-17	8/3/2020	50	50	ND	ug/L
Silver, total	MW-17	1/14/2021	50	50	ND	ug/L
Silver, total	MW-17	7/4/2021	50	50	ND	ug/L
Silver, total	MW-17	1/10/2023	50	50	ND	ug/L
Silver, total	MW-19	6/5/2015	50	50	ND	ug/L
Silver, total	MW-19	7/16/2015	50	50	ND	ug/L
Silver, total	MW-19	8/5/2015	1.1	50	ND	ug/L
Silver, total	MW-19	9/3/2015	50	50	ND	ug/L
Silver, total	MW-19	1/7/2016	50	50	ND	ug/L
Silver, total	MW-19	4/5/2016	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-19	7/21/2016	50	50	ND	ug/L
Silver, total	MW-19	10/5/2016	50	50	ND	ug/L
Silver, total	MW-19	1/10/2017	50	50	ND	ug/L
Silver, total	MW-19	7/18/2017	1	50	ND	ug/L
Silver, total	MW-19	1/23/2018	50	50	ND	ug/L
Silver, total	MW-19	7/13/2018	50	50	ND	ug/L
Silver, total	MW-19	1/7/2019	50	50	ND	ug/L
Silver, total	MW-19	7/11/2019	50	50	ND	ug/L
Silver, total	MW-19	1/14/2020	50	50	ND	ug/L
Silver, total	MW-19	8/3/2020	50	50	ND	ug/L
Silver, total	MW-19	1/14/2021	50	50	ND	ug/L
Silver, total	MW-19	7/4/2021	50	50	ND	ug/L
Silver, total	MW-19	1/11/2023	50	50	ND	ug/L
Silver, total	MW-1N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-1N	1/20/1998	50	50	ND	ug/L
Silver, total	MW-1N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-1N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-1N	10/14/1998	50	50	ND	ug/L
Silver, total	MW-1N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-1N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-1N	7/15/1999	50	50	ND	ug/L
Silver, total	MW-1N	10/19/1999	50	50	ND	ug/L
Silver, total	MW-1N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-1N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-1N	7/12/2000	50	50	ND	ug/L
Silver, total	MW-1N	10/18/2000	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-1N	4/12/2001	50	50	ND	ug/L
Silver, total	MW-1N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-1N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-1N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-1N	10/3/2002	7	7	ND	ug/L
Silver, total	MW-1N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-1N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-1N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-1N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-1N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-1N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-1N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-1N	1/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-1N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-1N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-1N	7/21/2008	50	50	ND	ug/L
Silver, total	MW-1N	2/5/2009	50	50	ND	ug/L
Silver, total	MW-1N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-1N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-1N	7/13/2010	50	50	ND	ug/L
Silver, total	MW-1N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-1N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-1N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-1N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-1N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-1N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-1N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-1N	2/10/2015	50	50	ND	ug/L
Silver, total	MW-1N	7/14/2015	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-1N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-1N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-1N	1/12/2017	50	50	ND	ug/L
Silver, total	MW-1N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-1N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-1N	7/10/2018	50	50	ND	ug/L
Silver, total	MW-1N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-1N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-1N	1/23/2020	50	50	ND	ug/L
Silver, total	MW-1N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-1N	7/6/2020	50	50	ND	ug/L
Silver, total	MW-1N	1/14/2021	50	50	ND	ug/L
Silver, total	MW-1N	7/4/2021	50	50	ND	ug/L
Silver, total	MW-1N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-20	6/5/2015	50	50	ND	ug/L
Silver, total	MW-20	7/14/2015	50	50	ND	ug/L
Silver, total	MW-20	8/4/2015	50	50	ND	ug/L
Silver, total	MW-20	9/2/2015	50	50	ND	ug/L
Silver, total	MW-20	1/7/2016	50	50	ND	ug/L
Silver, total	MW-20	4/5/2016	50	50	ND	ug/L
Silver, total	MW-20	7/20/2016	50	50	ND	ug/L
Silver, total	MW-20	10/5/2016	50	50	ND	ug/L
Silver, total	MW-20	1/12/2017	50	50	ND	ug/L
Silver, total	MW-20	7/18/2017	0.9	50	ND	ug/L
Silver, total	MW-20	1/26/2018	50	50	ND	ug/L
Silver, total	MW-20	7/12/2018	50	50	ND	ug/L
Silver, total	MW-20	7/11/2019	50	50	ND	ug/L
Silver, total	MW-20	1/14/2020	50	50	ND	ug/L
Silver, total	MW-20	7/7/2020	50	50	ND	ug/L
Silver, total	MW-20	1/17/2021	50	50	ND	ug/L
Silver, total	MW-20	7/4/2021	50	50	ND	ug/L
Silver, total	MW-20	1/11/2023	50	50	ND	ug/L
Silver, total	MW-21	6/5/2015	2.9	50	ND	ug/L
Silver, total	MW-21	7/14/2015	50	50	ND	ug/L
Silver, total	MW-21	8/4/2015	1.8	50	ND	ug/L
Silver, total	MW-21	9/2/2015	50	50	ND	ug/L
Silver, total	MW-21	1/7/2016	50	50	ND	ug/L
Silver, total	MW-21	4/5/2016	50	50	ND	ug/L
Silver, total	MW-21	7/20/2016	1.2	50	ND	ug/L
Silver, total	MW-21	10/5/2016	1.6	50	ND	ug/L
Silver, total	MW-21	10/5/2016	50	50	ND	ug/L
Silver, total	MW-21	1/10/2017	1.1	50	ND	ug/L
Silver, total	MW-21	4/5/2017	50	50	ND	ug/L
Silver, total	MW-21	7/19/2017	1.4	50	ND	ug/L
Silver, total	MW-21	10/6/2017	2.1	50	ND	ug/L
Silver, total	MW-21	1/24/2018	50	50	ND	ug/L
Silver, total	MW-21	4/11/2018	3	50	ND	ug/L
Silver, total	MW-21	7/11/2018	1.2	50	ND	ug/L
Silver, total	MW-21	10/4/2018	50	50	ND	ug/L
Silver, total	MW-21	1/3/2019	1.5	50	ND	ug/L
Silver, total	MW-21	4/3/2019	1.9	50	ND	ug/L
Silver, total	MW-21	7/11/2019	2.2	50	ND	ug/L
Silver, total	MW-21	10/2/2019	3.9	50	ND	ug/L
Silver, total	MW-21	1/16/2020	50	50	ND	ug/L
Silver, total	MW-21	4/2/2020	50	50	ND	ug/L
Silver, total	MW-21	7/8/2020	50	50	ND	ug/L
Silver, total	MW-21	10/7/2020	50	50	ND	ug/L
Silver, total	MW-21	1/13/2021	50	50	ND	ug/L
Silver, total	MW-21	4/6/2021	50	50	ND	ug/L
Silver, total	MW-21	7/5/2021	50	50	ND	ug/L
Silver, total	MW-21	10/6/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-21	1/11/2023	50	50	ND	ug/L
Silver, total	MW-21	4/8/2023	50	50	ND	ug/L
Silver, total	MW-2N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-2N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-2N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-2N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-2N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-2N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-2N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-2N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-2N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-2N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-2N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-2N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-2N	7/10/2002	7	7	ND	ug/L
Silver, total	MW-2N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-2N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-2N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-2N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-2N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-2N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-2N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-2N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-2N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-2N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-2N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-2N	7/22/2008	50	50	ND	ug/L
Silver, total	MW-2N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-2N	7/31/2009	1.6	50	ND	ug/L
Silver, total	MW-2N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-2N	7/13/2010	50	50	ND	ug/L
Silver, total	MW-2N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-2N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-2N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-2N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-2N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-2N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-2N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-2N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-2N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-2N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-2N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-2N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2017	1.3	50	ND	ug/L
Silver, total	MW-2N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-2N	7/12/2018	50	50	ND	ug/L
Silver, total	MW-2N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-2N	8/7/2019	50	50	ND	ug/L
Silver, total	MW-2N	1/23/2020	50	50	ND	ug/L
Silver, total	MW-2N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-2N	1/14/2021	50	50	ND	ug/L
Silver, total	MW-2N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-2N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-3N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-3N	1/21/1998	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-3N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-3N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-3N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-3N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-3N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-3N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-3N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-3N	4/24/2000	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-3N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-3N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-3N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-3N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-3N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-3N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-3N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-3N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-3N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-3N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-3N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-3N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-3N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-3N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-3N	1/18/2006	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-3N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-3N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-3N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-3N	7/22/2008	50	50	ND	ug/L
Silver, total	MW-3N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-3N	7/31/2009	1.7	50	ND	ug/L
Silver, total	MW-3N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-3N	7/13/2010	1.1	50	ND	ug/L
Silver, total	MW-3N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-3N	7/14/2011	50	50	ND	ug/L
Silver, total	MW-3N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2012	50	50	ND	ug/L
Silver, total	MW-3N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-3N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-3N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-3N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-3N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-3N	2/12/2015	1.1	50	ND	ug/L
Silver, total	MW-3N	4/1/2015	1.8	50	ND	ug/L
Silver, total	MW-3N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-3N	10/5/2015	50	50	ND	ug/L
Silver, total	MW-3N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	4/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-3N	10/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-3N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2017	1	50	ND	ug/L
Silver, total	MW-3N	10/9/2017	1.4	50	ND	ug/L
Silver, total	MW-3N	1/24/2018	50	50	ND	ug/L
Silver, total	MW-3N	4/10/2018	50	50	ND	ug/L
Silver, total	MW-3N	7/13/2018	50	50	ND	ug/L
Silver, total	MW-3N	10/3/2018	50	50	ND	ug/L
Silver, total	MW-3N	1/7/2019	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-3N	4/3/2019	1.2	50	ND	ug/L
Silver, total	MW-3N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-3N	10/2/2019	3.5	50	ND	ug/L
Silver, total	MW-3N	1/15/2020	50	50	ND	ug/L
Silver, total	MW-3N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-3N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-3N	10/7/2020	50	50	ND	ug/L
Silver, total	MW-3N	1/13/2021	50	50	ND	ug/L
Silver, total	MW-3N	4/6/2021	50	50	ND	ug/L
Silver, total	MW-3N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-3N	10/6/2021	50	50	ND	ug/L
Silver, total	MW-3N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-7N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-7N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-7N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-7N	8/18/1998	50	50	ND	ug/L
Silver, total	MW-7N	9/17/1998	50	50	ND	ug/L
Silver, total	MW-7N	10/15/1998	50	50	ND	ug/L
Silver, total	MW-7N	11/9/1998	50	50	ND	ug/L
Silver, total	MW-7N	1/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	4/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	10/19/1999	50	50	ND	ug/L
Silver, total	MW-7N	1/13/2000	50	50	ND	ug/L
Silver, total	MW-7N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-7N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-7N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-7N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-7N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-7N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-7N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-7N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-7N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-7N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-7N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-7N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-7N	1/27/2004	50	50	ND	ug/L
Silver, total	MW-7N	4/8/2004	50	50	ND	ug/L
Silver, total	MW-7N	7/26/2004	50	50	ND	ug/L
Silver, total	MW-7N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2005	50	50	ND	ug/L
Silver, total	MW-7N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-7N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-7N	7/21/2008	2.4	50	ND	ug/L
Silver, total	MW-7N	2/6/2009	1.4	50	ND	ug/L
Silver, total	MW-7N	7/29/2009	3.1	50	ND	ug/L
Silver, total	MW-7N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-7N	7/14/2010	50	50	ND	ug/L
Silver, total	MW-7N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-7N	7/12/2011	50	50	ND	ug/L
Silver, total	MW-7N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2012	1	50	ND	ug/L
Silver, total	MW-7N	5/1/2013	3.1	50	ND	ug/L
Silver, total	MW-7N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-7N	7/15/2013	50	50	ND	ug/L
Silver, total	MW-7N	1/30/2014	50	50	ND	ug/L
Silver, total	MW-7N	7/9/2014	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-7N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-7N	7/13/2015	50	50	ND	ug/L
Silver, total	MW-7N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-7N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-7N	1/11/2017	1.2	50	ND	ug/L
Silver, total	MW-7N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2017	1.2	50	ND	ug/L
Silver, total	MW-7N	10/5/2017	0.9	50	ND	ug/L
Silver, total	MW-7N	1/25/2018	50	50	ND	ug/L
Silver, total	MW-7N	4/11/2018	50	50	ND	ug/L
Silver, total	MW-7N	7/13/2018	50	50	ND	ug/L
Silver, total	MW-7N	1/4/2019	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2019	50	50	ND	ug/L
Silver, total	MW-7N	1/16/2020	50	50	ND	ug/L
Silver, total	MW-7N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-7N	1/16/2021	50	50	ND	ug/L
Silver, total	MW-7N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-7N	1/12/2022	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2022	50	50	ND	ug/L
Silver, total	MW-7N	1/10/2023	50	50	ND	ug/L
Silver, total	MW-8N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-8N	1/22/1998	50	50	ND	ug/L
Silver, total	MW-8N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-8N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-8N	1/12/1999	50	50	ND	ug/L
Silver, total	MW-8N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-8N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-8N	10/19/1999	50	50	ND	ug/L
Silver, total	MW-8N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-8N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-8N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-8N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-8N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-8N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-8N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-8N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-8N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-8N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-8N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-8N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-8N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-8N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-8N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-8N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-8N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-8N	4/25/2007	50	50	ND	ug/L
Silver, total	MW-8N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-8N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-8N	7/23/2008	1.7	50	ND	ug/L
Silver, total	MW-8N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-8N	7/31/2009	2.7	50	ND	ug/L
Silver, total	MW-8N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-8N	7/16/2010	1.2	50	ND	ug/L
Silver, total	MW-8N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-8N	5/10/2011	1.6	50	ND	ug/L
Silver, total	MW-8N	7/14/2011	50	50	ND	ug/L
Silver, total	MW-8N	1/6/2012	1.5	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-8N	4/5/2012	0.9	50	ND	ug/L
Silver, total	MW-8N	7/11/2012	50	50	ND	ug/L
Silver, total	MW-8N	10/3/2012	50	50	ND	ug/L
Silver, total	MW-8N	5/1/2013	2.2	50	ND	ug/L
Silver, total	MW-8N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-8N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-8N	10/2/2013	50	50	ND	ug/L
Silver, total	MW-8N	1/30/2014	50	50	ND	ug/L
Silver, total	MW-8N	4/3/2014	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2014	1	50	ND	ug/L
Silver, total	MW-8N	10/8/2014	1	50	ND	ug/L
Silver, total	MW-8N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-8N	4/1/2015	2.7	50	ND	ug/L
Silver, total	MW-8N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-8N	10/5/2015	50	50	ND	ug/L
Silver, total	MW-8N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-8N	4/6/2016	50	50	ND	ug/L
Silver, total	MW-8N	7/21/2016	1.2	50	ND	ug/L
Silver, total	MW-8N	10/6/2016	50	50	ND	ug/L
Silver, total	MW-8N	1/11/2017	1.3	50	ND	ug/L
Silver, total	MW-8N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2017	1.4	50	ND	ug/L
Silver, total	MW-8N	10/6/2017	2	50	ND	ug/L
Silver, total	MW-8N	1/25/2018	50	50	ND	ug/L
Silver, total	MW-8N	4/10/2018	1.7	50	ND	ug/L
Silver, total	MW-8N	7/16/2018	1.7	50	ND	ug/L
Silver, total	MW-8N	10/2/2018	50	50	ND	ug/L
Silver, total	MW-8N	1/7/2019	50	50	ND	ug/L
Silver, total	MW-8N	4/3/2019	1.6	50	ND	ug/L
Silver, total	MW-8N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-8N	10/3/2019	3.8	50	ND	ug/L
Silver, total	MW-8N	1/15/2020	50	50	ND	ug/L
Silver, total	MW-8N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2020	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2020	50	50	ND	ug/L
Silver, total	MW-8N	1/15/2021	50	50	ND	ug/L
Silver, total	MW-8N	4/6/2021	50	50	ND	ug/L
Silver, total	MW-8N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2021	50	50	ND	ug/L
Silver, total	MW-8N	1/18/2022	50	50	ND	ug/L
Silver, total	MW-8N	4/4/2022	50	50	ND	ug/L
Silver, total	MW-8N	7/12/2022	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2022	50	50	ND	ug/L
Silver, total	MW-8N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-8N	4/8/2023	50	50	ND	ug/L
Silver, total	NE-1	7/10/2002	7	7	ND	ug/L
Silver, total	NE-1	8/6/2002	7	7	ND	ug/L
Silver, total	NE-1	9/4/2002	7	7	ND	ug/L
Silver, total	NE-1	10/2/2002	7	7	ND	ug/L
Silver, total	NE-1	7/8/2003	50	50	ND	ug/L
Silver, total	NE-1	1/27/2004	50	50	ND	ug/L
Silver, total	NE-1	1/12/2005	50	50	ND	ug/L
Silver, total	NE-1	7/19/2006	50	50	ND	ug/L
Silver, total	NE-1	7/19/2006	50	50	ND	ug/L
Silver, total	NE-1	10/25/2006	50	50	ND	ug/L
Silver, total	NE-1	1/24/2007	50	50	ND	ug/L
Silver, total	NE-1	7/10/2007	50	50	ND	ug/L
Silver, total	NE-1	1/24/2008	50	50	ND	ug/L
Silver, total	NE-1	7/21/2008	50	50	ND	ug/L
Silver, total	NE-1	2/7/2009	1.4	50	ND	ug/L
Silver, total	NE-1	7/31/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-1	1/26/2010	50	50	ND	ug/L
Silver, total	NE-1	7/14/2010	50	50	ND	ug/L
Silver, total	NE-1	1/19/2011	50	50	ND	ug/L
Silver, total	NE-1	7/13/2011	50	50	ND	ug/L
Silver, total	NE-1	1/5/2012	50	50	ND	ug/L
Silver, total	NE-1	7/10/2012	50	50	ND	ug/L
Silver, total	NE-1	4/30/2013	50	50	ND	ug/L
Silver, total	NE-1	7/16/2013	1	50	ND	ug/L
Silver, total	NE-1	1/23/2014	1	50	ND	ug/L
Silver, total	NE-1	7/9/2014	50	50	ND	ug/L
Silver, total	NE-1	2/11/2015	50	50	ND	ug/L
Silver, total	NE-1	7/8/2015	50	50	ND	ug/L
Silver, total	NE-1	1/6/2016	50	50	ND	ug/L
Silver, total	NE-1	7/20/2016	50	50	ND	ug/L
Silver, total	NE-1	1/11/2017	0.9	50	ND	ug/L
Silver, total	NE-1	7/19/2017	50	50	ND	ug/L
Silver, total	NE-1	1/24/2018	50	50	ND	ug/L
Silver, total	NE-1	4/11/2018	1.1	50	ND	ug/L
Silver, total	NE-1	7/18/2018	50	50	ND	ug/L
Silver, total	NE-1	10/2/2018	50	50	ND	ug/L
Silver, total	NE-1	1/4/2019	50	50	ND	ug/L
Silver, total	NE-1	4/2/2019	50	50	ND	ug/L
Silver, total	NE-1	7/10/2019	50	50	ND	ug/L
Silver, total	NE-1	7/10/2019	50	50	ND	ug/L
Silver, total	NE-1	10/2/2019	50	50	ND	ug/L
Silver, total	NE-1	1/15/2020	50	50	ND	ug/L
Silver, total	NE-1	4/2/2020	50	50	ND	ug/L
Silver, total	NE-1	7/8/2020	50	50	ND	ug/L
Silver, total	NE-1	10/7/2020	50	50	ND	ug/L
Silver, total	NE-1	1/13/2021	50	50	ND	ug/L
Silver, total	NE-1	4/9/2021	50	50	ND	ug/L
Silver, total	NE-1	7/2/2021	50	50	ND	ug/L
Silver, total	NE-1	10/6/2021	50	50	ND	ug/L
Silver, total	NE-1	1/17/2022	50	50	ND	ug/L
Silver, total	NE-1	4/6/2022	50	50	ND	ug/L
Silver, total	NE-1	7/13/2022	50	50	ND	ug/L
Silver, total	NE-1	10/6/2022	50	50	ND	ug/L
Silver, total	NE-1	1/5/2023	50	50	ND	ug/L
Silver, total	NE-1	4/7/2023	50	50	ND	ug/L
Silver, total	NE-10D	11/6/2019	50	50	ND	ug/L
Silver, total	NE-10D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-10D	4/2/2020	50	50	ND	ug/L
Silver, total	NE-10D	7/8/2020	50	50	ND	ug/L
Silver, total	NE-10D	10/7/2020	50	50	ND	ug/L
Silver, total	NE-10D	1/13/2021	50	50	ND	ug/L
Silver, total	NE-10D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-10D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-10D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-10D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-10D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-11	3/1/2017	50	50	ND	ug/L
Silver, total	NE-11	4/6/2017	50	50	ND	ug/L
Silver, total	NE-11	7/20/2017	1.5	50	ND	ug/L
Silver, total	NE-11	10/9/2017	50	50	ND	ug/L
Silver, total	NE-11	9/30/2019	2.9	50	ND	ug/L
Silver, total	NE-11	1/14/2020	50	50	ND	ug/L
Silver, total	NE-11	7/7/2020	50	50	ND	ug/L
Silver, total	NE-11	1/16/2021	50	50	ND	ug/L
Silver, total	NE-11	1/16/2021	50	50	ND	ug/L
Silver, total	NE-11	7/1/2021	50	50	ND	ug/L
Silver, total	NE-11	1/17/2022	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-11	1/17/2022	50	50	ND	ug/L
Silver, total	NE-11	7/12/2022	50	50	ND	ug/L
Silver, total	NE-11	1/6/2023	50	50	ND	ug/L
Silver, total	NE-12	3/1/2017	50	50	ND	ug/L
Silver, total	NE-12	4/6/2017	50	50	ND	ug/L
Silver, total	NE-12	7/20/2017	50	50	ND	ug/L
Silver, total	NE-12	10/6/2017	50	50	ND	ug/L
Silver, total	NE-12	8/5/2019	50	50	ND	ug/L
Silver, total	NE-12	1/13/2020	50	50	ND	ug/L
Silver, total	NE-12	7/7/2020	50	50	ND	ug/L
Silver, total	NE-12	1/15/2021	50	50	ND	ug/L
Silver, total	NE-12	1/15/2021	50	50	ND	ug/L
Silver, total	NE-12	7/1/2021	50	50	ND	ug/L
Silver, total	NE-12	1/17/2022	50	50	ND	ug/L
Silver, total	NE-12	1/17/2022	50	50	ND	ug/L
Silver, total	NE-12	7/12/2022	50	50	ND	ug/L
Silver, total	NE-12	1/6/2023	50	50	ND	ug/L
Silver, total	NE-13	2/5/2019	50	50	ND	ug/L
Silver, total	NE-13	8/7/2019	50	50	ND	ug/L
Silver, total	NE-13	1/15/2020	50	50	ND	ug/L
Silver, total	NE-13	7/8/2020	50	50	ND	ug/L
Silver, total	NE-13	1/17/2021	50	50	ND	ug/L
Silver, total	NE-13	1/17/2021	50	50	ND	ug/L
Silver, total	NE-13	7/1/2021	50	50	ND	ug/L
Silver, total	NE-14D	10/2/2019	2.7	50	ND	ug/L
Silver, total	NE-14D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-14D	4/3/2020	50	50	ND	ug/L
Silver, total	NE-14D	7/7/2020	50	50	ND	ug/L
Silver, total	NE-14D	10/6/2020	50	50	ND	ug/L
Silver, total	NE-14D	1/17/2021	50	50	ND	ug/L
Silver, total	NE-14D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-14D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-14D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-14D	1/18/2022	50	50	ND	ug/L
Silver, total	NE-14D	4/6/2022	50	50	ND	ug/L
Silver, total	NE-14D	7/13/2022	50	50	ND	ug/L
Silver, total	NE-14D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-14D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-14D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-14S	10/2/2019	2.6	50	ND	ug/L
Silver, total	NE-14S	1/16/2020	50	50	ND	ug/L
Silver, total	NE-14S	4/3/2020	50	50	ND	ug/L
Silver, total	NE-14S	7/7/2020	50	50	ND	ug/L
Silver, total	NE-14S	10/6/2020	50	50	ND	ug/L
Silver, total	NE-14S	1/17/2021	50	50	ND	ug/L
Silver, total	NE-14S	4/9/2021	50	50	ND	ug/L
Silver, total	NE-14S	7/2/2021	50	50	ND	ug/L
Silver, total	NE-14S	10/7/2021	50	50	ND	ug/L
Silver, total	NE-14S	1/18/2022	50	50	ND	ug/L
Silver, total	NE-14S	4/6/2022	50	50	ND	ug/L
Silver, total	NE-14S	7/13/2022	50	50	ND	ug/L
Silver, total	NE-14S	10/7/2022	50	50	ND	ug/L
Silver, total	NE-14S	1/6/2023	50	50	ND	ug/L
Silver, total	NE-14S	4/6/2023	50	50	ND	ug/L
Silver, total	NE-15D	9/30/2019	2.8	50	ND	ug/L
Silver, total	NE-15D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-15D	4/3/2020	50	50	ND	ug/L
Silver, total	NE-15D	7/7/2020	50	50	ND	ug/L
Silver, total	NE-15D	10/6/2020	50	50	ND	ug/L
Silver, total	NE-15D	1/17/2021	50	50	ND	ug/L
Silver, total	NE-15D	4/9/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-15D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-15D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-15D	1/17/2022	50	50	ND	ug/L
Silver, total	NE-15D	4/6/2022	50	50	ND	ug/L
Silver, total	NE-15D	7/13/2022	50	50	ND	ug/L
Silver, total	NE-15D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-15D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-15D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-15S	4/3/2020	50	50	ND	ug/L
Silver, total	NE-2	7/9/2002	7	7	ND	ug/L
Silver, total	NE-2	8/6/2002	7	7	ND	ug/L
Silver, total	NE-2	9/4/2002	7	7	ND	ug/L
Silver, total	NE-2	10/2/2002	7	7	ND	ug/L
Silver, total	NE-2	10/1/2013	50	50	ND	ug/L
Silver, total	NE-2	10/8/2014	50	50	ND	ug/L
Silver, total	NE-2	10/5/2015	50	50	ND	ug/L
Silver, total	NE-2	10/6/2016	50	50	ND	ug/L
Silver, total	NE-2	10/5/2017	50	50	ND	ug/L
Silver, total	NE-2	1/25/2018	50	50	ND	ug/L
Silver, total	NE-2	4/10/2018	50	50	ND	ug/L
Silver, total	NE-2	7/10/2018	0.97	50	ND	ug/L
Silver, total	NE-2	10/1/2018	50	50	ND	ug/L
Silver, total	NE-2	1/4/2019	50	50	ND	ug/L
Silver, total	NE-2	4/2/2019	50	50	ND	ug/L
Silver, total	NE-2	7/9/2019	50	50	ND	ug/L
Silver, total	NE-2	7/9/2019	50	50	ND	ug/L
Silver, total	NE-2	10/2/2019	50	50	ND	ug/L
Silver, total	NE-2	1/14/2020	50	50	ND	ug/L
Silver, total	NE-2	4/1/2020	50	50	ND	ug/L
Silver, total	NE-2	7/7/2020	50	50	ND	ug/L
Silver, total	NE-2	10/6/2020	50	50	ND	ug/L
Silver, total	NE-2	1/14/2021	50	50	ND	ug/L
Silver, total	NE-2	4/9/2021	50	50	ND	ug/L
Silver, total	NE-2	7/2/2021	50	50	ND	ug/L
Silver, total	NE-2	10/6/2021	50	50	ND	ug/L
Silver, total	NE-2	1/18/2022	50	50	ND	ug/L
Silver, total	NE-2	4/6/2022	50	50	ND	ug/L
Silver, total	NE-2	7/13/2022	50	50	ND	ug/L
Silver, total	NE-2	10/7/2022	50	50	ND	ug/L
Silver, total	NE-2	1/5/2023	50	50	ND	ug/L
Silver, total	NE-2	4/5/2023	50	50	ND	ug/L
Silver, total	NE-3	7/9/2002	7	7	ND	ug/L
Silver, total	NE-3	8/6/2002	7	7	ND	ug/L
Silver, total	NE-3	9/4/2002	7	7	ND	ug/L
Silver, total	NE-3	10/2/2002	7	7	ND	ug/L
Silver, total	NE-3	3/21/2018	50	50	ND	ug/L
Silver, total	NE-4	7/10/2002	7	7	ND	ug/L
Silver, total	NE-4	8/6/2002	7	7	ND	ug/L
Silver, total	NE-4	9/4/2002	7	7	ND	ug/L
Silver, total	NE-4	10/3/2002	7	7	ND	ug/L
Silver, total	NE-4	7/8/2003	50	50	ND	ug/L
Silver, total	NE-4	1/28/2004	50	50	ND	ug/L
Silver, total	NE-4	1/13/2005	50	50	ND	ug/L
Silver, total	NE-4	8/1/2006	50	50	ND	ug/L
Silver, total	NE-4	8/1/2006	50	50	ND	ug/L
Silver, total	NE-4	10/25/2006	50	50	ND	ug/L
Silver, total	NE-4	1/24/2007	50	50	ND	ug/L
Silver, total	NE-4	7/12/2007	50	50	ND	ug/L
Silver, total	NE-4	1/24/2008	50	50	ND	ug/L
Silver, total	NE-4	7/21/2008	50	50	ND	ug/L
Silver, total	NE-4	2/7/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-4	7/31/2009	50	50	ND	ug/L
Silver, total	NE-4	1/26/2010	50	50	ND	ug/L
Silver, total	NE-4	7/14/2010	50	50	ND	ug/L
Silver, total	NE-4	1/19/2011	50	50	ND	ug/L
Silver, total	NE-4	7/13/2011	50	50	ND	ug/L
Silver, total	NE-4	1/5/2012	50	50	ND	ug/L
Silver, total	NE-4	7/10/2012	50	50	ND	ug/L
Silver, total	NE-4	4/30/2013	50	50	ND	ug/L
Silver, total	NE-4	7/16/2013	50	50	ND	ug/L
Silver, total	NE-4	1/23/2014	50	50	ND	ug/L
Silver, total	NE-4	7/9/2014	50	50	ND	ug/L
Silver, total	NE-4	2/13/2015	50	50	ND	ug/L
Silver, total	NE-4	7/8/2015	50	50	ND	ug/L
Silver, total	NE-4	1/6/2016	50	50	ND	ug/L
Silver, total	NE-4	7/20/2016	50	50	ND	ug/L
Silver, total	NE-4	1/11/2017	50	50	ND	ug/L
Silver, total	NE-4	7/19/2017	50	50	ND	ug/L
Silver, total	NE-4	1/26/2018	10	50	ND	ug/L
Silver, total	NE-4	4/10/2018	50	50	ND	ug/L
Silver, total	NE-4	7/12/2018	0.93	50	ND	ug/L
Silver, total	NE-4	10/3/2018	50	50	ND	ug/L
Silver, total	NE-4	1/7/2019	50	50	ND	ug/L
Silver, total	NE-4	4/2/2019	50	50	ND	ug/L
Silver, total	NE-4	7/8/2019	50	50	ND	ug/L
Silver, total	NE-4	7/8/2019	50	50	ND	ug/L
Silver, total	NE-4	10/1/2019	50	50	ND	ug/L
Silver, total	NE-4	1/13/2020	50	50	ND	ug/L
Silver, total	NE-4	4/1/2020	50	50	ND	ug/L
Silver, total	NE-4	7/6/2020	50	50	ND	ug/L
Silver, total	NE-4	10/5/2020	50	50	ND	ug/L
Silver, total	NE-4	1/15/2021	50	50	ND	ug/L
Silver, total	NE-4	4/9/2021	50	50	ND	ug/L
Silver, total	NE-4	7/2/2021	50	50	ND	ug/L
Silver, total	NE-4	10/6/2021	50	50	ND	ug/L
Silver, total	NE-4	1/5/2023	50	50	ND	ug/L
Silver, total	NE-4	4/6/2023	50	50	ND	ug/L
Silver, total	NE-5	7/9/2002	7	7	ND	ug/L
Silver, total	NE-5	8/6/2002	7	7	ND	ug/L
Silver, total	NE-5	9/4/2002	7	7	ND	ug/L
Silver, total	NE-5	10/2/2002	7	7	ND	ug/L
Silver, total	NE-5	7/8/2003	50	50	ND	ug/L
Silver, total	NE-5	1/27/2004	50	50	ND	ug/L
Silver, total	NE-5	1/12/2005	50	50	ND	ug/L
Silver, total	NE-5	7/19/2006	50	50	ND	ug/L
Silver, total	NE-5	7/19/2006	50	50	ND	ug/L
Silver, total	NE-5	10/25/2006	50	50	ND	ug/L
Silver, total	NE-5	1/24/2007	50	50	ND	ug/L
Silver, total	NE-5	7/12/2007	50	50	ND	ug/L
Silver, total	NE-5	7/22/2008	50	50	ND	ug/L
Silver, total	NE-5	2/6/2009	50	50	ND	ug/L
Silver, total	NE-5	7/31/2009	1.5	50	ND	ug/L
Silver, total	NE-5	1/26/2010	50	50	ND	ug/L
Silver, total	NE-5	7/16/2010	50	50	ND	ug/L
Silver, total	NE-5	1/19/2011	50	50	ND	ug/L
Silver, total	NE-5	7/13/2011	50	50	ND	ug/L
Silver, total	NE-5	1/5/2012	50	50	ND	ug/L
Silver, total	NE-5	7/10/2012	50	50	ND	ug/L
Silver, total	NE-5	4/30/2013	50	50	ND	ug/L
Silver, total	NE-5	7/16/2013	1	50	ND	ug/L
Silver, total	NE-5	1/23/2014	1.8	50	ND	ug/L
Silver, total	NE-5	7/9/2014	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-5	2/11/2015	50	50	ND	ug/L
Silver, total	NE-5	7/14/2015	50	50	ND	ug/L
Silver, total	NE-5	1/6/2016	50	50	ND	ug/L
Silver, total	NE-5	7/20/2016	50	50	ND	ug/L
Silver, total	NE-5	1/11/2017	1.5	50	ND	ug/L
Silver, total	NE-5	7/19/2017	50	50	ND	ug/L
Silver, total	NE-5	1/25/2018	50	50	ND	ug/L
Silver, total	NE-5	4/10/2018	1	50	ND	ug/L
Silver, total	NE-5	7/17/2018	50	50	ND	ug/L
Silver, total	NE-5	10/3/2018	50	50	ND	ug/L
Silver, total	NE-5	1/4/2019	50	50	ND	ug/L
Silver, total	NE-5	4/2/2019	50	50	ND	ug/L
Silver, total	NE-5	4/2/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	10/3/2019	50	50	ND	ug/L
Silver, total	NE-5	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5	4/2/2020	50	50	ND	ug/L
Silver, total	NE-5	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5	10/6/2020	50	50	ND	ug/L
Silver, total	NE-5	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5	4/7/2023	50	50	ND	ug/L
Silver, total	NE-5E	9/30/2019	2.6	50	ND	ug/L
Silver, total	NE-5E	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5E	4/1/2020	50	50	ND	ug/L
Silver, total	NE-5E	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5E	10/6/2020	50	50	ND	ug/L
Silver, total	NE-5E	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5E	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5E	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5E	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5E	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5E	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5E	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5E	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5E	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5E	4/7/2023	50	50	ND	ug/L
Silver, total	NE-5W	9/30/2019	2.9	50	ND	ug/L
Silver, total	NE-5W	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5W	4/2/2020	50	50	ND	ug/L
Silver, total	NE-5W	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5W	10/6/2020	50	50	ND	ug/L
Silver, total	NE-5W	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5W	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5W	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5W	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5W	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5W	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5W	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5W	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5W	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5W	4/7/2023	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-6	1/12/2017	50	50	ND	ug/L
Silver, total	NE-6	4/5/2017	50	50	ND	ug/L
Silver, total	NE-6	7/19/2017	1.3	50	ND	ug/L
Silver, total	NE-6	10/6/2017	50	50	ND	ug/L
Silver, total	NE-6	2/4/2019	50	50	ND	ug/L
Silver, total	NE-6	8/6/2019	50	50	ND	ug/L
Silver, total	NE-6	1/15/2020	50	50	ND	ug/L
Silver, total	NE-6	7/9/2020	50	50	ND	ug/L
Silver, total	NE-6	1/16/2021	50	50	ND	ug/L
Silver, total	NE-6	1/16/2021	50	50	ND	ug/L
Silver, total	NE-6	7/1/2021	50	50	ND	ug/L
Silver, total	NE-6	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6	7/12/2022	50	50	ND	ug/L
Silver, total	NE-6	1/5/2023	50	50	ND	ug/L
Silver, total	NE-6D	10/2/2019	3	50	ND	ug/L
Silver, total	NE-6D	1/15/2020	50	50	ND	ug/L
Silver, total	NE-6D	4/2/2020	50	50	ND	ug/L
Silver, total	NE-6D	7/9/2020	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2020	50	50	ND	ug/L
Silver, total	NE-6D	1/15/2021	50	50	ND	ug/L
Silver, total	NE-6D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-6D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-6D	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6D	4/6/2022	50	50	ND	ug/L
Silver, total	NE-6D	7/12/2022	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-6D	1/5/2023	50	50	ND	ug/L
Silver, total	NE-6D	4/7/2023	50	50	ND	ug/L
Silver, total	NE-7	3/1/2017	50	50	ND	ug/L
Silver, total	NE-7	4/6/2017	50	50	ND	ug/L
Silver, total	NE-7	7/20/2017	50	50	ND	ug/L
Silver, total	NE-7	10/5/2017	50	50	ND	ug/L
Silver, total	NE-7	2/6/2019	50	50	ND	ug/L
Silver, total	NE-7	8/6/2019	50	50	ND	ug/L
Silver, total	NE-7	1/16/2020	50	50	ND	ug/L
Silver, total	NE-7	7/7/2020	50	50	ND	ug/L
Silver, total	NE-7	1/16/2021	50	50	ND	ug/L
Silver, total	NE-7	1/16/2021	50	50	ND	ug/L
Silver, total	NE-7	7/1/2021	50	50	ND	ug/L
Silver, total	NE-7	1/17/2022	50	50	ND	ug/L
Silver, total	NE-7	1/17/2022	50	50	ND	ug/L
Silver, total	NE-7	7/12/2022	50	50	ND	ug/L
Silver, total	NE-7	1/5/2023	50	50	ND	ug/L
Silver, total	NE-8	1/12/2017	1.1	50	ND	ug/L
Silver, total	NE-8	4/5/2017	50	50	ND	ug/L
Silver, total	NE-8	7/20/2017	1.3	50	ND	ug/L
Silver, total	NE-8	10/6/2017	50	50	ND	ug/L
Silver, total	NE-8	2/4/2019	50	50	ND	ug/L
Silver, total	NE-8	8/5/2019	50	50	ND	ug/L
Silver, total	NE-8	1/15/2020	50	50	ND	ug/L
Silver, total	NE-8	7/8/2020	50	50	ND	ug/L
Silver, total	NE-8	1/13/2021	50	50	ND	ug/L
Silver, total	NE-8	1/13/2021	50	50	ND	ug/L
Silver, total	NE-8	4/9/2021	50	50	ND	ug/L
Silver, total	NE-8	7/1/2021	50	50	ND	ug/L
Silver, total	NE-8	7/1/2021	50	50	ND	ug/L
Silver, total	NE-8	10/7/2021	50	50	ND	ug/L
Silver, total	NE-8	1/6/2023	50	50	ND	ug/L
Silver, total	NE-9	1/12/2017	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-9	4/5/2017	50	50	ND	ug/L
Silver, total	NE-9	7/20/2017	1.2	50	ND	ug/L
Silver, total	NE-9	10/5/2017	50	50	ND	ug/L
Silver, total	NE-9	2/5/2019	50	50	ND	ug/L
Silver, total	NE-9	8/7/2019	2	50	ND	ug/L
Silver, total	NE-9	1/15/2020	50	50	ND	ug/L
Silver, total	NE-9	7/7/2020	50	50	ND	ug/L
Silver, total	NE-9	1/17/2021	50	50	ND	ug/L
Silver, total	NE-9	1/17/2021	50	50	ND	ug/L
Silver, total	NE-9	7/1/2021	50	50	ND	ug/L
Silver, total	NE-9	1/17/2022	50	50	ND	ug/L
Silver, total	NE-9	1/17/2022	50	50	ND	ug/L
Silver, total	NE-9	7/13/2022	50	50	ND	ug/L
Silver, total	NE-9	1/6/2023	50	50	ND	ug/L
Silver, total	NE-9	4/8/2023	50	50	ND	ug/L
Sodium, dissolved	LGW-14R	1/25/2006	3.2	1		mg/L
Sodium, dissolved	LGW-2	1/25/2006	33.1	1		mg/L
Sodium, dissolved	LGW-4	1/24/2006	12.8	1		mg/L
Sodium, dissolved	LGW-5	1/25/2006	9	1		mg/L
Sodium, dissolved	LGW-6	1/24/2006	8.2	1		mg/L
Sodium, dissolved	LGW-7	1/25/2006	5	1		mg/L
Sodium, dissolved	LGW-8R	1/24/2006	8.3	1		mg/L
Sodium, dissolved	MW-10N	7/10/2002	57.2	1		mg/L
Sodium, dissolved	MW-10N	10/2/2002	47.4	1		mg/L
Sodium, dissolved	MW-11N	7/9/2002	25	1		mg/L
Sodium, dissolved	MW-11N	10/2/2002	16	1		mg/L
Sodium, dissolved	MW-1N	7/9/2002	48	1		mg/L
Sodium, dissolved	MW-1N	10/3/2002	39.9	1		mg/L
Sodium, dissolved	MW-2N	7/10/2002	6.6	1		mg/L
Sodium, dissolved	MW-2N	10/2/2002	5.4	1		mg/L
Sodium, dissolved	MW-3N	7/9/2002	6.7	1		mg/L
Sodium, dissolved	MW-3N	10/2/2002	8.3	1		mg/L
Sodium, dissolved	MW-7N	7/9/2002	10.8	1		mg/L
Sodium, dissolved	MW-7N	10/2/2002	8.3	1		mg/L
Sodium, dissolved	MW-8N	7/9/2002	19.6	1		mg/L
Sodium, dissolved	MW-8N	10/2/2002	15.9	1		mg/L
Sodium, dissolved	NE-1	7/10/2002	8.9	1		mg/L
Sodium, dissolved	NE-1	8/6/2002	6.8	1		mg/L
Sodium, dissolved	NE-1	9/4/2002	7.1	1		mg/L
Sodium, dissolved	NE-1	10/2/2002	7.1	1		mg/L
Sodium, dissolved	NE-2	7/9/2002	41	1		mg/L
Sodium, dissolved	NE-2	8/6/2002	13	1		mg/L
Sodium, dissolved	NE-2	9/4/2002	31.6	1		mg/L
Sodium, dissolved	NE-2	10/2/2002	21.2	1		mg/L
Sodium, dissolved	NE-3	7/9/2002	16.2	1		mg/L
Sodium, dissolved	NE-3	8/6/2002	9	1		mg/L
Sodium, dissolved	NE-3	9/4/2002	7	1		mg/L
Sodium, dissolved	NE-3	10/2/2002	5.4	1		mg/L
Sodium, dissolved	NE-4	7/10/2002	32.8	1		mg/L
Sodium, dissolved	NE-4	8/6/2002	30.4	1		mg/L
Sodium, dissolved	NE-4	9/4/2002	31.3	1		mg/L
Sodium, dissolved	NE-4	10/3/2002	29.7	1		mg/L
Sodium, dissolved	NE-5	7/9/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	8/6/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	9/4/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	10/2/2002	5.4	1		mg/L
Sodium, total	LGW-10	1/26/2006	9.5	1		mg/L
Sodium, total	LGW-10	8/1/2006	10	5		mg/L
Sodium, total	LGW-10	8/1/2006	10	5		mg/L
Sodium, total	LGW-10	1/25/2007	10	5		mg/L
Sodium, total	LGW-10	4/26/2007	10	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-10	7/12/2007	10	5		mg/L
Sodium, total	LGW-10	1/23/2008	10	5		mg/L
Sodium, total	LGW-10	7/22/2008	12	5		mg/L
Sodium, total	LGW-10	7/29/2009	13	5		mg/L
Sodium, total	LGW-10	2/3/2010	12	5		mg/L
Sodium, total	LGW-10	2/3/2010	12	5		mg/L
Sodium, total	LGW-10	7/16/2010	12	5		mg/L
Sodium, total	LGW-10	1/19/2011	16	5		mg/L
Sodium, total	LGW-10	7/12/2011	11	5		mg/L
Sodium, total	LGW-10	1/5/2012	11	5		mg/L
Sodium, total	LGW-10	7/9/2012	11	5		mg/L
Sodium, total	LGW-10	5/1/2013	10	5		mg/L
Sodium, total	LGW-10	1/30/2014	11	5		mg/L
Sodium, total	LGW-10	7/9/2014	10	5		mg/L
Sodium, total	LGW-10	2/12/2015	11	5		mg/L
Sodium, total	LGW-10	7/13/2015	10	5		mg/L
Sodium, total	LGW-10	1/5/2016	8.4	5		mg/L
Sodium, total	LGW-10	4/6/2016	8.9	5		mg/L
Sodium, total	LGW-10	7/21/2016	8.4	5		mg/L
Sodium, total	LGW-10	10/6/2016	9.1	5		mg/L
Sodium, total	LGW-10	1/11/2017	8.8	5		mg/L
Sodium, total	LGW-10	4/4/2017	9	5		mg/L
Sodium, total	LGW-10	7/19/2017	8.9	5		mg/L
Sodium, total	LGW-10	10/9/2017	10	5		mg/L
Sodium, total	LGW-10	1/24/2018	9	5		mg/L
Sodium, total	LGW-10	4/11/2018	9	5		mg/L
Sodium, total	LGW-10	7/16/2018	7.9	5		mg/L
Sodium, total	LGW-10	10/4/2018	8.2	5		mg/L
Sodium, total	LGW-10	1/4/2019	8.9	5		mg/L
Sodium, total	LGW-10	4/3/2019	7.9	5		mg/L
Sodium, total	LGW-10	7/11/2019	7.6	5		mg/L
Sodium, total	LGW-10	7/11/2019	7.9	5		mg/L
Sodium, total	LGW-10	10/2/2019	7.6	5		mg/L
Sodium, total	LGW-10	1/15/2020	8.22	5		mg/L
Sodium, total	LGW-10	7/9/2020	7.88	5		mg/L
Sodium, total	LGW-10	1/17/2021	26.3	5		mg/L
Sodium, total	LGW-10	7/7/2021	8.46	5		mg/L
Sodium, total	LGW-10	7/7/2021	8.48	5		mg/L
Sodium, total	LGW-10	1/13/2022	9.25	5		mg/L
Sodium, total	LGW-10	7/11/2022	9.07	5		mg/L
Sodium, total	LGW-10	1/11/2023	9.82	5		mg/L
Sodium, total	LGW-14R	1/25/2006	2	1		mg/L
Sodium, total	LGW-14R	8/2/2006	3	5	ND	mg/L
Sodium, total	LGW-14R	8/2/2006	3	5	ND	mg/L
Sodium, total	LGW-14R	1/24/2007	3.6	5	ND	mg/L
Sodium, total	LGW-14R	4/24/2007	3.1	5	ND	mg/L
Sodium, total	LGW-14R	7/11/2007	3	5	ND	mg/L
Sodium, total	LGW-14R	1/23/2008	3.3	5	ND	mg/L
Sodium, total	LGW-14R	7/22/2008	3.8	5	ND	mg/L
Sodium, total	LGW-14R	2/6/2009	4.9	5	ND	mg/L
Sodium, total	LGW-14R	7/29/2009	2.7	5	ND	mg/L
Sodium, total	LGW-14R	2/3/2010	2.2	5	ND	mg/L
Sodium, total	LGW-14R	2/3/2010	2.2	5	ND	mg/L
Sodium, total	LGW-14R	7/12/2010	2.8	5	ND	mg/L
Sodium, total	LGW-14R	1/19/2011	3.3	5	ND	mg/L
Sodium, total	LGW-14R	7/12/2011	2.7	5	ND	mg/L
Sodium, total	LGW-14R	1/5/2012	2.5	5	ND	mg/L
Sodium, total	LGW-14R	7/9/2012	2.9	5	ND	mg/L
Sodium, total	LGW-14R	4/30/2013	3.1	5	ND	mg/L
Sodium, total	LGW-14R	1/23/2014	2.1	5	ND	mg/L
Sodium, total	LGW-14R	7/8/2014	3	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-14R	2/11/2015	3.1	5	ND	mg/L
Sodium, total	LGW-14R	7/22/2015	3.7	5	ND	mg/L
Sodium, total	LGW-14R	1/5/2016	3.9	5	ND	mg/L
Sodium, total	LGW-14R	7/19/2016	3.7	5	ND	mg/L
Sodium, total	LGW-14R	1/11/2017	3.8	5	ND	mg/L
Sodium, total	LGW-14R	7/18/2017	4	5	ND	mg/L
Sodium, total	LGW-14R	1/25/2018	3.9	5	ND	mg/L
Sodium, total	LGW-14R	7/17/2018	16	5		mg/L
Sodium, total	LGW-14R	1/3/2019	4	5	ND	mg/L
Sodium, total	LGW-14R	7/10/2019	3.8	5	ND	mg/L
Sodium, total	LGW-14R	1/16/2020	5	5	ND	mg/L
Sodium, total	LGW-14R	7/9/2020	5	5	ND	mg/L
Sodium, total	LGW-14R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	7/7/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	7/7/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	1/12/2022	5.1	5		mg/L
Sodium, total	LGW-14R	7/11/2022	5	5	ND	mg/L
Sodium, total	LGW-14R	1/10/2023	5.3	5		mg/L
Sodium, total	LGW-2	1/25/2006	30.8	1		mg/L
Sodium, total	LGW-2	8/1/2006	22	5		mg/L
Sodium, total	LGW-2	8/1/2006	22	5		mg/L
Sodium, total	LGW-2	1/25/2007	22	5		mg/L
Sodium, total	LGW-2	4/26/2007	23	5		mg/L
Sodium, total	LGW-2	7/10/2007	23	5		mg/L
Sodium, total	LGW-2	1/26/2008	22	5		mg/L
Sodium, total	LGW-2	7/23/2008	24	5		mg/L
Sodium, total	LGW-2	2/6/2009	24	5		mg/L
Sodium, total	LGW-2	7/30/2009	28	5		mg/L
Sodium, total	LGW-2	2/3/2010	33	5		mg/L
Sodium, total	LGW-2	2/3/2010	33	5		mg/L
Sodium, total	LGW-2	7/12/2010	27	5		mg/L
Sodium, total	LGW-2	1/19/2011	28	5		mg/L
Sodium, total	LGW-2	7/13/2011	19	5		mg/L
Sodium, total	LGW-2	1/4/2012	16	5		mg/L
Sodium, total	LGW-2	7/9/2012	16	5		mg/L
Sodium, total	LGW-2	4/30/2013	16	5		mg/L
Sodium, total	LGW-2	7/15/2013	15	5		mg/L
Sodium, total	LGW-2	1/30/2014	15	5		mg/L
Sodium, total	LGW-2	7/8/2014	14	5		mg/L
Sodium, total	LGW-2	2/13/2015	12	5		mg/L
Sodium, total	LGW-2	7/8/2015	13	5		mg/L
Sodium, total	LGW-2	1/5/2016	14	5		mg/L
Sodium, total	LGW-2	7/19/2016	14	5		mg/L
Sodium, total	LGW-2	1/11/2017	14	5		mg/L
Sodium, total	LGW-2	7/18/2017	14	5		mg/L
Sodium, total	LGW-2	1/23/2018	13	5		mg/L
Sodium, total	LGW-2	7/12/2018	12	5		mg/L
Sodium, total	LGW-2	1/3/2019	12	5		mg/L
Sodium, total	LGW-2	7/9/2019	12	5		mg/L
Sodium, total	LGW-2	1/13/2020	12.7	5		mg/L
Sodium, total	LGW-2	7/8/2020	12.6	5		mg/L
Sodium, total	LGW-2	1/18/2021	11.7	5		mg/L
Sodium, total	LGW-2	1/18/2021	11.7	5		mg/L
Sodium, total	LGW-2	7/4/2021	11.8	5		mg/L
Sodium, total	LGW-2	7/4/2021	11.8	5		mg/L
Sodium, total	LGW-2	1/12/2022	12.9	5		mg/L
Sodium, total	LGW-2	7/10/2022	11.9	5		mg/L
Sodium, total	LGW-2	1/10/2023	11.3	5		mg/L
Sodium, total	LGW-3R	1/24/2006	30	1		mg/L
Sodium, total	LGW-3R	7/20/2006	27	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-3R	7/20/2006	27	5		mg/L
Sodium, total	LGW-3R	1/25/2007	7.4	5		mg/L
Sodium, total	LGW-3R	4/26/2007	18	5		mg/L
Sodium, total	LGW-3R	7/11/2007	14	5		mg/L
Sodium, total	LGW-3R	1/26/2008	28	5		mg/L
Sodium, total	LGW-3R	7/23/2008	4.9	5	ND	mg/L
Sodium, total	LGW-3R	2/3/2009	19	5		mg/L
Sodium, total	LGW-3R	7/31/2009	11	5		mg/L
Sodium, total	LGW-3R	2/3/2010	20	5		mg/L
Sodium, total	LGW-3R	2/3/2010	20	5		mg/L
Sodium, total	LGW-3R	7/16/2010	9.9	5		mg/L
Sodium, total	LGW-3R	1/19/2011	35	5		mg/L
Sodium, total	LGW-3R	7/13/2011	8.5	5		mg/L
Sodium, total	LGW-3R	1/4/2012	21	5		mg/L
Sodium, total	LGW-3R	7/9/2012	27	5		mg/L
Sodium, total	LGW-3R	4/30/2013	9.3	5		mg/L
Sodium, total	LGW-3R	7/15/2013	15	5		mg/L
Sodium, total	LGW-3R	1/22/2014	19	5		mg/L
Sodium, total	LGW-3R	7/8/2014	26	5		mg/L
Sodium, total	LGW-3R	2/10/2015	25	5		mg/L
Sodium, total	LGW-3R	7/16/2015	12	5		mg/L
Sodium, total	LGW-3R	1/8/2016	25	5		mg/L
Sodium, total	LGW-3R	7/21/2016	3.4	5	ND	mg/L
Sodium, total	LGW-3R	1/11/2017	30	5		mg/L
Sodium, total	LGW-3R	7/18/2017	14	5		mg/L
Sodium, total	LGW-3R	1/23/2018	25	5		mg/L
Sodium, total	LGW-3R	7/11/2018	15	5		mg/L
Sodium, total	LGW-3R	1/3/2019	22	5		mg/L
Sodium, total	LGW-3R	7/9/2019	14	5		mg/L
Sodium, total	LGW-3R	1/14/2020	31.5	5		mg/L
Sodium, total	LGW-3R	7/6/2020	42.8	5		mg/L
Sodium, total	LGW-3R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-3R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-3R	7/6/2021	7.1	5		mg/L
Sodium, total	LGW-3R	7/6/2021	7.38	5		mg/L
Sodium, total	LGW-3R	1/12/2022	9.51	5		mg/L
Sodium, total	LGW-3R	7/10/2022	18.2	5		mg/L
Sodium, total	LGW-3R	1/10/2023	5	5	ND	mg/L
Sodium, total	LGW-4	1/24/2006	12.3	1		mg/L
Sodium, total	LGW-4	7/20/2006	11	5		mg/L
Sodium, total	LGW-4	7/20/2006	11	5		mg/L
Sodium, total	LGW-4	1/25/2007	6.1	5		mg/L
Sodium, total	LGW-4	4/26/2007	8.5	5		mg/L
Sodium, total	LGW-4	7/11/2007	7	5		mg/L
Sodium, total	LGW-4	1/22/2008	12	5		mg/L
Sodium, total	LGW-4	7/23/2008	5.9	5		mg/L
Sodium, total	LGW-4	2/3/2009	11	5		mg/L
Sodium, total	LGW-4	7/31/2009	8	5		mg/L
Sodium, total	LGW-4	2/3/2010	11	5		mg/L
Sodium, total	LGW-4	2/3/2010	11	5		mg/L
Sodium, total	LGW-4	7/16/2010	6.4	5		mg/L
Sodium, total	LGW-4	1/19/2011	18	5		mg/L
Sodium, total	LGW-4	7/13/2011	2.6	5	ND	mg/L
Sodium, total	LGW-4	1/4/2012	11	5		mg/L
Sodium, total	LGW-4	7/9/2012	14	5		mg/L
Sodium, total	LGW-4	4/30/2013	6.7	5		mg/L
Sodium, total	LGW-4	7/15/2013	7.3	5		mg/L
Sodium, total	LGW-4	1/23/2014	10	5		mg/L
Sodium, total	LGW-4	7/8/2014	12	5		mg/L
Sodium, total	LGW-4	2/11/2015	12	5		mg/L
Sodium, total	LGW-4	7/8/2015	8.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-4	1/5/2016	3.8	5	ND	mg/L
Sodium, total	LGW-4	7/19/2016	8.7	5		mg/L
Sodium, total	LGW-4	1/11/2017	15	5		mg/L
Sodium, total	LGW-4	7/18/2017	10	5		mg/L
Sodium, total	LGW-4	1/23/2018	17	5		mg/L
Sodium, total	LGW-4	7/11/2018	12	5		mg/L
Sodium, total	LGW-4	1/3/2019	13	5		mg/L
Sodium, total	LGW-4	7/9/2019	5.9	5		mg/L
Sodium, total	LGW-4	1/14/2020	5	5	ND	mg/L
Sodium, total	LGW-4	7/6/2020	5	5	ND	mg/L
Sodium, total	LGW-4	1/18/2021	8.15	5		mg/L
Sodium, total	LGW-4	1/18/2021	8.15	5		mg/L
Sodium, total	LGW-4	7/7/2021	7.83	5		mg/L
Sodium, total	LGW-4	7/7/2021	7.43	5		mg/L
Sodium, total	LGW-4	1/12/2022	5.87	5		mg/L
Sodium, total	LGW-4	7/11/2022	5	5	ND	mg/L
Sodium, total	LGW-4	1/10/2023	11.3	5		mg/L
Sodium, total	LGW-5	1/25/2006	8.7	1		mg/L
Sodium, total	LGW-5	8/1/2006	14	5		mg/L
Sodium, total	LGW-5	8/1/2006	14	5		mg/L
Sodium, total	LGW-5	1/25/2007	8.1	5		mg/L
Sodium, total	LGW-5	4/26/2007	9	5		mg/L
Sodium, total	LGW-5	7/11/2007	10	5		mg/L
Sodium, total	LGW-5	1/23/2008	7.8	5		mg/L
Sodium, total	LGW-5	7/23/2008	7.2	5		mg/L
Sodium, total	LGW-5	2/4/2009	8.5	5		mg/L
Sodium, total	LGW-5	7/29/2009	9.7	5		mg/L
Sodium, total	LGW-5	2/3/2010	8.8	5		mg/L
Sodium, total	LGW-5	2/3/2010	8.8	5		mg/L
Sodium, total	LGW-5	7/12/2010	7.8	5		mg/L
Sodium, total	LGW-5	1/19/2011	13	5		mg/L
Sodium, total	LGW-5	7/12/2011	7.4	5		mg/L
Sodium, total	LGW-5	1/5/2012	8.2	5		mg/L
Sodium, total	LGW-5	7/9/2012	11	5		mg/L
Sodium, total	LGW-5	4/30/2013	9.2	5		mg/L
Sodium, total	LGW-5	7/15/2013	8	5		mg/L
Sodium, total	LGW-5	1/23/2014	7.2	5		mg/L
Sodium, total	LGW-5	7/8/2014	12	5		mg/L
Sodium, total	LGW-5	2/10/2015	14	5		mg/L
Sodium, total	LGW-5	7/8/2015	11	5		mg/L
Sodium, total	LGW-5	1/5/2016	9.7	5		mg/L
Sodium, total	LGW-5	7/19/2016	13	5		mg/L
Sodium, total	LGW-5	1/11/2017	15	5		mg/L
Sodium, total	LGW-5	7/18/2017	11	5		mg/L
Sodium, total	LGW-5	1/23/2018	14	5		mg/L
Sodium, total	LGW-5	7/12/2018	12	5		mg/L
Sodium, total	LGW-5	1/3/2019	13	5		mg/L
Sodium, total	LGW-5	7/9/2019	11	5		mg/L
Sodium, total	LGW-5	1/14/2020	11.5	5		mg/L
Sodium, total	LGW-5	7/6/2020	10.8	5		mg/L
Sodium, total	LGW-5	1/18/2021	11.8	5		mg/L
Sodium, total	LGW-5	1/18/2021	11.8	5		mg/L
Sodium, total	LGW-5	7/7/2021	12	5		mg/L
Sodium, total	LGW-5	7/7/2021	12	5		mg/L
Sodium, total	LGW-5	1/12/2022	14	5		mg/L
Sodium, total	LGW-5	7/11/2022	14.6	5		mg/L
Sodium, total	LGW-5	1/10/2023	17.2	5		mg/L
Sodium, total	LGW-6	1/24/2006	8.2	1		mg/L
Sodium, total	LGW-6	7/20/2006	7.7	5		mg/L
Sodium, total	LGW-6	7/20/2006	7.7	5		mg/L
Sodium, total	LGW-6	1/24/2007	7.1	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-6	4/26/2007	7.4	5		mg/L
Sodium, total	LGW-6	7/11/2007	7.5	5		mg/L
Sodium, total	LGW-6	1/23/2008	7.1	5		mg/L
Sodium, total	LGW-6	7/23/2008	7.6	5		mg/L
Sodium, total	LGW-6	2/5/2009	7.4	5		mg/L
Sodium, total	LGW-6	7/29/2009	7.5	5		mg/L
Sodium, total	LGW-6	2/3/2010	6.8	5		mg/L
Sodium, total	LGW-6	2/3/2010	6.8	5		mg/L
Sodium, total	LGW-6	7/12/2010	7.2	5		mg/L
Sodium, total	LGW-6	1/19/2011	7.1	5		mg/L
Sodium, total	LGW-6	7/12/2011	7.1	5		mg/L
Sodium, total	LGW-6	1/5/2012	7.2	5		mg/L
Sodium, total	LGW-6	7/9/2012	7.2	5		mg/L
Sodium, total	LGW-6	4/30/2013	7.8	5		mg/L
Sodium, total	LGW-6	7/15/2013	7.6	5		mg/L
Sodium, total	LGW-6	1/23/2014	7.1	5		mg/L
Sodium, total	LGW-6	7/8/2014	7.4	5		mg/L
Sodium, total	LGW-6	2/10/2015	7.8	5		mg/L
Sodium, total	LGW-6	7/22/2015	7.4	5		mg/L
Sodium, total	LGW-6	1/5/2016	8.3	5		mg/L
Sodium, total	LGW-6	7/19/2016	9	5		mg/L
Sodium, total	LGW-6	10/6/2016	10	5		mg/L
Sodium, total	LGW-6	1/11/2017	9	5		mg/L
Sodium, total	LGW-6	5/5/2017	9.3	5		mg/L
Sodium, total	LGW-6	7/18/2017	9.2	5		mg/L
Sodium, total	LGW-6	10/5/2017	10	5		mg/L
Sodium, total	LGW-6	1/23/2018	10	5		mg/L
Sodium, total	LGW-6	4/10/2018	9.8	5		mg/L
Sodium, total	LGW-6	7/17/2018	9.5	5		mg/L
Sodium, total	LGW-6	10/2/2018	9.7	5		mg/L
Sodium, total	LGW-6	1/7/2019	10	5		mg/L
Sodium, total	LGW-6	4/3/2019	9.6	5		mg/L
Sodium, total	LGW-6	7/10/2019	9.8	5		mg/L
Sodium, total	LGW-6	7/10/2019	9.8	5		mg/L
Sodium, total	LGW-6	10/3/2019	9.4	5		mg/L
Sodium, total	LGW-6	1/16/2020	9.91	5		mg/L
Sodium, total	LGW-6	7/9/2020	8.96	5		mg/L
Sodium, total	LGW-6	1/18/2021	9.24	5		mg/L
Sodium, total	LGW-6	7/7/2021	8.61	5		mg/L
Sodium, total	LGW-6	7/7/2021	8.56	5		mg/L
Sodium, total	LGW-6	1/12/2022	9.7	5		mg/L
Sodium, total	LGW-6	7/11/2022	8.72	5		mg/L
Sodium, total	LGW-6	1/10/2023	9.25	5		mg/L
Sodium, total	LGW-7	1/25/2006	4.4	1		mg/L
Sodium, total	LGW-7	8/1/2006	4.3	5	ND	mg/L
Sodium, total	LGW-7	8/1/2006	4.3	5	ND	mg/L
Sodium, total	LGW-7	1/24/2007	6.6	5		mg/L
Sodium, total	LGW-7	4/26/2007	6.6	5		mg/L
Sodium, total	LGW-7	7/12/2007	6.8	5		mg/L
Sodium, total	LGW-7	7/22/2008	6.5	5		mg/L
Sodium, total	LGW-7	2/4/2009	6.3	5		mg/L
Sodium, total	LGW-7	7/31/2009	6	5		mg/L
Sodium, total	LGW-7	1/27/2010	6.1	5		mg/L
Sodium, total	LGW-7	7/12/2010	5.9	5		mg/L
Sodium, total	LGW-7	1/20/2011	6.1	5		mg/L
Sodium, total	LGW-7	7/12/2011	6.4	5		mg/L
Sodium, total	LGW-7	1/5/2012	6.1	5		mg/L
Sodium, total	LGW-7	7/10/2012	6.9	5		mg/L
Sodium, total	LGW-7	4/30/2013	7.8	5		mg/L
Sodium, total	LGW-7	7/15/2013	6.3	5		mg/L
Sodium, total	LGW-7	1/23/2014	6.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-7	7/8/2014	6.5	5		mg/L
Sodium, total	LGW-7	2/11/2015	5.6	5		mg/L
Sodium, total	LGW-7	7/22/2015	7.5	5		mg/L
Sodium, total	LGW-7	1/5/2016	8.2	5		mg/L
Sodium, total	LGW-7	4/6/2016	7.4	5		mg/L
Sodium, total	LGW-7	7/20/2016	7.4	5		mg/L
Sodium, total	LGW-7	10/6/2016	7	5		mg/L
Sodium, total	LGW-7	1/11/2017	5.8	5		mg/L
Sodium, total	LGW-7	4/4/2017	5.2	5		mg/L
Sodium, total	LGW-7	7/18/2017	3.9	5	ND	mg/L
Sodium, total	LGW-7	10/5/2017	8	5		mg/L
Sodium, total	LGW-7	1/24/2018	8.1	5		mg/L
Sodium, total	LGW-7	4/11/2018	7.8	5		mg/L
Sodium, total	LGW-7	7/12/2018	7.8	5		mg/L
Sodium, total	LGW-7	10/2/2018	7.4	5		mg/L
Sodium, total	LGW-7	1/7/2019	7.6	5		mg/L
Sodium, total	LGW-7	4/3/2019	7.2	5		mg/L
Sodium, total	LGW-7	7/10/2019	7.5	5		mg/L
Sodium, total	LGW-7	7/10/2019	8	5		mg/L
Sodium, total	LGW-7	10/3/2019	6.7	5		mg/L
Sodium, total	LGW-7	1/15/2020	6.65	5		mg/L
Sodium, total	LGW-7	7/9/2020	5.53	5		mg/L
Sodium, total	LGW-7	1/18/2021	5.14	5		mg/L
Sodium, total	LGW-7	7/7/2021	5.59	5		mg/L
Sodium, total	LGW-7	7/7/2021	5.79	5		mg/L
Sodium, total	LGW-7	1/13/2022	5.69	5		mg/L
Sodium, total	LGW-7	7/11/2022	7.94	5		mg/L
Sodium, total	LGW-7	1/11/2023	5.48	5		mg/L
Sodium, total	LGW-8R	1/24/2006	8.2	1		mg/L
Sodium, total	LGW-8R	7/20/2006	8	5		mg/L
Sodium, total	LGW-8R	7/20/2006	8	5		mg/L
Sodium, total	LGW-8R	1/24/2007	9.6	5		mg/L
Sodium, total	LGW-8R	4/25/2007	9.7	5		mg/L
Sodium, total	LGW-8R	7/12/2007	8.3	5		mg/L
Sodium, total	LGW-8R	2/4/2009	7.1	5	ND	mg/L
Sodium, total	LGW-8R	7/29/2009	7.2	5		mg/L
Sodium, total	LGW-8R	1/27/2010	7	5		mg/L
Sodium, total	LGW-8R	7/14/2010	6.6	5		mg/L
Sodium, total	LGW-8R	1/20/2011	7.1	5		mg/L
Sodium, total	LGW-8R	7/12/2011	6.9	5		mg/L
Sodium, total	LGW-8R	1/5/2012	6.6	5		mg/L
Sodium, total	LGW-8R	7/9/2012	6.9	5		mg/L
Sodium, total	LGW-8R	4/30/2013	7.4	5	ND	mg/L
Sodium, total	LGW-8R	7/15/2013	6.9	5	ND	mg/L
Sodium, total	LGW-8R	1/22/2014	6.2	5		mg/L
Sodium, total	LGW-8R	7/8/2014	6.8	5		mg/L
Sodium, total	LGW-8R	2/11/2015	6.2	5		mg/L
Sodium, total	LGW-8R	7/22/2015	6.6	5		mg/L
Sodium, total	LGW-8R	1/5/2016	7.8	5		mg/L
Sodium, total	LGW-8R	7/20/2016	8.2	5		mg/L
Sodium, total	LGW-8R	1/11/2017	7.6	5		mg/L
Sodium, total	LGW-8R	7/18/2017	8.1	5		mg/L
Sodium, total	LGW-8R	1/25/2018	8.6	5		mg/L
Sodium, total	LGW-8R	7/13/2018	8.4	5		mg/L
Sodium, total	LGW-8R	1/7/2019	8.5	5		mg/L
Sodium, total	LGW-8R	7/8/2019	8.4	5		mg/L
Sodium, total	LGW-8R	1/14/2020	8.82	5		mg/L
Sodium, total	LGW-8R	7/7/2020	8.23	5		mg/L
Sodium, total	LGW-8R	1/17/2021	8.62	5		mg/L
Sodium, total	LGW-8R	7/7/2021	8.65	5		mg/L
Sodium, total	LGW-8R	7/7/2021	8.64	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-8R	1/13/2022	9.3	5		mg/L
Sodium, total	LGW-8R	7/11/2022	8.89	5		mg/L
Sodium, total	LGW-8R	1/11/2023	9.4	5		mg/L
Sodium, total	LGW-9	1/25/2006	12.7	1		mg/L
Sodium, total	LGW-9	7/20/2006	12	5		mg/L
Sodium, total	LGW-9	7/20/2006	12	5		mg/L
Sodium, total	LGW-9	1/25/2007	9.6	5		mg/L
Sodium, total	LGW-9	4/25/2007	10	5		mg/L
Sodium, total	LGW-9	7/10/2007	10	5		mg/L
Sodium, total	LGW-9	7/22/2008	9.7	5		mg/L
Sodium, total	LGW-9	2/4/2009	8.9	5		mg/L
Sodium, total	LGW-9	7/29/2009	9.7	5		mg/L
Sodium, total	LGW-9	1/27/2010	11	5		mg/L
Sodium, total	LGW-9	7/14/2010	9.8	5		mg/L
Sodium, total	LGW-9	1/20/2011	14	5		mg/L
Sodium, total	LGW-9	7/12/2011	10	5		mg/L
Sodium, total	LGW-9	1/5/2012	10	5		mg/L
Sodium, total	LGW-9	7/10/2012	11	5		mg/L
Sodium, total	LGW-9	5/1/2013	9.5	5		mg/L
Sodium, total	LGW-9	7/15/2013	9.1	5		mg/L
Sodium, total	LGW-9	1/23/2014	9.6	5		mg/L
Sodium, total	LGW-9	7/8/2014	10	5		mg/L
Sodium, total	LGW-9	2/11/2015	8.9	5		mg/L
Sodium, total	LGW-9	7/13/2015	17	5		mg/L
Sodium, total	LGW-9	1/5/2016	28	5		mg/L
Sodium, total	LGW-9	7/21/2016	40	5		mg/L
Sodium, total	LGW-9	10/6/2016	42	5		mg/L
Sodium, total	LGW-9	1/11/2017	38	5		mg/L
Sodium, total	LGW-9	5/5/2017	46	5		mg/L
Sodium, total	LGW-9	7/18/2017	57	5		mg/L
Sodium, total	LGW-9	10/5/2017	62	5		mg/L
Sodium, total	LGW-9	1/24/2018	60	5		mg/L
Sodium, total	LGW-9	4/11/2018	59	5		mg/L
Sodium, total	LGW-9	7/13/2018	54	5		mg/L
Sodium, total	LGW-9	10/2/2018	47	5		mg/L
Sodium, total	LGW-9	1/7/2019	42	5		mg/L
Sodium, total	LGW-9	4/3/2019	37	5		mg/L
Sodium, total	LGW-9	7/10/2019	36	5		mg/L
Sodium, total	LGW-9	7/10/2019	36	5		mg/L
Sodium, total	LGW-9	10/3/2019	35	5		mg/L
Sodium, total	LGW-9	1/16/2020	36.3	5		mg/L
Sodium, total	LGW-9	7/9/2020	30.6	5		mg/L
Sodium, total	LGW-9	1/17/2021	8.18	5		mg/L
Sodium, total	LGW-9	7/7/2021	24.2	5		mg/L
Sodium, total	LGW-9	7/7/2021	22.9	5		mg/L
Sodium, total	LGW-9	1/13/2022	20.5	5		mg/L
Sodium, total	LGW-9	7/11/2022	23	5		mg/L
Sodium, total	LGW-9	1/11/2023	21.9	5		mg/L
Sodium, total	MW-10N	10/22/1997	49.2	1		mg/L
Sodium, total	MW-10N	1/22/1998	50.4	1		mg/L
Sodium, total	MW-10N	4/28/1998	40.1	1		mg/L
Sodium, total	MW-10N	7/23/1998	22.1	1		mg/L
Sodium, total	MW-10N	7/8/2003	58.1	1		mg/L
Sodium, total	MW-10N	1/28/2004	72	1		mg/L
Sodium, total	MW-10N	7/27/2004	89.4	1		mg/L
Sodium, total	MW-10N	1/12/2005	65.7	1		mg/L
Sodium, total	MW-10N	7/20/2005	45	1		mg/L
Sodium, total	MW-10N	1/19/2006	76.6	1		mg/L
Sodium, total	MW-10N	7/19/2006	61	5		mg/L
Sodium, total	MW-10N	7/19/2006	61	5		mg/L
Sodium, total	MW-10N	1/24/2007	66	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-10N	7/10/2007	44	5		mg/L
Sodium, total	MW-10N	1/23/2008	43	5		mg/L
Sodium, total	MW-10N	7/21/2008	49	5		mg/L
Sodium, total	MW-10N	2/13/2009	59	5		mg/L
Sodium, total	MW-10N	7/31/2009	54	5		mg/L
Sodium, total	MW-10N	1/27/2010	75	5		mg/L
Sodium, total	MW-10N	8/10/2010	60	5		mg/L
Sodium, total	MW-10N	1/19/2011	58	5		mg/L
Sodium, total	MW-10N	7/14/2011	57	5		mg/L
Sodium, total	MW-10N	1/5/2012	59	5		mg/L
Sodium, total	MW-10N	7/10/2012	65	5		mg/L
Sodium, total	MW-10N	5/1/2013	59	5		mg/L
Sodium, total	MW-10N	1/24/2014	61	5		mg/L
Sodium, total	MW-10N	7/9/2014	54	5		mg/L
Sodium, total	MW-10N	2/12/2015	53	5		mg/L
Sodium, total	MW-10N	7/14/2015	52	5		mg/L
Sodium, total	MW-10N	1/6/2016	57	5		mg/L
Sodium, total	MW-10N	7/21/2016	55	5		mg/L
Sodium, total	MW-10N	1/11/2017	58	5		mg/L
Sodium, total	MW-10N	7/19/2017	61	5		mg/L
Sodium, total	MW-10N	1/24/2018	62	5		mg/L
Sodium, total	MW-10N	7/11/2018	56	5		mg/L
Sodium, total	MW-10N	1/3/2019	58	5		mg/L
Sodium, total	MW-10N	7/9/2019	58	5		mg/L
Sodium, total	MW-10N	1/16/2020	58	5		mg/L
Sodium, total	MW-10N	7/8/2020	55.8	5		mg/L
Sodium, total	MW-10N	1/13/2021	56.1	5		mg/L
Sodium, total	MW-10N	7/5/2021	57.1	5		mg/L
Sodium, total	MW-10N	7/5/2021	56.5	5		mg/L
Sodium, total	MW-10N	1/11/2023	52.5	5		mg/L
Sodium, total	MW-11N	10/22/1997	28.9	1		mg/L
Sodium, total	MW-11N	1/21/1998	12.4	1		mg/L
Sodium, total	MW-11N	4/28/1998	21.6	1		mg/L
Sodium, total	MW-11N	7/23/1998	12	1		mg/L
Sodium, total	MW-11N	7/8/2003	17.2	1		mg/L
Sodium, total	MW-11N	1/29/2004	23.9	1		mg/L
Sodium, total	MW-11N	7/27/2004	17.4	1		mg/L
Sodium, total	MW-11N	1/13/2005	12	1		mg/L
Sodium, total	MW-11N	7/20/2005	8	1		mg/L
Sodium, total	MW-11N	1/19/2006	13.2	1		mg/L
Sodium, total	MW-11N	7/18/2006	10	5		mg/L
Sodium, total	MW-11N	7/18/2006	10	5		mg/L
Sodium, total	MW-11N	1/24/2007	12	5		mg/L
Sodium, total	MW-11N	7/10/2007	6	5		mg/L
Sodium, total	MW-11N	1/22/2008	4.7	5	ND	mg/L
Sodium, total	MW-11N	7/23/2008	3.8	5	ND	mg/L
Sodium, total	MW-11N	2/3/2009	3.7	5	ND	mg/L
Sodium, total	MW-11N	7/31/2009	4.5	5	ND	mg/L
Sodium, total	MW-11N	2/3/2010	3.5	5	ND	mg/L
Sodium, total	MW-11N	2/3/2010	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/16/2010	3.6	5	ND	mg/L
Sodium, total	MW-11N	1/19/2011	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/13/2011	3.4	5	ND	mg/L
Sodium, total	MW-11N	1/4/2012	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/9/2012	3.7	5	ND	mg/L
Sodium, total	MW-11N	4/30/2013	4.1	5	ND	mg/L
Sodium, total	MW-11N	7/15/2013	3.7	5	ND	mg/L
Sodium, total	MW-11N	1/23/2014	3.2	5	ND	mg/L
Sodium, total	MW-11N	7/8/2014	4.2	5	ND	mg/L
Sodium, total	MW-11N	2/10/2015	3.3	5	ND	mg/L
Sodium, total	MW-11N	7/13/2015	3.9	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-11N	1/5/2016	3.9	5	ND	mg/L
Sodium, total	MW-11N	7/21/2016	4	5	ND	mg/L
Sodium, total	MW-11N	1/11/2017	4.1	5	ND	mg/L
Sodium, total	MW-11N	7/19/2017	4	5	ND	mg/L
Sodium, total	MW-11N	1/23/2018	4	5	ND	mg/L
Sodium, total	MW-11N	7/17/2018	3.8	5	ND	mg/L
Sodium, total	MW-11N	1/2/2019	4	5	ND	mg/L
Sodium, total	MW-11N	7/9/2019	3.7	5	ND	mg/L
Sodium, total	MW-11N	1/14/2020	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2020	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2021	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2021	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2022	5	5	ND	mg/L
Sodium, total	MW-11N	7/13/2022	5	5	ND	mg/L
Sodium, total	MW-11N	1/10/2023	5	5	ND	mg/L
Sodium, total	MW-15	6/5/2015	24	5		mg/L
Sodium, total	MW-15	7/15/2015	22	5		mg/L
Sodium, total	MW-15	8/5/2015	27	5		mg/L
Sodium, total	MW-15	9/3/2015	25	5		mg/L
Sodium, total	MW-15	1/7/2016	38	5		mg/L
Sodium, total	MW-15	4/5/2016	31	5		mg/L
Sodium, total	MW-15	7/20/2016	31	5		mg/L
Sodium, total	MW-15	10/6/2016	26	5		mg/L
Sodium, total	MW-15	1/10/2017	29	5		mg/L
Sodium, total	MW-15	7/18/2017	34	5		mg/L
Sodium, total	MW-15	1/23/2018	36	5		mg/L
Sodium, total	MW-15	7/10/2018	38	5		mg/L
Sodium, total	MW-15	1/3/2019	41	5		mg/L
Sodium, total	MW-15	7/9/2019	33	5		mg/L
Sodium, total	MW-15	1/14/2020	36	5		mg/L
Sodium, total	MW-15	7/7/2020	26.3	5		mg/L
Sodium, total	MW-15	1/18/2021	21.6	5		mg/L
Sodium, total	MW-15	1/18/2021	21.6	5		mg/L
Sodium, total	MW-15	7/4/2021	24.3	5		mg/L
Sodium, total	MW-15	7/4/2021	24.8	5		mg/L
Sodium, total	MW-15	1/12/2022	26.9	5		mg/L
Sodium, total	MW-15	7/10/2022	32	5		mg/L
Sodium, total	MW-15	1/10/2023	26.7	5		mg/L
Sodium, total	MW-16	6/5/2015	6.4	5		mg/L
Sodium, total	MW-16	7/16/2015	11	5		mg/L
Sodium, total	MW-16	8/5/2015	13	5		mg/L
Sodium, total	MW-16	9/3/2015	15	5		mg/L
Sodium, total	MW-16	1/8/2016	15	5		mg/L
Sodium, total	MW-16	4/5/2016	21	5		mg/L
Sodium, total	MW-16	7/21/2016	19	5		mg/L
Sodium, total	MW-16	10/5/2016	8.4	5		mg/L
Sodium, total	MW-16	1/10/2017	18	5		mg/L
Sodium, total	MW-16	7/18/2017	19	5		mg/L
Sodium, total	MW-16	1/23/2018	6.2	5		mg/L
Sodium, total	MW-16	7/11/2018	7.5	5		mg/L
Sodium, total	MW-16	1/2/2019	5.3	5		mg/L
Sodium, total	MW-16	7/10/2019	4.1	5	ND	mg/L
Sodium, total	MW-16	1/14/2020	7.75	5		mg/L
Sodium, total	MW-16	7/7/2020	7.77	5		mg/L
Sodium, total	MW-16	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-16	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-16	7/4/2021	5.48	5		mg/L
Sodium, total	MW-16	7/4/2021	5.16	5		mg/L
Sodium, total	MW-16	1/12/2022	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-16	7/10/2022	7	5		mg/L
Sodium, total	MW-16	1/10/2023	5	5	ND	mg/L
Sodium, total	MW-17	6/5/2015	19	5		mg/L
Sodium, total	MW-17	7/15/2015	21	5		mg/L
Sodium, total	MW-17	8/4/2015	22	5		mg/L
Sodium, total	MW-17	9/2/2015	20	5		mg/L
Sodium, total	MW-17	1/7/2016	8.9	5		mg/L
Sodium, total	MW-17	4/5/2016	17	5		mg/L
Sodium, total	MW-17	7/20/2016	15	5		mg/L
Sodium, total	MW-17	10/6/2016	16	5		mg/L
Sodium, total	MW-17	1/10/2017	16	5		mg/L
Sodium, total	MW-17	7/18/2017	15	5		mg/L
Sodium, total	MW-17	1/23/2018	26	5		mg/L
Sodium, total	MW-17	7/10/2018	27	5		mg/L
Sodium, total	MW-17	1/3/2019	32	5		mg/L
Sodium, total	MW-17	7/11/2019	28	5		mg/L
Sodium, total	MW-17	1/14/2020	19.9	5		mg/L
Sodium, total	MW-17	7/6/2020	19.4	5		mg/L
Sodium, total	MW-17	1/14/2021	14.8	5		mg/L
Sodium, total	MW-17	7/4/2021	27	5		mg/L
Sodium, total	MW-17	7/4/2021	27.7	5		mg/L
Sodium, total	MW-17	1/10/2023	12.1	5		mg/L
Sodium, total	MW-19	6/5/2015	6.7	5		mg/L
Sodium, total	MW-19	7/16/2015	10	5		mg/L
Sodium, total	MW-19	8/5/2015	5.3	5		mg/L
Sodium, total	MW-19	9/3/2015	5	5		mg/L
Sodium, total	MW-19	1/7/2016	6.6	5		mg/L
Sodium, total	MW-19	4/5/2016	7.3	5		mg/L
Sodium, total	MW-19	7/21/2016	6	5		mg/L
Sodium, total	MW-19	10/5/2016	6.1	5		mg/L
Sodium, total	MW-19	1/10/2017	6.2	5		mg/L
Sodium, total	MW-19	7/18/2017	25	5		mg/L
Sodium, total	MW-19	1/23/2018	7.7	5		mg/L
Sodium, total	MW-19	7/13/2018	6.4	5		mg/L
Sodium, total	MW-19	1/7/2019	6.6	5		mg/L
Sodium, total	MW-19	7/11/2019	8.2	5		mg/L
Sodium, total	MW-19	1/14/2020	16.7	5		mg/L
Sodium, total	MW-19	7/6/2020	16	5		mg/L
Sodium, total	MW-19	1/14/2021	12.4	5		mg/L
Sodium, total	MW-19	7/4/2021	10.8	5		mg/L
Sodium, total	MW-19	7/4/2021	11.2	5		mg/L
Sodium, total	MW-19	1/11/2023	6.69	5		mg/L
Sodium, total	MW-1N	10/22/1997	10.6	1		mg/L
Sodium, total	MW-1N	1/20/1998	116	1		mg/L
Sodium, total	MW-1N	4/28/1998	53.1	1		mg/L
Sodium, total	MW-1N	7/23/1998	30.9	1		mg/L
Sodium, total	MW-1N	7/8/2003	26.1	1		mg/L
Sodium, total	MW-1N	1/28/2004	26.5	1		mg/L
Sodium, total	MW-1N	7/27/2004	17.9	1		mg/L
Sodium, total	MW-1N	1/12/2005	13.6	1		mg/L
Sodium, total	MW-1N	7/20/2005	11.5	1		mg/L
Sodium, total	MW-1N	1/18/2006	11.4	1		mg/L
Sodium, total	MW-1N	7/18/2006	8.5	5		mg/L
Sodium, total	MW-1N	7/18/2006	8.5	5		mg/L
Sodium, total	MW-1N	1/26/2007	11	5		mg/L
Sodium, total	MW-1N	7/11/2007	8.5	5		mg/L
Sodium, total	MW-1N	1/24/2008	7.4	5		mg/L
Sodium, total	MW-1N	7/21/2008	7.5	5		mg/L
Sodium, total	MW-1N	2/5/2009	7.6	5		mg/L
Sodium, total	MW-1N	7/31/2009	6.6	5		mg/L
Sodium, total	MW-1N	1/26/2010	6.3	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-1N	7/13/2010	6.2	5		mg/L
Sodium, total	MW-1N	1/20/2011	5.4	5		mg/L
Sodium, total	MW-1N	7/13/2011	27	5		mg/L
Sodium, total	MW-1N	1/5/2012	18	5		mg/L
Sodium, total	MW-1N	7/10/2012	8.7	5		mg/L
Sodium, total	MW-1N	5/1/2013	8.8	5		mg/L
Sodium, total	MW-1N	7/16/2013	6.2	5		mg/L
Sodium, total	MW-1N	1/24/2014	4.5	5	ND	mg/L
Sodium, total	MW-1N	7/9/2014	5.9	5		mg/L
Sodium, total	MW-1N	2/10/2015	5.6	5		mg/L
Sodium, total	MW-1N	7/14/2015	30	5		mg/L
Sodium, total	MW-1N	1/6/2016	24	5		mg/L
Sodium, total	MW-1N	7/21/2016	10	5		mg/L
Sodium, total	MW-1N	1/12/2017	7	5		mg/L
Sodium, total	MW-1N	7/19/2017	8.1	5		mg/L
Sodium, total	MW-1N	1/23/2018	5.5	5		mg/L
Sodium, total	MW-1N	7/10/2018	5.5	5		mg/L
Sodium, total	MW-1N	1/3/2019	5.1	5		mg/L
Sodium, total	MW-1N	7/11/2019	6	5		mg/L
Sodium, total	MW-1N	1/23/2020	6.81	5		mg/L
Sodium, total	MW-1N	7/6/2020	6.49	5		mg/L
Sodium, total	MW-1N	1/14/2021	5.64	5		mg/L
Sodium, total	MW-1N	7/4/2021	6.55	5		mg/L
Sodium, total	MW-1N	7/4/2021	6.45	5		mg/L
Sodium, total	MW-1N	1/11/2023	7.05	5		mg/L
Sodium, total	MW-20	6/5/2015	10	5		mg/L
Sodium, total	MW-20	7/14/2015	8.4	5		mg/L
Sodium, total	MW-20	8/4/2015	12	5		mg/L
Sodium, total	MW-20	9/2/2015	11	5		mg/L
Sodium, total	MW-20	1/7/2016	120	5		mg/L
Sodium, total	MW-20	4/5/2016	12	5		mg/L
Sodium, total	MW-20	7/20/2016	11	5		mg/L
Sodium, total	MW-20	10/5/2016	11	5		mg/L
Sodium, total	MW-20	1/12/2017	12	5		mg/L
Sodium, total	MW-20	7/18/2017	15	5		mg/L
Sodium, total	MW-20	1/26/2018	12	5		mg/L
Sodium, total	MW-20	7/12/2018	9.2	5		mg/L
Sodium, total	MW-20	7/11/2019	9.3	5		mg/L
Sodium, total	MW-20	1/14/2020	104	5		mg/L
Sodium, total	MW-20	7/7/2020	42.8	5		mg/L
Sodium, total	MW-20	1/17/2021	47.9	5		mg/L
Sodium, total	MW-20	7/4/2021	42.7	5		mg/L
Sodium, total	MW-20	7/4/2021	54	5		mg/L
Sodium, total	MW-20	1/11/2023	13.6	5		mg/L
Sodium, total	MW-21	6/5/2015	15	5		mg/L
Sodium, total	MW-21	7/14/2015	14	5		mg/L
Sodium, total	MW-21	8/4/2015	16	5		mg/L
Sodium, total	MW-21	9/2/2015	14	5		mg/L
Sodium, total	MW-21	1/7/2016	7.6	5		mg/L
Sodium, total	MW-21	4/5/2016	14	5		mg/L
Sodium, total	MW-21	7/20/2016	12	5		mg/L
Sodium, total	MW-21	10/5/2016	7.7	5		mg/L
Sodium, total	MW-21	10/5/2016	8	5		mg/L
Sodium, total	MW-21	1/10/2017	11	5		mg/L
Sodium, total	MW-21	4/5/2017	11	5		mg/L
Sodium, total	MW-21	7/19/2017	13	5		mg/L
Sodium, total	MW-21	10/6/2017	14	5		mg/L
Sodium, total	MW-21	1/24/2018	8.5	5		mg/L
Sodium, total	MW-21	4/11/2018	19	5		mg/L
Sodium, total	MW-21	7/11/2018	12	5		mg/L
Sodium, total	MW-21	10/4/2018	9.7	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-21	1/3/2019	17	5		mg/L
Sodium, total	MW-21	4/3/2019	14	5		mg/L
Sodium, total	MW-21	7/11/2019	12	5		mg/L
Sodium, total	MW-21	7/11/2019	12	5		mg/L
Sodium, total	MW-21	10/2/2019	14	5		mg/L
Sodium, total	MW-21	1/16/2020	12.5	5		mg/L
Sodium, total	MW-21	7/8/2020	9.62	5		mg/L
Sodium, total	MW-21	1/13/2021	12.3	5		mg/L
Sodium, total	MW-21	7/5/2021	9.81	5		mg/L
Sodium, total	MW-21	7/5/2021	9.7	5		mg/L
Sodium, total	MW-21	1/11/2023	9.61	5		mg/L
Sodium, total	MW-2N	10/22/1997	10.6	1		mg/L
Sodium, total	MW-2N	1/21/1998	9.8	1		mg/L
Sodium, total	MW-2N	4/28/1998	14.3	1		mg/L
Sodium, total	MW-2N	7/22/1998	10.2	1		mg/L
Sodium, total	MW-2N	7/7/2003	5.7	1		mg/L
Sodium, total	MW-2N	1/28/2004	5.8	1		mg/L
Sodium, total	MW-2N	7/27/2004	5.9	1		mg/L
Sodium, total	MW-2N	1/12/2005	5.2	1		mg/L
Sodium, total	MW-2N	7/20/2005	5.6	1		mg/L
Sodium, total	MW-2N	1/19/2006	6.1	1		mg/L
Sodium, total	MW-2N	7/19/2006	5.6	5		mg/L
Sodium, total	MW-2N	7/19/2006	5.6	5		mg/L
Sodium, total	MW-2N	1/26/2007	6.3	5		mg/L
Sodium, total	MW-2N	7/11/2007	6.2	5		mg/L
Sodium, total	MW-2N	1/24/2008	6.6	5		mg/L
Sodium, total	MW-2N	7/22/2008	6.3	5		mg/L
Sodium, total	MW-2N	2/4/2009	7.2	5		mg/L
Sodium, total	MW-2N	7/31/2009	6.3	5		mg/L
Sodium, total	MW-2N	1/26/2010	6.7	5		mg/L
Sodium, total	MW-2N	7/13/2010	6.9	5		mg/L
Sodium, total	MW-2N	1/20/2011	6.9	5		mg/L
Sodium, total	MW-2N	7/13/2011	7	5		mg/L
Sodium, total	MW-2N	1/5/2012	6.8	5		mg/L
Sodium, total	MW-2N	7/10/2012	7	5		mg/L
Sodium, total	MW-2N	5/1/2013	7	5		mg/L
Sodium, total	MW-2N	7/16/2013	6.6	5		mg/L
Sodium, total	MW-2N	1/24/2014	6.6	5		mg/L
Sodium, total	MW-2N	7/9/2014	8.5	5		mg/L
Sodium, total	MW-2N	2/12/2015	7.3	5		mg/L
Sodium, total	MW-2N	7/14/2015	35	5		mg/L
Sodium, total	MW-2N	1/6/2016	12	5		mg/L
Sodium, total	MW-2N	7/21/2016	12	5		mg/L
Sodium, total	MW-2N	1/11/2017	10	5		mg/L
Sodium, total	MW-2N	7/19/2017	9.1	5		mg/L
Sodium, total	MW-2N	1/23/2018	9.7	5		mg/L
Sodium, total	MW-2N	7/12/2018	8.5	5		mg/L
Sodium, total	MW-2N	1/3/2019	9.4	5		mg/L
Sodium, total	MW-2N	7/11/2019	10	5		mg/L
Sodium, total	MW-2N	1/24/2020	12.4	5		mg/L
Sodium, total	MW-2N	7/7/2020	11.7	5		mg/L
Sodium, total	MW-2N	1/14/2021	12.1	5		mg/L
Sodium, total	MW-2N	7/5/2021	11.7	5		mg/L
Sodium, total	MW-2N	7/5/2021	11.7	5		mg/L
Sodium, total	MW-2N	1/11/2023	12.1	5		mg/L
Sodium, total	MW-3N	10/21/1997	4.7	1		mg/L
Sodium, total	MW-3N	1/21/1998	7.3	1		mg/L
Sodium, total	MW-3N	4/28/1998	9.5	1		mg/L
Sodium, total	MW-3N	7/23/1998	6.8	1		mg/L
Sodium, total	MW-3N	7/7/2003	6	1		mg/L
Sodium, total	MW-3N	1/28/2004	4.5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-3N	7/27/2004	4.9	1		mg/L
Sodium, total	MW-3N	1/12/2005	3.8	1		mg/L
Sodium, total	MW-3N	7/20/2005	4.4	1		mg/L
Sodium, total	MW-3N	1/18/2006	4	1		mg/L
Sodium, total	MW-3N	7/19/2006	4.3	5	ND	mg/L
Sodium, total	MW-3N	7/19/2006	4.3	5	ND	mg/L
Sodium, total	MW-3N	1/26/2007	3.4	5	ND	mg/L
Sodium, total	MW-3N	7/11/2007	3.2	5	ND	mg/L
Sodium, total	MW-3N	1/24/2008	3.2	5	ND	mg/L
Sodium, total	MW-3N	7/22/2008	3	5	ND	mg/L
Sodium, total	MW-3N	2/4/2009	3	5	ND	mg/L
Sodium, total	MW-3N	7/31/2009	3.3	5	ND	mg/L
Sodium, total	MW-3N	1/26/2010	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/13/2010	3.1	5	ND	mg/L
Sodium, total	MW-3N	1/20/2011	2.8	5	ND	mg/L
Sodium, total	MW-3N	7/14/2011	2.8	5	ND	mg/L
Sodium, total	MW-3N	1/5/2012	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/11/2012	2.8	5	ND	mg/L
Sodium, total	MW-3N	5/1/2013	3	5	ND	mg/L
Sodium, total	MW-3N	6/4/2013	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/16/2013	3	5	ND	mg/L
Sodium, total	MW-3N	1/24/2014	2.7	5	ND	mg/L
Sodium, total	MW-3N	7/9/2014	3.1	5	ND	mg/L
Sodium, total	MW-3N	2/12/2015	3	5	ND	mg/L
Sodium, total	MW-3N	4/1/2015	2.7	5	ND	mg/L
Sodium, total	MW-3N	7/14/2015	3	5	ND	mg/L
Sodium, total	MW-3N	10/5/2015	3	5	ND	mg/L
Sodium, total	MW-3N	1/6/2016	3.1	5	ND	mg/L
Sodium, total	MW-3N	4/6/2016	3.2	5	ND	mg/L
Sodium, total	MW-3N	7/21/2016	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/6/2016	3.4	5	ND	mg/L
Sodium, total	MW-3N	1/11/2017	4.5	5	ND	mg/L
Sodium, total	MW-3N	4/4/2017	4.6	5	ND	mg/L
Sodium, total	MW-3N	7/19/2017	3.1	5	ND	mg/L
Sodium, total	MW-3N	10/9/2017	3.2	5	ND	mg/L
Sodium, total	MW-3N	1/24/2018	4.7	5	ND	mg/L
Sodium, total	MW-3N	4/10/2018	3.5	5	ND	mg/L
Sodium, total	MW-3N	7/13/2018	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/3/2018	3.5	5	ND	mg/L
Sodium, total	MW-3N	1/7/2019	5	5		mg/L
Sodium, total	MW-3N	4/3/2019	3.9	5	ND	mg/L
Sodium, total	MW-3N	7/11/2019	3.3	5	ND	mg/L
Sodium, total	MW-3N	7/11/2019	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/2/2019	4.8	5	ND	mg/L
Sodium, total	MW-3N	1/21/2020	5	5	ND	mg/L
Sodium, total	MW-3N	7/7/2020	5	5	ND	mg/L
Sodium, total	MW-3N	1/13/2021	5	5	ND	mg/L
Sodium, total	MW-3N	7/5/2021	5	5	ND	mg/L
Sodium, total	MW-3N	7/5/2021	5	5	ND	mg/L
Sodium, total	MW-3N	1/11/2023	5	5	ND	mg/L
Sodium, total	MW-7N	10/21/1997	8.1	1		mg/L
Sodium, total	MW-7N	1/21/1998	24.4	1		mg/L
Sodium, total	MW-7N	7/22/1998	6.9	1		mg/L
Sodium, total	MW-7N	8/18/1998	7	1		mg/L
Sodium, total	MW-7N	9/17/1998	6.8	1		mg/L
Sodium, total	MW-7N	11/9/1998	7.5	1		mg/L
Sodium, total	MW-7N	7/7/2003	16.3	1		mg/L
Sodium, total	MW-7N	1/27/2004	12.3	1		mg/L
Sodium, total	MW-7N	4/8/2004	12.8	1		mg/L
Sodium, total	MW-7N	7/26/2004	11.1	1		mg/L
Sodium, total	MW-7N	1/12/2005	9.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-7N	7/19/2005	7.1	1		mg/L
Sodium, total	MW-7N	1/19/2006	9.6	1		mg/L
Sodium, total	MW-7N	7/19/2006	7.1	5		mg/L
Sodium, total	MW-7N	7/19/2006	7.1	5		mg/L
Sodium, total	MW-7N	1/26/2007	6.8	5		mg/L
Sodium, total	MW-7N	7/10/2007	7.2	5		mg/L
Sodium, total	MW-7N	7/21/2008	6.8	5		mg/L
Sodium, total	MW-7N	2/6/2009	8.9	5		mg/L
Sodium, total	MW-7N	7/29/2009	8.7	5		mg/L
Sodium, total	MW-7N	1/26/2010	11	5		mg/L
Sodium, total	MW-7N	7/14/2010	9.4	5		mg/L
Sodium, total	MW-7N	1/20/2011	11	5		mg/L
Sodium, total	MW-7N	7/12/2011	7.1	5		mg/L
Sodium, total	MW-7N	1/5/2012	7	5		mg/L
Sodium, total	MW-7N	7/10/2012	7.1	5		mg/L
Sodium, total	MW-7N	5/1/2013	11	5		mg/L
Sodium, total	MW-7N	6/4/2013	8.7	5		mg/L
Sodium, total	MW-7N	7/15/2013	6.3	5		mg/L
Sodium, total	MW-7N	1/30/2014	7.9	5		mg/L
Sodium, total	MW-7N	7/9/2014	7.3	5		mg/L
Sodium, total	MW-7N	2/12/2015	7.5	5		mg/L
Sodium, total	MW-7N	7/13/2015	5.6	5		mg/L
Sodium, total	MW-7N	1/5/2016	5.3	5		mg/L
Sodium, total	MW-7N	7/21/2016	11	5		mg/L
Sodium, total	MW-7N	1/11/2017	38	5		mg/L
Sodium, total	MW-7N	4/4/2017	21	5		mg/L
Sodium, total	MW-7N	7/19/2017	25	5		mg/L
Sodium, total	MW-7N	10/5/2017	31	5		mg/L
Sodium, total	MW-7N	1/25/2018	29	5		mg/L
Sodium, total	MW-7N	4/11/2018	26	5		mg/L
Sodium, total	MW-7N	7/13/2018	22	5		mg/L
Sodium, total	MW-7N	1/4/2019	32	5		mg/L
Sodium, total	MW-7N	7/10/2019	21	5		mg/L
Sodium, total	MW-7N	1/16/2020	27.3	5		mg/L
Sodium, total	MW-7N	7/7/2020	31.9	5		mg/L
Sodium, total	MW-7N	1/16/2021	35.4	5		mg/L
Sodium, total	MW-7N	7/5/2021	39.1	5		mg/L
Sodium, total	MW-7N	7/5/2021	38.1	5		mg/L
Sodium, total	MW-7N	1/12/2022	38	5		mg/L
Sodium, total	MW-7N	7/10/2022	38.2	5		mg/L
Sodium, total	MW-7N	1/10/2023	35	5		mg/L
Sodium, total	MW-8N	10/21/1997	8.6	1		mg/L
Sodium, total	MW-8N	1/22/1998	34	1		mg/L
Sodium, total	MW-8N	4/28/1998	20	1		mg/L
Sodium, total	MW-8N	7/22/1998	12	1		mg/L
Sodium, total	MW-8N	7/7/2003	13.2	1		mg/L
Sodium, total	MW-8N	1/28/2004	12.9	1		mg/L
Sodium, total	MW-8N	7/27/2004	19	1		mg/L
Sodium, total	MW-8N	1/12/2005	22.7	1		mg/L
Sodium, total	MW-8N	7/20/2005	23.2	1		mg/L
Sodium, total	MW-8N	1/19/2006	20.7	1		mg/L
Sodium, total	MW-8N	7/19/2006	22	5		mg/L
Sodium, total	MW-8N	7/19/2006	22	5		mg/L
Sodium, total	MW-8N	1/26/2007	32	5		mg/L
Sodium, total	MW-8N	4/25/2007	28	5		mg/L
Sodium, total	MW-8N	7/10/2007	29	5		mg/L
Sodium, total	MW-8N	1/24/2008	26	5		mg/L
Sodium, total	MW-8N	7/23/2008	24	5		mg/L
Sodium, total	MW-8N	2/4/2009	21	5		mg/L
Sodium, total	MW-8N	7/31/2009	21	5		mg/L
Sodium, total	MW-8N	1/26/2010	19	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-8N	7/16/2010	17	5		mg/L
Sodium, total	MW-8N	1/19/2011	19	5		mg/L
Sodium, total	MW-8N	5/10/2011	16	5		mg/L
Sodium, total	MW-8N	7/14/2011	16	5		mg/L
Sodium, total	MW-8N	1/6/2012	16	5		mg/L
Sodium, total	MW-8N	4/5/2012	16	5		mg/L
Sodium, total	MW-8N	7/11/2012	16	5		mg/L
Sodium, total	MW-8N	10/3/2012	15	5		mg/L
Sodium, total	MW-8N	5/1/2013	14	5		mg/L
Sodium, total	MW-8N	6/4/2013	16	5		mg/L
Sodium, total	MW-8N	7/16/2013	16	5		mg/L
Sodium, total	MW-8N	10/2/2013	16	5		mg/L
Sodium, total	MW-8N	1/30/2014	17	5		mg/L
Sodium, total	MW-8N	4/3/2014	16	5		mg/L
Sodium, total	MW-8N	7/9/2014	15	5		mg/L
Sodium, total	MW-8N	10/8/2014	17	5		mg/L
Sodium, total	MW-8N	2/12/2015	15	5		mg/L
Sodium, total	MW-8N	4/1/2015	17	5		mg/L
Sodium, total	MW-8N	7/14/2015	17	5		mg/L
Sodium, total	MW-8N	10/5/2015	17	5		mg/L
Sodium, total	MW-8N	1/5/2016	20	5		mg/L
Sodium, total	MW-8N	4/6/2016	22	5		mg/L
Sodium, total	MW-8N	7/21/2016	22	5		mg/L
Sodium, total	MW-8N	10/6/2016	24	5		mg/L
Sodium, total	MW-8N	1/11/2017	24	5		mg/L
Sodium, total	MW-8N	4/4/2017	18	5		mg/L
Sodium, total	MW-8N	7/19/2017	27	5		mg/L
Sodium, total	MW-8N	10/6/2017	32	5		mg/L
Sodium, total	MW-8N	1/25/2018	35	5		mg/L
Sodium, total	MW-8N	4/10/2018	32	5		mg/L
Sodium, total	MW-8N	7/16/2018	35	5		mg/L
Sodium, total	MW-8N	10/2/2018	35	5		mg/L
Sodium, total	MW-8N	1/7/2019	36	5		mg/L
Sodium, total	MW-8N	4/3/2019	36	5		mg/L
Sodium, total	MW-8N	7/11/2019	34	5		mg/L
Sodium, total	MW-8N	7/11/2019	35	5		mg/L
Sodium, total	MW-8N	10/3/2019	37	5		mg/L
Sodium, total	MW-8N	1/15/2020	32.1	5		mg/L
Sodium, total	MW-8N	7/9/2020	30.7	5		mg/L
Sodium, total	MW-8N	1/15/2021	30.4	5		mg/L
Sodium, total	MW-8N	7/5/2021	29.5	5		mg/L
Sodium, total	MW-8N	7/5/2021	29.1	5		mg/L
Sodium, total	MW-8N	1/18/2022	27.6	5		mg/L
Sodium, total	MW-8N	7/12/2022	28	5		mg/L
Sodium, total	MW-8N	1/11/2023	25.7	5		mg/L
Sodium, total	NE-1	7/8/2003	8.8	1		mg/L
Sodium, total	NE-1	1/27/2004	15.6	1		mg/L
Sodium, total	NE-1	1/12/2005	20.4	1		mg/L
Sodium, total	NE-1	7/19/2006	19	5		mg/L
Sodium, total	NE-1	7/19/2006	19	5		mg/L
Sodium, total	NE-1	1/24/2007	12	5		mg/L
Sodium, total	NE-1	7/10/2007	8.9	5		mg/L
Sodium, total	NE-1	1/24/2008	9	5		mg/L
Sodium, total	NE-1	7/21/2008	8.7	5		mg/L
Sodium, total	NE-1	2/7/2009	9.8	5		mg/L
Sodium, total	NE-1	7/31/2009	11	5		mg/L
Sodium, total	NE-1	1/26/2010	14	5		mg/L
Sodium, total	NE-1	7/14/2010	14	5		mg/L
Sodium, total	NE-1	1/19/2011	17	5		mg/L
Sodium, total	NE-1	7/13/2011	15	5		mg/L
Sodium, total	NE-1	1/5/2012	13	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-1	7/10/2012	14	5		mg/L
Sodium, total	NE-1	4/30/2013	16	5		mg/L
Sodium, total	NE-1	7/16/2013	9.7	5		mg/L
Sodium, total	NE-1	1/23/2014	14	5		mg/L
Sodium, total	NE-1	7/9/2014	16	5		mg/L
Sodium, total	NE-1	2/11/2015	15	5		mg/L
Sodium, total	NE-1	7/8/2015	17	5		mg/L
Sodium, total	NE-1	1/6/2016	36	5		mg/L
Sodium, total	NE-1	7/20/2016	38	5		mg/L
Sodium, total	NE-1	1/11/2017	36	5		mg/L
Sodium, total	NE-1	7/19/2017	33	5		mg/L
Sodium, total	NE-1	1/24/2018	32	5		mg/L
Sodium, total	NE-1	4/11/2018	26	5		mg/L
Sodium, total	NE-1	7/18/2018	22	5		mg/L
Sodium, total	NE-1	10/2/2018	25	5		mg/L
Sodium, total	NE-1	1/4/2019	25	5		mg/L
Sodium, total	NE-1	7/10/2019	19	5		mg/L
Sodium, total	NE-1	1/15/2020	21.2	5		mg/L
Sodium, total	NE-1	7/8/2020	21.4	5		mg/L
Sodium, total	NE-1	1/13/2021	24.1	5		mg/L
Sodium, total	NE-1	7/2/2021	21.1	5		mg/L
Sodium, total	NE-1	1/17/2022	23.7	5		mg/L
Sodium, total	NE-1	7/13/2022	22	5		mg/L
Sodium, total	NE-1	1/5/2023	22.1	5		mg/L
Sodium, total	NE-10D	11/6/2019	3.6	5	ND	mg/L
Sodium, total	NE-10D	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-10D	7/8/2020	5	5	ND	mg/L
Sodium, total	NE-10D	1/13/2021	5	5	ND	mg/L
Sodium, total	NE-10D	7/2/2021	5	5	ND	mg/L
Sodium, total	NE-10D	1/6/2023	5	5	ND	mg/L
Sodium, total	NE-11	3/1/2017	3.1	5	ND	mg/L
Sodium, total	NE-11	4/6/2017	15	5		mg/L
Sodium, total	NE-11	7/20/2017	25	5		mg/L
Sodium, total	NE-11	10/9/2017	8.3	5		mg/L
Sodium, total	NE-11	9/30/2019	4.9	5	ND	mg/L
Sodium, total	NE-11	1/14/2020	7.3	5		mg/L
Sodium, total	NE-11	7/7/2020	7.55	5		mg/L
Sodium, total	NE-11	1/16/2021	7.1	5		mg/L
Sodium, total	NE-11	1/16/2021	7.39	5		mg/L
Sodium, total	NE-11	7/1/2021	6.41	5		mg/L
Sodium, total	NE-11	7/1/2021	6.58	5		mg/L
Sodium, total	NE-11	7/1/2021	6.41	5		mg/L
Sodium, total	NE-11	1/17/2022	7.57	5		mg/L
Sodium, total	NE-11	1/17/2022	7.27	5		mg/L
Sodium, total	NE-11	7/12/2022	7.35	5		mg/L
Sodium, total	NE-11	1/6/2023	7.97	5		mg/L
Sodium, total	NE-12	3/1/2017	5.3	5		mg/L
Sodium, total	NE-12	4/6/2017	24	5		mg/L
Sodium, total	NE-12	7/20/2017	11	5		mg/L
Sodium, total	NE-12	10/6/2017	8.7	5		mg/L
Sodium, total	NE-12	7/9/2019	18	5		mg/L
Sodium, total	NE-12	8/5/2019	4.7	5	ND	mg/L
Sodium, total	NE-12	1/13/2020	15.4	5		mg/L
Sodium, total	NE-12	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-12	1/15/2021	26.6	5		mg/L
Sodium, total	NE-12	1/15/2021	24.7	5		mg/L
Sodium, total	NE-12	7/1/2021	18.2	5		mg/L
Sodium, total	NE-12	7/1/2021	18.8	5		mg/L
Sodium, total	NE-12	7/1/2021	18.2	5		mg/L
Sodium, total	NE-12	1/17/2022	26.6	5		mg/L
Sodium, total	NE-12	1/17/2022	21.6	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-12	7/12/2022	5.85	5		mg/L
Sodium, total	NE-12	1/6/2023	12.8	5		mg/L
Sodium, total	NE-13	2/5/2019	2.6	5	ND	mg/L
Sodium, total	NE-13	7/11/2019	1.6	5	ND	mg/L
Sodium, total	NE-13	8/7/2019	4.4	5	ND	mg/L
Sodium, total	NE-13	1/15/2020	5	5	ND	mg/L
Sodium, total	NE-13	7/8/2020	12.5	5		mg/L
Sodium, total	NE-13	1/17/2021	5.59	5		mg/L
Sodium, total	NE-13	1/17/2021	5.66	5		mg/L
Sodium, total	NE-13	7/1/2021	28.2	5		mg/L
Sodium, total	NE-13	7/1/2021	29.1	5		mg/L
Sodium, total	NE-13	7/1/2021	29.1	5		mg/L
Sodium, total	NE-14D	10/2/2019	7	5		mg/L
Sodium, total	NE-14D	1/16/2020	6.93	5		mg/L
Sodium, total	NE-14D	7/7/2020	6.7	5		mg/L
Sodium, total	NE-14D	1/17/2021	7.7	5		mg/L
Sodium, total	NE-14D	7/2/2021	7.47	5		mg/L
Sodium, total	NE-14D	1/18/2022	8.31	5		mg/L
Sodium, total	NE-14D	7/13/2022	7.95	5		mg/L
Sodium, total	NE-14D	1/6/2023	8.25	5		mg/L
Sodium, total	NE-14S	10/2/2019	4.4	5	ND	mg/L
Sodium, total	NE-14S	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-14S	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-14S	1/17/2021	5	5	ND	mg/L
Sodium, total	NE-14S	7/2/2021	5	5	ND	mg/L
Sodium, total	NE-14S	1/18/2022	5	5	ND	mg/L
Sodium, total	NE-14S	7/13/2022	5	5	ND	mg/L
Sodium, total	NE-14S	1/6/2023	5	5	ND	mg/L
Sodium, total	NE-15D	9/30/2019	5.8	5		mg/L
Sodium, total	NE-15D	1/16/2020	6.05	5		mg/L
Sodium, total	NE-15D	7/7/2020	6.03	5		mg/L
Sodium, total	NE-15D	1/17/2021	7.07	5		mg/L
Sodium, total	NE-15D	7/2/2021	6.14	5		mg/L
Sodium, total	NE-15D	1/17/2022	62.3	5		mg/L
Sodium, total	NE-15D	7/13/2022	6.73	5		mg/L
Sodium, total	NE-15D	1/6/2023	6.29	5		mg/L
Sodium, total	NE-2	10/1/2013	41	5		mg/L
Sodium, total	NE-2	10/8/2014	35	5		mg/L
Sodium, total	NE-2	10/5/2015	39	5		mg/L
Sodium, total	NE-2	10/6/2016	25	5		mg/L
Sodium, total	NE-2	10/5/2017	32	5		mg/L
Sodium, total	NE-2	1/25/2018	45	5		mg/L
Sodium, total	NE-2	4/10/2018	25	5		mg/L
Sodium, total	NE-2	7/10/2018	47	5		mg/L
Sodium, total	NE-2	10/1/2018	48	5		mg/L
Sodium, total	NE-2	1/4/2019	42	5		mg/L
Sodium, total	NE-2	7/9/2019	37	5		mg/L
Sodium, total	NE-2	1/14/2020	28.2	5		mg/L
Sodium, total	NE-2	7/7/2020	41	5		mg/L
Sodium, total	NE-2	1/14/2021	40.4	5		mg/L
Sodium, total	NE-2	7/2/2021	33.8	5		mg/L
Sodium, total	NE-2	1/18/2022	35.4	5		mg/L
Sodium, total	NE-2	7/13/2022	23.4	5		mg/L
Sodium, total	NE-2	1/5/2023	44.2	5		mg/L
Sodium, total	NE-3	3/21/2018	3.8	5	ND	mg/L
Sodium, total	NE-4	7/8/2003	26.7	1		mg/L
Sodium, total	NE-4	1/28/2004	32	1		mg/L
Sodium, total	NE-4	1/13/2005	15.5	1		mg/L
Sodium, total	NE-4	8/1/2006	30	5		mg/L
Sodium, total	NE-4	8/1/2006	30	5		mg/L
Sodium, total	NE-4	1/24/2007	20	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-4	7/12/2007	31	5		mg/L
Sodium, total	NE-4	1/24/2008	31	5		mg/L
Sodium, total	NE-4	7/21/2008	17	5		mg/L
Sodium, total	NE-4	2/7/2009	29	5		mg/L
Sodium, total	NE-4	7/31/2009	27	5		mg/L
Sodium, total	NE-4	1/26/2010	31	5		mg/L
Sodium, total	NE-4	7/14/2010	29	5		mg/L
Sodium, total	NE-4	1/19/2011	32	5		mg/L
Sodium, total	NE-4	7/13/2011	20	5		mg/L
Sodium, total	NE-4	1/5/2012	25	5		mg/L
Sodium, total	NE-4	7/10/2012	32	5		mg/L
Sodium, total	NE-4	4/30/2013	31	5		mg/L
Sodium, total	NE-4	7/16/2013	28	5		mg/L
Sodium, total	NE-4	1/23/2014	27	5		mg/L
Sodium, total	NE-4	7/9/2014	27	5		mg/L
Sodium, total	NE-4	2/13/2015	28	5		mg/L
Sodium, total	NE-4	7/8/2015	26	5		mg/L
Sodium, total	NE-4	1/6/2016	17	5		mg/L
Sodium, total	NE-4	7/20/2016	25	5		mg/L
Sodium, total	NE-4	1/11/2017	25	5		mg/L
Sodium, total	NE-4	7/19/2017	18	5		mg/L
Sodium, total	NE-4	1/26/2018	25	5		mg/L
Sodium, total	NE-4	4/10/2018	23	5		mg/L
Sodium, total	NE-4	7/12/2018	24	5		mg/L
Sodium, total	NE-4	10/3/2018	23	5		mg/L
Sodium, total	NE-4	1/7/2019	24	5		mg/L
Sodium, total	NE-4	7/8/2019	18	5		mg/L
Sodium, total	NE-4	1/13/2020	16.3	5		mg/L
Sodium, total	NE-4	7/6/2020	14.9	5		mg/L
Sodium, total	NE-4	1/15/2021	21.9	5		mg/L
Sodium, total	NE-4	7/2/2021	19	5		mg/L
Sodium, total	NE-4	1/5/2023	19.2	5		mg/L
Sodium, total	NE-5	7/8/2003	5.8	1		mg/L
Sodium, total	NE-5	1/27/2004	8	1		mg/L
Sodium, total	NE-5	1/12/2005	4.9	1		mg/L
Sodium, total	NE-5	7/19/2006	6.7	5		mg/L
Sodium, total	NE-5	7/19/2006	6.7	5		mg/L
Sodium, total	NE-5	1/24/2007	4.8	5	ND	mg/L
Sodium, total	NE-5	7/12/2007	6.9	5		mg/L
Sodium, total	NE-5	7/22/2008	8.3	5		mg/L
Sodium, total	NE-5	2/6/2009	9.8	5		mg/L
Sodium, total	NE-5	7/31/2009	8.7	5		mg/L
Sodium, total	NE-5	1/26/2010	7.1	5		mg/L
Sodium, total	NE-5	7/16/2010	14	5		mg/L
Sodium, total	NE-5	1/19/2011	14	5		mg/L
Sodium, total	NE-5	7/13/2011	12	5		mg/L
Sodium, total	NE-5	1/5/2012	12	5		mg/L
Sodium, total	NE-5	7/10/2012	11	5		mg/L
Sodium, total	NE-5	4/30/2013	5.9	5		mg/L
Sodium, total	NE-5	7/16/2013	8.4	5		mg/L
Sodium, total	NE-5	1/23/2014	7.1	5		mg/L
Sodium, total	NE-5	7/9/2014	14	5		mg/L
Sodium, total	NE-5	2/11/2015	6.6	5		mg/L
Sodium, total	NE-5	7/14/2015	5.3	5		mg/L
Sodium, total	NE-5	1/6/2016	6.8	5		mg/L
Sodium, total	NE-5	7/20/2016	12	5		mg/L
Sodium, total	NE-5	1/11/2017	8.5	5		mg/L
Sodium, total	NE-5	7/19/2017	5.9	5		mg/L
Sodium, total	NE-5	1/25/2018	8.9	5		mg/L
Sodium, total	NE-5	4/10/2018	5.1	5		mg/L
Sodium, total	NE-5	7/17/2018	8.9	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-5	10/3/2018	13	5		mg/L
Sodium, total	NE-5	1/4/2019	6.3	5		mg/L
Sodium, total	NE-5	4/2/2019	6.2	5		mg/L
Sodium, total	NE-5	7/9/2019	7.8	5		mg/L
Sodium, total	NE-5	7/9/2019	7.7	5		mg/L
Sodium, total	NE-5	1/16/2020	8.43	5		mg/L
Sodium, total	NE-5	7/8/2020	11.1	5		mg/L
Sodium, total	NE-5	1/15/2021	7.01	5		mg/L
Sodium, total	NE-5	7/2/2021	7.88	5		mg/L
Sodium, total	NE-5	1/18/2022	7.96	5		mg/L
Sodium, total	NE-5	7/13/2022	10.5	5		mg/L
Sodium, total	NE-5	1/5/2023	7.47	5		mg/L
Sodium, total	NE-5E	9/30/2019	7.2	5		mg/L
Sodium, total	NE-5E	1/16/2020	8.35	5		mg/L
Sodium, total	NE-5E	7/8/2020	8.18	5		mg/L
Sodium, total	NE-5E	1/15/2021	10.2	5		mg/L
Sodium, total	NE-5E	7/2/2021	9.51	5		mg/L
Sodium, total	NE-5E	1/18/2022	10.1	5		mg/L
Sodium, total	NE-5E	7/13/2022	19.6	5		mg/L
Sodium, total	NE-5E	1/5/2023	16.3	5		mg/L
Sodium, total	NE-5W	9/30/2019	4.7	5	ND	mg/L
Sodium, total	NE-5W	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-5W	7/8/2020	5.05	5		mg/L
Sodium, total	NE-5W	1/15/2021	5	5	ND	mg/L
Sodium, total	NE-5W	7/2/2021	5.46	5		mg/L
Sodium, total	NE-5W	1/18/2022	5.2	5		mg/L
Sodium, total	NE-5W	7/13/2022	7.11	5		mg/L
Sodium, total	NE-5W	1/5/2023	6.51	5		mg/L
Sodium, total	NE-6	1/12/2017	11	5		mg/L
Sodium, total	NE-6	4/5/2017	8.1	5		mg/L
Sodium, total	NE-6	7/19/2017	11	5		mg/L
Sodium, total	NE-6	10/6/2017	8.1	5		mg/L
Sodium, total	NE-6	2/4/2019	12	5		mg/L
Sodium, total	NE-6	7/9/2019	12	5		mg/L
Sodium, total	NE-6	8/6/2019	12	5		mg/L
Sodium, total	NE-6	1/15/2020	7.2	5		mg/L
Sodium, total	NE-6	7/9/2020	8.04	5		mg/L
Sodium, total	NE-6	1/16/2021	9.17	5		mg/L
Sodium, total	NE-6	1/16/2021	9.36	5		mg/L
Sodium, total	NE-6	7/1/2021	9.34	5		mg/L
Sodium, total	NE-6	7/1/2021	9.79	5		mg/L
Sodium, total	NE-6	7/1/2021	9.79	5		mg/L
Sodium, total	NE-6	1/17/2022	11.9	5		mg/L
Sodium, total	NE-6	1/17/2022	9.5	5		mg/L
Sodium, total	NE-6	7/12/2022	12.2	5		mg/L
Sodium, total	NE-6	1/5/2023	8.67	5		mg/L
Sodium, total	NE-6D	10/2/2019	34	5		mg/L
Sodium, total	NE-6D	1/15/2020	32.2	5		mg/L
Sodium, total	NE-6D	7/9/2020	30.9	5		mg/L
Sodium, total	NE-6D	1/15/2021	30.9	5		mg/L
Sodium, total	NE-6D	7/2/2021	29.3	5		mg/L
Sodium, total	NE-6D	1/17/2022	28.1	5		mg/L
Sodium, total	NE-6D	7/12/2022	27.9	5		mg/L
Sodium, total	NE-6D	1/5/2023	26.6	5		mg/L
Sodium, total	NE-7	3/1/2017	10	5		mg/L
Sodium, total	NE-7	4/6/2017	5.7	5		mg/L
Sodium, total	NE-7	7/20/2017	10	5		mg/L
Sodium, total	NE-7	10/5/2017	13	5		mg/L
Sodium, total	NE-7	2/6/2019	14	5		mg/L
Sodium, total	NE-7	7/10/2019	9.3	5		mg/L
Sodium, total	NE-7	8/6/2019	8.8	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-7	1/16/2020	9.77	5		mg/L
Sodium, total	NE-7	7/7/2020	8.55	5		mg/L
Sodium, total	NE-7	1/16/2021	13.8	5		mg/L
Sodium, total	NE-7	1/16/2021	13.4	5		mg/L
Sodium, total	NE-7	7/1/2021	9.53	5		mg/L
Sodium, total	NE-7	7/1/2021	9.53	5		mg/L
Sodium, total	NE-7	7/1/2021	9.48	5		mg/L
Sodium, total	NE-7	1/17/2022	12.3	5		mg/L
Sodium, total	NE-7	1/17/2022	11.6	5		mg/L
Sodium, total	NE-7	7/12/2022	11.5	5		mg/L
Sodium, total	NE-7	1/5/2023	12.6	5		mg/L
Sodium, total	NE-8	1/12/2017	11	5		mg/L
Sodium, total	NE-8	4/5/2017	15	5		mg/L
Sodium, total	NE-8	7/20/2017	22	5		mg/L
Sodium, total	NE-8	10/6/2017	25	5		mg/L
Sodium, total	NE-8	2/4/2019	12	5		mg/L
Sodium, total	NE-8	7/11/2019	18	5		mg/L
Sodium, total	NE-8	8/5/2019	17	5		mg/L
Sodium, total	NE-8	1/15/2020	16.7	5		mg/L
Sodium, total	NE-8	7/8/2020	15.5	5		mg/L
Sodium, total	NE-8	1/13/2021	12.2	5		mg/L
Sodium, total	NE-8	1/13/2021	12	5		mg/L
Sodium, total	NE-8	7/1/2021	16.1	5		mg/L
Sodium, total	NE-8	7/1/2021	16.2	5		mg/L
Sodium, total	NE-8	7/1/2021	16.1	5		mg/L
Sodium, total	NE-8	1/6/2023	10.9	5		mg/L
Sodium, total	NE-9	1/12/2017	6.9	5		mg/L
Sodium, total	NE-9	4/5/2017	5.6	5		mg/L
Sodium, total	NE-9	7/20/2017	5.8	5		mg/L
Sodium, total	NE-9	10/5/2017	6.2	5		mg/L
Sodium, total	NE-9	2/5/2019	6.4	5		mg/L
Sodium, total	NE-9	7/8/2019	7.1	5		mg/L
Sodium, total	NE-9	8/7/2019	6.7	5		mg/L
Sodium, total	NE-9	1/15/2020	6.11	5		mg/L
Sodium, total	NE-9	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-9	1/17/2021	6.5	5		mg/L
Sodium, total	NE-9	1/17/2021	6.44	5		mg/L
Sodium, total	NE-9	7/1/2021	7.84	5		mg/L
Sodium, total	NE-9	7/1/2021	7.91	5		mg/L
Sodium, total	NE-9	7/1/2021	7.84	5		mg/L
Sodium, total	NE-9	1/17/2022	8.86	5		mg/L
Sodium, total	NE-9	1/17/2022	8.37	5		mg/L
Sodium, total	NE-9	7/13/2022	9.61	5		mg/L
Sodium, total	NE-9	1/6/2023	9.61	5		mg/L
Specific conductance (field)	LGW-10	9/30/2005	725	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/20/2006	430	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/20/2006	430	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/31/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/27/2006	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2006	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/26/2006	607	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/26/2006	607	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/20/2006	262	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/20/2006	262	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/21/2006	923	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/21/2006	923	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/27/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/27/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/26/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/27/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/27/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/26/2007	1268	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/26/2007	1268	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/31/2007	1470	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2007	1470	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/28/2007	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/28/2007	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/10/2007	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/12/2007	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	789	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	817	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	817	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	838	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	740	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	756	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	624	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	744	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/23/2007	839	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	816	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	858	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	860	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	768	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	826	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	826	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	831	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/23/2008	712	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/28/2008	929	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	779	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	802	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	820	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	725	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	790	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	716	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	710	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/22/2008	914	1		UMHOS/CM
Specific conductance (field)	LGW-10	8/29/2008	920	1		UMHOS/CM
Specific conductance (field)	LGW-10	9/26/2008	814	1		UMHOS/CM
Specific conductance (field)	LGW-10	11/25/2008	859	1		UMHOS/CM
Specific conductance (field)	LGW-10	12/19/2008	855	1		UMHOS/CM
Specific conductance (field)	LGW-10	3/26/2009	696	1		UMHOS/CM
Specific conductance (field)	LGW-10	4/16/2009	772	1		UMHOS/CM
Specific conductance (field)	LGW-10	5/29/2009	937	1		UMHOS/CM
Specific conductance (field)	LGW-10	6/24/2009	777	1		UMHOS/CM
Specific conductance (field)	LGW-10	7/29/2009	923	1		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2009	810	1		UMHOS/CM
Specific conductance (field)	LGW-10	10/21/2009	952	1		UMHOS/CM
Specific conductance (field)	LGW-10	12/17/2009	848	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2010	778	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2010	778	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/16/2010	862	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2010	866	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/8/2010	955	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	5/6/2010	961	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/15/2010	1005	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/16/2010	991	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2010	1001	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/1/2010	927	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/29/2010	954	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2010	904	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/2/2010	845	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/19/2011	831	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2011	904	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2011	966	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2011	917	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/10/2011	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2011	1033	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/12/2011	981	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/3/2011	1000	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/7/2011	943	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2011	966	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/1/2011	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/7/2011	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/5/2012	974	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/1/2012	950	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/6/2012	936	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2012	953	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/1/2012	871	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/5/2012	760	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2012	939	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/9/2012	801	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2012	815	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2012	965	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/1/2013	1020	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/4/2013	980	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/8/2013	932	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/10/2013	973	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/1/2013	957	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/6/2013	889	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/2/2013	982	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/30/2014	872	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/13/2014	995	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/12/2014	1830	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2014	1952	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/7/2014	1773	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2014	986	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2014	871	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/5/2014	995	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2014	886	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/9/2014	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2014	914	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/14/2015	936	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/12/2015	950	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2015	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/1/2015	1037	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/7/2015	1412	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2015	1474	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/13/2015	1794	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/5/2015	1284	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/3/2015	1703	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/6/2015	1609	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/4/2015	1440	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2015	868	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/5/2016	920	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	2/3/2016	913	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/10/2016	893	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2016	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2016	912	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/11/2016	801	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2016	882	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/21/2016	849	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2016	841	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/6/2016	785	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/6/2016	751	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/2/2016	667	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/1/2016	928	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/11/2017	779	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2017	741	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2017	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2017	920	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/16/2017	910	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/6/2017	905	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/19/2017	784	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2017	877	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/5/2017	711	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/9/2017	888	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/1/2017	964	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/24/2018	727	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	2/23/2018	709	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	3/21/2018	788	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/11/2018	857	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/11/2018	857	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	6/6/2018	907	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/16/2018	911	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	8/2/2018	804	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2018	984	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/4/2018	835	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/4/2018	835	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/6/2018	764	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	12/4/2018	816	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	1/4/2019	719.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	2/6/2019	732	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/5/2019	791	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/3/2019	863	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/3/2019	863	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	5/3/2019	727	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	6/4/2019	890	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2019	880	1		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2019	880	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/7/2019	896	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2019	842	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/2/2019	885	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/2/2019	885	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	11/5/2019	944	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2019	781	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	1/15/2020	863	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/4/2020	767	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/4/2020	297	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2020	806	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2020	806	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	5/5/2020	843	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	6/2/2020	838	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	8/3/2020	900	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/2/2020	817	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2020	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2020	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	11/4/2020	730	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2020	1034	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/17/2021	487.4	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/9/2021	901	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2021	916	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2021	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2021	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/5/2021	943	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2021	933	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/4/2021	940	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/2/2021	939	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2021	875	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2021	875	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/2/2021	882	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/9/2021	879	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/10/2022	913	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2022	910	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2022	945	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2022	945	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/7/2022	915	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2022	1143	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2022	1006	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2022	962	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/8/2022	823	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2022	956	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2022	956	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2022	818	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/7/2022	1113	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/11/2023	919	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2023	1788	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/1/2023	1023	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2023	919	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2005	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/21/2006	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/21/2006	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/2/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2006	236	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2006	236	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/27/2006	270	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/27/2006	270	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/21/2006	218	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/21/2006	218	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/21/2006	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/21/2006	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/24/2007	409	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	1/24/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/25/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/26/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/26/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/24/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/26/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/31/2007	271	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2007	271	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/28/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/28/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2007	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/11/2007	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/28/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	402	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	333	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	372	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/23/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	860	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	369	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	361	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	364	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	367	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2008	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/28/2008	405	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	354	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	351	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	354	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	388	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	365	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	370	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	375	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	310	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	172	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/22/2008	346	1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2008	305	1		UMHOS/CM
Specific conductance (field)	LGW-14R	9/26/2008	280	1		UMHOS/CM
Specific conductance (field)	LGW-14R	11/25/2008	359	1		UMHOS/CM
Specific conductance (field)	LGW-14R	12/19/2008	386	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/6/2009	356	1		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2009	371	1		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2009	356	1		UMHOS/CM
Specific conductance (field)	LGW-14R	7/29/2009	322	1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/28/2009	319	1		UMHOS/CM
Specific conductance (field)	LGW-14R	10/22/2009	346	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	12/18/2009	345	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2010	306	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2010	306	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/16/2010	304	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2010	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/7/2010	359	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/6/2010	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/16/2010	372	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/12/2010	330	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2010	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2010	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/29/2010	335	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2010	339	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/2/2010	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/19/2011	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2011	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2011	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/10/2011	294	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2011	338	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/12/2011	322	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/7/2011	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2011	345	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/1/2011	328	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/7/2011	333	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/5/2012	309	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/1/2012	319	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/6/2012	330	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2012	319	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/1/2012	337	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/5/2012	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2012	352	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/9/2012	338	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/4/2012	345	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/7/2012	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2012	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2012	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/6/2012	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/6/2012	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2013	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2013	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/5/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/5/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2013	348	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2013	348	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/30/2013	335	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/4/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/8/2013	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/10/2013	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/1/2013	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2013	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/2/2013	336	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2014	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/12/2014	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/11/2014	676	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/2/2014	687	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/7/2014	661	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2014	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/8/2014	359	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/5/2014	373	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	9/4/2014	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/9/2014	367	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2014	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/14/2015	379	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/11/2015	383	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2015	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/1/2015	398	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/6/2015	607	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2015	613	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/22/2015	721	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/4/2015	679	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/3/2015	679	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2015	636	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/4/2015	608	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/3/2015	369	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/5/2016	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2016	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2016	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2016	370	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/11/2016	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2016	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/19/2016	324	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2016	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/6/2016	304	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2016	501	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/2/2016	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/1/2016	376	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/11/2017	293	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2017	308	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2017	375	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/4/2017	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/2/2017	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/6/2017	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/18/2017	366	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2017	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/5/2017	324	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2017	390	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/1/2017	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/25/2018	345.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/22/2018	382.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	3/20/2018	374.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	4/10/2018	366.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	6/5/2018	377.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/21/2018	401.7	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/17/2018	394	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2018	379	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	9/4/2018	431	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/2/2018	380.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/2/2018	386.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2018	377.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	12/4/2018	389	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	1/3/2019	340	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/6/2019	349.6	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2019	359	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	4/3/2019	411.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	5/2/2019	363.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	6/4/2019	401.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2019	431.7	1		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2019	431.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	8/7/2019	398.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	9/5/2019	391.3	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	10/3/2019	401.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	11/5/2019	411	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	12/4/2019	358.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	1/16/2020	339.6	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/4/2020	345.3	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2020	357.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	4/3/2020	373.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	5/5/2020	376.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	6/2/2020	382.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2020	357.3	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2020	412.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	10/7/2020	357.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2020	388.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/3/2020	410.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/18/2021	314.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/18/2021	314.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/9/2021	453.8	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2021	465	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/6/2021	463	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/6/2021	463	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/4/2021	482	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2021	483	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2021	478	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2021	471	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/2/2021	482	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/9/2021	479	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/10/2022	505	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/1/2022	504	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2022	520	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/7/2022	560	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2022	588	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/11/2022	507	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2022	537	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/8/2022	509	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2022	493	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2022	551	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/7/2022	631	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/10/2023	507	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2023	1045	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/1/2023	557	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2023	524	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/30/2005	770	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/31/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/31/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/20/2006	500	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2006	408	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	10/26/2006	389	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/26/2006	389	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/21/2006	778	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/21/2006	778	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/21/2006	550	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/21/2006	550	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/27/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/27/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/26/2007	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/26/2007	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2007	807	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2007	807	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/28/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/28/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/28/2007	528	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/28/2007	528	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	524	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/24/2007	525	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	505	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	507	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	507	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	491	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	498	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	512	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	498	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/28/2008	554	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	518	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	518	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	513	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	512	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	482	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	489	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	484	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	488	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	534	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	526	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	519	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	525	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	505	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	501	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	6/26/2008	511	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/23/2008	546	1		UMHOS/CM
Specific conductance (field)	LGW-2	8/29/2008	545	1		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-2	10/21/2008	537	1		UMHOS/CM
Specific conductance (field)	LGW-2	11/25/2008	551	1		UMHOS/CM
Specific conductance (field)	LGW-2	12/19/2008	560	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/6/2009	545	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2009	546	1		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2009	543	1		UMHOS/CM
Specific conductance (field)	LGW-2	4/16/2009	555	1		UMHOS/CM
Specific conductance (field)	LGW-2	5/29/2009	559	1		UMHOS/CM
Specific conductance (field)	LGW-2	6/25/2009	561	1		UMHOS/CM
Specific conductance (field)	LGW-2	7/30/2009	560	1		UMHOS/CM
Specific conductance (field)	LGW-2	8/29/2009	567	1		UMHOS/CM
Specific conductance (field)	LGW-2	9/30/2009	569	1		UMHOS/CM
Specific conductance (field)	LGW-2	10/22/2009	562	1		UMHOS/CM
Specific conductance (field)	LGW-2	11/24/2009	555	1		UMHOS/CM
Specific conductance (field)	LGW-2	12/18/2009	584	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2010	606	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2010	606	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/17/2010	548	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/4/2010	582	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/8/2010	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/6/2010	580	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/15/2010	644	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/12/2010	598	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2010	615	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/1/2010	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/29/2010	606	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2010	614	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/2/2010	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/19/2011	622	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2011	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2011	647	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2011	592	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/10/2011	541	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2011	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/13/2011	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2011	601	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/7/2011	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2011	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2011	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/7/2011	598	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/4/2012	593	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/1/2012	582	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/6/2012	595	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2012	579	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/1/2012	553	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2012	566	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2012	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/9/2012	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2012	603	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/7/2012	635	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/30/2013	602	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/4/2013	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/15/2013	597	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/8/2013	604	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/10/2013	593	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/1/2013	620	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	11/6/2013	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/2/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/30/2014	619	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2014	619	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/12/2014	1575	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/3/2014	1180	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/7/2014	1087	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2014	606	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2014	605	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/5/2014	615	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2014	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/9/2014	605	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2014	590	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/14/2015	618	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2015	634	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2015	590	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2015	648	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/6/2015	991	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2015	997	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2015	1082	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/4/2015	1006	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/2/2015	1080	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2015	1014	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/4/2015	960	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/3/2015	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/5/2016	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2016	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2016	585	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2016	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/11/2016	564	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2016	580	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/19/2016	521	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/6/2016	487	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2016	484	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/2/2016	480	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/1/2016	690	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/11/2017	674	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2017	483	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2017	651	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/4/2017	669	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/16/2017	745	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/6/2017	717	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/18/2017	535	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2017	493	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/5/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2017	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2017	710	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/23/2018	809	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	2/22/2018	837	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	3/21/2018	671	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	4/10/2018	775	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2018	678	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/21/2018	792	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/12/2018	943	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2018	919	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2018	1043	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/2/2018	1032	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/2/2018	1032	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/6/2018	984	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	12/4/2018	951	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	1/3/2019	809	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	2/5/2019	676	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/6/2019	737	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	4/3/2019	840	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	5/2/2019	750	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2019	764	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2019	823	1		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2019	823	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	8/6/2019	814	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2019	755	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	10/1/2019	622	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	11/6/2019	708	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	12/3/2019	649.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	1/13/2020	503.2	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/4/2020	686	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2020	685	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2020	595	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2020	595	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	5/5/2020	605	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	6/2/2020	567	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2020	625	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/3/2020	552.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	10/7/2020	499.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2020	539.7	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/4/2020	619.2	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/18/2021	403.5	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/18/2021	403.5	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/10/2021	684	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2021	697	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/7/2021	649	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/4/2021	638	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/2/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2021	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2021	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2021	613	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/8/2021	590	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/9/2022	625	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/1/2022	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2022	638	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/7/2022	683	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2022	717	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2022	651	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2022	636	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/8/2022	618	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2022	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2022	591	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/7/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/10/2023	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2023	1115	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/1/2023	634	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	4/6/2023	684	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/28/2005	685	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/20/2006	276	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/20/2006	276	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2006	233	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2006	233	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/26/2006	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/26/2006	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/21/2006	161.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/21/2006	161.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/21/2006	465	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/21/2006	465	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/9/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/26/2007	747	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/26/2007	747	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2007	852	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2007	852	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/10/2007	452	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/11/2007	452	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/28/2007	586	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/24/2007	602	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	589	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	586	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	587	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	578	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	580	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2008	433	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	288	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	287	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	293	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	293	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	181	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	183	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	183	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	184	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	281	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	282	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	280	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	5/30/2008	275	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	284	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	285	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	285	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	280	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/23/2008	257	1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/29/2008	339	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2008	325	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2008	325	1		UMHOS/CM
Specific conductance (field)	LGW-3R	10/22/2008	362	1		UMHOS/CM
Specific conductance (field)	LGW-3R	11/25/2008	427	1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/19/2008	458	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2009	438	1		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2009	448	1		UMHOS/CM
Specific conductance (field)	LGW-3R	4/16/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-3R	5/28/2009	248	1		UMHOS/CM
Specific conductance (field)	LGW-3R	6/25/2009	318	1		UMHOS/CM
Specific conductance (field)	LGW-3R	7/31/2009	382	1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/29/2009	433	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/30/2009	473	1		UMHOS/CM
Specific conductance (field)	LGW-3R	10/22/2009	393	1		UMHOS/CM
Specific conductance (field)	LGW-3R	11/24/2009	366	1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/18/2009	416	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2010	462	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2010	462	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/17/2010	428	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2010	457	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/8/2010	383	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/5/2010	408	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/15/2010	436	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/16/2010	323	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/11/2010	369	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/1/2010	411	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/29/2010	431	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2010	472	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/3/2010	549	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/19/2011	602	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2011	606	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2011	633	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2011	575	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/10/2011	269	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2011	245	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/13/2011	322	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2011	377	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/7/2011	441	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2011	480	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/1/2011	494	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/7/2011	472	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/4/2012	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/1/2012	466	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/6/2012	497	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2012	367	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/1/2012	393	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2012	476	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2012	558	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/9/2012	550	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/4/2012	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/8/2012	616	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/6/2012	562	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/6/2012	562	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/23/2013	449	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	1/23/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2013	601	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2013	601	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/5/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/5/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/30/2013	298	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/4/2013	294	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/15/2013	420	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/8/2013	471	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/10/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/1/2013	518	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/6/2013	507	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2013	515	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/22/2014	477	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/12/2014	500	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/11/2014	1008	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/2/2014	1038	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/7/2014	775	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2014	526	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/8/2014	412	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2014	553	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/4/2014	546	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/9/2014	552	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2014	526	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/14/2015	534	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/10/2015	564	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2015	513	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/1/2015	545	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/6/2015	864	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2015	957	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/16/2015	810	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2015	362	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/3/2015	461	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2015	767	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/5/2015	588	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2015	484	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2016	194	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/4/2016	147	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2016	122	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2016	184	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/12/2016	207	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/2/2016	352	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/21/2016	210	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/11/2016	213	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/7/2016	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/7/2016	399	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2016	615	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2016	574	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/11/2017	442	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2017	512	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2017	541	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/4/2017	608	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/2/2017	460	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/6/2017	346	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/18/2017	440	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/1/2017	490	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/5/2017	402	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2017	572	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/1/2017	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/23/2018	592.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/22/2018	669	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	3/19/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	4/10/2018	521.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2018	504.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/11/2018	559	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/1/2018	503	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/5/2018	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/3/2018	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/7/2018	577.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2018	587.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	1/3/2019	536	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2019	484.3	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/4/2019	350	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	4/3/2019	474.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	5/1/2019	445.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2019	3713	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2019	407.9	1		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2019	407.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2019	402.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	9/3/2019	401.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	10/1/2019	418.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	11/6/2019	370.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2019	279.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	1/14/2020	243.4	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/4/2020	208.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2020	342.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	4/1/2020	355.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	5/5/2020	381.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2020	493.3	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2020	273.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/2/2020	269	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2020	140	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2020	180.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2020	214.1	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/18/2021	270.5	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/18/2021	270.5	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/9/2021	147.8	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2021	146	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2021	112	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2021	112	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/4/2021	281	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/2/2021	169	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2021	130	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/2/2021	118	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2021	137	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/2/2021	584	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/9/2021	117	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/10/2022	134	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/1/2022	195	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2022	145	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/7/2022	199	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2022	338	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/10/2022	223	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	8/10/2022	175	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/8/2022	132	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2022	107	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2022	121	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/7/2022	149	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/10/2023	109	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2023	205	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/1/2023	110	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2023	139	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2005	572	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/20/2006	228	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/20/2006	228	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2006	300	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2006	300	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/26/2006	386	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/26/2006	386	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/21/2006	161	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/21/2006	161	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/21/2006	484	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/21/2006	484	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/7/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/26/2007	680	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/26/2007	680	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/31/2007	738	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2007	738	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/28/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/28/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/10/2007	464	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2007	464	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	988	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	489	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	504	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/24/2007	487	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	467	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/22/2008	473	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2008	457	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	308	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	317	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	295	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	369	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	5/3/2008	311	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	311	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	324	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	319	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	369	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	380	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	376	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/23/2008	358	1		UMHOS/CM
Specific conductance (field)	LGW-4	8/29/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	10/22/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-4	11/25/2008	420	1		UMHOS/CM
Specific conductance (field)	LGW-4	12/19/2008	433	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2009	403	1		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2009	403	1		UMHOS/CM
Specific conductance (field)	LGW-4	4/16/2009	376	1		UMHOS/CM
Specific conductance (field)	LGW-4	5/28/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-4	6/25/2009	377	1		UMHOS/CM
Specific conductance (field)	LGW-4	7/31/2009	398	1		UMHOS/CM
Specific conductance (field)	LGW-4	8/29/2009	411	1		UMHOS/CM
Specific conductance (field)	LGW-4	10/22/2009	383	1		UMHOS/CM
Specific conductance (field)	LGW-4	11/24/2009	380	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2010	408	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2010	408	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/17/2010	405	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2010	431	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/8/2010	395	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/5/2010	394	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/15/2010	407	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/16/2010	339	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/11/2010	370	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/1/2010	396	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/29/2010	393	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2010	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/3/2010	454	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/19/2011	475	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/7/2011	477	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2011	515	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2011	458	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/10/2011	278	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/13/2011	358	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2011	369	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/7/2011	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2011	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/1/2011	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/7/2011	393	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/4/2012	395	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/1/2012	405	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/6/2012	418	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2012	361	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/1/2012	362	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2012	392	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2012	450	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/9/2012	443	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/4/2012	424	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/7/2012	471	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/30/2013	307	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/4/2013	300	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	7/15/2013	362	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/8/2013	354	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/10/2013	367	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/1/2013	401	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/6/2013	401	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/2/2013	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/23/2014	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/12/2014	403	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/11/2014	772	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/2/2014	824	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/7/2014	735	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2014	409	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/8/2014	403	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/5/2014	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/4/2014	411	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/9/2014	422	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2014	430	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/14/2015	455	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/11/2015	500	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2015	459	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/1/2015	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/6/2015	719	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2015	690	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/8/2015	721	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/4/2015	733	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2015	743	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2015	712	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/4/2015	691	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/3/2015	430	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/5/2016	381	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2016	378	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2016	382	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2016	907	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/11/2016	388	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2016	419	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/19/2016	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/10/2016	390	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/6/2016	392	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2016	389	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/2/2016	385	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/1/2016	496	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/11/2017	465	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/7/2017	435	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2017	460	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/4/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/2/2017	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/16/2017	434	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/6/2017	431	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/18/2017	500	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/1/2017	427	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/5/2017	449	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2017	555	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/1/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/23/2018	521.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	2/22/2018	562.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	3/19/2018	509.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	4/10/2018	519.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2018	515	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2018	572.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	8/1/2018	509	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	9/5/2018	567	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	10/3/2018	564.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/7/2018	540.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2018	553.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	1/3/2019	485	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	2/5/2019	478.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/4/2019	320	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/3/2019	548.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/3/2019	548.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	5/1/2019	504.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2019	443.5	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2019	452.1	1		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2019	452.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	8/5/2019	532.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	9/3/2019	518.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	10/1/2019	466.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	11/6/2019	547.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2019	340.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	1/14/2020	326.7	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/4/2020	340.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2020	355.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/1/2020	335.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	5/5/2020	353.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2020	371.3	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2020	334.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2020	386.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2020	380.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2020	369.3	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2020	372.5	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/18/2021	411.4	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/18/2021	411.4	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/9/2021	429	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2021	462	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2021	432	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2021	432	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/4/2021	434	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/2/2021	433	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2021	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2021	450	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2021	444	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2021	444	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/2/2021	454	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/9/2021	458	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/10/2022	491	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/1/2022	499	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2022	527	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/7/2022	570	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2022	668	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2022	548	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/10/2022	556	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/8/2022	577	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2022	583	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	11/3/2022	639	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/7/2022	834	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/10/2023	679	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2023	1389	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/1/2023	817	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2023	858	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2005	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/20/2006	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/20/2006	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/31/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/27/2006	338	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/27/2006	338	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/26/2006	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/26/2006	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/21/2006	168.3	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/21/2006	168.3	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/21/2006	491	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/21/2006	491	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/26/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/27/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/26/2007	663	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/26/2007	663	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/31/2007	339	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2007	339	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/28/2007	460	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/28/2007	460	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/10/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/11/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	497	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	506	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	457	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/24/2007	433	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	387	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	444	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	400	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	394	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2008	417	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/28/2008	457	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	406	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	384	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	389	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	5/3/2008	356	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	347	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	392	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	396	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	391	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	425	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	374	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	369	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	367	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	368	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/23/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/26/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/26/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	10/21/2008	394	1		UMHOS/CM
Specific conductance (field)	LGW-5	11/25/2008	411	1		UMHOS/CM
Specific conductance (field)	LGW-5	12/19/2008	420	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/4/2009	420	1		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2009	421	1		UMHOS/CM
Specific conductance (field)	LGW-5	4/16/2009	411	1		UMHOS/CM
Specific conductance (field)	LGW-5	5/29/2009	391	1		UMHOS/CM
Specific conductance (field)	LGW-5	6/24/2009	389	1		UMHOS/CM
Specific conductance (field)	LGW-5	7/29/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2009	407	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2009	415	1		UMHOS/CM
Specific conductance (field)	LGW-5	10/21/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-5	11/24/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-5	12/17/2009	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2010	402	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2010	402	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/16/2010	398	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2010	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/7/2010	423	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/5/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/15/2010	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2010	384	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2010	390	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2010	380	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2010	392	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/2/2010	426	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/19/2011	432	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2011	439	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2011	470	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2011	427	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/10/2011	316	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2011	362	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2011	350	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2011	368	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/7/2011	381	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2011	382	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/1/2011	377	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/7/2011	366	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/5/2012	358	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/1/2012	361	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/6/2012	373	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2012	350	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/1/2012	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/5/2012	373	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/9/2012	410	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	8/9/2012	412	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2012	407	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/7/2012	416	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/30/2013	382	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/4/2013	359	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/15/2013	367	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/8/2013	541	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/10/2013	369	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/1/2013	403	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/6/2013	409	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2013	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2014	428	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/12/2014	426	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/11/2014	884	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/2/2014	932	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/7/2014	863	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2014	494	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/8/2014	573	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/5/2014	530	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2014	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/9/2014	455	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2014	472	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/14/2015	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/10/2015	720	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2015	468	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/1/2015	595	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/6/2015	942	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2015	1095	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/8/2015	927	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/4/2015	910	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2015	912	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2015	852	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/4/2015	817	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2015	533	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/5/2016	531	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2016	520	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2016	536	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/11/2016	494	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2016	528	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/19/2016	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2016	487	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/6/2016	451	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2016	451	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/2/2016	435	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/1/2016	570	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/11/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2017	473	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2017	576	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/4/2017	580	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/16/2017	598	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/6/2017	520	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/18/2017	567	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2017	525	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/5/2017	521	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2017	599	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/1/2017	623	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2018	532.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	2/23/2018	551.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	3/20/2018	556.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	4/10/2018	543.4	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	6/5/2018	550.1	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2018	604	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2018	549	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2018	624	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/3/2018	594	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/7/2018	558.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	12/4/2018	575.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	1/3/2019	515	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	2/5/2019	514.7	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/5/2019	523	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/3/2019	602	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/3/2019	602	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	5/1/2019	577	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	6/4/2019	573	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/9/2019	605	1		UMHOS/CM
Specific conductance (field)	LGW-5	7/9/2019	605	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	8/5/2019	609	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	9/3/2019	581	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/1/2019	581	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	11/5/2019	603	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	12/2/2019	499	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	1/14/2020	502.7	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2020	500.6	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2020	546.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/1/2020	524.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	5/4/2020	556	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2020	529.8	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2020	518.9	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/1/2020	577	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2020	587	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2020	618.5	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/18/2021	441.4	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/18/2021	441.4	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/9/2021	675	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2021	691	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2021	685	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2021	685	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/4/2021	693	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/2/2021	696	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2021	699	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2021	705	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/2/2021	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/9/2021	676	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/10/2022	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/1/2022	705	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/4/2022	711	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	4/4/2022	711	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/7/2022	765	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2022	817	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/11/2022	752	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2022	708	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/8/2022	689	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2022	722	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/7/2022	909	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/10/2023	720	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2023	1355	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/1/2023	751	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2023	834	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/30/2005	499	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/20/2006	196	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/20/2006	196	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2006	382	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2006	382	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/26/2006	395	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/26/2006	395	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/21/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/21/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/21/2006	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/21/2006	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/24/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/24/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/25/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/26/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/26/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/26/2007	651	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/26/2007	651	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/31/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2007	437	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/11/2007	437	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2007	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2007	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2007	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/23/2007	410	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	461	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	469	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2008	469	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/28/2008	473	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	467	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	442	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	3/25/2008	419	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	358	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	432	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	502	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	506	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	384	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	404	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	491	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	443	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/23/2008	392	1		UMHOS/CM
Specific conductance (field)	LGW-6	8/29/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/26/2008	520	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/26/2008	520	1		UMHOS/CM
Specific conductance (field)	LGW-6	10/21/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-6	11/25/2008	407	1		UMHOS/CM
Specific conductance (field)	LGW-6	12/19/2008	426	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2009	404	1		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2009	406	1		UMHOS/CM
Specific conductance (field)	LGW-6	5/29/2009	427	1		UMHOS/CM
Specific conductance (field)	LGW-6	6/24/2009	518	1		UMHOS/CM
Specific conductance (field)	LGW-6	7/29/2009	386	1		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2009	392	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/29/2009	402	1		UMHOS/CM
Specific conductance (field)	LGW-6	10/22/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-6	11/24/2009	378	1		UMHOS/CM
Specific conductance (field)	LGW-6	12/17/2009	382	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2010	369	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2010	369	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/16/2010	381	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2010	396	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/7/2010	455	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2010	403	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/15/2010	540	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/12/2010	434	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2010	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2010	476	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/29/2010	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2010	414	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/2/2010	426	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/19/2011	423	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2011	461	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2011	448	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2011	416	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/10/2011	380	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2011	424	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/12/2011	373	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2011	397	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/7/2011	414	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2011	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/1/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/7/2011	405	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/5/2012	394	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/1/2012	401	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/6/2012	411	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2012	389	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/1/2012	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/5/2012	406	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	7/9/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/9/2012	435	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/4/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/7/2012	456	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/6/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/6/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2013	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2013	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/5/2013	445	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/5/2013	445	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/30/2013	454	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/4/2013	470	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/15/2013	423	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/8/2013	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/10/2013	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/1/2013	455	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2013	454	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/2/2013	432	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2014	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/12/2014	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/11/2014	896	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/2/2014	950	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/7/2014	815	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2014	438	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/8/2014	352	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/5/2014	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/4/2014	462	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/9/2014	478	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2014	456	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/14/2015	480	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/10/2015	489	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2015	473	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/1/2015	500	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/6/2015	775	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2015	803	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/22/2015	892	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/4/2015	879	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2015	907	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2015	845	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/4/2015	823	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/3/2015	495	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/5/2016	480	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2016	534	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2016	561	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/11/2016	559	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2016	569	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/19/2016	525	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/6/2016	503	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/6/2016	503	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2016	496	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/2/2016	494	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/1/2016	617	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/11/2017	572	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2017	402	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2017	569	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	4/4/2017	604	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/2/2017	546	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2017	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/6/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/18/2017	466	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/1/2017	520	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2017	517	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2017	641	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/1/2017	636	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2018	572.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	2/22/2018	629	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	3/20/2018	593.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/10/2018	578	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/10/2018	578	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	6/5/2018	597	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/5/2018	597	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/17/2018	631	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	8/1/2018	612	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2018	652	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/2/2018	664	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/2/2018	664	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2018	634	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	12/4/2018	642	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	1/7/2019	550	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2019	567.9	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/4/2019	406	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	4/3/2019	665	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	5/2/2019	586.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	6/4/2019	633	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2019	701	1		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2019	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/8/2019	631	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2019	642	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/3/2019	652	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/3/2019	652	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	11/5/2019	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	12/4/2019	584.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	1/16/2020	547.2	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/4/2020	558.3	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/4/2020	575.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	4/2/2020	600.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/3/2020	600.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2020	596.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	6/2/2020	602	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2020	548.3	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2020	657	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2020	567.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2020	567.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2020	604.1	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/3/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/18/2021	463.4	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/9/2021	716	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2021	716	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2021	726	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2021	731	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2021	709	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2021	715	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2021	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2021	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/2/2021	709	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/9/2021	695	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/10/2022	725	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/1/2022	718	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/4/2022	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/4/2022	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/7/2022	773	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2022	804	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/11/2022	718	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2022	727	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/8/2022	655	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2022	624	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2022	624	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2022	703	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/7/2022	821	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/10/2023	645	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2023	1341	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/1/2023	703	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2023	780	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/30/2005	472	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2006	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2006	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/31/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/27/2006	323	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/27/2006	323	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/26/2006	318	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/26/2006	318	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/21/2006	208	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/21/2006	208	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/22/2006	435	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/22/2006	435	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/25/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/7/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/26/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/26/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/26/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/27/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/27/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/26/2007	618	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/26/2007	618	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/28/2007	419	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/28/2007	419	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	7/10/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2007	391	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2007	391	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/28/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/24/2007	387	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	378	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	389	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	404	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	395	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/25/2008	406	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/28/2008	428	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	381	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	351	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	339	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	401	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	382	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/22/2008	388	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/26/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/26/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-7	10/21/2008	390	1		UMHOS/CM
Specific conductance (field)	LGW-7	11/25/2008	388	1		UMHOS/CM
Specific conductance (field)	LGW-7	12/19/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-7	2/4/2009	392	1		UMHOS/CM
Specific conductance (field)	LGW-7	3/26/2009	406	1		UMHOS/CM
Specific conductance (field)	LGW-7	4/16/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	5/28/2009	381	1		UMHOS/CM
Specific conductance (field)	LGW-7	6/25/2009	386	1		UMHOS/CM
Specific conductance (field)	LGW-7	7/31/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/30/2009	387	1		UMHOS/CM
Specific conductance (field)	LGW-7	10/21/2009	378	1		UMHOS/CM
Specific conductance (field)	LGW-7	11/24/2009	362	1		UMHOS/CM
Specific conductance (field)	LGW-7	12/17/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-7	1/27/2010	370	1		UMHOS/CM
Specific conductance (field)	LGW-7	2/16/2010	361	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2010	364	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/7/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2010	362	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/16/2010	384	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2010	363	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/10/2010	370	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2010	374	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/29/2010	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2010	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/2/2010	400	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	1/20/2011	404	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/8/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2011	432	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/5/2011	397	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/10/2011	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2011	381	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2011	371	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2011	384	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/7/2011	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/1/2011	390	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/8/2011	385	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/5/2012	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/1/2012	372	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/6/2012	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/5/2012	377	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/1/2012	368	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2012	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2012	439	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/9/2012	445	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/4/2012	455	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/7/2012	477	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/30/2013	412	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/4/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/15/2013	389	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/8/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/10/2013	437	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/1/2013	475	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/6/2013	467	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/2/2013	446	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/23/2014	447	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/13/2014	446	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/11/2014	891	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/2/2014	909	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/7/2014	842	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2014	466	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/8/2014	462	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/5/2014	501	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/4/2014	470	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/9/2014	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2014	497	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/14/2015	515	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/11/2015	540	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2015	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/1/2015	525	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/6/2015	833	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2015	816	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/22/2015	841	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/4/2015	821	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/3/2015	830	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2015	861	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/4/2015	840	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2015	509	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/5/2016	473	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/3/2016	494	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/10/2016	509	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2016	506	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/6/2016	514	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/11/2016	483	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2016	538	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2016	453	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	8/10/2016	484	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/6/2016	471	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/6/2016	471	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2016	450	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/2/2016	450	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/1/2016	400	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/11/2017	386	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/7/2017	370	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2017	466	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/2/2017	504	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/6/2017	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/18/2017	473	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2017	419	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2017	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2017	598	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/1/2017	458	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2018	549.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	2/22/2018	543.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	3/20/2018	536.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	4/11/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	4/11/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2018	532.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2018	532.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2018	554	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	8/2/2018	6	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2018	537	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/2/2018	544.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/2/2018	544.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/7/2018	513.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	12/4/2018	539	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	1/7/2019	463	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	2/5/2019	489.2	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/5/2019	498	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	4/3/2019	562.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	5/2/2019	474.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	6/4/2019	512.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2019	569	1		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2019	569	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/7/2019	470.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2019	510.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/3/2019	538.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/3/2019	538.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	11/6/2019	565.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2019	441.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	1/15/2020	440.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/4/2020	426.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2020	449.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	4/3/2020	488.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2020	503	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	6/2/2020	471.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2020	401.6	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2020	483	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2020	425.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	11/4/2020	423.5	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2020	470.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/18/2021	352.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/9/2021	496.5	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	3/2/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/7/2021	491	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/2/2021	522	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2021	532	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2021	504	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2021	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2021	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/2/2021	514	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/9/2021	517	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/10/2022	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2022	558	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2022	605	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2022	605	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/7/2022	648	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2022	714	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/11/2022	645	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/10/2022	613	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/8/2022	555	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2022	489	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2022	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/7/2022	664	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/11/2023	513	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/3/2023	1026	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/1/2023	624	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/6/2023	706	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/30/2005	506	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/26/2006	177.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/26/2006	177.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/26/2006	353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/26/2006	353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/21/2006	213	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/21/2006	213	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/21/2006	475	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/21/2006	475	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/24/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/24/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/25/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/26/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/26/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/26/2007	662	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/26/2007	662	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2007	706	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2007	706	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/28/2007	472	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	6/28/2007	472	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/10/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/12/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	465	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/23/2007	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	434	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	432	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	433	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/25/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/25/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	10/21/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	11/25/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/19/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/4/2009	500	1		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2009	495	1		UMHOS/CM
Specific conductance (field)	LGW-8R	4/16/2009	489	1		UMHOS/CM
Specific conductance (field)	LGW-8R	5/28/2009	491	1		UMHOS/CM
Specific conductance (field)	LGW-8R	6/25/2009	491	1		UMHOS/CM
Specific conductance (field)	LGW-8R	7/29/2009	493	1		UMHOS/CM
Specific conductance (field)	LGW-8R	8/28/2009	494	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/29/2009	494	1		UMHOS/CM
Specific conductance (field)	LGW-8R	10/21/2009	492	1		UMHOS/CM
Specific conductance (field)	LGW-8R	11/24/2009	476	1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/17/2009	489	1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/27/2010	469	1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/15/2010	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2010	482	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/7/2010	503	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/5/2010	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/16/2010	503	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/14/2010	487	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/10/2010	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/2/2010	495	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/29/2010	494	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2010	491	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/2/2010	508	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/20/2011	494	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2011	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2011	528	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2011	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/10/2011	419	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2011	492	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/12/2011	460	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2011	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/7/2011	483	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2011	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/1/2011	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/8/2011	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/5/2012	467	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/1/2012	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/7/2012	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2012	455	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/1/2012	435	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	6/5/2012	441	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/9/2012	485	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/9/2012	438	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/4/2012	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/7/2012	502	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/30/2013	479	479	ND	UMHOS/CM
Specific conductance (field)	LGW-8R	6/4/2013	496	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/15/2013	477	477	ND	UMHOS/CM
Specific conductance (field)	LGW-8R	8/8/2013	487	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/10/2013	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/1/2013	506	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/6/2013	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/2/2013	472	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/22/2014	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/12/2014	460	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/11/2014	918	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/2/2014	963	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/7/2014	891	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2014	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2014	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/5/2014	495	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/4/2014	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/9/2014	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2014	455	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/14/2015	451	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/11/2015	515	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2015	462	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/1/2015	530	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/6/2015	738	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2015	841	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/22/2015	929	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/4/2015	916	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/3/2015	926	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2015	874	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/4/2015	840	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/3/2015	514	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/5/2016	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/3/2016	504	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2016	509	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2016	522	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/11/2016	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2016	520	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2016	443	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/10/2016	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/6/2016	453	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2016	431	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2016	405	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/1/2016	510	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/11/2017	441	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2017	420	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2017	524	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/4/2017	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/2/2017	530	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/6/2017	417	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/18/2017	539	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/1/2017	526	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2017	518	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/1/2017	556	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/25/2018	514	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/23/2018	530.8	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	3/19/2018	531.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	4/11/2018	547.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	6/5/2018	556.4	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/21/2018	588.2	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/13/2018	612	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	8/2/2018	418	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2018	595	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/2/2018	583	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/7/2018	568.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/4/2018	590.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/7/2019	483	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/5/2019	525.2	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/5/2019	542	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	4/3/2019	608.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	5/1/2019	585	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	6/4/2019	581.9	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2019	661	1		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2019	661	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	8/7/2019	583.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2019	575.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	10/1/2019	567.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	11/5/2019	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	12/4/2019	528.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/14/2020	508.5	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/4/2020	519.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2020	523.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	4/2/2020	524.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	5/4/2020	554.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2020	530.7	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2020	518.1	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/1/2020	567.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2020	524.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2020	539.6	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/1/2020	536.7	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/17/2021	436.4	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/9/2021	656	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2021	673	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/7/2021	665	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/5/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/2/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2021	681	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/2/2021	687	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2021	679	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2021	681	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/9/2021	673	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/10/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2022	695	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2022	712	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/7/2022	764	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2022	816	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/11/2022	749	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	8/10/2022	727	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/8/2022	658	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2022	619	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2022	619	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2022	769	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/7/2022	839	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/11/2023	667	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/3/2023	1353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/1/2023	729	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/6/2023	784	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/30/2005	626	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/20/2006	464	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/20/2006	464	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/27/2006	473	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/27/2006	473	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/26/2006	447	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/26/2006	447	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/21/2006	483	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/21/2006	483	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/21/2006	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/21/2006	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/27/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/27/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/25/2007	849	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/26/2007	849	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/31/2007	864	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2007	864	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2007	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2007	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	567	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	570	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	575	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	656	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	331	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/23/2007	506	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	539	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	547	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	548	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	551	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2008	524	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/28/2008	607	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	3/25/2008	543	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	502	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	520	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	493	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	492	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	490	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	485	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	560	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	558	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	555	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	562	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	549	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	545	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	550	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	550	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/22/2008	579	1		UMHOS/CM
Specific conductance (field)	LGW-9	8/29/2008	575	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/26/2008	582	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/26/2008	582	1		UMHOS/CM
Specific conductance (field)	LGW-9	10/22/2008	557	1		UMHOS/CM
Specific conductance (field)	LGW-9	11/24/2008	554	1		UMHOS/CM
Specific conductance (field)	LGW-9	12/19/2008	540	1		UMHOS/CM
Specific conductance (field)	LGW-9	2/4/2009	549	1		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2009	553	1		UMHOS/CM
Specific conductance (field)	LGW-9	4/15/2009	562	1		UMHOS/CM
Specific conductance (field)	LGW-9	5/28/2009	553	1		UMHOS/CM
Specific conductance (field)	LGW-9	6/24/2009	560	1		UMHOS/CM
Specific conductance (field)	LGW-9	7/29/2009	552	1		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2009	571	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/29/2009	568	1		UMHOS/CM
Specific conductance (field)	LGW-9	10/22/2009	590	1		UMHOS/CM
Specific conductance (field)	LGW-9	11/24/2009	563	1		UMHOS/CM
Specific conductance (field)	LGW-9	12/17/2009	574	1		UMHOS/CM
Specific conductance (field)	LGW-9	1/27/2010	565	1		UMHOS/CM
Specific conductance (field)	LGW-9	2/15/2010	578	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2010	565	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/8/2010	611	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/6/2010	585	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/16/2010	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/14/2010	609	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/11/2010	623	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/1/2010	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/29/2010	626	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2010	629	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2010	652	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/20/2011	644	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2011	646	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2011	694	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2011	628	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/10/2011	552	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2011	653	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/12/2011	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2011	642	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/7/2011	649	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2011	652	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/1/2011	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/8/2011	632	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/5/2012	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/1/2012	611	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/7/2012	621	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	4/5/2012	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/1/2012	571	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2012	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2012	638	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/9/2012	638	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2012	666	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2012	685	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/1/2013	618	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/4/2013	619	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/15/2013	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/8/2013	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/10/2013	534	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/1/2013	559	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2013	557	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2013	534	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/23/2014	538	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/13/2014	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/11/2014	1078	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2014	1142	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2014	1019	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2014	563	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/8/2014	561	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/5/2014	579	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2014	590	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/9/2014	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2014	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/14/2015	676	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/11/2015	684	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2015	666	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/1/2015	704	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2015	1047	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2015	1114	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/13/2015	1145	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2015	1116	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/3/2015	1155	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/6/2015	1113	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/4/2015	1093	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/3/2015	681	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/5/2016	658	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/3/2016	719	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2016	733	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2016	759	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/11/2016	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2016	764	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/21/2016	699	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/10/2016	693	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/6/2016	657	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/6/2016	657	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/6/2016	665	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/2/2016	656	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/1/2016	827	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/11/2017	751	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2017	668	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2017	825	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2017	784	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2017	715	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/16/2017	760	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/6/2017	723	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/18/2017	816	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/1/2017	791	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/5/2017	510	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	10/5/2017	942	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/1/2017	939	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/24/2018	814	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	2/22/2018	869	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	3/20/2018	863	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/11/2018	847	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/11/2018	847	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2018	781	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2018	781	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/13/2018	861	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	8/2/2018	832	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	9/5/2018	934	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/2/2018	837	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/2/2018	837	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2018	804	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	12/4/2018	801	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	1/7/2019	840	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	2/6/2019	682	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/5/2019	740	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	4/3/2019	840	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2019	677	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	6/4/2019	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2019	767	1		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2019	767	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/8/2019	682	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2019	695	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/3/2019	712	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/3/2019	712	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2019	672	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	12/3/2019	567.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	1/16/2020	556.2	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/4/2020	569.3	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/4/2020	563.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2020	555	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2020	555	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2020	591.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	6/2/2020	589.5	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/3/2020	693	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/2/2020	672	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2020	592.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2020	658	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2020	610.6	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/17/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/9/2021	762	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2021	799	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/6/2021	779	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/6/2021	779	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2021	792	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/2/2021	783	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2021	747	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/2/2021	761	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2021	744	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2021	744	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/2/2021	745	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	12/9/2021	694	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/10/2022	741	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2022	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2022	756	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2022	756	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2022	794	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2022	869	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/11/2022	807	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/10/2022	812	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/8/2022	753	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2022	907	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2022	907	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2022	835	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/7/2022	901	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/11/2023	716	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/3/2023	1388	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/1/2023	759	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2023	690	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/2/2002	502	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/18/2006	610	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2006	488	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2006	488	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/24/2006	437	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/24/2006	437	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2007	542	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2007	542	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2007	508	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2007	508	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2008	456	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/21/2008	469	1		UMHOS/CM
Specific conductance (field)	MW-10N	2/13/2009	528	1		UMHOS/CM
Specific conductance (field)	MW-10N	7/31/2009	460	1		UMHOS/CM
Specific conductance (field)	MW-10N	1/27/2010	511	1		UMHOS/CM
Specific conductance (field)	MW-10N	8/10/2010	496	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/19/2011	486	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/14/2011	466	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/5/2012	484	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2012	487	0		UMHOS/CM
Specific conductance (field)	MW-10N	5/1/2013	482	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/24/2014	498	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/9/2014	399	0		UMHOS/CM
Specific conductance (field)	MW-10N	2/12/2015	470	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/14/2015	819	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/6/2016	433	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/21/2016	390	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/11/2017	365	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2017	440	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/24/2018	423.5	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	7/11/2018	441.4	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	1/3/2019	396	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	7/9/2019	459	0.01		UMHOS/CM
Specific conductance (field)	MW-10N	1/16/2020	373.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/8/2020	401.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/8/2020	401.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/5/2021	473	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-10N	7/5/2021	473	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/11/2023	454	0		UMHOS/CM
Specific conductance (field)	MW-10N	4/8/2023	497	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/2/2002	409	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2006	382	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/18/2006	197	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/18/2006	197	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/24/2006	285	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/24/2006	285	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/8/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/8/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/9/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2007	397	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2007	397	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/10/2007	357	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/10/2007	357	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/22/2008	324	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/23/2008	336	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2009	336	1		UMHOS/CM
Specific conductance (field)	MW-11N	7/31/2009	345	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2010	323	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2010	323	1		UMHOS/CM
Specific conductance (field)	MW-11N	7/16/2010	338	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/19/2011	349	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2011	329	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/4/2012	330	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/9/2012	344	0		UMHOS/CM
Specific conductance (field)	MW-11N	4/30/2013	342	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/15/2013	340	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2014	347	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/8/2014	347	0		UMHOS/CM
Specific conductance (field)	MW-11N	2/10/2015	361	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2015	621	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/5/2016	326	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/21/2016	296	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/11/2017	305	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/19/2017	322	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2018	304.2	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	7/17/2018	342	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	1/2/2019	231	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	7/9/2019	346	0.01		UMHOS/CM
Specific conductance (field)	MW-11N	1/14/2020	285.9	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2020	356.6	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2020	356.6	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2021	251.8	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2022	366	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/6/2022	349	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/10/2023	343	0		UMHOS/CM
Specific conductance (field)	MW-15	6/2/2015	850	0		UMHOS/CM
Specific conductance (field)	MW-15	6/5/2015	810	0		UMHOS/CM
Specific conductance (field)	MW-15	7/15/2015	807	0		UMHOS/CM
Specific conductance (field)	MW-15	8/5/2015	930	0		UMHOS/CM
Specific conductance (field)	MW-15	9/3/2015	856	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2015	835	0		UMHOS/CM
Specific conductance (field)	MW-15	11/5/2015	768	0		UMHOS/CM
Specific conductance (field)	MW-15	12/4/2015	496	0		UMHOS/CM
Specific conductance (field)	MW-15	1/7/2016	407	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-15	2/4/2016	372	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2016	425	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2016	431	0		UMHOS/CM
Specific conductance (field)	MW-15	5/11/2016	413	0		UMHOS/CM
Specific conductance (field)	MW-15	6/1/2016	412	0		UMHOS/CM
Specific conductance (field)	MW-15	7/20/2016	378	0		UMHOS/CM
Specific conductance (field)	MW-15	8/10/2016	375	0		UMHOS/CM
Specific conductance (field)	MW-15	9/6/2016	346	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2016	354	0		UMHOS/CM
Specific conductance (field)	MW-15	11/2/2016	340	0		UMHOS/CM
Specific conductance (field)	MW-15	12/1/2016	522	0		UMHOS/CM
Specific conductance (field)	MW-15	1/10/2017	408	0		UMHOS/CM
Specific conductance (field)	MW-15	2/7/2017	399	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2017	455	0		UMHOS/CM
Specific conductance (field)	MW-15	4/4/2017	421	0		UMHOS/CM
Specific conductance (field)	MW-15	5/2/2017	471	0		UMHOS/CM
Specific conductance (field)	MW-15	6/6/2017	455	0		UMHOS/CM
Specific conductance (field)	MW-15	7/18/2017	437	0		UMHOS/CM
Specific conductance (field)	MW-15	8/1/2017	412	0		UMHOS/CM
Specific conductance (field)	MW-15	9/5/2017	460	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2017	549	0		UMHOS/CM
Specific conductance (field)	MW-15	11/1/2017	564	0		UMHOS/CM
Specific conductance (field)	MW-15	1/23/2018	485.1	0.1		UMHOS/CM
Specific conductance (field)	MW-15	2/22/2018	568	0.1		UMHOS/CM
Specific conductance (field)	MW-15	3/21/2018	434.2	0.1		UMHOS/CM
Specific conductance (field)	MW-15	4/10/2018	523	0.1		UMHOS/CM
Specific conductance (field)	MW-15	6/5/2018	470	0		UMHOS/CM
Specific conductance (field)	MW-15	7/10/2018	556	0.1		UMHOS/CM
Specific conductance (field)	MW-15	8/1/2018	513	0.1		UMHOS/CM
Specific conductance (field)	MW-15	9/4/2018	552	0		UMHOS/CM
Specific conductance (field)	MW-15	10/2/2018	549	0		UMHOS/CM
Specific conductance (field)	MW-15	10/2/2018	549	0		UMHOS/CM
Specific conductance (field)	MW-15	11/6/2018	533.3	0.1		UMHOS/CM
Specific conductance (field)	MW-15	12/5/2018	464.2	0.1		UMHOS/CM
Specific conductance (field)	MW-15	1/3/2019	469.8	0.1		UMHOS/CM
Specific conductance (field)	MW-15	2/5/2019	424	0		UMHOS/CM
Specific conductance (field)	MW-15	3/6/2019	468	0.01		UMHOS/CM
Specific conductance (field)	MW-15	4/3/2019	536.1	0.01		UMHOS/CM
Specific conductance (field)	MW-15	5/2/2019	460.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	6/4/2019	483.2	0		UMHOS/CM
Specific conductance (field)	MW-15	7/9/2019	477	1		UMHOS/CM
Specific conductance (field)	MW-15	7/9/2019	477	0.01		UMHOS/CM
Specific conductance (field)	MW-15	8/6/2019	434.2	0.01		UMHOS/CM
Specific conductance (field)	MW-15	9/4/2019	437.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	10/1/2019	455.3	0.01		UMHOS/CM
Specific conductance (field)	MW-15	11/5/2019	438.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	12/3/2019	517	0.1		UMHOS/CM
Specific conductance (field)	MW-15	1/14/2020	406.3	0		UMHOS/CM
Specific conductance (field)	MW-15	2/4/2020	425.7	0		UMHOS/CM
Specific conductance (field)	MW-15	3/3/2020	563.9	0.01		UMHOS/CM
Specific conductance (field)	MW-15	4/1/2020	449.6	0.1		UMHOS/CM
Specific conductance (field)	MW-15	5/4/2020	453.2	0.01		UMHOS/CM
Specific conductance (field)	MW-15	6/2/2020	591.8	0		UMHOS/CM
Specific conductance (field)	MW-15	7/7/2020	519.5	0		UMHOS/CM
Specific conductance (field)	MW-15	7/7/2020	519.5	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2020	641	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2020	641	0		UMHOS/CM
Specific conductance (field)	MW-15	9/3/2020	452.6	0.01		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2020	397	0.01		UMHOS/CM
Specific conductance (field)	MW-15	11/4/2020	399.8	0		UMHOS/CM
Specific conductance (field)	MW-15	12/2/2020	363.2	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-15	1/18/2021	317.5	0		UMHOS/CM
Specific conductance (field)	MW-15	1/18/2021	317.5	0		UMHOS/CM
Specific conductance (field)	MW-15	2/10/2021	417	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2021	384	0		UMHOS/CM
Specific conductance (field)	MW-15	4/7/2021	434	0		UMHOS/CM
Specific conductance (field)	MW-15	5/4/2021	336	0		UMHOS/CM
Specific conductance (field)	MW-15	6/1/2021	493	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2021	453	0		UMHOS/CM
Specific conductance (field)	MW-15	9/2/2021	463	0		UMHOS/CM
Specific conductance (field)	MW-15	10/5/2021	478	0		UMHOS/CM
Specific conductance (field)	MW-15	10/5/2021	478	0		UMHOS/CM
Specific conductance (field)	MW-15	11/1/2021	506	0		UMHOS/CM
Specific conductance (field)	MW-15	12/8/2021	493	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	2/9/2022	494	0		UMHOS/CM
Specific conductance (field)	MW-15	3/1/2022	489	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2022	492	0		UMHOS/CM
Specific conductance (field)	MW-15	5/7/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-15	6/3/2022	540	0		UMHOS/CM
Specific conductance (field)	MW-15	7/10/2022	479	0		UMHOS/CM
Specific conductance (field)	MW-15	8/10/2022	518	0		UMHOS/CM
Specific conductance (field)	MW-15	9/8/2022	527	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2022	538	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2022	538	0		UMHOS/CM
Specific conductance (field)	MW-15	11/3/2022	541	0		UMHOS/CM
Specific conductance (field)	MW-15	12/7/2022	660	0		UMHOS/CM
Specific conductance (field)	MW-15	1/10/2023	532	0		UMHOS/CM
Specific conductance (field)	MW-15	2/3/2023	1046	0		UMHOS/CM
Specific conductance (field)	MW-15	3/1/2023	563	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2023	519	0		UMHOS/CM
Specific conductance (field)	MW-16	6/2/2015	628	0		UMHOS/CM
Specific conductance (field)	MW-16	6/5/2015	634	0		UMHOS/CM
Specific conductance (field)	MW-16	7/16/2015	648	0		UMHOS/CM
Specific conductance (field)	MW-16	8/5/2015	726	0		UMHOS/CM
Specific conductance (field)	MW-16	9/3/2015	756	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2015	747	0		UMHOS/CM
Specific conductance (field)	MW-16	11/5/2015	706	0		UMHOS/CM
Specific conductance (field)	MW-16	12/4/2015	426	0		UMHOS/CM
Specific conductance (field)	MW-16	1/8/2016	398	0		UMHOS/CM
Specific conductance (field)	MW-16	2/4/2016	388	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2016	395	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2016	400	0		UMHOS/CM
Specific conductance (field)	MW-16	5/11/2016	442	0		UMHOS/CM
Specific conductance (field)	MW-16	6/2/2016	475	0		UMHOS/CM
Specific conductance (field)	MW-16	7/21/2016	369	0		UMHOS/CM
Specific conductance (field)	MW-16	8/10/2016	335	0		UMHOS/CM
Specific conductance (field)	MW-16	9/6/2016	362	0		UMHOS/CM
Specific conductance (field)	MW-16	10/5/2016	298	0		UMHOS/CM
Specific conductance (field)	MW-16	11/2/2016	312	0		UMHOS/CM
Specific conductance (field)	MW-16	12/1/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-16	1/10/2017	390	0		UMHOS/CM
Specific conductance (field)	MW-16	2/7/2017	290	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2017	467	0		UMHOS/CM
Specific conductance (field)	MW-16	4/4/2017	521	0		UMHOS/CM
Specific conductance (field)	MW-16	5/2/2017	501	0		UMHOS/CM
Specific conductance (field)	MW-16	6/6/2017	387	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-16	7/18/2017	405	0		UMHOS/CM
Specific conductance (field)	MW-16	8/1/2017	395	0		UMHOS/CM
Specific conductance (field)	MW-16	9/5/2017	373	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2017	423	0		UMHOS/CM
Specific conductance (field)	MW-16	11/1/2017	412	0		UMHOS/CM
Specific conductance (field)	MW-16	1/23/2018	326	0.1		UMHOS/CM
Specific conductance (field)	MW-16	2/22/2018	347	0.1		UMHOS/CM
Specific conductance (field)	MW-16	3/21/2018	287.3	0.1		UMHOS/CM
Specific conductance (field)	MW-16	4/10/2018	349.5	0.1		UMHOS/CM
Specific conductance (field)	MW-16	6/5/2018	325	0		UMHOS/CM
Specific conductance (field)	MW-16	7/11/2018	361	0.1		UMHOS/CM
Specific conductance (field)	MW-16	8/1/2018	327	0.1		UMHOS/CM
Specific conductance (field)	MW-16	9/5/2018	350	0		UMHOS/CM
Specific conductance (field)	MW-16	10/2/2018	341	0		UMHOS/CM
Specific conductance (field)	MW-16	11/6/2018	325.4	0.1		UMHOS/CM
Specific conductance (field)	MW-16	12/5/2018	292.5	0.1		UMHOS/CM
Specific conductance (field)	MW-16	1/2/2019	318	0.1		UMHOS/CM
Specific conductance (field)	MW-16	2/5/2019	253	0		UMHOS/CM
Specific conductance (field)	MW-16	3/6/2019	290	0.01		UMHOS/CM
Specific conductance (field)	MW-16	4/3/2019	338	0.01		UMHOS/CM
Specific conductance (field)	MW-16	5/2/2019	302	0.01		UMHOS/CM
Specific conductance (field)	MW-16	6/4/2019	330.5	0		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2019	358	1		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2019	358	0.01		UMHOS/CM
Specific conductance (field)	MW-16	8/6/2019	330.8	0.01		UMHOS/CM
Specific conductance (field)	MW-16	9/4/2019	331	0.01		UMHOS/CM
Specific conductance (field)	MW-16	10/1/2019	332	0.01		UMHOS/CM
Specific conductance (field)	MW-16	11/5/2019	333.2	0.01		UMHOS/CM
Specific conductance (field)	MW-16	12/3/2019	278.9	0.1		UMHOS/CM
Specific conductance (field)	MW-16	1/14/2020	285.6	0		UMHOS/CM
Specific conductance (field)	MW-16	2/4/2020	289.1	0		UMHOS/CM
Specific conductance (field)	MW-16	3/3/2020	295.4	0.01		UMHOS/CM
Specific conductance (field)	MW-16	4/1/2020	291.1	0.1		UMHOS/CM
Specific conductance (field)	MW-16	5/4/2020	312.1	0.01		UMHOS/CM
Specific conductance (field)	MW-16	6/3/2020	335.4	0		UMHOS/CM
Specific conductance (field)	MW-16	7/7/2020	296.3	0		UMHOS/CM
Specific conductance (field)	MW-16	7/7/2020	296.3	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2020	349.8	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2020	349.8	0		UMHOS/CM
Specific conductance (field)	MW-16	9/3/2020	320.6	0.01		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2020	293.4	0.01		UMHOS/CM
Specific conductance (field)	MW-16	11/4/2020	300.1	0		UMHOS/CM
Specific conductance (field)	MW-16	12/3/2020	310.5	0		UMHOS/CM
Specific conductance (field)	MW-16	1/18/2021	256.7	0		UMHOS/CM
Specific conductance (field)	MW-16	1/18/2021	256.7	0		UMHOS/CM
Specific conductance (field)	MW-16	2/10/2021	340.2	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2021	348	0		UMHOS/CM
Specific conductance (field)	MW-16	4/7/2021	342	0		UMHOS/CM
Specific conductance (field)	MW-16	5/4/2021	351	0		UMHOS/CM
Specific conductance (field)	MW-16	6/1/2021	352	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2021	352	0		UMHOS/CM
Specific conductance (field)	MW-16	9/2/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-16	10/5/2021	338	0		UMHOS/CM
Specific conductance (field)	MW-16	11/1/2021	342	0		UMHOS/CM
Specific conductance (field)	MW-16	12/8/2021	331	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-16	2/9/2022	349	0		UMHOS/CM
Specific conductance (field)	MW-16	3/1/2022	345	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2022	355	0		UMHOS/CM
Specific conductance (field)	MW-16	5/7/2022	378	0		UMHOS/CM
Specific conductance (field)	MW-16	6/3/2022	405	0		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2022	380	0		UMHOS/CM
Specific conductance (field)	MW-16	8/10/2022	382	0		UMHOS/CM
Specific conductance (field)	MW-16	9/8/2022	367	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2022	357	0		UMHOS/CM
Specific conductance (field)	MW-16	11/3/2022	362	0		UMHOS/CM
Specific conductance (field)	MW-16	12/7/2022	416	0		UMHOS/CM
Specific conductance (field)	MW-16	1/10/2023	344	0		UMHOS/CM
Specific conductance (field)	MW-16	2/3/2023	668	0		UMHOS/CM
Specific conductance (field)	MW-16	3/1/2023	366	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2023	341	0		UMHOS/CM
Specific conductance (field)	MW-17	6/2/2015	593	0		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2015	607	0		UMHOS/CM
Specific conductance (field)	MW-17	7/15/2015	541	0		UMHOS/CM
Specific conductance (field)	MW-17	8/4/2015	552	0		UMHOS/CM
Specific conductance (field)	MW-17	9/2/2015	576	0		UMHOS/CM
Specific conductance (field)	MW-17	10/5/2015	559	0		UMHOS/CM
Specific conductance (field)	MW-17	11/5/2015	626	0		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2015	315	0		UMHOS/CM
Specific conductance (field)	MW-17	1/7/2016	654	0		UMHOS/CM
Specific conductance (field)	MW-17	2/3/2016	671	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2016	278	0		UMHOS/CM
Specific conductance (field)	MW-17	4/5/2016	263	0		UMHOS/CM
Specific conductance (field)	MW-17	5/12/2016	365	0		UMHOS/CM
Specific conductance (field)	MW-17	6/1/2016	350	0		UMHOS/CM
Specific conductance (field)	MW-17	7/20/2016	267	0		UMHOS/CM
Specific conductance (field)	MW-17	8/11/2016	337	0		UMHOS/CM
Specific conductance (field)	MW-17	9/6/2016	307	0		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2016	404	0		UMHOS/CM
Specific conductance (field)	MW-17	11/3/2016	363	0		UMHOS/CM
Specific conductance (field)	MW-17	12/2/2016	430	0		UMHOS/CM
Specific conductance (field)	MW-17	1/10/2017	434	0		UMHOS/CM
Specific conductance (field)	MW-17	2/7/2017	370	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2017	444	0		UMHOS/CM
Specific conductance (field)	MW-17	4/4/2017	434	0		UMHOS/CM
Specific conductance (field)	MW-17	5/2/2017	408	0		UMHOS/CM
Specific conductance (field)	MW-17	5/16/2017	315	0		UMHOS/CM
Specific conductance (field)	MW-17	6/6/2017	384	0		UMHOS/CM
Specific conductance (field)	MW-17	7/18/2017	409	0		UMHOS/CM
Specific conductance (field)	MW-17	8/1/2017	266	0		UMHOS/CM
Specific conductance (field)	MW-17	9/5/2017	365	0		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2017	375	0		UMHOS/CM
Specific conductance (field)	MW-17	11/1/2017	371	0		UMHOS/CM
Specific conductance (field)	MW-17	1/23/2018	397.3	0.1		UMHOS/CM
Specific conductance (field)	MW-17	2/22/2018	486	0.1		UMHOS/CM
Specific conductance (field)	MW-17	3/21/2018	278.1	0.1		UMHOS/CM
Specific conductance (field)	MW-17	4/10/2018	336.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2018	394	0		UMHOS/CM
Specific conductance (field)	MW-17	7/10/2018	471	0.1		UMHOS/CM
Specific conductance (field)	MW-17	8/1/2018	467	0.1		UMHOS/CM
Specific conductance (field)	MW-17	9/5/2018	457	0		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2018	468	0		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2018	468	0		UMHOS/CM
Specific conductance (field)	MW-17	11/7/2018	516.9	0.1		UMHOS/CM
Specific conductance (field)	MW-17	12/5/2018	553.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	1/3/2019	407.4	0.1		UMHOS/CM
Specific conductance (field)	MW-17	2/5/2019	358	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-17	3/6/2019	407	0.01		UMHOS/CM
Specific conductance (field)	MW-17	4/3/2019	475.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	5/2/2019	490.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2019	511.9	0		UMHOS/CM
Specific conductance (field)	MW-17	7/11/2019	474	1		UMHOS/CM
Specific conductance (field)	MW-17	7/11/2019	474	0.01		UMHOS/CM
Specific conductance (field)	MW-17	8/6/2019	540.2	0.01		UMHOS/CM
Specific conductance (field)	MW-17	9/4/2019	496.2	0.01		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2019	483.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	11/5/2019	314.3	0.01		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2019	270.4	0.1		UMHOS/CM
Specific conductance (field)	MW-17	1/14/2020	289.5	0		UMHOS/CM
Specific conductance (field)	MW-17	2/4/2020	471	0		UMHOS/CM
Specific conductance (field)	MW-17	3/3/2020	308.4	0.01		UMHOS/CM
Specific conductance (field)	MW-17	4/1/2020	483.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	5/5/2020	515.6	0.01		UMHOS/CM
Specific conductance (field)	MW-17	6/2/2020	515.7	0		UMHOS/CM
Specific conductance (field)	MW-17	7/6/2020	559.4	0		UMHOS/CM
Specific conductance (field)	MW-17	7/6/2020	559.4	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2020	534.7	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2020	534.7	0		UMHOS/CM
Specific conductance (field)	MW-17	9/3/2020	528.6	0.01		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2020	477.3	0.01		UMHOS/CM
Specific conductance (field)	MW-17	11/4/2020	455.7	0		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2020	327.5	0		UMHOS/CM
Specific conductance (field)	MW-17	1/14/2021	295.9	0		UMHOS/CM
Specific conductance (field)	MW-17	2/10/2021	456	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2021	321	0		UMHOS/CM
Specific conductance (field)	MW-17	4/7/2021	454	0		UMHOS/CM
Specific conductance (field)	MW-17	5/4/2021	474	0		UMHOS/CM
Specific conductance (field)	MW-17	6/1/2021	521	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2021	568	0		UMHOS/CM
Specific conductance (field)	MW-17	9/2/2021	349	0		UMHOS/CM
Specific conductance (field)	MW-17	10/5/2021	536	0		UMHOS/CM
Specific conductance (field)	MW-17	10/5/2021	536	0		UMHOS/CM
Specific conductance (field)	MW-17	11/1/2021	516	0		UMHOS/CM
Specific conductance (field)	MW-17	12/8/2021	406	0		UMHOS/CM
Specific conductance (field)	MW-17	1/10/2023	272	0		UMHOS/CM
Specific conductance (field)	MW-17	2/4/2023	283	0		UMHOS/CM
Specific conductance (field)	MW-17	3/1/2023	289	0		UMHOS/CM
Specific conductance (field)	MW-17	4/5/2023	436	0		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2015	939	0		UMHOS/CM
Specific conductance (field)	MW-19	6/5/2015	610	0		UMHOS/CM
Specific conductance (field)	MW-19	7/16/2015	625	0		UMHOS/CM
Specific conductance (field)	MW-19	8/5/2015	436	0		UMHOS/CM
Specific conductance (field)	MW-19	9/3/2015	439	0		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2015	620	0		UMHOS/CM
Specific conductance (field)	MW-19	11/5/2015	578	0		UMHOS/CM
Specific conductance (field)	MW-19	12/4/2015	381	0		UMHOS/CM
Specific conductance (field)	MW-19	1/7/2016	348	0		UMHOS/CM
Specific conductance (field)	MW-19	2/3/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-19	3/3/2016	301	0		UMHOS/CM
Specific conductance (field)	MW-19	4/5/2016	379	0		UMHOS/CM
Specific conductance (field)	MW-19	5/12/2016	253	0		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2016	553	0		UMHOS/CM
Specific conductance (field)	MW-19	7/21/2016	228	0		UMHOS/CM
Specific conductance (field)	MW-19	8/11/2016	213	0		UMHOS/CM
Specific conductance (field)	MW-19	9/6/2016	282	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-19	10/5/2016	294	0		UMHOS/CM
Specific conductance (field)	MW-19	11/3/2016	231	0		UMHOS/CM
Specific conductance (field)	MW-19	12/1/2016	492	0		UMHOS/CM
Specific conductance (field)	MW-19	1/10/2017	284	0		UMHOS/CM
Specific conductance (field)	MW-19	2/7/2017	299	0		UMHOS/CM
Specific conductance (field)	MW-19	3/2/2017	320	0		UMHOS/CM
Specific conductance (field)	MW-19	4/4/2017	293	0		UMHOS/CM
Specific conductance (field)	MW-19	5/2/2017	278	0		UMHOS/CM
Specific conductance (field)	MW-19	6/6/2017	527	0		UMHOS/CM
Specific conductance (field)	MW-19	7/18/2017	567	0		UMHOS/CM
Specific conductance (field)	MW-19	8/1/2017	474	0		UMHOS/CM
Specific conductance (field)	MW-19	9/5/2017	348	0		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2017	398	0		UMHOS/CM
Specific conductance (field)	MW-19	11/1/2017	387	0		UMHOS/CM
Specific conductance (field)	MW-19	1/23/2018	319.5	0.1		UMHOS/CM
Specific conductance (field)	MW-19	2/22/2018	345	0.1		UMHOS/CM
Specific conductance (field)	MW-19	3/20/2018	420.2	0.1		UMHOS/CM
Specific conductance (field)	MW-19	4/11/2018	345.3	0.1		UMHOS/CM
Specific conductance (field)	MW-19	6/5/2018	245	0		UMHOS/CM
Specific conductance (field)	MW-19	7/13/2018	291	0.1		UMHOS/CM
Specific conductance (field)	MW-19	8/2/2018	293	0.1		UMHOS/CM
Specific conductance (field)	MW-19	9/5/2018	279	0		UMHOS/CM
Specific conductance (field)	MW-19	10/2/2018	282	0		UMHOS/CM
Specific conductance (field)	MW-19	10/2/2018	282	0		UMHOS/CM
Specific conductance (field)	MW-19	11/7/2018	298.2	0.1		UMHOS/CM
Specific conductance (field)	MW-19	12/5/2018	321.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	1/7/2019	318.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	2/6/2019	248	0		UMHOS/CM
Specific conductance (field)	MW-19	3/6/2019	221	0.01		UMHOS/CM
Specific conductance (field)	MW-19	4/3/2019	261.2	0.01		UMHOS/CM
Specific conductance (field)	MW-19	5/2/2019	237.3	0.01		UMHOS/CM
Specific conductance (field)	MW-19	6/4/2019	262.8	0		UMHOS/CM
Specific conductance (field)	MW-19	7/11/2019	323	1		UMHOS/CM
Specific conductance (field)	MW-19	7/11/2019	323	0.01		UMHOS/CM
Specific conductance (field)	MW-19	8/6/2019	308.1	0.01		UMHOS/CM
Specific conductance (field)	MW-19	9/4/2019	277.6	0.01		UMHOS/CM
Specific conductance (field)	MW-19	10/1/2019	469.9	0.01		UMHOS/CM
Specific conductance (field)	MW-19	11/5/2019	582	0.01		UMHOS/CM
Specific conductance (field)	MW-19	12/3/2019	534.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	1/14/2020	456.8	0		UMHOS/CM
Specific conductance (field)	MW-19	2/4/2020	492.4	0		UMHOS/CM
Specific conductance (field)	MW-19	3/3/2020	445.5	0.01		UMHOS/CM
Specific conductance (field)	MW-19	4/2/2020	485.6	0.1		UMHOS/CM
Specific conductance (field)	MW-19	5/5/2020	456.3	0.01		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2020	383.2	0		UMHOS/CM
Specific conductance (field)	MW-19	7/6/2020	479	0		UMHOS/CM
Specific conductance (field)	MW-19	7/6/2020	479	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2020	506	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2020	506	0		UMHOS/CM
Specific conductance (field)	MW-19	9/3/2020	302.8	0.01		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2020	320.4	0.01		UMHOS/CM
Specific conductance (field)	MW-19	11/3/2020	437.5	0		UMHOS/CM
Specific conductance (field)	MW-19	12/3/2020	343.7	0		UMHOS/CM
Specific conductance (field)	MW-19	1/14/2021	358.7	0		UMHOS/CM
Specific conductance (field)	MW-19	2/10/2021	422.2	0		UMHOS/CM
Specific conductance (field)	MW-19	3/2/2021	407	0		UMHOS/CM
Specific conductance (field)	MW-19	4/7/2021	408	0		UMHOS/CM
Specific conductance (field)	MW-19	5/4/2021	412	0		UMHOS/CM
Specific conductance (field)	MW-19	6/1/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2021	374	0		UMHOS/CM
Specific conductance (field)	MW-19	9/2/2021	301	0		UMHOS/CM
Specific conductance (field)	MW-19	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	MW-19	11/1/2021	576	0		UMHOS/CM
Specific conductance (field)	MW-19	12/8/2021	625	0		UMHOS/CM
Specific conductance (field)	MW-19	12/7/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-19	1/11/2023	288	0		UMHOS/CM
Specific conductance (field)	MW-19	2/3/2023	650	0		UMHOS/CM
Specific conductance (field)	MW-19	3/1/2023	336	0		UMHOS/CM
Specific conductance (field)	MW-19	4/6/2023	364	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/3/2002	823	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/18/2006	466	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/24/2006	331	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/24/2006	331	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2007	439	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2007	439	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2007	432	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/11/2007	432	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/24/2008	382	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/21/2008	413	1		UMHOS/CM
Specific conductance (field)	MW-1N	2/5/2009	406	1		UMHOS/CM
Specific conductance (field)	MW-1N	7/31/2009	415	1		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2010	392	1		UMHOS/CM
Specific conductance (field)	MW-1N	7/13/2010	404	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/20/2011	405	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/13/2011	326	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/5/2012	363	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2012	212	0		UMHOS/CM
Specific conductance (field)	MW-1N	5/1/2013	399	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/16/2013	386	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/24/2014	394	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/9/2014	381	0		UMHOS/CM
Specific conductance (field)	MW-1N	2/10/2015	402	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/14/2015	691	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/6/2016	300	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/21/2016	274	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/12/2017	335	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/19/2017	373	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/23/2018	352.1	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2018	371.3	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	10/3/2018	397	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/3/2019	315.7	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/11/2019	367.1	0.01		UMHOS/CM
Specific conductance (field)	MW-1N	10/2/2019	371.2	0.01		UMHOS/CM
Specific conductance (field)	MW-1N	4/2/2020	335.9	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/6/2020	373.2	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/6/2020	373.2	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/4/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/4/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/6/2021	389	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/11/2023	394	0		UMHOS/CM
Specific conductance (field)	MW-20	6/2/2015	1076	0		UMHOS/CM
Specific conductance (field)	MW-20	6/5/2015	1041	0		UMHOS/CM
Specific conductance (field)	MW-20	7/14/2015	1065	0		UMHOS/CM
Specific conductance (field)	MW-20	8/4/2015	1066	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-20	9/2/2015	1081	0		UMHOS/CM
Specific conductance (field)	MW-20	10/5/2015	982	0		UMHOS/CM
Specific conductance (field)	MW-20	1/7/2016	760	0		UMHOS/CM
Specific conductance (field)	MW-20	4/5/2016	544	0		UMHOS/CM
Specific conductance (field)	MW-20	7/20/2016	470	0		UMHOS/CM
Specific conductance (field)	MW-20	10/5/2016	440	0		UMHOS/CM
Specific conductance (field)	MW-20	1/12/2017	492	0		UMHOS/CM
Specific conductance (field)	MW-20	7/18/2017	415	0		UMHOS/CM
Specific conductance (field)	MW-20	1/26/2018	539	0.1		UMHOS/CM
Specific conductance (field)	MW-20	7/12/2018	506.1	0.1		UMHOS/CM
Specific conductance (field)	MW-20	7/11/2019	511.9	0.01		UMHOS/CM
Specific conductance (field)	MW-20	1/14/2020	659	0		UMHOS/CM
Specific conductance (field)	MW-20	7/7/2020	465.7	0		UMHOS/CM
Specific conductance (field)	MW-20	7/7/2020	465.7	0		UMHOS/CM
Specific conductance (field)	MW-20	4/6/2021	553	0		UMHOS/CM
Specific conductance (field)	MW-20	7/4/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-20	7/4/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-20	1/11/2023	461	0		UMHOS/CM
Specific conductance (field)	MW-21	6/2/2015	792	0		UMHOS/CM
Specific conductance (field)	MW-21	6/5/2015	814	0		UMHOS/CM
Specific conductance (field)	MW-21	7/14/2015	882	0		UMHOS/CM
Specific conductance (field)	MW-21	8/4/2015	849	0		UMHOS/CM
Specific conductance (field)	MW-21	9/2/2015	851	0		UMHOS/CM
Specific conductance (field)	MW-21	10/5/2015	777	0		UMHOS/CM
Specific conductance (field)	MW-21	1/7/2016	258	0		UMHOS/CM
Specific conductance (field)	MW-21	2/10/2016	447	0		UMHOS/CM
Specific conductance (field)	MW-21	4/5/2016	433	0		UMHOS/CM
Specific conductance (field)	MW-21	7/20/2016	355	0		UMHOS/CM
Specific conductance (field)	MW-21	10/5/2016	235	0		UMHOS/CM
Specific conductance (field)	MW-21	1/10/2017	303	0		UMHOS/CM
Specific conductance (field)	MW-21	4/5/2017	376	0		UMHOS/CM
Specific conductance (field)	MW-21	7/19/2017	390	0		UMHOS/CM
Specific conductance (field)	MW-21	10/6/2017	404	0		UMHOS/CM
Specific conductance (field)	MW-21	1/24/2018	231.8	0.1		UMHOS/CM
Specific conductance (field)	MW-21	4/11/2018	634	0.1		UMHOS/CM
Specific conductance (field)	MW-21	7/11/2018	389.1	0.1		UMHOS/CM
Specific conductance (field)	MW-21	10/4/2018	312	0		UMHOS/CM
Specific conductance (field)	MW-21	1/3/2019	461	0.1		UMHOS/CM
Specific conductance (field)	MW-21	4/3/2019	425.5	0.01		UMHOS/CM
Specific conductance (field)	MW-21	7/11/2019	386	0		UMHOS/CM
Specific conductance (field)	MW-21	10/2/2019	454.3	0.01		UMHOS/CM
Specific conductance (field)	MW-21	1/16/2020	320.4	0		UMHOS/CM
Specific conductance (field)	MW-21	4/2/2020	296.5	0.1		UMHOS/CM
Specific conductance (field)	MW-21	7/8/2020	260	0		UMHOS/CM
Specific conductance (field)	MW-21	7/8/2020	260	0		UMHOS/CM
Specific conductance (field)	MW-21	10/7/2020	193.6	0.01		UMHOS/CM
Specific conductance (field)	MW-21	4/6/2021	273	0		UMHOS/CM
Specific conductance (field)	MW-21	7/5/2021	289	0		UMHOS/CM
Specific conductance (field)	MW-21	7/5/2021	289	0		UMHOS/CM
Specific conductance (field)	MW-21	10/6/2021	221	0		UMHOS/CM
Specific conductance (field)	MW-21	1/11/2023	266	0		UMHOS/CM
Specific conductance (field)	MW-21	4/8/2023	321	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/2/2002	251	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/19/2006	256	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2006	208	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2006	208	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/25/2006	192.9	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/25/2006	192.9	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/9/2007	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/10/2007	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/10/2007	253	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-2N	1/26/2007	258	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/26/2007	258	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/26/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	269	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/10/2007	255	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/11/2007	255	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/24/2008	243	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/22/2008	255	1		UMHOS/CM
Specific conductance (field)	MW-2N	2/4/2009	260	1		UMHOS/CM
Specific conductance (field)	MW-2N	7/31/2009	261	1		UMHOS/CM
Specific conductance (field)	MW-2N	1/26/2010	119	1		UMHOS/CM
Specific conductance (field)	MW-2N	7/13/2010	264	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/20/2011	146	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/13/2011	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/5/2012	246	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/10/2012	124	0		UMHOS/CM
Specific conductance (field)	MW-2N	5/1/2013	270	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/16/2013	109	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/24/2014	282	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/9/2014	278	0		UMHOS/CM
Specific conductance (field)	MW-2N	2/12/2015	298	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/14/2015	562	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/6/2016	305	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/21/2016	290	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/11/2017	274	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2017	294	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/23/2018	296.5	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	6/21/2018	327.8	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/12/2018	321.4	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	1/3/2019	279.6	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	4/3/2019	309.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	8/7/2019	391.2	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	10/1/2019	387.4	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	7/7/2020	376	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/7/2020	376	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2020	374.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2020	374.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	7/5/2021	479	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/5/2021	479	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2021	461	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/11/2023	472	0		UMHOS/CM
Specific conductance (field)	MW-2N	4/8/2023	542	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/2/2002	694	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/19/2006	684	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2006	541	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2006	541	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/25/2006	512	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/25/2006	512	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/9/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/10/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/10/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2007	669	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2007	669	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/10/2007	662	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2007	662	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2008	598	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-3N	5/3/2008	510	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	513	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	509	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	513	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/22/2008	634	1		UMHOS/CM
Specific conductance (field)	MW-3N	2/4/2009	615	1		UMHOS/CM
Specific conductance (field)	MW-3N	7/31/2009	606	1		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2010	563	1		UMHOS/CM
Specific conductance (field)	MW-3N	7/13/2010	622	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/20/2011	634	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/14/2011	567	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/5/2012	575	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2012	590	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/1/2013	589	0		UMHOS/CM
Specific conductance (field)	MW-3N	6/4/2013	603	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/16/2013	551	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2014	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/9/2014	517	0		UMHOS/CM
Specific conductance (field)	MW-3N	2/12/2015	630	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/1/2015	619	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/14/2015	1000	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/5/2015	907	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/6/2016	508	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/6/2016	518	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/21/2016	455	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/6/2016	467	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/11/2017	573	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/4/2017	613	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2017	520	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/9/2017	531	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2018	556.9	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	4/10/2018	554.7	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	6/6/2018	540	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/13/2018	525.2	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	10/3/2018	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/3/2018	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/7/2019	506	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	4/3/2019	554.9	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2019	548	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/2/2019	644	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	1/15/2020	486.8	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/2/2020	471.5	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	7/7/2020	459	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/7/2020	459	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/7/2020	445.1	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	4/6/2021	547	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/5/2021	583	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/5/2021	583	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/6/2021	532	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/11/2023	547	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/2/2002	919	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/19/2006	836	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2006	719	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2006	719	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2006	599	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2006	599	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2006	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2006	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/21/2006	489	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/21/2006	489	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/22/2006	777	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	12/22/2006	777	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/9/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/27/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/27/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/26/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/27/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/27/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/25/2007	954	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/26/2007	954	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2007	1065	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2007	1065	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/28/2007	708	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/28/2007	708	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2007	738	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2007	738	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	628	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	629	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	633	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	664	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	665	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	714	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	658	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	673	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	675	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	689	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2008	667	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/28/2008	778	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	673	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	682	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	646	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	662	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	604	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	605	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	605	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	581	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	608	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	580	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	542	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	485	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	506	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	526	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	461	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/21/2008	538	1		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2008	511	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/25/2008	507	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/25/2008	507	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/21/2008	496	1		UMHOS/CM
Specific conductance (field)	MW-7N	11/24/2008	502	1		UMHOS/CM
Specific conductance (field)	MW-7N	12/18/2008	523	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	2/6/2009	522	1		UMHOS/CM
Specific conductance (field)	MW-7N	3/25/2009	542	1		UMHOS/CM
Specific conductance (field)	MW-7N	4/15/2009	579	1		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2009	567	1		UMHOS/CM
Specific conductance (field)	MW-7N	7/29/2009	543	1		UMHOS/CM
Specific conductance (field)	MW-7N	8/28/2009	482	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/29/2009	524	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/21/2009	547	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/26/2009	532	1		UMHOS/CM
Specific conductance (field)	MW-7N	11/24/2009	487	1		UMHOS/CM
Specific conductance (field)	MW-7N	12/17/2009	508	1		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2010	463	1		UMHOS/CM
Specific conductance (field)	MW-7N	2/15/2010	532	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2010	479	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/8/2010	548	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/6/2010	485	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/16/2010	314	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/14/2010	463	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/11/2010	384	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2010	265	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2010	265	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/29/2010	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2010	331	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2010	360	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/20/2011	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2011	389	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2011	408	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2011	349	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/10/2011	520	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2011	391	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/12/2011	361	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/4/2011	461	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/7/2011	376	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2011	403	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2011	331	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/8/2011	368	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/5/2012	367	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/1/2012	335	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/7/2012	347	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2012	316	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/1/2012	283	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/10/2012	375	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2012	303	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2012	368	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/9/2012	297	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2012	328	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/7/2012	396	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/1/2013	678	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2013	536	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2013	536	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/15/2013	353	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/8/2013	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/10/2013	301	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/1/2013	310	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2013	315	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2013	314	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/30/2014	344	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/13/2014	290	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/11/2014	560	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/2/2014	641	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2014	630	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	6/3/2014	306	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/9/2014	300	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/5/2014	302	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2014	301	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/9/2014	308	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2014	300	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/14/2015	320	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/12/2015	350	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2015	422	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/1/2015	409	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2015	562	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/3/2015	615	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/13/2015	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/4/2015	616	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/3/2015	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2015	584	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/4/2015	551	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/3/2015	362	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/5/2016	336	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/3/2016	322	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2016	339	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2016	421	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/11/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2016	387	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/21/2016	390	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/10/2016	371	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/6/2016	342	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2016	474	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/2/2016	646	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/1/2016	760	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/11/2017	715	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2017	601	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2017	736	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2017	736	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2017	649	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/16/2017	755	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/6/2017	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2017	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/1/2017	730	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/5/2017	668	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2017	595	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2017	664	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2018	529.9	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	2/22/2018	458.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	3/20/2018	572.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	4/11/2018	541.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	4/11/2018	541.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2018	471	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2018	471	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/13/2018	500	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	8/1/2018	508	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	9/5/2018	628	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/4/2018	541	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2018	473.9	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	12/4/2018	513.3	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	1/4/2019	497.1	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	2/5/2019	429	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/5/2019	495	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	4/3/2019	457.9	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2019	461.7	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2019	493.8	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	7/10/2019	539.2	1		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2019	539.2	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	8/8/2019	492.8	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2019	490.4	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	10/3/2019	490.8	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2019	544.4	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	12/3/2019	443	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	1/16/2020	490.4	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/4/2020	448.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/4/2020	448.6	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	4/2/2020	445.3	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	5/5/2020	462.9	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	6/2/2020	469.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2020	510.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2020	510.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/3/2020	528.6	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2020	510.3	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2020	446.6	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2020	482	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2020	479.6	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/16/2021	437.4	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/9/2021	580	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2021	597	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/7/2021	601	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/5/2021	629	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/2/2021	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/3/2021	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2021	624	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2021	603	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2021	603	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/8/2021	587	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/9/2022	613	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/1/2022	612	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2022	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2022	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2022	662	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/3/2022	702	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2022	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/10/2022	609	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/8/2022	610	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2022	590	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2022	590	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2022	641	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/7/2022	723	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2023	576	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/3/2023	6392	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/1/2023	630	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2023	564	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2002	457	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/19/2006	575	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2006	486	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2006	486	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/24/2006	430	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-8N	10/24/2006	430	0		UMHOS/CM
Specific conductance (field)	MW-8N	12/22/2006	554	0		UMHOS/CM
Specific conductance (field)	MW-8N	12/22/2006	554	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/9/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/10/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/10/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2007	500	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2007	500	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/25/2007	696	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/26/2007	696	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/10/2007	522	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/10/2007	522	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/24/2007	503	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/24/2008	456	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	341	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	361	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/23/2008	358	1		UMHOS/CM
Specific conductance (field)	MW-8N	10/21/2008	330	1		UMHOS/CM
Specific conductance (field)	MW-8N	2/4/2009	363	1		UMHOS/CM
Specific conductance (field)	MW-8N	4/16/2009	359	1		UMHOS/CM
Specific conductance (field)	MW-8N	7/31/2009	365	1		UMHOS/CM
Specific conductance (field)	MW-8N	10/26/2009	369	1		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2010	333	1		UMHOS/CM
Specific conductance (field)	MW-8N	4/8/2010	365	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2010	325	0		UMHOS/CM
Specific conductance (field)	MW-8N	9/2/2010	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	9/30/2010	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/19/2011	366	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/10/2011	325	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/14/2011	357	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/6/2012	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/5/2012	359	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/11/2012	370	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/3/2012	415	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/1/2013	385	0		UMHOS/CM
Specific conductance (field)	MW-8N	6/4/2013	396	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2013	371	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2013	394	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/30/2014	392	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/3/2014	783	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2014	391	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/8/2014	398	0		UMHOS/CM
Specific conductance (field)	MW-8N	2/12/2015	417	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/1/2015	429	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/14/2015	710	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/5/2015	693	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/5/2016	406	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/6/2016	413	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/21/2016	402	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2016	385	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/11/2017	470	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/4/2017	540	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2017	507	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2017	559	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/25/2018	494.6	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	4/10/2018	551.9	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	6/6/2018	546	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2018	576	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2018	527.8	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-8N	1/7/2019	423	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	4/3/2019	578.2	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	7/11/2019	551	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/3/2019	486	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	1/15/2020	449.5	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/2/2020	425.4	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2020	467.3	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2020	467.3	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2020	413.1	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	4/6/2021	487	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/5/2021	504	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/5/2021	504	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2021	490	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/18/2022	491	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/18/2022	491	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/4/2022	501	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/12/2022	528	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2022	480	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/11/2023	477	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/8/2023	517	0		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2002	523	0		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2006	318	0		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2006	318	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2006	211	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2006	211	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2007	326	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2007	326	0		UMHOS/CM
Specific conductance (field)	NE-1	4/23/2007	430	0		UMHOS/CM
Specific conductance (field)	NE-1	4/26/2007	430	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2007	369	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2007	369	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2007	387	0		UMHOS/CM
Specific conductance (field)	NE-1	1/24/2008	369	0		UMHOS/CM
Specific conductance (field)	NE-1	7/21/2008	236	1		UMHOS/CM
Specific conductance (field)	NE-1	2/7/2009	309	1		UMHOS/CM
Specific conductance (field)	NE-1	7/31/2009	275	1		UMHOS/CM
Specific conductance (field)	NE-1	1/26/2010	339	1		UMHOS/CM
Specific conductance (field)	NE-1	7/14/2010	344	0		UMHOS/CM
Specific conductance (field)	NE-1	9/2/2010	359	0		UMHOS/CM
Specific conductance (field)	NE-1	9/30/2010	352	0		UMHOS/CM
Specific conductance (field)	NE-1	1/19/2011	389	0		UMHOS/CM
Specific conductance (field)	NE-1	7/13/2011	337	0		UMHOS/CM
Specific conductance (field)	NE-1	1/5/2012	374	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2012	359	0		UMHOS/CM
Specific conductance (field)	NE-1	4/30/2013	362	0		UMHOS/CM
Specific conductance (field)	NE-1	7/16/2013	298	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2014	402	0		UMHOS/CM
Specific conductance (field)	NE-1	7/9/2014	406	0		UMHOS/CM
Specific conductance (field)	NE-1	2/11/2015	471	0		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2015	755	0		UMHOS/CM
Specific conductance (field)	NE-1	1/6/2016	560	0		UMHOS/CM
Specific conductance (field)	NE-1	7/20/2016	539	0		UMHOS/CM
Specific conductance (field)	NE-1	1/11/2017	544	0		UMHOS/CM
Specific conductance (field)	NE-1	7/19/2017	527	0		UMHOS/CM
Specific conductance (field)	NE-1	1/24/2018	509.4	0.1		UMHOS/CM
Specific conductance (field)	NE-1	4/11/2018	523.9	0.1		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2018	483	0.1		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2018	471.2	0		UMHOS/CM
Specific conductance (field)	NE-1	1/4/2019	454	0.1		UMHOS/CM
Specific conductance (field)	NE-1	4/2/2019	474.1	0.01		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2019	460	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-1	7/10/2019	460	0		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2019	474.3	0.01		UMHOS/CM
Specific conductance (field)	NE-1	4/2/2020	412.9	0.1		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2020	403.8	0		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2020	423.8	0		UMHOS/CM
Specific conductance (field)	NE-1	10/7/2020	440.5	0.01		UMHOS/CM
Specific conductance (field)	NE-1	1/13/2021	449	0		UMHOS/CM
Specific conductance (field)	NE-1	4/9/2021	508	0		UMHOS/CM
Specific conductance (field)	NE-1	7/2/2021	470	0		UMHOS/CM
Specific conductance (field)	NE-1	7/2/2021	470	0		UMHOS/CM
Specific conductance (field)	NE-1	10/6/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-1	1/17/2022	488	0		UMHOS/CM
Specific conductance (field)	NE-1	1/17/2022	488	0		UMHOS/CM
Specific conductance (field)	NE-1	4/6/2022	460	0		UMHOS/CM
Specific conductance (field)	NE-1	7/13/2022	429	0		UMHOS/CM
Specific conductance (field)	NE-1	10/6/2022	436	0		UMHOS/CM
Specific conductance (field)	NE-1	1/5/2023	541	0		UMHOS/CM
Specific conductance (field)	NE-1	4/7/2023	474	0		UMHOS/CM
Specific conductance (field)	NE-10D	11/6/2019	278.1	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/2/2020	222.7	0.1		UMHOS/CM
Specific conductance (field)	NE-10D	7/8/2020	232.7	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/8/2020	232.7	0		UMHOS/CM
Specific conductance (field)	NE-10D	10/7/2020	200.3	0.01		UMHOS/CM
Specific conductance (field)	NE-10D	1/13/2021	189	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/9/2021	236	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/2/2021	247	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/2/2021	247	0		UMHOS/CM
Specific conductance (field)	NE-10D	10/7/2021	219	0		UMHOS/CM
Specific conductance (field)	NE-10D	1/6/2023	239	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/6/2023	273	0		UMHOS/CM
Specific conductance (field)	NE-11	3/1/2017	481	0		UMHOS/CM
Specific conductance (field)	NE-11	4/6/2017	507	0		UMHOS/CM
Specific conductance (field)	NE-11	7/20/2017	429	0		UMHOS/CM
Specific conductance (field)	NE-11	10/9/2017	295	0		UMHOS/CM
Specific conductance (field)	NE-11	9/30/2019	352.6	0.01		UMHOS/CM
Specific conductance (field)	NE-11	1/14/2020	431	0		UMHOS/CM
Specific conductance (field)	NE-11	7/7/2020	499.4	0		UMHOS/CM
Specific conductance (field)	NE-11	7/7/2020	499.4	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	7/12/2022	523	0		UMHOS/CM
Specific conductance (field)	NE-11	1/6/2023	517	0		UMHOS/CM
Specific conductance (field)	NE-12	3/1/2017	561	0		UMHOS/CM
Specific conductance (field)	NE-12	4/6/2017	536	0		UMHOS/CM
Specific conductance (field)	NE-12	7/20/2017	361	0		UMHOS/CM
Specific conductance (field)	NE-12	10/6/2017	462	0		UMHOS/CM
Specific conductance (field)	NE-12	7/9/2019	532	0		UMHOS/CM
Specific conductance (field)	NE-12	8/5/2019	456.6	0.01		UMHOS/CM
Specific conductance (field)	NE-12	1/13/2020	393.4	0		UMHOS/CM
Specific conductance (field)	NE-12	7/7/2020	422.9	0		UMHOS/CM
Specific conductance (field)	NE-12	7/7/2020	422.9	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-12	7/12/2022	492	0		UMHOS/CM
Specific conductance (field)	NE-12	1/6/2023	521	0		UMHOS/CM
Specific conductance (field)	NE-13	2/5/2019	76.3	0		UMHOS/CM
Specific conductance (field)	NE-13	7/11/2019	63	0		UMHOS/CM
Specific conductance (field)	NE-13	8/7/2019	116.8	0.01		UMHOS/CM
Specific conductance (field)	NE-13	1/15/2020	89.3	0		UMHOS/CM
Specific conductance (field)	NE-13	7/8/2020	178.4	0		UMHOS/CM
Specific conductance (field)	NE-13	7/8/2020	178.4	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/2/2019	490.3	0.01		UMHOS/CM
Specific conductance (field)	NE-14D	4/3/2020	433.9	0.1		UMHOS/CM
Specific conductance (field)	NE-14D	7/7/2020	507.2	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/7/2020	507.2	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/6/2020	435.1	0.01		UMHOS/CM
Specific conductance (field)	NE-14D	1/17/2021	388	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/9/2021	567	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/2/2021	581	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/2/2021	581	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/7/2021	571	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/18/2022	592	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/18/2022	592	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/6/2022	621	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/13/2022	598	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/7/2022	674	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/6/2023	593	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/6/2023	679	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/2/2019	363.4	0.01		UMHOS/CM
Specific conductance (field)	NE-14S	4/3/2020	223.3	0.1		UMHOS/CM
Specific conductance (field)	NE-14S	7/7/2020	323.2	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/7/2020	323.2	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/6/2020	412.5	0.01		UMHOS/CM
Specific conductance (field)	NE-14S	1/17/2021	303	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/9/2021	436	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/2/2021	371	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/2/2021	371	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/7/2021	527	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/18/2022	451	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/18/2022	451	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/6/2022	385	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/13/2022	415	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/7/2022	611	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/6/2023	526	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/6/2023	407	0		UMHOS/CM
Specific conductance (field)	NE-15D	9/30/2019	559.9	0.01		UMHOS/CM
Specific conductance (field)	NE-15D	4/3/2020	473.5	0.1		UMHOS/CM
Specific conductance (field)	NE-15D	7/7/2020	552.2	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/7/2020	552.2	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/6/2020	455.6	0.01		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2021	394	0		UMHOS/CM
Specific conductance (field)	NE-15D	4/9/2021	582	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/2/2021	597	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/2/2021	597	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/7/2021	569	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2022	590	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2022	590	0		UMHOS/CM
Specific conductance (field)	NE-15D	4/6/2022	618	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/13/2022	610	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/7/2022	657	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/6/2023	580	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-15D	4/6/2023	669	0		UMHOS/CM
Specific conductance (field)	NE-15S	4/3/2020	528.4	0.1		UMHOS/CM
Specific conductance (field)	NE-2	10/2/2002	424	0		UMHOS/CM
Specific conductance (field)	NE-2	4/24/2007	1029	0		UMHOS/CM
Specific conductance (field)	NE-2	4/26/2007	1029	0		UMHOS/CM
Specific conductance (field)	NE-2	12/19/2008	503	1		UMHOS/CM
Specific conductance (field)	NE-2	10/26/2009	468	1		UMHOS/CM
Specific conductance (field)	NE-2	9/2/2010	587	0		UMHOS/CM
Specific conductance (field)	NE-2	9/30/2010	460	0		UMHOS/CM
Specific conductance (field)	NE-2	4/5/2012	423	0		UMHOS/CM
Specific conductance (field)	NE-2	10/1/2013	607	0		UMHOS/CM
Specific conductance (field)	NE-2	10/8/2014	602	0		UMHOS/CM
Specific conductance (field)	NE-2	10/5/2015	871	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2016	408	0		UMHOS/CM
Specific conductance (field)	NE-2	10/5/2017	560	0		UMHOS/CM
Specific conductance (field)	NE-2	1/25/2018	487.2	0.1		UMHOS/CM
Specific conductance (field)	NE-2	4/10/2018	369.3	0.1		UMHOS/CM
Specific conductance (field)	NE-2	7/10/2018	472.1	0.1		UMHOS/CM
Specific conductance (field)	NE-2	10/1/2018	642	0		UMHOS/CM
Specific conductance (field)	NE-2	1/4/2019	424	0.1		UMHOS/CM
Specific conductance (field)	NE-2	4/2/2019	580.2	0.01		UMHOS/CM
Specific conductance (field)	NE-2	7/9/2019	471.3	0		UMHOS/CM
Specific conductance (field)	NE-2	7/9/2019	471.3	0		UMHOS/CM
Specific conductance (field)	NE-2	10/2/2019	386.3	0.01		UMHOS/CM
Specific conductance (field)	NE-2	4/1/2020	343.9	0.1		UMHOS/CM
Specific conductance (field)	NE-2	7/7/2020	564.2	0		UMHOS/CM
Specific conductance (field)	NE-2	7/7/2020	564.2	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2020	358.2	0.01		UMHOS/CM
Specific conductance (field)	NE-2	1/14/2021	374	0		UMHOS/CM
Specific conductance (field)	NE-2	4/9/2021	488	0		UMHOS/CM
Specific conductance (field)	NE-2	7/2/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-2	7/2/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2021	454	0		UMHOS/CM
Specific conductance (field)	NE-2	1/18/2022	472	0		UMHOS/CM
Specific conductance (field)	NE-2	1/18/2022	472	0		UMHOS/CM
Specific conductance (field)	NE-2	4/6/2022	450	0		UMHOS/CM
Specific conductance (field)	NE-2	7/13/2022	483	0		UMHOS/CM
Specific conductance (field)	NE-2	10/7/2022	551	0		UMHOS/CM
Specific conductance (field)	NE-2	1/5/2023	675	0		UMHOS/CM
Specific conductance (field)	NE-2	4/5/2023	540	0		UMHOS/CM
Specific conductance (field)	NE-3	10/2/2002	889	0		UMHOS/CM
Specific conductance (field)	NE-3	4/24/2007	560	0		UMHOS/CM
Specific conductance (field)	NE-3	4/26/2007	560	0		UMHOS/CM
Specific conductance (field)	NE-3	9/2/2010	295	0		UMHOS/CM
Specific conductance (field)	NE-3	3/21/2018	279.6	0.1		UMHOS/CM
Specific conductance (field)	NE-4	10/3/2002	783	0		UMHOS/CM
Specific conductance (field)	NE-4	7/18/2006	351	0		UMHOS/CM
Specific conductance (field)	NE-4	7/18/2006	351	0		UMHOS/CM
Specific conductance (field)	NE-4	7/31/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	8/1/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	8/1/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	10/24/2006	573	0		UMHOS/CM
Specific conductance (field)	NE-4	10/24/2006	573	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2007	540	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2007	540	0		UMHOS/CM
Specific conductance (field)	NE-4	2/24/2007	1107	0		UMHOS/CM
Specific conductance (field)	NE-4	4/26/2007	1107	0		UMHOS/CM
Specific conductance (field)	NE-4	7/10/2007	749	0		UMHOS/CM
Specific conductance (field)	NE-4	7/12/2007	749	0		UMHOS/CM
Specific conductance (field)	NE-4	1/24/2008	690	0		UMHOS/CM
Specific conductance (field)	NE-4	7/21/2008	415	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-4	2/7/2009	720	1		UMHOS/CM
Specific conductance (field)	NE-4	7/31/2009	638	1		UMHOS/CM
Specific conductance (field)	NE-4	1/26/2010	642	1		UMHOS/CM
Specific conductance (field)	NE-4	7/14/2010	512	0		UMHOS/CM
Specific conductance (field)	NE-4	1/19/2011	687	0		UMHOS/CM
Specific conductance (field)	NE-4	7/13/2011	479	0		UMHOS/CM
Specific conductance (field)	NE-4	1/5/2012	648	0		UMHOS/CM
Specific conductance (field)	NE-4	7/10/2012	674	0		UMHOS/CM
Specific conductance (field)	NE-4	4/30/2013	693	0		UMHOS/CM
Specific conductance (field)	NE-4	7/16/2013	656	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2014	631	0		UMHOS/CM
Specific conductance (field)	NE-4	7/9/2014	603	0		UMHOS/CM
Specific conductance (field)	NE-4	2/13/2015	672	0		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2015	1459	0		UMHOS/CM
Specific conductance (field)	NE-4	1/6/2016	241	0		UMHOS/CM
Specific conductance (field)	NE-4	7/20/2016	469	0		UMHOS/CM
Specific conductance (field)	NE-4	1/11/2017	512	0		UMHOS/CM
Specific conductance (field)	NE-4	7/19/2017	535	0		UMHOS/CM
Specific conductance (field)	NE-4	1/26/2018	506.6	0.1		UMHOS/CM
Specific conductance (field)	NE-4	4/10/2018	502.8	0.1		UMHOS/CM
Specific conductance (field)	NE-4	7/12/2018	409.9	0.1		UMHOS/CM
Specific conductance (field)	NE-4	10/3/2018	437	0		UMHOS/CM
Specific conductance (field)	NE-4	1/7/2019	541.1	0.1		UMHOS/CM
Specific conductance (field)	NE-4	4/2/2019	501.5	0.01		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2019	292	0		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2019	292	0		UMHOS/CM
Specific conductance (field)	NE-4	10/1/2019	403.5	0.01		UMHOS/CM
Specific conductance (field)	NE-4	4/1/2020	246.8	0.1		UMHOS/CM
Specific conductance (field)	NE-4	7/6/2020	308.7	0		UMHOS/CM
Specific conductance (field)	NE-4	7/6/2020	308.7	0		UMHOS/CM
Specific conductance (field)	NE-4	10/5/2020	444.7	0.01		UMHOS/CM
Specific conductance (field)	NE-4	1/15/2021	380	0		UMHOS/CM
Specific conductance (field)	NE-4	4/9/2021	569	0		UMHOS/CM
Specific conductance (field)	NE-4	7/2/2021	339	0		UMHOS/CM
Specific conductance (field)	NE-4	7/2/2021	339	0		UMHOS/CM
Specific conductance (field)	NE-4	10/6/2021	439	0		UMHOS/CM
Specific conductance (field)	NE-4	1/5/2023	635	0		UMHOS/CM
Specific conductance (field)	NE-4	4/6/2023	640	0		UMHOS/CM
Specific conductance (field)	NE-5	10/2/2002	753	0		UMHOS/CM
Specific conductance (field)	NE-5	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	NE-5	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	NE-5	10/24/2006	513	0		UMHOS/CM
Specific conductance (field)	NE-5	10/24/2006	513	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2007	676	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2007	676	0		UMHOS/CM
Specific conductance (field)	NE-5	2/24/2007	1004	0		UMHOS/CM
Specific conductance (field)	NE-5	4/26/2007	1004	0		UMHOS/CM
Specific conductance (field)	NE-5	7/10/2007	678	0		UMHOS/CM
Specific conductance (field)	NE-5	7/12/2007	678	0		UMHOS/CM
Specific conductance (field)	NE-5	1/25/2008	675	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	712	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	732	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	733	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	685	0		UMHOS/CM
Specific conductance (field)	NE-5	7/22/2008	466	1		UMHOS/CM
Specific conductance (field)	NE-5	2/6/2009	665	1		UMHOS/CM
Specific conductance (field)	NE-5	7/31/2009	676	1		UMHOS/CM
Specific conductance (field)	NE-5	1/26/2010	611	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-5	7/16/2010	693	0		UMHOS/CM
Specific conductance (field)	NE-5	9/2/2010	749	0		UMHOS/CM
Specific conductance (field)	NE-5	1/19/2011	638	0		UMHOS/CM
Specific conductance (field)	NE-5	7/13/2011	663	0		UMHOS/CM
Specific conductance (field)	NE-5	1/5/2012	668	0		UMHOS/CM
Specific conductance (field)	NE-5	7/10/2012	663	0		UMHOS/CM
Specific conductance (field)	NE-5	4/30/2013	704	0		UMHOS/CM
Specific conductance (field)	NE-5	7/16/2013	680	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2014	677	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2014	662	0		UMHOS/CM
Specific conductance (field)	NE-5	2/11/2015	711	0		UMHOS/CM
Specific conductance (field)	NE-5	7/14/2015	1276	0		UMHOS/CM
Specific conductance (field)	NE-5	1/6/2016	643	0		UMHOS/CM
Specific conductance (field)	NE-5	2/11/2016	665	0		UMHOS/CM
Specific conductance (field)	NE-5	7/20/2016	559	0		UMHOS/CM
Specific conductance (field)	NE-5	1/11/2017	550	0		UMHOS/CM
Specific conductance (field)	NE-5	7/19/2017	621	0		UMHOS/CM
Specific conductance (field)	NE-5	1/25/2018	547.7	0.1		UMHOS/CM
Specific conductance (field)	NE-5	4/10/2018	643	0.1		UMHOS/CM
Specific conductance (field)	NE-5	7/17/2018	635	0.1		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2018	652	0		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2018	652	0.1		UMHOS/CM
Specific conductance (field)	NE-5	1/4/2019	580	0.1		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2019	679	0.01		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2019	679	0.01		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2019	595	0.01		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2020	498.4	0.1		UMHOS/CM
Specific conductance (field)	NE-5	7/8/2020	570	0		UMHOS/CM
Specific conductance (field)	NE-5	7/8/2020	570	0		UMHOS/CM
Specific conductance (field)	NE-5	10/6/2020	462.6	0.01		UMHOS/CM
Specific conductance (field)	NE-5	1/15/2021	468	0		UMHOS/CM
Specific conductance (field)	NE-5	4/9/2021	631	0		UMHOS/CM
Specific conductance (field)	NE-5	7/2/2021	613	0		UMHOS/CM
Specific conductance (field)	NE-5	7/2/2021	613	0		UMHOS/CM
Specific conductance (field)	NE-5	10/6/2021	568	0		UMHOS/CM
Specific conductance (field)	NE-5	1/18/2022	629	0		UMHOS/CM
Specific conductance (field)	NE-5	1/18/2022	629	0		UMHOS/CM
Specific conductance (field)	NE-5	4/6/2022	641	0		UMHOS/CM
Specific conductance (field)	NE-5	7/13/2022	617	0		UMHOS/CM
Specific conductance (field)	NE-5	10/7/2022	687	0		UMHOS/CM
Specific conductance (field)	NE-5	1/5/2023	728	0		UMHOS/CM
Specific conductance (field)	NE-5	4/7/2023	747	0		UMHOS/CM
Specific conductance (field)	NE-5E	9/30/2019	580	0.01		UMHOS/CM
Specific conductance (field)	NE-5E	4/1/2020	425	0.1		UMHOS/CM
Specific conductance (field)	NE-5E	7/8/2020	489.5	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/8/2020	489.5	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/6/2020	399.8	0.01		UMHOS/CM
Specific conductance (field)	NE-5E	1/15/2021	407	0		UMHOS/CM
Specific conductance (field)	NE-5E	4/9/2021	496	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/2/2021	504	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/2/2021	504	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/6/2021	509	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/18/2022	500	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/18/2022	500	0		UMHOS/CM
Specific conductance (field)	NE-5E	4/6/2022	547	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/13/2022	681	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/7/2022	793	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/5/2023	742	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-5E	4/7/2023	744	0		UMHOS/CM
Specific conductance (field)	NE-5W	9/30/2019	650	0.01		UMHOS/CM
Specific conductance (field)	NE-5W	4/2/2020	557	0.1		UMHOS/CM
Specific conductance (field)	NE-5W	7/8/2020	672	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/8/2020	672	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/6/2020	536.6	0.01		UMHOS/CM
Specific conductance (field)	NE-5W	1/15/2021	456	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/9/2021	644	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/2/2021	673	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/2/2021	673	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/6/2021	659	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/18/2022	660	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/18/2022	660	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/6/2022	698	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/13/2022	686	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/7/2022	786	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/5/2023	758	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/7/2023	740	0		UMHOS/CM
Specific conductance (field)	NE-6	1/12/2017	580	0		UMHOS/CM
Specific conductance (field)	NE-6	4/5/2017	608	0		UMHOS/CM
Specific conductance (field)	NE-6	7/19/2017	563	0		UMHOS/CM
Specific conductance (field)	NE-6	10/6/2017	633	0		UMHOS/CM
Specific conductance (field)	NE-6	2/4/2019	582.3	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2019	636	0		UMHOS/CM
Specific conductance (field)	NE-6	8/6/2019	617	0.01		UMHOS/CM
Specific conductance (field)	NE-6	1/15/2020	539.7	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2020	604	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2020	6040	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	7/12/2022	669	0		UMHOS/CM
Specific conductance (field)	NE-6	1/5/2023	721	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/2/2019	697	0.01		UMHOS/CM
Specific conductance (field)	NE-6D	4/2/2020	565.7	0.1		UMHOS/CM
Specific conductance (field)	NE-6D	7/9/2020	618	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/9/2020	618	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2020	553	0.01		UMHOS/CM
Specific conductance (field)	NE-6D	1/15/2021	509	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/9/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/2/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/2/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/17/2022	638	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/17/2022	638	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/6/2022	664	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/12/2022	711	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2022	718	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/5/2023	718	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/7/2023	709	0		UMHOS/CM
Specific conductance (field)	NE-7	3/1/2017	554	0		UMHOS/CM
Specific conductance (field)	NE-7	4/6/2017	272	0		UMHOS/CM
Specific conductance (field)	NE-7	7/20/2017	359	0		UMHOS/CM
Specific conductance (field)	NE-7	10/5/2017	387	0		UMHOS/CM
Specific conductance (field)	NE-7	2/6/2019	371	0		UMHOS/CM
Specific conductance (field)	NE-7	7/10/2019	380	0		UMHOS/CM
Specific conductance (field)	NE-7	8/6/2019	307.4	0.01		UMHOS/CM
Specific conductance (field)	NE-7	1/16/2020	285.4	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-7	7/7/2020	279.1	0		UMHOS/CM
Specific conductance (field)	NE-7	7/7/2020	279.1	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	7/12/2022	350	0		UMHOS/CM
Specific conductance (field)	NE-7	1/5/2023	438	0		UMHOS/CM
Specific conductance (field)	NE-8	1/12/2017	351	0		UMHOS/CM
Specific conductance (field)	NE-8	4/5/2017	404	0		UMHOS/CM
Specific conductance (field)	NE-8	7/20/2017	485	0		UMHOS/CM
Specific conductance (field)	NE-8	10/6/2017	613	0		UMHOS/CM
Specific conductance (field)	NE-8	2/4/2019	425.5	0		UMHOS/CM
Specific conductance (field)	NE-8	7/11/2019	537	0		UMHOS/CM
Specific conductance (field)	NE-8	8/5/2019	571	0.01		UMHOS/CM
Specific conductance (field)	NE-8	1/15/2020	500.2	0		UMHOS/CM
Specific conductance (field)	NE-8	7/8/2020	565.3	0		UMHOS/CM
Specific conductance (field)	NE-8	7/8/2020	565.3	0		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2020	415.6	0.01		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2020	415.6	0.01		UMHOS/CM
Specific conductance (field)	NE-8	4/9/2021	615	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2021	678	0		UMHOS/CM
Specific conductance (field)	NE-8	1/6/2023	578	0		UMHOS/CM
Specific conductance (field)	NE-9	1/12/2017	400	0		UMHOS/CM
Specific conductance (field)	NE-9	4/5/2017	390	0		UMHOS/CM
Specific conductance (field)	NE-9	7/20/2017	371	0		UMHOS/CM
Specific conductance (field)	NE-9	10/5/2017	429	0		UMHOS/CM
Specific conductance (field)	NE-9	2/5/2019	442.4	0		UMHOS/CM
Specific conductance (field)	NE-9	7/8/2019	569.7	0		UMHOS/CM
Specific conductance (field)	NE-9	8/7/2019	494.3	0.01		UMHOS/CM
Specific conductance (field)	NE-9	1/15/2020	381.8	0		UMHOS/CM
Specific conductance (field)	NE-9	7/7/2020	399.9	0		UMHOS/CM
Specific conductance (field)	NE-9	7/7/2020	399.9	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/13/2022	637	0		UMHOS/CM
Specific conductance (field)	NE-9	1/6/2023	632	0		UMHOS/CM
Specific conductance (field)	NE-9	4/8/2023	689	0		UMHOS/CM
Styrene	LGW-10	1/26/2006	1	1	ND	ug/L
Styrene	LGW-10	8/1/2006	1	1	ND	ug/L
Styrene	LGW-10	8/1/2006	1	1	ND	ug/L
Styrene	LGW-10	10/26/2006	1	1	ND	ug/L
Styrene	LGW-10	1/25/2007	1	1	ND	ug/L
Styrene	LGW-10	4/26/2007	1	1	ND	ug/L
Styrene	LGW-10	7/12/2007	1	1	ND	ug/L
Styrene	LGW-10	1/23/2008	1	1	ND	ug/L
Styrene	LGW-10	7/22/2008	1	1	ND	ug/L
Styrene	LGW-10	7/29/2009	1	1	ND	ug/L
Styrene	LGW-10	2/3/2010	1	1	ND	ug/L
Styrene	LGW-10	2/3/2010	1	1	ND	ug/L
Styrene	LGW-10	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-10	1/19/2011	1	1	ND	ug/L
Styrene	LGW-10	7/12/2011	1	1	ND	ug/L
Styrene	LGW-10	1/5/2012	1	1	ND	ug/L
Styrene	LGW-10	7/9/2012	1	1	ND	ug/L
Styrene	LGW-10	5/1/2013	1	1	ND	ug/L
Styrene	LGW-10	1/30/2014	1	1	ND	ug/L
Styrene	LGW-10	7/9/2014	1	1	ND	ug/L
Styrene	LGW-10	2/12/2015	1	1	ND	ug/L
Styrene	LGW-10	7/13/2015	1	1	ND	ug/L
Styrene	LGW-10	1/5/2016	1	1	ND	ug/L
Styrene	LGW-10	4/6/2016	1	1	ND	ug/L
Styrene	LGW-10	7/21/2016	1	1	ND	ug/L
Styrene	LGW-10	10/6/2016	1	1	ND	ug/L
Styrene	LGW-10	1/11/2017	1	1	ND	ug/L
Styrene	LGW-10	4/4/2017	1	1	ND	ug/L
Styrene	LGW-10	7/19/2017	1	1	ND	ug/L
Styrene	LGW-10	10/9/2017	1	1	ND	ug/L
Styrene	LGW-10	1/24/2018	1	1	ND	ug/L
Styrene	LGW-10	4/11/2018	1	1	ND	ug/L
Styrene	LGW-10	7/16/2018	1	1	ND	ug/L
Styrene	LGW-10	10/4/2018	1	1	ND	ug/L
Styrene	LGW-10	1/4/2019	1	1	ND	ug/L
Styrene	LGW-10	4/3/2019	1	1	ND	ug/L
Styrene	LGW-10	7/11/2019	1	1	ND	ug/L
Styrene	LGW-10	10/2/2019	1	1	ND	ug/L
Styrene	LGW-10	1/15/2020	1	1	ND	ug/L
Styrene	LGW-10	4/2/2020	1	1	ND	ug/L
Styrene	LGW-10	7/9/2020	1	1	ND	ug/L
Styrene	LGW-10	10/7/2020	1	1	ND	ug/L
Styrene	LGW-10	1/17/2021	1	1	ND	ug/L
Styrene	LGW-10	4/6/2021	1	1	ND	ug/L
Styrene	LGW-10	7/7/2021	1	1	ND	ug/L
Styrene	LGW-10	10/5/2021	1	1	ND	ug/L
Styrene	LGW-10	1/13/2022	1	1	ND	ug/L
Styrene	LGW-10	4/4/2022	1	1	ND	ug/L
Styrene	LGW-10	7/11/2022	1	1	ND	ug/L
Styrene	LGW-10	10/7/2022	1	1	ND	ug/L
Styrene	LGW-10	1/11/2023	1	1	ND	ug/L
Styrene	LGW-10	4/5/2023	1	1	ND	ug/L
Styrene	LGW-14R	1/25/2006	1	1	ND	ug/L
Styrene	LGW-14R	8/2/2006	1	1	ND	ug/L
Styrene	LGW-14R	8/2/2006	1	1	ND	ug/L
Styrene	LGW-14R	10/27/2006	1	1	ND	ug/L
Styrene	LGW-14R	1/24/2007	1	1	ND	ug/L
Styrene	LGW-14R	4/24/2007	1	1	ND	ug/L
Styrene	LGW-14R	7/11/2007	1	1	ND	ug/L
Styrene	LGW-14R	1/23/2008	1	1	ND	ug/L
Styrene	LGW-14R	7/22/2008	1	1	ND	ug/L
Styrene	LGW-14R	2/6/2009	1	1	ND	ug/L
Styrene	LGW-14R	7/29/2009	1	1	ND	ug/L
Styrene	LGW-14R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-14R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-14R	7/12/2010	1	1	ND	ug/L
Styrene	LGW-14R	1/19/2011	1	1	ND	ug/L
Styrene	LGW-14R	7/12/2011	1	1	ND	ug/L
Styrene	LGW-14R	1/5/2012	1	1	ND	ug/L
Styrene	LGW-14R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-14R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-14R	1/23/2014	1	1	ND	ug/L
Styrene	LGW-14R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-14R	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-14R	7/22/2015	1	1	ND	ug/L
Styrene	LGW-14R	1/5/2016	1	1	ND	ug/L
Styrene	LGW-14R	7/19/2016	1	1	ND	ug/L
Styrene	LGW-14R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-14R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-14R	1/25/2018	1	1	ND	ug/L
Styrene	LGW-14R	7/17/2018	1	1	ND	ug/L
Styrene	LGW-14R	1/3/2019	1	1	ND	ug/L
Styrene	LGW-14R	7/10/2019	1	1	ND	ug/L
Styrene	LGW-14R	1/16/2020	1	1	ND	ug/L
Styrene	LGW-14R	7/9/2020	1	1	ND	ug/L
Styrene	LGW-14R	1/18/2021	1	1	ND	ug/L
Styrene	LGW-14R	7/7/2021	1	1	ND	ug/L
Styrene	LGW-14R	1/12/2022	1	1	ND	ug/L
Styrene	LGW-14R	7/11/2022	1	1	ND	ug/L
Styrene	LGW-14R	1/10/2023	1	1	ND	ug/L
Styrene	LGW-2	1/25/2006	1	1	ND	ug/L
Styrene	LGW-2	8/1/2006	1	1	ND	ug/L
Styrene	LGW-2	8/1/2006	1	1	ND	ug/L
Styrene	LGW-2	10/26/2006	1	1	ND	ug/L
Styrene	LGW-2	1/25/2007	1	1	ND	ug/L
Styrene	LGW-2	4/26/2007	1	1	ND	ug/L
Styrene	LGW-2	7/10/2007	1	1	ND	ug/L
Styrene	LGW-2	1/26/2008	1	1	ND	ug/L
Styrene	LGW-2	7/23/2008	1	1	ND	ug/L
Styrene	LGW-2	2/6/2009	1	1	ND	ug/L
Styrene	LGW-2	7/30/2009	1	1	ND	ug/L
Styrene	LGW-2	2/3/2010	1	1	ND	ug/L
Styrene	LGW-2	2/3/2010	1	1	ND	ug/L
Styrene	LGW-2	7/12/2010	1	1	ND	ug/L
Styrene	LGW-2	1/19/2011	1	1	ND	ug/L
Styrene	LGW-2	7/13/2011	1	1	ND	ug/L
Styrene	LGW-2	1/4/2012	1	1	ND	ug/L
Styrene	LGW-2	7/9/2012	1	1	ND	ug/L
Styrene	LGW-2	4/30/2013	1	1	ND	ug/L
Styrene	LGW-2	7/15/2013	1	1	ND	ug/L
Styrene	LGW-2	1/30/2014	1	1	ND	ug/L
Styrene	LGW-2	7/8/2014	1	1	ND	ug/L
Styrene	LGW-2	2/13/2015	1	1	ND	ug/L
Styrene	LGW-2	7/8/2015	1	1	ND	ug/L
Styrene	LGW-2	1/5/2016	1	1	ND	ug/L
Styrene	LGW-2	7/19/2016	1	1	ND	ug/L
Styrene	LGW-2	1/11/2017	1	1	ND	ug/L
Styrene	LGW-2	7/18/2017	1	1	ND	ug/L
Styrene	LGW-2	1/23/2018	1	1	ND	ug/L
Styrene	LGW-2	7/12/2018	1	1	ND	ug/L
Styrene	LGW-2	1/3/2019	1	1	ND	ug/L
Styrene	LGW-2	7/9/2019	1	1	ND	ug/L
Styrene	LGW-2	1/13/2020	1	1	ND	ug/L
Styrene	LGW-2	4/1/2020	1	1	ND	ug/L
Styrene	LGW-2	7/8/2020	1	1	ND	ug/L
Styrene	LGW-2	1/18/2021	1	1	ND	ug/L
Styrene	LGW-2	7/4/2021	1	1	ND	ug/L
Styrene	LGW-2	1/12/2022	1	1	ND	ug/L
Styrene	LGW-2	7/10/2022	1	1	ND	ug/L
Styrene	LGW-2	1/10/2023	1	1	ND	ug/L
Styrene	LGW-3R	1/24/2006	1	1	ND	ug/L
Styrene	LGW-3R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-3R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-3R	10/26/2006	1	1	ND	ug/L
Styrene	LGW-3R	1/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-3R	4/26/2007	1	1	ND	ug/L
Styrene	LGW-3R	7/11/2007	1	1	ND	ug/L
Styrene	LGW-3R	1/26/2008	1	1	ND	ug/L
Styrene	LGW-3R	7/23/2008	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2009	1	1	ND	ug/L
Styrene	LGW-3R	7/31/2009	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-3R	7/16/2010	1	1	ND	ug/L
Styrene	LGW-3R	1/19/2011	1	1	ND	ug/L
Styrene	LGW-3R	7/13/2011	1	1	ND	ug/L
Styrene	LGW-3R	1/4/2012	1	1	ND	ug/L
Styrene	LGW-3R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-3R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-3R	7/15/2013	1	1	ND	ug/L
Styrene	LGW-3R	1/22/2014	1	1	ND	ug/L
Styrene	LGW-3R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-3R	2/10/2015	1	1	ND	ug/L
Styrene	LGW-3R	7/16/2015	1	1	ND	ug/L
Styrene	LGW-3R	1/8/2016	1	1	ND	ug/L
Styrene	LGW-3R	7/21/2016	1	1	ND	ug/L
Styrene	LGW-3R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-3R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-3R	1/23/2018	1	1	ND	ug/L
Styrene	LGW-3R	7/11/2018	1	1	ND	ug/L
Styrene	LGW-3R	1/3/2019	1	1	ND	ug/L
Styrene	LGW-3R	7/9/2019	1	1	ND	ug/L
Styrene	LGW-3R	1/14/2020	1	1	ND	ug/L
Styrene	LGW-3R	7/6/2020	1	1	ND	ug/L
Styrene	LGW-3R	1/18/2021	1	1	ND	ug/L
Styrene	LGW-3R	7/6/2021	1	1	ND	ug/L
Styrene	LGW-3R	1/12/2022	1	1	ND	ug/L
Styrene	LGW-3R	7/10/2022	1	1	ND	ug/L
Styrene	LGW-3R	1/10/2023	1	1	ND	ug/L
Styrene	LGW-4	1/24/2006	1	1	ND	ug/L
Styrene	LGW-4	7/20/2006	1	1	ND	ug/L
Styrene	LGW-4	7/20/2006	1	1	ND	ug/L
Styrene	LGW-4	10/26/2006	1	1	ND	ug/L
Styrene	LGW-4	1/25/2007	1	1	ND	ug/L
Styrene	LGW-4	4/26/2007	1	1	ND	ug/L
Styrene	LGW-4	7/11/2007	1	1	ND	ug/L
Styrene	LGW-4	1/22/2008	1	1	ND	ug/L
Styrene	LGW-4	7/23/2008	1	1	ND	ug/L
Styrene	LGW-4	2/3/2009	1	1	ND	ug/L
Styrene	LGW-4	7/31/2009	1	1	ND	ug/L
Styrene	LGW-4	2/3/2010	1	1	ND	ug/L
Styrene	LGW-4	2/3/2010	1	1	ND	ug/L
Styrene	LGW-4	7/16/2010	1	1	ND	ug/L
Styrene	LGW-4	1/19/2011	1	1	ND	ug/L
Styrene	LGW-4	7/13/2011	1	1	ND	ug/L
Styrene	LGW-4	1/4/2012	1	1	ND	ug/L
Styrene	LGW-4	7/9/2012	1	1	ND	ug/L
Styrene	LGW-4	4/30/2013	1	1	ND	ug/L
Styrene	LGW-4	7/15/2013	1	1	ND	ug/L
Styrene	LGW-4	1/23/2014	1	1	ND	ug/L
Styrene	LGW-4	7/8/2014	1	1	ND	ug/L
Styrene	LGW-4	2/11/2015	1	1	ND	ug/L
Styrene	LGW-4	7/8/2015	1	1	ND	ug/L
Styrene	LGW-4	1/5/2016	1	1	ND	ug/L
Styrene	LGW-4	7/19/2016	1	1	ND	ug/L
Styrene	LGW-4	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-4	7/18/2017	1	1	ND	ug/L
Styrene	LGW-4	1/23/2018	1	1	ND	ug/L
Styrene	LGW-4	7/11/2018	1	1	ND	ug/L
Styrene	LGW-4	1/3/2019	1	1	ND	ug/L
Styrene	LGW-4	7/9/2019	1	1	ND	ug/L
Styrene	LGW-4	1/14/2020	1	1	ND	ug/L
Styrene	LGW-4	7/6/2020	1	1	ND	ug/L
Styrene	LGW-4	1/18/2021	1	1	ND	ug/L
Styrene	LGW-4	7/7/2021	1	1	ND	ug/L
Styrene	LGW-4	1/12/2022	1	1	ND	ug/L
Styrene	LGW-4	7/11/2022	1	1	ND	ug/L
Styrene	LGW-4	1/10/2023	1	1	ND	ug/L
Styrene	LGW-5	1/25/2006	1	1	ND	ug/L
Styrene	LGW-5	8/1/2006	1	1	ND	ug/L
Styrene	LGW-5	8/1/2006	1	1	ND	ug/L
Styrene	LGW-5	10/26/2006	1	1	ND	ug/L
Styrene	LGW-5	1/25/2007	1	1	ND	ug/L
Styrene	LGW-5	4/26/2007	1	1	ND	ug/L
Styrene	LGW-5	7/11/2007	1	1	ND	ug/L
Styrene	LGW-5	1/23/2008	1	1	ND	ug/L
Styrene	LGW-5	7/23/2008	1	1	ND	ug/L
Styrene	LGW-5	2/4/2009	1	1	ND	ug/L
Styrene	LGW-5	7/29/2009	1	1	ND	ug/L
Styrene	LGW-5	2/3/2010	1	1	ND	ug/L
Styrene	LGW-5	2/3/2010	1	1	ND	ug/L
Styrene	LGW-5	7/12/2010	1	1	ND	ug/L
Styrene	LGW-5	1/19/2011	1	1	ND	ug/L
Styrene	LGW-5	7/12/2011	1	1	ND	ug/L
Styrene	LGW-5	1/5/2012	1	1	ND	ug/L
Styrene	LGW-5	7/9/2012	1	1	ND	ug/L
Styrene	LGW-5	4/30/2013	1	1	ND	ug/L
Styrene	LGW-5	7/15/2013	1	1	ND	ug/L
Styrene	LGW-5	1/23/2014	1	1	ND	ug/L
Styrene	LGW-5	7/8/2014	1	1	ND	ug/L
Styrene	LGW-5	2/10/2015	1	1	ND	ug/L
Styrene	LGW-5	7/8/2015	1	1	ND	ug/L
Styrene	LGW-5	1/5/2016	1	1	ND	ug/L
Styrene	LGW-5	7/19/2016	1	1	ND	ug/L
Styrene	LGW-5	1/11/2017	1	1	ND	ug/L
Styrene	LGW-5	7/18/2017	1	1	ND	ug/L
Styrene	LGW-5	1/23/2018	1	1	ND	ug/L
Styrene	LGW-5	7/12/2018	1	1	ND	ug/L
Styrene	LGW-5	1/3/2019	1	1	ND	ug/L
Styrene	LGW-5	7/9/2019	1	1	ND	ug/L
Styrene	LGW-5	1/14/2020	1	1	ND	ug/L
Styrene	LGW-5	7/6/2020	1	1	ND	ug/L
Styrene	LGW-5	1/18/2021	1	1	ND	ug/L
Styrene	LGW-5	4/6/2021	1	1	ND	ug/L
Styrene	LGW-5	7/7/2021	1	1	ND	ug/L
Styrene	LGW-5	10/5/2021	1	1	ND	ug/L
Styrene	LGW-5	1/12/2022	1	1	ND	ug/L
Styrene	LGW-5	4/4/2022	1	1	ND	ug/L
Styrene	LGW-5	7/11/2022	1	1	ND	ug/L
Styrene	LGW-5	10/6/2022	1	1	ND	ug/L
Styrene	LGW-5	1/10/2023	1	1	ND	ug/L
Styrene	LGW-6	1/24/2006	1	1	ND	ug/L
Styrene	LGW-6	7/20/2006	1	1	ND	ug/L
Styrene	LGW-6	7/20/2006	1	1	ND	ug/L
Styrene	LGW-6	10/26/2006	1	1	ND	ug/L
Styrene	LGW-6	1/24/2007	1	1	ND	ug/L
Styrene	LGW-6	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-6	7/11/2007	1	1	ND	ug/L
Styrene	LGW-6	1/23/2008	1	1	ND	ug/L
Styrene	LGW-6	7/23/2008	1	1	ND	ug/L
Styrene	LGW-6	2/5/2009	1	1	ND	ug/L
Styrene	LGW-6	7/29/2009	1	1	ND	ug/L
Styrene	LGW-6	2/3/2010	1	1	ND	ug/L
Styrene	LGW-6	2/3/2010	1	1	ND	ug/L
Styrene	LGW-6	7/12/2010	1	1	ND	ug/L
Styrene	LGW-6	1/19/2011	1	1	ND	ug/L
Styrene	LGW-6	7/12/2011	1	1	ND	ug/L
Styrene	LGW-6	1/5/2012	1	1	ND	ug/L
Styrene	LGW-6	7/9/2012	1	1	ND	ug/L
Styrene	LGW-6	4/30/2013	1	1	ND	ug/L
Styrene	LGW-6	7/15/2013	1	1	ND	ug/L
Styrene	LGW-6	1/23/2014	1	1	ND	ug/L
Styrene	LGW-6	7/8/2014	1	1	ND	ug/L
Styrene	LGW-6	2/10/2015	1	1	ND	ug/L
Styrene	LGW-6	7/22/2015	1	1	ND	ug/L
Styrene	LGW-6	1/5/2016	1	1	ND	ug/L
Styrene	LGW-6	7/19/2016	1	1	ND	ug/L
Styrene	LGW-6	10/6/2016	1	1	ND	ug/L
Styrene	LGW-6	1/11/2017	1	1	ND	ug/L
Styrene	LGW-6	5/5/2017	1	1	ND	ug/L
Styrene	LGW-6	7/18/2017	1	1	ND	ug/L
Styrene	LGW-6	10/5/2017	1	1	ND	ug/L
Styrene	LGW-6	1/23/2018	1	1	ND	ug/L
Styrene	LGW-6	4/10/2018	1	1	ND	ug/L
Styrene	LGW-6	7/17/2018	1	1	ND	ug/L
Styrene	LGW-6	10/2/2018	1	1	ND	ug/L
Styrene	LGW-6	1/7/2019	1	1	ND	ug/L
Styrene	LGW-6	4/3/2019	1	1	ND	ug/L
Styrene	LGW-6	7/10/2019	1	1	ND	ug/L
Styrene	LGW-6	10/3/2019	1	1	ND	ug/L
Styrene	LGW-6	1/16/2020	1	1	ND	ug/L
Styrene	LGW-6	4/2/2020	1	1	ND	ug/L
Styrene	LGW-6	7/9/2020	1	1	ND	ug/L
Styrene	LGW-6	10/6/2020	1	1	ND	ug/L
Styrene	LGW-6	1/18/2021	1	1	ND	ug/L
Styrene	LGW-6	4/6/2021	1	1	ND	ug/L
Styrene	LGW-6	7/7/2021	1	1	ND	ug/L
Styrene	LGW-6	10/5/2021	1	1	ND	ug/L
Styrene	LGW-6	1/12/2022	1	1	ND	ug/L
Styrene	LGW-6	4/4/2022	1	1	ND	ug/L
Styrene	LGW-6	7/11/2022	1	1	ND	ug/L
Styrene	LGW-6	10/6/2022	1	1	ND	ug/L
Styrene	LGW-6	1/10/2023	1	1	ND	ug/L
Styrene	LGW-6	4/6/2023	1	1	ND	ug/L
Styrene	LGW-7	1/25/2006	1	1	ND	ug/L
Styrene	LGW-7	8/1/2006	1	1	ND	ug/L
Styrene	LGW-7	8/1/2006	1	1	ND	ug/L
Styrene	LGW-7	10/26/2006	1	1	ND	ug/L
Styrene	LGW-7	1/24/2007	1	1	ND	ug/L
Styrene	LGW-7	4/26/2007	1	1	ND	ug/L
Styrene	LGW-7	7/12/2007	1	1	ND	ug/L
Styrene	LGW-7	7/22/2008	1	1	ND	ug/L
Styrene	LGW-7	2/4/2009	1	1	ND	ug/L
Styrene	LGW-7	7/31/2009	1	1	ND	ug/L
Styrene	LGW-7	1/27/2010	1	1	ND	ug/L
Styrene	LGW-7	7/12/2010	1	1	ND	ug/L
Styrene	LGW-7	1/20/2011	1	1	ND	ug/L
Styrene	LGW-7	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-7	1/5/2012	1	1	ND	ug/L
Styrene	LGW-7	7/10/2012	1	1	ND	ug/L
Styrene	LGW-7	4/30/2013	1	1	ND	ug/L
Styrene	LGW-7	7/15/2013	1	1	ND	ug/L
Styrene	LGW-7	1/23/2014	1	1	ND	ug/L
Styrene	LGW-7	7/8/2014	1	1	ND	ug/L
Styrene	LGW-7	2/11/2015	1	1	ND	ug/L
Styrene	LGW-7	7/22/2015	1	1	ND	ug/L
Styrene	LGW-7	1/5/2016	1	1	ND	ug/L
Styrene	LGW-7	4/6/2016	1	1	ND	ug/L
Styrene	LGW-7	7/20/2016	1	1	ND	ug/L
Styrene	LGW-7	10/6/2016	1	1	ND	ug/L
Styrene	LGW-7	1/11/2017	1	1	ND	ug/L
Styrene	LGW-7	4/4/2017	1	1	ND	ug/L
Styrene	LGW-7	7/18/2017	1	1	ND	ug/L
Styrene	LGW-7	10/5/2017	1	1	ND	ug/L
Styrene	LGW-7	1/24/2018	1	1	ND	ug/L
Styrene	LGW-7	4/11/2018	1	1	ND	ug/L
Styrene	LGW-7	7/12/2018	1	1	ND	ug/L
Styrene	LGW-7	10/2/2018	1	1	ND	ug/L
Styrene	LGW-7	1/7/2019	1	1	ND	ug/L
Styrene	LGW-7	4/3/2019	1	1	ND	ug/L
Styrene	LGW-7	7/10/2019	1	1	ND	ug/L
Styrene	LGW-7	10/3/2019	1	1	ND	ug/L
Styrene	LGW-7	1/15/2020	1	1	ND	ug/L
Styrene	LGW-7	7/9/2020	1	1	ND	ug/L
Styrene	LGW-7	1/18/2021	1	1	ND	ug/L
Styrene	LGW-7	7/7/2021	1	1	ND	ug/L
Styrene	LGW-7	10/5/2021	1	1	ND	ug/L
Styrene	LGW-7	1/13/2022	1	1	ND	ug/L
Styrene	LGW-7	7/11/2022	1	1	ND	ug/L
Styrene	LGW-7	1/11/2023	1	1	ND	ug/L
Styrene	LGW-8R	1/24/2006	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-8R	10/26/2006	1	1	ND	ug/L
Styrene	LGW-8R	1/24/2007	1	1	ND	ug/L
Styrene	LGW-8R	4/25/2007	1	1	ND	ug/L
Styrene	LGW-8R	7/12/2007	1	1	ND	ug/L
Styrene	LGW-8R	2/4/2009	1	1	ND	ug/L
Styrene	LGW-8R	7/29/2009	1	1	ND	ug/L
Styrene	LGW-8R	1/27/2010	1	1	ND	ug/L
Styrene	LGW-8R	7/14/2010	1	1	ND	ug/L
Styrene	LGW-8R	1/20/2011	1	1	ND	ug/L
Styrene	LGW-8R	7/12/2011	1	1	ND	ug/L
Styrene	LGW-8R	1/5/2012	1	1	ND	ug/L
Styrene	LGW-8R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-8R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-8R	7/15/2013	1	1	ND	ug/L
Styrene	LGW-8R	1/22/2014	1	1	ND	ug/L
Styrene	LGW-8R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-8R	2/11/2015	1	1	ND	ug/L
Styrene	LGW-8R	7/22/2015	1	1	ND	ug/L
Styrene	LGW-8R	1/5/2016	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2016	1	1	ND	ug/L
Styrene	LGW-8R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-8R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-8R	1/25/2018	1	1	ND	ug/L
Styrene	LGW-8R	7/13/2018	1	1	ND	ug/L
Styrene	LGW-8R	1/7/2019	1	1	ND	ug/L
Styrene	LGW-8R	7/8/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-8R	1/14/2020	1	1	ND	ug/L
Styrene	LGW-8R	7/7/2020	1	1	ND	ug/L
Styrene	LGW-8R	1/17/2021	1	1	ND	ug/L
Styrene	LGW-8R	7/7/2021	1	1	ND	ug/L
Styrene	LGW-8R	1/13/2022	1	1	ND	ug/L
Styrene	LGW-8R	7/11/2022	1	1	ND	ug/L
Styrene	LGW-8R	1/11/2023	1	1	ND	ug/L
Styrene	LGW-9	1/25/2006	1	1	ND	ug/L
Styrene	LGW-9	7/20/2006	1	1	ND	ug/L
Styrene	LGW-9	7/20/2006	1	1	ND	ug/L
Styrene	LGW-9	10/26/2006	1	1	ND	ug/L
Styrene	LGW-9	1/25/2007	1	1	ND	ug/L
Styrene	LGW-9	4/25/2007	1	1	ND	ug/L
Styrene	LGW-9	7/10/2007	1	1	ND	ug/L
Styrene	LGW-9	7/22/2008	1	1	ND	ug/L
Styrene	LGW-9	2/4/2009	1	1	ND	ug/L
Styrene	LGW-9	7/29/2009	1	1	ND	ug/L
Styrene	LGW-9	1/27/2010	1	1	ND	ug/L
Styrene	LGW-9	7/14/2010	1	1	ND	ug/L
Styrene	LGW-9	1/20/2011	1	1	ND	ug/L
Styrene	LGW-9	7/12/2011	1	1	ND	ug/L
Styrene	LGW-9	1/5/2012	1	1	ND	ug/L
Styrene	LGW-9	7/10/2012	1	1	ND	ug/L
Styrene	LGW-9	5/1/2013	1	1	ND	ug/L
Styrene	LGW-9	7/15/2013	1	1	ND	ug/L
Styrene	LGW-9	1/23/2014	1	1	ND	ug/L
Styrene	LGW-9	7/8/2014	1	1	ND	ug/L
Styrene	LGW-9	2/11/2015	1	1	ND	ug/L
Styrene	LGW-9	7/13/2015	1	1	ND	ug/L
Styrene	LGW-9	1/5/2016	1	1	ND	ug/L
Styrene	LGW-9	7/21/2016	1	1	ND	ug/L
Styrene	LGW-9	10/6/2016	1	1	ND	ug/L
Styrene	LGW-9	1/11/2017	1	1	ND	ug/L
Styrene	LGW-9	5/5/2017	1	1	ND	ug/L
Styrene	LGW-9	7/18/2017	1	1	ND	ug/L
Styrene	LGW-9	10/5/2017	1	1	ND	ug/L
Styrene	LGW-9	1/24/2018	1	1	ND	ug/L
Styrene	LGW-9	4/11/2018	1	1	ND	ug/L
Styrene	LGW-9	7/13/2018	1	1	ND	ug/L
Styrene	LGW-9	10/2/2018	1	1	ND	ug/L
Styrene	LGW-9	1/7/2019	1	1	ND	ug/L
Styrene	LGW-9	4/3/2019	1	1	ND	ug/L
Styrene	LGW-9	7/10/2019	1	1	ND	ug/L
Styrene	LGW-9	10/3/2019	1	1	ND	ug/L
Styrene	LGW-9	1/16/2020	1	1	ND	ug/L
Styrene	LGW-9	4/2/2020	1	1	ND	ug/L
Styrene	LGW-9	7/9/2020	1	1	ND	ug/L
Styrene	LGW-9	10/7/2020	1	1	ND	ug/L
Styrene	LGW-9	1/17/2021	1	1	ND	ug/L
Styrene	LGW-9	4/6/2021	1	1	ND	ug/L
Styrene	LGW-9	7/7/2021	1	1	ND	ug/L
Styrene	LGW-9	10/5/2021	1	1	ND	ug/L
Styrene	LGW-9	1/13/2022	1	1	ND	ug/L
Styrene	LGW-9	4/4/2022	1	1	ND	ug/L
Styrene	LGW-9	7/11/2022	1	1	ND	ug/L
Styrene	LGW-9	10/7/2022	1	1	ND	ug/L
Styrene	LGW-9	1/11/2023	1	1	ND	ug/L
Styrene	LGW-9	4/5/2023	1	1	ND	ug/L
Styrene	MW-10N	10/22/1997	10	10	ND	ug/L
Styrene	MW-10N	1/22/1998	10	10	ND	ug/L
Styrene	MW-10N	4/28/1998	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-10N	7/23/1998	10	10	ND	ug/L
Styrene	MW-10N	1/14/1999	10	10	ND	ug/L
Styrene	MW-10N	4/13/1999	10	10	ND	ug/L
Styrene	MW-10N	7/15/1999	10	10	ND	ug/L
Styrene	MW-10N	10/20/1999	10	10	ND	ug/L
Styrene	MW-10N	1/14/2000	10	10	ND	ug/L
Styrene	MW-10N	4/25/2000	10	10	ND	ug/L
Styrene	MW-10N	7/11/2000	1	1	ND	ug/L
Styrene	MW-10N	10/17/2000	1	1	ND	ug/L
Styrene	MW-10N	1/24/2001	1	1	ND	ug/L
Styrene	MW-10N	4/10/2001	1	1	ND	ug/L
Styrene	MW-10N	7/10/2002	1	1	ND	ug/L
Styrene	MW-10N	10/2/2002	1	1	ND	ug/L
Styrene	MW-10N	1/22/2003	1	1	ND	ug/L
Styrene	MW-10N	4/15/2003	1	1	ND	ug/L
Styrene	MW-10N	7/8/2003	1	1	ND	ug/L
Styrene	MW-10N	1/28/2004	1	1	ND	ug/L
Styrene	MW-10N	7/27/2004	1	1	ND	ug/L
Styrene	MW-10N	1/12/2005	1	1	ND	ug/L
Styrene	MW-10N	7/20/2005	1	1	ND	ug/L
Styrene	MW-10N	1/19/2006	1	1	ND	ug/L
Styrene	MW-10N	7/19/2006	1	1	ND	ug/L
Styrene	MW-10N	7/19/2006	1	1	ND	ug/L
Styrene	MW-10N	10/25/2006	1	1	ND	ug/L
Styrene	MW-10N	1/24/2007	1	1	ND	ug/L
Styrene	MW-10N	7/10/2007	1	1	ND	ug/L
Styrene	MW-10N	1/23/2008	1	1	ND	ug/L
Styrene	MW-10N	7/21/2008	1	1	ND	ug/L
Styrene	MW-10N	2/13/2009	1	1	ND	ug/L
Styrene	MW-10N	7/31/2009	1	1	ND	ug/L
Styrene	MW-10N	1/27/2010	1	1	ND	ug/L
Styrene	MW-10N	8/10/2010	1	1	ND	ug/L
Styrene	MW-10N	1/19/2011	1	1	ND	ug/L
Styrene	MW-10N	7/14/2011	1	1	ND	ug/L
Styrene	MW-10N	1/5/2012	1	1	ND	ug/L
Styrene	MW-10N	7/10/2012	1	1	ND	ug/L
Styrene	MW-10N	5/1/2013	1	1	ND	ug/L
Styrene	MW-10N	1/24/2014	1	1	ND	ug/L
Styrene	MW-10N	7/9/2014	1	1	ND	ug/L
Styrene	MW-10N	2/12/2015	1	1	ND	ug/L
Styrene	MW-10N	7/14/2015	1	1	ND	ug/L
Styrene	MW-10N	1/6/2016	1	1	ND	ug/L
Styrene	MW-10N	7/21/2016	1	1	ND	ug/L
Styrene	MW-10N	1/11/2017	1	1	ND	ug/L
Styrene	MW-10N	7/19/2017	1	1	ND	ug/L
Styrene	MW-10N	1/24/2018	1	1	ND	ug/L
Styrene	MW-10N	7/11/2018	1	1	ND	ug/L
Styrene	MW-10N	1/3/2019	1	1	ND	ug/L
Styrene	MW-10N	7/9/2019	1	1	ND	ug/L
Styrene	MW-10N	1/16/2020	1	1	ND	ug/L
Styrene	MW-10N	7/8/2020	1	1	ND	ug/L
Styrene	MW-10N	1/13/2021	1	1	ND	ug/L
Styrene	MW-10N	7/5/2021	1	1	ND	ug/L
Styrene	MW-10N	1/11/2023	1	1	ND	ug/L
Styrene	MW-11N	10/22/1997	10	10	ND	ug/L
Styrene	MW-11N	1/21/1998	10	10	ND	ug/L
Styrene	MW-11N	4/28/1998	10	10	ND	ug/L
Styrene	MW-11N	7/23/1998	10	10	ND	ug/L
Styrene	MW-11N	1/13/1999	10	10	ND	ug/L
Styrene	MW-11N	4/13/1999	10	10	ND	ug/L
Styrene	MW-11N	7/14/1999	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-11N	10/20/1999	10	10	ND	ug/L
Styrene	MW-11N	1/13/2000	10	10	ND	ug/L
Styrene	MW-11N	4/25/2000	10	10	ND	ug/L
Styrene	MW-11N	7/10/2000	1	1	ND	ug/L
Styrene	MW-11N	10/17/2000	1	1	ND	ug/L
Styrene	MW-11N	1/24/2001	1	1	ND	ug/L
Styrene	MW-11N	4/10/2001	1	1	ND	ug/L
Styrene	MW-11N	7/9/2002	1	1	ND	ug/L
Styrene	MW-11N	10/2/2002	1	1	ND	ug/L
Styrene	MW-11N	1/23/2003	1	1	ND	ug/L
Styrene	MW-11N	4/15/2003	1	1	ND	ug/L
Styrene	MW-11N	7/8/2003	1	1	ND	ug/L
Styrene	MW-11N	1/29/2004	1	1	ND	ug/L
Styrene	MW-11N	7/27/2004	1	1	ND	ug/L
Styrene	MW-11N	1/13/2005	1	1	ND	ug/L
Styrene	MW-11N	7/20/2005	1	1	ND	ug/L
Styrene	MW-11N	1/19/2006	1	1	ND	ug/L
Styrene	MW-11N	7/18/2006	1	1	ND	ug/L
Styrene	MW-11N	7/18/2006	1	1	ND	ug/L
Styrene	MW-11N	10/25/2006	1	1	ND	ug/L
Styrene	MW-11N	1/24/2007	1	1	ND	ug/L
Styrene	MW-11N	7/10/2007	1	1	ND	ug/L
Styrene	MW-11N	1/22/2008	1	1	ND	ug/L
Styrene	MW-11N	7/23/2008	1	1	ND	ug/L
Styrene	MW-11N	2/3/2009	1	1	ND	ug/L
Styrene	MW-11N	7/31/2009	1	1	ND	ug/L
Styrene	MW-11N	2/3/2010	1	1	ND	ug/L
Styrene	MW-11N	2/3/2010	1	1	ND	ug/L
Styrene	MW-11N	7/16/2010	1	1	ND	ug/L
Styrene	MW-11N	1/19/2011	1	1	ND	ug/L
Styrene	MW-11N	7/13/2011	1	1	ND	ug/L
Styrene	MW-11N	1/4/2012	1	1	ND	ug/L
Styrene	MW-11N	7/9/2012	1	1	ND	ug/L
Styrene	MW-11N	4/30/2013	1	1	ND	ug/L
Styrene	MW-11N	7/15/2013	1	1	ND	ug/L
Styrene	MW-11N	1/23/2014	1	1	ND	ug/L
Styrene	MW-11N	7/8/2014	1	1	ND	ug/L
Styrene	MW-11N	2/10/2015	1	1	ND	ug/L
Styrene	MW-11N	7/13/2015	1	1	ND	ug/L
Styrene	MW-11N	1/5/2016	1	1	ND	ug/L
Styrene	MW-11N	7/21/2016	1	1	ND	ug/L
Styrene	MW-11N	1/11/2017	1	1	ND	ug/L
Styrene	MW-11N	7/19/2017	1	1	ND	ug/L
Styrene	MW-11N	1/23/2018	1	1	ND	ug/L
Styrene	MW-11N	7/17/2018	1	1	ND	ug/L
Styrene	MW-11N	1/2/2019	1	1	ND	ug/L
Styrene	MW-11N	7/9/2019	1	1	ND	ug/L
Styrene	MW-11N	1/14/2020	1	1	ND	ug/L
Styrene	MW-11N	7/6/2020	1	1	ND	ug/L
Styrene	MW-11N	1/18/2021	1	1	ND	ug/L
Styrene	MW-11N	7/6/2021	1	1	ND	ug/L
Styrene	MW-11N	1/18/2022	1	1	ND	ug/L
Styrene	MW-11N	7/13/2022	1	1	ND	ug/L
Styrene	MW-11N	1/10/2023	1	1	ND	ug/L
Styrene	MW-15	6/5/2015	1	1	ND	ug/L
Styrene	MW-15	7/15/2015	1	1	ND	ug/L
Styrene	MW-15	8/5/2015	1	1	ND	ug/L
Styrene	MW-15	9/3/2015	1	1	ND	ug/L
Styrene	MW-15	1/7/2016	1	1	ND	ug/L
Styrene	MW-15	4/5/2016	1	1	ND	ug/L
Styrene	MW-15	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-15	10/6/2016	1	1	ND	ug/L
Styrene	MW-15	1/10/2017	1	1	ND	ug/L
Styrene	MW-15	7/18/2017	1	1	ND	ug/L
Styrene	MW-15	1/23/2018	1	1	ND	ug/L
Styrene	MW-15	7/10/2018	1	1	ND	ug/L
Styrene	MW-15	1/3/2019	1	1	ND	ug/L
Styrene	MW-15	7/9/2019	1	1	ND	ug/L
Styrene	MW-15	1/14/2020	1	1	ND	ug/L
Styrene	MW-15	8/3/2020	1	1	ND	ug/L
Styrene	MW-15	1/18/2021	1	1	ND	ug/L
Styrene	MW-15	7/4/2021	1	1	ND	ug/L
Styrene	MW-15	1/12/2022	1	1	ND	ug/L
Styrene	MW-15	7/10/2022	1	1	ND	ug/L
Styrene	MW-15	1/10/2023	1	1	ND	ug/L
Styrene	MW-16	6/5/2015	1	1	ND	ug/L
Styrene	MW-16	7/16/2015	1	1	ND	ug/L
Styrene	MW-16	8/5/2015	1	1	ND	ug/L
Styrene	MW-16	9/3/2015	1	1	ND	ug/L
Styrene	MW-16	1/8/2016	1	1	ND	ug/L
Styrene	MW-16	4/5/2016	1	1	ND	ug/L
Styrene	MW-16	7/21/2016	1	1	ND	ug/L
Styrene	MW-16	10/5/2016	1	1	ND	ug/L
Styrene	MW-16	1/10/2017	1	1	ND	ug/L
Styrene	MW-16	7/18/2017	1	1	ND	ug/L
Styrene	MW-16	1/23/2018	1	1	ND	ug/L
Styrene	MW-16	7/11/2018	1	1	ND	ug/L
Styrene	MW-16	1/2/2019	1	1	ND	ug/L
Styrene	MW-16	7/10/2019	1	1	ND	ug/L
Styrene	MW-16	1/14/2020	1	1	ND	ug/L
Styrene	MW-16	8/3/2020	1	1	ND	ug/L
Styrene	MW-16	1/18/2021	1	1	ND	ug/L
Styrene	MW-16	7/4/2021	1	1	ND	ug/L
Styrene	MW-16	1/12/2022	1	1	ND	ug/L
Styrene	MW-16	7/10/2022	1	1	ND	ug/L
Styrene	MW-16	1/10/2023	1	1	ND	ug/L
Styrene	MW-17	6/5/2015	1	1	ND	ug/L
Styrene	MW-17	7/15/2015	1	1	ND	ug/L
Styrene	MW-17	8/4/2015	1	1	ND	ug/L
Styrene	MW-17	9/2/2015	1	1	ND	ug/L
Styrene	MW-17	1/7/2016	1	1	ND	ug/L
Styrene	MW-17	4/5/2016	1	1	ND	ug/L
Styrene	MW-17	7/20/2016	1	1	ND	ug/L
Styrene	MW-17	10/6/2016	1	1	ND	ug/L
Styrene	MW-17	1/10/2017	1	1	ND	ug/L
Styrene	MW-17	7/18/2017	1	1	ND	ug/L
Styrene	MW-17	1/23/2018	1	1	ND	ug/L
Styrene	MW-17	7/10/2018	1	1	ND	ug/L
Styrene	MW-17	1/3/2019	1	1	ND	ug/L
Styrene	MW-17	7/11/2019	1	1	ND	ug/L
Styrene	MW-17	1/14/2020	1	1	ND	ug/L
Styrene	MW-17	8/3/2020	1	1	ND	ug/L
Styrene	MW-17	1/14/2021	1	1	ND	ug/L
Styrene	MW-17	7/4/2021	1	1	ND	ug/L
Styrene	MW-17	1/10/2023	1	1	ND	ug/L
Styrene	MW-19	6/5/2015	1	1	ND	ug/L
Styrene	MW-19	7/16/2015	1	1	ND	ug/L
Styrene	MW-19	8/5/2015	1	1	ND	ug/L
Styrene	MW-19	9/3/2015	1	1	ND	ug/L
Styrene	MW-19	1/7/2016	1	1	ND	ug/L
Styrene	MW-19	4/5/2016	1	1	ND	ug/L
Styrene	MW-19	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-19	10/5/2016	1	1	ND	ug/L
Styrene	MW-19	1/10/2017	1	1	ND	ug/L
Styrene	MW-19	7/18/2017	1	1	ND	ug/L
Styrene	MW-19	1/23/2018	1	1	ND	ug/L
Styrene	MW-19	7/13/2018	1	1	ND	ug/L
Styrene	MW-19	1/7/2019	1	1	ND	ug/L
Styrene	MW-19	7/11/2019	1	1	ND	ug/L
Styrene	MW-19	1/14/2020	1	1	ND	ug/L
Styrene	MW-19	8/3/2020	1	1	ND	ug/L
Styrene	MW-19	1/14/2021	1	1	ND	ug/L
Styrene	MW-19	7/4/2021	1	1	ND	ug/L
Styrene	MW-19	1/11/2023	1	1	ND	ug/L
Styrene	MW-1N	10/22/1997	10	10	ND	ug/L
Styrene	MW-1N	1/20/1998	10	10	ND	ug/L
Styrene	MW-1N	4/28/1998	10	10	ND	ug/L
Styrene	MW-1N	7/23/1998	10	10	ND	ug/L
Styrene	MW-1N	10/14/1998	10	10	ND	ug/L
Styrene	MW-1N	1/13/1999	10	10	ND	ug/L
Styrene	MW-1N	4/13/1999	10	10	ND	ug/L
Styrene	MW-1N	5/19/1999	10	10	ND	ug/L
Styrene	MW-1N	7/15/1999	10	10	ND	ug/L
Styrene	MW-1N	10/19/1999	10	10	ND	ug/L
Styrene	MW-1N	1/14/2000	10	10	ND	ug/L
Styrene	MW-1N	4/25/2000	10	10	ND	ug/L
Styrene	MW-1N	7/12/2000	1	1	ND	ug/L
Styrene	MW-1N	10/18/2000	1	1	ND	ug/L
Styrene	MW-1N	1/24/2001	1	1	ND	ug/L
Styrene	MW-1N	4/12/2001	1	1	ND	ug/L
Styrene	MW-1N	5/29/2002	10	10	ND	ug/L
Styrene	MW-1N	5/29/2002	1	1	ND	ug/L
Styrene	MW-1N	7/9/2002	1	1	ND	ug/L
Styrene	MW-1N	10/3/2002	1	1	ND	ug/L
Styrene	MW-1N	1/22/2003	1	1	ND	ug/L
Styrene	MW-1N	4/15/2003	1	1	ND	ug/L
Styrene	MW-1N	7/8/2003	1	1	ND	ug/L
Styrene	MW-1N	1/28/2004	1	1	ND	ug/L
Styrene	MW-1N	7/27/2004	1	1	ND	ug/L
Styrene	MW-1N	1/12/2005	1	1	ND	ug/L
Styrene	MW-1N	7/20/2005	1	1	ND	ug/L
Styrene	MW-1N	1/18/2006	1	1	ND	ug/L
Styrene	MW-1N	7/18/2006	1	1	ND	ug/L
Styrene	MW-1N	7/18/2006	1	1	ND	ug/L
Styrene	MW-1N	10/24/2006	1	1	ND	ug/L
Styrene	MW-1N	1/26/2007	1	1	ND	ug/L
Styrene	MW-1N	7/11/2007	1	1	ND	ug/L
Styrene	MW-1N	1/24/2008	1	1	ND	ug/L
Styrene	MW-1N	7/21/2008	1	1	ND	ug/L
Styrene	MW-1N	2/5/2009	1	1	ND	ug/L
Styrene	MW-1N	7/31/2009	1	1	ND	ug/L
Styrene	MW-1N	1/26/2010	1	1	ND	ug/L
Styrene	MW-1N	7/13/2010	1	1	ND	ug/L
Styrene	MW-1N	1/20/2011	1	1	ND	ug/L
Styrene	MW-1N	7/13/2011	1	1	ND	ug/L
Styrene	MW-1N	1/5/2012	1	1	ND	ug/L
Styrene	MW-1N	7/10/2012	1	1	ND	ug/L
Styrene	MW-1N	5/1/2013	1	1	ND	ug/L
Styrene	MW-1N	7/16/2013	1	1	ND	ug/L
Styrene	MW-1N	1/24/2014	1	1	ND	ug/L
Styrene	MW-1N	7/9/2014	1	1	ND	ug/L
Styrene	MW-1N	2/10/2015	1	1	ND	ug/L
Styrene	MW-1N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-1N	1/6/2016	1	1	ND	ug/L
Styrene	MW-1N	7/21/2016	1	1	ND	ug/L
Styrene	MW-1N	1/12/2017	1	1	ND	ug/L
Styrene	MW-1N	7/19/2017	1	1	ND	ug/L
Styrene	MW-1N	1/23/2018	1	1	ND	ug/L
Styrene	MW-1N	7/10/2018	1	1	ND	ug/L
Styrene	MW-1N	1/3/2019	1	1	ND	ug/L
Styrene	MW-1N	7/11/2019	1	1	ND	ug/L
Styrene	MW-1N	1/23/2020	1	1	ND	ug/L
Styrene	MW-1N	4/2/2020	1	1	ND	ug/L
Styrene	MW-1N	7/6/2020	1	1	ND	ug/L
Styrene	MW-1N	1/14/2021	1	1	ND	ug/L
Styrene	MW-1N	7/4/2021	1	1	ND	ug/L
Styrene	MW-1N	1/11/2023	1	1	ND	ug/L
Styrene	MW-20	6/5/2015	1	1	ND	ug/L
Styrene	MW-20	7/14/2015	1	1	ND	ug/L
Styrene	MW-20	8/4/2015	1	1	ND	ug/L
Styrene	MW-20	9/2/2015	1	1	ND	ug/L
Styrene	MW-20	1/7/2016	1	1	ND	ug/L
Styrene	MW-20	4/5/2016	1	1	ND	ug/L
Styrene	MW-20	7/20/2016	1	1	ND	ug/L
Styrene	MW-20	10/5/2016	1	1	ND	ug/L
Styrene	MW-20	1/12/2017	1	1	ND	ug/L
Styrene	MW-20	7/18/2017	1	1	ND	ug/L
Styrene	MW-20	1/26/2018	1	1	ND	ug/L
Styrene	MW-20	7/12/2018	1	1	ND	ug/L
Styrene	MW-20	7/11/2019	1	1	ND	ug/L
Styrene	MW-20	1/14/2020	1	1	ND	ug/L
Styrene	MW-20	7/7/2020	1	1	ND	ug/L
Styrene	MW-20	1/17/2021	1	1	ND	ug/L
Styrene	MW-20	7/4/2021	1	1	ND	ug/L
Styrene	MW-20	1/11/2023	1	1	ND	ug/L
Styrene	MW-21	6/5/2015	1	1	ND	ug/L
Styrene	MW-21	7/14/2015	1	1	ND	ug/L
Styrene	MW-21	8/4/2015	1	1	ND	ug/L
Styrene	MW-21	9/2/2015	1	1	ND	ug/L
Styrene	MW-21	1/7/2016	1	1	ND	ug/L
Styrene	MW-21	4/5/2016	1	1	ND	ug/L
Styrene	MW-21	7/20/2016	1	1	ND	ug/L
Styrene	MW-21	10/5/2016	1	1	ND	ug/L
Styrene	MW-21	10/5/2016	1	1	ND	ug/L
Styrene	MW-21	1/10/2017	1	1	ND	ug/L
Styrene	MW-21	4/5/2017	1	1	ND	ug/L
Styrene	MW-21	7/19/2017	1	1	ND	ug/L
Styrene	MW-21	10/6/2017	1	1	ND	ug/L
Styrene	MW-21	1/24/2018	1	1	ND	ug/L
Styrene	MW-21	4/11/2018	1	1	ND	ug/L
Styrene	MW-21	7/11/2018	1	1	ND	ug/L
Styrene	MW-21	10/4/2018	1	1	ND	ug/L
Styrene	MW-21	1/3/2019	1	1	ND	ug/L
Styrene	MW-21	4/3/2019	1	1	ND	ug/L
Styrene	MW-21	7/11/2019	1	1	ND	ug/L
Styrene	MW-21	10/2/2019	1	1	ND	ug/L
Styrene	MW-21	1/16/2020	1	1	ND	ug/L
Styrene	MW-21	4/2/2020	1	1	ND	ug/L
Styrene	MW-21	7/8/2020	1	1	ND	ug/L
Styrene	MW-21	10/7/2020	1	1	ND	ug/L
Styrene	MW-21	1/13/2021	1	1	ND	ug/L
Styrene	MW-21	4/6/2021	1	1	ND	ug/L
Styrene	MW-21	7/5/2021	1	1	ND	ug/L
Styrene	MW-21	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-21	1/11/2023	1	1	ND	ug/L
Styrene	MW-21	4/8/2023	1	1	ND	ug/L
Styrene	MW-2N	10/22/1997	10	10	ND	ug/L
Styrene	MW-2N	1/21/1998	10	10	ND	ug/L
Styrene	MW-2N	4/28/1998	10	10	ND	ug/L
Styrene	MW-2N	7/22/1998	10	10	ND	ug/L
Styrene	MW-2N	1/13/1999	10	10	ND	ug/L
Styrene	MW-2N	4/13/1999	10	10	ND	ug/L
Styrene	MW-2N	7/14/1999	10	10	ND	ug/L
Styrene	MW-2N	10/20/1999	10	10	ND	ug/L
Styrene	MW-2N	1/14/2000	10	10	ND	ug/L
Styrene	MW-2N	4/25/2000	10	10	ND	ug/L
Styrene	MW-2N	10/17/2000	1	1	ND	ug/L
Styrene	MW-2N	1/24/2001	1	1	ND	ug/L
Styrene	MW-2N	4/11/2001	1	1	ND	ug/L
Styrene	MW-2N	7/10/2002	1	1	ND	ug/L
Styrene	MW-2N	10/2/2002	1	1	ND	ug/L
Styrene	MW-2N	1/22/2003	1	1	ND	ug/L
Styrene	MW-2N	4/14/2003	1	1	ND	ug/L
Styrene	MW-2N	7/7/2003	1	1	ND	ug/L
Styrene	MW-2N	1/28/2004	1	1	ND	ug/L
Styrene	MW-2N	7/27/2004	1	1	ND	ug/L
Styrene	MW-2N	1/12/2005	1	1	ND	ug/L
Styrene	MW-2N	7/20/2005	1	1	ND	ug/L
Styrene	MW-2N	1/19/2006	1	1	ND	ug/L
Styrene	MW-2N	7/19/2006	1	1	ND	ug/L
Styrene	MW-2N	7/19/2006	1	1	ND	ug/L
Styrene	MW-2N	10/25/2006	1	1	ND	ug/L
Styrene	MW-2N	1/26/2007	1	1	ND	ug/L
Styrene	MW-2N	3/27/2007	1	1	ND	ug/L
Styrene	MW-2N	7/11/2007	1	1	ND	ug/L
Styrene	MW-2N	1/24/2008	1	1	ND	ug/L
Styrene	MW-2N	7/22/2008	1	1	ND	ug/L
Styrene	MW-2N	2/4/2009	1	1	ND	ug/L
Styrene	MW-2N	7/31/2009	1	1	ND	ug/L
Styrene	MW-2N	1/26/2010	1	1	ND	ug/L
Styrene	MW-2N	7/13/2010	1	1	ND	ug/L
Styrene	MW-2N	1/20/2011	1	1	ND	ug/L
Styrene	MW-2N	7/13/2011	1	1	ND	ug/L
Styrene	MW-2N	1/5/2012	1	1	ND	ug/L
Styrene	MW-2N	7/10/2012	1	1	ND	ug/L
Styrene	MW-2N	5/1/2013	1	1	ND	ug/L
Styrene	MW-2N	7/16/2013	1	1	ND	ug/L
Styrene	MW-2N	1/24/2014	1	1	ND	ug/L
Styrene	MW-2N	7/9/2014	1	1	ND	ug/L
Styrene	MW-2N	2/12/2015	1	1	ND	ug/L
Styrene	MW-2N	7/14/2015	1	1	ND	ug/L
Styrene	MW-2N	1/6/2016	1	1	ND	ug/L
Styrene	MW-2N	7/21/2016	1	1	ND	ug/L
Styrene	MW-2N	1/11/2017	1	1	ND	ug/L
Styrene	MW-2N	7/19/2017	1	1	ND	ug/L
Styrene	MW-2N	1/23/2018	1	1	ND	ug/L
Styrene	MW-2N	7/12/2018	1	1	ND	ug/L
Styrene	MW-2N	1/3/2019	1	1	ND	ug/L
Styrene	MW-2N	8/7/2019	1	1	ND	ug/L
Styrene	MW-2N	1/23/2020	1	1	ND	ug/L
Styrene	MW-2N	7/7/2020	1	1	ND	ug/L
Styrene	MW-2N	1/14/2021	1	1	ND	ug/L
Styrene	MW-2N	7/5/2021	1	1	ND	ug/L
Styrene	MW-2N	1/11/2023	1	1	ND	ug/L
Styrene	MW-3N	10/21/1997	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-3N	1/21/1998	10	10	ND	ug/L
Styrene	MW-3N	4/28/1998	10	10	ND	ug/L
Styrene	MW-3N	7/23/1998	10	10	ND	ug/L
Styrene	MW-3N	1/13/1999	10	10	ND	ug/L
Styrene	MW-3N	4/13/1999	10	10	ND	ug/L
Styrene	MW-3N	7/14/1999	10	10	ND	ug/L
Styrene	MW-3N	10/20/1999	10	10	ND	ug/L
Styrene	MW-3N	1/14/2000	10	10	ND	ug/L
Styrene	MW-3N	4/24/2000	10	10	ND	ug/L
Styrene	MW-3N	7/11/2000	1	1	ND	ug/L
Styrene	MW-3N	10/17/2000	1	1	ND	ug/L
Styrene	MW-3N	1/23/2001	1	1	ND	ug/L
Styrene	MW-3N	4/11/2001	1	1	ND	ug/L
Styrene	MW-3N	5/29/2002	1	1	ND	ug/L
Styrene	MW-3N	5/29/2002	10	10	ND	ug/L
Styrene	MW-3N	7/9/2002	1	1	ND	ug/L
Styrene	MW-3N	10/2/2002	1	1	ND	ug/L
Styrene	MW-3N	1/22/2003	1	1	ND	ug/L
Styrene	MW-3N	4/14/2003	1	1	ND	ug/L
Styrene	MW-3N	7/7/2003	1	1	ND	ug/L
Styrene	MW-3N	1/28/2004	1	1	ND	ug/L
Styrene	MW-3N	7/27/2004	1	1	ND	ug/L
Styrene	MW-3N	1/12/2005	1	1	ND	ug/L
Styrene	MW-3N	7/20/2005	1	1	ND	ug/L
Styrene	MW-3N	1/18/2006	1	1	ND	ug/L
Styrene	MW-3N	7/19/2006	1	1	ND	ug/L
Styrene	MW-3N	7/19/2006	1	1	ND	ug/L
Styrene	MW-3N	10/25/2006	1	1	ND	ug/L
Styrene	MW-3N	1/26/2007	1	1	ND	ug/L
Styrene	MW-3N	7/11/2007	1	1	ND	ug/L
Styrene	MW-3N	1/24/2008	1	1	ND	ug/L
Styrene	MW-3N	7/22/2008	1	1	ND	ug/L
Styrene	MW-3N	2/4/2009	1	1	ND	ug/L
Styrene	MW-3N	7/31/2009	1	1	ND	ug/L
Styrene	MW-3N	1/26/2010	1	1	ND	ug/L
Styrene	MW-3N	7/13/2010	1	1	ND	ug/L
Styrene	MW-3N	1/20/2011	1	1	ND	ug/L
Styrene	MW-3N	7/14/2011	1	1	ND	ug/L
Styrene	MW-3N	1/5/2012	1	1	ND	ug/L
Styrene	MW-3N	7/11/2012	1	1	ND	ug/L
Styrene	MW-3N	5/1/2013	1	1	ND	ug/L
Styrene	MW-3N	6/4/2013	1	1	ND	ug/L
Styrene	MW-3N	7/16/2013	1	1	ND	ug/L
Styrene	MW-3N	1/24/2014	1	1	ND	ug/L
Styrene	MW-3N	7/9/2014	1	1	ND	ug/L
Styrene	MW-3N	2/12/2015	1	1	ND	ug/L
Styrene	MW-3N	4/1/2015	1	1	ND	ug/L
Styrene	MW-3N	7/14/2015	1	1	ND	ug/L
Styrene	MW-3N	10/5/2015	1	1	ND	ug/L
Styrene	MW-3N	1/6/2016	1	1	ND	ug/L
Styrene	MW-3N	4/6/2016	1	1	ND	ug/L
Styrene	MW-3N	7/21/2016	1	1	ND	ug/L
Styrene	MW-3N	10/6/2016	1	1	ND	ug/L
Styrene	MW-3N	1/11/2017	1	1	ND	ug/L
Styrene	MW-3N	4/4/2017	1	1	ND	ug/L
Styrene	MW-3N	7/19/2017	1	1	ND	ug/L
Styrene	MW-3N	10/9/2017	1	1	ND	ug/L
Styrene	MW-3N	1/24/2018	1	1	ND	ug/L
Styrene	MW-3N	4/10/2018	1	1	ND	ug/L
Styrene	MW-3N	7/13/2018	1	1	ND	ug/L
Styrene	MW-3N	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-3N	1/7/2019	1	1	ND	ug/L
Styrene	MW-3N	4/3/2019	1	1	ND	ug/L
Styrene	MW-3N	7/11/2019	1	1	ND	ug/L
Styrene	MW-3N	10/2/2019	1	1	ND	ug/L
Styrene	MW-3N	1/15/2020	1	1	ND	ug/L
Styrene	MW-3N	4/2/2020	1	1	ND	ug/L
Styrene	MW-3N	7/7/2020	1	1	ND	ug/L
Styrene	MW-3N	10/7/2020	1	1	ND	ug/L
Styrene	MW-3N	1/13/2021	1	1	ND	ug/L
Styrene	MW-3N	4/6/2021	1	1	ND	ug/L
Styrene	MW-3N	7/5/2021	1	1	ND	ug/L
Styrene	MW-3N	10/6/2021	1	1	ND	ug/L
Styrene	MW-3N	1/11/2023	1	1	ND	ug/L
Styrene	MW-7N	10/21/1997	10	10	ND	ug/L
Styrene	MW-7N	1/21/1998	10	10	ND	ug/L
Styrene	MW-7N	7/22/1998	10	10	ND	ug/L
Styrene	MW-7N	8/18/1998	10	10	ND	ug/L
Styrene	MW-7N	9/17/1998	10	10	ND	ug/L
Styrene	MW-7N	10/15/1998	10	10	ND	ug/L
Styrene	MW-7N	11/9/1998	10	10	ND	ug/L
Styrene	MW-7N	1/14/1999	10	10	ND	ug/L
Styrene	MW-7N	4/14/1999	10	10	ND	ug/L
Styrene	MW-7N	7/14/1999	10	10	ND	ug/L
Styrene	MW-7N	10/19/1999	10	10	ND	ug/L
Styrene	MW-7N	1/13/2000	10	10	ND	ug/L
Styrene	MW-7N	4/25/2000	10	10	ND	ug/L
Styrene	MW-7N	10/17/2000	1	1	ND	ug/L
Styrene	MW-7N	1/23/2001	1	1	ND	ug/L
Styrene	MW-7N	4/10/2001	1	1	ND	ug/L
Styrene	MW-7N	5/29/2002	10	10	ND	ug/L
Styrene	MW-7N	5/29/2002	1	1	ND	ug/L
Styrene	MW-7N	7/9/2002	1	1	ND	ug/L
Styrene	MW-7N	10/2/2002	1	1	ND	ug/L
Styrene	MW-7N	1/23/2003	1	1	ND	ug/L
Styrene	MW-7N	4/14/2003	1	1	ND	ug/L
Styrene	MW-7N	7/7/2003	1	1	ND	ug/L
Styrene	MW-7N	1/27/2004	1	1	ND	ug/L
Styrene	MW-7N	4/8/2004	1	1	ND	ug/L
Styrene	MW-7N	7/26/2004	1	1	ND	ug/L
Styrene	MW-7N	1/12/2005	1	1	ND	ug/L
Styrene	MW-7N	7/19/2005	1	1	ND	ug/L
Styrene	MW-7N	1/19/2006	1	1	ND	ug/L
Styrene	MW-7N	7/19/2006	1	1	ND	ug/L
Styrene	MW-7N	7/19/2006	1	1	ND	ug/L
Styrene	MW-7N	10/24/2006	1	1	ND	ug/L
Styrene	MW-7N	1/26/2007	1	1	ND	ug/L
Styrene	MW-7N	7/10/2007	1	1	ND	ug/L
Styrene	MW-7N	7/21/2008	1	1	ND	ug/L
Styrene	MW-7N	2/6/2009	1	1	ND	ug/L
Styrene	MW-7N	7/29/2009	1	1	ND	ug/L
Styrene	MW-7N	1/26/2010	1	1	ND	ug/L
Styrene	MW-7N	7/14/2010	1	1	ND	ug/L
Styrene	MW-7N	9/2/2010	1	1	ND	ug/L
Styrene	MW-7N	1/20/2011	1	1	ND	ug/L
Styrene	MW-7N	7/12/2011	1	1	ND	ug/L
Styrene	MW-7N	1/5/2012	1	1	ND	ug/L
Styrene	MW-7N	7/10/2012	1	1	ND	ug/L
Styrene	MW-7N	5/1/2013	1	1	ND	ug/L
Styrene	MW-7N	6/4/2013	1	1	ND	ug/L
Styrene	MW-7N	7/15/2013	1	1	ND	ug/L
Styrene	MW-7N	1/30/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-7N	7/9/2014	1	1	ND	ug/L
Styrene	MW-7N	2/12/2015	1	1	ND	ug/L
Styrene	MW-7N	7/13/2015	1	1	ND	ug/L
Styrene	MW-7N	1/5/2016	1	1	ND	ug/L
Styrene	MW-7N	7/21/2016	1	1	ND	ug/L
Styrene	MW-7N	1/11/2017	1	1	ND	ug/L
Styrene	MW-7N	4/4/2017	1	1	ND	ug/L
Styrene	MW-7N	7/19/2017	1	1	ND	ug/L
Styrene	MW-7N	10/5/2017	1	1	ND	ug/L
Styrene	MW-7N	1/25/2018	1	1	ND	ug/L
Styrene	MW-7N	4/11/2018	1	1	ND	ug/L
Styrene	MW-7N	7/13/2018	1	1	ND	ug/L
Styrene	MW-7N	1/4/2019	1	1	ND	ug/L
Styrene	MW-7N	7/10/2019	1	1	ND	ug/L
Styrene	MW-7N	1/16/2020	1	1	ND	ug/L
Styrene	MW-7N	7/7/2020	1	1	ND	ug/L
Styrene	MW-7N	1/16/2021	1	1	ND	ug/L
Styrene	MW-7N	7/5/2021	1	1	ND	ug/L
Styrene	MW-7N	1/12/2022	1	1	ND	ug/L
Styrene	MW-7N	7/10/2022	1	1	ND	ug/L
Styrene	MW-7N	1/10/2023	1	1	ND	ug/L
Styrene	MW-8N	10/21/1997	10	10	ND	ug/L
Styrene	MW-8N	1/22/1998	10	10	ND	ug/L
Styrene	MW-8N	4/28/1998	10	10	ND	ug/L
Styrene	MW-8N	7/22/1998	10	10	ND	ug/L
Styrene	MW-8N	1/12/1999	10	10	ND	ug/L
Styrene	MW-8N	4/13/1999	10	10	ND	ug/L
Styrene	MW-8N	7/14/1999	10	10	ND	ug/L
Styrene	MW-8N	10/19/1999	10	10	ND	ug/L
Styrene	MW-8N	1/14/2000	10	10	ND	ug/L
Styrene	MW-8N	4/25/2000	10	10	ND	ug/L
Styrene	MW-8N	10/17/2000	1	1	ND	ug/L
Styrene	MW-8N	1/23/2001	1	1	ND	ug/L
Styrene	MW-8N	4/11/2001	1	1	ND	ug/L
Styrene	MW-8N	5/29/2002	10	10	ND	ug/L
Styrene	MW-8N	5/29/2002	1	1	ND	ug/L
Styrene	MW-8N	7/9/2002	1	1	ND	ug/L
Styrene	MW-8N	10/2/2002	1	1	ND	ug/L
Styrene	MW-8N	1/23/2003	1	1	ND	ug/L
Styrene	MW-8N	4/14/2003	1	1	ND	ug/L
Styrene	MW-8N	7/7/2003	1	1	ND	ug/L
Styrene	MW-8N	1/28/2004	1	1	ND	ug/L
Styrene	MW-8N	7/27/2004	1	1	ND	ug/L
Styrene	MW-8N	1/12/2005	1	1	ND	ug/L
Styrene	MW-8N	7/20/2005	1	1	ND	ug/L
Styrene	MW-8N	1/19/2006	1	1	ND	ug/L
Styrene	MW-8N	7/19/2006	1	1	ND	ug/L
Styrene	MW-8N	7/19/2006	1	1	ND	ug/L
Styrene	MW-8N	10/24/2006	1	1	ND	ug/L
Styrene	MW-8N	1/26/2007	1	1	ND	ug/L
Styrene	MW-8N	4/25/2007	1	1	ND	ug/L
Styrene	MW-8N	7/10/2007	1	1	ND	ug/L
Styrene	MW-8N	1/24/2008	1	1	ND	ug/L
Styrene	MW-8N	7/23/2008	1	1	ND	ug/L
Styrene	MW-8N	2/4/2009	1	1	ND	ug/L
Styrene	MW-8N	7/31/2009	1	1	ND	ug/L
Styrene	MW-8N	1/26/2010	1	1	ND	ug/L
Styrene	MW-8N	7/16/2010	1	1	ND	ug/L
Styrene	MW-8N	1/19/2011	1	1	ND	ug/L
Styrene	MW-8N	5/10/2011	1	1	ND	ug/L
Styrene	MW-8N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-8N	1/6/2012	1	1	ND	ug/L
Styrene	MW-8N	4/5/2012	1	1	ND	ug/L
Styrene	MW-8N	7/11/2012	1	1	ND	ug/L
Styrene	MW-8N	10/3/2012	1	1	ND	ug/L
Styrene	MW-8N	5/1/2013	1	1	ND	ug/L
Styrene	MW-8N	6/4/2013	1	1	ND	ug/L
Styrene	MW-8N	7/16/2013	1	1	ND	ug/L
Styrene	MW-8N	10/2/2013	1	1	ND	ug/L
Styrene	MW-8N	1/30/2014	1	1	ND	ug/L
Styrene	MW-8N	4/3/2014	1	1	ND	ug/L
Styrene	MW-8N	7/9/2014	1	1	ND	ug/L
Styrene	MW-8N	10/8/2014	1	1	ND	ug/L
Styrene	MW-8N	2/12/2015	1	1	ND	ug/L
Styrene	MW-8N	4/1/2015	1	1	ND	ug/L
Styrene	MW-8N	7/14/2015	1	1	ND	ug/L
Styrene	MW-8N	10/5/2015	1	1	ND	ug/L
Styrene	MW-8N	1/5/2016	1	1	ND	ug/L
Styrene	MW-8N	4/6/2016	1	1	ND	ug/L
Styrene	MW-8N	7/21/2016	1	1	ND	ug/L
Styrene	MW-8N	10/6/2016	1	1	ND	ug/L
Styrene	MW-8N	1/11/2017	1	1	ND	ug/L
Styrene	MW-8N	4/4/2017	1	1	ND	ug/L
Styrene	MW-8N	7/19/2017	1	1	ND	ug/L
Styrene	MW-8N	10/6/2017	1	1	ND	ug/L
Styrene	MW-8N	1/25/2018	1	1	ND	ug/L
Styrene	MW-8N	4/10/2018	1	1	ND	ug/L
Styrene	MW-8N	7/16/2018	1	1	ND	ug/L
Styrene	MW-8N	10/2/2018	1	1	ND	ug/L
Styrene	MW-8N	1/7/2019	1	1	ND	ug/L
Styrene	MW-8N	4/3/2019	1	1	ND	ug/L
Styrene	MW-8N	7/11/2019	1	1	ND	ug/L
Styrene	MW-8N	10/3/2019	1	1	ND	ug/L
Styrene	MW-8N	1/15/2020	1	1	ND	ug/L
Styrene	MW-8N	4/2/2020	1	1	ND	ug/L
Styrene	MW-8N	7/9/2020	1	1	ND	ug/L
Styrene	MW-8N	10/6/2020	1	1	ND	ug/L
Styrene	MW-8N	1/15/2021	1	1	ND	ug/L
Styrene	MW-8N	4/6/2021	1	1	ND	ug/L
Styrene	MW-8N	7/5/2021	1	1	ND	ug/L
Styrene	MW-8N	10/6/2021	1	1	ND	ug/L
Styrene	MW-8N	1/18/2022	1	1	ND	ug/L
Styrene	MW-8N	4/4/2022	1	1	ND	ug/L
Styrene	MW-8N	7/12/2022	1	1	ND	ug/L
Styrene	MW-8N	10/6/2022	1	1	ND	ug/L
Styrene	MW-8N	1/11/2023	1	1	ND	ug/L
Styrene	MW-8N	4/8/2023	1	1	ND	ug/L
Styrene	NE-1	7/10/2002	1	1	ND	ug/L
Styrene	NE-1	8/6/2002	1	1	ND	ug/L
Styrene	NE-1	9/4/2002	1	1	ND	ug/L
Styrene	NE-1	10/2/2002	1	1	ND	ug/L
Styrene	NE-1	7/8/2003	1	1	ND	ug/L
Styrene	NE-1	1/27/2004	1	1	ND	ug/L
Styrene	NE-1	1/12/2005	1	1	ND	ug/L
Styrene	NE-1	7/19/2006	1	1	ND	ug/L
Styrene	NE-1	7/19/2006	1	1	ND	ug/L
Styrene	NE-1	10/25/2006	1	1	ND	ug/L
Styrene	NE-1	1/24/2007	1	1	ND	ug/L
Styrene	NE-1	7/10/2007	1	1	ND	ug/L
Styrene	NE-1	1/24/2008	1	1	ND	ug/L
Styrene	NE-1	7/21/2008	1	1	ND	ug/L
Styrene	NE-1	2/7/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-1	7/31/2009	1	1	ND	ug/L
Styrene	NE-1	1/26/2010	1	1	ND	ug/L
Styrene	NE-1	7/14/2010	1	1	ND	ug/L
Styrene	NE-1	9/2/2010	1	1	ND	ug/L
Styrene	NE-1	1/19/2011	1	1	ND	ug/L
Styrene	NE-1	7/13/2011	1	1	ND	ug/L
Styrene	NE-1	1/5/2012	1	1	ND	ug/L
Styrene	NE-1	7/10/2012	1	1	ND	ug/L
Styrene	NE-1	4/30/2013	1	1	ND	ug/L
Styrene	NE-1	7/16/2013	1	1	ND	ug/L
Styrene	NE-1	1/23/2014	1	1	ND	ug/L
Styrene	NE-1	7/9/2014	1	1	ND	ug/L
Styrene	NE-1	2/11/2015	1	1	ND	ug/L
Styrene	NE-1	7/8/2015	1	1	ND	ug/L
Styrene	NE-1	1/6/2016	1	1	ND	ug/L
Styrene	NE-1	7/20/2016	1	1	ND	ug/L
Styrene	NE-1	1/11/2017	1	1	ND	ug/L
Styrene	NE-1	7/19/2017	1	1	ND	ug/L
Styrene	NE-1	1/24/2018	1	1	ND	ug/L
Styrene	NE-1	4/11/2018	1	1	ND	ug/L
Styrene	NE-1	7/18/2018	1	1	ND	ug/L
Styrene	NE-1	10/2/2018	1	1	ND	ug/L
Styrene	NE-1	1/4/2019	1	1	ND	ug/L
Styrene	NE-1	4/2/2019	1	1	ND	ug/L
Styrene	NE-1	7/10/2019	1	1	ND	ug/L
Styrene	NE-1	7/10/2019	1	1	ND	ug/L
Styrene	NE-1	10/2/2019	1	1	ND	ug/L
Styrene	NE-1	1/15/2020	1	1	ND	ug/L
Styrene	NE-1	4/2/2020	1	1	ND	ug/L
Styrene	NE-1	7/8/2020	1	1	ND	ug/L
Styrene	NE-1	10/7/2020	1	1	ND	ug/L
Styrene	NE-1	1/13/2021	1	1	ND	ug/L
Styrene	NE-1	4/9/2021	1	1	ND	ug/L
Styrene	NE-1	7/2/2021	1	1	ND	ug/L
Styrene	NE-1	10/6/2021	1	1	ND	ug/L
Styrene	NE-1	1/17/2022	1	1	ND	ug/L
Styrene	NE-1	4/6/2022	1	1	ND	ug/L
Styrene	NE-1	7/13/2022	1	1	ND	ug/L
Styrene	NE-1	10/6/2022	1	1	ND	ug/L
Styrene	NE-1	1/5/2023	1	1	ND	ug/L
Styrene	NE-1	4/7/2023	1	1	ND	ug/L
Styrene	NE-10D	11/6/2019	1	1	ND	ug/L
Styrene	NE-10D	1/16/2020	1	1	ND	ug/L
Styrene	NE-10D	4/2/2020	1	1	ND	ug/L
Styrene	NE-10D	7/8/2020	1	1	ND	ug/L
Styrene	NE-10D	10/7/2020	1	1	ND	ug/L
Styrene	NE-10D	1/13/2021	1	1	ND	ug/L
Styrene	NE-10D	4/9/2021	1	1	ND	ug/L
Styrene	NE-10D	7/2/2021	1	1	ND	ug/L
Styrene	NE-10D	10/7/2021	1	1	ND	ug/L
Styrene	NE-10D	1/6/2023	1	1	ND	ug/L
Styrene	NE-10D	4/6/2023	1	1	ND	ug/L
Styrene	NE-11	3/1/2017	1	1	ND	ug/L
Styrene	NE-11	4/6/2017	1	1	ND	ug/L
Styrene	NE-11	7/20/2017	1	1	ND	ug/L
Styrene	NE-11	10/9/2017	1	1	ND	ug/L
Styrene	NE-11	9/30/2019	1	1	ND	ug/L
Styrene	NE-11	1/14/2020	1	1	ND	ug/L
Styrene	NE-11	7/7/2020	1	1	ND	ug/L
Styrene	NE-11	1/16/2021	1	1	ND	ug/L
Styrene	NE-11	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-11	7/1/2021	1	1	ND	ug/L
Styrene	NE-11	7/1/2021	1	1	ND	ug/L
Styrene	NE-11	1/17/2022	1	1	ND	ug/L
Styrene	NE-11	1/17/2022	1	1	ND	ug/L
Styrene	NE-11	7/12/2022	1	1	ND	ug/L
Styrene	NE-11	1/6/2023	1	1	ND	ug/L
Styrene	NE-12	3/1/2017	1	1	ND	ug/L
Styrene	NE-12	4/6/2017	1	1	ND	ug/L
Styrene	NE-12	7/20/2017	1	1	ND	ug/L
Styrene	NE-12	10/6/2017	1	1	ND	ug/L
Styrene	NE-12	8/5/2019	1	1	ND	ug/L
Styrene	NE-12	1/13/2020	1	1	ND	ug/L
Styrene	NE-12	7/7/2020	1	1	ND	ug/L
Styrene	NE-12	1/15/2021	1	1	ND	ug/L
Styrene	NE-12	1/15/2021	1	1	ND	ug/L
Styrene	NE-12	7/1/2021	1	1	ND	ug/L
Styrene	NE-12	7/1/2021	1	1	ND	ug/L
Styrene	NE-12	1/17/2022	1	1	ND	ug/L
Styrene	NE-12	1/17/2022	1	1	ND	ug/L
Styrene	NE-12	7/12/2022	1	1	ND	ug/L
Styrene	NE-12	1/6/2023	1	1	ND	ug/L
Styrene	NE-13	2/5/2019	1	1	ND	ug/L
Styrene	NE-13	8/7/2019	1	1	ND	ug/L
Styrene	NE-13	1/15/2020	1	1	ND	ug/L
Styrene	NE-13	7/8/2020	1	1	ND	ug/L
Styrene	NE-13	1/17/2021	1	1	ND	ug/L
Styrene	NE-13	1/17/2021	1	1	ND	ug/L
Styrene	NE-13	7/1/2021	1	1	ND	ug/L
Styrene	NE-13	7/1/2021	1	1	ND	ug/L
Styrene	NE-14D	10/2/2019	1	1	ND	ug/L
Styrene	NE-14D	1/16/2020	1	1	ND	ug/L
Styrene	NE-14D	4/3/2020	1	1	ND	ug/L
Styrene	NE-14D	7/7/2020	1	1	ND	ug/L
Styrene	NE-14D	10/6/2020	1	1	ND	ug/L
Styrene	NE-14D	1/17/2021	1	1	ND	ug/L
Styrene	NE-14D	4/9/2021	1	1	ND	ug/L
Styrene	NE-14D	7/2/2021	1	1	ND	ug/L
Styrene	NE-14D	10/7/2021	1	1	ND	ug/L
Styrene	NE-14D	1/18/2022	1	1	ND	ug/L
Styrene	NE-14D	4/6/2022	1	1	ND	ug/L
Styrene	NE-14D	7/13/2022	1	1	ND	ug/L
Styrene	NE-14D	10/7/2022	1	1	ND	ug/L
Styrene	NE-14D	1/6/2023	1	1	ND	ug/L
Styrene	NE-14D	4/6/2023	1	1	ND	ug/L
Styrene	NE-14S	10/2/2019	1	1	ND	ug/L
Styrene	NE-14S	1/16/2020	1	1	ND	ug/L
Styrene	NE-14S	4/3/2020	1	1	ND	ug/L
Styrene	NE-14S	7/7/2020	1	1	ND	ug/L
Styrene	NE-14S	10/6/2020	1	1	ND	ug/L
Styrene	NE-14S	1/17/2021	1	1	ND	ug/L
Styrene	NE-14S	4/9/2021	1	1	ND	ug/L
Styrene	NE-14S	7/2/2021	1	1	ND	ug/L
Styrene	NE-14S	10/7/2021	1	1	ND	ug/L
Styrene	NE-14S	1/18/2022	1	1	ND	ug/L
Styrene	NE-14S	4/6/2022	1	1	ND	ug/L
Styrene	NE-14S	7/13/2022	1	1	ND	ug/L
Styrene	NE-14S	10/7/2022	1	1	ND	ug/L
Styrene	NE-14S	1/6/2023	1	1	ND	ug/L
Styrene	NE-14S	4/6/2023	1	1	ND	ug/L
Styrene	NE-15D	9/30/2019	1	1	ND	ug/L
Styrene	NE-15D	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-15D	4/3/2020	1	1	ND	ug/L
Styrene	NE-15D	7/7/2020	1	1	ND	ug/L
Styrene	NE-15D	10/6/2020	1	1	ND	ug/L
Styrene	NE-15D	1/17/2021	1	1	ND	ug/L
Styrene	NE-15D	4/9/2021	1	1	ND	ug/L
Styrene	NE-15D	7/2/2021	1	1	ND	ug/L
Styrene	NE-15D	10/7/2021	1	1	ND	ug/L
Styrene	NE-15D	1/17/2022	1	1	ND	ug/L
Styrene	NE-15D	4/6/2022	1	1	ND	ug/L
Styrene	NE-15D	7/13/2022	1	1	ND	ug/L
Styrene	NE-15D	10/7/2022	1	1	ND	ug/L
Styrene	NE-15D	1/6/2023	1	1	ND	ug/L
Styrene	NE-15D	4/6/2023	1	1	ND	ug/L
Styrene	NE-15S	4/3/2020	1	1	ND	ug/L
Styrene	NE-2	7/9/2002	1	1	ND	ug/L
Styrene	NE-2	8/6/2002	1	1	ND	ug/L
Styrene	NE-2	9/4/2002	1	1	ND	ug/L
Styrene	NE-2	10/2/2002	1	1	ND	ug/L
Styrene	NE-2	10/1/2013	1	1	ND	ug/L
Styrene	NE-2	10/8/2014	1	1	ND	ug/L
Styrene	NE-2	10/5/2015	1	1	ND	ug/L
Styrene	NE-2	10/6/2016	1	1	ND	ug/L
Styrene	NE-2	10/5/2017	1	1	ND	ug/L
Styrene	NE-2	1/25/2018	1	1	ND	ug/L
Styrene	NE-2	4/10/2018	1	1	ND	ug/L
Styrene	NE-2	7/10/2018	1	1	ND	ug/L
Styrene	NE-2	10/1/2018	1	1	ND	ug/L
Styrene	NE-2	1/4/2019	1	1	ND	ug/L
Styrene	NE-2	4/2/2019	1	1	ND	ug/L
Styrene	NE-2	7/9/2019	1	1	ND	ug/L
Styrene	NE-2	7/9/2019	1	1	ND	ug/L
Styrene	NE-2	10/2/2019	1	1	ND	ug/L
Styrene	NE-2	1/14/2020	1	1	ND	ug/L
Styrene	NE-2	4/1/2020	1	1	ND	ug/L
Styrene	NE-2	7/7/2020	1	1	ND	ug/L
Styrene	NE-2	10/6/2020	1	1	ND	ug/L
Styrene	NE-2	1/14/2021	1	1	ND	ug/L
Styrene	NE-2	4/9/2021	1	1	ND	ug/L
Styrene	NE-2	7/2/2021	1	1	ND	ug/L
Styrene	NE-2	10/6/2021	1	1	ND	ug/L
Styrene	NE-2	1/18/2022	1	1	ND	ug/L
Styrene	NE-2	4/6/2022	1	1	ND	ug/L
Styrene	NE-2	7/13/2022	1	1	ND	ug/L
Styrene	NE-2	10/7/2022	1	1	ND	ug/L
Styrene	NE-2	1/5/2023	1	1	ND	ug/L
Styrene	NE-2	4/5/2023	1	1	ND	ug/L
Styrene	NE-3	7/9/2002	1	1	ND	ug/L
Styrene	NE-3	8/6/2002	1	1	ND	ug/L
Styrene	NE-3	9/4/2002	1	1	ND	ug/L
Styrene	NE-3	10/2/2002	1	1	ND	ug/L
Styrene	NE-3	9/2/2010	1	1	ND	ug/L
Styrene	NE-3	3/21/2018	1	1	ND	ug/L
Styrene	NE-4	7/10/2002	1	1	ND	ug/L
Styrene	NE-4	8/6/2002	1	1	ND	ug/L
Styrene	NE-4	9/4/2002	1	1	ND	ug/L
Styrene	NE-4	10/3/2002	1	1	ND	ug/L
Styrene	NE-4	4/15/2003	1	1	ND	ug/L
Styrene	NE-4	7/8/2003	1	1	ND	ug/L
Styrene	NE-4	1/28/2004	1	1	ND	ug/L
Styrene	NE-4	1/13/2005	1	1	ND	ug/L
Styrene	NE-4	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-4	8/1/2006	1	1	ND	ug/L
Styrene	NE-4	10/25/2006	1	1	ND	ug/L
Styrene	NE-4	1/24/2007	1	1	ND	ug/L
Styrene	NE-4	7/12/2007	1	1	ND	ug/L
Styrene	NE-4	1/24/2008	1	1	ND	ug/L
Styrene	NE-4	7/21/2008	1	1	ND	ug/L
Styrene	NE-4	2/7/2009	1	1	ND	ug/L
Styrene	NE-4	7/31/2009	1	1	ND	ug/L
Styrene	NE-4	1/26/2010	1	1	ND	ug/L
Styrene	NE-4	7/14/2010	1	1	ND	ug/L
Styrene	NE-4	1/19/2011	1	1	ND	ug/L
Styrene	NE-4	7/13/2011	1	1	ND	ug/L
Styrene	NE-4	1/5/2012	1	1	ND	ug/L
Styrene	NE-4	7/10/2012	1	1	ND	ug/L
Styrene	NE-4	4/30/2013	1	1	ND	ug/L
Styrene	NE-4	7/16/2013	1	1	ND	ug/L
Styrene	NE-4	1/23/2014	1	1	ND	ug/L
Styrene	NE-4	7/9/2014	1	1	ND	ug/L
Styrene	NE-4	2/13/2015	1	1	ND	ug/L
Styrene	NE-4	7/8/2015	1	1	ND	ug/L
Styrene	NE-4	1/6/2016	1	1	ND	ug/L
Styrene	NE-4	7/20/2016	1	1	ND	ug/L
Styrene	NE-4	1/11/2017	1	1	ND	ug/L
Styrene	NE-4	7/19/2017	1	1	ND	ug/L
Styrene	NE-4	1/26/2018	1	1	ND	ug/L
Styrene	NE-4	4/10/2018	1	1	ND	ug/L
Styrene	NE-4	7/12/2018	1	1	ND	ug/L
Styrene	NE-4	10/3/2018	1	1	ND	ug/L
Styrene	NE-4	1/7/2019	1	1	ND	ug/L
Styrene	NE-4	4/2/2019	1	1	ND	ug/L
Styrene	NE-4	7/8/2019	1	1	ND	ug/L
Styrene	NE-4	7/8/2019	1	1	ND	ug/L
Styrene	NE-4	10/1/2019	1	1	ND	ug/L
Styrene	NE-4	1/13/2020	1	1	ND	ug/L
Styrene	NE-4	4/1/2020	1	1	ND	ug/L
Styrene	NE-4	7/6/2020	1	1	ND	ug/L
Styrene	NE-4	10/5/2020	1	1	ND	ug/L
Styrene	NE-4	1/15/2021	1	1	ND	ug/L
Styrene	NE-4	4/9/2021	1	1	ND	ug/L
Styrene	NE-4	7/2/2021	1	1	ND	ug/L
Styrene	NE-4	10/6/2021	1	1	ND	ug/L
Styrene	NE-4	1/5/2023	1	1	ND	ug/L
Styrene	NE-4	4/6/2023	1	1	ND	ug/L
Styrene	NE-5	7/9/2002	1	1	ND	ug/L
Styrene	NE-5	8/6/2002	1	1	ND	ug/L
Styrene	NE-5	9/4/2002	1	1	ND	ug/L
Styrene	NE-5	10/2/2002	1	1	ND	ug/L
Styrene	NE-5	4/15/2003	1	1	ND	ug/L
Styrene	NE-5	7/8/2003	1	1	ND	ug/L
Styrene	NE-5	1/27/2004	1	1	ND	ug/L
Styrene	NE-5	1/12/2005	1	1	ND	ug/L
Styrene	NE-5	7/19/2006	1	1	ND	ug/L
Styrene	NE-5	7/19/2006	1	1	ND	ug/L
Styrene	NE-5	10/25/2006	1	1	ND	ug/L
Styrene	NE-5	1/24/2007	1	1	ND	ug/L
Styrene	NE-5	7/12/2007	1	1	ND	ug/L
Styrene	NE-5	7/22/2008	1	1	ND	ug/L
Styrene	NE-5	2/6/2009	1	1	ND	ug/L
Styrene	NE-5	7/31/2009	1	1	ND	ug/L
Styrene	NE-5	1/26/2010	1	1	ND	ug/L
Styrene	NE-5	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-5	9/2/2010	1	1	ND	ug/L
Styrene	NE-5	1/19/2011	1	1	ND	ug/L
Styrene	NE-5	7/13/2011	1	1	ND	ug/L
Styrene	NE-5	1/5/2012	1	1	ND	ug/L
Styrene	NE-5	7/10/2012	1	1	ND	ug/L
Styrene	NE-5	4/30/2013	1	1	ND	ug/L
Styrene	NE-5	7/16/2013	1	1	ND	ug/L
Styrene	NE-5	1/23/2014	1	1	ND	ug/L
Styrene	NE-5	7/9/2014	1	1	ND	ug/L
Styrene	NE-5	2/11/2015	1	1	ND	ug/L
Styrene	NE-5	7/14/2015	1	1	ND	ug/L
Styrene	NE-5	1/6/2016	1	1	ND	ug/L
Styrene	NE-5	7/20/2016	1	1	ND	ug/L
Styrene	NE-5	1/11/2017	1	1	ND	ug/L
Styrene	NE-5	7/19/2017	1	1	ND	ug/L
Styrene	NE-5	1/25/2018	1	1	ND	ug/L
Styrene	NE-5	4/10/2018	1	1	ND	ug/L
Styrene	NE-5	7/17/2018	1	1	ND	ug/L
Styrene	NE-5	10/3/2018	1	1	ND	ug/L
Styrene	NE-5	1/4/2019	1	1	ND	ug/L
Styrene	NE-5	4/2/2019	1	1	ND	ug/L
Styrene	NE-5	4/2/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	10/3/2019	1	1	ND	ug/L
Styrene	NE-5	1/16/2020	1	1	ND	ug/L
Styrene	NE-5	4/2/2020	1	1	ND	ug/L
Styrene	NE-5	7/8/2020	1	1	ND	ug/L
Styrene	NE-5	10/6/2020	1	1	ND	ug/L
Styrene	NE-5	1/15/2021	1	1	ND	ug/L
Styrene	NE-5	4/9/2021	1	1	ND	ug/L
Styrene	NE-5	7/2/2021	1	1	ND	ug/L
Styrene	NE-5	10/6/2021	1	1	ND	ug/L
Styrene	NE-5	1/18/2022	1	1	ND	ug/L
Styrene	NE-5	4/6/2022	1	1	ND	ug/L
Styrene	NE-5	7/13/2022	1	1	ND	ug/L
Styrene	NE-5	10/7/2022	1	1	ND	ug/L
Styrene	NE-5	1/5/2023	1	1	ND	ug/L
Styrene	NE-5	4/7/2023	1	1	ND	ug/L
Styrene	NE-5E	9/30/2019	1	1	ND	ug/L
Styrene	NE-5E	1/16/2020	1	1	ND	ug/L
Styrene	NE-5E	4/1/2020	1	1	ND	ug/L
Styrene	NE-5E	7/8/2020	1	1	ND	ug/L
Styrene	NE-5E	10/6/2020	1	1	ND	ug/L
Styrene	NE-5E	1/15/2021	1	1	ND	ug/L
Styrene	NE-5E	4/9/2021	1	1	ND	ug/L
Styrene	NE-5E	7/2/2021	1	1	ND	ug/L
Styrene	NE-5E	10/6/2021	1	1	ND	ug/L
Styrene	NE-5E	1/18/2022	1	1	ND	ug/L
Styrene	NE-5E	4/6/2022	1	1	ND	ug/L
Styrene	NE-5E	7/13/2022	1	1	ND	ug/L
Styrene	NE-5E	10/7/2022	1	1	ND	ug/L
Styrene	NE-5E	1/5/2023	1	1	ND	ug/L
Styrene	NE-5E	4/7/2023	1	1	ND	ug/L
Styrene	NE-5W	9/30/2019	1	1	ND	ug/L
Styrene	NE-5W	1/16/2020	1	1	ND	ug/L
Styrene	NE-5W	4/2/2020	1	1	ND	ug/L
Styrene	NE-5W	7/8/2020	1	1	ND	ug/L
Styrene	NE-5W	10/6/2020	1	1	ND	ug/L
Styrene	NE-5W	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-5W	4/9/2021	1	1	ND	ug/L
Styrene	NE-5W	7/2/2021	1	1	ND	ug/L
Styrene	NE-5W	10/6/2021	1	1	ND	ug/L
Styrene	NE-5W	1/18/2022	1	1	ND	ug/L
Styrene	NE-5W	4/6/2022	1	1	ND	ug/L
Styrene	NE-5W	7/13/2022	1	1	ND	ug/L
Styrene	NE-5W	10/7/2022	1	1	ND	ug/L
Styrene	NE-5W	1/5/2023	1	1	ND	ug/L
Styrene	NE-5W	4/7/2023	1	1	ND	ug/L
Styrene	NE-6	1/12/2017	1	1	ND	ug/L
Styrene	NE-6	4/5/2017	1	1	ND	ug/L
Styrene	NE-6	7/19/2017	1	1	ND	ug/L
Styrene	NE-6	10/6/2017	1	1	ND	ug/L
Styrene	NE-6	2/4/2019	1	1	ND	ug/L
Styrene	NE-6	8/6/2019	1	1	ND	ug/L
Styrene	NE-6	1/15/2020	1	1	ND	ug/L
Styrene	NE-6	7/9/2020	1	1	ND	ug/L
Styrene	NE-6	1/16/2021	1	1	ND	ug/L
Styrene	NE-6	1/16/2021	1	1	ND	ug/L
Styrene	NE-6	7/1/2021	1	1	ND	ug/L
Styrene	NE-6	7/1/2021	1	1	ND	ug/L
Styrene	NE-6	1/17/2022	1	1	ND	ug/L
Styrene	NE-6	1/17/2022	1	1	ND	ug/L
Styrene	NE-6	7/12/2022	1	1	ND	ug/L
Styrene	NE-6	1/5/2023	1	1	ND	ug/L
Styrene	NE-6D	10/2/2019	1	1	ND	ug/L
Styrene	NE-6D	1/15/2020	1	1	ND	ug/L
Styrene	NE-6D	4/2/2020	1	1	ND	ug/L
Styrene	NE-6D	7/9/2020	1	1	ND	ug/L
Styrene	NE-6D	10/7/2020	1	1	ND	ug/L
Styrene	NE-6D	1/15/2021	1	1	ND	ug/L
Styrene	NE-6D	4/9/2021	1	1	ND	ug/L
Styrene	NE-6D	7/2/2021	1	1	ND	ug/L
Styrene	NE-6D	10/7/2021	1	1	ND	ug/L
Styrene	NE-6D	1/17/2022	1	1	ND	ug/L
Styrene	NE-6D	4/6/2022	1	1	ND	ug/L
Styrene	NE-6D	7/12/2022	1	1	ND	ug/L
Styrene	NE-6D	10/7/2022	1	1	ND	ug/L
Styrene	NE-6D	1/5/2023	1	1	ND	ug/L
Styrene	NE-6D	4/7/2023	1	1	ND	ug/L
Styrene	NE-7	3/1/2017	1	1	ND	ug/L
Styrene	NE-7	4/6/2017	1	1	ND	ug/L
Styrene	NE-7	7/20/2017	1	1	ND	ug/L
Styrene	NE-7	10/5/2017	1	1	ND	ug/L
Styrene	NE-7	2/6/2019	1	1	ND	ug/L
Styrene	NE-7	8/6/2019	1	1	ND	ug/L
Styrene	NE-7	1/16/2020	1	1	ND	ug/L
Styrene	NE-7	7/7/2020	1	1	ND	ug/L
Styrene	NE-7	1/16/2021	1	1	ND	ug/L
Styrene	NE-7	1/16/2021	1	1	ND	ug/L
Styrene	NE-7	7/1/2021	1	1	ND	ug/L
Styrene	NE-7	7/1/2021	1	1	ND	ug/L
Styrene	NE-7	1/17/2022	1	1	ND	ug/L
Styrene	NE-7	1/17/2022	1	1	ND	ug/L
Styrene	NE-7	7/12/2022	1	1	ND	ug/L
Styrene	NE-7	1/5/2023	1	1	ND	ug/L
Styrene	NE-8	1/12/2017	1	1	ND	ug/L
Styrene	NE-8	4/5/2017	1	1	ND	ug/L
Styrene	NE-8	7/20/2017	1	1	ND	ug/L
Styrene	NE-8	10/6/2017	1	1	ND	ug/L
Styrene	NE-8	2/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-8	8/5/2019	1	1	ND	ug/L
Styrene	NE-8	1/15/2020	1	1	ND	ug/L
Styrene	NE-8	7/8/2020	1	1	ND	ug/L
Styrene	NE-8	1/13/2021	1	1	ND	ug/L
Styrene	NE-8	1/13/2021	1	1	ND	ug/L
Styrene	NE-8	4/9/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	10/7/2021	1	1	ND	ug/L
Styrene	NE-8	1/6/2023	1	1	ND	ug/L
Styrene	NE-9	1/12/2017	1	1	ND	ug/L
Styrene	NE-9	4/5/2017	1	1	ND	ug/L
Styrene	NE-9	7/20/2017	1	1	ND	ug/L
Styrene	NE-9	10/5/2017	1	1	ND	ug/L
Styrene	NE-9	2/5/2019	1	1	ND	ug/L
Styrene	NE-9	8/7/2019	1	1	ND	ug/L
Styrene	NE-9	1/15/2020	1	1	ND	ug/L
Styrene	NE-9	7/7/2020	1	1	ND	ug/L
Styrene	NE-9	1/17/2021	1	1	ND	ug/L
Styrene	NE-9	1/17/2021	1	1	ND	ug/L
Styrene	NE-9	7/1/2021	1	1	ND	ug/L
Styrene	NE-9	7/1/2021	1	1	ND	ug/L
Styrene	NE-9	1/17/2022	1	1	ND	ug/L
Styrene	NE-9	1/17/2022	1	1	ND	ug/L
Styrene	NE-9	7/13/2022	1	1	ND	ug/L
Styrene	NE-9	1/6/2023	1	1	ND	ug/L
Styrene	NE-9	4/8/2023	1	1	ND	ug/L
Sulfate	LGW-10	1/26/2006	6.3	1		mg/L
Sulfate	LGW-10	8/1/2006	5.5	5		mg/L
Sulfate	LGW-10	8/1/2006	5.5	5		mg/L
Sulfate	LGW-10	1/25/2007	4.6	5	ND	mg/L
Sulfate	LGW-10	4/26/2007	6.1	5		mg/L
Sulfate	LGW-10	7/12/2007	7.1	5		mg/L
Sulfate	LGW-10	1/23/2008	8	5		mg/L
Sulfate	LGW-10	7/22/2008	8.3	5		mg/L
Sulfate	LGW-10	7/29/2009	7.4	5		mg/L
Sulfate	LGW-10	2/3/2010	6.9	5		mg/L
Sulfate	LGW-10	2/3/2010	6.9	5		mg/L
Sulfate	LGW-10	7/16/2010	5.3	5		mg/L
Sulfate	LGW-10	1/19/2011	5.2	5		mg/L
Sulfate	LGW-10	7/12/2011	4	5	ND	mg/L
Sulfate	LGW-10	1/5/2012	3.7	5	ND	mg/L
Sulfate	LGW-10	7/9/2012	3.1	5	ND	mg/L
Sulfate	LGW-10	5/1/2013	2.3	5	ND	mg/L
Sulfate	LGW-10	1/30/2014	1.9	5	ND	mg/L
Sulfate	LGW-10	7/9/2014	2.8	5	ND	mg/L
Sulfate	LGW-10	2/12/2015	0.51	5	ND	mg/L
Sulfate	LGW-10	7/13/2015	1.2	5	ND	mg/L
Sulfate	LGW-10	1/5/2016	0.38	5	ND	mg/L
Sulfate	LGW-10	4/6/2016	0.93	5	ND	mg/L
Sulfate	LGW-10	7/21/2016	0.54	5	ND	mg/L
Sulfate	LGW-10	10/6/2016	0.99	5	ND	mg/L
Sulfate	LGW-10	1/11/2017	5	5	ND	mg/L
Sulfate	LGW-10	4/4/2017	0.26	5	ND	mg/L
Sulfate	LGW-10	7/19/2017	5	5	ND	mg/L
Sulfate	LGW-10	10/9/2017	5	5	ND	mg/L
Sulfate	LGW-10	1/24/2018	0.47	5	ND	mg/L
Sulfate	LGW-10	4/11/2018	0.26	5	ND	mg/L
Sulfate	LGW-10	7/16/2018	0.59	5	ND	mg/L
Sulfate	LGW-10	10/4/2018	0.6	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-10	1/4/2019	5	5	ND	mg/L
Sulfate	LGW-10	4/3/2019	5	5	ND	mg/L
Sulfate	LGW-10	7/11/2019	5	5	ND	mg/L
Sulfate	LGW-10	10/2/2019	2.9	5	ND	mg/L
Sulfate	LGW-10	1/15/2020	5	5	ND	mg/L
Sulfate	LGW-10	4/2/2020	5	5	ND	mg/L
Sulfate	LGW-10	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-10	10/7/2020	5	5	ND	mg/L
Sulfate	LGW-10	1/17/2021	10.4	5		mg/L
Sulfate	LGW-10	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-10	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-10	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-10	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-10	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-10	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-10	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-10	10/7/2022	5	5	ND	mg/L
Sulfate	LGW-10	1/11/2023	5	5	ND	mg/L
Sulfate	LGW-10	4/5/2023	5	5	ND	mg/L
Sulfate	LGW-14R	1/25/2006	2.9	1		mg/L
Sulfate	LGW-14R	8/2/2006	2.6	5	ND	mg/L
Sulfate	LGW-14R	8/2/2006	2.6	5	ND	mg/L
Sulfate	LGW-14R	10/27/2006	3.4	5	ND	mg/L
Sulfate	LGW-14R	1/24/2007	11	5		mg/L
Sulfate	LGW-14R	4/24/2007	3.3	5	ND	mg/L
Sulfate	LGW-14R	7/11/2007	5.4	5		mg/L
Sulfate	LGW-14R	1/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-14R	7/22/2008	6.1	5		mg/L
Sulfate	LGW-14R	2/6/2009	4.4	5	ND	mg/L
Sulfate	LGW-14R	7/29/2009	1.7	5	ND	mg/L
Sulfate	LGW-14R	2/3/2010	1.5	5	ND	mg/L
Sulfate	LGW-14R	2/3/2010	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/12/2010	1.9	5	ND	mg/L
Sulfate	LGW-14R	1/19/2011	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/12/2011	1.7	5	ND	mg/L
Sulfate	LGW-14R	1/5/2012	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/9/2012	1.5	5	ND	mg/L
Sulfate	LGW-14R	4/30/2013	1.9	5	ND	mg/L
Sulfate	LGW-14R	1/23/2014	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/8/2014	2	5	ND	mg/L
Sulfate	LGW-14R	2/11/2015	2.4	5	ND	mg/L
Sulfate	LGW-14R	7/22/2015	2.7	5	ND	mg/L
Sulfate	LGW-14R	1/5/2016	2.8	5	ND	mg/L
Sulfate	LGW-14R	7/19/2016	2.5	5	ND	mg/L
Sulfate	LGW-14R	1/11/2017	2.8	5	ND	mg/L
Sulfate	LGW-14R	7/18/2017	2.6	5	ND	mg/L
Sulfate	LGW-14R	1/25/2018	2.5	5	ND	mg/L
Sulfate	LGW-14R	7/17/2018	2.6	5	ND	mg/L
Sulfate	LGW-14R	1/3/2019	3	5	ND	mg/L
Sulfate	LGW-14R	7/10/2019	3.8	5	ND	mg/L
Sulfate	LGW-14R	1/16/2020	5	5	ND	mg/L
Sulfate	LGW-14R	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-14R	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-14R	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-14R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-14R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-14R	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-14R	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-2	1/25/2006	24.6	1		mg/L
Sulfate	LGW-2	8/1/2006	17	5		mg/L
Sulfate	LGW-2	8/1/2006	17	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-2	1/25/2007	9.7	5		mg/L
Sulfate	LGW-2	4/26/2007	6.7	5		mg/L
Sulfate	LGW-2	7/10/2007	14	5		mg/L
Sulfate	LGW-2	1/26/2008	8.1	5		mg/L
Sulfate	LGW-2	7/23/2008	15	5		mg/L
Sulfate	LGW-2	2/6/2009	11	5		mg/L
Sulfate	LGW-2	7/30/2009	9.8	5		mg/L
Sulfate	LGW-2	2/3/2010	8.6	5		mg/L
Sulfate	LGW-2	2/3/2010	8.6	5		mg/L
Sulfate	LGW-2	7/12/2010	8.7	5		mg/L
Sulfate	LGW-2	1/19/2011	7.9	5		mg/L
Sulfate	LGW-2	7/13/2011	6.5	5		mg/L
Sulfate	LGW-2	1/4/2012	5.9	5		mg/L
Sulfate	LGW-2	7/9/2012	5.7	5		mg/L
Sulfate	LGW-2	4/30/2013	4.1	5	ND	mg/L
Sulfate	LGW-2	7/15/2013	4.9	5	ND	mg/L
Sulfate	LGW-2	1/30/2014	5.2	5		mg/L
Sulfate	LGW-2	7/8/2014	5.3	5		mg/L
Sulfate	LGW-2	2/13/2015	5.4	5		mg/L
Sulfate	LGW-2	7/8/2015	3.5	5	ND	mg/L
Sulfate	LGW-2	1/5/2016	5.2	5		mg/L
Sulfate	LGW-2	7/19/2016	3.6	5	ND	mg/L
Sulfate	LGW-2	1/11/2017	4.6	5	ND	mg/L
Sulfate	LGW-2	7/18/2017	2	5	ND	mg/L
Sulfate	LGW-2	1/23/2018	0.92	5	ND	mg/L
Sulfate	LGW-2	7/12/2018	0.96	5	ND	mg/L
Sulfate	LGW-2	1/3/2019	5	5	ND	mg/L
Sulfate	LGW-2	7/9/2019	5	5	ND	mg/L
Sulfate	LGW-2	1/13/2020	5	5	ND	mg/L
Sulfate	LGW-2	4/1/2020	5	5	ND	mg/L
Sulfate	LGW-2	7/8/2020	5	5	ND	mg/L
Sulfate	LGW-2	1/18/2021	3.46	5		mg/L
Sulfate	LGW-2	7/4/2021	5	5	ND	mg/L
Sulfate	LGW-2	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-2	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-2	7/10/2022	5	5	ND	mg/L
Sulfate	LGW-2	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-3R	1/24/2006	3.6	1		mg/L
Sulfate	LGW-3R	7/20/2006	3	5	ND	mg/L
Sulfate	LGW-3R	7/20/2006	3	5	ND	mg/L
Sulfate	LGW-3R	1/25/2007	6.7	5		mg/L
Sulfate	LGW-3R	4/26/2007	4.7	5	ND	mg/L
Sulfate	LGW-3R	7/11/2007	7.8	5		mg/L
Sulfate	LGW-3R	1/26/2008	3.8	5	ND	mg/L
Sulfate	LGW-3R	7/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-3R	2/3/2009	6.9	5		mg/L
Sulfate	LGW-3R	7/31/2009	3.5	5	ND	mg/L
Sulfate	LGW-3R	2/3/2010	5.1	5		mg/L
Sulfate	LGW-3R	2/3/2010	5.1	5		mg/L
Sulfate	LGW-3R	7/16/2010	3.9	5	ND	mg/L
Sulfate	LGW-3R	1/19/2011	4.2	5	ND	mg/L
Sulfate	LGW-3R	7/13/2011	3	5	ND	mg/L
Sulfate	LGW-3R	1/4/2012	6	5		mg/L
Sulfate	LGW-3R	7/9/2012	4.1	5	ND	mg/L
Sulfate	LGW-3R	4/30/2013	7.1	5		mg/L
Sulfate	LGW-3R	7/15/2013	5.2	5		mg/L
Sulfate	LGW-3R	1/22/2014	5.8	5		mg/L
Sulfate	LGW-3R	7/8/2014	3.8	5	ND	mg/L
Sulfate	LGW-3R	2/10/2015	4	5	ND	mg/L
Sulfate	LGW-3R	7/16/2015	6.3	5		mg/L
Sulfate	LGW-3R	1/8/2016	7.5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-3R	7/21/2016	1.1	5	ND	mg/L
Sulfate	LGW-3R	1/11/2017	5.9	5		mg/L
Sulfate	LGW-3R	7/18/2017	4.9	5	ND	mg/L
Sulfate	LGW-3R	1/23/2018	6.1	5		mg/L
Sulfate	LGW-3R	7/11/2018	5	5		mg/L
Sulfate	LGW-3R	1/3/2019	6.4	5		mg/L
Sulfate	LGW-3R	7/9/2019	6.8	5		mg/L
Sulfate	LGW-3R	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-3R	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-3R	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-3R	7/6/2021	5	5	ND	mg/L
Sulfate	LGW-3R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-3R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-3R	7/10/2022	5	5	ND	mg/L
Sulfate	LGW-3R	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-4	1/24/2006	3	1		mg/L
Sulfate	LGW-4	7/20/2006	3.3	5	ND	mg/L
Sulfate	LGW-4	7/20/2006	3.3	5	ND	mg/L
Sulfate	LGW-4	1/25/2007	7.2	5		mg/L
Sulfate	LGW-4	4/26/2007	4.9	5	ND	mg/L
Sulfate	LGW-4	7/11/2007	5.6	5		mg/L
Sulfate	LGW-4	1/22/2008	4.1	5	ND	mg/L
Sulfate	LGW-4	7/23/2008	5.3	5		mg/L
Sulfate	LGW-4	2/3/2009	7.3	5		mg/L
Sulfate	LGW-4	7/31/2009	3.7	5	ND	mg/L
Sulfate	LGW-4	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-4	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-4	7/16/2010	5.4	5		mg/L
Sulfate	LGW-4	1/19/2011	3.1	5	ND	mg/L
Sulfate	LGW-4	7/13/2011	1.8	5	ND	mg/L
Sulfate	LGW-4	1/4/2012	4.6	5	ND	mg/L
Sulfate	LGW-4	7/9/2012	3.2	5	ND	mg/L
Sulfate	LGW-4	4/30/2013	6.1	5		mg/L
Sulfate	LGW-4	7/15/2013	4	5	ND	mg/L
Sulfate	LGW-4	1/23/2014	5.5	5		mg/L
Sulfate	LGW-4	7/8/2014	3.1	5	ND	mg/L
Sulfate	LGW-4	2/11/2015	3.2	5	ND	mg/L
Sulfate	LGW-4	7/8/2015	4.2	5	ND	mg/L
Sulfate	LGW-4	1/5/2016	2.2	5	ND	mg/L
Sulfate	LGW-4	7/19/2016	3.4	5	ND	mg/L
Sulfate	LGW-4	1/11/2017	4.4	5	ND	mg/L
Sulfate	LGW-4	7/18/2017	4	5	ND	mg/L
Sulfate	LGW-4	1/23/2018	4.3	5	ND	mg/L
Sulfate	LGW-4	7/11/2018	4.1	5	ND	mg/L
Sulfate	LGW-4	1/3/2019	4	5	ND	mg/L
Sulfate	LGW-4	7/9/2019	5.6	5		mg/L
Sulfate	LGW-4	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-4	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-4	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-4	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-4	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-4	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-4	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-4	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-5	1/25/2006	3.2	1		mg/L
Sulfate	LGW-5	8/1/2006	6.5	5		mg/L
Sulfate	LGW-5	8/1/2006	6.5	5		mg/L
Sulfate	LGW-5	1/25/2007	5.9	5		mg/L
Sulfate	LGW-5	4/26/2007	4.3	5	ND	mg/L
Sulfate	LGW-5	7/11/2007	5.7	5		mg/L
Sulfate	LGW-5	1/23/2008	3.8	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-5	7/23/2008	4.7	5	ND	mg/L
Sulfate	LGW-5	2/4/2009	4.8	5	ND	mg/L
Sulfate	LGW-5	7/29/2009	3.9	5	ND	mg/L
Sulfate	LGW-5	2/3/2010	4.1	5	ND	mg/L
Sulfate	LGW-5	2/3/2010	4.1	5	ND	mg/L
Sulfate	LGW-5	7/12/2010	3.6	5	ND	mg/L
Sulfate	LGW-5	1/19/2011	3.4	5	ND	mg/L
Sulfate	LGW-5	7/12/2011	3.1	5	ND	mg/L
Sulfate	LGW-5	1/5/2012	3.7	5	ND	mg/L
Sulfate	LGW-5	7/9/2012	3.8	5	ND	mg/L
Sulfate	LGW-5	4/30/2013	5.6	5		mg/L
Sulfate	LGW-5	7/15/2013	5	5		mg/L
Sulfate	LGW-5	1/23/2014	6.4	5		mg/L
Sulfate	LGW-5	7/8/2014	4.2	5	ND	mg/L
Sulfate	LGW-5	2/10/2015	3.1	5	ND	mg/L
Sulfate	LGW-5	7/8/2015	5.2	5		mg/L
Sulfate	LGW-5	1/5/2016	5.1	5		mg/L
Sulfate	LGW-5	7/19/2016	4.7	5	ND	mg/L
Sulfate	LGW-5	1/11/2017	5.3	5		mg/L
Sulfate	LGW-5	7/18/2017	4.7	5	ND	mg/L
Sulfate	LGW-5	1/23/2018	4.5	5	ND	mg/L
Sulfate	LGW-5	7/12/2018	4.3	5	ND	mg/L
Sulfate	LGW-5	1/3/2019	4.6	5	ND	mg/L
Sulfate	LGW-5	7/9/2019	5.6	5		mg/L
Sulfate	LGW-5	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-5	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-5	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-5	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-5	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-5	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-5	1/12/2022	5.3	5		mg/L
Sulfate	LGW-5	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-5	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-5	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-5	10/6/2022	5	5	ND	mg/L
Sulfate	LGW-5	1/10/2023	6.3	5		mg/L
Sulfate	LGW-6	1/24/2006	4	1		mg/L
Sulfate	LGW-6	7/20/2006	3.5	5	ND	mg/L
Sulfate	LGW-6	7/20/2006	3.5	5	ND	mg/L
Sulfate	LGW-6	1/24/2007	3.4	5	ND	mg/L
Sulfate	LGW-6	4/26/2007	2.8	5	ND	mg/L
Sulfate	LGW-6	7/11/2007	3.4	5	ND	mg/L
Sulfate	LGW-6	1/23/2008	3.4	5	ND	mg/L
Sulfate	LGW-6	7/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-6	2/5/2009	3.9	5	ND	mg/L
Sulfate	LGW-6	7/29/2009	3.7	5	ND	mg/L
Sulfate	LGW-6	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-6	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-6	7/12/2010	3.8	5	ND	mg/L
Sulfate	LGW-6	1/19/2011	3.5	5	ND	mg/L
Sulfate	LGW-6	7/12/2011	3.8	5	ND	mg/L
Sulfate	LGW-6	1/5/2012	4.2	5	ND	mg/L
Sulfate	LGW-6	7/9/2012	3.5	5	ND	mg/L
Sulfate	LGW-6	4/30/2013	4	5	ND	mg/L
Sulfate	LGW-6	7/15/2013	3.8	5	ND	mg/L
Sulfate	LGW-6	1/23/2014	4	5	ND	mg/L
Sulfate	LGW-6	7/8/2014	5	5		mg/L
Sulfate	LGW-6	2/10/2015	4.3	5	ND	mg/L
Sulfate	LGW-6	7/22/2015	3.5	5	ND	mg/L
Sulfate	LGW-6	1/5/2016	4.9	5	ND	mg/L
Sulfate	LGW-6	7/19/2016	3.6	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-6	10/6/2016	3.8	5	ND	mg/L
Sulfate	LGW-6	1/11/2017	3.7	5	ND	mg/L
Sulfate	LGW-6	5/5/2017	3.4	5	ND	mg/L
Sulfate	LGW-6	7/18/2017	3.3	5	ND	mg/L
Sulfate	LGW-6	10/5/2017	3.4	5	ND	mg/L
Sulfate	LGW-6	1/23/2018	3.1	5	ND	mg/L
Sulfate	LGW-6	4/10/2018	3.6	5	ND	mg/L
Sulfate	LGW-6	7/17/2018	3.3	5	ND	mg/L
Sulfate	LGW-6	10/2/2018	4	5	ND	mg/L
Sulfate	LGW-6	1/7/2019	3	5	ND	mg/L
Sulfate	LGW-6	4/3/2019	3.5	5	ND	mg/L
Sulfate	LGW-6	7/10/2019	3.4	5	ND	mg/L
Sulfate	LGW-6	10/3/2019	11	5		mg/L
Sulfate	LGW-6	1/16/2020	5	5	ND	mg/L
Sulfate	LGW-6	4/2/2020	5	5	ND	mg/L
Sulfate	LGW-6	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-6	10/6/2020	5	5	ND	mg/L
Sulfate	LGW-6	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-6	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-6	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-6	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-6	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-6	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-6	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-6	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-6	10/6/2022	5	5	ND	mg/L
Sulfate	LGW-6	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-6	4/6/2023	5	5	ND	mg/L
Sulfate	LGW-7	1/25/2006	2.8	1		mg/L
Sulfate	LGW-7	8/1/2006	2.4	5	ND	mg/L
Sulfate	LGW-7	8/1/2006	2.4	5	ND	mg/L
Sulfate	LGW-7	1/24/2007	3.6	5	ND	mg/L
Sulfate	LGW-7	4/26/2007	2.2	5	ND	mg/L
Sulfate	LGW-7	7/12/2007	3.4	5	ND	mg/L
Sulfate	LGW-7	7/22/2008	3.2	5	ND	mg/L
Sulfate	LGW-7	2/4/2009	3.1	5	ND	mg/L
Sulfate	LGW-7	7/31/2009	2.9	5	ND	mg/L
Sulfate	LGW-7	1/27/2010	3.1	5	ND	mg/L
Sulfate	LGW-7	7/12/2010	2.8	5	ND	mg/L
Sulfate	LGW-7	1/20/2011	3.1	5	ND	mg/L
Sulfate	LGW-7	7/12/2011	3	5	ND	mg/L
Sulfate	LGW-7	1/5/2012	3.2	5	ND	mg/L
Sulfate	LGW-7	7/10/2012	3.8	5	ND	mg/L
Sulfate	LGW-7	4/30/2013	2.8	5	ND	mg/L
Sulfate	LGW-7	7/15/2013	3.1	5	ND	mg/L
Sulfate	LGW-7	1/23/2014	3.8	5	ND	mg/L
Sulfate	LGW-7	7/8/2014	3.1	5	ND	mg/L
Sulfate	LGW-7	2/11/2015	3.6	5	ND	mg/L
Sulfate	LGW-7	7/22/2015	2.7	5	ND	mg/L
Sulfate	LGW-7	1/5/2016	4	5	ND	mg/L
Sulfate	LGW-7	4/6/2016	3	5	ND	mg/L
Sulfate	LGW-7	7/20/2016	4	5	ND	mg/L
Sulfate	LGW-7	10/6/2016	2.9	5	ND	mg/L
Sulfate	LGW-7	1/11/2017	2.6	5	ND	mg/L
Sulfate	LGW-7	4/4/2017	2.7	5	ND	mg/L
Sulfate	LGW-7	7/18/2017	2.4	5	ND	mg/L
Sulfate	LGW-7	10/5/2017	1.6	5	ND	mg/L
Sulfate	LGW-7	1/24/2018	2.2	5	ND	mg/L
Sulfate	LGW-7	4/11/2018	1.7	5	ND	mg/L
Sulfate	LGW-7	7/12/2018	1.9	5	ND	mg/L
Sulfate	LGW-7	10/2/2018	2.3	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-7	1/7/2019	1.7	5	ND	mg/L
Sulfate	LGW-7	4/3/2019	2.1	5	ND	mg/L
Sulfate	LGW-7	7/10/2019	1.9	5	ND	mg/L
Sulfate	LGW-7	10/3/2019	4.1	5	ND	mg/L
Sulfate	LGW-7	1/15/2020	5	5	ND	mg/L
Sulfate	LGW-7	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-7	1/18/2021	2.53	5		mg/L
Sulfate	LGW-7	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-7	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-7	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-7	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-7	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-7	1/11/2023	5	5	ND	mg/L
Sulfate	LGW-8R	1/24/2006	6.2	1		mg/L
Sulfate	LGW-8R	7/20/2006	4.6	5	ND	mg/L
Sulfate	LGW-8R	7/20/2006	4.6	5	ND	mg/L
Sulfate	LGW-8R	1/24/2007	5.7	5		mg/L
Sulfate	LGW-8R	4/25/2007	5.2	5		mg/L
Sulfate	LGW-8R	7/12/2007	4.8	5	ND	mg/L
Sulfate	LGW-8R	2/4/2009	4	5	ND	mg/L
Sulfate	LGW-8R	7/29/2009	4	5	ND	mg/L
Sulfate	LGW-8R	1/27/2010	4	5	ND	mg/L
Sulfate	LGW-8R	7/14/2010	4.2	5	ND	mg/L
Sulfate	LGW-8R	1/20/2011	3.8	5	ND	mg/L
Sulfate	LGW-8R	7/12/2011	4.1	5	ND	mg/L
Sulfate	LGW-8R	1/5/2012	4.4	5	ND	mg/L
Sulfate	LGW-8R	7/9/2012	3.9	5	ND	mg/L
Sulfate	LGW-8R	4/30/2013	4.7	5	ND	mg/L
Sulfate	LGW-8R	7/15/2013	4.3	5	ND	mg/L
Sulfate	LGW-8R	1/22/2014	5.3	5		mg/L
Sulfate	LGW-8R	7/8/2014	4.3	5	ND	mg/L
Sulfate	LGW-8R	2/11/2015	4.7	5	ND	mg/L
Sulfate	LGW-8R	7/22/2015	4.4	5	ND	mg/L
Sulfate	LGW-8R	1/5/2016	5.7	5		mg/L
Sulfate	LGW-8R	7/20/2016	4.3	5	ND	mg/L
Sulfate	LGW-8R	1/11/2017	4.8	5	ND	mg/L
Sulfate	LGW-8R	7/18/2017	4.9	5	ND	mg/L
Sulfate	LGW-8R	1/25/2018	4	5	ND	mg/L
Sulfate	LGW-8R	7/13/2018	4.1	5	ND	mg/L
Sulfate	LGW-8R	1/7/2019	5.7	5		mg/L
Sulfate	LGW-8R	7/8/2019	6	5		mg/L
Sulfate	LGW-8R	10/1/2019	3.9	5	ND	mg/L
Sulfate	LGW-8R	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-8R	7/7/2020	5	5	ND	mg/L
Sulfate	LGW-8R	1/17/2021	5	5	ND	mg/L
Sulfate	LGW-8R	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-8R	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-8R	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-8R	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-8R	1/11/2023	5	5	ND	mg/L
Sulfate	LGW-9	1/25/2006	10	1		mg/L
Sulfate	LGW-9	7/20/2006	8.4	5		mg/L
Sulfate	LGW-9	7/20/2006	8.4	5		mg/L
Sulfate	LGW-9	1/25/2007	8.2	5		mg/L
Sulfate	LGW-9	4/25/2007	7.2	5		mg/L
Sulfate	LGW-9	7/10/2007	7.7	5		mg/L
Sulfate	LGW-9	7/22/2008	7.4	5		mg/L
Sulfate	LGW-9	2/4/2009	6.3	5		mg/L
Sulfate	LGW-9	7/29/2009	6.4	5		mg/L
Sulfate	LGW-9	1/27/2010	6.4	5		mg/L
Sulfate	LGW-9	7/14/2010	6.3	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-9	1/20/2011	5.4	5		mg/L
Sulfate	LGW-9	7/12/2011	5.2	5		mg/L
Sulfate	LGW-9	1/5/2012	4.9	5	ND	mg/L
Sulfate	LGW-9	7/10/2012	4.4	5	ND	mg/L
Sulfate	LGW-9	5/1/2013	4.1	5	ND	mg/L
Sulfate	LGW-9	7/15/2013	6	5		mg/L
Sulfate	LGW-9	1/23/2014	6.6	5		mg/L
Sulfate	LGW-9	7/8/2014	8.6	5		mg/L
Sulfate	LGW-9	2/11/2015	6.5	5		mg/L
Sulfate	LGW-9	7/13/2015	11	5		mg/L
Sulfate	LGW-9	1/5/2016	21	5		mg/L
Sulfate	LGW-9	7/21/2016	23	5		mg/L
Sulfate	LGW-9	10/6/2016	21	5		mg/L
Sulfate	LGW-9	1/11/2017	18	5		mg/L
Sulfate	LGW-9	5/5/2017	22	5		mg/L
Sulfate	LGW-9	7/18/2017	29	5		mg/L
Sulfate	LGW-9	10/5/2017	33	5		mg/L
Sulfate	LGW-9	1/24/2018	26	5		mg/L
Sulfate	LGW-9	4/11/2018	33	5		mg/L
Sulfate	LGW-9	7/13/2018	23	5		mg/L
Sulfate	LGW-9	10/2/2018	24	5		mg/L
Sulfate	LGW-9	1/7/2019	18	5		mg/L
Sulfate	LGW-9	4/3/2019	18	5		mg/L
Sulfate	LGW-9	7/10/2019	20	5		mg/L
Sulfate	LGW-9	10/3/2019	26	25		mg/L
Sulfate	LGW-9	1/16/2020	20.4	5		mg/L
Sulfate	LGW-9	4/2/2020	18.4	5		mg/L
Sulfate	LGW-9	7/9/2020	15.7	5		mg/L
Sulfate	LGW-9	10/7/2020	14	5		mg/L
Sulfate	LGW-9	1/17/2021	5	5	ND	mg/L
Sulfate	LGW-9	4/6/2021	7.7	5		mg/L
Sulfate	LGW-9	7/7/2021	7.97	5		mg/L
Sulfate	LGW-9	10/5/2021	7.98	5		mg/L
Sulfate	LGW-9	1/13/2022	8.87	5		mg/L
Sulfate	LGW-9	1/13/2022	8.98	5		mg/L
Sulfate	LGW-9	4/4/2022	8.28	5		mg/L
Sulfate	LGW-9	7/11/2022	8.34	5		mg/L
Sulfate	LGW-9	10/7/2022	6.99	5		mg/L
Sulfate	LGW-9	1/11/2023	7.7	5		mg/L
Sulfate	LGW-9	4/5/2023	8.25	5		mg/L
Sulfate	MW-10N	10/22/1997	29.4	1		mg/L
Sulfate	MW-10N	1/22/1998	8.9	1		mg/L
Sulfate	MW-10N	4/28/1998	2	1		mg/L
Sulfate	MW-10N	7/23/1998	4	1		mg/L
Sulfate	MW-10N	1/14/1999	15.6	1		mg/L
Sulfate	MW-10N	7/15/1999	13.5	1		mg/L
Sulfate	MW-10N	10/20/1999	6	1		mg/L
Sulfate	MW-10N	1/14/2000	14.1	1		mg/L
Sulfate	MW-10N	4/25/2000	6.4	1		mg/L
Sulfate	MW-10N	7/11/2000	5	1		mg/L
Sulfate	MW-10N	10/17/2000	2	1		mg/L
Sulfate	MW-10N	1/24/2001	3	1		mg/L
Sulfate	MW-10N	4/10/2001	1.8	1		mg/L
Sulfate	MW-10N	7/10/2002	3.9	1		mg/L
Sulfate	MW-10N	10/2/2002	5.4	1		mg/L
Sulfate	MW-10N	1/22/2003	10.1	1		mg/L
Sulfate	MW-10N	4/15/2003	14.5	1		mg/L
Sulfate	MW-10N	7/8/2003	9.3	1		mg/L
Sulfate	MW-10N	1/28/2004	5.4	1		mg/L
Sulfate	MW-10N	7/27/2004	2.6	1		mg/L
Sulfate	MW-10N	1/12/2005	13.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-10N	7/20/2005	6.6	1		mg/L
Sulfate	MW-10N	1/19/2006	1	1	ND	mg/L
Sulfate	MW-10N	7/19/2006	3.8	5	ND	mg/L
Sulfate	MW-10N	7/19/2006	3.8	5	ND	mg/L
Sulfate	MW-10N	10/25/2006	5	5	ND	mg/L
Sulfate	MW-10N	1/24/2007	9.9	5		mg/L
Sulfate	MW-10N	7/10/2007	11	5		mg/L
Sulfate	MW-10N	1/23/2008	4.4	5	ND	mg/L
Sulfate	MW-10N	7/21/2008	0.73	5	ND	mg/L
Sulfate	MW-10N	2/13/2009	2.6	5	ND	mg/L
Sulfate	MW-10N	7/31/2009	4.6	5	ND	mg/L
Sulfate	MW-10N	1/27/2010	3.5	5	ND	mg/L
Sulfate	MW-10N	8/10/2010	4.5	5	ND	mg/L
Sulfate	MW-10N	1/19/2011	3.5	5	ND	mg/L
Sulfate	MW-10N	7/14/2011	2.8	5	ND	mg/L
Sulfate	MW-10N	1/5/2012	1.1	5	ND	mg/L
Sulfate	MW-10N	7/10/2012	1	5	ND	mg/L
Sulfate	MW-10N	5/1/2013	0.44	5	ND	mg/L
Sulfate	MW-10N	1/24/2014	0.31	5	ND	mg/L
Sulfate	MW-10N	7/9/2014	2.9	5	ND	mg/L
Sulfate	MW-10N	2/12/2015	3	5	ND	mg/L
Sulfate	MW-10N	7/14/2015	0.53	5	ND	mg/L
Sulfate	MW-10N	1/6/2016	1	5	ND	mg/L
Sulfate	MW-10N	7/21/2016	0.96	5	ND	mg/L
Sulfate	MW-10N	1/11/2017	0.86	5	ND	mg/L
Sulfate	MW-10N	7/19/2017	0.35	5	ND	mg/L
Sulfate	MW-10N	1/24/2018	0.72	5	ND	mg/L
Sulfate	MW-10N	7/11/2018	0.4	5	ND	mg/L
Sulfate	MW-10N	1/3/2019	5	5	ND	mg/L
Sulfate	MW-10N	7/9/2019	1.5	5	ND	mg/L
Sulfate	MW-10N	1/16/2020	5	5	ND	mg/L
Sulfate	MW-10N	7/8/2020	5	5	ND	mg/L
Sulfate	MW-10N	1/13/2021	5	5	ND	mg/L
Sulfate	MW-10N	7/5/2021	5	5	ND	mg/L
Sulfate	MW-10N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-11N	10/22/1997	6	1		mg/L
Sulfate	MW-11N	1/21/1998	5.1	1		mg/L
Sulfate	MW-11N	4/28/1998	6.7	1		mg/L
Sulfate	MW-11N	7/23/1998	1.5	1		mg/L
Sulfate	MW-11N	1/13/1999	1.8	1		mg/L
Sulfate	MW-11N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-11N	10/20/1999	1.6	1		mg/L
Sulfate	MW-11N	1/13/2000	1	1		mg/L
Sulfate	MW-11N	4/25/2000	1	1		mg/L
Sulfate	MW-11N	7/10/2000	1	1	ND	mg/L
Sulfate	MW-11N	10/17/2000	1	1	ND	mg/L
Sulfate	MW-11N	1/24/2001	1.2	1		mg/L
Sulfate	MW-11N	4/10/2001	1	1	ND	mg/L
Sulfate	MW-11N	7/9/2002	1	1	ND	mg/L
Sulfate	MW-11N	10/2/2002	1.2	1		mg/L
Sulfate	MW-11N	1/23/2003	4.4	1		mg/L
Sulfate	MW-11N	4/15/2003	1.1	1		mg/L
Sulfate	MW-11N	7/8/2003	1.5	1		mg/L
Sulfate	MW-11N	1/29/2004	1	1	ND	mg/L
Sulfate	MW-11N	7/27/2004	1.3	1		mg/L
Sulfate	MW-11N	1/13/2005	1	1	ND	mg/L
Sulfate	MW-11N	7/20/2005	1	1	ND	mg/L
Sulfate	MW-11N	1/19/2006	1	1	ND	mg/L
Sulfate	MW-11N	7/18/2006	0.74	5	ND	mg/L
Sulfate	MW-11N	7/18/2006	0.74	5	ND	mg/L
Sulfate	MW-11N	10/25/2006	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-11N	1/24/2007	1.4	5	ND	mg/L
Sulfate	MW-11N	7/10/2007	0.52	5	ND	mg/L
Sulfate	MW-11N	1/22/2008	0.47	5	ND	mg/L
Sulfate	MW-11N	7/23/2008	0.51	5	ND	mg/L
Sulfate	MW-11N	2/3/2009	5	5	ND	mg/L
Sulfate	MW-11N	7/31/2009	0.56	5	ND	mg/L
Sulfate	MW-11N	2/3/2010	0.69	5	ND	mg/L
Sulfate	MW-11N	2/3/2010	0.69	5	ND	mg/L
Sulfate	MW-11N	7/16/2010	0.39	5	ND	mg/L
Sulfate	MW-11N	1/19/2011	0.5	5	ND	mg/L
Sulfate	MW-11N	7/13/2011	0.68	5	ND	mg/L
Sulfate	MW-11N	1/4/2012	0.64	5	ND	mg/L
Sulfate	MW-11N	7/9/2012	0.36	5	ND	mg/L
Sulfate	MW-11N	4/30/2013	0.63	5	ND	mg/L
Sulfate	MW-11N	7/15/2013	0.92	5	ND	mg/L
Sulfate	MW-11N	1/23/2014	0.49	5	ND	mg/L
Sulfate	MW-11N	7/8/2014	0.8	5	ND	mg/L
Sulfate	MW-11N	2/10/2015	1	5	ND	mg/L
Sulfate	MW-11N	7/13/2015	1	5	ND	mg/L
Sulfate	MW-11N	1/5/2016	1.1	5	ND	mg/L
Sulfate	MW-11N	7/21/2016	0.78	5	ND	mg/L
Sulfate	MW-11N	1/11/2017	1.1	5	ND	mg/L
Sulfate	MW-11N	7/19/2017	0.55	5	ND	mg/L
Sulfate	MW-11N	1/23/2018	5	5	ND	mg/L
Sulfate	MW-11N	7/17/2018	1.1	5	ND	mg/L
Sulfate	MW-11N	1/2/2019	0.65	5	ND	mg/L
Sulfate	MW-11N	7/9/2019	5	5	ND	mg/L
Sulfate	MW-11N	1/14/2020	5	5	ND	mg/L
Sulfate	MW-11N	7/6/2020	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2021	5	5	ND	mg/L
Sulfate	MW-11N	7/6/2021	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2022	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2022	5	5	ND	mg/L
Sulfate	MW-11N	7/13/2022	5	5	ND	mg/L
Sulfate	MW-11N	1/10/2023	5	5	ND	mg/L
Sulfate	MW-15	6/5/2015	6.6	5		mg/L
Sulfate	MW-15	7/15/2015	4.8	5	ND	mg/L
Sulfate	MW-15	8/5/2015	5	5		mg/L
Sulfate	MW-15	9/3/2015	6.4	5		mg/L
Sulfate	MW-15	1/7/2016	8.3	5		mg/L
Sulfate	MW-15	4/5/2016	4.9	5	ND	mg/L
Sulfate	MW-15	7/20/2016	4.4	5	ND	mg/L
Sulfate	MW-15	10/6/2016	5.6	5		mg/L
Sulfate	MW-15	1/10/2017	9	5		mg/L
Sulfate	MW-15	7/18/2017	13	5		mg/L
Sulfate	MW-15	1/23/2018	12	5		mg/L
Sulfate	MW-15	7/10/2018	12	5		mg/L
Sulfate	MW-15	10/2/2018	11	5		mg/L
Sulfate	MW-15	1/3/2019	11	5		mg/L
Sulfate	MW-15	7/9/2019	4.6	5	ND	mg/L
Sulfate	MW-15	1/14/2020	14.6	5		mg/L
Sulfate	MW-15	8/3/2020	15.7	5		mg/L
Sulfate	MW-15	1/18/2021	16.6	5		mg/L
Sulfate	MW-15	7/4/2021	15.8	5		mg/L
Sulfate	MW-15	1/12/2022	14.2	5		mg/L
Sulfate	MW-15	1/12/2022	15.2	5		mg/L
Sulfate	MW-15	7/10/2022	18.6	5		mg/L
Sulfate	MW-15	1/10/2023	12.3	5		mg/L
Sulfate	MW-16	6/5/2015	3.3	5	ND	mg/L
Sulfate	MW-16	7/16/2015	10	5		mg/L
Sulfate	MW-16	8/5/2015	9.5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-16	9/3/2015	18	5		mg/L
Sulfate	MW-16	1/8/2016	17	5		mg/L
Sulfate	MW-16	4/5/2016	24	5		mg/L
Sulfate	MW-16	7/21/2016	23	5		mg/L
Sulfate	MW-16	10/5/2016	24	5		mg/L
Sulfate	MW-16	1/10/2017	31	5		mg/L
Sulfate	MW-16	7/18/2017	28	5		mg/L
Sulfate	MW-16	1/23/2018	5	5		mg/L
Sulfate	MW-16	7/11/2018	9.5	5		mg/L
Sulfate	MW-16	1/2/2019	3.8	5	ND	mg/L
Sulfate	MW-16	7/10/2019	3	5	ND	mg/L
Sulfate	MW-16	1/14/2020	5.35	5		mg/L
Sulfate	MW-16	8/3/2020	5.33	5		mg/L
Sulfate	MW-16	1/18/2021	5	5	ND	mg/L
Sulfate	MW-16	7/4/2021	5	5	ND	mg/L
Sulfate	MW-16	1/12/2022	5	5	ND	mg/L
Sulfate	MW-16	1/12/2022	5	5	ND	mg/L
Sulfate	MW-16	7/10/2022	5	5		mg/L
Sulfate	MW-16	1/10/2023	5	5	ND	mg/L
Sulfate	MW-17	6/5/2015	4.9	5	ND	mg/L
Sulfate	MW-17	7/15/2015	4.6	5	ND	mg/L
Sulfate	MW-17	8/4/2015	4.2	5	ND	mg/L
Sulfate	MW-17	9/2/2015	5.7	5		mg/L
Sulfate	MW-17	1/7/2016	5.8	5		mg/L
Sulfate	MW-17	4/5/2016	7.2	5		mg/L
Sulfate	MW-17	7/20/2016	6.4	5		mg/L
Sulfate	MW-17	10/6/2016	13	5		mg/L
Sulfate	MW-17	1/10/2017	15	5		mg/L
Sulfate	MW-17	7/18/2017	6.7	5		mg/L
Sulfate	MW-17	1/23/2018	11	5		mg/L
Sulfate	MW-17	7/10/2018	15	5		mg/L
Sulfate	MW-17	1/3/2019	14	5		mg/L
Sulfate	MW-17	7/11/2019	16	5		mg/L
Sulfate	MW-17	10/1/2019	15	5		mg/L
Sulfate	MW-17	1/14/2020	13.7	5		mg/L
Sulfate	MW-17	8/3/2020	12.5	5		mg/L
Sulfate	MW-17	1/14/2021	12.7	5		mg/L
Sulfate	MW-17	7/4/2021	14.3	5		mg/L
Sulfate	MW-17	1/10/2023	14.4	5		mg/L
Sulfate	MW-19	6/5/2015	6.5	5		mg/L
Sulfate	MW-19	7/16/2015	11	5		mg/L
Sulfate	MW-19	8/5/2015	4.1	5	ND	mg/L
Sulfate	MW-19	9/3/2015	4.9	5	ND	mg/L
Sulfate	MW-19	1/7/2016	5.9	5		mg/L
Sulfate	MW-19	4/5/2016	4.9	5	ND	mg/L
Sulfate	MW-19	7/21/2016	3.9	5	ND	mg/L
Sulfate	MW-19	10/5/2016	5.6	5		mg/L
Sulfate	MW-19	1/10/2017	4.3	5	ND	mg/L
Sulfate	MW-19	7/18/2017	5.7	5		mg/L
Sulfate	MW-19	1/23/2018	4.7	5	ND	mg/L
Sulfate	MW-19	7/13/2018	4.7	5	ND	mg/L
Sulfate	MW-19	1/7/2019	5.2	5		mg/L
Sulfate	MW-19	7/11/2019	3.7	5	ND	mg/L
Sulfate	MW-19	1/14/2020	10.7	5		mg/L
Sulfate	MW-19	8/3/2020	11.6	5		mg/L
Sulfate	MW-19	1/14/2021	9.75	5		mg/L
Sulfate	MW-19	7/4/2021	11.9	5		mg/L
Sulfate	MW-19	1/11/2023	7.37	5		mg/L
Sulfate	MW-1N	10/22/1997	4.6	1		mg/L
Sulfate	MW-1N	1/20/1998	72.1	2		mg/L
Sulfate	MW-1N	4/28/1998	14.7	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-1N	7/23/1998	5.5	1		mg/L
Sulfate	MW-1N	10/14/1998	9	1		mg/L
Sulfate	MW-1N	1/13/1999	6.4	1		mg/L
Sulfate	MW-1N	7/15/1999	8.3	1		mg/L
Sulfate	MW-1N	10/19/1999	4.6	1		mg/L
Sulfate	MW-1N	1/14/2000	8.3	1		mg/L
Sulfate	MW-1N	4/25/2000	5.2	1		mg/L
Sulfate	MW-1N	7/12/2000	8.8	1		mg/L
Sulfate	MW-1N	10/18/2000	1.3	1		mg/L
Sulfate	MW-1N	1/24/2001	4.3	1		mg/L
Sulfate	MW-1N	4/12/2001	1	1	ND	mg/L
Sulfate	MW-1N	7/9/2002	21.8	1		mg/L
Sulfate	MW-1N	10/3/2002	14.3	1		mg/L
Sulfate	MW-1N	1/22/2003	12.5	1		mg/L
Sulfate	MW-1N	4/15/2003	6.5	1		mg/L
Sulfate	MW-1N	7/8/2003	43.6	1		mg/L
Sulfate	MW-1N	1/28/2004	25.4	1		mg/L
Sulfate	MW-1N	7/27/2004	12.1	1		mg/L
Sulfate	MW-1N	1/12/2005	10.3	1		mg/L
Sulfate	MW-1N	7/20/2005	7.7	1		mg/L
Sulfate	MW-1N	1/18/2006	6.2	1		mg/L
Sulfate	MW-1N	7/18/2006	6.1	5		mg/L
Sulfate	MW-1N	7/18/2006	6.1	5		mg/L
Sulfate	MW-1N	10/24/2006	6.1	5		mg/L
Sulfate	MW-1N	1/26/2007	6.3	5		mg/L
Sulfate	MW-1N	7/11/2007	6.7	5		mg/L
Sulfate	MW-1N	1/24/2008	7.8	5		mg/L
Sulfate	MW-1N	7/21/2008	6.6	5		mg/L
Sulfate	MW-1N	2/5/2009	7	5		mg/L
Sulfate	MW-1N	7/31/2009	7.5	5		mg/L
Sulfate	MW-1N	1/26/2010	7	5		mg/L
Sulfate	MW-1N	7/13/2010	7	5		mg/L
Sulfate	MW-1N	1/20/2011	7.1	5		mg/L
Sulfate	MW-1N	7/13/2011	16	5		mg/L
Sulfate	MW-1N	1/5/2012	8.8	5		mg/L
Sulfate	MW-1N	7/10/2012	7.4	5		mg/L
Sulfate	MW-1N	5/1/2013	6.6	5		mg/L
Sulfate	MW-1N	7/16/2013	6.1	5		mg/L
Sulfate	MW-1N	1/24/2014	7	5		mg/L
Sulfate	MW-1N	7/9/2014	6.7	5		mg/L
Sulfate	MW-1N	2/10/2015	6.1	5		mg/L
Sulfate	MW-1N	7/14/2015	29	5		mg/L
Sulfate	MW-1N	1/6/2016	23	5		mg/L
Sulfate	MW-1N	7/21/2016	9.5	5		mg/L
Sulfate	MW-1N	1/12/2017	7	5		mg/L
Sulfate	MW-1N	7/19/2017	8.4	5		mg/L
Sulfate	MW-1N	1/23/2018	5.8	5		mg/L
Sulfate	MW-1N	7/10/2018	6.5	5		mg/L
Sulfate	MW-1N	1/3/2019	6.2	5		mg/L
Sulfate	MW-1N	7/11/2019	9.5	5		mg/L
Sulfate	MW-1N	1/23/2020	10.7	5		mg/L
Sulfate	MW-1N	4/2/2020	7.79	5		mg/L
Sulfate	MW-1N	7/6/2020	6.61	5		mg/L
Sulfate	MW-1N	1/14/2021	5.24	5		mg/L
Sulfate	MW-1N	7/4/2021	5.69	5		mg/L
Sulfate	MW-1N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-20	6/5/2015	7.2	5		mg/L
Sulfate	MW-20	7/14/2015	5.9	5		mg/L
Sulfate	MW-20	8/4/2015	4.9	5	ND	mg/L
Sulfate	MW-20	9/2/2015	4.8	5	ND	mg/L
Sulfate	MW-20	1/7/2016	57	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-20	4/5/2016	3.2	5	ND	mg/L
Sulfate	MW-20	7/20/2016	3.3	5	ND	mg/L
Sulfate	MW-20	10/5/2016	4.4	5	ND	mg/L
Sulfate	MW-20	1/12/2017	2.6	5	ND	mg/L
Sulfate	MW-20	7/18/2017	3.9	5	ND	mg/L
Sulfate	MW-20	1/26/2018	2.9	5	ND	mg/L
Sulfate	MW-20	7/12/2018	2.8	5	ND	mg/L
Sulfate	MW-20	7/11/2019	4.2	5	ND	mg/L
Sulfate	MW-20	1/14/2020	14.8	5		mg/L
Sulfate	MW-20	7/7/2020	5.18	5		mg/L
Sulfate	MW-20	1/17/2021	8.51	5		mg/L
Sulfate	MW-20	7/4/2021	6.27	5		mg/L
Sulfate	MW-20	1/11/2023	5	5	ND	mg/L
Sulfate	MW-21	6/5/2015	25	5		mg/L
Sulfate	MW-21	7/14/2015	23	5		mg/L
Sulfate	MW-21	8/4/2015	23	5		mg/L
Sulfate	MW-21	9/2/2015	26	5		mg/L
Sulfate	MW-21	1/7/2016	6.1	5		mg/L
Sulfate	MW-21	4/5/2016	21	5		mg/L
Sulfate	MW-21	7/20/2016	19	5		mg/L
Sulfate	MW-21	10/5/2016	10	5		mg/L
Sulfate	MW-21	10/5/2016	12	5		mg/L
Sulfate	MW-21	1/10/2017	17	5		mg/L
Sulfate	MW-21	4/5/2017	21	5		mg/L
Sulfate	MW-21	7/19/2017	22	5		mg/L
Sulfate	MW-21	10/6/2017	23	5		mg/L
Sulfate	MW-21	1/24/2018	8.3	5		mg/L
Sulfate	MW-21	4/11/2018	43	5		mg/L
Sulfate	MW-21	7/11/2018	24	5		mg/L
Sulfate	MW-21	10/4/2018	17	5		mg/L
Sulfate	MW-21	1/3/2019	33	5		mg/L
Sulfate	MW-21	4/3/2019	26	5		mg/L
Sulfate	MW-21	7/11/2019	22	5		mg/L
Sulfate	MW-21	10/2/2019	30	5		mg/L
Sulfate	MW-21	1/16/2020	19.7	5		mg/L
Sulfate	MW-21	4/2/2020	14	5		mg/L
Sulfate	MW-21	7/8/2020	10.7	5		mg/L
Sulfate	MW-21	10/7/2020	5	5	ND	mg/L
Sulfate	MW-21	1/13/2021	17.8	5		mg/L
Sulfate	MW-21	4/6/2021	8.01	5		mg/L
Sulfate	MW-21	7/5/2021	8.82	5		mg/L
Sulfate	MW-21	10/6/2021	5	5	ND	mg/L
Sulfate	MW-21	1/11/2023	8.74	5		mg/L
Sulfate	MW-21	4/8/2023	15.1	5		mg/L
Sulfate	MW-2N	10/22/1997	3.5	1		mg/L
Sulfate	MW-2N	1/21/1998	3.6	1		mg/L
Sulfate	MW-2N	4/28/1998	4	1		mg/L
Sulfate	MW-2N	7/22/1998	5.7	1		mg/L
Sulfate	MW-2N	1/13/1999	2.1	1		mg/L
Sulfate	MW-2N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-2N	10/20/1999	2	1		mg/L
Sulfate	MW-2N	1/14/2000	2.9	1		mg/L
Sulfate	MW-2N	4/25/2000	1	1		mg/L
Sulfate	MW-2N	10/17/2000	2.4	1		mg/L
Sulfate	MW-2N	1/24/2001	3.3	1		mg/L
Sulfate	MW-2N	4/11/2001	2.9	1		mg/L
Sulfate	MW-2N	7/10/2002	2.9	1		mg/L
Sulfate	MW-2N	10/2/2002	3.6	1		mg/L
Sulfate	MW-2N	1/22/2003	3.2	1		mg/L
Sulfate	MW-2N	4/14/2003	4.1	1		mg/L
Sulfate	MW-2N	7/7/2003	3.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-2N	1/28/2004	2.6	1		mg/L
Sulfate	MW-2N	7/27/2004	2.8	1		mg/L
Sulfate	MW-2N	1/12/2005	2.9	1		mg/L
Sulfate	MW-2N	7/20/2005	3.2	1		mg/L
Sulfate	MW-2N	1/19/2006	2.8	1		mg/L
Sulfate	MW-2N	7/19/2006	2.6	5	ND	mg/L
Sulfate	MW-2N	7/19/2006	2.6	5	ND	mg/L
Sulfate	MW-2N	10/25/2006	2.7	5	ND	mg/L
Sulfate	MW-2N	1/26/2007	3	5	ND	mg/L
Sulfate	MW-2N	7/11/2007	2.8	5	ND	mg/L
Sulfate	MW-2N	1/24/2008	2.7	5	ND	mg/L
Sulfate	MW-2N	7/22/2008	2.7	5	ND	mg/L
Sulfate	MW-2N	2/4/2009	2.7	5	ND	mg/L
Sulfate	MW-2N	7/31/2009	2.7	5	ND	mg/L
Sulfate	MW-2N	1/26/2010	2.8	5	ND	mg/L
Sulfate	MW-2N	7/13/2010	2.7	5	ND	mg/L
Sulfate	MW-2N	1/20/2011	2.9	5	ND	mg/L
Sulfate	MW-2N	7/13/2011	2.8	5	ND	mg/L
Sulfate	MW-2N	1/5/2012	2.9	5	ND	mg/L
Sulfate	MW-2N	7/10/2012	3	5	ND	mg/L
Sulfate	MW-2N	5/1/2013	2.6	5	ND	mg/L
Sulfate	MW-2N	7/16/2013	2.8	5	ND	mg/L
Sulfate	MW-2N	1/24/2014	2.9	5	ND	mg/L
Sulfate	MW-2N	7/9/2014	4.1	5	ND	mg/L
Sulfate	MW-2N	2/12/2015	3	5	ND	mg/L
Sulfate	MW-2N	7/14/2015	2.9	5	ND	mg/L
Sulfate	MW-2N	1/6/2016	3.2	5	ND	mg/L
Sulfate	MW-2N	7/21/2016	3	5	ND	mg/L
Sulfate	MW-2N	1/11/2017	3.1	5	ND	mg/L
Sulfate	MW-2N	7/19/2017	2.9	5	ND	mg/L
Sulfate	MW-2N	1/23/2018	2.9	5	ND	mg/L
Sulfate	MW-2N	7/12/2018	2.8	5	ND	mg/L
Sulfate	MW-2N	1/3/2019	2.6	5	ND	mg/L
Sulfate	MW-2N	8/7/2019	3.3	5	ND	mg/L
Sulfate	MW-2N	1/23/2020	5	5	ND	mg/L
Sulfate	MW-2N	7/7/2020	5	5	ND	mg/L
Sulfate	MW-2N	1/14/2021	2.33	5		mg/L
Sulfate	MW-2N	7/5/2021	5	5	ND	mg/L
Sulfate	MW-2N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-3N	10/21/1997	1	1	ND	mg/L
Sulfate	MW-3N	1/21/1998	1	1	ND	mg/L
Sulfate	MW-3N	4/28/1998	2.8	1		mg/L
Sulfate	MW-3N	7/23/1998	1	1		mg/L
Sulfate	MW-3N	1/13/1999	5.3	1		mg/L
Sulfate	MW-3N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-3N	10/20/1999	1.6	1		mg/L
Sulfate	MW-3N	1/14/2000	5.8	1		mg/L
Sulfate	MW-3N	4/24/2000	2	1		mg/L
Sulfate	MW-3N	7/11/2000	1	1		mg/L
Sulfate	MW-3N	10/17/2000	1.2	1		mg/L
Sulfate	MW-3N	1/23/2001	2.1	1		mg/L
Sulfate	MW-3N	4/11/2001	1.6	1		mg/L
Sulfate	MW-3N	7/9/2002	1.9	1		mg/L
Sulfate	MW-3N	10/2/2002	3	1		mg/L
Sulfate	MW-3N	1/22/2003	2.3	1		mg/L
Sulfate	MW-3N	4/14/2003	2.6	1		mg/L
Sulfate	MW-3N	7/7/2003	2.5	1		mg/L
Sulfate	MW-3N	1/28/2004	1.9	1		mg/L
Sulfate	MW-3N	7/27/2004	2.2	1		mg/L
Sulfate	MW-3N	1/12/2005	2.3	1		mg/L
Sulfate	MW-3N	7/20/2005	2.5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-3N	1/18/2006	1.8	1		mg/L
Sulfate	MW-3N	7/19/2006	1.6	5	ND	mg/L
Sulfate	MW-3N	7/19/2006	1.6	5	ND	mg/L
Sulfate	MW-3N	10/25/2006	1.8	5	ND	mg/L
Sulfate	MW-3N	1/26/2007	2.5	5	ND	mg/L
Sulfate	MW-3N	7/11/2007	2.5	5	ND	mg/L
Sulfate	MW-3N	1/24/2008	2.3	5	ND	mg/L
Sulfate	MW-3N	7/22/2008	2.7	5	ND	mg/L
Sulfate	MW-3N	2/4/2009	2.4	5	ND	mg/L
Sulfate	MW-3N	7/31/2009	2.8	5	ND	mg/L
Sulfate	MW-3N	1/26/2010	2.6	5	ND	mg/L
Sulfate	MW-3N	7/13/2010	3	5	ND	mg/L
Sulfate	MW-3N	1/20/2011	3.1	5	ND	mg/L
Sulfate	MW-3N	7/14/2011	3.3	5	ND	mg/L
Sulfate	MW-3N	1/5/2012	4	5	ND	mg/L
Sulfate	MW-3N	7/11/2012	4.8	5	ND	mg/L
Sulfate	MW-3N	5/1/2013	6.3	5		mg/L
Sulfate	MW-3N	6/4/2013	7	5		mg/L
Sulfate	MW-3N	7/16/2013	6.2	5		mg/L
Sulfate	MW-3N	1/24/2014	8.1	5		mg/L
Sulfate	MW-3N	7/9/2014	8.7	5		mg/L
Sulfate	MW-3N	2/12/2015	8.4	5		mg/L
Sulfate	MW-3N	4/1/2015	5.8	5		mg/L
Sulfate	MW-3N	7/14/2015	6.5	5		mg/L
Sulfate	MW-3N	10/5/2015	6.9	5		mg/L
Sulfate	MW-3N	1/6/2016	8.5	5		mg/L
Sulfate	MW-3N	4/6/2016	8.5	5		mg/L
Sulfate	MW-3N	7/21/2016	8.8	5		mg/L
Sulfate	MW-3N	10/6/2016	11	5		mg/L
Sulfate	MW-3N	1/11/2017	13	5		mg/L
Sulfate	MW-3N	4/4/2017	16	5		mg/L
Sulfate	MW-3N	7/19/2017	10	5		mg/L
Sulfate	MW-3N	10/9/2017	12	5		mg/L
Sulfate	MW-3N	1/24/2018	13	5		mg/L
Sulfate	MW-3N	4/10/2018	11	5		mg/L
Sulfate	MW-3N	7/13/2018	9.8	5		mg/L
Sulfate	MW-3N	10/3/2018	13	5		mg/L
Sulfate	MW-3N	1/7/2019	18	5		mg/L
Sulfate	MW-3N	4/3/2019	14	5		mg/L
Sulfate	MW-3N	7/11/2019	12	5		mg/L
Sulfate	MW-3N	10/2/2019	19	5		mg/L
Sulfate	MW-3N	1/15/2020	12.6	5		mg/L
Sulfate	MW-3N	4/2/2020	10.7	5		mg/L
Sulfate	MW-3N	7/7/2020	11.6	5		mg/L
Sulfate	MW-3N	10/7/2020	11	5		mg/L
Sulfate	MW-3N	1/13/2021	15.4	5		mg/L
Sulfate	MW-3N	4/6/2021	10.1	5		mg/L
Sulfate	MW-3N	7/5/2021	11.5	5		mg/L
Sulfate	MW-3N	10/6/2021	10.5	5		mg/L
Sulfate	MW-3N	1/11/2023	13.4	5		mg/L
Sulfate	MW-7N	10/21/1997	2.2	1		mg/L
Sulfate	MW-7N	1/21/1998	17.6	1		mg/L
Sulfate	MW-7N	7/22/1998	2	1		mg/L
Sulfate	MW-7N	8/18/1998	2	1		mg/L
Sulfate	MW-7N	9/17/1998	2.9	1		mg/L
Sulfate	MW-7N	10/15/1998	5.4	1		mg/L
Sulfate	MW-7N	11/9/1998	6.3	1		mg/L
Sulfate	MW-7N	1/14/1999	2.6	1		mg/L
Sulfate	MW-7N	7/14/1999	4	1		mg/L
Sulfate	MW-7N	10/19/1999	1	1	ND	mg/L
Sulfate	MW-7N	1/13/2000	1	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-7N	4/25/2000	1	1	ND	mg/L
Sulfate	MW-7N	10/17/2000	1	1	ND	mg/L
Sulfate	MW-7N	1/23/2001	2.1	1		mg/L
Sulfate	MW-7N	4/10/2001	1.3	1		mg/L
Sulfate	MW-7N	7/9/2002	3.2	1		mg/L
Sulfate	MW-7N	10/2/2002	4.5	1		mg/L
Sulfate	MW-7N	1/23/2003	4.4	1		mg/L
Sulfate	MW-7N	4/14/2003	4.9	1		mg/L
Sulfate	MW-7N	7/7/2003	3.4	1		mg/L
Sulfate	MW-7N	1/27/2004	5.2	1		mg/L
Sulfate	MW-7N	4/8/2004	5.1	1		mg/L
Sulfate	MW-7N	7/26/2004	5.3	1		mg/L
Sulfate	MW-7N	1/12/2005	5.2	1		mg/L
Sulfate	MW-7N	7/19/2005	3.4	1		mg/L
Sulfate	MW-7N	1/19/2006	3	1		mg/L
Sulfate	MW-7N	7/19/2006	2.8	5	ND	mg/L
Sulfate	MW-7N	7/19/2006	2.8	5	ND	mg/L
Sulfate	MW-7N	10/24/2006	3	5	ND	mg/L
Sulfate	MW-7N	1/26/2007	3.7	5	ND	mg/L
Sulfate	MW-7N	7/10/2007	2.8	5	ND	mg/L
Sulfate	MW-7N	7/21/2008	5.3	5		mg/L
Sulfate	MW-7N	2/6/2009	5.1	5		mg/L
Sulfate	MW-7N	7/29/2009	5.9	5		mg/L
Sulfate	MW-7N	1/26/2010	5.2	5		mg/L
Sulfate	MW-7N	7/14/2010	5.5	5		mg/L
Sulfate	MW-7N	1/20/2011	4.5	5	ND	mg/L
Sulfate	MW-7N	7/12/2011	6.4	5		mg/L
Sulfate	MW-7N	1/5/2012	6.5	5		mg/L
Sulfate	MW-7N	7/10/2012	7.7	5		mg/L
Sulfate	MW-7N	5/1/2013	7.7	5		mg/L
Sulfate	MW-7N	6/4/2013	8.3	5		mg/L
Sulfate	MW-7N	7/15/2013	7.4	5		mg/L
Sulfate	MW-7N	1/30/2014	8.2	5		mg/L
Sulfate	MW-7N	7/9/2014	9.2	5		mg/L
Sulfate	MW-7N	2/12/2015	8.7	5		mg/L
Sulfate	MW-7N	7/13/2015	6.3	5		mg/L
Sulfate	MW-7N	1/5/2016	8.9	5		mg/L
Sulfate	MW-7N	7/21/2016	11	5		mg/L
Sulfate	MW-7N	1/11/2017	16	5		mg/L
Sulfate	MW-7N	4/4/2017	11	5		mg/L
Sulfate	MW-7N	7/19/2017	11	5		mg/L
Sulfate	MW-7N	10/5/2017	18	5		mg/L
Sulfate	MW-7N	1/25/2018	15	5		mg/L
Sulfate	MW-7N	4/11/2018	19	5		mg/L
Sulfate	MW-7N	7/13/2018	16	5		mg/L
Sulfate	MW-7N	1/4/2019	21	5		mg/L
Sulfate	MW-7N	7/10/2019	22	5		mg/L
Sulfate	MW-7N	1/16/2020	19.4	5		mg/L
Sulfate	MW-7N	7/7/2020	20.2	5		mg/L
Sulfate	MW-7N	1/16/2021	20.7	5		mg/L
Sulfate	MW-7N	7/5/2021	20.9	5		mg/L
Sulfate	MW-7N	1/12/2022	21.1	5		mg/L
Sulfate	MW-7N	1/12/2022	21.4	5		mg/L
Sulfate	MW-7N	7/10/2022	21	5		mg/L
Sulfate	MW-7N	1/10/2023	20.1	5		mg/L
Sulfate	MW-8N	10/21/1997	1	1	ND	mg/L
Sulfate	MW-8N	1/22/1998	2.1	1		mg/L
Sulfate	MW-8N	4/28/1998	5.6	1		mg/L
Sulfate	MW-8N	7/22/1998	1.3	1		mg/L
Sulfate	MW-8N	1/12/1999	3.6	1		mg/L
Sulfate	MW-8N	7/14/1999	18.9	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-8N	10/19/1999	5.2	1		mg/L
Sulfate	MW-8N	1/14/2000	7.6	1		mg/L
Sulfate	MW-8N	4/25/2000	5	1		mg/L
Sulfate	MW-8N	10/17/2000	5.3	1		mg/L
Sulfate	MW-8N	1/23/2001	5.9	1		mg/L
Sulfate	MW-8N	4/11/2001	9.7	1		mg/L
Sulfate	MW-8N	7/9/2002	13	1		mg/L
Sulfate	MW-8N	10/2/2002	11.3	1		mg/L
Sulfate	MW-8N	1/23/2003	8.1	1		mg/L
Sulfate	MW-8N	4/14/2003	10.2	1		mg/L
Sulfate	MW-8N	7/7/2003	8.2	1		mg/L
Sulfate	MW-8N	1/28/2004	6.9	1		mg/L
Sulfate	MW-8N	7/27/2004	18.2	1		mg/L
Sulfate	MW-8N	1/12/2005	24.7	1		mg/L
Sulfate	MW-8N	7/20/2005	24.9	1		mg/L
Sulfate	MW-8N	1/19/2006	16.9	1		mg/L
Sulfate	MW-8N	7/19/2006	19	5		mg/L
Sulfate	MW-8N	7/19/2006	19	5		mg/L
Sulfate	MW-8N	10/24/2006	28	5		mg/L
Sulfate	MW-8N	1/26/2007	27	5		mg/L
Sulfate	MW-8N	4/25/2007	23	5		mg/L
Sulfate	MW-8N	7/10/2007	23	5		mg/L
Sulfate	MW-8N	1/24/2008	27	5		mg/L
Sulfate	MW-8N	7/23/2008	34	5		mg/L
Sulfate	MW-8N	2/4/2009	30	5		mg/L
Sulfate	MW-8N	7/31/2009	30	5		mg/L
Sulfate	MW-8N	1/26/2010	30	5		mg/L
Sulfate	MW-8N	7/16/2010	29	5		mg/L
Sulfate	MW-8N	1/19/2011	27	5		mg/L
Sulfate	MW-8N	5/10/2011	29	5		mg/L
Sulfate	MW-8N	7/14/2011	27	5		mg/L
Sulfate	MW-8N	1/6/2012	26	5		mg/L
Sulfate	MW-8N	4/5/2012	25	5		mg/L
Sulfate	MW-8N	7/11/2012	26	5		mg/L
Sulfate	MW-8N	10/3/2012	25	5		mg/L
Sulfate	MW-8N	5/1/2013	23	5		mg/L
Sulfate	MW-8N	6/4/2013	22	5		mg/L
Sulfate	MW-8N	7/16/2013	22	5		mg/L
Sulfate	MW-8N	10/2/2013	22	5		mg/L
Sulfate	MW-8N	1/30/2014	21	5		mg/L
Sulfate	MW-8N	4/3/2014	23	5		mg/L
Sulfate	MW-8N	7/9/2014	25	5		mg/L
Sulfate	MW-8N	10/8/2014	19	5		mg/L
Sulfate	MW-8N	2/12/2015	25	5		mg/L
Sulfate	MW-8N	4/1/2015	23	5		mg/L
Sulfate	MW-8N	7/14/2015	24	5		mg/L
Sulfate	MW-8N	10/5/2015	24	5		mg/L
Sulfate	MW-8N	1/5/2016	29	5		mg/L
Sulfate	MW-8N	4/6/2016	26	5		mg/L
Sulfate	MW-8N	7/21/2016	30	5		mg/L
Sulfate	MW-8N	10/6/2016	29	5		mg/L
Sulfate	MW-8N	1/11/2017	26	5		mg/L
Sulfate	MW-8N	4/4/2017	26	5		mg/L
Sulfate	MW-8N	7/19/2017	31	5		mg/L
Sulfate	MW-8N	10/6/2017	31	5		mg/L
Sulfate	MW-8N	1/25/2018	27	5		mg/L
Sulfate	MW-8N	4/10/2018	31	5		mg/L
Sulfate	MW-8N	7/16/2018	30	5		mg/L
Sulfate	MW-8N	10/2/2018	33	5		mg/L
Sulfate	MW-8N	1/7/2019	31	5		mg/L
Sulfate	MW-8N	4/3/2019	32	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-8N	7/11/2019	31	5		mg/L
Sulfate	MW-8N	10/3/2019	34	5		mg/L
Sulfate	MW-8N	1/15/2020	28.9	5		mg/L
Sulfate	MW-8N	4/2/2020	27	5		mg/L
Sulfate	MW-8N	7/9/2020	26.4	5		mg/L
Sulfate	MW-8N	10/6/2020	26.2	5		mg/L
Sulfate	MW-8N	1/15/2021	25	5		mg/L
Sulfate	MW-8N	4/6/2021	26.1	5		mg/L
Sulfate	MW-8N	7/5/2021	24.1	5		mg/L
Sulfate	MW-8N	10/6/2021	23.1	5		mg/L
Sulfate	MW-8N	1/18/2022	22.3	5		mg/L
Sulfate	MW-8N	1/18/2022	22.8	5		mg/L
Sulfate	MW-8N	4/4/2022	22.1	5		mg/L
Sulfate	MW-8N	7/12/2022	19.7	5		mg/L
Sulfate	MW-8N	10/6/2022	18.9	5		mg/L
Sulfate	MW-8N	1/11/2023	19.3	5		mg/L
Sulfate	MW-8N	4/8/2023	18	5		mg/L
Sulfate	NE-1	7/10/2002	2.9	1		mg/L
Sulfate	NE-1	8/6/2002	3.4	1		mg/L
Sulfate	NE-1	9/4/2002	3.2	1		mg/L
Sulfate	NE-1	10/2/2002	3.9	1		mg/L
Sulfate	NE-1	7/8/2003	6.8	1		mg/L
Sulfate	NE-1	1/27/2004	10.4	1		mg/L
Sulfate	NE-1	1/12/2005	7.4	1		mg/L
Sulfate	NE-1	7/19/2006	6.6	5		mg/L
Sulfate	NE-1	7/19/2006	6.6	5		mg/L
Sulfate	NE-1	10/25/2006	4	5	ND	mg/L
Sulfate	NE-1	1/24/2007	4.4	5	ND	mg/L
Sulfate	NE-1	7/10/2007	7	5		mg/L
Sulfate	NE-1	1/24/2008	7.5	5		mg/L
Sulfate	NE-1	7/21/2008	9	5		mg/L
Sulfate	NE-1	2/7/2009	10	5		mg/L
Sulfate	NE-1	7/31/2009	9.6	5		mg/L
Sulfate	NE-1	1/26/2010	11	5		mg/L
Sulfate	NE-1	7/14/2010	12	5		mg/L
Sulfate	NE-1	1/19/2011	13	5		mg/L
Sulfate	NE-1	7/13/2011	13	5		mg/L
Sulfate	NE-1	1/5/2012	12	5		mg/L
Sulfate	NE-1	7/10/2012	14	5		mg/L
Sulfate	NE-1	4/30/2013	12	5		mg/L
Sulfate	NE-1	7/16/2013	13	5		mg/L
Sulfate	NE-1	1/23/2014	22	5		mg/L
Sulfate	NE-1	7/9/2014	24	5		mg/L
Sulfate	NE-1	2/11/2015	21	5		mg/L
Sulfate	NE-1	7/8/2015	17	5		mg/L
Sulfate	NE-1	1/6/2016	21	5		mg/L
Sulfate	NE-1	7/20/2016	24	5		mg/L
Sulfate	NE-1	1/11/2017	28	5		mg/L
Sulfate	NE-1	7/19/2017	21	5		mg/L
Sulfate	NE-1	1/24/2018	24	5		mg/L
Sulfate	NE-1	4/11/2018	28	5		mg/L
Sulfate	NE-1	7/18/2018	21	5		mg/L
Sulfate	NE-1	10/2/2018	20	5		mg/L
Sulfate	NE-1	1/4/2019	26	5		mg/L
Sulfate	NE-1	4/2/2019	23	5		mg/L
Sulfate	NE-1	7/10/2019	19	5		mg/L
Sulfate	NE-1	7/10/2019	19	5		mg/L
Sulfate	NE-1	10/2/2019	17	5		mg/L
Sulfate	NE-1	1/15/2020	18.2	5		mg/L
Sulfate	NE-1	4/2/2020	17.1	5		mg/L
Sulfate	NE-1	7/8/2020	15.5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-1	10/7/2020	16.2	5		mg/L
Sulfate	NE-1	1/13/2021	15.9	5		mg/L
Sulfate	NE-1	4/9/2021	13.7	5		mg/L
Sulfate	NE-1	7/2/2021	12.7	5		mg/L
Sulfate	NE-1	7/2/2021	11.4	5		mg/L
Sulfate	NE-1	10/6/2021	14.6	5		mg/L
Sulfate	NE-1	1/17/2022	16.2	5		mg/L
Sulfate	NE-1	1/17/2022	15.3	5		mg/L
Sulfate	NE-1	4/6/2022	14.5	5		mg/L
Sulfate	NE-1	7/13/2022	15.3	5		mg/L
Sulfate	NE-1	10/6/2022	15.9	5		mg/L
Sulfate	NE-1	1/5/2023	17	5		mg/L
Sulfate	NE-1	4/7/2023	14.4	5		mg/L
Sulfate	NE-10D	11/6/2019	2.3	5	ND	mg/L
Sulfate	NE-10D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-10D	4/2/2020	5	5	ND	mg/L
Sulfate	NE-10D	7/8/2020	5	5	ND	mg/L
Sulfate	NE-10D	10/7/2020	5	5	ND	mg/L
Sulfate	NE-10D	1/13/2021	5	5	ND	mg/L
Sulfate	NE-10D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-10D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-10D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-10D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-10D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-10D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-11	3/1/2017	3.2	5	ND	mg/L
Sulfate	NE-11	4/6/2017	5.3	5		mg/L
Sulfate	NE-11	7/20/2017	6	5		mg/L
Sulfate	NE-11	10/9/2017	6.3	5		mg/L
Sulfate	NE-11	9/30/2019	4.4	5	ND	mg/L
Sulfate	NE-11	1/14/2020	5.77	5		mg/L
Sulfate	NE-11	7/7/2020	5.5	5		mg/L
Sulfate	NE-11	1/16/2021	5.37	5		mg/L
Sulfate	NE-11	1/16/2021	5.26	5		mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	1/17/2022	5.16	5		mg/L
Sulfate	NE-11	1/17/2022	5.16	5		mg/L
Sulfate	NE-11	1/17/2022	5	5	ND	mg/L
Sulfate	NE-11	7/12/2022	5	5	ND	mg/L
Sulfate	NE-11	1/6/2023	5	5	ND	mg/L
Sulfate	NE-12	3/1/2017	3.6	5	ND	mg/L
Sulfate	NE-12	4/6/2017	18	5		mg/L
Sulfate	NE-12	7/20/2017	7.9	5		mg/L
Sulfate	NE-12	10/6/2017	6.7	5		mg/L
Sulfate	NE-12	8/5/2019	3.2	5	ND	mg/L
Sulfate	NE-12	1/13/2020	7.68	5		mg/L
Sulfate	NE-12	7/7/2020	5	5	ND	mg/L
Sulfate	NE-12	1/15/2021	13.4	5		mg/L
Sulfate	NE-12	1/15/2021	13.5	5		mg/L
Sulfate	NE-12	7/1/2021	9.41	5		mg/L
Sulfate	NE-12	7/1/2021	9.41	5		mg/L
Sulfate	NE-12	7/1/2021	10.7	5		mg/L
Sulfate	NE-12	1/17/2022	13.1	5		mg/L
Sulfate	NE-12	1/17/2022	13.9	5		mg/L
Sulfate	NE-12	1/17/2022	12.7	5		mg/L
Sulfate	NE-12	7/12/2022	5	5	ND	mg/L
Sulfate	NE-12	1/6/2023	7.8	5		mg/L
Sulfate	NE-13	2/5/2019	15	5		mg/L
Sulfate	NE-13	8/7/2019	18	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-13	1/15/2020	25.7	5		mg/L
Sulfate	NE-13	7/8/2020	33.1	5		mg/L
Sulfate	NE-13	1/17/2021	18.3	5		mg/L
Sulfate	NE-13	1/17/2021	18	5		mg/L
Sulfate	NE-13	7/1/2021	44.6	5		mg/L
Sulfate	NE-13	7/1/2021	43.5	5		mg/L
Sulfate	NE-13	7/1/2021	44.6	5		mg/L
Sulfate	NE-14D	10/2/2019	3.6	5	ND	mg/L
Sulfate	NE-14D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-14D	4/3/2020	5	5	ND	mg/L
Sulfate	NE-14D	7/7/2020	5	5	ND	mg/L
Sulfate	NE-14D	10/6/2020	5	5	ND	mg/L
Sulfate	NE-14D	1/17/2021	5	5	ND	mg/L
Sulfate	NE-14D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-14D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-14D	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14D	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14D	4/6/2022	5	5	ND	mg/L
Sulfate	NE-14D	7/13/2022	5	5	ND	mg/L
Sulfate	NE-14D	10/7/2022	5	5	ND	mg/L
Sulfate	NE-14D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-14D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-14S	10/2/2019	2.5	5	ND	mg/L
Sulfate	NE-14S	1/16/2020	5	5	ND	mg/L
Sulfate	NE-14S	4/3/2020	5	5	ND	mg/L
Sulfate	NE-14S	7/7/2020	5	5	ND	mg/L
Sulfate	NE-14S	10/6/2020	5	5	ND	mg/L
Sulfate	NE-14S	1/17/2021	5	5	ND	mg/L
Sulfate	NE-14S	4/9/2021	5	5	ND	mg/L
Sulfate	NE-14S	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14S	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14S	10/7/2021	5	5	ND	mg/L
Sulfate	NE-14S	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14S	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14S	4/6/2022	5	5	ND	mg/L
Sulfate	NE-14S	7/13/2022	5	5	ND	mg/L
Sulfate	NE-14S	10/7/2022	5	5	ND	mg/L
Sulfate	NE-14S	1/6/2023	5	5	ND	mg/L
Sulfate	NE-14S	4/6/2023	5	5	ND	mg/L
Sulfate	NE-15D	9/30/2019	3.9	5	ND	mg/L
Sulfate	NE-15D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-15D	4/3/2020	5	5	ND	mg/L
Sulfate	NE-15D	7/7/2020	5	5	ND	mg/L
Sulfate	NE-15D	10/6/2020	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2021	5	5	ND	mg/L
Sulfate	NE-15D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-15D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-15D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-15D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2022	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2022	5	5	ND	mg/L
Sulfate	NE-15D	4/6/2022	5	5	ND	mg/L
Sulfate	NE-15D	7/13/2022	5	5	ND	mg/L
Sulfate	NE-15D	10/7/2022	5	5	ND	mg/L
Sulfate	NE-15D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-15D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-15S	4/3/2020	5	5	ND	mg/L
Sulfate	NE-2	7/9/2002	21.5	1		mg/L
Sulfate	NE-2	8/6/2002	7.4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-2	9/4/2002	26.5	1		mg/L
Sulfate	NE-2	10/2/2002	12.6	1		mg/L
Sulfate	NE-2	10/1/2013	18	5		mg/L
Sulfate	NE-2	10/8/2014	12	5		mg/L
Sulfate	NE-2	10/5/2015	12	5		mg/L
Sulfate	NE-2	10/6/2016	20	5		mg/L
Sulfate	NE-2	10/5/2017	13	5		mg/L
Sulfate	NE-2	1/25/2018	15	5		mg/L
Sulfate	NE-2	4/10/2018	16	5		mg/L
Sulfate	NE-2	7/10/2018	13	5		mg/L
Sulfate	NE-2	10/1/2018	15	5		mg/L
Sulfate	NE-2	1/4/2019	21	5		mg/L
Sulfate	NE-2	4/2/2019	16	5		mg/L
Sulfate	NE-2	7/9/2019	9.9	5		mg/L
Sulfate	NE-2	7/9/2019	9.9	5		mg/L
Sulfate	NE-2	10/2/2019	12	5		mg/L
Sulfate	NE-2	1/14/2020	10.3	5		mg/L
Sulfate	NE-2	4/1/2020	10.6	5		mg/L
Sulfate	NE-2	7/7/2020	13.2	5		mg/L
Sulfate	NE-2	10/6/2020	10.2	5		mg/L
Sulfate	NE-2	1/14/2021	18.7	5		mg/L
Sulfate	NE-2	4/9/2021	15.1	5		mg/L
Sulfate	NE-2	7/2/2021	8.03	5		mg/L
Sulfate	NE-2	7/2/2021	6.97	5		mg/L
Sulfate	NE-2	10/6/2021	10.1	5		mg/L
Sulfate	NE-2	1/18/2022	18.6	5		mg/L
Sulfate	NE-2	1/18/2022	17.4	5		mg/L
Sulfate	NE-2	4/6/2022	15.5	5		mg/L
Sulfate	NE-2	7/13/2022	11.1	5		mg/L
Sulfate	NE-2	10/7/2022	9.26	5		mg/L
Sulfate	NE-2	1/5/2023	18.3	5		mg/L
Sulfate	NE-2	4/5/2023	12.2	5		mg/L
Sulfate	NE-3	7/9/2002	1.7	1		mg/L
Sulfate	NE-3	8/6/2002	2	1		mg/L
Sulfate	NE-3	9/4/2002	1.5	1		mg/L
Sulfate	NE-3	10/2/2002	1.4	1		mg/L
Sulfate	NE-3	3/21/2018	2.8	5	ND	mg/L
Sulfate	NE-4	7/10/2002	7.6	1		mg/L
Sulfate	NE-4	8/6/2002	8.3	1		mg/L
Sulfate	NE-4	9/4/2002	7.5	1		mg/L
Sulfate	NE-4	10/3/2002	8.6	1		mg/L
Sulfate	NE-4	7/8/2003	8	1		mg/L
Sulfate	NE-4	1/28/2004	13.8	1		mg/L
Sulfate	NE-4	1/13/2005	7.7	1		mg/L
Sulfate	NE-4	8/1/2006	10	5		mg/L
Sulfate	NE-4	8/1/2006	10	5		mg/L
Sulfate	NE-4	10/25/2006	13	5		mg/L
Sulfate	NE-4	1/24/2007	11	5		mg/L
Sulfate	NE-4	7/12/2007	10	5		mg/L
Sulfate	NE-4	1/24/2008	7.9	5		mg/L
Sulfate	NE-4	7/21/2008	9.8	5		mg/L
Sulfate	NE-4	2/7/2009	11	5		mg/L
Sulfate	NE-4	7/31/2009	7.5	5		mg/L
Sulfate	NE-4	1/26/2010	7.6	5		mg/L
Sulfate	NE-4	7/14/2010	9.2	5		mg/L
Sulfate	NE-4	1/19/2011	5.6	5		mg/L
Sulfate	NE-4	7/13/2011	8.7	5		mg/L
Sulfate	NE-4	1/5/2012	7.6	5		mg/L
Sulfate	NE-4	7/10/2012	7.7	5		mg/L
Sulfate	NE-4	4/30/2013	8.3	5		mg/L
Sulfate	NE-4	7/16/2013	6.9	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-4	1/23/2014	9	5		mg/L
Sulfate	NE-4	7/9/2014	7.9	5		mg/L
Sulfate	NE-4	2/13/2015	7.3	5		mg/L
Sulfate	NE-4	7/8/2015	6.6	5		mg/L
Sulfate	NE-4	1/6/2016	8	5		mg/L
Sulfate	NE-4	7/20/2016	9.2	5		mg/L
Sulfate	NE-4	1/11/2017	8.8	5		mg/L
Sulfate	NE-4	7/19/2017	9	5		mg/L
Sulfate	NE-4	1/26/2018	5.1	5		mg/L
Sulfate	NE-4	4/10/2018	11	5		mg/L
Sulfate	NE-4	7/12/2018	12	5		mg/L
Sulfate	NE-4	10/3/2018	6	5		mg/L
Sulfate	NE-4	1/7/2019	5.3	5		mg/L
Sulfate	NE-4	4/2/2019	5.9	5		mg/L
Sulfate	NE-4	7/8/2019	15	5		mg/L
Sulfate	NE-4	7/8/2019	15	5		mg/L
Sulfate	NE-4	10/1/2019	5.4	5		mg/L
Sulfate	NE-4	1/13/2020	11.6	5		mg/L
Sulfate	NE-4	4/1/2020	9.58	5		mg/L
Sulfate	NE-4	7/6/2020	10.2	5		mg/L
Sulfate	NE-4	10/5/2020	7.02	5		mg/L
Sulfate	NE-4	1/15/2021	5.54	5		mg/L
Sulfate	NE-4	4/9/2021	5.62	5		mg/L
Sulfate	NE-4	7/2/2021	8.77	5		mg/L
Sulfate	NE-4	7/2/2021	6.74	5		mg/L
Sulfate	NE-4	10/6/2021	5.38	5		mg/L
Sulfate	NE-4	1/5/2023	6.24	5		mg/L
Sulfate	NE-4	4/6/2023	7.12	5		mg/L
Sulfate	NE-5	7/9/2002	1.4	1		mg/L
Sulfate	NE-5	8/6/2002	1.5	1		mg/L
Sulfate	NE-5	9/4/2002	2.1	1		mg/L
Sulfate	NE-5	10/2/2002	2.1	1		mg/L
Sulfate	NE-5	7/8/2003	1.5	1		mg/L
Sulfate	NE-5	1/27/2004	1.5	1		mg/L
Sulfate	NE-5	1/12/2005	1	1	ND	mg/L
Sulfate	NE-5	7/19/2006	0.84	5	ND	mg/L
Sulfate	NE-5	7/19/2006	0.84	5	ND	mg/L
Sulfate	NE-5	10/25/2006	0.78	5	ND	mg/L
Sulfate	NE-5	1/24/2007	0.7	5	ND	mg/L
Sulfate	NE-5	7/12/2007	0.68	5	ND	mg/L
Sulfate	NE-5	7/22/2008	0.55	5	ND	mg/L
Sulfate	NE-5	2/6/2009	5	5	ND	mg/L
Sulfate	NE-5	7/31/2009	0.89	5	ND	mg/L
Sulfate	NE-5	1/26/2010	0.86	5	ND	mg/L
Sulfate	NE-5	7/16/2010	0.45	5	ND	mg/L
Sulfate	NE-5	1/19/2011	0.92	5	ND	mg/L
Sulfate	NE-5	7/13/2011	0.78	5	ND	mg/L
Sulfate	NE-5	1/5/2012	0.89	5	ND	mg/L
Sulfate	NE-5	7/10/2012	1.5	5	ND	mg/L
Sulfate	NE-5	4/30/2013	0.8	5	ND	mg/L
Sulfate	NE-5	7/16/2013	1.8	5	ND	mg/L
Sulfate	NE-5	1/23/2014	1.9	5	ND	mg/L
Sulfate	NE-5	7/9/2014	3	5	ND	mg/L
Sulfate	NE-5	2/11/2015	2	5	ND	mg/L
Sulfate	NE-5	7/14/2015	1.4	5	ND	mg/L
Sulfate	NE-5	1/6/2016	1.3	5	ND	mg/L
Sulfate	NE-5	7/20/2016	2.7	5	ND	mg/L
Sulfate	NE-5	1/11/2017	2.1	5	ND	mg/L
Sulfate	NE-5	7/19/2017	0.57	5	ND	mg/L
Sulfate	NE-5	1/25/2018	1.7	5	ND	mg/L
Sulfate	NE-5	4/10/2018	1	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-5	7/17/2018	1.9	5	ND	mg/L
Sulfate	NE-5	10/3/2018	1.7	5	ND	mg/L
Sulfate	NE-5	1/4/2019	2.6	5	ND	mg/L
Sulfate	NE-5	4/2/2019	1.2	5	ND	mg/L
Sulfate	NE-5	4/2/2019	1.2	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	10/3/2019	6.5	5		mg/L
Sulfate	NE-5	1/16/2020	5	5	ND	mg/L
Sulfate	NE-5	4/2/2020	5	5	ND	mg/L
Sulfate	NE-5	7/8/2020	5	5	ND	mg/L
Sulfate	NE-5	10/6/2020	5	5	ND	mg/L
Sulfate	NE-5	1/15/2021	5	5	ND	mg/L
Sulfate	NE-5	4/9/2021	5	5	ND	mg/L
Sulfate	NE-5	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5	10/6/2021	5	5	ND	mg/L
Sulfate	NE-5	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5	4/6/2022	5	5	ND	mg/L
Sulfate	NE-5	7/13/2022	5	5	ND	mg/L
Sulfate	NE-5	10/7/2022	5	5	ND	mg/L
Sulfate	NE-5	1/5/2023	5	5	ND	mg/L
Sulfate	NE-5	4/7/2023	5	5	ND	mg/L
Sulfate	NE-5E	9/30/2019	4.4	5	ND	mg/L
Sulfate	NE-5E	1/16/2020	6.23	5		mg/L
Sulfate	NE-5E	4/1/2020	5.02	5		mg/L
Sulfate	NE-5E	7/8/2020	6.28	5		mg/L
Sulfate	NE-5E	10/6/2020	6.07	5		mg/L
Sulfate	NE-5E	1/15/2021	8.21	5		mg/L
Sulfate	NE-5E	4/9/2021	6.02	5		mg/L
Sulfate	NE-5E	7/2/2021	6.92	5		mg/L
Sulfate	NE-5E	7/2/2021	6.15	5		mg/L
Sulfate	NE-5E	10/6/2021	6.45	5		mg/L
Sulfate	NE-5E	1/18/2022	6.72	5		mg/L
Sulfate	NE-5E	1/18/2022	7.08	5		mg/L
Sulfate	NE-5E	4/6/2022	7.03	5		mg/L
Sulfate	NE-5E	7/13/2022	12.2	5		mg/L
Sulfate	NE-5E	10/7/2022	8.61	5		mg/L
Sulfate	NE-5E	1/5/2023	8.88	5		mg/L
Sulfate	NE-5E	4/7/2023	7.74	5		mg/L
Sulfate	NE-5W	9/30/2019	2.1	5	ND	mg/L
Sulfate	NE-5W	1/16/2020	5	5	ND	mg/L
Sulfate	NE-5W	4/2/2020	5	5	ND	mg/L
Sulfate	NE-5W	7/8/2020	5	5	ND	mg/L
Sulfate	NE-5W	10/6/2020	5	5	ND	mg/L
Sulfate	NE-5W	1/15/2021	5	5	ND	mg/L
Sulfate	NE-5W	4/9/2021	5	5	ND	mg/L
Sulfate	NE-5W	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5W	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5W	10/6/2021	5	5	ND	mg/L
Sulfate	NE-5W	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5W	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5W	4/6/2022	5	5	ND	mg/L
Sulfate	NE-5W	7/13/2022	5.47	5		mg/L
Sulfate	NE-5W	10/7/2022	5.68	5		mg/L
Sulfate	NE-5W	1/5/2023	5	5	ND	mg/L
Sulfate	NE-5W	4/7/2023	5	5	ND	mg/L
Sulfate	NE-6	1/12/2017	28	5		mg/L
Sulfate	NE-6	4/5/2017	20	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-6	7/19/2017	20	5		mg/L
Sulfate	NE-6	10/6/2017	20	5		mg/L
Sulfate	NE-6	2/4/2019	20	5		mg/L
Sulfate	NE-6	8/6/2019	25	5		mg/L
Sulfate	NE-6	1/15/2020	18	5		mg/L
Sulfate	NE-6	7/9/2020	19	5		mg/L
Sulfate	NE-6	1/16/2021	19.2	5		mg/L
Sulfate	NE-6	1/16/2021	19.4	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	1/17/2022	21.3	5		mg/L
Sulfate	NE-6	1/17/2022	19.3	5		mg/L
Sulfate	NE-6	1/17/2022	19.5	5		mg/L
Sulfate	NE-6	7/12/2022	19.4	5		mg/L
Sulfate	NE-6	1/5/2023	18.9	5		mg/L
Sulfate	NE-6D	10/2/2019	30	5		mg/L
Sulfate	NE-6D	1/15/2020	29.4	5		mg/L
Sulfate	NE-6D	4/2/2020	28.5	5		mg/L
Sulfate	NE-6D	7/9/2020	26.6	5		mg/L
Sulfate	NE-6D	10/7/2020	29.4	5		mg/L
Sulfate	NE-6D	1/15/2021	27.4	5		mg/L
Sulfate	NE-6D	4/9/2021	25.8	5		mg/L
Sulfate	NE-6D	7/2/2021	23.9	5		mg/L
Sulfate	NE-6D	7/2/2021	21.9	5		mg/L
Sulfate	NE-6D	10/7/2021	24.3	5		mg/L
Sulfate	NE-6D	1/17/2022	25.8	5		mg/L
Sulfate	NE-6D	1/17/2022	23.7	5		mg/L
Sulfate	NE-6D	4/6/2022	22.9	5		mg/L
Sulfate	NE-6D	7/12/2022	19.1	5		mg/L
Sulfate	NE-6D	10/7/2022	19.8	5		mg/L
Sulfate	NE-6D	1/5/2023	19.8	5		mg/L
Sulfate	NE-6D	4/7/2023	19.7	5		mg/L
Sulfate	NE-7	3/1/2017	6.3	5		mg/L
Sulfate	NE-7	4/6/2017	4.1	5	ND	mg/L
Sulfate	NE-7	7/20/2017	6.7	5		mg/L
Sulfate	NE-7	10/5/2017	6.4	5		mg/L
Sulfate	NE-7	2/6/2019	7.5	5		mg/L
Sulfate	NE-7	8/6/2019	4.7	5	ND	mg/L
Sulfate	NE-7	1/16/2020	5.55	5		mg/L
Sulfate	NE-7	7/7/2020	5	5	ND	mg/L
Sulfate	NE-7	1/16/2021	10	5		mg/L
Sulfate	NE-7	1/16/2021	9.9	5		mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	1/17/2022	6.68	5		mg/L
Sulfate	NE-7	1/17/2022	6.41	5		mg/L
Sulfate	NE-7	1/17/2022	6.41	5		mg/L
Sulfate	NE-7	7/12/2022	5.54	5		mg/L
Sulfate	NE-7	1/5/2023	7.36	5		mg/L
Sulfate	NE-8	1/12/2017	6.6	5		mg/L
Sulfate	NE-8	4/5/2017	14	5		mg/L
Sulfate	NE-8	7/20/2017	20	5		mg/L
Sulfate	NE-8	10/6/2017	22	5		mg/L
Sulfate	NE-8	2/4/2019	11	5		mg/L
Sulfate	NE-8	8/5/2019	15	5		mg/L
Sulfate	NE-8	1/15/2020	16.1	5		mg/L
Sulfate	NE-8	7/8/2020	16	5		mg/L
Sulfate	NE-8	1/13/2021	11.4	5		mg/L
Sulfate	NE-8	1/13/2021	11.7	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-8	4/9/2021	13.7	5		mg/L
Sulfate	NE-8	7/1/2021	15.3	5		mg/L
Sulfate	NE-8	7/1/2021	15.4	5		mg/L
Sulfate	NE-8	7/1/2021	15.3	5		mg/L
Sulfate	NE-8	7/1/2021	13.7	5		mg/L
Sulfate	NE-8	10/7/2021	16.7	5		mg/L
Sulfate	NE-8	1/6/2023	10.9	5		mg/L
Sulfate	NE-9	1/12/2017	3.4	5	ND	mg/L
Sulfate	NE-9	4/5/2017	3.4	5	ND	mg/L
Sulfate	NE-9	7/20/2017	2.7	5	ND	mg/L
Sulfate	NE-9	10/5/2017	2.9	5	ND	mg/L
Sulfate	NE-9	2/5/2019	2.5	5	ND	mg/L
Sulfate	NE-9	8/7/2019	3.3	5	ND	mg/L
Sulfate	NE-9	1/15/2020	5	5	ND	mg/L
Sulfate	NE-9	7/7/2020	5	5	ND	mg/L
Sulfate	NE-9	1/17/2021	5	5	ND	mg/L
Sulfate	NE-9	1/17/2021	2.77	5		mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	7/13/2022	5	5	ND	mg/L
Sulfate	NE-9	1/6/2023	5	5	ND	mg/L
Sulfate	NE-9	4/8/2023	5	5	ND	mg/L
Sulfide	LGW-10	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-10	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-10	2/12/2015	4	4	ND	mg/L
Sulfide	LGW-10	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-10	10/9/2017	4	4	ND	mg/L
Sulfide	LGW-10	7/16/2018	4	4	ND	mg/L
Sulfide	LGW-10	7/11/2019	4	4	ND	mg/L
Sulfide	LGW-10	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-10	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-14R	10/27/2006	4	4	ND	mg/L
Sulfide	LGW-14R	2/6/2009	4	4	ND	mg/L
Sulfide	LGW-14R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-14R	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-14R	7/17/2018	4	4	ND	mg/L
Sulfide	LGW-14R	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-2	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-2	2/6/2009	4	4	ND	mg/L
Sulfide	LGW-2	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-2	2/13/2015	4	4	ND	mg/L
Sulfide	LGW-2	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-2	7/8/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-2	7/4/2021	4	4	ND	mg/L
Sulfide	LGW-3R	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-3R	2/3/2009	4	4	ND	mg/L
Sulfide	LGW-3R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-3R	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-3R	7/11/2018	4	4	ND	mg/L
Sulfide	LGW-3R	7/6/2021	4	4	ND	mg/L
Sulfide	LGW-4	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-4	2/3/2009	4	4	ND	mg/L
Sulfide	LGW-4	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-4	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-4	7/11/2018	4	4	ND	mg/L
Sulfide	LGW-4	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-5	10/26/2006	4	4	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	LGW-5	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-5	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-5	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-5	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-5	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-6	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-6	2/5/2009	4	4	ND	mg/L
Sulfide	LGW-6	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-6	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-6	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-6	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-6	7/17/2018	4	4	ND	mg/L
Sulfide	LGW-6	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-6	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-6	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-7	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-7	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-7	7/10/2012	4	4	ND	mg/L
Sulfide	LGW-7	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-7	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-7	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-7	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-7	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-7	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-7	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-8R	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-8R	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-8R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-8R	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-8R	7/13/2018	4	4	ND	mg/L
Sulfide	LGW-8R	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-9	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-9	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-9	7/10/2012	4	4	ND	mg/L
Sulfide	LGW-9	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-9	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-9	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-9	7/13/2018	4	4	ND	mg/L
Sulfide	LGW-9	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-9	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-9	7/7/2021	4	4	ND	mg/L
Sulfide	MW-10N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-10N	2/13/2009	4	4	ND	mg/L
Sulfide	MW-10N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-10N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-10N	7/11/2018	0.8	4	ND	mg/L
Sulfide	MW-10N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-11N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-11N	2/3/2009	4	4	ND	mg/L
Sulfide	MW-11N	7/9/2012	4	4	ND	mg/L
Sulfide	MW-11N	2/10/2015	4	4	ND	mg/L
Sulfide	MW-11N	7/17/2018	4	4	ND	mg/L
Sulfide	MW-11N	7/6/2021	4	4	ND	mg/L
Sulfide	MW-15	7/10/2018	4	4	ND	mg/L
Sulfide	MW-15	7/4/2021	4	4	ND	mg/L
Sulfide	MW-16	7/11/2018	4	4	ND	mg/L
Sulfide	MW-16	7/4/2021	4	4	ND	mg/L
Sulfide	MW-17	7/10/2018	4	4	ND	mg/L
Sulfide	MW-17	7/4/2021	4	4	ND	mg/L
Sulfide	MW-19	7/13/2018	4	4	ND	mg/L
Sulfide	MW-19	7/4/2021	4	4	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	MW-1N	10/14/1998	1	1	ND	mg/L
Sulfide	MW-1N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-1N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-1N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-1N	2/5/2009	4	4	ND	mg/L
Sulfide	MW-1N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-1N	2/10/2015	4	4	ND	mg/L
Sulfide	MW-1N	7/10/2018	4	4	ND	mg/L
Sulfide	MW-1N	7/6/2020	0.05	0.05	ND	mg/L
Sulfide	MW-1N	7/4/2021	4	4	ND	mg/L
Sulfide	MW-20	7/12/2018	4	4	ND	mg/L
Sulfide	MW-20	7/4/2021	4	4	ND	mg/L
Sulfide	MW-21	10/5/2016	4	4	ND	mg/L
Sulfide	MW-21	10/6/2017	4	4	ND	mg/L
Sulfide	MW-21	7/11/2018	4	4	ND	mg/L
Sulfide	MW-21	7/11/2019	4	4	ND	mg/L
Sulfide	MW-21	7/8/2020	0.05	0.05	ND	mg/L
Sulfide	MW-21	7/5/2021	4	4	ND	mg/L
Sulfide	MW-2N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-2N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-2N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-2N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-2N	7/12/2018	4	4	ND	mg/L
Sulfide	MW-2N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-3N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-3N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-3N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-3N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-3N	7/11/2012	4	4	ND	mg/L
Sulfide	MW-3N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-3N	10/6/2016	4	4	ND	mg/L
Sulfide	MW-3N	10/9/2017	1.6	4	ND	mg/L
Sulfide	MW-3N	7/13/2018	4	4	ND	mg/L
Sulfide	MW-3N	7/11/2019	4	4	ND	mg/L
Sulfide	MW-3N	7/7/2020	0.05	0.05	ND	mg/L
Sulfide	MW-3N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-7N	10/15/1998	1	1	ND	mg/L
Sulfide	MW-7N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-7N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-7N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-7N	2/6/2009	4	4	ND	mg/L
Sulfide	MW-7N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-7N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-7N	10/5/2017	4	4	ND	mg/L
Sulfide	MW-7N	7/13/2018	4	4	ND	mg/L
Sulfide	MW-7N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-8N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-8N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-8N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-8N	1/24/2008	4	4	ND	mg/L
Sulfide	MW-8N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-8N	5/10/2011	4	4	ND	mg/L
Sulfide	MW-8N	7/11/2012	4	4	ND	mg/L
Sulfide	MW-8N	10/2/2013	4	4	ND	mg/L
Sulfide	MW-8N	10/8/2014	4	4	ND	mg/L
Sulfide	MW-8N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-8N	10/6/2016	4	4	ND	mg/L
Sulfide	MW-8N	10/6/2017	0.8	4	ND	mg/L
Sulfide	MW-8N	7/16/2018	4	4	ND	mg/L
Sulfide	MW-8N	7/11/2019	4	4	ND	mg/L
Sulfide	MW-8N	7/9/2020	0.05	0.05	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	MW-8N	7/5/2021	4	4	ND	mg/L
Sulfide	NE-1	10/25/2006	4	4	ND	mg/L
Sulfide	NE-1	2/7/2009	4	4	ND	mg/L
Sulfide	NE-1	7/10/2012	4	4	ND	mg/L
Sulfide	NE-1	2/11/2015	4	4	ND	mg/L
Sulfide	NE-1	7/18/2018	4	4	ND	mg/L
Sulfide	NE-2	7/10/2018	4	4	ND	mg/L
Sulfide	NE-4	10/25/2006	4	4	ND	mg/L
Sulfide	NE-4	2/7/2009	4	4	ND	mg/L
Sulfide	NE-4	7/10/2012	4	4	ND	mg/L
Sulfide	NE-4	2/13/2015	4	4	ND	mg/L
Sulfide	NE-4	7/12/2018	4	4	ND	mg/L
Sulfide	NE-5	10/25/2006	4	4	ND	mg/L
Sulfide	NE-5	2/6/2009	4	4	ND	mg/L
Sulfide	NE-5	7/10/2012	4	4	ND	mg/L
Sulfide	NE-5	2/11/2015	4	4	ND	mg/L
Sulfide	NE-5	7/17/2018	4	4	ND	mg/L
Sulfide	NE-5	7/9/2019	4	4	ND	mg/L
Sym-trinitrobenzene	LGW-10	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-10	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	10/6/2016	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-10	10/9/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/16/2018	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	10/27/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-14R	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-14R	7/17/2018	51	51	ND	ug/L
Sym-trinitrobenzene	LGW-2	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-2	2/13/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-2	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-2	2/13/2015	65	65	ND	ug/L
Sym-trinitrobenzene	LGW-2	7/12/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-3R	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-3R	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-3R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-3R	2/10/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-3R	7/11/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-4	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-4	7/11/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-5	2/10/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-5	7/12/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	2/5/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-6	2/10/2015	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/5/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-6	7/17/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-6	7/10/2019	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-7	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sym-trinitrobenzene	LGW-7	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/5/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/12/2018	51	51	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/10/2019	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-8R	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-8R	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-8R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-8R	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-8R	7/13/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-9	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-9	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/5/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/13/2018	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/10/2019	51	51	ND	ug/L
Sym-trinitrobenzene	MW-10N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-10N	2/13/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-10N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-10N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-10N	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-11N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-11N	2/10/2015	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	7/17/2018	50	50	ND	ug/L
Sym-trinitrobenzene	MW-15	7/10/2018	51	51	ND	ug/L
Sym-trinitrobenzene	MW-16	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-17	7/10/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-19	7/13/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-1N	2/5/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-1N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-1N	2/10/2015	47	47	ND	ug/L
Sym-trinitrobenzene	MW-1N	7/10/2018	49	49	ND	ug/L
Sym-trinitrobenzene	MW-20	7/12/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-21	10/5/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	10/6/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-2N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-2N	7/12/2018	51	51	ND	ug/L
Sym-trinitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-3N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/11/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-3N	2/12/2015	49	49	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/9/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/13/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sym-trinitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-7N	2/12/2015	49	49	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/5/2017	49	49	ND	ug/L
Sym-trinitrobenzene	MW-7N	7/13/2018	52	52	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	1/24/2008	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/10/2011	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/11/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/2/2013	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/8/2014	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/6/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/16/2018	49	49	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	2/7/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	7/10/2012	48	48	ND	ug/L
Sym-trinitrobenzene	NE-1	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-1	7/18/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-2	7/10/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-4	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-4	2/7/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-4	7/10/2012	49	49	ND	ug/L
Sym-trinitrobenzene	NE-4	2/13/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-4	7/12/2018	52	52	ND	ug/L
Sym-trinitrobenzene	NE-5	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-5	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-5	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	NE-5	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-5	7/17/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-5	7/9/2019	50	50	ND	ug/L
Temperature (field test)	MW-10N	10/2/2002	15.5	0		C
Temperature (field test)	MW-11N	10/2/2002	16.8	0		C
Temperature (field test)	MW-1N	10/3/2002	17.1	0		C
Tetrachloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/30/2014	0.39	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/30/2014	0.49	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	4/28/1998	2.4	2.4	ND	ug/L
Tetrachloroethene	MW-10N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	7/15/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/14/2000	1.2	1.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-10N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/13/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/24/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/20/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	10/14/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	5/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/15/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/12/2000	0.34	1		ug/L
Tetrachloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
Tetrachloroethene	MW-1N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/3/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	7/22/1998	1.2	1.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-2N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/21/1997	1.2	1.2		ug/L
Tetrachloroethene	MW-3N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	4/28/1998	1	1.2		ug/L
Tetrachloroethene	MW-3N	7/23/1998	1.2	1.2		ug/L
Tetrachloroethene	MW-3N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	7/14/1999	1.2	1.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-3N	10/20/1999	0.89	1.2		ug/L
Tetrachloroethene	MW-3N	1/14/2000	0.67	1.2		ug/L
Tetrachloroethene	MW-3N	4/24/2000	0.94	1.2		ug/L
Tetrachloroethene	MW-3N	7/11/2000	0.5	1		ug/L
Tetrachloroethene	MW-3N	10/17/2000	0.76	1		ug/L
Tetrachloroethene	MW-3N	1/23/2001	0.58	1		ug/L
Tetrachloroethene	MW-3N	4/11/2001	0.61	1		ug/L
Tetrachloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-3N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	7/9/2002	0.59	1		ug/L
Tetrachloroethene	MW-3N	10/2/2002	0.29	1		ug/L
Tetrachloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-3N	2/4/2009	0.29	1	ND	ug/L
Tetrachloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/13/2010	0.24	1	ND	ug/L
Tetrachloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/5/2012	0.28	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2012	0.25	1	ND	ug/L
Tetrachloroethene	MW-3N	5/1/2013	0.2	1	ND	ug/L
Tetrachloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/4/2017	0.28	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/21/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	8/18/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	9/17/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/15/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	11/9/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	4/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/13/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/21/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	7/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/12/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-3	7/9/2002	0.28	1		ug/L
Tetrachloroethene	NE-3	8/6/2002	0.49	1		ug/L
Tetrachloroethene	NE-3	9/4/2002	0.44	1		ug/L
Tetrachloroethene	NE-3	10/2/2002	0.5	1		ug/L
Tetrachloroethene	NE-3	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	NE-3	3/21/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/10/2002	0.45	1		ug/L
Tetrachloroethene	NE-4	8/6/2002	0.58	1		ug/L
Tetrachloroethene	NE-4	9/4/2002	0.45	1		ug/L
Tetrachloroethene	NE-4	10/3/2002	0.51	1		ug/L
Tetrachloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Tetrachloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	NE-5	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	NE-5	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Thallium, dissolved	LGW-14R	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-2	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-4	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-5	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-6	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-7	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-8R	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	MW-10N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-10N	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	MW-10N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-11N	7/10/2000	2	2	ND	ug/L
Thallium, dissolved	MW-11N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-11N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-1N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-1N	7/12/2000	2	2	ND	ug/L
Thallium, dissolved	MW-1N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-1N	10/3/2002	1	1	ND	ug/L
Thallium, dissolved	MW-2N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-2N	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	MW-2N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-3N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-3N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-3N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-7N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-7N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-7N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-7N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-8N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-8N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-8N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-8N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	NE-1	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	NE-2	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, dissolved	NE-3	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	NE-3	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-3	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-3	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	NE-4	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	10/3/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	NE-5	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	10/2/2002	1	1	ND	ug/L
Thallium, total	LGW-10	1/26/2006	2	2	ND	ug/L
Thallium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Thallium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-10	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-10	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-10	7/16/2010	0	1	ND	ug/L
Thallium, total	LGW-10	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-10	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-10	5/1/2013	1	1	ND	ug/L
Thallium, total	LGW-10	1/30/2014	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Thallium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Thallium, total	LGW-10	7/13/2015	1	1	ND	ug/L
Thallium, total	LGW-10	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-10	4/6/2016	1	1	ND	ug/L
Thallium, total	LGW-10	7/21/2016	1	1	ND	ug/L
Thallium, total	LGW-10	10/6/2016	1	1	ND	ug/L
Thallium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-10	4/4/2017	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/19/2017	1	1	ND	ug/L
Thallium, total	LGW-10	10/9/2017	1	1	ND	ug/L
Thallium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Thallium, total	LGW-10	4/11/2018	1	1	ND	ug/L
Thallium, total	LGW-10	7/16/2018	1	1	ND	ug/L
Thallium, total	LGW-10	10/4/2018	1	1	ND	ug/L
Thallium, total	LGW-10	1/4/2019	1	1	ND	ug/L
Thallium, total	LGW-10	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Thallium, total	LGW-10	10/2/2019	0.14	1	ND	ug/L
Thallium, total	LGW-10	1/15/2020	1	1	ND	ug/L
Thallium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-10	10/7/2020	1	1	ND	ug/L
Thallium, total	LGW-10	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-10	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-10	10/7/2022	1	1	ND	ug/L
Thallium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Thallium, total	LGW-14R	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-14R	8/2/2006	0.2	1	ND	ug/L
Thallium, total	LGW-14R	8/2/2006	0.2	1	ND	ug/L
Thallium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Thallium, total	LGW-14R	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-14R	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-14R	4/24/2007	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/11/2007	0.4	1	ND	ug/L
Thallium, total	LGW-14R	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-14R	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-14R	2/6/2009	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	7/12/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-14R	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-14R	1/5/2012	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-14R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-14R	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Thallium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Thallium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-14R	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-2	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-2	8/1/2006	0	1	ND	ug/L
Thallium, total	LGW-2	8/1/2006	0	1	ND	ug/L
Thallium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-2	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-2	7/10/2007	1	1	ND	ug/L
Thallium, total	LGW-2	1/26/2008	0	1	ND	ug/L
Thallium, total	LGW-2	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-2	2/6/2009	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/30/2009	0	1	ND	ug/L
Thallium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-2	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-2	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-2	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-2	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-2	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-2	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-2	1/30/2014	0.2	1	ND	ug/L
Thallium, total	LGW-2	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-2	2/13/2015	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Thallium, total	LGW-2	1/5/2016	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Thallium, total	LGW-2	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-2	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-2	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Thallium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Thallium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Thallium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Thallium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Thallium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-3R	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-3R	1/8/2007	0	1	ND	ug/L
Thallium, total	LGW-3R	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	1/26/2008	0	1	ND	ug/L
Thallium, total	LGW-3R	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-3R	2/3/2009	0	1	ND	ug/L
Thallium, total	LGW-3R	7/31/2009	0.1	1	ND	ug/L
Thallium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	7/16/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-3R	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-3R	1/4/2012	0	1	ND	ug/L
Thallium, total	LGW-3R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-3R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-3R	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-3R	1/22/2014	0.1	1	ND	ug/L
Thallium, total	LGW-3R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-3R	2/10/2015	0.3	1	ND	ug/L
Thallium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Thallium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Thallium, total	LGW-3R	7/21/2016	0.1	1	ND	ug/L
Thallium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Thallium, total	LGW-3R	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Thallium, total	LGW-3R	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-3R	7/10/2022	1	1	ND	ug/L
Thallium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-4	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-4	1/9/2007	0	1	ND	ug/L
Thallium, total	LGW-4	1/25/2007	0	1	ND	ug/L
Thallium, total	LGW-4	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-4	1/22/2008	0	1	ND	ug/L
Thallium, total	LGW-4	7/23/2008	1	1	ND	ug/L
Thallium, total	LGW-4	2/3/2009	1	1	ND	ug/L
Thallium, total	LGW-4	7/31/2009	1	1	ND	ug/L
Thallium, total	LGW-4	2/3/2010	0	1	ND	ug/L
Thallium, total	LGW-4	2/3/2010	0	1	ND	ug/L
Thallium, total	LGW-4	7/16/2010	0	1	ND	ug/L
Thallium, total	LGW-4	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-4	1/4/2012	1	1	ND	ug/L
Thallium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-4	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-4	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-4	2/11/2015	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Thallium, total	LGW-4	1/5/2016	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/19/2016	1	1	ND	ug/L
Thallium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-4	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2018	1	1	ND	ug/L
Thallium, total	LGW-4	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-4	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-4	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-5	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-5	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-5	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-5	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-5	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-5	2/4/2009	0	1	ND	ug/L
Thallium, total	LGW-5	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-5	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-5	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-5	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-5	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-5	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-5	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-5	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-5	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-5	2/10/2015	0.1	1	ND	ug/L
Thallium, total	LGW-5	7/8/2015	0.1	1	ND	ug/L
Thallium, total	LGW-5	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-5	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-5	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-5	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-5	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-5	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-5	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-5	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-5	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-5	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Thallium, total	LGW-5	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-6	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-6	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-6	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-6	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-6	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-6	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-6	2/5/2009	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-6	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-6	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-6	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-6	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-6	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-6	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-6	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-6	2/10/2015	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-6	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-6	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2016	0.1	1	ND	ug/L
Thallium, total	LGW-6	1/11/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	5/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/18/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2018	0.078	1	ND	ug/L
Thallium, total	LGW-6	4/10/2018	0.13	1	ND	ug/L
Thallium, total	LGW-6	7/17/2018	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/2/2018	0.094	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-6	1/7/2019	0.072	1	ND	ug/L
Thallium, total	LGW-6	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-6	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-6	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-6	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-6	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-6	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2020	1	1	ND	ug/L
Thallium, total	LGW-6	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-6	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-6	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-6	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-6	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-6	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-6	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2022	1	1	ND	ug/L
Thallium, total	LGW-6	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-6	4/6/2023	1	1	ND	ug/L
Thallium, total	LGW-7	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-7	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-7	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-7	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2007	1	1	ND	ug/L
Thallium, total	LGW-7	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-7	2/4/2009	1	1	ND	ug/L
Thallium, total	LGW-7	7/31/2009	1	1	ND	ug/L
Thallium, total	LGW-7	1/27/2010	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2010	1	1	ND	ug/L
Thallium, total	LGW-7	1/20/2011	0	1	ND	ug/L
Thallium, total	LGW-7	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-7	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-7	7/10/2012	1	1	ND	ug/L
Thallium, total	LGW-7	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-7	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-7	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-7	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-7	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-7	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-7	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-7	4/6/2016	1	1	ND	ug/L
Thallium, total	LGW-7	7/20/2016	1	1	ND	ug/L
Thallium, total	LGW-7	10/6/2016	1	1	ND	ug/L
Thallium, total	LGW-7	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-7	4/4/2017	1	1	ND	ug/L
Thallium, total	LGW-7	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-7	10/5/2017	1	1	ND	ug/L
Thallium, total	LGW-7	1/24/2018	1	1	ND	ug/L
Thallium, total	LGW-7	4/11/2018	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-7	10/2/2018	1	1	ND	ug/L
Thallium, total	LGW-7	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-7	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-7	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-7	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Thallium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-7	7/7/2021	4.36	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-7	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-8R	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-8R	7/20/2006	0	1	ND	ug/L
Thallium, total	LGW-8R	7/20/2006	0	1	ND	ug/L
Thallium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-8R	1/9/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	1/24/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	4/25/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	7/12/2007	0	1	ND	ug/L
Thallium, total	LGW-8R	2/4/2009	0	1	ND	ug/L
Thallium, total	LGW-8R	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Thallium, total	LGW-8R	7/14/2010	1	1	ND	ug/L
Thallium, total	LGW-8R	1/20/2011	0	1	ND	ug/L
Thallium, total	LGW-8R	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-8R	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-8R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-8R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-8R	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Thallium, total	LGW-8R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-8R	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-8R	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-8R	7/20/2016	0.1	1	ND	ug/L
Thallium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-8R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-8R	1/25/2018	1	1	ND	ug/L
Thallium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Thallium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Thallium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Thallium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-9	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-9	7/20/2006	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/20/2006	0.1	1	ND	ug/L
Thallium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-9	1/9/2007	0	1	ND	ug/L
Thallium, total	LGW-9	1/25/2007	0.1	1	ND	ug/L
Thallium, total	LGW-9	4/25/2007	0	1	ND	ug/L
Thallium, total	LGW-9	7/10/2007	0	1	ND	ug/L
Thallium, total	LGW-9	7/22/2008	0.1	1	ND	ug/L
Thallium, total	LGW-9	2/4/2009	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/29/2009	0	1	ND	ug/L
Thallium, total	LGW-9	1/27/2010	0	1	ND	ug/L
Thallium, total	LGW-9	7/14/2010	0	1	ND	ug/L
Thallium, total	LGW-9	1/20/2011	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/12/2011	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-9	7/10/2012	0.1	1	ND	ug/L
Thallium, total	LGW-9	5/1/2013	1	1	ND	ug/L
Thallium, total	LGW-9	7/15/2013	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-9	7/8/2014	0.1	1	ND	ug/L
Thallium, total	LGW-9	2/11/2015	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/13/2015	1	1	ND	ug/L
Thallium, total	LGW-9	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-9	7/21/2016	0.1	1	ND	ug/L
Thallium, total	LGW-9	10/6/2016	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/11/2017	0.1	1	ND	ug/L
Thallium, total	LGW-9	5/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-9	10/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/24/2018	0.058	1	ND	ug/L
Thallium, total	LGW-9	4/11/2018	0.099	1	ND	ug/L
Thallium, total	LGW-9	7/13/2018	0.065	1	ND	ug/L
Thallium, total	LGW-9	10/2/2018	0.054	1	ND	ug/L
Thallium, total	LGW-9	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-9	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-9	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-9	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-9	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-9	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-9	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-9	10/7/2020	1	1	ND	ug/L
Thallium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-9	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-9	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-9	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-9	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-9	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-9	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-9	10/7/2022	1	1	ND	ug/L
Thallium, total	LGW-9	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-9	4/5/2023	1	1	ND	ug/L
Thallium, total	MW-10N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-10N	1/22/1998	2	2	ND	ug/L
Thallium, total	MW-10N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-10N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-10N	1/14/1999	2	2	ND	ug/L
Thallium, total	MW-10N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-10N	7/15/1999	2	2	ND	ug/L
Thallium, total	MW-10N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-10N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-10N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-10N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-10N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-10N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-10N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-10N	7/10/2002	5	5	ND	ug/L
Thallium, total	MW-10N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-10N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-10N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-10N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-10N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-10N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-10N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-10N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-10N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-10N	7/10/2007	1	1	ND	ug/L
Thallium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Thallium, total	MW-10N	7/21/2008	1	1	ND	ug/L
Thallium, total	MW-10N	2/13/2009	0	1	ND	ug/L
Thallium, total	MW-10N	7/31/2009	0	1	ND	ug/L
Thallium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Thallium, total	MW-10N	8/10/2010	0	1	ND	ug/L
Thallium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Thallium, total	MW-10N	7/14/2011	0	1	ND	ug/L
Thallium, total	MW-10N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-10N	5/1/2013	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Thallium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Thallium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Thallium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2018	1	1	ND	ug/L
Thallium, total	MW-10N	7/11/2018	1	1	ND	ug/L
Thallium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Thallium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-11N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-11N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-11N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-11N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-11N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-11N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-11N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/2000	2	2	ND	ug/L
Thallium, total	MW-11N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-11N	7/10/2000	2	2	ND	ug/L
Thallium, total	MW-11N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-11N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-11N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-11N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-11N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-11N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-11N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-11N	1/29/2004	2	2	ND	ug/L
Thallium, total	MW-11N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/2005	2	2	ND	ug/L
Thallium, total	MW-11N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-11N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Thallium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Thallium, total	MW-11N	7/10/2007	1	1	ND	ug/L
Thallium, total	MW-11N	1/22/2008	1	1	ND	ug/L
Thallium, total	MW-11N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-11N	2/3/2009	1	1	ND	ug/L
Thallium, total	MW-11N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Thallium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Thallium, total	MW-11N	7/16/2010	1	1	ND	ug/L
Thallium, total	MW-11N	1/19/2011	1	1	ND	ug/L
Thallium, total	MW-11N	7/13/2011	1	1	ND	ug/L
Thallium, total	MW-11N	1/4/2012	1	1	ND	ug/L
Thallium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Thallium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Thallium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Thallium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Thallium, total	MW-11N	2/10/2015	0.2	1	ND	ug/L
Thallium, total	MW-11N	7/13/2015	0.1	1	ND	ug/L
Thallium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Thallium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-11N	1/11/2017	1	1	ND	ug/L
Thallium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-11N	7/17/2018	1	1	ND	ug/L
Thallium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Thallium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Thallium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Thallium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Thallium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Thallium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-15	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	7/15/2015	1	1	ND	ug/L
Thallium, total	MW-15	8/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	9/3/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	1/7/2016	1	1	ND	ug/L
Thallium, total	MW-15	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-15	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-15	10/6/2016	1	1	ND	ug/L
Thallium, total	MW-15	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-15	7/18/2017	1	1	ND	ug/L
Thallium, total	MW-15	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-15	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-15	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-15	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-15	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-15	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-15	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-15	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-15	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-15	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-15	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-16	6/5/2015	1	1	ND	ug/L
Thallium, total	MW-16	7/16/2015	1	1	ND	ug/L
Thallium, total	MW-16	8/5/2015	1	1	ND	ug/L
Thallium, total	MW-16	9/3/2015	1	1	ND	ug/L
Thallium, total	MW-16	1/8/2016	1	1	ND	ug/L
Thallium, total	MW-16	4/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-16	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-16	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-16	1/10/2017	0.1	1	ND	ug/L
Thallium, total	MW-16	7/18/2017	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-16	1/23/2018	0.052	1	ND	ug/L
Thallium, total	MW-16	7/11/2018	1	1	ND	ug/L
Thallium, total	MW-16	1/2/2019	1	1	ND	ug/L
Thallium, total	MW-16	7/10/2019	2	2	ND	ug/L
Thallium, total	MW-16	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-16	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-16	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-16	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-16	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-16	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-16	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-17	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-17	7/15/2015	1	1	ND	ug/L
Thallium, total	MW-17	8/4/2015	1	1	ND	ug/L
Thallium, total	MW-17	9/2/2015	0.1	1	ND	ug/L
Thallium, total	MW-17	1/7/2016	1	1	ND	ug/L
Thallium, total	MW-17	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-17	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-17	10/6/2016	1	1	ND	ug/L
Thallium, total	MW-17	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-17	7/18/2017	1	1	ND	ug/L
Thallium, total	MW-17	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-17	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-17	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-17	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-17	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-17	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-17	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-17	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-17	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-19	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-19	7/16/2015	0.1	1	ND	ug/L
Thallium, total	MW-19	8/5/2015	1	1	ND	ug/L
Thallium, total	MW-19	9/3/2015	1	1	ND	ug/L
Thallium, total	MW-19	1/7/2016	0.1	1	ND	ug/L
Thallium, total	MW-19	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-19	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-19	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-19	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-19	7/18/2017	0.2	1	ND	ug/L
Thallium, total	MW-19	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-19	7/13/2018	1	1	ND	ug/L
Thallium, total	MW-19	1/7/2019	1	1	ND	ug/L
Thallium, total	MW-19	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-19	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-19	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-19	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-19	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-19	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-1N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-1N	1/20/1998	2	2	ND	ug/L
Thallium, total	MW-1N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-1N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-1N	10/14/1998	2	2	ND	ug/L
Thallium, total	MW-1N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-1N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-1N	7/15/1999	2	2	ND	ug/L
Thallium, total	MW-1N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-1N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-1N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-1N	7/12/2000	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-1N	10/18/2000	2	2	ND	ug/L
Thallium, total	MW-1N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-1N	4/12/2001	2	2	ND	ug/L
Thallium, total	MW-1N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-1N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-1N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-1N	10/3/2002	1	1	ND	ug/L
Thallium, total	MW-1N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-1N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-1N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-1N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-1N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-1N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-1N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-1N	1/18/2006	2	2	ND	ug/L
Thallium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Thallium, total	MW-1N	1/9/2007	1	1	ND	ug/L
Thallium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-1N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Thallium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Thallium, total	MW-1N	2/5/2009	0	1	ND	ug/L
Thallium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Thallium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Thallium, total	MW-1N	1/20/2011	0	1	ND	ug/L
Thallium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Thallium, total	MW-1N	1/5/2012	0	1	ND	ug/L
Thallium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-1N	5/1/2013	0.2	1	ND	ug/L
Thallium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Thallium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Thallium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-1N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-1N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Thallium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Thallium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-1N	7/6/2020	1	1	ND	ug/L
Thallium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-20	6/5/2015	1	1	ND	ug/L
Thallium, total	MW-20	7/14/2015	0.2	1	ND	ug/L
Thallium, total	MW-20	8/4/2015	1	1	ND	ug/L
Thallium, total	MW-20	9/2/2015	1	1	ND	ug/L
Thallium, total	MW-20	1/7/2016	0.2	1	ND	ug/L
Thallium, total	MW-20	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-20	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-20	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-20	1/12/2017	1	1	ND	ug/L
Thallium, total	MW-20	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-20	1/26/2018	1	1	ND	ug/L
Thallium, total	MW-20	7/12/2018	1	1	ND	ug/L
Thallium, total	MW-20	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-20	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-20	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-20	1/17/2021	1	1	ND	ug/L
Thallium, total	MW-20	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-20	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-21	6/5/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	7/14/2015	0.3	1	ND	ug/L
Thallium, total	MW-21	8/4/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	9/2/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	1/7/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	4/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	7/20/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	1/10/2017	0.2	1	ND	ug/L
Thallium, total	MW-21	4/5/2017	0.3	1	ND	ug/L
Thallium, total	MW-21	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-21	10/6/2017	0.3	1	ND	ug/L
Thallium, total	MW-21	1/24/2018	0.12	1	ND	ug/L
Thallium, total	MW-21	4/11/2018	0.36	1	ND	ug/L
Thallium, total	MW-21	7/11/2018	0.23	1	ND	ug/L
Thallium, total	MW-21	10/4/2018	0.18	1	ND	ug/L
Thallium, total	MW-21	1/3/2019	0.32	1	ND	ug/L
Thallium, total	MW-21	4/3/2019	0.35	1	ND	ug/L
Thallium, total	MW-21	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-21	10/2/2019	0.25	1	ND	ug/L
Thallium, total	MW-21	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-21	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-21	7/8/2020	1	1	ND	ug/L
Thallium, total	MW-21	10/7/2020	1	1	ND	ug/L
Thallium, total	MW-21	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-21	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-21	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-21	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-21	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-21	4/8/2023	1	1	ND	ug/L
Thallium, total	MW-2N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-2N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-2N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-2N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-2N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-2N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-2N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-2N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-2N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-2N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-2N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-2N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-2N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-2N	7/10/2002	5	5	ND	ug/L
Thallium, total	MW-2N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-2N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-2N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-2N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-2N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-2N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-2N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-2N	7/20/2005	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-2N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-2N	1/24/2008	1	1	ND	ug/L
Thallium, total	MW-2N	7/22/2008	1	1	ND	ug/L
Thallium, total	MW-2N	2/4/2009	1	1	ND	ug/L
Thallium, total	MW-2N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Thallium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Thallium, total	MW-2N	1/20/2011	0	1	ND	ug/L
Thallium, total	MW-2N	7/13/2011	0	1	ND	ug/L
Thallium, total	MW-2N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-2N	5/1/2013	1	1	ND	ug/L
Thallium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Thallium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-2N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-2N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-2N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-2N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Thallium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Thallium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Thallium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-3N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-3N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-3N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-3N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-3N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-3N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-3N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-3N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-3N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-3N	4/24/2000	2	2	ND	ug/L
Thallium, total	MW-3N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-3N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-3N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-3N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-3N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-3N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-3N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-3N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-3N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-3N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-3N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-3N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-3N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-3N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-3N	7/20/2005	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-3N	1/18/2006	2	2	ND	ug/L
Thallium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-3N	1/10/2007	0	1	ND	ug/L
Thallium, total	MW-3N	1/26/2007	0	1	ND	ug/L
Thallium, total	MW-3N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2008	0	1	ND	ug/L
Thallium, total	MW-3N	7/22/2008	0	1	ND	ug/L
Thallium, total	MW-3N	2/4/2009	0	1	ND	ug/L
Thallium, total	MW-3N	7/31/2009	0	1	ND	ug/L
Thallium, total	MW-3N	1/26/2010	0	1	ND	ug/L
Thallium, total	MW-3N	7/13/2010	0	1	ND	ug/L
Thallium, total	MW-3N	1/20/2011	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/14/2011	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-3N	7/11/2012	1	1	ND	ug/L
Thallium, total	MW-3N	5/1/2013	0.1	1	ND	ug/L
Thallium, total	MW-3N	6/4/2013	1	1	ND	ug/L
Thallium, total	MW-3N	7/16/2013	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-3N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-3N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	4/1/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/14/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	10/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-3N	4/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/21/2016	0.2	1	ND	ug/L
Thallium, total	MW-3N	10/6/2016	0.2	1	ND	ug/L
Thallium, total	MW-3N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-3N	4/4/2017	0.3	1	ND	ug/L
Thallium, total	MW-3N	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-3N	10/9/2017	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2018	0.1	1	ND	ug/L
Thallium, total	MW-3N	4/10/2018	0.17	1	ND	ug/L
Thallium, total	MW-3N	7/13/2018	0.14	1	ND	ug/L
Thallium, total	MW-3N	10/3/2018	0.11	1	ND	ug/L
Thallium, total	MW-3N	1/7/2019	0.051	1	ND	ug/L
Thallium, total	MW-3N	4/3/2019	0.18	1	ND	ug/L
Thallium, total	MW-3N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-3N	10/2/2019	0.13	1	ND	ug/L
Thallium, total	MW-3N	1/15/2020	1	1	ND	ug/L
Thallium, total	MW-3N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-3N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-3N	10/7/2020	1	1	ND	ug/L
Thallium, total	MW-3N	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-3N	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-3N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-3N	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-3N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-7N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-7N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-7N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-7N	8/18/1998	2	2	ND	ug/L
Thallium, total	MW-7N	9/17/1998	2	2	ND	ug/L
Thallium, total	MW-7N	10/15/1998	2	2	ND	ug/L
Thallium, total	MW-7N	11/9/1998	2	2	ND	ug/L
Thallium, total	MW-7N	1/14/1999	2	2	ND	ug/L
Thallium, total	MW-7N	4/14/1999	2	2	ND	ug/L
Thallium, total	MW-7N	7/14/1999	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-7N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-7N	1/13/2000	2	2	ND	ug/L
Thallium, total	MW-7N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-7N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-7N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-7N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-7N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-7N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-7N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-7N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-7N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-7N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-7N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-7N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-7N	1/27/2004	2	2	ND	ug/L
Thallium, total	MW-7N	4/8/2004	2	2	ND	ug/L
Thallium, total	MW-7N	7/26/2004	2	2	ND	ug/L
Thallium, total	MW-7N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-7N	7/19/2005	2	2	ND	ug/L
Thallium, total	MW-7N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-7N	7/19/2006	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/19/2006	0.1	1	ND	ug/L
Thallium, total	MW-7N	10/24/2006	15	10		ug/L
Thallium, total	MW-7N	12/22/2006	0.9	1	ND	ug/L
Thallium, total	MW-7N	1/10/2007	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/26/2007	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2007	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/21/2008	0.1	1	ND	ug/L
Thallium, total	MW-7N	2/6/2009	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/29/2009	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/26/2010	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/14/2010	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/20/2011	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/12/2011	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/5/2012	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2012	0.1	1	ND	ug/L
Thallium, total	MW-7N	5/1/2013	0.3	1	ND	ug/L
Thallium, total	MW-7N	6/4/2013	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/15/2013	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/30/2014	0.3	1	ND	ug/L
Thallium, total	MW-7N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-7N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Thallium, total	MW-7N	1/5/2016	1	1	ND	ug/L
Thallium, total	MW-7N	7/21/2016	0.2	1	ND	ug/L
Thallium, total	MW-7N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	4/4/2017	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	10/5/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	1/25/2018	0.14	1	ND	ug/L
Thallium, total	MW-7N	4/11/2018	0.22	1	ND	ug/L
Thallium, total	MW-7N	7/13/2018	0.091	1	ND	ug/L
Thallium, total	MW-7N	1/4/2019	0.054	1	ND	ug/L
Thallium, total	MW-7N	7/10/2019	2	2	ND	ug/L
Thallium, total	MW-7N	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-7N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-7N	1/16/2021	1	1	ND	ug/L
Thallium, total	MW-7N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-7N	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-8N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-8N	1/22/1998	2	2	ND	ug/L
Thallium, total	MW-8N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-8N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-8N	1/12/1999	2	2	ND	ug/L
Thallium, total	MW-8N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-8N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-8N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-8N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-8N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-8N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-8N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-8N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-8N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-8N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-8N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-8N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-8N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-8N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-8N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-8N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-8N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-8N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-8N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-8N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-8N	7/19/2006	0.6	1	ND	ug/L
Thallium, total	MW-8N	7/19/2006	0.6	1	ND	ug/L
Thallium, total	MW-8N	10/24/2006	10	10		ug/L
Thallium, total	MW-8N	12/22/2006	1	1		ug/L
Thallium, total	MW-8N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-8N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-8N	4/25/2007	0.7	1	ND	ug/L
Thallium, total	MW-8N	7/10/2007	0.5	1	ND	ug/L
Thallium, total	MW-8N	1/24/2008	0.5	1	ND	ug/L
Thallium, total	MW-8N	7/23/2008	0.4	1	ND	ug/L
Thallium, total	MW-8N	2/4/2009	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/31/2009	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/26/2010	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/16/2010	0.3	1	ND	ug/L
Thallium, total	MW-8N	1/19/2011	0.3	1	ND	ug/L
Thallium, total	MW-8N	5/10/2011	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/14/2011	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/6/2012	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/5/2012	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/11/2012	0.4	1	ND	ug/L
Thallium, total	MW-8N	10/3/2012	0.3	1	ND	ug/L
Thallium, total	MW-8N	5/1/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	6/4/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/16/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	10/2/2013	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/30/2014	0.3	1	ND	ug/L
Thallium, total	MW-8N	4/3/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/9/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	10/8/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	2/12/2015	0.3	1	ND	ug/L
Thallium, total	MW-8N	4/1/2015	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/14/2015	0.2	1	ND	ug/L
Thallium, total	MW-8N	10/5/2015	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/6/2016	0.4	1	ND	ug/L
Thallium, total	MW-8N	7/21/2016	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-8N	10/6/2016	0.3	1	ND	ug/L
Thallium, total	MW-8N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/4/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/19/2017	0.3	1	ND	ug/L
Thallium, total	MW-8N	10/6/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/25/2018	0.22	1	ND	ug/L
Thallium, total	MW-8N	4/10/2018	0.24	1	ND	ug/L
Thallium, total	MW-8N	7/16/2018	0.22	1	ND	ug/L
Thallium, total	MW-8N	10/2/2018	0.23	1	ND	ug/L
Thallium, total	MW-8N	1/7/2019	0.21	1	ND	ug/L
Thallium, total	MW-8N	4/3/2019	0.29	1	ND	ug/L
Thallium, total	MW-8N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-8N	10/3/2019	0.23	1	ND	ug/L
Thallium, total	MW-8N	1/15/2020	1	1	ND	ug/L
Thallium, total	MW-8N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-8N	7/9/2020	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2020	1	1	ND	ug/L
Thallium, total	MW-8N	1/15/2021	1	1	ND	ug/L
Thallium, total	MW-8N	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-8N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-8N	1/18/2022	1	1	ND	ug/L
Thallium, total	MW-8N	4/4/2022	1	1	ND	ug/L
Thallium, total	MW-8N	7/12/2022	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2022	1	1	ND	ug/L
Thallium, total	MW-8N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-8N	4/8/2023	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2002	5	5	ND	ug/L
Thallium, total	NE-1	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-1	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-1	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-1	1/27/2004	2	2	ND	ug/L
Thallium, total	NE-1	1/12/2005	2	2	ND	ug/L
Thallium, total	NE-1	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-1	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-1	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-1	1/24/2007	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2007	1	1	ND	ug/L
Thallium, total	NE-1	1/24/2008	1	1	ND	ug/L
Thallium, total	NE-1	7/21/2008	1	1	ND	ug/L
Thallium, total	NE-1	2/7/2009	0	1	ND	ug/L
Thallium, total	NE-1	7/31/2009	1	1	ND	ug/L
Thallium, total	NE-1	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-1	7/14/2010	0	1	ND	ug/L
Thallium, total	NE-1	1/19/2011	0	1	ND	ug/L
Thallium, total	NE-1	7/13/2011	1	1	ND	ug/L
Thallium, total	NE-1	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2012	1	1	ND	ug/L
Thallium, total	NE-1	4/30/2013	0.1	1	ND	ug/L
Thallium, total	NE-1	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-1	1/23/2014	1	1	ND	ug/L
Thallium, total	NE-1	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-1	2/11/2015	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2015	1	1	ND	ug/L
Thallium, total	NE-1	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-1	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-1	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-1	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-1	1/24/2018	1	1	ND	ug/L
Thallium, total	NE-1	4/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-1	7/18/2018	1	1	ND	ug/L
Thallium, total	NE-1	10/2/2018	1	1	ND	ug/L
Thallium, total	NE-1	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-1	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2019	2	2	ND	ug/L
Thallium, total	NE-1	7/10/2019	2	2	ND	ug/L
Thallium, total	NE-1	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-1	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-1	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-1	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-1	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-1	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-1	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-1	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-1	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-1	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-1	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-1	10/6/2022	1	1	ND	ug/L
Thallium, total	NE-1	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-1	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Thallium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-11	3/1/2017	1	1	ND	ug/L
Thallium, total	NE-11	4/6/2017	0.1	1	ND	ug/L
Thallium, total	NE-11	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-11	10/9/2017	1	1	ND	ug/L
Thallium, total	NE-11	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-11	1/14/2020	1	1	ND	ug/L
Thallium, total	NE-11	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-11	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-11	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-11	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-11	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-11	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-11	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-11	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-12	3/1/2017	0.1	1	ND	ug/L
Thallium, total	NE-12	4/6/2017	0.1	1	ND	ug/L
Thallium, total	NE-12	7/20/2017	1	1	ND	ug/L
Thallium, total	NE-12	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-12	8/5/2019	2	2	ND	ug/L
Thallium, total	NE-12	1/13/2020	1	1	ND	ug/L
Thallium, total	NE-12	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-12	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-12	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-12	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-12	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-12	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-12	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-12	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-13	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-13	8/7/2019	2	2	ND	ug/L
Thallium, total	NE-13	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-13	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-13	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-13	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-13	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-14D	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-15S	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-2	7/9/2002	5	5	ND	ug/L
Thallium, total	NE-2	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-2	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-2	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-2	10/1/2013	1	1	ND	ug/L
Thallium, total	NE-2	10/8/2014	1	1	ND	ug/L
Thallium, total	NE-2	10/5/2015	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2016	0	1	ND	ug/L
Thallium, total	NE-2	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-2	1/25/2018	1	1	ND	ug/L
Thallium, total	NE-2	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-2	7/10/2018	1	1	ND	ug/L
Thallium, total	NE-2	10/1/2018	1	1	ND	ug/L
Thallium, total	NE-2	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-2	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-2	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-2	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-2	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-2	1/14/2020	1	1	ND	ug/L
Thallium, total	NE-2	4/1/2020	1	1	ND	ug/L
Thallium, total	NE-2	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-2	1/14/2021	1	1	ND	ug/L
Thallium, total	NE-2	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-2	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-2	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-2	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-2	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-2	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-2	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-2	4/5/2023	1	1	ND	ug/L
Thallium, total	NE-3	7/9/2002	5	5	ND	ug/L
Thallium, total	NE-3	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-3	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-3	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-3	3/21/2018	1	1	ND	ug/L
Thallium, total	NE-4	7/10/2002	5	5	ND	ug/L
Thallium, total	NE-4	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-4	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-4	10/3/2002	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-4	1/28/2004	2	2	ND	ug/L
Thallium, total	NE-4	1/13/2005	2	2	ND	ug/L
Thallium, total	NE-4	8/1/2006	0.1	1	ND	ug/L
Thallium, total	NE-4	8/1/2006	0.1	1	ND	ug/L
Thallium, total	NE-4	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-4	1/24/2007	0	1	ND	ug/L
Thallium, total	NE-4	7/12/2007	0	1	ND	ug/L
Thallium, total	NE-4	1/24/2008	0	1	ND	ug/L
Thallium, total	NE-4	7/21/2008	0.1	1	ND	ug/L
Thallium, total	NE-4	2/7/2009	0.1	1	ND	ug/L
Thallium, total	NE-4	7/31/2009	0	1	ND	ug/L
Thallium, total	NE-4	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-4	7/14/2010	0.1	1	ND	ug/L
Thallium, total	NE-4	1/19/2011	0.1	1	ND	ug/L
Thallium, total	NE-4	7/13/2011	0	1	ND	ug/L
Thallium, total	NE-4	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-4	7/10/2012	0.1	1	ND	ug/L
Thallium, total	NE-4	4/30/2013	0.1	1	ND	ug/L
Thallium, total	NE-4	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-4	1/23/2014	0.1	1	ND	ug/L
Thallium, total	NE-4	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-4	2/13/2015	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2015	1	1	ND	ug/L
Thallium, total	NE-4	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-4	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-4	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-4	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-4	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-4	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-4	7/12/2018	1	1	ND	ug/L
Thallium, total	NE-4	10/3/2018	1	1	ND	ug/L
Thallium, total	NE-4	1/7/2019	1	1	ND	ug/L
Thallium, total	NE-4	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2019	2	2	ND	ug/L
Thallium, total	NE-4	7/8/2019	2	2	ND	ug/L
Thallium, total	NE-4	10/1/2019	1	1	ND	ug/L
Thallium, total	NE-4	1/13/2020	1	1	ND	ug/L
Thallium, total	NE-4	4/1/2020	1	1	ND	ug/L
Thallium, total	NE-4	7/6/2020	1	1	ND	ug/L
Thallium, total	NE-4	10/5/2020	1	1	ND	ug/L
Thallium, total	NE-4	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-4	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-4	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-4	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-4	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-4	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2002	5	5	ND	ug/L
Thallium, total	NE-5	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-5	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-5	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-5	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-5	1/27/2004	2	2	ND	ug/L
Thallium, total	NE-5	1/12/2005	2	2	ND	ug/L
Thallium, total	NE-5	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-5	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-5	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-5	1/10/2007	1	1	ND	ug/L
Thallium, total	NE-5	1/24/2007	1	1	ND	ug/L
Thallium, total	NE-5	7/12/2007	0	1	ND	ug/L
Thallium, total	NE-5	7/22/2008	0	1	ND	ug/L
Thallium, total	NE-5	2/6/2009	0.1	1	ND	ug/L
Thallium, total	NE-5	7/31/2009	1	1	ND	ug/L
Thallium, total	NE-5	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-5	7/16/2010	0	1	ND	ug/L
Thallium, total	NE-5	1/19/2011	0	1	ND	ug/L
Thallium, total	NE-5	7/13/2011	1	1	ND	ug/L
Thallium, total	NE-5	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-5	7/10/2012	1	1	ND	ug/L
Thallium, total	NE-5	4/30/2013	0.3	1	ND	ug/L
Thallium, total	NE-5	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-5	1/23/2014	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-5	2/11/2015	1	1	ND	ug/L
Thallium, total	NE-5	7/14/2015	1	1	ND	ug/L
Thallium, total	NE-5	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-5	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-5	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-5	7/19/2017	0.1	1	ND	ug/L
Thallium, total	NE-5	1/25/2018	1	1	ND	ug/L
Thallium, total	NE-5	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-5	7/17/2018	0.057	1	ND	ug/L
Thallium, total	NE-5	10/3/2018	1	1	ND	ug/L
Thallium, total	NE-5	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-5	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-5	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-5	10/3/2019	1	1	ND	ug/L
Thallium, total	NE-5	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-5	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-5E	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-5E	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5E	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5E	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5E	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5E	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5E	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-6	1/12/2017	0.1	1	ND	ug/L
Thallium, total	NE-6	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-6	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-6	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-6	2/4/2019	1	1	ND	ug/L
Thallium, total	NE-6	8/6/2019	2	2	ND	ug/L
Thallium, total	NE-6	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-6	7/9/2020	1	1	ND	ug/L
Thallium, total	NE-6	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-6	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-6	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-6	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-6	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-6D	10/2/2019	0.14	1	ND	ug/L
Thallium, total	NE-6D	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-6D	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-6D	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-6D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-6D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-6D	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-6D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-6D	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-6D	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-7	3/1/2017	0.1	1	ND	ug/L
Thallium, total	NE-7	4/6/2017	1	1	ND	ug/L
Thallium, total	NE-7	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-7	10/5/2017	1	1	ND	ug/L
Thallium, total	NE-7	2/6/2019	1	1	ND	ug/L
Thallium, total	NE-7	8/6/2019	2	2	ND	ug/L
Thallium, total	NE-7	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-7	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-7	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-7	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-7	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-7	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-7	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-7	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-7	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-8	1/12/2017	1	1	ND	ug/L
Thallium, total	NE-8	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-8	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-8	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-8	2/4/2019	1	1	ND	ug/L
Thallium, total	NE-8	8/5/2019	2	2	ND	ug/L
Thallium, total	NE-8	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-8	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-8	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-8	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-8	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-8	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-8	7/1/2021	1	1	ND	ug/L
Thallium, total	NE-8	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-8	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-9	1/12/2017	1	1	ND	ug/L
Thallium, total	NE-9	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-9	7/20/2017	1	1	ND	ug/L
Thallium, total	NE-9	10/5/2017	1	1	ND	ug/L
Thallium, total	NE-9	2/5/2019	1	1	ND	ug/L
Thallium, total	NE-9	8/7/2019	2	2	ND	ug/L
Thallium, total	NE-9	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-9	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-9	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-9	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-9	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-9	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-9	4/8/2023	1	1	ND	ug/L
Thionazin	LGW-10	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Thionazin	LGW-10	10/6/2016	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Thionazin	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Thionazin	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Thionazin	LGW-10	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-10	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-14R	10/27/2006	10	10	ND	ug/L
Thionazin	LGW-14R	2/6/2009	10	10	ND	ug/L
Thionazin	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Thionazin	LGW-14R	7/17/2018	10	10	ND	ug/L
Thionazin	LGW-14R	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-2	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-2	2/13/2009	10	10	ND	ug/L
Thionazin	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-2	2/13/2015	13	13	ND	ug/L
Thionazin	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Thionazin	LGW-2	7/8/2020	10	10	ND	ug/L
Thionazin	LGW-2	7/4/2021	10	10	ND	ug/L
Thionazin	LGW-3R	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-3R	2/3/2009	10	10	ND	ug/L
Thionazin	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Thionazin	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Thionazin	LGW-3R	7/11/2018	10	10	ND	ug/L
Thionazin	LGW-3R	7/6/2021	10	10	ND	ug/L
Thionazin	LGW-4	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-4	2/3/2009	10	10	ND	ug/L
Thionazin	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Thionazin	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Thionazin	LGW-4	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-5	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-5	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Thionazin	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Thionazin	LGW-5	7/12/2018	10	10	ND	ug/L
Thionazin	LGW-5	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-6	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-6	2/5/2009	10	10	ND	ug/L
Thionazin	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-6	2/10/2015	10	10	ND	ug/L
Thionazin	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Thionazin	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Thionazin	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Thionazin	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Thionazin	LGW-6	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-6	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-7	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-7	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Thionazin	LGW-7	7/12/2018	10	10	ND	ug/L
Thionazin	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Thionazin	LGW-7	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-7	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-8R	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-8R	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Thionazin	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Thionazin	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	LGW-8R	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-9	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-9	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Thionazin	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Thionazin	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Thionazin	LGW-9	7/10/2019	10	10	ND	ug/L
Thionazin	LGW-9	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-9	7/7/2021	10	10	ND	ug/L
Thionazin	MW-10N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-10N	2/13/2009	10	10	ND	ug/L
Thionazin	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Thionazin	MW-10N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-11N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-11N	2/3/2009	10	10	ND	ug/L
Thionazin	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	MW-11N	2/10/2015	10	10	ND	ug/L
Thionazin	MW-11N	7/17/2018	10	10	ND	ug/L
Thionazin	MW-11N	7/6/2021	10	10	ND	ug/L
Thionazin	MW-15	7/10/2018	10	10	ND	ug/L
Thionazin	MW-15	7/4/2021	10	10	ND	ug/L
Thionazin	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Thionazin	MW-16	7/4/2021	10	10	ND	ug/L
Thionazin	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Thionazin	MW-17	7/4/2021	10	10	ND	ug/L
Thionazin	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Thionazin	MW-19	7/4/2021	10	10	ND	ug/L
Thionazin	MW-1N	10/14/1998	10	10	ND	ug/L
Thionazin	MW-1N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-1N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-1N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-1N	2/5/2009	10	10	ND	ug/L
Thionazin	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Thionazin	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Thionazin	MW-1N	7/6/2020	10	10	ND	ug/L
Thionazin	MW-1N	7/4/2021	10	10	ND	ug/L
Thionazin	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Thionazin	MW-20	7/4/2021	10	10	ND	ug/L
Thionazin	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Thionazin	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Thionazin	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Thionazin	MW-21	7/11/2019	10	10	ND	ug/L
Thionazin	MW-21	7/8/2020	10	10	ND	ug/L
Thionazin	MW-21	7/5/2021	10	10	ND	ug/L
Thionazin	MW-2N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-2N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Thionazin	MW-2N	7/12/2018	10	10	ND	ug/L
Thionazin	MW-2N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-3N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-3N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-3N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-3N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Thionazin	MW-3N	2/12/2015	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Thionazin	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Thionazin	MW-3N	7/11/2019	10	10	ND	ug/L
Thionazin	MW-3N	7/7/2020	10	10	ND	ug/L
Thionazin	MW-3N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-7N	10/15/1998	10	10	ND	ug/L
Thionazin	MW-7N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-7N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-7N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-7N	2/6/2009	10	10	ND	ug/L
Thionazin	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Thionazin	MW-7N	7/13/2018	10	10	ND	ug/L
Thionazin	MW-7N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-8N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-8N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-8N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-8N	1/24/2008	10	10	ND	ug/L
Thionazin	MW-8N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Thionazin	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Thionazin	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Thionazin	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Thionazin	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Thionazin	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Thionazin	MW-8N	7/11/2019	10	10	ND	ug/L
Thionazin	MW-8N	7/9/2020	10	10	ND	ug/L
Thionazin	MW-8N	7/5/2021	10	10	ND	ug/L
Thionazin	NE-1	10/25/2006	10	10	ND	ug/L
Thionazin	NE-1	2/7/2009	10	10	ND	ug/L
Thionazin	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Thionazin	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Thionazin	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Thionazin	NE-4	10/25/2006	10	10	ND	ug/L
Thionazin	NE-4	2/7/2009	10	10	ND	ug/L
Thionazin	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Thionazin	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Thionazin	NE-4	7/12/2018	10	10	ND	ug/L
Thionazin	NE-5	10/25/2006	10	10	ND	ug/L
Thionazin	NE-5	2/6/2009	10	10	ND	ug/L
Thionazin	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Thionazin	NE-5	7/9/2019	10	10	ND	ug/L
Tin, total	LGW-10	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-10	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-10	2/12/2015	100	100	ND	ug/L
Tin, total	LGW-10	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-10	10/9/2017	100	100	ND	ug/L
Tin, total	LGW-10	7/16/2018	100	100	ND	ug/L
Tin, total	LGW-10	7/11/2019	10	10	ND	ug/L
Tin, total	LGW-10	7/9/2020	0.385	0.3		ug/L
Tin, total	LGW-10	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-14R	10/27/2006	100	100	ND	ug/L
Tin, total	LGW-14R	2/6/2009	100	100	ND	ug/L
Tin, total	LGW-14R	7/9/2012	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	LGW-14R	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-14R	7/17/2018	100	100	ND	ug/L
Tin, total	LGW-14R	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-2	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-2	2/6/2009	100	100	ND	ug/L
Tin, total	LGW-2	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-2	2/13/2015	100	100	ND	ug/L
Tin, total	LGW-2	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-2	7/8/2020	0.551	0.3		ug/L
Tin, total	LGW-2	7/4/2021	100	100	ND	ug/L
Tin, total	LGW-3R	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-3R	2/3/2009	100	100	ND	ug/L
Tin, total	LGW-3R	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-3R	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-3R	7/11/2018	100	100	ND	ug/L
Tin, total	LGW-3R	7/6/2021	100	100	ND	ug/L
Tin, total	LGW-4	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-4	2/3/2009	100	100	ND	ug/L
Tin, total	LGW-4	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-4	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-4	7/11/2018	100	100	ND	ug/L
Tin, total	LGW-4	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-5	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-5	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-5	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-5	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-5	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-5	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-6	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-6	2/5/2009	100	100	ND	ug/L
Tin, total	LGW-6	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-6	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-6	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-6	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-6	7/17/2018	100	100	ND	ug/L
Tin, total	LGW-6	7/10/2019	0.7	10	ND	ug/L
Tin, total	LGW-6	7/9/2020	0.605	0.3		ug/L
Tin, total	LGW-6	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-7	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-7	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-7	7/10/2012	100	100	ND	ug/L
Tin, total	LGW-7	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-7	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-7	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-7	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-7	7/10/2019	10	10	ND	ug/L
Tin, total	LGW-7	7/9/2020	0.306	0.3		ug/L
Tin, total	LGW-7	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-8R	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-8R	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-8R	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-8R	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-8R	7/13/2018	100	100	ND	ug/L
Tin, total	LGW-8R	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-9	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-9	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-9	7/10/2012	100	100	ND	ug/L
Tin, total	LGW-9	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-9	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-9	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-9	7/13/2018	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	LGW-9	7/10/2019	10	10	ND	ug/L
Tin, total	LGW-9	7/9/2020	0.534	0.3		ug/L
Tin, total	LGW-9	7/7/2021	100	100	ND	ug/L
Tin, total	MW-10N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-10N	2/13/2009	100	100	ND	ug/L
Tin, total	MW-10N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-10N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-10N	7/11/2018	100	100	ND	ug/L
Tin, total	MW-10N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-11N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-11N	2/3/2009	9.8	100	ND	ug/L
Tin, total	MW-11N	7/9/2012	100	100	ND	ug/L
Tin, total	MW-11N	2/10/2015	100	100	ND	ug/L
Tin, total	MW-11N	7/17/2018	100	100	ND	ug/L
Tin, total	MW-11N	7/6/2021	100	100	ND	ug/L
Tin, total	MW-15	7/10/2018	100	100	ND	ug/L
Tin, total	MW-15	7/4/2021	100	100	ND	ug/L
Tin, total	MW-16	7/11/2018	100	100	ND	ug/L
Tin, total	MW-16	7/4/2021	100	100	ND	ug/L
Tin, total	MW-17	7/10/2018	100	100	ND	ug/L
Tin, total	MW-17	7/4/2021	100	100	ND	ug/L
Tin, total	MW-19	7/13/2018	100	100	ND	ug/L
Tin, total	MW-19	7/4/2021	100	100	ND	ug/L
Tin, total	MW-1N	10/14/1998	20	20	ND	ug/L
Tin, total	MW-1N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-1N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-1N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-1N	2/5/2009	100	100	ND	ug/L
Tin, total	MW-1N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-1N	2/10/2015	100	100	ND	ug/L
Tin, total	MW-1N	7/10/2018	100	100	ND	ug/L
Tin, total	MW-1N	7/6/2020	0.3	0.3	ND	ug/L
Tin, total	MW-1N	7/4/2021	100	100	ND	ug/L
Tin, total	MW-20	7/12/2018	100	100	ND	ug/L
Tin, total	MW-20	7/4/2021	100	100	ND	ug/L
Tin, total	MW-21	10/5/2016	100	100	ND	ug/L
Tin, total	MW-21	10/6/2017	100	100	ND	ug/L
Tin, total	MW-21	7/11/2018	100	100	ND	ug/L
Tin, total	MW-21	7/11/2019	10	10	ND	ug/L
Tin, total	MW-21	7/8/2020	0.419	0.3		ug/L
Tin, total	MW-21	7/5/2021	100	100	ND	ug/L
Tin, total	MW-2N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-2N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-2N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-2N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-2N	7/12/2018	100	100	ND	ug/L
Tin, total	MW-2N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-3N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-3N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-3N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-3N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-3N	7/11/2012	100	100	ND	ug/L
Tin, total	MW-3N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-3N	10/6/2016	100	100	ND	ug/L
Tin, total	MW-3N	10/9/2017	100	100	ND	ug/L
Tin, total	MW-3N	7/13/2018	100	100	ND	ug/L
Tin, total	MW-3N	7/11/2019	10	10	ND	ug/L
Tin, total	MW-3N	7/7/2020	0.3	0.3		ug/L
Tin, total	MW-3N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-7N	10/15/1998	20	20	ND	ug/L
Tin, total	MW-7N	5/29/2002	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	MW-7N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-7N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-7N	2/6/2009	100	100	ND	ug/L
Tin, total	MW-7N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-7N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-7N	10/5/2017	100	100	ND	ug/L
Tin, total	MW-7N	7/13/2018	100	100	ND	ug/L
Tin, total	MW-7N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-8N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-8N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-8N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-8N	1/24/2008	100	100	ND	ug/L
Tin, total	MW-8N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-8N	5/10/2011	100	100	ND	ug/L
Tin, total	MW-8N	7/11/2012	100	100	ND	ug/L
Tin, total	MW-8N	10/2/2013	100	100	ND	ug/L
Tin, total	MW-8N	10/8/2014	100	100	ND	ug/L
Tin, total	MW-8N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-8N	10/6/2016	100	100	ND	ug/L
Tin, total	MW-8N	10/6/2017	100	100	ND	ug/L
Tin, total	MW-8N	7/16/2018	100	100	ND	ug/L
Tin, total	MW-8N	7/11/2019	1	10	ND	ug/L
Tin, total	MW-8N	7/9/2020	0.538	0.3		ug/L
Tin, total	MW-8N	7/5/2021	100	100	ND	ug/L
Tin, total	NE-1	10/25/2006	100	100	ND	ug/L
Tin, total	NE-1	2/7/2009	100	100	ND	ug/L
Tin, total	NE-1	7/10/2012	100	100	ND	ug/L
Tin, total	NE-1	2/11/2015	100	100	ND	ug/L
Tin, total	NE-1	7/18/2018	100	100	ND	ug/L
Tin, total	NE-2	7/10/2018	100	100	ND	ug/L
Tin, total	NE-4	10/25/2006	100	100	ND	ug/L
Tin, total	NE-4	2/7/2009	100	100	ND	ug/L
Tin, total	NE-4	7/10/2012	100	100	ND	ug/L
Tin, total	NE-4	2/13/2015	100	100	ND	ug/L
Tin, total	NE-4	7/12/2018	100	100	ND	ug/L
Tin, total	NE-5	10/25/2006	100	100	ND	ug/L
Tin, total	NE-5	2/6/2009	100	100	ND	ug/L
Tin, total	NE-5	7/10/2012	100	100	ND	ug/L
Tin, total	NE-5	2/11/2015	100	100	ND	ug/L
Tin, total	NE-5	7/17/2018	100	100	ND	ug/L
Tin, total	NE-5	7/9/2019	10	10	ND	ug/L
Toluene	LGW-10	1/26/2006	1	1	ND	ug/L
Toluene	LGW-10	8/1/2006	1	1	ND	ug/L
Toluene	LGW-10	8/1/2006	1	1	ND	ug/L
Toluene	LGW-10	10/26/2006	1	1	ND	ug/L
Toluene	LGW-10	1/25/2007	1	1	ND	ug/L
Toluene	LGW-10	4/26/2007	1	1	ND	ug/L
Toluene	LGW-10	7/12/2007	1	1	ND	ug/L
Toluene	LGW-10	1/23/2008	1	1	ND	ug/L
Toluene	LGW-10	7/22/2008	1	1	ND	ug/L
Toluene	LGW-10	7/29/2009	1	1	ND	ug/L
Toluene	LGW-10	2/3/2010	1	1	ND	ug/L
Toluene	LGW-10	2/3/2010	1	1	ND	ug/L
Toluene	LGW-10	7/16/2010	1	1	ND	ug/L
Toluene	LGW-10	1/19/2011	1	1	ND	ug/L
Toluene	LGW-10	7/12/2011	1	1	ND	ug/L
Toluene	LGW-10	1/5/2012	1	1	ND	ug/L
Toluene	LGW-10	7/9/2012	1	1	ND	ug/L
Toluene	LGW-10	5/1/2013	0.17	1	ND	ug/L
Toluene	LGW-10	1/30/2014	1	1	ND	ug/L
Toluene	LGW-10	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-10	2/12/2015	1	1	ND	ug/L
Toluene	LGW-10	7/13/2015	1	1	ND	ug/L
Toluene	LGW-10	1/5/2016	1	1	ND	ug/L
Toluene	LGW-10	4/6/2016	1	1	ND	ug/L
Toluene	LGW-10	7/21/2016	1	1	ND	ug/L
Toluene	LGW-10	10/6/2016	1	1	ND	ug/L
Toluene	LGW-10	1/11/2017	1	1	ND	ug/L
Toluene	LGW-10	4/4/2017	1	1	ND	ug/L
Toluene	LGW-10	7/19/2017	1	1	ND	ug/L
Toluene	LGW-10	10/9/2017	1	1	ND	ug/L
Toluene	LGW-10	1/24/2018	1	1	ND	ug/L
Toluene	LGW-10	4/11/2018	1	1	ND	ug/L
Toluene	LGW-10	7/16/2018	1	1	ND	ug/L
Toluene	LGW-10	10/4/2018	1	1	ND	ug/L
Toluene	LGW-10	1/4/2019	1	1	ND	ug/L
Toluene	LGW-10	4/3/2019	1	1	ND	ug/L
Toluene	LGW-10	7/11/2019	1	1	ND	ug/L
Toluene	LGW-10	10/2/2019	1	1	ND	ug/L
Toluene	LGW-10	1/15/2020	1	1	ND	ug/L
Toluene	LGW-10	4/2/2020	1	1	ND	ug/L
Toluene	LGW-10	7/9/2020	1	1	ND	ug/L
Toluene	LGW-10	10/7/2020	1	1	ND	ug/L
Toluene	LGW-10	1/17/2021	1	1	ND	ug/L
Toluene	LGW-10	4/6/2021	1	1	ND	ug/L
Toluene	LGW-10	7/7/2021	1	1	ND	ug/L
Toluene	LGW-10	10/5/2021	1	1	ND	ug/L
Toluene	LGW-10	1/13/2022	1	1	ND	ug/L
Toluene	LGW-10	4/4/2022	1	1	ND	ug/L
Toluene	LGW-10	7/11/2022	1	1	ND	ug/L
Toluene	LGW-10	10/7/2022	1	1	ND	ug/L
Toluene	LGW-10	1/11/2023	1	1	ND	ug/L
Toluene	LGW-10	4/5/2023	1	1	ND	ug/L
Toluene	LGW-14R	1/25/2006	1	1	ND	ug/L
Toluene	LGW-14R	8/2/2006	1	1	ND	ug/L
Toluene	LGW-14R	8/2/2006	1	1	ND	ug/L
Toluene	LGW-14R	10/27/2006	1	1	ND	ug/L
Toluene	LGW-14R	1/24/2007	1	1	ND	ug/L
Toluene	LGW-14R	4/24/2007	1	1	ND	ug/L
Toluene	LGW-14R	7/11/2007	1	1	ND	ug/L
Toluene	LGW-14R	1/23/2008	1	1	ND	ug/L
Toluene	LGW-14R	7/22/2008	1	1	ND	ug/L
Toluene	LGW-14R	2/6/2009	1	1	ND	ug/L
Toluene	LGW-14R	7/29/2009	1	1	ND	ug/L
Toluene	LGW-14R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-14R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-14R	7/12/2010	1	1	ND	ug/L
Toluene	LGW-14R	1/19/2011	1	1	ND	ug/L
Toluene	LGW-14R	7/12/2011	1	1	ND	ug/L
Toluene	LGW-14R	1/5/2012	1	1	ND	ug/L
Toluene	LGW-14R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-14R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-14R	1/23/2014	1	1	ND	ug/L
Toluene	LGW-14R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-14R	2/11/2015	1	1	ND	ug/L
Toluene	LGW-14R	7/22/2015	1	1	ND	ug/L
Toluene	LGW-14R	1/5/2016	1	1	ND	ug/L
Toluene	LGW-14R	7/19/2016	1	1	ND	ug/L
Toluene	LGW-14R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-14R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-14R	1/25/2018	0.4	1	ND	ug/L
Toluene	LGW-14R	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-14R	1/3/2019	1	1	ND	ug/L
Toluene	LGW-14R	7/10/2019	1	1	ND	ug/L
Toluene	LGW-14R	1/16/2020	1	1	ND	ug/L
Toluene	LGW-14R	7/9/2020	1	1	ND	ug/L
Toluene	LGW-14R	1/18/2021	1	1	ND	ug/L
Toluene	LGW-14R	7/7/2021	1	1	ND	ug/L
Toluene	LGW-14R	1/12/2022	1	1	ND	ug/L
Toluene	LGW-14R	7/11/2022	1	1	ND	ug/L
Toluene	LGW-14R	1/10/2023	1	1	ND	ug/L
Toluene	LGW-2	1/25/2006	1	1	ND	ug/L
Toluene	LGW-2	8/1/2006	1	1	ND	ug/L
Toluene	LGW-2	8/1/2006	1	1	ND	ug/L
Toluene	LGW-2	10/26/2006	1	1	ND	ug/L
Toluene	LGW-2	1/25/2007	1	1	ND	ug/L
Toluene	LGW-2	4/26/2007	1	1	ND	ug/L
Toluene	LGW-2	7/10/2007	1	1	ND	ug/L
Toluene	LGW-2	1/26/2008	1	1	ND	ug/L
Toluene	LGW-2	7/23/2008	1	1	ND	ug/L
Toluene	LGW-2	2/6/2009	1	1	ND	ug/L
Toluene	LGW-2	7/30/2009	1	1	ND	ug/L
Toluene	LGW-2	2/3/2010	1	1	ND	ug/L
Toluene	LGW-2	2/3/2010	1	1	ND	ug/L
Toluene	LGW-2	7/12/2010	1	1	ND	ug/L
Toluene	LGW-2	1/19/2011	1	1	ND	ug/L
Toluene	LGW-2	7/13/2011	1	1	ND	ug/L
Toluene	LGW-2	1/4/2012	1	1	ND	ug/L
Toluene	LGW-2	7/9/2012	1	1	ND	ug/L
Toluene	LGW-2	4/30/2013	1	1	ND	ug/L
Toluene	LGW-2	7/15/2013	1	1	ND	ug/L
Toluene	LGW-2	1/30/2014	1	1	ND	ug/L
Toluene	LGW-2	7/8/2014	1	1	ND	ug/L
Toluene	LGW-2	2/13/2015	1	1	ND	ug/L
Toluene	LGW-2	7/8/2015	1	1	ND	ug/L
Toluene	LGW-2	1/5/2016	1	1	ND	ug/L
Toluene	LGW-2	7/19/2016	1	1	ND	ug/L
Toluene	LGW-2	1/11/2017	1	1	ND	ug/L
Toluene	LGW-2	7/18/2017	1	1	ND	ug/L
Toluene	LGW-2	1/23/2018	1	1	ND	ug/L
Toluene	LGW-2	7/12/2018	1	1	ND	ug/L
Toluene	LGW-2	1/3/2019	1	1	ND	ug/L
Toluene	LGW-2	7/9/2019	1	1	ND	ug/L
Toluene	LGW-2	1/13/2020	1	1	ND	ug/L
Toluene	LGW-2	4/1/2020	1	1	ND	ug/L
Toluene	LGW-2	7/8/2020	1	1	ND	ug/L
Toluene	LGW-2	1/18/2021	1	1	ND	ug/L
Toluene	LGW-2	7/4/2021	1	1	ND	ug/L
Toluene	LGW-2	1/12/2022	1	1	ND	ug/L
Toluene	LGW-2	7/10/2022	1	1	ND	ug/L
Toluene	LGW-2	1/10/2023	1	1	ND	ug/L
Toluene	LGW-3R	1/24/2006	1	1	ND	ug/L
Toluene	LGW-3R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-3R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-3R	10/26/2006	1	1	ND	ug/L
Toluene	LGW-3R	1/25/2007	1	1	ND	ug/L
Toluene	LGW-3R	4/26/2007	1	1	ND	ug/L
Toluene	LGW-3R	7/11/2007	1	1	ND	ug/L
Toluene	LGW-3R	1/26/2008	1	1	ND	ug/L
Toluene	LGW-3R	7/23/2008	1	1	ND	ug/L
Toluene	LGW-3R	2/3/2009	1	1	ND	ug/L
Toluene	LGW-3R	7/31/2009	1	1	ND	ug/L
Toluene	LGW-3R	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-3R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-3R	7/16/2010	1	1	ND	ug/L
Toluene	LGW-3R	1/19/2011	1	1	ND	ug/L
Toluene	LGW-3R	7/13/2011	1	1	ND	ug/L
Toluene	LGW-3R	1/4/2012	1	1	ND	ug/L
Toluene	LGW-3R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-3R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-3R	7/15/2013	1	1	ND	ug/L
Toluene	LGW-3R	1/22/2014	1	1	ND	ug/L
Toluene	LGW-3R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-3R	2/10/2015	1	1	ND	ug/L
Toluene	LGW-3R	7/16/2015	1	1	ND	ug/L
Toluene	LGW-3R	1/8/2016	1	1	ND	ug/L
Toluene	LGW-3R	7/21/2016	1	1	ND	ug/L
Toluene	LGW-3R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-3R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-3R	1/23/2018	1	1	ND	ug/L
Toluene	LGW-3R	7/11/2018	1	1	ND	ug/L
Toluene	LGW-3R	1/3/2019	1	1	ND	ug/L
Toluene	LGW-3R	7/9/2019	1	1	ND	ug/L
Toluene	LGW-3R	1/14/2020	1	1	ND	ug/L
Toluene	LGW-3R	7/6/2020	1	1	ND	ug/L
Toluene	LGW-3R	1/18/2021	1	1	ND	ug/L
Toluene	LGW-3R	7/6/2021	1	1	ND	ug/L
Toluene	LGW-3R	1/12/2022	1	1	ND	ug/L
Toluene	LGW-3R	7/10/2022	1	1	ND	ug/L
Toluene	LGW-3R	1/10/2023	1	1	ND	ug/L
Toluene	LGW-4	1/24/2006	1	1	ND	ug/L
Toluene	LGW-4	7/20/2006	1	1	ND	ug/L
Toluene	LGW-4	7/20/2006	1	1	ND	ug/L
Toluene	LGW-4	10/26/2006	1	1	ND	ug/L
Toluene	LGW-4	1/25/2007	1	1	ND	ug/L
Toluene	LGW-4	4/26/2007	1	1	ND	ug/L
Toluene	LGW-4	7/11/2007	1	1	ND	ug/L
Toluene	LGW-4	1/22/2008	1	1	ND	ug/L
Toluene	LGW-4	7/23/2008	1	1	ND	ug/L
Toluene	LGW-4	2/3/2009	1	1	ND	ug/L
Toluene	LGW-4	7/31/2009	1	1	ND	ug/L
Toluene	LGW-4	2/3/2010	1	1	ND	ug/L
Toluene	LGW-4	2/3/2010	1	1	ND	ug/L
Toluene	LGW-4	7/16/2010	1	1	ND	ug/L
Toluene	LGW-4	1/19/2011	1	1	ND	ug/L
Toluene	LGW-4	7/13/2011	1	1	ND	ug/L
Toluene	LGW-4	1/4/2012	1	1	ND	ug/L
Toluene	LGW-4	7/9/2012	1	1	ND	ug/L
Toluene	LGW-4	4/30/2013	1	1	ND	ug/L
Toluene	LGW-4	7/15/2013	1	1	ND	ug/L
Toluene	LGW-4	1/23/2014	1	1	ND	ug/L
Toluene	LGW-4	7/8/2014	1	1	ND	ug/L
Toluene	LGW-4	2/11/2015	1	1	ND	ug/L
Toluene	LGW-4	7/8/2015	1	1	ND	ug/L
Toluene	LGW-4	1/5/2016	1	1	ND	ug/L
Toluene	LGW-4	7/19/2016	1	1	ND	ug/L
Toluene	LGW-4	1/11/2017	1	1	ND	ug/L
Toluene	LGW-4	7/18/2017	1	1	ND	ug/L
Toluene	LGW-4	1/23/2018	1	1	ND	ug/L
Toluene	LGW-4	7/11/2018	1	1	ND	ug/L
Toluene	LGW-4	1/3/2019	1	1	ND	ug/L
Toluene	LGW-4	7/9/2019	0.31	1	ND	ug/L
Toluene	LGW-4	1/14/2020	1	1	ND	ug/L
Toluene	LGW-4	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-4	1/18/2021	1	1	ND	ug/L
Toluene	LGW-4	7/7/2021	1	1	ND	ug/L
Toluene	LGW-4	1/12/2022	1	1	ND	ug/L
Toluene	LGW-4	7/11/2022	1	1	ND	ug/L
Toluene	LGW-4	1/10/2023	1	1	ND	ug/L
Toluene	LGW-5	1/25/2006	1	1	ND	ug/L
Toluene	LGW-5	8/1/2006	1	1	ND	ug/L
Toluene	LGW-5	8/1/2006	1	1	ND	ug/L
Toluene	LGW-5	10/26/2006	1	1	ND	ug/L
Toluene	LGW-5	1/25/2007	1	1	ND	ug/L
Toluene	LGW-5	4/26/2007	1	1	ND	ug/L
Toluene	LGW-5	7/11/2007	1	1	ND	ug/L
Toluene	LGW-5	1/23/2008	1	1	ND	ug/L
Toluene	LGW-5	7/23/2008	1	1	ND	ug/L
Toluene	LGW-5	2/4/2009	1	1	ND	ug/L
Toluene	LGW-5	7/29/2009	1	1	ND	ug/L
Toluene	LGW-5	2/3/2010	1	1	ND	ug/L
Toluene	LGW-5	2/3/2010	1	1	ND	ug/L
Toluene	LGW-5	7/12/2010	1	1	ND	ug/L
Toluene	LGW-5	1/19/2011	1	1	ND	ug/L
Toluene	LGW-5	7/12/2011	1	1	ND	ug/L
Toluene	LGW-5	1/5/2012	1	1	ND	ug/L
Toluene	LGW-5	7/9/2012	1	1	ND	ug/L
Toluene	LGW-5	4/30/2013	1	1	ND	ug/L
Toluene	LGW-5	7/15/2013	1	1	ND	ug/L
Toluene	LGW-5	1/23/2014	1	1	ND	ug/L
Toluene	LGW-5	7/8/2014	1	1	ND	ug/L
Toluene	LGW-5	2/10/2015	1	1	ND	ug/L
Toluene	LGW-5	7/8/2015	1	1	ND	ug/L
Toluene	LGW-5	1/5/2016	1	1	ND	ug/L
Toluene	LGW-5	7/19/2016	1	1	ND	ug/L
Toluene	LGW-5	1/11/2017	1	1	ND	ug/L
Toluene	LGW-5	7/18/2017	1	1	ND	ug/L
Toluene	LGW-5	1/23/2018	1	1	ND	ug/L
Toluene	LGW-5	7/12/2018	1	1	ND	ug/L
Toluene	LGW-5	1/3/2019	1	1	ND	ug/L
Toluene	LGW-5	7/9/2019	1	1	ND	ug/L
Toluene	LGW-5	1/14/2020	1	1	ND	ug/L
Toluene	LGW-5	7/6/2020	1	1	ND	ug/L
Toluene	LGW-5	1/18/2021	1	1	ND	ug/L
Toluene	LGW-5	4/6/2021	1	1	ND	ug/L
Toluene	LGW-5	7/7/2021	1	1	ND	ug/L
Toluene	LGW-5	10/5/2021	1	1	ND	ug/L
Toluene	LGW-5	1/12/2022	1	1	ND	ug/L
Toluene	LGW-5	4/4/2022	1	1	ND	ug/L
Toluene	LGW-5	7/11/2022	1	1	ND	ug/L
Toluene	LGW-5	10/6/2022	1	1	ND	ug/L
Toluene	LGW-5	1/10/2023	1	1	ND	ug/L
Toluene	LGW-6	1/24/2006	1	1	ND	ug/L
Toluene	LGW-6	7/20/2006	1	1	ND	ug/L
Toluene	LGW-6	7/20/2006	1	1	ND	ug/L
Toluene	LGW-6	10/26/2006	1	1	ND	ug/L
Toluene	LGW-6	1/24/2007	1	1	ND	ug/L
Toluene	LGW-6	4/26/2007	1	1	ND	ug/L
Toluene	LGW-6	7/11/2007	1	1	ND	ug/L
Toluene	LGW-6	1/23/2008	1	1	ND	ug/L
Toluene	LGW-6	7/23/2008	1	1	ND	ug/L
Toluene	LGW-6	2/5/2009	1	1	ND	ug/L
Toluene	LGW-6	7/29/2009	1	1	ND	ug/L
Toluene	LGW-6	2/3/2010	1	1	ND	ug/L
Toluene	LGW-6	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-6	7/12/2010	1	1	ND	ug/L
Toluene	LGW-6	1/19/2011	1	1	ND	ug/L
Toluene	LGW-6	7/12/2011	1	1	ND	ug/L
Toluene	LGW-6	1/5/2012	1	1	ND	ug/L
Toluene	LGW-6	7/9/2012	1	1	ND	ug/L
Toluene	LGW-6	4/30/2013	1	1	ND	ug/L
Toluene	LGW-6	7/15/2013	1	1	ND	ug/L
Toluene	LGW-6	1/23/2014	1	1	ND	ug/L
Toluene	LGW-6	7/8/2014	1	1	ND	ug/L
Toluene	LGW-6	2/10/2015	1	1	ND	ug/L
Toluene	LGW-6	7/22/2015	1	1	ND	ug/L
Toluene	LGW-6	1/5/2016	1	1	ND	ug/L
Toluene	LGW-6	7/19/2016	1	1	ND	ug/L
Toluene	LGW-6	10/6/2016	1	1	ND	ug/L
Toluene	LGW-6	1/11/2017	1	1	ND	ug/L
Toluene	LGW-6	5/5/2017	1	1	ND	ug/L
Toluene	LGW-6	7/18/2017	1	1	ND	ug/L
Toluene	LGW-6	10/5/2017	1	1	ND	ug/L
Toluene	LGW-6	1/23/2018	1	1	ND	ug/L
Toluene	LGW-6	4/10/2018	1	1	ND	ug/L
Toluene	LGW-6	7/17/2018	1	1	ND	ug/L
Toluene	LGW-6	10/2/2018	1	1	ND	ug/L
Toluene	LGW-6	1/7/2019	1	1	ND	ug/L
Toluene	LGW-6	4/3/2019	1	1	ND	ug/L
Toluene	LGW-6	7/10/2019	1	1	ND	ug/L
Toluene	LGW-6	10/3/2019	1	1	ND	ug/L
Toluene	LGW-6	1/16/2020	1	1	ND	ug/L
Toluene	LGW-6	4/2/2020	1	1	ND	ug/L
Toluene	LGW-6	7/9/2020	1	1	ND	ug/L
Toluene	LGW-6	10/6/2020	1	1	ND	ug/L
Toluene	LGW-6	1/18/2021	1	1	ND	ug/L
Toluene	LGW-6	4/6/2021	1	1	ND	ug/L
Toluene	LGW-6	7/7/2021	1	1	ND	ug/L
Toluene	LGW-6	10/5/2021	1	1	ND	ug/L
Toluene	LGW-6	1/12/2022	1	1	ND	ug/L
Toluene	LGW-6	4/4/2022	1	1	ND	ug/L
Toluene	LGW-6	7/11/2022	1	1	ND	ug/L
Toluene	LGW-6	10/6/2022	1	1	ND	ug/L
Toluene	LGW-6	1/10/2023	1	1	ND	ug/L
Toluene	LGW-6	4/6/2023	1	1	ND	ug/L
Toluene	LGW-7	1/25/2006	1	1	ND	ug/L
Toluene	LGW-7	8/1/2006	1	1	ND	ug/L
Toluene	LGW-7	8/1/2006	1	1	ND	ug/L
Toluene	LGW-7	10/26/2006	1	1	ND	ug/L
Toluene	LGW-7	1/24/2007	1	1	ND	ug/L
Toluene	LGW-7	4/26/2007	1	1	ND	ug/L
Toluene	LGW-7	7/12/2007	1	1	ND	ug/L
Toluene	LGW-7	7/22/2008	1	1	ND	ug/L
Toluene	LGW-7	2/4/2009	1	1	ND	ug/L
Toluene	LGW-7	7/31/2009	1	1	ND	ug/L
Toluene	LGW-7	1/27/2010	1	1	ND	ug/L
Toluene	LGW-7	7/12/2010	1	1	ND	ug/L
Toluene	LGW-7	1/20/2011	1	1	ND	ug/L
Toluene	LGW-7	7/12/2011	1	1	ND	ug/L
Toluene	LGW-7	1/5/2012	1	1	ND	ug/L
Toluene	LGW-7	7/10/2012	1	1	ND	ug/L
Toluene	LGW-7	4/30/2013	1	1	ND	ug/L
Toluene	LGW-7	7/15/2013	1	1	ND	ug/L
Toluene	LGW-7	1/23/2014	1	1	ND	ug/L
Toluene	LGW-7	7/8/2014	1	1	ND	ug/L
Toluene	LGW-7	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-7	7/22/2015	1	1	ND	ug/L
Toluene	LGW-7	1/5/2016	1	1	ND	ug/L
Toluene	LGW-7	4/6/2016	1	1	ND	ug/L
Toluene	LGW-7	7/20/2016	1	1	ND	ug/L
Toluene	LGW-7	10/6/2016	1	1	ND	ug/L
Toluene	LGW-7	1/11/2017	1	1	ND	ug/L
Toluene	LGW-7	4/4/2017	1	1	ND	ug/L
Toluene	LGW-7	7/18/2017	1	1	ND	ug/L
Toluene	LGW-7	10/5/2017	1	1	ND	ug/L
Toluene	LGW-7	1/24/2018	1	1	ND	ug/L
Toluene	LGW-7	4/11/2018	1	1	ND	ug/L
Toluene	LGW-7	7/12/2018	1	1	ND	ug/L
Toluene	LGW-7	10/2/2018	1	1	ND	ug/L
Toluene	LGW-7	1/7/2019	1	1	ND	ug/L
Toluene	LGW-7	4/3/2019	1	1	ND	ug/L
Toluene	LGW-7	7/10/2019	1	1	ND	ug/L
Toluene	LGW-7	10/3/2019	1	1	ND	ug/L
Toluene	LGW-7	1/15/2020	1	1	ND	ug/L
Toluene	LGW-7	7/9/2020	1	1	ND	ug/L
Toluene	LGW-7	1/18/2021	1	1	ND	ug/L
Toluene	LGW-7	7/7/2021	1	1	ND	ug/L
Toluene	LGW-7	10/5/2021	1	1	ND	ug/L
Toluene	LGW-7	1/13/2022	1	1	ND	ug/L
Toluene	LGW-7	7/11/2022	1	1	ND	ug/L
Toluene	LGW-7	1/11/2023	1	1	ND	ug/L
Toluene	LGW-8R	1/24/2006	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-8R	10/26/2006	1	1	ND	ug/L
Toluene	LGW-8R	1/24/2007	1	1	ND	ug/L
Toluene	LGW-8R	4/25/2007	1	1	ND	ug/L
Toluene	LGW-8R	7/12/2007	1	1	ND	ug/L
Toluene	LGW-8R	2/4/2009	1	1	ND	ug/L
Toluene	LGW-8R	7/29/2009	1	1	ND	ug/L
Toluene	LGW-8R	1/27/2010	1	1	ND	ug/L
Toluene	LGW-8R	7/14/2010	1	1	ND	ug/L
Toluene	LGW-8R	1/20/2011	1	1	ND	ug/L
Toluene	LGW-8R	7/12/2011	1	1	ND	ug/L
Toluene	LGW-8R	1/5/2012	1	1	ND	ug/L
Toluene	LGW-8R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-8R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-8R	7/15/2013	1	1	ND	ug/L
Toluene	LGW-8R	1/22/2014	1	1	ND	ug/L
Toluene	LGW-8R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-8R	2/11/2015	1	1	ND	ug/L
Toluene	LGW-8R	7/22/2015	1	1	ND	ug/L
Toluene	LGW-8R	1/5/2016	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2016	1	1	ND	ug/L
Toluene	LGW-8R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-8R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-8R	1/25/2018	0.4	1	ND	ug/L
Toluene	LGW-8R	7/13/2018	1	1	ND	ug/L
Toluene	LGW-8R	1/7/2019	1	1	ND	ug/L
Toluene	LGW-8R	7/8/2019	1	1	ND	ug/L
Toluene	LGW-8R	1/14/2020	1	1	ND	ug/L
Toluene	LGW-8R	7/7/2020	1	1	ND	ug/L
Toluene	LGW-8R	1/17/2021	1	1	ND	ug/L
Toluene	LGW-8R	7/7/2021	1	1	ND	ug/L
Toluene	LGW-8R	1/13/2022	1	1	ND	ug/L
Toluene	LGW-8R	7/11/2022	1	1	ND	ug/L
Toluene	LGW-8R	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-9	1/25/2006	1	1	ND	ug/L
Toluene	LGW-9	7/20/2006	1	1	ND	ug/L
Toluene	LGW-9	7/20/2006	1	1	ND	ug/L
Toluene	LGW-9	10/26/2006	1	1	ND	ug/L
Toluene	LGW-9	1/25/2007	1	1	ND	ug/L
Toluene	LGW-9	4/25/2007	1	1	ND	ug/L
Toluene	LGW-9	7/10/2007	1	1	ND	ug/L
Toluene	LGW-9	7/22/2008	1	1	ND	ug/L
Toluene	LGW-9	2/4/2009	1	1	ND	ug/L
Toluene	LGW-9	7/29/2009	1	1	ND	ug/L
Toluene	LGW-9	1/27/2010	1	1	ND	ug/L
Toluene	LGW-9	7/14/2010	1	1	ND	ug/L
Toluene	LGW-9	1/20/2011	1	1	ND	ug/L
Toluene	LGW-9	7/12/2011	1	1	ND	ug/L
Toluene	LGW-9	1/5/2012	1	1	ND	ug/L
Toluene	LGW-9	7/10/2012	1	1	ND	ug/L
Toluene	LGW-9	5/1/2013	1	1	ND	ug/L
Toluene	LGW-9	7/15/2013	1	1	ND	ug/L
Toluene	LGW-9	1/23/2014	1	1	ND	ug/L
Toluene	LGW-9	7/8/2014	1	1	ND	ug/L
Toluene	LGW-9	2/11/2015	1	1	ND	ug/L
Toluene	LGW-9	7/13/2015	1	1	ND	ug/L
Toluene	LGW-9	1/5/2016	1	1	ND	ug/L
Toluene	LGW-9	7/21/2016	1	1	ND	ug/L
Toluene	LGW-9	10/6/2016	1	1	ND	ug/L
Toluene	LGW-9	1/11/2017	1	1	ND	ug/L
Toluene	LGW-9	5/5/2017	1	1	ND	ug/L
Toluene	LGW-9	7/18/2017	1	1	ND	ug/L
Toluene	LGW-9	10/5/2017	1	1	ND	ug/L
Toluene	LGW-9	1/24/2018	1	1	ND	ug/L
Toluene	LGW-9	4/11/2018	1	1	ND	ug/L
Toluene	LGW-9	7/13/2018	1	1	ND	ug/L
Toluene	LGW-9	10/2/2018	1	1	ND	ug/L
Toluene	LGW-9	1/7/2019	1	1	ND	ug/L
Toluene	LGW-9	4/3/2019	1	1	ND	ug/L
Toluene	LGW-9	7/10/2019	1	1	ND	ug/L
Toluene	LGW-9	10/3/2019	1	1	ND	ug/L
Toluene	LGW-9	1/16/2020	1	1	ND	ug/L
Toluene	LGW-9	4/2/2020	1	1	ND	ug/L
Toluene	LGW-9	7/9/2020	1	1	ND	ug/L
Toluene	LGW-9	10/7/2020	1	1	ND	ug/L
Toluene	LGW-9	1/17/2021	1	1	ND	ug/L
Toluene	LGW-9	4/6/2021	1	1	ND	ug/L
Toluene	LGW-9	7/7/2021	1	1	ND	ug/L
Toluene	LGW-9	10/5/2021	1	1	ND	ug/L
Toluene	LGW-9	1/13/2022	1	1	ND	ug/L
Toluene	LGW-9	4/4/2022	1	1	ND	ug/L
Toluene	LGW-9	7/11/2022	1	1	ND	ug/L
Toluene	LGW-9	10/7/2022	1	1	ND	ug/L
Toluene	LGW-9	1/11/2023	1	1	ND	ug/L
Toluene	LGW-9	4/5/2023	1	1	ND	ug/L
Toluene	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/28/1998	1.4	5		ug/L
Toluene	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/25/2000	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-10N	7/11/2000	1	1	ND	ug/L
Toluene	MW-10N	10/17/2000	1	1	ND	ug/L
Toluene	MW-10N	1/24/2001	1	1	ND	ug/L
Toluene	MW-10N	4/10/2001	1	1	ND	ug/L
Toluene	MW-10N	7/10/2002	1	1	ND	ug/L
Toluene	MW-10N	10/2/2002	1	1	ND	ug/L
Toluene	MW-10N	1/22/2003	1	1	ND	ug/L
Toluene	MW-10N	4/15/2003	1	1	ND	ug/L
Toluene	MW-10N	7/8/2003	1	1	ND	ug/L
Toluene	MW-10N	1/28/2004	1	1	ND	ug/L
Toluene	MW-10N	7/27/2004	1	1	ND	ug/L
Toluene	MW-10N	1/12/2005	1	1	ND	ug/L
Toluene	MW-10N	7/20/2005	1	1	ND	ug/L
Toluene	MW-10N	1/19/2006	1	1	ND	ug/L
Toluene	MW-10N	7/19/2006	1	1	ND	ug/L
Toluene	MW-10N	7/19/2006	1	1	ND	ug/L
Toluene	MW-10N	10/25/2006	1	1	ND	ug/L
Toluene	MW-10N	1/24/2007	1	1	ND	ug/L
Toluene	MW-10N	7/10/2007	1	1	ND	ug/L
Toluene	MW-10N	1/23/2008	1	1	ND	ug/L
Toluene	MW-10N	7/21/2008	1	1	ND	ug/L
Toluene	MW-10N	2/13/2009	0.23	1	ND	ug/L
Toluene	MW-10N	7/31/2009	1	1	ND	ug/L
Toluene	MW-10N	1/27/2010	1	1	ND	ug/L
Toluene	MW-10N	8/10/2010	1	1	ND	ug/L
Toluene	MW-10N	1/19/2011	1	1	ND	ug/L
Toluene	MW-10N	7/14/2011	1	1	ND	ug/L
Toluene	MW-10N	1/5/2012	1	1	ND	ug/L
Toluene	MW-10N	7/10/2012	1	1	ND	ug/L
Toluene	MW-10N	5/1/2013	1	1	ND	ug/L
Toluene	MW-10N	1/24/2014	1	1	ND	ug/L
Toluene	MW-10N	7/9/2014	1	1	ND	ug/L
Toluene	MW-10N	2/12/2015	1	1	ND	ug/L
Toluene	MW-10N	7/14/2015	1	1	ND	ug/L
Toluene	MW-10N	1/6/2016	1	1	ND	ug/L
Toluene	MW-10N	7/21/2016	1	1	ND	ug/L
Toluene	MW-10N	1/11/2017	1	1	ND	ug/L
Toluene	MW-10N	7/19/2017	1	1	ND	ug/L
Toluene	MW-10N	1/24/2018	1	1	ND	ug/L
Toluene	MW-10N	7/11/2018	1	1	ND	ug/L
Toluene	MW-10N	1/3/2019	1	1	ND	ug/L
Toluene	MW-10N	7/9/2019	1	1	ND	ug/L
Toluene	MW-10N	1/16/2020	1	1	ND	ug/L
Toluene	MW-10N	7/8/2020	1	1	ND	ug/L
Toluene	MW-10N	1/13/2021	1	1	ND	ug/L
Toluene	MW-10N	7/5/2021	1	1	ND	ug/L
Toluene	MW-10N	1/11/2023	1	1	ND	ug/L
Toluene	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/28/1998	0.24	2.5		ug/L
Toluene	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-11N	7/10/2000	1	1	ND	ug/L
Toluene	MW-11N	10/17/2000	1	1	ND	ug/L
Toluene	MW-11N	1/24/2001	1	1	ND	ug/L
Toluene	MW-11N	4/10/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-11N	7/9/2002	1	1	ND	ug/L
Toluene	MW-11N	10/2/2002	1	1	ND	ug/L
Toluene	MW-11N	1/23/2003	1	1	ND	ug/L
Toluene	MW-11N	4/15/2003	1	1	ND	ug/L
Toluene	MW-11N	7/8/2003	1	1	ND	ug/L
Toluene	MW-11N	1/29/2004	1	1	ND	ug/L
Toluene	MW-11N	7/27/2004	1	1	ND	ug/L
Toluene	MW-11N	1/13/2005	1	1	ND	ug/L
Toluene	MW-11N	7/20/2005	1	1	ND	ug/L
Toluene	MW-11N	1/19/2006	1	1	ND	ug/L
Toluene	MW-11N	7/18/2006	1	1	ND	ug/L
Toluene	MW-11N	7/18/2006	1	1	ND	ug/L
Toluene	MW-11N	10/25/2006	1	1	ND	ug/L
Toluene	MW-11N	1/24/2007	1	1	ND	ug/L
Toluene	MW-11N	7/10/2007	1	1	ND	ug/L
Toluene	MW-11N	1/22/2008	1	1	ND	ug/L
Toluene	MW-11N	7/23/2008	1	1	ND	ug/L
Toluene	MW-11N	2/3/2009	1	1	ND	ug/L
Toluene	MW-11N	7/31/2009	1	1	ND	ug/L
Toluene	MW-11N	2/3/2010	1	1	ND	ug/L
Toluene	MW-11N	2/3/2010	1	1	ND	ug/L
Toluene	MW-11N	7/16/2010	1	1	ND	ug/L
Toluene	MW-11N	1/19/2011	1	1	ND	ug/L
Toluene	MW-11N	7/13/2011	1	1	ND	ug/L
Toluene	MW-11N	1/4/2012	1	1	ND	ug/L
Toluene	MW-11N	7/9/2012	1	1	ND	ug/L
Toluene	MW-11N	4/30/2013	1	1	ND	ug/L
Toluene	MW-11N	7/15/2013	1	1	ND	ug/L
Toluene	MW-11N	1/23/2014	1	1	ND	ug/L
Toluene	MW-11N	7/8/2014	1	1	ND	ug/L
Toluene	MW-11N	2/10/2015	1	1	ND	ug/L
Toluene	MW-11N	7/13/2015	1	1	ND	ug/L
Toluene	MW-11N	1/5/2016	1	1	ND	ug/L
Toluene	MW-11N	7/21/2016	1	1	ND	ug/L
Toluene	MW-11N	1/11/2017	1	1	ND	ug/L
Toluene	MW-11N	7/19/2017	1	1	ND	ug/L
Toluene	MW-11N	1/23/2018	1	1	ND	ug/L
Toluene	MW-11N	7/17/2018	1	1	ND	ug/L
Toluene	MW-11N	1/2/2019	1	1	ND	ug/L
Toluene	MW-11N	7/9/2019	1	1	ND	ug/L
Toluene	MW-11N	1/14/2020	1	1	ND	ug/L
Toluene	MW-11N	7/6/2020	1	1	ND	ug/L
Toluene	MW-11N	1/18/2021	1	1	ND	ug/L
Toluene	MW-11N	7/6/2021	1	1	ND	ug/L
Toluene	MW-11N	1/18/2022	1	1	ND	ug/L
Toluene	MW-11N	7/13/2022	1	1	ND	ug/L
Toluene	MW-11N	1/10/2023	1	1	ND	ug/L
Toluene	MW-15	6/5/2015	0.17	1	ND	ug/L
Toluene	MW-15	7/15/2015	1	1	ND	ug/L
Toluene	MW-15	8/5/2015	1	1	ND	ug/L
Toluene	MW-15	9/3/2015	1	1	ND	ug/L
Toluene	MW-15	1/7/2016	1	1	ND	ug/L
Toluene	MW-15	4/5/2016	1	1	ND	ug/L
Toluene	MW-15	7/20/2016	1	1	ND	ug/L
Toluene	MW-15	10/6/2016	1	1	ND	ug/L
Toluene	MW-15	1/10/2017	1	1	ND	ug/L
Toluene	MW-15	7/18/2017	1	1	ND	ug/L
Toluene	MW-15	1/23/2018	1	1	ND	ug/L
Toluene	MW-15	7/10/2018	1	1	ND	ug/L
Toluene	MW-15	1/3/2019	1	1	ND	ug/L
Toluene	MW-15	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-15	1/14/2020	1	1	ND	ug/L
Toluene	MW-15	8/3/2020	1	1	ND	ug/L
Toluene	MW-15	1/18/2021	1	1	ND	ug/L
Toluene	MW-15	7/4/2021	1	1	ND	ug/L
Toluene	MW-15	1/12/2022	1	1	ND	ug/L
Toluene	MW-15	7/10/2022	1	1	ND	ug/L
Toluene	MW-15	1/10/2023	1	1	ND	ug/L
Toluene	MW-16	6/5/2015	1	1	ND	ug/L
Toluene	MW-16	7/16/2015	1	1	ND	ug/L
Toluene	MW-16	8/5/2015	1	1	ND	ug/L
Toluene	MW-16	9/3/2015	1	1	ND	ug/L
Toluene	MW-16	1/8/2016	1	1	ND	ug/L
Toluene	MW-16	4/5/2016	1	1	ND	ug/L
Toluene	MW-16	7/21/2016	1	1	ND	ug/L
Toluene	MW-16	10/5/2016	1	1	ND	ug/L
Toluene	MW-16	1/10/2017	1	1	ND	ug/L
Toluene	MW-16	7/18/2017	1	1	ND	ug/L
Toluene	MW-16	1/23/2018	1	1	ND	ug/L
Toluene	MW-16	7/11/2018	1	1	ND	ug/L
Toluene	MW-16	1/2/2019	1	1	ND	ug/L
Toluene	MW-16	7/10/2019	1	1	ND	ug/L
Toluene	MW-16	1/14/2020	1	1	ND	ug/L
Toluene	MW-16	8/3/2020	1	1	ND	ug/L
Toluene	MW-16	1/18/2021	1	1	ND	ug/L
Toluene	MW-16	7/4/2021	1	1	ND	ug/L
Toluene	MW-16	1/12/2022	1	1	ND	ug/L
Toluene	MW-16	7/10/2022	1	1	ND	ug/L
Toluene	MW-16	1/10/2023	1	1	ND	ug/L
Toluene	MW-17	6/5/2015	1	1	ND	ug/L
Toluene	MW-17	7/15/2015	1	1	ND	ug/L
Toluene	MW-17	8/4/2015	1	1	ND	ug/L
Toluene	MW-17	9/2/2015	1	1	ND	ug/L
Toluene	MW-17	1/7/2016	1	1	ND	ug/L
Toluene	MW-17	4/5/2016	1	1	ND	ug/L
Toluene	MW-17	7/20/2016	1	1	ND	ug/L
Toluene	MW-17	10/6/2016	1	1	ND	ug/L
Toluene	MW-17	1/10/2017	1	1	ND	ug/L
Toluene	MW-17	7/18/2017	1	1	ND	ug/L
Toluene	MW-17	1/23/2018	1	1	ND	ug/L
Toluene	MW-17	7/10/2018	1	1	ND	ug/L
Toluene	MW-17	1/3/2019	1	1	ND	ug/L
Toluene	MW-17	7/11/2019	1	1	ND	ug/L
Toluene	MW-17	1/14/2020	1	1	ND	ug/L
Toluene	MW-17	8/3/2020	1	1	ND	ug/L
Toluene	MW-17	1/14/2021	1	1	ND	ug/L
Toluene	MW-17	7/4/2021	1	1	ND	ug/L
Toluene	MW-17	1/10/2023	1	1	ND	ug/L
Toluene	MW-19	6/5/2015	1	1	ND	ug/L
Toluene	MW-19	7/16/2015	1	1	ND	ug/L
Toluene	MW-19	8/5/2015	1	1	ND	ug/L
Toluene	MW-19	9/3/2015	1	1	ND	ug/L
Toluene	MW-19	1/7/2016	1	1	ND	ug/L
Toluene	MW-19	4/5/2016	1	1	ND	ug/L
Toluene	MW-19	7/21/2016	1	1	ND	ug/L
Toluene	MW-19	10/5/2016	1	1	ND	ug/L
Toluene	MW-19	1/10/2017	1	1	ND	ug/L
Toluene	MW-19	7/18/2017	1	1	ND	ug/L
Toluene	MW-19	1/23/2018	1	1	ND	ug/L
Toluene	MW-19	7/13/2018	1	1	ND	ug/L
Toluene	MW-19	1/7/2019	1	1	ND	ug/L
Toluene	MW-19	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-19	1/14/2020	1	1	ND	ug/L
Toluene	MW-19	8/3/2020	1	1	ND	ug/L
Toluene	MW-19	1/14/2021	1	1	ND	ug/L
Toluene	MW-19	7/4/2021	1	1	ND	ug/L
Toluene	MW-19	1/11/2023	1	1	ND	ug/L
Toluene	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/28/1998	0.21	2.5		ug/L
Toluene	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-1N	7/12/2000	1	1	ND	ug/L
Toluene	MW-1N	10/18/2000	1	1	ND	ug/L
Toluene	MW-1N	1/24/2001	1	1	ND	ug/L
Toluene	MW-1N	4/12/2001	1	1	ND	ug/L
Toluene	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-1N	5/29/2002	1	1	ND	ug/L
Toluene	MW-1N	7/9/2002	1	1	ND	ug/L
Toluene	MW-1N	10/3/2002	1	1	ND	ug/L
Toluene	MW-1N	1/22/2003	1	1	ND	ug/L
Toluene	MW-1N	4/15/2003	1	1	ND	ug/L
Toluene	MW-1N	7/8/2003	1	1	ND	ug/L
Toluene	MW-1N	1/28/2004	1	1	ND	ug/L
Toluene	MW-1N	7/27/2004	1	1	ND	ug/L
Toluene	MW-1N	1/12/2005	1	1	ND	ug/L
Toluene	MW-1N	7/20/2005	1	1	ND	ug/L
Toluene	MW-1N	1/18/2006	1	1	ND	ug/L
Toluene	MW-1N	7/18/2006	1	1	ND	ug/L
Toluene	MW-1N	7/18/2006	1	1	ND	ug/L
Toluene	MW-1N	10/24/2006	1	1	ND	ug/L
Toluene	MW-1N	1/26/2007	1	1	ND	ug/L
Toluene	MW-1N	7/11/2007	1	1	ND	ug/L
Toluene	MW-1N	1/24/2008	1	1	ND	ug/L
Toluene	MW-1N	7/21/2008	1	1	ND	ug/L
Toluene	MW-1N	2/5/2009	1	1	ND	ug/L
Toluene	MW-1N	7/31/2009	1	1	ND	ug/L
Toluene	MW-1N	1/26/2010	1	1	ND	ug/L
Toluene	MW-1N	7/13/2010	1	1	ND	ug/L
Toluene	MW-1N	1/20/2011	1	1	ND	ug/L
Toluene	MW-1N	7/13/2011	1	1	ND	ug/L
Toluene	MW-1N	1/5/2012	1	1	ND	ug/L
Toluene	MW-1N	7/10/2012	1	1	ND	ug/L
Toluene	MW-1N	5/1/2013	1	1	ND	ug/L
Toluene	MW-1N	7/16/2013	1	1	ND	ug/L
Toluene	MW-1N	1/24/2014	1	1	ND	ug/L
Toluene	MW-1N	7/9/2014	1	1	ND	ug/L
Toluene	MW-1N	2/10/2015	1	1	ND	ug/L
Toluene	MW-1N	7/14/2015	1	1	ND	ug/L
Toluene	MW-1N	1/6/2016	1	1	ND	ug/L
Toluene	MW-1N	7/21/2016	1	1	ND	ug/L
Toluene	MW-1N	1/12/2017	1	1	ND	ug/L
Toluene	MW-1N	7/19/2017	1	1	ND	ug/L
Toluene	MW-1N	1/23/2018	1	1	ND	ug/L
Toluene	MW-1N	7/10/2018	1	1	ND	ug/L
Toluene	MW-1N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-1N	7/11/2019	1	1	ND	ug/L
Toluene	MW-1N	1/23/2020	2.06	2.06	ND	ug/L
Toluene	MW-1N	4/2/2020	1	1	ND	ug/L
Toluene	MW-1N	7/6/2020	1	1	ND	ug/L
Toluene	MW-1N	1/14/2021	1	1	ND	ug/L
Toluene	MW-1N	7/4/2021	1	1	ND	ug/L
Toluene	MW-1N	1/11/2023	1	1	ND	ug/L
Toluene	MW-20	6/5/2015	1	1	ND	ug/L
Toluene	MW-20	7/14/2015	1	1	ND	ug/L
Toluene	MW-20	8/4/2015	1	1	ND	ug/L
Toluene	MW-20	9/2/2015	1	1	ND	ug/L
Toluene	MW-20	1/7/2016	1	1	ND	ug/L
Toluene	MW-20	4/5/2016	1	1	ND	ug/L
Toluene	MW-20	7/20/2016	1	1	ND	ug/L
Toluene	MW-20	10/5/2016	1	1	ND	ug/L
Toluene	MW-20	1/12/2017	1	1	ND	ug/L
Toluene	MW-20	7/18/2017	1	1	ND	ug/L
Toluene	MW-20	1/26/2018	1	1	ND	ug/L
Toluene	MW-20	7/12/2018	1	1	ND	ug/L
Toluene	MW-20	7/11/2019	1	1	ND	ug/L
Toluene	MW-20	1/14/2020	1	1	ND	ug/L
Toluene	MW-20	7/7/2020	1	1	ND	ug/L
Toluene	MW-20	1/17/2021	1	1	ND	ug/L
Toluene	MW-20	7/4/2021	1	1	ND	ug/L
Toluene	MW-20	1/11/2023	1	1	ND	ug/L
Toluene	MW-21	6/5/2015	1	1	ND	ug/L
Toluene	MW-21	7/14/2015	1	1	ND	ug/L
Toluene	MW-21	8/4/2015	1	1	ND	ug/L
Toluene	MW-21	9/2/2015	1	1	ND	ug/L
Toluene	MW-21	1/7/2016	1	1	ND	ug/L
Toluene	MW-21	4/5/2016	1	1	ND	ug/L
Toluene	MW-21	7/20/2016	1	1	ND	ug/L
Toluene	MW-21	10/5/2016	1	1	ND	ug/L
Toluene	MW-21	10/5/2016	1	1	ND	ug/L
Toluene	MW-21	1/10/2017	1	1	ND	ug/L
Toluene	MW-21	4/5/2017	1	1	ND	ug/L
Toluene	MW-21	7/19/2017	1	1	ND	ug/L
Toluene	MW-21	10/6/2017	1	1	ND	ug/L
Toluene	MW-21	1/24/2018	1	1	ND	ug/L
Toluene	MW-21	4/11/2018	1	1	ND	ug/L
Toluene	MW-21	7/11/2018	1	1	ND	ug/L
Toluene	MW-21	10/4/2018	1	1	ND	ug/L
Toluene	MW-21	1/3/2019	1	1	ND	ug/L
Toluene	MW-21	4/3/2019	1	1	ND	ug/L
Toluene	MW-21	7/11/2019	1	1	ND	ug/L
Toluene	MW-21	10/2/2019	1	1	ND	ug/L
Toluene	MW-21	1/16/2020	1	1	ND	ug/L
Toluene	MW-21	4/2/2020	1	1	ND	ug/L
Toluene	MW-21	7/8/2020	1	1	ND	ug/L
Toluene	MW-21	10/7/2020	1	1	ND	ug/L
Toluene	MW-21	1/13/2021	1	1	ND	ug/L
Toluene	MW-21	4/6/2021	1	1	ND	ug/L
Toluene	MW-21	7/5/2021	1	1	ND	ug/L
Toluene	MW-21	10/6/2021	1	1	ND	ug/L
Toluene	MW-21	1/11/2023	1	1	ND	ug/L
Toluene	MW-21	4/8/2023	1	1	ND	ug/L
Toluene	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/13/1999	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-2N	10/17/2000	0.27	1		ug/L
Toluene	MW-2N	1/24/2001	1	1	ND	ug/L
Toluene	MW-2N	4/11/2001	1	1	ND	ug/L
Toluene	MW-2N	7/10/2002	5.8	1		ug/L
Toluene	MW-2N	10/2/2002	0.22	1		ug/L
Toluene	MW-2N	1/22/2003	1	1	ND	ug/L
Toluene	MW-2N	4/14/2003	1	1	ND	ug/L
Toluene	MW-2N	7/7/2003	1	1	ND	ug/L
Toluene	MW-2N	1/28/2004	1	1	ND	ug/L
Toluene	MW-2N	7/27/2004	1.5	1		ug/L
Toluene	MW-2N	1/12/2005	1	1	ND	ug/L
Toluene	MW-2N	7/20/2005	1	1	ND	ug/L
Toluene	MW-2N	1/19/2006	1	1	ND	ug/L
Toluene	MW-2N	7/19/2006	1	1	ND	ug/L
Toluene	MW-2N	7/19/2006	1	1	ND	ug/L
Toluene	MW-2N	10/25/2006	1	1	ND	ug/L
Toluene	MW-2N	1/26/2007	1.7	1		ug/L
Toluene	MW-2N	3/27/2007	1	1	ND	ug/L
Toluene	MW-2N	7/11/2007	1	1	ND	ug/L
Toluene	MW-2N	1/24/2008	1.1	1		ug/L
Toluene	MW-2N	7/22/2008	1	1	ND	ug/L
Toluene	MW-2N	2/4/2009	0.52	1	ND	ug/L
Toluene	MW-2N	7/31/2009	1	1	ND	ug/L
Toluene	MW-2N	1/26/2010	1	1	ND	ug/L
Toluene	MW-2N	7/13/2010	1	1	ND	ug/L
Toluene	MW-2N	1/20/2011	1	1	ND	ug/L
Toluene	MW-2N	7/13/2011	1	1	ND	ug/L
Toluene	MW-2N	1/5/2012	1	1	ND	ug/L
Toluene	MW-2N	7/10/2012	1	1	ND	ug/L
Toluene	MW-2N	5/1/2013	1	1	ND	ug/L
Toluene	MW-2N	7/16/2013	1	1	ND	ug/L
Toluene	MW-2N	1/24/2014	1	1	ND	ug/L
Toluene	MW-2N	7/9/2014	1	1	ND	ug/L
Toluene	MW-2N	2/12/2015	1	1	ND	ug/L
Toluene	MW-2N	7/14/2015	1	1	ND	ug/L
Toluene	MW-2N	1/6/2016	1	1	ND	ug/L
Toluene	MW-2N	7/21/2016	1	1	ND	ug/L
Toluene	MW-2N	1/11/2017	1	1	ND	ug/L
Toluene	MW-2N	7/19/2017	1	1	ND	ug/L
Toluene	MW-2N	1/23/2018	1	1	ND	ug/L
Toluene	MW-2N	7/12/2018	1	1	ND	ug/L
Toluene	MW-2N	1/3/2019	1	1	ND	ug/L
Toluene	MW-2N	8/7/2019	1	1	ND	ug/L
Toluene	MW-2N	1/23/2020	1	1	ND	ug/L
Toluene	MW-2N	7/7/2020	1	1	ND	ug/L
Toluene	MW-2N	1/14/2021	1	1	ND	ug/L
Toluene	MW-2N	7/5/2021	1	1	ND	ug/L
Toluene	MW-2N	1/11/2023	1	1	ND	ug/L
Toluene	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	10/20/1999	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-3N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/11/2000	1	1	ND	ug/L
Toluene	MW-3N	10/17/2000	1	1	ND	ug/L
Toluene	MW-3N	1/23/2001	1	1	ND	ug/L
Toluene	MW-3N	4/11/2001	1	1	ND	ug/L
Toluene	MW-3N	5/29/2002	1	1	ND	ug/L
Toluene	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/9/2002	1	1	ND	ug/L
Toluene	MW-3N	10/2/2002	1	1	ND	ug/L
Toluene	MW-3N	1/22/2003	1	1	ND	ug/L
Toluene	MW-3N	4/14/2003	1	1	ND	ug/L
Toluene	MW-3N	7/7/2003	1	1	ND	ug/L
Toluene	MW-3N	1/28/2004	1	1	ND	ug/L
Toluene	MW-3N	7/27/2004	1	1	ND	ug/L
Toluene	MW-3N	1/12/2005	1	1	ND	ug/L
Toluene	MW-3N	7/20/2005	1	1	ND	ug/L
Toluene	MW-3N	1/18/2006	1	1	ND	ug/L
Toluene	MW-3N	7/19/2006	1	1	ND	ug/L
Toluene	MW-3N	7/19/2006	1	1	ND	ug/L
Toluene	MW-3N	10/25/2006	1	1	ND	ug/L
Toluene	MW-3N	1/26/2007	1	1	ND	ug/L
Toluene	MW-3N	7/11/2007	1	1	ND	ug/L
Toluene	MW-3N	1/24/2008	1	1	ND	ug/L
Toluene	MW-3N	7/22/2008	1	1	ND	ug/L
Toluene	MW-3N	2/4/2009	0.29	1	ND	ug/L
Toluene	MW-3N	7/31/2009	1	1	ND	ug/L
Toluene	MW-3N	1/26/2010	1	1	ND	ug/L
Toluene	MW-3N	7/13/2010	1	1	ND	ug/L
Toluene	MW-3N	1/20/2011	1	1	ND	ug/L
Toluene	MW-3N	7/14/2011	1	1	ND	ug/L
Toluene	MW-3N	1/5/2012	1	1	ND	ug/L
Toluene	MW-3N	7/11/2012	1	1	ND	ug/L
Toluene	MW-3N	5/1/2013	1	1	ND	ug/L
Toluene	MW-3N	6/4/2013	1	1	ND	ug/L
Toluene	MW-3N	7/16/2013	1	1	ND	ug/L
Toluene	MW-3N	1/24/2014	1	1	ND	ug/L
Toluene	MW-3N	7/9/2014	1	1	ND	ug/L
Toluene	MW-3N	2/12/2015	1	1	ND	ug/L
Toluene	MW-3N	4/1/2015	1	1	ND	ug/L
Toluene	MW-3N	7/14/2015	1	1	ND	ug/L
Toluene	MW-3N	10/5/2015	1	1	ND	ug/L
Toluene	MW-3N	1/6/2016	1	1	ND	ug/L
Toluene	MW-3N	4/6/2016	1	1	ND	ug/L
Toluene	MW-3N	7/21/2016	1	1	ND	ug/L
Toluene	MW-3N	10/6/2016	1	1	ND	ug/L
Toluene	MW-3N	1/11/2017	1	1	ND	ug/L
Toluene	MW-3N	4/4/2017	1	1	ND	ug/L
Toluene	MW-3N	7/19/2017	1	1	ND	ug/L
Toluene	MW-3N	10/9/2017	1	1	ND	ug/L
Toluene	MW-3N	1/24/2018	1	1	ND	ug/L
Toluene	MW-3N	4/10/2018	1	1	ND	ug/L
Toluene	MW-3N	7/13/2018	1	1	ND	ug/L
Toluene	MW-3N	10/3/2018	1	1	ND	ug/L
Toluene	MW-3N	1/7/2019	1	1	ND	ug/L
Toluene	MW-3N	4/3/2019	1	1	ND	ug/L
Toluene	MW-3N	7/11/2019	1	1	ND	ug/L
Toluene	MW-3N	10/2/2019	1	1	ND	ug/L
Toluene	MW-3N	1/15/2020	1	1	ND	ug/L
Toluene	MW-3N	4/2/2020	1	1	ND	ug/L
Toluene	MW-3N	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-3N	10/7/2020	1	1	ND	ug/L
Toluene	MW-3N	1/13/2021	1	1	ND	ug/L
Toluene	MW-3N	4/6/2021	1	1	ND	ug/L
Toluene	MW-3N	7/5/2021	1	1	ND	ug/L
Toluene	MW-3N	10/6/2021	1	1	ND	ug/L
Toluene	MW-3N	1/11/2023	1	1	ND	ug/L
Toluene	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/13/2000	2.5	2.5	ND	ug/L
Toluene	MW-7N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/17/2000	0.24	1		ug/L
Toluene	MW-7N	1/23/2001	1	1	ND	ug/L
Toluene	MW-7N	4/10/2001	0.46	1		ug/L
Toluene	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-7N	5/29/2002	1	1	ND	ug/L
Toluene	MW-7N	7/9/2002	1	1	ND	ug/L
Toluene	MW-7N	10/2/2002	1	1	ND	ug/L
Toluene	MW-7N	1/23/2003	1	1	ND	ug/L
Toluene	MW-7N	4/14/2003	1	1	ND	ug/L
Toluene	MW-7N	7/7/2003	1	1	ND	ug/L
Toluene	MW-7N	1/27/2004	1	1	ND	ug/L
Toluene	MW-7N	4/8/2004	1	1	ND	ug/L
Toluene	MW-7N	7/26/2004	1	1	ND	ug/L
Toluene	MW-7N	1/12/2005	1	1	ND	ug/L
Toluene	MW-7N	7/19/2005	1	1	ND	ug/L
Toluene	MW-7N	1/19/2006	1	1	ND	ug/L
Toluene	MW-7N	7/19/2006	1	1	ND	ug/L
Toluene	MW-7N	7/19/2006	1	1	ND	ug/L
Toluene	MW-7N	10/24/2006	1	1	ND	ug/L
Toluene	MW-7N	1/26/2007	1	1	ND	ug/L
Toluene	MW-7N	7/10/2007	1	1	ND	ug/L
Toluene	MW-7N	7/21/2008	1	1	ND	ug/L
Toluene	MW-7N	2/6/2009	1	1	ND	ug/L
Toluene	MW-7N	7/29/2009	1	1	ND	ug/L
Toluene	MW-7N	1/26/2010	1	1	ND	ug/L
Toluene	MW-7N	7/14/2010	1	1	ND	ug/L
Toluene	MW-7N	9/2/2010	1	1	ND	ug/L
Toluene	MW-7N	1/20/2011	1	1	ND	ug/L
Toluene	MW-7N	7/12/2011	1	1	ND	ug/L
Toluene	MW-7N	1/5/2012	1	1	ND	ug/L
Toluene	MW-7N	7/10/2012	1	1	ND	ug/L
Toluene	MW-7N	5/1/2013	1	1	ND	ug/L
Toluene	MW-7N	6/4/2013	1	1	ND	ug/L
Toluene	MW-7N	7/15/2013	1	1	ND	ug/L
Toluene	MW-7N	1/30/2014	1	1	ND	ug/L
Toluene	MW-7N	7/9/2014	1	1	ND	ug/L
Toluene	MW-7N	2/12/2015	1	1	ND	ug/L
Toluene	MW-7N	7/13/2015	1	1	ND	ug/L
Toluene	MW-7N	1/5/2016	1	1	ND	ug/L
Toluene	MW-7N	7/21/2016	1	1	ND	ug/L
Toluene	MW-7N	1/11/2017	1	1	ND	ug/L
Toluene	MW-7N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-7N	7/19/2017	1	1	ND	ug/L
Toluene	MW-7N	10/5/2017	1	1	ND	ug/L
Toluene	MW-7N	1/25/2018	1	1	ND	ug/L
Toluene	MW-7N	4/11/2018	1	1	ND	ug/L
Toluene	MW-7N	7/13/2018	1	1	ND	ug/L
Toluene	MW-7N	1/4/2019	1	1	ND	ug/L
Toluene	MW-7N	7/10/2019	1	1	ND	ug/L
Toluene	MW-7N	1/16/2020	1	1	ND	ug/L
Toluene	MW-7N	7/7/2020	1	1	ND	ug/L
Toluene	MW-7N	1/16/2021	1	1	ND	ug/L
Toluene	MW-7N	7/5/2021	1	1	ND	ug/L
Toluene	MW-7N	1/12/2022	1	1	ND	ug/L
Toluene	MW-7N	7/10/2022	1	1	ND	ug/L
Toluene	MW-7N	1/10/2023	1	1	ND	ug/L
Toluene	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-8N	10/17/2000	1	1	ND	ug/L
Toluene	MW-8N	1/23/2001	1	1	ND	ug/L
Toluene	MW-8N	4/11/2001	1	1	ND	ug/L
Toluene	MW-8N	5/29/2002	1	1	ND	ug/L
Toluene	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/9/2002	1	1	ND	ug/L
Toluene	MW-8N	10/2/2002	1	1	ND	ug/L
Toluene	MW-8N	1/23/2003	1	1	ND	ug/L
Toluene	MW-8N	4/14/2003	1	1	ND	ug/L
Toluene	MW-8N	7/7/2003	1	1	ND	ug/L
Toluene	MW-8N	1/28/2004	1	1	ND	ug/L
Toluene	MW-8N	7/27/2004	1	1	ND	ug/L
Toluene	MW-8N	1/12/2005	1	1	ND	ug/L
Toluene	MW-8N	7/20/2005	1	1	ND	ug/L
Toluene	MW-8N	1/19/2006	1	1	ND	ug/L
Toluene	MW-8N	7/19/2006	1	1	ND	ug/L
Toluene	MW-8N	7/19/2006	1	1	ND	ug/L
Toluene	MW-8N	10/24/2006	1	1	ND	ug/L
Toluene	MW-8N	1/26/2007	1	1	ND	ug/L
Toluene	MW-8N	4/25/2007	1	1	ND	ug/L
Toluene	MW-8N	7/10/2007	1	1	ND	ug/L
Toluene	MW-8N	1/24/2008	1	1	ND	ug/L
Toluene	MW-8N	7/23/2008	1	1	ND	ug/L
Toluene	MW-8N	2/4/2009	1	1	ND	ug/L
Toluene	MW-8N	7/31/2009	1	1	ND	ug/L
Toluene	MW-8N	1/26/2010	1	1	ND	ug/L
Toluene	MW-8N	7/16/2010	1	1	ND	ug/L
Toluene	MW-8N	1/19/2011	1	1	ND	ug/L
Toluene	MW-8N	5/10/2011	1	1	ND	ug/L
Toluene	MW-8N	7/14/2011	1	1	ND	ug/L
Toluene	MW-8N	1/6/2012	1	1	ND	ug/L
Toluene	MW-8N	4/5/2012	1	1	ND	ug/L
Toluene	MW-8N	7/11/2012	1	1	ND	ug/L
Toluene	MW-8N	10/3/2012	1	1	ND	ug/L
Toluene	MW-8N	5/1/2013	1	1	ND	ug/L
Toluene	MW-8N	6/4/2013	1	1	ND	ug/L
Toluene	MW-8N	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-8N	10/2/2013	1	1	ND	ug/L
Toluene	MW-8N	1/30/2014	1	1	ND	ug/L
Toluene	MW-8N	4/3/2014	1	1	ND	ug/L
Toluene	MW-8N	7/9/2014	1	1	ND	ug/L
Toluene	MW-8N	10/8/2014	1	1	ND	ug/L
Toluene	MW-8N	2/12/2015	1	1	ND	ug/L
Toluene	MW-8N	4/1/2015	1	1	ND	ug/L
Toluene	MW-8N	7/14/2015	1	1	ND	ug/L
Toluene	MW-8N	10/5/2015	1	1	ND	ug/L
Toluene	MW-8N	1/5/2016	1	1	ND	ug/L
Toluene	MW-8N	4/6/2016	1	1	ND	ug/L
Toluene	MW-8N	7/21/2016	1	1	ND	ug/L
Toluene	MW-8N	10/6/2016	1	1	ND	ug/L
Toluene	MW-8N	1/11/2017	1	1	ND	ug/L
Toluene	MW-8N	4/4/2017	1	1	ND	ug/L
Toluene	MW-8N	7/19/2017	1	1	ND	ug/L
Toluene	MW-8N	10/6/2017	1	1	ND	ug/L
Toluene	MW-8N	1/25/2018	1	1	ND	ug/L
Toluene	MW-8N	4/10/2018	1	1	ND	ug/L
Toluene	MW-8N	7/16/2018	1	1	ND	ug/L
Toluene	MW-8N	10/2/2018	1	1	ND	ug/L
Toluene	MW-8N	1/7/2019	1	1	ND	ug/L
Toluene	MW-8N	4/3/2019	1	1	ND	ug/L
Toluene	MW-8N	7/11/2019	1	1	ND	ug/L
Toluene	MW-8N	10/3/2019	1	1	ND	ug/L
Toluene	MW-8N	1/15/2020	1	1	ND	ug/L
Toluene	MW-8N	4/2/2020	1	1	ND	ug/L
Toluene	MW-8N	7/9/2020	1	1	ND	ug/L
Toluene	MW-8N	10/6/2020	1	1	ND	ug/L
Toluene	MW-8N	1/15/2021	1	1	ND	ug/L
Toluene	MW-8N	4/6/2021	1	1	ND	ug/L
Toluene	MW-8N	7/5/2021	1	1	ND	ug/L
Toluene	MW-8N	10/6/2021	1	1	ND	ug/L
Toluene	MW-8N	1/18/2022	1	1	ND	ug/L
Toluene	MW-8N	4/4/2022	1	1	ND	ug/L
Toluene	MW-8N	7/12/2022	1	1	ND	ug/L
Toluene	MW-8N	10/6/2022	1	1	ND	ug/L
Toluene	MW-8N	1/11/2023	1	1	ND	ug/L
Toluene	MW-8N	4/8/2023	1	1	ND	ug/L
Toluene	NE-1	7/10/2002	1	1	ND	ug/L
Toluene	NE-1	8/6/2002	1	1	ND	ug/L
Toluene	NE-1	9/4/2002	1	1	ND	ug/L
Toluene	NE-1	10/2/2002	1	1	ND	ug/L
Toluene	NE-1	7/8/2003	1	1	ND	ug/L
Toluene	NE-1	1/27/2004	1	1	ND	ug/L
Toluene	NE-1	1/12/2005	1	1	ND	ug/L
Toluene	NE-1	7/19/2006	1	1	ND	ug/L
Toluene	NE-1	7/19/2006	1	1	ND	ug/L
Toluene	NE-1	10/25/2006	1	1	ND	ug/L
Toluene	NE-1	1/24/2007	1	1	ND	ug/L
Toluene	NE-1	7/10/2007	1	1	ND	ug/L
Toluene	NE-1	1/24/2008	1	1	ND	ug/L
Toluene	NE-1	7/21/2008	1	1	ND	ug/L
Toluene	NE-1	2/7/2009	1	1	ND	ug/L
Toluene	NE-1	7/31/2009	1	1	ND	ug/L
Toluene	NE-1	1/26/2010	1	1	ND	ug/L
Toluene	NE-1	7/14/2010	1	1	ND	ug/L
Toluene	NE-1	9/2/2010	1	1	ND	ug/L
Toluene	NE-1	1/19/2011	1	1	ND	ug/L
Toluene	NE-1	7/13/2011	1	1	ND	ug/L
Toluene	NE-1	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-1	7/10/2012	1	1	ND	ug/L
Toluene	NE-1	4/30/2013	1	1	ND	ug/L
Toluene	NE-1	7/16/2013	1	1	ND	ug/L
Toluene	NE-1	1/23/2014	1	1	ND	ug/L
Toluene	NE-1	7/9/2014	1	1	ND	ug/L
Toluene	NE-1	2/11/2015	1	1	ND	ug/L
Toluene	NE-1	7/8/2015	1	1	ND	ug/L
Toluene	NE-1	1/6/2016	1	1	ND	ug/L
Toluene	NE-1	7/20/2016	1	1	ND	ug/L
Toluene	NE-1	1/11/2017	1	1	ND	ug/L
Toluene	NE-1	7/19/2017	1	1	ND	ug/L
Toluene	NE-1	1/24/2018	1	1	ND	ug/L
Toluene	NE-1	4/11/2018	1	1	ND	ug/L
Toluene	NE-1	7/18/2018	1	1	ND	ug/L
Toluene	NE-1	10/2/2018	1	1	ND	ug/L
Toluene	NE-1	1/4/2019	1	1	ND	ug/L
Toluene	NE-1	4/2/2019	1	1	ND	ug/L
Toluene	NE-1	7/10/2019	1	1	ND	ug/L
Toluene	NE-1	7/10/2019	1	1	ND	ug/L
Toluene	NE-1	10/2/2019	1	1	ND	ug/L
Toluene	NE-1	1/15/2020	1	1	ND	ug/L
Toluene	NE-1	4/2/2020	1	1	ND	ug/L
Toluene	NE-1	7/8/2020	1	1	ND	ug/L
Toluene	NE-1	10/7/2020	1	1	ND	ug/L
Toluene	NE-1	1/13/2021	1	1	ND	ug/L
Toluene	NE-1	4/9/2021	1	1	ND	ug/L
Toluene	NE-1	7/2/2021	1	1	ND	ug/L
Toluene	NE-1	10/6/2021	1	1	ND	ug/L
Toluene	NE-1	1/17/2022	1	1	ND	ug/L
Toluene	NE-1	4/6/2022	1	1	ND	ug/L
Toluene	NE-1	7/13/2022	1	1	ND	ug/L
Toluene	NE-1	10/6/2022	1	1	ND	ug/L
Toluene	NE-1	1/5/2023	1	1	ND	ug/L
Toluene	NE-1	4/7/2023	1	1	ND	ug/L
Toluene	NE-10D	11/6/2019	1	1	ND	ug/L
Toluene	NE-10D	1/16/2020	1	1	ND	ug/L
Toluene	NE-10D	4/2/2020	1	1	ND	ug/L
Toluene	NE-10D	7/8/2020	1	1	ND	ug/L
Toluene	NE-10D	10/7/2020	1	1	ND	ug/L
Toluene	NE-10D	1/13/2021	1	1	ND	ug/L
Toluene	NE-10D	4/9/2021	1	1	ND	ug/L
Toluene	NE-10D	7/2/2021	1	1	ND	ug/L
Toluene	NE-10D	10/7/2021	1	1	ND	ug/L
Toluene	NE-10D	1/6/2023	1	1	ND	ug/L
Toluene	NE-10D	4/6/2023	1	1	ND	ug/L
Toluene	NE-11	3/1/2017	1	1	ND	ug/L
Toluene	NE-11	4/6/2017	1	1	ND	ug/L
Toluene	NE-11	7/20/2017	1	1	ND	ug/L
Toluene	NE-11	10/9/2017	1	1	ND	ug/L
Toluene	NE-11	9/30/2019	1	1	ND	ug/L
Toluene	NE-11	1/14/2020	1	1	ND	ug/L
Toluene	NE-11	7/7/2020	1	1	ND	ug/L
Toluene	NE-11	1/16/2021	1	1	ND	ug/L
Toluene	NE-11	1/16/2021	1	1	ND	ug/L
Toluene	NE-11	7/1/2021	1	1	ND	ug/L
Toluene	NE-11	7/1/2021	1	1	ND	ug/L
Toluene	NE-11	1/17/2022	1	1	ND	ug/L
Toluene	NE-11	1/17/2022	1	1	ND	ug/L
Toluene	NE-11	7/12/2022	1	1	ND	ug/L
Toluene	NE-11	1/6/2023	1	1	ND	ug/L
Toluene	NE-12	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-12	4/6/2017	1	1	ND	ug/L
Toluene	NE-12	7/20/2017	1	1	ND	ug/L
Toluene	NE-12	10/6/2017	1	1	ND	ug/L
Toluene	NE-12	8/5/2019	1	1	ND	ug/L
Toluene	NE-12	1/13/2020	1	1	ND	ug/L
Toluene	NE-12	7/7/2020	1	1	ND	ug/L
Toluene	NE-12	1/15/2021	1	1	ND	ug/L
Toluene	NE-12	1/15/2021	1	1	ND	ug/L
Toluene	NE-12	7/1/2021	1	1	ND	ug/L
Toluene	NE-12	7/1/2021	1	1	ND	ug/L
Toluene	NE-12	1/17/2022	1	1	ND	ug/L
Toluene	NE-12	1/17/2022	1	1	ND	ug/L
Toluene	NE-12	7/12/2022	1	1	ND	ug/L
Toluene	NE-12	1/6/2023	1	1	ND	ug/L
Toluene	NE-13	2/5/2019	1	1	ND	ug/L
Toluene	NE-13	8/7/2019	1	1	ND	ug/L
Toluene	NE-13	1/15/2020	1	1	ND	ug/L
Toluene	NE-13	7/8/2020	1	1	ND	ug/L
Toluene	NE-13	1/17/2021	1	1	ND	ug/L
Toluene	NE-13	1/17/2021	1	1	ND	ug/L
Toluene	NE-13	7/1/2021	1	1	ND	ug/L
Toluene	NE-13	7/1/2021	1	1	ND	ug/L
Toluene	NE-14D	10/2/2019	1	1	ND	ug/L
Toluene	NE-14D	1/16/2020	1	1	ND	ug/L
Toluene	NE-14D	4/3/2020	1	1	ND	ug/L
Toluene	NE-14D	7/7/2020	1	1	ND	ug/L
Toluene	NE-14D	10/6/2020	1	1	ND	ug/L
Toluene	NE-14D	1/17/2021	1	1	ND	ug/L
Toluene	NE-14D	4/9/2021	1	1	ND	ug/L
Toluene	NE-14D	7/2/2021	1	1	ND	ug/L
Toluene	NE-14D	10/7/2021	1	1	ND	ug/L
Toluene	NE-14D	1/18/2022	1	1	ND	ug/L
Toluene	NE-14D	4/6/2022	1	1	ND	ug/L
Toluene	NE-14D	7/13/2022	1	1	ND	ug/L
Toluene	NE-14D	10/7/2022	1	1	ND	ug/L
Toluene	NE-14D	1/6/2023	1	1	ND	ug/L
Toluene	NE-14D	4/6/2023	1	1	ND	ug/L
Toluene	NE-14S	10/2/2019	1	1	ND	ug/L
Toluene	NE-14S	1/16/2020	1	1	ND	ug/L
Toluene	NE-14S	4/3/2020	1	1	ND	ug/L
Toluene	NE-14S	7/7/2020	1	1	ND	ug/L
Toluene	NE-14S	10/6/2020	1	1	ND	ug/L
Toluene	NE-14S	1/17/2021	1	1	ND	ug/L
Toluene	NE-14S	4/9/2021	1	1	ND	ug/L
Toluene	NE-14S	7/2/2021	1	1	ND	ug/L
Toluene	NE-14S	10/7/2021	1	1	ND	ug/L
Toluene	NE-14S	1/18/2022	1	1	ND	ug/L
Toluene	NE-14S	4/6/2022	1	1	ND	ug/L
Toluene	NE-14S	7/13/2022	1	1	ND	ug/L
Toluene	NE-14S	10/7/2022	1	1	ND	ug/L
Toluene	NE-14S	1/6/2023	1	1	ND	ug/L
Toluene	NE-14S	4/6/2023	1	1	ND	ug/L
Toluene	NE-15D	9/30/2019	1	1	ND	ug/L
Toluene	NE-15D	1/16/2020	1	1	ND	ug/L
Toluene	NE-15D	4/3/2020	1	1	ND	ug/L
Toluene	NE-15D	7/7/2020	1	1	ND	ug/L
Toluene	NE-15D	10/6/2020	1	1	ND	ug/L
Toluene	NE-15D	1/17/2021	1	1	ND	ug/L
Toluene	NE-15D	4/9/2021	1	1	ND	ug/L
Toluene	NE-15D	7/2/2021	1	1	ND	ug/L
Toluene	NE-15D	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-15D	1/17/2022	1	1	ND	ug/L
Toluene	NE-15D	4/6/2022	1	1	ND	ug/L
Toluene	NE-15D	7/13/2022	1	1	ND	ug/L
Toluene	NE-15D	10/7/2022	1	1	ND	ug/L
Toluene	NE-15D	1/6/2023	1	1	ND	ug/L
Toluene	NE-15D	4/6/2023	1	1	ND	ug/L
Toluene	NE-15S	4/3/2020	1	1	ND	ug/L
Toluene	NE-2	7/9/2002	1	1	ND	ug/L
Toluene	NE-2	8/6/2002	0.25	1		ug/L
Toluene	NE-2	9/4/2002	1	1	ND	ug/L
Toluene	NE-2	10/2/2002	1	1	ND	ug/L
Toluene	NE-2	10/1/2013	1	1	ND	ug/L
Toluene	NE-2	10/8/2014	1	1	ND	ug/L
Toluene	NE-2	10/5/2015	1	1	ND	ug/L
Toluene	NE-2	10/6/2016	1	1	ND	ug/L
Toluene	NE-2	10/5/2017	1	1	ND	ug/L
Toluene	NE-2	1/25/2018	0.4	1	ND	ug/L
Toluene	NE-2	4/10/2018	1	1	ND	ug/L
Toluene	NE-2	7/10/2018	1	1	ND	ug/L
Toluene	NE-2	10/1/2018	1	1	ND	ug/L
Toluene	NE-2	1/4/2019	1	1	ND	ug/L
Toluene	NE-2	4/2/2019	1	1	ND	ug/L
Toluene	NE-2	7/9/2019	1	1	ND	ug/L
Toluene	NE-2	7/9/2019	1	1	ND	ug/L
Toluene	NE-2	10/2/2019	1	1	ND	ug/L
Toluene	NE-2	1/14/2020	1	1	ND	ug/L
Toluene	NE-2	4/1/2020	1	1	ND	ug/L
Toluene	NE-2	7/7/2020	1	1	ND	ug/L
Toluene	NE-2	10/6/2020	1	1	ND	ug/L
Toluene	NE-2	1/14/2021	1	1	ND	ug/L
Toluene	NE-2	4/9/2021	1	1	ND	ug/L
Toluene	NE-2	7/2/2021	1	1	ND	ug/L
Toluene	NE-2	10/6/2021	1	1	ND	ug/L
Toluene	NE-2	1/18/2022	1	1	ND	ug/L
Toluene	NE-2	4/6/2022	1	1	ND	ug/L
Toluene	NE-2	7/13/2022	1	1	ND	ug/L
Toluene	NE-2	10/7/2022	1	1	ND	ug/L
Toluene	NE-2	1/5/2023	1	1	ND	ug/L
Toluene	NE-2	4/5/2023	1	1	ND	ug/L
Toluene	NE-3	7/9/2002	4.5	1		ug/L
Toluene	NE-3	8/6/2002	0.62	1		ug/L
Toluene	NE-3	9/4/2002	0.3	1		ug/L
Toluene	NE-3	10/2/2002	0.21	1		ug/L
Toluene	NE-3	9/2/2010	1	1	ND	ug/L
Toluene	NE-3	3/21/2018	1	1	ND	ug/L
Toluene	NE-4	7/10/2002	0.39	1		ug/L
Toluene	NE-4	8/6/2002	1	1	ND	ug/L
Toluene	NE-4	9/4/2002	1	1	ND	ug/L
Toluene	NE-4	10/3/2002	1	1	ND	ug/L
Toluene	NE-4	4/15/2003	1	1	ND	ug/L
Toluene	NE-4	7/8/2003	1	1	ND	ug/L
Toluene	NE-4	1/28/2004	1	1	ND	ug/L
Toluene	NE-4	1/13/2005	1	1	ND	ug/L
Toluene	NE-4	8/1/2006	1	1	ND	ug/L
Toluene	NE-4	8/1/2006	1	1	ND	ug/L
Toluene	NE-4	10/25/2006	1	1	ND	ug/L
Toluene	NE-4	1/24/2007	1	1	ND	ug/L
Toluene	NE-4	7/12/2007	1	1	ND	ug/L
Toluene	NE-4	1/24/2008	1	1	ND	ug/L
Toluene	NE-4	7/21/2008	1	1	ND	ug/L
Toluene	NE-4	2/7/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-4	7/31/2009	1	1	ND	ug/L
Toluene	NE-4	1/26/2010	1	1	ND	ug/L
Toluene	NE-4	7/14/2010	1	1	ND	ug/L
Toluene	NE-4	1/19/2011	1	1	ND	ug/L
Toluene	NE-4	7/13/2011	1	1	ND	ug/L
Toluene	NE-4	1/5/2012	1	1	ND	ug/L
Toluene	NE-4	7/10/2012	1	1	ND	ug/L
Toluene	NE-4	4/30/2013	1	1	ND	ug/L
Toluene	NE-4	7/16/2013	1	1	ND	ug/L
Toluene	NE-4	1/23/2014	1	1	ND	ug/L
Toluene	NE-4	7/9/2014	1	1	ND	ug/L
Toluene	NE-4	2/13/2015	1	1	ND	ug/L
Toluene	NE-4	7/8/2015	1	1	ND	ug/L
Toluene	NE-4	1/6/2016	1	1	ND	ug/L
Toluene	NE-4	7/20/2016	1	1	ND	ug/L
Toluene	NE-4	1/11/2017	1	1	ND	ug/L
Toluene	NE-4	7/19/2017	1	1	ND	ug/L
Toluene	NE-4	1/26/2018	1	1	ND	ug/L
Toluene	NE-4	4/10/2018	1	1	ND	ug/L
Toluene	NE-4	7/12/2018	1	1	ND	ug/L
Toluene	NE-4	10/3/2018	1	1	ND	ug/L
Toluene	NE-4	1/7/2019	1	1	ND	ug/L
Toluene	NE-4	4/2/2019	1	1	ND	ug/L
Toluene	NE-4	7/8/2019	1	1	ND	ug/L
Toluene	NE-4	7/8/2019	1	1	ND	ug/L
Toluene	NE-4	10/1/2019	1	1	ND	ug/L
Toluene	NE-4	1/13/2020	1	1	ND	ug/L
Toluene	NE-4	4/1/2020	1	1	ND	ug/L
Toluene	NE-4	7/6/2020	1	1	ND	ug/L
Toluene	NE-4	10/5/2020	1	1	ND	ug/L
Toluene	NE-4	1/15/2021	1	1	ND	ug/L
Toluene	NE-4	4/9/2021	1	1	ND	ug/L
Toluene	NE-4	7/2/2021	1	1	ND	ug/L
Toluene	NE-4	10/6/2021	1	1	ND	ug/L
Toluene	NE-4	1/5/2023	1	1	ND	ug/L
Toluene	NE-4	4/6/2023	1	1	ND	ug/L
Toluene	NE-5	7/9/2002	1	1	ND	ug/L
Toluene	NE-5	8/6/2002	1	1	ND	ug/L
Toluene	NE-5	9/4/2002	1	1	ND	ug/L
Toluene	NE-5	10/2/2002	1	1	ND	ug/L
Toluene	NE-5	4/15/2003	1	1	ND	ug/L
Toluene	NE-5	7/8/2003	1	1	ND	ug/L
Toluene	NE-5	1/27/2004	1	1	ND	ug/L
Toluene	NE-5	1/12/2005	1	1	ND	ug/L
Toluene	NE-5	7/19/2006	1	1	ND	ug/L
Toluene	NE-5	7/19/2006	1	1	ND	ug/L
Toluene	NE-5	10/25/2006	1	1	ND	ug/L
Toluene	NE-5	1/24/2007	1	1	ND	ug/L
Toluene	NE-5	7/12/2007	1	1	ND	ug/L
Toluene	NE-5	7/22/2008	1	1	ND	ug/L
Toluene	NE-5	2/6/2009	1	1	ND	ug/L
Toluene	NE-5	7/31/2009	1	1	ND	ug/L
Toluene	NE-5	1/26/2010	1	1	ND	ug/L
Toluene	NE-5	7/16/2010	1	1	ND	ug/L
Toluene	NE-5	9/2/2010	1	1	ND	ug/L
Toluene	NE-5	1/19/2011	1	1	ND	ug/L
Toluene	NE-5	7/13/2011	1	1	ND	ug/L
Toluene	NE-5	1/5/2012	1	1	ND	ug/L
Toluene	NE-5	7/10/2012	1	1	ND	ug/L
Toluene	NE-5	4/30/2013	1	1	ND	ug/L
Toluene	NE-5	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-5	1/23/2014	1	1	ND	ug/L
Toluene	NE-5	7/9/2014	1	1	ND	ug/L
Toluene	NE-5	2/11/2015	1	1	ND	ug/L
Toluene	NE-5	7/14/2015	1	1	ND	ug/L
Toluene	NE-5	1/6/2016	1	1	ND	ug/L
Toluene	NE-5	7/20/2016	1	1	ND	ug/L
Toluene	NE-5	1/11/2017	1	1	ND	ug/L
Toluene	NE-5	7/19/2017	1	1	ND	ug/L
Toluene	NE-5	1/25/2018	1	1	ND	ug/L
Toluene	NE-5	4/10/2018	1	1	ND	ug/L
Toluene	NE-5	7/17/2018	1	1	ND	ug/L
Toluene	NE-5	10/3/2018	1	1	ND	ug/L
Toluene	NE-5	1/4/2019	1	1	ND	ug/L
Toluene	NE-5	4/2/2019	1	1	ND	ug/L
Toluene	NE-5	4/2/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	10/3/2019	1	1	ND	ug/L
Toluene	NE-5	1/16/2020	1	1	ND	ug/L
Toluene	NE-5	4/2/2020	1	1	ND	ug/L
Toluene	NE-5	7/8/2020	1	1	ND	ug/L
Toluene	NE-5	10/6/2020	1	1	ND	ug/L
Toluene	NE-5	1/15/2021	1	1	ND	ug/L
Toluene	NE-5	4/9/2021	1	1	ND	ug/L
Toluene	NE-5	7/2/2021	1	1	ND	ug/L
Toluene	NE-5	10/6/2021	1	1	ND	ug/L
Toluene	NE-5	1/18/2022	1	1	ND	ug/L
Toluene	NE-5	4/6/2022	1	1	ND	ug/L
Toluene	NE-5	7/13/2022	1	1	ND	ug/L
Toluene	NE-5	10/7/2022	1	1	ND	ug/L
Toluene	NE-5	1/5/2023	1	1	ND	ug/L
Toluene	NE-5	4/7/2023	1	1	ND	ug/L
Toluene	NE-5E	9/30/2019	1	1	ND	ug/L
Toluene	NE-5E	1/16/2020	1	1	ND	ug/L
Toluene	NE-5E	4/1/2020	1	1	ND	ug/L
Toluene	NE-5E	7/8/2020	1	1	ND	ug/L
Toluene	NE-5E	10/6/2020	1	1	ND	ug/L
Toluene	NE-5E	1/15/2021	1	1	ND	ug/L
Toluene	NE-5E	4/9/2021	1	1	ND	ug/L
Toluene	NE-5E	7/2/2021	1	1	ND	ug/L
Toluene	NE-5E	10/6/2021	1	1	ND	ug/L
Toluene	NE-5E	1/18/2022	1	1	ND	ug/L
Toluene	NE-5E	4/6/2022	1	1	ND	ug/L
Toluene	NE-5E	7/13/2022	1	1	ND	ug/L
Toluene	NE-5E	10/7/2022	1	1	ND	ug/L
Toluene	NE-5E	1/5/2023	1	1	ND	ug/L
Toluene	NE-5E	4/7/2023	1	1	ND	ug/L
Toluene	NE-5W	9/30/2019	1	1	ND	ug/L
Toluene	NE-5W	1/16/2020	1	1	ND	ug/L
Toluene	NE-5W	4/2/2020	1	1	ND	ug/L
Toluene	NE-5W	7/8/2020	1	1	ND	ug/L
Toluene	NE-5W	10/6/2020	1	1	ND	ug/L
Toluene	NE-5W	1/15/2021	1	1	ND	ug/L
Toluene	NE-5W	4/9/2021	1	1	ND	ug/L
Toluene	NE-5W	7/2/2021	1	1	ND	ug/L
Toluene	NE-5W	10/6/2021	1	1	ND	ug/L
Toluene	NE-5W	1/18/2022	1	1	ND	ug/L
Toluene	NE-5W	4/6/2022	1	1	ND	ug/L
Toluene	NE-5W	7/13/2022	1	1	ND	ug/L
Toluene	NE-5W	10/7/2022	1	1	ND	ug/L
Toluene	NE-5W	1/5/2023	1	1	ND	ug/L
Toluene	NE-5W	4/7/2023	1	1	ND	ug/L
Toluene	NE-5W	9/30/2019	1	1	ND	ug/L
Toluene	NE-5W	1/16/2020	1	1	ND	ug/L
Toluene	NE-5W	4/2/2020	1	1	ND	ug/L
Toluene	NE-5W	7/8/2020	1	1	ND	ug/L
Toluene	NE-5W	10/6/2020	1	1	ND	ug/L
Toluene	NE-5W	1/15/2021	1	1	ND	ug/L
Toluene	NE-5W	4/9/2021	1	1	ND	ug/L
Toluene	NE-5W	7/2/2021	1	1	ND	ug/L
Toluene	NE-5W	10/6/2021	1	1	ND	ug/L
Toluene	NE-5W	1/18/2022	1	1	ND	ug/L
Toluene	NE-5W	4/6/2022	1	1	ND	ug/L
Toluene	NE-5W	7/13/2022	1	1	ND	ug/L
Toluene	NE-5W	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-5W	1/5/2023	1	1	ND	ug/L
Toluene	NE-5W	4/7/2023	1	1	ND	ug/L
Toluene	NE-6	1/12/2017	1	1	ND	ug/L
Toluene	NE-6	4/5/2017	1	1	ND	ug/L
Toluene	NE-6	7/19/2017	1	1	ND	ug/L
Toluene	NE-6	10/6/2017	1	1	ND	ug/L
Toluene	NE-6	2/4/2019	1	1	ND	ug/L
Toluene	NE-6	8/6/2019	1	1	ND	ug/L
Toluene	NE-6	1/15/2020	1	1	ND	ug/L
Toluene	NE-6	7/9/2020	1	1	ND	ug/L
Toluene	NE-6	1/16/2021	1	1	ND	ug/L
Toluene	NE-6	1/16/2021	1	1	ND	ug/L
Toluene	NE-6	7/1/2021	1	1	ND	ug/L
Toluene	NE-6	7/1/2021	1	1	ND	ug/L
Toluene	NE-6	1/17/2022	1	1	ND	ug/L
Toluene	NE-6	1/17/2022	1	1	ND	ug/L
Toluene	NE-6	7/12/2022	1	1	ND	ug/L
Toluene	NE-6	1/5/2023	1	1	ND	ug/L
Toluene	NE-6D	10/2/2019	1	1	ND	ug/L
Toluene	NE-6D	1/15/2020	1	1	ND	ug/L
Toluene	NE-6D	4/2/2020	1	1	ND	ug/L
Toluene	NE-6D	7/9/2020	1	1	ND	ug/L
Toluene	NE-6D	10/7/2020	1	1	ND	ug/L
Toluene	NE-6D	1/15/2021	1	1	ND	ug/L
Toluene	NE-6D	4/9/2021	1	1	ND	ug/L
Toluene	NE-6D	7/2/2021	1	1	ND	ug/L
Toluene	NE-6D	10/7/2021	1	1	ND	ug/L
Toluene	NE-6D	1/17/2022	1	1	ND	ug/L
Toluene	NE-6D	4/6/2022	1	1	ND	ug/L
Toluene	NE-6D	7/12/2022	1	1	ND	ug/L
Toluene	NE-6D	10/7/2022	1	1	ND	ug/L
Toluene	NE-6D	1/5/2023	1	1	ND	ug/L
Toluene	NE-6D	4/7/2023	1	1	ND	ug/L
Toluene	NE-7	3/1/2017	1	1	ND	ug/L
Toluene	NE-7	4/6/2017	1	1	ND	ug/L
Toluene	NE-7	7/20/2017	1	1	ND	ug/L
Toluene	NE-7	10/5/2017	1	1	ND	ug/L
Toluene	NE-7	2/6/2019	1	1	ND	ug/L
Toluene	NE-7	8/6/2019	1	1	ND	ug/L
Toluene	NE-7	1/16/2020	1	1	ND	ug/L
Toluene	NE-7	7/7/2020	1	1	ND	ug/L
Toluene	NE-7	1/16/2021	1	1	ND	ug/L
Toluene	NE-7	1/16/2021	1	1	ND	ug/L
Toluene	NE-7	7/1/2021	1	1	ND	ug/L
Toluene	NE-7	7/1/2021	1	1	ND	ug/L
Toluene	NE-7	1/17/2022	1	1	ND	ug/L
Toluene	NE-7	1/17/2022	1	1	ND	ug/L
Toluene	NE-7	7/12/2022	1	1	ND	ug/L
Toluene	NE-7	1/5/2023	1	1	ND	ug/L
Toluene	NE-8	1/12/2017	1	1	ND	ug/L
Toluene	NE-8	4/5/2017	1	1	ND	ug/L
Toluene	NE-8	7/20/2017	1	1	ND	ug/L
Toluene	NE-8	10/6/2017	1	1	ND	ug/L
Toluene	NE-8	2/4/2019	1	1	ND	ug/L
Toluene	NE-8	8/5/2019	1	1	ND	ug/L
Toluene	NE-8	1/15/2020	1	1	ND	ug/L
Toluene	NE-8	7/8/2020	1	1	ND	ug/L
Toluene	NE-8	1/13/2021	1	1	ND	ug/L
Toluene	NE-8	1/13/2021	1	1	ND	ug/L
Toluene	NE-8	4/9/2021	1	1	ND	ug/L
Toluene	NE-8	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-8	7/1/2021	1	1	ND	ug/L
Toluene	NE-8	7/1/2021	1	1	ND	ug/L
Toluene	NE-8	10/7/2021	1	1	ND	ug/L
Toluene	NE-8	1/6/2023	1	1	ND	ug/L
Toluene	NE-9	1/12/2017	1	1	ND	ug/L
Toluene	NE-9	4/5/2017	1	1	ND	ug/L
Toluene	NE-9	7/20/2017	1	1	ND	ug/L
Toluene	NE-9	10/5/2017	1	1	ND	ug/L
Toluene	NE-9	2/5/2019	1	1	ND	ug/L
Toluene	NE-9	8/7/2019	1	1	ND	ug/L
Toluene	NE-9	1/15/2020	1	1	ND	ug/L
Toluene	NE-9	7/7/2020	1	1	ND	ug/L
Toluene	NE-9	1/17/2021	1	1	ND	ug/L
Toluene	NE-9	1/17/2021	1	1	ND	ug/L
Toluene	NE-9	7/1/2021	1	1	ND	ug/L
Toluene	NE-9	7/1/2021	1	1	ND	ug/L
Toluene	NE-9	1/17/2022	1	1	ND	ug/L
Toluene	NE-9	1/17/2022	1	1	ND	ug/L
Toluene	NE-9	7/13/2022	1	1	ND	ug/L
Toluene	NE-9	1/6/2023	1	1	ND	ug/L
Toluene	NE-9	4/8/2023	1	1	ND	ug/L
Total Alkalinity	LGW-10	7/9/2020	515	10		mg/L
Total Alkalinity	LGW-10	1/17/2021	334	10		mg/L
Total Alkalinity	LGW-10	7/7/2021	506	10		mg/L
Total Alkalinity	LGW-10	7/7/2021	506	10		mg/L
Total Alkalinity	LGW-10	1/13/2022	461	10		mg/L
Total Alkalinity	LGW-10	7/11/2022	451	10		mg/L
Total Alkalinity	LGW-10	1/11/2023	478	10		mg/L
Total Alkalinity	LGW-14R	7/9/2020	223	10		mg/L
Total Alkalinity	LGW-14R	1/18/2021	216	10		mg/L
Total Alkalinity	LGW-14R	1/18/2021	216	10		mg/L
Total Alkalinity	LGW-14R	7/7/2021	245	10		mg/L
Total Alkalinity	LGW-14R	7/7/2021	241	10		mg/L
Total Alkalinity	LGW-14R	1/12/2022	248	10		mg/L
Total Alkalinity	LGW-14R	7/11/2022	218	10		mg/L
Total Alkalinity	LGW-14R	1/10/2023	278	10		mg/L
Total Alkalinity	LGW-2	7/8/2020	296	10		mg/L
Total Alkalinity	LGW-2	1/18/2021	309	10		mg/L
Total Alkalinity	LGW-2	1/18/2021	309	10		mg/L
Total Alkalinity	LGW-2	7/4/2021	315	10		mg/L
Total Alkalinity	LGW-2	7/4/2021	329	10		mg/L
Total Alkalinity	LGW-2	1/12/2022	306	10		mg/L
Total Alkalinity	LGW-2	7/10/2022	299	10		mg/L
Total Alkalinity	LGW-2	1/10/2023	301	10		mg/L
Total Alkalinity	LGW-3R	7/6/2020	235	10		mg/L
Total Alkalinity	LGW-3R	1/18/2021	174	10		mg/L
Total Alkalinity	LGW-3R	1/18/2021	174	10		mg/L
Total Alkalinity	LGW-3R	7/6/2021	92.1	10		mg/L
Total Alkalinity	LGW-3R	7/6/2021	77.5	10		mg/L
Total Alkalinity	LGW-3R	1/12/2022	66.9	10		mg/L
Total Alkalinity	LGW-3R	7/10/2022	92.7	10		mg/L
Total Alkalinity	LGW-3R	1/10/2023	37.7	10		mg/L
Total Alkalinity	LGW-4	7/6/2020	189	10		mg/L
Total Alkalinity	LGW-4	1/18/2021	299	10		mg/L
Total Alkalinity	LGW-4	1/18/2021	299	10		mg/L
Total Alkalinity	LGW-4	7/7/2021	310	10		mg/L
Total Alkalinity	LGW-4	7/7/2021	314	10		mg/L
Total Alkalinity	LGW-4	1/12/2022	246	10		mg/L
Total Alkalinity	LGW-4	7/11/2022	246	10		mg/L
Total Alkalinity	LGW-4	1/10/2023	362	10		mg/L
Total Alkalinity	LGW-5	7/6/2020	329	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	LGW-5	1/18/2021	332	10		mg/L
Total Alkalinity	LGW-5	1/18/2021	332	10		mg/L
Total Alkalinity	LGW-5	7/7/2021	350	10		mg/L
Total Alkalinity	LGW-5	7/7/2021	362	10		mg/L
Total Alkalinity	LGW-5	1/12/2022	339	10		mg/L
Total Alkalinity	LGW-5	7/11/2022	313	10		mg/L
Total Alkalinity	LGW-5	1/10/2023	338	10		mg/L
Total Alkalinity	LGW-6	7/9/2020	367	10		mg/L
Total Alkalinity	LGW-6	1/18/2021	372	10		mg/L
Total Alkalinity	LGW-6	7/7/2021	386	10		mg/L
Total Alkalinity	LGW-6	7/7/2021	396	10		mg/L
Total Alkalinity	LGW-6	1/12/2022	380	10		mg/L
Total Alkalinity	LGW-6	7/11/2022	357	10		mg/L
Total Alkalinity	LGW-6	1/10/2023	367	10		mg/L
Total Alkalinity	LGW-7	7/9/2020	270	10		mg/L
Total Alkalinity	LGW-7	1/18/2021	228	10		mg/L
Total Alkalinity	LGW-7	7/7/2021	270	10		mg/L
Total Alkalinity	LGW-7	7/7/2021	284	10		mg/L
Total Alkalinity	LGW-7	1/13/2022	256	10		mg/L
Total Alkalinity	LGW-7	7/11/2022	291	10		mg/L
Total Alkalinity	LGW-7	1/11/2023	274	10		mg/L
Total Alkalinity	LGW-8R	7/7/2020	289	10		mg/L
Total Alkalinity	LGW-8R	1/17/2021	310	10		mg/L
Total Alkalinity	LGW-8R	7/7/2021	330	10		mg/L
Total Alkalinity	LGW-8R	7/7/2021	343	10		mg/L
Total Alkalinity	LGW-8R	1/13/2022	334	10		mg/L
Total Alkalinity	LGW-8R	7/11/2022	333	10		mg/L
Total Alkalinity	LGW-8R	1/11/2023	354	10		mg/L
Total Alkalinity	LGW-9	7/9/2020	295	10		mg/L
Total Alkalinity	LGW-9	1/17/2021	483	10		mg/L
Total Alkalinity	LGW-9	7/7/2021	379	10		mg/L
Total Alkalinity	LGW-9	7/7/2021	370	10		mg/L
Total Alkalinity	LGW-9	1/13/2022	316	10		mg/L
Total Alkalinity	LGW-9	7/11/2022	330	10		mg/L
Total Alkalinity	LGW-9	1/11/2023	327	10		mg/L
Total Alkalinity	MW-10N	7/8/2020	247	10		mg/L
Total Alkalinity	MW-10N	1/13/2021	236	10		mg/L
Total Alkalinity	MW-10N	7/5/2021	257	10		mg/L
Total Alkalinity	MW-10N	7/5/2021	258	10		mg/L
Total Alkalinity	MW-10N	1/11/2023	250	10		mg/L
Total Alkalinity	MW-11N	7/6/2020	186	10		mg/L
Total Alkalinity	MW-11N	1/18/2021	174	10		mg/L
Total Alkalinity	MW-11N	1/18/2021	174	10		mg/L
Total Alkalinity	MW-11N	7/6/2021	192	10		mg/L
Total Alkalinity	MW-11N	7/6/2021	192	10		mg/L
Total Alkalinity	MW-11N	1/18/2022	188	10		mg/L
Total Alkalinity	MW-11N	7/13/2022	190	10		mg/L
Total Alkalinity	MW-11N	1/10/2023	184	10		mg/L
Total Alkalinity	MW-15	7/7/2020	205	10		mg/L
Total Alkalinity	MW-15	1/18/2021	159	10		mg/L
Total Alkalinity	MW-15	1/18/2021	159	10		mg/L
Total Alkalinity	MW-15	7/4/2021	147	10		mg/L
Total Alkalinity	MW-15	7/4/2021	150	10		mg/L
Total Alkalinity	MW-15	1/12/2022	187	10		mg/L
Total Alkalinity	MW-15	7/10/2022	153	10		mg/L
Total Alkalinity	MW-15	1/10/2023	206	10		mg/L
Total Alkalinity	MW-16	7/7/2020	173	10		mg/L
Total Alkalinity	MW-16	1/18/2021	167	10		mg/L
Total Alkalinity	MW-16	1/18/2021	167	10		mg/L
Total Alkalinity	MW-16	7/4/2021	188	10		mg/L
Total Alkalinity	MW-16	7/4/2021	185	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	MW-16	1/12/2022	169	10		mg/L
Total Alkalinity	MW-16	7/10/2022	176	10		mg/L
Total Alkalinity	MW-16	1/10/2023	173	10		mg/L
Total Alkalinity	MW-17	7/6/2020	216	10		mg/L
Total Alkalinity	MW-17	1/14/2021	137	10		mg/L
Total Alkalinity	MW-17	7/4/2021	155	10		mg/L
Total Alkalinity	MW-17	7/4/2021	163	10		mg/L
Total Alkalinity	MW-17	1/10/2023	143	10		mg/L
Total Alkalinity	MW-19	7/6/2020	184	10		mg/L
Total Alkalinity	MW-19	1/14/2021	146	10		mg/L
Total Alkalinity	MW-19	7/4/2021	152	10		mg/L
Total Alkalinity	MW-19	7/4/2021	148	10		mg/L
Total Alkalinity	MW-19	1/11/2023	101	10		mg/L
Total Alkalinity	MW-1N	7/6/2020	207	10		mg/L
Total Alkalinity	MW-1N	1/14/2021	192	10		mg/L
Total Alkalinity	MW-1N	7/4/2021	207	10		mg/L
Total Alkalinity	MW-1N	7/4/2021	211	10		mg/L
Total Alkalinity	MW-1N	1/11/2023	204	10		mg/L
Total Alkalinity	MW-20	7/7/2020	271	10		mg/L
Total Alkalinity	MW-20	1/17/2021	403	10		mg/L
Total Alkalinity	MW-20	7/4/2021	322	10		mg/L
Total Alkalinity	MW-20	7/4/2021	334	10		mg/L
Total Alkalinity	MW-20	1/11/2023	247	10		mg/L
Total Alkalinity	MW-21	7/8/2020	119	10		mg/L
Total Alkalinity	MW-21	1/13/2021	130	10		mg/L
Total Alkalinity	MW-21	7/5/2021	105	10		mg/L
Total Alkalinity	MW-21	7/5/2021	100	10		mg/L
Total Alkalinity	MW-21	1/11/2023	86.1	10		mg/L
Total Alkalinity	MW-2N	7/7/2020	10	10	ND	mg/L
Total Alkalinity	MW-2N	1/14/2021	212	10		mg/L
Total Alkalinity	MW-2N	7/5/2021	226	10		mg/L
Total Alkalinity	MW-2N	7/5/2021	232	10		mg/L
Total Alkalinity	MW-2N	1/11/2023	240	10		mg/L
Total Alkalinity	MW-3N	7/7/2020	284	10		mg/L
Total Alkalinity	MW-3N	1/13/2021	326	10		mg/L
Total Alkalinity	MW-3N	7/5/2021	298	10		mg/L
Total Alkalinity	MW-3N	7/5/2021	306	10		mg/L
Total Alkalinity	MW-3N	1/11/2023	291	10		mg/L
Total Alkalinity	MW-7N	7/7/2020	176	10		mg/L
Total Alkalinity	MW-7N	1/16/2021	195	10		mg/L
Total Alkalinity	MW-7N	7/5/2021	203	10		mg/L
Total Alkalinity	MW-7N	7/5/2021	209	10		mg/L
Total Alkalinity	MW-7N	1/12/2022	195	10		mg/L
Total Alkalinity	MW-7N	7/10/2022	200	10		mg/L
Total Alkalinity	MW-7N	1/10/2023	207	10		mg/L
Total Alkalinity	MW-8N	7/9/2020	188	10		mg/L
Total Alkalinity	MW-8N	1/15/2021	174	10		mg/L
Total Alkalinity	MW-8N	7/5/2021	185	10		mg/L
Total Alkalinity	MW-8N	7/5/2021	188	10		mg/L
Total Alkalinity	MW-8N	1/18/2022	189	10		mg/L
Total Alkalinity	MW-8N	7/12/2022	173	10		mg/L
Total Alkalinity	MW-8N	1/11/2023	177	10		mg/L
Total Alkalinity	NE-1	7/8/2020	204	10		mg/L
Total Alkalinity	NE-1	1/13/2021	208	10		mg/L
Total Alkalinity	NE-1	7/2/2021	196	10		mg/L
Total Alkalinity	NE-1	1/17/2022	203	10		mg/L
Total Alkalinity	NE-1	7/13/2022	154	10		mg/L
Total Alkalinity	NE-1	1/5/2023	186	10		mg/L
Total Alkalinity	NE-10D	7/8/2020	124	10		mg/L
Total Alkalinity	NE-10D	1/13/2021	110	10		mg/L
Total Alkalinity	NE-10D	7/2/2021	122	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	NE-10D	1/6/2023	109	10		mg/L
Total Alkalinity	NE-11	7/7/2020	229	10		mg/L
Total Alkalinity	NE-11	1/16/2021	231	10		mg/L
Total Alkalinity	NE-11	1/16/2021	231	10		mg/L
Total Alkalinity	NE-11	7/1/2021	229	10		mg/L
Total Alkalinity	NE-11	7/1/2021	229	10		mg/L
Total Alkalinity	NE-11	7/1/2021	231	10		mg/L
Total Alkalinity	NE-11	1/17/2022	229	10		mg/L
Total Alkalinity	NE-11	1/17/2022	227	10		mg/L
Total Alkalinity	NE-11	7/12/2022	210	10		mg/L
Total Alkalinity	NE-11	1/6/2023	238	10		mg/L
Total Alkalinity	NE-12	7/7/2020	218	10		mg/L
Total Alkalinity	NE-12	1/15/2021	167	10		mg/L
Total Alkalinity	NE-12	1/15/2021	167	10		mg/L
Total Alkalinity	NE-12	7/1/2021	213	10		mg/L
Total Alkalinity	NE-12	7/1/2021	213	10		mg/L
Total Alkalinity	NE-12	7/1/2021	242	10		mg/L
Total Alkalinity	NE-12	1/17/2022	208	10		mg/L
Total Alkalinity	NE-12	1/17/2022	196	10		mg/L
Total Alkalinity	NE-12	7/12/2022	214	10		mg/L
Total Alkalinity	NE-12	1/6/2023	230	10		mg/L
Total Alkalinity	NE-13	7/8/2020	32.8	10		mg/L
Total Alkalinity	NE-13	1/17/2021	34	10		mg/L
Total Alkalinity	NE-13	1/17/2021	40.8	10		mg/L
Total Alkalinity	NE-13	7/1/2021	141	10		mg/L
Total Alkalinity	NE-13	7/1/2021	151	10		mg/L
Total Alkalinity	NE-13	7/1/2021	151	10		mg/L
Total Alkalinity	NE-14D	7/7/2020	245	10		mg/L
Total Alkalinity	NE-14D	1/17/2021	251	10		mg/L
Total Alkalinity	NE-14D	7/2/2021	280	10		mg/L
Total Alkalinity	NE-14D	1/18/2022	271	10		mg/L
Total Alkalinity	NE-14D	7/13/2022	276	10		mg/L
Total Alkalinity	NE-14D	1/6/2023	301	10		mg/L
Total Alkalinity	NE-14S	7/7/2020	162	10		mg/L
Total Alkalinity	NE-14S	1/17/2021	197	10		mg/L
Total Alkalinity	NE-14S	7/2/2021	187	10		mg/L
Total Alkalinity	NE-14S	1/18/2022	233	10		mg/L
Total Alkalinity	NE-14S	7/13/2022	191	10		mg/L
Total Alkalinity	NE-14S	1/6/2023	259	10		mg/L
Total Alkalinity	NE-15D	7/7/2020	274	10		mg/L
Total Alkalinity	NE-15D	1/17/2021	267	10		mg/L
Total Alkalinity	NE-15D	7/2/2021	296	10		mg/L
Total Alkalinity	NE-15D	1/17/2022	285	10		mg/L
Total Alkalinity	NE-15D	7/13/2022	283	10		mg/L
Total Alkalinity	NE-15D	1/6/2023	296	10		mg/L
Total Alkalinity	NE-2	7/7/2020	142	10		mg/L
Total Alkalinity	NE-2	1/14/2021	105	10		mg/L
Total Alkalinity	NE-2	7/2/2021	150	10		mg/L
Total Alkalinity	NE-2	1/18/2022	154	10		mg/L
Total Alkalinity	NE-2	7/13/2022	163	10		mg/L
Total Alkalinity	NE-2	1/5/2023	130	10		mg/L
Total Alkalinity	NE-4	7/6/2020	126	10		mg/L
Total Alkalinity	NE-4	1/15/2021	241	10		mg/L
Total Alkalinity	NE-4	7/2/2021	252	10		mg/L
Total Alkalinity	NE-4	1/5/2023	248	10		mg/L
Total Alkalinity	NE-5	7/8/2020	298	10		mg/L
Total Alkalinity	NE-5	1/15/2021	310	10		mg/L
Total Alkalinity	NE-5	7/2/2021	326	10		mg/L
Total Alkalinity	NE-5	1/18/2022	323	10		mg/L
Total Alkalinity	NE-5	7/13/2022	300	10		mg/L
Total Alkalinity	NE-5	1/5/2023	342	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	NE-5E	7/8/2020	243	10		mg/L
Total Alkalinity	NE-5E	1/15/2021	254	10		mg/L
Total Alkalinity	NE-5E	7/2/2021	260	10		mg/L
Total Alkalinity	NE-5E	1/18/2022	246	10		mg/L
Total Alkalinity	NE-5E	7/13/2022	311	10		mg/L
Total Alkalinity	NE-5E	1/5/2023	325	10		mg/L
Total Alkalinity	NE-5W	7/8/2020	337	10		mg/L
Total Alkalinity	NE-5W	1/15/2021	326	10		mg/L
Total Alkalinity	NE-5W	7/2/2021	363	10		mg/L
Total Alkalinity	NE-5W	1/18/2022	348	10		mg/L
Total Alkalinity	NE-5W	7/13/2022	344	10		mg/L
Total Alkalinity	NE-5W	1/5/2023	358	10		mg/L
Total Alkalinity	NE-6	7/9/2020	282	10		mg/L
Total Alkalinity	NE-6	1/16/2021	276	10		mg/L
Total Alkalinity	NE-6	1/16/2021	277	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	1/17/2022	278	10		mg/L
Total Alkalinity	NE-6	1/17/2022	284	10		mg/L
Total Alkalinity	NE-6	7/12/2022	243	10		mg/L
Total Alkalinity	NE-6	1/5/2023	291	10		mg/L
Total Alkalinity	NE-6D	7/9/2020	286	10		mg/L
Total Alkalinity	NE-6D	1/15/2021	266	10		mg/L
Total Alkalinity	NE-6D	7/2/2021	285	10		mg/L
Total Alkalinity	NE-6D	1/17/2022	272	10		mg/L
Total Alkalinity	NE-6D	7/12/2022	262	10		mg/L
Total Alkalinity	NE-6D	1/5/2023	271	10		mg/L
Total Alkalinity	NE-7	7/7/2020	108	10		mg/L
Total Alkalinity	NE-7	1/16/2021	177	10		mg/L
Total Alkalinity	NE-7	1/16/2021	181	10		mg/L
Total Alkalinity	NE-7	7/1/2021	124	10		mg/L
Total Alkalinity	NE-7	7/1/2021	126	10		mg/L
Total Alkalinity	NE-7	7/1/2021	124	10		mg/L
Total Alkalinity	NE-7	1/17/2022	139	10		mg/L
Total Alkalinity	NE-7	1/17/2022	145	10		mg/L
Total Alkalinity	NE-7	7/12/2022	112	10		mg/L
Total Alkalinity	NE-7	1/5/2023	139	10		mg/L
Total Alkalinity	NE-8	7/8/2020	298	10		mg/L
Total Alkalinity	NE-8	1/13/2021	256	10		mg/L
Total Alkalinity	NE-8	1/13/2021	257	10		mg/L
Total Alkalinity	NE-8	7/1/2021	313	10		mg/L
Total Alkalinity	NE-8	7/1/2021	315	10		mg/L
Total Alkalinity	NE-8	7/1/2021	313	10		mg/L
Total Alkalinity	NE-8	1/6/2023	281	10		mg/L
Total Alkalinity	NE-9	7/7/2020	178	10		mg/L
Total Alkalinity	NE-9	1/17/2021	250	10		mg/L
Total Alkalinity	NE-9	1/17/2021	251	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	1/17/2022	292	10		mg/L
Total Alkalinity	NE-9	1/17/2022	296	10		mg/L
Total Alkalinity	NE-9	7/13/2022	298	10		mg/L
Total Alkalinity	NE-9	1/6/2023	325	10		mg/L
Total dissolved solids	LGW-10	1/26/2006	509	5		mg/L
Total dissolved solids	LGW-10	8/1/2006	630	10		mg/L
Total dissolved solids	LGW-10	8/1/2006	630	10		mg/L
Total dissolved solids	LGW-10	10/26/2006	470	10		mg/L
Total dissolved solids	LGW-10	1/25/2007	510	10		mg/L
Total dissolved solids	LGW-10	4/26/2007	500	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-10	7/12/2007	540	10		mg/L
Total dissolved solids	LGW-10	1/23/2008	470	10		mg/L
Total dissolved solids	LGW-10	7/22/2008	520	10		mg/L
Total dissolved solids	LGW-10	7/29/2009	540	10		mg/L
Total dissolved solids	LGW-10	2/3/2010	480	10		mg/L
Total dissolved solids	LGW-10	2/3/2010	480	10		mg/L
Total dissolved solids	LGW-10	7/16/2010	530	10		mg/L
Total dissolved solids	LGW-10	1/19/2011	460	10		mg/L
Total dissolved solids	LGW-10	7/12/2011	580	10		mg/L
Total dissolved solids	LGW-10	1/5/2012	540	10		mg/L
Total dissolved solids	LGW-10	7/9/2012	550	10		mg/L
Total dissolved solids	LGW-10	5/1/2013	580	10		mg/L
Total dissolved solids	LGW-10	1/30/2014	550	10		mg/L
Total dissolved solids	LGW-10	7/9/2014	560	10		mg/L
Total dissolved solids	LGW-10	2/12/2015	560	10		mg/L
Total dissolved solids	LGW-10	7/13/2015	590	10		mg/L
Total dissolved solids	LGW-10	1/5/2016	570	10		mg/L
Total dissolved solids	LGW-10	4/6/2016	550	10		mg/L
Total dissolved solids	LGW-10	7/21/2016	560	20		mg/L
Total dissolved solids	LGW-10	10/6/2016	560	10		mg/L
Total dissolved solids	LGW-10	1/11/2017	480	10		mg/L
Total dissolved solids	LGW-10	4/4/2017	570	10		mg/L
Total dissolved solids	LGW-10	7/19/2017	570	10		mg/L
Total dissolved solids	LGW-10	10/9/2017	580	10		mg/L
Total dissolved solids	LGW-10	1/24/2018	490	10		mg/L
Total dissolved solids	LGW-10	4/11/2018	490	10		mg/L
Total dissolved solids	LGW-10	7/16/2018	500	10		mg/L
Total dissolved solids	LGW-10	10/4/2018	480	10		mg/L
Total dissolved solids	LGW-10	1/4/2019	500	10		mg/L
Total dissolved solids	LGW-10	4/3/2019	480	10		mg/L
Total dissolved solids	LGW-10	7/11/2019	510	10		mg/L
Total dissolved solids	LGW-10	10/2/2019	520	10		mg/L
Total dissolved solids	LGW-10	1/15/2020	530	10		mg/L
Total dissolved solids	LGW-10	4/2/2020	524	10		mg/L
Total dissolved solids	LGW-10	7/9/2020	491	10		mg/L
Total dissolved solids	LGW-10	10/7/2020	447	10		mg/L
Total dissolved solids	LGW-10	1/17/2021	427	10		mg/L
Total dissolved solids	LGW-10	4/6/2021	515	10		mg/L
Total dissolved solids	LGW-10	7/7/2021	522	10		mg/L
Total dissolved solids	LGW-10	10/5/2021	495	10		mg/L
Total dissolved solids	LGW-10	1/13/2022	509	10		mg/L
Total dissolved solids	LGW-10	4/4/2022	519	10		mg/L
Total dissolved solids	LGW-10	7/11/2022	505	10		mg/L
Total dissolved solids	LGW-10	10/7/2022	483	10		mg/L
Total dissolved solids	LGW-10	1/11/2023	500	10		mg/L
Total dissolved solids	LGW-10	4/5/2023	545	10		mg/L
Total dissolved solids	LGW-14R	1/25/2006	235	5		mg/L
Total dissolved solids	LGW-14R	8/2/2006	280	40		mg/L
Total dissolved solids	LGW-14R	8/2/2006	280	40		mg/L
Total dissolved solids	LGW-14R	10/27/2006	230	10		mg/L
Total dissolved solids	LGW-14R	1/24/2007	260	20		mg/L
Total dissolved solids	LGW-14R	4/24/2007	220	10		mg/L
Total dissolved solids	LGW-14R	7/11/2007	240	20		mg/L
Total dissolved solids	LGW-14R	1/23/2008	220	10		mg/L
Total dissolved solids	LGW-14R	7/22/2008	240	10		mg/L
Total dissolved solids	LGW-14R	2/6/2009	210	10		mg/L
Total dissolved solids	LGW-14R	7/29/2009	190	10		mg/L
Total dissolved solids	LGW-14R	2/3/2010	190	10		mg/L
Total dissolved solids	LGW-14R	2/3/2010	190	10		mg/L
Total dissolved solids	LGW-14R	7/12/2010	200	10		mg/L
Total dissolved solids	LGW-14R	1/19/2011	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-14R	7/12/2011	200	10		mg/L
Total dissolved solids	LGW-14R	1/5/2012	180	10		mg/L
Total dissolved solids	LGW-14R	7/9/2012	190	10		mg/L
Total dissolved solids	LGW-14R	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-14R	1/23/2014	190	10		mg/L
Total dissolved solids	LGW-14R	7/8/2014	200	10		mg/L
Total dissolved solids	LGW-14R	2/11/2015	190	10		mg/L
Total dissolved solids	LGW-14R	7/22/2015	220	10		mg/L
Total dissolved solids	LGW-14R	1/5/2016	210	10		mg/L
Total dissolved solids	LGW-14R	7/19/2016	230	10		mg/L
Total dissolved solids	LGW-14R	1/11/2017	210	10		mg/L
Total dissolved solids	LGW-14R	7/18/2017	230	10		mg/L
Total dissolved solids	LGW-14R	1/25/2018	210	10		mg/L
Total dissolved solids	LGW-14R	7/17/2018	230	10		mg/L
Total dissolved solids	LGW-14R	10/2/2018	230	10		mg/L
Total dissolved solids	LGW-14R	1/3/2019	230	10		mg/L
Total dissolved solids	LGW-14R	7/10/2019	220	10		mg/L
Total dissolved solids	LGW-14R	10/3/2019	240	10		mg/L
Total dissolved solids	LGW-14R	1/16/2020	216	10		mg/L
Total dissolved solids	LGW-14R	7/9/2020	234	10		mg/L
Total dissolved solids	LGW-14R	1/18/2021	262	10		mg/L
Total dissolved solids	LGW-14R	7/7/2021	267	10		mg/L
Total dissolved solids	LGW-14R	1/12/2022	280	10		mg/L
Total dissolved solids	LGW-14R	7/11/2022	274	10		mg/L
Total dissolved solids	LGW-14R	1/10/2023	300	10		mg/L
Total dissolved solids	LGW-2	1/25/2006	372	5		mg/L
Total dissolved solids	LGW-2	8/1/2006	360	20		mg/L
Total dissolved solids	LGW-2	8/1/2006	360	20		mg/L
Total dissolved solids	LGW-2	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-2	1/25/2007	360	10		mg/L
Total dissolved solids	LGW-2	4/26/2007	300	10		mg/L
Total dissolved solids	LGW-2	7/10/2007	320	10		mg/L
Total dissolved solids	LGW-2	1/26/2008	320	10		mg/L
Total dissolved solids	LGW-2	7/23/2008	310	10		mg/L
Total dissolved solids	LGW-2	2/6/2009	310	10		mg/L
Total dissolved solids	LGW-2	7/30/2009	330	10		mg/L
Total dissolved solids	LGW-2	2/3/2010	340	10		mg/L
Total dissolved solids	LGW-2	2/3/2010	340	10		mg/L
Total dissolved solids	LGW-2	7/12/2010	350	10		mg/L
Total dissolved solids	LGW-2	1/19/2011	360	10		mg/L
Total dissolved solids	LGW-2	7/13/2011	360	10		mg/L
Total dissolved solids	LGW-2	1/4/2012	340	10		mg/L
Total dissolved solids	LGW-2	7/9/2012	340	10		mg/L
Total dissolved solids	LGW-2	4/30/2013	350	10		mg/L
Total dissolved solids	LGW-2	7/15/2013	350	10		mg/L
Total dissolved solids	LGW-2	1/30/2014	340	10		mg/L
Total dissolved solids	LGW-2	7/8/2014	350	10		mg/L
Total dissolved solids	LGW-2	2/13/2015	320	10		mg/L
Total dissolved solids	LGW-2	7/8/2015	350	10		mg/L
Total dissolved solids	LGW-2	1/5/2016	340	10		mg/L
Total dissolved solids	LGW-2	7/19/2016	360	10		mg/L
Total dissolved solids	LGW-2	1/11/2017	440	10		mg/L
Total dissolved solids	LGW-2	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-2	1/23/2018	510	10		mg/L
Total dissolved solids	LGW-2	6/21/2018	460	10		mg/L
Total dissolved solids	LGW-2	7/12/2018	560	10		mg/L
Total dissolved solids	LGW-2	1/3/2019	580	10		mg/L
Total dissolved solids	LGW-2	7/9/2019	460	10		mg/L
Total dissolved solids	LGW-2	1/13/2020	381	10		mg/L
Total dissolved solids	LGW-2	4/1/2020	341	10		mg/L
Total dissolved solids	LGW-2	7/8/2020	339	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-2	1/18/2021	354	10		mg/L
Total dissolved solids	LGW-2	7/4/2021	338	10		mg/L
Total dissolved solids	LGW-2	1/12/2022	342	10		mg/L
Total dissolved solids	LGW-2	7/10/2022	322	10		mg/L
Total dissolved solids	LGW-2	1/10/2023	325	10		mg/L
Total dissolved solids	LGW-3R	1/24/2006	428	5		mg/L
Total dissolved solids	LGW-3R	7/20/2006	440	10		mg/L
Total dissolved solids	LGW-3R	7/20/2006	440	10		mg/L
Total dissolved solids	LGW-3R	10/26/2006	380	10		mg/L
Total dissolved solids	LGW-3R	1/25/2007	220	10		mg/L
Total dissolved solids	LGW-3R	4/26/2007	300	10		mg/L
Total dissolved solids	LGW-3R	7/11/2007	290	10		mg/L
Total dissolved solids	LGW-3R	1/26/2008	380	10		mg/L
Total dissolved solids	LGW-3R	7/23/2008	150	10		mg/L
Total dissolved solids	LGW-3R	2/3/2009	260	10		mg/L
Total dissolved solids	LGW-3R	7/31/2009	250	10		mg/L
Total dissolved solids	LGW-3R	2/3/2010	280	10		mg/L
Total dissolved solids	LGW-3R	2/3/2010	280	10		mg/L
Total dissolved solids	LGW-3R	7/16/2010	200	10		mg/L
Total dissolved solids	LGW-3R	1/19/2011	350	10		mg/L
Total dissolved solids	LGW-3R	7/13/2011	220	10		mg/L
Total dissolved solids	LGW-3R	1/4/2012	280	10		mg/L
Total dissolved solids	LGW-3R	7/9/2012	360	10		mg/L
Total dissolved solids	LGW-3R	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-3R	7/15/2013	270	10		mg/L
Total dissolved solids	LGW-3R	1/22/2014	270	10		mg/L
Total dissolved solids	LGW-3R	7/8/2014	330	10		mg/L
Total dissolved solids	LGW-3R	2/10/2015	320	10		mg/L
Total dissolved solids	LGW-3R	7/16/2015	270	10		mg/L
Total dissolved solids	LGW-3R	1/8/2016	120	10		mg/L
Total dissolved solids	LGW-3R	7/21/2016	140	20		mg/L
Total dissolved solids	LGW-3R	1/11/2017	380	10		mg/L
Total dissolved solids	LGW-3R	7/18/2017	320	10		mg/L
Total dissolved solids	LGW-3R	1/23/2018	390	10		mg/L
Total dissolved solids	LGW-3R	7/11/2018	350	10		mg/L
Total dissolved solids	LGW-3R	1/3/2019	380	10		mg/L
Total dissolved solids	LGW-3R	7/9/2019	230	10		mg/L
Total dissolved solids	LGW-3R	1/14/2020	183	10		mg/L
Total dissolved solids	LGW-3R	7/6/2020	272	10		mg/L
Total dissolved solids	LGW-3R	1/18/2021	243	10		mg/L
Total dissolved solids	LGW-3R	7/6/2021	130	10		mg/L
Total dissolved solids	LGW-3R	1/12/2022	118	10		mg/L
Total dissolved solids	LGW-3R	7/10/2022	132	10		mg/L
Total dissolved solids	LGW-3R	1/10/2023	70	10		mg/L
Total dissolved solids	LGW-4	1/24/2006	324	5		mg/L
Total dissolved solids	LGW-4	7/20/2006	330	10		mg/L
Total dissolved solids	LGW-4	7/20/2006	330	10		mg/L
Total dissolved solids	LGW-4	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-4	1/25/2007	260	10		mg/L
Total dissolved solids	LGW-4	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-4	7/11/2007	290	10		mg/L
Total dissolved solids	LGW-4	1/22/2008	300	10		mg/L
Total dissolved solids	LGW-4	7/23/2008	210	10		mg/L
Total dissolved solids	LGW-4	2/3/2009	220	10		mg/L
Total dissolved solids	LGW-4	7/31/2009	250	10		mg/L
Total dissolved solids	LGW-4	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-4	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-4	7/16/2010	200	10		mg/L
Total dissolved solids	LGW-4	1/19/2011	280	10		mg/L
Total dissolved solids	LGW-4	7/13/2011	230	10		mg/L
Total dissolved solids	LGW-4	1/4/2012	240	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-4	7/9/2012	270	10		mg/L
Total dissolved solids	LGW-4	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-4	7/15/2013	230	10		mg/L
Total dissolved solids	LGW-4	1/23/2014	240	10		mg/L
Total dissolved solids	LGW-4	7/8/2014	270	10		mg/L
Total dissolved solids	LGW-4	2/11/2015	280	10		mg/L
Total dissolved solids	LGW-4	7/8/2015	270	10		mg/L
Total dissolved solids	LGW-4	1/5/2016	220	10		mg/L
Total dissolved solids	LGW-4	7/19/2016	300	10		mg/L
Total dissolved solids	LGW-4	1/11/2017	300	10		mg/L
Total dissolved solids	LGW-4	7/18/2017	290	10		mg/L
Total dissolved solids	LGW-4	1/23/2018	340	10		mg/L
Total dissolved solids	LGW-4	7/11/2018	330	10		mg/L
Total dissolved solids	LGW-4	1/3/2019	340	10		mg/L
Total dissolved solids	LGW-4	7/9/2019	300	10		mg/L
Total dissolved solids	LGW-4	1/14/2020	229	10		mg/L
Total dissolved solids	LGW-4	7/6/2020	247	10		mg/L
Total dissolved solids	LGW-4	1/18/2021	363	10		mg/L
Total dissolved solids	LGW-4	7/7/2021	331	10		mg/L
Total dissolved solids	LGW-4	1/12/2022	311	10		mg/L
Total dissolved solids	LGW-4	7/11/2022	301	10		mg/L
Total dissolved solids	LGW-4	1/10/2023	399	10		mg/L
Total dissolved solids	LGW-4	4/6/2023	429	10		mg/L
Total dissolved solids	LGW-5	1/25/2006	239	5		mg/L
Total dissolved solids	LGW-5	8/1/2006	280	10		mg/L
Total dissolved solids	LGW-5	8/1/2006	280	10		mg/L
Total dissolved solids	LGW-5	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-5	1/25/2007	310	10		mg/L
Total dissolved solids	LGW-5	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-5	7/11/2007	310	10		mg/L
Total dissolved solids	LGW-5	1/23/2008	220	10		mg/L
Total dissolved solids	LGW-5	7/23/2008	240	10		mg/L
Total dissolved solids	LGW-5	2/4/2009	200	10		mg/L
Total dissolved solids	LGW-5	7/29/2009	250	10		mg/L
Total dissolved solids	LGW-5	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-5	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-5	7/12/2010	250	10		mg/L
Total dissolved solids	LGW-5	1/19/2011	250	10		mg/L
Total dissolved solids	LGW-5	7/12/2011	240	10		mg/L
Total dissolved solids	LGW-5	1/5/2012	230	10		mg/L
Total dissolved solids	LGW-5	7/9/2012	250	10		mg/L
Total dissolved solids	LGW-5	4/30/2013	230	10		mg/L
Total dissolved solids	LGW-5	7/15/2013	220	10		mg/L
Total dissolved solids	LGW-5	1/23/2014	240	10		mg/L
Total dissolved solids	LGW-5	7/8/2014	330	10		mg/L
Total dissolved solids	LGW-5	2/10/2015	430	10		mg/L
Total dissolved solids	LGW-5	7/8/2015	300	10		mg/L
Total dissolved solids	LGW-5	1/5/2016	280	10		mg/L
Total dissolved solids	LGW-5	7/19/2016	350	10		mg/L
Total dissolved solids	LGW-5	1/11/2017	320	10		mg/L
Total dissolved solids	LGW-5	7/18/2017	350	10		mg/L
Total dissolved solids	LGW-5	1/23/2018	350	10		mg/L
Total dissolved solids	LGW-5	7/12/2018	350	10		mg/L
Total dissolved solids	LGW-5	1/3/2019	360	10		mg/L
Total dissolved solids	LGW-5	7/9/2019	340	10		mg/L
Total dissolved solids	LGW-5	1/14/2020	356	10		mg/L
Total dissolved solids	LGW-5	4/1/2020	329	10		mg/L
Total dissolved solids	LGW-5	7/6/2020	320	10		mg/L
Total dissolved solids	LGW-5	1/18/2021	406	10		mg/L
Total dissolved solids	LGW-5	4/6/2021	396	10		mg/L
Total dissolved solids	LGW-5	7/7/2021	404	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-5	10/5/2021	404	10		mg/L
Total dissolved solids	LGW-5	1/12/2022	407	10		mg/L
Total dissolved solids	LGW-5	4/4/2022	388	10		mg/L
Total dissolved solids	LGW-5	7/11/2022	395	10		mg/L
Total dissolved solids	LGW-5	10/6/2022	404	10		mg/L
Total dissolved solids	LGW-5	1/10/2023	396	10		mg/L
Total dissolved solids	LGW-6	1/24/2006	284	5		mg/L
Total dissolved solids	LGW-6	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-6	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-6	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-6	1/24/2007	270	10		mg/L
Total dissolved solids	LGW-6	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-6	7/11/2007	330	10		mg/L
Total dissolved solids	LGW-6	1/23/2008	260	10		mg/L
Total dissolved solids	LGW-6	7/23/2008	240	10		mg/L
Total dissolved solids	LGW-6	2/5/2009	230	10		mg/L
Total dissolved solids	LGW-6	7/29/2009	250	10		mg/L
Total dissolved solids	LGW-6	2/3/2010	230	10		mg/L
Total dissolved solids	LGW-6	2/3/2010	230	10		mg/L
Total dissolved solids	LGW-6	7/12/2010	260	10		mg/L
Total dissolved solids	LGW-6	1/19/2011	240	10		mg/L
Total dissolved solids	LGW-6	7/12/2011	250	10		mg/L
Total dissolved solids	LGW-6	1/5/2012	220	10		mg/L
Total dissolved solids	LGW-6	7/9/2012	240	10		mg/L
Total dissolved solids	LGW-6	4/30/2013	260	10		mg/L
Total dissolved solids	LGW-6	7/15/2013	250	10		mg/L
Total dissolved solids	LGW-6	1/23/2014	230	10		mg/L
Total dissolved solids	LGW-6	7/8/2014	260	10		mg/L
Total dissolved solids	LGW-6	2/10/2015	260	10		mg/L
Total dissolved solids	LGW-6	7/22/2015	270	10		mg/L
Total dissolved solids	LGW-6	1/5/2016	280	10		mg/L
Total dissolved solids	LGW-6	7/19/2016	350	10		mg/L
Total dissolved solids	LGW-6	10/6/2016	360	10		mg/L
Total dissolved solids	LGW-6	1/11/2017	370	10		mg/L
Total dissolved solids	LGW-6	5/5/2017	360	10		mg/L
Total dissolved solids	LGW-6	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-6	10/5/2017	380	10		mg/L
Total dissolved solids	LGW-6	1/23/2018	380	10		mg/L
Total dissolved solids	LGW-6	4/10/2018	340	10		mg/L
Total dissolved solids	LGW-6	7/17/2018	380	10		mg/L
Total dissolved solids	LGW-6	10/2/2018	390	10		mg/L
Total dissolved solids	LGW-6	1/7/2019	400	10		mg/L
Total dissolved solids	LGW-6	4/3/2019	400	10		mg/L
Total dissolved solids	LGW-6	7/10/2019	410	10		mg/L
Total dissolved solids	LGW-6	10/3/2019	410	10		mg/L
Total dissolved solids	LGW-6	1/16/2020	388	10		mg/L
Total dissolved solids	LGW-6	4/2/2020	405	10		mg/L
Total dissolved solids	LGW-6	7/9/2020	386	10		mg/L
Total dissolved solids	LGW-6	10/6/2020	419	10		mg/L
Total dissolved solids	LGW-6	1/18/2021	438	10		mg/L
Total dissolved solids	LGW-6	4/6/2021	416	10		mg/L
Total dissolved solids	LGW-6	7/7/2021	418	10		mg/L
Total dissolved solids	LGW-6	10/5/2021	418	10		mg/L
Total dissolved solids	LGW-6	1/12/2022	424	10		mg/L
Total dissolved solids	LGW-6	4/4/2022	417	10		mg/L
Total dissolved solids	LGW-6	7/11/2022	386	10		mg/L
Total dissolved solids	LGW-6	10/6/2022	398	10		mg/L
Total dissolved solids	LGW-6	1/10/2023	377	10		mg/L
Total dissolved solids	LGW-6	4/6/2023	391	10		mg/L
Total dissolved solids	LGW-7	1/25/2006	307	5		mg/L
Total dissolved solids	LGW-7	8/1/2006	330	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-7	8/1/2006	330	10		mg/L
Total dissolved solids	LGW-7	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-7	1/24/2007	260	10		mg/L
Total dissolved solids	LGW-7	4/26/2007	260	10		mg/L
Total dissolved solids	LGW-7	7/12/2007	250	10		mg/L
Total dissolved solids	LGW-7	7/22/2008	240	10		mg/L
Total dissolved solids	LGW-7	2/4/2009	190	10		mg/L
Total dissolved solids	LGW-7	7/31/2009	240	10		mg/L
Total dissolved solids	LGW-7	1/27/2010	220	10		mg/L
Total dissolved solids	LGW-7	7/12/2010	230	10		mg/L
Total dissolved solids	LGW-7	1/20/2011	220	10		mg/L
Total dissolved solids	LGW-7	7/12/2011	230	10		mg/L
Total dissolved solids	LGW-7	1/5/2012	220	10		mg/L
Total dissolved solids	LGW-7	7/10/2012	270	10		mg/L
Total dissolved solids	LGW-7	4/30/2013	250	10		mg/L
Total dissolved solids	LGW-7	7/15/2013	260	10		mg/L
Total dissolved solids	LGW-7	1/23/2014	250	10		mg/L
Total dissolved solids	LGW-7	7/8/2014	270	10		mg/L
Total dissolved solids	LGW-7	2/11/2015	290	10		mg/L
Total dissolved solids	LGW-7	7/22/2015	260	10		mg/L
Total dissolved solids	LGW-7	1/5/2016	280	10		mg/L
Total dissolved solids	LGW-7	4/6/2016	310	10		mg/L
Total dissolved solids	LGW-7	7/20/2016	330	10		mg/L
Total dissolved solids	LGW-7	10/6/2016	340	10		mg/L
Total dissolved solids	LGW-7	1/11/2017	320	10		mg/L
Total dissolved solids	LGW-7	4/4/2017	290	10		mg/L
Total dissolved solids	LGW-7	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-7	10/5/2017	360	10		mg/L
Total dissolved solids	LGW-7	1/24/2018	380	10		mg/L
Total dissolved solids	LGW-7	4/11/2018	350	10		mg/L
Total dissolved solids	LGW-7	7/12/2018	350	10		mg/L
Total dissolved solids	LGW-7	10/2/2018	340	10		mg/L
Total dissolved solids	LGW-7	1/7/2019	330	10		mg/L
Total dissolved solids	LGW-7	4/3/2019	310	10		mg/L
Total dissolved solids	LGW-7	7/10/2019	330	10		mg/L
Total dissolved solids	LGW-7	10/3/2019	320	10		mg/L
Total dissolved solids	LGW-7	1/15/2020	287	10		mg/L
Total dissolved solids	LGW-7	7/9/2020	335	10		mg/L
Total dissolved solids	LGW-7	1/18/2021	338	10		mg/L
Total dissolved solids	LGW-7	7/7/2021	336	10		mg/L
Total dissolved solids	LGW-7	10/5/2021	325	10		mg/L
Total dissolved solids	LGW-7	1/13/2022	317	10		mg/L
Total dissolved solids	LGW-7	4/4/2022	348	10		mg/L
Total dissolved solids	LGW-7	7/11/2022	337	10		mg/L
Total dissolved solids	LGW-7	1/11/2023	285	10		mg/L
Total dissolved solids	LGW-8R	1/24/2006	260	5		mg/L
Total dissolved solids	LGW-8R	7/20/2006	280	10		mg/L
Total dissolved solids	LGW-8R	7/20/2006	280	10		mg/L
Total dissolved solids	LGW-8R	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-8R	1/24/2007	280	10		mg/L
Total dissolved solids	LGW-8R	4/25/2007	270	10		mg/L
Total dissolved solids	LGW-8R	7/12/2007	290	10		mg/L
Total dissolved solids	LGW-8R	2/4/2009	260	10		mg/L
Total dissolved solids	LGW-8R	7/29/2009	300	10		mg/L
Total dissolved solids	LGW-8R	1/27/2010	280	10		mg/L
Total dissolved solids	LGW-8R	7/14/2010	300	10		mg/L
Total dissolved solids	LGW-8R	1/20/2011	270	10		mg/L
Total dissolved solids	LGW-8R	7/12/2011	290	10		mg/L
Total dissolved solids	LGW-8R	1/5/2012	270	10		mg/L
Total dissolved solids	LGW-8R	7/9/2012	280	10		mg/L
Total dissolved solids	LGW-8R	4/30/2013	290	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-8R	7/15/2013	290	10		mg/L
Total dissolved solids	LGW-8R	1/22/2014	280	10		mg/L
Total dissolved solids	LGW-8R	7/8/2014	300	10		mg/L
Total dissolved solids	LGW-8R	2/11/2015	280	10		mg/L
Total dissolved solids	LGW-8R	7/22/2015	310	10		mg/L
Total dissolved solids	LGW-8R	1/5/2016	290	10		mg/L
Total dissolved solids	LGW-8R	7/20/2016	320	10		mg/L
Total dissolved solids	LGW-8R	1/11/2017	290	10		mg/L
Total dissolved solids	LGW-8R	7/18/2017	320	10		mg/L
Total dissolved solids	LGW-8R	1/25/2018	340	10		mg/L
Total dissolved solids	LGW-8R	6/21/2018	360	10		mg/L
Total dissolved solids	LGW-8R	7/13/2018	350	10		mg/L
Total dissolved solids	LGW-8R	1/7/2019	340	10		mg/L
Total dissolved solids	LGW-8R	7/8/2019	350	10		mg/L
Total dissolved solids	LGW-8R	10/1/2019	360	10		mg/L
Total dissolved solids	LGW-8R	1/14/2020	330	10		mg/L
Total dissolved solids	LGW-8R	7/7/2020	324	10		mg/L
Total dissolved solids	LGW-8R	1/17/2021	371	10		mg/L
Total dissolved solids	LGW-8R	7/7/2021	372	10		mg/L
Total dissolved solids	LGW-8R	1/13/2022	391	10		mg/L
Total dissolved solids	LGW-8R	7/11/2022	376	10		mg/L
Total dissolved solids	LGW-8R	1/11/2023	372	10		mg/L
Total dissolved solids	LGW-9	1/25/2006	331	5		mg/L
Total dissolved solids	LGW-9	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-9	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-9	10/26/2006	330	10		mg/L
Total dissolved solids	LGW-9	1/25/2007	330	10		mg/L
Total dissolved solids	LGW-9	4/25/2007	350	10		mg/L
Total dissolved solids	LGW-9	7/10/2007	340	10		mg/L
Total dissolved solids	LGW-9	7/22/2008	340	10		mg/L
Total dissolved solids	LGW-9	2/4/2009	250	10		mg/L
Total dissolved solids	LGW-9	7/29/2009	310	10		mg/L
Total dissolved solids	LGW-9	1/27/2010	330	10		mg/L
Total dissolved solids	LGW-9	7/14/2010	320	10		mg/L
Total dissolved solids	LGW-9	1/20/2011	350	10		mg/L
Total dissolved solids	LGW-9	7/12/2011	360	10		mg/L
Total dissolved solids	LGW-9	1/5/2012	350	10		mg/L
Total dissolved solids	LGW-9	7/10/2012	270	10		mg/L
Total dissolved solids	LGW-9	5/1/2013	340	10		mg/L
Total dissolved solids	LGW-9	7/15/2013	320	10		mg/L
Total dissolved solids	LGW-9	1/23/2014	280	10		mg/L
Total dissolved solids	LGW-9	7/8/2014	310	10		mg/L
Total dissolved solids	LGW-9	2/11/2015	360	10		mg/L
Total dissolved solids	LGW-9	7/13/2015	370	10		mg/L
Total dissolved solids	LGW-9	1/5/2016	380	10		mg/L
Total dissolved solids	LGW-9	7/21/2016	460	10		mg/L
Total dissolved solids	LGW-9	10/6/2016	470	10		mg/L
Total dissolved solids	LGW-9	1/11/2017	470	10		mg/L
Total dissolved solids	LGW-9	5/5/2017	470	10		mg/L
Total dissolved solids	LGW-9	7/18/2017	510	10		mg/L
Total dissolved solids	LGW-9	10/5/2017	550	10		mg/L
Total dissolved solids	LGW-9	1/24/2018	540	10		mg/L
Total dissolved solids	LGW-9	4/11/2018	530	10		mg/L
Total dissolved solids	LGW-9	7/13/2018	520	10		mg/L
Total dissolved solids	LGW-9	10/2/2018	490	10		mg/L
Total dissolved solids	LGW-9	1/7/2019	490	10		mg/L
Total dissolved solids	LGW-9	4/3/2019	480	10		mg/L
Total dissolved solids	LGW-9	7/10/2019	430	10		mg/L
Total dissolved solids	LGW-9	10/3/2019	420	10		mg/L
Total dissolved solids	LGW-9	1/16/2020	370	10		mg/L
Total dissolved solids	LGW-9	4/2/2020	377	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-9	7/9/2020	392	10		mg/L
Total dissolved solids	LGW-9	10/7/2020	423	10		mg/L
Total dissolved solids	LGW-9	1/17/2021	546	10		mg/L
Total dissolved solids	LGW-9	4/6/2021	449	10		mg/L
Total dissolved solids	LGW-9	7/7/2021	432	10		mg/L
Total dissolved solids	LGW-9	10/5/2021	427	10		mg/L
Total dissolved solids	LGW-9	1/13/2022	400	10		mg/L
Total dissolved solids	LGW-9	4/4/2022	416	10		mg/L
Total dissolved solids	LGW-9	7/11/2022	404	10		mg/L
Total dissolved solids	LGW-9	10/7/2022	424	10		mg/L
Total dissolved solids	LGW-9	1/11/2023	392	10		mg/L
Total dissolved solids	LGW-9	4/5/2023	406	10		mg/L
Total dissolved solids	MW-10N	10/22/1997	408	10		mg/L
Total dissolved solids	MW-10N	1/22/1998	327	10		mg/L
Total dissolved solids	MW-10N	4/28/1998	317	10		mg/L
Total dissolved solids	MW-10N	7/23/1998	254	10		mg/L
Total dissolved solids	MW-10N	1/14/1999	277	5		mg/L
Total dissolved solids	MW-10N	7/15/1999	279	5		mg/L
Total dissolved solids	MW-10N	10/20/1999	235	5		mg/L
Total dissolved solids	MW-10N	1/14/2000	281	5		mg/L
Total dissolved solids	MW-10N	4/25/2000	313	5		mg/L
Total dissolved solids	MW-10N	7/11/2000	316	5		mg/L
Total dissolved solids	MW-10N	10/17/2000	292	5		mg/L
Total dissolved solids	MW-10N	1/24/2001	317	5		mg/L
Total dissolved solids	MW-10N	4/10/2001	301	5		mg/L
Total dissolved solids	MW-10N	7/10/2002	335	5		mg/L
Total dissolved solids	MW-10N	10/2/2002	248	5		mg/L
Total dissolved solids	MW-10N	1/22/2003	269	5		mg/L
Total dissolved solids	MW-10N	4/15/2003	322	5		mg/L
Total dissolved solids	MW-10N	7/8/2003	321	5		mg/L
Total dissolved solids	MW-10N	1/28/2004	352	5		mg/L
Total dissolved solids	MW-10N	7/27/2004	387	5		mg/L
Total dissolved solids	MW-10N	1/12/2005	309	5		mg/L
Total dissolved solids	MW-10N	7/20/2005	331	5		mg/L
Total dissolved solids	MW-10N	1/19/2006	355	5		mg/L
Total dissolved solids	MW-10N	7/19/2006	380	10		mg/L
Total dissolved solids	MW-10N	7/19/2006	380	10		mg/L
Total dissolved solids	MW-10N	10/25/2006	350	10		mg/L
Total dissolved solids	MW-10N	1/24/2007	320	10		mg/L
Total dissolved solids	MW-10N	7/10/2007	290	10		mg/L
Total dissolved solids	MW-10N	1/23/2008	270	10		mg/L
Total dissolved solids	MW-10N	7/21/2008	280	10		mg/L
Total dissolved solids	MW-10N	2/13/2009	290	10		mg/L
Total dissolved solids	MW-10N	7/31/2009	270	10		mg/L
Total dissolved solids	MW-10N	1/27/2010	290	10		mg/L
Total dissolved solids	MW-10N	8/10/2010	280	10		mg/L
Total dissolved solids	MW-10N	1/19/2011	280	10		mg/L
Total dissolved solids	MW-10N	7/14/2011	280	10		mg/L
Total dissolved solids	MW-10N	1/5/2012	270	10		mg/L
Total dissolved solids	MW-10N	7/10/2012	290	10		mg/L
Total dissolved solids	MW-10N	5/1/2013	270	10		mg/L
Total dissolved solids	MW-10N	1/24/2014	270	10		mg/L
Total dissolved solids	MW-10N	7/9/2014	280	10		mg/L
Total dissolved solids	MW-10N	2/12/2015	240	10		mg/L
Total dissolved solids	MW-10N	7/14/2015	250	10		mg/L
Total dissolved solids	MW-10N	1/6/2016	260	10		mg/L
Total dissolved solids	MW-10N	7/21/2016	260	10		mg/L
Total dissolved solids	MW-10N	1/11/2017	260	10		mg/L
Total dissolved solids	MW-10N	7/19/2017	260	10		mg/L
Total dissolved solids	MW-10N	1/24/2018	270	10		mg/L
Total dissolved solids	MW-10N	7/11/2018	280	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-10N	1/3/2019	270	10		mg/L
Total dissolved solids	MW-10N	7/9/2019	270	10		mg/L
Total dissolved solids	MW-10N	1/16/2020	232	10		mg/L
Total dissolved solids	MW-10N	7/8/2020	245	10		mg/L
Total dissolved solids	MW-10N	1/13/2021	266	10		mg/L
Total dissolved solids	MW-10N	7/5/2021	261	10		mg/L
Total dissolved solids	MW-10N	1/11/2023	246	10		mg/L
Total dissolved solids	MW-11N	10/22/1997	339	10		mg/L
Total dissolved solids	MW-11N	1/21/1998	292	10		mg/L
Total dissolved solids	MW-11N	4/28/1998	265	10		mg/L
Total dissolved solids	MW-11N	7/23/1998	239	10		mg/L
Total dissolved solids	MW-11N	1/13/1999	232	5		mg/L
Total dissolved solids	MW-11N	7/14/1999	243	5		mg/L
Total dissolved solids	MW-11N	10/20/1999	195	5		mg/L
Total dissolved solids	MW-11N	1/13/2000	188	5		mg/L
Total dissolved solids	MW-11N	4/25/2000	260	5		mg/L
Total dissolved solids	MW-11N	7/10/2000	241	5		mg/L
Total dissolved solids	MW-11N	10/17/2000	210	5		mg/L
Total dissolved solids	MW-11N	1/24/2001	524	5		mg/L
Total dissolved solids	MW-11N	4/10/2001	179	5		mg/L
Total dissolved solids	MW-11N	7/9/2002	315	5		mg/L
Total dissolved solids	MW-11N	10/2/2002	153	5		mg/L
Total dissolved solids	MW-11N	1/23/2003	220	5		mg/L
Total dissolved solids	MW-11N	4/15/2003	269	5		mg/L
Total dissolved solids	MW-11N	7/8/2003	212	5		mg/L
Total dissolved solids	MW-11N	1/29/2004	220	5		mg/L
Total dissolved solids	MW-11N	7/27/2004	252	5		mg/L
Total dissolved solids	MW-11N	1/13/2005	225	5		mg/L
Total dissolved solids	MW-11N	7/20/2005	202	5		mg/L
Total dissolved solids	MW-11N	1/19/2006	228	5		mg/L
Total dissolved solids	MW-11N	7/18/2006	200	10		mg/L
Total dissolved solids	MW-11N	7/18/2006	200	10		mg/L
Total dissolved solids	MW-11N	10/25/2006	200	10		mg/L
Total dissolved solids	MW-11N	1/24/2007	240	10		mg/L
Total dissolved solids	MW-11N	7/10/2007	200	10		mg/L
Total dissolved solids	MW-11N	1/22/2008	190	10		mg/L
Total dissolved solids	MW-11N	7/23/2008	180	10		mg/L
Total dissolved solids	MW-11N	2/3/2009	180	10		mg/L
Total dissolved solids	MW-11N	7/31/2009	200	10		mg/L
Total dissolved solids	MW-11N	2/3/2010	180	10		mg/L
Total dissolved solids	MW-11N	2/3/2010	180	10		mg/L
Total dissolved solids	MW-11N	7/16/2010	190	10		mg/L
Total dissolved solids	MW-11N	1/19/2011	200	10		mg/L
Total dissolved solids	MW-11N	7/13/2011	190	10		mg/L
Total dissolved solids	MW-11N	1/4/2012	180	10		mg/L
Total dissolved solids	MW-11N	7/9/2012	180	10		mg/L
Total dissolved solids	MW-11N	4/30/2013	200	10		mg/L
Total dissolved solids	MW-11N	7/15/2013	190	10		mg/L
Total dissolved solids	MW-11N	1/23/2014	200	10		mg/L
Total dissolved solids	MW-11N	7/8/2014	190	10		mg/L
Total dissolved solids	MW-11N	2/10/2015	190	10		mg/L
Total dissolved solids	MW-11N	7/13/2015	200	10		mg/L
Total dissolved solids	MW-11N	1/5/2016	190	10		mg/L
Total dissolved solids	MW-11N	7/21/2016	190	10		mg/L
Total dissolved solids	MW-11N	1/11/2017	190	10		mg/L
Total dissolved solids	MW-11N	7/19/2017	190	10		mg/L
Total dissolved solids	MW-11N	1/23/2018	190	10		mg/L
Total dissolved solids	MW-11N	7/17/2018	190	10		mg/L
Total dissolved solids	MW-11N	1/2/2019	210	10		mg/L
Total dissolved solids	MW-11N	7/9/2019	180	10		mg/L
Total dissolved solids	MW-11N	1/14/2020	183	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-11N	7/6/2020	180	10		mg/L
Total dissolved solids	MW-11N	1/18/2021	193	10		mg/L
Total dissolved solids	MW-11N	7/6/2021	193	10		mg/L
Total dissolved solids	MW-11N	1/18/2022	187	10		mg/L
Total dissolved solids	MW-11N	7/13/2022	192	10		mg/L
Total dissolved solids	MW-11N	1/10/2023	184	10		mg/L
Total dissolved solids	MW-15	6/5/2015	310	10		mg/L
Total dissolved solids	MW-15	7/15/2015	250	10		mg/L
Total dissolved solids	MW-15	8/5/2015	290	10		mg/L
Total dissolved solids	MW-15	9/3/2015	290	10		mg/L
Total dissolved solids	MW-15	1/7/2016	260	10		mg/L
Total dissolved solids	MW-15	4/5/2016	270	10		mg/L
Total dissolved solids	MW-15	7/20/2016	280	10		mg/L
Total dissolved solids	MW-15	10/6/2016	270	10		mg/L
Total dissolved solids	MW-15	1/10/2017	280	10		mg/L
Total dissolved solids	MW-15	7/18/2017	230	10		mg/L
Total dissolved solids	MW-15	1/23/2018	290	10		mg/L
Total dissolved solids	MW-15	7/10/2018	320	10		mg/L
Total dissolved solids	MW-15	1/3/2019	340	10		mg/L
Total dissolved solids	MW-15	7/9/2019	260	10		mg/L
Total dissolved solids	MW-15	1/14/2020	278	10		mg/L
Total dissolved solids	MW-15	8/3/2020	307	10		mg/L
Total dissolved solids	MW-15	1/18/2021	256	10		mg/L
Total dissolved solids	MW-15	7/4/2021	228	10		mg/L
Total dissolved solids	MW-15	1/12/2022	285	10		mg/L
Total dissolved solids	MW-15	7/10/2022	263	10		mg/L
Total dissolved solids	MW-15	1/10/2023	300	10		mg/L
Total dissolved solids	MW-16	6/5/2015	220	10		mg/L
Total dissolved solids	MW-16	7/16/2015	230	10		mg/L
Total dissolved solids	MW-16	8/5/2015	240	10		mg/L
Total dissolved solids	MW-16	9/3/2015	240	10		mg/L
Total dissolved solids	MW-16	1/8/2016	240	10		mg/L
Total dissolved solids	MW-16	4/5/2016	260	10		mg/L
Total dissolved solids	MW-16	7/21/2016	240	10		mg/L
Total dissolved solids	MW-16	10/5/2016	260	10		mg/L
Total dissolved solids	MW-16	1/10/2017	260	10		mg/L
Total dissolved solids	MW-16	7/18/2017	260	10		mg/L
Total dissolved solids	MW-16	1/23/2018	190	10		mg/L
Total dissolved solids	MW-16	7/11/2018	220	10		mg/L
Total dissolved solids	MW-16	1/2/2019	190	10		mg/L
Total dissolved solids	MW-16	7/10/2019	210	10		mg/L
Total dissolved solids	MW-16	1/14/2020	196	10		mg/L
Total dissolved solids	MW-16	8/3/2020	207	10		mg/L
Total dissolved solids	MW-16	1/18/2021	199	10		mg/L
Total dissolved solids	MW-16	7/4/2021	194	10		mg/L
Total dissolved solids	MW-16	1/12/2022	194	10		mg/L
Total dissolved solids	MW-16	7/10/2022	201	10		mg/L
Total dissolved solids	MW-16	1/10/2023	184	10		mg/L
Total dissolved solids	MW-17	6/5/2015	240	20		mg/L
Total dissolved solids	MW-17	7/15/2015	180	10		mg/L
Total dissolved solids	MW-17	8/4/2015	180	10		mg/L
Total dissolved solids	MW-17	9/2/2015	180	10		mg/L
Total dissolved solids	MW-17	1/7/2016	89	10		mg/L
Total dissolved solids	MW-17	4/5/2016	150	10		mg/L
Total dissolved solids	MW-17	7/20/2016	190	10		mg/L
Total dissolved solids	MW-17	10/6/2016	300	10		mg/L
Total dissolved solids	MW-17	1/10/2017	280	10		mg/L
Total dissolved solids	MW-17	7/18/2017	160	10		mg/L
Total dissolved solids	MW-17	1/23/2018	240	10		mg/L
Total dissolved solids	MW-17	7/10/2018	270	10		mg/L
Total dissolved solids	MW-17	1/3/2019	280	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-17	7/11/2019	300	10		mg/L
Total dissolved solids	MW-17	1/14/2020	193	10		mg/L
Total dissolved solids	MW-17	8/3/2020	280	10		mg/L
Total dissolved solids	MW-17	1/14/2021	194	10		mg/L
Total dissolved solids	MW-17	7/4/2021	250	10		mg/L
Total dissolved solids	MW-17	1/10/2023	187	10		mg/L
Total dissolved solids	MW-19	6/5/2015	290	20		mg/L
Total dissolved solids	MW-19	7/16/2015	320	10		mg/L
Total dissolved solids	MW-19	8/5/2015	190	10		mg/L
Total dissolved solids	MW-19	9/3/2015	200	10		mg/L
Total dissolved solids	MW-19	1/7/2016	190	10		mg/L
Total dissolved solids	MW-19	4/5/2016	230	10		mg/L
Total dissolved solids	MW-19	7/21/2016	170	10		mg/L
Total dissolved solids	MW-19	10/5/2016	240	10		mg/L
Total dissolved solids	MW-19	1/10/2017	220	10		mg/L
Total dissolved solids	MW-19	7/18/2017	280	10		mg/L
Total dissolved solids	MW-19	1/23/2018	200	10		mg/L
Total dissolved solids	MW-19	7/13/2018	220	10		mg/L
Total dissolved solids	MW-19	1/7/2019	190	10		mg/L
Total dissolved solids	MW-19	7/11/2019	260	10		mg/L
Total dissolved solids	MW-19	1/14/2020	310	10		mg/L
Total dissolved solids	MW-19	8/3/2020	254	10		mg/L
Total dissolved solids	MW-19	1/14/2021	225	10		mg/L
Total dissolved solids	MW-19	7/4/2021	221	10		mg/L
Total dissolved solids	MW-19	1/11/2023	158	10		mg/L
Total dissolved solids	MW-1N	10/22/1997	223	10		mg/L
Total dissolved solids	MW-1N	1/20/1998	405	10		mg/L
Total dissolved solids	MW-1N	4/28/1998	305	10		mg/L
Total dissolved solids	MW-1N	7/23/1998	234	10		mg/L
Total dissolved solids	MW-1N	10/14/1998	208	5		mg/L
Total dissolved solids	MW-1N	1/13/1999	188	5		mg/L
Total dissolved solids	MW-1N	7/15/1999	456	5		mg/L
Total dissolved solids	MW-1N	10/19/1999	263	5		mg/L
Total dissolved solids	MW-1N	1/14/2000	275	5		mg/L
Total dissolved solids	MW-1N	4/25/2000	254	5		mg/L
Total dissolved solids	MW-1N	7/12/2000	746	5		mg/L
Total dissolved solids	MW-1N	10/18/2000	566	5		mg/L
Total dissolved solids	MW-1N	1/24/2001	465	5		mg/L
Total dissolved solids	MW-1N	4/12/2001	641	5		mg/L
Total dissolved solids	MW-1N	7/9/2002	551	5		mg/L
Total dissolved solids	MW-1N	10/3/2002	496	5		mg/L
Total dissolved solids	MW-1N	1/22/2003	465	5		mg/L
Total dissolved solids	MW-1N	4/15/2003	462	5		mg/L
Total dissolved solids	MW-1N	7/8/2003	389	5		mg/L
Total dissolved solids	MW-1N	1/28/2004	361	5		mg/L
Total dissolved solids	MW-1N	7/27/2004	363	5		mg/L
Total dissolved solids	MW-1N	1/12/2005	285	5		mg/L
Total dissolved solids	MW-1N	7/20/2005	282	5		mg/L
Total dissolved solids	MW-1N	1/18/2006	291	5		mg/L
Total dissolved solids	MW-1N	7/18/2006	260	10		mg/L
Total dissolved solids	MW-1N	7/18/2006	260	10		mg/L
Total dissolved solids	MW-1N	10/24/2006	240	10		mg/L
Total dissolved solids	MW-1N	1/26/2007	290	10		mg/L
Total dissolved solids	MW-1N	7/11/2007	250	10		mg/L
Total dissolved solids	MW-1N	1/24/2008	230	10		mg/L
Total dissolved solids	MW-1N	7/21/2008	250	10		mg/L
Total dissolved solids	MW-1N	2/5/2009	230	10		mg/L
Total dissolved solids	MW-1N	7/31/2009	240	10		mg/L
Total dissolved solids	MW-1N	1/26/2010	220	10		mg/L
Total dissolved solids	MW-1N	7/13/2010	230	10		mg/L
Total dissolved solids	MW-1N	1/20/2011	230	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-1N	7/13/2011	200	10		mg/L
Total dissolved solids	MW-1N	1/5/2012	220	10		mg/L
Total dissolved solids	MW-1N	7/10/2012	220	10		mg/L
Total dissolved solids	MW-1N	5/1/2013	220	10		mg/L
Total dissolved solids	MW-1N	7/16/2013	220	10		mg/L
Total dissolved solids	MW-1N	1/24/2014	220	10		mg/L
Total dissolved solids	MW-1N	7/9/2014	230	10		mg/L
Total dissolved solids	MW-1N	2/10/2015	220	10		mg/L
Total dissolved solids	MW-1N	7/14/2015	220	10		mg/L
Total dissolved solids	MW-1N	1/6/2016	210	10		mg/L
Total dissolved solids	MW-1N	7/21/2016	210	10		mg/L
Total dissolved solids	MW-1N	1/12/2017	220	10		mg/L
Total dissolved solids	MW-1N	7/19/2017	230	10		mg/L
Total dissolved solids	MW-1N	1/23/2018	230	10		mg/L
Total dissolved solids	MW-1N	7/10/2018	220	10		mg/L
Total dissolved solids	MW-1N	1/3/2019	220	10		mg/L
Total dissolved solids	MW-1N	7/11/2019	230	10		mg/L
Total dissolved solids	MW-1N	1/23/2020	237	10		mg/L
Total dissolved solids	MW-1N	4/2/2020	226	10		mg/L
Total dissolved solids	MW-1N	7/6/2020	215	10		mg/L
Total dissolved solids	MW-1N	1/14/2021	216	10		mg/L
Total dissolved solids	MW-1N	7/4/2021	214	10		mg/L
Total dissolved solids	MW-1N	1/11/2023	210	10		mg/L
Total dissolved solids	MW-20	6/5/2015	360	20		mg/L
Total dissolved solids	MW-20	7/14/2015	340	10		mg/L
Total dissolved solids	MW-20	8/4/2015	350	10		mg/L
Total dissolved solids	MW-20	9/2/2015	350	10		mg/L
Total dissolved solids	MW-20	1/7/2016	510	10		mg/L
Total dissolved solids	MW-20	4/5/2016	320	10		mg/L
Total dissolved solids	MW-20	7/20/2016	320	10		mg/L
Total dissolved solids	MW-20	10/5/2016	340	10		mg/L
Total dissolved solids	MW-20	1/12/2017	330	10		mg/L
Total dissolved solids	MW-20	7/18/2017	350	10		mg/L
Total dissolved solids	MW-20	1/26/2018	320	10		mg/L
Total dissolved solids	MW-20	7/12/2018	310	10		mg/L
Total dissolved solids	MW-20	7/11/2019	320	10		mg/L
Total dissolved solids	MW-20	1/14/2020	471	10		mg/L
Total dissolved solids	MW-20	7/7/2020	279	10		mg/L
Total dissolved solids	MW-20	1/17/2021	488	10		mg/L
Total dissolved solids	MW-20	7/4/2021	365	10		mg/L
Total dissolved solids	MW-20	1/11/2023	247	10		mg/L
Total dissolved solids	MW-21	6/5/2015	280	20		mg/L
Total dissolved solids	MW-21	7/14/2015	280	10		mg/L
Total dissolved solids	MW-21	8/4/2015	260	10		mg/L
Total dissolved solids	MW-21	9/2/2015	260	10		mg/L
Total dissolved solids	MW-21	1/7/2016	130	10		mg/L
Total dissolved solids	MW-21	4/5/2016	250	10		mg/L
Total dissolved solids	MW-21	7/20/2016	220	20		mg/L
Total dissolved solids	MW-21	10/5/2016	170	10		mg/L
Total dissolved solids	MW-21	10/5/2016	190	10		mg/L
Total dissolved solids	MW-21	1/10/2017	190	10		mg/L
Total dissolved solids	MW-21	4/5/2017	210	10		mg/L
Total dissolved solids	MW-21	7/19/2017	240	10		mg/L
Total dissolved solids	MW-21	10/6/2017	230	10		mg/L
Total dissolved solids	MW-21	1/24/2018	140	10		mg/L
Total dissolved solids	MW-21	4/11/2018	360	10		mg/L
Total dissolved solids	MW-21	7/11/2018	240	10		mg/L
Total dissolved solids	MW-21	10/4/2018	170	10		mg/L
Total dissolved solids	MW-21	1/3/2019	300	10		mg/L
Total dissolved solids	MW-21	4/3/2019	250	10		mg/L
Total dissolved solids	MW-21	7/11/2019	230	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-21	10/2/2019	260	10		mg/L
Total dissolved solids	MW-21	1/16/2020	208	10		mg/L
Total dissolved solids	MW-21	4/2/2020	203	10		mg/L
Total dissolved solids	MW-21	7/8/2020	185	10		mg/L
Total dissolved solids	MW-21	10/7/2020	133	10		mg/L
Total dissolved solids	MW-21	1/13/2021	206	10		mg/L
Total dissolved solids	MW-21	4/6/2021	150	10		mg/L
Total dissolved solids	MW-21	7/5/2021	176	10		mg/L
Total dissolved solids	MW-21	10/6/2021	120	10		mg/L
Total dissolved solids	MW-21	1/11/2023	149	10		mg/L
Total dissolved solids	MW-21	4/8/2023	162	10		mg/L
Total dissolved solids	MW-2N	10/22/1997	219	10		mg/L
Total dissolved solids	MW-2N	1/21/1998	175	10		mg/L
Total dissolved solids	MW-2N	4/28/1998	169	10		mg/L
Total dissolved solids	MW-2N	7/22/1998	159	10		mg/L
Total dissolved solids	MW-2N	1/13/1999	178	5		mg/L
Total dissolved solids	MW-2N	7/14/1999	174	5		mg/L
Total dissolved solids	MW-2N	10/20/1999	142	5		mg/L
Total dissolved solids	MW-2N	1/14/2000	159	5		mg/L
Total dissolved solids	MW-2N	4/25/2000	177	5		mg/L
Total dissolved solids	MW-2N	10/17/2000	124	5		mg/L
Total dissolved solids	MW-2N	1/24/2001	3220	5		mg/L
Total dissolved solids	MW-2N	4/11/2001	105	5		mg/L
Total dissolved solids	MW-2N	7/10/2002	155	5		mg/L
Total dissolved solids	MW-2N	10/2/2002	224	5		mg/L
Total dissolved solids	MW-2N	10/2/2002	68	5		mg/L
Total dissolved solids	MW-2N	1/22/2003	130	5		mg/L
Total dissolved solids	MW-2N	4/14/2003	164	5		mg/L
Total dissolved solids	MW-2N	7/7/2003	105	5		mg/L
Total dissolved solids	MW-2N	1/28/2004	141	5		mg/L
Total dissolved solids	MW-2N	7/27/2004	176	5		mg/L
Total dissolved solids	MW-2N	1/12/2005	129	5		mg/L
Total dissolved solids	MW-2N	7/20/2005	161	5		mg/L
Total dissolved solids	MW-2N	1/19/2006	125	5		mg/L
Total dissolved solids	MW-2N	7/19/2006	160	10		mg/L
Total dissolved solids	MW-2N	7/19/2006	160	10		mg/L
Total dissolved solids	MW-2N	10/25/2006	150	10		mg/L
Total dissolved solids	MW-2N	1/26/2007	150	10		mg/L
Total dissolved solids	MW-2N	7/11/2007	170	10		mg/L
Total dissolved solids	MW-2N	1/24/2008	150	10		mg/L
Total dissolved solids	MW-2N	7/22/2008	160	10		mg/L
Total dissolved solids	MW-2N	2/4/2009	120	10		mg/L
Total dissolved solids	MW-2N	7/31/2009	160	10		mg/L
Total dissolved solids	MW-2N	1/26/2010	130	10		mg/L
Total dissolved solids	MW-2N	7/13/2010	170	10		mg/L
Total dissolved solids	MW-2N	1/20/2011	160	10		mg/L
Total dissolved solids	MW-2N	7/13/2011	170	10		mg/L
Total dissolved solids	MW-2N	1/5/2012	160	10		mg/L
Total dissolved solids	MW-2N	7/10/2012	170	10		mg/L
Total dissolved solids	MW-2N	5/1/2013	170	10		mg/L
Total dissolved solids	MW-2N	7/16/2013	160	10		mg/L
Total dissolved solids	MW-2N	1/24/2014	160	10		mg/L
Total dissolved solids	MW-2N	7/9/2014	160	10		mg/L
Total dissolved solids	MW-2N	2/12/2015	160	10		mg/L
Total dissolved solids	MW-2N	7/14/2015	180	10		mg/L
Total dissolved solids	MW-2N	1/6/2016	190	10		mg/L
Total dissolved solids	MW-2N	7/21/2016	190	10		mg/L
Total dissolved solids	MW-2N	1/11/2017	180	10		mg/L
Total dissolved solids	MW-2N	7/19/2017	180	10		mg/L
Total dissolved solids	MW-2N	1/23/2018	180	10		mg/L
Total dissolved solids	MW-2N	7/12/2018	200	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-2N	1/3/2019	200	10		mg/L
Total dissolved solids	MW-2N	7/11/2019	220	10		mg/L
Total dissolved solids	MW-2N	8/7/2019	260	10		mg/L
Total dissolved solids	MW-2N	10/1/2019	280	10		mg/L
Total dissolved solids	MW-2N	1/23/2020	247	10		mg/L
Total dissolved solids	MW-2N	7/7/2020	218	10		mg/L
Total dissolved solids	MW-2N	1/14/2021	252	10		mg/L
Total dissolved solids	MW-2N	7/5/2021	258	10		mg/L
Total dissolved solids	MW-2N	1/11/2023	268	10		mg/L
Total dissolved solids	MW-3N	10/21/1997	356	10		mg/L
Total dissolved solids	MW-3N	1/21/1998	346	10		mg/L
Total dissolved solids	MW-3N	4/28/1998	355	10		mg/L
Total dissolved solids	MW-3N	7/23/1998	335	10		mg/L
Total dissolved solids	MW-3N	1/13/1999	344	5		mg/L
Total dissolved solids	MW-3N	7/14/1999	352	5		mg/L
Total dissolved solids	MW-3N	10/20/1999	338	5		mg/L
Total dissolved solids	MW-3N	1/14/2000	366	5		mg/L
Total dissolved solids	MW-3N	4/24/2000	389	5		mg/L
Total dissolved solids	MW-3N	7/11/2000	402	5		mg/L
Total dissolved solids	MW-3N	10/17/2000	314	5		mg/L
Total dissolved solids	MW-3N	1/23/2001	362	5		mg/L
Total dissolved solids	MW-3N	4/11/2001	338	5		mg/L
Total dissolved solids	MW-3N	7/9/2002	406	5		mg/L
Total dissolved solids	MW-3N	10/2/2002	320	5		mg/L
Total dissolved solids	MW-3N	1/22/2003	353	5		mg/L
Total dissolved solids	MW-3N	4/14/2003	393	5		mg/L
Total dissolved solids	MW-3N	7/7/2003	378	5		mg/L
Total dissolved solids	MW-3N	1/28/2004	399	5		mg/L
Total dissolved solids	MW-3N	7/27/2004	420	5		mg/L
Total dissolved solids	MW-3N	1/12/2005	395	5		mg/L
Total dissolved solids	MW-3N	7/20/2005	397	5		mg/L
Total dissolved solids	MW-3N	1/18/2006	389	5		mg/L
Total dissolved solids	MW-3N	7/19/2006	410	10		mg/L
Total dissolved solids	MW-3N	7/19/2006	410	10		mg/L
Total dissolved solids	MW-3N	10/25/2006	390	10		mg/L
Total dissolved solids	MW-3N	1/26/2007	400	10		mg/L
Total dissolved solids	MW-3N	7/11/2007	290	10		mg/L
Total dissolved solids	MW-3N	1/24/2008	370	10		mg/L
Total dissolved solids	MW-3N	7/22/2008	380	10		mg/L
Total dissolved solids	MW-3N	2/4/2009	330	10		mg/L
Total dissolved solids	MW-3N	7/31/2009	360	10		mg/L
Total dissolved solids	MW-3N	1/26/2010	330	10		mg/L
Total dissolved solids	MW-3N	7/13/2010	360	10		mg/L
Total dissolved solids	MW-3N	1/20/2011	360	10		mg/L
Total dissolved solids	MW-3N	7/14/2011	340	10		mg/L
Total dissolved solids	MW-3N	1/5/2012	340	10		mg/L
Total dissolved solids	MW-3N	7/11/2012	330	10		mg/L
Total dissolved solids	MW-3N	5/1/2013	340	10		mg/L
Total dissolved solids	MW-3N	6/4/2013	340	10		mg/L
Total dissolved solids	MW-3N	7/16/2013	330	10		mg/L
Total dissolved solids	MW-3N	1/24/2014	340	10		mg/L
Total dissolved solids	MW-3N	7/9/2014	330	10		mg/L
Total dissolved solids	MW-3N	2/12/2015	350	10		mg/L
Total dissolved solids	MW-3N	4/1/2015	340	10		mg/L
Total dissolved solids	MW-3N	7/14/2015	330	10		mg/L
Total dissolved solids	MW-3N	10/5/2015	320	10		mg/L
Total dissolved solids	MW-3N	1/6/2016	320	10		mg/L
Total dissolved solids	MW-3N	4/6/2016	310	10		mg/L
Total dissolved solids	MW-3N	7/21/2016	310	10		mg/L
Total dissolved solids	MW-3N	10/6/2016	340	10		mg/L
Total dissolved solids	MW-3N	1/11/2017	370	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-3N	4/4/2017	380	10		mg/L
Total dissolved solids	MW-3N	7/19/2017	330	10		mg/L
Total dissolved solids	MW-3N	10/9/2017	350	10		mg/L
Total dissolved solids	MW-3N	1/24/2018	360	10		mg/L
Total dissolved solids	MW-3N	4/10/2018	330	10		mg/L
Total dissolved solids	MW-3N	7/13/2018	330	10		mg/L
Total dissolved solids	MW-3N	10/3/2018	340	10		mg/L
Total dissolved solids	MW-3N	1/7/2019	370	10		mg/L
Total dissolved solids	MW-3N	4/3/2019	350	10		mg/L
Total dissolved solids	MW-3N	7/11/2019	340	10		mg/L
Total dissolved solids	MW-3N	10/2/2019	380	10		mg/L
Total dissolved solids	MW-3N	1/15/2020	287	10		mg/L
Total dissolved solids	MW-3N	4/2/2020	285	10		mg/L
Total dissolved solids	MW-3N	7/7/2020	291	10		mg/L
Total dissolved solids	MW-3N	10/7/2020	294	10		mg/L
Total dissolved solids	MW-3N	1/13/2021	374	10		mg/L
Total dissolved solids	MW-3N	4/6/2021	334	10		mg/L
Total dissolved solids	MW-3N	7/5/2021	336	10		mg/L
Total dissolved solids	MW-3N	10/6/2021	314	10		mg/L
Total dissolved solids	MW-3N	1/11/2023	309	10		mg/L
Total dissolved solids	MW-7N	10/21/1997	215	10		mg/L
Total dissolved solids	MW-7N	1/21/1998	416	10		mg/L
Total dissolved solids	MW-7N	7/22/1998	445	10		mg/L
Total dissolved solids	MW-7N	8/18/1998	421	10		mg/L
Total dissolved solids	MW-7N	9/17/1998	507	10		mg/L
Total dissolved solids	MW-7N	10/15/1998	420	5		mg/L
Total dissolved solids	MW-7N	11/9/1998	434	5		mg/L
Total dissolved solids	MW-7N	1/14/1999	454	5		mg/L
Total dissolved solids	MW-7N	7/14/1999	527	5		mg/L
Total dissolved solids	MW-7N	10/19/1999	545	5		mg/L
Total dissolved solids	MW-7N	1/13/2000	496	5		mg/L
Total dissolved solids	MW-7N	4/25/2000	578	5		mg/L
Total dissolved solids	MW-7N	10/17/2000	573	5		mg/L
Total dissolved solids	MW-7N	1/23/2001	508	5		mg/L
Total dissolved solids	MW-7N	4/10/2001	500	5		mg/L
Total dissolved solids	MW-7N	7/9/2002	548	5		mg/L
Total dissolved solids	MW-7N	10/2/2002	310	5		mg/L
Total dissolved solids	MW-7N	10/2/2002	532	5		mg/L
Total dissolved solids	MW-7N	1/23/2003	465	5		mg/L
Total dissolved solids	MW-7N	4/14/2003	566	5		mg/L
Total dissolved solids	MW-7N	7/7/2003	508	5		mg/L
Total dissolved solids	MW-7N	1/27/2004	544	5		mg/L
Total dissolved solids	MW-7N	4/8/2004	546	5		mg/L
Total dissolved solids	MW-7N	7/26/2004	508	5		mg/L
Total dissolved solids	MW-7N	1/12/2005	479	5		mg/L
Total dissolved solids	MW-7N	7/19/2005	509	5		mg/L
Total dissolved solids	MW-7N	1/19/2006	470	5		mg/L
Total dissolved solids	MW-7N	7/19/2006	510	10		mg/L
Total dissolved solids	MW-7N	7/19/2006	510	10		mg/L
Total dissolved solids	MW-7N	10/24/2006	470	10		mg/L
Total dissolved solids	MW-7N	1/26/2007	450	10		mg/L
Total dissolved solids	MW-7N	7/10/2007	420	10		mg/L
Total dissolved solids	MW-7N	7/21/2008	310	10		mg/L
Total dissolved solids	MW-7N	2/6/2009	290	10		mg/L
Total dissolved solids	MW-7N	7/29/2009	310	10		mg/L
Total dissolved solids	MW-7N	1/26/2010	270	10		mg/L
Total dissolved solids	MW-7N	7/14/2010	270	10		mg/L
Total dissolved solids	MW-7N	1/20/2011	220	10		mg/L
Total dissolved solids	MW-7N	7/12/2011	220	10		mg/L
Total dissolved solids	MW-7N	1/5/2012	230	10		mg/L
Total dissolved solids	MW-7N	7/10/2012	230	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-7N	5/1/2013	380	10		mg/L
Total dissolved solids	MW-7N	6/4/2013	310	10		mg/L
Total dissolved solids	MW-7N	7/15/2013	200	10		mg/L
Total dissolved solids	MW-7N	1/30/2014	210	10		mg/L
Total dissolved solids	MW-7N	7/9/2014	200	10		mg/L
Total dissolved solids	MW-7N	2/12/2015	210	10		mg/L
Total dissolved solids	MW-7N	7/13/2015	200	10		mg/L
Total dissolved solids	MW-7N	1/5/2016	180	10		mg/L
Total dissolved solids	MW-7N	7/21/2016	230	10		mg/L
Total dissolved solids	MW-7N	1/11/2017	500	10		mg/L
Total dissolved solids	MW-7N	4/4/2017	400	10		mg/L
Total dissolved solids	MW-7N	7/19/2017	370	10		mg/L
Total dissolved solids	MW-7N	10/5/2017	390	10		mg/L
Total dissolved solids	MW-7N	1/25/2018	340	10		mg/L
Total dissolved solids	MW-7N	4/11/2018	350	10		mg/L
Total dissolved solids	MW-7N	7/13/2018	310	10		mg/L
Total dissolved solids	MW-7N	1/4/2019	340	10		mg/L
Total dissolved solids	MW-7N	7/10/2019	310	10		mg/L
Total dissolved solids	MW-7N	1/16/2020	279	10		mg/L
Total dissolved solids	MW-7N	7/7/2020	291	10		mg/L
Total dissolved solids	MW-7N	1/16/2021	326	10		mg/L
Total dissolved solids	MW-7N	7/5/2021	366	10		mg/L
Total dissolved solids	MW-7N	1/12/2022	343	10		mg/L
Total dissolved solids	MW-7N	7/10/2022	326	10		mg/L
Total dissolved solids	MW-7N	1/10/2023	315	10		mg/L
Total dissolved solids	MW-8N	10/21/1997	215	10		mg/L
Total dissolved solids	MW-8N	1/22/1998	337	10		mg/L
Total dissolved solids	MW-8N	4/28/1998	320	10		mg/L
Total dissolved solids	MW-8N	7/22/1998	323	10		mg/L
Total dissolved solids	MW-8N	1/12/1999	338	5		mg/L
Total dissolved solids	MW-8N	7/14/1999	335	5		mg/L
Total dissolved solids	MW-8N	10/19/1999	291	5		mg/L
Total dissolved solids	MW-8N	1/14/2000	360	5		mg/L
Total dissolved solids	MW-8N	4/25/2000	334	5		mg/L
Total dissolved solids	MW-8N	10/17/2000	257	5		mg/L
Total dissolved solids	MW-8N	1/23/2001	292	5		mg/L
Total dissolved solids	MW-8N	4/11/2001	297	5		mg/L
Total dissolved solids	MW-8N	7/9/2002	243	5		mg/L
Total dissolved solids	MW-8N	10/2/2002	231	5		mg/L
Total dissolved solids	MW-8N	10/2/2002	147	5		mg/L
Total dissolved solids	MW-8N	1/23/2003	233	5		mg/L
Total dissolved solids	MW-8N	4/14/2003	286	5		mg/L
Total dissolved solids	MW-8N	7/7/2003	232	5		mg/L
Total dissolved solids	MW-8N	1/28/2004	238	5		mg/L
Total dissolved solids	MW-8N	7/27/2004	314	5		mg/L
Total dissolved solids	MW-8N	1/12/2005	298	5		mg/L
Total dissolved solids	MW-8N	7/20/2005	337	5		mg/L
Total dissolved solids	MW-8N	1/19/2006	303	5		mg/L
Total dissolved solids	MW-8N	7/19/2006	320	10		mg/L
Total dissolved solids	MW-8N	7/19/2006	320	10		mg/L
Total dissolved solids	MW-8N	10/24/2006	320	10		mg/L
Total dissolved solids	MW-8N	1/26/2007	290	10		mg/L
Total dissolved solids	MW-8N	4/25/2007	290	10		mg/L
Total dissolved solids	MW-8N	7/10/2007	310	10		mg/L
Total dissolved solids	MW-8N	1/24/2008	270	10		mg/L
Total dissolved solids	MW-8N	7/23/2008	210	10		mg/L
Total dissolved solids	MW-8N	2/4/2009	170	10		mg/L
Total dissolved solids	MW-8N	7/31/2009	200	10		mg/L
Total dissolved solids	MW-8N	1/26/2010	180	10		mg/L
Total dissolved solids	MW-8N	7/16/2010	200	10		mg/L
Total dissolved solids	MW-8N	1/19/2011	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-8N	5/10/2011	230	10		mg/L
Total dissolved solids	MW-8N	7/14/2011	220	10		mg/L
Total dissolved solids	MW-8N	1/6/2012	200	10		mg/L
Total dissolved solids	MW-8N	4/5/2012	230	10		mg/L
Total dissolved solids	MW-8N	7/11/2012	200	10		mg/L
Total dissolved solids	MW-8N	10/3/2012	230	10		mg/L
Total dissolved solids	MW-8N	5/1/2013	210	10		mg/L
Total dissolved solids	MW-8N	6/4/2013	230	10		mg/L
Total dissolved solids	MW-8N	7/16/2013	210	10		mg/L
Total dissolved solids	MW-8N	10/2/2013	220	10		mg/L
Total dissolved solids	MW-8N	1/30/2014	220	10		mg/L
Total dissolved solids	MW-8N	4/3/2014	210	10		mg/L
Total dissolved solids	MW-8N	7/9/2014	230	10		mg/L
Total dissolved solids	MW-8N	10/8/2014	220	10		mg/L
Total dissolved solids	MW-8N	2/12/2015	230	10		mg/L
Total dissolved solids	MW-8N	4/1/2015	230	10		mg/L
Total dissolved solids	MW-8N	7/14/2015	240	10		mg/L
Total dissolved solids	MW-8N	10/5/2015	230	10		mg/L
Total dissolved solids	MW-8N	1/5/2016	230	10		mg/L
Total dissolved solids	MW-8N	4/6/2016	260	10		mg/L
Total dissolved solids	MW-8N	7/21/2016	260	10		mg/L
Total dissolved solids	MW-8N	10/6/2016	280	10		mg/L
Total dissolved solids	MW-8N	1/11/2017	310	10		mg/L
Total dissolved solids	MW-8N	4/4/2017	320	10		mg/L
Total dissolved solids	MW-8N	7/19/2017	310	10		mg/L
Total dissolved solids	MW-8N	10/6/2017	330	10		mg/L
Total dissolved solids	MW-8N	1/25/2018	320	10		mg/L
Total dissolved solids	MW-8N	4/10/2018	320	10		mg/L
Total dissolved solids	MW-8N	7/16/2018	330	10		mg/L
Total dissolved solids	MW-8N	10/2/2018	320	10		mg/L
Total dissolved solids	MW-8N	1/7/2019	320	10		mg/L
Total dissolved solids	MW-8N	4/3/2019	330	10		mg/L
Total dissolved solids	MW-8N	4/3/2019	330	10		mg/L
Total dissolved solids	MW-8N	7/11/2019	330	10		mg/L
Total dissolved solids	MW-8N	10/3/2019	310	10		mg/L
Total dissolved solids	MW-8N	1/15/2020	259	10		mg/L
Total dissolved solids	MW-8N	4/2/2020	272	10		mg/L
Total dissolved solids	MW-8N	7/9/2020	258	10		mg/L
Total dissolved solids	MW-8N	10/6/2020	273	10		mg/L
Total dissolved solids	MW-8N	1/15/2021	273	10		mg/L
Total dissolved solids	MW-8N	4/6/2021	274	10		mg/L
Total dissolved solids	MW-8N	7/5/2021	275	10		mg/L
Total dissolved solids	MW-8N	10/6/2021	275	10		mg/L
Total dissolved solids	MW-8N	1/18/2022	259	10		mg/L
Total dissolved solids	MW-8N	4/4/2022	266	10		mg/L
Total dissolved solids	MW-8N	7/12/2022	259	10		mg/L
Total dissolved solids	MW-8N	10/6/2022	272	10		mg/L
Total dissolved solids	MW-8N	1/11/2023	263	10		mg/L
Total dissolved solids	MW-8N	4/8/2023	259	10		mg/L
Total dissolved solids	NE-1	7/10/2002	329	5		mg/L
Total dissolved solids	NE-1	8/6/2002	333	5		mg/L
Total dissolved solids	NE-1	9/4/2002	331	5		mg/L
Total dissolved solids	NE-1	10/2/2002	211	5		mg/L
Total dissolved solids	NE-1	7/8/2003	242	5		mg/L
Total dissolved solids	NE-1	1/27/2004	217	5		mg/L
Total dissolved solids	NE-1	1/12/2005	226	5		mg/L
Total dissolved solids	NE-1	7/19/2006	210	10		mg/L
Total dissolved solids	NE-1	7/19/2006	210	10		mg/L
Total dissolved solids	NE-1	10/25/2006	190	10		mg/L
Total dissolved solids	NE-1	1/24/2007	200	10		mg/L
Total dissolved solids	NE-1	7/10/2007	220	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-1	1/24/2008	230	10		mg/L
Total dissolved solids	NE-1	7/21/2008	140	10		mg/L
Total dissolved solids	NE-1	2/7/2009	180	10		mg/L
Total dissolved solids	NE-1	7/31/2009	160	10		mg/L
Total dissolved solids	NE-1	1/26/2010	200	10		mg/L
Total dissolved solids	NE-1	7/14/2010	210	10		mg/L
Total dissolved solids	NE-1	1/19/2011	230	10		mg/L
Total dissolved solids	NE-1	7/13/2011	200	10		mg/L
Total dissolved solids	NE-1	1/5/2012	210	10		mg/L
Total dissolved solids	NE-1	7/10/2012	210	10		mg/L
Total dissolved solids	NE-1	4/30/2013	210	10		mg/L
Total dissolved solids	NE-1	7/16/2013	170	10		mg/L
Total dissolved solids	NE-1	1/23/2014	230	10		mg/L
Total dissolved solids	NE-1	7/9/2014	240	10		mg/L
Total dissolved solids	NE-1	2/11/2015	250	10		mg/L
Total dissolved solids	NE-1	7/8/2015	240	10		mg/L
Total dissolved solids	NE-1	1/6/2016	340	10		mg/L
Total dissolved solids	NE-1	7/20/2016	360	10		mg/L
Total dissolved solids	NE-1	1/11/2017	350	10		mg/L
Total dissolved solids	NE-1	7/19/2017	310	10		mg/L
Total dissolved solids	NE-1	1/24/2018	330	10		mg/L
Total dissolved solids	NE-1	4/11/2018	320	10		mg/L
Total dissolved solids	NE-1	7/18/2018	290	10		mg/L
Total dissolved solids	NE-1	10/2/2018	420	10		mg/L
Total dissolved solids	NE-1	1/4/2019	310	10		mg/L
Total dissolved solids	NE-1	4/2/2019	280	10		mg/L
Total dissolved solids	NE-1	7/10/2019	260	10		mg/L
Total dissolved solids	NE-1	7/10/2019	260	10		mg/L
Total dissolved solids	NE-1	10/2/2019	290	20		mg/L
Total dissolved solids	NE-1	1/15/2020	261	10		mg/L
Total dissolved solids	NE-1	4/2/2020	273	10		mg/L
Total dissolved solids	NE-1	7/8/2020	260	10		mg/L
Total dissolved solids	NE-1	10/7/2020	307	10		mg/L
Total dissolved solids	NE-1	1/13/2021	293	10		mg/L
Total dissolved solids	NE-1	4/9/2021	287	10		mg/L
Total dissolved solids	NE-1	7/2/2021	259	10		mg/L
Total dissolved solids	NE-1	10/6/2021	277	10		mg/L
Total dissolved solids	NE-1	1/17/2022	274	10		mg/L
Total dissolved solids	NE-1	4/6/2022	249	10		mg/L
Total dissolved solids	NE-1	7/13/2022	221	10		mg/L
Total dissolved solids	NE-1	10/6/2022	245	10		mg/L
Total dissolved solids	NE-1	1/5/2023	214	10		mg/L
Total dissolved solids	NE-1	4/7/2023	227	10		mg/L
Total dissolved solids	NE-10D	11/6/2019	160	10		mg/L
Total dissolved solids	NE-10D	1/16/2020	149	10		mg/L
Total dissolved solids	NE-10D	4/2/2020	155	10		mg/L
Total dissolved solids	NE-10D	7/8/2020	128	10		mg/L
Total dissolved solids	NE-10D	10/7/2020	132	10		mg/L
Total dissolved solids	NE-10D	1/13/2021	134	10		mg/L
Total dissolved solids	NE-10D	4/9/2021	136	10		mg/L
Total dissolved solids	NE-10D	7/2/2021	135	10		mg/L
Total dissolved solids	NE-10D	10/7/2021	121	10		mg/L
Total dissolved solids	NE-10D	1/6/2023	129	10		mg/L
Total dissolved solids	NE-10D	4/6/2023	149	10		mg/L
Total dissolved solids	NE-11	3/1/2017	290	10		mg/L
Total dissolved solids	NE-11	4/6/2017	300	10		mg/L
Total dissolved solids	NE-11	7/20/2017	270	10		mg/L
Total dissolved solids	NE-11	10/9/2017	250	10		mg/L
Total dissolved solids	NE-11	9/30/2019	210	10		mg/L
Total dissolved solids	NE-11	1/14/2020	285	10		mg/L
Total dissolved solids	NE-11	7/7/2020	279	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-11	1/16/2021	284	10		mg/L
Total dissolved solids	NE-11	1/16/2021	285	10		mg/L
Total dissolved solids	NE-11	7/1/2021	272	10		mg/L
Total dissolved solids	NE-11	7/1/2021	272	10		mg/L
Total dissolved solids	NE-11	1/17/2022	273	10		mg/L
Total dissolved solids	NE-11	1/17/2022	270	10		mg/L
Total dissolved solids	NE-11	7/12/2022	261	10		mg/L
Total dissolved solids	NE-11	1/6/2023	280	10		mg/L
Total dissolved solids	NE-12	3/1/2017	350	10		mg/L
Total dissolved solids	NE-12	4/6/2017	330	10		mg/L
Total dissolved solids	NE-12	7/20/2017	250	10		mg/L
Total dissolved solids	NE-12	10/6/2017	300	10		mg/L
Total dissolved solids	NE-12	8/5/2019	270	10		mg/L
Total dissolved solids	NE-12	1/13/2020	260	10		mg/L
Total dissolved solids	NE-12	7/7/2020	254	10		mg/L
Total dissolved solids	NE-12	1/15/2021	302	10		mg/L
Total dissolved solids	NE-12	1/15/2021	315	10		mg/L
Total dissolved solids	NE-12	7/1/2021	292	10		mg/L
Total dissolved solids	NE-12	7/1/2021	292	10		mg/L
Total dissolved solids	NE-12	1/17/2022	298	10		mg/L
Total dissolved solids	NE-12	1/17/2022	291	10		mg/L
Total dissolved solids	NE-12	7/12/2022	247	10		mg/L
Total dissolved solids	NE-12	1/6/2023	305	10		mg/L
Total dissolved solids	NE-13	2/5/2019	81	10		mg/L
Total dissolved solids	NE-13	8/7/2019	77	10		mg/L
Total dissolved solids	NE-13	1/15/2020	65	10		mg/L
Total dissolved solids	NE-13	7/8/2020	108	10		mg/L
Total dissolved solids	NE-13	1/17/2021	88	10		mg/L
Total dissolved solids	NE-13	1/17/2021	90	10		mg/L
Total dissolved solids	NE-13	7/1/2021	274	10		mg/L
Total dissolved solids	NE-13	7/1/2021	274	10		mg/L
Total dissolved solids	NE-14D	10/2/2019	310	10		mg/L
Total dissolved solids	NE-14D	1/16/2020	270	10		mg/L
Total dissolved solids	NE-14D	4/3/2020	305	10		mg/L
Total dissolved solids	NE-14D	7/7/2020	290	10		mg/L
Total dissolved solids	NE-14D	10/6/2020	319	10		mg/L
Total dissolved solids	NE-14D	1/17/2021	328	10		mg/L
Total dissolved solids	NE-14D	4/9/2021	319	10		mg/L
Total dissolved solids	NE-14D	7/2/2021	324	10		mg/L
Total dissolved solids	NE-14D	10/7/2021	333	10		mg/L
Total dissolved solids	NE-14D	1/18/2022	313	10		mg/L
Total dissolved solids	NE-14D	4/6/2022	330	10		mg/L
Total dissolved solids	NE-14D	7/13/2022	323	10		mg/L
Total dissolved solids	NE-14D	10/7/2022	337	10		mg/L
Total dissolved solids	NE-14D	1/6/2023	340	10		mg/L
Total dissolved solids	NE-14D	4/6/2023	345	10		mg/L
Total dissolved solids	NE-14S	10/2/2019	250	10		mg/L
Total dissolved solids	NE-14S	1/16/2020	125	10		mg/L
Total dissolved solids	NE-14S	4/3/2020	153	10		mg/L
Total dissolved solids	NE-14S	7/7/2020	182	10		mg/L
Total dissolved solids	NE-14S	10/6/2020	289	10		mg/L
Total dissolved solids	NE-14S	1/17/2021	242	10		mg/L
Total dissolved solids	NE-14S	4/9/2021	239	10		mg/L
Total dissolved solids	NE-14S	7/2/2021	204	10		mg/L
Total dissolved solids	NE-14S	10/7/2021	272	10		mg/L
Total dissolved solids	NE-14S	1/18/2022	232	10		mg/L
Total dissolved solids	NE-14S	4/6/2022	195	10		mg/L
Total dissolved solids	NE-14S	7/13/2022	236	10		mg/L
Total dissolved solids	NE-14S	10/7/2022	281	10		mg/L
Total dissolved solids	NE-14S	1/6/2023	243	10		mg/L
Total dissolved solids	NE-14S	4/6/2023	198	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-15D	9/30/2019	340	10		mg/L
Total dissolved solids	NE-15D	1/16/2020	285	10		mg/L
Total dissolved solids	NE-15D	4/3/2020	339	10		mg/L
Total dissolved solids	NE-15D	7/7/2020	308	10		mg/L
Total dissolved solids	NE-15D	10/6/2020	342	10		mg/L
Total dissolved solids	NE-15D	1/17/2021	346	10		mg/L
Total dissolved solids	NE-15D	4/9/2021	336	10		mg/L
Total dissolved solids	NE-15D	7/2/2021	342	10		mg/L
Total dissolved solids	NE-15D	10/7/2021	330	10		mg/L
Total dissolved solids	NE-15D	1/17/2022	323	10		mg/L
Total dissolved solids	NE-15D	4/6/2022	332	10		mg/L
Total dissolved solids	NE-15D	7/13/2022	348	10		mg/L
Total dissolved solids	NE-15D	10/7/2022	339	10		mg/L
Total dissolved solids	NE-15D	1/6/2023	336	10		mg/L
Total dissolved solids	NE-15D	4/6/2023	332	10		mg/L
Total dissolved solids	NE-15S	4/3/2020	421	10		mg/L
Total dissolved solids	NE-2	7/9/2002	468	5		mg/L
Total dissolved solids	NE-2	8/6/2002	281	5		mg/L
Total dissolved solids	NE-2	9/4/2002	273	5		mg/L
Total dissolved solids	NE-2	10/2/2002	201	5		mg/L
Total dissolved solids	NE-2	10/1/2013	340	10		mg/L
Total dissolved solids	NE-2	10/8/2014	330	10		mg/L
Total dissolved solids	NE-2	10/5/2015	280	10		mg/L
Total dissolved solids	NE-2	10/6/2016	280	10		mg/L
Total dissolved solids	NE-2	10/5/2017	310	10		mg/L
Total dissolved solids	NE-2	1/25/2018	330	10		mg/L
Total dissolved solids	NE-2	4/10/2018	240	10		mg/L
Total dissolved solids	NE-2	7/10/2018	380	10		mg/L
Total dissolved solids	NE-2	10/1/2018	480	10		mg/L
Total dissolved solids	NE-2	1/4/2019	290	10		mg/L
Total dissolved solids	NE-2	4/2/2019	380	10		mg/L
Total dissolved solids	NE-2	7/9/2019	280	10		mg/L
Total dissolved solids	NE-2	7/9/2019	280	10		mg/L
Total dissolved solids	NE-2	10/2/2019	240	10		mg/L
Total dissolved solids	NE-2	1/14/2020	222	10		mg/L
Total dissolved solids	NE-2	4/1/2020	235	10		mg/L
Total dissolved solids	NE-2	7/7/2020	331	10		mg/L
Total dissolved solids	NE-2	10/6/2020	250	10		mg/L
Total dissolved solids	NE-2	1/14/2021	284	10		mg/L
Total dissolved solids	NE-2	4/9/2021	286	10		mg/L
Total dissolved solids	NE-2	7/2/2021	276	10		mg/L
Total dissolved solids	NE-2	10/6/2021	257	10		mg/L
Total dissolved solids	NE-2	1/18/2022	258	10		mg/L
Total dissolved solids	NE-2	4/6/2022	247	10		mg/L
Total dissolved solids	NE-2	7/13/2022	265	10		mg/L
Total dissolved solids	NE-2	10/7/2022	247	10		mg/L
Total dissolved solids	NE-2	1/5/2023	346	10		mg/L
Total dissolved solids	NE-2	4/5/2023	329	10		mg/L
Total dissolved solids	NE-3	7/9/2002	481	5		mg/L
Total dissolved solids	NE-3	8/6/2002	533	5		mg/L
Total dissolved solids	NE-3	9/4/2002	522	5		mg/L
Total dissolved solids	NE-3	10/2/2002	380	5		mg/L
Total dissolved solids	NE-3	10/2/2002	574	5		mg/L
Total dissolved solids	NE-3	3/21/2018	200	10		mg/L
Total dissolved solids	NE-4	7/10/2002	534	5		mg/L
Total dissolved solids	NE-4	8/6/2002	10	5		mg/L
Total dissolved solids	NE-4	8/6/2002	452	5		mg/L
Total dissolved solids	NE-4	9/4/2002	422	5		mg/L
Total dissolved solids	NE-4	10/3/2002	465	5		mg/L
Total dissolved solids	NE-4	7/8/2003	423	5		mg/L
Total dissolved solids	NE-4	1/28/2004	494	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-4	1/13/2005	272	5		mg/L
Total dissolved solids	NE-4	8/1/2006	490	10		mg/L
Total dissolved solids	NE-4	8/1/2006	490	10		mg/L
Total dissolved solids	NE-4	10/25/2006	460	10		mg/L
Total dissolved solids	NE-4	1/24/2007	310	10		mg/L
Total dissolved solids	NE-4	7/12/2007	450	10		mg/L
Total dissolved solids	NE-4	1/24/2008	460	10		mg/L
Total dissolved solids	NE-4	7/21/2008	250	10		mg/L
Total dissolved solids	NE-4	2/7/2009	430	10		mg/L
Total dissolved solids	NE-4	7/31/2009	380	10		mg/L
Total dissolved solids	NE-4	1/26/2010	390	10		mg/L
Total dissolved solids	NE-4	7/14/2010	210	10		mg/L
Total dissolved solids	NE-4	1/19/2011	390	10		mg/L
Total dissolved solids	NE-4	7/13/2011	290	10		mg/L
Total dissolved solids	NE-4	1/5/2012	380	10		mg/L
Total dissolved solids	NE-4	7/10/2012	370	10		mg/L
Total dissolved solids	NE-4	4/30/2013	390	10		mg/L
Total dissolved solids	NE-4	7/16/2013	360	10		mg/L
Total dissolved solids	NE-4	1/23/2014	350	10		mg/L
Total dissolved solids	NE-4	7/9/2014	360	10		mg/L
Total dissolved solids	NE-4	2/13/2015	370	10		mg/L
Total dissolved solids	NE-4	7/8/2015	330	10		mg/L
Total dissolved solids	NE-4	1/6/2016	140	10		mg/L
Total dissolved solids	NE-4	7/20/2016	340	10		mg/L
Total dissolved solids	NE-4	1/11/2017	350	10		mg/L
Total dissolved solids	NE-4	7/19/2017	280	10		mg/L
Total dissolved solids	NE-4	1/26/2018	340	10		mg/L
Total dissolved solids	NE-4	4/10/2018	340	10		mg/L
Total dissolved solids	NE-4	7/12/2018	330	10		mg/L
Total dissolved solids	NE-4	10/3/2018	370	10		mg/L
Total dissolved solids	NE-4	1/7/2019	320	10		mg/L
Total dissolved solids	NE-4	4/2/2019	340	10		mg/L
Total dissolved solids	NE-4	7/8/2019	160	10		mg/L
Total dissolved solids	NE-4	7/8/2019	160	10		mg/L
Total dissolved solids	NE-4	10/1/2019	280	10		mg/L
Total dissolved solids	NE-4	1/13/2020	202	10		mg/L
Total dissolved solids	NE-4	4/1/2020	167	10		mg/L
Total dissolved solids	NE-4	7/6/2020	163	10		mg/L
Total dissolved solids	NE-4	10/5/2020	284	10		mg/L
Total dissolved solids	NE-4	1/15/2021	336	10		mg/L
Total dissolved solids	NE-4	4/9/2021	334	10		mg/L
Total dissolved solids	NE-4	7/2/2021	199	10		mg/L
Total dissolved solids	NE-4	10/6/2021	249	10		mg/L
Total dissolved solids	NE-4	1/5/2023	271	10		mg/L
Total dissolved solids	NE-4	4/6/2023	174	10		mg/L
Total dissolved solids	NE-5	7/9/2002	440	5		mg/L
Total dissolved solids	NE-5	8/6/2002	481	5		mg/L
Total dissolved solids	NE-5	9/4/2002	482	5		mg/L
Total dissolved solids	NE-5	10/2/2002	356	5		mg/L
Total dissolved solids	NE-5	7/8/2003	472	5		mg/L
Total dissolved solids	NE-5	1/27/2004	497	5		mg/L
Total dissolved solids	NE-5	1/12/2005	361	5		mg/L
Total dissolved solids	NE-5	7/19/2006	460	10		mg/L
Total dissolved solids	NE-5	7/19/2006	460	10		mg/L
Total dissolved solids	NE-5	10/25/2006	380	10		mg/L
Total dissolved solids	NE-5	1/24/2007	410	10		mg/L
Total dissolved solids	NE-5	7/12/2007	400	10		mg/L
Total dissolved solids	NE-5	7/22/2008	380	10		mg/L
Total dissolved solids	NE-5	2/6/2009	370	10		mg/L
Total dissolved solids	NE-5	7/31/2009	380	10		mg/L
Total dissolved solids	NE-5	1/26/2010	360	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-5	7/16/2010	380	10		mg/L
Total dissolved solids	NE-5	1/19/2011	380	10		mg/L
Total dissolved solids	NE-5	7/13/2011	370	10		mg/L
Total dissolved solids	NE-5	1/5/2012	380	10		mg/L
Total dissolved solids	NE-5	7/10/2012	380	10		mg/L
Total dissolved solids	NE-5	4/30/2013	380	10		mg/L
Total dissolved solids	NE-5	7/16/2013	380	10		mg/L
Total dissolved solids	NE-5	1/23/2014	380	10		mg/L
Total dissolved solids	NE-5	7/9/2014	370	10		mg/L
Total dissolved solids	NE-5	2/11/2015	370	10		mg/L
Total dissolved solids	NE-5	7/14/2015	370	10		mg/L
Total dissolved solids	NE-5	1/6/2016	390	10		mg/L
Total dissolved solids	NE-5	7/20/2016	380	10		mg/L
Total dissolved solids	NE-5	1/11/2017	370	10		mg/L
Total dissolved solids	NE-5	7/19/2017	350	10		mg/L
Total dissolved solids	NE-5	1/25/2018	350	10		mg/L
Total dissolved solids	NE-5	4/10/2018	380	10		mg/L
Total dissolved solids	NE-5	7/17/2018	360	10		mg/L
Total dissolved solids	NE-5	10/3/2018	580	10		mg/L
Total dissolved solids	NE-5	1/4/2019	350	10		mg/L
Total dissolved solids	NE-5	4/2/2019	370	10		mg/L
Total dissolved solids	NE-5	4/2/2019	370	10		mg/L
Total dissolved solids	NE-5	7/9/2019	350	10		mg/L
Total dissolved solids	NE-5	7/9/2019	350	10		mg/L
Total dissolved solids	NE-5	7/9/2019	360	10		mg/L
Total dissolved solids	NE-5	10/3/2019	360	10		mg/L
Total dissolved solids	NE-5	1/16/2020	313	10		mg/L
Total dissolved solids	NE-5	4/2/2020	317	10		mg/L
Total dissolved solids	NE-5	7/8/2020	295	10		mg/L
Total dissolved solids	NE-5	10/6/2020	320	10		mg/L
Total dissolved solids	NE-5	1/15/2021	342	10		mg/L
Total dissolved solids	NE-5	4/9/2021	335	10		mg/L
Total dissolved solids	NE-5	7/2/2021	323	10		mg/L
Total dissolved solids	NE-5	10/6/2021	294	10		mg/L
Total dissolved solids	NE-5	1/18/2022	330	10		mg/L
Total dissolved solids	NE-5	4/6/2022	359	10		mg/L
Total dissolved solids	NE-5	7/13/2022	336	10		mg/L
Total dissolved solids	NE-5	10/7/2022	328	10		mg/L
Total dissolved solids	NE-5	1/5/2023	356	10		mg/L
Total dissolved solids	NE-5	4/7/2023	352	10		mg/L
Total dissolved solids	NE-5E	9/30/2019	340	10		mg/L
Total dissolved solids	NE-5E	1/16/2020	279	10		mg/L
Total dissolved solids	NE-5E	4/1/2020	284	10		mg/L
Total dissolved solids	NE-5E	7/8/2020	244	10		mg/L
Total dissolved solids	NE-5E	10/6/2020	285	10		mg/L
Total dissolved solids	NE-5E	1/15/2021	297	10		mg/L
Total dissolved solids	NE-5E	4/9/2021	286	10		mg/L
Total dissolved solids	NE-5E	7/2/2021	286	10		mg/L
Total dissolved solids	NE-5E	10/6/2021	281	10		mg/L
Total dissolved solids	NE-5E	1/18/2022	263	10		mg/L
Total dissolved solids	NE-5E	4/6/2022	290	10		mg/L
Total dissolved solids	NE-5E	7/13/2022	380	10		mg/L
Total dissolved solids	NE-5E	10/7/2022	395	10		mg/L
Total dissolved solids	NE-5E	1/5/2023	349	10		mg/L
Total dissolved solids	NE-5E	4/7/2023	367	10		mg/L
Total dissolved solids	NE-5W	9/30/2019	380	10		mg/L
Total dissolved solids	NE-5W	1/16/2020	328	10		mg/L
Total dissolved solids	NE-5W	4/2/2020	359	10		mg/L
Total dissolved solids	NE-5W	7/8/2020	345	10		mg/L
Total dissolved solids	NE-5W	10/6/2020	366	10		mg/L
Total dissolved solids	NE-5W	1/15/2021	362	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-5W	4/9/2021	363	10		mg/L
Total dissolved solids	NE-5W	7/2/2021	371	10		mg/L
Total dissolved solids	NE-5W	10/6/2021	367	10		mg/L
Total dissolved solids	NE-5W	1/18/2022	350	10		mg/L
Total dissolved solids	NE-5W	4/6/2022	368	10		mg/L
Total dissolved solids	NE-5W	7/13/2022	365	10		mg/L
Total dissolved solids	NE-5W	10/7/2022	371	10		mg/L
Total dissolved solids	NE-5W	1/5/2023	359	10		mg/L
Total dissolved solids	NE-5W	4/7/2023	366	10		mg/L
Total dissolved solids	NE-6	1/12/2017	400	10		mg/L
Total dissolved solids	NE-6	4/5/2017	360	10		mg/L
Total dissolved solids	NE-6	7/19/2017	350	10		mg/L
Total dissolved solids	NE-6	10/6/2017	370	10		mg/L
Total dissolved solids	NE-6	2/4/2019	380	10		mg/L
Total dissolved solids	NE-6	8/6/2019	380	10		mg/L
Total dissolved solids	NE-6	1/15/2020	342	10		mg/L
Total dissolved solids	NE-6	7/9/2020	326	10		mg/L
Total dissolved solids	NE-6	1/16/2021	357	10		mg/L
Total dissolved solids	NE-6	1/16/2021	359	10		mg/L
Total dissolved solids	NE-6	7/1/2021	361	10		mg/L
Total dissolved solids	NE-6	7/1/2021	361	10		mg/L
Total dissolved solids	NE-6	1/17/2022	358	10		mg/L
Total dissolved solids	NE-6	1/17/2022	349	10		mg/L
Total dissolved solids	NE-6	7/12/2022	353	10		mg/L
Total dissolved solids	NE-6	1/5/2023	334	10		mg/L
Total dissolved solids	NE-6D	10/2/2019	430	10		mg/L
Total dissolved solids	NE-6D	1/15/2020	381	10		mg/L
Total dissolved solids	NE-6D	4/2/2020	379	10		mg/L
Total dissolved solids	NE-6D	7/9/2020	351	10		mg/L
Total dissolved solids	NE-6D	10/7/2020	373	10		mg/L
Total dissolved solids	NE-6D	1/15/2021	370	10		mg/L
Total dissolved solids	NE-6D	4/9/2021	364	10		mg/L
Total dissolved solids	NE-6D	7/2/2021	361	10		mg/L
Total dissolved solids	NE-6D	10/7/2021	348	10		mg/L
Total dissolved solids	NE-6D	1/17/2022	360	10		mg/L
Total dissolved solids	NE-6D	4/6/2022	344	10		mg/L
Total dissolved solids	NE-6D	7/12/2022	349	10		mg/L
Total dissolved solids	NE-6D	10/7/2022	357	10		mg/L
Total dissolved solids	NE-6D	1/5/2023	325	10		mg/L
Total dissolved solids	NE-6D	4/7/2023	334	10		mg/L
Total dissolved solids	NE-7	3/1/2017	340	10		mg/L
Total dissolved solids	NE-7	4/6/2017	230	10		mg/L
Total dissolved solids	NE-7	7/20/2017	220	10		mg/L
Total dissolved solids	NE-7	10/5/2017	230	10		mg/L
Total dissolved solids	NE-7	2/6/2019	350	10		mg/L
Total dissolved solids	NE-7	8/6/2019	190	10		mg/L
Total dissolved solids	NE-7	1/16/2020	189	10		mg/L
Total dissolved solids	NE-7	7/7/2020	153	10		mg/L
Total dissolved solids	NE-7	1/16/2021	265	10		mg/L
Total dissolved solids	NE-7	1/16/2021	259	10		mg/L
Total dissolved solids	NE-7	7/1/2021	189	10		mg/L
Total dissolved solids	NE-7	7/1/2021	189	10		mg/L
Total dissolved solids	NE-7	1/17/2022	210	10		mg/L
Total dissolved solids	NE-7	1/17/2022	209	10		mg/L
Total dissolved solids	NE-7	7/12/2022	185	10		mg/L
Total dissolved solids	NE-7	1/5/2023	198	10		mg/L
Total dissolved solids	NE-8	1/12/2017	240	10		mg/L
Total dissolved solids	NE-8	4/5/2017	240	10		mg/L
Total dissolved solids	NE-8	7/20/2017	340	10		mg/L
Total dissolved solids	NE-8	10/6/2017	360	10		mg/L
Total dissolved solids	NE-8	2/4/2019	290	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-8	8/5/2019	340	10		mg/L
Total dissolved solids	NE-8	1/15/2020	331	10		mg/L
Total dissolved solids	NE-8	7/8/2020	376	10		mg/L
Total dissolved solids	NE-8	1/13/2021	305	10		mg/L
Total dissolved solids	NE-8	1/13/2021	323	10		mg/L
Total dissolved solids	NE-8	4/9/2021	340	10		mg/L
Total dissolved solids	NE-8	7/1/2021	373	10		mg/L
Total dissolved solids	NE-8	7/1/2021	373	10		mg/L
Total dissolved solids	NE-8	7/1/2021	376	10		mg/L
Total dissolved solids	NE-8	10/7/2021	398	10		mg/L
Total dissolved solids	NE-8	1/6/2023	318	10		mg/L
Total dissolved solids	NE-9	1/12/2017	270	10		mg/L
Total dissolved solids	NE-9	4/5/2017	230	10		mg/L
Total dissolved solids	NE-9	7/20/2017	240	10		mg/L
Total dissolved solids	NE-9	10/5/2017	250	10		mg/L
Total dissolved solids	NE-9	2/5/2019	300	10		mg/L
Total dissolved solids	NE-9	8/7/2019	290	10		mg/L
Total dissolved solids	NE-9	1/15/2020	260	10		mg/L
Total dissolved solids	NE-9	7/7/2020	220	10		mg/L
Total dissolved solids	NE-9	1/17/2021	308	10		mg/L
Total dissolved solids	NE-9	1/17/2021	297	10		mg/L
Total dissolved solids	NE-9	7/1/2021	344	10		mg/L
Total dissolved solids	NE-9	7/1/2021	344	10		mg/L
Total dissolved solids	NE-9	1/17/2022	343	10		mg/L
Total dissolved solids	NE-9	1/17/2022	345	10		mg/L
Total dissolved solids	NE-9	7/13/2022	347	10		mg/L
Total dissolved solids	NE-9	1/6/2023	370	10		mg/L
Total dissolved solids	NE-9	4/8/2023	361	10		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	10/26/2006	2	1		mg/L
Total organic carbon (toc)	LGW-10	10/26/2006	2	1		mg/L
Total organic carbon (toc)	LGW-10	1/25/2007	2.5	1		mg/L
Total organic carbon (toc)	LGW-10	1/25/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	4/26/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	4/26/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2007	2.3	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2007	2.3	1		mg/L
Total organic carbon (toc)	LGW-10	1/23/2008	2	1		mg/L
Total organic carbon (toc)	LGW-10	1/23/2008	2	1		mg/L
Total organic carbon (toc)	LGW-10	7/22/2008	1.7	1		mg/L
Total organic carbon (toc)	LGW-10	7/22/2008	1.7	1		mg/L
Total organic carbon (toc)	LGW-10	7/29/2009	1.9	1		mg/L
Total organic carbon (toc)	LGW-10	7/29/2009	1.9	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2010	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2010	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/19/2011	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/19/2011	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2011	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2011	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2012	1.3	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2012	1.3	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2012	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2012	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	5/1/2013	2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-10	5/1/2013	2.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/30/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/30/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	2/12/2015	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-10	2/12/2015	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/13/2015	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/13/2015	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	4/6/2016	0.86	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/6/2016	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/21/2016	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/21/2016	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/6/2016	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/6/2016	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/11/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/11/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2017	2	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2017	1.8	1		mg/L
Total organic carbon (toc)	LGW-10	7/19/2017	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	10/9/2017	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/9/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/24/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/24/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	4/11/2018	1.3	1		mg/L
Total organic carbon (toc)	LGW-10	4/11/2018	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2018	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2018	1	1		mg/L
Total organic carbon (toc)	LGW-10	10/4/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/4/2018	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/4/2019	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/4/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/3/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/3/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/11/2019	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/11/2019	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/2/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/2/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/7/2020	1.17	1		mg/L
Total organic carbon (toc)	LGW-10	1/17/2021	1.47	1		mg/L
Total organic carbon (toc)	LGW-10	4/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/7/2021	1.37	1		mg/L
Total organic carbon (toc)	LGW-10	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/13/2022	1.04	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2022	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	7/11/2022	1.29	1		mg/L
Total organic carbon (toc)	LGW-10	10/7/2022	1.04	1		mg/L
Total organic carbon (toc)	LGW-10	1/11/2023	2.04	1		mg/L
Total organic carbon (toc)	LGW-10	4/5/2023	1.22	1		mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.92	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-14R	10/27/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	10/27/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/24/2007	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/24/2007	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/24/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2007	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2007	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2008	6.2	1		mg/L
Total organic carbon (toc)	LGW-14R	1/23/2008	6	1		mg/L
Total organic carbon (toc)	LGW-14R	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/6/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/6/2009	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/29/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/29/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/19/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/19/2011	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2011	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2011	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2012	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2012	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/30/2013	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/30/2013	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2014	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2014	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/8/2014	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/8/2014	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/11/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/11/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2016	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2016	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/19/2016	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/19/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/11/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/11/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/18/2017	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/18/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/25/2018	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/25/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/17/2018	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/17/2018	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/3/2019	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/3/2019	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/7/2021	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-14R	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	10/26/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	10/26/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/25/2007	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/25/2007	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/26/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/26/2007	0.19	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2007	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2007	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/26/2008	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/26/2008	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2009	5	5	ND	mg/L
Total organic carbon (toc)	LGW-2	7/30/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/19/2011	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/19/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/13/2011	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/13/2011	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/4/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/4/2012	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/9/2012	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/9/2012	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/30/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/30/2013	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/15/2013	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/15/2013	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/30/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/30/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2015	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2015	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2015	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/19/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/19/2016	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/11/2017	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/11/2017	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/18/2017	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/18/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/23/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-2	1/23/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-2	6/21/2018	3.2	1		mg/L
Total organic carbon (toc)	LGW-2	6/21/2018	3.3	1		mg/L
Total organic carbon (toc)	LGW-2	7/12/2018	1.7	1		mg/L
Total organic carbon (toc)	LGW-2	7/12/2018	1.7	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-2	1/3/2019	1.5	1		mg/L
Total organic carbon (toc)	LGW-2	1/3/2019	1.4	1		mg/L
Total organic carbon (toc)	LGW-2	7/9/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-2	7/9/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-2	1/13/2020	1.54	1		mg/L
Total organic carbon (toc)	LGW-2	1/13/2020	1.5	1		mg/L
Total organic carbon (toc)	LGW-2	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2020	1.39	1		mg/L
Total organic carbon (toc)	LGW-2	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/4/2021	1.13	1		mg/L
Total organic carbon (toc)	LGW-2	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	10/26/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	10/26/2006	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-3R	1/25/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	4/26/2007	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	4/26/2007	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/11/2007	1.4	1		mg/L
Total organic carbon (toc)	LGW-3R	7/11/2007	1.4	1		mg/L
Total organic carbon (toc)	LGW-3R	1/26/2008	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/26/2008	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-3R	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/31/2009	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/31/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2010	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2010	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/19/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/19/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/13/2011	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/13/2011	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/4/2012	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/4/2012	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2012	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/9/2012	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	4/30/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-3R	4/30/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-3R	7/15/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/15/2013	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/22/2014	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/22/2014	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/8/2014	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/8/2014	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/10/2015	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/10/2015	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2015	1.6	1		mg/L
Total organic carbon (toc)	LGW-3R	7/16/2015	1.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-3R	1/8/2016	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/8/2016	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/21/2016	1.5	1		mg/L
Total organic carbon (toc)	LGW-3R	7/21/2016	1.5	1		mg/L
Total organic carbon (toc)	LGW-3R	1/11/2017	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/11/2017	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/18/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/18/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/23/2018	1	1		mg/L
Total organic carbon (toc)	LGW-3R	1/23/2018	1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/11/2018	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/11/2018	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/3/2019	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/3/2019	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-4	10/26/2006	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	10/26/2006	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/25/2007	0.86	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/25/2007	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/26/2007	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/26/2007	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2007	0.95	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2007	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/22/2008	0.99	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/22/2008	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/23/2008	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-4	2/3/2009	0.95	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/31/2009	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/31/2009	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/16/2010	1	1		mg/L
Total organic carbon (toc)	LGW-4	7/16/2010	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/19/2011	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/19/2011	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/13/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/13/2011	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/4/2012	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/4/2012	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2012	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2012	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/30/2013	1	1		mg/L
Total organic carbon (toc)	LGW-4	4/30/2013	1.1	1		mg/L
Total organic carbon (toc)	LGW-4	7/15/2013	0.38	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-4	7/15/2013	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2014	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2014	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2014	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/11/2015	0.32	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/11/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2015	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/5/2016	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/19/2016	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/19/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/11/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/11/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/18/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/18/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2018	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2018	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2018	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2018	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/3/2019	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/3/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	10/26/2006	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-5	10/26/2006	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/25/2007	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/25/2007	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/26/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/26/2007	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/11/2007	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/11/2007	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2008	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/4/2009	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/4/2009	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/29/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/29/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2010	0.21	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2010	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/19/2011	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/19/2011	0.52	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-5	7/12/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2012	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2012	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2012	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/30/2013	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/30/2013	0.99	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/15/2013	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/15/2013	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2014	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/10/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/10/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2015	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2015	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/19/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/19/2016	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/11/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/11/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/18/2017	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/18/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-5	1/23/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-5	7/12/2018	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2018	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/3/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/3/2019	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2019	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2019	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/6/2021	1.19	1		mg/L
Total organic carbon (toc)	LGW-5	7/7/2021	1.23	1		mg/L
Total organic carbon (toc)	LGW-5	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/12/2022	1.19	1		mg/L
Total organic carbon (toc)	LGW-5	4/4/2022	1.12	1		mg/L
Total organic carbon (toc)	LGW-5	7/11/2022	1.36	1		mg/L
Total organic carbon (toc)	LGW-5	10/6/2022	1.26	1		mg/L
Total organic carbon (toc)	LGW-5	1/10/2023	1.55	1		mg/L
Total organic carbon (toc)	LGW-5	4/6/2023	1.48	1		mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/26/2006	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/26/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/24/2007	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/24/2007	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/26/2007	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/26/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2007	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2007	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2008	0.27	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-6	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/5/2009	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/5/2009	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/29/2009	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/29/2009	0.17	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/19/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/19/2011	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2011	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2012	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2012	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/30/2013	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/30/2013	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/15/2013	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/15/2013	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2014	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2014	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/8/2014	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/10/2015	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/10/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/22/2015	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/22/2015	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/19/2016	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/19/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2016	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2016	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/11/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/11/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-6	5/5/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-6	5/5/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/18/2017	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/18/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2018	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2018	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/10/2018	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/10/2018	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/17/2018	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/17/2018	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/2/2018	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/2/2018	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/7/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/7/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/3/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/3/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/10/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/10/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/3/2019	0.57	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-6	10/3/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/4/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/26/2006	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/26/2006	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2007	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2007	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/26/2007	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/26/2007	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2007	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2007	0.32	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/4/2009	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/4/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/27/2010	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/27/2010	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/20/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/20/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2011	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2011	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2012	0.22	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2012	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2012	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2012	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/30/2013	0.81	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/30/2013	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/15/2013	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/15/2013	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/23/2014	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/23/2014	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/8/2014	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/8/2014	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/11/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/11/2015	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2015	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2016	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2016	0.49	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-7	4/6/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/20/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/20/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/6/2016	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/6/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/4/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/4/2017	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/18/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/18/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2018	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2018	0.8	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/11/2018	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/11/2018	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/2/2018	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/2/2018	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/7/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/7/2019	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/3/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/3/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/3/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/3/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	10/26/2006	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	10/26/2006	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/24/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/24/2007	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/25/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/25/2007	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2007	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2007	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/4/2009	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/4/2009	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/29/2009	0.18	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/29/2009	0.18	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/27/2010	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/27/2010	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/14/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/14/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/20/2011	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/20/2011	0.34	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-8R	7/12/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2011	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2012	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2012	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/9/2012	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/9/2012	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/30/2013	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/30/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/15/2013	0.22	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/15/2013	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/22/2014	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/22/2014	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2014	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/11/2015	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/11/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/22/2015	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/22/2015	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2016	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2016	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2016	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/18/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/18/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/25/2018	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/25/2018	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/13/2018	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/13/2018	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/7/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/7/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/26/2006	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	10/26/2006	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	4/25/2007	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-9	4/25/2007	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/10/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/22/2008	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/22/2008	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-9	2/4/2009	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-9	2/4/2009	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/29/2009	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/29/2009	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/27/2010	0.82	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-9	1/27/2010	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/14/2010	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/14/2010	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/20/2011	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/20/2011	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/12/2011	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/12/2011	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2012	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/5/2012	0.83	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/10/2012	1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2012	0.99	1	ND	mg/L
Total organic carbon (toc)	LGW-9	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/15/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/15/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/23/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	1/23/2014	1	1		mg/L
Total organic carbon (toc)	LGW-9	7/8/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/8/2014	1	1		mg/L
Total organic carbon (toc)	LGW-9	2/11/2015	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	2/11/2015	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2015	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2015	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2016	1.6	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2016	1.6	1		mg/L
Total organic carbon (toc)	LGW-9	7/21/2016	2	1		mg/L
Total organic carbon (toc)	LGW-9	7/21/2016	2	1		mg/L
Total organic carbon (toc)	LGW-9	10/6/2016	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	10/6/2016	1.9	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2017	1.9	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2017	2	1		mg/L
Total organic carbon (toc)	LGW-9	5/5/2017	2.2	1		mg/L
Total organic carbon (toc)	LGW-9	5/5/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/18/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/18/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2017	2.6	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2017	2.5	1		mg/L
Total organic carbon (toc)	LGW-9	1/24/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-9	1/24/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-9	4/11/2018	3	1		mg/L
Total organic carbon (toc)	LGW-9	4/11/2018	3	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2018	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2018	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/2/2018	2.2	1		mg/L
Total organic carbon (toc)	LGW-9	10/2/2018	2.4	1		mg/L
Total organic carbon (toc)	LGW-9	1/7/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	1/7/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	4/3/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	4/3/2019	2.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	10/3/2019	1.7	1		mg/L
Total organic carbon (toc)	LGW-9	10/3/2019	1.7	1		mg/L
Total organic carbon (toc)	LGW-9	1/16/2020	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	1/16/2020	1.61	1		mg/L
Total organic carbon (toc)	LGW-9	4/2/2020	1.47	1		mg/L
Total organic carbon (toc)	LGW-9	4/2/2020	1.44	1		mg/L
Total organic carbon (toc)	LGW-9	7/9/2020	1.57	1		mg/L
Total organic carbon (toc)	LGW-9	10/7/2020	1.61	1		mg/L
Total organic carbon (toc)	LGW-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-9	4/6/2021	1.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-9	7/7/2021	1.54	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2021	1.13	1		mg/L
Total organic carbon (toc)	LGW-9	1/13/2022	1.19	1		mg/L
Total organic carbon (toc)	LGW-9	4/4/2022	1.33	1		mg/L
Total organic carbon (toc)	LGW-9	7/11/2022	1.44	1		mg/L
Total organic carbon (toc)	LGW-9	10/7/2022	1.29	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2023	2.61	1		mg/L
Total organic carbon (toc)	LGW-9	4/5/2023	1.39	1		mg/L
Total organic carbon (toc)	MW-10N	10/22/1997	66.6	2		mg/L
Total organic carbon (toc)	MW-10N	4/28/1998	36.2	1		mg/L
Total organic carbon (toc)	MW-10N	7/23/1998	12.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/14/1999	3.1	1		mg/L
Total organic carbon (toc)	MW-10N	7/15/1999	28.8	1		mg/L
Total organic carbon (toc)	MW-10N	10/20/1999	5.9	1		mg/L
Total organic carbon (toc)	MW-10N	1/14/2000	4.3	1		mg/L
Total organic carbon (toc)	MW-10N	4/25/2000	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.7	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.7	1		mg/L
Total organic carbon (toc)	MW-10N	10/25/2006	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	10/25/2006	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2007	6.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2007	6.2	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2007	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2007	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/23/2008	3.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/23/2008	3.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2008	4.1	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2008	4	1		mg/L
Total organic carbon (toc)	MW-10N	2/13/2009	5.5	1		mg/L
Total organic carbon (toc)	MW-10N	2/13/2009	5.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/31/2009	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/31/2009	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	1/27/2010	5.8	1		mg/L
Total organic carbon (toc)	MW-10N	1/27/2010	5.9	1		mg/L
Total organic carbon (toc)	MW-10N	8/10/2010	5.6	1		mg/L
Total organic carbon (toc)	MW-10N	8/10/2010	5.7	1		mg/L
Total organic carbon (toc)	MW-10N	1/19/2011	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/19/2011	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2011	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2011	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	1/5/2012	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/5/2012	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2012	5	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2012	5	1		mg/L
Total organic carbon (toc)	MW-10N	5/1/2013	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	5/1/2013	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2014	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2014	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2014	3.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2014	3.6	1		mg/L
Total organic carbon (toc)	MW-10N	2/12/2015	3.7	1		mg/L
Total organic carbon (toc)	MW-10N	2/12/2015	3.7	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2015	3.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2015	3.8	1		mg/L
Total organic carbon (toc)	MW-10N	1/6/2016	4.9	1		mg/L
Total organic carbon (toc)	MW-10N	1/6/2016	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2016	4.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2016	4.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/11/2017	4.5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-10N	1/11/2017	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2017	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2017	4.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2018	5.1	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2018	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	7/11/2018	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/11/2018	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	1/3/2019	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	1/3/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/16/2020	4.37	1		mg/L
Total organic carbon (toc)	MW-10N	1/16/2020	4.21	1		mg/L
Total organic carbon (toc)	MW-10N	7/8/2020	4.58	1		mg/L
Total organic carbon (toc)	MW-10N	1/13/2021	4.42	1		mg/L
Total organic carbon (toc)	MW-10N	7/5/2021	4.59	1		mg/L
Total organic carbon (toc)	MW-10N	1/11/2023	4.81	1		mg/L
Total organic carbon (toc)	MW-11N	10/22/1997	52.8	2		mg/L
Total organic carbon (toc)	MW-11N	4/28/1998	38.6	1		mg/L
Total organic carbon (toc)	MW-11N	7/23/1998	17.8	1		mg/L
Total organic carbon (toc)	MW-11N	1/13/1999	11.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/14/1999	14.2	1		mg/L
Total organic carbon (toc)	MW-11N	10/20/1999	12.5	1		mg/L
Total organic carbon (toc)	MW-11N	1/13/2000	8.6	1		mg/L
Total organic carbon (toc)	MW-11N	4/25/2000	14.9	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-11N	10/25/2006	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-11N	10/25/2006	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/24/2007	3.8	1		mg/L
Total organic carbon (toc)	MW-11N	1/24/2007	3.9	1		mg/L
Total organic carbon (toc)	MW-11N	7/10/2007	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/10/2007	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/22/2008	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/22/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2009	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2009	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/16/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/16/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/19/2011	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/19/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2011	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2011	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/4/2012	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/4/2012	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2012	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2012	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-11N	4/30/2013	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-11N	4/30/2013	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/15/2013	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/15/2013	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-11N	1/23/2014	0.2	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2014	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/8/2014	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/8/2014	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2015	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/5/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/21/2016	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/21/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/11/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/11/2017	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/19/2017	0.16	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/19/2017	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2018	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2018	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/17/2018	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/17/2018	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/2/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/2/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	6/5/2015	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-15	6/5/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/15/2015	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/15/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-15	8/5/2015	1	1		mg/L
Total organic carbon (toc)	MW-15	8/5/2015	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-15	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-15	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-15	1/7/2016	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/7/2016	0.92	1	ND	mg/L
Total organic carbon (toc)	MW-15	4/5/2016	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-15	4/5/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/20/2016	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/20/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-15	10/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-15	10/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2017	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/18/2017	1	1		mg/L
Total organic carbon (toc)	MW-15	7/18/2017	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/23/2018	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/23/2018	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/10/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/10/2018	0.93	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/3/2019	0.82	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/9/2019	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/9/2019	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/14/2020	1.31	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-15	1/14/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-15	4/1/2020	1.55	1		mg/L
Total organic carbon (toc)	MW-15	8/3/2020	1	1		mg/L
Total organic carbon (toc)	MW-15	1/18/2021	1.03	1		mg/L
Total organic carbon (toc)	MW-15	7/4/2021	1.63	1		mg/L
Total organic carbon (toc)	MW-15	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/12/2022	1.18	1		mg/L
Total organic carbon (toc)	MW-15	7/10/2022	1.34	1		mg/L
Total organic carbon (toc)	MW-15	10/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2023	1.25	1		mg/L
Total organic carbon (toc)	MW-15	4/5/2023	1.26	1		mg/L
Total organic carbon (toc)	MW-16	6/5/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-16	6/5/2015	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/16/2015	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/16/2015	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/5/2015	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/5/2015	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-16	9/3/2015	1.7	1		mg/L
Total organic carbon (toc)	MW-16	9/3/2015	1.7	1		mg/L
Total organic carbon (toc)	MW-16	1/8/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-16	1/8/2016	1.7	1		mg/L
Total organic carbon (toc)	MW-16	4/5/2016	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-16	4/5/2016	0.5	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/21/2016	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/21/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-16	10/5/2016	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-16	10/5/2016	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2017	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/18/2017	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/18/2017	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/23/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/23/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/11/2018	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/11/2018	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/2/2019	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/2/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/4/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	6/5/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-17	6/5/2015	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/15/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/15/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-17	8/4/2015	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-17	8/4/2015	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	9/2/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-17	9/2/2015	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-17	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-17	4/5/2016	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-17	4/5/2016	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/20/2016	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/20/2016	0.64	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-17	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-17	10/6/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-17	1/10/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/10/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/18/2017	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/18/2017	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/23/2018	1	1		mg/L
Total organic carbon (toc)	MW-17	1/23/2018	1	1		mg/L
Total organic carbon (toc)	MW-17	7/10/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-17	7/10/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/3/2019	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/11/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/11/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/14/2020	1.16	1		mg/L
Total organic carbon (toc)	MW-17	1/14/2020	1.02	1		mg/L
Total organic carbon (toc)	MW-17	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/4/2021	1.85	1		mg/L
Total organic carbon (toc)	MW-17	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/10/2023	3.54	1		mg/L
Total organic carbon (toc)	MW-17	4/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	6/5/2015	1	1		mg/L
Total organic carbon (toc)	MW-19	6/5/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	7/16/2015	1.4	1		mg/L
Total organic carbon (toc)	MW-19	7/16/2015	1.5	1		mg/L
Total organic carbon (toc)	MW-19	8/5/2015	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-19	8/5/2015	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-19	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-19	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-19	4/5/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	4/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/21/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/21/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	10/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-19	10/5/2016	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/10/2017	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/10/2017	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/18/2017	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/18/2017	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/23/2018	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/23/2018	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/13/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/13/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/7/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/7/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/11/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/11/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/14/2020	1.24	1		mg/L
Total organic carbon (toc)	MW-19	1/14/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-19	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/4/2021	1.09	1		mg/L
Total organic carbon (toc)	MW-19	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/22/1997	5.2	1		mg/L
Total organic carbon (toc)	MW-1N	4/28/1998	20.3	1		mg/L
Total organic carbon (toc)	MW-1N	7/23/1998	9.1	1		mg/L
Total organic carbon (toc)	MW-1N	10/14/1998	13.5	1		mg/L
Total organic carbon (toc)	MW-1N	1/13/1999	2.1	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-1N	7/15/1999	4.4	1		mg/L
Total organic carbon (toc)	MW-1N	10/19/1999	16.5	1		mg/L
Total organic carbon (toc)	MW-1N	1/14/2000	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	4/25/2000	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2007	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2007	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2007	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2007	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2008	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2008	0.33	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/5/2009	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/5/2009	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/31/2009	0.19	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2010	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2010	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/20/2011	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/20/2011	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2011	1.6	1		mg/L
Total organic carbon (toc)	MW-1N	7/13/2011	1.6	1		mg/L
Total organic carbon (toc)	MW-1N	1/5/2012	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/5/2012	0.99	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2012	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2012	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-1N	5/1/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	5/1/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/16/2013	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/16/2013	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2014	0.21	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2014	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/9/2014	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/9/2014	0.28	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/14/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/14/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-1N	1/6/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	1/6/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/21/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/12/2017	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/12/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/19/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/19/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2018	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2018	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2018	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2018	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/3/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/3/2019	0.21	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2019	0.54	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-1N	7/11/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2020	1.12	1		mg/L
Total organic carbon (toc)	MW-1N	1/23/2020	1.09	1		mg/L
Total organic carbon (toc)	MW-1N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/4/2021	1.14	1		mg/L
Total organic carbon (toc)	MW-1N	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	6/5/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-20	6/5/2015	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/14/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/14/2015	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-20	8/4/2015	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-20	8/4/2015	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-20	9/2/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-20	9/2/2015	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/7/2016	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/7/2016	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-20	4/5/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	4/5/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/20/2016	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/20/2016	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-20	10/5/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-20	10/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/12/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/12/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/18/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/18/2017	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/26/2018	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/26/2018	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/12/2018	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/12/2018	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/11/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/11/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/4/2021	1.25	1		mg/L
Total organic carbon (toc)	MW-20	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	6/5/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	6/5/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	7/14/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	7/14/2015	2.8	1		mg/L
Total organic carbon (toc)	MW-21	8/4/2015	2.5	1		mg/L
Total organic carbon (toc)	MW-21	8/4/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	9/2/2015	2.2	1		mg/L
Total organic carbon (toc)	MW-21	9/2/2015	2.2	1		mg/L
Total organic carbon (toc)	MW-21	1/7/2016	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/7/2016	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-21	4/5/2016	2.1	1		mg/L
Total organic carbon (toc)	MW-21	4/5/2016	2.1	1		mg/L
Total organic carbon (toc)	MW-21	7/20/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/20/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-21	10/5/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-21	10/5/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-21	10/5/2016	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-21	10/5/2016	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/10/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-21	1/10/2017	1.4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-21	4/5/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	4/5/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/19/2017	1.9	1		mg/L
Total organic carbon (toc)	MW-21	7/19/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2017	2	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2017	2	1		mg/L
Total organic carbon (toc)	MW-21	1/24/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-21	1/24/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-21	4/11/2018	4	1		mg/L
Total organic carbon (toc)	MW-21	4/11/2018	3.9	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2018	2	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2018	2	1		mg/L
Total organic carbon (toc)	MW-21	10/4/2018	1.5	1		mg/L
Total organic carbon (toc)	MW-21	10/4/2018	1.4	1		mg/L
Total organic carbon (toc)	MW-21	1/3/2019	2.9	1		mg/L
Total organic carbon (toc)	MW-21	1/3/2019	2.8	1		mg/L
Total organic carbon (toc)	MW-21	4/3/2019	2.2	1		mg/L
Total organic carbon (toc)	MW-21	4/3/2019	2.3	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2019	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2019	1.7	1		mg/L
Total organic carbon (toc)	MW-21	10/2/2019	2.1	1		mg/L
Total organic carbon (toc)	MW-21	10/2/2019	2	1		mg/L
Total organic carbon (toc)	MW-21	1/16/2020	1.67	1		mg/L
Total organic carbon (toc)	MW-21	1/16/2020	1.82	1		mg/L
Total organic carbon (toc)	MW-21	4/2/2020	1.43	1		mg/L
Total organic carbon (toc)	MW-21	4/2/2020	1.44	1		mg/L
Total organic carbon (toc)	MW-21	7/8/2020	1.19	1		mg/L
Total organic carbon (toc)	MW-21	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/13/2021	1.37	1		mg/L
Total organic carbon (toc)	MW-21	4/6/2021	1.04	1		mg/L
Total organic carbon (toc)	MW-21	7/5/2021	1.68	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/11/2023	1.6	1		mg/L
Total organic carbon (toc)	MW-21	4/8/2023	1.68	1		mg/L
Total organic carbon (toc)	MW-2N	10/22/1997	12.6	1		mg/L
Total organic carbon (toc)	MW-2N	4/28/1998	14	1		mg/L
Total organic carbon (toc)	MW-2N	7/22/1998	5.1	1		mg/L
Total organic carbon (toc)	MW-2N	1/13/1999	1	1		mg/L
Total organic carbon (toc)	MW-2N	7/14/1999	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/20/1999	1.2	1		mg/L
Total organic carbon (toc)	MW-2N	1/14/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	4/25/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2007	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2007	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/11/2007	0.45	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/11/2007	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2008	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/4/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/4/2009	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/31/2009	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/31/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2010	0.27	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-2N	1/26/2010	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/20/2011	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/20/2011	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2011	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/10/2012	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/10/2012	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-2N	5/1/2013	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-2N	5/1/2013	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/16/2013	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/16/2013	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2014	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2014	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/9/2014	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/9/2014	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/12/2015	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/12/2015	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/14/2015	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/14/2015	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/21/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/21/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2017	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2017	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2018	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/12/2018	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/12/2018	0.33	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/3/2019	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/3/2019	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	8/7/2019	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	8/7/2019	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/21/1997	5.7	1		mg/L
Total organic carbon (toc)	MW-3N	4/28/1998	8.7	1		mg/L
Total organic carbon (toc)	MW-3N	7/23/1998	6.3	1		mg/L
Total organic carbon (toc)	MW-3N	1/13/1999	4.7	1		mg/L
Total organic carbon (toc)	MW-3N	7/14/1999	2.8	1		mg/L
Total organic carbon (toc)	MW-3N	10/20/1999	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/14/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/24/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/25/2006	6.4	1		mg/L
Total organic carbon (toc)	MW-3N	10/25/2006	6.2	1		mg/L
Total organic carbon (toc)	MW-3N	1/26/2007	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2007	0.32	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-3N	7/11/2007	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2007	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2008	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2008	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/4/2009	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/4/2009	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/31/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/31/2009	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2010	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2010	0.18	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/20/2011	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/20/2011	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2011	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2011	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/5/2012	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/5/2012	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2012	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2012	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	5/1/2013	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-3N	5/1/2013	0.95	1	ND	mg/L
Total organic carbon (toc)	MW-3N	6/4/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	6/4/2013	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/16/2013	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/16/2013	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2014	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/9/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/9/2014	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/12/2015	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/12/2015	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/1/2015	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/1/2015	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/5/2015	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/5/2015	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/6/2016	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/6/2016	0.99	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2016	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/21/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/21/2016	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/6/2016	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/4/2017	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/4/2017	1	1		mg/L
Total organic carbon (toc)	MW-3N	7/19/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/9/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/9/2017	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2018	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/10/2018	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/10/2018	0.9	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2018	0.8	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-3N	7/13/2018	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/3/2018	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/3/2018	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/7/2019	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/7/2019	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/3/2019	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/3/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2019	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2019	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/2/2019	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/2/2019	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/5/2021	1.3	1		mg/L
Total organic carbon (toc)	MW-3N	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2023	1	1		mg/L
Total organic carbon (toc)	MW-7N	10/21/1997	2.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/22/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	8/18/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	9/17/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/15/1998	54.8	4		mg/L
Total organic carbon (toc)	MW-7N	11/9/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/14/1999	4.4	1		mg/L
Total organic carbon (toc)	MW-7N	7/14/1999	4	1		mg/L
Total organic carbon (toc)	MW-7N	10/19/1999	2.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/13/2000	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	4/25/2000	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2004	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2007	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2007	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2007	0.87	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2007	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/6/2009	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/6/2009	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/29/2009	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/29/2009	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2010	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2010	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/14/2010	1	1		mg/L
Total organic carbon (toc)	MW-7N	7/14/2010	1.1	1		mg/L
Total organic carbon (toc)	MW-7N	1/20/2011	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/20/2011	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/12/2011	0.9	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/12/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2012	0.85	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-7N	7/10/2012	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	5/1/2013	1.5	1		mg/L
Total organic carbon (toc)	MW-7N	5/1/2013	1.5	1		mg/L
Total organic carbon (toc)	MW-7N	6/4/2013	1	1		mg/L
Total organic carbon (toc)	MW-7N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-7N	7/15/2013	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/15/2013	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/30/2014	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/30/2014	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/9/2014	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/9/2014	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/12/2015	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/12/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/13/2015	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/13/2015	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2016	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2016	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2016	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/11/2017	2.1	1		mg/L
Total organic carbon (toc)	MW-7N	1/11/2017	2.1	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2017	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2017	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/25/2018	1.7	1		mg/L
Total organic carbon (toc)	MW-7N	1/25/2018	1.7	1		mg/L
Total organic carbon (toc)	MW-7N	4/11/2018	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	4/11/2018	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/13/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	7/13/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	1/4/2019	1.6	1		mg/L
Total organic carbon (toc)	MW-7N	1/4/2019	1.6	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2019	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2019	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2020	1.32	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-7N	7/7/2020	1.45	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2021	1.56	1		mg/L
Total organic carbon (toc)	MW-7N	7/5/2021	2.19	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2021	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/12/2022	2.06	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2022	1.71	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2022	1.85	1		mg/L
Total organic carbon (toc)	MW-7N	10/6/2022	2.02	1		mg/L
Total organic carbon (toc)	MW-7N	1/10/2023	1.68	1		mg/L
Total organic carbon (toc)	MW-8N	10/21/1997	7.7	1		mg/L
Total organic carbon (toc)	MW-8N	4/28/1998	5.8	1		mg/L
Total organic carbon (toc)	MW-8N	7/22/1998	3.5	1		mg/L
Total organic carbon (toc)	MW-8N	1/12/1999	3.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/1999	4	1		mg/L
Total organic carbon (toc)	MW-8N	10/19/1999	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/14/2000	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2000	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/24/2006	1.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-8N	10/24/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2007	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2007	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2007	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2007	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/10/2007	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	7/10/2007	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	1/24/2008	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/24/2008	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/23/2008	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/23/2008	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/4/2009	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	2/4/2009	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/31/2009	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/31/2009	1	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2010	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2010	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2010	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/16/2010	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-8N	1/19/2011	1	1		mg/L
Total organic carbon (toc)	MW-8N	1/19/2011	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	5/10/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	5/10/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/6/2012	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/6/2012	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/5/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	4/5/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2013	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/16/2013	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	10/2/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/30/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-8N	1/30/2014	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/3/2014	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/3/2014	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/9/2014	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/9/2014	1	1		mg/L
Total organic carbon (toc)	MW-8N	10/8/2014	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-8N	10/8/2014	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/12/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/12/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/1/2015	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/1/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/14/2015	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2015	1	1		mg/L
Total organic carbon (toc)	MW-8N	10/5/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	10/5/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2016	1.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-8N	7/21/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	7/21/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	4/4/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/4/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2017	1.5	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2017	1.5	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	MW-8N	1/25/2018	2	1		mg/L
Total organic carbon (toc)	MW-8N	1/25/2018	2.1	1		mg/L
Total organic carbon (toc)	MW-8N	4/10/2018	2.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/10/2018	2.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2018	2	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/7/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/7/2019	2	1		mg/L
Total organic carbon (toc)	MW-8N	4/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/3/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/11/2019	2	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2020	1.78	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2020	1.67	1		mg/L
Total organic carbon (toc)	MW-8N	4/2/2020	1.68	1		mg/L
Total organic carbon (toc)	MW-8N	4/2/2020	1.68	1		mg/L
Total organic carbon (toc)	MW-8N	7/9/2020	1.98	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2020	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2021	2.23	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2021	1.76	1		mg/L
Total organic carbon (toc)	MW-8N	7/5/2021	2.04	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2021	1.91	1		mg/L
Total organic carbon (toc)	MW-8N	1/18/2022	1.59	1		mg/L
Total organic carbon (toc)	MW-8N	4/4/2022	2.15	1		mg/L
Total organic carbon (toc)	MW-8N	7/12/2022	1.71	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2022	1.47	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2023	1.66	1		mg/L
Total organic carbon (toc)	MW-8N	4/8/2023	1.77	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.79	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.79	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-1	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2007	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/10/2007	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2007	1	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2008	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2008	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	2/7/2009	0.24	1	ND	mg/L
Total organic carbon (toc)	NE-1	2/7/2009	0.28	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/31/2009	2.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-1	7/31/2009	2.2	1		mg/L
Total organic carbon (toc)	NE-1	1/26/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/26/2010	0.71	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/14/2010	18	1		mg/L
Total organic carbon (toc)	NE-1	7/14/2010	19	1		mg/L
Total organic carbon (toc)	NE-1	1/19/2011	25	1		mg/L
Total organic carbon (toc)	NE-1	1/19/2011	25	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2011	3.9	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2011	4	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2012	12	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2012	12	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2012	4.9	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2012	5	1		mg/L
Total organic carbon (toc)	NE-1	4/30/2013	0.99	1	ND	mg/L
Total organic carbon (toc)	NE-1	4/30/2013	1	1		mg/L
Total organic carbon (toc)	NE-1	7/16/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-1	7/16/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-1	1/23/2014	9.3	1		mg/L
Total organic carbon (toc)	NE-1	1/23/2014	9	1		mg/L
Total organic carbon (toc)	NE-1	7/9/2014	3.3	1		mg/L
Total organic carbon (toc)	NE-1	7/9/2014	3.3	1		mg/L
Total organic carbon (toc)	NE-1	2/11/2015	1.3	1		mg/L
Total organic carbon (toc)	NE-1	2/11/2015	1.3	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2015	8.4	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2015	8.5	1		mg/L
Total organic carbon (toc)	NE-1	1/6/2016	6.3	1		mg/L
Total organic carbon (toc)	NE-1	1/6/2016	6.5	1		mg/L
Total organic carbon (toc)	NE-1	7/20/2016	5.7	1		mg/L
Total organic carbon (toc)	NE-1	7/20/2016	5.4	1		mg/L
Total organic carbon (toc)	NE-1	1/11/2017	3.1	1		mg/L
Total organic carbon (toc)	NE-1	1/11/2017	3.1	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2017	1.3	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2018	1.6	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2018	1.6	1		mg/L
Total organic carbon (toc)	NE-1	4/11/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-1	4/11/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-1	7/18/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/18/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2018	1.3	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	1/4/2019	0.97	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/4/2019	0.94	1	ND	mg/L
Total organic carbon (toc)	NE-1	4/2/2019	1.3	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2019	1.3	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	1/15/2020	1.2	1		mg/L
Total organic carbon (toc)	NE-1	1/15/2020	1.27	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2020	1.16	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2020	1.14	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2020	1.34	1		mg/L
Total organic carbon (toc)	NE-1	10/7/2020	1.37	1		mg/L
Total organic carbon (toc)	NE-1	1/13/2021	1.15	1		mg/L
Total organic carbon (toc)	NE-1	4/9/2021	1.28	1		mg/L
Total organic carbon (toc)	NE-1	7/2/2021	1.47	1		mg/L
Total organic carbon (toc)	NE-1	10/6/2021	1.26	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-1	1/17/2022	1.22	1		mg/L
Total organic carbon (toc)	NE-1	4/6/2022	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2022	1.41	1		mg/L
Total organic carbon (toc)	NE-1	10/6/2022	1.83	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2023	1.6	1		mg/L
Total organic carbon (toc)	NE-1	4/7/2023	1.19	1		mg/L
Total organic carbon (toc)	NE-10D	11/6/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	11/6/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/6/2023	5.35	1		mg/L
Total organic carbon (toc)	NE-10D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	3/1/2017	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-11	3/1/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-11	4/6/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-11	4/6/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/20/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/20/2017	0.54	1	ND	mg/L
Total organic carbon (toc)	NE-11	10/9/2017	0.68	1	ND	mg/L
Total organic carbon (toc)	NE-11	10/9/2017	0.68	1	ND	mg/L
Total organic carbon (toc)	NE-11	9/30/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	NE-11	9/30/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	3/1/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-12	3/1/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-12	4/6/2017	2.6	1		mg/L
Total organic carbon (toc)	NE-12	4/6/2017	2.6	1		mg/L
Total organic carbon (toc)	NE-12	7/20/2017	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-12	7/20/2017	0.85	1	ND	mg/L
Total organic carbon (toc)	NE-12	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-12	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-12	8/5/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	8/5/2019	0.35	1	ND	mg/L
Total organic carbon (toc)	NE-12	1/13/2020	1.3	1		mg/L
Total organic carbon (toc)	NE-12	1/13/2020	1.26	1		mg/L
Total organic carbon (toc)	NE-12	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	1/15/2021	1.77	1		mg/L
Total organic carbon (toc)	NE-12	1/15/2021	1.99	1		mg/L
Total organic carbon (toc)	NE-12	7/1/2021	1.4	1		mg/L
Total organic carbon (toc)	NE-12	7/1/2021	1.4	1		mg/L
Total organic carbon (toc)	NE-12	1/17/2022	1.34	1		mg/L
Total organic carbon (toc)	NE-12	1/17/2022	1.32	1		mg/L
Total organic carbon (toc)	NE-12	7/12/2022	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-12	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	2/5/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-13	2/5/2019	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-13	8/7/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-13	8/7/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-13	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	7/8/2020	1.6	1		mg/L
Total organic carbon (toc)	NE-13	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	7/1/2021	9.92	1		mg/L
Total organic carbon (toc)	NE-13	7/1/2021	9.92	1		mg/L
Total organic carbon (toc)	NE-14D	10/2/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/2/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/2/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/2/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	9/30/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-15D	9/30/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/2/2021	1.04	1		mg/L
Total organic carbon (toc)	NE-15D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/17/2022	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-15D	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-2	10/1/2013	3.6	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-2	10/8/2014	2.8	1		mg/L
Total organic carbon (toc)	NE-2	10/8/2014	2.7	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2015	3	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2015	2.9	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2016	3	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2016	3	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2017	6.9	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2017	7	1		mg/L
Total organic carbon (toc)	NE-2	1/25/2018	4	1		mg/L
Total organic carbon (toc)	NE-2	1/25/2018	4.1	1		mg/L
Total organic carbon (toc)	NE-2	4/10/2018	3.6	1		mg/L
Total organic carbon (toc)	NE-2	4/10/2018	3.6	1		mg/L
Total organic carbon (toc)	NE-2	7/10/2018	3.4	1		mg/L
Total organic carbon (toc)	NE-2	7/10/2018	3.2	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2018	3.1	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2018	3.1	1		mg/L
Total organic carbon (toc)	NE-2	1/4/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	1/4/2019	3.5	1		mg/L
Total organic carbon (toc)	NE-2	4/2/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	4/2/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	10/2/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	10/2/2019	3.1	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2020	2.3	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2020	2.4	1		mg/L
Total organic carbon (toc)	NE-2	4/1/2020	3.32	1		mg/L
Total organic carbon (toc)	NE-2	4/1/2020	3.3	1		mg/L
Total organic carbon (toc)	NE-2	7/7/2020	2.81	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2020	1.11	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2021	4.79	1		mg/L
Total organic carbon (toc)	NE-2	4/9/2021	4.2	1		mg/L
Total organic carbon (toc)	NE-2	7/2/2021	3.5	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2021	1.06	1		mg/L
Total organic carbon (toc)	NE-2	1/18/2022	4.15	1		mg/L
Total organic carbon (toc)	NE-2	4/6/2022	3.45	1		mg/L
Total organic carbon (toc)	NE-2	7/13/2022	1.76	1		mg/L
Total organic carbon (toc)	NE-2	10/7/2022	1.26	1		mg/L
Total organic carbon (toc)	NE-2	1/5/2023	4.27	1		mg/L
Total organic carbon (toc)	NE-2	4/5/2023	3.84	1		mg/L
Total organic carbon (toc)	NE-3	3/21/2018	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-3	3/21/2018	0.7	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/24/2007	1.2	1		mg/L
Total organic carbon (toc)	NE-4	1/24/2007	1.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-4	7/12/2007	1.4	1		mg/L
Total organic carbon (toc)	NE-4	7/12/2007	1.4	1		mg/L
Total organic carbon (toc)	NE-4	1/24/2008	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/24/2008	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/21/2008	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/21/2008	0.59	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/7/2009	0.17	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/7/2009	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/31/2009	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/31/2009	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2010	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/14/2010	24	1		mg/L
Total organic carbon (toc)	NE-4	7/14/2010	24	1		mg/L
Total organic carbon (toc)	NE-4	1/19/2011	17	1		mg/L
Total organic carbon (toc)	NE-4	1/19/2011	17	1		mg/L
Total organic carbon (toc)	NE-4	7/13/2011	2.2	1		mg/L
Total organic carbon (toc)	NE-4	7/13/2011	2.2	1		mg/L
Total organic carbon (toc)	NE-4	1/5/2012	14	1		mg/L
Total organic carbon (toc)	NE-4	1/5/2012	14	1		mg/L
Total organic carbon (toc)	NE-4	7/10/2012	5.6	1		mg/L
Total organic carbon (toc)	NE-4	7/10/2012	5.6	1		mg/L
Total organic carbon (toc)	NE-4	4/30/2013	1.5	1		mg/L
Total organic carbon (toc)	NE-4	4/30/2013	1.5	1		mg/L
Total organic carbon (toc)	NE-4	7/16/2013	1.3	1		mg/L
Total organic carbon (toc)	NE-4	7/16/2013	1.3	1		mg/L
Total organic carbon (toc)	NE-4	1/23/2014	4.8	1		mg/L
Total organic carbon (toc)	NE-4	1/23/2014	5	1		mg/L
Total organic carbon (toc)	NE-4	7/9/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/9/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/13/2015	0.5	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/13/2015	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2015	2.7	1		mg/L
Total organic carbon (toc)	NE-4	7/8/2015	2.7	1		mg/L
Total organic carbon (toc)	NE-4	1/6/2016	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/6/2016	0.85	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/20/2016	1.5	1		mg/L
Total organic carbon (toc)	NE-4	7/20/2016	1.5	1		mg/L
Total organic carbon (toc)	NE-4	1/11/2017	1.8	1		mg/L
Total organic carbon (toc)	NE-4	1/11/2017	1.8	1		mg/L
Total organic carbon (toc)	NE-4	7/19/2017	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/19/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2018	0.81	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2018	0.81	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/10/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-4	4/10/2018	1.3	1		mg/L
Total organic carbon (toc)	NE-4	7/12/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/12/2018	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/3/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/3/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/7/2019	0.39	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/7/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/2/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/1/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/1/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/13/2020	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-4	1/13/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/6/2020	1.09	1		mg/L
Total organic carbon (toc)	NE-4	10/5/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/2/2021	1.12	1		mg/L
Total organic carbon (toc)	NE-4	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.77	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.77	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/24/2007	0.85	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/12/2007	2.2	1		mg/L
Total organic carbon (toc)	NE-5	7/12/2007	2.2	1		mg/L
Total organic carbon (toc)	NE-5	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/6/2009	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/6/2009	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/31/2009	5.4	1		mg/L
Total organic carbon (toc)	NE-5	7/31/2009	5.2	1		mg/L
Total organic carbon (toc)	NE-5	1/26/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/26/2010	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/16/2010	72	2		mg/L
Total organic carbon (toc)	NE-5	7/16/2010	73	2		mg/L
Total organic carbon (toc)	NE-5	1/19/2011	18	1		mg/L
Total organic carbon (toc)	NE-5	1/19/2011	18	1		mg/L
Total organic carbon (toc)	NE-5	7/13/2011	6	1		mg/L
Total organic carbon (toc)	NE-5	7/13/2011	6.1	1		mg/L
Total organic carbon (toc)	NE-5	1/5/2012	11	1		mg/L
Total organic carbon (toc)	NE-5	1/5/2012	11	1		mg/L
Total organic carbon (toc)	NE-5	7/10/2012	2.1	1		mg/L
Total organic carbon (toc)	NE-5	7/10/2012	2.2	1		mg/L
Total organic carbon (toc)	NE-5	4/30/2013	2	1		mg/L
Total organic carbon (toc)	NE-5	4/30/2013	2	1		mg/L
Total organic carbon (toc)	NE-5	7/16/2013	3.4	1		mg/L
Total organic carbon (toc)	NE-5	7/16/2013	3.4	1		mg/L
Total organic carbon (toc)	NE-5	1/23/2014	1.4	1		mg/L
Total organic carbon (toc)	NE-5	1/23/2014	1.3	1		mg/L
Total organic carbon (toc)	NE-5	7/9/2014	1.2	1		mg/L
Total organic carbon (toc)	NE-5	7/9/2014	1.2	1		mg/L
Total organic carbon (toc)	NE-5	2/11/2015	0.87	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/11/2015	0.9	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/14/2015	2	1		mg/L
Total organic carbon (toc)	NE-5	7/14/2015	1.9	1		mg/L
Total organic carbon (toc)	NE-5	1/6/2016	32	1		mg/L
Total organic carbon (toc)	NE-5	1/6/2016	33	1		mg/L
Total organic carbon (toc)	NE-5	7/20/2016	20	1		mg/L
Total organic carbon (toc)	NE-5	7/20/2016	20	1		mg/L
Total organic carbon (toc)	NE-5	1/11/2017	3.6	1		mg/L
Total organic carbon (toc)	NE-5	1/11/2017	3.6	1		mg/L
Total organic carbon (toc)	NE-5	7/19/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/25/2018	0.92	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/25/2018	0.88	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-5	4/10/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/10/2018	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/17/2018	0.56	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/17/2018	0.39	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2018	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/4/2019	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/4/2019	0.38	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	0.36	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	0.36	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2019	2.1	1		mg/L
Total organic carbon (toc)	NE-5	10/3/2019	2.1	1		mg/L
Total organic carbon (toc)	NE-5	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/7/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	9/30/2019	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-5E	9/30/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/13/2022	1.31	1		mg/L
Total organic carbon (toc)	NE-5E	10/7/2022	1.24	1		mg/L
Total organic carbon (toc)	NE-5E	1/5/2023	1.02	1		mg/L
Total organic carbon (toc)	NE-5E	4/7/2023	1.18	1		mg/L
Total organic carbon (toc)	NE-5W	9/30/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	NE-5W	9/30/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/8/2020	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-5W	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	10/7/2022	1.03	1		mg/L
Total organic carbon (toc)	NE-5W	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/7/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-6	1/12/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-6	1/12/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-6	4/5/2017	1.5	1		mg/L
Total organic carbon (toc)	NE-6	4/5/2017	1.5	1		mg/L
Total organic carbon (toc)	NE-6	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-6	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-6	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-6	10/6/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-6	2/4/2019	1.5	1		mg/L
Total organic carbon (toc)	NE-6	2/4/2019	1.5	1		mg/L
Total organic carbon (toc)	NE-6	8/6/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-6	8/6/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-6	1/15/2020	1.14	1		mg/L
Total organic carbon (toc)	NE-6	1/15/2020	1.15	1		mg/L
Total organic carbon (toc)	NE-6	7/9/2020	1.12	1		mg/L
Total organic carbon (toc)	NE-6	1/16/2021	1.12	1		mg/L
Total organic carbon (toc)	NE-6	1/16/2021	1.14	1		mg/L
Total organic carbon (toc)	NE-6	7/1/2021	1.63	1		mg/L
Total organic carbon (toc)	NE-6	7/1/2021	1.63	1		mg/L
Total organic carbon (toc)	NE-6	1/17/2022	1.19	1		mg/L
Total organic carbon (toc)	NE-6	1/17/2022	1.26	1		mg/L
Total organic carbon (toc)	NE-6	7/12/2022	1.35	1		mg/L
Total organic carbon (toc)	NE-6	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-6D	10/2/2019	2	1		mg/L
Total organic carbon (toc)	NE-6D	10/2/2019	2	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2020	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2020	1.98	1		mg/L
Total organic carbon (toc)	NE-6D	4/2/2020	1.92	1		mg/L
Total organic carbon (toc)	NE-6D	4/2/2020	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	7/9/2020	1.95	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2020	1.83	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2021	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	4/9/2021	1.97	1		mg/L
Total organic carbon (toc)	NE-6D	7/2/2021	2.15	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2021	1.45	1		mg/L
Total organic carbon (toc)	NE-6D	1/17/2022	1.71	1		mg/L
Total organic carbon (toc)	NE-6D	4/6/2022	1.63	1		mg/L
Total organic carbon (toc)	NE-6D	7/12/2022	2	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2022	2.06	1		mg/L
Total organic carbon (toc)	NE-6D	1/5/2023	1.59	1		mg/L
Total organic carbon (toc)	NE-6D	4/7/2023	1.61	1		mg/L
Total organic carbon (toc)	NE-7	3/1/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	3/1/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	4/6/2017	0.7	1	ND	mg/L
Total organic carbon (toc)	NE-7	4/6/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/20/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/20/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-7	10/5/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-7	10/5/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-7	2/6/2019	0.93	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-7	2/6/2019	0.91	1	ND	mg/L
Total organic carbon (toc)	NE-7	8/6/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-7	8/6/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/12/2022	1.05	1		mg/L
Total organic carbon (toc)	NE-7	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	1/12/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-8	1/12/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-8	4/5/2017	1.4	1		mg/L
Total organic carbon (toc)	NE-8	4/5/2017	1.4	1		mg/L
Total organic carbon (toc)	NE-8	7/20/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-8	7/20/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	2/4/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	2/4/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	8/5/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	8/5/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	1/15/2020	1.17	1		mg/L
Total organic carbon (toc)	NE-8	1/15/2020	1.24	1		mg/L
Total organic carbon (toc)	NE-8	7/8/2020	1.32	1		mg/L
Total organic carbon (toc)	NE-8	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	4/9/2021	1.28	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.75	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.75	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.74	1		mg/L
Total organic carbon (toc)	NE-8	10/7/2021	1.1	1		mg/L
Total organic carbon (toc)	NE-8	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/12/2017	0.33	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/12/2017	0.33	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/5/2017	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/5/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/20/2017	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/20/2017	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-9	10/5/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	NE-9	10/5/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-9	2/5/2019	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-9	2/5/2019	0.63	1	ND	mg/L
Total organic carbon (toc)	NE-9	8/7/2019	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-9	8/7/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/1/2021	1.07	1		mg/L
Total organic carbon (toc)	NE-9	7/1/2021	1.07	1		mg/L
Total organic carbon (toc)	NE-9	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/8/2023	1.08	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-10	1/26/2006	1	1	ND	ug/L
Total xylenes	LGW-10	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-10	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-10	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-10	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-10	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-10	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-10	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-10	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-10	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-10	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-10	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-10	7/16/2010	1	1	ND	ug/L
Total xylenes	LGW-10	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-10	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-10	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-10	5/1/2013	1	1	ND	ug/L
Total xylenes	LGW-10	1/30/2014	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2014	1	1	ND	ug/L
Total xylenes	LGW-10	2/12/2015	1	1	ND	ug/L
Total xylenes	LGW-10	7/13/2015	1	1	ND	ug/L
Total xylenes	LGW-10	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-10	4/6/2016	1	1	ND	ug/L
Total xylenes	LGW-10	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-10	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-10	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-10	4/4/2017	1	1	ND	ug/L
Total xylenes	LGW-10	7/19/2017	1	1	ND	ug/L
Total xylenes	LGW-10	10/9/2017	1	1	ND	ug/L
Total xylenes	LGW-10	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-10	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-10	7/16/2018	1	1	ND	ug/L
Total xylenes	LGW-10	10/4/2018	1	1	ND	ug/L
Total xylenes	LGW-10	1/4/2019	1	1	ND	ug/L
Total xylenes	LGW-10	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-10	7/11/2019	1	1	ND	ug/L
Total xylenes	LGW-10	10/2/2019	1	1	ND	ug/L
Total xylenes	LGW-10	1/15/2020	1	1	ND	ug/L
Total xylenes	LGW-10	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-10	10/7/2020	1	1	ND	ug/L
Total xylenes	LGW-10	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-10	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-10	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-10	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-10	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-10	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-10	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-10	10/7/2022	1	1	ND	ug/L
Total xylenes	LGW-10	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-10	4/5/2023	1	1	ND	ug/L
Total xylenes	LGW-14R	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	8/2/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	8/2/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	10/27/2006	2	2	ND	ug/L
Total xylenes	LGW-14R	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	4/24/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-14R	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-14R	2/6/2009	1	1	ND	ug/L
Total xylenes	LGW-14R	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-14R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-14R	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-14R	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-14R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-14R	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-14R	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-14R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-14R	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-14R	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-14R	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-14R	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-14R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-14R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-14R	1/25/2018	1	1	ND	ug/L
Total xylenes	LGW-14R	7/17/2018	1	1	ND	ug/L
Total xylenes	LGW-14R	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-14R	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-14R	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-14R	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-14R	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-14R	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-14R	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-14R	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-14R	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-2	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-2	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-2	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-2	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-2	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-2	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-2	7/10/2007	1	1	ND	ug/L
Total xylenes	LGW-2	1/26/2008	1	1	ND	ug/L
Total xylenes	LGW-2	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-2	2/6/2009	1	1	ND	ug/L
Total xylenes	LGW-2	7/30/2009	1	1	ND	ug/L
Total xylenes	LGW-2	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-2	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-2	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-2	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-2	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-2	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-2	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-2	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-2	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-2	1/30/2014	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-2	2/13/2015	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-2	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-2	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-2	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-2	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-2	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-2	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-2	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-2	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-2	1/13/2020	1	1	ND	ug/L
Total xylenes	LGW-2	4/1/2020	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2020	1	1	ND	ug/L
Total xylenes	LGW-2	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-2	7/4/2021	1	1	ND	ug/L
Total xylenes	LGW-2	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-2	7/10/2022	1	1	ND	ug/L
Total xylenes	LGW-2	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-3R	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-3R	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	1/26/2008	1	1	ND	ug/L
Total xylenes	LGW-3R	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2009	1	1	ND	ug/L
Total xylenes	LGW-3R	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	7/16/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-3R	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-3R	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-3R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-3R	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-3R	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-3R	1/22/2014	1	1	ND	ug/L
Total xylenes	LGW-3R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-3R	2/10/2015	1	1	ND	ug/L
Total xylenes	LGW-3R	7/16/2015	1	1	ND	ug/L
Total xylenes	LGW-3R	1/8/2016	1	1	ND	ug/L
Total xylenes	LGW-3R	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-3R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-3R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-3R	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-3R	7/11/2018	1	1	ND	ug/L
Total xylenes	LGW-3R	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-3R	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-3R	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-3R	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-3R	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-3R	7/6/2021	1	1	ND	ug/L
Total xylenes	LGW-3R	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-3R	7/10/2022	1	1	ND	ug/L
Total xylenes	LGW-3R	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-4	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-4	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-4	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-4	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-4	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-4	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-4	1/22/2008	1	1	ND	ug/L
Total xylenes	LGW-4	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2009	1	1	ND	ug/L
Total xylenes	LGW-4	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-4	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-4	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-4	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-4	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-4	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-4	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-4	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-4	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-4	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-4	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-4	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-4	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-4	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-4	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-4	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-4	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2018	1	1	ND	ug/L
Total xylenes	LGW-4	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-4	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-4	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-4	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-4	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-4	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-4	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-4	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-5	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-5	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-5	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-5	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-5	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-5	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-5	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-5	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-5	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-5	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-5	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-5	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-5	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-5	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-5	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-5	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-5	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-5	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-5	2/10/2015	1	1	ND	ug/L
Total xylenes	LGW-5	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-5	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-5	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-5	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-5	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-5	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-5	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-5	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-5	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-5	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-5	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-5	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-5	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-5	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-5	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-5	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-5	10/6/2022	1	1	ND	ug/L
Total xylenes	LGW-5	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-6	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-6	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-6	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-6	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-6	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-6	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-6	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-6	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-6	2/5/2009	1	1	ND	ug/L
Total xylenes	LGW-6	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-6	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-6	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-6	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-6	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-6	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-6	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-6	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-6	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-6	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-6	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-6	2/10/2015	1	1	ND	ug/L
Total xylenes	LGW-6	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-6	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-6	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-6	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-6	5/5/2017	1	1	ND	ug/L
Total xylenes	LGW-6	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-6	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-6	4/10/2018	1	1	ND	ug/L
Total xylenes	LGW-6	7/17/2018	1	1	ND	ug/L
Total xylenes	LGW-6	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-6	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-6	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-6	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-6	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-6	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-6	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-6	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2020	1	1	ND	ug/L
Total xylenes	LGW-6	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-6	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-6	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-6	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-6	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-6	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-6	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2022	1	1	ND	ug/L
Total xylenes	LGW-6	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-6	4/6/2023	1	1	ND	ug/L
Total xylenes	LGW-7	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-7	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-7	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-7	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-7	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-7	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-7	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-7	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-7	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-7	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-7	1/20/2011	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-7	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-7	7/10/2012	1	1	ND	ug/L
Total xylenes	LGW-7	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-7	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-7	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-7	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-7	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-7	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-7	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-7	4/6/2016	1	1	ND	ug/L
Total xylenes	LGW-7	7/20/2016	1	1	ND	ug/L
Total xylenes	LGW-7	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-7	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-7	4/4/2017	1	1	ND	ug/L
Total xylenes	LGW-7	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-7	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-7	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-7	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-7	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-7	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-7	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-7	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-7	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-7	1/15/2020	1	1	ND	ug/L
Total xylenes	LGW-7	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-7	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-7	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-7	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-7	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-7	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-7	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-8R	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-8R	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	4/25/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-8R	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-8R	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-8R	7/14/2010	1	1	ND	ug/L
Total xylenes	LGW-8R	1/20/2011	1	1	ND	ug/L
Total xylenes	LGW-8R	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-8R	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-8R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-8R	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-8R	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-8R	1/22/2014	1	1	ND	ug/L
Total xylenes	LGW-8R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-8R	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-8R	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-8R	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2016	1	1	ND	ug/L
Total xylenes	LGW-8R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-8R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-8R	1/25/2018	1	1	ND	ug/L
Total xylenes	LGW-8R	7/13/2018	1	1	ND	ug/L
Total xylenes	LGW-8R	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-8R	7/8/2019	1	1	ND	ug/L
Total xylenes	LGW-8R	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-8R	7/7/2020	1	1	ND	ug/L
Total xylenes	LGW-8R	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-8R	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-8R	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-8R	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-8R	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-9	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-9	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-9	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-9	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-9	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-9	4/25/2007	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2007	1	1	ND	ug/L
Total xylenes	LGW-9	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-9	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-9	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-9	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-9	7/14/2010	1	1	ND	ug/L
Total xylenes	LGW-9	1/20/2011	1	1	ND	ug/L
Total xylenes	LGW-9	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-9	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2012	1	1	ND	ug/L
Total xylenes	LGW-9	5/1/2013	1	1	ND	ug/L
Total xylenes	LGW-9	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-9	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-9	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-9	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-9	7/13/2015	1	1	ND	ug/L
Total xylenes	LGW-9	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-9	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-9	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-9	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-9	5/5/2017	1	1	ND	ug/L
Total xylenes	LGW-9	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-9	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-9	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-9	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-9	7/13/2018	1	1	ND	ug/L
Total xylenes	LGW-9	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-9	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-9	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-9	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-9	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-9	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-9	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-9	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-9	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-9	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-9	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-9	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-9	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-9	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-9	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-9	10/7/2022	1	1	ND	ug/L
Total xylenes	LGW-9	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-9	4/5/2023	1	1	ND	ug/L
Total xylenes	MW-10N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-10N	1/22/1998	10	10	ND	ug/L
Total xylenes	MW-10N	4/28/1998	0.81	21		ug/L
Total xylenes	MW-10N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-10N	1/14/1999	10	10	ND	ug/L
Total xylenes	MW-10N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-10N	7/15/1999	10	10	ND	ug/L
Total xylenes	MW-10N	10/20/1999	0.32	10		ug/L
Total xylenes	MW-10N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-10N	4/25/2000	0.37	10		ug/L
Total xylenes	MW-10N	7/11/2000	1	1	ND	ug/L
Total xylenes	MW-10N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-10N	4/10/2001	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2002	1	1	ND	ug/L
Total xylenes	MW-10N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-10N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-10N	4/15/2003	1	1	ND	ug/L
Total xylenes	MW-10N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-10N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-10N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-10N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-10N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-10N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-10N	1/24/2007	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-10N	1/23/2008	1	1	ND	ug/L
Total xylenes	MW-10N	7/21/2008	1	1	ND	ug/L
Total xylenes	MW-10N	2/13/2009	0.49	1	ND	ug/L
Total xylenes	MW-10N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-10N	1/27/2010	1	1	ND	ug/L
Total xylenes	MW-10N	8/10/2010	1	1	ND	ug/L
Total xylenes	MW-10N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-10N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-10N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-10N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-10N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-10N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-10N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-10N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-10N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-10N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-10N	7/11/2018	1	1	ND	ug/L
Total xylenes	MW-10N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-10N	7/9/2019	1	1	ND	ug/L
Total xylenes	MW-10N	1/16/2020	1	1	ND	ug/L
Total xylenes	MW-10N	7/8/2020	1	1	ND	ug/L
Total xylenes	MW-10N	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-10N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-10N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-11N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-11N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-11N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-11N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-11N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-11N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-11N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-11N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-11N	1/13/2000	10	10	ND	ug/L
Total xylenes	MW-11N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-11N	7/10/2000	1	1	ND	ug/L
Total xylenes	MW-11N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-11N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-11N	4/10/2001	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-11N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-11N	4/15/2003	1	1	ND	ug/L
Total xylenes	MW-11N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-11N	1/29/2004	1	1	ND	ug/L
Total xylenes	MW-11N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-11N	1/13/2005	1	1	ND	ug/L
Total xylenes	MW-11N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-11N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-11N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-11N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-11N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-11N	1/24/2007	1	1	ND	ug/L
Total xylenes	MW-11N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-11N	1/22/2008	1	1	ND	ug/L
Total xylenes	MW-11N	7/23/2008	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2009	1	1	ND	ug/L
Total xylenes	MW-11N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2010	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2010	1	1	ND	ug/L
Total xylenes	MW-11N	7/16/2010	1	1	ND	ug/L
Total xylenes	MW-11N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-11N	1/4/2012	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2012	1	1	ND	ug/L
Total xylenes	MW-11N	4/30/2013	1	1	ND	ug/L
Total xylenes	MW-11N	7/15/2013	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2014	1	1	ND	ug/L
Total xylenes	MW-11N	7/8/2014	1	1	ND	ug/L
Total xylenes	MW-11N	2/10/2015	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2015	1	1	ND	ug/L
Total xylenes	MW-11N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-11N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-11N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-11N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-11N	7/17/2018	1	1	ND	ug/L
Total xylenes	MW-11N	1/2/2019	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2019	1	1	ND	ug/L
Total xylenes	MW-11N	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-11N	7/6/2020	1	1	ND	ug/L
Total xylenes	MW-11N	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-11N	7/6/2021	1	1	ND	ug/L
Total xylenes	MW-11N	1/18/2022	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2022	1	1	ND	ug/L
Total xylenes	MW-11N	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-15	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-15	7/15/2015	1	1	ND	ug/L
Total xylenes	MW-15	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-15	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-15	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-15	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-15	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-15	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-15	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-15	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-15	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-15	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-15	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-15	7/9/2019	1	1	ND	ug/L
Total xylenes	MW-15	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-15	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-15	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-15	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-15	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-15	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-15	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-16	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-16	7/16/2015	1	1	ND	ug/L
Total xylenes	MW-16	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-16	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-16	1/8/2016	1	1	ND	ug/L
Total xylenes	MW-16	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-16	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-16	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-16	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-16	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-16	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-16	7/11/2018	1	1	ND	ug/L
Total xylenes	MW-16	1/2/2019	1	1	ND	ug/L
Total xylenes	MW-16	7/10/2019	1	1	ND	ug/L
Total xylenes	MW-16	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-16	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-16	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-16	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-16	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-16	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-16	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-17	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-17	7/15/2015	1	1	ND	ug/L
Total xylenes	MW-17	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-17	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-17	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-17	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-17	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-17	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-17	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-17	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-17	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-17	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-17	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-17	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-17	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-17	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-17	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-17	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-17	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-19	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-19	7/16/2015	1	1	ND	ug/L
Total xylenes	MW-19	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-19	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-19	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-19	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-19	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-19	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-19	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-19	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-19	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-19	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-19	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-19	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-19	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-19	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-19	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-19	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-19	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-1N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-1N	1/20/1998	10	10	ND	ug/L
Total xylenes	MW-1N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-1N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-1N	10/14/1998	10	10	ND	ug/L
Total xylenes	MW-1N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-1N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-1N	5/19/1999	10	10	ND	ug/L
Total xylenes	MW-1N	7/15/1999	10	10	ND	ug/L
Total xylenes	MW-1N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-1N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-1N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-1N	7/12/2000	1	1	ND	ug/L
Total xylenes	MW-1N	10/18/2000	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-1N	4/12/2001	1	1	ND	ug/L
Total xylenes	MW-1N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-1N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-1N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-1N	10/3/2002	1	1	ND	ug/L
Total xylenes	MW-1N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-1N	4/15/2003	1	1	ND	ug/L
Total xylenes	MW-1N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-1N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-1N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-1N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-1N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-1N	1/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-1N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-1N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-1N	7/21/2008	1	1	ND	ug/L
Total xylenes	MW-1N	2/5/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-1N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-1N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-1N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-1N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-1N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-1N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-1N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-1N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-1N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-1N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-1N	2/10/2015	1	1	ND	ug/L
Total xylenes	MW-1N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-1N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-1N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-1N	1/12/2017	1	1	ND	ug/L
Total xylenes	MW-1N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-1N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-1N	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-1N	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-1N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-1N	1/23/2020	1.58	1.58	ND	ug/L
Total xylenes	MW-1N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-1N	7/6/2020	1	1	ND	ug/L
Total xylenes	MW-1N	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-1N	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-1N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-20	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-20	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-20	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-20	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-20	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-20	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-20	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-20	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-20	1/12/2017	1	1	ND	ug/L
Total xylenes	MW-20	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-20	1/26/2018	1	1	ND	ug/L
Total xylenes	MW-20	7/12/2018	1	1	ND	ug/L
Total xylenes	MW-20	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-20	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-20	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-20	1/17/2021	1	1	ND	ug/L
Total xylenes	MW-20	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-20	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-21	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-21	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-21	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-21	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-21	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-21	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-21	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-21	4/5/2017	1	1	ND	ug/L
Total xylenes	MW-21	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-21	10/6/2017	1	1	ND	ug/L
Total xylenes	MW-21	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-21	4/11/2018	1	1	ND	ug/L
Total xylenes	MW-21	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-21	10/4/2018	1	1	ND	ug/L
Total xylenes	MW-21	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-21	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-21	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-21	10/2/2019	1	1	ND	ug/L
Total xylenes	MW-21	1/16/2020	1	1	ND	ug/L
Total xylenes	MW-21	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-21	7/8/2020	1	1	ND	ug/L
Total xylenes	MW-21	10/7/2020	1	1	ND	ug/L
Total xylenes	MW-21	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-21	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-21	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-21	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-21	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-21	4/8/2023	1	1	ND	ug/L
Total xylenes	MW-2N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-2N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-2N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-2N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-2N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-2N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-2N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-2N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-2N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-2N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-2N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-2N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-2N	7/10/2002	5	1		ug/L
Total xylenes	MW-2N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-2N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-2N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-2N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-2N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-2N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-2N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-2N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-2N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-2N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-2N	3/27/2007	1	1	ND	ug/L
Total xylenes	MW-2N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-2N	7/22/2008	1	1	ND	ug/L
Total xylenes	MW-2N	2/4/2009	0.89	1	ND	ug/L
Total xylenes	MW-2N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-2N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-2N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-2N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-2N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-2N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-2N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-2N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-2N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-2N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-2N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-2N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-2N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-2N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-2N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-2N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-2N	7/12/2018	1	1	ND	ug/L
Total xylenes	MW-2N	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-2N	8/7/2019	1	1	ND	ug/L
Total xylenes	MW-2N	1/23/2020	1	1	ND	ug/L
Total xylenes	MW-2N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-2N	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-2N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-2N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-3N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-3N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-3N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-3N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-3N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-3N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-3N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-3N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-3N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-3N	4/24/2000	10	10	ND	ug/L
Total xylenes	MW-3N	7/11/2000	1	1	ND	ug/L
Total xylenes	MW-3N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-3N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-3N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-3N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-3N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-3N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-3N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-3N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-3N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-3N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-3N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-3N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-3N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-3N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-3N	1/18/2006	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-3N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-3N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-3N	7/22/2008	1	1	ND	ug/L
Total xylenes	MW-3N	2/4/2009	1	1	ND	ug/L
Total xylenes	MW-3N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-3N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-3N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-3N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-3N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-3N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2012	1	1	ND	ug/L
Total xylenes	MW-3N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-3N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-3N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-3N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-3N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-3N	4/1/2015	1	1	ND	ug/L
Total xylenes	MW-3N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-3N	10/5/2015	1	1	ND	ug/L
Total xylenes	MW-3N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	4/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-3N	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-3N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-3N	10/9/2017	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-3N	4/10/2018	1	1	ND	ug/L
Total xylenes	MW-3N	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-3N	10/3/2018	1	1	ND	ug/L
Total xylenes	MW-3N	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-3N	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-3N	10/2/2019	1	1	ND	ug/L
Total xylenes	MW-3N	1/15/2020	1	1	ND	ug/L
Total xylenes	MW-3N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-3N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-3N	10/7/2020	1	1	ND	ug/L
Total xylenes	MW-3N	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-3N	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-3N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-3N	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-3N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-7N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-7N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-7N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-7N	8/18/1998	10	10	ND	ug/L
Total xylenes	MW-7N	9/17/1998	10	10	ND	ug/L
Total xylenes	MW-7N	10/15/1998	10	10	ND	ug/L
Total xylenes	MW-7N	11/9/1998	10	10	ND	ug/L
Total xylenes	MW-7N	1/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	4/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-7N	1/13/2000	10	10	ND	ug/L
Total xylenes	MW-7N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-7N	10/17/2000	0.64	1		ug/L
Total xylenes	MW-7N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-7N	4/10/2001	1	1		ug/L
Total xylenes	MW-7N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-7N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-7N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-7N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-7N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-7N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-7N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-7N	1/27/2004	1	1	ND	ug/L
Total xylenes	MW-7N	4/8/2004	1	1	ND	ug/L
Total xylenes	MW-7N	7/26/2004	1	1	ND	ug/L
Total xylenes	MW-7N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2005	1	1	ND	ug/L
Total xylenes	MW-7N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-7N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-7N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-7N	2/6/2009	1	1	ND	ug/L
Total xylenes	MW-7N	7/29/2009	1	1	ND	ug/L
Total xylenes	MW-7N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-7N	7/14/2010	1	1	ND	ug/L
Total xylenes	MW-7N	9/2/2010	1	1	ND	ug/L
Total xylenes	MW-7N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-7N	7/12/2011	1	1	ND	ug/L
Total xylenes	MW-7N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-7N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-7N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-7N	7/15/2013	1	1	ND	ug/L
Total xylenes	MW-7N	1/30/2014	1	1	ND	ug/L
Total xylenes	MW-7N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-7N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-7N	7/13/2015	1	1	ND	ug/L
Total xylenes	MW-7N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-7N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-7N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-7N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-7N	10/5/2017	1	1	ND	ug/L
Total xylenes	MW-7N	1/25/2018	1	1	ND	ug/L
Total xylenes	MW-7N	4/11/2018	1	1	ND	ug/L
Total xylenes	MW-7N	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-7N	1/4/2019	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2019	1	1	ND	ug/L
Total xylenes	MW-7N	1/16/2020	1	1	ND	ug/L
Total xylenes	MW-7N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-7N	1/16/2021	1	1	ND	ug/L
Total xylenes	MW-7N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-7N	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-7N	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-8N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-8N	1/22/1998	10	10	ND	ug/L
Total xylenes	MW-8N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-8N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-8N	1/12/1999	10	10	ND	ug/L
Total xylenes	MW-8N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-8N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-8N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-8N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-8N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-8N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-8N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-8N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-8N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-8N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-8N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-8N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-8N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-8N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-8N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-8N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-8N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-8N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-8N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-8N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-8N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-8N	4/25/2007	1	1	ND	ug/L
Total xylenes	MW-8N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-8N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-8N	7/23/2008	1	1	ND	ug/L
Total xylenes	MW-8N	2/4/2009	1	1	ND	ug/L
Total xylenes	MW-8N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-8N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2010	1	1	ND	ug/L
Total xylenes	MW-8N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-8N	5/10/2011	1	1	ND	ug/L
Total xylenes	MW-8N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-8N	1/6/2012	1	1	ND	ug/L
Total xylenes	MW-8N	4/5/2012	1	1	ND	ug/L
Total xylenes	MW-8N	7/11/2012	1	1	ND	ug/L
Total xylenes	MW-8N	10/3/2012	1	1	ND	ug/L
Total xylenes	MW-8N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-8N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2013	1	1	ND	ug/L
Total xylenes	MW-8N	1/30/2014	1	1	ND	ug/L
Total xylenes	MW-8N	4/3/2014	1	1	ND	ug/L
Total xylenes	MW-8N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-8N	10/8/2014	1	1	ND	ug/L
Total xylenes	MW-8N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-8N	4/1/2015	1	1	ND	ug/L
Total xylenes	MW-8N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-8N	10/5/2015	1	1	ND	ug/L
Total xylenes	MW-8N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-8N	4/6/2016	1	1	ND	ug/L
Total xylenes	MW-8N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-8N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-8N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2017	1	1	ND	ug/L
Total xylenes	MW-8N	1/25/2018	1	1	ND	ug/L
Total xylenes	MW-8N	4/10/2018	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2018	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2018	1	1	ND	ug/L
Total xylenes	MW-8N	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-8N	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-8N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-8N	10/3/2019	1	1	ND	ug/L
Total xylenes	MW-8N	1/15/2020	1	1	ND	ug/L
Total xylenes	MW-8N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-8N	7/9/2020	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2020	1	1	ND	ug/L
Total xylenes	MW-8N	1/15/2021	1	1	ND	ug/L
Total xylenes	MW-8N	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-8N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-8N	1/18/2022	1	1	ND	ug/L
Total xylenes	MW-8N	4/4/2022	1	1	ND	ug/L
Total xylenes	MW-8N	7/12/2022	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2022	1	1	ND	ug/L
Total xylenes	MW-8N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-8N	4/8/2023	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2002	1	1	ND	ug/L
Total xylenes	NE-1	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-1	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-1	1/27/2004	1	1	ND	ug/L
Total xylenes	NE-1	1/12/2005	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-1	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-1	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2007	1	1	ND	ug/L
Total xylenes	NE-1	1/24/2008	1	1	ND	ug/L
Total xylenes	NE-1	7/21/2008	1	1	ND	ug/L
Total xylenes	NE-1	2/7/2009	1	1	ND	ug/L
Total xylenes	NE-1	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-1	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-1	7/14/2010	1	1	ND	ug/L
Total xylenes	NE-1	9/2/2010	1	1	ND	ug/L
Total xylenes	NE-1	1/19/2011	1	1	ND	ug/L
Total xylenes	NE-1	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-1	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-1	4/30/2013	1	1	ND	ug/L
Total xylenes	NE-1	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-1	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-1	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-1	2/11/2015	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2015	1	1	ND	ug/L
Total xylenes	NE-1	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-1	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-1	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-1	1/24/2018	1	1	ND	ug/L
Total xylenes	NE-1	4/11/2018	1	1	ND	ug/L
Total xylenes	NE-1	7/18/2018	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2018	1	1	ND	ug/L
Total xylenes	NE-1	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-1	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2019	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2019	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-1	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-1	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-1	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-1	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-1	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-1	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-1	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-1	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-1	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-1	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-1	10/6/2022	1	1	ND	ug/L
Total xylenes	NE-1	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-1	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-10D	11/6/2019	1	1	ND	ug/L
Total xylenes	NE-10D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-10D	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-10D	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-10D	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-10D	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-10D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-10D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-10D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-10D	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-10D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-11	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-11	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-11	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-11	10/9/2017	1	1	ND	ug/L
Total xylenes	NE-11	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-11	1/14/2020	1	1	ND	ug/L
Total xylenes	NE-11	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-11	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-11	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-11	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-11	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-11	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-11	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-11	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-11	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-12	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-12	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-12	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-12	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-12	8/5/2019	1	1	ND	ug/L
Total xylenes	NE-12	1/13/2020	1	1	ND	ug/L
Total xylenes	NE-12	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-12	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-12	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-12	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-12	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-12	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-12	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-12	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-12	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-13	2/5/2019	1	1	ND	ug/L
Total xylenes	NE-13	8/7/2019	1	1	ND	ug/L
Total xylenes	NE-13	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-13	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-13	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-13	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-13	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-13	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-14D	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-14D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-14D	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-14D	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-14D	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-14D	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-14D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-14D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-14D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-14D	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-14D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-14D	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-14D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-14D	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-14D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-14S	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-14S	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-14S	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-14S	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-14S	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-14S	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-14S	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-14S	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-14S	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-14S	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-14S	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-14S	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-14S	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-14S	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-14S	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-15D	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-15D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-15D	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-15D	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-15D	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-15D	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-15D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-15D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-15D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-15D	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-15D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-15D	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-15D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-15D	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-15D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-15S	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2002	1	1	ND	ug/L
Total xylenes	NE-2	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-2	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-2	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-2	10/1/2013	1	1	ND	ug/L
Total xylenes	NE-2	10/8/2014	1	1	ND	ug/L
Total xylenes	NE-2	10/5/2015	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2016	1	1	ND	ug/L
Total xylenes	NE-2	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-2	1/25/2018	1	1	ND	ug/L
Total xylenes	NE-2	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-2	7/10/2018	1	1	ND	ug/L
Total xylenes	NE-2	10/1/2018	1	1	ND	ug/L
Total xylenes	NE-2	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-2	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-2	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-2	1/14/2020	1	1	ND	ug/L
Total xylenes	NE-2	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-2	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-2	1/14/2021	1	1	ND	ug/L
Total xylenes	NE-2	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-2	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-2	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-2	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-2	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-2	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-2	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-2	4/5/2023	1	1	ND	ug/L
Total xylenes	NE-3	7/9/2002	1	1	ND	ug/L
Total xylenes	NE-3	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-3	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-3	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-3	9/2/2010	1	1	ND	ug/L
Total xylenes	NE-3	3/21/2018	1	1	ND	ug/L
Total xylenes	NE-4	7/10/2002	1	1	ND	ug/L
Total xylenes	NE-4	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-4	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-4	10/3/2002	1	1	ND	ug/L
Total xylenes	NE-4	4/15/2003	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-4	1/28/2004	1	1	ND	ug/L
Total xylenes	NE-4	1/13/2005	1	1	ND	ug/L
Total xylenes	NE-4	8/1/2006	1	1	ND	ug/L
Total xylenes	NE-4	8/1/2006	1	1	ND	ug/L
Total xylenes	NE-4	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-4	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-4	7/12/2007	1	1	ND	ug/L
Total xylenes	NE-4	1/24/2008	1	1	ND	ug/L
Total xylenes	NE-4	7/21/2008	1	1	ND	ug/L
Total xylenes	NE-4	2/7/2009	1	1	ND	ug/L
Total xylenes	NE-4	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-4	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-4	7/14/2010	1	1	ND	ug/L
Total xylenes	NE-4	1/19/2011	1	1	ND	ug/L
Total xylenes	NE-4	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-4	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-4	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-4	4/30/2013	1	1	ND	ug/L
Total xylenes	NE-4	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-4	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-4	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-4	2/13/2015	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2015	1	1	ND	ug/L
Total xylenes	NE-4	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-4	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-4	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-4	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-4	1/26/2018	1	1	ND	ug/L
Total xylenes	NE-4	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-4	7/12/2018	1	1	ND	ug/L
Total xylenes	NE-4	10/3/2018	1	1	ND	ug/L
Total xylenes	NE-4	1/7/2019	1	1	ND	ug/L
Total xylenes	NE-4	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2019	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2019	1	1	ND	ug/L
Total xylenes	NE-4	10/1/2019	1	1	ND	ug/L
Total xylenes	NE-4	1/13/2020	1	1	ND	ug/L
Total xylenes	NE-4	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-4	7/6/2020	1	1	ND	ug/L
Total xylenes	NE-4	10/5/2020	1	1	ND	ug/L
Total xylenes	NE-4	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-4	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-4	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-4	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-4	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-4	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2002	1	1	ND	ug/L
Total xylenes	NE-5	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-5	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-5	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-5	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-5	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-5	1/27/2004	1	1	ND	ug/L
Total xylenes	NE-5	1/12/2005	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-5	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-5	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-5	7/12/2007	1	1	ND	ug/L
Total xylenes	NE-5	7/22/2008	1	1	ND	ug/L
Total xylenes	NE-5	2/6/2009	1	1	ND	ug/L
Total xylenes	NE-5	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-5	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-5	7/16/2010	1	1	ND	ug/L
Total xylenes	NE-5	9/2/2010	1	1	ND	ug/L
Total xylenes	NE-5	1/19/2011	1	1	ND	ug/L
Total xylenes	NE-5	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-5	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-5	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-5	4/30/2013	1	1	ND	ug/L
Total xylenes	NE-5	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-5	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-5	2/11/2015	1	1	ND	ug/L
Total xylenes	NE-5	7/14/2015	1	1	ND	ug/L
Total xylenes	NE-5	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-5	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-5	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-5	1/25/2018	1	1	ND	ug/L
Total xylenes	NE-5	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-5	7/17/2018	1	1	ND	ug/L
Total xylenes	NE-5	10/3/2018	1	1	ND	ug/L
Total xylenes	NE-5	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	10/3/2019	1	1	ND	ug/L
Total xylenes	NE-5	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-5	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-5	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-5	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-5E	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-5E	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5E	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-5E	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5E	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-5E	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5E	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5E	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-5E	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5E	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5E	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5E	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5E	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5E	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5E	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-5W	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-5W	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5W	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-5W	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5W	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-5W	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5W	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5W	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-5W	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5W	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5W	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5W	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5W	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5W	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5W	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-6	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-6	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-6	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-6	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-6	2/4/2019	1	1	ND	ug/L
Total xylenes	NE-6	8/6/2019	1	1	ND	ug/L
Total xylenes	NE-6	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-6	7/9/2020	1	1	ND	ug/L
Total xylenes	NE-6	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-6	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-6	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-6	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-6	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-6	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-6D	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-6D	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-6D	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-6D	7/9/2020	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-6D	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-6D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-6D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-6D	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-6D	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-6D	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-6D	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-7	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-7	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-7	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-7	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-7	2/6/2019	1	1	ND	ug/L
Total xylenes	NE-7	8/6/2019	1	1	ND	ug/L
Total xylenes	NE-7	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-7	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-7	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-7	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-7	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-7	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-7	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-7	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-7	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-7	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-8	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-8	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-8	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-8	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-8	2/4/2019	1	1	ND	ug/L
Total xylenes	NE-8	8/5/2019	1	1	ND	ug/L
Total xylenes	NE-8	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-8	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-8	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-8	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-8	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-8	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-9	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-9	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-9	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-9	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-9	2/5/2019	1	1	ND	ug/L
Total xylenes	NE-9	8/7/2019	1	1	ND	ug/L
Total xylenes	NE-9	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-9	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-9	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-9	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-9	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-9	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-9	4/8/2023	1	1	ND	ug/L
Toxaphene	LGW-10	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-10	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-10	2/12/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-10	10/9/2017	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	7/16/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-10	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-14R	10/27/2006	5	5	ND	ug/L
Toxaphene	LGW-14R	2/6/2009	5	5	ND	ug/L
Toxaphene	LGW-14R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-14R	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-14R	7/17/2018	5.4	5.4	ND	ug/L
Toxaphene	LGW-14R	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-2	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-2	2/6/2009	5	5	ND	ug/L
Toxaphene	LGW-2	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-2	2/13/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-2	7/12/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-2	7/4/2021	5	5	ND	ug/L
Toxaphene	LGW-3R	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-3R	2/3/2009	5	5	ND	ug/L
Toxaphene	LGW-3R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-3R	2/10/2015	4.7	4.7	ND	ug/L
Toxaphene	LGW-3R	7/11/2018	5.2	5.2	ND	ug/L
Toxaphene	LGW-3R	7/6/2021	5	5	ND	ug/L
Toxaphene	LGW-4	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-4	2/3/2009	5	5	ND	ug/L
Toxaphene	LGW-4	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-4	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-4	7/11/2018	5	5	ND	ug/L
Toxaphene	LGW-4	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-5	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-5	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-5	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-5	2/10/2015	5.1	5.1	ND	ug/L
Toxaphene	LGW-5	7/12/2018	5.3	5.3	ND	ug/L
Toxaphene	LGW-5	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-6	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-6	2/5/2009	5	5	ND	ug/L
Toxaphene	LGW-6	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-6	2/10/2015	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	10/5/2017	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	7/17/2018	5.3	5.3	ND	ug/L
Toxaphene	LGW-6	7/10/2019	5	5	ND	ug/L
Toxaphene	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-6	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-7	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-7	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-7	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-7	2/11/2015	5.1	5.1	ND	ug/L
Toxaphene	LGW-7	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-7	10/5/2017	4.8	4.8	ND	ug/L
Toxaphene	LGW-7	7/12/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-7	7/10/2019	4.9	4.9	ND	ug/L
Toxaphene	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-7	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-8R	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-8R	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-8R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-8R	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-8R	7/13/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-8R	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-9	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-9	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-9	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-9	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-9	10/6/2016	5	5	ND	ug/L
Toxaphene	LGW-9	10/5/2017	4.9	4.9	ND	ug/L
Toxaphene	LGW-9	7/13/2018	5	5	ND	ug/L
Toxaphene	LGW-9	7/10/2019	5.3	5.3	ND	ug/L
Toxaphene	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-9	7/7/2021	5	5	ND	ug/L
Toxaphene	MW-10N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-10N	2/13/2009	5	5	ND	ug/L
Toxaphene	MW-10N	2/13/2009	5	5	ND	ug/L
Toxaphene	MW-10N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-10N	2/12/2015	4.9	4.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	MW-10N	7/11/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-10N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-11N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-11N	2/3/2009	5	5	ND	ug/L
Toxaphene	MW-11N	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-11N	2/10/2015	4.8	4.8	ND	ug/L
Toxaphene	MW-11N	7/17/2018	5.2	5.2	ND	ug/L
Toxaphene	MW-11N	7/6/2021	5	5	ND	ug/L
Toxaphene	MW-15	7/10/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-15	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-16	7/11/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-16	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-17	7/10/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-17	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-19	7/13/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-19	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-1N	10/14/1998	1	1	ND	ug/L
Toxaphene	MW-1N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-1N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-1N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-1N	2/5/2009	5	5	ND	ug/L
Toxaphene	MW-1N	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	MW-1N	2/10/2015	4.7	4.7	ND	ug/L
Toxaphene	MW-1N	7/10/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-1N	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-20	7/12/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-20	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-21	10/5/2016	4.8	4.8	ND	ug/L
Toxaphene	MW-21	10/6/2017	4.8	4.8	ND	ug/L
Toxaphene	MW-21	7/11/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-21	7/11/2019	5.3	5.3	ND	ug/L
Toxaphene	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-21	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-2N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-2N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-2N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-2N	2/12/2015	4.9	4.9	ND	ug/L
Toxaphene	MW-2N	7/12/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-2N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-3N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-3N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-3N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-3N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-3N	2/12/2015	4.9	4.9	ND	ug/L
Toxaphene	MW-3N	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	MW-3N	10/9/2017	4.8	4.8	ND	ug/L
Toxaphene	MW-3N	7/13/2018	4.7	4.7	ND	ug/L
Toxaphene	MW-3N	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-3N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-7N	10/15/1998	1	1	ND	ug/L
Toxaphene	MW-7N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-7N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-7N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-7N	2/6/2009	5	5	ND	ug/L
Toxaphene	MW-7N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-7N	2/12/2015	5	5	ND	ug/L
Toxaphene	MW-7N	10/5/2017	5	5	ND	ug/L
Toxaphene	MW-7N	7/13/2018	4.8	4.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	MW-7N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-8N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-8N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-8N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-8N	1/24/2008	5	5	ND	ug/L
Toxaphene	MW-8N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-8N	5/10/2011	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/11/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-8N	10/2/2013	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	10/8/2014	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	2/12/2015	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	MW-8N	10/6/2017	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/16/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-8N	7/5/2021	5	5	ND	ug/L
Toxaphene	NE-1	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-1	2/7/2009	5	5	ND	ug/L
Toxaphene	NE-1	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-1	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	NE-1	7/18/2018	5	5	ND	ug/L
Toxaphene	NE-2	7/10/2018	4.9	4.9	ND	ug/L
Toxaphene	NE-4	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-4	2/7/2009	5	5	ND	ug/L
Toxaphene	NE-4	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-4	2/13/2015	4.7	4.7	ND	ug/L
Toxaphene	NE-4	7/12/2018	5.4	5.4	ND	ug/L
Toxaphene	NE-5	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-5	2/6/2009	5	5	ND	ug/L
Toxaphene	NE-5	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-5	2/11/2015	4.7	4.7	ND	ug/L
Toxaphene	NE-5	7/17/2018	5.1	5.1	ND	ug/L
Toxaphene	NE-5	7/9/2019	5	5	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-10	4/4/2017	0.22	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/12/2018	0.28	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/3/2019	0.16	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/13/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/28/1998	9	9	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/15/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/13/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/20/1998	4.5	4.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-1N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/14/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/15/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/21/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/24/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	5/29/2002	4.5	4.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/21/1997	4.5	4.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-7N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	8/18/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	9/17/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/15/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	11/9/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/13/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/21/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/12/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-2	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-3	3/21/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/26/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	10/27/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/13/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-4	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-6	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/28/1998	4.4	4.4	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/15/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/29/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-16	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/20/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/14/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/15/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/23/2020	1.11	1.11	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/24/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	8/18/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	9/17/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/15/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	11/9/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/13/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/23/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/8/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/26/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/12/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/11/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15S	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-3	3/21/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/13/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/13/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-5	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/26/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/4/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	10/27/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	5/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/28/1998	10	10	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/15/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	8/10/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-11N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/29/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/20/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/14/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/15/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/18/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/23/2020	1.29	1.29	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/26/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/24/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/18/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	8/18/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	9/17/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/15/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	11/9/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/13/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/8/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/26/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/12/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/3/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/1/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	3/1/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	4/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15S	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/1/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-3	3/21/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/13/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/25/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	2/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	4/8/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-10	7/16/2010	0.63	1	ND	ug/L
Trichloroethene	LGW-10	1/19/2011	0.35	1	ND	ug/L
Trichloroethene	LGW-10	7/12/2011	0.66	1	ND	ug/L
Trichloroethene	LGW-10	1/5/2012	0.52	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2012	0.42	1	ND	ug/L
Trichloroethene	LGW-10	5/1/2013	0.46	1	ND	ug/L
Trichloroethene	LGW-10	1/30/2014	0.38	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2014	0.36	1	ND	ug/L
Trichloroethene	LGW-10	2/12/2015	0.41	1	ND	ug/L
Trichloroethene	LGW-10	7/13/2015	0.51	1	ND	ug/L
Trichloroethene	LGW-10	1/5/2016	0.35	1	ND	ug/L
Trichloroethene	LGW-10	4/6/2016	0.29	1	ND	ug/L
Trichloroethene	LGW-10	7/21/2016	0.36	1	ND	ug/L
Trichloroethene	LGW-10	10/6/2016	0.36	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-10	1/11/2017	0.21	1	ND	ug/L
Trichloroethene	LGW-10	4/4/2017	0.46	1	ND	ug/L
Trichloroethene	LGW-10	7/19/2017	0.4	1	ND	ug/L
Trichloroethene	LGW-10	10/9/2017	0.32	1	ND	ug/L
Trichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-10	4/11/2018	0.2	1	ND	ug/L
Trichloroethene	LGW-10	7/16/2018	0.21	1	ND	ug/L
Trichloroethene	LGW-10	10/4/2018	0.2	1	ND	ug/L
Trichloroethene	LGW-10	1/4/2019	0.22	1	ND	ug/L
Trichloroethene	LGW-10	4/3/2019	0.2	1	ND	ug/L
Trichloroethene	LGW-10	7/11/2019	0.3	1	ND	ug/L
Trichloroethene	LGW-10	10/2/2019	0.22	1	ND	ug/L
Trichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Trichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Trichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Trichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-2	1/13/2020	9.02	1		ug/L
Trichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Trichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Trichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Trichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Trichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Trichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Trichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Trichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Trichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Trichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Trichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-9	1/5/2012	0.17	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
Trichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Trichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Trichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Trichloroethene	MW-10N	10/22/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	1/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/28/1998	6.4	6.4	ND	ug/L
Trichloroethene	MW-10N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	1/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	7/15/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Trichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Trichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Trichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Trichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Trichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Trichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Trichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Trichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-11N	10/22/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	1/13/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Trichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Trichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Trichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Trichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Trichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Trichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Trichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Trichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Trichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Trichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Trichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Trichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Trichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Trichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Trichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Trichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Trichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Trichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-15	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Trichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Trichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Trichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Trichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Trichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Trichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Trichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Trichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Trichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-1N	10/22/1997	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-1N	1/20/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	10/14/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	5/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/15/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	10/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/12/2000	0.71	1		ug/L
Trichloroethene	MW-1N	10/18/2000	0.46	1		ug/L
Trichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-1N	4/12/2001	1.5	1		ug/L
Trichloroethene	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-1N	7/9/2002	0.59	1		ug/L
Trichloroethene	MW-1N	10/3/2002	0.64	1		ug/L
Trichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Trichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Trichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Trichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Trichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Trichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Trichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Trichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Trichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Trichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Trichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Trichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Trichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Trichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Trichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Trichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Trichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Trichloroethene	MW-2N	10/22/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Trichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Trichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Trichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Trichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Trichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Trichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Trichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Trichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-3N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	4/28/1998	1.5	3.2		ug/L
Trichloroethene	MW-3N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	10/20/1999	1.4	3.2		ug/L
Trichloroethene	MW-3N	1/14/2000	0.99	3.2		ug/L
Trichloroethene	MW-3N	4/24/2000	1.4	3.2		ug/L
Trichloroethene	MW-3N	7/11/2000	1.5	1		ug/L
Trichloroethene	MW-3N	10/17/2000	1.5	1		ug/L
Trichloroethene	MW-3N	1/23/2001	1.2	1		ug/L
Trichloroethene	MW-3N	4/11/2001	1.6	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-3N	5/29/2002	1.8	1		ug/L
Trichloroethene	MW-3N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	7/9/2002	1.7	1		ug/L
Trichloroethene	MW-3N	10/2/2002	1.8	1		ug/L
Trichloroethene	MW-3N	1/22/2003	1.2	1		ug/L
Trichloroethene	MW-3N	4/14/2003	1.2	1		ug/L
Trichloroethene	MW-3N	7/7/2003	1.1	1		ug/L
Trichloroethene	MW-3N	1/28/2004	1.1	1		ug/L
Trichloroethene	MW-3N	7/27/2004	1.2	1		ug/L
Trichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-3N	7/20/2005	1.1	1		ug/L
Trichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Trichloroethene	MW-3N	2/4/2009	0.74	1	ND	ug/L
Trichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-3N	7/13/2010	0.64	1	ND	ug/L
Trichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-3N	7/14/2011	0.59	1	ND	ug/L
Trichloroethene	MW-3N	1/5/2012	0.57	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2012	0.58	1	ND	ug/L
Trichloroethene	MW-3N	5/1/2013	0.52	1	ND	ug/L
Trichloroethene	MW-3N	6/4/2013	0.44	1	ND	ug/L
Trichloroethene	MW-3N	7/16/2013	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2014	0.35	1	ND	ug/L
Trichloroethene	MW-3N	7/9/2014	0.35	1	ND	ug/L
Trichloroethene	MW-3N	2/12/2015	0.39	1	ND	ug/L
Trichloroethene	MW-3N	4/1/2015	0.38	1	ND	ug/L
Trichloroethene	MW-3N	7/14/2015	0.25	1	ND	ug/L
Trichloroethene	MW-3N	10/5/2015	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/6/2016	0.25	1	ND	ug/L
Trichloroethene	MW-3N	4/6/2016	0.22	1	ND	ug/L
Trichloroethene	MW-3N	7/21/2016	0.26	1	ND	ug/L
Trichloroethene	MW-3N	10/6/2016	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/11/2017	0.37	1	ND	ug/L
Trichloroethene	MW-3N	4/4/2017	0.46	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2017	0.28	1	ND	ug/L
Trichloroethene	MW-3N	10/9/2017	0.26	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-3N	4/10/2018	0.27	1	ND	ug/L
Trichloroethene	MW-3N	7/13/2018	0.21	1	ND	ug/L
Trichloroethene	MW-3N	10/3/2018	0.22	1	ND	ug/L
Trichloroethene	MW-3N	1/7/2019	0.26	1	ND	ug/L
Trichloroethene	MW-3N	4/3/2019	0.25	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2019	0.27	1	ND	ug/L
Trichloroethene	MW-3N	10/2/2019	0.37	1	ND	ug/L
Trichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-7N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	8/18/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	9/17/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	10/15/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	11/9/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	1/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	4/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	10/19/1999	1.4	3.2		ug/L
Trichloroethene	MW-7N	1/13/2000	0.92	3.2		ug/L
Trichloroethene	MW-7N	4/25/2000	1.1	3.2		ug/L
Trichloroethene	MW-7N	10/17/2000	1	1		ug/L
Trichloroethene	MW-7N	1/23/2001	0.75	1		ug/L
Trichloroethene	MW-7N	4/10/2001	1	1		ug/L
Trichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/9/2002	0.9	1		ug/L
Trichloroethene	MW-7N	10/2/2002	0.87	1		ug/L
Trichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Trichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Trichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Trichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Trichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Trichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Trichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Trichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Trichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Trichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/12/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	10/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Trichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Trichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Trichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Trichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Trichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Trichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Trichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Trichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Trichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Trichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Trichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Trichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Trichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Trichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Trichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Trichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Trichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Trichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Trichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Trichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Trichloroethene	NE-1	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Trichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Trichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Trichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Trichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Trichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Trichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Trichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Trichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Trichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Trichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Trichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Trichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Trichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Trichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Trichloroethene	NE-12	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Trichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Trichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Trichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2002	0.26	1		ug/L
Trichloroethene	NE-2	8/6/2002	0.2	1		ug/L
Trichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Trichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Trichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Trichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Trichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Trichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Trichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Trichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Trichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Trichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Trichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Trichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Trichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Trichloroethene	NE-3	7/9/2002	0.7	1		ug/L
Trichloroethene	NE-3	8/6/2002	1.8	1		ug/L
Trichloroethene	NE-3	9/4/2002	1.3	1		ug/L
Trichloroethene	NE-3	10/2/2002	1.7	1		ug/L
Trichloroethene	NE-3	9/2/2010	1	1	ND	ug/L
Trichloroethene	NE-3	3/21/2018	1	1	ND	ug/L
Trichloroethene	NE-4	7/10/2002	0.44	1		ug/L
Trichloroethene	NE-4	8/6/2002	0.62	1		ug/L
Trichloroethene	NE-4	9/4/2002	0.42	1		ug/L
Trichloroethene	NE-4	10/3/2002	0.56	1		ug/L
Trichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Trichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Trichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Trichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Trichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Trichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Trichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Trichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Trichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Trichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Trichloroethene	NE-4	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Trichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Trichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Trichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Trichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Trichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Trichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Trichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Trichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Trichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Trichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Trichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Trichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Trichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Trichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Trichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Trichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Trichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-5	7/9/2002	0.98	1		ug/L
Trichloroethene	NE-5	8/6/2002	1.7	1		ug/L
Trichloroethene	NE-5	9/4/2002	0.97	1		ug/L
Trichloroethene	NE-5	10/2/2002	1.1	1		ug/L
Trichloroethene	NE-5	4/15/2003	1	1		ug/L
Trichloroethene	NE-5	7/8/2003	1.4	1		ug/L
Trichloroethene	NE-5	1/27/2004	1.2	1		ug/L
Trichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Trichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Trichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Trichloroethene	NE-5	2/6/2009	0.51	1	ND	ug/L
Trichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-5	7/16/2010	0.34	1	ND	ug/L
Trichloroethene	NE-5	9/2/2010	0.39	1	ND	ug/L
Trichloroethene	NE-5	1/19/2011	0.49	1	ND	ug/L
Trichloroethene	NE-5	7/13/2011	0.45	1	ND	ug/L
Trichloroethene	NE-5	1/5/2012	0.45	1	ND	ug/L
Trichloroethene	NE-5	7/10/2012	0.45	1	ND	ug/L
Trichloroethene	NE-5	4/30/2013	0.47	1	ND	ug/L
Trichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-5	1/23/2014	0.35	1	ND	ug/L
Trichloroethene	NE-5	7/9/2014	0.31	1	ND	ug/L
Trichloroethene	NE-5	2/11/2015	0.44	1	ND	ug/L
Trichloroethene	NE-5	7/14/2015	0.34	1	ND	ug/L
Trichloroethene	NE-5	1/6/2016	0.38	1	ND	ug/L
Trichloroethene	NE-5	7/20/2016	0.23	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-5	1/11/2017	0.39	1	ND	ug/L
Trichloroethene	NE-5	7/19/2017	0.3	1	ND	ug/L
Trichloroethene	NE-5	1/25/2018	0.29	1	ND	ug/L
Trichloroethene	NE-5	4/10/2018	0.32	1	ND	ug/L
Trichloroethene	NE-5	7/17/2018	0.31	1	ND	ug/L
Trichloroethene	NE-5	10/3/2018	0.24	1	ND	ug/L
Trichloroethene	NE-5	1/4/2019	0.46	1	ND	ug/L
Trichloroethene	NE-5	4/2/2019	0.32	1	ND	ug/L
Trichloroethene	NE-5	4/2/2019	0.32	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.37	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.37	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.35	1	ND	ug/L
Trichloroethene	NE-5	10/3/2019	0.28	1	ND	ug/L
Trichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	9/30/2019	0.17	1	ND	ug/L
Trichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	9/30/2019	0.24	1	ND	ug/L
Trichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Trichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-6	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Trichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Trichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Trichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Trichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Trichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Trichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Trichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Trichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-9	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Trichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Trichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/28/1998	15	15	ND	ug/L
Trichlorofluoromethane	MW-10N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	7/15/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/15/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	8/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	8/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/8/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-16	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/15/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	8/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/20/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	10/14/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	5/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/15/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/26/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-21	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/4/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	4/28/1998	0.64	7.5		ug/L
Trichlorofluoromethane	MW-3N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	10/20/1999	0.41	7.5		ug/L
Trichlorofluoromethane	MW-3N	1/14/2000	0.25	7.5		ug/L
Trichlorofluoromethane	MW-3N	4/24/2000	0.61	7.5		ug/L
Trichlorofluoromethane	MW-3N	7/11/2000	0.28	1		ug/L
Trichlorofluoromethane	MW-3N	10/17/2000	0.31	1		ug/L
Trichlorofluoromethane	MW-3N	1/23/2001	0.28	1		ug/L
Trichlorofluoromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	7/9/2002	0.22	1		ug/L
Trichlorofluoromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	8/18/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	9/17/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/15/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	11/9/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	4/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/13/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/12/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/23/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	2/7/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/18/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-1	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	8/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	2/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/1/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-2	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-3	3/21/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/3/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/13/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-4	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	2/7/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	2/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/26/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/1/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-4	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/5/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-5	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-5	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	2/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	8/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	2/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	8/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	2/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	8/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	2/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	4/8/2023	1	1	ND	ug/L
Turbidity	MW-10N	10/22/1997	230	10		NTU
Turbidity	MW-10N	4/28/1998	17	1		NTU
Turbidity	MW-10N	7/23/1998	51	2		NTU
Turbidity	MW-11N	10/22/1997	350	10		NTU
Turbidity	MW-11N	4/28/1998	17	1		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity	MW-11N	7/23/1998	18	1		NTU
Turbidity	MW-1N	10/22/1997	66	2		NTU
Turbidity	MW-1N	4/28/1998	4.5	1		NTU
Turbidity	MW-1N	7/23/1998	19.5	1		NTU
Turbidity	MW-2N	10/22/1997	28	1		NTU
Turbidity	MW-2N	4/28/1998	1	1	ND	NTU
Turbidity	MW-2N	7/22/1998	2	1		NTU
Turbidity	MW-3N	10/21/1997	17	1		NTU
Turbidity	MW-3N	4/28/1998	8.7	1		NTU
Turbidity	MW-3N	7/23/1998	23	1		NTU
Turbidity	MW-7N	10/21/1997	1	1	ND	NTU
Turbidity	MW-7N	7/22/1998	1.5	1		NTU
Turbidity	MW-7N	8/18/1998	1	1	ND	NTU
Turbidity	MW-7N	9/17/1998	1.3	1		NTU
Turbidity	MW-8N	10/21/1997	1	1	ND	NTU
Turbidity	MW-8N	4/28/1998	13	1		NTU
Turbidity	MW-8N	7/22/1998	27.5	1		NTU
Turbidity (field)	LGW-10	9/30/2005	124	0		NTU
Turbidity (field)	LGW-10	7/20/2006	68.6	0		NTU
Turbidity (field)	LGW-10	7/20/2006	68.6	0		NTU
Turbidity (field)	LGW-10	7/31/2006	27.5	0		NTU
Turbidity (field)	LGW-10	8/1/2006	27.5	0		NTU
Turbidity (field)	LGW-10	8/1/2006	27.5	0		NTU
Turbidity (field)	LGW-10	9/27/2006	5.5	0		NTU
Turbidity (field)	LGW-10	9/28/2006	5.5	0		NTU
Turbidity (field)	LGW-10	10/26/2006	18.5	0		NTU
Turbidity (field)	LGW-10	10/26/2006	18.5	0		NTU
Turbidity (field)	LGW-10	11/20/2006	5.2	0		NTU
Turbidity (field)	LGW-10	11/20/2006	5.2	0		NTU
Turbidity (field)	LGW-10	12/21/2006	8.46	0		NTU
Turbidity (field)	LGW-10	12/21/2006	8.46	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	2/7/2007	3.48	0		NTU
Turbidity (field)	LGW-10	2/27/2007	3.48	0		NTU
Turbidity (field)	LGW-10	2/27/2007	3.48	0		NTU
Turbidity (field)	LGW-10	3/26/2007	1.23	0		NTU
Turbidity (field)	LGW-10	3/27/2007	1.23	0		NTU
Turbidity (field)	LGW-10	3/27/2007	1.23	0		NTU
Turbidity (field)	LGW-10	4/26/2007	0.92	0		NTU
Turbidity (field)	LGW-10	4/26/2007	0.92	0		NTU
Turbidity (field)	LGW-10	5/31/2007	3.99	0		NTU
Turbidity (field)	LGW-10	6/1/2007	3.99	0		NTU
Turbidity (field)	LGW-10	6/28/2007	6.37	0		NTU
Turbidity (field)	LGW-10	6/28/2007	6.37	0		NTU
Turbidity (field)	LGW-10	7/10/2007	7.23	0		NTU
Turbidity (field)	LGW-10	7/12/2007	7.23	0		NTU
Turbidity (field)	LGW-10	8/28/2007	2.13	0		NTU
Turbidity (field)	LGW-10	8/28/2007	2.13	0		NTU
Turbidity (field)	LGW-10	10/23/2007	1.83	0		NTU
Turbidity (field)	LGW-10	11/28/2007	1.87	0		NTU
Turbidity (field)	LGW-10	12/28/2007	1.24	0		NTU
Turbidity (field)	LGW-10	1/23/2008	2.04	0		NTU
Turbidity (field)	LGW-10	2/28/2008	1.68	0		NTU
Turbidity (field)	LGW-10	5/30/2008	2.26	0		NTU
Turbidity (field)	LGW-10	6/25/2008	2.43	0		NTU
Turbidity (field)	LGW-10	7/22/2008	1.73	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	8/29/2008	1.39	0		NTU
Turbidity (field)	LGW-10	9/26/2008	2.51	0		NTU
Turbidity (field)	LGW-10	11/25/2008	1.33	0		NTU
Turbidity (field)	LGW-10	12/19/2008	1.01	0		NTU
Turbidity (field)	LGW-10	3/26/2009	0.51	0		NTU
Turbidity (field)	LGW-10	4/16/2009	2.6	0		NTU
Turbidity (field)	LGW-10	5/29/2009	2.4	0		NTU
Turbidity (field)	LGW-10	6/24/2009	2.07	0		NTU
Turbidity (field)	LGW-10	7/29/2009	3.39	0		NTU
Turbidity (field)	LGW-10	8/28/2009	2.88	0		NTU
Turbidity (field)	LGW-10	10/21/2009	1.42	0		NTU
Turbidity (field)	LGW-10	12/17/2009	2.2	0		NTU
Turbidity (field)	LGW-10	2/3/2010	1.12	0		NTU
Turbidity (field)	LGW-10	2/3/2010	1.12	0		NTU
Turbidity (field)	LGW-10	2/16/2010	0.81	0		NTU
Turbidity (field)	LGW-10	3/3/2010	0.58	0		NTU
Turbidity (field)	LGW-10	4/8/2010	0.37	0		NTU
Turbidity (field)	LGW-10	5/6/2010	1.09	0		NTU
Turbidity (field)	LGW-10	6/15/2010	2.68	0		NTU
Turbidity (field)	LGW-10	7/16/2010	3.16	0		NTU
Turbidity (field)	LGW-10	8/10/2010	1.44	0		NTU
Turbidity (field)	LGW-10	9/1/2010	1.18	0		NTU
Turbidity (field)	LGW-10	9/29/2010	1.78	0		NTU
Turbidity (field)	LGW-10	11/3/2010	0.82	0		NTU
Turbidity (field)	LGW-10	12/2/2010	0.31	0		NTU
Turbidity (field)	LGW-10	1/19/2011	1.46	0		NTU
Turbidity (field)	LGW-10	2/7/2011	0.99	0		NTU
Turbidity (field)	LGW-10	3/3/2011	0.39	0		NTU
Turbidity (field)	LGW-10	4/5/2011	0.67	0		NTU
Turbidity (field)	LGW-10	5/10/2011	0.43	0		NTU
Turbidity (field)	LGW-10	6/1/2011	1.66	0		NTU
Turbidity (field)	LGW-10	7/12/2011	0.52	0		NTU
Turbidity (field)	LGW-10	8/3/2011	0.92	0		NTU
Turbidity (field)	LGW-10	9/7/2011	0.87	0		NTU
Turbidity (field)	LGW-10	10/5/2011	0.57	0		NTU
Turbidity (field)	LGW-10	11/1/2011	0.43	0		NTU
Turbidity (field)	LGW-10	12/7/2011	0.8	0		NTU
Turbidity (field)	LGW-10	1/5/2012	0.84	0		NTU
Turbidity (field)	LGW-10	2/1/2012	0.58	0		NTU
Turbidity (field)	LGW-10	3/6/2012	0.64	0		NTU
Turbidity (field)	LGW-10	4/5/2012	0.82	0		NTU
Turbidity (field)	LGW-10	5/1/2012	0.29	0		NTU
Turbidity (field)	LGW-10	6/5/2012	0.92	0		NTU
Turbidity (field)	LGW-10	7/9/2012	2.51	0		NTU
Turbidity (field)	LGW-10	8/9/2012	2.29	0		NTU
Turbidity (field)	LGW-10	9/4/2012	2.89	0		NTU
Turbidity (field)	LGW-10	10/7/2012	3.97	0		NTU
Turbidity (field)	LGW-10	5/1/2013	8.11	0		NTU
Turbidity (field)	LGW-10	6/4/2013	2.24	0		NTU
Turbidity (field)	LGW-10	8/8/2013	1.89	0		NTU
Turbidity (field)	LGW-10	9/10/2013	3.42	0		NTU
Turbidity (field)	LGW-10	10/1/2013	5.11	0		NTU
Turbidity (field)	LGW-10	11/6/2013	3.41	0		NTU
Turbidity (field)	LGW-10	12/2/2013	1.45	0		NTU
Turbidity (field)	LGW-10	1/30/2014	2.48	0		NTU
Turbidity (field)	LGW-10	2/13/2014	1.24	0		NTU
Turbidity (field)	LGW-10	3/12/2014	1.58	0		NTU
Turbidity (field)	LGW-10	4/2/2014	1.09	0		NTU
Turbidity (field)	LGW-10	5/7/2014	2.04	0		NTU
Turbidity (field)	LGW-10	6/3/2014	0.97	0		NTU
Turbidity (field)	LGW-10	7/9/2014	6.67	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	8/5/2014	0.43	0		NTU
Turbidity (field)	LGW-10	9/4/2014	1.17	0		NTU
Turbidity (field)	LGW-10	10/9/2014	0.98	0		NTU
Turbidity (field)	LGW-10	11/3/2014	0.51	0		NTU
Turbidity (field)	LGW-10	1/14/2015	2.42	0		NTU
Turbidity (field)	LGW-10	2/12/2015	3.87	0		NTU
Turbidity (field)	LGW-10	3/3/2015	1.75	0		NTU
Turbidity (field)	LGW-10	4/1/2015	1.36	0		NTU
Turbidity (field)	LGW-10	5/7/2015	1.77	0		NTU
Turbidity (field)	LGW-10	6/3/2015	1.02	0		NTU
Turbidity (field)	LGW-10	7/13/2015	3.92	0		NTU
Turbidity (field)	LGW-10	8/5/2015	3.61	0		NTU
Turbidity (field)	LGW-10	9/3/2015	3.47	0		NTU
Turbidity (field)	LGW-10	10/6/2015	3.99	0		NTU
Turbidity (field)	LGW-10	11/4/2015	1.36	0		NTU
Turbidity (field)	LGW-10	12/3/2015	2.46	0		NTU
Turbidity (field)	LGW-10	1/5/2016	3.41	0		NTU
Turbidity (field)	LGW-10	2/3/2016	2.12	0		NTU
Turbidity (field)	LGW-10	2/10/2016	0.74	0		NTU
Turbidity (field)	LGW-10	3/2/2016	0.63	0		NTU
Turbidity (field)	LGW-10	4/6/2016	1.13	0		NTU
Turbidity (field)	LGW-10	5/11/2016	1.11	0		NTU
Turbidity (field)	LGW-10	6/1/2016	0.81	0		NTU
Turbidity (field)	LGW-10	7/21/2016	1.12	0		NTU
Turbidity (field)	LGW-10	8/10/2016	0.73	0		NTU
Turbidity (field)	LGW-10	9/6/2016	0.81	0		NTU
Turbidity (field)	LGW-10	10/6/2016	0.73	0		NTU
Turbidity (field)	LGW-10	11/2/2016	0.61	0		NTU
Turbidity (field)	LGW-10	12/1/2016	1.03	0		NTU
Turbidity (field)	LGW-10	1/11/2017	0.72	0		NTU
Turbidity (field)	LGW-10	2/7/2017	0.71	0		NTU
Turbidity (field)	LGW-10	3/2/2017	0.71	0		NTU
Turbidity (field)	LGW-10	4/4/2017	0.93	0		NTU
Turbidity (field)	LGW-10	5/16/2017	1.87	0		NTU
Turbidity (field)	LGW-10	6/6/2017	1.58	0		NTU
Turbidity (field)	LGW-10	7/19/2017	3.66	0		NTU
Turbidity (field)	LGW-10	8/1/2017	1.14	0		NTU
Turbidity (field)	LGW-10	9/5/2017	3.75	0		NTU
Turbidity (field)	LGW-10	10/9/2017	2.71	0		NTU
Turbidity (field)	LGW-10	11/1/2017	3.22	0		NTU
Turbidity (field)	LGW-10	1/24/2018	0.8	0.01		NTU
Turbidity (field)	LGW-10	2/23/2018	1.31	0.01		NTU
Turbidity (field)	LGW-10	3/21/2018	0.8	0.01		NTU
Turbidity (field)	LGW-10	4/11/2018	0.82	0.01		NTU
Turbidity (field)	LGW-10	4/11/2018	0.82	0.01		NTU
Turbidity (field)	LGW-10	6/6/2018	1.81	0		NTU
Turbidity (field)	LGW-10	7/16/2018	0.83	0.01		NTU
Turbidity (field)	LGW-10	8/2/2018	2.67	0.01		NTU
Turbidity (field)	LGW-10	9/4/2018	0	0		NTU
Turbidity (field)	LGW-10	10/4/2018	1.24	0		NTU
Turbidity (field)	LGW-10	10/4/2018	1.24	0		NTU
Turbidity (field)	LGW-10	11/6/2018	1.62	0.01		NTU
Turbidity (field)	LGW-10	12/4/2018	0.74	0.01		NTU
Turbidity (field)	LGW-10	1/4/2019	7.62	0.01		NTU
Turbidity (field)	LGW-10	2/6/2019	0.3	0		NTU
Turbidity (field)	LGW-10	3/5/2019	0.7	0.01		NTU
Turbidity (field)	LGW-10	4/3/2019	0.82	0.01		NTU
Turbidity (field)	LGW-10	4/3/2019	0.82	0.01		NTU
Turbidity (field)	LGW-10	5/3/2019	3.6	0.01		NTU
Turbidity (field)	LGW-10	6/4/2019	1.2	0		NTU
Turbidity (field)	LGW-10	7/11/2019	5	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	7/11/2019	5	0		NTU
Turbidity (field)	LGW-10	8/7/2019	5.19	0.01		NTU
Turbidity (field)	LGW-10	9/4/2019	2.99	0.01		NTU
Turbidity (field)	LGW-10	10/2/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	10/2/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	11/5/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	12/3/2019	3.13	0.01		NTU
Turbidity (field)	LGW-10	1/15/2020	6.12	0		NTU
Turbidity (field)	LGW-10	3/4/2020	2.41	0.01		NTU
Turbidity (field)	LGW-10	4/2/2020	2.18	0.01		NTU
Turbidity (field)	LGW-10	4/2/2020	2.18	0.01		NTU
Turbidity (field)	LGW-10	5/5/2020	2.2	0.01		NTU
Turbidity (field)	LGW-10	6/2/2020	3.42	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	8/3/2020	1.48	0		NTU
Turbidity (field)	LGW-10	9/2/2020	2.31	0.01		NTU
Turbidity (field)	LGW-10	10/7/2020	2.28	0.01		NTU
Turbidity (field)	LGW-10	10/7/2020	2.28	0.01		NTU
Turbidity (field)	LGW-10	11/4/2020	0.36	0		NTU
Turbidity (field)	LGW-10	12/3/2020	0.65	0		NTU
Turbidity (field)	LGW-10	1/17/2021	-11.8	0		NTU
Turbidity (field)	LGW-10	2/9/2021	1.88	0		NTU
Turbidity (field)	LGW-10	3/2/2021	1.1	0		NTU
Turbidity (field)	LGW-10	4/6/2021	3	0		NTU
Turbidity (field)	LGW-10	4/6/2021	3	0		NTU
Turbidity (field)	LGW-10	5/5/2021	2.8	0		NTU
Turbidity (field)	LGW-10	6/1/2021	5	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	8/4/2021	5.2	0		NTU
Turbidity (field)	LGW-10	9/2/2021	6.3	0		NTU
Turbidity (field)	LGW-10	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-10	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-10	11/2/2021	2.2	0		NTU
Turbidity (field)	LGW-10	12/9/2021	3.5	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	2/10/2022	3.6	0		NTU
Turbidity (field)	LGW-10	3/2/2022	2.6	0		NTU
Turbidity (field)	LGW-10	4/4/2022	3.6	0		NTU
Turbidity (field)	LGW-10	4/4/2022	3.6	0		NTU
Turbidity (field)	LGW-10	5/7/2022	15.3	0		NTU
Turbidity (field)	LGW-10	6/3/2022	5.1	0		NTU
Turbidity (field)	LGW-10	7/11/2022	3.5	0		NTU
Turbidity (field)	LGW-10	8/10/2022	5.6	0		NTU
Turbidity (field)	LGW-10	9/8/2022	3.1	0		NTU
Turbidity (field)	LGW-10	10/7/2022	2.5	0		NTU
Turbidity (field)	LGW-10	10/7/2022	2.5	0		NTU
Turbidity (field)	LGW-10	11/3/2022	3.7	0		NTU
Turbidity (field)	LGW-10	12/7/2022	1	0		NTU
Turbidity (field)	LGW-10	1/11/2023	5.8	0		NTU
Turbidity (field)	LGW-10	2/3/2023	1.9	0		NTU
Turbidity (field)	LGW-10	3/1/2023	3.8	0		NTU
Turbidity (field)	LGW-10	4/5/2023	8.4	0		NTU
Turbidity (field)	LGW-14R	9/28/2005	366	0		NTU
Turbidity (field)	LGW-14R	7/21/2006	1000	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	8/1/2006	100	0		NTU
Turbidity (field)	LGW-14R	8/1/2006	100	0		NTU
Turbidity (field)	LGW-14R	9/28/2006	253	0		NTU
Turbidity (field)	LGW-14R	9/28/2006	253	0		NTU
Turbidity (field)	LGW-14R	10/27/2006	40.1	0		NTU
Turbidity (field)	LGW-14R	10/27/2006	3.1	0		NTU
Turbidity (field)	LGW-14R	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-14R	12/21/2006	1000	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/24/2007	1000	0		NTU
Turbidity (field)	LGW-14R	1/25/2007	1000	0		NTU
Turbidity (field)	LGW-14R	2/7/2007	1000	0		NTU
Turbidity (field)	LGW-14R	2/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	3/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	3/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	4/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	5/31/2007	159	0		NTU
Turbidity (field)	LGW-14R	6/1/2007	159	0		NTU
Turbidity (field)	LGW-14R	6/28/2007	90.1	0		NTU
Turbidity (field)	LGW-14R	6/28/2007	90.1	0		NTU
Turbidity (field)	LGW-14R	7/10/2007	1000	0		NTU
Turbidity (field)	LGW-14R	7/11/2007	1000	0		NTU
Turbidity (field)	LGW-14R	8/28/2007	320	0		NTU
Turbidity (field)	LGW-14R	8/29/2007	320	0		NTU
Turbidity (field)	LGW-14R	10/23/2007	15.3	0		NTU
Turbidity (field)	LGW-14R	11/27/2007	37.1	0		NTU
Turbidity (field)	LGW-14R	12/27/2007	27.8	0		NTU
Turbidity (field)	LGW-14R	1/23/2008	12.4	0		NTU
Turbidity (field)	LGW-14R	2/28/2008	6.37	0		NTU
Turbidity (field)	LGW-14R	3/25/2008	3.53	0		NTU
Turbidity (field)	LGW-14R	5/3/2008	4.25	0		NTU
Turbidity (field)	LGW-14R	5/30/2008	13	0		NTU
Turbidity (field)	LGW-14R	6/25/2008	10.4	0		NTU
Turbidity (field)	LGW-14R	7/22/2008	6.99	0		NTU
Turbidity (field)	LGW-14R	8/29/2008	6.59	0		NTU
Turbidity (field)	LGW-14R	9/26/2008	8.41	0		NTU
Turbidity (field)	LGW-14R	11/25/2008	5.39	0		NTU
Turbidity (field)	LGW-14R	12/19/2008	11.1	0		NTU
Turbidity (field)	LGW-14R	2/6/2009	252	0		NTU
Turbidity (field)	LGW-14R	3/26/2009	8.12	0		NTU
Turbidity (field)	LGW-14R	6/25/2009	9.28	0		NTU
Turbidity (field)	LGW-14R	7/29/2009	4.21	0		NTU
Turbidity (field)	LGW-14R	8/28/2009	4.91	0		NTU
Turbidity (field)	LGW-14R	10/22/2009	2.41	0		NTU
Turbidity (field)	LGW-14R	12/18/2009	3.5	0		NTU
Turbidity (field)	LGW-14R	2/3/2010	4.83	0		NTU
Turbidity (field)	LGW-14R	2/3/2010	4.83	0		NTU
Turbidity (field)	LGW-14R	2/16/2010	4.99	0		NTU
Turbidity (field)	LGW-14R	3/3/2010	2.01	0		NTU
Turbidity (field)	LGW-14R	4/7/2010	1.1	0		NTU
Turbidity (field)	LGW-14R	5/6/2010	1.37	0		NTU
Turbidity (field)	LGW-14R	6/16/2010	0.46	0		NTU
Turbidity (field)	LGW-14R	7/12/2010	1.23	0		NTU
Turbidity (field)	LGW-14R	8/10/2010	0.69	0		NTU
Turbidity (field)	LGW-14R	9/2/2010	0.44	0		NTU
Turbidity (field)	LGW-14R	9/29/2010	1.73	0		NTU
Turbidity (field)	LGW-14R	11/3/2010	5.27	0		NTU
Turbidity (field)	LGW-14R	12/2/2010	5.31	0		NTU
Turbidity (field)	LGW-14R	1/19/2011	8.16	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	2/7/2011	6.07	0		NTU
Turbidity (field)	LGW-14R	3/3/2011	13.5	0		NTU
Turbidity (field)	LGW-14R	4/5/2011	1.93	0		NTU
Turbidity (field)	LGW-14R	5/10/2011	1.1	0		NTU
Turbidity (field)	LGW-14R	6/1/2011	1.84	0		NTU
Turbidity (field)	LGW-14R	7/12/2011	1.39	0		NTU
Turbidity (field)	LGW-14R	8/3/2011	3.06	0		NTU
Turbidity (field)	LGW-14R	9/7/2011	2.13	0		NTU
Turbidity (field)	LGW-14R	10/5/2011	4.48	0		NTU
Turbidity (field)	LGW-14R	11/1/2011	1.35	0		NTU
Turbidity (field)	LGW-14R	12/7/2011	2.92	0		NTU
Turbidity (field)	LGW-14R	1/5/2012	5.86	0		NTU
Turbidity (field)	LGW-14R	2/1/2012	10.8	0		NTU
Turbidity (field)	LGW-14R	3/6/2012	1.93	0		NTU
Turbidity (field)	LGW-14R	4/5/2012	2.32	0		NTU
Turbidity (field)	LGW-14R	5/1/2012	1.49	0		NTU
Turbidity (field)	LGW-14R	6/5/2012	1.18	0		NTU
Turbidity (field)	LGW-14R	7/9/2012	7.7	0		NTU
Turbidity (field)	LGW-14R	8/9/2012	3.41	0		NTU
Turbidity (field)	LGW-14R	9/4/2012	3.67	0		NTU
Turbidity (field)	LGW-14R	10/7/2012	2.21	0		NTU
Turbidity (field)	LGW-14R	11/6/2012	4.03	0		NTU
Turbidity (field)	LGW-14R	11/6/2012	4.03	0		NTU
Turbidity (field)	LGW-14R	12/6/2012	1.42	0		NTU
Turbidity (field)	LGW-14R	12/6/2012	1.42	0		NTU
Turbidity (field)	LGW-14R	1/23/2013	28.6	0		NTU
Turbidity (field)	LGW-14R	1/23/2013	28.6	0		NTU
Turbidity (field)	LGW-14R	2/5/2013	9.12	0		NTU
Turbidity (field)	LGW-14R	2/5/2013	9.12	0		NTU
Turbidity (field)	LGW-14R	3/5/2013	4.75	0		NTU
Turbidity (field)	LGW-14R	3/5/2013	4.75	0		NTU
Turbidity (field)	LGW-14R	4/30/2013	2.68	0		NTU
Turbidity (field)	LGW-14R	6/4/2013	3.24	0		NTU
Turbidity (field)	LGW-14R	8/8/2013	3.06	0		NTU
Turbidity (field)	LGW-14R	9/10/2013	5.88	0		NTU
Turbidity (field)	LGW-14R	10/1/2013	3.29	0		NTU
Turbidity (field)	LGW-14R	11/6/2013	5.02	0		NTU
Turbidity (field)	LGW-14R	12/2/2013	7.34	0		NTU
Turbidity (field)	LGW-14R	1/23/2014	7.68	0		NTU
Turbidity (field)	LGW-14R	2/12/2014	3.9	0		NTU
Turbidity (field)	LGW-14R	3/11/2014	1.06	0		NTU
Turbidity (field)	LGW-14R	4/2/2014	1.25	0		NTU
Turbidity (field)	LGW-14R	5/7/2014	1.26	0		NTU
Turbidity (field)	LGW-14R	6/3/2014	2.39	0		NTU
Turbidity (field)	LGW-14R	7/8/2014	1.54	0		NTU
Turbidity (field)	LGW-14R	8/5/2014	0.61	0		NTU
Turbidity (field)	LGW-14R	9/4/2014	1.1	0		NTU
Turbidity (field)	LGW-14R	10/9/2014	1.7	0		NTU
Turbidity (field)	LGW-14R	11/3/2014	6.63	0		NTU
Turbidity (field)	LGW-14R	1/14/2015	3.6	0		NTU
Turbidity (field)	LGW-14R	2/11/2015	7.89	0		NTU
Turbidity (field)	LGW-14R	3/3/2015	5.07	0		NTU
Turbidity (field)	LGW-14R	4/1/2015	1.93	0		NTU
Turbidity (field)	LGW-14R	5/6/2015	3.66	0		NTU
Turbidity (field)	LGW-14R	6/3/2015	1.63	0		NTU
Turbidity (field)	LGW-14R	7/22/2015	2.44	0		NTU
Turbidity (field)	LGW-14R	8/4/2015	3.41	0		NTU
Turbidity (field)	LGW-14R	9/3/2015	3.67	0		NTU
Turbidity (field)	LGW-14R	10/6/2015	4.42	0		NTU
Turbidity (field)	LGW-14R	11/4/2015	1.81	0		NTU
Turbidity (field)	LGW-14R	12/3/2015	4	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	1/5/2016	4.86	0		NTU
Turbidity (field)	LGW-14R	2/3/2016	4.1	0		NTU
Turbidity (field)	LGW-14R	3/2/2016	2.84	0		NTU
Turbidity (field)	LGW-14R	4/5/2016	2.81	0		NTU
Turbidity (field)	LGW-14R	5/11/2016	2.51	0		NTU
Turbidity (field)	LGW-14R	6/1/2016	8.51	0		NTU
Turbidity (field)	LGW-14R	7/19/2016	4.33	0		NTU
Turbidity (field)	LGW-14R	8/10/2016	2.46	0		NTU
Turbidity (field)	LGW-14R	9/6/2016	1.3	0		NTU
Turbidity (field)	LGW-14R	10/6/2016	4.66	0		NTU
Turbidity (field)	LGW-14R	11/2/2016	3.27	0		NTU
Turbidity (field)	LGW-14R	12/1/2016	3.13	0		NTU
Turbidity (field)	LGW-14R	1/11/2017	0.86	0		NTU
Turbidity (field)	LGW-14R	2/7/2017	0.81	0		NTU
Turbidity (field)	LGW-14R	3/2/2017	1.67	0		NTU
Turbidity (field)	LGW-14R	4/4/2017	1.46	0		NTU
Turbidity (field)	LGW-14R	5/2/2017	6.7	0		NTU
Turbidity (field)	LGW-14R	6/6/2017	1.76	0		NTU
Turbidity (field)	LGW-14R	7/18/2017	3.48	0		NTU
Turbidity (field)	LGW-14R	8/1/2017	3.66	0		NTU
Turbidity (field)	LGW-14R	9/5/2017	5.48	0		NTU
Turbidity (field)	LGW-14R	10/5/2017	4.76	0		NTU
Turbidity (field)	LGW-14R	11/1/2017	6.1	0		NTU
Turbidity (field)	LGW-14R	1/25/2018	20.2	0.01		NTU
Turbidity (field)	LGW-14R	2/22/2018	2	0.01		NTU
Turbidity (field)	LGW-14R	3/20/2018	0.94	0.01		NTU
Turbidity (field)	LGW-14R	4/10/2018	0.46	0.01		NTU
Turbidity (field)	LGW-14R	6/5/2018	2.3	0		NTU
Turbidity (field)	LGW-14R	6/21/2018	0.52	0		NTU
Turbidity (field)	LGW-14R	7/17/2018	0.82	0.01		NTU
Turbidity (field)	LGW-14R	8/1/2018	0.63	0.01		NTU
Turbidity (field)	LGW-14R	9/4/2018	1.25	0		NTU
Turbidity (field)	LGW-14R	10/2/2018	0.02	0		NTU
Turbidity (field)	LGW-14R	10/2/2018	0.62	0		NTU
Turbidity (field)	LGW-14R	11/6/2018	0.78	0.01		NTU
Turbidity (field)	LGW-14R	12/4/2018	1.61	0.01		NTU
Turbidity (field)	LGW-14R	1/3/2019	0.5	0.01		NTU
Turbidity (field)	LGW-14R	2/6/2019	0.27	0		NTU
Turbidity (field)	LGW-14R	3/5/2019	0.3	0.01		NTU
Turbidity (field)	LGW-14R	4/3/2019	1.14	0.01		NTU
Turbidity (field)	LGW-14R	5/2/2019	2.85	0.01		NTU
Turbidity (field)	LGW-14R	6/4/2019	0.95	0		NTU
Turbidity (field)	LGW-14R	7/10/2019	0.16	0.01		NTU
Turbidity (field)	LGW-14R	7/10/2019	0.16	0.01		NTU
Turbidity (field)	LGW-14R	8/7/2019	1.29	0.01		NTU
Turbidity (field)	LGW-14R	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-14R	10/3/2019	0.6	0.01		NTU
Turbidity (field)	LGW-14R	11/5/2019	0.8	0.01		NTU
Turbidity (field)	LGW-14R	12/4/2019	1.42	0.01		NTU
Turbidity (field)	LGW-14R	1/16/2020	4.17	0		NTU
Turbidity (field)	LGW-14R	3/3/2020	0.88	0.01		NTU
Turbidity (field)	LGW-14R	4/3/2020	0.8	0.01		NTU
Turbidity (field)	LGW-14R	5/5/2020	0.61	0.01		NTU
Turbidity (field)	LGW-14R	6/2/2020	0.53	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	8/3/2020	0.01	0		NTU
Turbidity (field)	LGW-14R	9/2/2020	0.43	0.01		NTU
Turbidity (field)	LGW-14R	10/7/2020	0.05	0.01		NTU
Turbidity (field)	LGW-14R	11/3/2020	0.91	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	12/3/2020	3.8	0		NTU
Turbidity (field)	LGW-14R	1/18/2021	-11.5	0		NTU
Turbidity (field)	LGW-14R	1/18/2021	-11.5	0		NTU
Turbidity (field)	LGW-14R	2/9/2021	1.69	0		NTU
Turbidity (field)	LGW-14R	3/2/2021	0.1	0		NTU
Turbidity (field)	LGW-14R	4/6/2021	1.9	0		NTU
Turbidity (field)	LGW-14R	4/6/2021	1.9	0		NTU
Turbidity (field)	LGW-14R	5/4/2021	3	0		NTU
Turbidity (field)	LGW-14R	6/1/2021	2.6	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	8/3/2021	6	0		NTU
Turbidity (field)	LGW-14R	9/2/2021	7.3	0		NTU
Turbidity (field)	LGW-14R	10/5/2021	2.2	0		NTU
Turbidity (field)	LGW-14R	10/5/2021	2.2	0		NTU
Turbidity (field)	LGW-14R	11/2/2021	1.5	0		NTU
Turbidity (field)	LGW-14R	12/9/2021	2.7	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	2/10/2022	2.2	0		NTU
Turbidity (field)	LGW-14R	3/1/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	4/5/2022	2.2	0		NTU
Turbidity (field)	LGW-14R	5/7/2022	4.5	0		NTU
Turbidity (field)	LGW-14R	6/3/2022	4.5	0		NTU
Turbidity (field)	LGW-14R	7/11/2022	3.1	0		NTU
Turbidity (field)	LGW-14R	8/10/2022	5.4	0		NTU
Turbidity (field)	LGW-14R	9/8/2022	1.9	0		NTU
Turbidity (field)	LGW-14R	10/6/2022	2.1	0		NTU
Turbidity (field)	LGW-14R	11/3/2022	2.3	0		NTU
Turbidity (field)	LGW-14R	12/7/2022	0.2	0		NTU
Turbidity (field)	LGW-14R	1/10/2023	2.7	0		NTU
Turbidity (field)	LGW-14R	2/3/2023	0.4	0		NTU
Turbidity (field)	LGW-14R	3/1/2023	2.6	0		NTU
Turbidity (field)	LGW-14R	4/5/2023	9.4	0		NTU
Turbidity (field)	LGW-2	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-2	7/31/2006	1000	0		NTU
Turbidity (field)	LGW-2	8/1/2006	100	0		NTU
Turbidity (field)	LGW-2	8/1/2006	100	0		NTU
Turbidity (field)	LGW-2	9/20/2006	1000	0		NTU
Turbidity (field)	LGW-2	9/26/2006	54.8	0		NTU
Turbidity (field)	LGW-2	9/26/2006	54.8	0		NTU
Turbidity (field)	LGW-2	10/26/2006	6.4	0		NTU
Turbidity (field)	LGW-2	10/26/2006	6.4	0		NTU
Turbidity (field)	LGW-2	11/3/2006	48.3	0		NTU
Turbidity (field)	LGW-2	11/3/2006	48.3	0		NTU
Turbidity (field)	LGW-2	11/21/2006	46.1	0		NTU
Turbidity (field)	LGW-2	11/21/2006	46.1	0		NTU
Turbidity (field)	LGW-2	12/21/2006	92.2	0		NTU
Turbidity (field)	LGW-2	12/21/2006	92.2	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	2/7/2007	37.7	0		NTU
Turbidity (field)	LGW-2	2/27/2007	37.7	0		NTU
Turbidity (field)	LGW-2	2/27/2007	37.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	4/26/2007	29.6	0		NTU
Turbidity (field)	LGW-2	4/26/2007	29.6	0		NTU
Turbidity (field)	LGW-2	6/1/2007	25.2	0		NTU
Turbidity (field)	LGW-2	6/1/2007	25.2	0		NTU
Turbidity (field)	LGW-2	6/28/2007	4.98	0		NTU
Turbidity (field)	LGW-2	6/28/2007	4.98	0		NTU
Turbidity (field)	LGW-2	7/10/2007	15.9	0		NTU
Turbidity (field)	LGW-2	7/10/2007	15.9	0		NTU
Turbidity (field)	LGW-2	8/28/2007	74.4	0		NTU
Turbidity (field)	LGW-2	8/28/2007	74.4	0		NTU
Turbidity (field)	LGW-2	10/24/2007	7.89	0		NTU
Turbidity (field)	LGW-2	11/28/2007	65.7	0		NTU
Turbidity (field)	LGW-2	12/28/2007	29.9	0		NTU
Turbidity (field)	LGW-2	1/26/2008	5.42	0		NTU
Turbidity (field)	LGW-2	1/26/2008	542	0		NTU
Turbidity (field)	LGW-2	2/28/2008	13.2	0		NTU
Turbidity (field)	LGW-2	3/24/2008	59.7	0		NTU
Turbidity (field)	LGW-2	5/3/2008	79.9	0		NTU
Turbidity (field)	LGW-2	5/30/2008	31.1	0		NTU
Turbidity (field)	LGW-2	6/26/2008	89.1	0		NTU
Turbidity (field)	LGW-2	7/23/2008	35.8	0		NTU
Turbidity (field)	LGW-2	8/29/2008	4.99	0		NTU
Turbidity (field)	LGW-2	9/26/2008	55.2	0		NTU
Turbidity (field)	LGW-2	9/26/2008	55.2	0		NTU
Turbidity (field)	LGW-2	10/21/2008	104	0		NTU
Turbidity (field)	LGW-2	11/25/2008	51.7	0		NTU
Turbidity (field)	LGW-2	12/19/2008	138	0		NTU
Turbidity (field)	LGW-2	2/6/2009	66.7	0		NTU
Turbidity (field)	LGW-2	2/13/2009	74.7	0		NTU
Turbidity (field)	LGW-2	3/26/2009	7.46	0		NTU
Turbidity (field)	LGW-2	4/16/2009	12.6	0		NTU
Turbidity (field)	LGW-2	5/29/2009	47.6	0		NTU
Turbidity (field)	LGW-2	6/25/2009	184	0		NTU
Turbidity (field)	LGW-2	7/30/2009	21.2	0		NTU
Turbidity (field)	LGW-2	8/29/2009	142	0		NTU
Turbidity (field)	LGW-2	9/30/2009	64.2	0		NTU
Turbidity (field)	LGW-2	10/22/2009	62.2	0		NTU
Turbidity (field)	LGW-2	11/24/2009	18.7	0		NTU
Turbidity (field)	LGW-2	12/18/2009	6.41	0		NTU
Turbidity (field)	LGW-2	2/3/2010	20.6	0		NTU
Turbidity (field)	LGW-2	2/3/2010	20.6	0		NTU
Turbidity (field)	LGW-2	2/17/2010	6.48	0		NTU
Turbidity (field)	LGW-2	3/4/2010	16.8	0		NTU
Turbidity (field)	LGW-2	4/8/2010	29.9	0		NTU
Turbidity (field)	LGW-2	5/6/2010	14.1	0		NTU
Turbidity (field)	LGW-2	6/15/2010	7.67	0		NTU
Turbidity (field)	LGW-2	7/12/2010	10.3	0		NTU
Turbidity (field)	LGW-2	8/10/2010	7.43	0		NTU
Turbidity (field)	LGW-2	9/1/2010	21.1	0		NTU
Turbidity (field)	LGW-2	9/29/2010	14.6	0		NTU
Turbidity (field)	LGW-2	11/3/2010	18.3	0		NTU
Turbidity (field)	LGW-2	12/2/2010	16.5	0		NTU
Turbidity (field)	LGW-2	1/19/2011	23	0		NTU
Turbidity (field)	LGW-2	2/7/2011	17.3	0		NTU
Turbidity (field)	LGW-2	3/3/2011	34.5	0		NTU
Turbidity (field)	LGW-2	4/5/2011	14.5	0		NTU
Turbidity (field)	LGW-2	5/10/2011	8.6	0		NTU
Turbidity (field)	LGW-2	6/1/2011	2.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	7/13/2011	12.4	0		NTU
Turbidity (field)	LGW-2	8/3/2011	21.6	0		NTU
Turbidity (field)	LGW-2	9/7/2011	14.1	0		NTU
Turbidity (field)	LGW-2	10/5/2011	9.31	0		NTU
Turbidity (field)	LGW-2	11/1/2011	10.2	0		NTU
Turbidity (field)	LGW-2	12/7/2011	10.5	0		NTU
Turbidity (field)	LGW-2	1/4/2012	11.2	0		NTU
Turbidity (field)	LGW-2	2/1/2012	11.7	0		NTU
Turbidity (field)	LGW-2	3/6/2012	8.47	0		NTU
Turbidity (field)	LGW-2	4/5/2012	4.17	0		NTU
Turbidity (field)	LGW-2	5/1/2012	3.65	0		NTU
Turbidity (field)	LGW-2	6/5/2012	2.35	0		NTU
Turbidity (field)	LGW-2	7/9/2012	12.4	0		NTU
Turbidity (field)	LGW-2	8/9/2012	12.44	0		NTU
Turbidity (field)	LGW-2	9/4/2012	7.56	0		NTU
Turbidity (field)	LGW-2	10/7/2012	15.2	0		NTU
Turbidity (field)	LGW-2	4/30/2013	11.3	0		NTU
Turbidity (field)	LGW-2	6/4/2013	45.3	0		NTU
Turbidity (field)	LGW-2	7/15/2013	12.3	0		NTU
Turbidity (field)	LGW-2	8/8/2013	6.42	0		NTU
Turbidity (field)	LGW-2	9/10/2013	6.89	0		NTU
Turbidity (field)	LGW-2	10/1/2013	8.07	0		NTU
Turbidity (field)	LGW-2	11/6/2013	8.72	0		NTU
Turbidity (field)	LGW-2	12/2/2013	7.26	0		NTU
Turbidity (field)	LGW-2	1/30/2014	4.75	0		NTU
Turbidity (field)	LGW-2	2/13/2014	5.62	0		NTU
Turbidity (field)	LGW-2	3/12/2014	7.89	0		NTU
Turbidity (field)	LGW-2	4/3/2014	7.65	0		NTU
Turbidity (field)	LGW-2	5/7/2014	3.34	0		NTU
Turbidity (field)	LGW-2	6/3/2014	8.67	0		NTU
Turbidity (field)	LGW-2	7/8/2014	9.8	0		NTU
Turbidity (field)	LGW-2	8/5/2014	5.22	0		NTU
Turbidity (field)	LGW-2	9/4/2014	7.78	0		NTU
Turbidity (field)	LGW-2	10/9/2014	7.49	0		NTU
Turbidity (field)	LGW-2	11/3/2014	5.32	0		NTU
Turbidity (field)	LGW-2	1/14/2015	8.74	0		NTU
Turbidity (field)	LGW-2	2/13/2015	43.2	0		NTU
Turbidity (field)	LGW-2	3/3/2015	19.3	0		NTU
Turbidity (field)	LGW-2	4/1/2015	21.6	0		NTU
Turbidity (field)	LGW-2	5/6/2015	9.8	0		NTU
Turbidity (field)	LGW-2	6/3/2015	8.32	0		NTU
Turbidity (field)	LGW-2	7/8/2015	9.3	0		NTU
Turbidity (field)	LGW-2	8/4/2015	3.2	0		NTU
Turbidity (field)	LGW-2	9/2/2015	2.81	0		NTU
Turbidity (field)	LGW-2	10/5/2015	3.66	0		NTU
Turbidity (field)	LGW-2	11/4/2015	7.46	0		NTU
Turbidity (field)	LGW-2	12/3/2015	8.33	0		NTU
Turbidity (field)	LGW-2	1/5/2016	8.62	0		NTU
Turbidity (field)	LGW-2	2/3/2016	4.38	0		NTU
Turbidity (field)	LGW-2	3/2/2016	7.63	0		NTU
Turbidity (field)	LGW-2	4/5/2016	2.63	0		NTU
Turbidity (field)	LGW-2	5/11/2016	0.86	0		NTU
Turbidity (field)	LGW-2	6/1/2016	6.11	0		NTU
Turbidity (field)	LGW-2	7/19/2016	5.67	0		NTU
Turbidity (field)	LGW-2	8/10/2016	5.95	0		NTU
Turbidity (field)	LGW-2	9/6/2016	3.66	0		NTU
Turbidity (field)	LGW-2	10/6/2016	3.66	0		NTU
Turbidity (field)	LGW-2	11/2/2016	4.36	0		NTU
Turbidity (field)	LGW-2	12/1/2016	2.44	0		NTU
Turbidity (field)	LGW-2	1/11/2017	5.43	0		NTU
Turbidity (field)	LGW-2	2/7/2017	4.31	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	3/2/2017	8.52	0		NTU
Turbidity (field)	LGW-2	4/4/2017	11.4	0		NTU
Turbidity (field)	LGW-2	5/16/2017	3.89	0		NTU
Turbidity (field)	LGW-2	6/6/2017	5.57	0		NTU
Turbidity (field)	LGW-2	7/18/2017	3.47	0		NTU
Turbidity (field)	LGW-2	8/1/2017	2.14	0		NTU
Turbidity (field)	LGW-2	9/5/2017	4.43	0		NTU
Turbidity (field)	LGW-2	10/6/2017	2.67	0		NTU
Turbidity (field)	LGW-2	11/1/2017	7.44	0		NTU
Turbidity (field)	LGW-2	1/23/2018	3.38	0.01		NTU
Turbidity (field)	LGW-2	2/22/2018	2.68	0.01		NTU
Turbidity (field)	LGW-2	3/21/2018	20.5	0.01		NTU
Turbidity (field)	LGW-2	4/10/2018	5.82	0.01		NTU
Turbidity (field)	LGW-2	6/5/2018	9.35	0		NTU
Turbidity (field)	LGW-2	6/21/2018	2.83	0		NTU
Turbidity (field)	LGW-2	7/12/2018	1.67	0.01		NTU
Turbidity (field)	LGW-2	8/1/2018	2.17	0.01		NTU
Turbidity (field)	LGW-2	9/4/2018	2.66	0		NTU
Turbidity (field)	LGW-2	10/2/2018	1.42	0		NTU
Turbidity (field)	LGW-2	10/2/2018	1.42	0		NTU
Turbidity (field)	LGW-2	11/6/2018	0.75	0.01		NTU
Turbidity (field)	LGW-2	12/4/2018	1.16	0.01		NTU
Turbidity (field)	LGW-2	1/3/2019	2.42	0.01		NTU
Turbidity (field)	LGW-2	2/5/2019	0.88	0		NTU
Turbidity (field)	LGW-2	3/6/2019	2.8	0.01		NTU
Turbidity (field)	LGW-2	4/3/2019	2.99	0.01		NTU
Turbidity (field)	LGW-2	5/2/2019	2.86	0.01		NTU
Turbidity (field)	LGW-2	6/5/2019	1.13	0		NTU
Turbidity (field)	LGW-2	7/9/2019	9.6	0.01		NTU
Turbidity (field)	LGW-2	7/9/2019	9.6	0.01		NTU
Turbidity (field)	LGW-2	8/6/2019	3	0.01		NTU
Turbidity (field)	LGW-2	9/4/2019	0.12	0.01		NTU
Turbidity (field)	LGW-2	10/1/2019	0.83	0.01		NTU
Turbidity (field)	LGW-2	11/6/2019	2.1	0.01		NTU
Turbidity (field)	LGW-2	12/3/2019	0.91	0.01		NTU
Turbidity (field)	LGW-2	1/13/2020	8.53	0		NTU
Turbidity (field)	LGW-2	3/3/2020	2.77	0.01		NTU
Turbidity (field)	LGW-2	4/1/2020	1.84	0.01		NTU
Turbidity (field)	LGW-2	4/1/2020	1.84	0.01		NTU
Turbidity (field)	LGW-2	5/5/2020	0.99	0.01		NTU
Turbidity (field)	LGW-2	6/2/2020	1.72	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	8/3/2020	0.97	0		NTU
Turbidity (field)	LGW-2	9/3/2020	0.37	0.01		NTU
Turbidity (field)	LGW-2	10/7/2020	1.17	0.01		NTU
Turbidity (field)	LGW-2	11/3/2020	0.92	0		NTU
Turbidity (field)	LGW-2	12/4/2020	0.25	0		NTU
Turbidity (field)	LGW-2	1/18/2021	-12.6	0		NTU
Turbidity (field)	LGW-2	1/18/2021	-12.6	0		NTU
Turbidity (field)	LGW-2	2/10/2021	1.9	0		NTU
Turbidity (field)	LGW-2	3/2/2021	0.7	0		NTU
Turbidity (field)	LGW-2	4/7/2021	2.7	0		NTU
Turbidity (field)	LGW-2	5/4/2021	2.7	0		NTU
Turbidity (field)	LGW-2	6/1/2021	3.3	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	8/3/2021	5.3	0		NTU
Turbidity (field)	LGW-2	9/2/2021	8.4	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	10/5/2021	4.1	0		NTU
Turbidity (field)	LGW-2	10/5/2021	4.1	0		NTU
Turbidity (field)	LGW-2	11/1/2021	10.1	0		NTU
Turbidity (field)	LGW-2	12/8/2021	4.6	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	2/9/2022	6.4	0		NTU
Turbidity (field)	LGW-2	3/1/2022	4.2	0		NTU
Turbidity (field)	LGW-2	4/5/2022	2.9	0		NTU
Turbidity (field)	LGW-2	5/7/2022	6.5	0		NTU
Turbidity (field)	LGW-2	6/3/2022	5	0		NTU
Turbidity (field)	LGW-2	7/10/2022	3.5	0		NTU
Turbidity (field)	LGW-2	8/10/2022	7.1	0		NTU
Turbidity (field)	LGW-2	9/8/2022	1.9	0		NTU
Turbidity (field)	LGW-2	10/6/2022	2.3	0		NTU
Turbidity (field)	LGW-2	11/3/2022	3.1	0		NTU
Turbidity (field)	LGW-2	12/7/2022	0.6	0		NTU
Turbidity (field)	LGW-2	1/10/2023	2.8	0		NTU
Turbidity (field)	LGW-2	2/3/2023	0.9	0		NTU
Turbidity (field)	LGW-2	3/1/2023	2.8	0		NTU
Turbidity (field)	LGW-2	4/6/2023	9.1	0		NTU
Turbidity (field)	LGW-3R	9/28/2005	208	0		NTU
Turbidity (field)	LGW-3R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-3R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-3R	9/26/2006	253	0		NTU
Turbidity (field)	LGW-3R	9/26/2006	253	0		NTU
Turbidity (field)	LGW-3R	10/26/2006	131	0		NTU
Turbidity (field)	LGW-3R	10/26/2006	131	0		NTU
Turbidity (field)	LGW-3R	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-3R	12/21/2006	102	0		NTU
Turbidity (field)	LGW-3R	12/21/2006	102	0		NTU
Turbidity (field)	LGW-3R	1/8/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/8/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/9/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	2/7/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	2/27/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	2/27/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	4/26/2007	3.87	0		NTU
Turbidity (field)	LGW-3R	4/26/2007	3.87	0		NTU
Turbidity (field)	LGW-3R	6/1/2007	16	0		NTU
Turbidity (field)	LGW-3R	6/1/2007	16	0		NTU
Turbidity (field)	LGW-3R	6/28/2007	8.59	0		NTU
Turbidity (field)	LGW-3R	6/28/2007	8.59	0		NTU
Turbidity (field)	LGW-3R	7/10/2007	4.78	0		NTU
Turbidity (field)	LGW-3R	7/11/2007	4.78	0		NTU
Turbidity (field)	LGW-3R	8/28/2007	4.59	0		NTU
Turbidity (field)	LGW-3R	8/28/2007	4.59	0		NTU
Turbidity (field)	LGW-3R	10/24/2007	3.82	0		NTU
Turbidity (field)	LGW-3R	11/28/2007	1.1	0		NTU
Turbidity (field)	LGW-3R	12/27/2007	4.18	0		NTU
Turbidity (field)	LGW-3R	1/26/2008	36.1	0		NTU
Turbidity (field)	LGW-3R	1/26/2008	36.1	0		NTU
Turbidity (field)	LGW-3R	2/27/2008	10.2	0		NTU
Turbidity (field)	LGW-3R	3/24/2008	9.05	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	5/3/2008	27.2	0		NTU
Turbidity (field)	LGW-3R	5/30/2008	7.45	0		NTU
Turbidity (field)	LGW-3R	6/26/2008	3.36	0		NTU
Turbidity (field)	LGW-3R	7/23/2008	4.82	0		NTU
Turbidity (field)	LGW-3R	8/29/2008	7.37	0		NTU
Turbidity (field)	LGW-3R	9/26/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	9/26/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	10/22/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	11/25/2008	2.55	0		NTU
Turbidity (field)	LGW-3R	12/19/2008	2.46	0		NTU
Turbidity (field)	LGW-3R	2/3/2009	15.6	0		NTU
Turbidity (field)	LGW-3R	3/26/2009	1.55	0		NTU
Turbidity (field)	LGW-3R	4/16/2009	3.21	0		NTU
Turbidity (field)	LGW-3R	5/28/2009	3.24	0		NTU
Turbidity (field)	LGW-3R	6/25/2009	3.98	0		NTU
Turbidity (field)	LGW-3R	7/31/2009	9.8	0		NTU
Turbidity (field)	LGW-3R	8/29/2009	9.81	0		NTU
Turbidity (field)	LGW-3R	9/30/2009	11.3	0		NTU
Turbidity (field)	LGW-3R	10/22/2009	5.88	0		NTU
Turbidity (field)	LGW-3R	11/24/2009	3.84	0		NTU
Turbidity (field)	LGW-3R	12/18/2009	2.87	0		NTU
Turbidity (field)	LGW-3R	2/3/2010	7.16	0		NTU
Turbidity (field)	LGW-3R	2/3/2010	7.16	0		NTU
Turbidity (field)	LGW-3R	2/17/2010	4.22	0		NTU
Turbidity (field)	LGW-3R	3/3/2010	9.16	0		NTU
Turbidity (field)	LGW-3R	4/8/2010	11.6	0		NTU
Turbidity (field)	LGW-3R	5/5/2010	2.18	0		NTU
Turbidity (field)	LGW-3R	6/15/2010	45.5	0		NTU
Turbidity (field)	LGW-3R	7/16/2010	2.07	0		NTU
Turbidity (field)	LGW-3R	8/11/2010	0.6	0		NTU
Turbidity (field)	LGW-3R	9/1/2010	0.64	0		NTU
Turbidity (field)	LGW-3R	9/29/2010	1.47	0		NTU
Turbidity (field)	LGW-3R	11/3/2010	0.32	0		NTU
Turbidity (field)	LGW-3R	12/3/2010	0.27	0		NTU
Turbidity (field)	LGW-3R	1/19/2011	1.53	0		NTU
Turbidity (field)	LGW-3R	2/7/2011	0.36	0		NTU
Turbidity (field)	LGW-3R	3/3/2011	9.58	0		NTU
Turbidity (field)	LGW-3R	4/5/2011	1.02	0		NTU
Turbidity (field)	LGW-3R	5/10/2011	3.48	0		NTU
Turbidity (field)	LGW-3R	6/1/2011	5.32	0		NTU
Turbidity (field)	LGW-3R	7/13/2011	3.44	0		NTU
Turbidity (field)	LGW-3R	8/3/2011	1	0		NTU
Turbidity (field)	LGW-3R	9/7/2011	0.76	0		NTU
Turbidity (field)	LGW-3R	10/5/2011	6.75	0		NTU
Turbidity (field)	LGW-3R	11/1/2011	4.01	0		NTU
Turbidity (field)	LGW-3R	12/7/2011	4.11	0		NTU
Turbidity (field)	LGW-3R	1/4/2012	4.32	0		NTU
Turbidity (field)	LGW-3R	2/1/2012	2.62	0		NTU
Turbidity (field)	LGW-3R	3/6/2012	2	0		NTU
Turbidity (field)	LGW-3R	4/5/2012	3.56	0		NTU
Turbidity (field)	LGW-3R	5/1/2012	2.05	0		NTU
Turbidity (field)	LGW-3R	6/5/2012	2.89	0		NTU
Turbidity (field)	LGW-3R	7/9/2012	4.93	0		NTU
Turbidity (field)	LGW-3R	8/9/2012	4.24	0		NTU
Turbidity (field)	LGW-3R	9/4/2012	5.5	0		NTU
Turbidity (field)	LGW-3R	11/8/2012	19.3	0		NTU
Turbidity (field)	LGW-3R	12/6/2012	690	0		NTU
Turbidity (field)	LGW-3R	12/6/2012	690	0		NTU
Turbidity (field)	LGW-3R	1/23/2013	53.2	0		NTU
Turbidity (field)	LGW-3R	1/23/2013	53.2	0		NTU
Turbidity (field)	LGW-3R	2/5/2013	132	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	2/5/2013	132	0		NTU
Turbidity (field)	LGW-3R	3/5/2013	79.2	0		NTU
Turbidity (field)	LGW-3R	3/5/2013	79.2	0		NTU
Turbidity (field)	LGW-3R	4/30/2013	41.2	0		NTU
Turbidity (field)	LGW-3R	6/4/2013	20.1	0		NTU
Turbidity (field)	LGW-3R	7/15/2013	20.2	0		NTU
Turbidity (field)	LGW-3R	8/8/2013	12.7	0		NTU
Turbidity (field)	LGW-3R	9/10/2013	14.9	0		NTU
Turbidity (field)	LGW-3R	10/1/2013	15.7	0		NTU
Turbidity (field)	LGW-3R	11/6/2013	29.4	0		NTU
Turbidity (field)	LGW-3R	12/2/2013	27.4	0		NTU
Turbidity (field)	LGW-3R	1/22/2014	8.41	0		NTU
Turbidity (field)	LGW-3R	2/12/2014	6.44	0		NTU
Turbidity (field)	LGW-3R	3/11/2014	5.66	0		NTU
Turbidity (field)	LGW-3R	4/2/2014	6.56	0		NTU
Turbidity (field)	LGW-3R	5/7/2014	5.46	0		NTU
Turbidity (field)	LGW-3R	6/3/2014	9.9	0		NTU
Turbidity (field)	LGW-3R	7/8/2014	7.47	0		NTU
Turbidity (field)	LGW-3R	8/5/2014	7.65	0		NTU
Turbidity (field)	LGW-3R	9/4/2014	7.64	0		NTU
Turbidity (field)	LGW-3R	10/9/2014	7.54	0		NTU
Turbidity (field)	LGW-3R	11/3/2014	6.41	0		NTU
Turbidity (field)	LGW-3R	1/14/2015	7.62	0		NTU
Turbidity (field)	LGW-3R	2/10/2015	6.67	0		NTU
Turbidity (field)	LGW-3R	3/3/2015	7.54	0		NTU
Turbidity (field)	LGW-3R	4/1/2015	8.78	0		NTU
Turbidity (field)	LGW-3R	5/6/2015	7.92	0		NTU
Turbidity (field)	LGW-3R	6/3/2015	8.63	0		NTU
Turbidity (field)	LGW-3R	7/16/2015	15.3	0		NTU
Turbidity (field)	LGW-3R	8/5/2015	153	0		NTU
Turbidity (field)	LGW-3R	9/3/2015	15.5	0		NTU
Turbidity (field)	LGW-3R	10/6/2015	37.9	0		NTU
Turbidity (field)	LGW-3R	11/5/2015	5.99	0		NTU
Turbidity (field)	LGW-3R	12/4/2015	76.4	0		NTU
Turbidity (field)	LGW-3R	1/8/2016	18.5	0		NTU
Turbidity (field)	LGW-3R	2/4/2016	10.9	0		NTU
Turbidity (field)	LGW-3R	3/3/2016	7.78	0		NTU
Turbidity (field)	LGW-3R	4/6/2016	9.38	0		NTU
Turbidity (field)	LGW-3R	5/12/2016	16.2	0		NTU
Turbidity (field)	LGW-3R	6/2/2016	12.5	0		NTU
Turbidity (field)	LGW-3R	7/21/2016	25.6	0		NTU
Turbidity (field)	LGW-3R	8/11/2016	22.7	0		NTU
Turbidity (field)	LGW-3R	9/7/2016	167	0		NTU
Turbidity (field)	LGW-3R	10/7/2016	79.7	0		NTU
Turbidity (field)	LGW-3R	11/3/2016	36.8	0		NTU
Turbidity (field)	LGW-3R	12/2/2016	46.1	0		NTU
Turbidity (field)	LGW-3R	1/11/2017	10.3	0		NTU
Turbidity (field)	LGW-3R	2/7/2017	8.86	0		NTU
Turbidity (field)	LGW-3R	3/2/2017	9.86	0		NTU
Turbidity (field)	LGW-3R	4/4/2017	6.87	0		NTU
Turbidity (field)	LGW-3R	5/2/2017	9.11	0		NTU
Turbidity (field)	LGW-3R	6/6/2017	9.22	0		NTU
Turbidity (field)	LGW-3R	7/18/2017	8.11	0		NTU
Turbidity (field)	LGW-3R	8/1/2017	8.73	0		NTU
Turbidity (field)	LGW-3R	9/5/2017	8.87	0		NTU
Turbidity (field)	LGW-3R	10/6/2017	7.32	0		NTU
Turbidity (field)	LGW-3R	11/1/2017	7.65	0		NTU
Turbidity (field)	LGW-3R	1/23/2018	8.25	0.01		NTU
Turbidity (field)	LGW-3R	2/22/2018	5.09	0.01		NTU
Turbidity (field)	LGW-3R	3/19/2018	0.78	0.01		NTU
Turbidity (field)	LGW-3R	4/10/2018	1.15	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	6/5/2018	0.01	0		NTU
Turbidity (field)	LGW-3R	7/11/2018	0.09	0.01		NTU
Turbidity (field)	LGW-3R	8/1/2018	1.44	0.01		NTU
Turbidity (field)	LGW-3R	9/5/2018	1.66	0		NTU
Turbidity (field)	LGW-3R	10/3/2018	1.25	0		NTU
Turbidity (field)	LGW-3R	11/7/2018	1.54	0.01		NTU
Turbidity (field)	LGW-3R	12/4/2018	33.4	0.01		NTU
Turbidity (field)	LGW-3R	1/3/2019	1.5	0.01		NTU
Turbidity (field)	LGW-3R	2/5/2019	2.86	0		NTU
Turbidity (field)	LGW-3R	3/4/2019	0.3	0.01		NTU
Turbidity (field)	LGW-3R	4/3/2019	1.96	0.01		NTU
Turbidity (field)	LGW-3R	5/1/2019	1.78	0.01		NTU
Turbidity (field)	LGW-3R	6/5/2019	0.83	0		NTU
Turbidity (field)	LGW-3R	7/9/2019	2.18	0.01		NTU
Turbidity (field)	LGW-3R	7/9/2019	2.18	0.01		NTU
Turbidity (field)	LGW-3R	8/5/2019	3.78	0.01		NTU
Turbidity (field)	LGW-3R	9/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-3R	10/1/2019	3.19	0.01		NTU
Turbidity (field)	LGW-3R	11/6/2019	4.59	0.01		NTU
Turbidity (field)	LGW-3R	12/2/2019	47.5	0.01		NTU
Turbidity (field)	LGW-3R	1/14/2020	32.44	0		NTU
Turbidity (field)	LGW-3R	3/2/2020	46.88	0.01		NTU
Turbidity (field)	LGW-3R	4/1/2020	28.09	0.01		NTU
Turbidity (field)	LGW-3R	5/5/2020	32.1	0.01		NTU
Turbidity (field)	LGW-3R	6/3/2020	9.12	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	8/3/2020	45.92	0		NTU
Turbidity (field)	LGW-3R	9/2/2020	48.59	0.01		NTU
Turbidity (field)	LGW-3R	10/5/2020	11.66	0.01		NTU
Turbidity (field)	LGW-3R	11/3/2020	29.73	0		NTU
Turbidity (field)	LGW-3R	12/4/2020	25.25	0		NTU
Turbidity (field)	LGW-3R	1/18/2021	11.8	0		NTU
Turbidity (field)	LGW-3R	1/18/2021	11.8	0		NTU
Turbidity (field)	LGW-3R	2/9/2021	37.21	0		NTU
Turbidity (field)	LGW-3R	3/2/2021	24.6	0		NTU
Turbidity (field)	LGW-3R	4/6/2021	27.3	0		NTU
Turbidity (field)	LGW-3R	4/6/2021	27.3	0		NTU
Turbidity (field)	LGW-3R	5/4/2021	43.6	0		NTU
Turbidity (field)	LGW-3R	6/2/2021	22.6	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	8/3/2021	33.3	0		NTU
Turbidity (field)	LGW-3R	9/2/2021	29.5	0		NTU
Turbidity (field)	LGW-3R	10/5/2021	14.5	0		NTU
Turbidity (field)	LGW-3R	11/2/2021	13.5	0		NTU
Turbidity (field)	LGW-3R	12/9/2021	6.7	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	2/10/2022	7.1	0		NTU
Turbidity (field)	LGW-3R	3/1/2022	9	0		NTU
Turbidity (field)	LGW-3R	4/5/2022	9.8	0		NTU
Turbidity (field)	LGW-3R	5/7/2022	20.4	0		NTU
Turbidity (field)	LGW-3R	6/3/2022	29.9	0		NTU
Turbidity (field)	LGW-3R	7/10/2022	30.7	0		NTU
Turbidity (field)	LGW-3R	8/10/2022	26.4	0		NTU
Turbidity (field)	LGW-3R	9/8/2022	4.8	0		NTU
Turbidity (field)	LGW-3R	10/6/2022	4.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	11/3/2022	5.3	0		NTU
Turbidity (field)	LGW-3R	12/7/2022	2.7	0		NTU
Turbidity (field)	LGW-3R	1/10/2023	9.1	0		NTU
Turbidity (field)	LGW-3R	2/3/2023	5	0		NTU
Turbidity (field)	LGW-3R	3/1/2023	7.4	0		NTU
Turbidity (field)	LGW-3R	4/6/2023	7.9	0		NTU
Turbidity (field)	LGW-4	9/28/2005	159	0		NTU
Turbidity (field)	LGW-4	7/20/2006	5.1	0		NTU
Turbidity (field)	LGW-4	7/20/2006	5.1	0		NTU
Turbidity (field)	LGW-4	9/26/2006	245	0		NTU
Turbidity (field)	LGW-4	9/26/2006	245	0		NTU
Turbidity (field)	LGW-4	10/26/2006	28.1	0		NTU
Turbidity (field)	LGW-4	10/26/2006	28.1	0		NTU
Turbidity (field)	LGW-4	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-4	12/21/2006	36.2	0		NTU
Turbidity (field)	LGW-4	12/21/2006	36.2	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	2/7/2007	9.49	0		NTU
Turbidity (field)	LGW-4	2/27/2007	9.49	0		NTU
Turbidity (field)	LGW-4	2/27/2007	9.49	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	4/26/2007	8.74	0		NTU
Turbidity (field)	LGW-4	4/26/2007	8.74	0		NTU
Turbidity (field)	LGW-4	5/31/2007	6.35	0		NTU
Turbidity (field)	LGW-4	6/1/2007	6.35	0		NTU
Turbidity (field)	LGW-4	6/28/2007	7.29	0		NTU
Turbidity (field)	LGW-4	6/28/2007	7.29	0		NTU
Turbidity (field)	LGW-4	7/10/2007	3.8	0		NTU
Turbidity (field)	LGW-4	7/11/2007	3.8	0		NTU
Turbidity (field)	LGW-4	8/28/2007	4.42	0		NTU
Turbidity (field)	LGW-4	8/28/2007	4.42	0		NTU
Turbidity (field)	LGW-4	10/24/2007	4.96	0		NTU
Turbidity (field)	LGW-4	11/28/2007	3.94	0		NTU
Turbidity (field)	LGW-4	12/27/2007	4.37	0		NTU
Turbidity (field)	LGW-4	1/22/2008	4.87	0		NTU
Turbidity (field)	LGW-4	2/27/2008	1.68	0		NTU
Turbidity (field)	LGW-4	3/25/2008	3.41	0		NTU
Turbidity (field)	LGW-4	5/3/2008	4.96	0		NTU
Turbidity (field)	LGW-4	5/30/2008	3.18	0		NTU
Turbidity (field)	LGW-4	7/23/2008	2.86	0		NTU
Turbidity (field)	LGW-4	8/29/2008	2.14	0		NTU
Turbidity (field)	LGW-4	9/26/2008	4.59	0		NTU
Turbidity (field)	LGW-4	9/26/2008	4.59	0		NTU
Turbidity (field)	LGW-4	10/22/2008	2.14	0		NTU
Turbidity (field)	LGW-4	11/25/2008	1.8	0		NTU
Turbidity (field)	LGW-4	12/19/2008	1.7	0		NTU
Turbidity (field)	LGW-4	2/3/2009	3.66	0		NTU
Turbidity (field)	LGW-4	3/26/2009	2.78	0		NTU
Turbidity (field)	LGW-4	4/16/2009	0.69	0		NTU
Turbidity (field)	LGW-4	5/28/2009	4.37	0		NTU
Turbidity (field)	LGW-4	6/25/2009	4.67	0		NTU
Turbidity (field)	LGW-4	7/31/2009	2.53	0		NTU
Turbidity (field)	LGW-4	8/29/2009	4.68	0		NTU
Turbidity (field)	LGW-4	10/22/2009	4.34	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	11/24/2009	1.89	0		NTU
Turbidity (field)	LGW-4	2/3/2010	1.71	0		NTU
Turbidity (field)	LGW-4	2/3/2010	1.71	0		NTU
Turbidity (field)	LGW-4	2/17/2010	2.76	0		NTU
Turbidity (field)	LGW-4	3/3/2010	4.52	0		NTU
Turbidity (field)	LGW-4	4/8/2010	4.12	0		NTU
Turbidity (field)	LGW-4	5/5/2010	3.5	0		NTU
Turbidity (field)	LGW-4	6/15/2010	3.37	0		NTU
Turbidity (field)	LGW-4	7/16/2010	2.47	0		NTU
Turbidity (field)	LGW-4	8/11/2010	2.03	0		NTU
Turbidity (field)	LGW-4	9/1/2010	4.33	0		NTU
Turbidity (field)	LGW-4	9/29/2010	2.37	0		NTU
Turbidity (field)	LGW-4	11/3/2010	1.93	0		NTU
Turbidity (field)	LGW-4	12/3/2010	1.82	0		NTU
Turbidity (field)	LGW-4	1/19/2011	1.85	0		NTU
Turbidity (field)	LGW-4	2/7/2011	1.32	0		NTU
Turbidity (field)	LGW-4	3/3/2011	4.72	0		NTU
Turbidity (field)	LGW-4	4/5/2011	1.87	0		NTU
Turbidity (field)	LGW-4	5/10/2011	3.9	0		NTU
Turbidity (field)	LGW-4	6/1/2011	4.84	0		NTU
Turbidity (field)	LGW-4	7/13/2011	3	0		NTU
Turbidity (field)	LGW-4	8/3/2011	1.8	0		NTU
Turbidity (field)	LGW-4	9/7/2011	3.02	0		NTU
Turbidity (field)	LGW-4	10/5/2011	2.92	0		NTU
Turbidity (field)	LGW-4	11/1/2011	2.15	0		NTU
Turbidity (field)	LGW-4	12/7/2011	2.76	0		NTU
Turbidity (field)	LGW-4	1/4/2012	1.9	0		NTU
Turbidity (field)	LGW-4	2/1/2012	1.89	0		NTU
Turbidity (field)	LGW-4	3/6/2012	2.37	0		NTU
Turbidity (field)	LGW-4	4/5/2012	2.23	0		NTU
Turbidity (field)	LGW-4	5/1/2012	2.35	0		NTU
Turbidity (field)	LGW-4	6/5/2012	2.24	0		NTU
Turbidity (field)	LGW-4	7/9/2012	2.62	0		NTU
Turbidity (field)	LGW-4	8/9/2012	3.59	0		NTU
Turbidity (field)	LGW-4	9/4/2012	1.73	0		NTU
Turbidity (field)	LGW-4	10/7/2012	13.9	0		NTU
Turbidity (field)	LGW-4	4/30/2013	19.2	0		NTU
Turbidity (field)	LGW-4	6/4/2013	10.6	0		NTU
Turbidity (field)	LGW-4	7/15/2013	4.76	0		NTU
Turbidity (field)	LGW-4	8/8/2013	4.59	0		NTU
Turbidity (field)	LGW-4	9/10/2013	4.44	0		NTU
Turbidity (field)	LGW-4	10/1/2013	3.26	0		NTU
Turbidity (field)	LGW-4	11/6/2013	3.39	0		NTU
Turbidity (field)	LGW-4	12/2/2013	3.38	0		NTU
Turbidity (field)	LGW-4	1/23/2014	5.04	0		NTU
Turbidity (field)	LGW-4	2/12/2014	2.68	0		NTU
Turbidity (field)	LGW-4	3/11/2014	1.69	0		NTU
Turbidity (field)	LGW-4	4/2/2014	2.09	0		NTU
Turbidity (field)	LGW-4	5/7/2014	2.02	0		NTU
Turbidity (field)	LGW-4	6/3/2014	29.9	0		NTU
Turbidity (field)	LGW-4	7/8/2014	3.91	0		NTU
Turbidity (field)	LGW-4	8/5/2014	2.06	0		NTU
Turbidity (field)	LGW-4	9/4/2014	3.4	0		NTU
Turbidity (field)	LGW-4	10/9/2014	4.73	0		NTU
Turbidity (field)	LGW-4	11/3/2014	1.86	0		NTU
Turbidity (field)	LGW-4	1/14/2015	6.75	0		NTU
Turbidity (field)	LGW-4	2/11/2015	2.7	0		NTU
Turbidity (field)	LGW-4	3/3/2015	3.2	0		NTU
Turbidity (field)	LGW-4	4/1/2015	3.11	0		NTU
Turbidity (field)	LGW-4	5/6/2015	3.42	0		NTU
Turbidity (field)	LGW-4	6/3/2015	1.53	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	7/8/2015	5.16	0		NTU
Turbidity (field)	LGW-4	8/4/2015	2.31	0		NTU
Turbidity (field)	LGW-4	9/2/2015	2.13	0		NTU
Turbidity (field)	LGW-4	10/5/2015	3.13	0		NTU
Turbidity (field)	LGW-4	11/4/2015	4.05	0		NTU
Turbidity (field)	LGW-4	12/3/2015	2.68	0		NTU
Turbidity (field)	LGW-4	1/5/2016	3.4	0		NTU
Turbidity (field)	LGW-4	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-4	3/2/2016	2.67	0		NTU
Turbidity (field)	LGW-4	4/5/2016	1.34	0		NTU
Turbidity (field)	LGW-4	5/11/2016	3.12	0		NTU
Turbidity (field)	LGW-4	6/1/2016	3.33	0		NTU
Turbidity (field)	LGW-4	7/19/2016	2.49	0		NTU
Turbidity (field)	LGW-4	8/10/2016	2.11	0		NTU
Turbidity (field)	LGW-4	9/6/2016	2.81	0		NTU
Turbidity (field)	LGW-4	10/6/2016	2.88	0		NTU
Turbidity (field)	LGW-4	11/2/2016	3.63	0		NTU
Turbidity (field)	LGW-4	12/1/2016	2.81	0		NTU
Turbidity (field)	LGW-4	1/11/2017	1.88	0		NTU
Turbidity (field)	LGW-4	2/7/2017	2.17	0		NTU
Turbidity (field)	LGW-4	3/2/2017	2.32	0		NTU
Turbidity (field)	LGW-4	4/4/2017	1.63	0		NTU
Turbidity (field)	LGW-4	5/2/2017	2.18	0		NTU
Turbidity (field)	LGW-4	5/16/2017	0.94	0		NTU
Turbidity (field)	LGW-4	6/6/2017	1.29	0		NTU
Turbidity (field)	LGW-4	7/18/2017	1.87	0		NTU
Turbidity (field)	LGW-4	8/1/2017	1.36	0		NTU
Turbidity (field)	LGW-4	9/5/2017	3.64	0		NTU
Turbidity (field)	LGW-4	10/6/2017	2.05	0		NTU
Turbidity (field)	LGW-4	11/1/2017	1.63	0		NTU
Turbidity (field)	LGW-4	1/23/2018	0.34	0.01		NTU
Turbidity (field)	LGW-4	2/22/2018	0.55	0.01		NTU
Turbidity (field)	LGW-4	3/19/2018	0.46	0.01		NTU
Turbidity (field)	LGW-4	4/10/2018	0.47	0.01		NTU
Turbidity (field)	LGW-4	6/5/2018	1.82	0		NTU
Turbidity (field)	LGW-4	7/11/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-4	8/1/2018	0.68	0.01		NTU
Turbidity (field)	LGW-4	9/5/2018	0.03	0		NTU
Turbidity (field)	LGW-4	10/3/2018	0.53	0		NTU
Turbidity (field)	LGW-4	11/7/2018	1.79	0.01		NTU
Turbidity (field)	LGW-4	12/4/2018	0.73	0.01		NTU
Turbidity (field)	LGW-4	1/3/2019	0.9	0.01		NTU
Turbidity (field)	LGW-4	2/5/2019	2.5	0		NTU
Turbidity (field)	LGW-4	3/4/2019	0.6	0.01		NTU
Turbidity (field)	LGW-4	4/3/2019	1.06	0.01		NTU
Turbidity (field)	LGW-4	4/3/2019	1.06	0.01		NTU
Turbidity (field)	LGW-4	5/1/2019	2.15	0.01		NTU
Turbidity (field)	LGW-4	6/5/2019	8.77	0		NTU
Turbidity (field)	LGW-4	7/9/2019	5.61	0.01		NTU
Turbidity (field)	LGW-4	7/9/2019	5.61	0.01		NTU
Turbidity (field)	LGW-4	8/5/2019	6.39	0.01		NTU
Turbidity (field)	LGW-4	9/3/2019	1.2	0.01		NTU
Turbidity (field)	LGW-4	10/1/2019	1.6	0.01		NTU
Turbidity (field)	LGW-4	11/6/2019	1.09	0.01		NTU
Turbidity (field)	LGW-4	12/4/2019	3.63	0.01		NTU
Turbidity (field)	LGW-4	1/14/2020	2.62	0		NTU
Turbidity (field)	LGW-4	3/2/2020	4.03	0.01		NTU
Turbidity (field)	LGW-4	4/1/2020	1.08	0.01		NTU
Turbidity (field)	LGW-4	5/5/2020	2.6	0.01		NTU
Turbidity (field)	LGW-4	6/3/2020	8.66	0		NTU
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU
Turbidity (field)	LGW-4	8/3/2020	1.99	0		NTU
Turbidity (field)	LGW-4	9/2/2020	1.21	0.01		NTU
Turbidity (field)	LGW-4	10/5/2020	4.1	0.01		NTU
Turbidity (field)	LGW-4	11/3/2020	1.18	0		NTU
Turbidity (field)	LGW-4	12/4/2020	2.79	0		NTU
Turbidity (field)	LGW-4	1/18/2021	-12.8	0		NTU
Turbidity (field)	LGW-4	1/18/2021	-12.8	0		NTU
Turbidity (field)	LGW-4	2/9/2021	1.91	0		NTU
Turbidity (field)	LGW-4	3/2/2021	0.5	0		NTU
Turbidity (field)	LGW-4	4/6/2021	2.4	0		NTU
Turbidity (field)	LGW-4	4/6/2021	2.4	0		NTU
Turbidity (field)	LGW-4	5/4/2021	6.1	0		NTU
Turbidity (field)	LGW-4	6/2/2021	5.6	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	8/3/2021	12.1	0		NTU
Turbidity (field)	LGW-4	9/2/2021	18.6	0		NTU
Turbidity (field)	LGW-4	10/5/2021	4.4	0		NTU
Turbidity (field)	LGW-4	10/5/2021	4.4	0		NTU
Turbidity (field)	LGW-4	11/2/2021	4	0		NTU
Turbidity (field)	LGW-4	12/9/2021	4.2	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	2/10/2022	3.9	0		NTU
Turbidity (field)	LGW-4	3/1/2022	4.4	0		NTU
Turbidity (field)	LGW-4	4/5/2022	5.2	0		NTU
Turbidity (field)	LGW-4	5/7/2022	6.8	0		NTU
Turbidity (field)	LGW-4	6/3/2022	6.7	0		NTU
Turbidity (field)	LGW-4	7/11/2022	7.3	0		NTU
Turbidity (field)	LGW-4	8/10/2022	7.4	0		NTU
Turbidity (field)	LGW-4	9/8/2022	3.2	0		NTU
Turbidity (field)	LGW-4	10/6/2022	3.1	0		NTU
Turbidity (field)	LGW-4	11/3/2022	3.3	0		NTU
Turbidity (field)	LGW-4	12/7/2022	1.1	0		NTU
Turbidity (field)	LGW-4	1/10/2023	5	0		NTU
Turbidity (field)	LGW-4	2/3/2023	2.2	0		NTU
Turbidity (field)	LGW-4	3/1/2023	4.8	0		NTU
Turbidity (field)	LGW-4	4/6/2023	8.1	0		NTU
Turbidity (field)	LGW-5	9/29/2005	1000	0		NTU
Turbidity (field)	LGW-5	7/20/2006	423	0		NTU
Turbidity (field)	LGW-5	7/20/2006	423	0		NTU
Turbidity (field)	LGW-5	7/31/2006	656	0		NTU
Turbidity (field)	LGW-5	8/1/2006	656	0		NTU
Turbidity (field)	LGW-5	8/1/2006	656	0		NTU
Turbidity (field)	LGW-5	9/27/2006	4.84	0		NTU
Turbidity (field)	LGW-5	9/27/2006	4.84	0		NTU
Turbidity (field)	LGW-5	10/26/2006	3.4	0		NTU
Turbidity (field)	LGW-5	10/26/2006	3.4	0		NTU
Turbidity (field)	LGW-5	11/21/2006	3.91	0		NTU
Turbidity (field)	LGW-5	11/21/2006	3.91	0		NTU
Turbidity (field)	LGW-5	12/21/2006	6.32	0		NTU
Turbidity (field)	LGW-5	12/21/2006	6.32	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU
Turbidity (field)	LGW-5	2/7/2007	2.53	0		NTU
Turbidity (field)	LGW-5	2/26/2007	2.53	0		NTU
Turbidity (field)	LGW-5	2/27/2007	2.53	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	4/26/2007	2.72	0		NTU
Turbidity (field)	LGW-5	4/26/2007	2.72	0		NTU
Turbidity (field)	LGW-5	5/31/2007	3.21	0		NTU
Turbidity (field)	LGW-5	6/1/2007	3.21	0		NTU
Turbidity (field)	LGW-5	6/28/2007	2.92	0		NTU
Turbidity (field)	LGW-5	6/28/2007	2.92	0		NTU
Turbidity (field)	LGW-5	7/10/2007	2.89	0		NTU
Turbidity (field)	LGW-5	7/11/2007	2.89	0		NTU
Turbidity (field)	LGW-5	8/28/2007	4.13	0		NTU
Turbidity (field)	LGW-5	8/28/2007	4.13	0		NTU
Turbidity (field)	LGW-5	10/24/2007	1.26	0		NTU
Turbidity (field)	LGW-5	11/28/2007	4.59	0		NTU
Turbidity (field)	LGW-5	12/27/2007	1.49	0		NTU
Turbidity (field)	LGW-5	1/23/2008	6.36	0		NTU
Turbidity (field)	LGW-5	2/28/2008	8.97	0		NTU
Turbidity (field)	LGW-5	3/25/2008	1.11	0		NTU
Turbidity (field)	LGW-5	5/3/2008	2.85	0		NTU
Turbidity (field)	LGW-5	5/30/2008	4.88	0		NTU
Turbidity (field)	LGW-5	6/26/2008	2.13	0		NTU
Turbidity (field)	LGW-5	7/23/2008	2.52	0		NTU
Turbidity (field)	LGW-5	9/26/2008	4.98	0		NTU
Turbidity (field)	LGW-5	9/26/2008	4.98	0		NTU
Turbidity (field)	LGW-5	10/21/2008	2.19	0		NTU
Turbidity (field)	LGW-5	11/25/2008	2.5	0		NTU
Turbidity (field)	LGW-5	12/19/2008	1.89	0		NTU
Turbidity (field)	LGW-5	2/4/2009	1.98	0		NTU
Turbidity (field)	LGW-5	3/26/2009	2.5	0		NTU
Turbidity (field)	LGW-5	4/16/2009	0.27	0		NTU
Turbidity (field)	LGW-5	5/29/2009	2.94	0		NTU
Turbidity (field)	LGW-5	6/24/2009	2.66	0		NTU
Turbidity (field)	LGW-5	7/29/2009	1.66	0		NTU
Turbidity (field)	LGW-5	8/28/2009	3.1	0		NTU
Turbidity (field)	LGW-5	9/29/2009	2.14	0		NTU
Turbidity (field)	LGW-5	10/21/2009	4.97	0		NTU
Turbidity (field)	LGW-5	11/24/2009	2.89	0		NTU
Turbidity (field)	LGW-5	12/17/2009	2.78	0		NTU
Turbidity (field)	LGW-5	2/3/2010	3.64	0		NTU
Turbidity (field)	LGW-5	2/3/2010	3.64	0		NTU
Turbidity (field)	LGW-5	2/16/2010	3.41	0		NTU
Turbidity (field)	LGW-5	3/3/2010	3.05	0		NTU
Turbidity (field)	LGW-5	4/7/2010	3.1	0		NTU
Turbidity (field)	LGW-5	5/5/2010	1.48	0		NTU
Turbidity (field)	LGW-5	6/15/2010	0.63	0		NTU
Turbidity (field)	LGW-5	7/12/2010	3.77	0		NTU
Turbidity (field)	LGW-5	8/10/2010	4.42	0		NTU
Turbidity (field)	LGW-5	9/2/2010	5.19	0		NTU
Turbidity (field)	LGW-5	9/29/2010	7.93	0		NTU
Turbidity (field)	LGW-5	11/3/2010	3.55	0		NTU
Turbidity (field)	LGW-5	12/2/2010	12.6	0		NTU
Turbidity (field)	LGW-5	1/19/2011	4.27	0		NTU
Turbidity (field)	LGW-5	2/7/2011	17.6	0		NTU
Turbidity (field)	LGW-5	3/3/2011	10	0		NTU
Turbidity (field)	LGW-5	4/5/2011	2.57	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	5/10/2011	8.74	0		NTU
Turbidity (field)	LGW-5	6/1/2011	2.04	0		NTU
Turbidity (field)	LGW-5	7/12/2011	1.09	0		NTU
Turbidity (field)	LGW-5	8/3/2011	1.33	0		NTU
Turbidity (field)	LGW-5	9/7/2011	2.78	0		NTU
Turbidity (field)	LGW-5	10/5/2011	1.43	0		NTU
Turbidity (field)	LGW-5	11/1/2011	0.75	0		NTU
Turbidity (field)	LGW-5	12/7/2011	1.46	0		NTU
Turbidity (field)	LGW-5	1/5/2012	1.25	0		NTU
Turbidity (field)	LGW-5	2/1/2012	1.42	0		NTU
Turbidity (field)	LGW-5	3/6/2012	1.89	0		NTU
Turbidity (field)	LGW-5	4/5/2012	1.06	0		NTU
Turbidity (field)	LGW-5	5/1/2012	2.14	0		NTU
Turbidity (field)	LGW-5	6/5/2012	2.05	0		NTU
Turbidity (field)	LGW-5	7/9/2012	2.01	0		NTU
Turbidity (field)	LGW-5	8/9/2012	2.77	0		NTU
Turbidity (field)	LGW-5	9/4/2012	2.85	0		NTU
Turbidity (field)	LGW-5	10/7/2012	9.03	0		NTU
Turbidity (field)	LGW-5	4/30/2013	6.58	0		NTU
Turbidity (field)	LGW-5	6/4/2013	2.43	0		NTU
Turbidity (field)	LGW-5	7/15/2013	0.69	0		NTU
Turbidity (field)	LGW-5	8/8/2013	5.21	0		NTU
Turbidity (field)	LGW-5	9/10/2013	1.25	0		NTU
Turbidity (field)	LGW-5	10/1/2013	0.9	0		NTU
Turbidity (field)	LGW-5	11/6/2013	0.64	0		NTU
Turbidity (field)	LGW-5	12/3/2013	1.62	0		NTU
Turbidity (field)	LGW-5	1/23/2014	1.39	0		NTU
Turbidity (field)	LGW-5	2/12/2014	1.77	0		NTU
Turbidity (field)	LGW-5	3/11/2014	0.79	0		NTU
Turbidity (field)	LGW-5	4/2/2014	1.44	0		NTU
Turbidity (field)	LGW-5	5/7/2014	1.47	0		NTU
Turbidity (field)	LGW-5	6/3/2014	2.51	0		NTU
Turbidity (field)	LGW-5	7/8/2014	4.12	0		NTU
Turbidity (field)	LGW-5	8/5/2014	3.2	0		NTU
Turbidity (field)	LGW-5	9/4/2014	2.86	0		NTU
Turbidity (field)	LGW-5	10/9/2014	4.35	0		NTU
Turbidity (field)	LGW-5	11/3/2014	1.12	0		NTU
Turbidity (field)	LGW-5	1/14/2015	1.76	0		NTU
Turbidity (field)	LGW-5	2/10/2015	2.34	0		NTU
Turbidity (field)	LGW-5	3/3/2015	4.11	0		NTU
Turbidity (field)	LGW-5	4/1/2015	21.6	0		NTU
Turbidity (field)	LGW-5	5/6/2015	2.08	0		NTU
Turbidity (field)	LGW-5	6/3/2015	3.27	0		NTU
Turbidity (field)	LGW-5	7/8/2015	1.32	0		NTU
Turbidity (field)	LGW-5	8/4/2015	3.13	0		NTU
Turbidity (field)	LGW-5	9/2/2015	1.21	0		NTU
Turbidity (field)	LGW-5	10/5/2015	2.69	0		NTU
Turbidity (field)	LGW-5	11/4/2015	2.21	0		NTU
Turbidity (field)	LGW-5	12/3/2015	1.21	0		NTU
Turbidity (field)	LGW-5	1/5/2016	3.3	0		NTU
Turbidity (field)	LGW-5	2/3/2016	1.36	0		NTU
Turbidity (field)	LGW-5	3/2/2016	0.51	0		NTU
Turbidity (field)	LGW-5	4/5/2016	0.41	0		NTU
Turbidity (field)	LGW-5	5/11/2016	1.66	0		NTU
Turbidity (field)	LGW-5	6/1/2016	1.55	0		NTU
Turbidity (field)	LGW-5	7/19/2016	1	0		NTU
Turbidity (field)	LGW-5	8/10/2016	0.91	0		NTU
Turbidity (field)	LGW-5	9/6/2016	3.38	0		NTU
Turbidity (field)	LGW-5	10/6/2016	2.92	0		NTU
Turbidity (field)	LGW-5	11/2/2016	18.6	0		NTU
Turbidity (field)	LGW-5	12/1/2016	2.61	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	1/11/2017	1.13	0		NTU
Turbidity (field)	LGW-5	2/7/2017	1.63	0		NTU
Turbidity (field)	LGW-5	3/2/2017	1.7	0		NTU
Turbidity (field)	LGW-5	4/4/2017	1.1	0		NTU
Turbidity (field)	LGW-5	5/16/2017	1.64	0		NTU
Turbidity (field)	LGW-5	6/6/2017	1.68	0		NTU
Turbidity (field)	LGW-5	7/18/2017	1.13	0		NTU
Turbidity (field)	LGW-5	8/1/2017	1.42	0		NTU
Turbidity (field)	LGW-5	9/5/2017	1.41	0		NTU
Turbidity (field)	LGW-5	10/5/2017	1.95	0		NTU
Turbidity (field)	LGW-5	11/1/2017	1.75	0		NTU
Turbidity (field)	LGW-5	1/23/2018	1.18	0.01		NTU
Turbidity (field)	LGW-5	2/23/2018	0.76	0.01		NTU
Turbidity (field)	LGW-5	3/20/2018	0.2	0.01		NTU
Turbidity (field)	LGW-5	4/10/2018	0.18	0.01		NTU
Turbidity (field)	LGW-5	6/5/2018	0.76	0		NTU
Turbidity (field)	LGW-5	7/12/2018	1.16	0.01		NTU
Turbidity (field)	LGW-5	8/1/2018	0.81	0.01		NTU
Turbidity (field)	LGW-5	9/4/2018	0	0		NTU
Turbidity (field)	LGW-5	10/3/2018	0.34	0		NTU
Turbidity (field)	LGW-5	11/7/2018	0.61	0.01		NTU
Turbidity (field)	LGW-5	12/4/2018	2.01	0.01		NTU
Turbidity (field)	LGW-5	1/3/2019	0.9	0.01		NTU
Turbidity (field)	LGW-5	2/5/2019	1.92	0		NTU
Turbidity (field)	LGW-5	3/5/2019	8.5	0.01		NTU
Turbidity (field)	LGW-5	4/3/2019	17.3	0.01		NTU
Turbidity (field)	LGW-5	4/3/2019	17.3	0.01		NTU
Turbidity (field)	LGW-5	5/1/2019	5.03	0.01		NTU
Turbidity (field)	LGW-5	6/4/2019	1.29	0		NTU
Turbidity (field)	LGW-5	7/9/2019	2.13	0.01		NTU
Turbidity (field)	LGW-5	7/9/2019	2.13	0.01		NTU
Turbidity (field)	LGW-5	8/5/2019	5.38	0.01		NTU
Turbidity (field)	LGW-5	9/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-5	10/1/2019	4.1	0.01		NTU
Turbidity (field)	LGW-5	11/5/2019	0.84	0.01		NTU
Turbidity (field)	LGW-5	12/2/2019	0.42	0.01		NTU
Turbidity (field)	LGW-5	1/14/2020	1.94	0		NTU
Turbidity (field)	LGW-5	3/2/2020	1.62	0.01		NTU
Turbidity (field)	LGW-5	4/1/2020	0.35	0.01		NTU
Turbidity (field)	LGW-5	5/4/2020	1.59	0.01		NTU
Turbidity (field)	LGW-5	6/1/2020	0.14	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	8/3/2020	2.63	0		NTU
Turbidity (field)	LGW-5	9/1/2020	10.48	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	11/3/2020	0.8	0		NTU
Turbidity (field)	LGW-5	12/3/2020	3.9	0		NTU
Turbidity (field)	LGW-5	1/18/2021	-11.3	0		NTU
Turbidity (field)	LGW-5	1/18/2021	-11.3	0		NTU
Turbidity (field)	LGW-5	2/9/2021	1.74	0		NTU
Turbidity (field)	LGW-5	3/2/2021	1.3	0		NTU
Turbidity (field)	LGW-5	4/6/2021	2.9	0		NTU
Turbidity (field)	LGW-5	4/6/2021	2.9	0		NTU
Turbidity (field)	LGW-5	5/4/2021	4.3	0		NTU
Turbidity (field)	LGW-5	6/2/2021	4.5	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	8/3/2021	10.8	0		NTU
Turbidity (field)	LGW-5	9/2/2021	11.8	0		NTU
Turbidity (field)	LGW-5	10/5/2021	2.8	0		NTU
Turbidity (field)	LGW-5	10/5/2021	2.8	0		NTU
Turbidity (field)	LGW-5	11/2/2021	8.1	0		NTU
Turbidity (field)	LGW-5	12/9/2021	4.3	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	2/10/2022	5.4	0		NTU
Turbidity (field)	LGW-5	3/1/2022	3.4	0		NTU
Turbidity (field)	LGW-5	4/4/2022	5.6	0		NTU
Turbidity (field)	LGW-5	4/4/2022	5.6	0		NTU
Turbidity (field)	LGW-5	5/7/2022	21	0		NTU
Turbidity (field)	LGW-5	6/3/2022	12.7	0		NTU
Turbidity (field)	LGW-5	7/11/2022	8.3	0		NTU
Turbidity (field)	LGW-5	8/10/2022	5.7	0		NTU
Turbidity (field)	LGW-5	9/8/2022	2.1	0		NTU
Turbidity (field)	LGW-5	10/6/2022	2.8	0		NTU
Turbidity (field)	LGW-5	10/6/2022	2.8	0		NTU
Turbidity (field)	LGW-5	11/3/2022	2.7	0		NTU
Turbidity (field)	LGW-5	12/7/2022	0.3	0		NTU
Turbidity (field)	LGW-5	1/10/2023	2.7	0		NTU
Turbidity (field)	LGW-5	2/3/2023	0.3	0		NTU
Turbidity (field)	LGW-5	3/1/2023	3	0		NTU
Turbidity (field)	LGW-5	4/6/2023	5.3	0		NTU
Turbidity (field)	LGW-6	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-6	7/20/2006	5.2	0		NTU
Turbidity (field)	LGW-6	7/20/2006	5.2	0		NTU
Turbidity (field)	LGW-6	9/27/2006	1000	0		NTU
Turbidity (field)	LGW-6	10/26/2006	789	0		NTU
Turbidity (field)	LGW-6	10/26/2006	789	0		NTU
Turbidity (field)	LGW-6	11/21/2006	303	0		NTU
Turbidity (field)	LGW-6	11/21/2006	303	0		NTU
Turbidity (field)	LGW-6	12/21/2006	38.2	0		NTU
Turbidity (field)	LGW-6	12/21/2006	382	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/24/2007	65.5	0		NTU
Turbidity (field)	LGW-6	1/24/2007	65.5	0		NTU
Turbidity (field)	LGW-6	1/25/2007	65.5	0		NTU
Turbidity (field)	LGW-6	2/7/2007	123	0		NTU
Turbidity (field)	LGW-6	2/26/2007	123	0		NTU
Turbidity (field)	LGW-6	2/26/2007	123	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	4/26/2007	26	0		NTU
Turbidity (field)	LGW-6	4/26/2007	26	0		NTU
Turbidity (field)	LGW-6	5/31/2007	8.56	0		NTU
Turbidity (field)	LGW-6	6/1/2007	8.56	0		NTU
Turbidity (field)	LGW-6	6/28/2007	15.2	0		NTU
Turbidity (field)	LGW-6	6/28/2007	15.2	0		NTU
Turbidity (field)	LGW-6	7/10/2007	9.12	0		NTU
Turbidity (field)	LGW-6	7/11/2007	9.12	0		NTU
Turbidity (field)	LGW-6	8/28/2007	6.19	0		NTU
Turbidity (field)	LGW-6	8/28/2007	5.17	0		NTU
Turbidity (field)	LGW-6	10/23/2007	3.08	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	11/27/2007	4.83	0		NTU
Turbidity (field)	LGW-6	12/27/2007	4.7	0		NTU
Turbidity (field)	LGW-6	1/23/2008	5.65	0		NTU
Turbidity (field)	LGW-6	2/28/2008	2.1	0		NTU
Turbidity (field)	LGW-6	3/25/2008	1.46	0		NTU
Turbidity (field)	LGW-6	5/3/2008	2.79	0		NTU
Turbidity (field)	LGW-6	5/30/2008	4.32	0		NTU
Turbidity (field)	LGW-6	6/26/2008	3.51	0		NTU
Turbidity (field)	LGW-6	7/23/2008	4.34	0		NTU
Turbidity (field)	LGW-6	8/29/2008	2.02	0		NTU
Turbidity (field)	LGW-6	9/26/2008	4.97	0		NTU
Turbidity (field)	LGW-6	9/26/2008	4.97	0		NTU
Turbidity (field)	LGW-6	10/21/2008	3.29	0		NTU
Turbidity (field)	LGW-6	11/25/2008	2.22	0		NTU
Turbidity (field)	LGW-6	12/19/2008	4.82	0		NTU
Turbidity (field)	LGW-6	2/5/2009	39.7	0		NTU
Turbidity (field)	LGW-6	3/26/2009	19.3	0		NTU
Turbidity (field)	LGW-6	5/29/2009	11	0		NTU
Turbidity (field)	LGW-6	6/24/2009	6.89	0		NTU
Turbidity (field)	LGW-6	7/29/2009	5.95	0		NTU
Turbidity (field)	LGW-6	8/28/2009	5.69	0		NTU
Turbidity (field)	LGW-6	9/29/2009	4.02	0		NTU
Turbidity (field)	LGW-6	10/22/2009	2.5	0		NTU
Turbidity (field)	LGW-6	11/24/2009	1.88	0		NTU
Turbidity (field)	LGW-6	12/17/2009	1.85	0		NTU
Turbidity (field)	LGW-6	2/3/2010	16.1	0		NTU
Turbidity (field)	LGW-6	2/3/2010	16.1	0		NTU
Turbidity (field)	LGW-6	2/16/2010	1.81	0		NTU
Turbidity (field)	LGW-6	3/3/2010	2.52	0		NTU
Turbidity (field)	LGW-6	4/7/2010	5.17	0		NTU
Turbidity (field)	LGW-6	5/5/2010	3.56	0		NTU
Turbidity (field)	LGW-6	6/15/2010	1.04	0		NTU
Turbidity (field)	LGW-6	7/12/2010	2.81	0		NTU
Turbidity (field)	LGW-6	8/10/2010	1.25	0		NTU
Turbidity (field)	LGW-6	9/2/2010	1.98	0		NTU
Turbidity (field)	LGW-6	9/29/2010	3.96	0		NTU
Turbidity (field)	LGW-6	11/3/2010	2.8	0		NTU
Turbidity (field)	LGW-6	12/2/2010	3.16	0		NTU
Turbidity (field)	LGW-6	1/19/2011	4.68	0		NTU
Turbidity (field)	LGW-6	2/7/2011	3.93	0		NTU
Turbidity (field)	LGW-6	3/3/2011	10.5	0		NTU
Turbidity (field)	LGW-6	4/5/2011	3.93	0		NTU
Turbidity (field)	LGW-6	5/10/2011	5.05	0		NTU
Turbidity (field)	LGW-6	6/1/2011	4.96	0		NTU
Turbidity (field)	LGW-6	7/12/2011	3.65	0		NTU
Turbidity (field)	LGW-6	8/3/2011	3.99	0		NTU
Turbidity (field)	LGW-6	9/7/2011	5.1	0		NTU
Turbidity (field)	LGW-6	10/5/2011	4.12	0		NTU
Turbidity (field)	LGW-6	11/1/2011	4	0		NTU
Turbidity (field)	LGW-6	12/7/2011	3.89	0		NTU
Turbidity (field)	LGW-6	1/5/2012	3.92	0		NTU
Turbidity (field)	LGW-6	2/1/2012	4.57	0		NTU
Turbidity (field)	LGW-6	3/6/2012	5.54	0		NTU
Turbidity (field)	LGW-6	4/5/2012	3.03	0		NTU
Turbidity (field)	LGW-6	5/1/2012	3.5	0		NTU
Turbidity (field)	LGW-6	6/5/2012	3.31	0		NTU
Turbidity (field)	LGW-6	7/9/2012	5.12	0		NTU
Turbidity (field)	LGW-6	8/9/2012	3.37	0		NTU
Turbidity (field)	LGW-6	9/4/2012	3.94	0		NTU
Turbidity (field)	LGW-6	10/7/2012	4.33	0		NTU
Turbidity (field)	LGW-6	11/6/2012	4.13	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	11/6/2012	4.13	0		NTU
Turbidity (field)	LGW-6	12/6/2012	2.58	0		NTU
Turbidity (field)	LGW-6	12/6/2012	2.58	0		NTU
Turbidity (field)	LGW-6	1/23/2013	3.82	0		NTU
Turbidity (field)	LGW-6	1/23/2013	3.82	0		NTU
Turbidity (field)	LGW-6	2/5/2013	4.16	0		NTU
Turbidity (field)	LGW-6	2/5/2013	4.16	0		NTU
Turbidity (field)	LGW-6	3/5/2013	3.27	0		NTU
Turbidity (field)	LGW-6	3/5/2013	3.27	0		NTU
Turbidity (field)	LGW-6	4/30/2013	4.76	0		NTU
Turbidity (field)	LGW-6	6/4/2013	5.24	0		NTU
Turbidity (field)	LGW-6	7/15/2013	4.56	0		NTU
Turbidity (field)	LGW-6	8/8/2013	2.93	0		NTU
Turbidity (field)	LGW-6	9/10/2013	5.37	0		NTU
Turbidity (field)	LGW-6	10/1/2013	3.44	0		NTU
Turbidity (field)	LGW-6	11/6/2013	4.49	0		NTU
Turbidity (field)	LGW-6	12/2/2013	6.14	0		NTU
Turbidity (field)	LGW-6	1/23/2014	3.77	0		NTU
Turbidity (field)	LGW-6	2/12/2014	2.18	0		NTU
Turbidity (field)	LGW-6	3/11/2014	1.95	0		NTU
Turbidity (field)	LGW-6	4/2/2014	5.34	0		NTU
Turbidity (field)	LGW-6	5/7/2014	5.83	0		NTU
Turbidity (field)	LGW-6	6/3/2014	2.57	0		NTU
Turbidity (field)	LGW-6	7/8/2014	4.12	0		NTU
Turbidity (field)	LGW-6	8/5/2014	3.01	0		NTU
Turbidity (field)	LGW-6	9/4/2014	3.36	0		NTU
Turbidity (field)	LGW-6	10/9/2014	5.68	0		NTU
Turbidity (field)	LGW-6	11/3/2014	1.18	0		NTU
Turbidity (field)	LGW-6	1/14/2015	7.75	0		NTU
Turbidity (field)	LGW-6	2/10/2015	3.59	0		NTU
Turbidity (field)	LGW-6	3/3/2015	4.21	0		NTU
Turbidity (field)	LGW-6	4/1/2015	4.22	0		NTU
Turbidity (field)	LGW-6	5/6/2015	4.8	0		NTU
Turbidity (field)	LGW-6	6/3/2015	3.58	0		NTU
Turbidity (field)	LGW-6	7/22/2015	2.62	0		NTU
Turbidity (field)	LGW-6	8/4/2015	3.76	0		NTU
Turbidity (field)	LGW-6	9/2/2015	1.24	0		NTU
Turbidity (field)	LGW-6	10/6/2015	3.83	0		NTU
Turbidity (field)	LGW-6	11/4/2015	1.44	0		NTU
Turbidity (field)	LGW-6	12/3/2015	1.83	0		NTU
Turbidity (field)	LGW-6	1/5/2016	2.53	0		NTU
Turbidity (field)	LGW-6	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-6	3/2/2016	1.41	0		NTU
Turbidity (field)	LGW-6	4/5/2016	0.58	0		NTU
Turbidity (field)	LGW-6	5/11/2016	0.84	0		NTU
Turbidity (field)	LGW-6	6/1/2016	1.86	0		NTU
Turbidity (field)	LGW-6	7/19/2016	12.8	0		NTU
Turbidity (field)	LGW-6	8/10/2016	0.62	0		NTU
Turbidity (field)	LGW-6	9/6/2016	0.43	0		NTU
Turbidity (field)	LGW-6	9/6/2016	0.43	0		NTU
Turbidity (field)	LGW-6	10/6/2016	1.1	0		NTU
Turbidity (field)	LGW-6	11/2/2016	1.11	0		NTU
Turbidity (field)	LGW-6	12/1/2016	1.12	0		NTU
Turbidity (field)	LGW-6	1/11/2017	0.91	0		NTU
Turbidity (field)	LGW-6	2/7/2017	0.62	0		NTU
Turbidity (field)	LGW-6	3/2/2017	5.43	0		NTU
Turbidity (field)	LGW-6	4/4/2017	0.81	0		NTU
Turbidity (field)	LGW-6	5/2/2017	7.47	0		NTU
Turbidity (field)	LGW-6	5/5/2017	7.76	0		NTU
Turbidity (field)	LGW-6	6/6/2017	5.59	0		NTU
Turbidity (field)	LGW-6	7/18/2017	7.74	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	8/1/2017	2.24	0		NTU
Turbidity (field)	LGW-6	9/5/2017	8.71	0		NTU
Turbidity (field)	LGW-6	10/5/2017	8.52	0		NTU
Turbidity (field)	LGW-6	11/1/2017	5.29	0		NTU
Turbidity (field)	LGW-6	1/23/2018	2.52	0.01		NTU
Turbidity (field)	LGW-6	2/22/2018	9.54	0.01		NTU
Turbidity (field)	LGW-6	3/20/2018	4.58	0.01		NTU
Turbidity (field)	LGW-6	4/10/2018	0.86	0.01		NTU
Turbidity (field)	LGW-6	4/10/2018	0.86	0.01		NTU
Turbidity (field)	LGW-6	6/5/2018	2.67	0		NTU
Turbidity (field)	LGW-6	6/5/2018	2.67	0		NTU
Turbidity (field)	LGW-6	7/17/2018	0.45	0.01		NTU
Turbidity (field)	LGW-6	8/1/2018	2.69	0.01		NTU
Turbidity (field)	LGW-6	9/5/2018	4.8	0		NTU
Turbidity (field)	LGW-6	10/2/2018	5.55	0		NTU
Turbidity (field)	LGW-6	10/2/2018	5.55	0		NTU
Turbidity (field)	LGW-6	11/6/2018	2.98	0.01		NTU
Turbidity (field)	LGW-6	12/4/2018	2.15	0.01		NTU
Turbidity (field)	LGW-6	1/7/2019	0.7	0.01		NTU
Turbidity (field)	LGW-6	2/5/2019	14.51	0		NTU
Turbidity (field)	LGW-6	3/4/2019	2.4	0.01		NTU
Turbidity (field)	LGW-6	4/3/2019	10.7	0.01		NTU
Turbidity (field)	LGW-6	5/2/2019	2.64	0.01		NTU
Turbidity (field)	LGW-6	6/4/2019	3.85	0		NTU
Turbidity (field)	LGW-6	7/10/2019	2.22	0.01		NTU
Turbidity (field)	LGW-6	7/10/2019	2.22	0		NTU
Turbidity (field)	LGW-6	8/8/2019	0.82	0.01		NTU
Turbidity (field)	LGW-6	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	10/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	10/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	11/5/2019	1.47	0.01		NTU
Turbidity (field)	LGW-6	12/4/2019	1.81	0.01		NTU
Turbidity (field)	LGW-6	1/16/2020	4.76	0		NTU
Turbidity (field)	LGW-6	3/4/2020	0.34	0.01		NTU
Turbidity (field)	LGW-6	4/2/2020	1.02	0.01		NTU
Turbidity (field)	LGW-6	4/3/2020	1.02	0.01		NTU
Turbidity (field)	LGW-6	5/5/2020	0.27	0.01		NTU
Turbidity (field)	LGW-6	6/2/2020	0.51	0		NTU
Turbidity (field)	LGW-6	7/9/2020	86.1	0		NTU
Turbidity (field)	LGW-6	7/9/2020	8.61	0		NTU
Turbidity (field)	LGW-6	7/9/2020	8.61	0		NTU
Turbidity (field)	LGW-6	8/3/2020	1.38	0		NTU
Turbidity (field)	LGW-6	9/2/2020	1.07	0.01		NTU
Turbidity (field)	LGW-6	10/6/2020	0.8	0.01		NTU
Turbidity (field)	LGW-6	10/6/2020	0.8	0.01		NTU
Turbidity (field)	LGW-6	11/3/2020	0.78	0		NTU
Turbidity (field)	LGW-6	12/3/2020	2.01	0		NTU
Turbidity (field)	LGW-6	1/18/2021	-8.6	0		NTU
Turbidity (field)	LGW-6	2/9/2021	2.47	0		NTU
Turbidity (field)	LGW-6	3/2/2021	1	0		NTU
Turbidity (field)	LGW-6	4/6/2021	2.7	0		NTU
Turbidity (field)	LGW-6	4/6/2021	2.7	0		NTU
Turbidity (field)	LGW-6	5/5/2021	2.1	0		NTU
Turbidity (field)	LGW-6	6/1/2021	3.8	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	8/3/2021	6.5	0		NTU
Turbidity (field)	LGW-6	9/2/2021	7.9	0		NTU
Turbidity (field)	LGW-6	10/5/2021	2.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-6	11/2/2021	2.3	0		NTU
Turbidity (field)	LGW-6	12/9/2021	2.3	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	2/10/2022	2.6	0		NTU
Turbidity (field)	LGW-6	3/1/2022	3	0		NTU
Turbidity (field)	LGW-6	4/4/2022	2.5	0		NTU
Turbidity (field)	LGW-6	4/4/2022	2.5	0		NTU
Turbidity (field)	LGW-6	5/7/2022	3.8	0		NTU
Turbidity (field)	LGW-6	6/3/2022	4.1	0		NTU
Turbidity (field)	LGW-6	7/11/2022	2.4	0		NTU
Turbidity (field)	LGW-6	8/10/2022	5.7	0		NTU
Turbidity (field)	LGW-6	9/8/2022	2.3	0		NTU
Turbidity (field)	LGW-6	10/6/2022	2.5	0		NTU
Turbidity (field)	LGW-6	10/6/2022	2.5	0		NTU
Turbidity (field)	LGW-6	11/3/2022	2.6	0		NTU
Turbidity (field)	LGW-6	12/7/2022	0.7	0		NTU
Turbidity (field)	LGW-6	1/10/2023	2.9	0		NTU
Turbidity (field)	LGW-6	2/3/2023	0.7	0		NTU
Turbidity (field)	LGW-6	3/1/2023	2.8	0		NTU
Turbidity (field)	LGW-6	4/6/2023	10.1	0		NTU
Turbidity (field)	LGW-7	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-7	7/20/2006	757	0		NTU
Turbidity (field)	LGW-7	7/20/2006	757	0		NTU
Turbidity (field)	LGW-7	7/31/2006	356	0		NTU
Turbidity (field)	LGW-7	8/1/2006	356	0		NTU
Turbidity (field)	LGW-7	8/1/2006	356	0		NTU
Turbidity (field)	LGW-7	9/27/2006	1000	0		NTU
Turbidity (field)	LGW-7	10/26/2006	470	0		NTU
Turbidity (field)	LGW-7	10/26/2006	470	0		NTU
Turbidity (field)	LGW-7	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-7	12/22/2006	426	0		NTU
Turbidity (field)	LGW-7	12/22/2006	426	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/24/2007	15.6	0		NTU
Turbidity (field)	LGW-7	1/24/2007	15.6	0		NTU
Turbidity (field)	LGW-7	1/25/2007	15.6	0		NTU
Turbidity (field)	LGW-7	2/7/2007	283	0		NTU
Turbidity (field)	LGW-7	2/26/2007	283	0		NTU
Turbidity (field)	LGW-7	2/26/2007	283	0		NTU
Turbidity (field)	LGW-7	3/26/2007	83.2	0		NTU
Turbidity (field)	LGW-7	3/27/2007	83.2	0		NTU
Turbidity (field)	LGW-7	3/27/2007	83.2	0		NTU
Turbidity (field)	LGW-7	4/26/2007	6.68	0		NTU
Turbidity (field)	LGW-7	4/26/2007	6.68	0		NTU
Turbidity (field)	LGW-7	6/1/2007	4.93	0		NTU
Turbidity (field)	LGW-7	6/1/2007	4.93	0		NTU
Turbidity (field)	LGW-7	6/28/2007	4.59	0		NTU
Turbidity (field)	LGW-7	6/28/2007	4.59	0		NTU
Turbidity (field)	LGW-7	7/10/2007	5.92	0		NTU
Turbidity (field)	LGW-7	7/12/2007	5.92	0		NTU
Turbidity (field)	LGW-7	8/29/2007	4.5	0		NTU
Turbidity (field)	LGW-7	8/29/2007	4.5	0		NTU
Turbidity (field)	LGW-7	10/24/2007	4.24	0		NTU
Turbidity (field)	LGW-7	11/27/2007	4.28	0		NTU
Turbidity (field)	LGW-7	12/27/2007	3.97	0		NTU
Turbidity (field)	LGW-7	1/25/2008	4.95	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	2/28/2008	4.31	0		NTU
Turbidity (field)	LGW-7	3/25/2008	2.57	0		NTU
Turbidity (field)	LGW-7	5/3/2008	12.4	0		NTU
Turbidity (field)	LGW-7	5/30/2008	4.88	0		NTU
Turbidity (field)	LGW-7	6/26/2008	2.1	0		NTU
Turbidity (field)	LGW-7	7/22/2008	2.17	0		NTU
Turbidity (field)	LGW-7	9/26/2008	3.5	0		NTU
Turbidity (field)	LGW-7	9/26/2008	3.5	0		NTU
Turbidity (field)	LGW-7	10/21/2008	4.03	0		NTU
Turbidity (field)	LGW-7	11/25/2008	1.98	0		NTU
Turbidity (field)	LGW-7	12/19/2008	1.19	0		NTU
Turbidity (field)	LGW-7	2/4/2009	3.1	0		NTU
Turbidity (field)	LGW-7	3/26/2009	1.16	0		NTU
Turbidity (field)	LGW-7	4/16/2009	1.1	0		NTU
Turbidity (field)	LGW-7	5/28/2009	2.59	0		NTU
Turbidity (field)	LGW-7	6/25/2009	2.59	0		NTU
Turbidity (field)	LGW-7	7/31/2009	2.98	0		NTU
Turbidity (field)	LGW-7	8/29/2009	2.68	0		NTU
Turbidity (field)	LGW-7	9/30/2009	2.45	0		NTU
Turbidity (field)	LGW-7	10/21/2009	2.47	0		NTU
Turbidity (field)	LGW-7	11/24/2009	1.49	0		NTU
Turbidity (field)	LGW-7	12/17/2009	1.59	0		NTU
Turbidity (field)	LGW-7	1/27/2010	1.71	0		NTU
Turbidity (field)	LGW-7	2/16/2010	1.39	0		NTU
Turbidity (field)	LGW-7	3/3/2010	4.85	0		NTU
Turbidity (field)	LGW-7	4/7/2010	4	0		NTU
Turbidity (field)	LGW-7	5/5/2010	2.15	0		NTU
Turbidity (field)	LGW-7	6/16/2010	4.09	0		NTU
Turbidity (field)	LGW-7	7/12/2010	2.54	0		NTU
Turbidity (field)	LGW-7	8/10/2010	3.12	0		NTU
Turbidity (field)	LGW-7	9/2/2010	2.39	0		NTU
Turbidity (field)	LGW-7	9/29/2010	9.68	0		NTU
Turbidity (field)	LGW-7	11/3/2010	4.54	0		NTU
Turbidity (field)	LGW-7	12/2/2010	4.33	0		NTU
Turbidity (field)	LGW-7	1/20/2011	5.64	0		NTU
Turbidity (field)	LGW-7	2/8/2011	17.1	0		NTU
Turbidity (field)	LGW-7	3/3/2011	19.3	0		NTU
Turbidity (field)	LGW-7	4/5/2011	5.2	0		NTU
Turbidity (field)	LGW-7	5/10/2011	7.42	0		NTU
Turbidity (field)	LGW-7	6/1/2011	4.05	0		NTU
Turbidity (field)	LGW-7	7/12/2011	5.34	0		NTU
Turbidity (field)	LGW-7	8/3/2011	4.98	0		NTU
Turbidity (field)	LGW-7	9/7/2011	4.01	0		NTU
Turbidity (field)	LGW-7	10/5/2011	3.68	0		NTU
Turbidity (field)	LGW-7	11/1/2011	1.95	0		NTU
Turbidity (field)	LGW-7	12/8/2011	5.05	0		NTU
Turbidity (field)	LGW-7	1/5/2012	3.5	0		NTU
Turbidity (field)	LGW-7	2/1/2012	1.7	0		NTU
Turbidity (field)	LGW-7	3/6/2012	1.56	0		NTU
Turbidity (field)	LGW-7	4/5/2012	1.86	0		NTU
Turbidity (field)	LGW-7	5/1/2012	1.73	0		NTU
Turbidity (field)	LGW-7	6/5/2012	1.8	0		NTU
Turbidity (field)	LGW-7	7/10/2012	1.54	0		NTU
Turbidity (field)	LGW-7	8/9/2012	2.31	0		NTU
Turbidity (field)	LGW-7	9/4/2012	3.79	0		NTU
Turbidity (field)	LGW-7	10/7/2012	10.8	0		NTU
Turbidity (field)	LGW-7	4/30/2013	13.2	0		NTU
Turbidity (field)	LGW-7	6/4/2013	10.1	0		NTU
Turbidity (field)	LGW-7	7/15/2013	8.67	0		NTU
Turbidity (field)	LGW-7	8/8/2013	9.82	0		NTU
Turbidity (field)	LGW-7	9/10/2013	10.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	10/1/2013	7.27	0		NTU
Turbidity (field)	LGW-7	11/6/2013	10.8	0		NTU
Turbidity (field)	LGW-7	12/2/2013	29.6	0		NTU
Turbidity (field)	LGW-7	1/23/2014	9.3	0		NTU
Turbidity (field)	LGW-7	2/13/2014	6.22	0		NTU
Turbidity (field)	LGW-7	3/11/2014	3.69	0		NTU
Turbidity (field)	LGW-7	4/2/2014	4.68	0		NTU
Turbidity (field)	LGW-7	5/7/2014	4.36	0		NTU
Turbidity (field)	LGW-7	6/3/2014	2.54	0		NTU
Turbidity (field)	LGW-7	7/8/2014	4.89	0		NTU
Turbidity (field)	LGW-7	8/5/2014	3.66	0		NTU
Turbidity (field)	LGW-7	9/4/2014	5.2	0		NTU
Turbidity (field)	LGW-7	10/9/2014	3.34	0		NTU
Turbidity (field)	LGW-7	11/3/2014	2.76	0		NTU
Turbidity (field)	LGW-7	1/14/2015	6.63	0		NTU
Turbidity (field)	LGW-7	2/11/2015	5.04	0		NTU
Turbidity (field)	LGW-7	3/3/2015	7.86	0		NTU
Turbidity (field)	LGW-7	4/1/2015	3.05	0		NTU
Turbidity (field)	LGW-7	5/6/2015	42.6	0		NTU
Turbidity (field)	LGW-7	6/3/2015	8.64	0		NTU
Turbidity (field)	LGW-7	7/22/2015	3.52	0		NTU
Turbidity (field)	LGW-7	8/4/2015	3.47	0		NTU
Turbidity (field)	LGW-7	9/3/2015	6.42	0		NTU
Turbidity (field)	LGW-7	10/6/2015	6.32	0		NTU
Turbidity (field)	LGW-7	11/4/2015	4.24	0		NTU
Turbidity (field)	LGW-7	12/3/2015	4.23	0		NTU
Turbidity (field)	LGW-7	1/5/2016	7.44	0		NTU
Turbidity (field)	LGW-7	2/3/2016	5.63	0		NTU
Turbidity (field)	LGW-7	2/10/2016	2.58	0		NTU
Turbidity (field)	LGW-7	3/2/2016	4.49	0		NTU
Turbidity (field)	LGW-7	4/6/2016	3.31	0		NTU
Turbidity (field)	LGW-7	5/11/2016	2.13	0		NTU
Turbidity (field)	LGW-7	6/1/2016	8.61	0		NTU
Turbidity (field)	LGW-7	7/20/2016	4.31	0		NTU
Turbidity (field)	LGW-7	8/10/2016	5.37	0		NTU
Turbidity (field)	LGW-7	9/6/2016	2.44	0		NTU
Turbidity (field)	LGW-7	9/6/2016	24.4	0		NTU
Turbidity (field)	LGW-7	10/6/2016	3.12	0		NTU
Turbidity (field)	LGW-7	11/2/2016	4.33	0		NTU
Turbidity (field)	LGW-7	12/1/2016	4.29	0		NTU
Turbidity (field)	LGW-7	1/11/2017	1.39	0		NTU
Turbidity (field)	LGW-7	2/7/2017	2.66	0		NTU
Turbidity (field)	LGW-7	3/2/2017	4.13	0		NTU
Turbidity (field)	LGW-7	4/4/2017	4.66	0		NTU
Turbidity (field)	LGW-7	5/2/2017	3.69	0		NTU
Turbidity (field)	LGW-7	6/6/2017	1.11	0		NTU
Turbidity (field)	LGW-7	7/18/2017	2.49	0		NTU
Turbidity (field)	LGW-7	8/1/2017	1.69	0		NTU
Turbidity (field)	LGW-7	9/5/2017	4.34	0		NTU
Turbidity (field)	LGW-7	10/5/2017	1.81	0		NTU
Turbidity (field)	LGW-7	11/1/2017	7.72	0		NTU
Turbidity (field)	LGW-7	1/24/2018	0.26	0.01		NTU
Turbidity (field)	LGW-7	2/22/2018	0.15	0.01		NTU
Turbidity (field)	LGW-7	3/20/2018	0.17	0.01		NTU
Turbidity (field)	LGW-7	4/11/2018	0.12	0.01		NTU
Turbidity (field)	LGW-7	4/11/2018	0.12	0.01		NTU
Turbidity (field)	LGW-7	6/5/2018	0.72	0		NTU
Turbidity (field)	LGW-7	6/5/2018	0.72	0		NTU
Turbidity (field)	LGW-7	7/12/2018	9.39	0.01		NTU
Turbidity (field)	LGW-7	8/2/2018	0.53	0.01		NTU
Turbidity (field)	LGW-7	9/5/2018	2.06	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	10/2/2018	0.25	0		NTU
Turbidity (field)	LGW-7	10/2/2018	0.25	0		NTU
Turbidity (field)	LGW-7	11/7/2018	0.71	0.01		NTU
Turbidity (field)	LGW-7	12/4/2018	0.51	0.01		NTU
Turbidity (field)	LGW-7	1/7/2019	0.4	0.01		NTU
Turbidity (field)	LGW-7	2/5/2019	2.14	0		NTU
Turbidity (field)	LGW-7	3/5/2019	0.2	0.01		NTU
Turbidity (field)	LGW-7	4/3/2019	1.02	0.01		NTU
Turbidity (field)	LGW-7	5/2/2019	0.41	0.01		NTU
Turbidity (field)	LGW-7	6/4/2019	0.53	0		NTU
Turbidity (field)	LGW-7	7/10/2019	0.56	0.01		NTU
Turbidity (field)	LGW-7	7/10/2019	0.56	0		NTU
Turbidity (field)	LGW-7	8/7/2019	3.81	0.01		NTU
Turbidity (field)	LGW-7	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-7	10/3/2019	0.42	0.01		NTU
Turbidity (field)	LGW-7	10/3/2019	0.42	0.01		NTU
Turbidity (field)	LGW-7	11/6/2019	0.72	0.01		NTU
Turbidity (field)	LGW-7	12/3/2019	2.03	0.01		NTU
Turbidity (field)	LGW-7	1/15/2020	1.43	0		NTU
Turbidity (field)	LGW-7	3/3/2020	0.58	0.01		NTU
Turbidity (field)	LGW-7	4/3/2020	0.69	0.01		NTU
Turbidity (field)	LGW-7	5/5/2020	0.66	0.01		NTU
Turbidity (field)	LGW-7	6/2/2020	2.82	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	8/3/2020	0.27	0		NTU
Turbidity (field)	LGW-7	9/2/2020	0.64	0.01		NTU
Turbidity (field)	LGW-7	10/6/2020	3.7	0.01		NTU
Turbidity (field)	LGW-7	11/4/2020	0.09	0		NTU
Turbidity (field)	LGW-7	12/3/2020	0.5	0		NTU
Turbidity (field)	LGW-7	1/18/2021	-13.5	0		NTU
Turbidity (field)	LGW-7	2/9/2021	1.72	0		NTU
Turbidity (field)	LGW-7	3/2/2021	0.3	0		NTU
Turbidity (field)	LGW-7	4/7/2021	2.6	0		NTU
Turbidity (field)	LGW-7	5/5/2021	2	0		NTU
Turbidity (field)	LGW-7	6/2/2021	3.5	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	8/3/2021	6.8	0		NTU
Turbidity (field)	LGW-7	9/2/2021	11.1	0		NTU
Turbidity (field)	LGW-7	10/5/2021	2.6	0		NTU
Turbidity (field)	LGW-7	10/5/2021	2.6	0		NTU
Turbidity (field)	LGW-7	11/2/2021	2.2	0		NTU
Turbidity (field)	LGW-7	12/9/2021	2.1	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	2/10/2022	2.6	0		NTU
Turbidity (field)	LGW-7	3/2/2022	2.7	0		NTU
Turbidity (field)	LGW-7	4/4/2022	2.3	0		NTU
Turbidity (field)	LGW-7	4/4/2022	2.3	0		NTU
Turbidity (field)	LGW-7	5/7/2022	4.4	0		NTU
Turbidity (field)	LGW-7	6/3/2022	3.7	0		NTU
Turbidity (field)	LGW-7	7/11/2022	2.3	0		NTU
Turbidity (field)	LGW-7	8/10/2022	4.7	0		NTU
Turbidity (field)	LGW-7	9/8/2022	2.8	0		NTU
Turbidity (field)	LGW-7	10/6/2022	2.1	0		NTU
Turbidity (field)	LGW-7	11/3/2022	2.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	12/7/2022	0.4	0		NTU
Turbidity (field)	LGW-7	1/11/2023	8.1	0		NTU
Turbidity (field)	LGW-7	2/3/2023	0.5	0		NTU
Turbidity (field)	LGW-7	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-7	4/6/2023	3.4	0		NTU
Turbidity (field)	LGW-8R	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-8R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-8R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-8R	9/26/2006	174	0		NTU
Turbidity (field)	LGW-8R	9/26/2006	174	0		NTU
Turbidity (field)	LGW-8R	10/26/2006	22.1	0		NTU
Turbidity (field)	LGW-8R	10/26/2006	22.1	0		NTU
Turbidity (field)	LGW-8R	11/21/2006	13.2	0		NTU
Turbidity (field)	LGW-8R	11/21/2006	13.2	0		NTU
Turbidity (field)	LGW-8R	12/21/2006	8.11	0		NTU
Turbidity (field)	LGW-8R	12/21/2006	8.11	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/24/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	1/24/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	1/25/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	2/7/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	2/26/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	2/26/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	4/26/2007	4.86	0		NTU
Turbidity (field)	LGW-8R	4/26/2007	4.86	0		NTU
Turbidity (field)	LGW-8R	6/1/2007	1.66	0		NTU
Turbidity (field)	LGW-8R	6/1/2007	1.66	0		NTU
Turbidity (field)	LGW-8R	6/28/2007	1.99	0		NTU
Turbidity (field)	LGW-8R	6/28/2007	1.99	0		NTU
Turbidity (field)	LGW-8R	7/10/2007	4.79	0		NTU
Turbidity (field)	LGW-8R	7/12/2007	4.79	0		NTU
Turbidity (field)	LGW-8R	8/29/2007	4.01	0		NTU
Turbidity (field)	LGW-8R	8/29/2007	4.01	0		NTU
Turbidity (field)	LGW-8R	10/23/2007	2.78	0		NTU
Turbidity (field)	LGW-8R	11/28/2007	1.32	0		NTU
Turbidity (field)	LGW-8R	8/29/2008	3.64	0		NTU
Turbidity (field)	LGW-8R	9/25/2008	4.61	0		NTU
Turbidity (field)	LGW-8R	9/25/2008	4.61	4.61	ND	NTU
Turbidity (field)	LGW-8R	10/21/2008	4.98	0		NTU
Turbidity (field)	LGW-8R	11/25/2008	1.31	0		NTU
Turbidity (field)	LGW-8R	12/19/2008	2.45	0		NTU
Turbidity (field)	LGW-8R	2/4/2009	1.42	1.42	ND	NTU
Turbidity (field)	LGW-8R	3/26/2009	1.16	0		NTU
Turbidity (field)	LGW-8R	4/16/2009	1.11	0		NTU
Turbidity (field)	LGW-8R	5/28/2009	1.75	0		NTU
Turbidity (field)	LGW-8R	6/25/2009	1.43	0		NTU
Turbidity (field)	LGW-8R	7/29/2009	1.26	0		NTU
Turbidity (field)	LGW-8R	8/28/2009	2.61	0		NTU
Turbidity (field)	LGW-8R	9/29/2009	1.81	1.81	ND	NTU
Turbidity (field)	LGW-8R	10/21/2009	1.46	0		NTU
Turbidity (field)	LGW-8R	11/24/2009	1.34	1.34	ND	NTU
Turbidity (field)	LGW-8R	12/17/2009	1.32	0		NTU
Turbidity (field)	LGW-8R	1/27/2010	0.55	0		NTU
Turbidity (field)	LGW-8R	2/15/2010	0.43	0		NTU
Turbidity (field)	LGW-8R	3/3/2010	0.71	0		NTU
Turbidity (field)	LGW-8R	4/7/2010	0.47	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	5/5/2010	1.05	0		NTU
Turbidity (field)	LGW-8R	6/16/2010	0.48	0		NTU
Turbidity (field)	LGW-8R	7/14/2010	1.17	0		NTU
Turbidity (field)	LGW-8R	8/10/2010	0.87	0		NTU
Turbidity (field)	LGW-8R	9/2/2010	0.38	0		NTU
Turbidity (field)	LGW-8R	9/29/2010	0.26	0		NTU
Turbidity (field)	LGW-8R	11/3/2010	0.28	0		NTU
Turbidity (field)	LGW-8R	12/2/2010	0.52	0		NTU
Turbidity (field)	LGW-8R	1/20/2011	7.12	0		NTU
Turbidity (field)	LGW-8R	2/7/2011	0.7	0		NTU
Turbidity (field)	LGW-8R	3/3/2011	1.09	0		NTU
Turbidity (field)	LGW-8R	4/5/2011	0.68	0		NTU
Turbidity (field)	LGW-8R	5/10/2011	0.76	0		NTU
Turbidity (field)	LGW-8R	6/1/2011	0.5	0		NTU
Turbidity (field)	LGW-8R	7/12/2011	0.2	0		NTU
Turbidity (field)	LGW-8R	8/3/2011	0.31	0		NTU
Turbidity (field)	LGW-8R	9/7/2011	6.09	0		NTU
Turbidity (field)	LGW-8R	10/5/2011	1.98	0		NTU
Turbidity (field)	LGW-8R	11/1/2011	1.52	0		NTU
Turbidity (field)	LGW-8R	12/8/2011	0.75	0		NTU
Turbidity (field)	LGW-8R	1/5/2012	0.97	0		NTU
Turbidity (field)	LGW-8R	2/1/2012	0.37	0		NTU
Turbidity (field)	LGW-8R	3/7/2012	0.29	0		NTU
Turbidity (field)	LGW-8R	4/5/2012	0.61	0		NTU
Turbidity (field)	LGW-8R	5/1/2012	2.14	0		NTU
Turbidity (field)	LGW-8R	6/5/2012	0.45	0		NTU
Turbidity (field)	LGW-8R	7/9/2012	0.74	0		NTU
Turbidity (field)	LGW-8R	8/9/2012	0.42	0		NTU
Turbidity (field)	LGW-8R	9/4/2012	0.42	0		NTU
Turbidity (field)	LGW-8R	10/7/2012	0.48	0		NTU
Turbidity (field)	LGW-8R	4/30/2013	9.98	9.98	ND	NTU
Turbidity (field)	LGW-8R	6/4/2013	2.51	0		NTU
Turbidity (field)	LGW-8R	7/15/2013	1.69	1.69	ND	NTU
Turbidity (field)	LGW-8R	8/8/2013	2.5	0		NTU
Turbidity (field)	LGW-8R	9/10/2013	1.94	0		NTU
Turbidity (field)	LGW-8R	10/1/2013	2.66	0		NTU
Turbidity (field)	LGW-8R	11/6/2013	2.28	0		NTU
Turbidity (field)	LGW-8R	12/2/2013	3.69	0		NTU
Turbidity (field)	LGW-8R	1/22/2014	2.49	0		NTU
Turbidity (field)	LGW-8R	2/12/2014	3.86	0		NTU
Turbidity (field)	LGW-8R	3/11/2014	5.34	0		NTU
Turbidity (field)	LGW-8R	4/2/2014	1.83	0		NTU
Turbidity (field)	LGW-8R	5/7/2014	4.18	0		NTU
Turbidity (field)	LGW-8R	6/3/2014	0.87	0		NTU
Turbidity (field)	LGW-8R	7/8/2014	1.45	0		NTU
Turbidity (field)	LGW-8R	8/5/2014	0.6	0		NTU
Turbidity (field)	LGW-8R	9/4/2014	1.23	0		NTU
Turbidity (field)	LGW-8R	10/9/2014	1.55	0		NTU
Turbidity (field)	LGW-8R	11/3/2014	0.52	0		NTU
Turbidity (field)	LGW-8R	1/14/2015	1.82	0		NTU
Turbidity (field)	LGW-8R	2/11/2015	2.03	0		NTU
Turbidity (field)	LGW-8R	3/3/2015	1.43	0		NTU
Turbidity (field)	LGW-8R	4/1/2015	1.3	0		NTU
Turbidity (field)	LGW-8R	5/6/2015	2.64	0		NTU
Turbidity (field)	LGW-8R	6/3/2015	3.03	0		NTU
Turbidity (field)	LGW-8R	7/22/2015	2.55	0		NTU
Turbidity (field)	LGW-8R	8/4/2015	2.14	0		NTU
Turbidity (field)	LGW-8R	9/3/2015	4.28	0		NTU
Turbidity (field)	LGW-8R	10/6/2015	3.97	0		NTU
Turbidity (field)	LGW-8R	11/4/2015	2.1	0		NTU
Turbidity (field)	LGW-8R	12/3/2015	2.03	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	1/5/2016	2.51	0		NTU
Turbidity (field)	LGW-8R	2/3/2016	2.17	0		NTU
Turbidity (field)	LGW-8R	3/2/2016	1.64	0		NTU
Turbidity (field)	LGW-8R	4/5/2016	0.88	0		NTU
Turbidity (field)	LGW-8R	5/11/2016	0.68	0		NTU
Turbidity (field)	LGW-8R	6/1/2016	0.81	0		NTU
Turbidity (field)	LGW-8R	7/20/2016	2.13	0		NTU
Turbidity (field)	LGW-8R	8/10/2016	1.16	0		NTU
Turbidity (field)	LGW-8R	9/6/2016	1.44	0		NTU
Turbidity (field)	LGW-8R	10/6/2016	1.29	0		NTU
Turbidity (field)	LGW-8R	11/2/2016	1.81	0		NTU
Turbidity (field)	LGW-8R	12/1/2016	1.28	0		NTU
Turbidity (field)	LGW-8R	1/11/2017	2.16	0		NTU
Turbidity (field)	LGW-8R	2/7/2017	0.58	0		NTU
Turbidity (field)	LGW-8R	3/2/2017	0.81	0		NTU
Turbidity (field)	LGW-8R	4/4/2017	0.64	0		NTU
Turbidity (field)	LGW-8R	5/2/2017	0.93	0		NTU
Turbidity (field)	LGW-8R	6/6/2017	2.04	0		NTU
Turbidity (field)	LGW-8R	7/18/2017	1.08	0		NTU
Turbidity (field)	LGW-8R	8/1/2017	0.81	0		NTU
Turbidity (field)	LGW-8R	9/5/2017	1.84	0		NTU
Turbidity (field)	LGW-8R	10/5/2017	2.36	0		NTU
Turbidity (field)	LGW-8R	11/1/2017	1.86	0		NTU
Turbidity (field)	LGW-8R	1/25/2018	0.09	0.01		NTU
Turbidity (field)	LGW-8R	2/23/2018	0.3	0.01		NTU
Turbidity (field)	LGW-8R	3/19/2018	0.31	0.01		NTU
Turbidity (field)	LGW-8R	4/11/2018	0.13	0.01		NTU
Turbidity (field)	LGW-8R	6/5/2018	0.87	0		NTU
Turbidity (field)	LGW-8R	6/21/2018	0	0		NTU
Turbidity (field)	LGW-8R	7/13/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-8R	8/2/2018	1.09	0.01		NTU
Turbidity (field)	LGW-8R	9/5/2018	0.92	0		NTU
Turbidity (field)	LGW-8R	10/2/2018	0.99	0		NTU
Turbidity (field)	LGW-8R	11/7/2018	0.41	0.01		NTU
Turbidity (field)	LGW-8R	12/4/2018	0.28	0.01		NTU
Turbidity (field)	LGW-8R	1/7/2019	0.6	0.01		NTU
Turbidity (field)	LGW-8R	2/5/2019	1.18	0		NTU
Turbidity (field)	LGW-8R	3/5/2019	0.9	0.01		NTU
Turbidity (field)	LGW-8R	4/3/2019	2.12	0.01		NTU
Turbidity (field)	LGW-8R	5/1/2019	0.85	0.01		NTU
Turbidity (field)	LGW-8R	6/4/2019	0.47	0		NTU
Turbidity (field)	LGW-8R	7/8/2019	1.33	0.01		NTU
Turbidity (field)	LGW-8R	7/8/2019	1.33	0.01		NTU
Turbidity (field)	LGW-8R	8/7/2019	0.29	0.01		NTU
Turbidity (field)	LGW-8R	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-8R	10/1/2019	2.28	0.01		NTU
Turbidity (field)	LGW-8R	11/5/2019	0.72	0.01		NTU
Turbidity (field)	LGW-8R	12/4/2019	1.01	0.01		NTU
Turbidity (field)	LGW-8R	1/14/2020	0.66	0		NTU
Turbidity (field)	LGW-8R	3/3/2020	0.32	0.01		NTU
Turbidity (field)	LGW-8R	4/2/2020	4.56	0.01		NTU
Turbidity (field)	LGW-8R	5/4/2020	0.24	0.01		NTU
Turbidity (field)	LGW-8R	6/1/2020	0.47	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	8/3/2020	0.01	0		NTU
Turbidity (field)	LGW-8R	9/1/2020	1.9	0.01		NTU
Turbidity (field)	LGW-8R	10/6/2020	2.21	0.01		NTU
Turbidity (field)	LGW-8R	11/2/2020	0	0		NTU
Turbidity (field)	LGW-8R	12/1/2020	0	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	1/17/2021	-13	0		NTU
Turbidity (field)	LGW-8R	2/9/2021	1.76	0		NTU
Turbidity (field)	LGW-8R	3/2/2021	0.1	0		NTU
Turbidity (field)	LGW-8R	4/7/2021	1.7	0		NTU
Turbidity (field)	LGW-8R	5/5/2021	1.9	0		NTU
Turbidity (field)	LGW-8R	6/2/2021	3.5	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	8/3/2021	4.5	0		NTU
Turbidity (field)	LGW-8R	9/2/2021	4.3	0		NTU
Turbidity (field)	LGW-8R	10/5/2021	1.9	0		NTU
Turbidity (field)	LGW-8R	11/2/2021	1.5	0		NTU
Turbidity (field)	LGW-8R	12/9/2021	1.8	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	2/10/2022	1.9	0		NTU
Turbidity (field)	LGW-8R	3/2/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	4/5/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	5/7/2022	2.8	0		NTU
Turbidity (field)	LGW-8R	6/3/2022	3.4	0		NTU
Turbidity (field)	LGW-8R	7/11/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	8/10/2022	4.6	0		NTU
Turbidity (field)	LGW-8R	9/8/2022	2	0		NTU
Turbidity (field)	LGW-8R	10/6/2022	2	0		NTU
Turbidity (field)	LGW-8R	10/6/2022	2	0		NTU
Turbidity (field)	LGW-8R	11/3/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	12/7/2022	0.3	0		NTU
Turbidity (field)	LGW-8R	1/11/2023	3.4	0		NTU
Turbidity (field)	LGW-8R	2/3/2023	0.3	0		NTU
Turbidity (field)	LGW-8R	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-8R	4/6/2023	3.6	0		NTU
Turbidity (field)	LGW-9	9/30/2005	451	0		NTU
Turbidity (field)	LGW-9	7/20/2006	220	0		NTU
Turbidity (field)	LGW-9	7/20/2006	22	0		NTU
Turbidity (field)	LGW-9	9/27/2006	83.4	0		NTU
Turbidity (field)	LGW-9	9/27/2006	83.4	0		NTU
Turbidity (field)	LGW-9	10/26/2006	25.8	0		NTU
Turbidity (field)	LGW-9	10/26/2006	25.8	0		NTU
Turbidity (field)	LGW-9	11/21/2006	29.7	0		NTU
Turbidity (field)	LGW-9	11/21/2006	29.7	0		NTU
Turbidity (field)	LGW-9	12/21/2006	1.6	0		NTU
Turbidity (field)	LGW-9	12/21/2006	1.6	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	2/7/2007	3.8	0		NTU
Turbidity (field)	LGW-9	2/27/2007	3.8	0		NTU
Turbidity (field)	LGW-9	2/27/2007	3.8	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	4/25/2007	1.74	0		NTU
Turbidity (field)	LGW-9	4/26/2007	1.74	0		NTU
Turbidity (field)	LGW-9	5/31/2007	2.07	0		NTU
Turbidity (field)	LGW-9	6/1/2007	2.07	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	6/28/2007	1.02	0		NTU
Turbidity (field)	LGW-9	6/28/2007	1.02	0		NTU
Turbidity (field)	LGW-9	7/10/2007	1.26	0		NTU
Turbidity (field)	LGW-9	7/10/2007	1.26	0		NTU
Turbidity (field)	LGW-9	8/28/2007	0.94	0		NTU
Turbidity (field)	LGW-9	8/28/2007	0.94	0		NTU
Turbidity (field)	LGW-9	10/23/2007	0.54	0		NTU
Turbidity (field)	LGW-9	11/28/2007	0.41	0		NTU
Turbidity (field)	LGW-9	12/27/2007	0.79	0		NTU
Turbidity (field)	LGW-9	1/25/2008	1.83	0		NTU
Turbidity (field)	LGW-9	2/28/2008	0.59	0		NTU
Turbidity (field)	LGW-9	3/25/2008	0.75	0		NTU
Turbidity (field)	LGW-9	5/3/2008	4.69	0		NTU
Turbidity (field)	LGW-9	5/30/2008	4.27	0		NTU
Turbidity (field)	LGW-9	6/25/2008	3.48	0		NTU
Turbidity (field)	LGW-9	7/22/2008	3.44	0		NTU
Turbidity (field)	LGW-9	8/29/2008	2.18	0		NTU
Turbidity (field)	LGW-9	9/26/2008	4.91	0		NTU
Turbidity (field)	LGW-9	9/26/2008	4.91	0		NTU
Turbidity (field)	LGW-9	10/22/2008	1.54	0		NTU
Turbidity (field)	LGW-9	11/24/2008	2.75	0		NTU
Turbidity (field)	LGW-9	12/19/2008	1.35	0		NTU
Turbidity (field)	LGW-9	2/4/2009	1.19	0		NTU
Turbidity (field)	LGW-9	3/26/2009	1.31	0		NTU
Turbidity (field)	LGW-9	4/15/2009	3.01	0		NTU
Turbidity (field)	LGW-9	5/28/2009	1.32	0		NTU
Turbidity (field)	LGW-9	6/24/2009	1.24	0		NTU
Turbidity (field)	LGW-9	7/29/2009	1.66	0		NTU
Turbidity (field)	LGW-9	8/28/2009	2.59	0		NTU
Turbidity (field)	LGW-9	9/29/2009	1.88	0		NTU
Turbidity (field)	LGW-9	10/22/2009	1.65	0		NTU
Turbidity (field)	LGW-9	11/24/2009	1.53	0		NTU
Turbidity (field)	LGW-9	12/17/2009	1.44	0		NTU
Turbidity (field)	LGW-9	1/27/2010	0.81	0		NTU
Turbidity (field)	LGW-9	2/15/2010	1.91	0		NTU
Turbidity (field)	LGW-9	3/3/2010	3.21	0		NTU
Turbidity (field)	LGW-9	4/8/2010	2.71	0		NTU
Turbidity (field)	LGW-9	5/6/2010	3.63	0		NTU
Turbidity (field)	LGW-9	6/16/2010	0.32	0		NTU
Turbidity (field)	LGW-9	7/14/2010	3.95	0		NTU
Turbidity (field)	LGW-9	8/11/2010	1.29	0		NTU
Turbidity (field)	LGW-9	9/1/2010	1.47	0		NTU
Turbidity (field)	LGW-9	9/29/2010	0.74	0		NTU
Turbidity (field)	LGW-9	11/3/2010	0.87	0		NTU
Turbidity (field)	LGW-9	12/2/2010	0.35	0		NTU
Turbidity (field)	LGW-9	1/20/2011	0.26	0		NTU
Turbidity (field)	LGW-9	2/7/2011	0.6	0		NTU
Turbidity (field)	LGW-9	3/3/2011	2.76	0		NTU
Turbidity (field)	LGW-9	4/5/2011	0.48	0		NTU
Turbidity (field)	LGW-9	5/10/2011	0.33	0		NTU
Turbidity (field)	LGW-9	6/1/2011	0.39	0		NTU
Turbidity (field)	LGW-9	7/12/2011	0.27	0		NTU
Turbidity (field)	LGW-9	8/4/2011	0.68	0		NTU
Turbidity (field)	LGW-9	9/7/2011	0.6	0		NTU
Turbidity (field)	LGW-9	10/5/2011	1.15	0		NTU
Turbidity (field)	LGW-9	11/1/2011	0.07	0		NTU
Turbidity (field)	LGW-9	12/8/2011	0.49	0		NTU
Turbidity (field)	LGW-9	1/5/2012	0.59	0		NTU
Turbidity (field)	LGW-9	2/1/2012	3.12	0		NTU
Turbidity (field)	LGW-9	3/7/2012	0.55	0		NTU
Turbidity (field)	LGW-9	4/5/2012	0.18	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	5/1/2012	0.62	0		NTU
Turbidity (field)	LGW-9	6/5/2012	0.29	0		NTU
Turbidity (field)	LGW-9	7/10/2012	0.56	0		NTU
Turbidity (field)	LGW-9	8/9/2012	0.6	0		NTU
Turbidity (field)	LGW-9	9/4/2012	0.7	0		NTU
Turbidity (field)	LGW-9	10/7/2012	12.1	0		NTU
Turbidity (field)	LGW-9	5/1/2013	22.4	0		NTU
Turbidity (field)	LGW-9	6/4/2013	3.74	0		NTU
Turbidity (field)	LGW-9	7/15/2013	2.08	0		NTU
Turbidity (field)	LGW-9	8/8/2013	2.97	0		NTU
Turbidity (field)	LGW-9	9/10/2013	1.21	0		NTU
Turbidity (field)	LGW-9	10/1/2013	0.76	0		NTU
Turbidity (field)	LGW-9	11/6/2013	1.11	0		NTU
Turbidity (field)	LGW-9	12/2/2013	1	0		NTU
Turbidity (field)	LGW-9	1/23/2014	1.3	0		NTU
Turbidity (field)	LGW-9	2/13/2014	0.54	0		NTU
Turbidity (field)	LGW-9	3/11/2014	6.46	0		NTU
Turbidity (field)	LGW-9	4/2/2014	0.76	0		NTU
Turbidity (field)	LGW-9	5/7/2014	1.13	0		NTU
Turbidity (field)	LGW-9	6/3/2014	0.61	0		NTU
Turbidity (field)	LGW-9	7/8/2014	1.58	0		NTU
Turbidity (field)	LGW-9	8/5/2014	0.86	0		NTU
Turbidity (field)	LGW-9	9/4/2014	0.79	0		NTU
Turbidity (field)	LGW-9	10/9/2014	0.58	0		NTU
Turbidity (field)	LGW-9	11/3/2014	0.14	0		NTU
Turbidity (field)	LGW-9	1/14/2015	1.87	0		NTU
Turbidity (field)	LGW-9	2/11/2015	1.6	0		NTU
Turbidity (field)	LGW-9	3/3/2015	2.27	0		NTU
Turbidity (field)	LGW-9	4/1/2015	1.17	0		NTU
Turbidity (field)	LGW-9	5/7/2015	2.79	0		NTU
Turbidity (field)	LGW-9	6/3/2015	1.64	0		NTU
Turbidity (field)	LGW-9	7/13/2015	2.02	0		NTU
Turbidity (field)	LGW-9	8/4/2015	1.63	0		NTU
Turbidity (field)	LGW-9	9/3/2015	1.83	0		NTU
Turbidity (field)	LGW-9	10/6/2015	2.93	0		NTU
Turbidity (field)	LGW-9	11/4/2015	1.37	0		NTU
Turbidity (field)	LGW-9	12/3/2015	1.73	0		NTU
Turbidity (field)	LGW-9	1/5/2016	1.47	0		NTU
Turbidity (field)	LGW-9	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-9	3/2/2016	1.15	0		NTU
Turbidity (field)	LGW-9	4/5/2016	2.66	0		NTU
Turbidity (field)	LGW-9	5/11/2016	0.47	0		NTU
Turbidity (field)	LGW-9	6/1/2016	0.63	0		NTU
Turbidity (field)	LGW-9	7/21/2016	1.31	0		NTU
Turbidity (field)	LGW-9	8/10/2016	0.84	0		NTU
Turbidity (field)	LGW-9	9/6/2016	0.87	0		NTU
Turbidity (field)	LGW-9	9/6/2016	0.87	0		NTU
Turbidity (field)	LGW-9	10/6/2016	0.94	0		NTU
Turbidity (field)	LGW-9	11/2/2016	0.93	0		NTU
Turbidity (field)	LGW-9	12/1/2016	0.89	0		NTU
Turbidity (field)	LGW-9	1/11/2017	0.82	0		NTU
Turbidity (field)	LGW-9	2/7/2017	0.73	0		NTU
Turbidity (field)	LGW-9	3/2/2017	0.73	0		NTU
Turbidity (field)	LGW-9	4/4/2017	0.54	0		NTU
Turbidity (field)	LGW-9	5/5/2017	1.07	0		NTU
Turbidity (field)	LGW-9	5/16/2017	1.13	0		NTU
Turbidity (field)	LGW-9	6/6/2017	0.91	0		NTU
Turbidity (field)	LGW-9	7/18/2017	0.68	0		NTU
Turbidity (field)	LGW-9	8/1/2017	0.93	0		NTU
Turbidity (field)	LGW-9	9/5/2017	1.35	0		NTU
Turbidity (field)	LGW-9	10/5/2017	1.99	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	11/1/2017	2.49	0		NTU
Turbidity (field)	LGW-9	1/24/2018	1.06	0.01		NTU
Turbidity (field)	LGW-9	2/22/2018	0.3	0.01		NTU
Turbidity (field)	LGW-9	3/20/2018	0.32	0.01		NTU
Turbidity (field)	LGW-9	4/11/2018	0.21	0.01		NTU
Turbidity (field)	LGW-9	4/11/2018	0.21	0.01		NTU
Turbidity (field)	LGW-9	6/5/2018	0.63	0		NTU
Turbidity (field)	LGW-9	6/5/2018	0.63	0		NTU
Turbidity (field)	LGW-9	7/13/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-9	8/2/2018	0.41	0.01		NTU
Turbidity (field)	LGW-9	9/5/2018	0	0		NTU
Turbidity (field)	LGW-9	10/2/2018	1.52	0		NTU
Turbidity (field)	LGW-9	10/2/2018	1.52	0		NTU
Turbidity (field)	LGW-9	11/6/2018	0.26	0.01		NTU
Turbidity (field)	LGW-9	12/4/2018	0.45	0.01		NTU
Turbidity (field)	LGW-9	1/7/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-9	2/6/2019	1.81	0		NTU
Turbidity (field)	LGW-9	3/5/2019	0.1	0.01		NTU
Turbidity (field)	LGW-9	4/3/2019	0.83	0.01		NTU
Turbidity (field)	LGW-9	4/3/2019	0.83	0.01		NTU
Turbidity (field)	LGW-9	5/3/2019	1.41	0.01		NTU
Turbidity (field)	LGW-9	6/4/2019	0.56	0		NTU
Turbidity (field)	LGW-9	7/10/2019	5.1	0.01		NTU
Turbidity (field)	LGW-9	7/10/2019	5.1	0		NTU
Turbidity (field)	LGW-9	8/8/2019	0	0.01		NTU
Turbidity (field)	LGW-9	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-9	10/3/2019	0.75	0.01		NTU
Turbidity (field)	LGW-9	10/3/2019	0.75	0.01		NTU
Turbidity (field)	LGW-9	11/6/2019	0.72	0.01		NTU
Turbidity (field)	LGW-9	12/3/2019	2.46	0.01		NTU
Turbidity (field)	LGW-9	1/16/2020	0	0		NTU
Turbidity (field)	LGW-9	3/4/2020	0.4	0.01		NTU
Turbidity (field)	LGW-9	4/2/2020	1.5	0.01		NTU
Turbidity (field)	LGW-9	4/2/2020	1.5	0.01		NTU
Turbidity (field)	LGW-9	5/5/2020	0.36	0.01		NTU
Turbidity (field)	LGW-9	6/2/2020	0.66	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	8/3/2020	0.61	0		NTU
Turbidity (field)	LGW-9	9/2/2020	0.78	0.01		NTU
Turbidity (field)	LGW-9	10/7/2020	0.01	0.01		NTU
Turbidity (field)	LGW-9	10/7/2020	0.01	0.01		NTU
Turbidity (field)	LGW-9	11/3/2020	0.23	0		NTU
Turbidity (field)	LGW-9	12/2/2020	0	0		NTU
Turbidity (field)	LGW-9	1/17/2021	-11.9	0		NTU
Turbidity (field)	LGW-9	2/9/2021	1.34	0		NTU
Turbidity (field)	LGW-9	3/2/2021	0.5	0		NTU
Turbidity (field)	LGW-9	4/6/2021	2.6	0		NTU
Turbidity (field)	LGW-9	4/6/2021	2.6	0		NTU
Turbidity (field)	LGW-9	5/5/2021	2.1	0		NTU
Turbidity (field)	LGW-9	6/2/2021	3.4	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	8/4/2021	5.5	0		NTU
Turbidity (field)	LGW-9	9/2/2021	5.1	0		NTU
Turbidity (field)	LGW-9	10/5/2021	4.2	0		NTU
Turbidity (field)	LGW-9	10/5/2021	4.2	0		NTU
Turbidity (field)	LGW-9	11/2/2021	1.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	12/9/2021	2.5	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	2/10/2022	2.5	0		NTU
Turbidity (field)	LGW-9	3/2/2022	3.8	0		NTU
Turbidity (field)	LGW-9	4/4/2022	2.7	0		NTU
Turbidity (field)	LGW-9	4/4/2022	2.7	0		NTU
Turbidity (field)	LGW-9	5/7/2022	3.1	0		NTU
Turbidity (field)	LGW-9	6/3/2022	3.9	0		NTU
Turbidity (field)	LGW-9	7/11/2022	2.3	0		NTU
Turbidity (field)	LGW-9	8/10/2022	4.8	0		NTU
Turbidity (field)	LGW-9	9/8/2022	2	0		NTU
Turbidity (field)	LGW-9	10/7/2022	2.1	0		NTU
Turbidity (field)	LGW-9	10/7/2022	2.1	0		NTU
Turbidity (field)	LGW-9	11/3/2022	2.4	0		NTU
Turbidity (field)	LGW-9	12/7/2022	0.2	0		NTU
Turbidity (field)	LGW-9	1/11/2023	3.8	0		NTU
Turbidity (field)	LGW-9	2/3/2023	0.2	0		NTU
Turbidity (field)	LGW-9	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-9	4/5/2023	8.6	0		NTU
Turbidity (field)	MW-10N	1/18/2006	11.7	0		NTU
Turbidity (field)	MW-10N	7/19/2006	2.45	0		NTU
Turbidity (field)	MW-10N	7/19/2006	2.45	0		NTU
Turbidity (field)	MW-10N	10/24/2006	2.03	0		NTU
Turbidity (field)	MW-10N	10/24/2006	2.03	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.54	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.59	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.54	0		NTU
Turbidity (field)	MW-10N	1/23/2007	55.2	0		NTU
Turbidity (field)	MW-10N	1/23/2007	55.2	0		NTU
Turbidity (field)	MW-10N	7/10/2007	4.47	0		NTU
Turbidity (field)	MW-10N	7/10/2007	4.47	0		NTU
Turbidity (field)	MW-10N	1/23/2008	2.01	0		NTU
Turbidity (field)	MW-10N	7/21/2008	2.96	0		NTU
Turbidity (field)	MW-10N	2/13/2009	46	0		NTU
Turbidity (field)	MW-10N	7/31/2009	2.6	0		NTU
Turbidity (field)	MW-10N	1/27/2010	12	0		NTU
Turbidity (field)	MW-10N	8/10/2010	1.22	0		NTU
Turbidity (field)	MW-10N	1/19/2011	1.61	0		NTU
Turbidity (field)	MW-10N	7/14/2011	1.4	0		NTU
Turbidity (field)	MW-10N	1/5/2012	0.8	0		NTU
Turbidity (field)	MW-10N	7/10/2012	3.1	0		NTU
Turbidity (field)	MW-10N	5/1/2013	0.83	0		NTU
Turbidity (field)	MW-10N	1/24/2014	2.1	0		NTU
Turbidity (field)	MW-10N	7/9/2014	5.32	0		NTU
Turbidity (field)	MW-10N	2/12/2015	1.54	0		NTU
Turbidity (field)	MW-10N	7/14/2015	2.13	0		NTU
Turbidity (field)	MW-10N	1/6/2016	1.63	0		NTU
Turbidity (field)	MW-10N	7/21/2016	2.37	0		NTU
Turbidity (field)	MW-10N	1/11/2017	0.53	0		NTU
Turbidity (field)	MW-10N	7/19/2017	1.21	0		NTU
Turbidity (field)	MW-10N	1/24/2018	0.76	0.01		NTU
Turbidity (field)	MW-10N	7/11/2018	0.01	0.01		NTU
Turbidity (field)	MW-10N	1/3/2019	0.9	0.01		NTU
Turbidity (field)	MW-10N	7/9/2019	2.8	0.01		NTU
Turbidity (field)	MW-10N	1/16/2020	3.8	0		NTU
Turbidity (field)	MW-10N	7/8/2020	0.39	0		NTU
Turbidity (field)	MW-10N	7/8/2020	0.39	0		NTU
Turbidity (field)	MW-10N	7/5/2021	8.2	0		NTU
Turbidity (field)	MW-10N	7/5/2021	8.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-10N	1/11/2023	9.1	0		NTU
Turbidity (field)	MW-10N	4/8/2023	3.8	0		NTU
Turbidity (field)	MW-11N	1/18/2006	2.52	0		NTU
Turbidity (field)	MW-11N	7/18/2006	0.84	0		NTU
Turbidity (field)	MW-11N	7/18/2006	0.84	0		NTU
Turbidity (field)	MW-11N	10/24/2006	1.18	0		NTU
Turbidity (field)	MW-11N	10/24/2006	1.18	0		NTU
Turbidity (field)	MW-11N	1/8/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/8/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/9/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/23/2007	3.73	0		NTU
Turbidity (field)	MW-11N	1/23/2007	3.73	0		NTU
Turbidity (field)	MW-11N	7/10/2007	2.23	0		NTU
Turbidity (field)	MW-11N	7/10/2007	2.23	0		NTU
Turbidity (field)	MW-11N	1/22/2008	1.22	0		NTU
Turbidity (field)	MW-11N	7/23/2008	1.53	0		NTU
Turbidity (field)	MW-11N	2/3/2009	0.39	0		NTU
Turbidity (field)	MW-11N	7/31/2009	1.61	0		NTU
Turbidity (field)	MW-11N	2/3/2010	1.46	0		NTU
Turbidity (field)	MW-11N	2/3/2010	1.46	0		NTU
Turbidity (field)	MW-11N	7/16/2010	0.75	0		NTU
Turbidity (field)	MW-11N	1/19/2011	0.12	0		NTU
Turbidity (field)	MW-11N	7/13/2011	0.48	0		NTU
Turbidity (field)	MW-11N	1/4/2012	1.29	0		NTU
Turbidity (field)	MW-11N	7/9/2012	0.64	0		NTU
Turbidity (field)	MW-11N	4/30/2013	9.8	0		NTU
Turbidity (field)	MW-11N	7/15/2013	0.61	0		NTU
Turbidity (field)	MW-11N	1/23/2014	5.65	0		NTU
Turbidity (field)	MW-11N	7/8/2014	1.13	0		NTU
Turbidity (field)	MW-11N	2/10/2015	0.45	0		NTU
Turbidity (field)	MW-11N	7/13/2015	0.36	0		NTU
Turbidity (field)	MW-11N	1/5/2016	0.96	0		NTU
Turbidity (field)	MW-11N	7/21/2016	0.87	0		NTU
Turbidity (field)	MW-11N	1/11/2017	0.45	0		NTU
Turbidity (field)	MW-11N	7/19/2017	1.65	0		NTU
Turbidity (field)	MW-11N	1/23/2018	0.2	0.01		NTU
Turbidity (field)	MW-11N	7/17/2018	0.69	0.01		NTU
Turbidity (field)	MW-11N	1/2/2019	0.5	0.01		NTU
Turbidity (field)	MW-11N	7/9/2019	4.97	0.01		NTU
Turbidity (field)	MW-11N	1/14/2020	1.39	0		NTU
Turbidity (field)	MW-11N	7/6/2020	0	0		NTU
Turbidity (field)	MW-11N	7/6/2020	0	0		NTU
Turbidity (field)	MW-11N	1/18/2021	-13.2	0		NTU
Turbidity (field)	MW-11N	7/6/2021	3.7	0		NTU
Turbidity (field)	MW-11N	7/6/2021	3.7	0		NTU
Turbidity (field)	MW-11N	1/18/2022	2	0		NTU
Turbidity (field)	MW-11N	1/18/2022	2	0		NTU
Turbidity (field)	MW-11N	7/13/2022	4.5	0		NTU
Turbidity (field)	MW-11N	10/6/2022	2.1	0		NTU
Turbidity (field)	MW-11N	1/10/2023	2.7	0		NTU
Turbidity (field)	MW-15	6/2/2015	9.7	0		NTU
Turbidity (field)	MW-15	6/5/2015	6.53	0		NTU
Turbidity (field)	MW-15	7/15/2015	8.76	0		NTU
Turbidity (field)	MW-15	8/5/2015	12.3	0		NTU
Turbidity (field)	MW-15	9/3/2015	6.41	0		NTU
Turbidity (field)	MW-15	10/6/2015	7.19	0		NTU
Turbidity (field)	MW-15	11/5/2015	9.61	0		NTU
Turbidity (field)	MW-15	12/4/2015	7.28	0		NTU
Turbidity (field)	MW-15	1/7/2016	12.4	0		NTU
Turbidity (field)	MW-15	2/4/2016	34.9	0		NTU
Turbidity (field)	MW-15	3/2/2016	15.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-15	4/5/2016	8.31	0		NTU
Turbidity (field)	MW-15	5/11/2016	9.5	0		NTU
Turbidity (field)	MW-15	6/1/2016	9.8	0		NTU
Turbidity (field)	MW-15	7/20/2016	10.2	0		NTU
Turbidity (field)	MW-15	8/10/2016	10.2	0		NTU
Turbidity (field)	MW-15	9/6/2016	10.3	0		NTU
Turbidity (field)	MW-15	10/6/2016	8.71	0		NTU
Turbidity (field)	MW-15	11/2/2016	9.86	0		NTU
Turbidity (field)	MW-15	12/1/2016	8.88	0		NTU
Turbidity (field)	MW-15	1/10/2017	4.27	0		NTU
Turbidity (field)	MW-15	2/7/2017	11.6	0		NTU
Turbidity (field)	MW-15	3/2/2017	8.55	0		NTU
Turbidity (field)	MW-15	4/4/2017	6.54	0		NTU
Turbidity (field)	MW-15	5/2/2017	4.37	0		NTU
Turbidity (field)	MW-15	6/6/2017	4.66	0		NTU
Turbidity (field)	MW-15	7/18/2017	5.61	0		NTU
Turbidity (field)	MW-15	8/1/2017	2.36	0		NTU
Turbidity (field)	MW-15	9/5/2017	5.37	0		NTU
Turbidity (field)	MW-15	10/6/2017	3.88	0		NTU
Turbidity (field)	MW-15	11/1/2017	5.69	0		NTU
Turbidity (field)	MW-15	1/23/2018	0.12	0.01		NTU
Turbidity (field)	MW-15	2/22/2018	0.93	0.01		NTU
Turbidity (field)	MW-15	3/21/2018	1.75	0.01		NTU
Turbidity (field)	MW-15	4/10/2018	3.08	0.01		NTU
Turbidity (field)	MW-15	6/5/2018	1.13	0		NTU
Turbidity (field)	MW-15	7/10/2018	0.27	0.01		NTU
Turbidity (field)	MW-15	8/1/2018	0.54	0.01		NTU
Turbidity (field)	MW-15	9/4/2018	1.25	0		NTU
Turbidity (field)	MW-15	10/2/2018	0.69	0		NTU
Turbidity (field)	MW-15	10/2/2018	0.69	0		NTU
Turbidity (field)	MW-15	11/6/2018	0.41	0.01		NTU
Turbidity (field)	MW-15	12/5/2018	1.22	0.01		NTU
Turbidity (field)	MW-15	1/3/2019	1.22	0.01		NTU
Turbidity (field)	MW-15	2/5/2019	0.56	0		NTU
Turbidity (field)	MW-15	3/6/2019	1.3	0.01		NTU
Turbidity (field)	MW-15	4/3/2019	1.94	0.01		NTU
Turbidity (field)	MW-15	5/2/2019	0.34	0.01		NTU
Turbidity (field)	MW-15	6/4/2019	1.26	0		NTU
Turbidity (field)	MW-15	7/9/2019	7.8	0.01		NTU
Turbidity (field)	MW-15	7/9/2019	7.8	0.01		NTU
Turbidity (field)	MW-15	8/6/2019	1.78	0.01		NTU
Turbidity (field)	MW-15	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-15	10/1/2019	1.07	0.01		NTU
Turbidity (field)	MW-15	11/5/2019	8.71	0.01		NTU
Turbidity (field)	MW-15	12/3/2019	2.17	0.01		NTU
Turbidity (field)	MW-15	1/14/2020	7.44	0		NTU
Turbidity (field)	MW-15	3/3/2020	1.77	0.01		NTU
Turbidity (field)	MW-15	4/1/2020	3.59	0.01		NTU
Turbidity (field)	MW-15	5/4/2020	308	0.01		NTU
Turbidity (field)	MW-15	6/2/2020	4.81	0		NTU
Turbidity (field)	MW-15	7/7/2020	6.62	0		NTU
Turbidity (field)	MW-15	7/7/2020	6.62	0		NTU
Turbidity (field)	MW-15	8/3/2020	2.73	0		NTU
Turbidity (field)	MW-15	8/3/2020	2.73	0		NTU
Turbidity (field)	MW-15	10/6/2020	1.34	0.01		NTU
Turbidity (field)	MW-15	11/4/2020	2.51	0		NTU
Turbidity (field)	MW-15	12/2/2020	6.77	0		NTU
Turbidity (field)	MW-15	1/18/2021	-10.6	0		NTU
Turbidity (field)	MW-15	1/18/2021	-10.6	0		NTU
Turbidity (field)	MW-15	2/10/2021	4.7	0		NTU
Turbidity (field)	MW-15	3/2/2021	1.8	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-15	4/7/2021	2.5	0		NTU
Turbidity (field)	MW-15	5/4/2021	14.1	0		NTU
Turbidity (field)	MW-15	6/1/2021	3.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	8/3/2021	10.1	0		NTU
Turbidity (field)	MW-15	9/2/2021	5.8	0		NTU
Turbidity (field)	MW-15	10/5/2021	3	0		NTU
Turbidity (field)	MW-15	10/5/2021	3	0		NTU
Turbidity (field)	MW-15	11/1/2021	3	0		NTU
Turbidity (field)	MW-15	12/8/2021	2.9	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	2/9/2022	3.2	0		NTU
Turbidity (field)	MW-15	3/1/2022	2.5	0		NTU
Turbidity (field)	MW-15	4/5/2022	2.3	0		NTU
Turbidity (field)	MW-15	5/7/2022	10.2	0		NTU
Turbidity (field)	MW-15	6/3/2022	4.5	0		NTU
Turbidity (field)	MW-15	7/10/2022	3.5	0		NTU
Turbidity (field)	MW-15	8/10/2022	8.1	0		NTU
Turbidity (field)	MW-15	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-15	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-15	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-15	11/3/2022	2.4	0		NTU
Turbidity (field)	MW-15	12/7/2022	0.6	0		NTU
Turbidity (field)	MW-15	1/10/2023	2.8	0		NTU
Turbidity (field)	MW-15	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-15	3/1/2023	2.7	0		NTU
Turbidity (field)	MW-15	4/5/2023	7	0		NTU
Turbidity (field)	MW-16	6/2/2015	10.3	0		NTU
Turbidity (field)	MW-16	6/5/2015	7.42	0		NTU
Turbidity (field)	MW-16	7/16/2015	8.63	0		NTU
Turbidity (field)	MW-16	8/5/2015	10.3	0		NTU
Turbidity (field)	MW-16	9/3/2015	9.1	0		NTU
Turbidity (field)	MW-16	10/6/2015	14	0		NTU
Turbidity (field)	MW-16	11/5/2015	10.3	0		NTU
Turbidity (field)	MW-16	12/4/2015	9.2	0		NTU
Turbidity (field)	MW-16	1/8/2016	15.2	0		NTU
Turbidity (field)	MW-16	2/4/2016	22.2	0		NTU
Turbidity (field)	MW-16	3/2/2016	12.3	0		NTU
Turbidity (field)	MW-16	4/5/2016	7.66	0		NTU
Turbidity (field)	MW-16	5/11/2016	23.3	0		NTU
Turbidity (field)	MW-16	6/2/2016	25.6	0		NTU
Turbidity (field)	MW-16	7/21/2016	20.7	0		NTU
Turbidity (field)	MW-16	8/10/2016	12.2	0		NTU
Turbidity (field)	MW-16	9/6/2016	15.2	0		NTU
Turbidity (field)	MW-16	10/5/2016	7.56	0		NTU
Turbidity (field)	MW-16	11/2/2016	12.4	0		NTU
Turbidity (field)	MW-16	12/1/2016	10.1	0		NTU
Turbidity (field)	MW-16	1/10/2017	8.74	0		NTU
Turbidity (field)	MW-16	2/7/2017	4.21	0		NTU
Turbidity (field)	MW-16	3/2/2017	4.39	0		NTU
Turbidity (field)	MW-16	4/4/2017	1.21	0		NTU
Turbidity (field)	MW-16	5/2/2017	1.12	0		NTU
Turbidity (field)	MW-16	6/6/2017	0.91	0		NTU
Turbidity (field)	MW-16	7/18/2017	5.61	0		NTU
Turbidity (field)	MW-16	8/1/2017	1.81	0		NTU
Turbidity (field)	MW-16	9/5/2017	2.13	0		NTU
Turbidity (field)	MW-16	10/6/2017	2.79	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-16	11/1/2017	2.88	0		NTU
Turbidity (field)	MW-16	1/23/2018	6.03	0.01		NTU
Turbidity (field)	MW-16	2/22/2018	0.86	0.01		NTU
Turbidity (field)	MW-16	3/21/2018	0.36	0.01		NTU
Turbidity (field)	MW-16	4/10/2018	0.32	0.01		NTU
Turbidity (field)	MW-16	6/5/2018	1.31	0		NTU
Turbidity (field)	MW-16	7/11/2018	0.41	0.01		NTU
Turbidity (field)	MW-16	8/1/2018	0.62	0.01		NTU
Turbidity (field)	MW-16	9/5/2018	1.58	0		NTU
Turbidity (field)	MW-16	10/2/2018	0.37	0		NTU
Turbidity (field)	MW-16	11/6/2018	0.77	0.01		NTU
Turbidity (field)	MW-16	12/5/2018	0.48	0.01		NTU
Turbidity (field)	MW-16	1/2/2019	0.19	0.01		NTU
Turbidity (field)	MW-16	2/5/2019	1.86	0		NTU
Turbidity (field)	MW-16	3/6/2019	0.1	0.01		NTU
Turbidity (field)	MW-16	4/3/2019	39.6	0.01		NTU
Turbidity (field)	MW-16	5/2/2019	2.07	0.01		NTU
Turbidity (field)	MW-16	6/4/2019	1.1	0		NTU
Turbidity (field)	MW-16	7/10/2019	5.2	0.01		NTU
Turbidity (field)	MW-16	7/10/2019	5.2	0.01		NTU
Turbidity (field)	MW-16	8/6/2019	2.33	0.01		NTU
Turbidity (field)	MW-16	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-16	10/1/2019	3.92	0.01		NTU
Turbidity (field)	MW-16	11/5/2019	1.03	0.01		NTU
Turbidity (field)	MW-16	12/3/2019	4.43	0.01		NTU
Turbidity (field)	MW-16	1/14/2020	8.91	0		NTU
Turbidity (field)	MW-16	3/3/2020	1.71	0.01		NTU
Turbidity (field)	MW-16	4/1/2020	1.13	0.01		NTU
Turbidity (field)	MW-16	5/4/2020	0.8	0.01		NTU
Turbidity (field)	MW-16	6/3/2020	0.86	0		NTU
Turbidity (field)	MW-16	7/7/2020	2.01	0		NTU
Turbidity (field)	MW-16	7/7/2020	2.01	0		NTU
Turbidity (field)	MW-16	8/3/2020	0.46	0		NTU
Turbidity (field)	MW-16	8/3/2020	0.46	0		NTU
Turbidity (field)	MW-16	9/3/2020	0.94	0.01		NTU
Turbidity (field)	MW-16	11/4/2020	1.62	0		NTU
Turbidity (field)	MW-16	12/3/2020	0.28	0		NTU
Turbidity (field)	MW-16	1/18/2021	-12.9	0		NTU
Turbidity (field)	MW-16	1/18/2021	-12.9	0		NTU
Turbidity (field)	MW-16	2/10/2021	1.8	0		NTU
Turbidity (field)	MW-16	3/2/2021	0.6	0		NTU
Turbidity (field)	MW-16	4/7/2021	2.3	0		NTU
Turbidity (field)	MW-16	5/4/2021	2.7	0		NTU
Turbidity (field)	MW-16	6/1/2021	2.6	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	8/3/2021	4.8	0		NTU
Turbidity (field)	MW-16	9/2/2021	4.9	0		NTU
Turbidity (field)	MW-16	10/5/2021	2	0		NTU
Turbidity (field)	MW-16	11/1/2021	2.7	0		NTU
Turbidity (field)	MW-16	12/8/2021	2.7	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	2/9/2022	2.7	0		NTU
Turbidity (field)	MW-16	3/1/2022	2.7	0		NTU
Turbidity (field)	MW-16	4/5/2022	1.9	0		NTU
Turbidity (field)	MW-16	5/7/2022	3.4	0		NTU
Turbidity (field)	MW-16	6/3/2022	4.3	0		NTU
Turbidity (field)	MW-16	7/10/2022	3.5	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-16	8/10/2022	7.4	0		NTU
Turbidity (field)	MW-16	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-16	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-16	11/3/2022	2.4	0		NTU
Turbidity (field)	MW-16	12/7/2022	0.4	0		NTU
Turbidity (field)	MW-16	1/10/2023	2.7	0		NTU
Turbidity (field)	MW-16	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-16	3/1/2023	2.6	0		NTU
Turbidity (field)	MW-16	4/5/2023	7.2	0		NTU
Turbidity (field)	MW-17	6/2/2015	8.76	0		NTU
Turbidity (field)	MW-17	6/5/2015	8.44	0		NTU
Turbidity (field)	MW-17	7/15/2015	9.72	0		NTU
Turbidity (field)	MW-17	8/4/2015	9.8	0		NTU
Turbidity (field)	MW-17	9/2/2015	6.82	0		NTU
Turbidity (field)	MW-17	10/5/2015	8.68	0		NTU
Turbidity (field)	MW-17	11/5/2015	7.86	0		NTU
Turbidity (field)	MW-17	12/3/2015	8.46	0		NTU
Turbidity (field)	MW-17	1/7/2016	11.3	0		NTU
Turbidity (field)	MW-17	2/3/2016	9.33	0		NTU
Turbidity (field)	MW-17	3/2/2016	10.8	0		NTU
Turbidity (field)	MW-17	4/5/2016	10.1	0		NTU
Turbidity (field)	MW-17	5/12/2016	10.4	0		NTU
Turbidity (field)	MW-17	6/1/2016	12.3	0		NTU
Turbidity (field)	MW-17	7/20/2016	10.6	0		NTU
Turbidity (field)	MW-17	8/11/2016	13	0		NTU
Turbidity (field)	MW-17	9/6/2016	11.7	0		NTU
Turbidity (field)	MW-17	10/6/2016	16.7	0		NTU
Turbidity (field)	MW-17	11/3/2016	9.49	0		NTU
Turbidity (field)	MW-17	12/2/2016	11.9	0		NTU
Turbidity (field)	MW-17	1/10/2017	11.8	0		NTU
Turbidity (field)	MW-17	2/7/2017	3.32	0		NTU
Turbidity (field)	MW-17	3/2/2017	23.3	0		NTU
Turbidity (field)	MW-17	4/4/2017	3.48	0		NTU
Turbidity (field)	MW-17	5/2/2017	5.44	0		NTU
Turbidity (field)	MW-17	5/16/2017	3.77	0		NTU
Turbidity (field)	MW-17	6/6/2017	2.89	0		NTU
Turbidity (field)	MW-17	7/18/2017	4.64	0		NTU
Turbidity (field)	MW-17	8/1/2017	4.1	0		NTU
Turbidity (field)	MW-17	9/5/2017	4.86	0		NTU
Turbidity (field)	MW-17	10/6/2017	6.59	0		NTU
Turbidity (field)	MW-17	11/1/2017	3.6	0		NTU
Turbidity (field)	MW-17	1/23/2018	2.16	0.01		NTU
Turbidity (field)	MW-17	2/22/2018	0.5	0.01		NTU
Turbidity (field)	MW-17	3/21/2018	0.3	0.01		NTU
Turbidity (field)	MW-17	4/10/2018	0.72	0.01		NTU
Turbidity (field)	MW-17	6/5/2018	1.24	0		NTU
Turbidity (field)	MW-17	7/10/2018	0.57	0.01		NTU
Turbidity (field)	MW-17	8/1/2018	2.31	0.01		NTU
Turbidity (field)	MW-17	9/5/2018	1.03	0		NTU
Turbidity (field)	MW-17	10/1/2018	1.11	0		NTU
Turbidity (field)	MW-17	10/1/2018	1.11	0		NTU
Turbidity (field)	MW-17	11/7/2018	0.96	0.01		NTU
Turbidity (field)	MW-17	12/5/2018	0.53	0.01		NTU
Turbidity (field)	MW-17	1/3/2019	1.48	0.01		NTU
Turbidity (field)	MW-17	2/5/2019	1.13	0		NTU
Turbidity (field)	MW-17	3/6/2019	0.4	0.01		NTU
Turbidity (field)	MW-17	4/3/2019	0.95	0.01		NTU
Turbidity (field)	MW-17	5/2/2019	0.04	0.01		NTU
Turbidity (field)	MW-17	6/5/2019	0.47	0		NTU
Turbidity (field)	MW-17	7/11/2019	1.2	0.01		NTU
Turbidity (field)	MW-17	7/11/2019	1.2	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-17	8/6/2019	2.38	0.01		NTU
Turbidity (field)	MW-17	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-17	10/1/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-17	11/5/2019	1.13	0.01		NTU
Turbidity (field)	MW-17	12/3/2019	2.22	0.01		NTU
Turbidity (field)	MW-17	1/14/2020	0	0		NTU
Turbidity (field)	MW-17	3/3/2020	1	0.01		NTU
Turbidity (field)	MW-17	4/1/2020	2.22	0.01		NTU
Turbidity (field)	MW-17	5/5/2020	0.19	0.01		NTU
Turbidity (field)	MW-17	6/2/2020	3.92	0		NTU
Turbidity (field)	MW-17	7/6/2020	0.22	0		NTU
Turbidity (field)	MW-17	7/6/2020	0.22	0		NTU
Turbidity (field)	MW-17	8/3/2020	0.12	0		NTU
Turbidity (field)	MW-17	8/3/2020	0.12	0		NTU
Turbidity (field)	MW-17	9/3/2020	2.69	0.01		NTU
Turbidity (field)	MW-17	10/6/2020	1.06	0.01		NTU
Turbidity (field)	MW-17	11/4/2020	0	0		NTU
Turbidity (field)	MW-17	12/3/2020	1.73	0		NTU
Turbidity (field)	MW-17	1/14/2021	-13.7	0		NTU
Turbidity (field)	MW-17	2/10/2021	1.5	0		NTU
Turbidity (field)	MW-17	3/2/2021	0.9	0		NTU
Turbidity (field)	MW-17	4/7/2021	2.1	0		NTU
Turbidity (field)	MW-17	5/4/2021	2.6	0		NTU
Turbidity (field)	MW-17	6/1/2021	2.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	8/3/2021	4.4	0		NTU
Turbidity (field)	MW-17	9/2/2021	5.3	0		NTU
Turbidity (field)	MW-17	10/5/2021	1.8	0		NTU
Turbidity (field)	MW-17	10/5/2021	1.8	0		NTU
Turbidity (field)	MW-17	11/1/2021	1	0		NTU
Turbidity (field)	MW-17	12/8/2021	1.9	0		NTU
Turbidity (field)	MW-17	1/10/2023	23.8	0		NTU
Turbidity (field)	MW-17	2/4/2023	10.6	0		NTU
Turbidity (field)	MW-17	3/1/2023	17.6	0		NTU
Turbidity (field)	MW-17	4/5/2023	17.6	0		NTU
Turbidity (field)	MW-19	6/2/2015	4.21	0		NTU
Turbidity (field)	MW-19	6/5/2015	10.3	0		NTU
Turbidity (field)	MW-19	7/16/2015	10.3	0		NTU
Turbidity (field)	MW-19	8/5/2015	5.48	0		NTU
Turbidity (field)	MW-19	9/3/2015	4.09	0		NTU
Turbidity (field)	MW-19	10/6/2015	10.8	0		NTU
Turbidity (field)	MW-19	11/5/2015	3.44	0		NTU
Turbidity (field)	MW-19	12/4/2015	32.6	0		NTU
Turbidity (field)	MW-19	1/7/2016	60.3	0		NTU
Turbidity (field)	MW-19	2/3/2016	8.3	0		NTU
Turbidity (field)	MW-19	3/3/2016	5.39	0		NTU
Turbidity (field)	MW-19	4/5/2016	13.1	0		NTU
Turbidity (field)	MW-19	5/12/2016	8.66	0		NTU
Turbidity (field)	MW-19	6/2/2016	8.72	0		NTU
Turbidity (field)	MW-19	7/21/2016	13.7	0		NTU
Turbidity (field)	MW-19	8/11/2016	9.05	0		NTU
Turbidity (field)	MW-19	9/6/2016	21.6	0		NTU
Turbidity (field)	MW-19	10/5/2016	10.2	0		NTU
Turbidity (field)	MW-19	11/3/2016	11.2	0		NTU
Turbidity (field)	MW-19	12/1/2016	11.1	0		NTU
Turbidity (field)	MW-19	1/10/2017	9.5	0		NTU
Turbidity (field)	MW-19	2/7/2017	8.86	0		NTU
Turbidity (field)	MW-19	3/2/2017	8.77	0		NTU
Turbidity (field)	MW-19	4/4/2017	8.64	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-19	5/2/2017	4.16	0		NTU
Turbidity (field)	MW-19	6/6/2017	7.71	0		NTU
Turbidity (field)	MW-19	7/18/2017	5.43	0		NTU
Turbidity (field)	MW-19	8/1/2017	4.11	0		NTU
Turbidity (field)	MW-19	9/5/2017	6.67	0		NTU
Turbidity (field)	MW-19	10/6/2017	7.61	0		NTU
Turbidity (field)	MW-19	11/1/2017	3.74	0		NTU
Turbidity (field)	MW-19	1/23/2018	7.43	0.01		NTU
Turbidity (field)	MW-19	2/22/2018	10.4	0.01		NTU
Turbidity (field)	MW-19	3/20/2018	0.29	0.01		NTU
Turbidity (field)	MW-19	4/11/2018	5.26	0.01		NTU
Turbidity (field)	MW-19	6/5/2018	1.19	0		NTU
Turbidity (field)	MW-19	7/13/2018	3.89	0.01		NTU
Turbidity (field)	MW-19	8/2/2018	0.65	0.01		NTU
Turbidity (field)	MW-19	9/5/2018	1.95	0		NTU
Turbidity (field)	MW-19	10/2/2018	0.47	0		NTU
Turbidity (field)	MW-19	10/2/2018	0.47	0		NTU
Turbidity (field)	MW-19	11/7/2018	0.33	0.01		NTU
Turbidity (field)	MW-19	12/5/2018	0.17	0.01		NTU
Turbidity (field)	MW-19	1/7/2019	0.68	0.01		NTU
Turbidity (field)	MW-19	2/6/2019	1.66	0		NTU
Turbidity (field)	MW-19	3/6/2019	0.7	0.01		NTU
Turbidity (field)	MW-19	4/3/2019	1.87	0.01		NTU
Turbidity (field)	MW-19	5/2/2019	27.11	0.01		NTU
Turbidity (field)	MW-19	6/4/2019	0.85	0		NTU
Turbidity (field)	MW-19	7/11/2019	0.9	0.01		NTU
Turbidity (field)	MW-19	7/11/2019	0.9	0.01		NTU
Turbidity (field)	MW-19	8/6/2019	2.55	0.01		NTU
Turbidity (field)	MW-19	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-19	10/1/2019	0.71	0.01		NTU
Turbidity (field)	MW-19	11/5/2019	1.2	0.01		NTU
Turbidity (field)	MW-19	12/3/2019	2.3	0.01		NTU
Turbidity (field)	MW-19	1/14/2020	11.87	0		NTU
Turbidity (field)	MW-19	3/3/2020	0.01	0.01		NTU
Turbidity (field)	MW-19	4/2/2020	3.61	0.01		NTU
Turbidity (field)	MW-19	5/5/2020	0.57	0.01		NTU
Turbidity (field)	MW-19	6/2/2020	3.26	0		NTU
Turbidity (field)	MW-19	7/6/2020	5.46	0		NTU
Turbidity (field)	MW-19	7/6/2020	5.46	0		NTU
Turbidity (field)	MW-19	8/3/2020	11.56	0		NTU
Turbidity (field)	MW-19	8/3/2020	11.56	0		NTU
Turbidity (field)	MW-19	9/3/2020	0.37	0.01		NTU
Turbidity (field)	MW-19	10/6/2020	5.1	0.01		NTU
Turbidity (field)	MW-19	11/3/2020	3	0		NTU
Turbidity (field)	MW-19	12/3/2020	0.77	0		NTU
Turbidity (field)	MW-19	1/14/2021	-13.3	0		NTU
Turbidity (field)	MW-19	2/10/2021	1.8	0		NTU
Turbidity (field)	MW-19	3/2/2021	0.7	0		NTU
Turbidity (field)	MW-19	4/7/2021	2.9	0		NTU
Turbidity (field)	MW-19	5/4/2021	4.7	0		NTU
Turbidity (field)	MW-19	6/1/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	8/3/2021	5.4	0		NTU
Turbidity (field)	MW-19	9/2/2021	5.8	0		NTU
Turbidity (field)	MW-19	10/5/2021	2.4	0		NTU
Turbidity (field)	MW-19	11/1/2021	1.4	0		NTU
Turbidity (field)	MW-19	12/8/2021	4.4	0		NTU
Turbidity (field)	MW-19	12/7/2022	8.8	0		NTU
Turbidity (field)	MW-19	1/11/2023	7.3	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-19	2/3/2023	1.4	0		NTU
Turbidity (field)	MW-19	3/1/2023	2.1	0		NTU
Turbidity (field)	MW-19	4/6/2023	9.7	0		NTU
Turbidity (field)	MW-1N	1/18/2006	0.41	0		NTU
Turbidity (field)	MW-1N	7/18/2006	0.28	0		NTU
Turbidity (field)	MW-1N	7/18/2006	0.28	0		NTU
Turbidity (field)	MW-1N	10/24/2006	0.48	0		NTU
Turbidity (field)	MW-1N	10/24/2006	0.48	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/26/2007	0.79	0		NTU
Turbidity (field)	MW-1N	1/26/2007	0.79	0		NTU
Turbidity (field)	MW-1N	7/10/2007	1.12	0		NTU
Turbidity (field)	MW-1N	7/11/2007	1.12	0		NTU
Turbidity (field)	MW-1N	1/24/2008	0.69	0		NTU
Turbidity (field)	MW-1N	7/21/2008	0.61	0		NTU
Turbidity (field)	MW-1N	2/5/2009	0.46	0		NTU
Turbidity (field)	MW-1N	7/31/2009	1.04	0		NTU
Turbidity (field)	MW-1N	1/26/2010	0.52	0		NTU
Turbidity (field)	MW-1N	7/13/2010	0.35	0		NTU
Turbidity (field)	MW-1N	1/20/2011	0.1	0		NTU
Turbidity (field)	MW-1N	7/13/2011	0.26	0		NTU
Turbidity (field)	MW-1N	1/5/2012	0.32	0		NTU
Turbidity (field)	MW-1N	7/10/2012	0.69	0		NTU
Turbidity (field)	MW-1N	5/1/2013	3.56	0		NTU
Turbidity (field)	MW-1N	7/16/2013	0.7	0		NTU
Turbidity (field)	MW-1N	1/24/2014	1.27	0		NTU
Turbidity (field)	MW-1N	7/9/2014	4.2	0		NTU
Turbidity (field)	MW-1N	2/10/2015	0.26	0		NTU
Turbidity (field)	MW-1N	7/14/2015	1.91	0		NTU
Turbidity (field)	MW-1N	1/6/2016	0.87	0		NTU
Turbidity (field)	MW-1N	7/21/2016	2.37	0		NTU
Turbidity (field)	MW-1N	1/12/2017	22.6	0		NTU
Turbidity (field)	MW-1N	7/19/2017	0.94	0		NTU
Turbidity (field)	MW-1N	1/23/2018	1.15	0.01		NTU
Turbidity (field)	MW-1N	7/10/2018	0.41	0.01		NTU
Turbidity (field)	MW-1N	10/3/2018	0.15	0		NTU
Turbidity (field)	MW-1N	1/3/2019	2.8	0.01		NTU
Turbidity (field)	MW-1N	7/11/2019	32.08	0.01		NTU
Turbidity (field)	MW-1N	10/2/2019	38.64	0.01		NTU
Turbidity (field)	MW-1N	4/2/2020	15.42	0.01		NTU
Turbidity (field)	MW-1N	7/6/2020	0.45	0		NTU
Turbidity (field)	MW-1N	7/6/2020	0.45	0		NTU
Turbidity (field)	MW-1N	7/4/2021	13.8	0		NTU
Turbidity (field)	MW-1N	7/4/2021	13.8	0		NTU
Turbidity (field)	MW-1N	10/6/2021	2.2	0		NTU
Turbidity (field)	MW-1N	1/11/2023	10.4	0		NTU
Turbidity (field)	MW-20	6/2/2015	5.36	0		NTU
Turbidity (field)	MW-20	6/5/2015	7.46	0		NTU
Turbidity (field)	MW-20	7/14/2015	9.68	0		NTU
Turbidity (field)	MW-20	8/4/2015	6.43	0		NTU
Turbidity (field)	MW-20	9/2/2015	5.32	0		NTU
Turbidity (field)	MW-20	10/5/2015	9.64	0		NTU
Turbidity (field)	MW-20	1/7/2016	9.66	0		NTU
Turbidity (field)	MW-20	4/5/2016	10.3	0		NTU
Turbidity (field)	MW-20	7/20/2016	9.88	0		NTU
Turbidity (field)	MW-20	10/5/2016	15.8	0		NTU
Turbidity (field)	MW-20	1/12/2017	9.81	0		NTU
Turbidity (field)	MW-20	7/18/2017	8.81	0		NTU
Turbidity (field)	MW-20	1/26/2018	2.51	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-20	7/12/2018	2.75	0.01		NTU
Turbidity (field)	MW-20	7/11/2019	11.16	0.01		NTU
Turbidity (field)	MW-20	1/14/2020	44.64	0		NTU
Turbidity (field)	MW-20	7/7/2020	47.28	0		NTU
Turbidity (field)	MW-20	7/7/2020	47.28	0		NTU
Turbidity (field)	MW-20	4/6/2021	10.9	0		NTU
Turbidity (field)	MW-20	7/4/2021	12.2	0		NTU
Turbidity (field)	MW-20	7/4/2021	12.2	0		NTU
Turbidity (field)	MW-20	1/11/2023	8.6	0		NTU
Turbidity (field)	MW-21	6/2/2015	7.46	0		NTU
Turbidity (field)	MW-21	6/5/2015	6.71	0		NTU
Turbidity (field)	MW-21	7/14/2015	7.34	0		NTU
Turbidity (field)	MW-21	8/4/2015	8.9	0		NTU
Turbidity (field)	MW-21	9/2/2015	8.96	0		NTU
Turbidity (field)	MW-21	10/5/2015	8.82	0		NTU
Turbidity (field)	MW-21	1/7/2016	8.66	0		NTU
Turbidity (field)	MW-21	2/10/2016	5.62	0		NTU
Turbidity (field)	MW-21	4/5/2016	8.81	0		NTU
Turbidity (field)	MW-21	7/20/2016	10.8	0		NTU
Turbidity (field)	MW-21	10/5/2016	8.83	0		NTU
Turbidity (field)	MW-21	1/10/2017	10.4	0		NTU
Turbidity (field)	MW-21	4/5/2017	7.61	0		NTU
Turbidity (field)	MW-21	7/19/2017	10.4	0		NTU
Turbidity (field)	MW-21	10/6/2017	18.4	0		NTU
Turbidity (field)	MW-21	1/24/2018	5.21	0.01		NTU
Turbidity (field)	MW-21	4/11/2018	16.44	0.01		NTU
Turbidity (field)	MW-21	7/11/2018	2.51	0.01		NTU
Turbidity (field)	MW-21	10/4/2018	9.28	0		NTU
Turbidity (field)	MW-21	1/3/2019	33.9	0.01		NTU
Turbidity (field)	MW-21	4/3/2019	13	0.01		NTU
Turbidity (field)	MW-21	7/11/2019	5.6	0		NTU
Turbidity (field)	MW-21	10/2/2019	5.87	0.01		NTU
Turbidity (field)	MW-21	1/16/2020	29.2	0		NTU
Turbidity (field)	MW-21	4/2/2020	22.13	0.01		NTU
Turbidity (field)	MW-21	7/8/2020	8.12	0		NTU
Turbidity (field)	MW-21	7/8/2020	8.12	0		NTU
Turbidity (field)	MW-21	10/7/2020	12.37	0.01		NTU
Turbidity (field)	MW-21	4/6/2021	19.9	0		NTU
Turbidity (field)	MW-21	7/5/2021	90.3	0		NTU
Turbidity (field)	MW-21	7/5/2021	90.3	0		NTU
Turbidity (field)	MW-21	10/6/2021	13.2	0		NTU
Turbidity (field)	MW-21	1/11/2023	20.1	0		NTU
Turbidity (field)	MW-21	4/8/2023	10.1	0		NTU
Turbidity (field)	MW-2N	1/19/2006	0.88	0		NTU
Turbidity (field)	MW-2N	7/19/2006	8.31	0		NTU
Turbidity (field)	MW-2N	7/19/2006	8.31	0		NTU
Turbidity (field)	MW-2N	10/25/2006	0.98	0		NTU
Turbidity (field)	MW-2N	10/25/2006	0.98	0		NTU
Turbidity (field)	MW-2N	1/9/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/10/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/10/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/26/2007	1.28	0		NTU
Turbidity (field)	MW-2N	1/26/2007	1.28	0		NTU
Turbidity (field)	MW-2N	3/26/2007	2.74	0		NTU
Turbidity (field)	MW-2N	3/27/2007	2.74	0		NTU
Turbidity (field)	MW-2N	3/27/2007	2.74	0		NTU
Turbidity (field)	MW-2N	7/10/2007	1.21	0		NTU
Turbidity (field)	MW-2N	7/11/2007	1.21	0		NTU
Turbidity (field)	MW-2N	1/24/2008	1.35	0		NTU
Turbidity (field)	MW-2N	7/22/2008	0.55	0		NTU
Turbidity (field)	MW-2N	2/4/2009	3.79	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-2N	7/31/2009	5.01	0		NTU
Turbidity (field)	MW-2N	1/26/2010	2.12	0		NTU
Turbidity (field)	MW-2N	7/13/2010	0.17	0		NTU
Turbidity (field)	MW-2N	1/20/2011	0.68	0		NTU
Turbidity (field)	MW-2N	7/13/2011	0.47	0		NTU
Turbidity (field)	MW-2N	1/5/2012	5.26	0		NTU
Turbidity (field)	MW-2N	7/10/2012	4.45	0		NTU
Turbidity (field)	MW-2N	5/1/2013	2.29	0		NTU
Turbidity (field)	MW-2N	7/16/2013	2.4	0		NTU
Turbidity (field)	MW-2N	1/24/2014	0.26	0		NTU
Turbidity (field)	MW-2N	7/9/2014	0.77	0		NTU
Turbidity (field)	MW-2N	2/12/2015	2.28	0		NTU
Turbidity (field)	MW-2N	7/14/2015	0.73	0		NTU
Turbidity (field)	MW-2N	1/6/2016	1	0		NTU
Turbidity (field)	MW-2N	7/21/2016	1.22	0		NTU
Turbidity (field)	MW-2N	1/11/2017	2.29	0		NTU
Turbidity (field)	MW-2N	7/19/2017	6.53	0		NTU
Turbidity (field)	MW-2N	1/23/2018	0.01	0.01		NTU
Turbidity (field)	MW-2N	6/21/2018	0	0		NTU
Turbidity (field)	MW-2N	7/12/2018	0	0.01	ND	NTU
Turbidity (field)	MW-2N	1/3/2019	6.29	0.01		NTU
Turbidity (field)	MW-2N	4/3/2019	21.2	0.01		NTU
Turbidity (field)	MW-2N	8/7/2019	48.57	0.01		NTU
Turbidity (field)	MW-2N	10/1/2019	36.98	0.01		NTU
Turbidity (field)	MW-2N	7/7/2020	45.26	0		NTU
Turbidity (field)	MW-2N	7/7/2020	45.26	0		NTU
Turbidity (field)	MW-2N	10/6/2020	4.81	0.01		NTU
Turbidity (field)	MW-2N	10/6/2020	4.81	0.01		NTU
Turbidity (field)	MW-2N	7/5/2021	13.8	0		NTU
Turbidity (field)	MW-2N	7/5/2021	13.8	0		NTU
Turbidity (field)	MW-2N	10/6/2021	4	0		NTU
Turbidity (field)	MW-2N	1/11/2023	9.1	0		NTU
Turbidity (field)	MW-2N	4/8/2023	9.3	0		NTU
Turbidity (field)	MW-3N	1/19/2006	0.33	0		NTU
Turbidity (field)	MW-3N	7/19/2006	1.54	0		NTU
Turbidity (field)	MW-3N	7/19/2006	1.54	0		NTU
Turbidity (field)	MW-3N	10/25/2006	0.52	0		NTU
Turbidity (field)	MW-3N	10/25/2006	0.52	0		NTU
Turbidity (field)	MW-3N	1/9/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/10/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/10/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/26/2007	1.12	0		NTU
Turbidity (field)	MW-3N	1/26/2007	1.12	0		NTU
Turbidity (field)	MW-3N	7/10/2007	7.42	0		NTU
Turbidity (field)	MW-3N	7/11/2007	7.42	0		NTU
Turbidity (field)	MW-3N	1/24/2008	0.69	0		NTU
Turbidity (field)	MW-3N	5/3/2008	2.58	0		NTU
Turbidity (field)	MW-3N	7/22/2008	4.89	0		NTU
Turbidity (field)	MW-3N	2/4/2009	0.55	0		NTU
Turbidity (field)	MW-3N	7/31/2009	11.1	0		NTU
Turbidity (field)	MW-3N	1/26/2010	4.24	0		NTU
Turbidity (field)	MW-3N	7/13/2010	13.5	0		NTU
Turbidity (field)	MW-3N	1/20/2011	7.67	0		NTU
Turbidity (field)	MW-3N	7/14/2011	6.2	0		NTU
Turbidity (field)	MW-3N	1/5/2012	0.71	0		NTU
Turbidity (field)	MW-3N	7/11/2012	10	0		NTU
Turbidity (field)	MW-3N	5/1/2013	15.3	0		NTU
Turbidity (field)	MW-3N	6/4/2013	1.73	0		NTU
Turbidity (field)	MW-3N	7/16/2013	10.2	0		NTU
Turbidity (field)	MW-3N	1/24/2014	1.85	0		NTU
Turbidity (field)	MW-3N	7/9/2014	8.49	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-3N	2/12/2015	9.9	0		NTU
Turbidity (field)	MW-3N	4/1/2015	4.18	0		NTU
Turbidity (field)	MW-3N	7/14/2015	6.42	0		NTU
Turbidity (field)	MW-3N	10/5/2015	5.32	0		NTU
Turbidity (field)	MW-3N	1/6/2016	6.6	0		NTU
Turbidity (field)	MW-3N	4/6/2016	37.1	0		NTU
Turbidity (field)	MW-3N	7/21/2016	8.63	0		NTU
Turbidity (field)	MW-3N	10/6/2016	1.48	0		NTU
Turbidity (field)	MW-3N	1/11/2017	3.58	0		NTU
Turbidity (field)	MW-3N	4/4/2017	1.48	0		NTU
Turbidity (field)	MW-3N	7/19/2017	2.27	0		NTU
Turbidity (field)	MW-3N	10/9/2017	3.64	0		NTU
Turbidity (field)	MW-3N	1/24/2018	1.13	0.01		NTU
Turbidity (field)	MW-3N	4/10/2018	0.45	0.01		NTU
Turbidity (field)	MW-3N	6/6/2018	1.61	0		NTU
Turbidity (field)	MW-3N	7/13/2018	0.32	0.01		NTU
Turbidity (field)	MW-3N	10/3/2018	4.96	0		NTU
Turbidity (field)	MW-3N	10/3/2018	4.96	0		NTU
Turbidity (field)	MW-3N	1/7/2019	23.7	0.01		NTU
Turbidity (field)	MW-3N	4/3/2019	11.8	0.01		NTU
Turbidity (field)	MW-3N	7/11/2019	7.3	0		NTU
Turbidity (field)	MW-3N	10/2/2019	1.35	0.01		NTU
Turbidity (field)	MW-3N	1/15/2020	0.4	0		NTU
Turbidity (field)	MW-3N	4/2/2020	1.58	0.01		NTU
Turbidity (field)	MW-3N	7/7/2020	1.2	0		NTU
Turbidity (field)	MW-3N	7/7/2020	1.2	0		NTU
Turbidity (field)	MW-3N	10/7/2020	1.93	0.01		NTU
Turbidity (field)	MW-3N	4/6/2021	4.1	0		NTU
Turbidity (field)	MW-3N	7/5/2021	14.1	0		NTU
Turbidity (field)	MW-3N	7/5/2021	14.1	0		NTU
Turbidity (field)	MW-3N	10/6/2021	11.1	0		NTU
Turbidity (field)	MW-3N	1/11/2023	8.4	0		NTU
Turbidity (field)	MW-7N	1/19/2006	10.1	0		NTU
Turbidity (field)	MW-7N	7/19/2006	11.3	0		NTU
Turbidity (field)	MW-7N	7/19/2006	11.3	0		NTU
Turbidity (field)	MW-7N	9/28/2006	4.6	0		NTU
Turbidity (field)	MW-7N	9/28/2006	4.6	0		NTU
Turbidity (field)	MW-7N	10/24/2006	6.03	0		NTU
Turbidity (field)	MW-7N	10/24/2006	6.03	0		NTU
Turbidity (field)	MW-7N	11/21/2006	3.77	0		NTU
Turbidity (field)	MW-7N	11/21/2006	3.77	0		NTU
Turbidity (field)	MW-7N	12/22/2006	12.9	0		NTU
Turbidity (field)	MW-7N	12/22/2006	12.9	0		NTU
Turbidity (field)	MW-7N	1/9/2007	4	0		NTU
Turbidity (field)	MW-7N	1/10/2007	4	0		NTU
Turbidity (field)	MW-7N	1/10/2007	4	0		NTU
Turbidity (field)	MW-7N	1/25/2007	4.97	0		NTU
Turbidity (field)	MW-7N	1/26/2007	4.97	0		NTU
Turbidity (field)	MW-7N	1/26/2007	4.97	0		NTU
Turbidity (field)	MW-7N	2/7/2007	3.71	0		NTU
Turbidity (field)	MW-7N	2/27/2007	3.71	0		NTU
Turbidity (field)	MW-7N	2/27/2007	3.71	0		NTU
Turbidity (field)	MW-7N	3/26/2007	6.99	0		NTU
Turbidity (field)	MW-7N	3/27/2007	6.99	0		NTU
Turbidity (field)	MW-7N	3/27/2007	6.99	0		NTU
Turbidity (field)	MW-7N	4/25/2007	6.06	0		NTU
Turbidity (field)	MW-7N	4/26/2007	6.06	0		NTU
Turbidity (field)	MW-7N	6/1/2007	139	0		NTU
Turbidity (field)	MW-7N	6/1/2007	139	0		NTU
Turbidity (field)	MW-7N	6/28/2007	10.2	0		NTU
Turbidity (field)	MW-7N	6/28/2007	10.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	7/10/2007	45.4	0		NTU
Turbidity (field)	MW-7N	7/10/2007	45.4	0		NTU
Turbidity (field)	MW-7N	8/29/2007	3.65	0		NTU
Turbidity (field)	MW-7N	8/29/2007	3.65	0		NTU
Turbidity (field)	MW-7N	10/24/2007	1.46	0		NTU
Turbidity (field)	MW-7N	11/27/2007	4.97	0		NTU
Turbidity (field)	MW-7N	12/27/2007	4.67	0		NTU
Turbidity (field)	MW-7N	1/25/2008	4.17	0		NTU
Turbidity (field)	MW-7N	2/28/2008	2.84	0		NTU
Turbidity (field)	MW-7N	3/24/2008	2.5	0		NTU
Turbidity (field)	MW-7N	5/3/2008	1.14	0		NTU
Turbidity (field)	MW-7N	5/30/2008	9.22	0		NTU
Turbidity (field)	MW-7N	6/25/2008	7.48	0		NTU
Turbidity (field)	MW-7N	7/21/2008	1.57	0		NTU
Turbidity (field)	MW-7N	8/29/2008	4.36	0		NTU
Turbidity (field)	MW-7N	9/25/2008	2.74	0		NTU
Turbidity (field)	MW-7N	9/25/2008	2.74	0		NTU
Turbidity (field)	MW-7N	10/21/2008	1.56	0		NTU
Turbidity (field)	MW-7N	11/24/2008	4.1	0		NTU
Turbidity (field)	MW-7N	12/18/2008	2.24	0		NTU
Turbidity (field)	MW-7N	2/6/2009	2.81	0		NTU
Turbidity (field)	MW-7N	3/25/2009	4.89	0		NTU
Turbidity (field)	MW-7N	4/15/2009	6.36	0		NTU
Turbidity (field)	MW-7N	6/25/2009	4.37	0		NTU
Turbidity (field)	MW-7N	7/29/2009	6.12	0		NTU
Turbidity (field)	MW-7N	8/28/2009	5.04	0		NTU
Turbidity (field)	MW-7N	9/29/2009	3.98	0		NTU
Turbidity (field)	MW-7N	10/21/2009	4.45	0		NTU
Turbidity (field)	MW-7N	10/26/2009	4.03	0		NTU
Turbidity (field)	MW-7N	11/24/2009	4.66	0		NTU
Turbidity (field)	MW-7N	12/17/2009	4.91	0		NTU
Turbidity (field)	MW-7N	1/26/2010	4.37	0		NTU
Turbidity (field)	MW-7N	2/15/2010	4.13	0		NTU
Turbidity (field)	MW-7N	3/3/2010	4.99	0		NTU
Turbidity (field)	MW-7N	4/8/2010	2.11	0		NTU
Turbidity (field)	MW-7N	5/6/2010	4.87	0		NTU
Turbidity (field)	MW-7N	6/16/2010	1.66	0		NTU
Turbidity (field)	MW-7N	7/14/2010	7.9	0		NTU
Turbidity (field)	MW-7N	8/11/2010	4.99	0		NTU
Turbidity (field)	MW-7N	9/2/2010	1.56	0		NTU
Turbidity (field)	MW-7N	9/2/2010	1.56	0		NTU
Turbidity (field)	MW-7N	9/29/2010	7.42	0		NTU
Turbidity (field)	MW-7N	11/3/2010	3.1	0		NTU
Turbidity (field)	MW-7N	12/2/2010	0.31	0		NTU
Turbidity (field)	MW-7N	1/20/2011	0.75	0		NTU
Turbidity (field)	MW-7N	2/7/2011	0.26	0		NTU
Turbidity (field)	MW-7N	3/3/2011	1.3	0		NTU
Turbidity (field)	MW-7N	4/5/2011	0.37	0		NTU
Turbidity (field)	MW-7N	5/10/2011	7.76	0		NTU
Turbidity (field)	MW-7N	6/1/2011	2.22	0		NTU
Turbidity (field)	MW-7N	7/12/2011	1.66	0		NTU
Turbidity (field)	MW-7N	8/4/2011	2.86	0		NTU
Turbidity (field)	MW-7N	9/7/2011	2.06	0		NTU
Turbidity (field)	MW-7N	10/5/2011	0.28	0		NTU
Turbidity (field)	MW-7N	11/1/2011	1.45	0		NTU
Turbidity (field)	MW-7N	12/8/2011	0.57	0		NTU
Turbidity (field)	MW-7N	1/5/2012	0.6	0		NTU
Turbidity (field)	MW-7N	2/1/2012	0.53	0		NTU
Turbidity (field)	MW-7N	3/7/2012	0.72	0		NTU
Turbidity (field)	MW-7N	4/5/2012	0.75	0		NTU
Turbidity (field)	MW-7N	5/1/2012	0.5	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	5/10/2012	0.44	0		NTU
Turbidity (field)	MW-7N	6/5/2012	1.03	0		NTU
Turbidity (field)	MW-7N	7/10/2012	0.85	0		NTU
Turbidity (field)	MW-7N	8/9/2012	0.56	0		NTU
Turbidity (field)	MW-7N	9/4/2012	0.57	0		NTU
Turbidity (field)	MW-7N	10/7/2012	1.25	0		NTU
Turbidity (field)	MW-7N	5/1/2013	3.91	0		NTU
Turbidity (field)	MW-7N	6/4/2013	4.87	0		NTU
Turbidity (field)	MW-7N	6/4/2013	4.87	0		NTU
Turbidity (field)	MW-7N	7/15/2013	22.9	0		NTU
Turbidity (field)	MW-7N	8/8/2013	4.19	0		NTU
Turbidity (field)	MW-7N	9/10/2013	17.2	0		NTU
Turbidity (field)	MW-7N	10/1/2013	12.4	0		NTU
Turbidity (field)	MW-7N	11/6/2013	9.76	0		NTU
Turbidity (field)	MW-7N	12/2/2013	5.67	0		NTU
Turbidity (field)	MW-7N	1/30/2014	7.34	0		NTU
Turbidity (field)	MW-7N	2/13/2014	2.7	0		NTU
Turbidity (field)	MW-7N	3/11/2014	1.65	0		NTU
Turbidity (field)	MW-7N	4/2/2014	3.36	0		NTU
Turbidity (field)	MW-7N	5/7/2014	8.62	0		NTU
Turbidity (field)	MW-7N	6/3/2014	6.1	0		NTU
Turbidity (field)	MW-7N	7/9/2014	9.09	0		NTU
Turbidity (field)	MW-7N	8/5/2014	2.41	0		NTU
Turbidity (field)	MW-7N	9/4/2014	3.51	0		NTU
Turbidity (field)	MW-7N	10/9/2014	1.1	0		NTU
Turbidity (field)	MW-7N	11/3/2014	1.4	0		NTU
Turbidity (field)	MW-7N	1/14/2015	6.58	0		NTU
Turbidity (field)	MW-7N	2/12/2015	6.15	0		NTU
Turbidity (field)	MW-7N	3/3/2015	2.06	0		NTU
Turbidity (field)	MW-7N	4/1/2015	2.21	0		NTU
Turbidity (field)	MW-7N	5/7/2015	4.33	0		NTU
Turbidity (field)	MW-7N	6/3/2015	3.16	0		NTU
Turbidity (field)	MW-7N	7/13/2015	1.36	0		NTU
Turbidity (field)	MW-7N	8/4/2015	1.87	0		NTU
Turbidity (field)	MW-7N	9/3/2015	1.72	0		NTU
Turbidity (field)	MW-7N	10/6/2015	4.54	0		NTU
Turbidity (field)	MW-7N	11/4/2015	2.11	0		NTU
Turbidity (field)	MW-7N	12/3/2015	2.71	0		NTU
Turbidity (field)	MW-7N	1/5/2016	2.31	0		NTU
Turbidity (field)	MW-7N	2/3/2016	1.81	0		NTU
Turbidity (field)	MW-7N	3/2/2016	0.86	0		NTU
Turbidity (field)	MW-7N	4/5/2016	1.27	0		NTU
Turbidity (field)	MW-7N	5/11/2016	5.31	0		NTU
Turbidity (field)	MW-7N	6/1/2016	1.86	0		NTU
Turbidity (field)	MW-7N	7/21/2016	1.88	0		NTU
Turbidity (field)	MW-7N	8/10/2016	1.31	0		NTU
Turbidity (field)	MW-7N	9/6/2016	0.83	0		NTU
Turbidity (field)	MW-7N	10/6/2016	0.82	0		NTU
Turbidity (field)	MW-7N	11/2/2016	1.39	0		NTU
Turbidity (field)	MW-7N	12/1/2016	5.67	0		NTU
Turbidity (field)	MW-7N	1/11/2017	0.93	0		NTU
Turbidity (field)	MW-7N	2/7/2017	0.83	0		NTU
Turbidity (field)	MW-7N	3/2/2017	0.84	0		NTU
Turbidity (field)	MW-7N	3/2/2017	0.84	0		NTU
Turbidity (field)	MW-7N	4/4/2017	0.72	0		NTU
Turbidity (field)	MW-7N	5/16/2017	8.44	0		NTU
Turbidity (field)	MW-7N	6/6/2017	5.36	0		NTU
Turbidity (field)	MW-7N	7/19/2017	5.47	0		NTU
Turbidity (field)	MW-7N	8/1/2017	1.74	0		NTU
Turbidity (field)	MW-7N	9/5/2017	6.43	0		NTU
Turbidity (field)	MW-7N	10/5/2017	5.67	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	11/1/2017	3.35	0		NTU
Turbidity (field)	MW-7N	1/25/2018	8.39	0.01		NTU
Turbidity (field)	MW-7N	2/22/2018	5.09	0.01		NTU
Turbidity (field)	MW-7N	3/20/2018	19	0.01		NTU
Turbidity (field)	MW-7N	4/11/2018	1.51	0.01		NTU
Turbidity (field)	MW-7N	4/11/2018	1.51	0.01		NTU
Turbidity (field)	MW-7N	6/5/2018	9.05	0		NTU
Turbidity (field)	MW-7N	6/5/2018	9.05	0		NTU
Turbidity (field)	MW-7N	7/13/2018	6.44	0.01		NTU
Turbidity (field)	MW-7N	8/1/2018	5.23	0.01		NTU
Turbidity (field)	MW-7N	9/5/2018	8.86	0		NTU
Turbidity (field)	MW-7N	10/4/2018	9.68	0		NTU
Turbidity (field)	MW-7N	11/6/2018	8.39	0.01		NTU
Turbidity (field)	MW-7N	12/4/2018	4.23	0.01		NTU
Turbidity (field)	MW-7N	1/4/2019	8.91	0.01		NTU
Turbidity (field)	MW-7N	2/5/2019	20	0		NTU
Turbidity (field)	MW-7N	3/5/2019	7.9	0.01		NTU
Turbidity (field)	MW-7N	4/3/2019	3.92	0.01		NTU
Turbidity (field)	MW-7N	5/3/2019	4.57	0.01		NTU
Turbidity (field)	MW-7N	6/4/2019	3.21	0		NTU
Turbidity (field)	MW-7N	7/10/2019	2.71	0.01		NTU
Turbidity (field)	MW-7N	7/10/2019	2.71	0.01		NTU
Turbidity (field)	MW-7N	8/8/2019	24.2	0.01		NTU
Turbidity (field)	MW-7N	9/4/2019	16.75	0.01		NTU
Turbidity (field)	MW-7N	10/3/2019	5.5	0.01		NTU
Turbidity (field)	MW-7N	11/6/2019	2.62	0.01		NTU
Turbidity (field)	MW-7N	12/3/2019	8.68	0.01		NTU
Turbidity (field)	MW-7N	1/16/2020	3.04	0		NTU
Turbidity (field)	MW-7N	3/4/2020	0.95	0.01		NTU
Turbidity (field)	MW-7N	4/2/2020	0.55	0.01		NTU
Turbidity (field)	MW-7N	5/5/2020	1.38	0.01		NTU
Turbidity (field)	MW-7N	6/2/2020	1.73	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	8/3/2020	1.22	0		NTU
Turbidity (field)	MW-7N	9/2/2020	1.44	0.01		NTU
Turbidity (field)	MW-7N	10/6/2020	2.22	0.01		NTU
Turbidity (field)	MW-7N	11/3/2020	4.19	0		NTU
Turbidity (field)	MW-7N	12/2/2020	0.85	0		NTU
Turbidity (field)	MW-7N	1/16/2021	-9	0		NTU
Turbidity (field)	MW-7N	2/9/2021	3.43	0		NTU
Turbidity (field)	MW-7N	3/2/2021	2.1	0		NTU
Turbidity (field)	MW-7N	4/7/2021	3.5	0		NTU
Turbidity (field)	MW-7N	5/5/2021	2.4	0		NTU
Turbidity (field)	MW-7N	6/2/2021	4.9	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	8/3/2021	4.7	0		NTU
Turbidity (field)	MW-7N	9/2/2021	9.1	0		NTU
Turbidity (field)	MW-7N	10/5/2021	2.2	0		NTU
Turbidity (field)	MW-7N	10/5/2021	2.2	0		NTU
Turbidity (field)	MW-7N	11/1/2021	1.8	0		NTU
Turbidity (field)	MW-7N	12/8/2021	2.6	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	2/9/2022	2.8	0		NTU
Turbidity (field)	MW-7N	3/1/2022	2.6	0		NTU
Turbidity (field)	MW-7N	4/4/2022	5.3	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	4/4/2022	5.3	0		NTU
Turbidity (field)	MW-7N	5/7/2022	5	0		NTU
Turbidity (field)	MW-7N	6/3/2022	4.3	0		NTU
Turbidity (field)	MW-7N	7/10/2022	4.5	0		NTU
Turbidity (field)	MW-7N	8/10/2022	5.4	0		NTU
Turbidity (field)	MW-7N	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-7N	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-7N	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-7N	11/3/2022	2.3	0		NTU
Turbidity (field)	MW-7N	12/7/2022	0.2	0		NTU
Turbidity (field)	MW-7N	1/10/2023	2.3	0		NTU
Turbidity (field)	MW-7N	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-7N	3/1/2023	2.3	0		NTU
Turbidity (field)	MW-7N	4/5/2023	8.9	0		NTU
Turbidity (field)	MW-8N	1/19/2006	0.9	0		NTU
Turbidity (field)	MW-8N	7/19/2006	3.02	0		NTU
Turbidity (field)	MW-8N	7/19/2006	3.02	0		NTU
Turbidity (field)	MW-8N	10/24/2006	2.17	0		NTU
Turbidity (field)	MW-8N	10/24/2006	2.17	0		NTU
Turbidity (field)	MW-8N	12/22/2006	4.87	0		NTU
Turbidity (field)	MW-8N	12/22/2006	7.87	0		NTU
Turbidity (field)	MW-8N	1/9/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/10/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/10/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/26/2007	2.56	0		NTU
Turbidity (field)	MW-8N	1/26/2007	2.56	0		NTU
Turbidity (field)	MW-8N	4/25/2007	2.18	0		NTU
Turbidity (field)	MW-8N	4/26/2007	2.18	0		NTU
Turbidity (field)	MW-8N	7/10/2007	1.41	0		NTU
Turbidity (field)	MW-8N	7/10/2007	1.41	0		NTU
Turbidity (field)	MW-8N	10/24/2007	0.49	0		NTU
Turbidity (field)	MW-8N	1/24/2008	0.9	0		NTU
Turbidity (field)	MW-8N	5/3/2008	2.55	0		NTU
Turbidity (field)	MW-8N	7/23/2008	0.99	0		NTU
Turbidity (field)	MW-8N	10/21/2008	0.66	0		NTU
Turbidity (field)	MW-8N	2/4/2009	0.6	0		NTU
Turbidity (field)	MW-8N	4/16/2009	0.7	0		NTU
Turbidity (field)	MW-8N	7/31/2009	1.38	0		NTU
Turbidity (field)	MW-8N	10/26/2009	0.88	0		NTU
Turbidity (field)	MW-8N	1/26/2010	2.01	0		NTU
Turbidity (field)	MW-8N	4/8/2010	0.35	0		NTU
Turbidity (field)	MW-8N	7/16/2010	0.6	0		NTU
Turbidity (field)	MW-8N	9/2/2010	0.02	0		NTU
Turbidity (field)	MW-8N	9/30/2010	0.2	0		NTU
Turbidity (field)	MW-8N	1/19/2011	0.29	0		NTU
Turbidity (field)	MW-8N	5/10/2011	2.52	0		NTU
Turbidity (field)	MW-8N	7/14/2011	1.81	0		NTU
Turbidity (field)	MW-8N	1/6/2012	0.27	0		NTU
Turbidity (field)	MW-8N	4/5/2012	2.82	0		NTU
Turbidity (field)	MW-8N	7/11/2012	1.11	0		NTU
Turbidity (field)	MW-8N	10/3/2012	4.84	0		NTU
Turbidity (field)	MW-8N	5/1/2013	2.7	0		NTU
Turbidity (field)	MW-8N	6/4/2013	2.75	0		NTU
Turbidity (field)	MW-8N	7/16/2013	3.78	0		NTU
Turbidity (field)	MW-8N	10/2/2013	2.53	0		NTU
Turbidity (field)	MW-8N	1/30/2014	2.4	0		NTU
Turbidity (field)	MW-8N	4/3/2014	13.8	0		NTU
Turbidity (field)	MW-8N	7/9/2014	2.11	0		NTU
Turbidity (field)	MW-8N	10/8/2014	1.73	0		NTU
Turbidity (field)	MW-8N	2/12/2015	1.55	0		NTU
Turbidity (field)	MW-8N	4/1/2015	2.04	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-8N	7/14/2015	5.82	0		NTU
Turbidity (field)	MW-8N	10/5/2015	4.25	0		NTU
Turbidity (field)	MW-8N	1/5/2016	2.18	0		NTU
Turbidity (field)	MW-8N	4/6/2016	2.79	0		NTU
Turbidity (field)	MW-8N	7/21/2016	2.13	0		NTU
Turbidity (field)	MW-8N	10/6/2016	1.36	0		NTU
Turbidity (field)	MW-8N	1/11/2017	1.28	0		NTU
Turbidity (field)	MW-8N	4/4/2017	3.31	0		NTU
Turbidity (field)	MW-8N	7/19/2017	0.84	0		NTU
Turbidity (field)	MW-8N	10/6/2017	5.2	0		NTU
Turbidity (field)	MW-8N	1/25/2018	0.61	0.01		NTU
Turbidity (field)	MW-8N	4/10/2018	0	0.01		NTU
Turbidity (field)	MW-8N	6/6/2018	1.05	0		NTU
Turbidity (field)	MW-8N	7/16/2018	0.24	0.01		NTU
Turbidity (field)	MW-8N	10/2/2018	0.58	0		NTU
Turbidity (field)	MW-8N	1/7/2019	2.3	0.01		NTU
Turbidity (field)	MW-8N	4/3/2019	2.96	0.01		NTU
Turbidity (field)	MW-8N	7/11/2019	0.6	0		NTU
Turbidity (field)	MW-8N	10/3/2019	10.9	0.01		NTU
Turbidity (field)	MW-8N	1/15/2020	10.76	0		NTU
Turbidity (field)	MW-8N	4/2/2020	1.43	0.01		NTU
Turbidity (field)	MW-8N	7/9/2020	4.53	0		NTU
Turbidity (field)	MW-8N	7/9/2020	4.53	0		NTU
Turbidity (field)	MW-8N	10/6/2020	0.7	0.01		NTU
Turbidity (field)	MW-8N	4/6/2021	4.4	0		NTU
Turbidity (field)	MW-8N	7/5/2021	7.8	0		NTU
Turbidity (field)	MW-8N	7/5/2021	7.8	0		NTU
Turbidity (field)	MW-8N	10/6/2021	9.6	0		NTU
Turbidity (field)	MW-8N	1/18/2022	3.9	0		NTU
Turbidity (field)	MW-8N	1/18/2022	3.9	0		NTU
Turbidity (field)	MW-8N	4/4/2022	4.4	0		NTU
Turbidity (field)	MW-8N	7/12/2022	5.7	0		NTU
Turbidity (field)	MW-8N	10/6/2022	3.2	0		NTU
Turbidity (field)	MW-8N	1/11/2023	3.7	0		NTU
Turbidity (field)	MW-8N	4/8/2023	2.6	0		NTU
Turbidity (field)	NE-1	7/18/2006	48.7	0		NTU
Turbidity (field)	NE-1	7/18/2006	48.7	0		NTU
Turbidity (field)	NE-1	10/24/2006	97.2	0		NTU
Turbidity (field)	NE-1	10/24/2006	97.2	0		NTU
Turbidity (field)	NE-1	1/23/2007	94.2	0		NTU
Turbidity (field)	NE-1	1/23/2007	94.2	0		NTU
Turbidity (field)	NE-1	4/23/2007	48	0		NTU
Turbidity (field)	NE-1	4/26/2007	48	0		NTU
Turbidity (field)	NE-1	7/10/2007	68.3	0		NTU
Turbidity (field)	NE-1	7/10/2007	68.3	0		NTU
Turbidity (field)	NE-1	10/24/2007	4.63	0		NTU
Turbidity (field)	NE-1	1/24/2008	5.67	0		NTU
Turbidity (field)	NE-1	7/21/2008	8.72	0		NTU
Turbidity (field)	NE-1	2/7/2009	58.3	0		NTU
Turbidity (field)	NE-1	7/31/2009	9.3	0		NTU
Turbidity (field)	NE-1	1/26/2010	8.37	0		NTU
Turbidity (field)	NE-1	7/14/2010	87	0		NTU
Turbidity (field)	NE-1	9/2/2010	12.6	0		NTU
Turbidity (field)	NE-1	9/30/2010	36.7	0		NTU
Turbidity (field)	NE-1	1/19/2011	10	0		NTU
Turbidity (field)	NE-1	7/13/2011	8.16	0		NTU
Turbidity (field)	NE-1	1/5/2012	7.97	0		NTU
Turbidity (field)	NE-1	7/10/2012	6.72	0		NTU
Turbidity (field)	NE-1	4/30/2013	15.9	0		NTU
Turbidity (field)	NE-1	7/16/2013	11.3	0		NTU
Turbidity (field)	NE-1	1/23/2014	12.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-1	7/9/2014	7.62	0		NTU
Turbidity (field)	NE-1	2/11/2015	13.2	0		NTU
Turbidity (field)	NE-1	7/8/2015	22.9	0		NTU
Turbidity (field)	NE-1	1/6/2016	10.2	0		NTU
Turbidity (field)	NE-1	7/20/2016	11.6	0		NTU
Turbidity (field)	NE-1	1/11/2017	50.4	0		NTU
Turbidity (field)	NE-1	7/19/2017	6.31	0		NTU
Turbidity (field)	NE-1	1/24/2018	0.71	0.01		NTU
Turbidity (field)	NE-1	4/11/2018	0.94	0.01		NTU
Turbidity (field)	NE-1	7/18/2018	5.39	0.01		NTU
Turbidity (field)	NE-1	10/2/2018	0.25	0		NTU
Turbidity (field)	NE-1	1/4/2019	0.5	0.01		NTU
Turbidity (field)	NE-1	4/2/2019	0.78	0.01		NTU
Turbidity (field)	NE-1	7/10/2019	5.3	0		NTU
Turbidity (field)	NE-1	7/10/2019	5.3	0		NTU
Turbidity (field)	NE-1	10/2/2019	1.76	0.01		NTU
Turbidity (field)	NE-1	4/2/2020	10.99	0.01		NTU
Turbidity (field)	NE-1	7/8/2020	0.89	0		NTU
Turbidity (field)	NE-1	7/8/2020	0.89	0		NTU
Turbidity (field)	NE-1	10/7/2020	2.08	0.01		NTU
Turbidity (field)	NE-1	1/13/2021	-12.8	0		NTU
Turbidity (field)	NE-1	4/9/2021	2	0		NTU
Turbidity (field)	NE-1	7/2/2021	4	0		NTU
Turbidity (field)	NE-1	7/2/2021	4	0		NTU
Turbidity (field)	NE-1	10/6/2021	2.8	0		NTU
Turbidity (field)	NE-1	1/17/2022	2.6	0		NTU
Turbidity (field)	NE-1	1/17/2022	2.6	0		NTU
Turbidity (field)	NE-1	4/6/2022	3	0		NTU
Turbidity (field)	NE-1	7/13/2022	8.5	0		NTU
Turbidity (field)	NE-1	10/6/2022	2.9	0		NTU
Turbidity (field)	NE-1	1/5/2023	4.9	0		NTU
Turbidity (field)	NE-1	4/7/2023	5.3	0		NTU
Turbidity (field)	NE-10D	11/6/2019	17.8	0		NTU
Turbidity (field)	NE-10D	4/2/2020	0.87	0.01		NTU
Turbidity (field)	NE-10D	7/8/2020	16.33	0		NTU
Turbidity (field)	NE-10D	7/8/2020	16.33	0		NTU
Turbidity (field)	NE-10D	10/7/2020	3.53	0.01		NTU
Turbidity (field)	NE-10D	1/13/2021	-9.6	0		NTU
Turbidity (field)	NE-10D	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-10D	7/2/2021	17.7	0		NTU
Turbidity (field)	NE-10D	7/2/2021	17.7	0		NTU
Turbidity (field)	NE-10D	10/7/2021	2.2	0		NTU
Turbidity (field)	NE-10D	1/6/2023	20.5	0		NTU
Turbidity (field)	NE-10D	4/6/2023	10.7	0		NTU
Turbidity (field)	NE-11	3/1/2017	2.13	0		NTU
Turbidity (field)	NE-11	4/6/2017	12.4	0		NTU
Turbidity (field)	NE-11	7/20/2017	14.3	0		NTU
Turbidity (field)	NE-11	10/9/2017	9.86	0		NTU
Turbidity (field)	NE-11	9/30/2019	15.53	0.01		NTU
Turbidity (field)	NE-11	1/14/2020	14.11	0		NTU
Turbidity (field)	NE-11	7/7/2020	18.45	0		NTU
Turbidity (field)	NE-11	7/7/2020	18.45	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	7/12/2022	6.1	0		NTU
Turbidity (field)	NE-11	1/6/2023	3.3	0		NTU
Turbidity (field)	NE-12	3/1/2017	9.55	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-12	4/6/2017	16	0		NTU
Turbidity (field)	NE-12	7/20/2017	10.7	0		NTU
Turbidity (field)	NE-12	10/6/2017	29.8	0		NTU
Turbidity (field)	NE-12	7/9/2019	28.03	0		NTU
Turbidity (field)	NE-12	8/5/2019	5.64	0.01		NTU
Turbidity (field)	NE-12	1/13/2020	2.56	0		NTU
Turbidity (field)	NE-12	7/7/2020	0.83	0		NTU
Turbidity (field)	NE-12	7/7/2020	0.83	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	7/12/2022	5.1	0		NTU
Turbidity (field)	NE-12	1/6/2023	4.9	0		NTU
Turbidity (field)	NE-13	2/5/2019	2.33	0		NTU
Turbidity (field)	NE-13	7/11/2019	5.7	0		NTU
Turbidity (field)	NE-13	8/7/2019	20.79	0.01		NTU
Turbidity (field)	NE-13	1/15/2020	7.7	0		NTU
Turbidity (field)	NE-13	7/8/2020	35.84	0		NTU
Turbidity (field)	NE-13	7/8/2020	35.84	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-14D	10/2/2019	0.44	0.01		NTU
Turbidity (field)	NE-14D	4/3/2020	0.93	0.01		NTU
Turbidity (field)	NE-14D	7/7/2020	0.01	0		NTU
Turbidity (field)	NE-14D	7/7/2020	0.01	0		NTU
Turbidity (field)	NE-14D	10/6/2020	2.31	0.01		NTU
Turbidity (field)	NE-14D	1/17/2021	-13.2	0		NTU
Turbidity (field)	NE-14D	4/9/2021	2.6	0		NTU
Turbidity (field)	NE-14D	7/2/2021	5.5	0		NTU
Turbidity (field)	NE-14D	7/2/2021	5.5	0		NTU
Turbidity (field)	NE-14D	10/7/2021	1.7	0		NTU
Turbidity (field)	NE-14D	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14D	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14D	4/6/2022	2.5	0		NTU
Turbidity (field)	NE-14D	7/13/2022	4.3	0		NTU
Turbidity (field)	NE-14D	10/7/2022	2.2	0		NTU
Turbidity (field)	NE-14D	1/6/2023	2.5	0		NTU
Turbidity (field)	NE-14D	4/6/2023	7.8	0		NTU
Turbidity (field)	NE-14S	10/2/2019	0.01	0.01	ND	NTU
Turbidity (field)	NE-14S	4/3/2020	0.43	0.01		NTU
Turbidity (field)	NE-14S	7/7/2020	10.09	0		NTU
Turbidity (field)	NE-14S	7/7/2020	10.09	0		NTU
Turbidity (field)	NE-14S	10/6/2020	14.74	0.01		NTU
Turbidity (field)	NE-14S	1/17/2021	11.7	0		NTU
Turbidity (field)	NE-14S	4/9/2021	3.2	0		NTU
Turbidity (field)	NE-14S	7/2/2021	8.7	0		NTU
Turbidity (field)	NE-14S	7/2/2021	8.7	0		NTU
Turbidity (field)	NE-14S	10/7/2021	1.9	0		NTU
Turbidity (field)	NE-14S	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14S	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14S	4/6/2022	3.8	0		NTU
Turbidity (field)	NE-14S	7/13/2022	5.6	0		NTU
Turbidity (field)	NE-14S	10/7/2022	6	0		NTU
Turbidity (field)	NE-14S	1/6/2023	5.8	0		NTU
Turbidity (field)	NE-14S	4/6/2023	6.5	0		NTU
Turbidity (field)	NE-15D	9/30/2019	5.11	0.01		NTU
Turbidity (field)	NE-15D	4/3/2020	1.21	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-15D	7/7/2020	0.69	0		NTU
Turbidity (field)	NE-15D	7/7/2020	0.69	0		NTU
Turbidity (field)	NE-15D	10/6/2020	2.67	0.01		NTU
Turbidity (field)	NE-15D	1/17/2021	-12.8	0		NTU
Turbidity (field)	NE-15D	4/9/2021	3	0		NTU
Turbidity (field)	NE-15D	7/2/2021	6.6	0		NTU
Turbidity (field)	NE-15D	7/2/2021	6.6	0		NTU
Turbidity (field)	NE-15D	10/7/2021	1.6	0		NTU
Turbidity (field)	NE-15D	1/17/2022	2.3	0		NTU
Turbidity (field)	NE-15D	1/17/2022	2.3	0		NTU
Turbidity (field)	NE-15D	4/6/2022	2.6	0		NTU
Turbidity (field)	NE-15D	7/13/2022	4.4	0		NTU
Turbidity (field)	NE-15D	10/7/2022	2.5	0		NTU
Turbidity (field)	NE-15D	1/6/2023	2.6	0		NTU
Turbidity (field)	NE-15D	4/6/2023	3.5	0		NTU
Turbidity (field)	NE-15S	4/3/2020	38.83	0.01		NTU
Turbidity (field)	NE-2	4/24/2007	13.9	0		NTU
Turbidity (field)	NE-2	4/26/2007	13.9	0		NTU
Turbidity (field)	NE-2	12/19/2008	1.19	0		NTU
Turbidity (field)	NE-2	10/26/2009	1.5	0		NTU
Turbidity (field)	NE-2	9/2/2010	1.01	0		NTU
Turbidity (field)	NE-2	9/30/2010	2.99	0		NTU
Turbidity (field)	NE-2	4/5/2012	21.3	0		NTU
Turbidity (field)	NE-2	10/1/2013	1.17	0		NTU
Turbidity (field)	NE-2	10/8/2014	9.66	0		NTU
Turbidity (field)	NE-2	10/5/2015	9.61	0		NTU
Turbidity (field)	NE-2	10/6/2016	9.76	0		NTU
Turbidity (field)	NE-2	10/5/2017	9.86	0		NTU
Turbidity (field)	NE-2	1/25/2018	2.24	0.01		NTU
Turbidity (field)	NE-2	4/10/2018	0.28	0.01		NTU
Turbidity (field)	NE-2	7/10/2018	0.16	0.01		NTU
Turbidity (field)	NE-2	10/1/2018	1.11	0		NTU
Turbidity (field)	NE-2	1/4/2019	2.5	0.01		NTU
Turbidity (field)	NE-2	4/2/2019	0.94	0.01		NTU
Turbidity (field)	NE-2	7/9/2019	26.2	0		NTU
Turbidity (field)	NE-2	7/9/2019	26.2	0		NTU
Turbidity (field)	NE-2	10/2/2019	2.11	0.01		NTU
Turbidity (field)	NE-2	4/1/2020	0.62	0.01		NTU
Turbidity (field)	NE-2	7/7/2020	0.71	0		NTU
Turbidity (field)	NE-2	7/7/2020	0.71	0		NTU
Turbidity (field)	NE-2	10/6/2020	2.27	0.01		NTU
Turbidity (field)	NE-2	1/14/2021	-11.3	0		NTU
Turbidity (field)	NE-2	4/9/2021	3.8	0		NTU
Turbidity (field)	NE-2	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-2	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-2	10/6/2021	3.9	0		NTU
Turbidity (field)	NE-2	1/18/2022	4.3	0		NTU
Turbidity (field)	NE-2	1/18/2022	4.3	0		NTU
Turbidity (field)	NE-2	4/6/2022	13.1	0		NTU
Turbidity (field)	NE-2	7/13/2022	6.1	0		NTU
Turbidity (field)	NE-2	10/7/2022	5.7	0		NTU
Turbidity (field)	NE-2	1/5/2023	3.7	0		NTU
Turbidity (field)	NE-2	4/5/2023	4.1	0		NTU
Turbidity (field)	NE-3	4/26/2007	1000	0		NTU
Turbidity (field)	NE-3	9/2/2010	6.83	0		NTU
Turbidity (field)	NE-3	3/21/2018	0.97	0.01		NTU
Turbidity (field)	NE-4	7/18/2006	1000	0		NTU
Turbidity (field)	NE-4	7/31/2006	157	0		NTU
Turbidity (field)	NE-4	8/1/2006	157	0		NTU
Turbidity (field)	NE-4	8/1/2006	157	0		NTU
Turbidity (field)	NE-4	10/24/2006	27	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-4	10/24/2006	27	0		NTU
Turbidity (field)	NE-4	1/23/2007	20.3	0		NTU
Turbidity (field)	NE-4	1/23/2007	20.3	0		NTU
Turbidity (field)	NE-4	2/24/2007	182	0		NTU
Turbidity (field)	NE-4	4/26/2007	182	0		NTU
Turbidity (field)	NE-4	7/10/2007	44.4	0		NTU
Turbidity (field)	NE-4	7/12/2007	44.4	0		NTU
Turbidity (field)	NE-4	1/24/2008	9.93	0		NTU
Turbidity (field)	NE-4	7/21/2008	2.75	0		NTU
Turbidity (field)	NE-4	2/7/2009	35.2	0		NTU
Turbidity (field)	NE-4	7/31/2009	5.43	0		NTU
Turbidity (field)	NE-4	1/26/2010	1.13	0		NTU
Turbidity (field)	NE-4	7/14/2010	3.95	0		NTU
Turbidity (field)	NE-4	1/19/2011	1.12	0		NTU
Turbidity (field)	NE-4	7/13/2011	3.68	0		NTU
Turbidity (field)	NE-4	1/5/2012	9.21	0		NTU
Turbidity (field)	NE-4	7/10/2012	29.3	0		NTU
Turbidity (field)	NE-4	4/30/2013	35.7	0		NTU
Turbidity (field)	NE-4	7/16/2013	13.7	0		NTU
Turbidity (field)	NE-4	1/23/2014	16.3	0		NTU
Turbidity (field)	NE-4	7/9/2014	9.9	0		NTU
Turbidity (field)	NE-4	2/13/2015	116	0		NTU
Turbidity (field)	NE-4	7/8/2015	9.58	0		NTU
Turbidity (field)	NE-4	1/6/2016	3.18	0		NTU
Turbidity (field)	NE-4	7/20/2016	10.6	0		NTU
Turbidity (field)	NE-4	1/11/2017	33.2	0		NTU
Turbidity (field)	NE-4	7/19/2017	7.44	0		NTU
Turbidity (field)	NE-4	1/26/2018	0.69	0.01		NTU
Turbidity (field)	NE-4	4/10/2018	0.33	0.01		NTU
Turbidity (field)	NE-4	7/12/2018	0.68	0.01		NTU
Turbidity (field)	NE-4	10/3/2018	1.28	0		NTU
Turbidity (field)	NE-4	1/7/2019	0.01	0.01	ND	NTU
Turbidity (field)	NE-4	4/2/2019	0.91	0.01		NTU
Turbidity (field)	NE-4	7/8/2019	3.4	0		NTU
Turbidity (field)	NE-4	7/8/2019	3.4	0		NTU
Turbidity (field)	NE-4	10/1/2019	2.11	0.01		NTU
Turbidity (field)	NE-4	4/1/2020	0.59	0.01		NTU
Turbidity (field)	NE-4	7/6/2020	5.86	0		NTU
Turbidity (field)	NE-4	7/6/2020	5.86	0		NTU
Turbidity (field)	NE-4	10/5/2020	86.6	0.01		NTU
Turbidity (field)	NE-4	1/15/2021	-11.4	0		NTU
Turbidity (field)	NE-4	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-4	7/2/2021	23.2	0		NTU
Turbidity (field)	NE-4	7/2/2021	23.2	0		NTU
Turbidity (field)	NE-4	10/6/2021	2.5	0		NTU
Turbidity (field)	NE-4	1/5/2023	9.2	0		NTU
Turbidity (field)	NE-4	4/6/2023	9.7	0		NTU
Turbidity (field)	NE-5	7/18/2006	170	0		NTU
Turbidity (field)	NE-5	7/18/2006	170	0		NTU
Turbidity (field)	NE-5	10/24/2006	423	0		NTU
Turbidity (field)	NE-5	10/24/2006	42.3	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/23/2007	83.1	0		NTU
Turbidity (field)	NE-5	1/23/2007	83.1	0		NTU
Turbidity (field)	NE-5	2/24/2007	108	0		NTU
Turbidity (field)	NE-5	4/26/2007	108	0		NTU
Turbidity (field)	NE-5	7/10/2007	47.2	0		NTU
Turbidity (field)	NE-5	7/12/2007	47.2	0		NTU
Turbidity (field)	NE-5	1/25/2008	5.43	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-5	5/3/2008	4.45	0		NTU
Turbidity (field)	NE-5	7/22/2008	13.9	0		NTU
Turbidity (field)	NE-5	2/6/2009	254	0		NTU
Turbidity (field)	NE-5	7/31/2009	23	0		NTU
Turbidity (field)	NE-5	1/26/2010	13.3	0		NTU
Turbidity (field)	NE-5	7/16/2010	171	0		NTU
Turbidity (field)	NE-5	9/2/2010	7.67	0		NTU
Turbidity (field)	NE-5	1/19/2011	20	0		NTU
Turbidity (field)	NE-5	7/13/2011	13.8	0		NTU
Turbidity (field)	NE-5	1/5/2012	19.8	0		NTU
Turbidity (field)	NE-5	7/10/2012	28.9	0		NTU
Turbidity (field)	NE-5	4/30/2013	31.1	0		NTU
Turbidity (field)	NE-5	7/16/2013	13.3	0		NTU
Turbidity (field)	NE-5	1/23/2014	16.8	0		NTU
Turbidity (field)	NE-5	7/9/2014	12.8	0		NTU
Turbidity (field)	NE-5	2/11/2015	26.9	0		NTU
Turbidity (field)	NE-5	7/14/2015	10.8	0		NTU
Turbidity (field)	NE-5	1/6/2016	25.8	0		NTU
Turbidity (field)	NE-5	2/11/2016	25.3	0		NTU
Turbidity (field)	NE-5	7/20/2016	39.7	0		NTU
Turbidity (field)	NE-5	1/11/2017	49.2	0		NTU
Turbidity (field)	NE-5	7/19/2017	8.71	0		NTU
Turbidity (field)	NE-5	1/25/2018	1.03	0.01		NTU
Turbidity (field)	NE-5	4/10/2018	6.5	0.01		NTU
Turbidity (field)	NE-5	7/17/2018	0.46	0.01		NTU
Turbidity (field)	NE-5	10/3/2018	4.12	0		NTU
Turbidity (field)	NE-5	10/3/2018	4.12	0.01		NTU
Turbidity (field)	NE-5	1/4/2019	3	0.01		NTU
Turbidity (field)	NE-5	4/2/2019	1.46	0.01		NTU
Turbidity (field)	NE-5	4/2/2019	1.46	0.01		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	10/3/2019	0.71	0.01		NTU
Turbidity (field)	NE-5	4/2/2020	6.85	0.01		NTU
Turbidity (field)	NE-5	7/8/2020	22.76	0		NTU
Turbidity (field)	NE-5	7/8/2020	22.76	0		NTU
Turbidity (field)	NE-5	10/6/2020	23.98	0.01		NTU
Turbidity (field)	NE-5	1/15/2021	-9.9	0		NTU
Turbidity (field)	NE-5	4/9/2021	3.6	0		NTU
Turbidity (field)	NE-5	7/2/2021	11.4	0		NTU
Turbidity (field)	NE-5	7/2/2021	11.4	0		NTU
Turbidity (field)	NE-5	10/6/2021	13	0		NTU
Turbidity (field)	NE-5	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5	4/6/2022	8	0		NTU
Turbidity (field)	NE-5	7/13/2022	10.1	0		NTU
Turbidity (field)	NE-5	10/7/2022	9.4	0		NTU
Turbidity (field)	NE-5	1/5/2023	8.7	0		NTU
Turbidity (field)	NE-5	4/7/2023	10.2	0		NTU
Turbidity (field)	NE-5E	9/30/2019	2.18	0.01		NTU
Turbidity (field)	NE-5E	4/1/2020	6.58	0.01		NTU
Turbidity (field)	NE-5E	7/8/2020	3.07	0		NTU
Turbidity (field)	NE-5E	7/8/2020	3.07	0		NTU
Turbidity (field)	NE-5E	10/6/2020	0.26	0.01		NTU
Turbidity (field)	NE-5E	1/15/2021	-13.7	0		NTU
Turbidity (field)	NE-5E	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-5E	7/2/2021	7.2	0		NTU
Turbidity (field)	NE-5E	7/2/2021	7.2	0		NTU
Turbidity (field)	NE-5E	10/6/2021	3.6	0		NTU
Turbidity (field)	NE-5E	1/18/2022	2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-5E	1/18/2022	2	0		NTU
Turbidity (field)	NE-5E	4/6/2022	2.4	0		NTU
Turbidity (field)	NE-5E	7/13/2022	11.2	0		NTU
Turbidity (field)	NE-5E	10/7/2022	10.6	0		NTU
Turbidity (field)	NE-5E	1/5/2023	9.7	0		NTU
Turbidity (field)	NE-5E	4/7/2023	9.6	0		NTU
Turbidity (field)	NE-5W	9/30/2019	0.31	0.01		NTU
Turbidity (field)	NE-5W	4/2/2020	35.62	0.01		NTU
Turbidity (field)	NE-5W	7/8/2020	34.04	0		NTU
Turbidity (field)	NE-5W	7/8/2020	34.04	0		NTU
Turbidity (field)	NE-5W	10/6/2020	24.83	0.01		NTU
Turbidity (field)	NE-5W	1/15/2021	-8.5	0		NTU
Turbidity (field)	NE-5W	4/9/2021	4.9	0		NTU
Turbidity (field)	NE-5W	7/2/2021	10.1	0		NTU
Turbidity (field)	NE-5W	7/2/2021	10.1	0		NTU
Turbidity (field)	NE-5W	10/6/2021	12.7	0		NTU
Turbidity (field)	NE-5W	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5W	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5W	4/6/2022	19.6	0		NTU
Turbidity (field)	NE-5W	7/13/2022	9.7	0		NTU
Turbidity (field)	NE-5W	10/7/2022	9.6	0		NTU
Turbidity (field)	NE-5W	1/5/2023	9.5	0		NTU
Turbidity (field)	NE-5W	4/7/2023	10.3	0		NTU
Turbidity (field)	NE-6	1/12/2017	12.9	0		NTU
Turbidity (field)	NE-6	4/5/2017	3.44	0		NTU
Turbidity (field)	NE-6	7/19/2017	1.85	0		NTU
Turbidity (field)	NE-6	10/6/2017	2.75	0		NTU
Turbidity (field)	NE-6	2/4/2019	0.28	0		NTU
Turbidity (field)	NE-6	7/9/2019	2.3	0		NTU
Turbidity (field)	NE-6	8/6/2019	7.17	0.01		NTU
Turbidity (field)	NE-6	1/15/2020	11.56	0		NTU
Turbidity (field)	NE-6	7/9/2020	3.44	0		NTU
Turbidity (field)	NE-6	7/9/2020	3.44	0		NTU
Turbidity (field)	NE-6	7/11/2021	10.3	0		NTU
Turbidity (field)	NE-6	7/11/2021	10.3	0		NTU
Turbidity (field)	NE-6	7/11/2021	10.3	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	7/12/2022	12	0		NTU
Turbidity (field)	NE-6	1/5/2023	4.6	0		NTU
Turbidity (field)	NE-6D	10/2/2019	1.35	0.01		NTU
Turbidity (field)	NE-6D	4/2/2020	2.49	0.01		NTU
Turbidity (field)	NE-6D	7/9/2020	0.45	0		NTU
Turbidity (field)	NE-6D	7/9/2020	0.45	0		NTU
Turbidity (field)	NE-6D	10/7/2020	0.47	0.01		NTU
Turbidity (field)	NE-6D	1/15/2021	-13.8	0		NTU
Turbidity (field)	NE-6D	4/9/2021	2.8	0		NTU
Turbidity (field)	NE-6D	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-6D	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-6D	10/7/2021	1.9	0		NTU
Turbidity (field)	NE-6D	1/17/2022	1.6	0		NTU
Turbidity (field)	NE-6D	1/17/2022	1.6	0		NTU
Turbidity (field)	NE-6D	4/6/2022	12.1	0		NTU
Turbidity (field)	NE-6D	7/12/2022	5.9	0		NTU
Turbidity (field)	NE-6D	10/7/2022	2.8	0		NTU
Turbidity (field)	NE-6D	1/5/2023	3.8	0		NTU
Turbidity (field)	NE-6D	4/7/2023	3.7	0		NTU
Turbidity (field)	NE-7	3/1/2017	14.2	0		NTU
Turbidity (field)	NE-7	4/6/2017	34.4	0		NTU
Turbidity (field)	NE-7	7/20/2017	9.64	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-7	10/5/2017	14.2	0		NTU
Turbidity (field)	NE-7	2/6/2019	49.57	0		NTU
Turbidity (field)	NE-7	7/10/2019	16.4	0		NTU
Turbidity (field)	NE-7	8/6/2019	30.36	0.01		NTU
Turbidity (field)	NE-7	1/16/2020	30.91	0		NTU
Turbidity (field)	NE-7	7/7/2020	7.24	0		NTU
Turbidity (field)	NE-7	7/7/2020	7.24	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	7/12/2022	16.7	0		NTU
Turbidity (field)	NE-7	1/5/2023	8.9	0		NTU
Turbidity (field)	NE-8	1/12/2017	5.51	0		NTU
Turbidity (field)	NE-8	4/5/2017	4.37	0		NTU
Turbidity (field)	NE-8	7/20/2017	2.1	0		NTU
Turbidity (field)	NE-8	10/6/2017	6.34	0		NTU
Turbidity (field)	NE-8	2/4/2019	0.29	0		NTU
Turbidity (field)	NE-8	7/11/2019	1.1	0		NTU
Turbidity (field)	NE-8	8/5/2019	2.97	0.01		NTU
Turbidity (field)	NE-8	1/15/2020	1.56	0		NTU
Turbidity (field)	NE-8	7/8/2020	0.45	0		NTU
Turbidity (field)	NE-8	7/8/2020	0.45	0		NTU
Turbidity (field)	NE-8	10/7/2020	1.23	0.01		NTU
Turbidity (field)	NE-8	10/7/2020	1.23	0.01		NTU
Turbidity (field)	NE-8	4/9/2021	1.7	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	10/7/2021	2.7	0		NTU
Turbidity (field)	NE-8	1/6/2023	9.2	0		NTU
Turbidity (field)	NE-9	1/12/2017	8.63	0		NTU
Turbidity (field)	NE-9	4/5/2017	8.11	0		NTU
Turbidity (field)	NE-9	7/20/2017	1.93	0		NTU
Turbidity (field)	NE-9	10/5/2017	1.7	0		NTU
Turbidity (field)	NE-9	2/5/2019	2.44	0		NTU
Turbidity (field)	NE-9	7/8/2019	6.32	0		NTU
Turbidity (field)	NE-9	8/7/2019	3.48	0.01		NTU
Turbidity (field)	NE-9	1/15/2020	2.7	0		NTU
Turbidity (field)	NE-9	7/7/2020	1.82	0		NTU
Turbidity (field)	NE-9	7/7/2020	18.2	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	7/13/2022	4.6	0		NTU
Turbidity (field)	NE-9	1/6/2023	4.4	0		NTU
Turbidity (field)	NE-9	4/8/2023	2.8	0		NTU
Vanadium, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, dissolved	MW-10N	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-10N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-11N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-11N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-1N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-1N	10/3/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-2N	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-2N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-3N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-3N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-7N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-7N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-7N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-7N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-8N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-8N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-8N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-3	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-3	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-3	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-3	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	10/3/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	10/2/2002	8	8	ND	ug/L
Vanadium, total	LGW-10	1/26/2006	3	3	ND	ug/L
Vanadium, total	LGW-10	8/1/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-10	8/1/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-10	1/9/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-10	1/25/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-10	4/26/2007	3	3	ND	ug/L
Vanadium, total	LGW-10	7/12/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-10	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-10	7/22/2008	0.1	3	ND	ug/L
Vanadium, total	LGW-10	7/29/2009	3	3	ND	ug/L
Vanadium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	7/16/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	1/19/2011	3	3	ND	ug/L
Vanadium, total	LGW-10	7/12/2011	3	3	ND	ug/L
Vanadium, total	LGW-10	1/5/2012	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2012	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-10	5/1/2013	3	3	ND	ug/L
Vanadium, total	LGW-10	1/30/2014	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2014	3	3	ND	ug/L
Vanadium, total	LGW-10	2/12/2015	3	3	ND	ug/L
Vanadium, total	LGW-10	7/13/2015	3	3	ND	ug/L
Vanadium, total	LGW-10	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	4/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	7/21/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	4/4/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	7/19/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	10/9/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	7/16/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	10/4/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	1/4/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	7/11/2019	6	6	ND	ug/L
Vanadium, total	LGW-10	10/2/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	1/15/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	10/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	1/17/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	10/7/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-10	4/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/25/2006	120	3		ug/L
Vanadium, total	LGW-14R	8/2/2006	27	3		ug/L
Vanadium, total	LGW-14R	8/2/2006	27	3		ug/L
Vanadium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Vanadium, total	LGW-14R	1/9/2007	2.6	3	ND	ug/L
Vanadium, total	LGW-14R	1/24/2007	1.8	3	ND	ug/L
Vanadium, total	LGW-14R	4/24/2007	6.9	3		ug/L
Vanadium, total	LGW-14R	7/11/2007	32	3		ug/L
Vanadium, total	LGW-14R	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/22/2008	0.7	3	ND	ug/L
Vanadium, total	LGW-14R	2/6/2009	1.8	3	ND	ug/L
Vanadium, total	LGW-14R	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-14R	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	1/5/2012	0.6	3	ND	ug/L
Vanadium, total	LGW-14R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-14R	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-14R	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/19/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-14R	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/25/2018	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/17/2018	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-2	1/25/2006	5.4	3		ug/L
Vanadium, total	LGW-2	8/1/2006	2	3	ND	ug/L
Vanadium, total	LGW-2	8/1/2006	2	3	ND	ug/L
Vanadium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-2	1/9/2007	1.7	3	ND	ug/L
Vanadium, total	LGW-2	1/25/2007	2	3	ND	ug/L
Vanadium, total	LGW-2	4/26/2007	1	3	ND	ug/L
Vanadium, total	LGW-2	7/10/2007	1.6	3	ND	ug/L
Vanadium, total	LGW-2	1/26/2008	2	3	ND	ug/L
Vanadium, total	LGW-2	7/23/2008	1.7	3	ND	ug/L
Vanadium, total	LGW-2	2/6/2009	3	3		ug/L
Vanadium, total	LGW-2	7/30/2009	2.4	3	ND	ug/L
Vanadium, total	LGW-2	2/3/2010	1.1	3	ND	ug/L
Vanadium, total	LGW-2	2/3/2010	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/12/2010	1.5	3	ND	ug/L
Vanadium, total	LGW-2	1/19/2011	1.9	3	ND	ug/L
Vanadium, total	LGW-2	7/13/2011	1.2	3	ND	ug/L
Vanadium, total	LGW-2	1/4/2012	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/9/2012	1.2	3	ND	ug/L
Vanadium, total	LGW-2	4/30/2013	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/15/2013	1.3	3	ND	ug/L
Vanadium, total	LGW-2	1/30/2014	1.3	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2014	1	3	ND	ug/L
Vanadium, total	LGW-2	2/13/2015	1.5	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2015	0.8	3	ND	ug/L
Vanadium, total	LGW-2	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-2	7/19/2016	0.8	3	ND	ug/L
Vanadium, total	LGW-2	1/11/2017	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-2	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-2	7/12/2018	3	3	ND	ug/L
Vanadium, total	LGW-2	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-2	1/13/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	4/1/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-2	7/4/2021	3	3	ND	ug/L
Vanadium, total	LGW-2	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-2	7/10/2022	3	3	ND	ug/L
Vanadium, total	LGW-2	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/20/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	7/20/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	10/26/2006	17	10		ug/L
Vanadium, total	LGW-3R	1/8/2007	4.3	3		ug/L
Vanadium, total	LGW-3R	1/25/2007	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	4/26/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-3R	7/11/2007	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	1/26/2008	2.6	3	ND	ug/L
Vanadium, total	LGW-3R	7/23/2008	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	2/3/2009	1	3	ND	ug/L
Vanadium, total	LGW-3R	7/31/2009	7	3		ug/L
Vanadium, total	LGW-3R	2/3/2010	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	2/3/2010	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	7/16/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-3R	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-3R	7/13/2011	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	1/4/2012	0.8	3	ND	ug/L
Vanadium, total	LGW-3R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-3R	4/30/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-3R	7/15/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-3R	1/22/2014	1	3	ND	ug/L
Vanadium, total	LGW-3R	7/8/2014	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	2/10/2015	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	7/16/2015	1.1	3	ND	ug/L
Vanadium, total	LGW-3R	1/8/2016	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/21/2016	4.8	3		ug/L
Vanadium, total	LGW-3R	1/11/2017	1.1	3	ND	ug/L
Vanadium, total	LGW-3R	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-4	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-4	7/20/2006	0.6	3	ND	ug/L
Vanadium, total	LGW-4	7/20/2006	0.6	3	ND	ug/L
Vanadium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-4	1/9/2007	1.5	3	ND	ug/L
Vanadium, total	LGW-4	1/25/2007	1.3	3	ND	ug/L
Vanadium, total	LGW-4	4/26/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2007	0.6	3	ND	ug/L
Vanadium, total	LGW-4	1/22/2008	0.6	3	ND	ug/L
Vanadium, total	LGW-4	7/23/2008	0.4	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2009	0.4	3	ND	ug/L
Vanadium, total	LGW-4	7/31/2009	0.4	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-4	7/16/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-4	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-4	7/13/2011	0.4	3	ND	ug/L
Vanadium, total	LGW-4	1/4/2012	0.5	3	ND	ug/L
Vanadium, total	LGW-4	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-4	4/30/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-4	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-4	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-4	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-4	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-4	7/8/2015	3	3	ND	ug/L
Vanadium, total	LGW-4	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-4	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-4	1/11/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-4	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-4	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-4	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-4	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-4	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-4	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-4	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-4	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-4	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-4	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-5	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-5	8/1/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-5	8/1/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-5	1/9/2007	1.1	3	ND	ug/L
Vanadium, total	LGW-5	1/25/2007	0.9	3	ND	ug/L
Vanadium, total	LGW-5	4/26/2007	3	3	ND	ug/L
Vanadium, total	LGW-5	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/29/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-5	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-5	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-5	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-5	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-5	2/10/2015	0.8	3	ND	ug/L
Vanadium, total	LGW-5	7/8/2015	3	3	ND	ug/L
Vanadium, total	LGW-5	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-5	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-5	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-5	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2018	3	3	ND	ug/L
Vanadium, total	LGW-5	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-5	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-5	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-5	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-5	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	10/6/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-6	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-6	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-6	1/9/2007	0.8	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-6	1/24/2007	1.1	3	ND	ug/L
Vanadium, total	LGW-6	4/26/2007	0.1	3	ND	ug/L
Vanadium, total	LGW-6	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-6	1/23/2008	0.5	3	ND	ug/L
Vanadium, total	LGW-6	7/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-6	2/5/2009	0.6	3	ND	ug/L
Vanadium, total	LGW-6	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-6	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	7/12/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-6	7/12/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-6	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-6	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-6	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-6	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-6	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-6	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-6	2/10/2015	3	3	ND	ug/L
Vanadium, total	LGW-6	7/22/2015	0.6	3	ND	ug/L
Vanadium, total	LGW-6	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	5/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	10/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	4/10/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	7/17/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-6	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	4/6/2023	3	3	ND	ug/L
Vanadium, total	LGW-7	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-7	8/1/2006	1	3	ND	ug/L
Vanadium, total	LGW-7	8/1/2006	1	3	ND	ug/L
Vanadium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-7	1/9/2007	0.4	3	ND	ug/L
Vanadium, total	LGW-7	1/24/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-7	4/26/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/22/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-7	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/31/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/27/2010	0.3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-7	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/20/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/5/2012	0.6	3	ND	ug/L
Vanadium, total	LGW-7	7/10/2012	3	3	ND	ug/L
Vanadium, total	LGW-7	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-7	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-7	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-7	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-7	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-7	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-7	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	4/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	7/20/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	4/4/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	10/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-7	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	1/15/2020	3	3	ND	ug/L
Vanadium, total	LGW-7	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-7	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-7	7/7/2021	4.77	3		ug/L
Vanadium, total	LGW-7	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-7	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-7	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-7	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-8R	1/9/2007	0.5	3	ND	ug/L
Vanadium, total	LGW-8R	1/24/2007	0.6	3	ND	ug/L
Vanadium, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/12/2007	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-8R	1/27/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/14/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	1/20/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-8R	7/12/2011	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-8R	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/22/2014	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/18/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/8/2019	6	6	ND	ug/L
Vanadium, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Vanadium, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-9	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-9	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-9	1/9/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	1/25/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	4/25/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	7/22/2008	3	3	ND	ug/L
Vanadium, total	LGW-9	2/4/2009	3	3	ND	ug/L
Vanadium, total	LGW-9	7/29/2009	3	3	ND	ug/L
Vanadium, total	LGW-9	1/27/2010	3	3	ND	ug/L
Vanadium, total	LGW-9	7/14/2010	3	3	ND	ug/L
Vanadium, total	LGW-9	1/20/2011	3	3	ND	ug/L
Vanadium, total	LGW-9	7/12/2011	3	3	ND	ug/L
Vanadium, total	LGW-9	1/5/2012	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2012	3	3	ND	ug/L
Vanadium, total	LGW-9	5/1/2013	3	3	ND	ug/L
Vanadium, total	LGW-9	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-9	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-9	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-9	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-9	7/13/2015	3	3	ND	ug/L
Vanadium, total	LGW-9	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-9	7/21/2016	0.6	3	ND	ug/L
Vanadium, total	LGW-9	10/6/2016	0.8	3	ND	ug/L
Vanadium, total	LGW-9	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	5/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	7/18/2017	0.7	3	ND	ug/L
Vanadium, total	LGW-9	10/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	7/13/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-9	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	10/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	1/17/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	10/7/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-9	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	4/5/2023	3	3	ND	ug/L
Vanadium, total	MW-10N	10/22/1997	8	3		ug/L
Vanadium, total	MW-10N	1/22/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	1/14/1999	10	3		ug/L
Vanadium, total	MW-10N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	7/15/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	1/14/2000	4.4	3		ug/L
Vanadium, total	MW-10N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-10N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-10N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-10N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2002	8	8	ND	ug/L
Vanadium, total	MW-10N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-10N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	7/8/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-10N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-10N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-10N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-10N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-10N	1/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2007	0.9	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-10N	1/23/2008	0.1	3	ND	ug/L
Vanadium, total	MW-10N	7/21/2008	0.3	3	ND	ug/L
Vanadium, total	MW-10N	2/13/2009	1	3	ND	ug/L
Vanadium, total	MW-10N	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/27/2010	1.7	3	ND	ug/L
Vanadium, total	MW-10N	8/10/2010	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	MW-10N	7/14/2011	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-10N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-10N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-10N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-10N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-10N	1/6/2016	3	3	ND	ug/L
Vanadium, total	MW-10N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-10N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2018	3	3	ND	ug/L
Vanadium, total	MW-10N	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-10N	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-10N	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-10N	1/16/2020	3	3	ND	ug/L
Vanadium, total	MW-10N	7/8/2020	3	3	ND	ug/L
Vanadium, total	MW-10N	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-10N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-10N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-11N	10/22/1997	8.7	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-11N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	1/13/1999	5.3	3		ug/L
Vanadium, total	MW-11N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	1/13/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	7/10/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-11N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-11N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-11N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-11N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-11N	7/8/2003	4.9	3		ug/L
Vanadium, total	MW-11N	1/29/2004	5.5	3		ug/L
Vanadium, total	MW-11N	7/27/2004	4.4	3		ug/L
Vanadium, total	MW-11N	1/13/2005	3	3	ND	ug/L
Vanadium, total	MW-11N	7/20/2005	3.2	3		ug/L
Vanadium, total	MW-11N	1/19/2006	3	3		ug/L
Vanadium, total	MW-11N	7/18/2006	0.3	3	ND	ug/L
Vanadium, total	MW-11N	7/18/2006	0.3	3	ND	ug/L
Vanadium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-11N	1/9/2007	3.8	3		ug/L
Vanadium, total	MW-11N	1/24/2007	3.5	3		ug/L
Vanadium, total	MW-11N	7/10/2007	1.5	3	ND	ug/L
Vanadium, total	MW-11N	1/22/2008	0.9	3	ND	ug/L
Vanadium, total	MW-11N	7/23/2008	0.8	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2009	0.6	3	ND	ug/L
Vanadium, total	MW-11N	7/31/2009	0.5	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2010	0.5	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2010	0.5	3	ND	ug/L
Vanadium, total	MW-11N	7/16/2010	0.4	3	ND	ug/L
Vanadium, total	MW-11N	1/19/2011	0.4	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	MW-11N	1/4/2012	0.5	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2012	3	3	ND	ug/L
Vanadium, total	MW-11N	4/30/2013	0.9	3	ND	ug/L
Vanadium, total	MW-11N	7/15/2013	3	3	ND	ug/L
Vanadium, total	MW-11N	1/23/2014	0.7	3	ND	ug/L
Vanadium, total	MW-11N	7/8/2014	3	3	ND	ug/L
Vanadium, total	MW-11N	2/10/2015	3	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2015	0.8	3	ND	ug/L
Vanadium, total	MW-11N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-11N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-11N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-11N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-11N	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-11N	7/17/2018	3	3	ND	ug/L
Vanadium, total	MW-11N	1/2/2019	3	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-11N	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-11N	7/6/2020	3	3	ND	ug/L
Vanadium, total	MW-11N	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-11N	7/6/2021	3	3	ND	ug/L
Vanadium, total	MW-11N	1/18/2022	3	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2022	3	3	ND	ug/L
Vanadium, total	MW-11N	1/10/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-15	6/5/2015	3	3	ND	ug/L
Vanadium, total	MW-15	7/15/2015	0.5	3	ND	ug/L
Vanadium, total	MW-15	8/5/2015	3.3	3		ug/L
Vanadium, total	MW-15	9/3/2015	3	3	ND	ug/L
Vanadium, total	MW-15	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-15	4/5/2016	3	3	ND	ug/L
Vanadium, total	MW-15	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-15	10/6/2016	3	3	ND	ug/L
Vanadium, total	MW-15	1/10/2017	1.4	3	ND	ug/L
Vanadium, total	MW-15	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-15	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-15	7/10/2018	3	3	ND	ug/L
Vanadium, total	MW-15	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-15	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-15	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-15	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-15	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-15	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-15	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-15	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-15	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-16	6/5/2015	0.7	3	ND	ug/L
Vanadium, total	MW-16	7/16/2015	0.9	3	ND	ug/L
Vanadium, total	MW-16	8/5/2015	3	3	ND	ug/L
Vanadium, total	MW-16	9/3/2015	3	3	ND	ug/L
Vanadium, total	MW-16	1/8/2016	1	3	ND	ug/L
Vanadium, total	MW-16	4/5/2016	0.6	3	ND	ug/L
Vanadium, total	MW-16	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-16	10/5/2016	0.7	3	ND	ug/L
Vanadium, total	MW-16	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-16	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-16	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-16	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-16	1/2/2019	3	3	ND	ug/L
Vanadium, total	MW-16	7/10/2019	6	6	ND	ug/L
Vanadium, total	MW-16	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-16	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-16	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-16	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-16	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-16	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-16	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-17	6/5/2015	1.2	3	ND	ug/L
Vanadium, total	MW-17	7/15/2015	0.5	3	ND	ug/L
Vanadium, total	MW-17	8/4/2015	3	3	ND	ug/L
Vanadium, total	MW-17	9/2/2015	3	3	ND	ug/L
Vanadium, total	MW-17	1/7/2016	0.6	3	ND	ug/L
Vanadium, total	MW-17	4/5/2016	3	3	ND	ug/L
Vanadium, total	MW-17	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-17	10/6/2016	3	3	ND	ug/L
Vanadium, total	MW-17	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-17	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-17	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-17	7/10/2018	3	3	ND	ug/L
Vanadium, total	MW-17	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-17	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-17	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-17	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-17	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-17	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-17	1/10/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-19	6/5/2015	1.9	3	ND	ug/L
Vanadium, total	MW-19	7/16/2015	1.5	3	ND	ug/L
Vanadium, total	MW-19	8/5/2015	0.9	3	ND	ug/L
Vanadium, total	MW-19	9/3/2015	0.7	3	ND	ug/L
Vanadium, total	MW-19	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-19	4/5/2016	1.1	3	ND	ug/L
Vanadium, total	MW-19	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-19	10/5/2016	3	3	ND	ug/L
Vanadium, total	MW-19	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-19	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-19	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-19	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-19	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-19	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-19	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-19	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-19	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-19	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-19	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-1N	10/22/1997	3	3	ND	ug/L
Vanadium, total	MW-1N	1/20/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	10/14/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	1/13/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	4/13/1999	20	3		ug/L
Vanadium, total	MW-1N	7/15/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	7/12/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	10/18/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-1N	4/12/2001	3	3	ND	ug/L
Vanadium, total	MW-1N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-1N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-1N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-1N	10/3/2002	8	8	ND	ug/L
Vanadium, total	MW-1N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	7/8/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-1N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-1N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-1N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-1N	1/18/2006	3	3	ND	ug/L
Vanadium, total	MW-1N	7/18/2006	0.5	3	ND	ug/L
Vanadium, total	MW-1N	7/18/2006	0.5	3	ND	ug/L
Vanadium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-1N	1/9/2007	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/26/2007	0.3	3	ND	ug/L
Vanadium, total	MW-1N	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2008	0.5	3	ND	ug/L
Vanadium, total	MW-1N	7/21/2008	0.3	3	ND	ug/L
Vanadium, total	MW-1N	2/5/2009	1.1	3	ND	ug/L
Vanadium, total	MW-1N	7/31/2009	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/26/2010	0.9	3	ND	ug/L
Vanadium, total	MW-1N	7/13/2010	0.6	3	ND	ug/L
Vanadium, total	MW-1N	1/20/2011	1	3	ND	ug/L
Vanadium, total	MW-1N	7/13/2011	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/5/2012	0.8	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-1N	7/10/2012	1.5	3	ND	ug/L
Vanadium, total	MW-1N	5/1/2013	0.6	3	ND	ug/L
Vanadium, total	MW-1N	7/16/2013	1.1	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2014	1.3	3	ND	ug/L
Vanadium, total	MW-1N	7/9/2014	1	3	ND	ug/L
Vanadium, total	MW-1N	2/10/2015	0.7	3	ND	ug/L
Vanadium, total	MW-1N	7/14/2015	1.2	3	ND	ug/L
Vanadium, total	MW-1N	1/6/2016	14	3		ug/L
Vanadium, total	MW-1N	7/21/2016	2.5	3	ND	ug/L
Vanadium, total	MW-1N	1/12/2017	1.6	3	ND	ug/L
Vanadium, total	MW-1N	7/19/2017	0.7	3	ND	ug/L
Vanadium, total	MW-1N	1/23/2018	0.74	3	ND	ug/L
Vanadium, total	MW-1N	7/10/2018	1.3	3	ND	ug/L
Vanadium, total	MW-1N	1/3/2019	0.68	3	ND	ug/L
Vanadium, total	MW-1N	7/11/2019	3.7	6	ND	ug/L
Vanadium, total	MW-1N	1/23/2020	23.6	3		ug/L
Vanadium, total	MW-1N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-1N	7/6/2020	3	3	ND	ug/L
Vanadium, total	MW-1N	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-1N	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-1N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-20	6/5/2015	1.3	3	ND	ug/L
Vanadium, total	MW-20	7/14/2015	1.6	3	ND	ug/L
Vanadium, total	MW-20	8/4/2015	3	3	ND	ug/L
Vanadium, total	MW-20	9/2/2015	1.3	3	ND	ug/L
Vanadium, total	MW-20	1/7/2016	5.2	3		ug/L
Vanadium, total	MW-20	4/5/2016	0.8	3	ND	ug/L
Vanadium, total	MW-20	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-20	10/5/2016	3	3		ug/L
Vanadium, total	MW-20	1/12/2017	4	3		ug/L
Vanadium, total	MW-20	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-20	1/26/2018	3	3	ND	ug/L
Vanadium, total	MW-20	7/12/2018	3	3	ND	ug/L
Vanadium, total	MW-20	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-20	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-20	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-20	1/17/2021	6.94	3		ug/L
Vanadium, total	MW-20	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-20	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-21	6/5/2015	3	3	ND	ug/L
Vanadium, total	MW-21	7/14/2015	1	3	ND	ug/L
Vanadium, total	MW-21	8/4/2015	0.7	3	ND	ug/L
Vanadium, total	MW-21	9/2/2015	1.6	3	ND	ug/L
Vanadium, total	MW-21	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-21	4/5/2016	0.7	3	ND	ug/L
Vanadium, total	MW-21	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-21	10/5/2016	3	3	ND	ug/L
Vanadium, total	MW-21	10/5/2016	0.8	3	ND	ug/L
Vanadium, total	MW-21	1/10/2017	2	3	ND	ug/L
Vanadium, total	MW-21	4/5/2017	3	3	ND	ug/L
Vanadium, total	MW-21	7/19/2017	0.7	3	ND	ug/L
Vanadium, total	MW-21	10/6/2017	3	3	ND	ug/L
Vanadium, total	MW-21	1/24/2018	3	3	ND	ug/L
Vanadium, total	MW-21	4/11/2018	3	3	ND	ug/L
Vanadium, total	MW-21	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-21	10/4/2018	3	3	ND	ug/L
Vanadium, total	MW-21	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-21	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-21	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-21	10/2/2019	3	3	ND	ug/L
Vanadium, total	MW-21	1/16/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-21	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-21	7/8/2020	3	3	ND	ug/L
Vanadium, total	MW-21	10/7/2020	3	3	ND	ug/L
Vanadium, total	MW-21	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-21	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-21	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-21	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-21	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-21	4/8/2023	3	3	ND	ug/L
Vanadium, total	MW-2N	10/22/1997	3	3	ND	ug/L
Vanadium, total	MW-2N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	1/13/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-2N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-2N	7/10/2002	8	8	ND	ug/L
Vanadium, total	MW-2N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-2N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-2N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-2N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-2N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-2N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-2N	1/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-2N	1/26/2007	0.2	3	ND	ug/L
Vanadium, total	MW-2N	7/11/2007	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2008	0.4	3	ND	ug/L
Vanadium, total	MW-2N	7/22/2008	0.2	3	ND	ug/L
Vanadium, total	MW-2N	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	MW-2N	7/13/2010	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/20/2011	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/13/2011	0.5	3	ND	ug/L
Vanadium, total	MW-2N	1/5/2012	0.5	3	ND	ug/L
Vanadium, total	MW-2N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-2N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-2N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-2N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-2N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-2N	7/14/2015	0.7	3	ND	ug/L
Vanadium, total	MW-2N	1/6/2016	0.5	3	ND	ug/L
Vanadium, total	MW-2N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-2N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-2N	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-2N	7/12/2018	3	3	ND	ug/L
Vanadium, total	MW-2N	1/3/2019	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-2N	8/7/2019	6	6	ND	ug/L
Vanadium, total	MW-2N	1/23/2020	3	3	ND	ug/L
Vanadium, total	MW-2N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-2N	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-2N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-2N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-3N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-3N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	1/13/1999	37	3		ug/L
Vanadium, total	MW-3N	4/13/1999	30	3		ug/L
Vanadium, total	MW-3N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-3N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-3N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	4/24/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	1/23/2001	3	3	ND	ug/L
Vanadium, total	MW-3N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-3N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-3N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-3N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-3N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-3N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-3N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-3N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-3N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-3N	1/18/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-3N	1/10/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	1/26/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2008	0.2	3	ND	ug/L
Vanadium, total	MW-3N	7/22/2008	3	3	ND	ug/L
Vanadium, total	MW-3N	2/4/2009	3	3	ND	ug/L
Vanadium, total	MW-3N	7/31/2009	3	3	ND	ug/L
Vanadium, total	MW-3N	1/26/2010	0.1	3	ND	ug/L
Vanadium, total	MW-3N	7/13/2010	0.1	3	ND	ug/L
Vanadium, total	MW-3N	1/20/2011	3	3	ND	ug/L
Vanadium, total	MW-3N	7/14/2011	0.2	3	ND	ug/L
Vanadium, total	MW-3N	1/5/2012	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2012	3	3	ND	ug/L
Vanadium, total	MW-3N	5/1/2013	0.7	3	ND	ug/L
Vanadium, total	MW-3N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-3N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-3N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-3N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	4/1/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	10/5/2015	0.6	3	ND	ug/L
Vanadium, total	MW-3N	1/6/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	4/6/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	10/6/2016	0.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-3N	1/11/2017	0.5	3	ND	ug/L
Vanadium, total	MW-3N	4/4/2017	0.7	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2017	0.9	3	ND	ug/L
Vanadium, total	MW-3N	10/9/2017	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2018	0.62	3	ND	ug/L
Vanadium, total	MW-3N	4/10/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	10/3/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-3N	10/2/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	1/15/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	10/7/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-7N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-7N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	8/18/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	9/17/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	10/15/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	11/9/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	1/14/1999	340	3		ug/L
Vanadium, total	MW-7N	4/14/1999	340	3		ug/L
Vanadium, total	MW-7N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-7N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-7N	1/13/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	1/23/2001	3	3	ND	ug/L
Vanadium, total	MW-7N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-7N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-7N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-7N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-7N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-7N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	1/27/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	4/8/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	7/26/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2005	3	3	ND	ug/L
Vanadium, total	MW-7N	1/19/2006	4.7	3		ug/L
Vanadium, total	MW-7N	7/19/2006	0.4	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2006	0.4	3	ND	ug/L
Vanadium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-7N	1/10/2007	0.1	3	ND	ug/L
Vanadium, total	MW-7N	1/26/2007	0.3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2007	1.6	3	ND	ug/L
Vanadium, total	MW-7N	7/21/2008	3	3	ND	ug/L
Vanadium, total	MW-7N	2/6/2009	3	3	ND	ug/L
Vanadium, total	MW-7N	7/29/2009	0.3	3	ND	ug/L
Vanadium, total	MW-7N	1/26/2010	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-7N	7/14/2010	3	3	ND	ug/L
Vanadium, total	MW-7N	1/20/2011	3	3	ND	ug/L
Vanadium, total	MW-7N	7/12/2011	3	3	ND	ug/L
Vanadium, total	MW-7N	1/5/2012	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-7N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	7/15/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	1/30/2014	3	3	ND	ug/L
Vanadium, total	MW-7N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-7N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-7N	7/13/2015	3	3	ND	ug/L
Vanadium, total	MW-7N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-7N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-7N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	4/4/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	10/5/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	1/25/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	4/11/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	1/4/2019	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2019	6	6	ND	ug/L
Vanadium, total	MW-7N	1/16/2020	3	3	ND	ug/L
Vanadium, total	MW-7N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-7N	1/16/2021	3	3	ND	ug/L
Vanadium, total	MW-7N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-7N	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-7N	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-8N	1/22/1998	3	3	ND	ug/L
Vanadium, total	MW-8N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-8N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-8N	1/12/1999	130	3		ug/L
Vanadium, total	MW-8N	4/13/1999	170	3		ug/L
Vanadium, total	MW-8N	7/14/1999	6.6	3		ug/L
Vanadium, total	MW-8N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-8N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	1/23/2001	3	3	ND	ug/L
Vanadium, total	MW-8N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-8N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-8N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-8N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-8N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-8N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-8N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-8N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-8N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-8N	1/10/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	1/26/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	4/25/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-8N	7/10/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	1/24/2008	3	3	ND	ug/L
Vanadium, total	MW-8N	7/23/2008	3	3	ND	ug/L
Vanadium, total	MW-8N	2/4/2009	3	3	ND	ug/L
Vanadium, total	MW-8N	7/31/2009	0.1	3	ND	ug/L
Vanadium, total	MW-8N	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2010	0.2	3	ND	ug/L
Vanadium, total	MW-8N	1/19/2011	3	3	ND	ug/L
Vanadium, total	MW-8N	5/10/2011	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/14/2011	0.4	3	ND	ug/L
Vanadium, total	MW-8N	1/6/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	4/5/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	7/11/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	10/3/2012	1.5	3	ND	ug/L
Vanadium, total	MW-8N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	10/2/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	1/30/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	4/3/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	10/8/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	4/1/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	10/5/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	4/6/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	4/4/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	1/25/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	4/10/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	10/2/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-8N	10/3/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	1/15/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	1/15/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	1/18/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	4/4/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	7/12/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	4/8/2023	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2002	8	8	ND	ug/L
Vanadium, total	NE-1	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-1	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-1	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-1	7/8/2003	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-1	1/27/2004	3	3	ND	ug/L
Vanadium, total	NE-1	1/12/2005	3	3	ND	ug/L
Vanadium, total	NE-1	7/19/2006	0.5	3	ND	ug/L
Vanadium, total	NE-1	7/19/2006	0.5	3	ND	ug/L
Vanadium, total	NE-1	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-1	1/24/2007	0.3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2007	0.7	3	ND	ug/L
Vanadium, total	NE-1	1/24/2008	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/21/2008	0.2	3	ND	ug/L
Vanadium, total	NE-1	2/7/2009	3	3	ND	ug/L
Vanadium, total	NE-1	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	NE-1	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/14/2010	1.2	3	ND	ug/L
Vanadium, total	NE-1	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	NE-1	1/5/2012	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2012	3	3	ND	ug/L
Vanadium, total	NE-1	4/30/2013	3	3	ND	ug/L
Vanadium, total	NE-1	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-1	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-1	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-1	2/11/2015	3	3	ND	ug/L
Vanadium, total	NE-1	7/8/2015	3	3	ND	ug/L
Vanadium, total	NE-1	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-1	7/20/2016	3	3	ND	ug/L
Vanadium, total	NE-1	1/11/2017	3	3	ND	ug/L
Vanadium, total	NE-1	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-1	1/24/2018	3	3	ND	ug/L
Vanadium, total	NE-1	4/11/2018	3	3	ND	ug/L
Vanadium, total	NE-1	7/18/2018	3	3	ND	ug/L
Vanadium, total	NE-1	10/2/2018	3	3	ND	ug/L
Vanadium, total	NE-1	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-1	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2019	6	6	ND	ug/L
Vanadium, total	NE-1	7/10/2019	6	6	ND	ug/L
Vanadium, total	NE-1	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-1	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-1	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-1	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-1	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-1	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-1	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-1	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-1	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-1	1/17/2022	2.17	1		ug/L
Vanadium, total	NE-1	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-1	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-1	10/6/2022	3	3	ND	ug/L
Vanadium, total	NE-1	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-1	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	11/6/2019	3	3	ND	ug/L
Vanadium, total	NE-10D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	4/6/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-11	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-11	4/6/2017	3	3	ND	ug/L
Vanadium, total	NE-11	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-11	10/9/2017	3	3	ND	ug/L
Vanadium, total	NE-11	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-11	1/14/2020	3	3	ND	ug/L
Vanadium, total	NE-11	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-11	1/16/2021	1	1	ND	ug/L
Vanadium, total	NE-11	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-11	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-11	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-11	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-11	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-11	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-12	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-12	4/6/2017	3	3	ND	ug/L
Vanadium, total	NE-12	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-12	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-12	8/5/2019	6	6	ND	ug/L
Vanadium, total	NE-12	1/13/2020	3	3	ND	ug/L
Vanadium, total	NE-12	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-12	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-12	1/15/2021	3	3	ND	ug/L
Vanadium, total	NE-12	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-12	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-12	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-12	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-12	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-13	2/5/2019	3	3	ND	ug/L
Vanadium, total	NE-13	8/7/2019	6	6	ND	ug/L
Vanadium, total	NE-13	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-13	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-13	1/17/2021	3	3	ND	ug/L
Vanadium, total	NE-13	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-13	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-14D	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-14D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-14D	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-14D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-14D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14D	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-14S	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-14S	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-14S	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-14S	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-14S	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-15D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-15D	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-15D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-15D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15S	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-2	7/9/2002	8	8	ND	ug/L
Vanadium, total	NE-2	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-2	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-2	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-2	10/1/2013	3	3	ND	ug/L
Vanadium, total	NE-2	10/8/2014	3	3	ND	ug/L
Vanadium, total	NE-2	10/5/2015	3	3	ND	ug/L
Vanadium, total	NE-2	10/6/2016	3	3	ND	ug/L
Vanadium, total	NE-2	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-2	1/25/2018	3	3	ND	ug/L
Vanadium, total	NE-2	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-2	7/10/2018	3	3	ND	ug/L
Vanadium, total	NE-2	10/1/2018	3	3	ND	ug/L
Vanadium, total	NE-2	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-2	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-2	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-2	1/14/2020	3	3	ND	ug/L
Vanadium, total	NE-2	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-2	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-2	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-2	1/14/2021	1	1	ND	ug/L
Vanadium, total	NE-2	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-2	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-2	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-2	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-2	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-2	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-2	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-2	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-2	4/5/2023	3	3	ND	ug/L
Vanadium, total	NE-3	7/9/2002	8	8	ND	ug/L
Vanadium, total	NE-3	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-3	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-3	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-3	3/21/2018	3	3	ND	ug/L
Vanadium, total	NE-4	7/10/2002	8	8	ND	ug/L
Vanadium, total	NE-4	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-4	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-4	10/3/2002	8	8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-4	7/8/2003	3	3	ND	ug/L
Vanadium, total	NE-4	1/28/2004	3	3	ND	ug/L
Vanadium, total	NE-4	1/13/2005	3	3	ND	ug/L
Vanadium, total	NE-4	8/1/2006	0.8	3	ND	ug/L
Vanadium, total	NE-4	8/1/2006	0.8	3	ND	ug/L
Vanadium, total	NE-4	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-4	1/24/2007	0.3	3	ND	ug/L
Vanadium, total	NE-4	7/12/2007	0.3	3	ND	ug/L
Vanadium, total	NE-4	1/24/2008	0.4	3	ND	ug/L
Vanadium, total	NE-4	7/21/2008	0.2	3	ND	ug/L
Vanadium, total	NE-4	2/7/2009	1.4	3	ND	ug/L
Vanadium, total	NE-4	7/31/2009	3	3	ND	ug/L
Vanadium, total	NE-4	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	NE-4	7/14/2010	1	3	ND	ug/L
Vanadium, total	NE-4	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	NE-4	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	NE-4	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	NE-4	7/10/2012	3.8	3		ug/L
Vanadium, total	NE-4	4/30/2013	3	3	ND	ug/L
Vanadium, total	NE-4	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-4	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-4	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-4	2/13/2015	3	3	ND	ug/L
Vanadium, total	NE-4	7/8/2015	3	3	ND	ug/L
Vanadium, total	NE-4	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-4	7/20/2016	0.5	3	ND	ug/L
Vanadium, total	NE-4	1/11/2017	0.6	3	ND	ug/L
Vanadium, total	NE-4	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-4	1/26/2018	3	3	ND	ug/L
Vanadium, total	NE-4	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-4	7/12/2018	3	3	ND	ug/L
Vanadium, total	NE-4	10/3/2018	3	3	ND	ug/L
Vanadium, total	NE-4	1/7/2019	3	3	ND	ug/L
Vanadium, total	NE-4	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-4	7/8/2019	6	6	ND	ug/L
Vanadium, total	NE-4	7/8/2019	6	6	ND	ug/L
Vanadium, total	NE-4	10/1/2019	3	3	ND	ug/L
Vanadium, total	NE-4	1/13/2020	3	3	ND	ug/L
Vanadium, total	NE-4	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-4	7/6/2020	3	3	ND	ug/L
Vanadium, total	NE-4	10/5/2020	1	1	ND	ug/L
Vanadium, total	NE-4	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-4	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-4	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-4	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-4	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-4	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2002	8	8	ND	ug/L
Vanadium, total	NE-5	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-5	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-5	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-5	7/8/2003	3	3	ND	ug/L
Vanadium, total	NE-5	1/27/2004	4.1	3		ug/L
Vanadium, total	NE-5	1/12/2005	3	3	ND	ug/L
Vanadium, total	NE-5	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	NE-5	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	NE-5	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-5	1/10/2007	0.2	3	ND	ug/L
Vanadium, total	NE-5	1/24/2007	3	3	ND	ug/L
Vanadium, total	NE-5	7/12/2007	3	3	ND	ug/L
Vanadium, total	NE-5	7/22/2008	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-5	2/6/2009	0.8	3	ND	ug/L
Vanadium, total	NE-5	7/31/2009	3	3	ND	ug/L
Vanadium, total	NE-5	1/26/2010	3	3	ND	ug/L
Vanadium, total	NE-5	7/16/2010	0.4	3	ND	ug/L
Vanadium, total	NE-5	1/19/2011	3	3	ND	ug/L
Vanadium, total	NE-5	7/13/2011	3	3	ND	ug/L
Vanadium, total	NE-5	1/5/2012	3	3	ND	ug/L
Vanadium, total	NE-5	7/10/2012	3	3	ND	ug/L
Vanadium, total	NE-5	4/30/2013	0.6	3	ND	ug/L
Vanadium, total	NE-5	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-5	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-5	2/11/2015	3	3	ND	ug/L
Vanadium, total	NE-5	7/14/2015	3	3	ND	ug/L
Vanadium, total	NE-5	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-5	7/20/2016	3	3	ND	ug/L
Vanadium, total	NE-5	1/11/2017	3	3	ND	ug/L
Vanadium, total	NE-5	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-5	1/25/2018	3	3	ND	ug/L
Vanadium, total	NE-5	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-5	7/17/2018	3	3	ND	ug/L
Vanadium, total	NE-5	10/3/2018	3	3	ND	ug/L
Vanadium, total	NE-5	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-5	10/3/2019	3	3	ND	ug/L
Vanadium, total	NE-5	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-5	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-5	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-5E	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5E	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5E	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5E	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-5W	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-5W	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5W	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5W	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5W	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5W	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-6	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-6	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-6	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-6	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-6	2/4/2019	3	3	ND	ug/L
Vanadium, total	NE-6	8/6/2019	6	6	ND	ug/L
Vanadium, total	NE-6	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-6	7/9/2020	3	3	ND	ug/L
Vanadium, total	NE-6	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-6	1/16/2021	1.51	1		ug/L
Vanadium, total	NE-6	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-6	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-6	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-6	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-6	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-6D	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	7/9/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-6D	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-6D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-6D	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-7	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-7	4/6/2017	1.3	3	ND	ug/L
Vanadium, total	NE-7	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-7	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-7	2/6/2019	3	3	ND	ug/L
Vanadium, total	NE-7	8/6/2019	6	6	ND	ug/L
Vanadium, total	NE-7	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-7	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-7	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-7	1/16/2021	1	1	ND	ug/L
Vanadium, total	NE-7	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-7	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-7	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-7	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-7	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-8	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-8	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-8	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-8	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-8	2/4/2019	3	3	ND	ug/L
Vanadium, total	NE-8	8/5/2019	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-8	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-8	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-8	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-8	1/13/2021	3	3	ND	ug/L
Vanadium, total	NE-8	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-8	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-8	7/1/2021	1	1	ND	ug/L
Vanadium, total	NE-8	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-8	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-9	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-9	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-9	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-9	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-9	2/5/2019	3	3	ND	ug/L
Vanadium, total	NE-9	8/7/2019	6	6	ND	ug/L
Vanadium, total	NE-9	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-9	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-9	1/17/2021	3	3	ND	ug/L
Vanadium, total	NE-9	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-9	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-9	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-9	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-9	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-9	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-9	4/8/2023	3	3	ND	ug/L
Vinyl acetate	LGW-10	1/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-10	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-10	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-10	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-10	5/1/2013	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/30/2014	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/9/2014	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/12/2015	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/21/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/4/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/19/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/9/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/16/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/4/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/4/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/3/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-10	7/11/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/2/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/15/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/7/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-14R	8/2/2006	5	5	ND	ug/L
Vinyl acetate	LGW-14R	8/2/2006	5	5	ND	ug/L
Vinyl acetate	LGW-14R	10/27/2006	3	3	ND	ug/L
Vinyl acetate	LGW-14R	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	4/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/6/2009	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-14R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/25/2018	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/17/2018	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-2	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-2	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-2	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-2	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/10/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-2	1/26/2008	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/6/2009	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/30/2009	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/13/2011	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/30/2014	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/13/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/1/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/4/2021	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/10/2022	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-3R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-3R	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-3R	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/26/2008	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2009	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/13/2011	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-3R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/22/2014	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/16/2015	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/8/2016	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/21/2016	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/18/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-3R	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/10/2022	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-4	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-4	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-4	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2009	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/13/2011	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-4	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-5	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-5	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-5	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/29/2009	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-5	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/6/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-6	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-6	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/5/2009	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	5/5/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-6	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/10/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/17/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/6/2023	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-7	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-7	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-7	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-7	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/10/2012	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-7	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/20/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/4/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/10/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-7	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/15/2020	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-8R	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-8R	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	4/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/14/2010	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-8R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/22/2014	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-8R	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2016	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/25/2018	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/13/2018	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/8/2019	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-9	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-9	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-9	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/14/2010	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-9	5/1/2013	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-9	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/21/2016	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	5/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/13/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/7/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/5/2023	5	5	ND	ug/L
Vinyl acetate	MW-10N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-10N	1/22/1998	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/28/1998	47	47	ND	ug/L
Vinyl acetate	MW-10N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-10N	1/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	7/15/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-10N	7/11/2000	1	1	ND	ug/L
Vinyl acetate	MW-10N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-10N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-10N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-10N	7/10/2002	1	1	ND	ug/L
Vinyl acetate	MW-10N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-10N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-10N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-10N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-10N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-10N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-10N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/19/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-10N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-10N	1/24/2007	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-10N	2/13/2009	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/27/2010	5	5	ND	ug/L
Vinyl acetate	MW-10N	8/10/2010	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-10N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-10N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/8/2020	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-11N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-11N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-11N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-11N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	1/13/2000	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-11N	7/10/2000	1	1	ND	ug/L
Vinyl acetate	MW-11N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-11N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-11N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-11N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-11N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-11N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-11N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-11N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/29/2004	2	2	ND	ug/L
Vinyl acetate	MW-11N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/13/2005	2	2	ND	ug/L
Vinyl acetate	MW-11N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-11N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-11N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-11N	1/24/2007	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/22/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-11N	7/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2009	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/16/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/4/2012	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/9/2012	5	5	ND	ug/L
Vinyl acetate	MW-11N	4/30/2013	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/15/2013	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/23/2014	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/8/2014	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/10/2015	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2015	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/17/2018	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/18/2022	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2022	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-15	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	7/15/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	8/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-15	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-15	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-15	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-15	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-15	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-15	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-15	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-15	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-15	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-15	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-15	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-15	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-16	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	7/16/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	8/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	1/8/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	1/10/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-16	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-16	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-16	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-16	1/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-16	7/10/2019	5	5	ND	ug/L
Vinyl acetate	MW-16	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-16	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-16	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-16	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-16	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-16	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-16	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-17	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	7/15/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-17	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-17	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-17	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-17	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-17	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-17	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-17	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-17	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-17	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-17	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-19	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	7/16/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	8/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-19	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-19	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-19	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-19	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-19	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-19	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-19	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-19	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-19	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-19	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-1N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/20/1998	23	23	ND	ug/L
Vinyl acetate	MW-1N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-1N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-1N	10/14/1998	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	5/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	7/15/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/14/2000	23	23	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-1N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-1N	7/12/2000	1	1	ND	ug/L
Vinyl acetate	MW-1N	10/18/2000	1	1	ND	ug/L
Vinyl acetate	MW-1N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-1N	4/12/2001	1	1	ND	ug/L
Vinyl acetate	MW-1N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-1N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	10/3/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-1N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-1N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-1N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-1N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/18/2006	3	3	ND	ug/L
Vinyl acetate	MW-1N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-1N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-1N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-1N	2/5/2009	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-1N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-1N	2/10/2015	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/12/2017	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/23/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-20	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	1/12/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-20	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-20	1/26/2018	5	5	ND	ug/L
Vinyl acetate	MW-20	7/12/2018	5	5	ND	ug/L
Vinyl acetate	MW-20	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-20	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-20	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-20	1/17/2021	5	5	ND	ug/L
Vinyl acetate	MW-20	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-20	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	4/5/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	10/6/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	4/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	10/4/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	10/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	7/8/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	10/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	4/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-2N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-2N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-2N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-2N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-2N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-2N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-2N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-2N	7/10/2002	1	1	ND	ug/L
Vinyl acetate	MW-2N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-2N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-2N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-2N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-2N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/12/2005	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-2N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-2N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-2N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-2N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	3/27/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/22/2008	5	5	ND	ug/L
Vinyl acetate	MW-2N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-2N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-2N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/12/2018	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-2N	8/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/23/2020	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-3N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-3N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-3N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/24/2000	23	23	ND	ug/L
Vinyl acetate	MW-3N	7/11/2000	1	1	ND	ug/L
Vinyl acetate	MW-3N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-3N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-3N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-3N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-3N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-3N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-3N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-3N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/12/2005	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-3N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/18/2006	3	3	ND	ug/L
Vinyl acetate	MW-3N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-3N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/22/2008	5	5	ND	ug/L
Vinyl acetate	MW-3N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2012	5	5	ND	ug/L
Vinyl acetate	MW-3N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-3N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/1/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/9/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/3/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/15/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-7N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	8/18/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	9/17/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	10/15/1998	23	23	ND	ug/L
Vinyl acetate	MW-7N	11/9/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	1/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	4/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/14/1999	23	23	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-7N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	1/13/2000	23	23	ND	ug/L
Vinyl acetate	MW-7N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-7N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-7N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-7N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-7N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-7N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-7N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	4/8/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	7/26/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-7N	7/19/2005	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-7N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-7N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-7N	2/6/2009	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/29/2009	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/14/2010	5	5	ND	ug/L
Vinyl acetate	MW-7N	9/2/2010	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/12/2011	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-7N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/15/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/30/2014	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-7N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/13/2015	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/5/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/25/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	4/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/4/2019	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2019	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/16/2021	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-8N	1/22/1998	23	23	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-8N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-8N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-8N	1/12/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-8N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-8N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-8N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-8N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-8N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-8N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-8N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-8N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-8N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-8N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-8N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-8N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/25/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-8N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2010	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	5/10/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/6/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/11/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/3/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/2/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/30/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/3/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/8/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/1/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/19/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-8N	10/6/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/25/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/2/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/15/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/9/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/15/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/18/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/4/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/8/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-1	1/27/2004	2	2	ND	ug/L
Vinyl acetate	NE-1	1/12/2005	2	2	ND	ug/L
Vinyl acetate	NE-1	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-1	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-1	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-1	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2007	5	5	ND	ug/L
Vinyl acetate	NE-1	1/24/2008	5	5	ND	ug/L
Vinyl acetate	NE-1	7/21/2008	5	5	ND	ug/L
Vinyl acetate	NE-1	2/7/2009	5	5	ND	ug/L
Vinyl acetate	NE-1	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-1	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	7/14/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	9/2/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-1	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-1	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-1	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-1	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-1	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-1	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-1	2/11/2015	5	5	ND	ug/L
Vinyl acetate	NE-1	7/8/2015	5	5	ND	ug/L
Vinyl acetate	NE-1	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-1	7/20/2016	5	5	ND	ug/L
Vinyl acetate	NE-1	1/11/2017	5	5	ND	ug/L
Vinyl acetate	NE-1	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-1	1/24/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	4/11/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	7/18/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	10/2/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	1/4/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-1	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	10/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	11/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-11	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	10/9/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-11	1/14/2020	5	5	ND	ug/L
Vinyl acetate	NE-11	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-11	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-12	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	8/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-12	1/13/2020	5	5	ND	ug/L
Vinyl acetate	NE-12	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-12	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-13	2/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-13	8/7/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-13	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-13	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-13	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15S	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	10/1/2013	5	5	ND	ug/L
Vinyl acetate	NE-2	10/8/2014	5	5	ND	ug/L
Vinyl acetate	NE-2	10/5/2015	5	5	ND	ug/L
Vinyl acetate	NE-2	10/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-2	10/5/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-2	1/25/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	4/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	7/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	10/1/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	1/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	1/14/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	1/14/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-2	4/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-3	7/9/2002	1	1	ND	ug/L
Vinyl acetate	NE-3	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-3	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-3	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-3	9/2/2010	5	5	ND	ug/L
Vinyl acetate	NE-3	3/21/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	7/10/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	10/3/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	NE-4	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-4	1/28/2004	2	2	ND	ug/L
Vinyl acetate	NE-4	1/13/2005	2	2	ND	ug/L
Vinyl acetate	NE-4	8/1/2006	5	5	ND	ug/L
Vinyl acetate	NE-4	8/1/2006	5	5	ND	ug/L
Vinyl acetate	NE-4	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-4	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-4	7/12/2007	5	5	ND	ug/L
Vinyl acetate	NE-4	1/24/2008	5	5	ND	ug/L
Vinyl acetate	NE-4	7/21/2008	5	5	ND	ug/L
Vinyl acetate	NE-4	2/7/2009	5	5	ND	ug/L
Vinyl acetate	NE-4	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-4	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-4	7/14/2010	5	5	ND	ug/L
Vinyl acetate	NE-4	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-4	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-4	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-4	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-4	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-4	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-4	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-4	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-4	2/13/2015	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2015	5	5	ND	ug/L
Vinyl acetate	NE-4	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-4	7/20/2016	5	5	ND	ug/L
Vinyl acetate	NE-4	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-4	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-4	1/26/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	4/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	7/12/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	10/3/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	1/7/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	10/1/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	1/13/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	7/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	10/5/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-4	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	NE-5	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-5	1/27/2004	2	2	ND	ug/L
Vinyl acetate	NE-5	1/12/2005	2	2	ND	ug/L
Vinyl acetate	NE-5	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-5	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-5	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-5	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-5	7/12/2007	5	5	ND	ug/L
Vinyl acetate	NE-5	7/22/2008	5	5	ND	ug/L
Vinyl acetate	NE-5	2/6/2009	5	5	ND	ug/L
Vinyl acetate	NE-5	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-5	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	7/16/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	9/2/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-5	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-5	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-5	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-5	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-5	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-5	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-5	2/11/2015	5	5	ND	ug/L
Vinyl acetate	NE-5	7/14/2015	5	5	ND	ug/L
Vinyl acetate	NE-5	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-5	7/20/2016	5	5	ND	ug/L
Vinyl acetate	NE-5	1/11/2017	5	5	ND	ug/L
Vinyl acetate	NE-5	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-5	1/25/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	4/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	7/17/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	10/3/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	1/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	10/3/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-6	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	2/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-6	8/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-6	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-6	7/9/2020	5	5	ND	ug/L
Vinyl acetate	NE-6	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-6	1/17/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-6	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-6	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/9/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-7	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	10/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	2/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-7	8/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-7	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-8	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	2/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-8	8/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-8	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-8	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-8	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	10/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	2/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-9	8/7/2019	5	5	ND	ug/L
Vinyl acetate	NE-9	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-9	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	7/1/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-9	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	4/8/2023	5	5	ND	ug/L
Vinyl chloride	LGW-10	1/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/26/2006	1.5	1		ug/L
Vinyl chloride	LGW-10	1/25/2007	1.2	1		ug/L
Vinyl chloride	LGW-10	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/23/2008	1.9	1		ug/L
Vinyl chloride	LGW-10	7/22/2008	1.7	1		ug/L
Vinyl chloride	LGW-10	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/16/2010	1.6	1		ug/L
Vinyl chloride	LGW-10	1/19/2011	0.7	1	ND	ug/L
Vinyl chloride	LGW-10	7/12/2011	2.9	1		ug/L
Vinyl chloride	LGW-10	1/5/2012	1.2	1		ug/L
Vinyl chloride	LGW-10	7/9/2012	0.87	1	ND	ug/L
Vinyl chloride	LGW-10	5/1/2013	1.6	1		ug/L
Vinyl chloride	LGW-10	1/30/2014	1.8	1		ug/L
Vinyl chloride	LGW-10	7/9/2014	1.8	1		ug/L
Vinyl chloride	LGW-10	2/12/2015	1.8	1		ug/L
Vinyl chloride	LGW-10	7/13/2015	1.9	1		ug/L
Vinyl chloride	LGW-10	1/5/2016	1.9	1		ug/L
Vinyl chloride	LGW-10	2/10/2016	0.7	1	ND	ug/L
Vinyl chloride	LGW-10	4/6/2016	1.3	1		ug/L
Vinyl chloride	LGW-10	7/21/2016	1.3	1		ug/L
Vinyl chloride	LGW-10	10/6/2016	1.6	1		ug/L
Vinyl chloride	LGW-10	1/11/2017	0.9	1	ND	ug/L
Vinyl chloride	LGW-10	4/4/2017	2.1	1		ug/L
Vinyl chloride	LGW-10	7/19/2017	2	1		ug/L
Vinyl chloride	LGW-10	10/9/2017	1.2	1		ug/L
Vinyl chloride	LGW-10	1/24/2018	0.6	1	ND	ug/L
Vinyl chloride	LGW-10	4/11/2018	1.2	1		ug/L
Vinyl chloride	LGW-10	7/16/2018	0.9	1	ND	ug/L
Vinyl chloride	LGW-10	10/4/2018	1.2	1		ug/L
Vinyl chloride	LGW-10	1/4/2019	0.78	1	ND	ug/L
Vinyl chloride	LGW-10	4/3/2019	0.92	1	ND	ug/L
Vinyl chloride	LGW-10	7/11/2019	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/2/2019	0.94	1	ND	ug/L
Vinyl chloride	LGW-10	1/15/2020	1.23	1		ug/L
Vinyl chloride	LGW-10	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/9/2020	1.17	1		ug/L
Vinyl chloride	LGW-10	10/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/17/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/7/2021	1.09	1		ug/L
Vinyl chloride	LGW-10	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/7/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	8/2/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/6/2009	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/10/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/26/2008	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/6/2009	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/30/2009	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/30/2014	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/13/2015	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-2	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/18/2017	0.28	1	ND	ug/L
Vinyl chloride	LGW-2	1/23/2018	0.37	1	ND	ug/L
Vinyl chloride	LGW-2	7/12/2018	1.7	1		ug/L
Vinyl chloride	LGW-2	10/2/2018	2.1	1		ug/L
Vinyl chloride	LGW-2	1/3/2019	1	1		ug/L
Vinyl chloride	LGW-2	7/9/2019	0.48	1	ND	ug/L
Vinyl chloride	LGW-2	1/13/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/1/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/4/2021	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/10/2022	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/26/2008	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/10/2022	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-4	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-4	1/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2009	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/16/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-4	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/10/2015	0.21	1	ND	ug/L
Vinyl chloride	LGW-5	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-5	7/12/2018	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/6/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/5/2009	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/10/2015	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	5/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/10/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/17/2018	0.16	1	ND	ug/L
Vinyl chloride	LGW-6	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-6	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/6/2023	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-7	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/10/2012	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/8/2014	0.12	1	ND	ug/L
Vinyl chloride	LGW-7	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/20/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/4/2017	0.1	1	ND	ug/L
Vinyl chloride	LGW-7	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/24/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/15/2020	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/17/2021	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-9	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/14/2010	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2012	1	1	ND	ug/L
Vinyl chloride	LGW-9	5/1/2013	0.23	1	ND	ug/L
Vinyl chloride	LGW-9	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/23/2014	0.13	1	ND	ug/L
Vinyl chloride	LGW-9	7/8/2014	0.13	1	ND	ug/L
Vinyl chloride	LGW-9	2/11/2015	0.24	1	ND	ug/L
Vinyl chloride	LGW-9	7/13/2015	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/21/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	5/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/24/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/13/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-9	4/3/2019	0.22	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/17/2021	1.13	1		ug/L
Vinyl chloride	LGW-9	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/7/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/5/2023	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/28/1998	4	4	ND	ug/L
Vinyl chloride	MW-10N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	7/15/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-10N	7/11/2000	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-10N	4/10/2001	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2002	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2007	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-10N	2/13/2009	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/27/2010	1	1	ND	ug/L
Vinyl chloride	MW-10N	8/10/2010	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/14/2011	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-10N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-10N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-10N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/8/2020	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/13/2000	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/10/2000	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/10/2001	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/9/2002	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/29/2004	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/13/2005	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/24/2007	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/22/2008	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2009	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/16/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/4/2012	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/9/2012	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/30/2013	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/15/2013	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2014	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/8/2014	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/10/2015	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2015	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-11N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/17/2018	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/6/2020	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/18/2022	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2022	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-15	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	7/15/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-15	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-15	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-15	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-15	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-15	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-15	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-15	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-15	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-15	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-15	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-15	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-15	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-16	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	7/16/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	1/8/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-16	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-16	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-16	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-16	1/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-16	7/10/2019	1	1	ND	ug/L
Vinyl chloride	MW-16	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-16	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-16	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-16	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-16	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-16	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-16	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-17	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	7/15/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	8/4/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	9/2/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	4/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-17	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-17	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-17	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-17	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-17	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-17	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-17	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-17	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-17	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-17	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-17	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-19	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	7/16/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-19	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-19	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-19	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-19	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-19	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-19	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-19	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-19	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-19	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-19	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-1N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-1N	1/20/1998	2.2	2		ug/L
Vinyl chloride	MW-1N	4/28/1998	0.5	2		ug/L
Vinyl chloride	MW-1N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-1N	10/14/1998	2	2	ND	ug/L
Vinyl chloride	MW-1N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-1N	4/13/1999	9.8	2		ug/L
Vinyl chloride	MW-1N	5/19/1999	2	2		ug/L
Vinyl chloride	MW-1N	7/15/1999	4.4	2		ug/L
Vinyl chloride	MW-1N	10/19/1999	1.3	2		ug/L
Vinyl chloride	MW-1N	1/14/2000	0.29	2		ug/L
Vinyl chloride	MW-1N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-1N	7/12/2000	6.2	1		ug/L
Vinyl chloride	MW-1N	10/18/2000	5.6	1		ug/L
Vinyl chloride	MW-1N	1/24/2001	1.8	1		ug/L
Vinyl chloride	MW-1N	4/12/2001	4.2	1		ug/L
Vinyl chloride	MW-1N	5/29/2002	2	2	ND	ug/L
Vinyl chloride	MW-1N	5/29/2002	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/9/2002	0.44	1		ug/L
Vinyl chloride	MW-1N	10/3/2002	0.34	1		ug/L
Vinyl chloride	MW-1N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	10/24/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-1N	2/5/2009	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-1N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-1N	2/10/2015	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/12/2017	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/23/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/6/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-20	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	8/4/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	9/2/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	1/12/2017	1	1	ND	ug/L
Vinyl chloride	MW-20	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-20	1/26/2018	1	1	ND	ug/L
Vinyl chloride	MW-20	7/12/2018	1	1	ND	ug/L
Vinyl chloride	MW-20	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-20	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-20	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-20	1/17/2021	1	1	ND	ug/L
Vinyl chloride	MW-20	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-20	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	6/5/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-21	7/14/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-21	8/4/2015	1	1	ND	ug/L
Vinyl chloride	MW-21	9/2/2015	0.23	1	ND	ug/L
Vinyl chloride	MW-21	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-21	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	4/5/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	7/19/2017	0.14	1	ND	ug/L
Vinyl chloride	MW-21	10/6/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	4/11/2018	0.29	1	ND	ug/L
Vinyl chloride	MW-21	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	10/4/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	1/3/2019	0.13	1	ND	ug/L
Vinyl chloride	MW-21	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	10/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	7/8/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	10/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	4/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	7/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-2N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-2N	4/11/2001	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/10/2002	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	4/14/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/7/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	3/27/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/22/2008	1	1	ND	ug/L
Vinyl chloride	MW-2N	2/4/2009	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-2N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-2N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/12/2018	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-2N	8/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/23/2020	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-3N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-3N	4/28/1998	0.46	2		ug/L
Vinyl chloride	MW-3N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-3N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	10/20/1999	0.57	2		ug/L
Vinyl chloride	MW-3N	1/14/2000	0.37	2		ug/L
Vinyl chloride	MW-3N	4/24/2000	0.38	2		ug/L
Vinyl chloride	MW-3N	7/11/2000	0.26	1		ug/L
Vinyl chloride	MW-3N	10/17/2000	0.43	1		ug/L
Vinyl chloride	MW-3N	1/23/2001	0.35	1		ug/L
Vinyl chloride	MW-3N	4/11/2001	0.74	1		ug/L
Vinyl chloride	MW-3N	5/29/2002	1.4	1		ug/L
Vinyl chloride	MW-3N	5/29/2002	2	2	ND	ug/L
Vinyl chloride	MW-3N	7/9/2002	1.2	1		ug/L
Vinyl chloride	MW-3N	10/2/2002	1.7	1		ug/L
Vinyl chloride	MW-3N	1/22/2003	1.5	1		ug/L
Vinyl chloride	MW-3N	4/14/2003	1.2	1		ug/L
Vinyl chloride	MW-3N	7/7/2003	1.7	1		ug/L
Vinyl chloride	MW-3N	1/28/2004	1.6	1		ug/L
Vinyl chloride	MW-3N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/12/2005	2	1		ug/L
Vinyl chloride	MW-3N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-3N	11/8/2005	3.4	1		ug/L
Vinyl chloride	MW-3N	1/18/2006	1.2	1		ug/L
Vinyl chloride	MW-3N	7/19/2006	1.3	1		ug/L
Vinyl chloride	MW-3N	7/19/2006	1.3	1		ug/L
Vinyl chloride	MW-3N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2008	2.2	1		ug/L
Vinyl chloride	MW-3N	5/3/2008	1.1	1		ug/L
Vinyl chloride	MW-3N	7/22/2008	1.4	1		ug/L
Vinyl chloride	MW-3N	2/4/2009	1.3	1		ug/L
Vinyl chloride	MW-3N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/26/2010	1.2	1		ug/L
Vinyl chloride	MW-3N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/14/2011	2.1	1		ug/L
Vinyl chloride	MW-3N	1/5/2012	0.64	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-3N	7/11/2012	0.51	1	ND	ug/L
Vinyl chloride	MW-3N	5/1/2013	0.31	1	ND	ug/L
Vinyl chloride	MW-3N	6/4/2013	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/16/2013	0.23	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2014	0.21	1	ND	ug/L
Vinyl chloride	MW-3N	7/9/2014	0.39	1	ND	ug/L
Vinyl chloride	MW-3N	2/12/2015	0.17	1	ND	ug/L
Vinyl chloride	MW-3N	4/1/2015	0.24	1	ND	ug/L
Vinyl chloride	MW-3N	7/14/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-3N	10/5/2015	0.17	1	ND	ug/L
Vinyl chloride	MW-3N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/21/2016	0.15	1	ND	ug/L
Vinyl chloride	MW-3N	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/4/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/9/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/3/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/15/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-7N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-7N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-7N	7/22/1998	3.6	2		ug/L
Vinyl chloride	MW-7N	8/18/1998	2.6	2		ug/L
Vinyl chloride	MW-7N	9/17/1998	3.4	2		ug/L
Vinyl chloride	MW-7N	10/15/1998	2.1	2		ug/L
Vinyl chloride	MW-7N	11/9/1998	3	2		ug/L
Vinyl chloride	MW-7N	1/14/1999	2.3	2		ug/L
Vinyl chloride	MW-7N	4/14/1999	3.1	2		ug/L
Vinyl chloride	MW-7N	7/14/1999	4.7	2		ug/L
Vinyl chloride	MW-7N	10/19/1999	5.8	2		ug/L
Vinyl chloride	MW-7N	1/13/2000	4.7	2		ug/L
Vinyl chloride	MW-7N	4/25/2000	4.5	2		ug/L
Vinyl chloride	MW-7N	10/17/2000	5.6	1		ug/L
Vinyl chloride	MW-7N	1/23/2001	5.1	1		ug/L
Vinyl chloride	MW-7N	4/10/2001	4.4	1		ug/L
Vinyl chloride	MW-7N	5/29/2002	5.7	1		ug/L
Vinyl chloride	MW-7N	5/29/2002	5.7	2		ug/L
Vinyl chloride	MW-7N	7/9/2002	4.8	1		ug/L
Vinyl chloride	MW-7N	10/2/2002	4.7	1		ug/L
Vinyl chloride	MW-7N	1/23/2003	5.9	1		ug/L
Vinyl chloride	MW-7N	4/14/2003	3.8	1		ug/L
Vinyl chloride	MW-7N	7/7/2003	5.4	1		ug/L
Vinyl chloride	MW-7N	1/27/2004	4.6	1		ug/L
Vinyl chloride	MW-7N	4/8/2004	4.2	1		ug/L
Vinyl chloride	MW-7N	7/26/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-7N	1/12/2005	2.3	1		ug/L
Vinyl chloride	MW-7N	7/19/2005	3.6	1		ug/L
Vinyl chloride	MW-7N	1/19/2006	2.7	1		ug/L
Vinyl chloride	MW-7N	4/17/2006	2.2	1		ug/L
Vinyl chloride	MW-7N	7/19/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	7/19/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	10/24/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	1/26/2007	1.2	1		ug/L
Vinyl chloride	MW-7N	6/1/2007	0.82	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-7N	5/3/2008	1.2	1		ug/L
Vinyl chloride	MW-7N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-7N	2/6/2009	0.79	1	ND	ug/L
Vinyl chloride	MW-7N	7/29/2009	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/14/2010	1	1	ND	ug/L
Vinyl chloride	MW-7N	9/2/2010	0.48	1	ND	ug/L
Vinyl chloride	MW-7N	1/20/2011	0.65	1	ND	ug/L
Vinyl chloride	MW-7N	7/12/2011	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-7N	5/1/2013	1	1		ug/L
Vinyl chloride	MW-7N	6/4/2013	0.43	1	ND	ug/L
Vinyl chloride	MW-7N	7/15/2013	0.19	1	ND	ug/L
Vinyl chloride	MW-7N	1/30/2014	0.18	1	ND	ug/L
Vinyl chloride	MW-7N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-7N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/13/2015	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-7N	4/4/2017	0.26	1	ND	ug/L
Vinyl chloride	MW-7N	7/19/2017	0.19	1	ND	ug/L
Vinyl chloride	MW-7N	10/5/2017	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/25/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	4/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/4/2019	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2019	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/16/2021	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-8N	1/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	7/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	1/12/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	10/19/1999	0.24	2		ug/L
Vinyl chloride	MW-8N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/25/2000	0.26	2		ug/L
Vinyl chloride	MW-8N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/23/2001	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/11/2001	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/29/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/29/2002	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-8N	7/9/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/23/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/14/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/7/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/24/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/25/2007	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-8N	2/4/2009	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2010	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/10/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/14/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/6/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/11/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/3/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	6/4/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/30/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/3/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/8/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/1/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/4/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/25/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/15/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/9/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-8N	1/15/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/18/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/4/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/8/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	8/6/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	9/4/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2003	1	1	ND	ug/L
Vinyl chloride	NE-1	1/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-1	1/12/2005	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2007	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2008	1	1	ND	ug/L
Vinyl chloride	NE-1	7/21/2008	1	1	ND	ug/L
Vinyl chloride	NE-1	2/7/2009	1	1	ND	ug/L
Vinyl chloride	NE-1	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-1	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	7/14/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	9/2/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	1/19/2011	1	1	ND	ug/L
Vinyl chloride	NE-1	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-1	1/5/2012	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2012	1	1	ND	ug/L
Vinyl chloride	NE-1	4/30/2013	1	1	ND	ug/L
Vinyl chloride	NE-1	7/16/2013	1	1	ND	ug/L
Vinyl chloride	NE-1	1/23/2014	1	1	ND	ug/L
Vinyl chloride	NE-1	7/9/2014	1	1	ND	ug/L
Vinyl chloride	NE-1	2/11/2015	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2015	1	1	ND	ug/L
Vinyl chloride	NE-1	1/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-1	7/20/2016	1	1	ND	ug/L
Vinyl chloride	NE-1	1/11/2017	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	4/11/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	7/18/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	1/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-1	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	10/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	11/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-10D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-11	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	10/9/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-11	1/14/2020	1	1	ND	ug/L
Vinyl chloride	NE-11	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-11	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-12	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	8/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-12	1/13/2020	1	1	ND	ug/L
Vinyl chloride	NE-12	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-12	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-13	2/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-13	8/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-13	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-13	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-13	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-14D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15S	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2002	0.49	1		ug/L
Vinyl chloride	NE-2	8/6/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	9/4/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	10/2/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	10/1/2013	1	1	ND	ug/L
Vinyl chloride	NE-2	10/8/2014	1	1	ND	ug/L
Vinyl chloride	NE-2	10/5/2015	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-2	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-2	1/25/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	4/10/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	7/10/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	10/1/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	1/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	1/14/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	4/1/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-2	1/14/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-2	4/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-3	7/9/2002	2.3	1		ug/L
Vinyl chloride	NE-3	8/6/2002	1.9	1		ug/L
Vinyl chloride	NE-3	9/4/2002	2.2	1		ug/L
Vinyl chloride	NE-3	10/2/2002	1.8	1		ug/L
Vinyl chloride	NE-3	9/2/2010	1	1	ND	ug/L
Vinyl chloride	NE-3	3/21/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	7/10/2002	1.4	1		ug/L
Vinyl chloride	NE-4	8/6/2002	2.3	1		ug/L
Vinyl chloride	NE-4	9/4/2002	0.84	1		ug/L
Vinyl chloride	NE-4	10/3/2002	1.8	1		ug/L
Vinyl chloride	NE-4	4/15/2003	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2003	1	1	ND	ug/L
Vinyl chloride	NE-4	1/28/2004	1	1	ND	ug/L
Vinyl chloride	NE-4	7/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-4	1/13/2005	1	1	ND	ug/L
Vinyl chloride	NE-4	7/20/2005	1	1	ND	ug/L
Vinyl chloride	NE-4	8/1/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	8/1/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-4	7/12/2007	1	1	ND	ug/L
Vinyl chloride	NE-4	1/24/2008	1	1	ND	ug/L
Vinyl chloride	NE-4	7/21/2008	1	1	ND	ug/L
Vinyl chloride	NE-4	2/7/2009	1	1	ND	ug/L
Vinyl chloride	NE-4	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-4	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-4	7/14/2010	1	1	ND	ug/L
Vinyl chloride	NE-4	1/19/2011	1	1	ND	ug/L
Vinyl chloride	NE-4	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-4	1/5/2012	1	1	ND	ug/L
Vinyl chloride	NE-4	7/10/2012	1	1	ND	ug/L
Vinyl chloride	NE-4	4/30/2013	1	1	ND	ug/L
Vinyl chloride	NE-4	7/16/2013	1	1	ND	ug/L
Vinyl chloride	NE-4	1/23/2014	1	1	ND	ug/L
Vinyl chloride	NE-4	7/9/2014	1	1	ND	ug/L
Vinyl chloride	NE-4	2/13/2015	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2015	1	1	ND	ug/L
Vinyl chloride	NE-4	1/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-4	7/20/2016	1	1	ND	ug/L
Vinyl chloride	NE-4	1/11/2017	1	1	ND	ug/L
Vinyl chloride	NE-4	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-4	1/26/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	4/10/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	7/12/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	10/3/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	1/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	10/1/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	1/13/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-4	7/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	10/5/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-4	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2002	1.4	1		ug/L
Vinyl chloride	NE-5	8/6/2002	2.1	1		ug/L
Vinyl chloride	NE-5	9/4/2002	1.3	1		ug/L
Vinyl chloride	NE-5	10/2/2002	2.5	1		ug/L
Vinyl chloride	NE-5	4/15/2003	1	1		ug/L
Vinyl chloride	NE-5	7/8/2003	1.9	1		ug/L
Vinyl chloride	NE-5	1/27/2004	1.9	1		ug/L
Vinyl chloride	NE-5	7/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-5	1/12/2005	1	1	ND	ug/L
Vinyl chloride	NE-5	7/20/2005	1	1	ND	ug/L
Vinyl chloride	NE-5	7/19/2006	1.2	1		ug/L
Vinyl chloride	NE-5	7/19/2006	1.2	1		ug/L
Vinyl chloride	NE-5	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-5	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-5	7/12/2007	1	1	ND	ug/L
Vinyl chloride	NE-5	5/2/2008	0.68	1	ND	ug/L
Vinyl chloride	NE-5	7/22/2008	1	1	ND	ug/L
Vinyl chloride	NE-5	2/6/2009	0.68	1	ND	ug/L
Vinyl chloride	NE-5	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-5	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-5	7/16/2010	1	1	ND	ug/L
Vinyl chloride	NE-5	9/2/2010	0.71	1	ND	ug/L
Vinyl chloride	NE-5	1/19/2011	0.81	1	ND	ug/L
Vinyl chloride	NE-5	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-5	1/5/2012	0.48	1	ND	ug/L
Vinyl chloride	NE-5	7/10/2012	0.47	1	ND	ug/L
Vinyl chloride	NE-5	4/30/2013	0.48	1	ND	ug/L
Vinyl chloride	NE-5	7/16/2013	0.43	1	ND	ug/L
Vinyl chloride	NE-5	1/23/2014	0.37	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2014	0.41	1	ND	ug/L
Vinyl chloride	NE-5	2/11/2015	0.73	1	ND	ug/L
Vinyl chloride	NE-5	7/14/2015	0.36	1	ND	ug/L
Vinyl chloride	NE-5	1/6/2016	0.45	1	ND	ug/L
Vinyl chloride	NE-5	7/20/2016	0.19	1	ND	ug/L
Vinyl chloride	NE-5	1/11/2017	0.31	1	ND	ug/L
Vinyl chloride	NE-5	7/19/2017	0.41	1	ND	ug/L
Vinyl chloride	NE-5	1/25/2018	0.37	1	ND	ug/L
Vinyl chloride	NE-5	4/10/2018	0.39	1	ND	ug/L
Vinyl chloride	NE-5	7/17/2018	0.44	1	ND	ug/L
Vinyl chloride	NE-5	10/3/2018	0.59	1	ND	ug/L
Vinyl chloride	NE-5	1/4/2019	0.71	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2019	0.63	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2019	0.63	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	0.28	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	0.28	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-5	10/3/2019	1	1	ND	ug/L
Vinyl chloride	NE-5	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-5	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/1/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-6	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	2/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-6	8/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-6	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-6	7/9/2020	1	1	ND	ug/L
Vinyl chloride	NE-6	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/9/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-6D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-7	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	2/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-7	8/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-7	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-8	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	2/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-8	8/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-8	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-8	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-8	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	2/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-9	8/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-9	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-9	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	4/8/2023	1	1	ND	ug/L
Water temperature in deg. celsius (field)	LGW-10	9/30/2005	18.2	0		C
Water temperature in deg. celsius (field)	LGW-10	7/20/2006	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/20/2006	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/31/2006	18.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	8/1/2006	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2006	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	9/27/2006	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	9/28/2006	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/26/2006	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	10/26/2006	18.5	0		C
Water temperature in deg. celsius (field)	LGW-10	11/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-10	12/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/27/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/27/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	3/26/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/27/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/27/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	4/26/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-10	4/26/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-10	5/31/2007	19	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2007	19	0		C
Water temperature in deg. celsius (field)	LGW-10	6/28/2007	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	6/28/2007	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	7/12/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	10/23/2007	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/28/2007	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	12/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/23/2008	13.3	0		C
Water temperature in deg. celsius (field)	LGW-10	2/28/2008	15	0		C
Water temperature in deg. celsius (field)	LGW-10	5/30/2008	18.7	0		C
Water temperature in deg. celsius (field)	LGW-10	6/25/2008	16.86	0		C
Water temperature in deg. celsius (field)	LGW-10	7/22/2008	16.87	0		C
Water temperature in deg. celsius (field)	LGW-10	8/29/2008	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/26/2008	17.24	0		C
Water temperature in deg. celsius (field)	LGW-10	11/25/2008	16.28	0		C
Water temperature in deg. celsius (field)	LGW-10	12/19/2008	15.82	0		C
Water temperature in deg. celsius (field)	LGW-10	3/26/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	4/16/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-10	5/29/2009	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/24/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	7/29/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/21/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/17/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/16/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	4/8/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	5/6/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/15/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/16/2010	16.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	8/10/2010	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/1/2010	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/29/2010	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	12/2/2010	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	1/19/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2011	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	5/10/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2011	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	7/12/2011	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	8/3/2011	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/7/2011	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2011	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	11/1/2011	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	12/7/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	1/5/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	2/1/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	3/6/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2012	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/1/2012	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	6/5/2012	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	8/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2012	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	5/1/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	6/4/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	8/8/2013	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	9/10/2013	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/1/2013	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/6/2013	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	12/2/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/30/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	2/13/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	3/12/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2014	17	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2014	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	8/5/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2014	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	10/9/2014	17	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	1/14/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-10	2/12/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-10	4/1/2015	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	7/13/2015	17.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/5/2015	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/3/2015	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	10/6/2015	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	11/4/2015	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/5/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-10	2/10/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2016	16.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	4/6/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	5/11/2016	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2016	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	7/21/2016	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	8/10/2016	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	LGW-10	10/6/2016	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	11/2/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	12/1/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/11/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	5/16/2017	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	6/6/2017	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/19/2017	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2017	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	9/5/2017	17	0		C
Water temperature in deg. celsius (field)	LGW-10	10/9/2017	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/1/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	1/24/2018	12.1	0.1		C
Water temperature in deg. celsius (field)	LGW-10	2/23/2018	12.04	0.1		C
Water temperature in deg. celsius (field)	LGW-10	3/21/2018	18.3	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/11/2018	19.9	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/11/2018	19.9	0.1		C
Water temperature in deg. celsius (field)	LGW-10	6/6/2018	19.41	0		C
Water temperature in deg. celsius (field)	LGW-10	7/16/2018	32.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	8/2/2018	31.3	0.1		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2018	27.6	0		C
Water temperature in deg. celsius (field)	LGW-10	10/4/2018	25.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/4/2018	25.4	0		C
Water temperature in deg. celsius (field)	LGW-10	11/6/2018	22.2	0.1		C
Water temperature in deg. celsius (field)	LGW-10	12/4/2018	5.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	1/4/2019	3.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	2/6/2019	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	3/5/2019	8.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/3/2019	12.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/3/2019	12.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	5/3/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	6/4/2019	27.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2019	20.6	0		C
Water temperature in deg. celsius (field)	LGW-10	8/7/2019	36.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2019	35.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/2/2019	30.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/2/2019	30.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	11/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2019	13.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	1/15/2020	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	3/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2020	17.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2020	17.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	5/5/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-10	6/2/2020	20.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/3/2020	22.7	0		C
Water temperature in deg. celsius (field)	LGW-10	9/2/2020	17.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2020	24.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2020	24.1	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	11/4/2020	17	0		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2020	14.7	0		C
Water temperature in deg. celsius (field)	LGW-10	1/17/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-10	2/9/2021	7.1	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	4/6/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	4/6/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	5/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	8/4/2021	19.3	0		C
Water temperature in deg. celsius (field)	LGW-10	9/2/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	11/2/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-10	12/9/2021	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	2/10/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2022	18.7	0		C
Water temperature in deg. celsius (field)	LGW-10	8/10/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/8/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	1/11/2023	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2023	14.7	0		C
Water temperature in deg. celsius (field)	LGW-10	3/1/2023	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2005	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/21/2006	19.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/21/2006	19.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/2/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/27/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/27/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/21/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/21/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/24/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/24/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/25/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/26/2007	14.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	2/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/24/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/26/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/31/2007	21.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2007	21.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/28/2007	19.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/28/2007	19.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2007	21.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/11/2007	21.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/28/2007	22.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/29/2007	22.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2007	21.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/23/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/27/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/27/2007	11.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2008	11.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/28/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/25/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/3/2008	15.79	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/30/2008	17.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/25/2008	21.67	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/22/2008	19	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/29/2008	24.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/26/2008	18.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/25/2008	14.53	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/19/2008	14.74	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/6/2009	19.53	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/25/2009	18.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/28/2009	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/22/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/18/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/7/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/6/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/16/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/12/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/29/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/2/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/19/2011	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/10/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/12/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/7/2011	14.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	1/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/1/2012	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/1/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/5/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/9/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/7/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/6/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/6/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2013	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2013	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/30/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/4/2013	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/8/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/10/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2013	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/2/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2014	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/12/2014	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/11/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/2/2014	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/7/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/8/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/5/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/9/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/14/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/11/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/1/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/6/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/22/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/4/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/5/2016	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2016	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/11/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2016	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/19/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/6/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/2/2016	15.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	12/1/2016	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/11/2017	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/4/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/2/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/18/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/5/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/1/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/25/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	2/22/2018	16.3	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	3/20/2018	20.2	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	4/10/2018	12.1	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	6/5/2018	25	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/21/2018	29.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/17/2018	27.87	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2018	31	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2018	28.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/2/2018	32.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/2/2018	32.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2018	20.2	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	12/4/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	1/3/2019	6.5	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	2/6/2019	12.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2019	11.2	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	4/3/2019	21	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	5/2/2019	21.7	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	6/4/2019	30.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	8/7/2019	22.2	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	9/5/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	10/3/2019	20.8	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	11/5/2019	16.9	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	12/4/2019	14	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	1/16/2020	10.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2020	14.8	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	4/3/2020	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	5/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	6/2/2020	19.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2020	19	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2020	19.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	10/7/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2020	16.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/3/2020	12.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/18/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/18/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/9/2021	10.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2021	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/6/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/6/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/4/2021	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2021	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2021	17.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2021	17.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/2/2021	13.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/10/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/1/2022	16.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/7/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/11/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2022	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/8/2022	17.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2022	17.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/7/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/10/2023	14.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2023	12.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/1/2023	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/30/2005	18.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/31/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/31/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/20/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	10/26/2006	16	0		C
Water temperature in deg. celsius (field)	LGW-2	10/26/2006	16	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/21/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/21/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	12/21/2006	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	12/21/2006	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/7/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/27/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/27/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	6/28/2007	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/28/2007	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2007	18.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	7/10/2007	18.8	0		C
Water temperature in deg. celsius (field)	LGW-2	8/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/28/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	10/24/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/28/2007	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	12/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-2	1/26/2008	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/26/2008	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/28/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/24/2008	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	5/3/2008	16.83	0		C
Water temperature in deg. celsius (field)	LGW-2	5/30/2008	19.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/26/2008	17.87	0		C
Water temperature in deg. celsius (field)	LGW-2	7/23/2008	17.8	0		C
Water temperature in deg. celsius (field)	LGW-2	8/29/2008	17.11	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2008	24.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2008	24.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/21/2008	16.79	0		C
Water temperature in deg. celsius (field)	LGW-2	11/25/2008	16.42	0		C
Water temperature in deg. celsius (field)	LGW-2	12/19/2008	14.34	0		C
Water temperature in deg. celsius (field)	LGW-2	2/6/2009	15.65	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-2	4/16/2009	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	5/29/2009	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	6/25/2009	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/30/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/29/2009	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	9/30/2009	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	10/22/2009	16.5	0		C
Water temperature in deg. celsius (field)	LGW-2	11/24/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	12/18/2009	14.3	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2010	13.1	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2010	13.1	0		C
Water temperature in deg. celsius (field)	LGW-2	2/17/2010	12.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/4/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	4/8/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-2	5/6/2010	18.4	0		C
Water temperature in deg. celsius (field)	LGW-2	6/15/2010	17	0		C
Water temperature in deg. celsius (field)	LGW-2	7/12/2010	12.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2010	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/1/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/29/2010	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-2	12/2/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/19/2011	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/7/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	5/10/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	7/13/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2011	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/7/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	1/4/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/1/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	3/6/2012	16	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	4/5/2012	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/1/2012	17	0		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	8/9/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2012	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	10/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	4/30/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	6/4/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-2	7/15/2013	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	8/8/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	9/10/2013	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/1/2013	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	12/2/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-2	1/30/2014	14.3	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-2	3/12/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	4/3/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/7/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2014	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	8/5/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2014	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	10/9/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	1/14/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2015	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	5/6/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2015	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/4/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	9/2/2015	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	11/4/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	12/3/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-2	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2016	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	5/11/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/19/2016	17.1	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2016	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	11/2/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	12/1/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	1/11/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/7/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/16/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	6/6/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	7/18/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/5/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2017	17	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2017	16.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	1/23/2018	8.9	0.1		C
Water temperature in deg. celsius (field)	LGW-2	2/22/2018	13.42	0.1		C
Water temperature in deg. celsius (field)	LGW-2	3/21/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-2	4/10/2018	8.7	0.1		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2018	22.49	0		C
Water temperature in deg. celsius (field)	LGW-2	6/21/2018	24.5	0		C
Water temperature in deg. celsius (field)	LGW-2	7/12/2018	31.1	0.1		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2018	20.5	0.1		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2018	28.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/2/2018	26.5	0		C
Water temperature in deg. celsius (field)	LGW-2	10/2/2018	26.5	0		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2018	23.5	0.1		C
Water temperature in deg. celsius (field)	LGW-2	12/4/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	1/3/2019	8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	2/5/2019	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	3/6/2019	13.1	0.01		C
Water temperature in deg. celsius (field)	LGW-2	4/3/2019	13.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	5/2/2019	22	0.01		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2019	21.8	0		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2019	24.2	0.01		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2019	24.2	0.01		C
Water temperature in deg. celsius (field)	LGW-2	8/6/2019	24.7	0.01		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2019	23	0.01		C
Water temperature in deg. celsius (field)	LGW-2	10/1/2019	26.6	0.01		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2019	16.3	0.01		C
Water temperature in deg. celsius (field)	LGW-2	12/3/2019	11.8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	1/13/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2020	15.5	0.01		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2020	17.2	0.1		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2020	17.2	0.1		C
Water temperature in deg. celsius (field)	LGW-2	5/5/2020	18	0.01		C
Water temperature in deg. celsius (field)	LGW-2	6/2/2020	19.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2020	20.1	0		C
Water temperature in deg. celsius (field)	LGW-2	9/3/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	10/7/2020	17.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2020	15.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/4/2020	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	1/18/2021	13.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/18/2021	13.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/10/2021	10.8	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-2	4/7/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	5/4/2021	13.8	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2021	16.5	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2021	21.5	0		C
Water temperature in deg. celsius (field)	LGW-2	9/2/2021	24.2	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2021	22.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2021	22.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2021	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/8/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	2/9/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-2	3/1/2022	17.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	4/5/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-2	5/7/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2022	21.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2022	19.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/8/2022	21.1	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2022	21	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	12/7/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/10/2023	17	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2023	9.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/1/2023	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	4/6/2023	13.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/28/2005	22.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/20/2006	23.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/20/2006	23.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/26/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/26/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/21/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/21/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/21/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/21/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/9/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/27/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/27/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/26/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/26/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/11/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/28/2007	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/28/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/27/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/26/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/26/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/27/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/24/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/3/2008	15.41	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/30/2008	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/26/2008	16.92	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/23/2008	16.12	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/29/2008	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2008	15.77	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2008	15.77	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	10/22/2008	15.49	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/25/2008	15.01	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/19/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2009	14.66	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/16/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/28/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/25/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/31/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/29/2009	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/30/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/22/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/24/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/18/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/17/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/8/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/5/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/15/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/16/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/11/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/1/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/29/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/19/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/10/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/13/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2011	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/7/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/5/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/7/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/4/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/1/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/6/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/1/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/4/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/8/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/30/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/4/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/15/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/8/2013	16.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	9/10/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/6/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/22/2014	14.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/12/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/2/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/7/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/8/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/4/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/9/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/10/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/1/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/6/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/16/2015	27.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2015	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/3/2015	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/5/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/4/2015	10.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2016	12.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/4/2016	13.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2016	13.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2016	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/12/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/21/2016	17.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/11/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/7/2016	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/7/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2016	18.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2016	13.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/11/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2017	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/4/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/2/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/6/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/1/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/1/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	2/22/2018	14.2	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	3/19/2018	14.5	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	4/10/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2018	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/11/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	8/1/2018	19.1	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	9/5/2018	19.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/3/2018	20.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/7/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	12/4/2018	12.7	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	1/3/2019	13.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2019	17	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/4/2019	10.9	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	4/3/2019	14.9	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	5/1/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2019	18.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2019	19.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	9/3/2019	20.5	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	10/1/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	11/6/2019	15.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2019	9.9	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	1/14/2020	12.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2020	14.7	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	4/1/2020	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	5/5/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2020	19	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/2/2020	16.5	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	10/5/2020	19.8	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2020	17.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/4/2020	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/9/2021	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2021	18.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2021	18.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/4/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/2/2021	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/5/2021	17	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/2/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/9/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/10/2022	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/1/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/7/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2022	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/10/2022	18.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/10/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/8/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/7/2022	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/10/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/1/2023	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2023	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/28/2005	16.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	7/20/2006	22.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/20/2006	22.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2006	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2006	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	10/26/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/26/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	11/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	11/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	12/21/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-4	12/21/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	11.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	4/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	4/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	5/31/2007	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2007	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	6/28/2007	17.2	0		C
Water temperature in deg. celsius (field)	LGW-4	6/28/2007	17.2	0		C
Water temperature in deg. celsius (field)	LGW-4	7/10/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-4	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/28/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-4	10/24/2007	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/28/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-4	12/27/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/22/2008	11.2	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	3/25/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	5/3/2008	14.96	0		C
Water temperature in deg. celsius (field)	LGW-4	5/30/2008	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/23/2008	15.23	0		C
Water temperature in deg. celsius (field)	LGW-4	8/29/2008	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2008	15.36	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2008	15.36	0		C
Water temperature in deg. celsius (field)	LGW-4	10/22/2008	15.05	0		C
Water temperature in deg. celsius (field)	LGW-4	11/25/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	12/19/2008	14.79	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2009	14.56	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	4/16/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-4	5/28/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/25/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/31/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	8/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/22/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	11/24/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/17/2010	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/3/2010	14.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	4/8/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	5/5/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	6/15/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/11/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/1/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	9/29/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-4	12/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	1/19/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2011	14.3	0		C
Water temperature in deg. celsius (field)	LGW-4	3/3/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	5/10/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	7/13/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/7/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/1/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	12/7/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	1/4/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	2/1/2012	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	3/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	5/1/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	8/9/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/4/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	10/7/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/30/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/4/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/15/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	8/8/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/10/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	11/6/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-4	12/2/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	1/23/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/12/2014	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/11/2014	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/2/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	5/7/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	7/8/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	8/5/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-4	10/9/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	2/11/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	4/1/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-4	5/6/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/8/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	8/4/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	11/4/2015	15.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	12/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	1/5/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2016	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	5/11/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/19/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	8/10/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	9/6/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	11/2/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	12/1/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/11/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/4/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	5/2/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	5/16/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	6/6/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/18/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-4	8/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	11/1/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/23/2018	15.2	0.1		C
Water temperature in deg. celsius (field)	LGW-4	2/22/2018	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-4	3/19/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-4	4/10/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2018	17	0.1		C
Water temperature in deg. celsius (field)	LGW-4	8/1/2018	18.4	0.1		C
Water temperature in deg. celsius (field)	LGW-4	9/5/2018	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	10/3/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	11/7/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	LGW-4	1/3/2019	14.9	0.1		C
Water temperature in deg. celsius (field)	LGW-4	2/5/2019	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	3/4/2019	11.7	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/3/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/3/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-4	5/1/2019	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2019	16.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-4	8/5/2019	17.6	0.01		C
Water temperature in deg. celsius (field)	LGW-4	9/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-4	10/1/2019	17.4	0.01		C
Water temperature in deg. celsius (field)	LGW-4	11/6/2019	16	0.01		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2019	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-4	1/14/2020	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2020	15.3	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/1/2020	15.2	0.1		C
Water temperature in deg. celsius (field)	LGW-4	5/5/2020	16	0.01		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2020	17.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2020	16.9	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	11/3/2020	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2020	14.3	0		C
Water temperature in deg. celsius (field)	LGW-4	1/18/2021	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/18/2021	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/9/2021	12.9	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-4	5/4/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/2/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2021	18.5	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/2/2021	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	12/9/2021	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	2/10/2022	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/1/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	5/7/2022	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	8/10/2022	18.2	0		C
Water temperature in deg. celsius (field)	LGW-4	9/8/2022	18.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2022	18.6	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	12/7/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	1/10/2023	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2023	14.3	0		C
Water temperature in deg. celsius (field)	LGW-4	3/1/2023	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2023	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2005	14	0		C
Water temperature in deg. celsius (field)	LGW-5	7/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/31/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/27/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/27/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	10/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/21/2006	13.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/21/2006	13.5	0		C
Water temperature in deg. celsius (field)	LGW-5	12/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	12/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-5	2/7/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/27/2007	13.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	4/26/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/26/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-5	5/31/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	6/28/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	6/28/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/10/2007	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	7/11/2007	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-5	9/28/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-5	10/24/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-5	11/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/27/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2008	13.2	0		C
Water temperature in deg. celsius (field)	LGW-5	2/28/2008	14	0		C
Water temperature in deg. celsius (field)	LGW-5	3/25/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/3/2008	15.08	0		C
Water temperature in deg. celsius (field)	LGW-5	5/30/2008	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/26/2008	16.08	0		C
Water temperature in deg. celsius (field)	LGW-5	7/23/2008	15.85	0		C
Water temperature in deg. celsius (field)	LGW-5	9/26/2008	16.09	0		C
Water temperature in deg. celsius (field)	LGW-5	9/26/2008	16.09	0		C
Water temperature in deg. celsius (field)	LGW-5	10/21/2008	15.35	0		C
Water temperature in deg. celsius (field)	LGW-5	11/25/2008	15.04	0		C
Water temperature in deg. celsius (field)	LGW-5	12/19/2008	14.85	0		C
Water temperature in deg. celsius (field)	LGW-5	2/4/2009	14.75	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/16/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-5	5/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/24/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	7/29/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2009	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	10/21/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	11/24/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-5	12/17/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/7/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/5/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/15/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/2/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	1/19/2011	14.6	0		C
Water temperature in deg. celsius (field)	LGW-5	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2011	15.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	11/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	12/7/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/5/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	2/1/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	3/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	5/1/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	6/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	8/9/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	10/7/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/30/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/4/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	7/15/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	8/8/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	9/10/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	10/1/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	11/6/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/12/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-5	4/2/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	5/7/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	8/5/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2014	16.7	0		C
Water temperature in deg. celsius (field)	LGW-5	10/9/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/14/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	2/10/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/1/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	5/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/8/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	8/4/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2015	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	11/4/2015	18.8	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	5/11/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/19/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-5	11/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/1/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/11/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/7/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2017	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	5/16/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/18/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	11/1/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-5	2/23/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-5	3/20/2018	13.8	0.1		C
Water temperature in deg. celsius (field)	LGW-5	4/10/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-5	6/5/2018	16.9	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	10/3/2018	22.3	0		C
Water temperature in deg. celsius (field)	LGW-5	11/7/2018	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-5	12/4/2018	8.7	0.1		C
Water temperature in deg. celsius (field)	LGW-5	1/3/2019	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-5	2/5/2019	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/5/2019	11.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-5	5/1/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	LGW-5	6/4/2019	21.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2019	19.6	0.01		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2019	19.6	0.01		C
Water temperature in deg. celsius (field)	LGW-5	8/5/2019	21.5	0.01		C
Water temperature in deg. celsius (field)	LGW-5	9/3/2019	20.8	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/1/2019	20.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	11/5/2019	17.2	0.01		C
Water temperature in deg. celsius (field)	LGW-5	12/2/2019	13.4	0.1		C
Water temperature in deg. celsius (field)	LGW-5	1/14/2020	16	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/1/2020	16.9	0.1		C
Water temperature in deg. celsius (field)	LGW-5	5/4/2020	21.4	0.01		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2020	19.5	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2020	20.1	0		C
Water temperature in deg. celsius (field)	LGW-5	9/1/2020	20	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2020	18.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2020	11.7	0		C
Water temperature in deg. celsius (field)	LGW-5	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	LGW-5	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	LGW-5	2/9/2021	9.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/4/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/2/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2021	23.6	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2021	26.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	10/5/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/2/2021	13.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/9/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/10/2022	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	3/1/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	5/7/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2022	19.2	0		C
Water temperature in deg. celsius (field)	LGW-5	7/11/2022	21.7	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2022	21.7	0		C
Water temperature in deg. celsius (field)	LGW-5	9/8/2022	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2022	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2022	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2022	20.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/7/2022	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	1/10/2023	16.4	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2023	12.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2023	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	9/30/2005	14.9	0		C
Water temperature in deg. celsius (field)	LGW-6	7/20/2006	22.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/20/2006	22.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	10/26/2006	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	10/26/2006	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	11/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/24/2007	13.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/24/2007	13.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/25/2007	13.5	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	4/26/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	4/26/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	5/31/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-6	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2007	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/11/2007	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	10/23/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/27/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	12/27/2007	13	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	1/23/2008	12.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/28/2008	14.7	0		C
Water temperature in deg. celsius (field)	LGW-6	3/25/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	5/3/2008	15.15	0		C
Water temperature in deg. celsius (field)	LGW-6	5/30/2008	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	6/26/2008	15.92	0		C
Water temperature in deg. celsius (field)	LGW-6	7/23/2008	15.92	0		C
Water temperature in deg. celsius (field)	LGW-6	8/29/2008	16.26	0		C
Water temperature in deg. celsius (field)	LGW-6	9/26/2008	15.87	0		C
Water temperature in deg. celsius (field)	LGW-6	9/26/2008	15.87	0		C
Water temperature in deg. celsius (field)	LGW-6	10/21/2008	15.45	0		C
Water temperature in deg. celsius (field)	LGW-6	11/25/2008	15.18	0		C
Water temperature in deg. celsius (field)	LGW-6	12/19/2008	14.85	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2009	14.92	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	5/29/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/24/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	7/29/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	9/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	10/22/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/24/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	12/17/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	4/7/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	6/15/2010	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/12/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/29/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	12/2/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	1/19/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2011	13.9	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	7/12/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/7/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	1/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	2/1/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	3/6/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	5/1/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	8/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	9/4/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	10/7/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	12/6/2012	15.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	12/6/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	4/30/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	6/4/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/15/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	8/8/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/10/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	12/2/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/12/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	3/11/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	4/2/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	5/7/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/5/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/4/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	10/9/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/14/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	2/10/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/1/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	5/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/22/2015	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	8/4/2015	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/4/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	12/3/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2016	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	5/11/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/19/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2016	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	9/6/2016	17	0		C
Water temperature in deg. celsius (field)	LGW-6	9/6/2016	17	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/1/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	1/11/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	5/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2017	8.6	0		C
Water temperature in deg. celsius (field)	LGW-6	6/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/1/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2017	16.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	10/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	11/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-6	2/22/2018	15.74	0.1		C
Water temperature in deg. celsius (field)	LGW-6	3/20/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/10/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/10/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/17/2018	18.51	0.1		C
Water temperature in deg. celsius (field)	LGW-6	8/1/2018	17.3	0.1		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/2/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/2/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	LGW-6	12/4/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-6	1/7/2019	16.3	0.1		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2019	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/4/2019	14.4	0.01		C
Water temperature in deg. celsius (field)	LGW-6	4/3/2019	16.3	0.01		C
Water temperature in deg. celsius (field)	LGW-6	5/2/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-6	6/4/2019	18.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2019	17.5	0.01		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2019	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/8/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/3/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/3/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	LGW-6	11/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-6	12/4/2019	15.7	0.1		C
Water temperature in deg. celsius (field)	LGW-6	1/16/2020	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-6	4/2/2020	16.1	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/3/2020	16.1	0.1		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-6	6/2/2020	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2020	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2020	17.2	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	12/3/2020	14	0		C
Water temperature in deg. celsius (field)	LGW-6	1/18/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	2/9/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2021	16	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2021	14.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2021	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2021	20.1	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2021	19.8	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/2/2021	15.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	12/9/2021	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	2/10/2022	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	3/1/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/7/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2022	17.9	0		C
Water temperature in deg. celsius (field)	LGW-6	7/11/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2022	19.2	0		C
Water temperature in deg. celsius (field)	LGW-6	9/8/2022	17.9	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2022	17.2	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2022	17.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-6	12/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/10/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2023	14.6	0		C
Water temperature in deg. celsius (field)	LGW-6	3/1/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2023	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/30/2005	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2006	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2006	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/31/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	9/27/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/27/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/26/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	10/26/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/21/2006	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	11/21/2006	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/25/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/7/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	3/26/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	4/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	4/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/28/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-7	6/28/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	8/29/2007	18	0		C
Water temperature in deg. celsius (field)	LGW-7	8/29/2007	18	0		C
Water temperature in deg. celsius (field)	LGW-7	9/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	10/24/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	11/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	12/27/2007	13.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	1/25/2008	9.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/28/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	3/25/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/3/2008	15.53	0		C
Water temperature in deg. celsius (field)	LGW-7	5/30/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	6/26/2008	15.68	0		C
Water temperature in deg. celsius (field)	LGW-7	7/22/2008	15.84	0		C
Water temperature in deg. celsius (field)	LGW-7	9/26/2008	15.83	0		C
Water temperature in deg. celsius (field)	LGW-7	9/26/2008	15.83	0		C
Water temperature in deg. celsius (field)	LGW-7	10/21/2008	15.61	0		C
Water temperature in deg. celsius (field)	LGW-7	11/25/2008	15.25	0		C
Water temperature in deg. celsius (field)	LGW-7	12/19/2008	14.66	0		C
Water temperature in deg. celsius (field)	LGW-7	2/4/2009	14.72	0		C
Water temperature in deg. celsius (field)	LGW-7	3/26/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/16/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/28/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/25/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	7/31/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	8/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/30/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/21/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/24/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/17/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/27/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/16/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	4/7/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	6/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/29/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	11/3/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	12/2/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-7	1/20/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/8/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/5/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	9/7/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	11/1/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/8/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	1/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-7	2/1/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	3/6/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	4/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	5/1/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	8/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	9/4/2012	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	10/7/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	4/30/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	6/4/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/15/2013	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	8/8/2013	16.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	9/10/2013	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/1/2013	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	11/6/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/2/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-7	1/23/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/13/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-7	4/2/2014	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	5/7/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/8/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	8/5/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/4/2014	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	10/9/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	11/3/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-7	1/14/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/11/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	4/1/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	5/6/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/22/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	8/4/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	9/3/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/4/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/5/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/3/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/10/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	4/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-7	5/11/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2016	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	12/1/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	1/11/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	2/7/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	5/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	6/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/18/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	11/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-7	2/22/2018	12.6	0.1		C
Water temperature in deg. celsius (field)	LGW-7	3/20/2018	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	4/11/2018	20.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	4/11/2018	20.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2018	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2018	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2018	22.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	8/2/2018	19.7	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	9/5/2018	22	0		C
Water temperature in deg. celsius (field)	LGW-7	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-7	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-7	11/7/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	12/4/2018	12.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	1/7/2019	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-7	2/5/2019	17.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/5/2019	13.4	0.01		C
Water temperature in deg. celsius (field)	LGW-7	4/3/2019	17.8	0.01		C
Water temperature in deg. celsius (field)	LGW-7	5/2/2019	18.3	0.01		C
Water temperature in deg. celsius (field)	LGW-7	6/4/2019	22.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2019	18.9	0.01		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2019	18.9	0		C
Water temperature in deg. celsius (field)	LGW-7	8/7/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	9/5/2019	19.8	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/3/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/3/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	11/6/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2019	14.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	1/15/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2020	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-7	4/3/2020	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2020	17	0.01		C
Water temperature in deg. celsius (field)	LGW-7	6/2/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2020	17.9	0.01		C
Water temperature in deg. celsius (field)	LGW-7	11/4/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2020	13.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/18/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-7	2/9/2021	11.6	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	4/7/2021	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/2/2021	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2021	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-7	11/2/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/9/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/10/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	5/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2022	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/11/2022	19	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2022	19.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/8/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2022	17	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	11/3/2022	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	12/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	1/11/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/3/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-7	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	4/6/2023	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/30/2005	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2006	17.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2006	17.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/26/2006	16.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/26/2006	16.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/21/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/21/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/21/2006	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/21/2006	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/24/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/24/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/25/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/26/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/26/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/28/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/28/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/10/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/12/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/23/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/28/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2008	16.39	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/25/2008	16.07	16.07	ND	C
Water temperature in deg. celsius (field)	LGW-8R	9/25/2008	16.07	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/21/2008	14.92	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/25/2008	14.67	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/19/2008	14.19	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/4/2009	13.15	13.15	ND	C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2009	13.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/16/2009	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/28/2009	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/25/2009	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/28/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/29/2009	15.4	15.4	ND	C
Water temperature in deg. celsius (field)	LGW-8R	10/21/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/24/2009	15.1	15.1	ND	C
Water temperature in deg. celsius (field)	LGW-8R	12/17/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/27/2010	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/15/2010	13	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	3/3/2010	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/7/2010	13.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/5/2010	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/16/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/14/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/29/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/2/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/20/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2011	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2011	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2011	13.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/10/2011	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/12/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/7/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/1/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/8/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/1/2012	14.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/7/2012	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2012	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/1/2012	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/5/2012	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/9/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/9/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/4/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/7/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/30/2013	14	14	ND	C
Water temperature in deg. celsius (field)	LGW-8R	6/4/2013	14.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/15/2013	14.8	14.8	ND	C
Water temperature in deg. celsius (field)	LGW-8R	8/8/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/10/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/6/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/2/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/22/2014	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/12/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/11/2014	14	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/2/2014	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/7/2014	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2014	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/5/2014	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/4/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/9/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/11/2015	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2015	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/1/2015	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/6/2015	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2015	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/22/2015	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/4/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/3/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2015	15.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	11/4/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/5/2016	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/3/2016	19.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2016	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2016	14.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/11/2016	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2016	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2016	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/6/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/1/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/11/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2017	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2017	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/4/2017	14.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/2/2017	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/6/2017	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/18/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/1/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/25/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	2/23/2018	14.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	3/19/2018	15	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	4/11/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	6/5/2018	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/21/2018	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/13/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	8/2/2018	16.2	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2018	18.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/7/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	12/4/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	1/7/2019	16	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	2/5/2019	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/5/2019	12.3	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	4/3/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	5/1/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	6/4/2019	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2019	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2019	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	8/7/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	10/1/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	11/5/2019	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	12/4/2019	15.6	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	1/14/2020	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	4/2/2020	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	5/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2020	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2020	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/1/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2020	16.4	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	11/2/2020	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/1/2020	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/17/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/9/2021	13.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2021	14.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/7/2021	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/5/2021	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/2/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/10/2022	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2022	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/11/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2022	17.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/8/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2022	16.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2022	16.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2022	17.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/7/2022	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/11/2023	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/3/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/1/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/6/2023	14.6	0		C
Water temperature in deg. celsius (field)	LGW-9	9/30/2005	16.8	0		C
Water temperature in deg. celsius (field)	LGW-9	7/20/2006	20.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/20/2006	20.3	0		C
Water temperature in deg. celsius (field)	LGW-9	9/27/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/27/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	10/26/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	10/26/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	12/21/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-9	12/21/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	4/25/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	4/26/2007	15.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	5/31/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/28/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/28/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/28/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	10/23/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/28/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/27/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2008	9.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/28/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/25/2008	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/3/2008	14.83	0		C
Water temperature in deg. celsius (field)	LGW-9	5/30/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/25/2008	15.99	0		C
Water temperature in deg. celsius (field)	LGW-9	7/22/2008	15.49	0		C
Water temperature in deg. celsius (field)	LGW-9	8/29/2008	15.56	0		C
Water temperature in deg. celsius (field)	LGW-9	9/26/2008	15.69	0		C
Water temperature in deg. celsius (field)	LGW-9	9/26/2008	15.69	0		C
Water temperature in deg. celsius (field)	LGW-9	10/22/2008	15.16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/24/2008	14.87	0		C
Water temperature in deg. celsius (field)	LGW-9	12/19/2008	14.82	0		C
Water temperature in deg. celsius (field)	LGW-9	2/4/2009	14.76	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	4/15/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	5/28/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	6/24/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/22/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	11/24/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/17/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	1/27/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/15/2010	14.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/8/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/6/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/16/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	7/14/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	8/11/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	9/1/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	9/29/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/20/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	5/10/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	7/12/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/7/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	11/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	12/8/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	1/5/2012	15.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	2/1/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/7/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	5/1/2012	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	8/9/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/1/2013	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/4/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	7/15/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	8/8/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/10/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2013	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	1/23/2014	14.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/13/2014	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/11/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/8/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	8/5/2014	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	10/9/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	1/14/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	2/11/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/1/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	7/13/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	10/6/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	11/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/3/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	2/3/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2016	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/11/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/21/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	8/10/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/6/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/6/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/2/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	12/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/11/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	5/16/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/6/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-9	7/18/2017	15.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	8/1/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	9/5/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	11/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/24/2018	14.3	0.1		C
Water temperature in deg. celsius (field)	LGW-9	2/22/2018	13.5	0.1		C
Water temperature in deg. celsius (field)	LGW-9	3/20/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2018	20.78	0		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2018	20.78	0		C
Water temperature in deg. celsius (field)	LGW-9	7/13/2018	19.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	8/2/2018	23.1	0.1		C
Water temperature in deg. celsius (field)	LGW-9	9/5/2018	22.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/2/2018	21.1	0		C
Water temperature in deg. celsius (field)	LGW-9	10/2/2018	21.1	0		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-9	12/4/2018	12.6	0.1		C
Water temperature in deg. celsius (field)	LGW-9	1/7/2019	17	0.1		C
Water temperature in deg. celsius (field)	LGW-9	2/6/2019	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/5/2019	11.4	0.01		C
Water temperature in deg. celsius (field)	LGW-9	4/3/2019	15.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	5/3/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	6/4/2019	16.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2019	21	0.01		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2019	21	0		C
Water temperature in deg. celsius (field)	LGW-9	8/8/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2019	21.6	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/3/2019	20.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/3/2019	20.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2019	15.5	0.01		C
Water temperature in deg. celsius (field)	LGW-9	12/3/2019	14.6	0.1		C
Water temperature in deg. celsius (field)	LGW-9	1/16/2020	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/4/2020	14.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2020	14.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	6/2/2020	16.8	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	8/3/2020	18.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/2/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2020	13.6	0		C
Water temperature in deg. celsius (field)	LGW-9	1/17/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-9	2/9/2021	9.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2021	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/2/2021	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-9	9/2/2021	19.3	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2021	17.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/2/2021	14.3	0		C
Water temperature in deg. celsius (field)	LGW-9	12/9/2021	16.3	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	2/10/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-9	7/11/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-9	8/10/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-9	9/8/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	12/7/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/11/2023	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/3/2023	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/1/2023	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2023	15.5	0		C
Water temperature in deg. celsius (field)	MW-10N	1/18/2006	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2006	16.7	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2006	16.7	0		C
Water temperature in deg. celsius (field)	MW-10N	10/24/2006	14.4	0		C
Water temperature in deg. celsius (field)	MW-10N	10/24/2006	14.4	0		C
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2007	16.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2007	16.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2008	12.8	0		C
Water temperature in deg. celsius (field)	MW-10N	7/21/2008	15.41	0		C
Water temperature in deg. celsius (field)	MW-10N	2/13/2009	14.5	0		C
Water temperature in deg. celsius (field)	MW-10N	7/31/2009	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	1/27/2010	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	8/10/2010	15.2	0		C
Water temperature in deg. celsius (field)	MW-10N	1/19/2011	14.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/14/2011	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/5/2012	14.6	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2012	15.3	0		C
Water temperature in deg. celsius (field)	MW-10N	5/1/2013	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	1/24/2014	10.9	0		C
Water temperature in deg. celsius (field)	MW-10N	7/9/2014	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	2/12/2015	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/14/2015	15.4	0		C
Water temperature in deg. celsius (field)	MW-10N	1/6/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/21/2016	15.4	0		C
Water temperature in deg. celsius (field)	MW-10N	1/11/2017	14.8	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2017	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/24/2018	10.3	0.1		C
Water temperature in deg. celsius (field)	MW-10N	7/11/2018	22.4	0.1		C
Water temperature in deg. celsius (field)	MW-10N	1/3/2019	8.4	0.1		C
Water temperature in deg. celsius (field)	MW-10N	7/9/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	MW-10N	1/16/2020	11.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/8/2020	18.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/8/2020	18.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-10N	7/5/2021	16	0		C
Water temperature in deg. celsius (field)	MW-10N	7/5/2021	16	0		C
Water temperature in deg. celsius (field)	MW-10N	1/11/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-10N	4/8/2023	14.7	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2006	15.2	0		C
Water temperature in deg. celsius (field)	MW-11N	7/18/2006	18.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/18/2006	18.1	0		C
Water temperature in deg. celsius (field)	MW-11N	10/24/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	10/24/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/8/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/8/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/9/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	MW-11N	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	MW-11N	1/22/2008	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/23/2008	15.9	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2009	14.53	0		C
Water temperature in deg. celsius (field)	MW-11N	7/31/2009	15.3	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	MW-11N	7/16/2010	16.6	0		C
Water temperature in deg. celsius (field)	MW-11N	1/19/2011	13.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/13/2011	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/4/2012	15.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/9/2012	16	0		C
Water temperature in deg. celsius (field)	MW-11N	4/30/2013	15.7	0		C
Water temperature in deg. celsius (field)	MW-11N	7/15/2013	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2014	10.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	MW-11N	2/10/2015	15	0		C
Water temperature in deg. celsius (field)	MW-11N	7/13/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/5/2016	14.6	0		C
Water temperature in deg. celsius (field)	MW-11N	7/21/2016	17	0		C
Water temperature in deg. celsius (field)	MW-11N	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/19/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2018	11.1	0.1		C
Water temperature in deg. celsius (field)	MW-11N	7/17/2018	25.31	0.1		C
Water temperature in deg. celsius (field)	MW-11N	1/2/2019	7.7	0.1		C
Water temperature in deg. celsius (field)	MW-11N	7/9/2019	26.7	0.01		C
Water temperature in deg. celsius (field)	MW-11N	1/14/2020	12.6	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2020	21.7	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2020	21.7	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2022	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2022	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/13/2022	18.8	0		C
Water temperature in deg. celsius (field)	MW-11N	10/6/2022	17.5	0		C
Water temperature in deg. celsius (field)	MW-11N	1/10/2023	15.8	0		C
Water temperature in deg. celsius (field)	MW-15	6/2/2015	18.2	0		C
Water temperature in deg. celsius (field)	MW-15	6/5/2015	18	0		C
Water temperature in deg. celsius (field)	MW-15	7/15/2015	26.3	0		C
Water temperature in deg. celsius (field)	MW-15	8/5/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-15	9/3/2015	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2015	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	11/5/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	12/4/2015	11.7	0		C
Water temperature in deg. celsius (field)	MW-15	1/7/2016	14.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-15	2/4/2016	12.9	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2016	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	5/11/2016	18	0		C
Water temperature in deg. celsius (field)	MW-15	6/1/2016	16.8	0		C
Water temperature in deg. celsius (field)	MW-15	7/20/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-15	8/10/2016	18.4	0		C
Water temperature in deg. celsius (field)	MW-15	9/6/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2016	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	11/2/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-15	12/1/2016	12.7	0		C
Water temperature in deg. celsius (field)	MW-15	1/10/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-15	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2017	15	0		C
Water temperature in deg. celsius (field)	MW-15	4/4/2017	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	5/2/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	6/6/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-15	7/18/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-15	8/1/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	9/5/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	MW-15	11/1/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	1/23/2018	14.6	0.1		C
Water temperature in deg. celsius (field)	MW-15	2/22/2018	14.28	0.1		C
Water temperature in deg. celsius (field)	MW-15	3/21/2018	15	0.1		C
Water temperature in deg. celsius (field)	MW-15	4/10/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	MW-15	6/5/2018	18.31	0		C
Water temperature in deg. celsius (field)	MW-15	7/10/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	MW-15	8/1/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-15	9/4/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/2/2018	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	10/2/2018	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	11/6/2018	15.6	0.1		C
Water temperature in deg. celsius (field)	MW-15	12/5/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-15	1/3/2019	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-15	2/5/2019	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/6/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	MW-15	4/3/2019	15	0.01		C
Water temperature in deg. celsius (field)	MW-15	5/2/2019	15.8	0.01		C
Water temperature in deg. celsius (field)	MW-15	6/4/2019	16	0		C
Water temperature in deg. celsius (field)	MW-15	7/9/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	7/9/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	8/6/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	9/4/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-15	10/1/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	11/5/2019	15.3	0.01		C
Water temperature in deg. celsius (field)	MW-15	12/3/2019	14.3	0.1		C
Water temperature in deg. celsius (field)	MW-15	1/14/2020	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/3/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	4/1/2020	15.9	0.1		C
Water temperature in deg. celsius (field)	MW-15	5/4/2020	15.4	0.01		C
Water temperature in deg. celsius (field)	MW-15	6/2/2020	16.1	0		C
Water temperature in deg. celsius (field)	MW-15	7/7/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	7/7/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2020	17	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2020	17	0		C
Water temperature in deg. celsius (field)	MW-15	9/3/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	MW-15	10/6/2020	15.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	11/4/2020	15	0		C
Water temperature in deg. celsius (field)	MW-15	12/2/2020	13.8	0		C
Water temperature in deg. celsius (field)	MW-15	1/18/2021	15	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-15	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	2/10/2021	13.6	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2021	14	0		C
Water temperature in deg. celsius (field)	MW-15	4/7/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-15	5/4/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-15	6/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2021	17.8	0		C
Water temperature in deg. celsius (field)	MW-15	9/2/2021	18.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/5/2021	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	10/5/2021	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	11/1/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	12/8/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	2/9/2022	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	3/1/2022	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	5/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	6/3/2022	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	7/10/2022	17	0		C
Water temperature in deg. celsius (field)	MW-15	8/10/2022	17	0		C
Water temperature in deg. celsius (field)	MW-15	9/8/2022	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	11/3/2022	16.6	0		C
Water temperature in deg. celsius (field)	MW-15	12/7/2022	15.1	0		C
Water temperature in deg. celsius (field)	MW-15	1/10/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	2/3/2023	14.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/1/2023	15	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2023	14.6	0		C
Water temperature in deg. celsius (field)	MW-16	6/2/2015	19	0		C
Water temperature in deg. celsius (field)	MW-16	6/5/2015	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	7/16/2015	19.4	0		C
Water temperature in deg. celsius (field)	MW-16	8/5/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/3/2015	16.7	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2015	15	0		C
Water temperature in deg. celsius (field)	MW-16	11/5/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	12/4/2015	10.9	0		C
Water temperature in deg. celsius (field)	MW-16	1/8/2016	11.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/4/2016	12.7	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	MW-16	4/5/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	5/11/2016	17.4	0		C
Water temperature in deg. celsius (field)	MW-16	6/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/21/2016	19.2	0		C
Water temperature in deg. celsius (field)	MW-16	8/10/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	9/6/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	10/5/2016	19.6	0		C
Water temperature in deg. celsius (field)	MW-16	11/2/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-16	12/1/2016	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	1/10/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/7/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2017	14.4	0		C
Water temperature in deg. celsius (field)	MW-16	4/4/2017	15.1	0		C
Water temperature in deg. celsius (field)	MW-16	5/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	MW-16	6/6/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-16	7/18/2017	16.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-16	8/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	9/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2017	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	11/1/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-16	1/23/2018	9.5	0.1		C
Water temperature in deg. celsius (field)	MW-16	2/22/2018	12.91	0.1		C
Water temperature in deg. celsius (field)	MW-16	3/21/2018	6.4	0.1		C
Water temperature in deg. celsius (field)	MW-16	4/10/2018	12.9	0.1		C
Water temperature in deg. celsius (field)	MW-16	6/5/2018	24.25	0		C
Water temperature in deg. celsius (field)	MW-16	7/11/2018	26.7	0.1		C
Water temperature in deg. celsius (field)	MW-16	8/1/2018	19.1	0.1		C
Water temperature in deg. celsius (field)	MW-16	9/5/2018	25.1	0		C
Water temperature in deg. celsius (field)	MW-16	10/2/2018	20.1	0		C
Water temperature in deg. celsius (field)	MW-16	11/6/2018	13.9	0.1		C
Water temperature in deg. celsius (field)	MW-16	12/5/2018	9.8	0.1		C
Water temperature in deg. celsius (field)	MW-16	1/2/2019	2.5	0.1		C
Water temperature in deg. celsius (field)	MW-16	2/5/2019	21.4	0		C
Water temperature in deg. celsius (field)	MW-16	3/6/2019	11.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	4/3/2019	12.2	0.01		C
Water temperature in deg. celsius (field)	MW-16	5/2/2019	17.6	0.01		C
Water temperature in deg. celsius (field)	MW-16	6/4/2019	22.6	0		C
Water temperature in deg. celsius (field)	MW-16	7/10/2019	20.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	7/10/2019	20.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	8/6/2019	25.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	9/4/2019	25.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	10/1/2019	22.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	11/5/2019	12.9	0.01		C
Water temperature in deg. celsius (field)	MW-16	12/3/2019	13	0.1		C
Water temperature in deg. celsius (field)	MW-16	1/14/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	3/3/2020	15.2	0.01		C
Water temperature in deg. celsius (field)	MW-16	4/1/2020	15.7	0.1		C
Water temperature in deg. celsius (field)	MW-16	5/4/2020	18	0.01		C
Water temperature in deg. celsius (field)	MW-16	6/3/2020	19.3	0		C
Water temperature in deg. celsius (field)	MW-16	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/3/2020	18.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	10/6/2020	17.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	11/4/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-16	12/3/2020	12.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/18/2021	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	1/18/2021	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/10/2021	11.4	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2021	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	4/7/2021	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	5/4/2021	15.6	0		C
Water temperature in deg. celsius (field)	MW-16	6/1/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/2/2021	20.5	0		C
Water temperature in deg. celsius (field)	MW-16	10/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-16	11/1/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-16	12/8/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	2/9/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-16	3/1/2022	17	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-16	4/5/2022	15.4	0		C
Water temperature in deg. celsius (field)	MW-16	5/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-16	6/3/2022	16.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/10/2022	17.7	0		C
Water temperature in deg. celsius (field)	MW-16	8/10/2022	17.6	0		C
Water temperature in deg. celsius (field)	MW-16	9/8/2022	17.6	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2022	17.8	0		C
Water temperature in deg. celsius (field)	MW-16	11/3/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-16	12/7/2022	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	1/10/2023	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	2/3/2023	10.2	0		C
Water temperature in deg. celsius (field)	MW-16	3/1/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	4/5/2023	14	0		C
Water temperature in deg. celsius (field)	MW-17	6/2/2015	18.8	0		C
Water temperature in deg. celsius (field)	MW-17	6/5/2015	21.3	0		C
Water temperature in deg. celsius (field)	MW-17	7/15/2015	29.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/4/2015	19.6	0		C
Water temperature in deg. celsius (field)	MW-17	9/2/2015	18.1	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2015	17.1	0		C
Water temperature in deg. celsius (field)	MW-17	11/5/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	12/3/2015	16.5	0		C
Water temperature in deg. celsius (field)	MW-17	1/7/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-17	2/3/2016	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-17	4/5/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	5/12/2016	17.2	0		C
Water temperature in deg. celsius (field)	MW-17	6/1/2016	17	0		C
Water temperature in deg. celsius (field)	MW-17	7/20/2016	18.1	0		C
Water temperature in deg. celsius (field)	MW-17	8/11/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-17	9/6/2016	18.2	0		C
Water temperature in deg. celsius (field)	MW-17	10/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	MW-17	11/3/2016	16.5	0		C
Water temperature in deg. celsius (field)	MW-17	12/2/2016	12.8	0		C
Water temperature in deg. celsius (field)	MW-17	1/10/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-17	4/4/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	5/2/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-17	5/16/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-17	6/6/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	7/18/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	8/1/2017	17.2	0		C
Water temperature in deg. celsius (field)	MW-17	9/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	10/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	11/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	1/23/2018	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	2/22/2018	14.25	0.1		C
Water temperature in deg. celsius (field)	MW-17	3/21/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-17	4/10/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-17	6/5/2018	19.14	0		C
Water temperature in deg. celsius (field)	MW-17	7/10/2018	18.1	0.1		C
Water temperature in deg. celsius (field)	MW-17	8/1/2018	17.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	9/5/2018	18	0		C
Water temperature in deg. celsius (field)	MW-17	10/1/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	10/1/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	11/7/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	MW-17	12/5/2018	14.6	0.1		C
Water temperature in deg. celsius (field)	MW-17	1/3/2019	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-17	2/5/2019	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	3/6/2019	14.2	0.01		C
Water temperature in deg. celsius (field)	MW-17	4/3/2019	14.1	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-17	5/2/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-17	6/5/2019	17.3	0		C
Water temperature in deg. celsius (field)	MW-17	7/11/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	7/11/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	8/6/2019	17.9	0.01		C
Water temperature in deg. celsius (field)	MW-17	9/4/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	MW-17	10/1/2019	18.4	0.01		C
Water temperature in deg. celsius (field)	MW-17	11/5/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-17	12/3/2019	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	1/14/2020	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	3/3/2020	15	0.01		C
Water temperature in deg. celsius (field)	MW-17	4/1/2020	16	0.1		C
Water temperature in deg. celsius (field)	MW-17	5/5/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-17	6/2/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-17	7/6/2020	19.4	0		C
Water temperature in deg. celsius (field)	MW-17	7/6/2020	19.4	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2020	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2020	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	9/3/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	10/6/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	MW-17	11/4/2020	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	12/3/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	1/14/2021	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	2/10/2021	12.8	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-17	4/7/2021	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	5/4/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-17	6/1/2021	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2021	18.6	0		C
Water temperature in deg. celsius (field)	MW-17	9/2/2021	20.1	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	11/1/2021	15	0		C
Water temperature in deg. celsius (field)	MW-17	12/8/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-17	1/10/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	2/4/2023	14.3	0		C
Water temperature in deg. celsius (field)	MW-17	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	MW-17	4/5/2023	16.2	0		C
Water temperature in deg. celsius (field)	MW-19	6/2/2015	24.5	0		C
Water temperature in deg. celsius (field)	MW-19	6/5/2015	24.2	0		C
Water temperature in deg. celsius (field)	MW-19	7/16/2015	21	0		C
Water temperature in deg. celsius (field)	MW-19	8/5/2015	20.8	0		C
Water temperature in deg. celsius (field)	MW-19	9/3/2015	19.3	0		C
Water temperature in deg. celsius (field)	MW-19	10/6/2015	17.2	0		C
Water temperature in deg. celsius (field)	MW-19	11/5/2015	18.1	0		C
Water temperature in deg. celsius (field)	MW-19	12/4/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-19	1/7/2016	13.6	0		C
Water temperature in deg. celsius (field)	MW-19	2/3/2016	13.7	0		C
Water temperature in deg. celsius (field)	MW-19	3/3/2016	16	0		C
Water temperature in deg. celsius (field)	MW-19	4/5/2016	20.5	0		C
Water temperature in deg. celsius (field)	MW-19	5/12/2016	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	6/2/2016	20.7	0		C
Water temperature in deg. celsius (field)	MW-19	7/21/2016	20.4	0		C
Water temperature in deg. celsius (field)	MW-19	8/11/2016	20	0		C
Water temperature in deg. celsius (field)	MW-19	9/6/2016	22.8	0		C
Water temperature in deg. celsius (field)	MW-19	10/5/2016	21.8	0		C
Water temperature in deg. celsius (field)	MW-19	11/3/2016	18.4	0		C
Water temperature in deg. celsius (field)	MW-19	12/1/2016	15.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-19	1/10/2017	18.1	0		C
Water temperature in deg. celsius (field)	MW-19	2/7/2017	18.3	0		C
Water temperature in deg. celsius (field)	MW-19	3/2/2017	17.8	0		C
Water temperature in deg. celsius (field)	MW-19	4/4/2017	18	0		C
Water temperature in deg. celsius (field)	MW-19	5/2/2017	17.8	0		C
Water temperature in deg. celsius (field)	MW-19	6/6/2017	18.7	0		C
Water temperature in deg. celsius (field)	MW-19	7/18/2017	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	8/1/2017	19.1	0		C
Water temperature in deg. celsius (field)	MW-19	9/5/2017	19.3	0		C
Water temperature in deg. celsius (field)	MW-19	10/6/2017	19.7	0		C
Water temperature in deg. celsius (field)	MW-19	11/1/2017	18.7	0		C
Water temperature in deg. celsius (field)	MW-19	1/23/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-19	2/22/2018	13.93	0.1		C
Water temperature in deg. celsius (field)	MW-19	3/20/2018	16.9	0.1		C
Water temperature in deg. celsius (field)	MW-19	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	6/5/2018	22.25	0		C
Water temperature in deg. celsius (field)	MW-19	7/13/2018	25	0.1		C
Water temperature in deg. celsius (field)	MW-19	8/2/2018	20.5	0.1		C
Water temperature in deg. celsius (field)	MW-19	9/5/2018	24	0		C
Water temperature in deg. celsius (field)	MW-19	10/2/2018	22.2	0		C
Water temperature in deg. celsius (field)	MW-19	10/2/2018	22.2	0		C
Water temperature in deg. celsius (field)	MW-19	11/7/2018	18.7	0.1		C
Water temperature in deg. celsius (field)	MW-19	12/5/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	1/7/2019	19.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	2/6/2019	15.6	0		C
Water temperature in deg. celsius (field)	MW-19	3/6/2019	12.3	0.01		C
Water temperature in deg. celsius (field)	MW-19	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	MW-19	5/2/2019	19.5	0.01		C
Water temperature in deg. celsius (field)	MW-19	6/4/2019	20.2	0		C
Water temperature in deg. celsius (field)	MW-19	7/11/2019	19.7	0.01		C
Water temperature in deg. celsius (field)	MW-19	7/11/2019	19.7	0.01		C
Water temperature in deg. celsius (field)	MW-19	8/6/2019	22.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	9/4/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	MW-19	10/1/2019	21	0.01		C
Water temperature in deg. celsius (field)	MW-19	11/5/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	12/3/2019	16.9	0.1		C
Water temperature in deg. celsius (field)	MW-19	1/14/2020	19.5	0		C
Water temperature in deg. celsius (field)	MW-19	3/3/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	MW-19	4/2/2020	19.2	0.1		C
Water temperature in deg. celsius (field)	MW-19	5/5/2020	18.9	0.01		C
Water temperature in deg. celsius (field)	MW-19	6/2/2020	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	7/6/2020	22.5	0		C
Water temperature in deg. celsius (field)	MW-19	7/6/2020	22.5	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2020	24.7	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2020	24.7	0		C
Water temperature in deg. celsius (field)	MW-19	9/3/2020	19.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	10/6/2020	20	0.01		C
Water temperature in deg. celsius (field)	MW-19	11/3/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-19	12/3/2020	16.8	0		C
Water temperature in deg. celsius (field)	MW-19	1/14/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-19	2/10/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-19	3/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-19	4/7/2021	18	0		C
Water temperature in deg. celsius (field)	MW-19	5/4/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	6/1/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2021	21.5	0		C
Water temperature in deg. celsius (field)	MW-19	9/2/2021	21.8	0		C
Water temperature in deg. celsius (field)	MW-19	10/5/2021	18.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-19	11/1/2021	16.8	0		C
Water temperature in deg. celsius (field)	MW-19	12/8/2021	16.7	0		C
Water temperature in deg. celsius (field)	MW-19	12/7/2022	17.3	0		C
Water temperature in deg. celsius (field)	MW-19	1/11/2023	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	2/3/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-19	3/1/2023	16.7	0		C
Water temperature in deg. celsius (field)	MW-19	4/6/2023	16.9	0		C
Water temperature in deg. celsius (field)	MW-1N	1/18/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/18/2006	19	0		C
Water temperature in deg. celsius (field)	MW-1N	7/18/2006	19	0		C
Water temperature in deg. celsius (field)	MW-1N	10/24/2006	15.8	0		C
Water temperature in deg. celsius (field)	MW-1N	10/24/2006	15.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-1N	7/11/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-1N	1/24/2008	14.1	0		C
Water temperature in deg. celsius (field)	MW-1N	7/21/2008	16.44	0		C
Water temperature in deg. celsius (field)	MW-1N	2/5/2009	15.36	0		C
Water temperature in deg. celsius (field)	MW-1N	7/31/2009	16	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2010	14.9	0		C
Water temperature in deg. celsius (field)	MW-1N	7/13/2010	16.2	0		C
Water temperature in deg. celsius (field)	MW-1N	1/20/2011	14.2	0		C
Water temperature in deg. celsius (field)	MW-1N	7/13/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-1N	1/5/2012	15.6	0		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2012	16.9	0		C
Water temperature in deg. celsius (field)	MW-1N	5/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	MW-1N	7/16/2013	16.2	0		C
Water temperature in deg. celsius (field)	MW-1N	1/24/2014	13.9	0		C
Water temperature in deg. celsius (field)	MW-1N	7/9/2014	16.3	0		C
Water temperature in deg. celsius (field)	MW-1N	2/10/2015	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	7/14/2015	17.3	0		C
Water temperature in deg. celsius (field)	MW-1N	1/6/2016	14.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/21/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-1N	1/12/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/19/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-1N	1/23/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2018	29.8	0.1		C
Water temperature in deg. celsius (field)	MW-1N	10/3/2018	23	0		C
Water temperature in deg. celsius (field)	MW-1N	1/3/2019	9.5	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/11/2019	31.2	0.01		C
Water temperature in deg. celsius (field)	MW-1N	10/2/2019	25.2	0.01		C
Water temperature in deg. celsius (field)	MW-1N	4/2/2020	14.6	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/6/2020	18.5	0		C
Water temperature in deg. celsius (field)	MW-1N	7/6/2020	18.5	0		C
Water temperature in deg. celsius (field)	MW-1N	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-1N	10/6/2021	18.9	0		C
Water temperature in deg. celsius (field)	MW-1N	1/11/2023	16.4	0		C
Water temperature in deg. celsius (field)	MW-20	6/2/2015	20.5	0		C
Water temperature in deg. celsius (field)	MW-20	6/5/2015	18.7	0		C
Water temperature in deg. celsius (field)	MW-20	7/14/2015	18.1	0		C
Water temperature in deg. celsius (field)	MW-20	8/4/2015	18.2	0		C
Water temperature in deg. celsius (field)	MW-20	9/2/2015	19.8	0		C
Water temperature in deg. celsius (field)	MW-20	10/5/2015	17.8	0		C
Water temperature in deg. celsius (field)	MW-20	1/7/2016	12.5	0		C
Water temperature in deg. celsius (field)	MW-20	4/5/2016	17.6	0		C
Water temperature in deg. celsius (field)	MW-20	7/20/2016	18.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-20	10/5/2016	18.7	0		C
Water temperature in deg. celsius (field)	MW-20	1/12/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-20	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	MW-20	1/26/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-20	7/12/2018	18.3	0.1		C
Water temperature in deg. celsius (field)	MW-20	7/11/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	MW-20	1/14/2020	15.3	0		C
Water temperature in deg. celsius (field)	MW-20	7/7/2020	19.1	0		C
Water temperature in deg. celsius (field)	MW-20	7/7/2020	19.1	0		C
Water temperature in deg. celsius (field)	MW-20	4/6/2021	16.7	0		C
Water temperature in deg. celsius (field)	MW-20	7/4/2021	17.1	0		C
Water temperature in deg. celsius (field)	MW-20	7/4/2021	17.1	0		C
Water temperature in deg. celsius (field)	MW-20	1/11/2023	15.3	0		C
Water temperature in deg. celsius (field)	MW-21	6/2/2015	17.2	0		C
Water temperature in deg. celsius (field)	MW-21	6/5/2015	17.9	0		C
Water temperature in deg. celsius (field)	MW-21	7/14/2015	18.9	0		C
Water temperature in deg. celsius (field)	MW-21	8/4/2015	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	9/2/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-21	10/5/2015	17.5	0		C
Water temperature in deg. celsius (field)	MW-21	1/7/2016	11.6	0		C
Water temperature in deg. celsius (field)	MW-21	2/10/2016	16.1	0		C
Water temperature in deg. celsius (field)	MW-21	4/5/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-21	7/20/2016	18.1	0		C
Water temperature in deg. celsius (field)	MW-21	10/5/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-21	1/10/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-21	4/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-21	7/19/2017	16	0		C
Water temperature in deg. celsius (field)	MW-21	10/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-21	1/24/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	MW-21	4/11/2018	20.4	0.1		C
Water temperature in deg. celsius (field)	MW-21	7/11/2018	17.5	0.1		C
Water temperature in deg. celsius (field)	MW-21	10/4/2018	17.2	0		C
Water temperature in deg. celsius (field)	MW-21	1/3/2019	15	0.1		C
Water temperature in deg. celsius (field)	MW-21	4/3/2019	16	0.01		C
Water temperature in deg. celsius (field)	MW-21	7/11/2019	16.5	0		C
Water temperature in deg. celsius (field)	MW-21	10/2/2019	17.4	0.01		C
Water temperature in deg. celsius (field)	MW-21	1/16/2020	14.7	0		C
Water temperature in deg. celsius (field)	MW-21	4/2/2020	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-21	7/8/2020	16.3	0		C
Water temperature in deg. celsius (field)	MW-21	7/8/2020	16.3	0		C
Water temperature in deg. celsius (field)	MW-21	10/7/2020	15.9	0.01		C
Water temperature in deg. celsius (field)	MW-21	4/6/2021	16.2	0		C
Water temperature in deg. celsius (field)	MW-21	7/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	7/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	10/6/2021	18.1	0		C
Water temperature in deg. celsius (field)	MW-21	1/11/2023	17.1	0		C
Water temperature in deg. celsius (field)	MW-21	4/8/2023	15.8	0		C
Water temperature in deg. celsius (field)	MW-2N	10/2/2002	17.1	0		C
Water temperature in deg. celsius (field)	MW-2N	1/19/2006	14.6	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2006	17	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2006	17	0		C
Water temperature in deg. celsius (field)	MW-2N	10/25/2006	14.7	0		C
Water temperature in deg. celsius (field)	MW-2N	10/25/2006	14.7	0		C
Water temperature in deg. celsius (field)	MW-2N	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/10/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/10/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	3/27/2007	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	3/27/2007	15.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-2N	7/10/2007	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	7/11/2007	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	1/24/2008	13	0		C
Water temperature in deg. celsius (field)	MW-2N	7/22/2008	16.91	0		C
Water temperature in deg. celsius (field)	MW-2N	2/4/2009	14.32	0		C
Water temperature in deg. celsius (field)	MW-2N	7/31/2009	15.6	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2010	13.1	0		C
Water temperature in deg. celsius (field)	MW-2N	7/13/2010	16.4	0		C
Water temperature in deg. celsius (field)	MW-2N	1/20/2011	14.1	0		C
Water temperature in deg. celsius (field)	MW-2N	7/13/2011	15.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/5/2012	15.2	0		C
Water temperature in deg. celsius (field)	MW-2N	7/10/2012	15.9	0		C
Water temperature in deg. celsius (field)	MW-2N	5/1/2013	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	7/16/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/24/2014	13.8	0		C
Water temperature in deg. celsius (field)	MW-2N	7/9/2014	16.5	0		C
Water temperature in deg. celsius (field)	MW-2N	2/12/2015	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	7/14/2015	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	1/6/2016	14.6	0		C
Water temperature in deg. celsius (field)	MW-2N	7/21/2016	16.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-2N	1/23/2018	12.8	0.1		C
Water temperature in deg. celsius (field)	MW-2N	6/21/2018	18.5	0		C
Water temperature in deg. celsius (field)	MW-2N	7/12/2018	25	0.1		C
Water temperature in deg. celsius (field)	MW-2N	1/3/2019	11.8	0.1		C
Water temperature in deg. celsius (field)	MW-2N	4/3/2019	15	0.01		C
Water temperature in deg. celsius (field)	MW-2N	8/7/2019	24.6	0.01		C
Water temperature in deg. celsius (field)	MW-2N	10/1/2019	29.4	0.01		C
Water temperature in deg. celsius (field)	MW-2N	7/7/2020	28.5	0		C
Water temperature in deg. celsius (field)	MW-2N	7/7/2020	28.5	0		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2020	16	0.01		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2020	16	0.01		C
Water temperature in deg. celsius (field)	MW-2N	7/5/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	7/5/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	1/11/2023	15.2	0		C
Water temperature in deg. celsius (field)	MW-2N	4/8/2023	14.7	0		C
Water temperature in deg. celsius (field)	MW-3N	10/2/2002	15	0		C
Water temperature in deg. celsius (field)	MW-3N	1/19/2006	14.1	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2006	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2006	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	10/25/2006	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	10/25/2006	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/9/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/10/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/10/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-3N	7/10/2007	17.1	0		C
Water temperature in deg. celsius (field)	MW-3N	7/11/2007	17.1	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2008	12.3	0		C
Water temperature in deg. celsius (field)	MW-3N	5/3/2008	13.88	0		C
Water temperature in deg. celsius (field)	MW-3N	7/22/2008	15.33	0		C
Water temperature in deg. celsius (field)	MW-3N	2/4/2009	13.79	0		C
Water temperature in deg. celsius (field)	MW-3N	7/31/2009	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2010	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	7/13/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/20/2011	13.7	0		C
Water temperature in deg. celsius (field)	MW-3N	7/14/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/5/2012	14.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-3N	7/11/2012	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	5/1/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	6/4/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/16/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2014	13.5	0		C
Water temperature in deg. celsius (field)	MW-3N	7/9/2014	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	2/12/2015	13.5	0		C
Water temperature in deg. celsius (field)	MW-3N	4/1/2015	14	0		C
Water temperature in deg. celsius (field)	MW-3N	7/14/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	10/5/2015	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/6/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-3N	4/6/2016	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	7/21/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-3N	10/6/2016	15	0		C
Water temperature in deg. celsius (field)	MW-3N	1/11/2017	14.6	0		C
Water temperature in deg. celsius (field)	MW-3N	4/4/2017	14.7	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2017	15	0		C
Water temperature in deg. celsius (field)	MW-3N	10/9/2017	15.2	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	MW-3N	4/10/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-3N	6/6/2018	16.94	0		C
Water temperature in deg. celsius (field)	MW-3N	7/13/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	MW-3N	10/3/2018	17.4	0		C
Water temperature in deg. celsius (field)	MW-3N	10/3/2018	17.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/7/2019	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-3N	4/3/2019	14.9	0.01		C
Water temperature in deg. celsius (field)	MW-3N	7/11/2019	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	10/2/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	MW-3N	1/15/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-3N	4/2/2020	15.1	0.1		C
Water temperature in deg. celsius (field)	MW-3N	7/7/2020	15.5	0		C
Water temperature in deg. celsius (field)	MW-3N	7/7/2020	15.5	0		C
Water temperature in deg. celsius (field)	MW-3N	10/7/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	MW-3N	4/6/2021	15.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-3N	7/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-3N	10/6/2021	15.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/11/2023	15.1	0		C
Water temperature in deg. celsius (field)	MW-7N	10/2/2002	17.5	0		C
Water temperature in deg. celsius (field)	MW-7N	1/19/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2006	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2006	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2006	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2006	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	12/22/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/22/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-7N	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/27/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/27/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	3/26/2007	15	0		C
Water temperature in deg. celsius (field)	MW-7N	3/27/2007	15	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	3/27/2007	15	0		C
Water temperature in deg. celsius (field)	MW-7N	4/25/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	4/26/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2007	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2007	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2007	20.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2007	20.8	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2007	20.7	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2007	19.5	0		C
Water temperature in deg. celsius (field)	MW-7N	11/27/2007	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/27/2007	17	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2008	16	0		C
Water temperature in deg. celsius (field)	MW-7N	2/28/2008	16.6	0		C
Water temperature in deg. celsius (field)	MW-7N	3/24/2008	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	5/3/2008	17.62	0		C
Water temperature in deg. celsius (field)	MW-7N	5/30/2008	19.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/25/2008	18.34	0		C
Water temperature in deg. celsius (field)	MW-7N	7/21/2008	17.81	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2008	17.66	0		C
Water temperature in deg. celsius (field)	MW-7N	9/25/2008	17.92	0		C
Water temperature in deg. celsius (field)	MW-7N	9/25/2008	17.92	0		C
Water temperature in deg. celsius (field)	MW-7N	10/21/2008	17.36	0		C
Water temperature in deg. celsius (field)	MW-7N	11/24/2008	17.54	0		C
Water temperature in deg. celsius (field)	MW-7N	12/18/2008	17.23	0		C
Water temperature in deg. celsius (field)	MW-7N	2/6/2009	17.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/25/2009	17.3	0		C
Water temperature in deg. celsius (field)	MW-7N	4/15/2009	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/25/2009	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	8/28/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	9/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	10/21/2009	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	10/26/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	11/24/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	12/17/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2010	15	0		C
Water temperature in deg. celsius (field)	MW-7N	2/15/2010	15	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	MW-7N	4/8/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/6/2010	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	6/16/2010	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/14/2010	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	8/11/2010	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2010	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2010	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/29/2010	16	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2010	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2010	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	1/20/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2011	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/10/2011	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	7/12/2011	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/4/2011	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/7/2011	16.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	10/5/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	11/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	12/8/2011	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	1/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	2/1/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	3/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/1/2012	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/10/2012	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2012	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2012	16.6	0		C
Water temperature in deg. celsius (field)	MW-7N	8/9/2012	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2012	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	10/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/1/2013	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	6/4/2013	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	6/4/2013	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/15/2013	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	8/8/2013	18.2	0		C
Water temperature in deg. celsius (field)	MW-7N	9/10/2013	23.2	0		C
Water temperature in deg. celsius (field)	MW-7N	10/1/2013	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2013	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	1/30/2014	13.9	0		C
Water temperature in deg. celsius (field)	MW-7N	2/13/2014	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	3/11/2014	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/2/2014	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	5/7/2014	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2014	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/9/2014	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/5/2014	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2014	17.5	0		C
Water temperature in deg. celsius (field)	MW-7N	10/9/2014	17	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/14/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	2/12/2015	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	4/1/2015	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	5/7/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2015	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	7/13/2015	18.9	0		C
Water temperature in deg. celsius (field)	MW-7N	8/4/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/3/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/4/2015	16.2	0		C
Water temperature in deg. celsius (field)	MW-7N	12/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	1/5/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	2/3/2016	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2016	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	5/11/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2016	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/21/2016	17.3	0		C
Water temperature in deg. celsius (field)	MW-7N	8/10/2016	17.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/6/2016	17.8	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/2/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	1/11/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2017	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	3/2/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	5/16/2017	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	6/6/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	8/1/2017	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	9/5/2017	17	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2017	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	11/1/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	MW-7N	2/22/2018	13.4	0.1		C
Water temperature in deg. celsius (field)	MW-7N	3/20/2018	15.7	0.1		C
Water temperature in deg. celsius (field)	MW-7N	4/11/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	4/11/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2018	21.1	0		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2018	21.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/13/2018	21.9	0.1		C
Water temperature in deg. celsius (field)	MW-7N	8/1/2018	19	0.1		C
Water temperature in deg. celsius (field)	MW-7N	9/5/2018	18.6	0		C
Water temperature in deg. celsius (field)	MW-7N	10/4/2018	18.8	0		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	12/4/2018	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-7N	1/4/2019	10.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	2/5/2019	17.8	0		C
Water temperature in deg. celsius (field)	MW-7N	3/5/2019	10.7	0.01		C
Water temperature in deg. celsius (field)	MW-7N	4/3/2019	16	0.01		C
Water temperature in deg. celsius (field)	MW-7N	5/3/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	MW-7N	6/4/2019	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	8/8/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2019	21.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	10/3/2019	21	0.01		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2019	15.7	0.01		C
Water temperature in deg. celsius (field)	MW-7N	12/3/2019	14	0.1		C
Water temperature in deg. celsius (field)	MW-7N	1/16/2020	12.7	0		C
Water temperature in deg. celsius (field)	MW-7N	3/4/2020	14	0.01		C
Water temperature in deg. celsius (field)	MW-7N	4/2/2020	15.9	0.1		C
Water temperature in deg. celsius (field)	MW-7N	5/5/2020	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-7N	6/2/2020	18.7	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	8/3/2020	19.2	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2020	16.3	0.01		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2020	17.6	0.01		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2020	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2020	13.1	0		C
Water temperature in deg. celsius (field)	MW-7N	1/16/2021	13.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/9/2021	12.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2021	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	4/7/2021	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/5/2021	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/2/2021	16	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	8/3/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2021	18	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2021	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2021	15.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	11/1/2021	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	12/8/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	2/9/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	3/1/2022	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2022	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2022	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/7/2022	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2022	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	8/10/2022	18.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/8/2022	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2022	16	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2022	16	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2022	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	12/7/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2023	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/3/2023	12.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/1/2023	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2002	16.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/19/2006	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2006	16.9	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2006	16.9	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2006	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2006	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	MW-8N	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/9/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/10/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/10/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/25/2007	16.4	0		C
Water temperature in deg. celsius (field)	MW-8N	4/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-8N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/24/2008	13.1	0		C
Water temperature in deg. celsius (field)	MW-8N	5/3/2008	15.28	0		C
Water temperature in deg. celsius (field)	MW-8N	7/23/2008	15.57	0		C
Water temperature in deg. celsius (field)	MW-8N	10/21/2008	15.28	0		C
Water temperature in deg. celsius (field)	MW-8N	2/4/2009	14.92	0		C
Water temperature in deg. celsius (field)	MW-8N	4/16/2009	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/31/2009	15.8	0		C
Water temperature in deg. celsius (field)	MW-8N	10/26/2009	15	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2010	15	0		C
Water temperature in deg. celsius (field)	MW-8N	4/8/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	9/2/2010	16	0		C
Water temperature in deg. celsius (field)	MW-8N	9/30/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	1/19/2011	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	5/10/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/14/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	1/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/11/2012	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/3/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	5/1/2013	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-8N	6/4/2013	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2013	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/30/2014	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/3/2014	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2014	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/8/2014	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	2/12/2015	14.8	0		C
Water temperature in deg. celsius (field)	MW-8N	4/1/2015	15.2	0		C
Water temperature in deg. celsius (field)	MW-8N	7/14/2015	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	10/5/2015	15.1	0		C
Water temperature in deg. celsius (field)	MW-8N	1/5/2016	14.9	0		C
Water temperature in deg. celsius (field)	MW-8N	4/6/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-8N	7/21/2016	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2016	15.8	0		C
Water temperature in deg. celsius (field)	MW-8N	1/11/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/4/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/25/2018	13.3	0.1		C
Water temperature in deg. celsius (field)	MW-8N	4/10/2018	16.2	0.1		C
Water temperature in deg. celsius (field)	MW-8N	6/6/2018	20.35	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2018	26.2	0.1		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2018	20.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/7/2019	15.4	0.1		C
Water temperature in deg. celsius (field)	MW-8N	4/3/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	MW-8N	7/11/2019	19.8	0		C
Water temperature in deg. celsius (field)	MW-8N	10/3/2019	17.8	0.01		C
Water temperature in deg. celsius (field)	MW-8N	1/15/2020	16.2	0		C
Water temperature in deg. celsius (field)	MW-8N	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	MW-8N	4/6/2021	16.8	0		C
Water temperature in deg. celsius (field)	MW-8N	7/5/2021	19.2	0		C
Water temperature in deg. celsius (field)	MW-8N	7/5/2021	19.2	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2021	17.4	0		C
Water temperature in deg. celsius (field)	MW-8N	1/18/2022	14.3	0		C
Water temperature in deg. celsius (field)	MW-8N	1/18/2022	14.3	0		C
Water temperature in deg. celsius (field)	MW-8N	4/4/2022	15.1	0		C
Water temperature in deg. celsius (field)	MW-8N	7/12/2022	18	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/11/2023	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/8/2023	15.3	0		C
Water temperature in deg. celsius (field)	NE-1	10/2/2002	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	7/18/2006	19.9	0		C
Water temperature in deg. celsius (field)	NE-1	7/18/2006	19.9	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2006	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2006	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	NE-1	4/23/2007	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	4/26/2007	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2007	15.8	0		C
Water temperature in deg. celsius (field)	NE-1	1/24/2008	15	0		C
Water temperature in deg. celsius (field)	NE-1	7/21/2008	23.4	0		C
Water temperature in deg. celsius (field)	NE-1	2/7/2009	16.57	0		C
Water temperature in deg. celsius (field)	NE-1	7/31/2009	17	0		C
Water temperature in deg. celsius (field)	NE-1	1/26/2010	13.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-1	7/14/2010	19.5	0		C
Water temperature in deg. celsius (field)	NE-1	9/2/2010	20.3	0		C
Water temperature in deg. celsius (field)	NE-1	9/30/2010	15.4	0		C
Water temperature in deg. celsius (field)	NE-1	1/19/2011	13.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/13/2011	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	1/5/2012	12.8	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2012	16.3	0		C
Water temperature in deg. celsius (field)	NE-1	4/30/2013	18.8	0		C
Water temperature in deg. celsius (field)	NE-1	7/16/2013	17.9	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2014	7.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/9/2014	16.6	0		C
Water temperature in deg. celsius (field)	NE-1	2/11/2015	12.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/8/2015	17.1	0		C
Water temperature in deg. celsius (field)	NE-1	1/6/2016	9.3	0		C
Water temperature in deg. celsius (field)	NE-1	7/20/2016	17.8	0		C
Water temperature in deg. celsius (field)	NE-1	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/19/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-1	1/24/2018	15	0.1		C
Water temperature in deg. celsius (field)	NE-1	4/11/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	NE-1	7/18/2018	21.1	0.1		C
Water temperature in deg. celsius (field)	NE-1	10/2/2018	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	1/4/2019	6.4	0.1		C
Water temperature in deg. celsius (field)	NE-1	4/2/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	NE-1	7/10/2019	22.7	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2019	22.7	0		C
Water temperature in deg. celsius (field)	NE-1	10/2/2019	22.3	0.01		C
Water temperature in deg. celsius (field)	NE-1	4/2/2020	16.5	0.1		C
Water temperature in deg. celsius (field)	NE-1	7/8/2020	20.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/8/2020	20.2	0		C
Water temperature in deg. celsius (field)	NE-1	10/7/2020	14.9	0.01		C
Water temperature in deg. celsius (field)	NE-1	4/9/2021	16.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	10/6/2021	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	1/17/2022	14.4	0		C
Water temperature in deg. celsius (field)	NE-1	1/17/2022	14.4	0		C
Water temperature in deg. celsius (field)	NE-1	4/6/2022	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/13/2022	16	0		C
Water temperature in deg. celsius (field)	NE-1	10/6/2022	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	1/5/2023	14.2	0		C
Water temperature in deg. celsius (field)	NE-1	4/7/2023	14.9	0		C
Water temperature in deg. celsius (field)	NE-10D	11/6/2019	16.2	0		C
Water temperature in deg. celsius (field)	NE-10D	4/2/2020	15.6	0.1		C
Water temperature in deg. celsius (field)	NE-10D	7/8/2020	19.7	0		C
Water temperature in deg. celsius (field)	NE-10D	7/8/2020	19.7	0		C
Water temperature in deg. celsius (field)	NE-10D	10/7/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	NE-10D	4/9/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-10D	7/2/2021	17.9	0		C
Water temperature in deg. celsius (field)	NE-10D	7/2/2021	17.9	0		C
Water temperature in deg. celsius (field)	NE-10D	10/7/2021	16.4	0		C
Water temperature in deg. celsius (field)	NE-10D	1/6/2023	13.8	0		C
Water temperature in deg. celsius (field)	NE-10D	4/6/2023	16.6	0		C
Water temperature in deg. celsius (field)	NE-11	3/1/2017	13.6	0		C
Water temperature in deg. celsius (field)	NE-11	4/6/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-11	7/20/2017	16.5	0		C
Water temperature in deg. celsius (field)	NE-11	10/9/2017	15.2	0		C
Water temperature in deg. celsius (field)	NE-11	9/30/2019	15.6	0.01		C
Water temperature in deg. celsius (field)	NE-11	1/14/2020	13.5	0		C
Water temperature in deg. celsius (field)	NE-11	7/7/2020	17	0		C
Water temperature in deg. celsius (field)	NE-11	7/7/2020	17	0		C
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	7/12/2022	15.2	0		C
Water temperature in deg. celsius (field)	NE-11	1/6/2023	14	0		C
Water temperature in deg. celsius (field)	NE-12	3/1/2017	13.9	0		C
Water temperature in deg. celsius (field)	NE-12	4/6/2017	17	0		C
Water temperature in deg. celsius (field)	NE-12	7/20/2017	17	0		C
Water temperature in deg. celsius (field)	NE-12	10/6/2017	19.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/9/2019	16.2	0		C
Water temperature in deg. celsius (field)	NE-12	8/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	NE-12	1/13/2020	13.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/7/2020	17.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/7/2020	17.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	7/12/2022	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	1/6/2023	14.3	0		C
Water temperature in deg. celsius (field)	NE-13	2/5/2019	14.6	0		C
Water temperature in deg. celsius (field)	NE-13	7/11/2019	15.7	0		C
Water temperature in deg. celsius (field)	NE-13	8/7/2019	19.9	0.01		C
Water temperature in deg. celsius (field)	NE-13	1/15/2020	14.9	0		C
Water temperature in deg. celsius (field)	NE-13	7/8/2020	27.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/8/2020	27.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-14D	10/2/2019	15.3	0.01		C
Water temperature in deg. celsius (field)	NE-14D	4/3/2020	13.6	0.1		C
Water temperature in deg. celsius (field)	NE-14D	7/7/2020	17.4	0		C
Water temperature in deg. celsius (field)	NE-14D	7/7/2020	17.4	0		C
Water temperature in deg. celsius (field)	NE-14D	10/6/2020	14.9	0.01		C
Water temperature in deg. celsius (field)	NE-14D	4/9/2021	14.9	0		C
Water temperature in deg. celsius (field)	NE-14D	7/2/2021	18.6	0		C
Water temperature in deg. celsius (field)	NE-14D	7/2/2021	18.6	0		C
Water temperature in deg. celsius (field)	NE-14D	10/7/2021	15.4	0		C
Water temperature in deg. celsius (field)	NE-14D	1/18/2022	14	0		C
Water temperature in deg. celsius (field)	NE-14D	1/18/2022	14	0		C
Water temperature in deg. celsius (field)	NE-14D	4/6/2022	15.3	0		C
Water temperature in deg. celsius (field)	NE-14D	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-14D	10/7/2022	15.4	0		C
Water temperature in deg. celsius (field)	NE-14D	1/6/2023	13.8	0		C
Water temperature in deg. celsius (field)	NE-14D	4/6/2023	14.1	0		C
Water temperature in deg. celsius (field)	NE-14S	10/2/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	NE-14S	4/3/2020	12.9	0.1		C
Water temperature in deg. celsius (field)	NE-14S	7/7/2020	19.2	0		C
Water temperature in deg. celsius (field)	NE-14S	7/7/2020	19.2	0		C
Water temperature in deg. celsius (field)	NE-14S	10/6/2020	15.8	0.01		C
Water temperature in deg. celsius (field)	NE-14S	4/9/2021	14.1	0		C
Water temperature in deg. celsius (field)	NE-14S	7/2/2021	17.5	0		C
Water temperature in deg. celsius (field)	NE-14S	7/2/2021	17.5	0		C
Water temperature in deg. celsius (field)	NE-14S	10/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-14S	1/18/2022	14.2	0		C
Water temperature in deg. celsius (field)	NE-14S	1/18/2022	14.2	0		C
Water temperature in deg. celsius (field)	NE-14S	4/6/2022	14.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-14S	7/13/2022	18.4	0		C
Water temperature in deg. celsius (field)	NE-14S	10/7/2022	16.9	0		C
Water temperature in deg. celsius (field)	NE-14S	1/6/2023	13.3	0		C
Water temperature in deg. celsius (field)	NE-14S	4/6/2023	12.9	0		C
Water temperature in deg. celsius (field)	NE-15D	9/30/2019	18	0.01		C
Water temperature in deg. celsius (field)	NE-15D	4/3/2020	13.2	0.1		C
Water temperature in deg. celsius (field)	NE-15D	7/7/2020	18.7	0		C
Water temperature in deg. celsius (field)	NE-15D	7/7/2020	18.7	0		C
Water temperature in deg. celsius (field)	NE-15D	10/6/2020	15.8	0.01		C
Water temperature in deg. celsius (field)	NE-15D	4/9/2021	18.1	0		C
Water temperature in deg. celsius (field)	NE-15D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-15D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-15D	10/7/2021	15.5	0		C
Water temperature in deg. celsius (field)	NE-15D	1/17/2022	13.1	0		C
Water temperature in deg. celsius (field)	NE-15D	1/17/2022	13.1	0		C
Water temperature in deg. celsius (field)	NE-15D	4/6/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-15D	7/13/2022	15.6	0		C
Water temperature in deg. celsius (field)	NE-15D	10/7/2022	15.5	0		C
Water temperature in deg. celsius (field)	NE-15D	1/6/2023	14	0		C
Water temperature in deg. celsius (field)	NE-15D	4/6/2023	14.1	0		C
Water temperature in deg. celsius (field)	NE-15S	4/3/2020	14.6	0.1		C
Water temperature in deg. celsius (field)	NE-2	10/2/2002	18.3	0		C
Water temperature in deg. celsius (field)	NE-2	4/24/2007	13.9	0		C
Water temperature in deg. celsius (field)	NE-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	NE-2	12/19/2008	15.47	0		C
Water temperature in deg. celsius (field)	NE-2	10/26/2009	16.9	0		C
Water temperature in deg. celsius (field)	NE-2	9/2/2010	21.4	0		C
Water temperature in deg. celsius (field)	NE-2	9/30/2010	17.6	0		C
Water temperature in deg. celsius (field)	NE-2	4/5/2012	14.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/1/2013	18.4	0		C
Water temperature in deg. celsius (field)	NE-2	10/8/2014	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/5/2015	18.1	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2016	20.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/5/2017	19.5	0		C
Water temperature in deg. celsius (field)	NE-2	1/25/2018	19.3	0.1		C
Water temperature in deg. celsius (field)	NE-2	4/10/2018	14.1	0.1		C
Water temperature in deg. celsius (field)	NE-2	7/10/2018	16.3	0.1		C
Water temperature in deg. celsius (field)	NE-2	10/1/2018	17.7	0		C
Water temperature in deg. celsius (field)	NE-2	1/4/2019	13.3	0.1		C
Water temperature in deg. celsius (field)	NE-2	4/2/2019	11.9	0.01		C
Water temperature in deg. celsius (field)	NE-2	7/9/2019	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	7/9/2019	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/2/2019	18.9	0.01		C
Water temperature in deg. celsius (field)	NE-2	4/1/2020	12.4	0.1		C
Water temperature in deg. celsius (field)	NE-2	7/7/2020	17.8	0		C
Water temperature in deg. celsius (field)	NE-2	7/7/2020	17.8	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2020	16.3	0.01		C
Water temperature in deg. celsius (field)	NE-2	4/9/2021	12.7	0		C
Water temperature in deg. celsius (field)	NE-2	7/2/2021	16.5	0		C
Water temperature in deg. celsius (field)	NE-2	7/2/2021	16.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2021	16.2	0		C
Water temperature in deg. celsius (field)	NE-2	1/18/2022	13.8	0		C
Water temperature in deg. celsius (field)	NE-2	1/18/2022	13.8	0		C
Water temperature in deg. celsius (field)	NE-2	4/6/2022	12	0		C
Water temperature in deg. celsius (field)	NE-2	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	NE-2	1/5/2023	13.1	0		C
Water temperature in deg. celsius (field)	NE-2	4/5/2023	11.5	0		C
Water temperature in deg. celsius (field)	NE-3	10/2/2002	17.9	0		C
Water temperature in deg. celsius (field)	NE-3	4/24/2007	16.6	0		C
Water temperature in deg. celsius (field)	NE-3	4/26/2007	16.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-3	9/2/2010	20.9	0		C
Water temperature in deg. celsius (field)	NE-3	3/21/2018	16.3	0.1		C
Water temperature in deg. celsius (field)	NE-4	10/3/2002	18.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/18/2006	18.4	0		C
Water temperature in deg. celsius (field)	NE-4	7/18/2006	18.4	0		C
Water temperature in deg. celsius (field)	NE-4	7/31/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	8/1/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	8/1/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	10/24/2006	15.1	0		C
Water temperature in deg. celsius (field)	NE-4	10/24/2006	15.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2007	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2007	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	2/24/2007	16.9	0		C
Water temperature in deg. celsius (field)	NE-4	4/26/2007	16.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/12/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/24/2008	12.3	0		C
Water temperature in deg. celsius (field)	NE-4	7/21/2008	22.31	0		C
Water temperature in deg. celsius (field)	NE-4	2/7/2009	16.15	0		C
Water temperature in deg. celsius (field)	NE-4	7/31/2009	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/26/2010	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	7/14/2010	21.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/19/2011	13.2	0		C
Water temperature in deg. celsius (field)	NE-4	7/13/2011	17.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/5/2012	11.8	0		C
Water temperature in deg. celsius (field)	NE-4	7/10/2012	16	0		C
Water temperature in deg. celsius (field)	NE-4	4/30/2013	18.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/16/2013	19.4	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2014	9.1	0		C
Water temperature in deg. celsius (field)	NE-4	7/9/2014	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	2/13/2015	12.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/8/2015	17.7	0		C
Water temperature in deg. celsius (field)	NE-4	1/6/2016	9.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/20/2016	18.7	0		C
Water temperature in deg. celsius (field)	NE-4	1/11/2017	15.2	0		C
Water temperature in deg. celsius (field)	NE-4	7/19/2017	17.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/26/2018	8.3	0.1		C
Water temperature in deg. celsius (field)	NE-4	4/10/2018	18	0.1		C
Water temperature in deg. celsius (field)	NE-4	7/12/2018	32	0.1		C
Water temperature in deg. celsius (field)	NE-4	10/3/2018	24	0		C
Water temperature in deg. celsius (field)	NE-4	1/7/2019	15.3	0.1		C
Water temperature in deg. celsius (field)	NE-4	4/2/2019	13.6	0.01		C
Water temperature in deg. celsius (field)	NE-4	7/8/2019	21.6	0		C
Water temperature in deg. celsius (field)	NE-4	7/8/2019	21.6	0		C
Water temperature in deg. celsius (field)	NE-4	10/1/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	NE-4	4/1/2020	15	0.1		C
Water temperature in deg. celsius (field)	NE-4	7/6/2020	18.2	0		C
Water temperature in deg. celsius (field)	NE-4	7/6/2020	18.2	0		C
Water temperature in deg. celsius (field)	NE-4	10/5/2020	17.6	0.01		C
Water temperature in deg. celsius (field)	NE-4	4/9/2021	15.3	0		C
Water temperature in deg. celsius (field)	NE-4	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-4	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-4	10/6/2021	17.3	0		C
Water temperature in deg. celsius (field)	NE-4	1/5/2023	13.6	0		C
Water temperature in deg. celsius (field)	NE-4	4/6/2023	15.4	0		C
Water temperature in deg. celsius (field)	NE-5	10/2/2002	18	0		C
Water temperature in deg. celsius (field)	NE-5	7/18/2006	17.7	0		C
Water temperature in deg. celsius (field)	NE-5	7/18/2006	17.7	0		C
Water temperature in deg. celsius (field)	NE-5	10/24/2006	15	0		C
Water temperature in deg. celsius (field)	NE-5	10/24/2006	15	0		C
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	2/24/2007	16.3	0		C
Water temperature in deg. celsius (field)	NE-5	4/26/2007	16.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/10/2007	16.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/12/2007	16.6	0		C
Water temperature in deg. celsius (field)	NE-5	1/25/2008	15	0		C
Water temperature in deg. celsius (field)	NE-5	5/3/2008	23.79	0		C
Water temperature in deg. celsius (field)	NE-5	7/22/2008	19	0		C
Water temperature in deg. celsius (field)	NE-5	2/6/2009	18.82	0		C
Water temperature in deg. celsius (field)	NE-5	7/31/2009	16.9	0		C
Water temperature in deg. celsius (field)	NE-5	1/26/2010	14.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/16/2010	18.3	0		C
Water temperature in deg. celsius (field)	NE-5	9/2/2010	22.7	0		C
Water temperature in deg. celsius (field)	NE-5	1/19/2011	13.9	0		C
Water temperature in deg. celsius (field)	NE-5	7/13/2011	17.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/5/2012	12.5	0		C
Water temperature in deg. celsius (field)	NE-5	7/10/2012	16.2	0		C
Water temperature in deg. celsius (field)	NE-5	4/30/2013	19.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/16/2013	17.8	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2014	10.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2014	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	2/11/2015	12.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/14/2015	17.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/6/2016	10.7	0		C
Water temperature in deg. celsius (field)	NE-5	2/11/2016	10.5	0		C
Water temperature in deg. celsius (field)	NE-5	7/20/2016	17.8	0		C
Water temperature in deg. celsius (field)	NE-5	1/11/2017	14.7	0		C
Water temperature in deg. celsius (field)	NE-5	7/19/2017	16.7	0		C
Water temperature in deg. celsius (field)	NE-5	1/25/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	NE-5	4/10/2018	17	0.1		C
Water temperature in deg. celsius (field)	NE-5	7/17/2018	20.61	0.1		C
Water temperature in deg. celsius (field)	NE-5	10/3/2018	23.5	0		C
Water temperature in deg. celsius (field)	NE-5	10/3/2018	23.5	0.1		C
Water temperature in deg. celsius (field)	NE-5	1/4/2019	11.2	0.1		C
Water temperature in deg. celsius (field)	NE-5	4/2/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/2/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	10/3/2019	19.2	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/2/2020	15.3	0.1		C
Water temperature in deg. celsius (field)	NE-5	7/8/2020	24.1	0		C
Water temperature in deg. celsius (field)	NE-5	7/8/2020	24.1	0		C
Water temperature in deg. celsius (field)	NE-5	10/6/2020	17	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/9/2021	16.1	0		C
Water temperature in deg. celsius (field)	NE-5	7/2/2021	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	7/2/2021	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	10/6/2021	16.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/18/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/18/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5	4/6/2022	15.4	0		C
Water temperature in deg. celsius (field)	NE-5	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-5	10/7/2022	15	0		C
Water temperature in deg. celsius (field)	NE-5	1/5/2023	13.8	0		C
Water temperature in deg. celsius (field)	NE-5	4/7/2023	15	0		C
Water temperature in deg. celsius (field)	NE-5E	9/30/2019	23.3	0.01		C
Water temperature in deg. celsius (field)	NE-5E	4/1/2020	15.6	0.1		C
Water temperature in deg. celsius (field)	NE-5E	7/8/2020	22.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-5E	7/8/2020	22.1	0		C
Water temperature in deg. celsius (field)	NE-5E	10/6/2020	18.6	0.01		C
Water temperature in deg. celsius (field)	NE-5E	4/9/2021	18.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-5E	10/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-5E	1/18/2022	14.5	0		C
Water temperature in deg. celsius (field)	NE-5E	1/18/2022	14.5	0		C
Water temperature in deg. celsius (field)	NE-5E	4/6/2022	15.7	0		C
Water temperature in deg. celsius (field)	NE-5E	7/13/2022	16.3	0		C
Water temperature in deg. celsius (field)	NE-5E	10/7/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5E	1/5/2023	12.9	0		C
Water temperature in deg. celsius (field)	NE-5E	4/7/2023	15.1	0		C
Water temperature in deg. celsius (field)	NE-5W	9/30/2019	23.6	0.01		C
Water temperature in deg. celsius (field)	NE-5W	4/2/2020	19.9	0.1		C
Water temperature in deg. celsius (field)	NE-5W	7/8/2020	30	0		C
Water temperature in deg. celsius (field)	NE-5W	7/8/2020	30	0		C
Water temperature in deg. celsius (field)	NE-5W	10/6/2020	20.2	0.01		C
Water temperature in deg. celsius (field)	NE-5W	4/9/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	7/2/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	7/2/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	10/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-5W	1/18/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-5W	1/18/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-5W	4/6/2022	15.9	0		C
Water temperature in deg. celsius (field)	NE-5W	7/13/2022	18	0		C
Water temperature in deg. celsius (field)	NE-5W	10/7/2022	14.8	0		C
Water temperature in deg. celsius (field)	NE-5W	1/5/2023	12	0		C
Water temperature in deg. celsius (field)	NE-5W	4/7/2023	14.8	0		C
Water temperature in deg. celsius (field)	NE-6	1/12/2017	12.9	0		C
Water temperature in deg. celsius (field)	NE-6	4/5/2017	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/19/2017	15.9	0		C
Water temperature in deg. celsius (field)	NE-6	10/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	NE-6	2/4/2019	17.6	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2019	21.2	0		C
Water temperature in deg. celsius (field)	NE-6	8/6/2019	28	0.01		C
Water temperature in deg. celsius (field)	NE-6	1/15/2020	15.6	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2020	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2020	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	7/12/2022	16.4	0		C
Water temperature in deg. celsius (field)	NE-6	1/5/2023	14.6	0		C
Water temperature in deg. celsius (field)	NE-6D	10/2/2019	19.9	0.01		C
Water temperature in deg. celsius (field)	NE-6D	4/2/2020	15.2	0.1		C
Water temperature in deg. celsius (field)	NE-6D	7/9/2020	16	0		C
Water temperature in deg. celsius (field)	NE-6D	7/9/2020	16	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2020	14.4	0.01		C
Water temperature in deg. celsius (field)	NE-6D	4/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	NE-6D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-6D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-6D	1/17/2022	13.5	0		C
Water temperature in deg. celsius (field)	NE-6D	1/17/2022	13.5	0		C
Water temperature in deg. celsius (field)	NE-6D	4/6/2022	15	0		C
Water temperature in deg. celsius (field)	NE-6D	7/12/2022	18.5	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2022	16.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-6D	1/5/2023	14.5	0		C
Water temperature in deg. celsius (field)	NE-6D	4/7/2023	14.4	0		C
Water temperature in deg. celsius (field)	NE-7	3/1/2017	14.4	0		C
Water temperature in deg. celsius (field)	NE-7	4/6/2017	16.4	0		C
Water temperature in deg. celsius (field)	NE-7	7/20/2017	15.8	0		C
Water temperature in deg. celsius (field)	NE-7	10/5/2017	15.8	0		C
Water temperature in deg. celsius (field)	NE-7	2/6/2019	14.4	0		C
Water temperature in deg. celsius (field)	NE-7	7/10/2019	22.1	0		C
Water temperature in deg. celsius (field)	NE-7	8/6/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-7	1/16/2020	12.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/12/2022	15.7	0		C
Water temperature in deg. celsius (field)	NE-7	1/5/2023	13.9	0		C
Water temperature in deg. celsius (field)	NE-8	1/12/2017	14.2	0		C
Water temperature in deg. celsius (field)	NE-8	4/5/2017	14.2	0		C
Water temperature in deg. celsius (field)	NE-8	7/20/2017	22.3	0		C
Water temperature in deg. celsius (field)	NE-8	10/6/2017	18.2	0		C
Water temperature in deg. celsius (field)	NE-8	2/4/2019	12.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/11/2019	18.8	0		C
Water temperature in deg. celsius (field)	NE-8	8/5/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-8	1/15/2020	13.4	0		C
Water temperature in deg. celsius (field)	NE-8	7/8/2020	16.7	0		C
Water temperature in deg. celsius (field)	NE-8	7/8/2020	16.7	0		C
Water temperature in deg. celsius (field)	NE-8	10/7/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	NE-8	10/7/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	NE-8	4/9/2021	14.6	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	10/7/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-8	1/6/2023	14.2	0		C
Water temperature in deg. celsius (field)	NE-9	1/12/2017	14.1	0		C
Water temperature in deg. celsius (field)	NE-9	4/5/2017	13.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/20/2017	16.1	0		C
Water temperature in deg. celsius (field)	NE-9	10/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	2/5/2019	16	0		C
Water temperature in deg. celsius (field)	NE-9	7/8/2019	15.6	0		C
Water temperature in deg. celsius (field)	NE-9	8/7/2019	16.5	0.01		C
Water temperature in deg. celsius (field)	NE-9	1/15/2020	14.5	0		C
Water temperature in deg. celsius (field)	NE-9	7/7/2020	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	7/7/2020	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/13/2022	16.3	0		C
Water temperature in deg. celsius (field)	NE-9	1/6/2023	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	4/8/2023	15	0		C
Zinc, dissolved	LGW-14R	1/25/2006	5	5	ND	ug/L
Zinc, dissolved	LGW-2	1/25/2006	5.6	5		ug/L
Zinc, dissolved	LGW-4	1/24/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, dissolved	LGW-5	1/25/2006	5	5	ND	ug/L
Zinc, dissolved	LGW-6	1/24/2006	6.2	5		ug/L
Zinc, dissolved	LGW-7	1/25/2006	8.5	5		ug/L
Zinc, dissolved	LGW-8R	1/24/2006	12	5		ug/L
Zinc, dissolved	MW-10N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Zinc, dissolved	MW-10N	10/2/2002	4.4	2		ug/L
Zinc, dissolved	MW-11N	7/10/2000	5	5	ND	ug/L
Zinc, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-11N	10/2/2002	2.6	2		ug/L
Zinc, dissolved	MW-1N	10/19/1999	24	5		ug/L
Zinc, dissolved	MW-1N	7/12/2000	5	5	ND	ug/L
Zinc, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-1N	10/3/2002	2.9	2		ug/L
Zinc, dissolved	MW-2N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Zinc, dissolved	MW-2N	10/2/2002	4.4	2		ug/L
Zinc, dissolved	MW-3N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-3N	10/2/2002	5.7	2		ug/L
Zinc, dissolved	MW-7N	10/19/1999	490	5		ug/L
Zinc, dissolved	MW-7N	7/11/2000	570	5		ug/L
Zinc, dissolved	MW-7N	7/9/2002	580	50		ug/L
Zinc, dissolved	MW-7N	10/2/2002	740	6.5		ug/L
Zinc, dissolved	MW-8N	10/19/1999	5	5	ND	ug/L
Zinc, dissolved	MW-8N	7/11/2000	28	5		ug/L
Zinc, dissolved	MW-8N	7/9/2002	13	10		ug/L
Zinc, dissolved	MW-8N	10/2/2002	13	2		ug/L
Zinc, dissolved	NE-1	7/10/2002	190	10		ug/L
Zinc, dissolved	NE-1	8/6/2002	180	2		ug/L
Zinc, dissolved	NE-1	9/4/2002	190	2		ug/L
Zinc, dissolved	NE-1	10/2/2002	220	2		ug/L
Zinc, dissolved	NE-2	7/9/2002	67	10		ug/L
Zinc, dissolved	NE-2	8/6/2002	30	2		ug/L
Zinc, dissolved	NE-2	9/4/2002	64	2		ug/L
Zinc, dissolved	NE-2	10/2/2002	50	2		ug/L
Zinc, dissolved	NE-3	7/9/2002	180	10		ug/L
Zinc, dissolved	NE-3	8/6/2002	96	2		ug/L
Zinc, dissolved	NE-3	9/4/2002	110	2		ug/L
Zinc, dissolved	NE-3	10/2/2002	140	2		ug/L
Zinc, dissolved	NE-4	7/10/2002	37	10		ug/L
Zinc, dissolved	NE-4	8/6/2002	43	2		ug/L
Zinc, dissolved	NE-4	9/4/2002	38	2		ug/L
Zinc, dissolved	NE-4	10/3/2002	43	2		ug/L
Zinc, dissolved	NE-5	7/9/2002	130	10		ug/L
Zinc, dissolved	NE-5	8/6/2002	170	2		ug/L
Zinc, dissolved	NE-5	9/4/2002	140	2		ug/L
Zinc, dissolved	NE-5	10/2/2002	150	2		ug/L
Zinc, total	LGW-10	1/26/2006	44	5		ug/L
Zinc, total	LGW-10	8/1/2006	12	5		ug/L
Zinc, total	LGW-10	8/1/2006	12	5		ug/L
Zinc, total	LGW-10	10/26/2006	20	20		ug/L
Zinc, total	LGW-10	1/9/2007	8.7	5		ug/L
Zinc, total	LGW-10	1/25/2007	16	5		ug/L
Zinc, total	LGW-10	4/26/2007	9.5	5		ug/L
Zinc, total	LGW-10	7/12/2007	29	5		ug/L
Zinc, total	LGW-10	1/23/2008	7.3	5		ug/L
Zinc, total	LGW-10	7/22/2008	8.2	5		ug/L
Zinc, total	LGW-10	7/29/2009	74	5		ug/L
Zinc, total	LGW-10	2/3/2010	17	5		ug/L
Zinc, total	LGW-10	2/3/2010	17	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-10	7/16/2010	140	5		ug/L
Zinc, total	LGW-10	1/19/2011	140	5		ug/L
Zinc, total	LGW-10	7/12/2011	140	5		ug/L
Zinc, total	LGW-10	1/5/2012	140	5		ug/L
Zinc, total	LGW-10	7/9/2012	130	5		ug/L
Zinc, total	LGW-10	5/1/2013	90	5		ug/L
Zinc, total	LGW-10	1/30/2014	120	5		ug/L
Zinc, total	LGW-10	7/9/2014	39	5		ug/L
Zinc, total	LGW-10	2/12/2015	34	5		ug/L
Zinc, total	LGW-10	7/13/2015	47	5		ug/L
Zinc, total	LGW-10	1/5/2016	31	5		ug/L
Zinc, total	LGW-10	4/6/2016	47	5		ug/L
Zinc, total	LGW-10	7/21/2016	23	5		ug/L
Zinc, total	LGW-10	10/6/2016	14	5		ug/L
Zinc, total	LGW-10	1/11/2017	28	5		ug/L
Zinc, total	LGW-10	4/4/2017	28	5		ug/L
Zinc, total	LGW-10	7/19/2017	51	5		ug/L
Zinc, total	LGW-10	10/9/2017	75	5		ug/L
Zinc, total	LGW-10	1/24/2018	4.9	5	ND	ug/L
Zinc, total	LGW-10	4/11/2018	46	5		ug/L
Zinc, total	LGW-10	7/16/2018	41	5		ug/L
Zinc, total	LGW-10	10/4/2018	17	5		ug/L
Zinc, total	LGW-10	1/4/2019	64	5		ug/L
Zinc, total	LGW-10	4/3/2019	78	5		ug/L
Zinc, total	LGW-10	7/11/2019	87	10		ug/L
Zinc, total	LGW-10	10/2/2019	82	5		ug/L
Zinc, total	LGW-10	1/15/2020	114	5		ug/L
Zinc, total	LGW-10	4/2/2020	52.5	5		ug/L
Zinc, total	LGW-10	7/9/2020	54.2	5		ug/L
Zinc, total	LGW-10	10/7/2020	26.4	5		ug/L
Zinc, total	LGW-10	1/17/2021	98.7	5		ug/L
Zinc, total	LGW-10	4/6/2021	106	5		ug/L
Zinc, total	LGW-10	7/7/2021	116	5		ug/L
Zinc, total	LGW-10	10/5/2021	85	5		ug/L
Zinc, total	LGW-10	1/13/2022	140	5		ug/L
Zinc, total	LGW-10	4/4/2022	132	5		ug/L
Zinc, total	LGW-10	7/11/2022	158	5		ug/L
Zinc, total	LGW-10	10/7/2022	127	5		ug/L
Zinc, total	LGW-10	1/11/2023	141	5		ug/L
Zinc, total	LGW-10	4/5/2023	152	5		ug/L
Zinc, total	LGW-14R	1/25/2006	7.1	5		ug/L
Zinc, total	LGW-14R	8/2/2006	89	5		ug/L
Zinc, total	LGW-14R	8/2/2006	89	5		ug/L
Zinc, total	LGW-14R	10/27/2006	20	20	ND	ug/L
Zinc, total	LGW-14R	1/9/2007	37	5		ug/L
Zinc, total	LGW-14R	1/24/2007	23	5		ug/L
Zinc, total	LGW-14R	4/24/2007	43	5		ug/L
Zinc, total	LGW-14R	7/11/2007	110	5		ug/L
Zinc, total	LGW-14R	1/23/2008	22	5		ug/L
Zinc, total	LGW-14R	7/22/2008	3.8	5	ND	ug/L
Zinc, total	LGW-14R	2/6/2009	24	5		ug/L
Zinc, total	LGW-14R	7/29/2009	4.3	5	ND	ug/L
Zinc, total	LGW-14R	2/3/2010	3.9	5	ND	ug/L
Zinc, total	LGW-14R	2/3/2010	3.9	5	ND	ug/L
Zinc, total	LGW-14R	7/12/2010	3.8	5	ND	ug/L
Zinc, total	LGW-14R	1/19/2011	4.7	5	ND	ug/L
Zinc, total	LGW-14R	7/12/2011	2.7	5	ND	ug/L
Zinc, total	LGW-14R	1/5/2012	4	5	ND	ug/L
Zinc, total	LGW-14R	7/9/2012	3.5	5	ND	ug/L
Zinc, total	LGW-14R	4/30/2013	2.5	5	ND	ug/L
Zinc, total	LGW-14R	1/23/2014	5.4	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-14R	7/8/2014	4.4	5	ND	ug/L
Zinc, total	LGW-14R	2/11/2015	4.9	5	ND	ug/L
Zinc, total	LGW-14R	7/22/2015	5.5	5		ug/L
Zinc, total	LGW-14R	1/5/2016	5	5		ug/L
Zinc, total	LGW-14R	7/19/2016	5.4	5		ug/L
Zinc, total	LGW-14R	1/11/2017	5.1	5		ug/L
Zinc, total	LGW-14R	7/18/2017	8.4	5		ug/L
Zinc, total	LGW-14R	1/25/2018	7.8	5		ug/L
Zinc, total	LGW-14R	6/21/2018	5	5		ug/L
Zinc, total	LGW-14R	7/17/2018	60	5		ug/L
Zinc, total	LGW-14R	10/2/2018	4.3	5	ND	ug/L
Zinc, total	LGW-14R	1/3/2019	4.5	5	ND	ug/L
Zinc, total	LGW-14R	7/10/2019	7.8	10	ND	ug/L
Zinc, total	LGW-14R	1/16/2020	5.23	5		ug/L
Zinc, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Zinc, total	LGW-14R	1/18/2021	14.4	5		ug/L
Zinc, total	LGW-14R	4/6/2021	7.47	5		ug/L
Zinc, total	LGW-14R	7/7/2021	10.3	5		ug/L
Zinc, total	LGW-14R	1/12/2022	7.76	5		ug/L
Zinc, total	LGW-14R	7/11/2022	15.6	5		ug/L
Zinc, total	LGW-14R	1/10/2023	7.39	5		ug/L
Zinc, total	LGW-2	1/25/2006	17	5		ug/L
Zinc, total	LGW-2	8/1/2006	12	5		ug/L
Zinc, total	LGW-2	8/1/2006	12	5		ug/L
Zinc, total	LGW-2	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-2	1/9/2007	8.1	5		ug/L
Zinc, total	LGW-2	1/25/2007	8.6	5		ug/L
Zinc, total	LGW-2	4/26/2007	7.5	5		ug/L
Zinc, total	LGW-2	7/10/2007	11	5		ug/L
Zinc, total	LGW-2	1/26/2008	16	5		ug/L
Zinc, total	LGW-2	7/23/2008	7	5		ug/L
Zinc, total	LGW-2	2/6/2009	17	5		ug/L
Zinc, total	LGW-2	7/30/2009	6.8	5		ug/L
Zinc, total	LGW-2	2/3/2010	4.5	5	ND	ug/L
Zinc, total	LGW-2	2/3/2010	4.5	5	ND	ug/L
Zinc, total	LGW-2	7/12/2010	5.7	5		ug/L
Zinc, total	LGW-2	1/19/2011	7.9	5		ug/L
Zinc, total	LGW-2	7/13/2011	4.4	5	ND	ug/L
Zinc, total	LGW-2	1/4/2012	8.2	5		ug/L
Zinc, total	LGW-2	7/9/2012	5	5		ug/L
Zinc, total	LGW-2	4/30/2013	10	5		ug/L
Zinc, total	LGW-2	7/15/2013	8	5		ug/L
Zinc, total	LGW-2	1/30/2014	4.9	5	ND	ug/L
Zinc, total	LGW-2	7/8/2014	8.5	5		ug/L
Zinc, total	LGW-2	2/13/2015	8.6	5		ug/L
Zinc, total	LGW-2	7/8/2015	9.1	5		ug/L
Zinc, total	LGW-2	1/5/2016	8.8	5		ug/L
Zinc, total	LGW-2	7/19/2016	7	5		ug/L
Zinc, total	LGW-2	1/11/2017	16	5		ug/L
Zinc, total	LGW-2	7/18/2017	9.6	5		ug/L
Zinc, total	LGW-2	1/23/2018	3.5	5	ND	ug/L
Zinc, total	LGW-2	7/12/2018	5	5	ND	ug/L
Zinc, total	LGW-2	1/3/2019	5	5	ND	ug/L
Zinc, total	LGW-2	7/9/2019	7.2	10	ND	ug/L
Zinc, total	LGW-2	1/13/2020	5	5	ND	ug/L
Zinc, total	LGW-2	4/1/2020	6.07	5		ug/L
Zinc, total	LGW-2	7/8/2020	5	5	ND	ug/L
Zinc, total	LGW-2	1/18/2021	16.6	5		ug/L
Zinc, total	LGW-2	7/4/2021	16.6	5		ug/L
Zinc, total	LGW-2	1/12/2022	7.79	5		ug/L
Zinc, total	LGW-2	7/10/2022	6.9	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-2	1/10/2023	6.43	5		ug/L
Zinc, total	LGW-3R	1/24/2006	5.6	5		ug/L
Zinc, total	LGW-3R	7/20/2006	6.6	5		ug/L
Zinc, total	LGW-3R	7/20/2006	6.6	5		ug/L
Zinc, total	LGW-3R	10/26/2006	53	20		ug/L
Zinc, total	LGW-3R	1/8/2007	15	5		ug/L
Zinc, total	LGW-3R	1/25/2007	6.4	5		ug/L
Zinc, total	LGW-3R	4/26/2007	7.2	5		ug/L
Zinc, total	LGW-3R	7/11/2007	6.8	5		ug/L
Zinc, total	LGW-3R	1/26/2008	12	5		ug/L
Zinc, total	LGW-3R	7/23/2008	3.5	5	ND	ug/L
Zinc, total	LGW-3R	2/3/2009	5.6	5		ug/L
Zinc, total	LGW-3R	7/31/2009	27	5		ug/L
Zinc, total	LGW-3R	2/3/2010	4.2	5	ND	ug/L
Zinc, total	LGW-3R	2/3/2010	4.2	5	ND	ug/L
Zinc, total	LGW-3R	7/16/2010	5	5	ND	ug/L
Zinc, total	LGW-3R	1/19/2011	3.2	5	ND	ug/L
Zinc, total	LGW-3R	7/13/2011	2.9	5	ND	ug/L
Zinc, total	LGW-3R	1/4/2012	5.4	5		ug/L
Zinc, total	LGW-3R	7/9/2012	3.5	5	ND	ug/L
Zinc, total	LGW-3R	4/30/2013	12	5		ug/L
Zinc, total	LGW-3R	7/15/2013	13	5		ug/L
Zinc, total	LGW-3R	1/22/2014	6.2	5		ug/L
Zinc, total	LGW-3R	7/8/2014	14	5		ug/L
Zinc, total	LGW-3R	2/10/2015	6.8	5		ug/L
Zinc, total	LGW-3R	7/16/2015	3.7	5	ND	ug/L
Zinc, total	LGW-3R	1/8/2016	2.4	5	ND	ug/L
Zinc, total	LGW-3R	7/21/2016	24	5		ug/L
Zinc, total	LGW-3R	1/11/2017	5.8	5		ug/L
Zinc, total	LGW-3R	7/18/2017	180	5		ug/L
Zinc, total	LGW-3R	1/23/2018	24	5		ug/L
Zinc, total	LGW-3R	7/11/2018	9	5		ug/L
Zinc, total	LGW-3R	1/3/2019	13	5		ug/L
Zinc, total	LGW-3R	7/9/2019	12	10		ug/L
Zinc, total	LGW-3R	1/14/2020	11.9	5		ug/L
Zinc, total	LGW-3R	7/6/2020	7.54	5		ug/L
Zinc, total	LGW-3R	1/18/2021	18.8	5		ug/L
Zinc, total	LGW-3R	7/6/2021	9.28	5		ug/L
Zinc, total	LGW-3R	1/12/2022	5.12	5		ug/L
Zinc, total	LGW-3R	7/10/2022	5.18	5		ug/L
Zinc, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Zinc, total	LGW-4	1/24/2006	11	5		ug/L
Zinc, total	LGW-4	7/20/2006	5.5	5		ug/L
Zinc, total	LGW-4	7/20/2006	5.5	5		ug/L
Zinc, total	LGW-4	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-4	1/9/2007	8.1	5		ug/L
Zinc, total	LGW-4	1/25/2007	8.6	5		ug/L
Zinc, total	LGW-4	4/26/2007	7.1	5		ug/L
Zinc, total	LGW-4	7/11/2007	6.5	5		ug/L
Zinc, total	LGW-4	1/22/2008	5.5	5		ug/L
Zinc, total	LGW-4	7/23/2008	3.5	5	ND	ug/L
Zinc, total	LGW-4	2/3/2009	5.9	5		ug/L
Zinc, total	LGW-4	7/31/2009	3.2	5	ND	ug/L
Zinc, total	LGW-4	2/3/2010	3.4	5	ND	ug/L
Zinc, total	LGW-4	2/3/2010	3.4	5	ND	ug/L
Zinc, total	LGW-4	7/16/2010	2.6	5	ND	ug/L
Zinc, total	LGW-4	1/19/2011	2.8	5	ND	ug/L
Zinc, total	LGW-4	7/13/2011	2.3	5	ND	ug/L
Zinc, total	LGW-4	1/4/2012	3.8	5	ND	ug/L
Zinc, total	LGW-4	7/9/2012	2.6	5	ND	ug/L
Zinc, total	LGW-4	4/30/2013	3.8	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-4	7/15/2013	3	5	ND	ug/L
Zinc, total	LGW-4	1/23/2014	4	5	ND	ug/L
Zinc, total	LGW-4	7/8/2014	3.4	5	ND	ug/L
Zinc, total	LGW-4	2/11/2015	5.2	5		ug/L
Zinc, total	LGW-4	7/8/2015	4.8	5	ND	ug/L
Zinc, total	LGW-4	1/5/2016	6.3	5		ug/L
Zinc, total	LGW-4	7/19/2016	5.9	5		ug/L
Zinc, total	LGW-4	1/11/2017	4.8	5	ND	ug/L
Zinc, total	LGW-4	7/18/2017	12	5		ug/L
Zinc, total	LGW-4	1/23/2018	5.5	5		ug/L
Zinc, total	LGW-4	7/11/2018	6.6	5		ug/L
Zinc, total	LGW-4	1/3/2019	8.4	5		ug/L
Zinc, total	LGW-4	7/9/2019	19	10		ug/L
Zinc, total	LGW-4	10/1/2019	56	5		ug/L
Zinc, total	LGW-4	1/14/2020	9.12	5		ug/L
Zinc, total	LGW-4	7/6/2020	12.5	5		ug/L
Zinc, total	LGW-4	1/18/2021	105	5		ug/L
Zinc, total	LGW-4	4/6/2021	7.05	5		ug/L
Zinc, total	LGW-4	7/7/2021	31.5	5		ug/L
Zinc, total	LGW-4	10/5/2021	10.6	5		ug/L
Zinc, total	LGW-4	1/12/2022	12.1	5		ug/L
Zinc, total	LGW-4	7/11/2022	13.9	5		ug/L
Zinc, total	LGW-4	1/10/2023	37.9	5		ug/L
Zinc, total	LGW-5	1/25/2006	9.1	5		ug/L
Zinc, total	LGW-5	8/1/2006	6.2	5		ug/L
Zinc, total	LGW-5	8/1/2006	6.2	5		ug/L
Zinc, total	LGW-5	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-5	1/9/2007	6.1	5		ug/L
Zinc, total	LGW-5	1/25/2007	6.9	5		ug/L
Zinc, total	LGW-5	4/26/2007	6.4	5		ug/L
Zinc, total	LGW-5	7/11/2007	6.1	5		ug/L
Zinc, total	LGW-5	1/23/2008	4.5	5	ND	ug/L
Zinc, total	LGW-5	7/23/2008	3.9	5	ND	ug/L
Zinc, total	LGW-5	2/4/2009	7.3	5		ug/L
Zinc, total	LGW-5	7/29/2009	3	5	ND	ug/L
Zinc, total	LGW-5	2/3/2010	4.1	5	ND	ug/L
Zinc, total	LGW-5	2/3/2010	4.1	5	ND	ug/L
Zinc, total	LGW-5	7/12/2010	2	5	ND	ug/L
Zinc, total	LGW-5	1/19/2011	3.8	5	ND	ug/L
Zinc, total	LGW-5	7/12/2011	5	5	ND	ug/L
Zinc, total	LGW-5	1/5/2012	5.3	5		ug/L
Zinc, total	LGW-5	7/9/2012	3.2	5	ND	ug/L
Zinc, total	LGW-5	4/30/2013	2.5	5	ND	ug/L
Zinc, total	LGW-5	7/15/2013	4.3	5	ND	ug/L
Zinc, total	LGW-5	1/23/2014	10	5		ug/L
Zinc, total	LGW-5	7/8/2014	11	5		ug/L
Zinc, total	LGW-5	2/10/2015	18	5		ug/L
Zinc, total	LGW-5	7/8/2015	15	5		ug/L
Zinc, total	LGW-5	1/5/2016	18	5		ug/L
Zinc, total	LGW-5	7/19/2016	14	5		ug/L
Zinc, total	LGW-5	1/11/2017	11	5		ug/L
Zinc, total	LGW-5	7/18/2017	16	5		ug/L
Zinc, total	LGW-5	1/23/2018	16	5		ug/L
Zinc, total	LGW-5	7/12/2018	21	5		ug/L
Zinc, total	LGW-5	1/3/2019	33	5		ug/L
Zinc, total	LGW-5	7/9/2019	56	10		ug/L
Zinc, total	LGW-5	1/14/2020	68.9	5		ug/L
Zinc, total	LGW-5	7/6/2020	73.4	5		ug/L
Zinc, total	LGW-5	1/18/2021	93.8	5		ug/L
Zinc, total	LGW-5	4/6/2021	62	5		ug/L
Zinc, total	LGW-5	7/7/2021	50.4	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-5	10/5/2021	26.3	5		ug/L
Zinc, total	LGW-5	1/12/2022	94.1	5		ug/L
Zinc, total	LGW-5	4/4/2022	88.5	5		ug/L
Zinc, total	LGW-5	7/11/2022	60.2	5		ug/L
Zinc, total	LGW-5	10/6/2022	25.9	5		ug/L
Zinc, total	LGW-5	1/10/2023	22	5		ug/L
Zinc, total	LGW-6	1/24/2006	9	5		ug/L
Zinc, total	LGW-6	7/20/2006	7.7	5		ug/L
Zinc, total	LGW-6	7/20/2006	7.7	5		ug/L
Zinc, total	LGW-6	10/26/2006	26	20		ug/L
Zinc, total	LGW-6	1/9/2007	9.5	5		ug/L
Zinc, total	LGW-6	1/24/2007	12	5		ug/L
Zinc, total	LGW-6	4/26/2007	9.1	5		ug/L
Zinc, total	LGW-6	7/11/2007	9.3	5		ug/L
Zinc, total	LGW-6	1/23/2008	5.5	5		ug/L
Zinc, total	LGW-6	7/23/2008	6.1	5		ug/L
Zinc, total	LGW-6	2/5/2009	12	5		ug/L
Zinc, total	LGW-6	7/29/2009	14	5		ug/L
Zinc, total	LGW-6	2/3/2010	6	5		ug/L
Zinc, total	LGW-6	2/3/2010	6	5		ug/L
Zinc, total	LGW-6	7/12/2010	7	5		ug/L
Zinc, total	LGW-6	1/19/2011	6.1	5		ug/L
Zinc, total	LGW-6	7/12/2011	6	5		ug/L
Zinc, total	LGW-6	1/5/2012	6.7	5		ug/L
Zinc, total	LGW-6	7/9/2012	6.2	5		ug/L
Zinc, total	LGW-6	4/30/2013	29	5		ug/L
Zinc, total	LGW-6	7/15/2013	7.1	5		ug/L
Zinc, total	LGW-6	1/23/2014	7	5		ug/L
Zinc, total	LGW-6	7/8/2014	6.7	5		ug/L
Zinc, total	LGW-6	2/10/2015	8	5		ug/L
Zinc, total	LGW-6	7/22/2015	10	5		ug/L
Zinc, total	LGW-6	1/5/2016	7.5	5		ug/L
Zinc, total	LGW-6	7/19/2016	190	5		ug/L
Zinc, total	LGW-6	9/6/2016	310	5		ug/L
Zinc, total	LGW-6	10/6/2016	310	5		ug/L
Zinc, total	LGW-6	1/11/2017	310	5		ug/L
Zinc, total	LGW-6	5/5/2017	250	5		ug/L
Zinc, total	LGW-6	7/18/2017	310	5		ug/L
Zinc, total	LGW-6	10/5/2017	270	5		ug/L
Zinc, total	LGW-6	1/23/2018	270	5		ug/L
Zinc, total	LGW-6	4/10/2018	280	5		ug/L
Zinc, total	LGW-6	7/17/2018	250	5		ug/L
Zinc, total	LGW-6	10/2/2018	230	5		ug/L
Zinc, total	LGW-6	1/7/2019	240	5		ug/L
Zinc, total	LGW-6	4/3/2019	240	5		ug/L
Zinc, total	LGW-6	7/10/2019	220	10		ug/L
Zinc, total	LGW-6	10/3/2019	210	5		ug/L
Zinc, total	LGW-6	1/16/2020	226	5		ug/L
Zinc, total	LGW-6	4/2/2020	240	5		ug/L
Zinc, total	LGW-6	7/9/2020	218	5		ug/L
Zinc, total	LGW-6	10/6/2020	243	5		ug/L
Zinc, total	LGW-6	1/18/2021	204	5		ug/L
Zinc, total	LGW-6	4/6/2021	189	5		ug/L
Zinc, total	LGW-6	7/7/2021	192	5		ug/L
Zinc, total	LGW-6	10/5/2021	183	5		ug/L
Zinc, total	LGW-6	1/12/2022	175	5		ug/L
Zinc, total	LGW-6	4/4/2022	170	5		ug/L
Zinc, total	LGW-6	7/11/2022	162	5		ug/L
Zinc, total	LGW-6	10/6/2022	161	5		ug/L
Zinc, total	LGW-6	1/10/2023	140	5		ug/L
Zinc, total	LGW-6	4/6/2023	155	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-7	1/25/2006	9.1	5		ug/L
Zinc, total	LGW-7	8/1/2006	15	5		ug/L
Zinc, total	LGW-7	8/1/2006	15	5		ug/L
Zinc, total	LGW-7	10/26/2006	24	20		ug/L
Zinc, total	LGW-7	1/9/2007	18	5		ug/L
Zinc, total	LGW-7	1/24/2007	19	5		ug/L
Zinc, total	LGW-7	4/26/2007	17	5		ug/L
Zinc, total	LGW-7	7/12/2007	19	5		ug/L
Zinc, total	LGW-7	7/22/2008	18	5		ug/L
Zinc, total	LGW-7	2/4/2009	21	5		ug/L
Zinc, total	LGW-7	7/31/2009	16	5		ug/L
Zinc, total	LGW-7	1/27/2010	18	5		ug/L
Zinc, total	LGW-7	7/12/2010	16	5		ug/L
Zinc, total	LGW-7	1/20/2011	21	5		ug/L
Zinc, total	LGW-7	7/12/2011	19	5		ug/L
Zinc, total	LGW-7	1/5/2012	22	5		ug/L
Zinc, total	LGW-7	7/10/2012	22	5		ug/L
Zinc, total	LGW-7	4/30/2013	27	5		ug/L
Zinc, total	LGW-7	7/15/2013	27	5		ug/L
Zinc, total	LGW-7	1/23/2014	37	5		ug/L
Zinc, total	LGW-7	7/8/2014	35	5		ug/L
Zinc, total	LGW-7	2/11/2015	37	5		ug/L
Zinc, total	LGW-7	7/22/2015	93	5		ug/L
Zinc, total	LGW-7	1/5/2016	710	5		ug/L
Zinc, total	LGW-7	4/6/2016	810	5		ug/L
Zinc, total	LGW-7	7/20/2016	870	5		ug/L
Zinc, total	LGW-7	9/6/2016	920	5		ug/L
Zinc, total	LGW-7	10/6/2016	870	5		ug/L
Zinc, total	LGW-7	1/11/2017	370	5		ug/L
Zinc, total	LGW-7	4/4/2017	320	5		ug/L
Zinc, total	LGW-7	7/18/2017	10	5		ug/L
Zinc, total	LGW-7	10/5/2017	560	5		ug/L
Zinc, total	LGW-7	1/24/2018	450	5		ug/L
Zinc, total	LGW-7	4/11/2018	340	5		ug/L
Zinc, total	LGW-7	7/12/2018	310	5		ug/L
Zinc, total	LGW-7	10/2/2018	270	5		ug/L
Zinc, total	LGW-7	1/7/2019	160	5		ug/L
Zinc, total	LGW-7	4/3/2019	150	5		ug/L
Zinc, total	LGW-7	7/10/2019	280	10		ug/L
Zinc, total	LGW-7	10/3/2019	64	5		ug/L
Zinc, total	LGW-7	1/15/2020	18.2	5		ug/L
Zinc, total	LGW-7	7/9/2020	7.99	5		ug/L
Zinc, total	LGW-7	1/18/2021	11.6	5		ug/L
Zinc, total	LGW-7	7/7/2021	20.8	5		ug/L
Zinc, total	LGW-7	10/5/2021	7.71	5		ug/L
Zinc, total	LGW-7	1/13/2022	8.33	5		ug/L
Zinc, total	LGW-7	7/11/2022	36.6	5		ug/L
Zinc, total	LGW-7	1/11/2023	8.87	5		ug/L
Zinc, total	LGW-8R	1/24/2006	14	5		ug/L
Zinc, total	LGW-8R	7/20/2006	13	5		ug/L
Zinc, total	LGW-8R	7/20/2006	13	5		ug/L
Zinc, total	LGW-8R	10/26/2006	27	20		ug/L
Zinc, total	LGW-8R	1/9/2007	20	5		ug/L
Zinc, total	LGW-8R	1/24/2007	24	5		ug/L
Zinc, total	LGW-8R	4/25/2007	18	5		ug/L
Zinc, total	LGW-8R	7/12/2007	15	5		ug/L
Zinc, total	LGW-8R	2/4/2009	7.9	5	ND	ug/L
Zinc, total	LGW-8R	7/29/2009	2.4	5	ND	ug/L
Zinc, total	LGW-8R	1/27/2010	4.6	5	ND	ug/L
Zinc, total	LGW-8R	7/14/2010	2	5	ND	ug/L
Zinc, total	LGW-8R	1/20/2011	2.9	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Zinc, total	LGW-8R	1/5/2012	2.9	5	ND	ug/L
Zinc, total	LGW-8R	7/9/2012	2	5	ND	ug/L
Zinc, total	LGW-8R	4/30/2013	3.7	5	ND	ug/L
Zinc, total	LGW-8R	7/15/2013	2.7	5	ND	ug/L
Zinc, total	LGW-8R	1/22/2014	2.8	5	ND	ug/L
Zinc, total	LGW-8R	7/8/2014	11	5		ug/L
Zinc, total	LGW-8R	2/11/2015	3	5	ND	ug/L
Zinc, total	LGW-8R	7/22/2015	11	5		ug/L
Zinc, total	LGW-8R	1/5/2016	5.3	5		ug/L
Zinc, total	LGW-8R	7/20/2016	6.5	5		ug/L
Zinc, total	LGW-8R	1/11/2017	4.3	5	ND	ug/L
Zinc, total	LGW-8R	7/18/2017	5.7	5		ug/L
Zinc, total	LGW-8R	1/25/2018	3.4	5	ND	ug/L
Zinc, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Zinc, total	LGW-8R	1/7/2019	3.6	5	ND	ug/L
Zinc, total	LGW-8R	7/8/2019	9.9	10	ND	ug/L
Zinc, total	LGW-8R	1/14/2020	5.65	5		ug/L
Zinc, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Zinc, total	LGW-8R	1/17/2021	2.56	2.56	ND	ug/L
Zinc, total	LGW-8R	7/7/2021	6.22	5		ug/L
Zinc, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Zinc, total	LGW-8R	7/11/2022	9.56	5		ug/L
Zinc, total	LGW-8R	1/11/2023	17.2	5		ug/L
Zinc, total	LGW-9	1/25/2006	120	5		ug/L
Zinc, total	LGW-9	7/20/2006	96	5		ug/L
Zinc, total	LGW-9	7/20/2006	96	5		ug/L
Zinc, total	LGW-9	10/26/2006	100	20		ug/L
Zinc, total	LGW-9	1/9/2007	87	5		ug/L
Zinc, total	LGW-9	1/25/2007	120	5		ug/L
Zinc, total	LGW-9	4/25/2007	79	5		ug/L
Zinc, total	LGW-9	7/10/2007	77	5		ug/L
Zinc, total	LGW-9	7/22/2008	110	5		ug/L
Zinc, total	LGW-9	2/4/2009	93	5		ug/L
Zinc, total	LGW-9	7/29/2009	65	5		ug/L
Zinc, total	LGW-9	1/27/2010	91	5		ug/L
Zinc, total	LGW-9	7/14/2010	88	5		ug/L
Zinc, total	LGW-9	1/20/2011	120	5		ug/L
Zinc, total	LGW-9	7/12/2011	130	5		ug/L
Zinc, total	LGW-9	1/5/2012	160	5		ug/L
Zinc, total	LGW-9	7/10/2012	160	5		ug/L
Zinc, total	LGW-9	5/1/2013	170	5		ug/L
Zinc, total	LGW-9	7/15/2013	150	5		ug/L
Zinc, total	LGW-9	1/23/2014	120	5		ug/L
Zinc, total	LGW-9	7/8/2014	160	5		ug/L
Zinc, total	LGW-9	2/11/2015	130	5		ug/L
Zinc, total	LGW-9	7/13/2015	110	5		ug/L
Zinc, total	LGW-9	1/5/2016	100	5		ug/L
Zinc, total	LGW-9	7/21/2016	220	5		ug/L
Zinc, total	LGW-9	9/6/2016	200	5		ug/L
Zinc, total	LGW-9	10/6/2016	220	5		ug/L
Zinc, total	LGW-9	1/11/2017	230	5		ug/L
Zinc, total	LGW-9	5/5/2017	150	5		ug/L
Zinc, total	LGW-9	7/18/2017	170	5		ug/L
Zinc, total	LGW-9	10/5/2017	180	5		ug/L
Zinc, total	LGW-9	1/24/2018	160	5		ug/L
Zinc, total	LGW-9	4/11/2018	180	5		ug/L
Zinc, total	LGW-9	7/13/2018	160	5		ug/L
Zinc, total	LGW-9	10/2/2018	150	5		ug/L
Zinc, total	LGW-9	1/7/2019	170	5		ug/L
Zinc, total	LGW-9	4/3/2019	210	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-9	7/10/2019	180	10		ug/L
Zinc, total	LGW-9	10/3/2019	150	5		ug/L
Zinc, total	LGW-9	1/16/2020	83	5		ug/L
Zinc, total	LGW-9	4/2/2020	97	5		ug/L
Zinc, total	LGW-9	7/9/2020	105	5		ug/L
Zinc, total	LGW-9	10/7/2020	141	5		ug/L
Zinc, total	LGW-9	1/17/2021	170	5		ug/L
Zinc, total	LGW-9	4/6/2021	87.1	5		ug/L
Zinc, total	LGW-9	7/7/2021	96.9	5		ug/L
Zinc, total	LGW-9	10/5/2021	130	5		ug/L
Zinc, total	LGW-9	1/13/2022	88.4	5		ug/L
Zinc, total	LGW-9	4/4/2022	92.2	5		ug/L
Zinc, total	LGW-9	7/11/2022	96.5	5		ug/L
Zinc, total	LGW-9	10/7/2022	84.2	5		ug/L
Zinc, total	LGW-9	1/11/2023	80.39999	5		ug/L
Zinc, total	LGW-9	4/5/2023	58.5	5		ug/L
Zinc, total	MW-10N	10/22/1997	69	5		ug/L
Zinc, total	MW-10N	1/22/1998	48	5		ug/L
Zinc, total	MW-10N	4/28/1998	160	5		ug/L
Zinc, total	MW-10N	7/23/1998	5.1	5		ug/L
Zinc, total	MW-10N	1/14/1999	54	5		ug/L
Zinc, total	MW-10N	4/13/1999	26	5		ug/L
Zinc, total	MW-10N	7/15/1999	5	5	ND	ug/L
Zinc, total	MW-10N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-10N	1/14/2000	7.5	5		ug/L
Zinc, total	MW-10N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-10N	7/11/2000	18	18	ND	ug/L
Zinc, total	MW-10N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-10N	1/24/2001	6.6	5.2		ug/L
Zinc, total	MW-10N	4/10/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-10N	7/10/2002	10	10	ND	ug/L
Zinc, total	MW-10N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-10N	1/22/2003	29	5		ug/L
Zinc, total	MW-10N	4/15/2003	13	5		ug/L
Zinc, total	MW-10N	7/8/2003	19	5		ug/L
Zinc, total	MW-10N	1/28/2004	12	7.1		ug/L
Zinc, total	MW-10N	7/27/2004	5	5	ND	ug/L
Zinc, total	MW-10N	1/12/2005	5.8	5		ug/L
Zinc, total	MW-10N	7/20/2005	20	5		ug/L
Zinc, total	MW-10N	1/19/2006	5	5		ug/L
Zinc, total	MW-10N	7/19/2006	4.4	5	ND	ug/L
Zinc, total	MW-10N	7/19/2006	4.4	5	ND	ug/L
Zinc, total	MW-10N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-10N	1/10/2007	6.5	5		ug/L
Zinc, total	MW-10N	1/24/2007	4.6	5	ND	ug/L
Zinc, total	MW-10N	7/10/2007	5	5		ug/L
Zinc, total	MW-10N	1/23/2008	2.6	5	ND	ug/L
Zinc, total	MW-10N	7/21/2008	3.5	5	ND	ug/L
Zinc, total	MW-10N	2/13/2009	6.2	5		ug/L
Zinc, total	MW-10N	7/31/2009	2.6	5	ND	ug/L
Zinc, total	MW-10N	1/27/2010	2.4	5	ND	ug/L
Zinc, total	MW-10N	8/10/2010	5.1	5		ug/L
Zinc, total	MW-10N	1/19/2011	5	5	ND	ug/L
Zinc, total	MW-10N	7/14/2011	2.9	5	ND	ug/L
Zinc, total	MW-10N	1/5/2012	2.9	5	ND	ug/L
Zinc, total	MW-10N	7/10/2012	5	5	ND	ug/L
Zinc, total	MW-10N	5/1/2013	5	5	ND	ug/L
Zinc, total	MW-10N	1/24/2014	5	5	ND	ug/L
Zinc, total	MW-10N	7/9/2014	3.9	5	ND	ug/L
Zinc, total	MW-10N	2/12/2015	5	5	ND	ug/L
Zinc, total	MW-10N	7/14/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-10N	1/6/2016	5	5	ND	ug/L
Zinc, total	MW-10N	7/21/2016	2.4	5	ND	ug/L
Zinc, total	MW-10N	1/11/2017	5	5	ND	ug/L
Zinc, total	MW-10N	7/19/2017	5	5	ND	ug/L
Zinc, total	MW-10N	1/24/2018	5	5	ND	ug/L
Zinc, total	MW-10N	7/11/2018	2.1	5	ND	ug/L
Zinc, total	MW-10N	1/3/2019	5	5	ND	ug/L
Zinc, total	MW-10N	7/9/2019	4	10	ND	ug/L
Zinc, total	MW-10N	1/16/2020	5	5	ND	ug/L
Zinc, total	MW-10N	7/8/2020	5	5	ND	ug/L
Zinc, total	MW-10N	1/13/2021	5.06	5		ug/L
Zinc, total	MW-10N	7/5/2021	5	5	ND	ug/L
Zinc, total	MW-10N	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-11N	10/22/1997	74	5		ug/L
Zinc, total	MW-11N	1/21/1998	9.4	5		ug/L
Zinc, total	MW-11N	4/28/1998	170	5		ug/L
Zinc, total	MW-11N	7/23/1998	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/1999	46	5		ug/L
Zinc, total	MW-11N	4/13/1999	20	5		ug/L
Zinc, total	MW-11N	7/14/1999	6.9	5		ug/L
Zinc, total	MW-11N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/2000	5	5	ND	ug/L
Zinc, total	MW-11N	4/25/2000	11	5		ug/L
Zinc, total	MW-11N	7/10/2000	18	18	ND	ug/L
Zinc, total	MW-11N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-11N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-11N	4/10/2001	30	5.2		ug/L
Zinc, total	MW-11N	7/9/2002	10	10	ND	ug/L
Zinc, total	MW-11N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-11N	1/23/2003	5	5	ND	ug/L
Zinc, total	MW-11N	4/15/2003	5	5	ND	ug/L
Zinc, total	MW-11N	7/8/2003	18	5		ug/L
Zinc, total	MW-11N	1/29/2004	18	7.1		ug/L
Zinc, total	MW-11N	7/27/2004	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/2005	5	5	ND	ug/L
Zinc, total	MW-11N	7/20/2005	7	5		ug/L
Zinc, total	MW-11N	1/19/2006	13	5		ug/L
Zinc, total	MW-11N	7/18/2006	7.4	5		ug/L
Zinc, total	MW-11N	7/18/2006	7.4	5		ug/L
Zinc, total	MW-11N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-11N	1/9/2007	11	5		ug/L
Zinc, total	MW-11N	1/24/2007	11	5		ug/L
Zinc, total	MW-11N	7/10/2007	20	5		ug/L
Zinc, total	MW-11N	1/22/2008	23	5		ug/L
Zinc, total	MW-11N	7/23/2008	22	5		ug/L
Zinc, total	MW-11N	2/3/2009	23	5		ug/L
Zinc, total	MW-11N	7/31/2009	18	5		ug/L
Zinc, total	MW-11N	2/3/2010	26	5		ug/L
Zinc, total	MW-11N	2/3/2010	26	5		ug/L
Zinc, total	MW-11N	7/16/2010	19	5		ug/L
Zinc, total	MW-11N	1/19/2011	19	5		ug/L
Zinc, total	MW-11N	7/13/2011	19	5		ug/L
Zinc, total	MW-11N	1/4/2012	18	5		ug/L
Zinc, total	MW-11N	7/9/2012	17	5		ug/L
Zinc, total	MW-11N	4/30/2013	21	5		ug/L
Zinc, total	MW-11N	7/15/2013	14	5		ug/L
Zinc, total	MW-11N	1/23/2014	19	5		ug/L
Zinc, total	MW-11N	7/8/2014	15	5		ug/L
Zinc, total	MW-11N	2/10/2015	18	5		ug/L
Zinc, total	MW-11N	7/13/2015	13	5		ug/L
Zinc, total	MW-11N	1/5/2016	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-11N	7/21/2016	17	5		ug/L
Zinc, total	MW-11N	1/11/2017	16	5		ug/L
Zinc, total	MW-11N	7/19/2017	15	5		ug/L
Zinc, total	MW-11N	1/23/2018	24	5		ug/L
Zinc, total	MW-11N	7/17/2018	15	5		ug/L
Zinc, total	MW-11N	1/2/2019	15	5		ug/L
Zinc, total	MW-11N	7/9/2019	25	10		ug/L
Zinc, total	MW-11N	1/14/2020	18.2	5		ug/L
Zinc, total	MW-11N	7/6/2020	14.4	5		ug/L
Zinc, total	MW-11N	1/18/2021	24.1	5		ug/L
Zinc, total	MW-11N	7/6/2021	19.7	5		ug/L
Zinc, total	MW-11N	1/18/2022	17.7	5		ug/L
Zinc, total	MW-11N	7/13/2022	19.8	5		ug/L
Zinc, total	MW-11N	1/10/2023	22.2	5		ug/L
Zinc, total	MW-15	6/5/2015	4.1	5	ND	ug/L
Zinc, total	MW-15	7/15/2015	4.9	5	ND	ug/L
Zinc, total	MW-15	8/5/2015	23	5		ug/L
Zinc, total	MW-15	9/3/2015	3.7	5	ND	ug/L
Zinc, total	MW-15	1/7/2016	6	5		ug/L
Zinc, total	MW-15	4/5/2016	7.6	5		ug/L
Zinc, total	MW-15	7/20/2016	5.4	5		ug/L
Zinc, total	MW-15	10/6/2016	5.5	5		ug/L
Zinc, total	MW-15	1/10/2017	16	5		ug/L
Zinc, total	MW-15	7/18/2017	17	5		ug/L
Zinc, total	MW-15	1/23/2018	3.9	5	ND	ug/L
Zinc, total	MW-15	7/10/2018	2.7	5	ND	ug/L
Zinc, total	MW-15	1/3/2019	4.7	5	ND	ug/L
Zinc, total	MW-15	7/9/2019	6.4	10	ND	ug/L
Zinc, total	MW-15	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-15	8/3/2020	11.1	5		ug/L
Zinc, total	MW-15	1/18/2021	7.28	5		ug/L
Zinc, total	MW-15	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-15	1/12/2022	5	5	ND	ug/L
Zinc, total	MW-15	7/10/2022	5	5	ND	ug/L
Zinc, total	MW-15	1/10/2023	5.25	5		ug/L
Zinc, total	MW-16	6/5/2015	5.4	5		ug/L
Zinc, total	MW-16	7/16/2015	5.4	5		ug/L
Zinc, total	MW-16	8/5/2015	5.4	5		ug/L
Zinc, total	MW-16	9/3/2015	3.2	5	ND	ug/L
Zinc, total	MW-16	1/8/2016	8.5	5		ug/L
Zinc, total	MW-16	4/5/2016	5.4	5		ug/L
Zinc, total	MW-16	7/21/2016	3.4	5	ND	ug/L
Zinc, total	MW-16	10/5/2016	14	5		ug/L
Zinc, total	MW-16	1/10/2017	5.9	5		ug/L
Zinc, total	MW-16	7/18/2017	4.3	5	ND	ug/L
Zinc, total	MW-16	1/23/2018	4.3	5	ND	ug/L
Zinc, total	MW-16	7/11/2018	5	5	ND	ug/L
Zinc, total	MW-16	1/2/2019	2.6	5	ND	ug/L
Zinc, total	MW-16	7/10/2019	5.6	10	ND	ug/L
Zinc, total	MW-16	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-16	8/3/2020	5.39	5		ug/L
Zinc, total	MW-16	1/18/2021	9.48	5		ug/L
Zinc, total	MW-16	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-16	1/12/2022	5	5	ND	ug/L
Zinc, total	MW-16	7/10/2022	5	5	ND	ug/L
Zinc, total	MW-16	1/10/2023	5.73	5		ug/L
Zinc, total	MW-17	6/5/2015	8.3	5		ug/L
Zinc, total	MW-17	7/15/2015	4.2	5	ND	ug/L
Zinc, total	MW-17	8/4/2015	4	5	ND	ug/L
Zinc, total	MW-17	9/2/2015	4.1	5	ND	ug/L
Zinc, total	MW-17	1/7/2016	6	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-17	4/5/2016	4.8	5	ND	ug/L
Zinc, total	MW-17	7/20/2016	3.1	5	ND	ug/L
Zinc, total	MW-17	10/6/2016	2.6	5	ND	ug/L
Zinc, total	MW-17	1/10/2017	3	5	ND	ug/L
Zinc, total	MW-17	7/18/2017	4.3	5	ND	ug/L
Zinc, total	MW-17	1/23/2018	4	5	ND	ug/L
Zinc, total	MW-17	7/10/2018	2.4	5	ND	ug/L
Zinc, total	MW-17	1/3/2019	2.3	5	ND	ug/L
Zinc, total	MW-17	7/11/2019	5.5	10	ND	ug/L
Zinc, total	MW-17	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-17	8/3/2020	5.05	5		ug/L
Zinc, total	MW-17	1/14/2021	5	5	ND	ug/L
Zinc, total	MW-17	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-17	1/10/2023	16.6	5		ug/L
Zinc, total	MW-17	4/5/2023	7.3	5		ug/L
Zinc, total	MW-19	6/5/2015	8.5	5		ug/L
Zinc, total	MW-19	7/16/2015	15	5		ug/L
Zinc, total	MW-19	8/5/2015	3.5	5	ND	ug/L
Zinc, total	MW-19	9/3/2015	5	5	ND	ug/L
Zinc, total	MW-19	1/7/2016	3.4	5	ND	ug/L
Zinc, total	MW-19	4/5/2016	8.3	5		ug/L
Zinc, total	MW-19	7/21/2016	5	5	ND	ug/L
Zinc, total	MW-19	10/5/2016	4.6	5	ND	ug/L
Zinc, total	MW-19	1/10/2017	2.6	5	ND	ug/L
Zinc, total	MW-19	7/18/2017	9.3	5		ug/L
Zinc, total	MW-19	1/23/2018	3.1	5	ND	ug/L
Zinc, total	MW-19	7/13/2018	5	5	ND	ug/L
Zinc, total	MW-19	1/7/2019	5	5	ND	ug/L
Zinc, total	MW-19	7/11/2019	4.2	10	ND	ug/L
Zinc, total	MW-19	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-19	8/3/2020	5	5	ND	ug/L
Zinc, total	MW-19	1/14/2021	5	5	ND	ug/L
Zinc, total	MW-19	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-19	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-1N	10/22/1997	28	5		ug/L
Zinc, total	MW-1N	1/20/1998	22	5		ug/L
Zinc, total	MW-1N	4/28/1998	19	5		ug/L
Zinc, total	MW-1N	7/23/1998	9.5	5		ug/L
Zinc, total	MW-1N	10/14/1998	26	5		ug/L
Zinc, total	MW-1N	1/13/1999	71	5		ug/L
Zinc, total	MW-1N	4/13/1999	45	5		ug/L
Zinc, total	MW-1N	7/15/1999	5.8	5		ug/L
Zinc, total	MW-1N	10/19/1999	5	5	ND	ug/L
Zinc, total	MW-1N	1/14/2000	5	5	ND	ug/L
Zinc, total	MW-1N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-1N	7/12/2000	21	18		ug/L
Zinc, total	MW-1N	10/18/2000	18	18	ND	ug/L
Zinc, total	MW-1N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-1N	4/12/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-1N	5/29/2002	23	5		ug/L
Zinc, total	MW-1N	5/29/2002	23	5		ug/L
Zinc, total	MW-1N	7/9/2002	10	10	ND	ug/L
Zinc, total	MW-1N	10/3/2002	2	2	ND	ug/L
Zinc, total	MW-1N	1/22/2003	7.8	5		ug/L
Zinc, total	MW-1N	4/15/2003	5.9	5		ug/L
Zinc, total	MW-1N	7/8/2003	17	5		ug/L
Zinc, total	MW-1N	1/28/2004	26	7.1		ug/L
Zinc, total	MW-1N	7/27/2004	9.2	5		ug/L
Zinc, total	MW-1N	1/12/2005	8.6	5		ug/L
Zinc, total	MW-1N	7/20/2005	13	5		ug/L
Zinc, total	MW-1N	1/18/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-1N	7/18/2006	5.8	5		ug/L
Zinc, total	MW-1N	7/18/2006	5.8	5		ug/L
Zinc, total	MW-1N	10/24/2006	20	20	ND	ug/L
Zinc, total	MW-1N	1/9/2007	6.7	5		ug/L
Zinc, total	MW-1N	1/26/2007	8.5	5		ug/L
Zinc, total	MW-1N	7/11/2007	7.9	5		ug/L
Zinc, total	MW-1N	1/24/2008	19	5		ug/L
Zinc, total	MW-1N	7/21/2008	6.1	5		ug/L
Zinc, total	MW-1N	2/5/2009	43	5		ug/L
Zinc, total	MW-1N	7/31/2009	27	5		ug/L
Zinc, total	MW-1N	1/26/2010	41	5		ug/L
Zinc, total	MW-1N	7/13/2010	34	5		ug/L
Zinc, total	MW-1N	1/20/2011	69	5		ug/L
Zinc, total	MW-1N	7/13/2011	9.4	5		ug/L
Zinc, total	MW-1N	1/5/2012	28	5		ug/L
Zinc, total	MW-1N	7/10/2012	36	5		ug/L
Zinc, total	MW-1N	5/1/2013	27	5		ug/L
Zinc, total	MW-1N	7/16/2013	26	5		ug/L
Zinc, total	MW-1N	1/24/2014	75	5		ug/L
Zinc, total	MW-1N	7/9/2014	70	5		ug/L
Zinc, total	MW-1N	2/10/2015	80	5		ug/L
Zinc, total	MW-1N	7/14/2015	7.7	5		ug/L
Zinc, total	MW-1N	1/6/2016	13	5		ug/L
Zinc, total	MW-1N	7/21/2016	59	5		ug/L
Zinc, total	MW-1N	1/12/2017	87	5		ug/L
Zinc, total	MW-1N	7/19/2017	52	5		ug/L
Zinc, total	MW-1N	1/23/2018	53	5		ug/L
Zinc, total	MW-1N	7/10/2018	47	5		ug/L
Zinc, total	MW-1N	10/3/2018	47	5		ug/L
Zinc, total	MW-1N	1/3/2019	48	5		ug/L
Zinc, total	MW-1N	7/11/2019	71	10		ug/L
Zinc, total	MW-1N	1/23/2020	269	5		ug/L
Zinc, total	MW-1N	4/2/2020	41.7	5		ug/L
Zinc, total	MW-1N	7/6/2020	39.8	5		ug/L
Zinc, total	MW-1N	1/14/2021	47.3	5		ug/L
Zinc, total	MW-1N	7/4/2021	59.2	5		ug/L
Zinc, total	MW-1N	1/11/2023	54.6	5		ug/L
Zinc, total	MW-20	6/5/2015	8.2	5		ug/L
Zinc, total	MW-20	7/14/2015	8.2	5		ug/L
Zinc, total	MW-20	8/4/2015	6.4	5		ug/L
Zinc, total	MW-20	9/2/2015	6.4	5		ug/L
Zinc, total	MW-20	1/7/2016	15	5		ug/L
Zinc, total	MW-20	4/5/2016	2.8	5	ND	ug/L
Zinc, total	MW-20	7/20/2016	6.1	5		ug/L
Zinc, total	MW-20	10/5/2016	8.1	5		ug/L
Zinc, total	MW-20	1/12/2017	11	5		ug/L
Zinc, total	MW-20	7/18/2017	4	5	ND	ug/L
Zinc, total	MW-20	1/26/2018	2.1	5	ND	ug/L
Zinc, total	MW-20	7/12/2018	5	5	ND	ug/L
Zinc, total	MW-20	7/11/2019	5.3	10	ND	ug/L
Zinc, total	MW-20	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-20	7/7/2020	10.1	5		ug/L
Zinc, total	MW-20	1/17/2021	35.6	5		ug/L
Zinc, total	MW-20	4/6/2021	5	5	ND	ug/L
Zinc, total	MW-20	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-20	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-21	6/5/2015	91	5		ug/L
Zinc, total	MW-21	7/14/2015	83	5		ug/L
Zinc, total	MW-21	8/4/2015	86	5		ug/L
Zinc, total	MW-21	9/2/2015	89	5		ug/L
Zinc, total	MW-21	1/7/2016	55	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-21	4/5/2016	77	5		ug/L
Zinc, total	MW-21	7/20/2016	76	5		ug/L
Zinc, total	MW-21	10/5/2016	77	5		ug/L
Zinc, total	MW-21	10/5/2016	72	5		ug/L
Zinc, total	MW-21	1/10/2017	89	5		ug/L
Zinc, total	MW-21	4/5/2017	110	5		ug/L
Zinc, total	MW-21	7/19/2017	98	5		ug/L
Zinc, total	MW-21	10/6/2017	95	5		ug/L
Zinc, total	MW-21	1/24/2018	65	5		ug/L
Zinc, total	MW-21	4/11/2018	100	5		ug/L
Zinc, total	MW-21	7/11/2018	72	5		ug/L
Zinc, total	MW-21	10/4/2018	65	5		ug/L
Zinc, total	MW-21	1/3/2019	92	5		ug/L
Zinc, total	MW-21	4/3/2019	79	5		ug/L
Zinc, total	MW-21	7/11/2019	70	10		ug/L
Zinc, total	MW-21	10/2/2019	66	5		ug/L
Zinc, total	MW-21	1/16/2020	70.3	5		ug/L
Zinc, total	MW-21	4/2/2020	61	5		ug/L
Zinc, total	MW-21	7/8/2020	57	5		ug/L
Zinc, total	MW-21	10/7/2020	60.3	5		ug/L
Zinc, total	MW-21	1/13/2021	100	5		ug/L
Zinc, total	MW-21	4/6/2021	58.1	5		ug/L
Zinc, total	MW-21	7/5/2021	79.1	5		ug/L
Zinc, total	MW-21	10/6/2021	44.7	5		ug/L
Zinc, total	MW-21	1/11/2023	58.6	5		ug/L
Zinc, total	MW-21	4/8/2023	41.2	5		ug/L
Zinc, total	MW-2N	10/22/1997	28	5		ug/L
Zinc, total	MW-2N	1/21/1998	5	5	ND	ug/L
Zinc, total	MW-2N	4/28/1998	9.7	5		ug/L
Zinc, total	MW-2N	7/22/1998	12	5		ug/L
Zinc, total	MW-2N	1/13/1999	22	5		ug/L
Zinc, total	MW-2N	4/13/1999	37	5		ug/L
Zinc, total	MW-2N	7/14/1999	9.8	5		ug/L
Zinc, total	MW-2N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-2N	1/14/2000	8.3	5		ug/L
Zinc, total	MW-2N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-2N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-2N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-2N	4/11/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-2N	7/10/2002	10	10	ND	ug/L
Zinc, total	MW-2N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-2N	1/22/2003	5.7	5		ug/L
Zinc, total	MW-2N	4/14/2003	5	5	ND	ug/L
Zinc, total	MW-2N	7/7/2003	5	5	ND	ug/L
Zinc, total	MW-2N	1/28/2004	6	5		ug/L
Zinc, total	MW-2N	1/28/2004	7.1	7.1	ND	ug/L
Zinc, total	MW-2N	7/27/2004	8.7	5		ug/L
Zinc, total	MW-2N	1/12/2005	12	5		ug/L
Zinc, total	MW-2N	7/20/2005	12	5		ug/L
Zinc, total	MW-2N	1/19/2006	40	5		ug/L
Zinc, total	MW-2N	7/19/2006	8.2	5		ug/L
Zinc, total	MW-2N	7/19/2006	8.2	5		ug/L
Zinc, total	MW-2N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-2N	1/10/2007	17	5		ug/L
Zinc, total	MW-2N	1/26/2007	20	5		ug/L
Zinc, total	MW-2N	7/11/2007	6.6	5		ug/L
Zinc, total	MW-2N	1/24/2008	8.4	5		ug/L
Zinc, total	MW-2N	7/22/2008	6.3	5		ug/L
Zinc, total	MW-2N	2/4/2009	9.7	5		ug/L
Zinc, total	MW-2N	7/31/2009	7.9	5		ug/L
Zinc, total	MW-2N	1/26/2010	5.7	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-2N	7/13/2010	3.9	5	ND	ug/L
Zinc, total	MW-2N	1/20/2011	7	5		ug/L
Zinc, total	MW-2N	7/13/2011	3.8	5	ND	ug/L
Zinc, total	MW-2N	1/5/2012	5.6	5		ug/L
Zinc, total	MW-2N	7/10/2012	12	5		ug/L
Zinc, total	MW-2N	5/1/2013	7.7	5		ug/L
Zinc, total	MW-2N	7/16/2013	6.6	5		ug/L
Zinc, total	MW-2N	1/24/2014	6.6	5		ug/L
Zinc, total	MW-2N	7/9/2014	6.2	5		ug/L
Zinc, total	MW-2N	2/12/2015	5.3	5		ug/L
Zinc, total	MW-2N	7/14/2015	7.6	5		ug/L
Zinc, total	MW-2N	1/6/2016	7	5		ug/L
Zinc, total	MW-2N	7/21/2016	11	5		ug/L
Zinc, total	MW-2N	1/11/2017	9.5	5		ug/L
Zinc, total	MW-2N	7/19/2017	8.3	5		ug/L
Zinc, total	MW-2N	1/23/2018	7.9	5		ug/L
Zinc, total	MW-2N	7/12/2018	6.6	5		ug/L
Zinc, total	MW-2N	1/3/2019	9.3	5		ug/L
Zinc, total	MW-2N	8/7/2019	54	10		ug/L
Zinc, total	MW-2N	1/23/2020	22.5	5		ug/L
Zinc, total	MW-2N	7/7/2020	18.3	5		ug/L
Zinc, total	MW-2N	10/6/2020	20.2	5		ug/L
Zinc, total	MW-2N	1/14/2021	16.3	5		ug/L
Zinc, total	MW-2N	7/5/2021	18.7	5		ug/L
Zinc, total	MW-2N	10/6/2021	19.8	5		ug/L
Zinc, total	MW-2N	1/11/2023	26.4	5		ug/L
Zinc, total	MW-3N	10/21/1997	35	5		ug/L
Zinc, total	MW-3N	1/21/1998	8.4	5		ug/L
Zinc, total	MW-3N	4/28/1998	6.8	5		ug/L
Zinc, total	MW-3N	7/23/1998	7.9	5		ug/L
Zinc, total	MW-3N	1/13/1999	22	5		ug/L
Zinc, total	MW-3N	4/13/1999	46	5		ug/L
Zinc, total	MW-3N	7/14/1999	5	5	ND	ug/L
Zinc, total	MW-3N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-3N	1/14/2000	5	5	ND	ug/L
Zinc, total	MW-3N	4/24/2000	9.7	5		ug/L
Zinc, total	MW-3N	7/11/2000	18	18	ND	ug/L
Zinc, total	MW-3N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-3N	1/23/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-3N	4/11/2001	310	5.2		ug/L
Zinc, total	MW-3N	5/29/2002	5	5	ND	ug/L
Zinc, total	MW-3N	5/29/2002	5	5	ND	ug/L
Zinc, total	MW-3N	7/9/2002	10	10		ug/L
Zinc, total	MW-3N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-3N	1/22/2003	8.8	5		ug/L
Zinc, total	MW-3N	4/14/2003	5	5	ND	ug/L
Zinc, total	MW-3N	7/7/2003	5.3	5		ug/L
Zinc, total	MW-3N	1/28/2004	7.6	7.1		ug/L
Zinc, total	MW-3N	7/27/2004	5	5		ug/L
Zinc, total	MW-3N	1/12/2005	9.7	5		ug/L
Zinc, total	MW-3N	7/20/2005	7.9	5		ug/L
Zinc, total	MW-3N	1/18/2006	13	5		ug/L
Zinc, total	MW-3N	7/19/2006	15	5		ug/L
Zinc, total	MW-3N	7/19/2006	15	5		ug/L
Zinc, total	MW-3N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-3N	1/10/2007	45	5		ug/L
Zinc, total	MW-3N	1/26/2007	17	5		ug/L
Zinc, total	MW-3N	7/11/2007	30	5		ug/L
Zinc, total	MW-3N	1/24/2008	20	5		ug/L
Zinc, total	MW-3N	7/22/2008	18	5		ug/L
Zinc, total	MW-3N	2/4/2009	21	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-3N	7/31/2009	19	5		ug/L
Zinc, total	MW-3N	1/26/2010	15	5		ug/L
Zinc, total	MW-3N	7/13/2010	14	5		ug/L
Zinc, total	MW-3N	1/20/2011	44	5		ug/L
Zinc, total	MW-3N	7/14/2011	28	5		ug/L
Zinc, total	MW-3N	1/5/2012	15	5		ug/L
Zinc, total	MW-3N	7/11/2012	14	5		ug/L
Zinc, total	MW-3N	5/1/2013	90	5		ug/L
Zinc, total	MW-3N	6/4/2013	16	5		ug/L
Zinc, total	MW-3N	7/16/2013	31	5		ug/L
Zinc, total	MW-3N	1/24/2014	16	5		ug/L
Zinc, total	MW-3N	7/9/2014	24	5		ug/L
Zinc, total	MW-3N	2/12/2015	25	5		ug/L
Zinc, total	MW-3N	4/1/2015	37	5		ug/L
Zinc, total	MW-3N	7/14/2015	58	5		ug/L
Zinc, total	MW-3N	10/5/2015	79	5		ug/L
Zinc, total	MW-3N	1/6/2016	69	5		ug/L
Zinc, total	MW-3N	4/6/2016	80	5		ug/L
Zinc, total	MW-3N	7/21/2016	80	5		ug/L
Zinc, total	MW-3N	10/6/2016	120	5		ug/L
Zinc, total	MW-3N	1/11/2017	200	5		ug/L
Zinc, total	MW-3N	4/4/2017	260	5		ug/L
Zinc, total	MW-3N	7/19/2017	130	5		ug/L
Zinc, total	MW-3N	10/9/2017	100	5		ug/L
Zinc, total	MW-3N	1/24/2018	140	5		ug/L
Zinc, total	MW-3N	4/10/2018	170	5		ug/L
Zinc, total	MW-3N	7/13/2018	140	5		ug/L
Zinc, total	MW-3N	10/3/2018	110	5		ug/L
Zinc, total	MW-3N	1/7/2019	110	5		ug/L
Zinc, total	MW-3N	4/3/2019	130	5		ug/L
Zinc, total	MW-3N	7/11/2019	170	10		ug/L
Zinc, total	MW-3N	10/2/2019	93	5		ug/L
Zinc, total	MW-3N	1/15/2020	90.4	5		ug/L
Zinc, total	MW-3N	4/2/2020	170	5		ug/L
Zinc, total	MW-3N	7/7/2020	128	5		ug/L
Zinc, total	MW-3N	10/7/2020	98.1	5		ug/L
Zinc, total	MW-3N	1/13/2021	98.9	5		ug/L
Zinc, total	MW-3N	4/6/2021	83.5	5		ug/L
Zinc, total	MW-3N	7/5/2021	166	5		ug/L
Zinc, total	MW-3N	10/6/2021	130	5		ug/L
Zinc, total	MW-3N	1/11/2023	186	5		ug/L
Zinc, total	MW-7N	10/21/1997	74	5		ug/L
Zinc, total	MW-7N	1/21/1998	34	5		ug/L
Zinc, total	MW-7N	7/22/1998	400	5		ug/L
Zinc, total	MW-7N	8/18/1998	340	5		ug/L
Zinc, total	MW-7N	9/17/1998	380	5		ug/L
Zinc, total	MW-7N	10/15/1998	410	5		ug/L
Zinc, total	MW-7N	11/9/1998	390	5		ug/L
Zinc, total	MW-7N	1/14/1999	380	5		ug/L
Zinc, total	MW-7N	4/14/1999	350	5		ug/L
Zinc, total	MW-7N	7/14/1999	480	5		ug/L
Zinc, total	MW-7N	10/19/1999	600	10		ug/L
Zinc, total	MW-7N	1/13/2000	500	5		ug/L
Zinc, total	MW-7N	4/25/2000	510	5		ug/L
Zinc, total	MW-7N	7/11/2000	620	18		ug/L
Zinc, total	MW-7N	10/17/2000	590	18		ug/L
Zinc, total	MW-7N	1/23/2001	550	5.2		ug/L
Zinc, total	MW-7N	4/10/2001	620	5.2		ug/L
Zinc, total	MW-7N	5/29/2002	540	5		ug/L
Zinc, total	MW-7N	5/29/2002	540	5		ug/L
Zinc, total	MW-7N	7/9/2002	560	50		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-7N	10/2/2002	480	5.8		ug/L
Zinc, total	MW-7N	1/23/2003	15	5		ug/L
Zinc, total	MW-7N	4/14/2003	420	5		ug/L
Zinc, total	MW-7N	7/7/2003	240	5		ug/L
Zinc, total	MW-7N	1/27/2004	320	7.1		ug/L
Zinc, total	MW-7N	4/8/2004	220	5		ug/L
Zinc, total	MW-7N	7/26/2004	320	5		ug/L
Zinc, total	MW-7N	1/12/2005	280	5		ug/L
Zinc, total	MW-7N	7/19/2005	330	5		ug/L
Zinc, total	MW-7N	1/19/2006	170	5		ug/L
Zinc, total	MW-7N	7/19/2006	370	5		ug/L
Zinc, total	MW-7N	7/19/2006	370	5		ug/L
Zinc, total	MW-7N	10/24/2006	410	20		ug/L
Zinc, total	MW-7N	1/10/2007	220	5		ug/L
Zinc, total	MW-7N	1/26/2007	230	5		ug/L
Zinc, total	MW-7N	7/10/2007	400	5		ug/L
Zinc, total	MW-7N	7/21/2008	180	5		ug/L
Zinc, total	MW-7N	2/6/2009	170	5		ug/L
Zinc, total	MW-7N	7/29/2009	170	5		ug/L
Zinc, total	MW-7N	1/26/2010	100	5		ug/L
Zinc, total	MW-7N	7/14/2010	81	5		ug/L
Zinc, total	MW-7N	1/20/2011	51	5		ug/L
Zinc, total	MW-7N	7/12/2011	52	5		ug/L
Zinc, total	MW-7N	1/5/2012	46	5		ug/L
Zinc, total	MW-7N	7/10/2012	30	5		ug/L
Zinc, total	MW-7N	5/1/2013	230	5		ug/L
Zinc, total	MW-7N	6/4/2013	140	5		ug/L
Zinc, total	MW-7N	7/15/2013	75	5		ug/L
Zinc, total	MW-7N	1/30/2014	46	5		ug/L
Zinc, total	MW-7N	7/9/2014	28	5		ug/L
Zinc, total	MW-7N	2/12/2015	87	5		ug/L
Zinc, total	MW-7N	7/13/2015	23	5		ug/L
Zinc, total	MW-7N	1/5/2016	19	5		ug/L
Zinc, total	MW-7N	7/21/2016	37	5		ug/L
Zinc, total	MW-7N	1/11/2017	140	5		ug/L
Zinc, total	MW-7N	4/4/2017	510	5		ug/L
Zinc, total	MW-7N	7/19/2017	830	5		ug/L
Zinc, total	MW-7N	10/5/2017	950	5		ug/L
Zinc, total	MW-7N	1/25/2018	210	5		ug/L
Zinc, total	MW-7N	4/11/2018	120	5		ug/L
Zinc, total	MW-7N	7/13/2018	40	5		ug/L
Zinc, total	MW-7N	1/4/2019	38	5		ug/L
Zinc, total	MW-7N	7/10/2019	19	10		ug/L
Zinc, total	MW-7N	1/16/2020	26.2	5		ug/L
Zinc, total	MW-7N	7/7/2020	14.1	5		ug/L
Zinc, total	MW-7N	1/16/2021	15.5	5		ug/L
Zinc, total	MW-7N	7/5/2021	13.8	5		ug/L
Zinc, total	MW-7N	1/12/2022	10	5		ug/L
Zinc, total	MW-7N	7/10/2022	11.2	5		ug/L
Zinc, total	MW-7N	1/10/2023	7.43	5		ug/L
Zinc, total	MW-8N	10/21/1997	8.4	5		ug/L
Zinc, total	MW-8N	1/22/1998	9.5	5		ug/L
Zinc, total	MW-8N	4/28/1998	130	5		ug/L
Zinc, total	MW-8N	7/22/1998	5	5	ND	ug/L
Zinc, total	MW-8N	1/12/1999	120	5		ug/L
Zinc, total	MW-8N	4/13/1999	130	5		ug/L
Zinc, total	MW-8N	7/14/1999	1400	5		ug/L
Zinc, total	MW-8N	10/19/1999	320	5		ug/L
Zinc, total	MW-8N	1/14/2000	100	5		ug/L
Zinc, total	MW-8N	4/25/2000	57	5		ug/L
Zinc, total	MW-8N	10/17/2000	120	18		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-8N	1/23/2001	22	5.2		ug/L
Zinc, total	MW-8N	4/11/2001	35	5.2		ug/L
Zinc, total	MW-8N	5/29/2002	39	5		ug/L
Zinc, total	MW-8N	5/29/2002	39	5		ug/L
Zinc, total	MW-8N	7/9/2002	19	10		ug/L
Zinc, total	MW-8N	10/2/2002	18	2		ug/L
Zinc, total	MW-8N	1/23/2003	140	5		ug/L
Zinc, total	MW-8N	4/14/2003	70	5		ug/L
Zinc, total	MW-8N	7/7/2003	23	5		ug/L
Zinc, total	MW-8N	1/28/2004	340	7.1		ug/L
Zinc, total	MW-8N	7/27/2004	97	5		ug/L
Zinc, total	MW-8N	1/12/2005	42	5		ug/L
Zinc, total	MW-8N	7/20/2005	70	5		ug/L
Zinc, total	MW-8N	1/19/2006	59	5		ug/L
Zinc, total	MW-8N	7/19/2006	150	5		ug/L
Zinc, total	MW-8N	7/19/2006	150	5		ug/L
Zinc, total	MW-8N	10/24/2006	96	20		ug/L
Zinc, total	MW-8N	1/10/2007	150	5		ug/L
Zinc, total	MW-8N	1/26/2007	130	5		ug/L
Zinc, total	MW-8N	4/25/2007	150	5		ug/L
Zinc, total	MW-8N	7/10/2007	120	5		ug/L
Zinc, total	MW-8N	1/24/2008	92	5		ug/L
Zinc, total	MW-8N	7/23/2008	56	5		ug/L
Zinc, total	MW-8N	2/4/2009	58	5		ug/L
Zinc, total	MW-8N	7/31/2009	46	5		ug/L
Zinc, total	MW-8N	1/26/2010	40	5		ug/L
Zinc, total	MW-8N	7/16/2010	40	5		ug/L
Zinc, total	MW-8N	1/19/2011	37	5		ug/L
Zinc, total	MW-8N	5/10/2011	39	5		ug/L
Zinc, total	MW-8N	7/14/2011	37	5		ug/L
Zinc, total	MW-8N	1/6/2012	40	5		ug/L
Zinc, total	MW-8N	4/5/2012	38	5		ug/L
Zinc, total	MW-8N	7/11/2012	38	5		ug/L
Zinc, total	MW-8N	10/3/2012	42	5		ug/L
Zinc, total	MW-8N	5/1/2013	34	5		ug/L
Zinc, total	MW-8N	6/4/2013	37	5		ug/L
Zinc, total	MW-8N	7/16/2013	33	5		ug/L
Zinc, total	MW-8N	10/2/2013	36	5		ug/L
Zinc, total	MW-8N	1/30/2014	34	5		ug/L
Zinc, total	MW-8N	4/3/2014	32	5		ug/L
Zinc, total	MW-8N	7/9/2014	32	5		ug/L
Zinc, total	MW-8N	10/8/2014	32	5		ug/L
Zinc, total	MW-8N	2/12/2015	30	5		ug/L
Zinc, total	MW-8N	4/1/2015	30	5		ug/L
Zinc, total	MW-8N	7/14/2015	28	5		ug/L
Zinc, total	MW-8N	10/5/2015	27	5		ug/L
Zinc, total	MW-8N	1/5/2016	28	5		ug/L
Zinc, total	MW-8N	4/6/2016	30	5		ug/L
Zinc, total	MW-8N	7/21/2016	30	5		ug/L
Zinc, total	MW-8N	10/6/2016	30	5		ug/L
Zinc, total	MW-8N	1/11/2017	33	5		ug/L
Zinc, total	MW-8N	4/4/2017	30	5		ug/L
Zinc, total	MW-8N	7/19/2017	30	5		ug/L
Zinc, total	MW-8N	10/6/2017	43	5		ug/L
Zinc, total	MW-8N	1/25/2018	43	5		ug/L
Zinc, total	MW-8N	4/10/2018	31	5		ug/L
Zinc, total	MW-8N	7/16/2018	25	5		ug/L
Zinc, total	MW-8N	10/2/2018	26	5		ug/L
Zinc, total	MW-8N	1/7/2019	38	5		ug/L
Zinc, total	MW-8N	4/3/2019	35	5		ug/L
Zinc, total	MW-8N	7/11/2019	26	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-8N	10/3/2019	19	5		ug/L
Zinc, total	MW-8N	1/15/2020	15.2	5		ug/L
Zinc, total	MW-8N	4/2/2020	44.4	5		ug/L
Zinc, total	MW-8N	7/9/2020	16.7	5		ug/L
Zinc, total	MW-8N	10/6/2020	15.9	5		ug/L
Zinc, total	MW-8N	1/15/2021	10.1	5		ug/L
Zinc, total	MW-8N	4/6/2021	16.7	5		ug/L
Zinc, total	MW-8N	7/5/2021	13.6	5		ug/L
Zinc, total	MW-8N	10/6/2021	11.7	5		ug/L
Zinc, total	MW-8N	1/18/2022	11.1	5		ug/L
Zinc, total	MW-8N	4/4/2022	14.2	5		ug/L
Zinc, total	MW-8N	7/12/2022	15.8	5		ug/L
Zinc, total	MW-8N	10/6/2022	12.4	5		ug/L
Zinc, total	MW-8N	1/11/2023	13.1	5		ug/L
Zinc, total	MW-8N	4/8/2023	12.7	5		ug/L
Zinc, total	NE-1	7/10/2002	200	10		ug/L
Zinc, total	NE-1	8/6/2002	170	5		ug/L
Zinc, total	NE-1	9/4/2002	200	10		ug/L
Zinc, total	NE-1	10/2/2002	180	2.9		ug/L
Zinc, total	NE-1	7/8/2003	9.4	5		ug/L
Zinc, total	NE-1	1/27/2004	110	7.1		ug/L
Zinc, total	NE-1	1/12/2005	27	5		ug/L
Zinc, total	NE-1	7/19/2006	9.2	5		ug/L
Zinc, total	NE-1	7/19/2006	9.2	5		ug/L
Zinc, total	NE-1	10/25/2006	20	20	ND	ug/L
Zinc, total	NE-1	1/24/2007	12	5		ug/L
Zinc, total	NE-1	7/10/2007	40	5		ug/L
Zinc, total	NE-1	1/24/2008	4.1	5	ND	ug/L
Zinc, total	NE-1	7/21/2008	6.3	5		ug/L
Zinc, total	NE-1	2/7/2009	20	5		ug/L
Zinc, total	NE-1	7/31/2009	3.6	5	ND	ug/L
Zinc, total	NE-1	1/26/2010	2.5	5	ND	ug/L
Zinc, total	NE-1	7/14/2010	44	5		ug/L
Zinc, total	NE-1	1/19/2011	6.1	5		ug/L
Zinc, total	NE-1	7/13/2011	3.4	5	ND	ug/L
Zinc, total	NE-1	1/5/2012	5.1	5		ug/L
Zinc, total	NE-1	7/10/2012	16	5		ug/L
Zinc, total	NE-1	4/30/2013	4.4	5	ND	ug/L
Zinc, total	NE-1	7/16/2013	6.5	5		ug/L
Zinc, total	NE-1	1/23/2014	16	5		ug/L
Zinc, total	NE-1	7/9/2014	6.3	5		ug/L
Zinc, total	NE-1	2/11/2015	14	5		ug/L
Zinc, total	NE-1	7/8/2015	9.1	5		ug/L
Zinc, total	NE-1	1/6/2016	16	5		ug/L
Zinc, total	NE-1	7/20/2016	8.5	5		ug/L
Zinc, total	NE-1	1/11/2017	3.4	5	ND	ug/L
Zinc, total	NE-1	7/19/2017	5.4	5		ug/L
Zinc, total	NE-1	1/24/2018	3	5	ND	ug/L
Zinc, total	NE-1	4/11/2018	3	5	ND	ug/L
Zinc, total	NE-1	7/18/2018	2.2	5	ND	ug/L
Zinc, total	NE-1	10/2/2018	2.4	5	ND	ug/L
Zinc, total	NE-1	1/4/2019	2	5	ND	ug/L
Zinc, total	NE-1	4/2/2019	5	5	ND	ug/L
Zinc, total	NE-1	7/10/2019	5.7	10	ND	ug/L
Zinc, total	NE-1	7/10/2019	5.7	10	ND	ug/L
Zinc, total	NE-1	10/2/2019	5.1	5		ug/L
Zinc, total	NE-1	1/15/2020	9.48	5		ug/L
Zinc, total	NE-1	4/2/2020	5	5	ND	ug/L
Zinc, total	NE-1	7/8/2020	5	5	ND	ug/L
Zinc, total	NE-1	10/7/2020	30	2.56		ug/L
Zinc, total	NE-1	1/13/2021	6	2.56		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-1	4/9/2021	10.9	2.56		ug/L
Zinc, total	NE-1	7/2/2021	5.72	2.56		ug/L
Zinc, total	NE-1	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-1	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-1	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-1	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-1	10/6/2022	5	5	ND	ug/L
Zinc, total	NE-1	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-1	4/7/2023	5	5	ND	ug/L
Zinc, total	NE-10D	11/6/2019	4.8	5	ND	ug/L
Zinc, total	NE-10D	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-10D	4/2/2020	7.57	5		ug/L
Zinc, total	NE-10D	7/8/2020	6.83	5		ug/L
Zinc, total	NE-10D	10/7/2020	5.89	2.56		ug/L
Zinc, total	NE-10D	1/13/2021	9.76	2.56		ug/L
Zinc, total	NE-10D	4/9/2021	6.06	2.56		ug/L
Zinc, total	NE-10D	7/2/2021	2.92	2.56		ug/L
Zinc, total	NE-10D	10/7/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-10D	1/6/2023	23.9	5		ug/L
Zinc, total	NE-10D	4/6/2023	11	5		ug/L
Zinc, total	NE-11	3/1/2017	3.2	5	ND	ug/L
Zinc, total	NE-11	4/6/2017	5.8	5		ug/L
Zinc, total	NE-11	7/20/2017	8.3	5		ug/L
Zinc, total	NE-11	10/9/2017	3.8	5	ND	ug/L
Zinc, total	NE-11	9/30/2019	9	5		ug/L
Zinc, total	NE-11	1/14/2020	8.09	5		ug/L
Zinc, total	NE-11	7/7/2020	7.32	5		ug/L
Zinc, total	NE-11	1/16/2021	2.66	2.56		ug/L
Zinc, total	NE-11	1/16/2021	5	5	ND	ug/L
Zinc, total	NE-11	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-11	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-11	1/17/2022	5	5	ND	ug/L
Zinc, total	NE-11	7/12/2022	6.08	5		ug/L
Zinc, total	NE-11	1/6/2023	5	5	ND	ug/L
Zinc, total	NE-12	3/1/2017	7.2	5		ug/L
Zinc, total	NE-12	4/6/2017	2	5	ND	ug/L
Zinc, total	NE-12	7/20/2017	7.9	5		ug/L
Zinc, total	NE-12	10/6/2017	3.3	5	ND	ug/L
Zinc, total	NE-12	8/5/2019	14	10		ug/L
Zinc, total	NE-12	1/13/2020	7.28	5		ug/L
Zinc, total	NE-12	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-12	1/15/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-12	1/15/2021	5	5	ND	ug/L
Zinc, total	NE-12	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-12	1/17/2022	5	5	ND	ug/L
Zinc, total	NE-12	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-12	7/12/2022	6.89	5		ug/L
Zinc, total	NE-12	1/6/2023	5	5	ND	ug/L
Zinc, total	NE-13	2/5/2019	17	5		ug/L
Zinc, total	NE-13	8/7/2019	22	10		ug/L
Zinc, total	NE-13	1/15/2020	12.2	5		ug/L
Zinc, total	NE-13	7/8/2020	27	5		ug/L
Zinc, total	NE-13	1/17/2021	18.1	5		ug/L
Zinc, total	NE-13	1/17/2021	18.4	2.56		ug/L
Zinc, total	NE-13	7/1/2021	7.49	5.9		ug/L
Zinc, total	NE-14D	10/2/2019	9.7	5		ug/L
Zinc, total	NE-14D	1/16/2020	9.39	5		ug/L
Zinc, total	NE-14D	4/3/2020	13.3	5		ug/L
Zinc, total	NE-14D	7/7/2020	14.1	5		ug/L
Zinc, total	NE-14D	10/6/2020	15.8	2.56		ug/L
Zinc, total	NE-14D	1/17/2021	12.8	2.56		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-14D	4/9/2021	16.1	2.56		ug/L
Zinc, total	NE-14D	7/2/2021	17.4	2.56		ug/L
Zinc, total	NE-14D	10/7/2021	15.7	2.56		ug/L
Zinc, total	NE-14D	1/18/2022	20.1	2.56		ug/L
Zinc, total	NE-14D	4/6/2022	18.6	2.56		ug/L
Zinc, total	NE-14D	7/13/2022	21.6	5		ug/L
Zinc, total	NE-14D	10/7/2022	19.1	5		ug/L
Zinc, total	NE-14D	1/6/2023	16.9	5		ug/L
Zinc, total	NE-14D	4/6/2023	22.3	5		ug/L
Zinc, total	NE-14S	10/2/2019	8.8	5		ug/L
Zinc, total	NE-14S	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-14S	4/3/2020	5.98	5		ug/L
Zinc, total	NE-14S	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-14S	10/6/2020	10.9	2.56		ug/L
Zinc, total	NE-14S	1/17/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	4/9/2021	5.84	2.56		ug/L
Zinc, total	NE-14S	7/2/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	10/7/2021	8.32	2.56		ug/L
Zinc, total	NE-14S	1/18/2022	5.42	2.56		ug/L
Zinc, total	NE-14S	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-14S	10/7/2022	9.78	5		ug/L
Zinc, total	NE-14S	1/6/2023	8.740001	5		ug/L
Zinc, total	NE-14S	4/6/2023	5	5	ND	ug/L
Zinc, total	NE-15D	9/30/2019	5	5		ug/L
Zinc, total	NE-15D	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-15D	4/3/2020	9.23	5		ug/L
Zinc, total	NE-15D	7/7/2020	6.08	5		ug/L
Zinc, total	NE-15D	10/6/2020	19.6	2.56		ug/L
Zinc, total	NE-15D	1/17/2021	5.24	2.56		ug/L
Zinc, total	NE-15D	4/9/2021	7.96	2.56		ug/L
Zinc, total	NE-15D	7/2/2021	4.48	2.56		ug/L
Zinc, total	NE-15D	10/7/2021	7.79	2.56		ug/L
Zinc, total	NE-15D	1/17/2022	19.8	2.56		ug/L
Zinc, total	NE-15D	4/6/2022	4.68	2.56		ug/L
Zinc, total	NE-15D	7/13/2022	7.94	5		ug/L
Zinc, total	NE-15D	10/7/2022	8.349999	5		ug/L
Zinc, total	NE-15D	1/6/2023	9	5		ug/L
Zinc, total	NE-15D	4/6/2023	6.84	5		ug/L
Zinc, total	NE-15S	4/3/2020	68.8	5		ug/L
Zinc, total	NE-2	7/9/2002	92	10		ug/L
Zinc, total	NE-2	8/6/2002	43	5		ug/L
Zinc, total	NE-2	9/4/2002	66	2		ug/L
Zinc, total	NE-2	10/2/2002	50	2		ug/L
Zinc, total	NE-2	10/1/2013	5	5	ND	ug/L
Zinc, total	NE-2	10/8/2014	8.8	5		ug/L
Zinc, total	NE-2	10/5/2015	3.1	5	ND	ug/L
Zinc, total	NE-2	10/6/2016	5	5	ND	ug/L
Zinc, total	NE-2	10/5/2017	5	5		ug/L
Zinc, total	NE-2	1/25/2018	5	5	ND	ug/L
Zinc, total	NE-2	4/10/2018	3.4	5	ND	ug/L
Zinc, total	NE-2	7/10/2018	5	5	ND	ug/L
Zinc, total	NE-2	10/1/2018	5	5	ND	ug/L
Zinc, total	NE-2	1/4/2019	3.1	5	ND	ug/L
Zinc, total	NE-2	4/2/2019	5	5	ND	ug/L
Zinc, total	NE-2	7/9/2019	5	10	ND	ug/L
Zinc, total	NE-2	7/9/2019	5	10	ND	ug/L
Zinc, total	NE-2	10/2/2019	3.6	5	ND	ug/L
Zinc, total	NE-2	1/14/2020	5	5	ND	ug/L
Zinc, total	NE-2	4/1/2020	5	5	ND	ug/L
Zinc, total	NE-2	7/7/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-2	10/6/2020	3.92	2.56		ug/L
Zinc, total	NE-2	1/14/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	4/9/2021	7.36	2.56		ug/L
Zinc, total	NE-2	7/2/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	1/18/2022	2.64	2.56		ug/L
Zinc, total	NE-2	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-2	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-2	10/7/2022	5	5	ND	ug/L
Zinc, total	NE-2	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-2	4/5/2023	5	5	ND	ug/L
Zinc, total	NE-3	7/9/2002	230	10		ug/L
Zinc, total	NE-3	8/6/2002	220	5		ug/L
Zinc, total	NE-3	9/4/2002	140	10		ug/L
Zinc, total	NE-3	10/2/2002	220	2.9		ug/L
Zinc, total	NE-3	3/21/2018	3.2	5	ND	ug/L
Zinc, total	NE-4	7/10/2002	42	10		ug/L
Zinc, total	NE-4	8/6/2002	45	5		ug/L
Zinc, total	NE-4	9/4/2002	40	2		ug/L
Zinc, total	NE-4	10/3/2002	62	2		ug/L
Zinc, total	NE-4	7/8/2003	29	5		ug/L
Zinc, total	NE-4	1/28/2004	17	7.1		ug/L
Zinc, total	NE-4	1/13/2005	29	5		ug/L
Zinc, total	NE-4	8/1/2006	16	5		ug/L
Zinc, total	NE-4	8/1/2006	16	5		ug/L
Zinc, total	NE-4	10/25/2006	20	20	ND	ug/L
Zinc, total	NE-4	1/24/2007	10	5		ug/L
Zinc, total	NE-4	7/12/2007	15	5		ug/L
Zinc, total	NE-4	1/24/2008	12	5		ug/L
Zinc, total	NE-4	7/21/2008	3.4	5	ND	ug/L
Zinc, total	NE-4	2/7/2009	19	5		ug/L
Zinc, total	NE-4	7/31/2009	9.3	5		ug/L
Zinc, total	NE-4	1/26/2010	12	5		ug/L
Zinc, total	NE-4	7/14/2010	24	5		ug/L
Zinc, total	NE-4	1/19/2011	11	5		ug/L
Zinc, total	NE-4	7/13/2011	3.2	5	ND	ug/L
Zinc, total	NE-4	1/5/2012	9.3	5		ug/L
Zinc, total	NE-4	7/10/2012	35	5		ug/L
Zinc, total	NE-4	4/30/2013	15	5		ug/L
Zinc, total	NE-4	7/16/2013	19	5		ug/L
Zinc, total	NE-4	1/23/2014	11	5		ug/L
Zinc, total	NE-4	7/9/2014	8.5	5		ug/L
Zinc, total	NE-4	2/13/2015	15	5		ug/L
Zinc, total	NE-4	7/8/2015	7.2	5		ug/L
Zinc, total	NE-4	1/6/2016	28	5		ug/L
Zinc, total	NE-4	7/20/2016	16	5		ug/L
Zinc, total	NE-4	1/11/2017	7.7	5		ug/L
Zinc, total	NE-4	7/19/2017	5.2	5		ug/L
Zinc, total	NE-4	1/26/2018	3.2	5	ND	ug/L
Zinc, total	NE-4	4/10/2018	6.9	5		ug/L
Zinc, total	NE-4	7/12/2018	3.4	5	ND	ug/L
Zinc, total	NE-4	10/3/2018	3.7	5	ND	ug/L
Zinc, total	NE-4	1/7/2019	7.1	5		ug/L
Zinc, total	NE-4	4/2/2019	3.4	5	ND	ug/L
Zinc, total	NE-4	7/8/2019	4.9	10	ND	ug/L
Zinc, total	NE-4	7/8/2019	4.9	10	ND	ug/L
Zinc, total	NE-4	10/1/2019	4.8	5	ND	ug/L
Zinc, total	NE-4	1/13/2020	5	5	ND	ug/L
Zinc, total	NE-4	4/1/2020	5	5	ND	ug/L
Zinc, total	NE-4	7/6/2020	5	5	ND	ug/L
Zinc, total	NE-4	10/5/2020	11.9	2.56		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-4	1/15/2021	4	2.56		ug/L
Zinc, total	NE-4	4/9/2021	12.4	2.56		ug/L
Zinc, total	NE-4	7/2/2021	3.67	2.56		ug/L
Zinc, total	NE-4	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-4	1/5/2023	10.5	5		ug/L
Zinc, total	NE-4	4/6/2023	10.6	5		ug/L
Zinc, total	NE-5	7/9/2002	140	10		ug/L
Zinc, total	NE-5	8/6/2002	180	5		ug/L
Zinc, total	NE-5	9/4/2002	190	10		ug/L
Zinc, total	NE-5	10/2/2002	140	2.9		ug/L
Zinc, total	NE-5	7/8/2003	130	5		ug/L
Zinc, total	NE-5	1/27/2004	350	7.1		ug/L
Zinc, total	NE-5	1/12/2005	89	5		ug/L
Zinc, total	NE-5	7/19/2006	260	5		ug/L
Zinc, total	NE-5	7/19/2006	260	5		ug/L
Zinc, total	NE-5	10/25/2006	140	20		ug/L
Zinc, total	NE-5	1/10/2007	83	5		ug/L
Zinc, total	NE-5	1/24/2007	78	5		ug/L
Zinc, total	NE-5	7/12/2007	83	5		ug/L
Zinc, total	NE-5	7/22/2008	81	5		ug/L
Zinc, total	NE-5	2/6/2009	120	5		ug/L
Zinc, total	NE-5	7/31/2009	100	5		ug/L
Zinc, total	NE-5	1/26/2010	83	5		ug/L
Zinc, total	NE-5	7/16/2010	150	5		ug/L
Zinc, total	NE-5	1/19/2011	85	5		ug/L
Zinc, total	NE-5	7/13/2011	99	5		ug/L
Zinc, total	NE-5	1/5/2012	85	5		ug/L
Zinc, total	NE-5	7/10/2012	82	5		ug/L
Zinc, total	NE-5	4/30/2013	67	5		ug/L
Zinc, total	NE-5	7/16/2013	120	5		ug/L
Zinc, total	NE-5	1/23/2014	59	5		ug/L
Zinc, total	NE-5	7/9/2014	28	5		ug/L
Zinc, total	NE-5	2/11/2015	74	5		ug/L
Zinc, total	NE-5	7/14/2015	19	5		ug/L
Zinc, total	NE-5	1/6/2016	50	5		ug/L
Zinc, total	NE-5	7/20/2016	45	5		ug/L
Zinc, total	NE-5	1/11/2017	50	5		ug/L
Zinc, total	NE-5	7/19/2017	40	5		ug/L
Zinc, total	NE-5	1/25/2018	47	5		ug/L
Zinc, total	NE-5	4/10/2018	9.2	5		ug/L
Zinc, total	NE-5	7/17/2018	34	5		ug/L
Zinc, total	NE-5	10/3/2018	28	5		ug/L
Zinc, total	NE-5	1/4/2019	14	5		ug/L
Zinc, total	NE-5	4/2/2019	38	5		ug/L
Zinc, total	NE-5	4/2/2019	38	5		ug/L
Zinc, total	NE-5	7/9/2019	72	10		ug/L
Zinc, total	NE-5	10/3/2019	44	5		ug/L
Zinc, total	NE-5	1/16/2020	38.8	5		ug/L
Zinc, total	NE-5	4/2/2020	44.9	5		ug/L
Zinc, total	NE-5	7/8/2020	49.3	5		ug/L
Zinc, total	NE-5	10/6/2020	45.6	2.56		ug/L
Zinc, total	NE-5	1/15/2021	46.1	2.56		ug/L
Zinc, total	NE-5	4/9/2021	60.4	2.56		ug/L
Zinc, total	NE-5	7/2/2021	115	2.56		ug/L
Zinc, total	NE-5	10/6/2021	47.1	2.56		ug/L
Zinc, total	NE-5	1/18/2022	62.6	2.56		ug/L
Zinc, total	NE-5	4/6/2022	60.1	2.56		ug/L
Zinc, total	NE-5	7/13/2022	58.9	5		ug/L
Zinc, total	NE-5	10/7/2022	40.2	5		ug/L
Zinc, total	NE-5	1/5/2023	60.4	5		ug/L
Zinc, total	NE-5	4/7/2023	180	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-5E	9/30/2019	78	5		ug/L
Zinc, total	NE-5E	1/16/2020	76.6	5		ug/L
Zinc, total	NE-5E	4/1/2020	99.9	5		ug/L
Zinc, total	NE-5E	7/8/2020	66.4	5		ug/L
Zinc, total	NE-5E	10/6/2020	65.1	2.56		ug/L
Zinc, total	NE-5E	1/15/2021	55.5	2.56		ug/L
Zinc, total	NE-5E	4/9/2021	52.5	2.56		ug/L
Zinc, total	NE-5E	7/2/2021	43.7	2.56		ug/L
Zinc, total	NE-5E	10/6/2021	37.2	2.56		ug/L
Zinc, total	NE-5E	1/18/2022	25.6	2.56		ug/L
Zinc, total	NE-5E	4/6/2022	28.9	2.56		ug/L
Zinc, total	NE-5E	7/13/2022	40.6	5		ug/L
Zinc, total	NE-5E	10/7/2022	51.2	5		ug/L
Zinc, total	NE-5E	1/5/2023	31.2	5		ug/L
Zinc, total	NE-5E	4/7/2023	29.9	5		ug/L
Zinc, total	NE-5W	9/30/2019	8.6	5		ug/L
Zinc, total	NE-5W	1/16/2020	7.18	5		ug/L
Zinc, total	NE-5W	4/2/2020	23	5		ug/L
Zinc, total	NE-5W	7/8/2020	32.8	5		ug/L
Zinc, total	NE-5W	10/6/2020	52.1	2.56		ug/L
Zinc, total	NE-5W	1/15/2021	14	2.56		ug/L
Zinc, total	NE-5W	4/9/2021	12.7	2.56		ug/L
Zinc, total	NE-5W	7/2/2021	31.3	2.56		ug/L
Zinc, total	NE-5W	10/6/2021	30.1	2.56		ug/L
Zinc, total	NE-5W	1/18/2022	17.4	2.56		ug/L
Zinc, total	NE-5W	4/6/2022	20.4	2.56		ug/L
Zinc, total	NE-5W	7/13/2022	36.4	5		ug/L
Zinc, total	NE-5W	10/7/2022	34	5		ug/L
Zinc, total	NE-5W	1/5/2023	11	5		ug/L
Zinc, total	NE-5W	4/7/2023	10.6	5		ug/L
Zinc, total	NE-6	1/12/2017	12	5		ug/L
Zinc, total	NE-6	4/5/2017	19	5		ug/L
Zinc, total	NE-6	7/19/2017	24	5		ug/L
Zinc, total	NE-6	10/6/2017	4.1	5	ND	ug/L
Zinc, total	NE-6	2/4/2019	9.2	5		ug/L
Zinc, total	NE-6	8/6/2019	95	10		ug/L
Zinc, total	NE-6	1/15/2020	11.6	5		ug/L
Zinc, total	NE-6	7/9/2020	9.47	5		ug/L
Zinc, total	NE-6	1/16/2021	34.2	5		ug/L
Zinc, total	NE-6	1/16/2021	18.1	2.56		ug/L
Zinc, total	NE-6	7/1/2021	7.84	5.9		ug/L
Zinc, total	NE-6	1/17/2022	24.8	5		ug/L
Zinc, total	NE-6	1/17/2022	9.59	2.56		ug/L
Zinc, total	NE-6	7/12/2022	9.98	5		ug/L
Zinc, total	NE-6	1/5/2023	6.31	5		ug/L
Zinc, total	NE-6D	10/2/2019	16	5		ug/L
Zinc, total	NE-6D	1/15/2020	29	5		ug/L
Zinc, total	NE-6D	4/2/2020	25.5	5		ug/L
Zinc, total	NE-6D	7/9/2020	25.6	5		ug/L
Zinc, total	NE-6D	10/7/2020	23.1	2.56		ug/L
Zinc, total	NE-6D	1/15/2021	21.5	2.56		ug/L
Zinc, total	NE-6D	4/9/2021	20.5	2.56		ug/L
Zinc, total	NE-6D	7/2/2021	23.6	2.56		ug/L
Zinc, total	NE-6D	10/7/2021	19.9	2.56		ug/L
Zinc, total	NE-6D	1/17/2022	24.6	2.56		ug/L
Zinc, total	NE-6D	4/6/2022	22.6	2.56		ug/L
Zinc, total	NE-6D	7/12/2022	25.7	5		ug/L
Zinc, total	NE-6D	10/7/2022	15.4	5		ug/L
Zinc, total	NE-6D	1/5/2023	19.4	5		ug/L
Zinc, total	NE-6D	4/7/2023	19.1	5		ug/L
Zinc, total	NE-7	3/1/2017	3.3	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-7	4/6/2017	2.6	5	ND	ug/L
Zinc, total	NE-7	7/20/2017	8.5	5		ug/L
Zinc, total	NE-7	10/5/2017	3.9	5	ND	ug/L
Zinc, total	NE-7	2/6/2019	8.9	5		ug/L
Zinc, total	NE-7	8/6/2019	36	10		ug/L
Zinc, total	NE-7	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-7	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-7	1/16/2021	14.5	5		ug/L
Zinc, total	NE-7	1/16/2021	12.1	2.56		ug/L
Zinc, total	NE-7	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-7	1/17/2022	7.93	5		ug/L
Zinc, total	NE-7	1/17/2022	2.93	2.56		ug/L
Zinc, total	NE-7	7/12/2022	6.49	5		ug/L
Zinc, total	NE-7	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-8	1/12/2017	6.8	5		ug/L
Zinc, total	NE-8	4/5/2017	7	5		ug/L
Zinc, total	NE-8	7/20/2017	58	5		ug/L
Zinc, total	NE-8	10/6/2017	5	5	ND	ug/L
Zinc, total	NE-8	2/4/2019	12	5		ug/L
Zinc, total	NE-8	8/5/2019	52	10		ug/L
Zinc, total	NE-8	1/15/2020	80.2	5		ug/L
Zinc, total	NE-8	7/8/2020	109	5		ug/L
Zinc, total	NE-8	1/13/2021	17.8	2.56		ug/L
Zinc, total	NE-8	1/13/2021	21.7	5		ug/L
Zinc, total	NE-8	4/9/2021	31.7	2.56		ug/L
Zinc, total	NE-8	7/1/2021	62.5	5.9		ug/L
Zinc, total	NE-8	7/1/2021	59.2	2.56		ug/L
Zinc, total	NE-8	10/7/2021	98.5	2.56		ug/L
Zinc, total	NE-8	1/6/2023	92.1	5		ug/L
Zinc, total	NE-9	1/12/2017	7.7	5		ug/L
Zinc, total	NE-9	4/5/2017	4.5	5	ND	ug/L
Zinc, total	NE-9	7/20/2017	9.9	5		ug/L
Zinc, total	NE-9	10/5/2017	12	5		ug/L
Zinc, total	NE-9	2/5/2019	15	5		ug/L
Zinc, total	NE-9	8/7/2019	19	10		ug/L
Zinc, total	NE-9	1/15/2020	11.5	5		ug/L
Zinc, total	NE-9	7/7/2020	8.79	5		ug/L
Zinc, total	NE-9	1/17/2021	8.92	2.56		ug/L
Zinc, total	NE-9	1/17/2021	15	5		ug/L
Zinc, total	NE-9	7/1/2021	31.2	5.9		ug/L
Zinc, total	NE-9	1/17/2022	26	5		ug/L
Zinc, total	NE-9	1/17/2022	25.4	2.56		ug/L
Zinc, total	NE-9	7/13/2022	53.5	5		ug/L
Zinc, total	NE-9	1/6/2023	61.4	5		ug/L
Zinc, total	NE-9	4/8/2023	62.5	5		ug/L

APPENDIX E

Statistical Evaluation

Results of the Ground Water Statistics

for Eco-Vista Sanitary Landfill

First Semi-Annual Monitoring Event in 2023

Prepared for:

Waste Management

2210 Waste Management Drive

Springdale, Arkansas 72762

Prepared by:

Jeffrey A. Holmgren

Otter Creek Environmental Services, L.L.C.

40W565 Foxwick Court

Elgin, IL 60124

(847) 464-1355

June 2023

INTRODUCTION

This report contains the results of the statistical analyses used to evaluate the ground water data obtained during the first semi-annual monitoring event in 2023 at Eco Vista Sanitary Landfill. The ground water monitoring well network at Eco Vista Sanitary Landfill includes MW-1N, MW-2N, MW-3N, MW-7N, MW-8N, MW-10N, MW-11N, MW-15, MW-16, MW-17, MW-19, MW-20, MW-21, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-9, LGW-10, and LGW-14R. These monitoring wells were sampled during January 10-11, 2023 and analyzed for the parameters required by permit.

The statistical plan is designed to detect a release from the facility at the earliest indication so that it is protective of human health and the environment. An intrawell methodology is described and then applied to the Eco Vista Sanitary Landfill data. The statistical plan conforms with USEPA Guidance document (“*Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Unified Guidance*”, March 2009), and the American Society for Testing and Materials (ASTM) standard D6312-98, *Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs*.

Ground Water Monitoring Program

The groundwater monitoring network for Eco Vista Sanitary Landfill includes the twenty-three wells designated above. Each of the groundwater monitoring wells is to be sampled and analyzed for the detection monitoring parameters listed below.

Acetone	<i>trans</i> -1,4-Dichloro-2-butene	Iodomethane
Acrylonitrile	1,1-Dichloroethane	4-Methyl-2-pentanone
Benzene	1,2-Dichloroethane	Styrene
Bromochloromethane	1,1-Dichloroethene	1,1,1,2-Tetrachloroethane
Bromodichloromethane	<i>cis</i> -1,2-Dichloroethene	1,1,2,2-Tetrachloroethane
Bromoform	<i>trans</i> -1,2-Dichloroethene	Tetrachloroethene
Carbon disulfide	1,2-Dichloropropane	Toluene
Carbon tetrachloride	<i>cis</i> -1,3-Dichloropropene	1,1,1-Trichloroethane
Chlorobenzene	<i>trans</i> -1,3-Dichloropropene	1,1,2-Trichloroethane
Chloroethane	Ethylbenzene	Trichloroethene
Chloroform	2-Hexanone	Trichlorofluoromethane
Dibromochloromethane	Bromomethane	1,2,3-Trichloropropane
1,2-Dibromo-3-chloropropane	Chloromethane	Vinyl acetate
1,2-Dibromoethane	Dibromomethane	Vinyl chloride
1,2-Dichlorobenzene	Methylene chloride	Xylenes (Total)
1,4-Dichlorobenzene	2-Butanone	
Antimony, Total	Chromium, Total	Selenium, Total
Arsenic, Total	Cobalt, Total	Silver, Total
Barium, Total	Copper, Total	Thallium, Total
Beryllium, Total	Lead, Total	Vanadium, Total
Cadmium, Total	Nickel, Total	Zinc, Total
Chloride	Sulfate	pH
Iron	Total Dissolved Solids (TDS)	Specific Conductance
Manganese	Total Organic Carbon (TOC)	

The ground water data obtained during the first semi-annual monitoring event in 2023 are summarized in Attachment A.

STATISTICAL METHODOLOGIES FOR DETECTION MONITORING

The statistical guidance provides several options for statistically evaluating the ground water data at those wells that monitor the open cells or contiguous MSWLF units. The preferred methods for comparing inorganic ground water data are using either prediction limits or using control charts. An intrawell control chart method was applied to the Eco Vista Sanitary Landfill data using the DUMPStat® statistical program. DUMPStat® is a program for the statistical analysis of groundwater monitoring data using methods described in “Statistical Methods for Groundwater Monitoring” by Dr. Robert D. Gibbons. The DUMPStat program is completely consistent with all USEPA regulations and guidance and the ASTM D6312-98 guidance. Ground water statistics are to be done on all well-parameter pairs detected above the PQL, per the requirements of ADEQ Regulation 22.1203(h)(5). The organic constituents are compared to practical quantitation limits (PQLs), in lieu of statistical comparisons to historical concentrations.

Volatile Organic Compounds

Volatile Organic Compounds (VOCs) are generally man-made compounds not present in ambient ground water. If VOCs are initially detected above their statistical limit (i.e., the laboratory PQL or reporting limit), a verification resample will be collected. A statistical exceedance will be indicated if the VOC detection is confirmed.

VOCs detected in the ground water at Eco Vista Sanitary Landfill during the first semi-annual monitoring event in 2023 are summarized in the table below. Historical VOC detections are summarized in Attachment B.

VOCs detected at Eco Vista Sanitary Landfill during the first semi-annual monitoring event in 2023

Well	VOC Detected	Jan 2023 Result, µg/L	Apr 2023 Result, µg/L	Reporting Limit, µg/L	Verified/ Awaiting Verification	GWPS, µg/L
LGW-10	1,1-Dichloroethane	1.40	1.15	1	Verified	2.4
	1,4-Dichlorobenzene	2.13	1.87	1	Verified	75
	Benzene	1.98	1.71	1	Verified	5
	cis-1,2-Dichloroethene	1.38	1.19	1	Verified	70

GWPS – Groundwater Protection Standard. Proposed in Document No. 65838 and approved in Document No. 65893.

The current verified VOC detections and those confirmed VOCs identified in the past eight sampling events were evaluated against the ground water protection standards (GWPS) using confidence limits (Attachment C). The 95% lower confidence limit (LCL) for the mean of the most recent eight rounds of data were used to evaluate whether the regulated unit is in compliance with the approved ground-water protection standards (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the Regulatory GWPS. The calculated LCLs for historically detected VOCs are below the respective GWPS.

Intrawell statistics

Intrawell statistics are appropriate for facilities where the upgradient wells do not accurately characterize the natural ground water conditions downgradient from the facility. This may be due to different hydrogeological conditions where the wells are screened, having too few upgradient wells to account for the spatial variability, or the site exhibiting no definable hydraulic gradient. Intrawell statistics compare new measurements to the historical data at each ground water monitoring well independently. It is recommended that at least eight background samples be obtained prior to performing the statistics.

The most useful technique for intrawell comparisons is the combined Shewhart-CUSUM control chart. This control chart procedure is useful because it will detect releases both in terms of the constituent concentration and cumulative increases. This method is also extremely sensitive to sudden and gradual releases. A requirement for constructing these control charts is that the parameter is detected at a frequency greater than or equal to 25%, otherwise the data variance is not properly defined.

The combined Shewhart-CUSUM control chart assumes that the data are independent and normally distributed with a fixed mean and a constant variance. Independent data is much more critical than the normality assumption. To achieve independence, it is recommended that data are collected no more frequently than quarterly to account for seasonal variation. The combined Shewhart-CUSUM control chart is extremely robust to deviations from normality. Because the control charts do not use a specific multiplier based on a normal distribution, it is more conservative to assume normality.

It is recommended that at least eight rounds of data be available to provide a reliable estimate of the mean and standard deviation of the parameter concentration, although the control charts will be generated with as few as four data points. Having only four data points may produce greater uncertainty in the mean and standard deviation of the background data, leading to higher control limits, thus having a potentially high false negative rate.

Many groundwater monitoring parameters are not detected at a frequency great enough to generate the combined Shewhart-CUSUM control charts. For constituents that are detected less than 25% of the time at a particular well, the data should be plotted as a time series until a sufficient number of data points are available to provide a 99% confidence nonparametric prediction limit. Thirteen independent measurements (with 1 resample) are necessary to achieve a 99% confidence (1% false positive rate) nonparametric prediction limit. Eight independent measurements (for pass 1 of 2 resamples) are necessary to achieve a 99% confidence nonparametric prediction limit. The nonparametric prediction limit is the largest determination out of the data set collected for that well and parameter. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

In developing the statistical background, the historical data must be thoroughly screened for anomalous data due to sampling error, analytical error, or simply by chance alone. An erroneous data point, if not removed prior to the mean and variance computations, would yield a larger control limit thus increasing the false negative rate. The DUMPStat[®] program screens for outliers using the Dixon test. If the Dixon test indicates an outlier, the value is compared to three times the median value for intrawell analyses. If the

value fails both criteria of the two-stage screening, the value is considered a statistical outlier and will not be used in the mean and variance determinations. Anomalous data will still be plotted on the graphs (with a unique symbol) but will not be included in the calculations. The verification resample plan is an integral function of the statistical plan to reduce the probability that anomalous data obtained after the background has been established, is indicative of a landfill release. The background data for each well and constituent is tested for existing trends using Sen's nonparametric estimate of trend. If contamination exists prior to completing the background, the control limits could be potentially high and this control chart method would not be able to detect an increasing trend unless the increase is severe.

Results of the Intrawell Statistics

The trace metals and inorganic indicator data were evaluated using the combined Shewhart-CUSUM control chart method (Attachment D). The background used to determine control limits includes data obtained from January 2006 through 2016 for wells LGW-10, LGW-2, LGW-4, LGW-9, MW-10N, MW-11N, MW-1N, and MW-2N; July 2015 through June 2019 for well LGW-3R; January 2006 through 2015 for wells LGW-5, LGW-6, and LGW-7; January 2009 through 2016 for wells LGW-14R and LGW-8R; June 2015 through 2016 for wells MW-15, MW-16, MW-17, MW-19, MW-20, and MW-21; and 2000 through 2016 for wells MW-3N, MW-7N, and MW-8N. For the parameters evaluated, the statistical limit exceedances identified are summarized in the table below.

Summary of statistical limit exceedances during the first semi-annual monitoring period in 2023.

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Verified/Awaiting Verification
LGW-14R	TDS, mg/L	300	374.4546	288.5801	Normal	Verified
	Zinc, µg/L	7.39	7.2506	6.3012	Normal	Verified
LGW-4	Manganese, µg/L	179	195.7491	56.0439	Normal	Verified
	Nickel, µg/L	7.99	--	5.3000	Nonparametric	Awaiting Verification
	TDS, mg/L	399	596.9785	507.3477	Normal	Awaiting Verification
	Zinc, µg/L	37.9	43.5718	15.5751	Normal	Verified
LGW-5	Barium, µg/L	109	234.0411	224.3880	Normal	Verified
	Cobalt, µg/L	4.1	--	3.0000	Nonparametric	Verified
	Iron, µg/L	392	--	210.0000	Nonparametric	Verified
	Manganese, µg/L	10900	12753.6557	2879.0886	Normal	Verified
	Nickel, µg/L	77.2	--	14.0000	Nonparametric	Verified
	TDS, mg/L	396	672.4182	586.9068	Normal	Verified
	TOC, mg/L	1.55	--	1.4000	Nonparametric	Awaiting Verification
	Zinc, µg/L	22.0	39.7677	29.5747	Normal	Verified

Summary of statistical limit exceedances during the first semi-annual monitoring period in 2023 (cont.).

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Verified/Awaiting Verification
LGW-6	Barium, µg/L	189	202.1203	77.2180	Normal	Verified
	Cadmium, µg/L	2.27	--	1.0000	Nonparametric	Verified
	Cobalt, µg/L	21.1	--	3.0000	Nonparametric	Verified
	Iron, µg/L	897	--	230.0000	Nonparametric	Verified
	Manganese, µg/L	34500	34451.1753	447.6702	Normal	Verified
	Nickel, µg/L	157	--	4.8000	Nonparametric	Verified
	Selenium, µg/L	14.0	--	10.0000	Nonparametric	Verified
	TDS, mg/L	377	507.4413	433.8772	Normal	Verified
	Zinc, µg/L	140	138.2514	23.2972	Normal	Verified
LGW-7	TDS, mg/L	285	460.2179	456.6853	Normal	Verified
LGW-8R	Barium, µg/L	83.3	104.9875	88.6875	Normal	Verified
	Manganese, µg/L	4250	--	7.0000	Nonparametric	Verified
	TDS, mg/L	372	460.8676	389.4326	Normal	Verified
LGW-9	TDS, mg/L	392	668.6753	660.5801	Normal	Verified
MW-10N	Manganese, µg/L	101	94.1734	92.7825	Normal	Awaiting Verification
MW-15	Sulfate, mg/L	12.3	18.6688	13.5608	Normal	Verified
	TOC, mg/L	1.25	1.2140	1.2454	Normal	Awaiting Verification
MW-17	Sulfate, mg/L	14.4	26.8002	24.0925	Normal	Verified
	TOC, mg/L	3.54	3.4496	1.6313	Normal	Awaiting Verification
	Zinc, µg/L	16.6	15.4302	13.1411	Normal	Awaiting Verification
MW-21	Cadmium, µg/L	4.97	8.3102	5.3857	Normal	Awaiting Verification
MW-2N	Barium, mg/L	81.8	122.8684	96.1572	Normal	Verified
	Chromium, mg/L	6.52	--	3.0000	Nonparametric	Awaiting Verification
	Nickel, µg/L	4.31	--	4.0000	Nonparametric	Awaiting Verification
	TDS, mg/L	268	330.4164	273.4179	Normal	Verified
	Zinc, µg/L	26.4	68.3557	58.0501	Normal	Verified
MW-3N	Cadmium, µg/L	49.6	65.4122	28.9469	Normal	Verified
	Sulfate, mg/L	13.4	27.1956	20.8795	Normal	Verified
	Zinc, µg/L	186	467.5764	359.6905	Normal	Verified
MW-7N	Sulfate, mg/L	20.1	31.1871	19.5293	Normal	Verified
MW-8N	TOC, mg/L	1.66	2.6041	2.3038	Normal	Verified

A control chart factor was selected to provide a balance of the site-wide false positive and false negative rates. A statistical power curve indicates the expected false assessments for the site as a whole. The site-wide false positive rate is 14% and the test becomes sensitive to 3 standard deviation units over background.

Increasing trends detected in the background data include cobalt, iron, manganese, nickel, and TDS at LGW-10; pH at LGW-14R; pH at LGW-4; barium and zinc at LGW-7; pH at LGW-8R; zinc at LGW-9;

sulfate at MW-16; sulfate at MW-17; zinc at MW-1N; barium at MW-2N; manganese, nickel, sulfate, and zinc at MW-3N; pH and sulfate at MW-7N; and pH and sulfate at MW-8N.

Monitoring wells exhibiting unverified exceedances were resampled during April 4-8, 2023. The results of the resample analysis statistics are summarized in the table below.

Summary of statistics for the resample monitoring event.

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Comment
LGW-4	Nickel, µg/L	15.1	--	5.3000	Nonparametric	Previous exceedance verified
	TDS, mg/L	429	626.9785	507.3477	Normal	Previous exceedance verified
LGW-5	TOC, mg/L	1.48	--	1.4000	Nonparametric	Previous exceedance verified
MW-10N	Manganese, µg/L	49.0	42.1734	92.7825	Normal	Previous exceedance not verified
MW-15	TOC, mg/L	1.26	1.4267	1.2454	Normal	Previous exceedance verified
MW-17	TOC, mg/L	<1	1.0438	1.6313	Normal	Previous exceedance not verified
	Zinc, µg/L	7.3	6.1302	13.1411	Normal	Previous exceedance not verified
MW-21	Cadmium, µg/L	2.65	5.9902	5.3857	Normal	Previous exceedance verified
MW-2N	Chromium, mg/L	<3	--	3.0000	Nonparametric	Previous exceedance not verified
	Nickel, µg/L	<4	--	4.0000	Nonparametric	Previous exceedance not verified

STATISTICAL METHODOLOGIES FOR ASSESSMENT MONITORING

Trace Metals and Inorganic Compounds

GWPS exceedances observed during the first semi-annual monitoring in 2023 include cadmium at LGW-9, cadmium at MW-3N, cadmium at MW-8N, cobalt at LGW-10, cobalt at LGW-6, and cobalt at MW-21. The current verified control limit/prediction limit exceedances and GWPS exceedances were evaluated against the approved GWPS using confidence limits (Attachment E). The 95% lower confidence limit (LCL) for the mean of the data was used to evaluate whether the regulated unit is in compliance with the groundwater protection standards (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the GWPS.

The 95% LCL (50.366 µg/L) for cobalt at LGW-10 exceeds the GWPS of 6 µg/L.

The 95% LCL (15.905 µg/L) for cobalt at LGW-6 exceeds the GWPS of 6 µg/L.

The 95% LCL (11.072 µg/L) for cobalt at MW-21 exceeds the GWPS of 6 µg/L.

The 95% LCL (16.232 µg/L) for cadmium at LGW-9 exceeds the GWPS of 5 µg/L.

The 95% LCL (22.633 µg/L) for cadmium at MW-3N exceeds the GWPS of 5 µg/L.

The 95% LCL (7.433 µg/L) for cadmium at MW-8N exceeds the GWPS of 5 µg/L.

Attachment A

Ground Water Data obtained during the First semi-annual Monitoring Event in 2023

Table 1
Analytical Data Summary for 1/10/2023 to 1/11/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-10N	MW-11N	MW-15
1,1,1,2-tetrachloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-trichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-tetrachloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-trichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethane	ug/L	1.4	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-dichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-trichloropropane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dibromo-3-chloropropane (dbcp)	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
1,2-dibromoethane (edb)	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichlorobenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloropropane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-dichlorobenzene	ug/L	2.13	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2-hexanone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/L	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
ALKALINITY	mg/L	478.0	278.0	301.0	37.7	362.0	338.0	367.0	274.0	354.0	327.0	250.0	184.0	206.0
Alkalinity, bicarbonate (as cac03)	mg/L	478.0	278.0	301.0	37.7	362.0	338.0	367.0	274.0	354.0	327.0	250.0	184.0	206.0
Alkalinity, carbonate (as cac03)	mg/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Ammonia (as n)	mg/L	.225	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100
Antimony, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Arsenic, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Barium, total	ug/L	87.4	44.2	77.4	57.0	68.3	109.0	189.0	45.3	83.3	147.0	39.9	50.9	23.3
Benzene	ug/L	1.98	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromochloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cadmium, total	ug/L	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Calcium, total	mg/L	171.0	103.0	110.0	13.9	137.0	117.0	104.0	101.0	130.0	111.0	31.4	66.3	74.6
Carbon disulfide	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Carbon tetrachloride	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	mg/L	21.10	4.88	9.88	5.40	18.90	33.20	13.50	13.10	16.70	32.20	4.62	<3.00	40.50
Chlorobenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroform	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chromium, total	ug/L	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00
Cis-1,2-dichloroethene	ug/L	1.38	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Cis-1,3-dichloropropene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cobalt, total	ug/L	62.5	<3.0	<3.0	<3.0	<3.0	4.1	21.1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
Copper, total	ug/L	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4
Dibromochloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichlorobromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Do (field)	mg/L	<3	5.3	5.9	5.6	1.3	1.1	5	3.2	3	4	2	6.9	5.5
Eh (redox)	MV	132.1	135.0	148.7	199.7	157.7	160.8	151.4	121.8	129.8	134.4	97.4	132.4	163.0
Ethylbenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iodomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iron, total	ug/L	7440.0	<60.0	<60.0	127.0	<60.0	392.0	897.0	<60.0	<60.0	<60.0	992.0	<60.0	<60.0
Lead, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Magnesium, total	mg/L	3.600	1.330	994	1.070	2.280	4.180	4.460	1.640	3.100	7.450	10.300	.604	4.240
Manganese, total	ug/L	7720.00	<3.00	<3.00	26.40	179.00	10900.00	34500.00	5.83	26.30	4250.00	101.00	<3.00	<3.00
Methyl ethyl ketone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methyl isobutyl ketone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

Table 1
Analytical Data Summary for 1/10/2023 to 1/11/2023

Constituents	MW-16	MW-17	MW-19	MW-1N	MW-20	MW-21	MW-2N	MW-3N	MW-7N	MW-8N
1,1,1,2-tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethane	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-trichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dibromo-3-chloropropane (dbcp)	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dibromoethane (edb)	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-dichlorobenzene	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2-hexanone	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
ALKALINITY	173.0	143.0	101.0	204.0	247.0	86.1	240.0	291.0	207.0	177.0
Alkalinity, bicarbonate (as cac03)	173.0	143.0	101.0	204.0	247.0	86.1	240.0	291.0	207.0	177.0
Alkalinity, carbonate (as cac03)	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Ammonia (as n)	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100
Antimony, total	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Arsenic, total	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Barium, total	31.3	43.5	25.2	39.7	102.0	201.0	81.8	86.1	129.0	139.0
Benzene	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Beryllium, total	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromochloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cadmium, total	<1.00	<1.00	<1.00	<1.00	<1.00	4.97	<1.00	49.60	<1.00	7.16
Calcium, total	63.7	45.6	43.3	69.4	80.2	23.5	85.5	108.0	71.6	52.0
Carbon disulfide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Carbon tetrachloride	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	4.59	11.00	9.07	3.31	4.57	17.70	6.88	5.95	33.30	28.60
Chlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroform	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chromium, total	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	6.52	<3.00	<3.00	<3.00
Cis-1,2-dichloroethene	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Cis-1,3-dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cobalt, total	<3.0	<3.0	<3.0	<3.0	<3.0	12.7	<3.0	<3.0	<3.0	<3.0
Copper, total	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4
Dibromochloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichlorobromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Do (field)	6.8	8.5	7.9	1.8	3.1	5	3.1	5	3.2	3
Eh (redox)	140.1	160.4	99.1	105.9	139.5	163.3	115.9	134.4	165.2	146.9
Ethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iodomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iron, total	<60.0	159.0	<60.0	88.1	<60.0	1150.0	62.5	70.0	<60.0	<60.0
Lead, total	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Magnesium, total	1,130	3,050	1,690	3,230	2,690	5,690	1,370	3,650	4,540	8,360
Manganese, total	<3.00	77.20	8.99	17.60	27.30	7820.00	3.98	774.00	10.90	2530.00
Methyl ethyl ketone	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methyl isobutyl ketone	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

Table 1
Analytical Data Summary for 1/10/2023 to 1/11/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-10N	MW-11N	MW-15
Methylene chloride	ug/L	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07
Nickel, total	ug/L	150.00	<4.00	<4.00	<4.00	7.99	77.20	157.00	<4.00	<4.00	24.70	<4.00	<4.00	<4.00
Nitrate-nitrite (as n)	mg/L	<100	1.780	1.310	1.860	2,350	<100	<100	3,130	.784	1,250	<100	.407	1,990
pH (Field)	S.U.	6.46	6.98	6.94	5.45	6.73	6.35	6.43	7.05	6.75	6.52	7.35	7.19	6.56
Potassium, total	mg/L	<3.00	<3.00	<3.00	<3.00	<3.00	3.08	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00
Selenium, total	ug/L	<10	<10	<10	<10	<10	<10	14	<10	<10	<10	<10	<10	<10
Silver, total	ug/L	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Sodium, total	mg/L	9.82	5.30	11.30	<5.00	11.30	17.20	9.25	5.48	9.40	21.90	52.50	<5.00	26.70
Specific conductance (field)	UMHOS/CM	919	507	575	109	679	720	645	513	667	716	454	343	532
Styrene	ug/L	<5.00	<5.00	<5.00	<5.00	<5.00	6.30	<5.00	<5.00	<5.00	7.70	<5.00	<5.00	<5.00
Sulfate	mg/L	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Tetrachloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Thallium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Total dissolved solids	mg/L	500	300	325	70	399	396	377	285	372	392	246	184	300
Total organic carbon (toc)	mg/L	2.04	<1.00	<1.00	<1.00	<1.00	1.55	<1.00	<1.00	<1.00	2.61	4.81	<1.00	1.25
Total xylenes	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,2-dichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,3-dichloropropene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,4-dichloro-2-butene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Turbidity (field)	NTU	5.8	2.7	2.8	9.1	5.0	2.7	2.9	8.1	3.4	3.8	9.1	2.7	2.8
Vanadium, total	ug/L	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Vinyl acetate	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Water temperature in deg. celsius (field)	C	16.2	14.7	17.0	16.1	15.8	16.4	16.1	16.6	15.7	15.6	14.8	15.8	15.6
Zinc, total	ug/L	141.00	7.39	6.43	<5.00	37.90	22.00	140.00	8.87	17.20	80.40	<5.00	22.20	5.25

* - The displayed value is the arithmetic mean of multiple database matches.

Table 1
Analytical Data Summary for 1/10/2023 to 1/11/2023

Constituents	MW-16	MW-17	MW-19	MW-1N	MW-20	MW-21	MW-2N	MW-3N	MW-7N	MW-8N
Methylene chloride	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07
Nickel, total	<4.00	<4.00	8.09	8.09	<4.00	35.40	4.31	49.00	4.00	19.30
Nitrate-nitrite (as n)	.226	1.500	4.380	<1.00	.610	2.320	2.770	.594	4.540	1.830
pH (Field)	7.35	6.87	7.79	7.36	6.45	5.85	7.15	6.67	6.70	6.53
Potassium, total	<3.00	3.14	<3.00	<3.00	<3.00	<3.00	<3.00	3.11	<3.00	4.26
Selenium, total	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Silver, total	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Sodium, total	<5.00	12.10	6.69	7.05	13.60	9.61	12.10	<5.00	35.00	25.70
Specific conductance (field)	344	272	288	394	461	266	472	547	576	477
Styrene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Sulfate	<5.00	14.40	7.37	<5.00	<5.00	8.74	<5.00	13.40	20.10	19.30
Tetrachloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Thallium, total	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Total dissolved solids	184	187	158	210	247	149	268	309	315	263
Total organic carbon (toc)	<1.00	3.54	<1.00	<1.00	<1.00	1.60	<1.00	1.00	1.68	1.66
Total xylenes	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,2-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,3-dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,4-dichloro-2-butene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Turbidity (field)	2.7	23.8	7.3	10.4	8.6	20.1	9.1	8.4	2.3	3.7
Vanadium, total	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Vinyl acetate	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Water temperature in deg. celsius (field)	16.2	15.6	17.9	16.4	15.3	17.1	15.2	15.1	15.3	15.5
Zinc, total	5.73	16.60	<5.00	54.60	<5.00	58.60	26.40	186.00	7.43	13.10

* - The displayed value is the arithmetic mean of multiple database matches.

Table 1

Analytical Data Summary for 4/4/2023 to 4/8/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R
1,1,1,2-tetrachloroethane	ug/L	<1						<1		
1,1,1-trichloroethane	ug/L	<1						<1		
1,1,2,2-tetrachloroethane	ug/L	<1						<1		
1,1,2-trichloroethane	ug/L	<1						<1		
1,1-dichloroethane	ug/L	1.15						<1.00		
1,1-dichloroethene	ug/L	<1						<1		
1,2,3-trichloropropane	ug/L	<1						<1		
1,2-dibromo-3-chloropropane (dbcp)	ug/L	<2						<2		
1,2-dibromoethane (edb)	ug/L	<1						<1		
1,2-dichlorobenzene	ug/L	<1						<1		
1,2-dichloroethane	ug/L	<1						<1		
1,2-dichloropropane	ug/L	<1						<1		
1,4-dichlorobenzene	ug/L	1.87						<1.00		
2-hexanone	ug/L	<5						<5		
Acetone	ug/L	<10						<10		
Acrylonitrile	ug/L	<20						<20		
Ammonia (as n)	mg/L	.267	<.100	<.100	<.100	<.100	.162	<.100	<.100	<.100
Antimony, total	ug/L	<2						<2		
Arsenic, total	ug/L	<5						<5		
Barium, total	ug/L	108						204		
Benzene	ug/L	1.71						<1.00		
Beryllium, total	ug/L	<1						<1		
Bromochloromethane	ug/L	<1						<1		
Bromoform	ug/L	<1						<1		
Bromomethane	ug/L	<1						<1		
Cadmium, total	ug/L	<1.00						1.88		
Carbon disulfide	ug/L	<1						<1		
Carbon tetrachloride	ug/L	<1						<1		
Chloride	mg/L	21.70	4.90	9.82	4.75	21.50	35.50	14.10	17.00	17.10
Chlorobenzene	ug/L	<1						<1		
Chloroethane	ug/L	<1						<1		
Chloroform	ug/L	<1						<1		
Chloromethane	ug/L	<1						<1		
Chromium, total	ug/L	<3						<3		
Cis-1,2-dichloroethene	ug/L	1.19						<1.00		
Cis-1,3-dichloropropene	ug/L	<1						<1		
Cobalt, total	ug/L	70.60						25.00		
Copper, total	ug/L	<4						<4		
Dibromochloromethane	ug/L	<1						<1		
Dibromomethane	ug/L	<1						<1		
Dichlorobromomethane	ug/L	<1						<1		
Do (field)	mg/L	.3	5.0	4.2	7.4	1.3	.7	.3	1.6	.3
Eh (redox)	MV	191.3	167.6	156.5	201.1	161.8	174.0	161.2	155.9	148.6
Ethylbenzene	ug/L	<1						<1		
Iodomethane	ug/L	<1						<1		
Iron, total	ug/L	12400						1410		
Lead, total	ug/L	<5						<5		
Manganese, total	ug/L	11000						38400		
Methyl ethyl ketone	ug/L	<5						<5		
Methyl isobutyl ketone	ug/L	<5						<5		
Methylene chloride	ug/L	<1.07						<1.07		
Nickel, total	ug/L	171.0				15.1		163.0		
pH (Field)	S.U.	5.93	6.48	6.71	5.44	6.43	6.10	6.25	6.47	6.53
Selenium, total	ug/L	<10.0						<10.0		
Silver, total	ug/L	<50						<50		
Specific conductance (field)	UMHOS/CM	919	524	684	139	858	834	780	706	784
Styrene	ug/L	<1						<1		
Sulfate	mg/L	<5.00						<5.00		
Tetrachloroethene	ug/L	<1						<1		
Thallium, total	ug/L	<1						<1		
Toluene	ug/L	<1						<1		
Total dissolved solids	mg/L	545				429		391		
Total organic carbon (toc)	mg/L	1.22					1.48	<1.00		
Total xylenes	ug/L	<1						<1		
Trans-1,2-dichloroethene	ug/L	<1						<1		
Trans-1,3-dichloropropene	ug/L	<1						<1		
Trans-1,4-dichloro-2-butene	ug/L	<1						<1		
Trichloroethene	ug/L	<1						<1		
Trichlorofluoromethane	ug/L	<1						<1		
Turbidity (field)	NTU	8.4	9.4	9.1	7.9	8.1	5.3	10.1	3.4	3.6
Vanadium, total	ug/L	<3						<3		
Vinyl acetate	ug/L	<5						<5		
Vinyl chloride	ug/L	<1						<1		
Water temperature in deg. celsius (field)	C	15.0	13.8	13.7	15.1	15.8	16.4	16.3	16.5	14.6
Zinc, total	ug/L	152.0						155.0		

* - The displayed value is the arithmetic mean of multiple database matches.

Table 1

Analytical Data Summary for 4/4/2023 to 4/8/2023

Constituents	LGW-9	MW-10N	MW-15	MW-16	MW-17	MW-19	MW-21	MW-2N	MW-7N	MW-8N
1,1,1,2-tetrachloroethane	<1						<1			<1
1,1,1-trichloroethane	<1						<1			<1
1,1,2,2-tetrachloroethane	<1						<1			<1
1,1,2-trichloroethane	<1						<1			<1
1,1-dichloroethane	<1.00						<1.00			<1.00
1,1-dichloroethene	<1						<1			<1
1,2,3-trichloropropane	<1						<1			<1
1,2-dibromo-3-chloropropane (dbcp)	<2						<2			<2
1,2-dibromoethane (edb)	<1						<1			<1
1,2-dichlorobenzene	<1						<1			<1
1,2-dichloroethane	<1						<1			<1
1,2-dichloropropane	<1						<1			<1
1,4-dichlorobenzene	<1.00						<1.00			<1.00
2-hexanone	<5						<5			<5
Acetone	<10						<10			<10
Acrylonitrile	<20						<20			<20
Ammonia (as n)	<100		<.100	<.100	<.100	<.100			<.100	
Antimony, total	<2						<2			<2
Arsenic, total	<5						<5			<5
Barium, total	137						170			142
Benzene	<1.00						<1.00			<1.00
Beryllium, total	<1						<1			<1
Bromochloromethane	<1						<1			<1
Bromoform	<1						<1			<1
Bromomethane	<1						<1			<1
Cadmium, total	11.20						2.65			7.79
Carbon disulfide	<1						<1			<1
Carbon tetrachloride	<1						<1			<1
Chloride	31.00		37.30	3.80	25.10	7.83	16.00		31.70	29.90
Chlorobenzene	<1						<1			<1
Chloroethane	<1						<1			<1
Chloroform	<1						<1			<1
Chloromethane	<1						<1			<1
Chromium, total	<3						<3	<3		<3
Cis-1,2-dichloroethene	<1.00						<1.00			<1.00
Cis-1,3-dichloropropene	<1						<1			<1
Cobalt, total	<3.00						7.45			<3.00
Copper, total	<4						<4			<4
Dibromochloromethane	<1						<1			<1
Dibromomethane	<1						<1			<1
Dichlorobromomethane	<1						<1			<1
Do (field)	.6	.2	6.1	6.4	7.4	6.2	.3	2.7	3.8	.3
Eh (redox)	192.6	135.6	178.2	151.2	184.0	130.2	195.9	150.9	184.9	163.4
Ethylbenzene	<1						<1			<1
Iodomethane	<1						<1			<1
Iron, total	<60						893			<60
Lead, total	<5						<5			<5
Manganese, total	3000	49					5710			2750
Methyl ethyl ketone	<5						<5			<5
Methyl isobutyl ketone	<5						<5			<5
Methylene chloride	<1.07						<1.07			<1.07
Nickel, total	20.5						25.8	<4.0		21.3
pH (Field)	6.06	7.11	6.16	6.80	6.23	7.38	5.74	6.91	6.46	6.30
Selenium, total	<10.0						<10.0			11.1
Silver, total	<50						<50			<50
Specific conductance (field)	690	497	519	341	436	364	321	542	564	517
Styrene	<1						<1			<1
Sulfate	8.25						15.10			18.00
Tetrachloroethene	<1						<1			<1
Thallium, total	<1						<1			<1
Toluene	<1						<1			<1
Total dissolved solids	406						162			259
Total organic carbon (toc)	1.39		1.26		<1.00		1.68			1.77
Total xylenes	<1						<1			<1
Trans-1,2-dichloroethene	<1						<1			<1
Trans-1,3-dichloropropene	<1						<1			<1
Trans-1,4-dichloro-2-butene	<1						<1			<1
Trichloroethene	<1						<1			<1
Trichlorofluoromethane	<1						<1			<1
Turbidity (field)	8.6	3.8	7.0	7.2	17.6	9.7	10.1	9.3	8.9	2.6
Vanadium, total	<3						<3			<3
Vinyl acetate	<5						<5			<5
Vinyl chloride	<1						<1			<1
Water temperature in deg. celsius (field)	15.5	14.7	14.6	14.0	16.2	16.9	15.8	14.7	14.8	15.3
Zinc, total	58.5					7.3	41.2			12.7

* - The displayed value is the arithmetic mean of multiple database matches.

Attachment B

Historical VOC Detections

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,1-dichloroethane	LGW-10	1/26/2006		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	8/01/2006		2.40	1.00	ug/L
1,1-dichloroethane	LGW-10	8/01/2006		2.40	1.00	ug/L
1,1-dichloroethane	LGW-10	10/26/2006		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	1/25/2007		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	4/26/2007		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	7/12/2007		1.10	1.00	ug/L
1,1-dichloroethane	LGW-10	1/23/2008		1.50	1.00	ug/L
1,1-dichloroethane	LGW-10	7/22/2008		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	7/29/2009		1.40	1.00	ug/L
1,1-dichloroethane	LGW-10	2/03/2010		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	2/03/2010		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	7/16/2010		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/19/2011		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	7/12/2011		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/05/2012		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2012		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	5/01/2013		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	1/30/2014		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2014		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	2/12/2015		1.90	1.00	ug/L
1,1-dichloroethane	LGW-10	7/13/2015		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/05/2016		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	2/10/2016		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	4/06/2016		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/21/2016		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	10/06/2016		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	1/11/2017		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	4/04/2017		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	7/19/2017		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	10/09/2017		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	1/24/2018		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	4/11/2018		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/16/2018		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	10/04/2018		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	1/04/2019		1.50	1.00	ug/L
1,1-dichloroethane	LGW-10	4/03/2019		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	10/02/2019		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	1/15/2020		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	4/02/2020		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2020		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	10/07/2020		1.24	1.00	ug/L
1,1-dichloroethane	LGW-10	4/06/2021		1.44	1.00	ug/L
1,1-dichloroethane	LGW-10	7/07/2021		1.55	1.00	ug/L
1,1-dichloroethane	LGW-10	10/05/2021		1.07	1.00	ug/L
1,1-dichloroethane	LGW-10	1/13/2022		1.28	1.00	ug/L
1,1-dichloroethane	LGW-10	4/04/2022		1.49	1.00	ug/L
1,1-dichloroethane	LGW-10	7/11/2022		1.52	1.00	ug/L
1,1-dichloroethane	LGW-10	10/07/2022		1.28	1.00	ug/L
1,1-dichloroethane	LGW-10	1/11/2023		1.40	1.00	ug/L
1,1-dichloroethane	LGW-10	4/05/2023		1.15	1.00	ug/L
1,2-dichloropropane	LGW-10	10/02/2019		1.1	1.0	ug/L
1,4-dichlorobenzene	LGW-10	1/26/2006		2.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	8/01/2006		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	8/01/2006		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/26/2006		3.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/25/2007		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/26/2007		4.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/12/2007		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/23/2008		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/22/2008		2.80	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/29/2009		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/03/2010		3.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/03/2010		3.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/16/2010		5.40	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/19/2011		4.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/12/2011		6.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/05/2012		5.30	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2012		5.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	5/01/2013		6.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/30/2014		6.40	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2014		6.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/12/2015		7.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/13/2015		7.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/05/2016		6.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/10/2016		6.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/06/2016		6.30	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/21/2016		7.40	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,4-dichlorobenzene	LGW-10	10/06/2016		6.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/11/2017		5.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/04/2017		7.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/19/2017		7.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/09/2017		7.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/24/2018		2.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/11/2018		2.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/16/2018		3.70	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/04/2018		1.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/04/2019		2.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/03/2019		3.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/11/2019		4.80	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/02/2019		3.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/15/2020		5.26	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/02/2020		4.83	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2020		5.15	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/07/2020		2.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/07/2021		4.05	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/05/2021		2.48	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/13/2022		2.51	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/04/2022		2.62	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/11/2022		4.06	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/07/2022		2.48	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/11/2023		2.13	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/05/2023		1.87	1.00	ug/L
Acetone	LGW-10	1/30/2014		7.5	5.0	ug/L
Acetone	LGW-10	7/09/2014		6.3	5.0	ug/L
Acetone	LGW-10	7/13/2015		5.4	5.0	ug/L
Acetone	LGW-10	7/21/2016		9.8	5.0	ug/L
Acetone	LGW-10	1/11/2017		5.3	5.0	ug/L
Acetone	LGW-10	4/04/2017		8.0	5.0	ug/L
Acetone	LGW-10	10/09/2017		5.1	5.0	ug/L
Acetone	LGW-10	1/24/2018		9.2	5.0	ug/L
Acetone	LGW-10	4/11/2018		28.0	5.0	ug/L
Acetone	LGW-10	7/16/2018		6.9	5.0	ug/L
Acetone	LGW-10	10/04/2018		11.0	10.0	ug/L
Benzene	LGW-10	1/26/2006		1.30	1.00	ug/L
Benzene	LGW-10	8/01/2006		1.80	1.00	ug/L
Benzene	LGW-10	8/01/2006		1.80	1.00	ug/L
Benzene	LGW-10	10/26/2006		1.30	1.00	ug/L
Benzene	LGW-10	1/25/2007		1.40	1.00	ug/L
Benzene	LGW-10	1/23/2008		1.40	1.00	ug/L
Benzene	LGW-10	7/22/2008		1.70	1.00	ug/L
Benzene	LGW-10	7/29/2009		1.40	1.00	ug/L
Benzene	LGW-10	2/03/2010		1.20	1.00	ug/L
Benzene	LGW-10	2/03/2010		1.20	1.00	ug/L
Benzene	LGW-10	7/16/2010		2.40	1.00	ug/L
Benzene	LGW-10	1/19/2011		1.10	1.00	ug/L
Benzene	LGW-10	7/12/2011		2.40	1.00	ug/L
Benzene	LGW-10	1/05/2012		2.10	1.00	ug/L
Benzene	LGW-10	7/09/2012		1.60	1.00	ug/L
Benzene	LGW-10	5/01/2013		2.40	1.00	ug/L
Benzene	LGW-10	1/30/2014		2.00	1.00	ug/L
Benzene	LGW-10	7/09/2014		2.00	1.00	ug/L
Benzene	LGW-10	2/12/2015		2.30	1.00	ug/L
Benzene	LGW-10	7/13/2015		3.20	1.00	ug/L
Benzene	LGW-10	1/05/2016		2.60	1.00	ug/L
Benzene	LGW-10	2/10/2016		1.50	1.00	ug/L
Benzene	LGW-10	4/06/2016		2.40	1.00	ug/L
Benzene	LGW-10	7/21/2016		3.20	1.00	ug/L
Benzene	LGW-10	10/06/2016		2.60	1.00	ug/L
Benzene	LGW-10	1/11/2017		1.60	1.00	ug/L
Benzene	LGW-10	4/04/2017		3.20	1.00	ug/L
Benzene	LGW-10	7/19/2017		3.40	1.00	ug/L
Benzene	LGW-10	10/09/2017		3.20	1.00	ug/L
Benzene	LGW-10	1/24/2018		1.30	1.00	ug/L
Benzene	LGW-10	4/11/2018		2.20	1.00	ug/L
Benzene	LGW-10	7/16/2018		1.90	1.00	ug/L
Benzene	LGW-10	10/04/2018		1.50	1.00	ug/L
Benzene	LGW-10	1/04/2019		1.60	1.00	ug/L
Benzene	LGW-10	4/03/2019		2.20	1.00	ug/L
Benzene	LGW-10	7/11/2019		2.30	1.00	ug/L
Benzene	LGW-10	10/02/2019		2.90	1.00	ug/L
Benzene	LGW-10	1/15/2020		3.34	1.00	ug/L
Benzene	LGW-10	4/02/2020		2.93	1.00	ug/L
Benzene	LGW-10	7/09/2020		2.82	1.00	ug/L
Benzene	LGW-10	10/07/2020		1.03	1.00	ug/L
Benzene	LGW-10	4/06/2021		2.12	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Benzene	LGW-10	7/07/2021		2.44	1.00	ug/L
Benzene	LGW-10	10/05/2021		1.06	1.00	ug/L
Benzene	LGW-10	1/13/2022		1.54	1.00	ug/L
Benzene	LGW-10	4/04/2022		2.18	1.00	ug/L
Benzene	LGW-10	7/11/2022		2.43	1.00	ug/L
Benzene	LGW-10	10/07/2022		1.50	1.00	ug/L
Benzene	LGW-10	1/11/2023		1.98	1.00	ug/L
Benzene	LGW-10	4/05/2023		1.71	1.00	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/26/2006		20	10	ug/L
Chlorobenzene	LGW-10	5/01/2013		1.10	1.00	ug/L
Chlorobenzene	LGW-10	7/13/2015		1.30	1.00	ug/L
Chlorobenzene	LGW-10	1/05/2016		1.00	1.00	ug/L
Chlorobenzene	LGW-10	7/21/2016		1.30	1.00	ug/L
Chlorobenzene	LGW-10	10/06/2016		1.00	1.00	ug/L
Chlorobenzene	LGW-10	4/04/2017		1.20	1.00	ug/L
Chlorobenzene	LGW-10	7/19/2017		1.30	1.00	ug/L
Chlorobenzene	LGW-10	10/09/2017		1.20	1.00	ug/L
Chlorobenzene	LGW-10	7/11/2019		1.10	1.00	ug/L
Chlorobenzene	LGW-10	1/15/2020		1.13	1.00	ug/L
Chlorobenzene	LGW-10	4/02/2020		1.13	1.00	ug/L
Chlorobenzene	LGW-10	7/09/2020		1.05	1.00	ug/L
Chloroethane	LGW-10	7/12/2011		1.6	1.0	ug/L
Cis-1,2-dichloroethene	LGW-10	1/26/2006		3.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	8/01/2006		4.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	8/01/2006		4.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/26/2006		2.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/25/2007		2.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/26/2007		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2007		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/23/2008		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/22/2008		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/29/2009		2.00	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/03/2010		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/03/2010		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2010		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/19/2011		1.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2011		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/05/2012		2.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2012		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	5/01/2013		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/30/2014		2.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2014		2.60	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/12/2015		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/13/2015		3.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/05/2016		3.10	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/10/2016		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/06/2016		2.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/21/2016		3.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/06/2016		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2017		1.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/04/2017		3.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/19/2017		3.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/09/2017		3.00	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/24/2018		1.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/11/2018		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2018		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/04/2018		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/04/2019		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/03/2019		1.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2019		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/02/2019		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/15/2020		2.56	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/02/2020		2.32	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2020		2.57	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/06/2021		1.62	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/07/2021		2.43	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/13/2022		1.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/04/2022		1.78	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2022		1.95	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/07/2022		1.11	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2023		1.38	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/05/2023		1.19	1.00	ug/L
Iodomethane	LGW-10	1/24/2018		1.4	1.0	ug/L
Methyl ethyl ketone	LGW-10	1/25/2007		9.3	5.0	ug/L
Vinyl chloride	LGW-10	10/26/2006		1.50	1.00	ug/L
Vinyl chloride	LGW-10	1/25/2007		1.20	1.00	ug/L
Vinyl chloride	LGW-10	1/23/2008		1.90	1.00	ug/L
Vinyl chloride	LGW-10	7/22/2008		1.70	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Vinyl chloride	LGW-10	7/16/2010		1.60	1.00	ug/L
Vinyl chloride	LGW-10	7/12/2011		2.90	1.00	ug/L
Vinyl chloride	LGW-10	1/05/2012		1.20	1.00	ug/L
Vinyl chloride	LGW-10	5/01/2013		1.60	1.00	ug/L
Vinyl chloride	LGW-10	1/30/2014		1.80	1.00	ug/L
Vinyl chloride	LGW-10	7/09/2014		1.80	1.00	ug/L
Vinyl chloride	LGW-10	2/12/2015		1.80	1.00	ug/L
Vinyl chloride	LGW-10	7/13/2015		1.90	1.00	ug/L
Vinyl chloride	LGW-10	1/05/2016		1.90	1.00	ug/L
Vinyl chloride	LGW-10	4/06/2016		1.30	1.00	ug/L
Vinyl chloride	LGW-10	7/21/2016		1.30	1.00	ug/L
Vinyl chloride	LGW-10	10/06/2016		1.60	1.00	ug/L
Vinyl chloride	LGW-10	4/04/2017		2.10	1.00	ug/L
Vinyl chloride	LGW-10	7/19/2017		2.00	1.00	ug/L
Vinyl chloride	LGW-10	10/09/2017		1.20	1.00	ug/L
Vinyl chloride	LGW-10	4/11/2018		1.20	1.00	ug/L
Vinyl chloride	LGW-10	10/04/2018		1.20	1.00	ug/L
Vinyl chloride	LGW-10	1/15/2020		1.23	1.00	ug/L
Vinyl chloride	LGW-10	7/09/2020		1.17	1.00	ug/L
Vinyl chloride	LGW-10	7/07/2021		1.09	1.00	ug/L
Acetone	LGW-14R	8/02/2006		5.5	5.0	ug/L
Acetone	LGW-14R	8/02/2006		5.5	5.0	ug/L
Acetone	LGW-14R	7/11/2007		5.8	5.0	ug/L
Acetone	LGW-14R	7/09/2012		5.1	5.0	ug/L
Acetone	LGW-14R	1/25/2018		8.4	5.0	ug/L
Acetone	LGW-14R	6/21/2018		15.0	5.0	ug/L
Acetone	LGW-14R	7/17/2018		29.0	5.0	ug/L
Acetone	LGW-2	7/30/2009		6.90	5.00	ug/L
Acetone	LGW-2	7/18/2017		21.00	5.00	ug/L
Acetone	LGW-2	7/12/2018		17.00	5.00	ug/L
Acetone	LGW-2	1/13/2020		13.10	10.00	ug/L
Acetone	LGW-2	4/01/2020		11.30	10.00	ug/L
Acetone	LGW-2	7/08/2020		6.44	5.00	ug/L
Acetone	LGW-2	7/10/2022		11.00	10.00	ug/L
Cis-1,2-dichloroethene	LGW-2	1/13/2020		1.22	1.00	ug/L
Trichloroethene	LGW-2	1/13/2020		9.02	1.00	ug/L
Vinyl chloride	LGW-2	7/12/2018		1.7	1.0	ug/L
Vinyl chloride	LGW-2	10/02/2018		2.1	1.0	ug/L
Vinyl chloride	LGW-2	1/03/2019		1.0	1.0	ug/L
Acetone	LGW-3R	7/16/2015		7.0	5.0	ug/L
Acetone	LGW-3R	7/11/2018		6.2	5.0	ug/L
Iodomethane	LGW-4	1/19/2011		1	1	ug/L
1,1-dichloroethene	LGW-5	2/10/2015		1	1	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	10/26/2006		21	10	ug/L
Acetone	LGW-6	7/09/2012		5.1	5.0	ug/L
Carbon disulfide	LGW-6	1/24/2006		2	1	ug/L
Acetone	LGW-7	7/12/2018		7.6	5.0	ug/L
Acetone	LGW-7	10/02/2018		11.0	10.0	ug/L
Acetone	LGW-7	7/11/2022		11.0	10.0	ug/L
Acetone	LGW-8R	7/18/2017		7.2	5.0	ug/L
Acetone	LGW-8R	1/25/2018		6.9	5.0	ug/L
Acetone	LGW-8R	7/13/2018		6.0	5.0	ug/L
1,1-dichloroethane	LGW-9	1/17/2021		1.58	1.00	ug/L
1,1-dichloroethane	LGW-9	4/06/2021		1.13	1.00	ug/L
1,1-dichloroethane	LGW-9	10/07/2022		1.01	1.00	ug/L
1,4-dichlorobenzene	LGW-9	1/17/2021		4.33	1.00	ug/L
Acetone	LGW-9	7/18/2017		5.0	5.0	ug/L
Acetone	LGW-9	4/11/2018		12.0	5.0	ug/L
Acetone	LGW-9	7/13/2018		7.7	5.0	ug/L
Acetone	LGW-9	10/02/2018		14.0	10.0	ug/L
Benzene	LGW-9	1/17/2021		2.64	1.00	ug/L
Cis-1,2-dichloroethene	LGW-9	1/17/2021		2.19	1.00	ug/L
Vinyl chloride	LGW-9	1/17/2021		1.13	1.00	ug/L
Acetone	MW-10N	1/22/1998		32.0	19.0	ug/L
Acetone	MW-10N	7/08/2003		9.9	5.0	ug/L
Acetone	MW-10N	1/24/2007		5.5	5.0	ug/L
Acetone	MW-10N	7/11/2018		5.6	5.0	ug/L
Benzene	MW-10N	4/28/1998		.41	6.00	ug/L
Carbon disulfide	MW-10N	4/28/1998		.67	8.40	ug/L
Carbon disulfide	MW-10N	7/10/2002		1.00	1.00	ug/L
Carbon disulfide	MW-10N	4/15/2003		1.20	1.00	ug/L
Carbon disulfide	MW-10N	7/08/2003		1.30	1.00	ug/L
Carbon disulfide	MW-10N	1/28/2004		1.00	1.00	ug/L
Carbon disulfide	MW-10N	7/27/2004		5.00	1.00	ug/L
Carbon disulfide	MW-10N	7/20/2005		1.10	1.00	ug/L
Chloroform	MW-10N	10/22/1997		8.30	2.70	ug/L
Chloroform	MW-10N	1/22/1998		3.80	2.70	ug/L
Chloroform	MW-10N	4/28/1998		.84	5.40	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Methyl ethyl ketone	MW-10N	7/15/1999		80.0	9.7	ug/L
Methyl ethyl ketone	MW-10N	4/10/2001		7.5	5.0	ug/L
Methyl ethyl ketone	MW-10N	7/10/2002		50.0	5.0	ug/L
Methyl ethyl ketone	MW-10N	10/02/2002		5.1	5.0	ug/L
Toluene	MW-10N	4/28/1998		1.4	5.0	ug/L
Total xylenes	MW-10N	4/28/1998		.81	21.00	ug/L
Total xylenes	MW-10N	10/20/1999		.32	10.00	ug/L
Total xylenes	MW-10N	4/25/2000		.37	10.00	ug/L
Acetone	MW-11N	7/17/2018		8.9	5.0	ug/L
Carbon disulfide	MW-11N	10/22/1997		7.90	4.20	ug/L
Carbon disulfide	MW-11N	4/28/1998		10.00	4.20	ug/L
Carbon disulfide	MW-11N	7/09/2002		.75	1.00	ug/L
Carbon disulfide	MW-11N	1/23/2003		1.10	1.00	ug/L
Chloroform	MW-11N	10/22/1997		9.40	2.70	ug/L
Chloroform	MW-11N	1/21/1998		4.80	2.70	ug/L
Chloroform	MW-11N	4/28/1998		.39	2.70	ug/L
Chloroform	MW-11N	7/09/2002		.31	1.00	ug/L
Methylene chloride	MW-11N	4/28/1998		1.90	4.10	ug/L
Methylene chloride	MW-11N	10/20/1999		.66	4.10	ug/L
Methylene chloride	MW-11N	4/25/2000		.57	4.10	ug/L
Methylene chloride	MW-11N	7/09/2002		1.20	1.00	ug/L
Methylene chloride	MW-11N	10/02/2002		.87	1.00	ug/L
Methylene chloride	MW-11N	1/23/2003		1.40	1.00	ug/L
Toluene	MW-11N	4/28/1998		.24	2.50	ug/L
Acetone	MW-15	6/05/2015		8.5	5.0	ug/L
Acetone	MW-15	7/15/2015		7.1	5.0	ug/L
Acetone	MW-15	7/18/2017		5.6	5.0	ug/L
Acetone	MW-16	6/05/2015		13.0	5.0	ug/L
Acetone	MW-16	7/18/2017		6.8	5.0	ug/L
Acetone	MW-17	6/05/2015		6.5	5.0	ug/L
Acetone	MW-19	7/16/2015		5.9	5.0	ug/L
Acetone	MW-19	7/18/2017		6.7	5.0	ug/L
1,1-dichloroethane	MW-1N	4/13/1999		2.7	2.5	ug/L
1,1-dichloroethane	MW-1N	7/12/2000		2.1	1.0	ug/L
1,1-dichloroethane	MW-1N	4/12/2001		3.2	1.0	ug/L
1,1-dichloroethane	MW-1N	5/29/2002		2.6	2.5	ug/L
1,1-dichloroethane	MW-1N	5/29/2002		2.6	1.0	ug/L
1,1-dichloroethane	MW-1N	7/09/2002		2.8	1.0	ug/L
1,1-dichloroethane	MW-1N	10/03/2002		2.8	1.0	ug/L
1,1-dichloroethane	MW-1N	1/22/2003		1.6	1.0	ug/L
1,1-dichloroethane	MW-1N	4/15/2003		1.6	1.0	ug/L
1,1-dichloroethane	MW-1N	7/08/2003		1.0	1.0	ug/L
1,4-dichlorobenzene	MW-1N	7/12/2000		.95	1.00	ug/L
1,4-dichlorobenzene	MW-1N	10/18/2000		.50	1.00	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2001		.26	1.00	ug/L
1,4-dichlorobenzene	MW-1N	4/12/2001		2.50	1.00	ug/L
1,4-dichlorobenzene	MW-1N	7/09/2002		.57	1.00	ug/L
1,4-dichlorobenzene	MW-1N	10/03/2002		.62	1.00	ug/L
Acetone	MW-1N	4/28/1998		7.4	19.0	ug/L
Acetone	MW-1N	7/09/2014		10.0	5.0	ug/L
Acetone	MW-1N	7/10/2018		26.0	5.0	ug/L
Acetone	MW-1N	1/23/2020		29.1	10.0	ug/L
Benzene	MW-1N	10/19/1999		.29	3.00	ug/L
Benzene	MW-1N	7/12/2000		1.40	1.00	ug/L
Benzene	MW-1N	10/18/2000		.83	1.00	ug/L
Benzene	MW-1N	1/24/2001		.21	1.00	ug/L
Benzene	MW-1N	4/12/2001		2.60	1.00	ug/L
Benzene	MW-1N	7/09/2002		.26	1.00	ug/L
Benzene	MW-1N	10/03/2002		.29	1.00	ug/L
Carbon disulfide	MW-1N	4/28/1998		3.40	4.20	ug/L
Carbon disulfide	MW-1N	7/12/2000		.82	1.00	ug/L
Carbon disulfide	MW-1N	5/29/2002		1.40	1.00	ug/L
Carbon disulfide	MW-1N	7/09/2002		.85	1.00	ug/L
Carbon disulfide	MW-1N	7/27/2004		2.90	1.00	ug/L
Carbon disulfide	MW-1N	1/18/2006		4.20	1.00	ug/L
Chlorobenzene	MW-1N	4/12/2001		.45	1.00	ug/L
Chloroethane	MW-1N	7/12/2000		1.90	1.00	ug/L
Chloroethane	MW-1N	10/18/2000		1.40	1.00	ug/L
Chloroethane	MW-1N	4/12/2001		2.50	1.00	ug/L
Chloroethane	MW-1N	7/09/2002		.24	1.00	ug/L
Chloroethane	MW-1N	10/03/2002		.21	1.00	ug/L
Chloroform	MW-1N	4/28/1998		.41	2.70	ug/L
Chloroform	MW-1N	10/19/1999		.39	2.70	ug/L
Chloroform	MW-1N	1/14/2000		.21	2.70	ug/L
Chloroform	MW-1N	4/25/2000		.42	2.70	ug/L
Cis-1,2-dichloroethene	MW-1N	10/19/1999		.35	2.70	ug/L
Cis-1,2-dichloroethene	MW-1N	7/12/2000		3.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	10/18/2000		2.20	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-1N	1/24/2001		.61	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	4/12/2001		7.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	7/09/2002		.96	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	10/03/2002		1.10	1.00	ug/L
Methylene chloride	MW-1N	4/28/1998		.53	4.10	ug/L
Methylene chloride	MW-1N	1/14/2000		.48	4.10	ug/L
Methylene chloride	MW-1N	7/12/2000		.54	1.00	ug/L
Methylene chloride	MW-1N	10/18/2000		.34	1.00	ug/L
Methylene chloride	MW-1N	4/12/2001		1.20	1.00	ug/L
Tetrachloroethene	MW-1N	7/12/2000		.34	1.00	ug/L
Toluene	MW-1N	4/28/1998		.21	2.50	ug/L
Trichloroethene	MW-1N	7/12/2000		.71	1.00	ug/L
Trichloroethene	MW-1N	10/18/2000		.46	1.00	ug/L
Trichloroethene	MW-1N	4/12/2001		1.50	1.00	ug/L
Trichloroethene	MW-1N	7/09/2002		.59	1.00	ug/L
Trichloroethene	MW-1N	10/03/2002		.64	1.00	ug/L
Vinyl chloride	MW-1N	1/20/1998		2.20	2.00	ug/L
Vinyl chloride	MW-1N	4/28/1998		.50	2.00	ug/L
Vinyl chloride	MW-1N	4/13/1999		9.80	2.00	ug/L
Vinyl chloride	MW-1N	5/19/1999		2.00	2.00	ug/L
Vinyl chloride	MW-1N	7/15/1999		4.40	2.00	ug/L
Vinyl chloride	MW-1N	10/19/1999		1.30	2.00	ug/L
Vinyl chloride	MW-1N	1/14/2000		.29	2.00	ug/L
Vinyl chloride	MW-1N	7/12/2000		6.20	1.00	ug/L
Vinyl chloride	MW-1N	10/18/2000		5.60	1.00	ug/L
Vinyl chloride	MW-1N	1/24/2001		1.80	1.00	ug/L
Vinyl chloride	MW-1N	4/12/2001		4.20	1.00	ug/L
Vinyl chloride	MW-1N	7/09/2002		.44	1.00	ug/L
Vinyl chloride	MW-1N	10/03/2002		.34	1.00	ug/L
Acetone	MW-20	1/12/2017		9.9	5.0	ug/L
1,4-dichlorobenzene	MW-21	6/05/2015		1.40	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/14/2015		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	8/04/2015		1.50	1.00	ug/L
1,4-dichlorobenzene	MW-21	9/02/2015		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/05/2016		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/19/2017		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	10/06/2017		1.40	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/11/2018		2.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/11/2018		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	1/03/2019		1.80	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/03/2019		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/11/2019		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	10/02/2019		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	1/16/2020		1.03	1.00	ug/L
Acetone	MW-21	10/06/2017		5.1	5.0	ug/L
Acetone	MW-21	7/11/2018		24.0	5.0	ug/L
Chlorobenzene	MW-21	4/11/2018		1.8	1.0	ug/L
Chlorobenzene	MW-21	1/03/2019		1.1	1.0	ug/L
Acetone	MW-2N	7/11/2007		6.7	5.0	ug/L
Acetone	MW-2N	7/19/2017		8.5	5.0	ug/L
Acetone	MW-2N	7/12/2018		39.0	5.0	ug/L
Benzene	MW-2N	7/10/2002		4	1	ug/L
Carbon disulfide	MW-2N	7/10/2002		.21	1.00	ug/L
Carbon disulfide	MW-2N	7/11/2007		1.00	1.00	ug/L
Chloroform	MW-2N	4/28/1998		.49	2.70	ug/L
Ethylbenzene	MW-2N	7/10/2002		1.1	1.0	ug/L
Methylene chloride	MW-2N	4/28/1998		1.6	4.1	ug/L
Toluene	MW-2N	10/17/2000		.27	1.00	ug/L
Toluene	MW-2N	7/10/2002		5.80	1.00	ug/L
Toluene	MW-2N	10/02/2002		.22	1.00	ug/L
Toluene	MW-2N	7/27/2004		1.50	1.00	ug/L
Toluene	MW-2N	1/26/2007		1.70	1.00	ug/L
Toluene	MW-2N	1/24/2008		1.10	1.00	ug/L
Total xylenes	MW-2N	7/10/2002		5	1	ug/L
1,1-dichloroethane	MW-3N	4/28/1998		.78	2.50	ug/L
1,1-dichloroethane	MW-3N	10/20/1999		.97	2.50	ug/L
1,1-dichloroethane	MW-3N	1/14/2000		.86	2.50	ug/L
1,1-dichloroethane	MW-3N	4/24/2000		1.60	2.50	ug/L
1,1-dichloroethane	MW-3N	7/11/2000		.84	1.00	ug/L
1,1-dichloroethane	MW-3N	10/17/2000		.93	1.00	ug/L
1,1-dichloroethane	MW-3N	1/23/2001		1.10	1.00	ug/L
1,1-dichloroethane	MW-3N	4/11/2001		.96	1.00	ug/L
1,1-dichloroethane	MW-3N	5/29/2002		2.60	1.00	ug/L
1,1-dichloroethane	MW-3N	5/29/2002		2.60	2.50	ug/L
1,1-dichloroethane	MW-3N	7/09/2002		2.20	1.00	ug/L
1,1-dichloroethane	MW-3N	10/02/2002		2.70	1.00	ug/L
1,1-dichloroethane	MW-3N	1/22/2003		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	4/14/2003		2.30	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,1-dichloroethane	MW-3N	7/07/2003		2.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/28/2004		2.70	1.00	ug/L
1,1-dichloroethane	MW-3N	7/27/2004		2.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/12/2005		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	7/20/2005		2.70	1.00	ug/L
1,1-dichloroethane	MW-3N	1/18/2006		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	7/19/2006		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	7/19/2006		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	10/25/2006		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	1/26/2007		2.40	1.00	ug/L
1,1-dichloroethane	MW-3N	7/11/2007		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	1/24/2008		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	7/22/2008		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	2/04/2009		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	7/31/2009		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	1/26/2010		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	7/13/2010		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	7/14/2011		1.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/05/2012		1.50	1.00	ug/L
1,1-dichloroethane	MW-3N	7/11/2012		1.50	1.00	ug/L
1,1-dichloroethane	MW-3N	5/01/2013		1.20	1.00	ug/L
1,1-dichloroethane	MW-3N	1/24/2014		1.00	1.00	ug/L
1,1-dichloroethane	MW-3N	7/09/2014		1.30	1.00	ug/L
1,1-dichloroethane	MW-3N	4/01/2015		1.10	1.00	ug/L
1,1-dichloroethane	MW-3N	10/05/2015		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-3N	7/09/2002		.37	1.00	ug/L
1,4-dichlorobenzene	MW-3N	10/02/2002		.46	1.00	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2008		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-3N	1/26/2010		1.00	1.00	ug/L
Acetone	MW-3N	10/09/2017		5.6	5.0	ug/L
Benzene	MW-3N	4/28/1998		.23	3.00	ug/L
Benzene	MW-3N	10/20/1999		.34	3.00	ug/L
Benzene	MW-3N	4/24/2000		.32	3.00	ug/L
Benzene	MW-3N	7/11/2000		.29	1.00	ug/L
Benzene	MW-3N	10/17/2000		.28	1.00	ug/L
Benzene	MW-3N	1/23/2001		.30	1.00	ug/L
Benzene	MW-3N	4/11/2001		.58	1.00	ug/L
Benzene	MW-3N	7/09/2002		.97	1.00	ug/L
Benzene	MW-3N	10/02/2002		1.20	1.00	ug/L
Benzene	MW-3N	1/28/2004		1.10	1.00	ug/L
Benzene	MW-3N	7/27/2004		1.30	1.00	ug/L
Benzene	MW-3N	7/19/2006		1.20	1.00	ug/L
Benzene	MW-3N	7/19/2006		1.20	1.00	ug/L
Benzene	MW-3N	10/25/2006		1.10	1.00	ug/L
Benzene	MW-3N	7/11/2007		1.00	1.00	ug/L
Benzene	MW-3N	1/24/2008		1.30	1.00	ug/L
Benzene	MW-3N	7/22/2008		1.10	1.00	ug/L
Benzene	MW-3N	2/04/2009		1.10	1.00	ug/L
Carbon disulfide	MW-3N	4/28/1998		.58	4.20	ug/L
Carbon disulfide	MW-3N	5/29/2002		1.40	1.00	ug/L
Carbon disulfide	MW-3N	7/09/2002		.41	1.00	ug/L
Carbon disulfide	MW-3N	10/02/2002		.43	1.00	ug/L
Chlorobenzene	MW-3N	7/09/2002		.20	1.00	ug/L
Chlorobenzene	MW-3N	10/02/2002		.27	1.00	ug/L
Chloroethane	MW-3N	4/28/1998		.44	5.90	ug/L
Chloroethane	MW-3N	10/20/1999		.43	5.90	ug/L
Chloroethane	MW-3N	1/14/2000		.24	5.90	ug/L
Chloroethane	MW-3N	4/24/2000		.34	5.90	ug/L
Chloroethane	MW-3N	5/29/2002		1.00	1.00	ug/L
Chloroethane	MW-3N	7/09/2002		.83	1.00	ug/L
Chloroethane	MW-3N	10/02/2002		1.00	1.00	ug/L
Chloroethane	MW-3N	1/22/2003		1.10	1.00	ug/L
Chloroethane	MW-3N	7/07/2003		1.00	1.00	ug/L
Chloroethane	MW-3N	1/12/2005		1.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	4/28/1998		.62	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	10/20/1999		.79	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	1/14/2000		.35	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	4/24/2000		.94	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2000		.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/17/2000		.68	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/23/2001		.65	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	4/11/2001		.99	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002		2.00	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/09/2002		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/02/2002		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/22/2003		1.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	4/14/2003		1.70	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/07/2003		2.30	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-3N	1/28/2004		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/27/2004		2.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/12/2005		1.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/20/2005		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/18/2006		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/25/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2007		1.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2007		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2008		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/22/2008		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	2/04/2009		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/31/2009		1.50	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2010		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2010		1.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2011		1.30	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/05/2012		1.30	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2012		1.30	1.00	ug/L
Dichlorodifluoromethane	MW-3N	1/14/2000		2.9	1.0	ug/L
Dichlorodifluoromethane	MW-3N	4/11/2001		2.3	1.0	ug/L
Methylene chloride	MW-3N	4/28/1998		.70	4.10	ug/L
Methylene chloride	MW-3N	1/14/2000		.37	4.10	ug/L
Tetrachloroethene	MW-3N	10/21/1997		1.20	1.20	ug/L
Tetrachloroethene	MW-3N	4/28/1998		1.00	1.20	ug/L
Tetrachloroethene	MW-3N	7/23/1998		1.20	1.20	ug/L
Tetrachloroethene	MW-3N	10/20/1999		.89	1.20	ug/L
Tetrachloroethene	MW-3N	1/14/2000		.67	1.20	ug/L
Tetrachloroethene	MW-3N	4/24/2000		.94	1.20	ug/L
Tetrachloroethene	MW-3N	7/11/2000		.50	1.00	ug/L
Tetrachloroethene	MW-3N	10/17/2000		.76	1.00	ug/L
Tetrachloroethene	MW-3N	1/23/2001		.58	1.00	ug/L
Tetrachloroethene	MW-3N	4/11/2001		.61	1.00	ug/L
Tetrachloroethene	MW-3N	7/09/2002		.59	1.00	ug/L
Tetrachloroethene	MW-3N	10/02/2002		.29	1.00	ug/L
Trichloroethene	MW-3N	4/28/1998		1.50	3.20	ug/L
Trichloroethene	MW-3N	10/20/1999		1.40	3.20	ug/L
Trichloroethene	MW-3N	1/14/2000		.99	3.20	ug/L
Trichloroethene	MW-3N	4/24/2000		1.40	3.20	ug/L
Trichloroethene	MW-3N	7/11/2000		1.50	1.00	ug/L
Trichloroethene	MW-3N	10/17/2000		1.50	1.00	ug/L
Trichloroethene	MW-3N	1/23/2001		1.20	1.00	ug/L
Trichloroethene	MW-3N	4/11/2001		1.60	1.00	ug/L
Trichloroethene	MW-3N	5/29/2002		1.80	1.00	ug/L
Trichloroethene	MW-3N	7/09/2002		1.70	1.00	ug/L
Trichloroethene	MW-3N	10/02/2002		1.80	1.00	ug/L
Trichloroethene	MW-3N	1/22/2003		1.20	1.00	ug/L
Trichloroethene	MW-3N	4/14/2003		1.20	1.00	ug/L
Trichloroethene	MW-3N	7/07/2003		1.10	1.00	ug/L
Trichloroethene	MW-3N	1/28/2004		1.10	1.00	ug/L
Trichloroethene	MW-3N	7/27/2004		1.20	1.00	ug/L
Trichloroethene	MW-3N	7/20/2005		1.10	1.00	ug/L
Trichlorofluoromethane	MW-3N	4/28/1998		.64	7.50	ug/L
Trichlorofluoromethane	MW-3N	10/20/1999		.41	7.50	ug/L
Trichlorofluoromethane	MW-3N	1/14/2000		.25	7.50	ug/L
Trichlorofluoromethane	MW-3N	4/24/2000		.61	7.50	ug/L
Trichlorofluoromethane	MW-3N	7/11/2000		.28	1.00	ug/L
Trichlorofluoromethane	MW-3N	10/17/2000		.31	1.00	ug/L
Trichlorofluoromethane	MW-3N	1/23/2001		.28	1.00	ug/L
Trichlorofluoromethane	MW-3N	7/09/2002		.22	1.00	ug/L
Vinyl chloride	MW-3N	4/28/1998		.46	2.00	ug/L
Vinyl chloride	MW-3N	10/20/1999		.57	2.00	ug/L
Vinyl chloride	MW-3N	1/14/2000		.37	2.00	ug/L
Vinyl chloride	MW-3N	4/24/2000		.38	2.00	ug/L
Vinyl chloride	MW-3N	7/11/2000		.26	1.00	ug/L
Vinyl chloride	MW-3N	10/17/2000		.43	1.00	ug/L
Vinyl chloride	MW-3N	1/23/2001		.35	1.00	ug/L
Vinyl chloride	MW-3N	4/11/2001		.74	1.00	ug/L
Vinyl chloride	MW-3N	5/29/2002		1.40	1.00	ug/L
Vinyl chloride	MW-3N	7/09/2002		1.20	1.00	ug/L
Vinyl chloride	MW-3N	10/02/2002		1.70	1.00	ug/L
Vinyl chloride	MW-3N	1/22/2003		1.50	1.00	ug/L
Vinyl chloride	MW-3N	4/14/2003		1.20	1.00	ug/L
Vinyl chloride	MW-3N	7/07/2003		1.70	1.00	ug/L
Vinyl chloride	MW-3N	1/28/2004		1.60	1.00	ug/L
Vinyl chloride	MW-3N	1/12/2005		2.00	1.00	ug/L
Vinyl chloride	MW-3N	11/08/2005		3.40	1.00	ug/L
Vinyl chloride	MW-3N	1/18/2006		1.20	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Vinyl chloride	MW-3N	7/19/2006		1.30	1.00	ug/L
Vinyl chloride	MW-3N	7/19/2006		1.30	1.00	ug/L
Vinyl chloride	MW-3N	1/24/2008		2.20	1.00	ug/L
Vinyl chloride	MW-3N	5/03/2008		1.10	1.00	ug/L
Vinyl chloride	MW-3N	7/22/2008		1.40	1.00	ug/L
Vinyl chloride	MW-3N	2/04/2009		1.30	1.00	ug/L
Vinyl chloride	MW-3N	1/26/2010		1.20	1.00	ug/L
Vinyl chloride	MW-3N	7/14/2011		2.10	1.00	ug/L
1,1-dichloroethane	MW-7N	7/22/1998		5.4	2.5	ug/L
1,1-dichloroethane	MW-7N	8/18/1998		4.7	2.5	ug/L
1,1-dichloroethane	MW-7N	9/17/1998		4.4	2.5	ug/L
1,1-dichloroethane	MW-7N	10/15/1998		3.6	2.5	ug/L
1,1-dichloroethane	MW-7N	11/09/1998		5.0	2.5	ug/L
1,1-dichloroethane	MW-7N	1/14/1999		3.5	2.5	ug/L
1,1-dichloroethane	MW-7N	4/14/1999		6.0	2.5	ug/L
1,1-dichloroethane	MW-7N	7/14/1999		5.6	2.5	ug/L
1,1-dichloroethane	MW-7N	10/19/1999		5.6	2.5	ug/L
1,1-dichloroethane	MW-7N	1/13/2000		4.8	2.5	ug/L
1,1-dichloroethane	MW-7N	4/25/2000		8.4	2.5	ug/L
1,1-dichloroethane	MW-7N	10/17/2000		5.5	1.0	ug/L
1,1-dichloroethane	MW-7N	1/23/2001		5.7	1.0	ug/L
1,1-dichloroethane	MW-7N	4/10/2001		6.1	1.0	ug/L
1,1-dichloroethane	MW-7N	5/29/2002		7.9	1.0	ug/L
1,1-dichloroethane	MW-7N	5/29/2002		7.9	2.5	ug/L
1,1-dichloroethane	MW-7N	7/09/2002		5.1	1.0	ug/L
1,1-dichloroethane	MW-7N	10/02/2002		4.7	1.0	ug/L
1,1-dichloroethane	MW-7N	1/23/2003		3.6	1.0	ug/L
1,1-dichloroethane	MW-7N	4/14/2003		4.3	1.0	ug/L
1,1-dichloroethane	MW-7N	7/07/2003		5.0	1.0	ug/L
1,1-dichloroethane	MW-7N	1/27/2004		4.5	1.0	ug/L
1,1-dichloroethane	MW-7N	4/08/2004		4.1	1.0	ug/L
1,1-dichloroethane	MW-7N	7/26/2004		3.6	1.0	ug/L
1,1-dichloroethane	MW-7N	1/12/2005		3.3	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2005		3.8	1.0	ug/L
1,1-dichloroethane	MW-7N	1/19/2006		3.1	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2006		3.4	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2006		3.4	1.0	ug/L
1,1-dichloroethane	MW-7N	10/24/2006		3.2	1.0	ug/L
1,1-dichloroethane	MW-7N	1/26/2007		1.9	1.0	ug/L
1,1-dichloroethane	MW-7N	7/10/2007		1.0	1.0	ug/L
1,1-dichloroethane	MW-7N	2/06/2009		1.0	1.0	ug/L
1,1-dichloroethane	MW-7N	5/01/2013		1.2	1.0	ug/L
1,2-dichloroethane	MW-7N	10/02/2002		.29	1.00	ug/L
1,2-dichloropropane	MW-7N	10/19/1999		.97	1.40	ug/L
1,2-dichloropropane	MW-7N	1/13/2000		.65	1.40	ug/L
1,2-dichloropropane	MW-7N	4/25/2000		.85	1.40	ug/L
1,2-dichloropropane	MW-7N	1/23/2001		.87	1.00	ug/L
1,2-dichloropropane	MW-7N	4/10/2001		.60	1.00	ug/L
1,2-dichloropropane	MW-7N	5/29/2002		1.40	1.40	ug/L
1,2-dichloropropane	MW-7N	5/29/2002		1.40	1.00	ug/L
1,2-dichloropropane	MW-7N	7/09/2002		1.10	1.00	ug/L
1,2-dichloropropane	MW-7N	10/02/2002		.96	1.00	ug/L
1,4-dichlorobenzene	MW-7N	10/19/1999		1.9	4.3	ug/L
1,4-dichlorobenzene	MW-7N	1/13/2000		1.8	4.3	ug/L
1,4-dichlorobenzene	MW-7N	4/25/2000		1.5	4.3	ug/L
1,4-dichlorobenzene	MW-7N	10/17/2000		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/23/2001		1.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/10/2001		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002		2.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/09/2002		2.2	1.0	ug/L
1,4-dichlorobenzene	MW-7N	10/02/2002		2.2	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/23/2003		1.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/14/2003		1.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/07/2003		1.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/27/2004		1.7	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/08/2004		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/26/2004		3.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/12/2005		3.6	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2005		4.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/19/2006		3.6	1.0	ug/L
1,4-dichlorobenzene	MW-7N	10/24/2006		3.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2007		2.5	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2007		1.4	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/21/2008		1.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	2/06/2009		1.4	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2010		1.4	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/14/2010		1.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	5/01/2013		2.7	1.0	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,4-dichlorobenzene	MW-7N	6/04/2013		1.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/11/2017		2.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/04/2017		1.7	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2017		1.3	1.0	ug/L
Acetone	MW-7N	1/21/1998		50.0	19.0	ug/L
Acetone	MW-7N	4/04/2017		6.3	5.0	ug/L
Acetone	MW-7N	7/13/2018		7.3	5.0	ug/L
Benzene	MW-7N	7/22/1998		3.3	3.0	ug/L
Benzene	MW-7N	8/18/1998		3.0	3.0	ug/L
Benzene	MW-7N	11/09/1998		3.1	3.0	ug/L
Benzene	MW-7N	7/14/1999		4.0	3.0	ug/L
Benzene	MW-7N	10/19/1999		4.2	3.0	ug/L
Benzene	MW-7N	1/13/2000		3.6	3.0	ug/L
Benzene	MW-7N	4/25/2000		4.4	3.0	ug/L
Benzene	MW-7N	10/17/2000		4.3	1.0	ug/L
Benzene	MW-7N	1/23/2001		4.4	1.0	ug/L
Benzene	MW-7N	4/10/2001		6.2	1.0	ug/L
Benzene	MW-7N	5/29/2002		5.3	3.1	ug/L
Benzene	MW-7N	5/29/2002		5.3	1.0	ug/L
Benzene	MW-7N	7/09/2002		4.4	1.0	ug/L
Benzene	MW-7N	10/02/2002		4.0	1.0	ug/L
Benzene	MW-7N	1/23/2003		3.0	1.0	ug/L
Benzene	MW-7N	4/14/2003		3.3	1.0	ug/L
Benzene	MW-7N	7/07/2003		3.3	1.0	ug/L
Benzene	MW-7N	1/27/2004		3.2	1.0	ug/L
Benzene	MW-7N	4/08/2004		2.9	1.0	ug/L
Benzene	MW-7N	7/26/2004		1.8	1.0	ug/L
Benzene	MW-7N	1/12/2005		1.7	1.0	ug/L
Benzene	MW-7N	7/19/2005		2.0	1.0	ug/L
Benzene	MW-7N	1/19/2006		1.5	1.0	ug/L
Benzene	MW-7N	7/19/2006		1.4	1.0	ug/L
Benzene	MW-7N	7/19/2006		1.4	1.0	ug/L
Benzene	MW-7N	10/24/2006		1.3	1.0	ug/L
Carbon dioxide	MW-7N	9/02/2010		1500	50	ug/L
Carbon disulfide	MW-7N	10/17/2000		1.4	1.0	ug/L
Chlorobenzene	MW-7N	10/19/1999		.34	2.50	ug/L
Chlorobenzene	MW-7N	1/13/2000		.31	2.50	ug/L
Chlorobenzene	MW-7N	4/25/2000		.27	2.50	ug/L
Chlorobenzene	MW-7N	10/17/2000		.40	1.00	ug/L
Chlorobenzene	MW-7N	1/23/2001		.31	1.00	ug/L
Chlorobenzene	MW-7N	4/10/2001		.48	1.00	ug/L
Chlorobenzene	MW-7N	7/09/2002		.51	1.00	ug/L
Chlorobenzene	MW-7N	10/02/2002		.48	1.00	ug/L
Chloroethane	MW-7N	10/19/1999		3.0	5.9	ug/L
Chloroethane	MW-7N	1/13/2000		2.6	5.9	ug/L
Chloroethane	MW-7N	4/25/2000		2.6	5.9	ug/L
Chloroethane	MW-7N	10/17/2000		2.3	1.0	ug/L
Chloroethane	MW-7N	1/23/2001		2.2	1.0	ug/L
Chloroethane	MW-7N	4/10/2001		2.2	1.0	ug/L
Chloroethane	MW-7N	5/29/2002		2.4	1.0	ug/L
Chloroethane	MW-7N	7/09/2002		1.9	1.0	ug/L
Chloroethane	MW-7N	10/02/2002		1.7	1.0	ug/L
Chloroethane	MW-7N	1/23/2003		1.9	1.0	ug/L
Chloroethane	MW-7N	4/14/2003		1.4	1.0	ug/L
Chloroethane	MW-7N	7/07/2003		1.8	1.0	ug/L
Chloroethane	MW-7N	1/27/2004		1.6	1.0	ug/L
Chloroethane	MW-7N	4/08/2004		1.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/22/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	8/18/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	9/17/1998		11.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/15/1998		9.8	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	11/09/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	1/14/1999		11.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/1999		9.8	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/1999		13.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/19/1999		14.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	1/13/2000		13.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	4/25/2000		18.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/17/2000		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2001		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	4/10/2001		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002		15.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002		15.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	7/09/2002		10.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	10/02/2002		8.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2003		6.4	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/2003		8.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/07/2003		9.2	1.0	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-7N	1/27/2004		7.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	4/08/2004		7.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/26/2004		3.9	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2005		1.6	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2005		3.5	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/19/2006		2.9	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006		3.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006		3.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	10/24/2006		2.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2007		1.6	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2010		1.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/2010		1.4	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/20/2011		1.0	1.0	ug/L
Ethylbenzene	MW-7N	10/17/2000		1.0	1.0	ug/L
Ethylbenzene	MW-7N	4/10/2001		.2	1.0	ug/L
Ethylbenzene	MW-7N	7/09/2002		.3	1.0	ug/L
Methyl ethyl ketone	MW-7N	1/21/1998		92.0	9.7	ug/L
Methyl isobutyl ketone	MW-7N	1/21/1998		8	3	ug/L
Methylene chloride	MW-7N	4/10/2001		.43	1.00	ug/L
Toluene	MW-7N	10/17/2000		.24	1.00	ug/L
Toluene	MW-7N	4/10/2001		.46	1.00	ug/L
Total xylenes	MW-7N	10/17/2000		.64	1.00	ug/L
Total xylenes	MW-7N	4/10/2001		1.00	1.00	ug/L
Trichloroethene	MW-7N	10/19/1999		1.40	3.20	ug/L
Trichloroethene	MW-7N	1/13/2000		.92	3.20	ug/L
Trichloroethene	MW-7N	4/25/2000		1.10	3.20	ug/L
Trichloroethene	MW-7N	10/17/2000		1.00	1.00	ug/L
Trichloroethene	MW-7N	1/23/2001		.75	1.00	ug/L
Trichloroethene	MW-7N	4/10/2001		1.00	1.00	ug/L
Trichloroethene	MW-7N	7/09/2002		.90	1.00	ug/L
Trichloroethene	MW-7N	10/02/2002		.87	1.00	ug/L
Vinyl chloride	MW-7N	7/22/1998		3.6	2.0	ug/L
Vinyl chloride	MW-7N	8/18/1998		2.6	2.0	ug/L
Vinyl chloride	MW-7N	9/17/1998		3.4	2.0	ug/L
Vinyl chloride	MW-7N	10/15/1998		2.1	2.0	ug/L
Vinyl chloride	MW-7N	11/09/1998		3.0	2.0	ug/L
Vinyl chloride	MW-7N	1/14/1999		2.3	2.0	ug/L
Vinyl chloride	MW-7N	4/14/1999		3.1	2.0	ug/L
Vinyl chloride	MW-7N	7/14/1999		4.7	2.0	ug/L
Vinyl chloride	MW-7N	10/19/1999		5.8	2.0	ug/L
Vinyl chloride	MW-7N	1/13/2000		4.7	2.0	ug/L
Vinyl chloride	MW-7N	4/25/2000		4.5	2.0	ug/L
Vinyl chloride	MW-7N	10/17/2000		5.6	1.0	ug/L
Vinyl chloride	MW-7N	1/23/2001		5.1	1.0	ug/L
Vinyl chloride	MW-7N	4/10/2001		4.4	1.0	ug/L
Vinyl chloride	MW-7N	5/29/2002		5.7	2.0	ug/L
Vinyl chloride	MW-7N	5/29/2002		5.7	1.0	ug/L
Vinyl chloride	MW-7N	7/09/2002		4.8	1.0	ug/L
Vinyl chloride	MW-7N	10/02/2002		4.7	1.0	ug/L
Vinyl chloride	MW-7N	1/23/2003		5.9	1.0	ug/L
Vinyl chloride	MW-7N	4/14/2003		3.8	1.0	ug/L
Vinyl chloride	MW-7N	7/07/2003		5.4	1.0	ug/L
Vinyl chloride	MW-7N	1/27/2004		4.6	1.0	ug/L
Vinyl chloride	MW-7N	4/08/2004		4.2	1.0	ug/L
Vinyl chloride	MW-7N	1/12/2005		2.3	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2005		3.6	1.0	ug/L
Vinyl chloride	MW-7N	1/19/2006		2.7	1.0	ug/L
Vinyl chloride	MW-7N	4/17/2006		2.2	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	10/24/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	1/26/2007		1.2	1.0	ug/L
Vinyl chloride	MW-7N	5/03/2008		1.2	1.0	ug/L
Vinyl chloride	MW-7N	5/01/2013		1.0	1.0	ug/L
Acetone	MW-8N	10/06/2017		5.2	5.0	ug/L
Acetone	MW-8N	7/16/2018		6.8	5.0	ug/L
Acetone	MW-8N	10/02/2018		12.0	10.0	ug/L
Carbon dioxide	MW-8N	9/02/2010		1400	50	ug/L
Carbon disulfide	MW-8N	7/14/1999		4.90	4.20	ug/L
Carbon disulfide	MW-8N	5/29/2002		1.20	1.00	ug/L
Carbon disulfide	MW-8N	7/09/2002		.28	1.00	ug/L
Carbon disulfide	MW-8N	4/14/2003		1.20	1.00	ug/L
Carbon disulfide	MW-8N	7/27/2004		1.40	1.00	ug/L
Chloroform	MW-8N	1/22/1998		3.20	2.70	ug/L
Chloroform	MW-8N	4/28/1998		.36	2.70	ug/L
Chloromethane	MW-8N	1/12/2005		1.1	1.0	ug/L
Dichlorodifluoromethane	MW-8N	1/14/2000		.42	1.00	ug/L
Endosulfan i	MW-8N	7/11/2012		.340	.047	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Methylene chloride	MW-8N	1/14/2000		.48	4.10	ug/L
Vinyl chloride	MW-8N	10/19/1999		.24	2.00	ug/L
Vinyl chloride	MW-8N	4/25/2000		.26	2.00	ug/L

Detections are shown for the constituents and sample points selected for the analysis
The Limit column refers to the laboratory reporting limit

Attachment C

95% LCLs for VOC Detections

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard
1,1-dichloroethane	ug/L	LGW-10	8	1.379	0.161	0.670	1.271	1.486	2.400
1,4-dichlorobenzene	ug/L	LGW-10	8	2.604	1.128	0.670	1.848	3.359	75.000
Benzene	ug/L	LGW-10	8	1.906	0.493	0.670	1.576	2.236	5.000
Cis-1,2-dichloroethene	ug/L	LGW-10	8	1.496	0.588	0.670	1.103	1.890	70.000


* - Insufficient Data

** - Significant Exceedance


LCL = Lower Confidence Limit

UCL = Upper Confidence Limit


Confidence Limits (Assessment)




Graph 1



Graph 2



Graph 3



Graph 4

Attachment D

Summary Tables and Graphs for the Intrawell Comparisons

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Antimony, total	ug/L	LGW-10	25	25	50			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	LGW-10	25	25	50			5.0000	5.0000			5.2000	nonpar	.99
Barium, total	ug/L	LGW-10	24	25	49	119.0417	28.6834	73.3000	87.4000	119.0417	119.0417	305.4838	normal	.99
Beryllium, total	ug/L	LGW-10	25	25	50			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	LGW-10	25	25	50			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	LGW-10	25	25	50			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	LGW-10	25	25	50	80.1600	29.1186	47.8000	62.5000	80.1600	80.1600	269.4306	normal	.99
Copper, total	ug/L	LGW-10	25	25	50			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	LGW-10	24	25	49	11056.2500	7204.7888	5500.0000	7440.0000	11056.2500	11056.2500	57887.3769	normal	.99
Lead, total	ug/L	LGW-10	24	25	49			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	LGW-10	24	25	49	8845.8333	3493.8429	3160.0000	7720.0000	8845.8333	8845.8333	31555.8124	normal	.99
Nickel, total	ug/L	LGW-10	25	25	50	184.0000	52.9150	135.0000	150.0000	184.0000	184.0000	527.9477	normal	.99
pH (Field)	S.U.	LGW-10	118	66	185	6.5603	0.3543	6.4600	6.3100	6.5603	6.5603	4.26 - 8.86	normal	.99
Selenium, total	ug/L	LGW-10	23	25	49			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	LGW-10	24	25	49			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	LGW-10	23	25	48	5.7000	1.0804	5.0000	5.0000	5.7000	5.7000	12.7226	normal	.99
Thallium, total	ug/L	LGW-10	25	25	50			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	LGW-10	24	25	49	537.8750	41.8344	483.0000	500.0000	537.8750	537.8750	809.7984	normal	.99
Total organic carbon (toc)	mg/L	LGW-10	23	25	48	1.6057	0.5415	1.0400	2.0400	1.6057	1.6339	5.1255	normal	.99
Vanadium, total	ug/L	LGW-10	25	25	50			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	LGW-10	25	25	50	55.2280	49.9817	127.0000	141.0000	276.2136	324.4993	380.1093	normal	.99
Antimony, total	ug/L	LGW-14R	15	13	37			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	LGW-14R	15	13	36			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	LGW-14R	15	13	36	33.0667	10.1803	39.8000	44.2000	33.2629	36.7610	99.2385	normal	.99
Beryllium, total	ug/L	LGW-14R	15	13	39			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	LGW-14R	15	13	39			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	LGW-14R	14	15	39			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	LGW-14R	15	13	36			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	LGW-14R	15	14	37			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	LGW-14R	14	13	36			60.0000	60.0000			120.0000	nonpar	.99
Lead, total	ug/L	LGW-14R	15	13	38			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	LGW-14R	14	13	36			3.0000	3.0000			23.0062	normal	.99
Nickel, total	ug/L	LGW-14R	14	13	37			4.0000	4.0000			4.0000	nonpar	.99
pH (Field)	S.U.	LGW-14R	88	67	192	7.4659	0.3698	6.9800	6.9400	7.4659	7.4659	5.06 - 9.87	normal	.99
Selenium, total	ug/L	LGW-14R	15	13	36			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	LGW-14R	15	13	36			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	LGW-14R	15	13	36			5.0000	5.0000			5.0000	nonpar	.99
Thallium, total	ug/L	LGW-14R	15	13	37			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	LGW-14R	15	15	38	200.0000	13.6277	274.0000	300.0000	348.4546	374.4546	288.5801	normal	.99
Total organic carbon (toc)	mg/L	LGW-14R	15	13	35			1.0000	1.0000			1.0000	nonpar	.99
Vanadium, total	ug/L	LGW-14R	15	13	37			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	LGW-14R	14	15	40	5.0929	0.1859	15.6000	7.3900	15.4606	7.2506	6.3012	normal	.99
Antimony, total	ug/L	LGW-2	25	14	39			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	LGW-2	25	15	40			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	LGW-2	24	14	38	113.4167	33.7406	77.4000	77.4000	113.4167	113.4167	332.7305	normal	.99
Beryllium, total	ug/L	LGW-2	25	14	39			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	LGW-2	25	14	39			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	LGW-2	24	14	39			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	LGW-2	24	14	38			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	LGW-2	25	14	39			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	LGW-2	24	15	39	274.7917	342.0484	60.0000	60.0000	274.7917	274.7917	2498.1065	normal	.99
Lead, total	ug/L	LGW-2	23	14	38			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	LGW-2	24	14	38	31.8333	52.8037	3.0000	3.0000	31.8333	31.8333	375.0576	normal	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Nickel, total	ug/L	LGW-2	25	14	39	9.8360	8.9192	4.0000	4.0000	9.8360	9.8360	67.8106	normal	.99
pH (Field)	S.U.	LGW-2	123	67	191	7.2069	0.4508	6.9400	6.7700	7.2069	7.2069	4.28 - 10.14	normal	**
Selenium, total	ug/L	LGW-2	24	14	38			10.0000	10.0000			50.0000	normal	.99
Silver, total	ug/L	LGW-2	24	14	38			50.0000	50.0000			40.4729	normal	**
Sulfate	mg/L	LGW-2	23	14	37	8.7087	4.8868	5.0000	5.0000	8.7087	8.7087	1.0000	normal	.99
Thallium, total	ug/L	LGW-2	25	14	39			322.0000	325.0000			472.9462	normal	**
Total dissolved solids	mg/L	LGW-2	24	15	39	338.8333	20.6327	1.0000	1.0000	338.8333	338.8333	5.4000	normal	.99
Total organic carbon (toc)	mg/L	LGW-2	23	16	39			3.0000	3.0000			1.0000	normal	**
Vanadium, total	ug/L	LGW-2	25	14	39			6.9000	6.4300			31.6618	normal	.99
Zinc, total	ug/L	LGW-2	25	14	39	8.7120	3.5307	2.0000	2.0000	11.1618	8.7120	2.0000	normal	**
Antimony, total	ug/L	LGW-3R	8	8	38			5.0000	5.0000			5.0000	normal	.99
Arsenic, total	ug/L	LGW-3R	8	8	38			68.1000	57.0000			132.1527	normal	**
Barium, total	ug/L	LGW-3R	8	8	37	46.8750	13.1196	1.0000	1.0000	124.1071	121.1125	1.0000	normal	.99
Beryllium, total	ug/L	LGW-3R	8	8	38			1.0000	1.0000			1.0000	normal	.99
Cadmium, total	ug/L	LGW-3R	8	8	38			3.0000	3.0000			3.0000	normal	.99
Chromium, total	ug/L	LGW-3R	8	8	38			3.0000	3.0000			3.0000	normal	.99
Cobalt, total	ug/L	LGW-3R	8	8	37			4.0000	4.0000			4.0000	normal	.99
Copper, total	ug/L	LGW-3R	8	9	39			621.0000	127.0000			8476.9355	normal	**
Iron, total	ug/L	LGW-3R	8	8	37	681.5000	1199.2978	5.0000	5.0000	681.5000	681.5000	5.0000	normal	.99
Lead, total	ug/L	LGW-3R	8	8	37			53.6000	26.4000			1218.0169	normal	**
Manganese, total	ug/L	LGW-3R	8	8	37	109.6250	170.5218	4.0000	4.0000	109.6250	109.6250	9.3596	normal	**
Nickel, total	ug/L	LGW-3R	8	8	38	4.3375	0.7726	5.4500	5.3300	4.3375	4.3375	2.10 - 12.40	normal	.99
pH (Field)	S.U.	LGW-3R	45	39	192	7.2507	0.7925	10.0000	10.0000	7.2507	7.2507	16.0000	normal	.99
Selenium, total	ug/L	LGW-3R	8	8	37			50.0000	50.0000			50.0000	normal	.99
Silver, total	ug/L	LGW-3R	8	8	37	5.9000	0.8816	1.0000	1.0000	5.9000	5.9000	11.6301	normal	**
Sulfate	mg/L	LGW-3R	8	8	36			132.0000	70.0000			998.9219	normal	.99
Thallium, total	ug/L	LGW-3R	8	8	38			3.0000	3.0000			4.8000	normal	.99
Total dissolved solids	mg/L	LGW-3R	8	8	37	293.7500	108.4880	5.0000	5.0000	293.7500	293.7500	422.0970	normal	.99
Total organic carbon (toc)	mg/L	LGW-3R	8	8	36	1.1375	0.2560	2.0000	2.0000	1.1375	1.1375	2.8015	normal	**
Vanadium, total	ug/L	LGW-3R	8	8	38			3.0000	3.0000			4.8000	normal	.99
Zinc, total	ug/L	LGW-3R	8	8	38	33.2250	59.8265	5.1800	5.0000	33.2250	33.2250	2.0000	normal	.99
Antimony, total	ug/L	LGW-4	25	13	38			2.0000	2.0000			2.0000	normal	.99
Arsenic, total	ug/L	LGW-4	25	13	38			5.0000	5.0000			5.0000	normal	.99
Barium, total	ug/L	LGW-4	24	13	37	46.2917	8.7550	45.4000	68.3000	62.2599	77.7020	103.1993	normal	.99
Beryllium, total	ug/L	LGW-4	25	13	38			1.0000	1.0000			1.0000	normal	**
Cadmium, total	ug/L	LGW-4	25	14	39			1.0000	1.0000			1.0000	normal	.99
Chromium, total	ug/L	LGW-4	25	13	38			3.0000	3.0000			3.5000	normal	**
Cobalt, total	ug/L	LGW-4	24	13	37			3.0000	3.0000			3.0000	normal	.99
Copper, total	ug/L	LGW-4	25	13	38			66.0000	60.0000			568.7005	normal	**
Iron, total	ug/L	LGW-4	23	13	37	113.2609	70.0676	5.0000	5.0000	113.2609	113.2609	5.0000	normal	.99
Lead, total	ug/L	LGW-4	24	13	37			50.4000	179.0000			56.0439	normal	**
Manganese, total	ug/L	LGW-4	23	14	38	10.8130	6.9586	4.0000	4.0000	67.1491	195.7491	5.3000	normal	**
Nickel, total	S.U.	LGW-4	25	15	40			6.7300	6.8600			4.40 - 10.16	normal	.99
pH (Field)	S.U.	LGW-4	118	67	186	7.2820	0.4435	50.0000	50.0000	7.2820	7.2820	10.0000	normal	**
Selenium, total	ug/L	LGW-4	24	13	37			5.0000	5.0000			50.0000	normal	.99
Silver, total	ug/L	LGW-4	24	13	37			5.0000	5.0000			10.5898	normal	**
Sulfate	mg/L	LGW-4	23	13	36	5.2348	0.8239	1.0000	1.0000	5.2348	5.2348	1.0000	normal	.99
Thallium, total	mg/L	LGW-4	25	13	38			301.0000	399.0000			507.3477	normal	**
Total dissolved solids	mg/L	LGW-4	24	13	37	259.3333	38.1560	1.0000	1.0000	485.9289	596.9785	1.0500	normal	.99
Total organic carbon (toc)	mg/L	LGW-4	23	13	36			1.0000	1.0000			1.0500	normal	.99
Vanadium, total	ug/L	LGW-4	25	13	38			3.0000	3.0000			3.0000	normal	.99
Zinc, total	ug/L	LGW-4	24	16	41	5.8583	1.4949	13.9000	37.9000	19.5718	43.5718	15.5751	normal	**
Antimony, total	ug/L	LGW-5	23	19	42			2.0000	2.0000			2.0000	normal	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Arsenic, total	ug/L	LGW-5	23	19	42	59.7273	25.3324	5.0000	5.0000	259.0411	234.0411	5.0000	nonpar	.99
Barium, total	ug/L	LGW-5	22	19	41			134.0000	109.0000			224.3880	normal	.99
Beryllium, total	ug/L	LGW-5	23	19	42			1.0000	1.0000			1.0000	normal	.99
Cadmium, total	ug/L	LGW-5	23	19	42			1.0000	1.0000			1.6000	normal	.99
Chromium, total	ug/L	LGW-5	23	19	42			3.0000	3.0000			3.0000	normal	.99
Cobalt, total	ug/L	LGW-5	22	20	42			10.9000	4.1000			3.0000	normal	.99
Copper, total	ug/L	LGW-5	23	19	42			4.0000	4.0000			4.8000	normal	.99
Iron, total	ug/L	LGW-5	20	20	42			2650.0000	392.0000			210.0000	normal	.99
Lead, total	ug/L	LGW-5	22	19	41			5.0000	5.0000			5.0000	normal	.99
Manganese, total	ug/L	LGW-5	22	20	42	125.3636	423.6500	17600.0000	10900.0000	19453.6557	12753.6557	2879.0886	normal	.99
Nickel, total	ug/L	LGW-5	23	20	43			80.7000	77.2000			14.0000	normal	.99
pH (Field)	S.U.	LGW-5	110	78	189	7.1187	0.4209	6.3500	6.2900	7.1187	7.1187	4.38 - 9.85	normal	.99
Selenium, total	ug/L	LGW-5	22	19	41			10.0000	10.0000			10.0000	normal	.99
Silver, total	ug/L	LGW-5	22	19	41			50.0000	50.0000			50.0000	normal	.99
Sulfate	mg/L	LGW-5	21	19	40	5.1667	0.6545	5.0000	6.3000	5.1667	5.8091	9.4207	normal	.99
Thallium, total	ug/L	LGW-5	23	20	42			1.0000	1.0000			1.0000	normal	.99
Total dissolved solids	mg/L	LGW-5	22	20	42	263.5909	49.7409	404.0000	396.0000	680.4182	672.4182	586.9068	normal	.99
Total organic carbon (toc)	mg/L	LGW-5	21	19	40			1.2600	1.5500			1.4000	normal	.99
Vanadium, total	ug/L	LGW-5	23	19	42			3.0000	3.0000			3.0000	normal	.99
Zinc, total	ug/L	LGW-5	23	19	42	7.0609	3.4637	25.9000	22.0000	43.6677	39.7677	29.5747	normal	.99
Antimony, total	ug/L	LGW-6	23	28	51			2.0000	2.0000			2.0000	normal	.99
Arsenic, total	ug/L	LGW-6	23	28	51			5.0000	5.0000			5.0000	normal	.99
Barium, total	ug/L	LGW-6	22	28	50	52.0909	3.8657	214.0000	189.0000	227.1203	202.1203	77.2180	normal	.99
Beryllium, total	ug/L	LGW-6	23	28	51			1.0000	1.0000			1.0000	normal	.99
Cadmium, total	ug/L	LGW-6	23	28	52			3.9400	2.2700			1.0000	normal	.99
Chromium, total	ug/L	LGW-6	23	29	51			3.0000	3.0000			3.4000	normal	.99
Chromium, total	ug/L	LGW-6	22	28	50			22.3000	21.1000			3.0000	normal	.99
Cobalt, total	ug/L	LGW-6	22	28	51			4.0000	4.0000			4.0000	normal	.99
Copper, total	ug/L	LGW-6	23	28	50			1010.0000	897.0000			230.0000	normal	.99
Iron, total	ug/L	LGW-6	21	28	50			5.0000	5.0000			5.0000	normal	.99
Lead, total	ug/L	LGW-6	21	28	50			44100.0000	34500.0000	44051.1753	34451.1753	447.6702	normal	.99
Manganese, total	ug/L	LGW-6	22	28	50	24.5227	65.0996	152.0000	157.0000			4.8000	normal	.99
Nickel, total	ug/L	LGW-6	23	29	52			6.4300	6.3400			4.35 - 9.95	normal	.99
pH (Field)	S.U.	LGW-6	114	80	195	7.1515	0.4304	18.6000	14.0000	7.1515	7.1515	10.0000	normal	.99
Selenium, total	ug/L	LGW-6	22	28	50			50.0000	50.0000			50.0000	normal	.99
Silver, total	mg/L	LGW-6	21	28	49			5.0000	5.0000			5.0000	normal	.99
Sulfate	mg/L	LGW-6	21	28	49			1.0000	1.0000			1.0000	normal	.99
Thallium, total	ug/L	LGW-6	23	28	51			398.0000	377.0000			433.8772	normal	.99
Total dissolved solids	mg/L	LGW-6	22	28	50	259.7273	26.7923	1.0000	1.0000	528.4413	507.4413	1.0000	normal	.99
Total organic carbon (toc)	mg/L	LGW-6	21	28	49			3.0000	3.0000			3.0000	normal	.99
Vanadium, total	ug/L	LGW-6	23	28	51			161.0000	140.0000	159.2514	138.2514	23.2972	normal	.99
Zinc, total	ug/L	LGW-6	21	29	52	8.1429	2.3314	2.0000	2.0000			2.0000	normal	.99
Antimony, total	ug/L	LGW-7	22	24	46			5.0000	5.0000			5.0000	normal	.99
Arsenic, total	ug/L	LGW-7	22	24	46			60.3000	45.3000	52.6825	47.5714	113.5895	normal	.99
Barium, total	ug/L	LGW-7	21	24	45	47.5714	10.1566	1.0000	1.0000			2.7000	normal	.99
Beryllium, total	ug/L	LGW-7	22	24	46			1.0000	1.0000			3.0000	normal	.99
Cadmium, total	ug/L	LGW-7	22	26	48			3.0000	3.0000			3.0000	normal	.99
Chromium, total	ug/L	LGW-7	22	24	46			3.0000	3.0000			4.0000	normal	.99
Cobalt, total	ug/L	LGW-7	21	24	45			60.0000	60.0000			66.0000	normal	.99
Copper, total	ug/L	LGW-7	22	24	46			5.0000	5.0000			5.0000	normal	.99
Iron, total	ug/L	LGW-7	19	25	46			103.0000	5.8300			150.3006	normal	.99
Lead, total	ug/L	LGW-7	21	24	45	12.1048	21.2609	5.8500	4.0000	145.3518	123.1313	6.1000	normal	.99
Manganese, total	ug/L	LGW-7	21	24	45								normal	.99
Nickel, total	ug/L	LGW-7	22	25	47								normal	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
pH (Field)	S.U.	LGW-7	111	79	191	7.0123	0.5159	7.0500	6.9400	7.0123	7.0123	3.66 - 10.37	normal	.99
Selenium, total	ug/L	LGW-7	21	24	45			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	LGW-7	21	24	45			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	LGW-7	20	24	44			5.0000	5.0000			5.0000	nonpar	.99
Thallium, total	ug/L	LGW-7	22	24	46			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	LGW-7	21	25	46	252.7143	31.3802	337.0000	285.0000	512.2179	460.2179	456.6853	normal	.99
Total organic carbon (toc)	mg/L	LGW-7	20	24	44			1.0000	1.0000			1.0000	nonpar	.99
Vanadium, total	ug/L	LGW-7	22	24	46			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	LGW-7	21	25	47	21.7667	7.2845	36.6000	8.8700	31.1367	21.7667	69.1156	normal	.99
Antimony, total	ug/L	LGW-8R	16	13	36			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	LGW-8R	16	13	36			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	LGW-8R	16	14	36			78.0000	83.3000		104.9875	88.6875	normal	.99
Beryllium, total	ug/L	LGW-8R	16	13	36	57.8125	4.7500	1.0000	1.0000	99.6875		1.0000	nonpar	.99
Cadmium, total	ug/L	LGW-8R	16	13	36			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	LGW-8R	16	13	36			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	LGW-8R	16	13	35			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	LGW-8R	16	13	36			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	LGW-8R	16	13	35			60.0000	60.0000			60.0000	nonpar	.99
Lead, total	ug/L	LGW-8R	16	13	35			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	LGW-8R	16	14	36			37.6000	26.3000			7.0000	nonpar	.99
Nickel, total	ug/L	LGW-8R	16	13	36			4.0000	4.0000			4.0000	nonpar	.99
pH (Field)	S.U.	LGW-8R	88	67	181	7.1430	0.3811	6.7500	6.6700	7.1430	7.1430	4.67 - 9.62	normal	.99
Selenium, total	ug/L	LGW-8R	16	13	35			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	LGW-8R	16	13	35			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	LGW-8R	16	14	36			5.0000	5.0000			5.7000	nonpar	.99
Thallium, total	ug/L	LGW-8R	16	13	36			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	LGW-8R	16	15	37	288.1250	15.5858	376.0000	372.0000	464.8676	460.8676	389.4326	normal	.99
Total organic carbon (toc)	mg/L	LGW-8R	16	13	34			1.0000	1.0000			1.0000	nonpar	.99
Vanadium, total	ug/L	LGW-8R	16	13	36			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	LGW-8R	16	13	36	5.8625	2.0402	9.5600	17.2000	8.0298	17.8372	19.1239	normal	.99
Antimony, total	ug/L	LGW-9	25	25	50			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	LGW-9	25	25	50			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	LGW-9	24	25	49	132.5000	17.9976	163.0000	147.0000	205.5127	206.5145	249.4843	normal	.99
Beryllium, total	ug/L	LGW-9	25	25	50			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	LGW-9	26	25	51	7.5962	17.5656	15.5000	14.0000	79.2181	72.4478	121.7728	normal	.99
Chromium, total	ug/L	LGW-9	25	25	50			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	LGW-9	24	25	49	11.5500	2.5176	4.0100	3.0000	11.5500	11.5500	27.9143	normal	.99
Copper, total	ug/L	LGW-9	25	25	50			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	LGW-9	24	25	49	5504.5833	3631.9883	60.0000	60.0000	5504.5833	5504.5833	29112.5072	normal	.99
Lead, total	ug/L	LGW-9	24	25	49			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	LGW-9	24	25	49	10533.3333	2011.8490	5680.0000	4250.0000	10533.3333	10533.3333	23610.3516	normal	.99
Nickel, total	ug/L	LGW-9	26	25	51	63.5385	10.8636	31.0000	24.7000	63.5385	63.5385	134.1521	normal	.99
pH (Field)	S.U.	LGW-9	121	67	189	6.6861	0.4092	6.5200	6.3600	6.6861	6.6861	4.03 - 9.35	normal	.99
Selenium, total	ug/L	LGW-9	23	25	49			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	LGW-9	24	25	49			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	LGW-9	23	25	48	8.8522	5.3157	6.9900	7.7000	8.8522	8.8522	43.4045	normal	.99
Thallium, total	ug/L	LGW-9	25	25	50			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	LGW-9	24	25	49	339.6250	49.3777	424.0000	392.0000	700.6753	668.6753	660.5801	normal	.99
Total organic carbon (toc)	mg/L	LGW-9	23	25	48	1.1780	0.2789	1.2900	2.6100	1.4067	2.6295	2.9907	normal	.99
Vanadium, total	ug/L	LGW-9	25	25	50			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	LGW-9	26	25	51	126.0000	42.7448	84.2000	80.4000	126.0000	126.0000	403.8414	normal	.99
Antimony, total	ug/L	MW-10N	23	11	57			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-10N	23	11	57			5.0000	5.0000			5.0000	nonpar	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Barium, total	ug/L	MW-10N	22	11	56	34.2727	5.1379	30.2000	39.9000	34.2727	36.0466	67.6692	normal	.99
Beryllium, total	ug/L	MW-10N	23	11	57			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-10N	23	11	57			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	MW-10N	23	11	57			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-10N	22	11	56			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	MW-10N	23	11	57			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-10N	22	11	56	765.9091	552.0323	478.0000	992.0000	765.9091	765.9091	4354.1187	normal	.99
Lead, total	ug/L	MW-10N	22	11	56			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-10N	21	11	55	33.6190	9.1021	24.7000	101.0000	33.6190	94.1734	92.7825	normal	.99
Nickel, total	ug/L	MW-10N	23	11	57			4.0000	4.0000			4.1000	nonpar	.99
pH (Field)	S.U.	MW-10N	23	10	34	7.4791	0.6083	7.4900	7.3500	7.4791	7.4791	3.53 - 11.43	normal	.99
Selenium, total	ug/L	MW-10N	22	11	56			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	MW-10N	22	11	56			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	MW-10N	22	11	55			5.0000	5.0000			11.0000	nonpar	.99
Thallium, total	ug/L	MW-10N	23	11	57			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	MW-10N	22	11	55	287.5000	34.5636	261.0000	246.0000	287.5000	287.5000	512.1634	normal	.99
Total organic carbon (toc)	mg/L	MW-10N	21	11	40	4.9429	0.8992	4.5900	4.8100	4.9429	4.9429	10.7877	normal	.99
Vanadium, total	ug/L	MW-10N	23	11	57			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	MW-10N	23	11	57			5.0000	5.0000			6.5000	nonpar	.99
Antimony, total	ug/L	MW-11N	24	13	60			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-11N	24	13	60			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-11N	23	13	59			50.2000	50.9000	73.3043	73.3043	270.5218	normal	.99
Beryllium, total	ug/L	MW-11N	24	13	60	73.3043	30.3411	1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-11N	24	13	60			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	MW-11N	24	13	61			3.0000	3.0000			3.0000	nonpar	.99
Chromium, total	ug/L	MW-11N	23	13	59			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-11N	24	13	60			4.0000	4.0000			6.6000	nonpar	.99
Copper, total	ug/L	MW-11N	24	13	59	80.0455	39.6178	60.0000	60.0000	80.0455	80.0455	337.5611	normal	.99
Iron, total	ug/L	MW-11N	22	13	59			5.0000	5.0000			5.0000	nonpar	.99
Lead, total	ug/L	MW-11N	22	13	59			3.0000	3.0000			3.0000	nonpar	.99
Manganese, total	ug/L	MW-11N	23	13	58	11.7174	12.4598	4.0000	4.0000	11.7174	11.7174	92.7059	normal	.99
Nickel, total	ug/L	MW-11N	24	13	60			6.6200	7.1900	7.3196	7.3196	9.7000	nonpar	.99
pH (Field)	S.U.	MW-11N	25	13	39	7.3196	0.3965	10.0000	10.0000	7.3196	7.3196	4.74 - 9.90	normal	.99
Selenium, total	ug/L	MW-11N	23	13	59			50.0000	50.0000			50.0000	nonpar	.99
Silver, total	ug/L	MW-11N	23	13	59			5.0000	5.0000			5.0000	nonpar	.99
Sulfate	mg/L	MW-11N	24	13	58			1.0000	1.0000			1.0000	nonpar	.99
Thallium, total	ug/L	MW-11N	24	13	60			192.0000	184.0000	195.1304	195.1304	289.5139	normal	.99
Total dissolved solids	mg/L	MW-11N	23	13	58	195.1304	14.5205	1.0000	1.0000			3.8500	nonpar	.99
Total organic carbon (toc)	mg/L	MW-11N	22	13	43			3.0000	3.0000			3.8000	nonpar	.99
Vanadium, total	ug/L	MW-11N	24	13	60			19.8000	22.2000	17.4750	18.9355	45.7671	normal	.99
Zinc, total	ug/L	MW-11N	24	13	60	17.4750	4.3526	19.8000	22.2000			2.0000	nonpar	.99
Antimony, total	ug/L	MW-15	8	13	21			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-15	8	13	21			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-15	8	13	21	27.0000	5.4772	20.3000	23.3000	27.0000	27.0000	62.6020	normal	.99
Beryllium, total	ug/L	MW-15	8	13	21			1.0000	1.0000			1.0000	normal	.99
Cadmium, total	ug/L	MW-15	8	13	21			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	MW-15	8	13	21			3.0000	3.0000			4.8000	nonpar	.99
Chromium, total	ug/L	MW-15	8	13	21			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-15	8	13	21			4.0000	4.0000			4.0000	nonpar	.99
Copper, total	ug/L	MW-15	8	13	21			60.0000	60.0000	214.5000	214.5000	2807.7754	normal	.99
Iron, total	ug/L	MW-15	8	13	21	214.5000	398.9654	60.0000	60.0000			5.0000	nonpar	.99
Lead, total	ug/L	MW-15	8	13	21			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-15	8	13	21	42.3875	76.4626	3.0000	3.0000	42.3875	42.3875	539.3945	normal	.99
Nickel, total	ug/L	MW-15	8	13	21			4.0000	4.0000			4.0000	nonpar	.99
pH (Field)	S.U.	MW-15	20	66	86	7.2090	0.8779	6.5600	6.4500	7.2090	7.2090	1.50 - 12.92	normal	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Selenium, total	ug/L	MW-15	7	13	21			50.0000	50.0000			50.0000	nonpar	.99
Silver, total	ug/L	MW-15	8	13	21	5.8625	1.1843	50.0000	12.3000	24.9688	18.6688	13.5608	normal	.99
Sulfate	mg/L	MW-15	8	14	22			1.0000	1.0000			1.0000	nonpar	.99
Thallium, total	ug/L	MW-15	8	13	21	277.5000	19.0863	263.0000	300.0000	277.5000	280.9137	401.5608	normal	.99
Total dissolved solids	mg/L	MW-15	8	16	24	1.0113	0.0360	1.0000	1.2500	1.0113	1.2140	1.2454	normal	.99
Total organic carbon (toc)	ug/L	MW-15	8	13	21			3.0000	3.0000			3.3000	nonpar	.99
Vanadium, total	ug/L	MW-15	7	13	21			2.0000	2.0000			2.0000	nonpar	.99
Zinc, total	ug/L	MW-15	8	13	21			5.0000	5.0000			5.0000	nonpar	.99
Antimony, total	ug/L	MW-16	8	13	21	66.5000	13.9898	33.2000	31.3000	66.5000	66.5000	157.4336	normal	.99
Arsenic, total	ug/L	MW-16	8	13	21			1.0000	1.0000			1.0000	nonpar	.99
Barium, total	ug/L	MW-16	8	13	21			1.0000	1.0000			1.0000	nonpar	.99
Beryllium, total	ug/L	MW-16	8	13	21			3.0000	3.0000			3.0000	nonpar	.99
Cadmium, total	ug/L	MW-16	8	13	21			3.0000	3.0000			3.0000	nonpar	.99
Chromium, total	ug/L	MW-16	8	13	21			60.0000	60.0000	104.0000	104.0000	583.9322	normal	.99
Cobalt, total	ug/L	MW-16	7	13	21	104.0000	73.8357	5.0000	5.0000			5.0000	nonpar	.99
Copper, total	ug/L	MW-16	8	13	21	13.0125	13.0757	3.0000	3.0000	13.0125	13.0125	98.0042	normal	.99
Lead, total	ug/L	MW-16	8	13	21	7.4940	1.2328	7.3500	7.1300	7.4940	7.4940	4.0000	normal	.99
Manganese, total	ug/L	MW-16	20	66	86			50.0000	50.0000			0.00 - 15.51	normal	.99
Nickel, total	ug/L	MW-16	7	13	21	16.3125	7.3724	5.0000	5.0000	16.3125	16.3125	50.0000	nonpar	.99
Selenium, total	ug/L	MW-16	8	13	21			1.0000	1.0000			1.0000	normal	.99
Silver, total	ug/L	MW-16	8	13	21	241.2500	13.5620	201.0000	184.0000	241.2500	241.2500	329.4032	normal	.99
Sulfate	mg/L	MW-16	8	13	21	1.1813	0.3359	1.0000	1.0000	1.1813	1.1813	3.3644	normal	.99
Thallium, total	ug/L	MW-16	8	13	21	6.7625	3.1405	3.0000	3.0000	6.7625	6.7625	3.0000	normal	.99
Total dissolved solids	mg/L	MW-16	8	13	21			2.0000	2.0000			2.0000	normal	.99
Total organic carbon (toc)	ug/L	MW-16	8	13	21			5.0000	5.0000			5.0000	normal	.99
Vanadium, total	ug/L	MW-16	8	13	21			1.0000	1.0000			1.0000	normal	.99
Zinc, total	ug/L	MW-16	8	13	21			2.0000	2.0000			2.0000	normal	.99
Antimony, total	ug/L	MW-17	8	11	19	33.6250	24.5993	71.4000	43.5000	85.1821	70.4578	193.5204	normal	.99
Arsenic, total	ug/L	MW-17	8	11	19			1.0000	1.0000			1.0000	normal	.99
Barium, total	ug/L	MW-17	8	11	19			1.0000	1.0000			1.0000	normal	.99
Beryllium, total	ug/L	MW-17	8	11	19			3.0000	3.0000			3.0000	normal	.99
Cadmium, total	ug/L	MW-17	8	11	19			3.0000	3.0000			3.0000	normal	.99
Chromium, total	ug/L	MW-17	8	11	19			4.0000	4.0000			4.0000	normal	.99
Cobalt, total	ug/L	MW-17	8	11	19			60.0000	159.0000	169.5000	169.5000	1426.3817	normal	.99
Copper, total	ug/L	MW-17	8	11	19	169.5000	193.3664	5.0000	5.0000			5.0000	normal	.99
Iron, total	ug/L	MW-17	8	11	19	27.0125	39.0389	3.0000	77.2000	27.0125	38.1611	280.7651	normal	.99
Lead, total	ug/L	MW-17	8	11	19	7.4190	0.5275	4.0000	4.0000	7.4190	7.4190	3.99 - 10.85	normal	.99
Manganese, total	ug/L	MW-17	8	11	19			6.8700	6.8700			12.0000	normal	.99
Nickel, total	ug/L	MW-17	20	55	75			10.0000	10.0000			50.0000	normal	.99
pH (Field)	S.U.	MW-17	8	11	19	6.6375	2.6854	14.3000	14.4000	26.7002	26.8002	24.0925	normal	.99
Selenium, total	ug/L	MW-17	8	11	19			1.0000	1.0000			1.0000	normal	.99
Silver, total	ug/L	MW-17	8	11	19			250.0000	187.0000	203.0450	188.6250	589.9582	normal	.99
Sulfate	mg/L	MW-17	8	12	20	1.0438	0.0904	1.0000	3.5400	1.0438	3.4496	1.6313	normal	.99
Thallium, total	ug/L	MW-17	8	11	19			5.0000	5.0000			5.0000	normal	.99
Total dissolved solids	mg/L	MW-17	8	11	19	5.5375	1.1698	5.0000	16.6000	5.5375	15.4302	13.1411	normal	.99
Total organic carbon (toc)	ug/L	MW-17	8	11	19			2.0000	2.0000			2.0000	normal	.99
Vanadium, total	ug/L	MW-17	8	11	19			5.0000	5.0000			5.0000	normal	.99
Zinc, total	ug/L	MW-17	8	11	19			2.0000	2.0000			2.0000	normal	.99
Antimony, total	ug/L	MW-19	8	11	19	47.8750	22.4018	42.0000	25.2000	47.8750	47.8750	193.4865	normal	.99
Arsenic, total	ug/L	MW-19	8	11	19			5.0000	5.0000			5.0000	normal	.99
Barium, total	ug/L	MW-19	8	11	19			5.0000	5.0000			5.0000	normal	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Beryllium, total	ug/L	MW-19	8	11	19			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-19	8	11	19			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	MW-19	8	11	19			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-19	8	11	19			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	MW-19	8	11	19			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-19	8	11	19	253.0000	244.1335	60.0000	60.0000	253.0000	253.0000	1839.8674	normal	.99
Lead, total	ug/L	MW-19	8	11	19			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-19	8	10	19	51.1125	75.4543	3.0000	8.9900	51.1125	51.1125	541.5658	normal	.99
Nickel, total	ug/L	MW-19	8	11	19			4.0000	4.0000			5.2000	nonpar	.99
pH (Field)	S.U.	MW-19	20	55	75	7.9185	0.6210	7.7900	7.3100	7.9185	7.9185	3.88 - 11.95	normal	.99
Selenium, total	ug/L	MW-19	7	11	19			50.0000	50.0000			50.0000	nonpar	.99
Silver, total	ug/L	MW-19	8	11	19			11.9000	7.3700	16.5914	16.5914	19.4222	normal	.99
Sulfate	mg/L	MW-19	8	11	19	6.1250	2.0457	1.0000	1.0000	17.3921	17.3921	1.0000	normal	.99
Thallium, total	ug/L	MW-19	8	11	19			221.0000	158.0000	228.7500	228.7500	571.7092	normal	.99
Total dissolved solids	mg/L	MW-19	8	11	19	228.7500	52.7629	1.0900	1.0000	1.0875	1.0875	2.0817	normal	.99
Total organic carbon (toc)	mg/L	MW-19	8	11	19	1.0875	0.1529	3.0000	3.0000			3.0000	normal	.99
Vanadium, total	ug/L	MW-19	8	11	19			5.0000	5.0000			30.1282	normal	.99
Zinc, total	ug/L	MW-19	8	11	19	7.1000	3.5428	2.0000	2.0000	7.1000	7.1000	3.7000	normal	.99
Antimony, total	ug/L	MW-1N	24	11	61			5.0000	5.0000			5.8000	nonpar	.99
Arsenic, total	ug/L	MW-1N	24	11	61			37.3000	39.7000	45.7826	45.7826	150.2608	normal	.99
Barium, total	ug/L	MW-1N	23	11	60	45.7826	16.0736	1.0000	1.0000			1.0000	nonpar	.99
Beryllium, total	ug/L	MW-1N	24	12	61			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-1N	24	12	61			4.3200	3.0000			3.0000	nonpar	.99
Chromium, total	ug/L	MW-1N	24	13	63			3.0000	3.0000			4.2000	nonpar	.99
Cobalt, total	ug/L	MW-1N	23	12	61			4.0000	4.0000			4.2000	nonpar	.99
Copper, total	ug/L	MW-1N	24	11	61			172.0000	88.1000	335.2174	335.2174	2428.2485	normal	.99
Iron, total	ug/L	MW-1N	23	11	59	335.2174	322.0048	5.0000	5.0000			5.0000	nonpar	.99
Lead, total	ug/L	MW-1N	23	11	60			33.9000	17.6000	189.6087	189.6087	1128.6153	normal	.99
Manganese, total	ug/L	MW-1N	23	11	57	189.6087	144.4626	14.0000	8.0900	27.2963	18.1525	60.2342	normal	.99
Nickel, total	ug/L	MW-1N	24	11	61	11.6250	7.4783	7.2600	7.3600	7.3268	7.3268	4.97 - 9.68	normal	.99
pH (Field)	S.U.	MW-1N	25	14	40	7.3268	0.3626	10.0000	10.0000			12.0000	nonpar	.99
Selenium, total	ug/L	MW-1N	23	11	60			50.0000	50.0000			50.0000	nonpar	.99
Silver, total	ug/L	MW-1N	23	11	60			5.6900	5.0000	7.4095	7.4095	21.4184	normal	.99
Sulfate	mg/L	MW-1N	21	11	58	7.4095	2.1552	1.0000	1.0000			1.0000	nonpar	.99
Thallium, total	ug/L	MW-1N	24	11	61			214.0000	210.0000	232.6522	232.6522	381.6453	normal	.99
Total dissolved solids	mg/L	MW-1N	23	11	58	232.6522	22.9220	1.1400	1.0000			1.6000	nonpar	.99
Total organic carbon (toc)	mg/L	MW-1N	22	11	43			3.0000	3.0000			3.0000	nonpar	.99
Vanadium, total	ug/L	MW-1N	23	11	61			59.2000	54.6000	93.3168	93.3168	190.4503	normal	.99
Zinc, total	ug/L	MW-1N	24	12	62	29.5458	24.7545	2.0000	2.0000			2.0000	nonpar	.99
Antimony, total	ug/L	MW-20	8	10	18			5.0000	5.0000			5.0000	nonpar	.99
Arsenic, total	ug/L	MW-20	8	10	18			105.0000	102.0000	102.1250	102.1250	250.6097	normal	.99
Barium, total	ug/L	MW-20	8	10	18	102.1250	22.8438	1.0000	1.0000			1.2000	nonpar	.99
Beryllium, total	ug/L	MW-20	8	10	18			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-20	8	10	18			3.0000	3.0000	3.2500	3.2500	5.7554	normal	.99
Chromium, total	ug/L	MW-20	8	11	19	3.2500	0.3854	3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-20	8	11	19			4.0000	4.0000			4.0000	nonpar	.99
Copper, total	ug/L	MW-20	8	11	19	738.7500	971.9706	623.0000	60.0000	738.7500	738.7500	7056.5587	normal	.99
Iron, total	ug/L	MW-20	8	10	18			132.0000	27.3000	403.8750	403.8750	2818.9838	normal	.99
Lead, total	ug/L	MW-20	7	10	18			4.0000	4.0000	4.1375	4.1375	5.8725	normal	.99
Manganese, total	ug/L	MW-20	8	10	18	403.8750	371.5552	6.5400	6.4500	6.7060	6.7060	3.78 - 9.63	normal	.99
Nickel, total	ug/L	MW-20	8	11	19	4.1375	0.2669	10.0000	10.0000			10.0000	nonpar	.99
pH (Field)	S.U.	MW-20	10	10	20	6.7060	0.4501							.99
Selenium, total	ug/L	MW-20	8	10	18									.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Silver, total	ug/L	MW-20	8	10	18	11.8875	18.2450	50.0000	50.0000	11.8875	11.8875	50.0000	nonpar	.99
Sulfate	mg/L	MW-20	8	10	18	11.8875	18.2450	50.0000	50.0000	11.8875	11.8875	130.4797	normal	.99
Thallium, total	ug/L	MW-20	8	10	18	361.2500	61.7454	365.0000	247.0000	368.2591	361.2500	762.5954	normal	.99
Total dissolved solids	mg/L	MW-20	8	10	18	361.2500	61.7454	365.0000	247.0000	368.2591	361.2500	762.5954	normal	.99
Total organic carbon (toc)	mg/L	MW-20	8	10	18	3.2750	0.7778	3.0000	3.0000	3.2750	3.2750	8.3308	normal	.99
Vanadium, total	ug/L	MW-20	8	10	18	7.9250	3.0886	5.0000	5.0000	7.9250	7.9250	28.0007	normal	.99
Zinc, total	ug/L	MW-20	8	11	19	7.9250	3.0886	5.0000	5.0000	7.9250	7.9250	28.0007	normal	.99
Antimony, total	ug/L	MW-21	8	21	29			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-21	8	21	29			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-21	8	21	29	291.2500	52.4915	160.0000	201.0000	291.2500	291.2500	632.4447	normal	.99
Beryllium, total	ug/L	MW-21	8	21	29			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-21	8	21	29	1.3125	0.6266	2.6800	4.9700	5.2794	8.3102	5.3857	normal	.99
Chromium, total	ug/L	MW-21	8	21	29			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-21	9	21	30	32.8889	3.1002	8.7300	12.7000	32.8889	32.8889	53.0401	normal	.99
Copper, total	ug/L	MW-21	8	21	29			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-21	6	21	29								nonpar	.99
Lead, total	ug/L	MW-21	8	21	29			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-21	8	21	29	15625.0000	2263.8463	7530.0000	7820.0000	15625.0000	15625.0000	30340.0008	normal	.99
Nickel, total	ug/L	MW-21	8	21	29	61.3125	8.8194	31.3000	35.4000	61.3125	61.3125	118.6384	normal	.99
pH (Field)	S.U.	MW-21	11	20	31	6.1800	0.5268	5.7100	5.8500	6.1800	6.1800	2.76 - 9.60	normal	.99
Selenium, total	ug/L	MW-21	8	21	29			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	MW-21	8	21	29			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	MW-21	8	21	29	19.2625	7.0797	5.0000	8.7400	19.2625	19.2625	65.2808	normal	.99
Thallium, total	ug/L	MW-21	8	21	29			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	MW-21	8	21	29	232.5000	53.1171	120.0000	149.0000	232.5000	232.5000	577.7613	normal	.99
Total organic carbon (toc)	mg/L	MW-21	8	21	29	1.9984	0.6728	1.0000	1.6000	1.9984	1.9984	6.3718	normal	.99
Vanadium, total	ug/L	MW-21	8	21	29			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	MW-21	8	21	29	78.9375	11.4531	44.7000	58.6000	78.9375	78.9375	153.3828	normal	.99
Antimony, total	ug/L	MW-2N	24	11	56			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-2N	24	11	57			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-2N	23	13	58	41.8696	8.3519	74.1000	81.8000	115.1684	122.8684	96.1572	normal	.99
Beryllium, total	ug/L	MW-2N	24	11	57			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-2N	24	11	57			1.0000	1.0000			1.0000	nonpar	.99
Chromium, total	ug/L	MW-2N	24	12	58			3.0000	6.5200			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-2N	23	11	56			3.0000	3.0000			3.0000	nonpar	.99
Copper, total	ug/L	MW-2N	23	11	57			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-2N	22	12	57			60.0000	62.5000			80.0000	nonpar	.99
Lead, total	ug/L	MW-2N	22	11	56			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-2N	21	12	56			3.0000	3.9800			18.8675	normal	.99
Nickel, total	ug/L	MW-2N	24	12	58			4.0000	4.3100			4.0000	nonpar	.99
pH (Field)	S.U.	MW-2N	28	15	44	7.7416	0.4116	7.0900	7.1500	7.7416	7.7416	5.07 - 10.42	normal	.99
Selenium, total	ug/L	MW-2N	23	11	56			50.0000	10.0000			50.0000	nonpar	.99
Silver, total	ug/L	MW-2N	23	11	55			5.0000	5.0000			5.0000	nonpar	.99
Sulfate	mg/L	MW-2N	23	11	57			1.0000	1.0000			1.0000	nonpar	.99
Thallium, total	ug/L	MW-2N	24	11	57			258.0000	268.0000			273.4179	normal	.99
Total dissolved solids	mg/L	MW-2N	23	13	57	159.7826	17.4823	1.0000	1.0000	320.4164	330.4164	1.0000	normal	.99
Total organic carbon (toc)	mg/L	MW-2N	22	11	41			1.0000	1.0000			1.0000	nonpar	.99
Vanadium, total	ug/L	MW-2N	24	11	57			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	MW-2N	24	13	59	9.4750	7.4731	19.8000	26.4000	61.7557	68.3557	58.0501	normal	.99
Antimony, total	ug/L	MW-3N	45	21	74			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-3N	45	21	74			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-3N	44	21	73	162.7273	18.8462	147.0000	86.1000	162.7273	162.7273	285.2277	normal	.99
Beryllium, total	ug/L	MW-3N	45	21	74			1.0000	1.0000			1.0000	nonpar	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Cadmium, total	ug/L	MW-3N	45	21	74	3.2600	3.9518	30.7000	49.6000	46.5122	65.4122	28.9469	normal	.99
Chromium, total	ug/L	MW-3N	45	21	74			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-3N	44	21	73			3.3100	3.0000			4.3000	nonpar	.99
Copper, total	ug/L	MW-3N	44	21	74			4.0000	4.0000			5.0000	nonpar	.99
Iron, total	ug/L	MW-3N	43	21	73	1375.5814	822.6650	366.0000	70.0000	1375.5814	1375.5814	6722.9036	normal	.99
Lead, total	ug/L	MW-3N	44	21	73			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-3N	43	21	71	3389.5349	1169.2263	3020.0000	774.0000	3389.5349	3389.5349	10989.5062	normal	.99
Nickel, total	ug/L	MW-3N	45	21	74	31.0133	18.5053	56.7000	49.0000	65.8672	69.9749	151.2978	normal	.99
pH (Field)	S.U.	MW-3N	33	21	54	6.5486	0.3717	6.4300	6.7000	6.5486	6.5486	4.13 - 8.96	normal	.99
Selenium, total	ug/L	MW-3N	44	21	73			10.0000	10.0000			10.0000	nonpar	.99
Silver, total	ug/L	MW-3N	44	21	73			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	MW-3N	43	21	71	4.8233	2.4702	10.5000	13.4000	24.2956	27.1956	20.8795	normal	.99
Thallium, total	ug/L	MW-3N	45	21	74			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	MW-3N	43	21	71	356.0698	32.8107	314.0000	309.0000	356.0698	356.0698	569.3394	normal	.99
Total organic carbon (toc)	mg/L	MW-3N	29	21	56			1.0000	1.0000			6.3000	nonpar	.99
Vanadium, total	ug/L	MW-3N	45	21	74			3.0000	3.0000			3.0000	nonpar	.99
Zinc, total	ug/L	MW-3N	45	21	74	32.6000	50.3216	130.0000	186.0000	411.5764	467.5764	359.6905	normal	.99
Antimony, total	ug/L	MW-7N	41	16	68			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-7N	41	16	68			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-7N	40	16	67	221.8750	97.3917	135.0000	129.0000	221.8750	221.8750	854.9209	normal	.99
Beryllium, total	ug/L	MW-7N	41	16	68			1.0000	1.0000			1.4000	nonpar	.99
Cadmium, total	ug/L	MW-7N	49	17	77	4.9204	6.8754	1.0000	1.0000	4.9204	4.9204	49.6104	normal	.99
Chromium, total	ug/L	MW-7N	40	16	68			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-7N	40	16	67	22.5150	14.7722	3.0000	3.0000	22.5150	22.5150	118.5341	normal	.99
Copper, total	ug/L	MW-7N	41	16	68			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-7N	40	16	66	5337.0000	4281.1862	121.0000	60.0000	5337.0000	5337.0000	33164.7100	normal	.99
Lead, total	ug/L	MW-7N	40	16	67			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-7N	38	16	63	20004.5263	16808.7902	43.4000	10.9000	20004.5263	20004.5263	129261.6627	normal	.99
Nickel, total	ug/L	MW-7N	41	16	68	159.5195	112.6849	4.0600	4.0000	159.5195	159.5195	891.9713	normal	.99
pH (Field)	S.U.	MW-7N	126	66	192	6.5702	0.4885	6.7000	6.7800	6.5702	6.5702	3.40 - 9.75	normal	.99
Selenium, total	ug/L	MW-7N	40	16	67			10.0000	10.0000			13.0000	nonpar	.99
Silver, total	ug/L	MW-7N	40	16	67			50.0000	50.0000			50.0000	nonpar	.99
Sulfate	mg/L	MW-7N	38	16	64	5.5342	2.1531	21.0000	20.1000	32.0871	31.1871	19.5293	normal	.99
Thallium, total	ug/L	MW-7N	41	16	69			1.0000	1.0000			1.0000	nonpar	.99
Total dissolved solids	mg/L	MW-7N	38	16	64	382.6053	138.1463	326.0000	315.0000	382.6053	382.6053	1280.5564	normal	.99
Total organic carbon (toc)	mg/L	MW-7N	25	19	53			2.0200	1.6800			1.8000	nonpar	.99
Vanadium, total	ug/L	MW-7N	41	16	68			3.0000	3.0000			4.7000	nonpar	.99
Zinc, total	ug/L	MW-7N	41	16	68	255.6098	197.6215	11.2000	7.4300	255.6098	255.6098	1540.1493	normal	.99
Antimony, total	ug/L	MW-8N	51	25	84			2.0000	2.0000			2.0000	nonpar	.99
Arsenic, total	ug/L	MW-8N	51	25	84			5.0000	5.0000			5.0000	nonpar	.99
Barium, total	ug/L	MW-8N	50	25	83	182.6000	39.6829	147.0000	139.0000	182.6000	182.6000	440.5390	normal	.99
Beryllium, total	ug/L	MW-8N	51	25	84			1.0000	1.0000			1.0000	nonpar	.99
Cadmium, total	ug/L	MW-8N	60	25	93	17.6517	11.8130	7.5900	7.1600	17.6517	17.6517	94.4359	normal	.99
Chromium, total	ug/L	MW-8N	50	25	84			3.0000	3.0000			3.0000	nonpar	.99
Cobalt, total	ug/L	MW-8N	50	25	83	4.8860	3.3647	3.0000	3.0000	4.8860	4.8860	26.7566	normal	.99
Copper, total	ug/L	MW-8N	51	25	84			4.0000	4.0000			4.0000	nonpar	.99
Iron, total	ug/L	MW-8N	50	25	83	5560.0000	8084.4090	60.0000	60.0000	5560.0000	5560.0000	58108.6584	normal	.99
Lead, total	ug/L	MW-8N	50	25	83			5.0000	5.0000			5.0000	nonpar	.99
Manganese, total	ug/L	MW-8N	49	25	81	11240.8163	5046.7778	2830.0000	2530.0000	11240.8163	11240.8163	44044.8719	normal	.99
Nickel, total	ug/L	MW-8N	51	25	84	103.5294	62.2821	19.8000	19.3000	103.5294	103.5294	508.3628	normal	.99
pH (Field)	S.U.	MW-8N	48	25	73	6.4681	0.7118	5.8200	6.5300	6.4681	6.4681	1.84 - 11.10	normal	.99
Selenium, total	ug/L	MW-8N	50	25	83			10.0000	10.0000			15.0000	nonpar	.99
Silver, total	ug/L	MW-8N	50	25	83			50.0000	50.0000			50.0000	nonpar	.99

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tof)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Sulfate	mg/L	MW-8N	49	25	81	21.3857	7.9291	18.9000	19.3000	21.3857	21.3857	72.9249	normal	
Thallium, total	ug/L	MW-8N	51	25	85			1.0000	1.0000			1.0000	nonpar	**
Total dissolved solids	mg/L	MW-8N	49	25	81	249.0408	45.7425	272.0000	263.0000	357.0875	336.7398	546.3669	normal	
Total organic carbon (toc)	mg/L	MW-8N	36	25	67	1.1690	0.1746	1.4700	1.6600	2.4141	2.6041	2.3038	normal	
Vanadium, total	ug/L	MW-8N	51	25	84			3.0000	3.0000			3.0000	nonpar	**
Zinc, total	ug/L	MW-8N	51	25	84	61.8235	55.0562	12.4000	13.1000	61.8235	61.8235	419.6890	normal	

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tof) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

* - Insufficient Data.

** - Detection Frequency < 25%.

*** - Zero Variance.

Table 4
Dixon's Test Outliers
1% Significance Level


Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Iron, total	ug/L	LGW-4	10/26/2006	1400.0000		01/24/2006-07/19/2016	24	0.4969
Manganese, total	ug/L	LGW-4	10/26/2006	110.0000		01/24/2006-07/19/2016	24	0.4969
Zinc, total	ug/L	LGW-6	10/26/2006	26.0000		01/24/2006-07/22/2015	23	0.5162
Zinc, total	ug/L	LGW-6	04/30/2013	29.0000		01/24/2006-07/22/2015	23	0.5162
Zinc, total	ug/L	LGW-7	07/22/2015	93.0000		01/25/2006-07/22/2015	22	0.5162
Manganese, total	ug/L	MW-10N	07/10/2007	8.7000		01/19/2006-07/21/2016	22	0.5162
Zinc, total	ug/L	MW-15	08/05/2015	23.0000		06/05/2015-10/06/2016	8	0.6808
Sulfate	mg/L	MW-1N	07/14/2015	29.0000		01/18/2006-07/21/2016	23	0.5162
Sulfate	mg/L	MW-1N	01/09/2016	23.0000		01/18/2006-07/21/2016	23	0.5162
Iron, total	ug/L	MW-21	01/07/2016	170.0000		06/05/2015-10/05/2016	8	0.6371
Iron, total	ug/L	MW-21	10/05/2016	1400.0000		06/05/2015-10/05/2016	8	0.6371
Iron, total	ug/L	MW-3N	01/23/2001	68.0000		01/14/2000-10/06/2016	44	0.3996

N = Total number of independent measurements in background at each well.


Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.


Intra-Well Control Charts / Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


Intra-Well Control Charts / Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18



Graph 19




Graph 20




Graph 21


Intra-Well Control Charts / Prediction Limits




Graph 22




Graph 23




Graph 24




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30



Graph 31












Graph 32




Graph 33


Intra-Well Control Charts / Prediction Limits




Intra-Well Control Charts / Prediction Limits




Graph 43




Graph 44




Graph 45




Graph 46




Graph 47




Graph 48




Graph 49




Graph 50




Graph 51



Graph 52




Graph 53




Graph 54


Intra-Well Control Charts / Prediction Limits




Graph 55




Graph 56




Graph 57




Graph 58




Graph 59




Graph 60



Graph 61















Graph 62



Graph 63

Intra-Well Control Charts / Prediction Limits



Graph 64

Graph 65

Graph 66

Graph 67

Graph 68

Graph 69

Graph 70

Graph 71










Graph 72

Graph 73

Graph 74


Graph 75

Intra-Well Control Charts / Prediction Limits




Graph 84


Intra-Well Control Charts / Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95




Graph 96


Intra-Well Control Charts / Prediction Limits




Graph 97




Graph 98




Graph 99




Graph 100




Graph 101




Graph 102



Graph 103




Graph 104




Graph 105


Intra-Well Control Charts / Prediction Limits




Graph 106




Graph 107




Graph 108




Graph 109




Graph 110




Graph 111




Graph 112




Graph 113




Graph 114



Graph 115




Graph 116




Graph 117


Intra-Well Control Charts / Prediction Limits




Graph 118




Graph 119




Graph 120




Graph 121




Graph 122




Graph 123



Graph 124




Graph 125




Graph 126


Intra-Well Control Charts / Prediction Limits




Graph 127




Graph 128




Graph 129




Graph 130




Graph 131




Graph 132




Graph 133




Graph 134




Graph 135



Graph 136




Graph 137




Graph 138


Intra-Well Control Charts / Prediction Limits




Graph 139




Graph 140




Graph 141




Graph 142




Graph 143




Graph 144



Graph 145




Graph 146




Graph 147


Intra-Well Control Charts / Prediction Limits




Graph 148




Graph 149




Graph 150




Graph 151




Graph 152




Graph 153




Graph 154




Graph 155




Graph 156



Graph 157




Graph 158




Graph 159


Intra-Well Control Charts / Prediction Limits




Graph 160




Graph 161




Graph 162




Graph 163




Graph 164




Graph 165



Graph 166




Graph 167




Graph 168


Intra-Well Control Charts / Prediction Limits




Graph 169




Graph 170




Graph 171




Graph 172




Graph 173




Graph 174




Graph 175




Graph 176




Graph 177



Graph 178












Graph 179




Graph 180


Intra-Well Control Charts / Prediction Limits




Intra-Well Control Charts / Prediction Limits




Graph 190




Graph 191




Graph 192




Graph 193




Graph 194




Graph 195




Graph 196




Graph 197




Graph 198



Graph 199




Graph 200




Graph 201


Intra-Well Control Charts / Prediction Limits




Graph 202




Graph 203




Graph 204




Graph 205




Graph 206




Graph 207



Graph 208




Graph 209




Graph 210


Intra-Well Control Charts / Prediction Limits




Graph 211




Graph 212




Graph 213




Graph 214




Graph 215




Graph 216




Graph 217




Graph 218




Graph 219



Graph 220




Graph 221




Graph 222


Intra-Well Control Charts / Prediction Limits




Graph 223




Graph 224




Graph 225




Graph 226




Graph 227




Graph 228



Graph 229




Graph 230




Graph 231


Intra-Well Control Charts / Prediction Limits




Graph 232




Graph 233




Graph 234




Graph 235




Graph 236




Graph 237




Graph 238




Graph 239




Graph 240



Graph 241












Graph 242




Graph 243


Intra-Well Control Charts / Prediction Limits




Intra-Well Control Charts / Prediction Limits




Graph 253




Graph 254




Graph 255




Graph 256




Graph 257




Graph 258




Graph 259




Graph 260




Graph 261



Graph 262




Graph 263




Graph 264


Intra-Well Control Charts / Prediction Limits




Graph 265




Graph 266




Graph 267




Graph 268




Graph 269




Graph 270



Graph 271




Graph 272




Graph 273


Intra-Well Control Charts / Prediction Limits




Graph 274




Graph 275




Graph 276




Graph 277




Graph 278




Graph 279




Graph 280




Graph 281




Graph 282



Graph 283




Graph 284




Graph 285


Intra-Well Control Charts / Prediction Limits




Graph 286




Graph 287




Graph 288




Graph 289




Graph 290




Graph 291



Graph 292




Graph 293




Graph 294


Intra-Well Control Charts / Prediction Limits




Graph 295




Graph 296




Graph 297




Graph 298




Graph 299




Graph 300




Graph 301




Graph 302




Graph 303



Graph 304




Graph 305




Graph 306


Intra-Well Control Charts / Prediction Limits




Graph 307




Graph 308




Graph 309




Graph 310




Graph 311




Graph 312



Graph 313




Graph 314




Graph 315


Intra-Well Control Charts / Prediction Limits




Graph 316




Graph 317




Graph 318




Graph 319




Graph 320




Graph 321




Graph 322




Graph 323




Graph 324



Graph 325




Graph 326




Graph 327


Intra-Well Control Charts / Prediction Limits




Graph 328




Graph 329




Graph 330




Graph 331




Graph 332




Graph 333



Graph 334




Graph 335




Graph 336


Intra-Well Control Charts / Prediction Limits




Graph 337




Graph 338




Graph 339




Graph 340




Graph 341




Graph 342




Graph 343




Graph 344




Graph 345



Graph 346




Graph 347




Graph 348


Intra-Well Control Charts / Prediction Limits




Graph 349




Graph 350




Graph 351




Graph 352




Graph 353




Graph 354



Graph 355




Graph 356




Graph 357


Intra-Well Control Charts / Prediction Limits




Graph 358




Graph 359




Graph 360




Graph 361




Graph 362




Graph 363




Graph 364




Graph 365




Graph 366



Graph 367




Graph 368




Graph 369


Intra-Well Control Charts / Prediction Limits




Graph 370




Graph 371




Graph 372




Graph 373




Graph 374




Graph 375



Graph 376




Graph 377




Graph 378


Intra-Well Control Charts / Prediction Limits




Graph 379




Graph 380




Graph 381




Graph 382




Graph 383




Graph 384




Graph 385




Graph 386




Graph 387



Graph 388




Graph 389




Graph 390


Intra-Well Control Charts / Prediction Limits




Graph 391




Graph 392




Graph 393




Graph 394




Graph 395




Graph 396



Graph 397




Graph 398




Graph 399


Intra-Well Control Charts / Prediction Limits




Graph 400




Graph 401




Graph 402




Graph 403




Graph 404




Graph 405




Graph 406




Graph 407




Graph 408



Graph 409




Graph 410




Graph 411


Intra-Well Control Charts / Prediction Limits




Graph 412




Graph 413




Graph 414




Graph 415




Graph 416




Graph 417



Graph 418




Graph 419




Graph 420


Intra-Well Control Charts / Prediction Limits




Graph 421




Graph 422




Graph 423




Graph 424




Graph 425




Graph 426




Graph 427




Graph 428




Graph 429



Graph 430




Graph 431




Graph 432


Intra-Well Control Charts / Prediction Limits




Graph 432




Graph 433




Graph 434




Graph 435




Graph 436




Graph 437



Graph 438




Graph 439




Graph 440


Intra-Well Control Charts / Prediction Limits




Graph 442




Graph 443




Graph 444




Graph 445




Graph 446




Graph 447




Graph 448




Graph 449




Graph 450



Graph 451




Graph 452




Graph 453


Intra-Well Control Charts / Prediction Limits




Graph 454




Graph 455




Graph 456




Graph 457




Graph 458




Graph 459



Graph 460




Graph 461




Graph 462


Intra-Well Control Charts / Prediction Limits




Graph 463




Graph 464




Graph 465




Graph 466




Graph 467




Graph 468




Graph 469




Graph 470




Graph 471



Graph 472




Graph 473




Graph 474


Intra-Well Control Charts / Prediction Limits




Graph 475




Graph 476




Graph 477




Graph 478




Graph 479




Graph 480



Graph 481




Graph 482



Graph 483

False Positive and False Negative Rates for Current Intra-Well Control Charts Monitoring Program



S. D. Units

Table 1
Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf
Nickel, total	ug/L	LGW-4	25	16	41	259.3333	38.1560	7.9900	15.1000	596.9785	626.9785	5.3000	nonpar	.99
Total dissolved solids	mg/L	LGW-4	24	14	38			399.0000	429.0000			507.3477	normal	.99
Total organic carbon (toc)	mg/L	LGW-5	21	20	41			1.5500	1.4800			1.4000	normal	.99
Manganese, total	ug/L	MW-10N	21	12	56	33.6190	9.1021	101.0000	49.0000	94.1734	42.1734	92.7825	normal	
Total organic carbon (toc)	mg/L	MW-15	8	17	25	1.0113	0.0360	1.2500	1.2600	1.2140	1.4267	1.2454	normal	
Total organic carbon (toc)	mg/L	MW-17	8	13	21	1.0438	0.0904	3.5400	1.0000	3.4496	1.0438	1.6313	normal	
Zinc, total	ug/L	MW-17	8	12	20	5.5375	1.1698	16.6000	7.3000	15.4302	6.1302	13.1411	normal	
Cadmium, total	ug/L	MW-21	8	22	30	1.3125	0.6266	4.9700	2.6500	8.3102	5.9902	5.3857	normal	.99
Chromium, total	ug/L	MW-2N	24	13	59			6.5200	3.0000			3.0000	nonpar	.99
Nickel, total	ug/L	MW-2N	24	13	59			4.3100	4.0000			4.0000	nonpar	.99

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

* - Insufficient Data.

** - Detection Frequency < 25%.





*** - Zero Variance.

Table 4
Dixon's Test Outliers
1% Significance Level

Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Manganese, total	ug/L	MW-10N	07/10/2007	8.7000		01/19/2006-07/21/2016	22	0.5162

N = Total number of independent measurements in background at each well.
 Date Range = Dates of the first and last measurements included in background at each well.
 Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.

Intra-Well Sublist Control Charts / Prediction Limits







Graph 1

Graph 2

Graph 3

Graph 4





Graph 5

Graph 6

Graph 7

Graph 8



Graph 9

Graph 10

Graph 9

Graph 10

Attachment E

95% LCL Calculations for Metals and Inorganics

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	
Cadmium, total	ug/L	LGW-9	8	17.538	1.949	0.670	16.232	18.843	5.000	**
Cadmium, total	ug/L	MW-3N	8	30.437	11.652	0.670	22.633	38.242	5.000	**
Cadmium, total	ug/L	MW-8N	8	7.740	0.459	0.670	7.433	8.047	5.000	**


* - Insufficient Data

** - Significant Exceedance


LCL = Lower Confidence Limit

UCL = Upper Confidence Limit


Confidence Limits (Assessment)



Graph 1



Graph 2



Graph 3

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	
Cobalt, total	ug/L	LGW-10	8	59.650	13.860	0.670	50.366	68.934	6.000	**
Cobalt, total	ug/L	LGW-6	8	18.375	3.687	0.670	15.905	20.845	6.000	**
Cobalt, total	ug/L	MW-21	8	13.304	3.333	0.670	11.072	15.536	6.000	**


* - Insufficient Data

** - Significant Exceedance


LCL = Lower Confidence Limit

UCL = Upper Confidence Limit


Confidence Limits (Assessment)



Graph 1



Graph 2



Graph 3